

Form Approved  
OMB No. 0704-0188



average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |  |                                             |  |                                                                                                  |  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|---------------------------------------------|--|--------------------------------------------------------------------------------------------------|--|
| 1. AGENCY USE ONLY (Leave blank)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |  | 2. REPORT DATE<br>02/00/86                  |  | 3. REPORT TYPE AND DATES COVERED                                                                 |  |
| 4. TITLE AND SUBTITLE<br>CONTAMINANTS IN FISH AND GAME ANIMALS ON ROCKY MOUNTAIN ARSENAL, 1983-1984                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |                                             |  | 5. FUNDING NUMBERS                                                                               |  |
| 6. AUTHOR(S)<br>THORNE, D.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |                                             |  | 8. PERFORMING ORGANIZATION<br>REPORT NUMBER<br><br>86058R01                                      |  |
| 7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)<br>ROCKY MOUNTAIN ARSENAL (CO.). PMRMA<br>COMMERCE CITY, CO                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |  |                                             |  |                                                                                                  |  |
| 9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |                                             |  | 10. SPONSORING/MONITORING<br>AGENCY REPORT NUMBER                                                |  |
| 11. SUPPLEMENTARY NOTES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |                                             |  | 94-35013<br> |  |
| 12a. DISTRIBUTION/AVAILABILITY STATEMENT<br><br>APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  |                                             |  | 12b. DISTRIBUTION CODE                                                                           |  |
| 13. ABSTRACT (Maximum 200 words)<br>A BIOLOGICAL MONITORING PROGRAM WAS BEGUN ON RMA IN 1977. PHASE I OF THIS PROGRAM WAS A SCREENING STUDY TO DETERMINE THE GENERAL EXTENT OF CONTAMINATION IN THE BIOTA. RESULTS OF THIS STUDY INDICATED THAT THE FISH AND GAME ANIMALS WERE TAKING UP CONTAMINANTS.<br>SINCE THE SCREENING STUDY IN 1977, THE FISH AND GAME ANIMALS HAVE BEEN SAMPLED ANNUALLY TO MONITOR THEIR LEVELS OF CONTAMINATION. RESULTS OF THE STUDIES FOR 1977 THROUGH 1982 WERE GIVEN IN A PREVIOUS REPORT (RIC #83042R01).. THE PRESENT REPORT PRESENTS THE RESULTS FOR 1983 AND 1984. |  |                                             |  |                                                                                                  |  |
| 14. SUBJECT TERMS<br>BIRDS, RABBITS, PHEASANTS, DUCKS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  |                                             |  | 15. NUMBER OF PAGES                                                                              |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |  |                                             |  | 16. PRICE CODE                                                                                   |  |
| 17. SECURITY CLASSIFICATION<br>OF REPORT<br>UNCLASSIFIED                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |  | 18. SECURITY CLASSIFICATION<br>OF THIS PAGE |  | 19. SECURITY CLASSIFICATION<br>OF ABSTRACT                                                       |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |  |                                             |  | 20. LIMITATION OF ABSTRACT                                                                       |  |

**Best  
Available  
Copy**

86055R01  
2nd COPY

Contaminants in Fish and Game Animals  
on Rocky Mountain Arsenal 1983 - 1984

David S. Thorne

Rocky Mountain Arsenal  
Information Center  
Commerce City, Colorado

FILE COPY

February, 1986

# Contaminants in Fish and Game Animals on Rocky Mountain Arsenal Results of Chemical Analyses 1983 and 1984

A biological monitoring program was begun on Rocky Mountain Arsenal in 1977. Phase 1 of this program was a screening study to determine the general extent of contaminants in the biota. Some of the results of this study indicated that the fish and game animals on the Arsenal were taking up contaminants.

Since the screening study in 1977, the fish and game animals have been sampled annually to monitor their status on contamination. Results of the studies for 1977 through 1982 were given in a previous report (Contaminants in Fish and Game Animals on Rocky Mountain Arsenal 1977 - 1982, David S. Thorne, December 1982, Rocky Mountain Arsenal Information Center Aquisition No. 83042R01). The present report gives the results for 1983 and 1984.

|                    |                      |                                     |
|--------------------|----------------------|-------------------------------------|
| Approved For       |                      |                                     |
| NTIS               | CRA&I                | <input checked="" type="checkbox"/> |
| DTIC               | IAB                  | <input type="checkbox"/>            |
| Unannounced        |                      | <input type="checkbox"/>            |
| Justification      |                      |                                     |
| By                 |                      |                                     |
| Distribution/      |                      |                                     |
| Availability Codes |                      |                                     |
| Dist               | Avail and/or Special |                                     |
| A-1                |                      |                                     |

1983

DEPARTMENT OF THE ARMY  
ROCKY MOUNTAIN ARSENAL  
COMMERCE CITY, COLORADO 80022

SMCRM-TOE-C,

23 April 1984

MEMORANDUM FOR DIRECTOR OF TECHNICAL OPERATIONS

SUBJECT: Chemical Monitoring of Fish and Game Animals on Rocky Mountain Arsenal

1. The fish and small game animals on Rocky Mountain Arsenal (RMA) are sampled annually to determine the levels of pesticides and other contaminants in their tissues in order to evaluate any potential health risks.
2. Tables I-VII present the results of chemical analysis of pheasants, ducks, mourning doves, rabbits and fish taken on RMA and ~~pheasants~~ and mourning doves taken off post by the Colorado Division of Wildlife (CDW) in calendar year 1983. A table for pheasants taken off post is not included because none of the contaminants were detected in any of the eight birds collected.
3. The Environmental Protection Agency (EPA) has established tolerances for certain unavoidable contaminants that find their way into food. Also, the Food and Drug Administration (FDA) has established temporary "action levels" for some contaminants for which an EPA tolerance has not been determined. Tolerances and action levels are limits at which the FDA can take legal action to remove adulterated products from commercial trade. Where no established tolerance or action level exists for an adulterating substance, FDA is authorized to take action at the minimum detection level of the substance. The most recently published list of FDA action levels gives concentration levels of 0.30 ppm for aldrin, dieldrin or endrin in fish or the fat of meat and 5.0 ppm for DDT or DDE, singly or in combination, in fish (Action Levels for Poisonous or Deleterious Substances in Human Food and Animal Feed, Sep 1982, FDA Industry Programs, Bureau of Foods, HF 326, 200 C Street SW, Washington, D.C. 20204). EPA has established a tolerance of 5.0 ppm for DDT or DDE, singly or in combination, in the fat of meat (40 CFR 180, Jul 1980). FDA lists an action level of 1.00 ppm for mercury in fish but none is listed for meat or fat. No other tolerances or action levels are established for the other contaminants found in the game animals on RMA. Since the chlorinated pesticides tend to localize in the fat, the concentrations for these substances would be somewhat higher on a fat basis than the analyses reported in this study which utilized the whole edible portion of the animals.
4. The U.S. Army Medical Research and Development Command (USAMRDC) has proposed a temporary guideline of 0.5 ppm for DIMP as the maximum allowable concentration in food for human consumption (Statement on the Status of Research into Biological Effects of Environmental Contaminants at Rocky Mountain Arsenal, Committee on Military Environmental Research, National Academy of Science, Washington, D.C., Jan 1977).

SMCRM-TOE-C

23 April 1984

SUBJECT: Chemical Monitoring of Fish and Game Animals on Rocky Mountain Arsenal

5. The chorophenylmethyl sulfur compounds have shown indications of being potential carcinogens (meeting of the Committee on Military Environmental Research, Sub-Committee on Land Renovation, National Academy of Science, Washington, D.C., Apr 5, 1979).
6. Again this year, as in 1982, the only pheasants showing any of the contaminants were taken from the immediate vicinity of Basin F. The three pheasants taken in this area contained dieldrin, one exceeding the FDA action level (0.3 ppm); two contained fairly high levels of mercury and one contained a fairly high level of CPM02 (Table I).
7. Twelve of the 15 ducks contained dieldrin; two birds, both from Basin D, exceeded the FDA action level (0.3 ppm). Mercury was present in 12 of the ducks, two exceeding the FDA action level of 1.00 ppm (Table II). No mercury was found in ducks in 1981 or 1982.
8. The mourning doves showed more widespread contamination this year than in the previous two years. Nine of the 15 birds contained dieldrin, four exceeding the FDA action level (0.3 ppm). Two of these were from the immediate vicinity of Basin F, but the other two were from relatively clean areas. One of these birds from Basin F contained a fairly high level of endrin and another a fairly high level of CPM02 (Table IV). Last year only one of 15 mourning doves showed any of the contaminants and this was just a small amount of dieldrin. In 1981 high levels of dieldrin, endrin and CPM02 were found in mourning doves but only in birds taken from Basin F and the South Plants areas.
9. Again this year, as in the previous two years, the only cottontails showing contamination were taken from Basin F and the South Plants-lakes areas. Seven of the 15 rabbits contained dieldrin; one from the South Plants area exceeded the FDA action level (0.3 ppm). One rabbit from Basin F contained mercury and this was in excess of the FDA action level (1.00 ppm); this rabbit also contained some CPM02 (Table VI).
10. Relatively high levels of mercury continue to occur in fish from Lakes Mary, Ladora and Lower Derby. Average mercury concentrations were 0.29 ppm in Lake Mary, 0.72 ppm in Ladora and 0.37 ppm in Lower Derby. Four fish from Ladora exceeded the FDA action level (1.00 ppm). The only other contaminants found were small amounts of dieldrin, DDT and DDE, none exceeding the FDA action levels for these substances (Table VII).
11. Of the birds collected off post, five of the eight mallards contained small amounts of dieldrin and one other contained a fairly high level of mercury (Table III). One of the ten mourning doves contained very small amounts of dieldrin and DDE (Table V). None of the pheasants were contaminated.

EDWIN W. BERRY  
Acting Chief, Compliance  
and Resources Branch

Table 1

Contaminants in Breast and Leg Meat  
of Pheasants from RMA - 1983 <sup>1/</sup>

| Location <sup>2/</sup> | Sex | Age | Contaminant (ppm) <sup>3/</sup> |       |      |      |
|------------------------|-----|-----|---------------------------------|-------|------|------|
|                        |     |     | DLDN                            | CPM02 | ENDN | HG   |
| Section 07-09          | F   | Juv | BDL                             | BDL   | BDL  | BDL  |
| " "                    | M   | Juv | BDL                             | BDL   | BDL  | BDL  |
| " "                    | M   | Juv | BDL                             | BDL   | BDL  | BDL  |
| " "                    | M   | Juv | BDL                             | BDL   | BDL  | BDL  |
| " 24-15                | F   | Juv | BDL                             | BDL   | BDL  | BDL  |
| " "                    | F   | Juv | BDL                             | BDL   | BDL  | BDL  |
| " "                    | M   | Juv | BDL                             | BDL   | BDL  | BDL  |
| " 24-08                | M   | Ad  | BDL                             | BDL   | BDL  | BDL  |
| " 30-01                | M   | Ad  | BDL                             | BDL   | BDL  | BDL  |
| " 31-05                | M   | Ad  | BDL                             | BDL   | BDL  | BDL  |
| " 06-05                | M   | Ad  | BDL                             | BDL   | BDL  | BDL  |
| " 01-11                | M   | Ad  | BDL                             | BDL   | BDL  | BDL  |
| " 26-09                | M   | Juv | 0.58                            | BDL   | 0.05 | BDL  |
| " 26-14                | M   | Juv | 0.03                            | BDL   | BDL  | 0.41 |
| " 26-14                | F   | Ad  | 0.04                            | 0.66  | BDL  | 0.50 |

1/ Taken 2-25 August 1983

2/ Locations:

Section 07-09 - Highline Canal, NW corner of section 7

Section 24-15 - East of Bog

Section 24-08 - SE corner of section 24

Section 30-01 - SW corner of section 30

Section 31-05 - SW corner of section 31

Section 06-05 - Shore of Upper Derby arm

Section 01-11 - North shore of Upper Derby, east of Plants area

Section 26-09 - Just west of Basin F fence

Section 26-14 - Just north of Basin F fence

Table 1

Contaminants in Breast and Leg Meat  
of Pheasants from RMA - 1983 (continued)

| <u>3/ Contaminants</u>           | <u>Symbol</u> | <u>Detection Level (ppm)</u> |
|----------------------------------|---------------|------------------------------|
| Aldrin                           | ALDN          | 0.02                         |
| Chlorophenylmethylsulfide        | PCPMS         | 0.20                         |
| Cpm-sulfone                      | CPMSO         | 0.20                         |
| Cpm-sulfoxide                    | CPMSO         | 0.20                         |
| Dibromochloropropane             | DBCP          | 0.02                         |
| Dichlorodiphenyldichloroethylene | DDE           | 0.02                         |
| Dichlorodiphenyltrichloroethane  | DDT           | 0.02                         |
| Dieldrin                         | DLDN          | 0.02                         |
| Diisopropylmethylphosphonate     | DIMP          | 0.05                         |
| Dithiane                         | DITH          | 0.20                         |
| Endrin                           | ENDN          | 0.02                         |
| Isodrin                          | ISOD          | 0.02                         |
| Mercury                          | HG            | 0.20                         |
| Oxathiane                        | OXAT          | 0.20                         |

ALDN, PCPMS, CPMSO, DBCP, DDE, DDT, DIMP, DITH, ISOD, and OXAT were below their detection levels (BDL).

Table II

Contaminants in Breast and Leg Meat  
of Mallards from RMA - 1983 <sup>1/</sup>

| Location      | Sex | Age | Contaminant (ppm) <sup>2/</sup> |      |      |      |
|---------------|-----|-----|---------------------------------|------|------|------|
|               |     |     | DLDN                            | HG   | DDE  | DDT  |
| Uvalda Ditch  | F   | Ad  | BDL                             | BDL  | BDL  | BDL  |
| " "           | M   | Ad  | 0.06                            | BDL  | 0.06 | BDL  |
| " "           | F   | Ad  | 0.05                            | 0.65 | BDL  | BDL  |
| Pond, Sec II  | M   | Ad  | 0.07                            | 0.22 | BDL  | BDL  |
| " "           | M   | Ad  | BDL                             | BDL  | BDL  | BDL  |
| " "           | M   | Ad  | 0.18                            | 1.00 | 0.03 | BDL  |
| North Bog     | M   | Juv | 0.08                            | 0.75 | 0.09 | 0.02 |
| " "           | F   | Juv | 0.12                            | 0.29 | 0.16 | 0.03 |
| " "           | F   | Juv | 0.09                            | 0.46 | 0.12 | BDL  |
| " "           | F   | Juv | 0.10                            | 0.41 | 0.13 | BDL  |
| R&G Club Pond | M   | Ad  | BDL                             | 0.51 | 0.04 | BDL  |
| TGY Pond      | M   | Juv | 0.02                            | 0.79 | 0.03 | BDL  |
| Basin D Pond  | F   | Ad  | 0.84                            | 1.79 | 0.05 | BDL  |
| " "           | M   | Juv | 0.11                            | 0.29 | BDL  | BDL  |
| " "           | F   | Juv | 0.54                            | 0.98 | BDL  | BDL  |

<sup>1/</sup> Taken 11 Aug-9 September 1983

<sup>2/</sup> See Table I for symbols. ALDN, PCPMS, CPMO2, CPMSO, DBCP, DIMP, DITH, ENDN, ISOD and OXAT were below their detection levels (BDL).

Table III

Contaminants in Breast and Leg Meat  
of Mallards from Off Post - 1983 <sup>1/</sup>

| <u>Date</u> | <u>Sex</u> | <u>Age</u> | <u>Contaminant (ppm) <sup>2/</sup></u> |           |
|-------------|------------|------------|----------------------------------------|-----------|
|             |            |            | <u>DDE</u>                             | <u>HG</u> |
| 22 Aug      | F          | Ad         | BDL                                    | 0.29      |
| 22 Aug      | M          | Juv        | BDL                                    | BDL       |
| 23 Aug      | F          | Ad         | 0.04                                   | BDL       |
| 23 Aug      | F          | Ad         | 0.04                                   | BDL       |
| 23 Aug      | F          | Ad         | 0.02                                   | BDL       |
| 25 Aug      | F          | Ad         | 0.03                                   | BDL       |
| 04 Sep      | F          | Juv        | 0.03                                   | BDL       |
| 04 Sep      | M          | Juv        | BDL                                    | BDL       |

<sup>1/</sup> All ducks were taken in Weld County.

<sup>2/</sup> See Table I for symbols. ALDN, PCPMS, CPMO2, CPMSO, DBCP, DDT, DLDN, DIMP, DITH, ENDN, ISGD and OXAT were below their detection levels (BDL).

Table IV

Contaminants in Breast Meat of  
Mourning Doves from EMA - 1983 <sup>1/</sup>

| Location <sup>2/</sup> | Contaminant (ppm) <sup>3/</sup> |       |      |      |
|------------------------|---------------------------------|-------|------|------|
|                        | DLDN                            | CPM02 | EMDN | DDE  |
| Section 24-15          | 0.02                            | BDL   | BDL  | BDL  |
| " "                    | 0.48                            | BDL   | 0.03 | BDL  |
| " "                    | BDL                             | BDL   | BDL  | BDL  |
| " 09-10                | BDL                             | BDL   | BDL  | BDL  |
| " "                    | BDL                             | BDL   | BDL  | BDL  |
| " "                    | BDL                             | BDL   | BDL  | BDL  |
| " 30-05                | 0.17                            | BDL   | 0.02 | BDL  |
| " "                    | 0.51                            | BDL   | 0.04 | BDL  |
| " "                    | BDL                             | BDL   | BDL  | BDL  |
| " 02-11                | 0.03                            | BDL   | BDL  | BDL  |
| " "                    | BDL                             | BDL   | BDL  | BDL  |
| " "                    | 0.09                            | BDL   | BDL  | 0.02 |
| " 26-11                | 1.61                            | BDL   | 0.29 | BDL  |
| " "                    | 0.04                            | BDL   | BDL  | 0.11 |
| " "                    | 0.80                            | 0.94  | 0.09 | BDL  |

1/ Adults; sex undetermined; taken 2-18 August 1983

2/ Locations:

Section 24-15 - East of Bog

Section 09-10 - North of Post Office

Section 30-05 - SW corner of section 30

Section 02-11 - South Plants area

Section 26-11 - Just east of Basin F fence

3/ See Table I for symbols. ALDN, PCPMS, CPMSO, DBCP, DDT, DIMP, DITH, ISOD, HG and OXAT were below their detection levels (BDL).

Table V

Contaminants in Breast Meat of  
Mourning Doves from Off Post - 1983 <sup>1/</sup>

| <u>Date</u> | <u>Location</u>   | <u>Contaminant (ppm <sup>2/</sup></u> |            |
|-------------|-------------------|---------------------------------------|------------|
|             |                   | <u>DLDN</u>                           | <u>DDE</u> |
| 20 Aug      | Arac. shoe County | BDL                                   | BDL        |
| 20 Aug      | " "               | BDL                                   | BDL        |
| 22 Aug      | Weld County       | BDL                                   | BDL        |
| 22 Aug      | " "               | BDL                                   | BDL        |
| 22 Aug      | " "               | BDL                                   | BDL        |
| 21 Aug      | Boulder County    | BDL                                   | BDL        |
| 23 Aug      | " "               | BDL                                   | BDL        |
| 14 Aug      | Jefferson County  | BDL                                   | BDL        |
| 04 Sep      | " "               | BDL                                   | BDL        |
| 08 Sep      | Adams County      | 0.02                                  | 0.02       |

<sup>1/</sup> Adults; sex undetermined.

<sup>2/</sup> See Table I for symbols. ALDN, PCPMS, CPM02, CPM50, DBCP, DDT, DIMP, DITH, ENDN, ISOD, HG and OXAT were below their detection limits (BDL).

Table VI  
Contaminants in the Meat of  
Cottontail Rabbits from RMA - 1983 <sup>1/</sup>

| <u>Location</u> <sup>2/</sup> | <u>Sex</u> | <u>Age</u> | <u>Contaminants (ppm)</u> <sup>3/</sup> |           |              |
|-------------------------------|------------|------------|-----------------------------------------|-----------|--------------|
|                               |            |            | <u>DLDN</u>                             | <u>HG</u> | <u>CPM02</u> |
| Section 12-09                 | F          | Ad         | BDL                                     | BDL       | BDL          |
| " "                           | M          | Ad         | BDL                                     | BDL       | BDL          |
| " 11-06                       | F          | Ad         | BDL                                     | BDL       | BDL          |
| " "                           | M          | Ad         | BDL                                     | BDL       | BDL          |
| " 23-15                       | M          | Juv        | BDL                                     | BDL       | BDL          |
| " 01-07                       | M          | Juv        | 0.03                                    | BDL       | BDL          |
| " "                           | M          | Ad         | 0.03                                    | BDL       | BDL          |
| " 34-15                       | F          | Ad         | BDL                                     | BDL       | BDL          |
| " 34-16                       | F          | Juv        | BDL                                     | BDL       | BDL          |
| " 01-09                       | M          | Juv        | 0.06                                    | BDL       | BDL          |
| " "                           | F          | Juv        | 0.08                                    | BDL       | BDL          |
| " "                           | M          | Ad         | 0.43                                    | BDL       | BDL          |
| " 26-14                       | F          | Juv        | 0.20                                    | BDL       | BDL          |
| " "                           | M          | Juv        | 0.10                                    | BDL       | BDL          |
| " "                           | M          | Ad         | BDL                                     | 1.56      | 0.27         |

1/ Taken 6 October-2 November 1983

2/ Locations:

- Section 12-09 - South of Rod & Gun Club
- Section 11-06 - North-Central part of section 11
- Section 23-16 - NE corner of section 23
- Section 01-07 - Dike between Upper and Lower Derby Lakes
- Section 34-15 - NE corner of section 34
- Section 34-16 - NE corner of section 34
- Section 01-09 - South Plants area
- Section 26-14 - Just north of Basin F fence

3/ See Table I for symbols. ALDN, PCPMS, CPMSO, DBCP, DDE, DDT, DIMP, DITH, ENDN, ISOD and OXAT were below their detection levels (BDL).

Table VII

Contaminants in Edible Portion (Filets)  
of Fish from EMA - 1983 <sup>1/</sup>

| Lake        | Species     | Wt. (g) | Contaminant (ppm) <sup>2/</sup> |      |      |      |
|-------------|-------------|---------|---------------------------------|------|------|------|
|             |             |         | D.D.N                           | HG   | DDE  | DDT  |
| Lower Derby | N. Pike     | 874     | 0.05                            | 0.36 | 0.05 | 0.05 |
| "           | "           | 803     | 0.04                            | 0.47 | 0.08 | 0.06 |
| "           | "           | 983     | 0.05                            | 0.37 | 0.03 | 0.04 |
| "           | "           | 852     | 0.05                            | 0.58 | 0.21 | 0.09 |
| "           | Bl Bullhead | 299     | 0.10                            | 0.41 | BDL  | 0.04 |
| "           | "           | 247     | 0.11                            | 0.29 | BDL  | BDL  |
| "           | "           | 242     | 0.08                            | 0.33 | BDL  | BDL  |
| "           | "           | 302     | 0.12                            | 0.34 | BDL  | BDL  |
| "           | "           | 286     | 0.09                            | 0.40 | BDL  | BDL  |
| "           | "           | 262     | 0.11                            | 0.26 | BDL  | BDL  |
| "           | "           | 255     | 0.21                            | 0.21 | 0.03 | BDL  |
| Lake Ladora | N. Pike     | 7128    | 0.03                            | 4.50 | 0.05 | 0.03 |
| "           | "           | 1759    | 0.04                            | 0.88 | 0.05 | 0.03 |
| "           | "           | 2014    | 0.03                            | 0.89 | 0.03 | BDL  |
| "           | "           | 4540    | 0.12                            | 1.23 | 0.14 | 0.09 |
| "           | L.M. Bass   | 828     | BDL                             | 1.05 | BDL  | BDL  |
| "           | "           | 253     | 0.03                            | 0.64 | BDL  | BDL  |
| "           | "           | 78      | 0.03                            | 0.79 | BDL  | BDL  |
| "           | "           | 130     | BDL                             | 0.75 | BDL  | BDL  |
| "           | "           | 92      | 0.03                            | 0.73 | BDL  | BDL  |
| "           | N. Bluegill | 106     | 0.06                            | 0.44 | BDL  | BDL  |
| "           | "           | 108     | 0.09                            | 0.14 | BDL  | BDL  |
| "           | "           | 112     | 0.09                            | 0.93 | BDL  | BDL  |
| "           | "           | 106     | 0.08                            | 0.42 | BDL  | BDL  |
| "           | "           | 110     | 0.04                            | 0.45 | BDL  | BDL  |
| "           | "           | 106     | 0.07                            | 0.34 | BDL  | BDL  |
| "           | "           | 114     | 0.04                            | 0.15 | BDL  | BDL  |
| "           | "           | 107     | 0.03                            | 0.28 | BDL  | BDL  |
| "           | "           | 101     | 0.03                            | 0.40 | BDL  | BDL  |
| "           | "           | 96      | 0.03                            | 0.24 | BDL  | BDL  |

TABLE III  
Concentrations of Selected Pesticides  
in Fish from Lake Mary<sup>1/</sup>

| Lake        | Species      | Wt. (g) | Concentration (ppm) <sup>2/</sup> |       |       |      |
|-------------|--------------|---------|-----------------------------------|-------|-------|------|
|             |              |         | ALDN                              | PCPMS | CPMSO | DBCP |
| Lake Ladoga | N. Bluegill  | 99      | 0.04                              | BDL   | BDL   | BDL  |
| "           | "            | 96      | 0.04                              | 0.35  | BDL   | BDL  |
| "           | "            | 148     | 0.05                              | 0.53  | 0.03  | 0.03 |
| "           | "            | 118     | BDL                               | 1.80  | BDL   | BDL  |
| "           | Bl. Bullhead | 261     | 0.03                              | BDL   | BDL   | BDL  |
| "           | "            | 296     | 0.08                              | 0.73  | 0.03  | BDL  |
| "           | "            | 314     | 0.11                              | 0.64  | 0.08  | BDL  |
| "           | "            | 405     | 0.10                              | 0.60  | 0.04  | BDL  |
| "           | "            | 300     | 0.06                              | 0.70  | BDL   | BDL  |
| "           | "            | 251     | 0.10                              | 0.86  | 0.09  | BDL  |
| "           | "            | 350     | 0.07                              | 0.94  | 0.05  | 0.04 |
| "           | "            | 265     | 0.09                              | 0.72  | 0.03  | BDL  |
| "           | "            | 242     | 0.04                              | 0.66  | 0.03  | BDL  |
| "           | "            | 273     | 0.05                              | BDL   | BDL   | 0.04 |
| Lake Mary   | L.M. Bass    | 144     | BDL                               | 0.27  | BDL   | BDL  |
| "           | "            | 154     | BDL                               | 0.22  | BDL   | BDL  |
| "           | "            | 132     | BDL                               | 0.23  | BDL   | BDL  |
| "           | "            | 116     | BDL                               | 0.22  | BDL   | BDL  |
| "           | "            | 130     | BDL                               | 0.30  | BDL   | BDL  |
| "           | N. Bluegill  | 364     | 0.10                              | 0.28  | BDL   | BDL  |
| "           | C. Catfish   | 2450    | 0.16                              | 0.52  | 0.09  | BDL  |

<sup>1/</sup> Caught June 17, 1983

<sup>2/</sup> See Table I for symbols. ALDN, PCPMS, CPMO2, CPMSO, DBCP, DIMP, DITH, ENDN, ISOD and OXAT were below their detection levels (BDL).

# CONTAMINANTS IN FISH ON RMA - 1983 (all species)

| Lake                          | No. of Fish | Dieldrin       |             |                                        | Mercury        |             |                                        |
|-------------------------------|-------------|----------------|-------------|----------------------------------------|----------------|-------------|----------------------------------------|
|                               |             | ug/g (Wet wt.) |             | No. of Fish<br>Exc FDA<br>Action Level | ug/g (Wet wt.) |             | No. of Fish<br>Exc FDA<br>Action Level |
|                               |             | Mean (SE)      | Range*      |                                        | Mean (SE)      | Range       |                                        |
|                               |             |                |             |                                        |                |             |                                        |
| Lower Derby<br>Ladora<br>Mary | 11          | 0.09 (0.01)    | 0.04 - 0.21 | 0                                      | 0.37 (0.03)    | 0.21 - 0.58 | 0                                      |
|                               | 33          | 0.05 (0.006)   | Bdl - 0.12  | 0                                      | 0.72 (0.14)    | Bdl - 4.50  | 0                                      |
|                               | 7           | 0.04 (0.02)    | Bdl - 0.16  | 0                                      | 0.29 (0.04)    | 0.22 - 0.52 | 0                                      |
|                               |             | DDE            |             |                                        | DDT            |             |                                        |
|                               |             | 0.04 (0.02)    | Bdl - 0.21  | 0                                      | 0.03 (0.01)    | Bdl - 0.09  | 0                                      |
|                               |             |                |             |                                        |                |             |                                        |
|                               |             |                |             |                                        |                |             |                                        |
| Lower Derby<br>Ladora<br>Mary | 11          | 0.04 (0.02)    | Bdl - 0.21  | 0                                      | 0.03 (0.01)    | Bdl - 0.09  | 0                                      |
|                               | 33          | 0.02 (0.006)   | Bdl - 0.14  | 0                                      | 0.01 (0.003)   | Bdl - 0.09  | 0                                      |
|                               | 7           | 0.01 (0.01)    | Bdl - 0.09  | 0                                      | 0              | ---         | 0                                      |

\*Bdl = Below detectable level

1984

TABLE 1. CONTAMINANTS IN BREAST AND LEG MEAT OF PHEASANTS FROM 1974 - 1984

| LOCATION <sup>2</sup> | SEX | AGE | CONTAMINANT (ppm) <sup>3</sup> |       |      |
|-----------------------|-----|-----|--------------------------------|-------|------|
|                       |     |     | DLN                            | CPMO2 | ENDN |
| Section 26-09         | M   | Ad  | 1.37                           | BDL   | BDL  |
| " 26-09               | M   | Ad  | 2.38                           | 0.36  | 0.03 |
| " 26-11               | M   | Ad  | 0.32                           | 0.28  | BDL  |
| " 26-11               | M   | Ad  | 1.38                           | 0.41  | 0.03 |
| " 07-04               | M   | Ad  | BDL*                           | BDL   | BDL  |
| " 07-04               | M   | Ad  | BDL                            | BDL   | BDL  |
| " 07-09               | M   | Ad  | BDL                            | BDL   | BDL  |
| " 24-10               | M   | Ad  | BDL                            | BDL   | BDL  |
| " 24-10               | M   | Ad  | 0.03                           | BDL   | BDL  |
| " 24-12               | M   | Ad  | BDL                            | BDL   | BDL  |
| " 30-01               | M   | Ad  | BDL                            | BDL   | BDL  |
| " 30-09               | M   | Ad  | 0.02                           | BDL   | BDL  |
| " 01-01               | F   | Juv | 0.02                           | BDL   | BDL  |
| " 01-01               | M   | Ad  | BDL                            | BDL   | BDL  |
| " 06-05               | M   | Ad  | BDL                            | BDL   | BDL  |

<sup>1</sup> Taken 16-30 August, 1984.

<sup>2</sup> Locations:

Section 26-09. West of Basin F fence.  
 " 26-11. East of Basin F fence.  
 " 07-04. Highline Canal, S.E. corner of Section 7.  
 " 07-09. Highline Canal, N.W. corner of Section 7.  
 " 24-10. N.W. corner of Section 24.  
 " 24-12. First Creek, N.E. corner of Section 24.  
 " 30-01. First Creek, S.W. corner of Section 30.  
 " 30-09. First Creek, N.W. corner of Section 30.  
 " 01-01. S.W. corner of Section 1.  
 " 06-05. Upper arm of Upper Derby Lake.

<sup>3</sup> CONTAMINANTS:

|                                   | SYMBOL | DETECTION LEVEL |
|-----------------------------------|--------|-----------------|
| Aldrin                            | ALD    | 0.02            |
| Chlorophenylmethylsulfide         | CPMS   | 0.20            |
| Cpm-sulfone                       | CPMSO  | 0.20            |
| Cpm-sulfoxide                     | CPMSO  | 0.20            |
| Dibromochloropropane              | DBCP   | 0.02            |
| Dichlorodiphenyldichloromethylene | DDT    | 0.02            |
| Dichlorodiphenyltrichloroethane   | DDT    | 0.02            |
| Dieldrin                          | DLN    | 0.02            |
| Diisopropylmethylphosphonate      | DIMP   | 0.05            |
| Dithiane                          | DTH    | 0.20            |
| Endrin                            | END    | 0.02            |
| Isodrin                           | ISOD   | 0.02            |
| Mercury                           | HG     | 0.20            |
| Oxathiane                         | OXAT   | 0.20            |

\* ALDN, CPMS, CPMSO, DBCP, DDE, DDT, DIMP, DITH, ISOD, HG and OXAT were below their detection levels (BDL).

TABLE 2. CONTAMINANTS IN BREAST AND LEG MEAT OF DUCKS FROM RMA<sup>1</sup>

1984

| LOCATION        | SPECIES   | SEX | AGE | DLDN | ENDN | HKG  | CONTAMINANT (ppm) <sup>2</sup> |      |     |
|-----------------|-----------|-----|-----|------|------|------|--------------------------------|------|-----|
|                 |           |     |     |      |      |      | DDE                            | DDT  | DDT |
| Lower Derby     | Mallard   | M   | Ad  | 0.03 | BDL  | BDL  | 0.09                           | BDL  | BDL |
| Lower Derby     | Mallard   | M   | Ad  | BDL  | BDL  | BDL  | 0.27                           | 0.05 | BDL |
| Ladora Lake     | Mallard   | F   | Juv | 0.46 | BDL  | BDL  | 0.16                           | BDL  | BDL |
| Ladora Lake     | Mallard   | M   | Juv | 0.02 | BDL  | 0.62 | BDL                            | BDL  | BDL |
| R & G Club Pond | Mallard   | M   | Juv | BDL  | BDL  | 0.40 | BDL                            | BDL  | BDL |
| R & G Club Pond | Mallard   | M   | Ad  | 0.02 | BDL  | BDL  | 0.03                           | BDL  | BDL |
| Sec II Pond     | Mallard   | M   | Juv | BDL  | BDL  | 0.20 | BDL                            | BDL  | BDL |
| Sec II Pond     | Mallard   | F   | Juv | BDL  | BDL  | BDL  | BDL                            | BDL  | BDL |
| Sec II Pond     | Mallard   | F   | Juv | BDL  | BDL  | BDL  | BDL                            | BDL  | BDL |
| Sec II Pond     | B.W. Teal | ?   | Juv | 0.29 | BDL  | BDL  | BDL                            | BDL  | BDL |
| North Bog       | B.W. Teal | ?   | Juv | 0.46 | 0.02 | BDL  | 0.30                           | BDL  | BDL |
| North Bog       | Mallard   | M   | Juv | 0.10 | BDL  | BDL  | 0.40                           | BDL  | BDL |
| North Bog       | Mallard   | M   | Juv | 0.05 | BDL  | BDL  | BDL                            | BDL  | BDL |
| North Bog       | Mallard   | ?   | Juv | 0.10 | BDL  | BDL  | BDL                            | BDL  | BDL |
| North Bog       | Mallard   | M   | Juv | 0.11 | BDL  | BDL  | BDL                            | BDL  | BDL |

<sup>1</sup>Taken 8 Aug - 10 Sep, 1984

<sup>2</sup>See Table 1 for definition of symbols. ALDN, PCPMS, CPMO2, CPMO, DBCP, DIMP, DITH, ISOD and OXAT were below their detection levels (BDL).

TABLE 3. CONTAMINANTS IN BREAST AND LEG MEAT OF DUCKS FROM OFF POST<sup>1</sup>

1984

| LOCATION <sup>2</sup> | SEX | AGE | CONTAMINANT (ppm) <sup>3</sup> |      |
|-----------------------|-----|-----|--------------------------------|------|
|                       |     |     | DI, DN                         | DDE  |
| R64WT2N Sec 34        | M   | Ad  | BDL                            | 0.02 |
| R64WT2N Sec 34        | F   | Ad  | BDL                            | 0.02 |
| R64WT2N Sec 34        | M   | Ad  | 0.04                           | 0.09 |
| R67WT2N Sec 35        | F   | Ad  | 0.02                           | 0.06 |
| R68WT3N Sec 28        | M   | Ad  | BDL                            | BDL  |
| R68WT3N Sec 28        | M   | Ad  | BDL                            | BDL  |

<sup>1</sup> Mallards. Taken 6-7 Sep, 1984

<sup>2</sup> USGS coordinate system

<sup>3</sup> See Table 1 for definition of symbols. ALDN, PCPMS, CPMO2, CPMSO, DBCP, DOT, DIMP, DITH, ENDN, ISOO, HG and OXAT were below their detection levels (BDL).

TABLE 4. CONTAMINANTS IN BREAST MEAT OF MOURNING DOVES FROM RMA - 1984<sup>1</sup>

| LOCATION <sup>2</sup> | CONTAMINANT (ppm) <sup>3</sup> |      |      |       |      |
|-----------------------|--------------------------------|------|------|-------|------|
|                       | DLDN                           | ENDN | DDT  | CPMO2 | DIMP |
| Section 09-06         | 0.03                           | BDL  | BDL  | BDL   | BDL  |
| " 10-08               | BDL                            | BDL  | BDL  | BDL   | BDL  |
| " 11-06               | 0.27                           | BDL  | BDL  | BDL   | BDL  |
| " 30-05               | BDL                            | BDL  | BDL  | BDL   | BDL  |
| " 30-09               | 0.43                           | BDL  | BDL  | BDL   | BDL  |
| " 31-04               | BDL                            | BDL  | 0.02 | BDL   | BDL  |
| " 24-15               | 0.02                           | BDL  | BDL  | BDL   | BDL  |
| " 24-15               | BDL                            | BDL  | BDL  | BDL   | BDL  |
| " 24-15               | 0.02                           | BDL  | BDL  | BDL   | BDL  |
| " 01-10               | 0.21                           | 0.02 | BDL  | BDL   | BDL  |
| " 02-11               | BDL                            | BDL  | BDL  | BDL   | BDL  |
| " 26-10               | 1.19                           | BDL  | BDL  | BDL   | BDL  |
| " 26-10               | BDL                            | BDL  | BDL  | BDL   | 0.06 |
| " 26-11               | 0.87                           | BDL  | BDL  | 0.42  | BDL  |

<sup>1</sup> Adults; sex undetermined. Taken 7 Aug - 16 Sep, 1984.

<sup>2</sup> Locations:

Section 09-06. East of post office buildings in Section 9.  
 " 10-08. Between airport and C Street in Section 10.  
 " 11-06. S.W. corner of Section 11.  
 " 30-05. First Creek, S.W. corner of Section 30.  
 " 30-09. First Creek, N.W. corner of Section 30.  
 " 31-04. First Creek, S.E. corner of Section 31.  
 " 24-15. First Creek, north boundary  
 " 01-10. South Plants area, N.W. corner of Section 1.  
 " 02-11. South Plants area, N.E. corner of Section 2.  
 " 26-10. West of Basin F fence.  
 " 26-11. East of Basin F fence.

<sup>3</sup> See Table 1 for definition of symbols. ALDN, PCPMS, CPMO2, DBCP, DUE, DITH, ISOD, HG and OXAT were below their detection levels (BDL).

TABLE 5. CONTAMINANTS IN BREAST MEAT OF MOURNING DOVES FROM OFF POST<sup>1</sup>

1984

| LOCATION <sup>2</sup> |        | DDE (ppm) <sup>3</sup> |
|-----------------------|--------|------------------------|
| R63WT4S               | Sec 10 | 0.06                   |
| R63WT4S               | Sec 10 | 0.02                   |
| R63WT4S               | Sec 10 | BDL                    |
| R63WT4S               | Sec 10 | BDL                    |
| R64WT4S               | Sec 9  | BDL                    |
| R64WT4S               | Sec 9  | BDL                    |
| R64WT4S               | Sec 9  | BDL                    |
| R64WT4S               | Sec 9  | BDL                    |
| R64WT4S               | Sec 9  | BDL                    |
| R64WT4S               | Sec 9  | BDL                    |

<sup>1</sup> Adults; sex undetermined. Taken 6-8 September, 1984

<sup>2</sup> USGS coordinate grid system

<sup>3</sup> See Table 1 for definition of symbols. ALDN, PCPMS, CPMSO, CPMSO2, CPMSO, DBCP, DDT, DLDN, DIMP, DITH, ENDN, ISOD, HG and OXAT were below their detection levels (BDL).

TABLE 6. CONTAMINANTS IN MEAT OF COTTONTAIL RABBITS FROM RMA - 1984<sup>1</sup>

| LOCATION <sup>2</sup> | SEX | AGE | CONTAMINANT (ppm) <sup>3</sup> |       |
|-----------------------|-----|-----|--------------------------------|-------|
|                       |     |     | DLDN                           | CPMO2 |
| Section 26-15         | M   | Ad  | 0.13                           | 0.77  |
| " 26-15               | M   | Ad  | 0.11                           | BDL   |
| " 26-15               | F   | Ad  | 0.22                           | 0.27  |
| " 01-09               | F   | Ad  | 0.02                           | BDL   |
| " 01-09               | M   | Ad  | 0.02                           | BDL   |
| " 01-09               | F   | Juv | BDL                            | BDL   |
| " 01-09               | M   | Ad  | BDL                            | BDL   |
| " 01-07               | F   | Juv | BDL                            | BDL   |
| " 01-07               | M   | Juv | BDL                            | BDL   |
| " 11-10               | M   | Ad  | BDL                            | BDL   |
| " 11-10               | M   | Ad  | BDL                            | BDL   |
| " 12-09               | F   | Ad  | BDL                            | BDL   |
| " 23-15               | M   | Ad  | BDL                            | BDL   |
| " 23-16               | F   | Ad  | BDL                            | BDL   |
| " 23-16               | F   | Ad  | BDL                            | BDL   |

<sup>1</sup> Taken 10-26 October, 1984.

<sup>2</sup> Locations:

Section 26-15. East of Basin F fence.  
 " 01-09. South Plants area, N.W. corner of Section 1.  
 " 01-07. Dike between Derby Lakes in Section 1.  
 " 11-10. N.W. corner of Section 11.  
 " 12-09. N.E. corner of Section 12.  
 " 23-15. N.E. corner of Section 23.  
 " 23-16. N.E. corner of Section 23.

<sup>3</sup> See Table 1 for definition of symbols. ALDN, PCPMS, CPMO2, DBCP, DDE, DDT, DIMP, DITH, ENDN, ISOD, HG and OXAT were below their detection levels (BDL).

TABLE 7. CONTAMINANTS IN EDIBLE PORTION (Filets) OF FISH FROM RMA - 1984<sup>1</sup>

| LAKE        | SPECIES      | NO. | WT. (g)                       | CONTAMINANT (ppm) <sup>2</sup> |      |      |      |      |      |
|-------------|--------------|-----|-------------------------------|--------------------------------|------|------|------|------|------|
|             |              |     |                               | ALDN                           | ENDN | DLDN | DDT  | DDE  | HG   |
| Lower Derby | N. Pike      | 1   | 4086                          | BDL                            | BDL  | 0.07 | BDL  | 0.05 | 1.30 |
| "           | "            | 1   | 3178                          | "                              | "    | 0.07 | "    | 0.03 | 0.92 |
| "           | "            | 1   | 1186                          | "                              | "    | 0.06 | "    | 0.03 | 0.38 |
| "           | "            | 1   | 946                           | "                              | "    | 0.05 | "    | 0.04 | 1.17 |
| "           | "            | 1   | 1148                          | "                              | "    | 0.06 | "    | 0.03 | 0.47 |
| "           | "            | 1   | 876                           | "                              | "    | 0.09 | "    | 0.03 | 7.76 |
| "           | "            | 1   | 1183                          | "                              | "    | 0.04 | "    | 0.03 | 0.63 |
| "           | "            | 1   | 1202                          | 0.02                           | "    | 0.19 | 0.02 | 0.06 | 0.50 |
| "           | "            | 1   | 1060                          | BDL                            | "    | 0.04 | BDL  | 0.03 | 0.60 |
| "           | "            | 1   | 1124                          | "                              | "    | 0.10 | "    | 0.03 | 0.49 |
| "           | "            | 1   | 2043                          | "                              | "    | 0.10 | "    | 0.04 | 0.21 |
| "           | L.M. Bass    | 1   | 1433                          | "                              | "    | 0.14 | "    | 0.05 | 0.26 |
| "           | "            | 1   | 1548                          | 0.03                           | "    | 0.36 | "    | 0.11 | 0.71 |
| "           | "            | 1   | 1552                          | 0.02                           | "    | 0.31 | "    | 0.12 | 0.36 |
| "           | "            | 1   | 298                           | BDL                            | "    | 0.11 | "    | 0.02 | 0.55 |
| "           | "            | 1   | 1680                          | 0.03                           | "    | 0.46 | 0.03 | 0.13 | 0.33 |
| "           | "            | 1   | 1762                          | 0.02                           | "    | 0.35 | 0.03 | 0.09 | 0.42 |
| "           | "            | 1   | 1448                          | 0.02                           | "    | 0.41 | 0.04 | 0.14 | 0.14 |
| "           | N. Bluegill  | 1   | 283                           | BDL                            | "    | 0.14 | 0.02 | 0.02 | 0.29 |
| "           | "            | 1   | 227                           | "                              | "    | 0.10 | 0.03 | 0.03 | 0.66 |
| "           | "            | 1   | 66                            | "                              | "    | 0.04 | 0.02 | 0.02 | 0.66 |
| "           | "            | 6   | 52, 50, 30,<br>44, 29, 40     | "                              | "    | 0.16 | BDL  | BDL  | 0.48 |
| "           | "            | 7   | 47, 38, 44,<br>44, 39, 39, 22 | "                              | "    | 0.21 | "    | "    | 0.36 |
| "           | Bl. Bullhead | 1   | 251                           | "                              | "    | 0.18 | 0.02 | 0.04 | 0.28 |
| "           | "            | 1   | 238                           | "                              | "    | 0.05 | BDL  | BDL  | 0.92 |
| "           | "            | 1   | 290                           | "                              | "    | 0.11 | "    | 0.02 | 0.92 |
| "           | "            | 1   | 202                           | "                              | "    | 0.02 | "    | BDL  | 0.42 |
| "           | "            | 1   | 130                           | "                              | "    | 0.03 | "    | "    | 0.43 |
| "           | "            | 1   | 182                           | "                              | "    | 0.08 | "    | "    | 0.90 |
| "           | "            | 1   | 224                           | "                              | "    | 0.05 | "    | "    | 0.41 |
| "           | "            | 1   | 206                           | "                              | "    | 0.10 | 0.03 | 0.04 | 0.81 |
| "           | "            | 1   | 229                           | "                              | "    | 0.03 | 0.02 | BDL  | 0.22 |
| "           | "            | 1   | 234                           | "                              | "    | 0.03 | 0.02 | 0.02 | 0.27 |
| "           | "            | 1   | 240                           | "                              | "    | 0.03 | 0.02 | BDL  | 0.49 |
| "           | "            | 1   | 257                           | "                              | "    | 0.04 | 0.02 | "    | 0.34 |

TABLE 7 (Cont'd). CONTAMINANTS IN EDIBLE PORTION (Filets) OF FISH FROM RMA - 1984

| LAKE        | SPECIES      | NO. | WT. (g) | ALDN | ENW  | DLDN | DDT  | Contaminant (ppm) |      |
|-------------|--------------|-----|---------|------|------|------|------|-------------------|------|
|             |              |     |         |      |      |      |      | DDE               | HG   |
| Lake Ladora | N. Pike      | 1   | 7037    | BDL  | BDL  | BDL  | BDL  | BDL               | 1.36 |
| "           | "            | 1   | 2497    | "    | "    | BDL  | 0.06 | 0.07              | 1.01 |
| "           | "            | 1   | 2497    | "    | "    | BDL  | 0.16 | 0.28              | 1.25 |
| "           | "            | 1   | 1858    | "    | "    | BDL  | 0.02 | BDL               | 0.45 |
| "           | "            | 1   | 1582    | "    | "    | BDL  | 0.02 | 0.02              | 0.54 |
| "           | "            | 1   | 2292    | "    | "    | 0.02 | 0.07 | 0.04              | 1.30 |
| "           | "            | 1   | 1800    | "    | "    | 0.02 | 0.07 | 0.09              | 0.50 |
| "           | "            | 1   | 1318    | "    | "    | 0.02 | 0.02 | 0.03              | 0.59 |
| "           | "            | 1   | 977     | "    | "    | 0.02 | BDL  | BDL               | 0.33 |
| "           | "            | 1   | 2270    | "    | "    | 0.03 | 0.03 | 0.03              | 0.35 |
| "           | "            | 1   | 1968    | "    | "    | BDL  | BDL  | 0.02              | 4.16 |
| "           | "            | 1   | 2270    | "    | "    | 0.03 | 0.03 | 0.03              | 0.52 |
| "           | L.M. Bass    | 1   | 239     | "    | "    | 0.03 | BDL  | 0.02              | 0.33 |
| "           | "            | 1   | 1710    | "    | "    | 0.02 | 0.03 | 0.03              | 1.19 |
| "           | "            | 1   | 412     | "    | "    | BDL  | BDL  | BDL               | 0.61 |
| "           | "            | 1   | 395     | "    | "    | BDL  | "    | 0.02              | 0.76 |
| "           | "            | 1   | 383     | "    | "    | 0.03 | "    | 0.02              | 0.82 |
| "           | N. Bluegill  | 1   | 91      | "    | "    | 0.02 | "    | BDL               | BDL  |
| "           | "            | 1   | 104     | "    | "    | 0.03 | "    | 0.02              | 0.27 |
| "           | "            | 1   | 82      | "    | "    | 0.05 | "    | BDL               | BDL  |
| "           | "            | 1   | 98      | "    | "    | 0.07 | "    | "                 | "    |
| "           | "            | 1   | 87      | "    | "    | 0.04 | "    | 0.02              | 0.90 |
| "           | "            | 1   | 90      | "    | 0.03 | 0.03 | "    | 0.02              | 0.40 |
| "           | "            | 1   | 86      | "    | BDL  | 0.04 | 0.50 | 0.02              | 1.40 |
| "           | "            | 1   | 92      | "    | "    | 0.08 | BDL  | 0.02              | 0.60 |
| "           | "            | 1   | 66      | "    | 0.02 | 0.03 | 0.03 | BDL               | 1.70 |
| "           | "            | 1   | 65      | "    | 0.02 | 0.05 | 0.03 | 0.02              | 0.40 |
| "           | "            | 1   | 104     | "    | BDL  | 0.04 | 0.03 | 0.02              | 0.50 |
| "           | "            | 1   | 88      | "    | 0.02 | 0.03 | 0.03 | 0.02              | 0.40 |
| "           | "            | 1   | 85      | "    | 0.02 | 0.05 | 0.06 | 0.03              | 0.48 |
| "           | "            | 1   | 102     | "    | BDL  | 0.02 | BDL  | BDL               | 0.43 |
| "           | "            | 1   | 106     | "    | 0.02 | 0.05 | 0.08 | 0.03              | 0.43 |
| "           | Bl. Bullhead | 1   | 234     | "    | 0.02 | 0.02 | BDL  | BDL               | BDL  |
| "           | "            | 1   | 297     | "    | 0.02 | 0.04 | 0.06 | 0.02              | "    |
| "           | "            | 1   | 328     | "    | 0.02 | 0.05 | 0.05 | 0.02              | "    |
| "           | "            | 1   | 335     | "    | 0.03 | 0.06 | 0.10 | 0.06              | "    |
| "           | "            | 1   | 326     | "    | 0.02 | 0.07 | 0.04 | 0.02              | "    |
| "           | "            | 1   | 282     | "    | BDL  | 0.03 | 0.05 | 0.02              | "    |
| "           | "            | 1   | 268     | "    | "    | 0.07 | 0.05 | 0.02              | "    |
| "           | "            | 1   | 329     | "    | "    | 0.04 | 0.06 | 0.02              | "    |
| "           | "            | 1   | 329     | "    | "    | 0.03 | 0.08 | 0.03              | "    |
| "           | "            | 1   | 368     | "    | "    | 0.03 | 0.04 | BDL               | "    |

TABLE 7 (Cont'd). CONTAMINANTS IN EDIBLE PORTION (Filets) OF FISH FROM RWA - 1984<sup>1</sup>

| LAKE      | SPECIES     | No. | Wt. (g) | ALDN | ENEN | DLDN | DOT  | CONTAMINANT (ppm) <sup>2</sup><br>EDGE | HK   |
|-----------|-------------|-----|---------|------|------|------|------|----------------------------------------|------|
| Lake Mary | L.M. Bass   | 1   | 166     | BDL  | BDL  | 0.04 | 0.05 | 0.03                                   | "    |
| "         | "           | 1   | 139     | "    | "    | 0.02 | 0.05 | BDL                                    | 0.33 |
| "         | "           | 1   | 157     | "    | "    | "    | 0.04 | 0.02                                   | 0.28 |
| "         | "           | 1   | 136     | "    | "    | 0.02 | BDL  | BDL                                    | BDL  |
| "         | "           | 1   | 204     | "    | "    | 0.02 | "    | 0.02                                   | "    |
| "         | "           | 1   | 139     | "    | "    | BDL  | "    | BDL                                    | "    |
| "         | "           | 1   | 135     | "    | "    | "    | "    | "                                      | 0.90 |
| "         | "           | 1   | 139     | "    | "    | "    | "    | "                                      | BDL  |
| "         | "           | 1   | 183     | "    | "    | 0.02 | "    | 0.02                                   | "    |
| "         | "           | 1   | 192     | "    | "    | 0.02 | "    | BDL                                    | "    |
| "         | "           | 1   | 176     | "    | "    | BDL  | "    | "                                      | 0.80 |
| "         | "           | 1   | 177     | "    | "    | 0.03 | "    | "                                      | BDL  |
| "         | "           | 1   | 165     | "    | "    | 0.02 | "    | "                                      | 0.30 |
| "         | "           | 1   | 171     | "    | "    | 0.02 | "    | "                                      | BDL  |
| "         | "           | 1   | 161     | "    | "    | 0.02 | "    | "                                      | 0.30 |
| "         | "           | 1   | 171     | "    | "    | 0.02 | "    | "                                      | BDL  |
| "         | "           | 1   | 161     | "    | "    | 0.02 | "    | 0.02                                   | "    |
| "         | "           | 1   | 147     | "    | "    | 0.02 | "    | BDL                                    | 0.28 |
| "         | "           | 1   | 150     | "    | "    | 0.03 | "    | "                                      | 0.46 |
| "         | "           | 1   | 147     | "    | "    | 0.03 | "    | "                                      | 0.30 |
| "         | "           | 1   | 239     | "    | "    | 0.11 | "    | 0.03                                   | 0.20 |
| "         | N. Bluegill | 1   | 35      | "    | "    | 0.11 | "    | 0.03                                   | BDL  |
| "         | "           | 1   | 165     | "    | "    | 0.17 | "    | 0.02                                   | 0.25 |
| "         | "           | 1   | 548     | "    | "    | 0.17 | "    | 0.12                                   | 0.20 |
| "         | "           | 1   | 136     | "    | "    | 0.08 | 0.02 | BDL                                    | 0.22 |
| "         | "           | 1   | 133     | "    | "    | 0.11 | BDL  | "                                      | 0.20 |
| "         | "           | 1   | 153     | "    | "    | 0.12 | 0.04 | "                                      | 0.20 |
| "         | "           | 1   | 129     | "    | "    | 0.12 | 0.04 | "                                      | 0.24 |
| "         | "           | 1   | 133     | "    | "    | 0.14 | 0.04 | "                                      | 0.20 |
| "         | "           | 1   | 101     | "    | "    | 0.12 | BDL  | "                                      | BDL  |
| "         | C. Catfish  | 1   | 1565    | "    | "    | 0.08 | 0.02 | "                                      | "    |
| "         | "           | 1   | 1055    | "    | "    | 0.08 | 0.05 | "                                      | "    |
| "         | "           | 1   | 2043    | 0.03 | 0.04 | 0.22 | BDL  | 0.06                                   | "    |
| "         | "           | 1   | 1406    | BDL  | BDL  | 0.07 | "    | 0.04                                   | "    |
| "         | "           | 1   | 991     | "    | "    | 0.11 | "    | 0.04                                   | "    |
| "         | "           | 1   | 1471    | "    | "    | 0.12 | "    | 0.07                                   | "    |
| "         | "           | 1   | 1113    | "    | "    | 0.11 | "    | 0.05                                   | "    |
| "         | "           | 1   | 1099    | "    | "    | 0.07 | "    | 0.04                                   | "    |
| "         | "           | 1   | 1056    | "    | "    | 0.10 | "    | 0.06                                   | "    |
| "         | "           | 1   | 2134    | "    | 0.02 | 0.14 | 0.02 | 0.06                                   | "    |

<sup>1</sup> Caught 22 May - 5 June, 1985.

<sup>2</sup> See Table 1 for definition of symbols. PCPM, CPMG2, CPMO, DBCP, DIMP, DITH, ISCO and OXAT were below their detection levels (BDL).

TABLE 8. SUMMARIES OF DIELDRIN, MERCURY, DDE AND DDT<sup>1</sup> IN FISH FROM RMA - 1984 (ALL SPECIES)

| LAKE        | No. of Fish | DIELDRIN<br>ug/g (wet wt.) |       |                                                  | MERCURY<br>ug/g (wet wt.) |       |                                                 |
|-------------|-------------|----------------------------|-------|--------------------------------------------------|---------------------------|-------|-------------------------------------------------|
|             |             | Range                      | Mean  | No. Fish<br>Exc. FDA<br>Act. Lev.<br>(0.30 ug/g) | Range                     | Mean  | No. Fish<br>Exc. FDA<br>Act. Lev.<br>(1.0 ug/g) |
|             |             |                            |       |                                                  |                           |       |                                                 |
| Lower Derby | 35          | 0.02-0.46                  | 0.12  | 5 (all Bass)                                     | 0.14-7.76                 | 0.74  | 3 (all Pike)                                    |
| Ladora      | 42          | BDL <sup>2</sup> - 0.08    | 0.02  | 0                                                | BDL - 4.16                | 0.57  | 8                                               |
| Mary        | 40          | BDL - 0.22                 | 0.07  | 0                                                | BDL - 0.90                | 0.57  | 0                                               |
|             |             | DDE<br>(5.0 ug/g)          |       |                                                  | DDT<br>(5.0 ug/g)         |       |                                                 |
| Lower Derby | 35          | BDL - 0.14                 | 0.036 | 0                                                | BDL - 0.04                | 0.009 | 0                                               |
| Ladora      | 42          | BDL - 0.28                 | 0.029 | 0                                                | BDL - 0.50                | 0.060 | 0                                               |
| Mary        | 40          | BDL - 0.12                 | 0.018 | 0                                                | BDL - 0.05                | 0.009 | 0                                               |

<sup>1</sup> Trace amounts of Aldrin and Endrin were also detected (refer to Table 7)

<sup>2</sup> BDL = Below Detection Level