


12

## Assessing Digital Circuit Design

Susan R. Goldman and Gautam Biswas  
Vanderbilt University



Final Report  
August, 1995

19950830 096

Reproduction in whole or part is permitted for any purpose of the United States Government.

This research was sponsored by the Cognitive Science Program of the Office of Naval Research, under Grant Number N00014-91-J-1780, Contract Authority Identification Number NR4421571--03.

Approved for Public Release; Distribution Unlimited.

DTIC QUALITY INSPECTED 8

# REPORT DOCUMENTATION PAGE

*Form Approved*  
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

<b>1. AGENCY USE ONLY (Leave blank)</b>		<b>2. REPORT DATE</b> 8/16/95	<b>3. REPORT TYPE AND DATES COVERED</b> Final Report 05/01/91 - 04/30/95	
<b>4. TITLE AND SUBTITLE</b> Assessing Digital Circuit Design: Final Report			<b>5. FUNDING NUMBERS</b> G - N00014-91-J-1680 C - NR4421571---03	
<b>6. AUTHOR(S)</b> Susan R. Goldman and Gautam Biswas				
<b>7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)</b> Learning Technology Center Vanderbilt University Box 45, Peabody Nashville, TN 37203			<b>8. PERFORMING ORGANIZATION REPORT NUMBER</b> 95-1	
<b>9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES)</b> Cognitive Science Program (1142CS) Office of Naval Research 800 N. Quincy Street Arlington, VA 22217-5000			<b>10. SPONSORING / MONITORING AGENCY REPORT NUMBER</b>	
<b>11. SUPPLEMENTARY NOTES</b>				
<b>12a. DISTRIBUTION / AVAILABILITY STATEMENT</b> Approved for public release; distribution unlimited.			<b>12b. DISTRIBUTION CODE</b>	
<b>13. ABSTRACT (Maximum 200 words)</b>  Cognitive diagnosis of expertise relies on characterizing expertise in the domain of interest. The focus of this project was on characterizing and assessing design problem solving in the area of digital circuit design. A combination of think-aloud protocols and computer traces of subject problem-solving behavior was used to elucidate the cognitive processes involved in designing combinational and complex sequential circuits. The project had four components: (i) study the differences between experts and intermediates in solving combinational circuit problems, (ii) characterize planning behavior and its impact on the quality of solutions for combinational circuits, (iii) validate the effectiveness of traces collected by a design tool in assessing problem-solving behavior for combinational circuits, and (iv) characterize and assess problem-solving behavior for complex sequential circuits. The combinational circuit studies revealed local planning in problem solving but little global planning, mainly because of the routine nature of the design process. Unlike other domains reported in the literature, clear differences between intermediate and expert problem solving did not emerge. On the other hand, the complex sequential circuit design problem revealed significant differences between expert, intermediate, and novice problem solvers. Problem solving was successfully modeled by integrating three cognitive models of human design: (i) problem decomposition, (ii) transformation and iterative refinement, and (iii) analogy/prototype models.				
<b>14. SUBJECT TERMS</b> design, assessment, problem solving			<b>15. NUMBER OF PAGES</b> 35	
			<b>16. PRICE CODE</b>	
<b>17. SECURITY CLASSIFICATION OF REPORT</b> Unclassified	<b>18. SECURITY CLASSIFICATION OF THIS PAGE</b> Unclassified	<b>19. SECURITY CLASSIFICATION OF ABSTRACT</b> Unclassified	<b>20. LIMITATION OF ABSTRACT</b>	

## Assessing Digital Circuit Design

Susan R. Goldman and Gautam Biswas  
Vanderbilt University

Final Report  
August, 1995

Accession For	
NTIS CRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification .....	
By .....	
Distribution / .....	
Availability Codes	
Dist	Avail and/or Special
A-1	

Reproduction in whole or part is permitted for any purpose of the United States Government.

This research was sponsored by the Cognitive Science Program of the Office of Naval Research, under Grant Number N00014-91-J-1780, Contract Authority Identification Number NR4421571--03.

Approved for Public Release; Distribution Unlimited.

## Abstract

Cognitive diagnosis of expertise relies on characterizing expertise in the domain of interest. The focus of this project was on characterizing and assessing design problem solving in the area of digital circuit design. A combination of think-aloud protocols and computer traces of subject problem-solving behavior was used to elucidate the cognitive processes involved in designing combinational and complex sequential circuits. The project had four components: (i) study the differences between experts and intermediates in solving combinational circuit problems, (ii) characterize planning behavior and its impact on the quality of solutions for combinational circuits, (iii) validate the effectiveness of traces collected by a design tool in assessing problem-solving behavior for combinational circuits, and (iv) characterize and assess problem-solving behavior for complex sequential circuits. The combinational circuit studies revealed local planning in problem solving but little global planning, mainly because of the routine nature of the design process. Unlike other domains reported in the literature, clear differences between intermediate and expert problem solving did not emerge. On the other hand, the complex sequential circuit design problem revealed significant differences between expert, intermediate, and novice problem solvers. Problem solving was successfully modeled by integrating three cognitive models of human design: (i) problem decomposition, (ii) transformation and iterative refinement, and (iii) analogy / prototype models.

### Assessing Digital Circuit Design ONR Grant N00014-91-J-1780

The focus of this project was on the assessment of design problem solving in the area of digital circuit design. Think-aloud protocol methodology was employed to elucidate the cognitive processes involved in executing the design of these kinds of complex circuits. However, due to the labor-intensive nature of protocol analysis, we were interested in ascertaining the degree to which computer-based design tools would provide sufficient information to accomplish classificatory assessment of design expertise.

Previous research on the study of design processes suggested that although it is a highly constructive process, there are some general principles and heuristics that apply (e.g., Garrod & Borns, 1991). For example, Goel and Pirolli (1989) studied design tasks in different domains: architecture, mechanical engineering, and instructional design and collected a total of 12 think-aloud protocols. From this database, the protocols of three participants, one from each domain, were discussed. The three participants varied in experience: ten years' design experience in designing industrial training material, six years professional experience as an architect, and limited design experience in mechanical engineering.

From the protocol analysis, Goel and Pirolli identified eight significant invariants in the problem spaces of the participants in the three different design disciplines:

- extensive problem structuring,
- extensive performance modeling,
- personalized or institutionalized evaluation functions and stopping rules,
- a limited commitment mode control strategy,
- constraint propagation,
- the role of abstractions in the transformation of goals,
- the use of artificial symbol systems,
- solution decomposition into leaky modules.<sup>1</sup>

These invariants are generally consistent with the results of other researchers and describe design behaviors that are consistent across different domains.

---

<sup>1</sup> A leaky module is a nonindependent module. A decision made in one leaky module could have consequences in several others.

### Designing Simple Digital Circuits

We began our investigation of design in digital circuits by examining the solution process for simple digital circuits, i.e., combinational logic circuits. Our primary purpose in this study was to characterize the performance of students just beginning to study the design and circuit layout process (intermediates) and compare it to that of solvers who were advanced graduate students or had experience working in the field (experts). Although there exist standard procedures for designing combinational logic circuits, gaining proficiency in their design demands that the designer is aware of trade-offs between different performance parameters. Typical circuit performance parameters include minimizing the total number of gates used, the input-output delay, and total power consumption. As a result, a number of alternative design solutions may be possible, each of which satisfies the functional requirements, but only a small number (one or more) may be considered suitable when taking into account all the different requirements. Furthermore, the complexity of most design problems requires that they be broken down into subproblems, each of which can then be solved independently. However, the decomposition process is often difficult and improper decompositions often create subproblems that interact thus complicating their solution process. In such situations, designers are often found to produce incorrect or suboptimal solutions.

The foregoing characteristics of the domain served as an initial set on which we wished to contrast expert- and intermediate-level designers. The results of that work are described in James, Goldman, & Vandermolen (1994) and are only summarized here.

A total of seven participants, two experts and five intermediates, designed a 1-bit full subtractor and were given two criteria for a "good" design. The first was to minimize cost (i.e., minimize the number of gates used), and the second was testability of the circuit. The standard, or textbook, procedure for solving this problem relies on a sequence of six components. They are:

- understanding the problem to determine and list the input and output variables, and the nature of their relations, from a word description of the problem,
- completing the truth table to express and make explicit the complete relations between input and output variables,
- constructing Karnaugh maps (K-maps) to generate minimal Boolean expressions that express the relation between individual output variables and the input variables,
- expressing the results of the K-map form as Boolean expressions,
- implementing these Boolean expressions as combinational circuits, and
- evaluating the circuits generated for correctness and optimality.

Think-aloud verbal protocols, paper and pencil solutions that participants generated when they solved the problem, and retrospective interviews constituted the raw data.

Based on previous expert-novice contrastive research, we expected that the more expert participants would exhibit more planning behavior than the less expert participants (e.g., Larkin, 1980), have stronger self-monitoring skills (e.g., Chi, 1978; Chi, 1987; Chi, Glaser, & Rees, 1982; Larkin, 1983; Miyake & Norman, 1979; and Simon & Simon, 1978), and consider alternative solutions in attempting to achieve an optimal solution (Akin, 1977). The combination of these should lead to the more expert problem solvers making attempts to optimize their solution, and also engage in more verification and evaluation, thus producing "better" solutions overall. We expected that the less skilled participants would exhibit little planning in the beginning of their solution process, attempt to apply the standard solution methodologies in a brute-force manner, and stop to decide how to proceed when they hit an impasse (e.g., Paige & Simon, 1966). Therefore, even if they generated correct solutions, more likely than not, their solutions would be suboptimal.

James et al. (1994) differentiated between the type and location of planning in the problem solution. Global planning was defined as planning that concerned not just the component step in which it occurred, but situations in which the designer was considering the impact of a sequence of component steps on the solution process, or the impact of one component step on another. Local planning dealt only with the solution component in which it occurred.

James et al. found that the two experts generally proceeded without difficulty, but they failed to correct errors in their solutions, and only one of them engaged in global planning prior to beginning the problem solution. The latter two results were unexpected given the previous characterizations of expert performance (e.g., Chi et al., 1988; Larkin, 1980). However, as has been reported in other domains, James et al. found that all of the intermediates were characterized by an overall strategy of directly attacking problem understanding by attempting the first step in the solution algorithm. For all of the participants, evaluation largely consisted of verifying the last step (as opposed to checking if the solution matched the functional specifications stated in the word problem) and this did not lead to their detecting errors and suboptimal solutions. In addition, only one of the intermediates engaged in any global planning and it occurred not at the beginning of the solution but in the middle. Localized planning occurred fairly frequently, especially among the intermediates, and typically occurred in the middle of the solution process. In general, the intermediates in this study did not formulate global plans, but did exhibit local planning throughout their solutions.

The James et al. study provides some information about the processes of solvers at various levels of expertise in a previously unexplored domain.

However, the James et al. study appeared to show considerable variability in performance and in the planning processes. The high variability and the small number of participants makes generalizing the results difficult. The results of James et al. (1994) indicate that intermediates tend to implement the standardized circuit design process mechanically, and do not reflect on the consequences and results generated in one step on subsequent steps. This was clear from their solution traces in that (a) they did not attempt to compare the results at subsequent steps with information at previous steps for verification purposes, and (b) they failed to look for common terms in the two output equations so that the number of gates could be reduced in the implementation.

In the expert group, one of the experts formulated a detailed global plan prior to beginning problem solving, while the other expert did not. This finding does not necessarily contradict the literature on expert behavior. The expert who failed to verbalize a global plan appeared to have been carrying out a standard set of solution procedures that may have been automated and, therefore, not accessible to verbalization. These data suggest the possibility that if the intermediates started thinking about the steps in the solution at the beginning of the problem solving process, they might be more likely to proceed through the steps in the algorithm more smoothly and direct their attention to verification and optimization issues they did not otherwise consider.

A follow-up study to the "subtractor" combinational circuit design study was conducted to pursue the planning issue. A second purpose was to validate the computer-based design tool that had been developed simultaneously with conducting the think-aloud protocol study. Planning and its relationship to expertise in solving design problems were the purview of a Master's Thesis conducted by Carolyn M. James. Data for the Design Assistant validation study were generated in the course of collecting the James Thesis data.

### *Design of the Planning and Validation Study*

Twenty participants designed two combinational circuits using the Design Assistant tool. Participants, undergraduate or first year graduate electrical engineering students, were paid volunteers. The majority of students were enrolled in a senior-level digital design course. They had all completed one introductory course in digital circuit design and had very limited design experience. Each participant was asked to solve two problems. Problem A was the Subtractor problem used in our first verbal protocol study (James et al., 1994). Problem B was the Job Skill problem, developed for the present study to be comparable to Problem A in terms of the processes necessary for designing the circuit.

Problem A required the participants to design a one-bit full subtractor, taking into account several design constraints (see Table 1). The participants

were provided with a written description of the desired function of the circuit (subtraction) rather than being explicitly told the desired input-output behavior. The problem is similar to an example often used in class (the adder circuit), but different enough so that none of the participants should have been able to generate the specific solution for this problem from memory. The participants each should have had enough background knowledge to call to mind the standard framework (textbook strategy) for solving this type of problem. The circuit from Problem A, the Subtractor problem, requires three inputs and two outputs.

Problem B, the Job Skill problem, required the participants to solve a problem in which the input-output relations are described in words, rather than a description of the function of the circuit as in the Subtractor problem (see Table 1). Both problems are combinational logic problems and thus, the solution process for both follows the same standard algorithm (textbook strategy). The circuit from the Job Skill problem required four inputs and two outputs. Both problems were judged by the instructor of the design course to be approximately equal in difficulty and complexity.

The participants solved both problems using the Design Assistant tool. They were asked to think aloud during the solution process (c.f., Ericsson & Smith, 1991). Sessions were videotaped, with the camera focused on the computer screen. Audible comments by the participants were thus correlated to particular actions on the computer. The Design Assistant software created a trace of the actions taken by the participant but could not trace the participants' verbalizations.

During the first of two sessions, each participant worked on a practice problem to familiarize them with the software, and then solved their first problem. The second problem was administered during a separate session in which explicit planning instructions were given to each participant. Each participant solved all of the problems independently without time constraints. The participants were allowed to use reference materials (e.g., textbooks) which were provided if necessary. The average time for solving each problem was two hours. Each participant was alone during problem solving, but an experimenter was within hearing distance to answer any questions or to prompt the participant to continue talking during silent periods.

After each participant solved the second problem, they were debriefed and had an opportunity to comment on the study and to make suggestions for future improvements to the software they had been using during the study.

Planning was manipulated by instructions prior to solving the second problem. (Problems A and B served as "first" or "second" problems equally often across participants.) Before solving the second problem each participant was asked to formulate an overall plan for solving the problem and was given an example of an overall plan (see Table 2). The example plan

illustrated that generating an overall plan meant laying out things that need to be thought about, how to accomplish them, and what contingencies need to be considered.

#### *Validation of the Design Assistant Tool*

The methodology for validating the Design Assistant tool involved comparing the characterization of problem solving obtained by examining the computer-generated solution traces with that derived from analysis of the videotapes of the problem solving. Problem solution was characterized by

- overall solution strategies used,
- whether the Truth table, K-map and Boolean components were applied to the output variables sequentially (one by one) or concomitantly (parallel),
- whether the outputs were implemented independent of one another or together as one unit, and
- correctness of the final solution.

#### *Coding and Analyses*

Four measures were derived from the flow diagrams for each problem solved by each participant. (Example flow diagrams appear in Figures 1 and 2.) These were overall solution strategies, intermediate steps strategies, implementation strategies, and completeness.

*Overall Solution Strategies.* Three types of Overall Strategies were distinguished based on the component sequence that was executed by the participants. The first strategy was the Textbook Strategy and is indicated by a linear progression through the Truth Table, K-maps, Boolean equations, implementation and evaluation. The second was the Textbook Strategy without Boolean equations, in which no Boolean equations were written for either output. The third was the Textbook Strategy without K-maps. In this strategy, either K-maps were not used at all or they were only partially attempted and not used properly.

*Intermediate Step Strategies.* The Intermediate Step Strategies of the solution were coded as either Serial or Parallel. A solution with Serial steps is one in which the K-map, grouping, and Boolean expressions were solved for one output before the other (see the middle section of Figure 1). A solution with Parallel steps is one in which the two outputs were worked on in parallel: K-map for first; K-map for second; Grouping for first, etc. (see the middle section of Figure 2).

*Implementation Strategies.* The Implementation Strategies were coded similarly to the Intermediate Step Strategies. In a Parallel Implementation

Strategy, both outputs (e.g., Result and B-out for the Subtractor) were implemented and then simulated. In a Serial Implementation Strategy, one output was implemented before the other.

*Completeness.* Intermediate steps and implementation could be completed for only one of the two inputs or for both. If only one was implemented, the solution was less complete than if both were implemented.

Two raters were used. One rater coded each participant's two problems from the videotapes and transcripts made from them. The other rater independently coded each participant's two problems from the computer-generated trace of the solution.

### Results of the Analyses

*Overall Solution Strategies.* There were two disagreements between raters on the 20 problem A traces coded and two on the 18 problem B traces that could be coded. (Two problem B computer traces were lost due to a software malfunction.) The distribution based on the coding done from the videotape is provided in Table 3. This distribution shows that the majority of solutions followed the standard textbook algorithm. The next most frequent approach was to leave out the Boolean component and work from the K-map grouping to an implementation. The disagreements between raters concerned whether or not K-map or Boolean components had been included. For the four disagreements, the computer trace indicated that these components had been attempted, whereas the videotapes showed that the participants had not actually worked on the K-map or Boolean components. Disagreements of this type were due to the fact that a participant could have opened a Boolean window but not actually worked on a Boolean expression. The computer trace indicated that the Boolean window had been opened but not what had been done in that window, if anything. The computer-trace rater assumed that if the window had been opened work on K-maps or Boolean expressions had been done. In contrast, the video showed whether or not any work had been done in these windows.

*Intermediate Steps Strategies.* There were three disagreements on Problem A and two on problem B. The videotape coding showed that 12 of the problem A and 15 of the problem B solutions used a parallel strategy and the remainder were serial. Disagreements between coders were not systematic, i.e., one rater did not favor parallel versus serial designations. The differences between raters were related to the fact that the software did not require a new window for the two outputs. It was not possible to tell from the computer trace whether the student was working on one or two outputs in one window. If they were working on two, it was not possible to tell from the trace if they were finishing the work on one before working on the other or if they were being worked on simultaneously. The videotape records clearly

indicate these features of problem solving. Rather, the rater working only from the computer trace had to make inferences about what had been worked on in the K-map window based on subsequent information in the trace. These software features led to the discrepancies between the raters.

*Implementation Strategies.* Here again, lack of sufficient detail in the information gathered in the computer traces resulted in the raters agreeing on only 9 of the problem A implementations and on only 8 of 18 problem B implementations.<sup>2</sup> Many of the participants worked on the implementations for both outputs in the same window and the computer trace did not indicate this. Based on the videotape-derived strategies, 12 of the 20 problem A and 15 of the 20 problem B implementations were parallel. From the computer traces only 3 problem A and 4 (of 18) problem B implementations appeared to be parallel. The lower numbers can be attributed to the fact that this computer trace rater had no information on how the connections among components were being established. Thus, there was a lower estimate of parallel implementation.

*Completed Outputs.* Just as lack of sufficient detail in the computer traces led to low rater agreement on the implementation strategies, there was low agreement on the number of outputs implemented. Raters agreed on 9 problem A and 8 problem B solutions. Based on the videotape-derived information, only three problem A and two problem B solutions failed to deal with both outputs.

In addition to the problems with the lack of detail in the Design Assistant tool traces, information about the purpose for various actions was not captured. However, the Design Assistant tool was adequate for purposes of describing the overall strategy and intermediate steps strategies. The results of the study of planning (James, 1995) indicated that this information, which is reliably derivable from the computer trace generated by the Design Assistant, may be useful in distinguishing among levels of expertise.

Effects of Planning on Digital Circuit Design

To further investigate the effects of planning during simple digital circuit design, the next study (James, 1995) examined the effects of anticipatory planning on the problem-solving processes involved in solving the circuit design problems. Twenty intermediate-skilled electrical engineering students were asked to think aloud while solving two design problems. Before solving the second problem, participants were asked to create a detailed global plan of their problem solving. Subsequently, these plans were categorized by an expert into high, medium, or low expertise categories. The contents of the plans were exhaustively coded into three categories of statements. The problem-solving protocols were examined for different types of strategies and

---

<sup>2</sup>Details of the implementation steps, such as the connections between gates, were not recorded.

solution quality.

The main hypotheses of this study had to do with the effects of asking participants to plan their solutions prior to actually beginning the design task. It was expected that planning would lead to increased quality of solution, as indexed by optimization attempts, number of component steps attempted, and correctness of the final solution. The planning manipulation did not significantly affect any of the measures of solution quality. The reason for the lack of effects due to planning may have been because the plans were not perceived as helpful. Accordingly, a second set of analyses examined whether participants' perceived helpfulness of the planning was significantly related to the same three measures of solution quality as well as to solution strategy. However, there were no significant effects related to perceived helpfulness of the plan.

Although there were no significant effects of the planning manipulation, there were significant relationships between the expert's rating of the plans and (a) the contents of the plans, and (b) the overall problem-solving strategy. A content analysis of the plans indicated that participants with more Planning-Related Statements in their plans were more likely to receive higher plan ratings. Their plans included more action statements, explanations, and evaluations than did the plans that received medium and low ratings from the expert.

One of the interesting findings of the study concerns the overall problem solving strategies used by the participants who attained higher plan ratings. Participants who attained higher plan ratings employed Boolean equations in their problem solutions more frequently than the other students. Given the background and capabilities of the participants, it seems reasonable to conclude that the few students who understood the nature of Boolean expressions and were willing to manipulate them directly (for purposes of transformation and reduction) had a more complete understanding of the domain, especially the relation between logic gates and Boolean expressions. Most of the other students appeared to apply the component-step procedures mechanically without a true understanding of what they were achieving. This observation is further supported by the number of errors students made in their final solutions, and their lack of ability to detect and correct these errors. Both tendencies were related to expert plan rating.

Contrary to general expectations, providing an opportunity by asking for an anticipatory plan did not increase the quality of the participants' solutions. Anticipatory planning is hypothesized to be most helpful in situations where the participant can reduce the problems to well-structured, familiar and simple forms or a set of simpler subcomponents (Scholnick & Friedman, 1987). The problems in the present study were intended to be well-structured. However, approximately half the errors made in solving these problems (48%) occurred in generating the truth table. An additional 39%

occurred in the K-map component. These errors resulted in participants trying to solve rather arbitrary, unfamiliar, and complex problems. On such problems, anticipatory planning would not be appropriate nor expected to have beneficial effects on problem solving (Scholnick & Friedman, 1987). The occurrence of errors in the early components may also explain why plan rating was not predictive of correctness of the solution nor of minimization and optimization measures.

The findings of the planning study suggest potentially fruitful areas of future research, including investigations of the use of Boolean equations by more expert designers. It is possible that the effective use of Boolean equations is a benchmark in the acquisition of expertise in this domain. Results from this study indicated that the global plans generated by intermediate participants were not detailed enough to describe and capture the entire solution space. It might also be interesting to determine at what point in the acquisition of expertise the student of design can and does formulate a detailed global problem-solving plan spontaneously, and at what point such plans can be formulated when explicitly prompted. Our experiences suggest that providing an accurate truth table may well facilitate studying the relation between planning and problem solving.

Differences in overall and intermediate steps solution strategies were significantly related to the expert's plan ratings. These are two indices that could be reliably determined from the computer trace generated by the Design Assistant tool. Thus it seems that efforts to develop computer-based, performance-oriented design process assessments is a fruitful direction.

### Designing Complex Circuits

One of the difficulties encountered in the design process analysis of the combinational logic circuit problems was their "beginning" nature. This focus was necessary to pursue the expert - intermediate contrastive comparison we were interested in. Yet, the basic nature of these circuits contributed to difficulties encountered by the experts. In practice, circuit design at this level has become automated. Combinational logic circuits are often elements of more complex systems that experts design. They are "off the shelf" components that can be plugged into larger designs without being generated anew each time they are needed. Thus, experts rarely design these kinds of circuits once they have mastered basic and intermediate levels of circuit design. Accordingly, the other major strand of work in this project examined the design process for very complex digital circuits.

The complexity in engineering design can be attributed to the fact that mapping from a specified functionality to a realizable physical structure (the designed artifact). Complexity arises from

- the specified functionality. Complex functions often have to be broken down into sub-functionalities that interact (cf. *leaky modules* (Goel & Pirolli, 1991)).

Composing the individual sub-functionality implementations becomes a difficult task.

- mediating the relation between function, structure, and behavior. Behavior acts as the intermediary between function and structure. A designer hypothesizes a structure, determines its behavior, and then compares this to the functionality (expected behavior). This process is non trivial; it defines a non-linear iterative framework for the design process.
- additional criteria, such as performance parameters and aesthetics that may be imposed on the design task.

A primary goal of this part of the project was to identify the differences in the processes employed by experts and novices in dealing with complex design problems with the above characteristics. As discussed earlier, the problem with combinational circuit design was its routine and algorithmic nature. Furthermore, the availability of automated Computer Assisted Design (CAD) tools in this domain, implies that experts and practitioners are rarely involved in the details of combinational circuit design. On the other hand, current digital design activity primarily focuses on systems, such as processors, computer subsystems, memory subsystems, and network controllers that include elements of combinational and sequential circuit design. The complexity of their functional descriptions requires *decomposition* into subproblems to achieve solutions. In addition, their behavior descriptions are *dynamic*, i.e., their behavior at a certain time step is dependent on the state of the system at the previous time step, making analysis and understanding of such systems a more difficult task. Our experience with the simpler combinational circuit suggested that shifting the emphasis to complex design tasks would

- allow the study of systematic strategies in generating design solutions, and
- make explicit the complex and multi-dimensional nature of expert problem solving processes.

In studying complex circuit design activity, it became clear that good designers had to catch flaws and resolve discrepancies early in the design process to avoid being overwhelmed by the magnitude and complexity of the problem in later stages. Hence, we were interested in characterizing the processes involved in producing the final design, as well as the completeness and correctness of the final design itself.

#### *Characterizing Complex Design Activity*

Complex design tasks have been classified into three broad *levels* of design

activity (Tong and Sriram, 1992):<sup>3</sup>

- Design activities at the *function level* study the specifications of a system and generate functional units that collectively meet the required specifications.
- The *transition level* includes design activities that look to functional units and decide how to implement them as artifacts (e.g., gates and higher-level blocks such as shift registers and counters). Actions at this level may also guide the coordination of component artifacts so that higher-level functionality is satisfied.
- *Implementation level* activities deal with the actual generation of the artifact. In complex design problems this often happens in stages; for example, simulation, testing, and evaluation of partial designs.

Researchers have also described orthogonal gradients that characterize the cognitive processes of the designer, independent of the artifact being designed (Korpi, Greeno & Jackson, 1991, Goel & Pirolli, 1991, Ullman et al., 1988). In this work, we have found two descriptive levels of reasoning sufficient: the *strategy* and *unit operator* levels (for details see, Biswas et al., 1994). In keeping with our interests in studying planning behavior in design problem solving, our characterization of design activity was focused on the strategy level. A survey of past and present design research indicated a set of high-level problem solving strategies for design.

- *Decomposition* strategies subdivide a complex design task into smaller sub-tasks until they are directly solvable. Examples of design systems that employ decomposition are Hi-Rise (Maher, 1988) and R1 (McDermott, 1982).
- *Transformation/Refinement* strategies convert initial specifications into a final design solution through a sequence of primitive operator applications in some formal representation scheme (e.g., shape grammars (Mitchell and Stiney, 1978)).
- *Case-based* strategies assume that a catalog of previous design solutions is stored in memory; a new design problem prompts the designer to search through this catalog, and select one or more designs that best match the characteristics of the goal design. Examples of case-based approaches to design include the Bogart system (Mostow, Barley, and Weinrich, 1989) and Struple (Zhao and Maher, 1988).

We hypothesized the presence of each of these strategies in designers. The

---

<sup>3</sup>This is a broader and richer description of design activity than the overall, intermediate, and implementation strategies described for the combinational circuit problems.

possibility of multiple strategies in a single design solution provided a much richer framework for characterizing the reasoning methods of designers in complex problem solving.

Design can be looked at as an application of reasoning processes that start at the function level, go through a transition level, and produce an implementation-level description of the artifact. Several strategies can be applied in this process. The directedness with which these strategies were employed and coordinated by our participants was used as the basis for assessing a designer's expertise relative to a design problem or class of problems.

### *A Study of Complex Circuit Design*

Our objective in this study was to correlate planning behavior and the use of strategies with levels of expertise. We selected a complex problem, designing a *network controller* to coordinate communications between computers that are linked by cable. A more complete specification for this problem is given in Table 4. Our experience with this and similar problems suggested numerous activities that would be observed across a range of designers.

We administered the network controller problem to eleven participants. Three were considered experts: S8, a faculty member at Vanderbilt University who teaches digital design and had designed digital systems for industrial applications, S7, who works in the communications technology industry, and S11, a graduate student with extensive CMOS digital circuit design experience in industry. Two participants, S4 and S10, had related industrial experience, but neither could be considered to be experts in complex circuit design. Four participants (S2, S5, S6, and S9) were graduate students with little or no professional design experience. The other two participants were seniors in the undergraduate program at Vanderbilt university. They both had completed a senior level course in digital circuit design. However, participant S3 was regarded as a high-performing student, whereas S1 was considered to be average in academic performance.

### Protocol Analysis

The participants were given a hard copy of the problem description (see Table 4), and asked to develop their solution with pencil and paper. They were requested to think aloud as they developed their solution, and the entire session was videotaped. The participants could use any material (notes, books, etc.) that they felt would assist them in generating a solution. A complete transcript of each session was generated.

Later a group of raters (Biswas, Glewwe, Bhuvu) studied the tapes, transcripts, and the participants' written output. To encode strategic activity, the following two-step process was used.

- In Step 1, we encoded the implementation-level blocks created by the participants, and the sequence in which they added, deleted, and modified blocks as they went through the design process. This trace recorded the designer's activities at the implementation level. Most implementation level blocks originated from a function-level description and retained the same name as the functional block (e.g., serial-to-parallel buffer). Participants usually put down this name when they drew this block as part of the implementation on paper, or they verbally expressed the name of the block as they drew it on paper.
- In Step 2, we used the Step 1 trace and information from the tapes and transcripts to answer the set of questions that define our framework for characterizing design activity (see Biswas et al., 1994 for details). This provided information on strategic level behavior of participants at the function, transition, and implementation levels.

The trace generated in Step 1, in addition to providing information for creating Step 2, also helped us check the correctness of the design. If the participant had errors in the design, the trace helped us understand where and how a participant went wrong. The analysis was performed in two steps: (i) use the Step 1 and Step 2 traces to characterize and analyze the participants' solution processes, i.e., process characteristics, and (ii) use the Step 1 results to analyze and evaluate the correctness of the final solution generated by the participants, i.e., product characteristics. Process characteristics were studied at the function, transition, and implementation levels.

#### Results of the analyses

*Process Characteristics.* Tables 5, 6, and 7 summarize the individual behaviors of our 11 participants along the function, transition, and implementation levels, respectively.

Table 5 shows the evaluation of each participant at the function level. For this analysis, we assumed a normative solution, consisting of 7 functional blocks, and an intermediate form (IF) given by the flowchart in Fig. 3. This constituted the 'gold standard' against which we compared participant's solutions. We were interested in assessing how close to this solution each participant came. Because participants might differ in the number and organization of functional blocks, we developed an algorithm for counting the amount of 'functional' overlap. If a designer defined a functional block that covered more than one of the 7 specified blocks, all 'covered' blocks in the normative solution were counted as considered. If the designer used finer-grain blocks than the ones specified, a set of finer-grain blocks were counted as a larger normative block if the designer effectively 'implemented' this block

with appropriate links between the finer grained blocks.

In addition, Table 5 differentiates between the number of functional blocks initially considered (obtained from recorded protocols), and the number of blocks that were represented in the final intermediate form; these are given in columns 1 and 3, respectively. Other features used for assessment are the type of Intermediate Form (IF) used, details specified in IF (i.e., detail in specifying links between blocks), and verbal evidence for the presence of a global plan (i.e., some explication by the participants of the steps that they would follow in elaborating the design). Some of the participants did not use an IF and they were evaluated based on the rest of the design features. The use of higher number of components, greater detail in IF, higher number of components in IF, and the presence of a global plan implied higher levels of expertise. However, in assigning an overall rating of observed competence at the function level (column 6), we focused on the coverage and detail of the IF.

Table 6 shows the evaluations of each participant at the transition level. The features used were the details expressed in decomposition and the handling of interactions in this level. In general, the more fine-grained the decomposition and the better the expression of interactions between modules expressed in the form of signals, then the greater the ease with which design should proceed through the implementation. The better the participants performed along these two dimensions the greater was their rated level of expertise. Column 4 in the table provides overall ratings.

Table 7 shows the evaluations of each participant at the implementation level. The features used for assessment are the use of higher-level components, use of custom components, types of interaction checks made, and the strategy employed in problem resolution. This table does not give an overall rating, but we determined that the use of high level and custom components demonstrated greater expertise, as did global versus local interaction checks. In addition, most participants used patching to correct for interactions.

*Product Characteristics.* We also characterized participants in terms of the completeness and correctness of their final designs. Table 8 gives a qualitative score for the completeness of each participant's final implementation (i.e., what proportion of the specified functionality did the final design cover) and a score for correctness (i.e., the proportion of specified subfunctionalities correctly implemented in the final solution). Table 78 also classifies participants on a four-point scale, on the basis of the combined completeness and correctness ratings. Level 1 scores reflected minimal completeness and correctness in final implementation. Level 2 scores reflected medium completeness and correctness. Level 3 participants scored high on one dimension and medium on the other. One participant was classified at Level 4, and scored high on both dimensions of completeness and

correctness. We left participant 7 unclassified, because he took a radically different approach to the controller design than other participants. P7 employed a programmable logic array in solving the problem, and was stopped early by the experimenter prior to full implementation.

*Integrating Process and Product Characteristics.* The product rating and the previously-described process characteristics are generally consistent with one another. An exception to this was P3 who performed well at the function and transition levels. This exception would have gone unnoticed had we only looked at product scores. We were concerned that other important differences in design activity would be masked if we focused solely on the product measure. We developed a more integrated rating scheme consisting of four levels as follows.

- *Novices* showed little proficiency in complex design. Novices scored low in completeness and correctness, and had low functional and transitional scores as well.
- *Average designers* scored medium for completeness and correctness and demonstrated average performance at the functional and transitional level, which is indicative of some understanding of the problem and a strategy-level implementations.
- *Above average designers* demonstrated good understanding of complex design in formulating global plans and applying strategies, but did not perform as well as experts in decomposition and handling of interactions at the transition level. Their average completeness and correctness was above medium.
- The *expert designer* had a very good understanding of design. This individual scored high on both dimensions of completeness and correctness, and demonstrated mastery at the functional and transitional levels. The key to the expert's success can to a large extent be attributed to his ability to handle complexities at the function and transition-levels of design.

These categories were exemplified in the descriptions of the design problem solving behavior of our participants (see Biswas et al., 1994 for details), and provide a strong link between process characteristics and the quality of the final product generated by a designer.

#### Implications for Assessment of Expertise

This study made it clear that there was important information to be gained by looking at how designers went about producing a final design. For example, having only looked at products, i.e., the resultant designs, we would not have known that participants 9 and 10 used a primitive form of case-based reasoning and did not use functional decomposition. Likewise, P3's performance was due to difficulties at the implementation level, while her

performances at the function and transition levels were quite good. We would also not have known that P4 attempted to transfer his expertise in analog circuit design to the digital case. Furthermore, P11's behavior suggested the importance of early error checking and evaluation at the functional level in obtaining a good design. The information gained from the process level descriptions provides a basis for comparisons with other domains in which expertise has been described. In addition, a comparison of the processes used by the most expert participant in our group with the processes of the less expert participants provides a basis for instructional interventions.

#### Design Tool for Complex Circuit Design

Assuming that one is interested in the richer characterization that results from considering both process and product descriptions in digital circuit design, it is important to make the collection of process data more tractable than through the analysis of think-aloud verbal protocols. Towards this end, we built a prototype design tool to assist participants in function and intermediate-level design. The design tool has the following components:

- problem-description browsing tool
- high-level formalization and simulation tool
- circuit-diagram drawing tool, and
- circuit-simulator tool

Preliminary testing conducted on participants as well as the analysis of the complex problem described above made it clear that to perform more detailed experiments (cf. James, 1995) would require that the system provide the capability to generate a number of intermediate forms (IFs) and the ability to simulate these IFs to check the behavior of the designed system. However, the termination of the project did not allow us to pursue development of the design assistant tool any further. Future work in this area should be directed toward the building of function-level design tools and the capture of design activity traces at this level of design.

#### Conclusions

The diagnosis of expertise in a complex design task first requires a sufficient understanding of sources of expertise-related differences. The studies conducted under the auspices of this project suggest some preliminary characterizations. In addition, the work demonstrates the feasibility as well as current limitations of using computerized automated diagnosis systems.

The study of problem solving behavior for the simpler, combinational circuit provided a characterization of expert-novice differences.

- Intermediate and novice problem solvers exhibited a large amount of "step-by-step" local planning. These often occurred at transition points from one algorithmic component to the next. This pattern seemed to indicate that the intermediate and novice problem solvers were somewhat mechanically implementing an algorithmic solution without reflecting on the consequences and results they were obtaining as they solved the problem. In contrast, the experts appeared to be proceeding with fewer difficulties and to have in mind a plan for what they would do next. Although only one expert verbalized a global plan, the other expert showed little of the indecision shown by the intermediates when they completed a component.
- To facilitate improved problem solving by intermediates, a second study required them to generate and verbalize a global plan prior to beginning solution. The forced generation of a global plan did not impact any indices of problem solving. However, expertness of the plan generated was predictive of overall problem solving strategy. The primary differentiation was that more expert planners included Boolean expressions in their solutions more frequently than less expert planners.

We did not obtain the magnitude of differentiation among experts and intermediates that we had expected. We attribute this to two related factors. Combinational circuit design is an extremely routine task. Consequently, the experts were not in the practice of designing these "by hand" but relied on automated tools to generate these circuits. Second, errors made early in the solution process made it quite difficult for all participants to discern the relevant patterns. Had the experts worked on problems that were closer to their daily job activities, we suspect differences between them and intermediates would have been greatly magnified.

A second goal of our work with the combinational circuit design task was to implement an automated system for administering and assessing students. A major issue was whether computer traces of the design process would be sufficient to distinguish among levels of expertise in design. The computer traces generated from the Design Assistant tool contained information sufficient to reliably discern designers' overall and intermediate steps strategies. These were the two descriptors of problem solving performance that were significantly related to expertness of the generated plan. We also realized that the design tool was not collecting sufficient design activity information to determine a number of other important elements of the design solution process. Several changes that would ameliorate this problem could be rather easily implemented in a "next" version of the tool.

The more complex sequential circuit design task proved to be quite successful in differentiating expert, intermediate, and novice behavior. This was achieved by analysis of the high level strategies the participants employed

at the function, transition, and implementation levels of design. A number of interesting points will help characterize assessment of expert-novice differences in the future.

- Experts tend to focus more on function-level design in decomposing a complex system into sub functionalities, and defining the interactions between the different functional blocks. This guides design at the transition and implementation levels. Intermediates and novices, in particular, do not seem to put in as much effort at the function level, which results in their being overwhelmed by the complexity of the problem at the transition and implementation levels. The end result is erroneous and/or suboptimal design solutions.
- Expert-novice assessment is best conducted by studying process data as opposed to product data (i.e., just the quality of a participant's final solutions). Furthermore, analysis of process data can be effectively conducted by working at strategy-level operations (i.e., planning behavior) as opposed to more detailed unit-process level behavior.
- It is hard to characterize expertise: expert-level behavior manifests itself in multiple ways through the use of multiple combinations of basic strategies. The one common thread we observed in characterizing experts was their systematic attempts and success at tackling the harder problems early in the design process, making the error handling and optimization tasks at the implementation level a much easier task.

Comparing the framework generated and the results produced from the two sets of studies, we can claim that we were able to define a sufficiently complete framework for characterizing both process and product aspects of digital circuit design. Our comparative studies with the computer-based assessment tool for combinational circuits indicated a number of areas where more detailed information was required in the traces to ensure that reliable conclusions could be made about design activity. For the more complex problems, the design of computer-based tools becomes much more difficult, because of the multiple representations that designers employ in functional- and intermediate-level designs. Furthermore, it is still an open question as to whether the strategic behavior of designers can be derived from computer traces of their design activity.

## References

- Brown, D. C., & Chandrasekaran, B. (1989). *Design problem solving: Knowledge structures and control strategies*. San Mateo, CA: Morgan Kaufmann.
- Chi, M. T. H., Glaser, R., & Farr, M. J. (1988). *The nature of expertise (1st ed.)*. Hillsdale, NJ: Lawrence Erlbaum Associates.
- Frederiksen, N., Glaser, R., Lesgold, A., & Shafto, M. G. (Eds.) (1990). *Diagnostic monitoring of skill and knowledge acquisition*. Hillsdale, NJ: Lawrence Erlbaum Associates.
- Gero, J. S. (1990). Design prototypes: A knowledge representation schema for design. *AI Magazine*, 11(4), 26-36.
- Gitomer, D. H. (1988). Individual differences in technical troubleshooting. *Machine-Mediated Learning*, 1, 111-131.
- Goel, V., & Pirolli, P. (1989). Motivating the notion of generic design within information processing theory: The design problem space. *AI Magazine*, 10(1), 19-36.
- Goel, V., & Pirolli, P. (1992). The structure of design problem spaces. *Cognitive Science*, 16(3), 395-429.
- James, C. M., Goldman, S. R., & Vanderمولen, H. (1994). *Individual differences in planning-related activities for simple digital circuit design* (Tech. Rep. No. 94-1). Nashville, TN: Vanderbilt University.
- Pirolli, P. (1992). *Knowledge and processes in design*. (ONR Final Report). Arlington, VA: Cognitive and Neural Sciences Division.
- Maher, M. L. (1988). HI-RISE: An expert system for preliminary structural design. In M. Rychener (Ed.), *Expert systems for engineering design*. San Diego, CA: Academic Press.
- McDermott, J. (1982). R1: A rule-based configurer of computer systems. *Artificial Intelligence*, 19(1), 39-88.
- Mitchell, W., & Stiny, G. (1978). The palladian grammar. *Environment and Planning B*(5), 5-18.
- Mostow, J., Barley, M., & Weinrich, J. (1989). Automatic reuse of design plans. *Artificial Intelligence in Engineering*, 4(4), 181-196.
- Simon, H. A. (1969). *The sciences of the artificial*. Cambridge, MA: MIT Press.
- Sriram, D. (1986). *Knowledge-based approaches for structural design*. Unpublished doctoral dissertation, Carnegie-Mellon University, Pittsburgh, PA.
- Tong, C., & Sriram, D. (1992). Introduction. In C. Tong & D. Sriram (Eds.), *Artificial intelligence in engineering design* (Vol. 1, pp. 1-53). San Diego, CA: Academic Press.
- Ullman, D. G., Dieterich, T. G., & Stauffer, L. A. (1988). A model of the mechanical design process based on empirical data: A summary. *Proc. Intl. Conf. on Applications of AI in Engineering*, pp. 193-216. San Diego, CA: Academic Press.
- Vanderمولen, H., James, C. M., Goldman, S. R., Biswas, G., & Bhuva, B. (1992).

Assessing expertise in simple digital circuits. *Proceedings of 4th Midwest AI and Cognitive Science Society Conference*, pp. 47-51. Starved Rock State Park, IL.

- Yoshikawa, H. (1981). General design theory and a CAD system. In T. Sata & E. A. Warman (Eds.), *Man-machine communication in CAD/CAM*, pp. 35-53. Proc. of the IFIP Working Group 5.2-5.3. Tokyo.
- Zhao, F., & Maher, M. L. (1988). Using analogical reasoning to design buildings. *Engineering with Computers*, 4, 107-119.

Table 1: Combinational circuit design problems

Problem A, The Subtractor Problem

You are to design a 1-bit full subtractor. Your circuit will accept one bit of each operand and an input borrow bit and produce a result bit and an output borrow.

In solving this problem keep in mind that we are not interested in how much time it will take you. We are interested in seeing a good design and the steps leading you there. Assume you will have to make a product out of this design. The circuit will have to be implemented in a CMOS chip. Your criteria for "good design" should be (in order of importance):

1. Minimum cost, that is, minimum number of gates used. Keep in mind that some CMOS gates are more complicated than others. The goal is thus actually to minimize the area of the chip's layout.
2. Testability

Problem B, The Job Skill Problem

A certain placement service evaluates people based on their possession (or lack) of four basic skills: typing, basic computer use, friendliness, and good phone voice. Each applicant is evaluated for Type A and Type B jobs. Being suitable for one or both types of jobs results in being added to their files with the types of jobs the applicant is suitable for. If an applicant is suitable for neither job they are rejected. Type A job skills include applicants who: cannot type, but can use a computer, and have a good phone voice; are friendly, have a good phone voice, and can type; are friendly, can use a computer, but can't type; can't use a computer, don't have a good phone voice, aren't friendly, and may or may not be able to type.

Type B job skills include applicants who: can't type, and don't have a good phone voice, but can use a computer; can type, have a poor phone voice, and are friendly; are friendly, but can't type, and don't have a good phone voice; can't use a computer, aren't friendly, but do have a good phone voice.

As a designer, create a logic circuits that outputs A and B from four inputs w, x, y, and z.

In solving this problem keep in mind that we are not interested in how much time it will take you. We are interested in seeing a good design and the steps leading you there. Assume you will have to make a product out of this design. The circuit will have to be implemented in a CMOS chip. Your criteria for "good design" should be (in order of importance):

1. Minimum cost, that is, minimum number of gates used. Keep in mind that some CMOS gates are more complicated than others. The goal is thus actually to minimize the area of the chip's layout.
2. Testability

Table 2: Example global plan

Let me demonstrate for you what I mean by an overall plan for the task of preparing a shopping trip.

“Well, let’s see. I have to buy food for next week. First I’ll have to figure out how many days next week I’ll be eating dinner home and how many times I’ll be packing a lunch for work. I don’t want to get too much food. I should check the refrigerator and the cupboards to make sure that I don’t buy something that I already have. Is there a special occasion coming up next week which would require me to make something specific? If so, then I need to get the ingredients for it. I need to think about cost savings. Do I have any relevant coupons? Which store should I go to? If I’m not in a hurry I can go to MegaMarket. If I’m in a hurry it is too far away. Kroger’s is closer but more expensive.”

So by an overall plan, I mean laying out things that need to be thought about, how to accomplish them and contingencies that need to be considered.

Table 3: Overall solution strategies based on video trace

<b>Overall Strategy</b>	<b>Problem A</b>	<b>Problem B</b>
Textbook	12 (60%)	11 (55%)
Textbook without Boolean	6 (30%)	6 (30%)
Textbook without Grouping	2 (10%)	2 (10%)
Textbook without K-map	0	1 (5%)

Table 4: Problem description for complex circuit design study

A small company selling networking supplies is experiencing problems with one of their IC suppliers and decides to design their own network controller. The type of network the company sells is a proprietary token ring architecture. The token ring controller will be manufactured as a CMOS chip by an external firm, using 2 micron technology. The network normally connects 5 to 100 computers, with each computer containing one network controller. You are asked to design the sender part of the controller. The final design should be a gate level design specification. You are free to use higher level modules like shift registers, just specify the implementation of one bit of the register at the gate level.

The computers are connected in a ring topology. Each computer has a unique 7-bit address. A frame of data is of variable length and consists of the following elements:

1. an 8-bit token, indicating the head of a frame (1000 0000)
2. a 1-bit busy signal, indicating whether frame is full or empty (1 - full, 0 - empty)
3. a 7-bit address identifying the intended receiver
4. a 1-bit signal acknowledging reception by the receiver (1 - acceptor, 0 - other)
5. a 7-bit address identifying the sender
6. an N-byte data packet

The controller has the following lines

- |                               |  |
|-------------------------------|--|
| 1. (RI) Ring in (input)       | Connected to the ring (receiving data)             |
| 2. (RO) Ring out (output)     | Connected to the ring (sending data)               |
| 3. (DI) Data in (input)       | Connected to the system; Input for data to be sent |
| 4. (DF) Data finished (input) | System has no more data                            |
| 5. (FD) Fetch data (output)   | Controller needs next data bit from system         |
| 6. (CL) Clock (input)         | Synchronous signal for all computers               |

When the controller receives the token, it checks the next bit to see if the following frame contains data. If it does, the controller does nothing (receiver part checks to see if data is intended for this system, and initiates reception). If the frame is empty, the local system is allowed to send data if it has any available (DF = 0). In that case the next 7 bits are set to the address of the intended receiver. The following bit is set to 0 (acknowledge signal), and the next 7 bits are set to the address of the sender. Finally data transmission

begins. When no more data is available ( $DF = 1$ ) transmission stops. While the system is sending it keeps watching for the return of the token. When it receives a busy bit following return of the token (busy bit generated by itself) it HAS TO stop sending and reverse the busy bit to 0. Generation of sender and receiver addresses all happens externally on the Data In (DI) line. NOTE: You are responsible for two outputs (Ring Out and Fetch Data) derived from four inputs (Ring In, Data In, Data Finished, and Clock); see the figure on the previous page for explanations of these signals.

Additional Constraints:

- Minimum buffer size per controller: 8 bits
- Maximum buffer size per controller: 16 bits
- Speed of operation: 10 Mbps

Please do not worry about the following aspects:

- generation and synchronization of clock signals
- power down situations in any of the computers on the ring
- conflicts between data and marker bit patterns
- reception of packets
- loss of token
- no acknowledgement from receiver
- limited buffer capacity of the net

Table 5: Evaluation of function level<sup>a</sup>

Partici- pant	Number of Components	IF	Number in IF	Detail in IF	Global Plan	Total Score
P1	3	none	n/a	na/	No	1
P2	3	Rough State Machine	7	Low	No	2
P3	6	Flowchart	6	High	No	4
P4	5	none	n/a	n/a	No	1
P5	3	Flowchart	3	Low	No	2
P6	6	Flowchart	4	Medium	No	2
P7	-	Data Flow Diagram	6	Medium	No	4
P8	6	Informal State Machine	5	Medium	Yes	3
P9	5	none	n/a	n/a	No	1
P10	7	none	n/a	n/a	Yes	1
P11	7	State Machine	6	High	Yes	4

<sup>a</sup>Ratings were assigned according to the following criteria: (1) No IF; 2 = low or medium coverage; low or medium detail; 3 = medium coverage; medium detail; and 4 = high coverage; high detail.

Table 6: Evaluation of transition level<sup>a</sup>

Participant	Core Component	Detail in Decomposition	Use of Signals	Total Score
P1	Switch	High	Low	2
P2	Shift Register	Low	Low	1
P3	Abstract Controller	High	Medium	3
P4	Shift Register	Medium	Medium	2
P5	System State Flop	High	Medium	3
P6	Shift Register	High	Low	2
P7	ROM Sequencer	-	-	-
P8	Shift Register	Medium	Medium	2
P9	Shift Register	Medium	Low	2
P10	Shift Register	Medium	High	3
P11	High Level Blocks	High	High	4

<sup>a</sup>Ratings were assigned in the following manner: 1 = Low decomposition; low use of signals; 2 = Medium decomposition; less than medium use of signals; 3 = High decomposition and/or high use of signals, but not both; and 4 = High decomposition and high use of signals.

Table 7: Implementational level

Participant	Strategy	High-Level Components	Custom Components	Interaction Checks	Problem Resolution
P1	Iterative Addition	Yes	No	Local, Some Global	Abandoned Flawed & Correct Parts
P2	Iterative Addition & Refinement	Yes	Yes	Local (very little)	Immediate Patch
P3	n/a	Yes	Yes	none	n/a
P4	Iterative Addition & Refinement	Yes	No	Local	Immediate Patch
P5	Iterative Addition & Refinement	Yes	No	Global	Immediate Patch
P6	Iterative Addition	Yes	No	Local	Immediate Patch
P7	Complete Block Layout	Yes	No	none	n/a
P8	Global Layout; Iterative Refinement	Yes	Yes	Local w/ a Final Global	Deferment
P9	Iterative Refinement & Addition	Yes	Yes	Local	Immediate Patch
P10	Iterative Refinement & Addition	Yes	Yes	Local	Immediate Patch
P11	Iterative Refinement on Signal/Blocks	Yes	Yes	At Block Level	Immediate Patch (One Deferment)

Table 8: Overall evaluation

Participant	Completeness	Flaw Detection	Overall Rating
P1	Low	Low	1
P2	Low	Low	1
P3	Low	none	1
P4	Medium	Medium	2
P5	Medium	Medium	2
P6	High	Medium	3
P7	Medium	n/a	—
P8	Medium	High	3
P9	High	Medium	3
P10	High	Medium	3
P11	High	High	4






Figure 2: Example of parallel flow diagram




Figure 3: Flow-chart form: Token ring controller

### Distribution List

Dr. David L. Alderton, Code 131  
Navy Personnel R&D Center  
San Diego, CA 92152-6800

Dr. Terry Allard  
Code 342CS  
Office of Naval Research  
800 N. Quincy St.  
Arlington, VA 22217-5660

Dr. John R. Anderson  
Department of Psychology  
Carnegie-Mellon University  
Schenley Park  
Pittsburgh, PA 15213

Dr. Nancy S. Anderson  
Department of Psychology  
University of Maryland  
College Park, MD 20742

Dr. Thomas H. Anderson  
Center for the Study of Reading  
174 Children's Research Center  
51 Gerty Drive  
Champaign, IL 61820

Dr. Stephen J. Andriole, Chairman  
College of Information Studies  
Drexel University  
Philadelphia, PA 19104

Prof. John Annett  
University of Warwick  
Department of Psychology  
Coventry CV4 7AL  
ENGLAND

Dr. Gregory Anrig  
Educational Testing Service  
Princeton, NJ 08541

Technical Director, ARI  
5001 Eisenhower Avenue  
Alexandria, VA 22333

Edward Atkins  
13705 Lakewood Ct.  
Rockville, MD 20850

Dr. Patricia Baggett  
School of Education  
610 E. University, Rm 1302D  
University of Michigan  
Ann Arbor, MI 48109-1259

Dr. William M. Bart  
University of Minnesota  
Dept. of Educ. Psychology  
330 Burton Hall  
178 Pillsbury Dr., S.E.  
Minneapolis, MN 55455

Leo Beltracchi  
United States Nuclear  
Regulatory Commission  
Washington DC 20555

Dr. William O. Berry  
Director of Life and  
Environmental Sciences  
AFOSR/NL, N1, Bldg. 410  
Bolling AFB, DC 20332-6448

Dr. Thomas G. Bever  
Department of Psychology  
University of Rochester  
River Station  
Rochester, NY 14627

Dr. Menucha Birenbaum  
Educational Testing Service  
Princeton, NJ 08541

Dr. Werner P. Birke  
Personalstammamt der Bundeswehr  
Kohler Strasse 262  
D-5000 Koeln 90  
FEDERAL REPUBLIC OF GERMANY

### Distribution List

Dr. John Black  
Teachers College, Box 8  
Columbia University  
525 West 120th Street  
New York, NY 10027

Dr. Deborah A. Boehm-Davis  
Department of Psychology  
George Mason University  
4400 University Drive  
Fairfax, VA 22030-4444

Dr. Kenneth R. Boff  
AL/CFH  
Wright-Patterson AFB  
OH 45433-6573

Dr. J. C. Boudreaux  
Manufacturing Engineering Lab  
National Institute of  
Standards and Technology  
Gaithersburg, MD 20899

Dr. Richard L. Branch  
HQ USMEPCOM/MEPCT  
2500 Green Bay Road  
North Chicago, IL 60064

Dr. Robert Breaux  
Code 252  
Naval Training Systems Center  
Orlando, FL 32826-3224

Dr. Ann Brown  
Graduate School of Education  
University of California  
EMST-4533 Tolman Hall  
Berkeley, CA 94720

Dr. Pat Carpenter  
Carnegie-Mellon University  
Department of Psychology  
Pittsburgh, PA 15213

CDR Robert Carter  
Naval Medical Research  
and Development Command  
National Naval Medical Ctr  
Bldg. 1-T-11  
Bethesda, MD 20889-5606

Dr. Eduardo Casallar  
Educational Testing Service  
Rosedale Road  
Princeton, NJ 08541

Dr. Davida Chamey  
English Department  
Penn State University  
University Park, PA 16802

Dr. Michelene Chi  
Learning R & D Center  
University of Pittsburgh  
3939 O'Hara Street  
Pittsburgh, PA 15260

Dr. Susan Chipman  
Cognitive Science Program  
Office of Naval Research  
800 N. Quincy St, Code 342CS  
Arlington, VA 22217-5660

Dr. Raymond E. Christal  
UES LAMP Science Advisor  
AL/HRMIL  
Brooks AFB, TX 78235

Dr. Deborah Claman  
National Institute for Aging  
Bldg. 31, Room 5C-35  
9000 Rockville Pike  
Bethesda, MD 20892

Dr. William J. Clancey  
Institute for Research on Learning  
2550 Hanover Street  
Palo Alto, CA 94304

### Distribution List

Chief of Naval Education and Training (N-5)  
NAS Pensacola, FL 32508

Dr. Paul Cobb  
104C Mayborn Building  
Box 330 Peabody College  
Vanderbilt University  
Nashville, TN 37203

Dr. Rodney Cocking  
NIMH, Basic Behavior and  
Cognitive Science Research  
5600 Fishers Lane, Rm 11C-10  
Parklawn Building  
Rockville, MD 20857

Director, Life Sciences  
Office of Naval Research  
Code 114  
Arlington, VA 22217-5000

Director, Cognitive and  
Neural Sciences, Code 1142  
Office of Naval Research  
Arlington, VA 22217-5000

Director  
Training Systems Department  
Code 15A  
Navy Personnel R&D Center  
San Diego, CA 92152-6800

Library, Code 231  
Navy Personnel R&D Center  
San Diego, CA 92152-5800

Dr. Magda Colberg  
Office of Personnel Management  
1900 E Street, N.W.  
Washington, DC 20415-0001

Commanding Officer  
Naval Research Laboratory  
Code 4827  
Washington, DC 20375-5000

Dr. Albert T. Corbett  
Department of Psychology  
Carnegie-Mellon University  
Pittsburgh, PA 15213

Dr. Michael Cowen  
Code 142  
Navy Personnel R&D Center  
San Diego, CA 92152-6800

Dr. Kenneth B. Cross  
Anacapa Sciences, Inc.  
P.O. Box 519  
Santa Barbara, CA 93102

CTB/McGraw-Hill Library  
2500 Garden Road  
Monterey, CA 93940-5380

Dr. Charles E. Davis  
Educational Testing Service  
Mail Stop 22-T  
Princeton, NJ 08541

Dr. Geory Delacote  
Exploratorium  
3601 Lyon Street  
San Francisco, CA 94123

Dr. Sharon Derry  
Florida State University  
Department of Psychology  
Tallahassee, FL 32306

Dr. Stephanie Doane  
University of Illinois  
Department of Psychology  
603 East Daniel Street  
Champaign, IL 61820

Dr. Michael Drillings  
Basic Research Office  
Army Research Institute  
5001 Eisenhower Avenue  
Alexandria, VA 22333-5600

### Distribution List

Defense Technical Information Center  
DTIC/DDA-2  
Cameron Station, Bldg 5  
Alexandria, VA 22314  
(4 /Copies)

Mr. David DuBois  
Personnel Decisions Research  
Institutes  
43 Main Street, SE  
Riverplace, Suite 405  
Minneapolis, MN 55414

Dr. Richard Duran  
Graduate School of Education  
University of California  
Santa Barbara, CA 93106

Dr. Nancy Eldredge  
College of Education  
Division of Special Education  
The University of Arizona  
Tucson, AZ 85721

Dr. John Ellis  
Navy Personnel R&D Center  
Code 15  
San Diego, CA 92152-6800

Dr. Susan Embretson  
University of Kansas  
Psychology Department  
426 Fraser  
Lawrence, KS 66045

Dr. Susan Epstein  
144 S. Mountain Avenue  
Montclair, NJ 07042

ERIC Facility-Acquisitions  
1301 Piccard Drive, Suite 300  
Rockville, MD 20850-4305

Dr. Martha Evens  
Dept. of Computer Science  
Illinois Institute of Technology  
10 West 31st Street  
Chicago, IL 60616

Dr. Lorraine D. Eyde  
US Office of Personnel Management  
Office of Personnel Research and  
Development  
1900 E St., NW  
Washington, DC 20415

Dr. Franco Faina  
Direttore Generale LEVADIFE  
Piazzale K. Adenauer, 3  
00144 ROMA EUR  
ITALY

Dr. Jean-Claude Falmagne  
Irvine Research Unit in  
Mathematical & Behavioral Sciences  
University of California  
Irvine, CA 92717

Dr. Beatrice J. Farr  
Army Research Institute  
PERI-IC  
5001 Eisenhower Avenue  
Alexandria, VA 22333

Dr. Marshall J. Farr  
Farr-Sight Co.  
2520 North Vernon Street  
Arlington, VA 22207

Dr. Pat-Anthony Frederico  
Code 13, NPRDC  
53335 Bryne Road  
San Diego, CA 92152-7250

Dr. J. D. Fletcher  
Institute for Defense Analyses  
1801 N. Beauregard St.  
Alexandria, VA 22311

#### Distribution List

Dr. Lawrence T. Frase  
Executive Director  
Division of Cognitive and  
Instructional Science  
Educational Testing Service  
Princeton, NJ 08541

Dr. Carl H. Frederiksen  
Dept. of Educational Psychology  
McGill University  
3700 McTavish Street  
Montreal, Quebec  
CANADA H3A 1Y2

Dr. Norman Frederiksen  
Educational Testing Service  
(05-R)  
Princeton, NJ 08541

Dr. John D. E. Gabrieli  
Department of Psychology  
Jordan Hall  
Stanford University  
Stanford, CA 94305

Dr. Jack J. Gelfand  
Department of Psychology  
Princeton University  
Princeton, NJ 08544-1010

Chair, Department of  
Computer Science  
George Mason University  
Fairfax, VA 22030

Dr. Alan S. Gevins  
EEG Systems Laboratory  
51 Federal Street, Suite 401  
San Francisco, CA 94107

Dr. Helen Gigley  
Naval Research Lab., Code 5530  
4555 Overlook Avenue, S. W.  
Washington, DC 20375-5000

Dr. Herbert Ginsburg  
Box 184  
Teachers College  
Columbia University  
525 West 121st Street  
New York, NY 10027

Dr. Drew Gitomer  
Educational Testing Service  
Princeton, NJ 08541

Dr. Robert Glaser  
Learning Research  
& Development Center  
University of Pittsburgh  
3939 O'Hara Street  
Pittsburgh, PA 15260

Dr. Sam Glucksberg  
Department of Psychology  
Princeton University  
Princeton, NJ 08544-1010

Prof. Joseph Goguen  
PRG, Univ. of Oxford  
11 Keble Road  
Oxford OX13QD  
UNITED KINGDOM

Dr. Paul E. Gold  
University of Virginia  
Department of Psychology  
Charlottesville, VA 22903

Dr. Susan R. Goldman  
Peabody College, Box 45  
Vanderbilt University  
Nashville, TN 37203

Dr. Timothy Goldsmith  
Department of Psychology  
University of New Mexico  
Albuquerque, NM 87131

#### Distribution List

Dr. Sherrie Gott  
AFHRL/MOMJ  
Brooks AFB, TX 78235-5601

Dr. T. Govindaraj  
Georgia Institute of Technology  
School of Industrial  
and Systems Engineering  
Atlanta, GA 30332-0205

Dr. Marilyn K. Gowing  
Office of Personnel R&D  
1900 E St., NW, Room 6462  
Office of Personnel Management  
Washington, DC 20415

Jordan Grafman, Ph.D.  
Chief, Cognitive Neuroscience  
Section, Medical Neurology  
Branch-NINDS, Bldg 10, Rm. 5C422  
Bethesda, MD 20892

Dr. Wayne Gray  
Graduate School of Education  
Fordham University  
113 West 60th Street  
New York, NY 10023

Dr. Bert Green  
Johns Hopkins University  
Department of Psychology  
Charles & 34th Street  
Baltimore, MD 21218

Dr. James G. Greeno  
School of Education  
Stanford University, Room 311  
Stanford, CA 94305

Dr. Stephen Grossberg  
Center for Adaptive Systems  
Room 244  
111 Cummington Street  
Boston University  
Boston, MA 02215

Prof. Edward Haertel  
School of Education  
Stanford University  
Stanford, CA 94305-3096

Marilyn Halpern, Librarian  
Brigham Library  
Educational Testing Service  
Carter and Rosedale Roads  
Princeton, NJ 08541

Dr. Stephen J. Hanson  
Learning & Knowledge  
Acquisition Research  
Siemens Research Center  
755 College Road East  
Princeton, NJ 08540

Dr. Delwyn Harnisch  
University of Illinois  
51 Gerty Drive  
Champaign, IL 61820

Dr. Patrick R. Harrison  
Computer Science Department  
U.S. Naval Academy  
Annapolis, MD 21402-5002

Dr. Wayne Harvey  
Education Development Center  
55 Chapel Street  
Newton, MA 02160

Dr. Barbara Hayes-Roth  
Knowledge Systems Laboratory  
Stanford University  
701 Welch Road, Bldg. C  
Palo Alto, CA 94304

Dr. Per Helmersen  
University of Oslo  
USIT  
Box 1059  
0316 Oslo, NORWAY

**Distribution List**

Dr. N. Guns Hoofd Van  
AFD.SWO  
Admiralteit Kr. D 364  
Van Der Burchlaan 31  
Post Box 20702.2500 ES The Hague  
The NETHERLANDS

Prof. Lutz F. Hornke  
Institut fur Psychologie  
RWTH Aachen  
Jaegerstrasse 17/19  
D-5100 Aachen  
WEST GERMANY

Ms. Julia S. Hough  
Cambridge University Press  
40 West 20th Street  
New York, NY 10011

Dr. William Howell  
Chief Scientist  
AFHRL/CA  
Brooks AFB, TX 78235-5601

Dr. Eva Hudlicka  
BBN Laboratories  
10 Moulton Street  
Cambridge, MA 02238

Dr. Earl Hunt  
Dept. of Psychology, NI-25  
University of Washington  
Seattle, WA 98195

Dr. Jack Hunter  
2122 Coolidge Street  
Lansing, MI 48906

Dr. Giorgio Ingarciola  
Computer Science Department  
Temple University  
Philadelphia, PA 19122

Dr. Martin J. Ippel  
Center for the Study of  
Education and Instruction  
Leiden University  
P. O. Box 9555  
2300 RB Leiden  
THE NETHERLANDS

Dr. Robert Jannarone  
Elec. and Computer Eng. Dept.  
University of South Carolina  
Columbia, SC 29208

Dr. Claude Janvior  
CIRADE, X-7120  
UQAM  
P. O. Box 8888, Succ. A  
Montreal, Quebec H3C 3P8  
CANADA

Dr. Robin Jeffries  
Hewlett-Packard Laboratories, 1U-17  
P.O. Box 10490  
Palo Alto, CA 94303-0969

Dr. Edgar M. Johnson  
Technical Director  
U.S. Army Research Institute  
5001 Eisenhower Avenue  
Alexandria, VA 22333-5600

Dr. Peder Johnson  
Department of Psychology  
University of New Mexico  
Albuquerque, NM 87131

Dr. Daniel B. Jones  
US Nuclear Regulatory Commission  
NRR/12 E4  
Washington, DC 20555

Dr. John Jonides  
Department of Psychology  
University of Michigan  
Ann Arbor, MI 48104

**Distribution List**

Dr. Marcel Just  
Carnegie-Mellon University  
Department of Psychology  
Schenley Park  
Pittsburgh, PA 15213

Dr. Ruth Kanfer  
University of Minnesota  
Department of Psychology  
Elliott Hall  
75 E. River Road  
Minneapolis, MN 55455

Dr. Michael Kaplan  
Office of Basic Research  
U.S. Army Research Institute  
5001 Eisenhower Avenue  
Alexandria, VA 22333-5600

Dr. Wendy Kellogg  
IBM T. J. Watson Research Ctr.  
P.O. Box 704  
Yorktown Heights, NY 10598

Dr. J.A.S. Keiso  
Center for Complex Systems  
Building MT 9  
Florida Atlantic University  
Boca Raton, FL 33431

CDR Robert S. Kennedy  
Essex Corporation  
1040 Woodcock Road  
Suite 227  
Orlando, FL 32803

Dr. David Kieras  
Technical Communication Program  
TIDAL Bldg., 2360 Bonisteel Blvd.  
University of Michigan  
Ann Arbor, MI 48109-2108

Dr. Sung-Ho Kim  
Educational Testing Service  
Princeton, NJ 08541

Dr. Walter Kintsch  
Department of Psychology  
University of Colorado  
Boulder, CO 80309-0345

Dr. Susan S. Kirschenbaum  
Code 2212, Building 1171/1  
Naval Underwater Systems Center  
Newport, RI 02841

Dr. Janet L. Kolodner  
Georgia Institute of Technology  
College of Computing  
Atlanta, GA 30332-0280

Dr. Sylvan Kornblum  
University of Michigan  
Mental Health Research Institute  
205 Washtenaw Place  
Ann Arbor, MI 48109

Dr. Stephen Kosslyn  
Harvard University  
1236 William James Hall  
33 Kirkland St.  
Cambridge, MA 02138

Dr. Kenneth Kotovsky  
Department of Psychology  
Carnegie-Mellon University  
5000 Forbes Avenue  
Pittsburgh, PA 15213

Dr. Richard J. Koubek  
School of Industrial Engineering  
Grissom Hall  
Purdue University  
West Lafayette, IN 47907

Dr. Art Kramer  
Univ. of Illinois at U-C  
Beckman Institute  
405 N. Mathews Avenue  
Urbana, IL 61801

Distribution List

Dr. Benjamin Kuipers  
University of Texas at Austin  
Department of Computer Sciences  
Austin, Texas 78712

Dr. Michael Kuperstein  
Symbus Technology  
325 Harvard Street  
Suite 211  
Brookline, MA 02146

Dr. Patrick Kyllonen  
AFHRL/MOEL  
Brooks AFB, TX 78235

Dr. M. Diane Langston  
ICL North America  
11490 Commerce Park Drive  
Reston, VA 22091

Dr. Marcy Lansman  
University of North Carolina  
Dept. of Computer Science  
CB #3175  
Chapel Hill, NC 27599

Richard Lanterman  
Commandant (G-PWP)  
US Coast Guard  
2100 Second St., SW  
Washington, DC 20593-0001

Dr. Robert W. Lawler  
Matthews 118  
Purdue University  
West Lafayette, IN 47907

Dr. Paul E. Lehner  
Department of Information  
Systems & Engineering  
George Mason University  
4400 University Drive  
Fairfax, VA 22030-4444

Dr. Richard Lesh  
Educational Testing Service  
Princeton, NJ 08541

Dr. Michael Levine  
Educational Psychology  
210 Education Bldg.  
1310 South Sixth Street  
University of IL at Urbana-Champaign  
Champaign, IL 61820-6990

Logicon Inc. (Attn: Library)  
Tactical and Training Systems Div.  
P.O. Box 85158  
San Diego, CA 92138-5158

Prof. David F. Lohman  
College of Education  
University of Iowa  
Iowa City, IA 52242

Vern M. Malec  
NPRDC, Code 142  
San Diego, CA 92152-6800

Dr. Sandra P. Marshall  
Dept. of Psychology  
San Diego State University  
San Diego, CA 92182

Dr. Clessen J. Martin  
Head, DoD Coordinator,  
Recruiting Plans and Programs  
Branch Code: PERS 2FF/234  
Navy Annex, Room 2832  
Washington, DC 20350

Dr. Elizabeth Martin  
AL/HRA, Stop 44  
Williams AFB, AZ 85240

Distribution List

Dr. Nadine Martin  
Department of Neurology  
Center for Cognitive Neuroscience  
Temple University School of Medicine  
3401 North Broad Street  
Philadelphia, PA 19140

Dr. Joseph McLachlan  
Navy Personnel Research  
and Development Center  
Code 14  
San Diego, CA 92152-6800

Dr. Michael McNeese  
DET-1, AL\CFHI  
BLDG 248  
Wright-Patterson AFB, OH 45432

Dr. Alan Meyrowitz  
Naval Research Laboratory  
Code 5510  
4555 Overlook Ave., SW  
Washington, DC 20375-5000

Dr. Ryszard S. Michalski  
Center for Artificial Intelligence  
George Mason University  
Science and Tech II, Rm.411  
4400 University Drive  
Fairfax, VA 22030-4444

Dr. Vittorio Midoro  
CNR-Istituto Tecnologie Didattiche  
Via All'Opera Pia 11  
GENOVA-ITALIA 16145

Dr. Mortimer Mishkin  
Laboratory of Neuropsychology  
National Institute of Mental Health  
9000 Rockville Pike, Bldg.9, #1N107  
Bethesda, MD 20892

Dr. Robert Mislavy  
Educational Testing Service  
Princeton, NJ 08541

Dr. Andrew R. Molnar  
Applications of Advanced  
Technologies, Rm. 635  
National Science Foundation  
Washington, DC 20550

Dr. Ben B. Morgan, Jr.  
Department of Psychology  
University of Central Florida  
Orlando, FL 32816-0150

Dr. Randy Mumaw  
Human Sciences  
Westinghouse Science  
& Technology Ctr.  
1310 Beulah Road  
Pittsburgh, PA 15235

Dr. Allen Munro  
Behavioral Technology  
Laboratories - USC  
250 N. Harbor Dr., Suite 309  
Redondo Beach, CA 90277

Academic Progs. & Research Branch  
Naval Technical Training Command  
Code N-62  
NAS Memphis (75)  
Millington, TN 30854

Deputy Director Manpower,  
Personnel and Training Div.  
Naval Sea Systems Command  
ATTN: Code 04MP 511  
Washington, DC 20362

Mr. J. Nelissen  
Twente University  
Fac. Bibl. Toegepaste Onderwyskunde  
P. O. Box 217  
7500 AE Enschede  
The NETHERLANDS

**Distribution List**

Director, Instr. Devel. and  
Educ. Prog. Spt. Dept.  
Naval Educ. & Trng. Prog.  
Mgt. Spt. Activity (NEITPMSA)  
Pensacola, FL 32509

Dr. Paul Nichols  
American College Testing  
2201 N Dodge Street  
PO Box 168  
Iowa City, IA 52243

Dr. Raymond S. Nickerson  
5 Gleason Road  
Bedford, MA 01730

Dr. Donald A. Norman  
Department of Cognitive Science  
University of California  
La Jolla, CA 92093-0515

Director, Fleet Liaison Office  
NPRDC (Code 01F)  
San Diego, CA 92152-6800

Director  
Training Systems Department  
NPRDC (Code 14)  
San Diego, CA 92152-6800

Library, NPRDC  
Code 041  
San Diego, CA 92152-6800

Dr. Harold F. O'Neil, Jr.  
School of Education - WPH 600  
Department of Educational  
Psychology & Technology  
University of Southern California  
Los Angeles, CA 90089-0031

Dr. Stellan Ohlsson  
Learning R & D Center  
University of Pittsburgh  
Pittsburgh, PA 15260

Dr. Judith Reitman Olson  
Graduate School of Business  
University of Michigan  
Ann Arbor, MI 48109-1234

Office of Naval Research  
Resident Representative  
Georgia Institute of Technology  
206 O'Keefe Building  
Atlanta, GA 30332-0490

Office of Naval Research,  
Code 342CS  
800 N. Quincy Street  
Arlington, VA 22217-5660  
(6 Copies)

Assistant for Training Technology  
and Human Factors  
Office of the DCNO(MPT) (Op-11E)  
Department of the Navy  
Washington, DC 20350-2000

Dr. Judith Orasanu  
Mail Stop 239-1  
NASA Ames Research Center  
Moffett Field, CA 94035

Dr. Everett Palmer  
Mail Stop 262-4  
NASA-Ames Research Center  
Moffett Field, CA 94035

Dr. Okchoon Park  
Army Research Institute  
PERI-2  
5001 Eisenhower Avenue  
Alexandria, VA 22333

Wayne M. Patience  
American Council on Education  
GED Testing Service, Suite 20  
One Dupont Circle, NW  
Washington, DC 20036

**Distribution List**

Dr. Roy Pea  
Institute for the Learning Sciences  
Northwestern University  
1890 Maple Avenue  
Evanston, IL 60201

G. Pelsmackers  
Rue Fritz Toussaint 47  
Gendarmerie RSP  
1050 Bruxelles  
BELGIUM

Dr. Ray S. Perez  
ARI (PERI-II)  
5001 Eisenhower Avenue  
Alexandria, VA 22333

C.V. (MD) Dr. Antonio Peri  
Captain ITNMC  
Mariners U.D.G. 3<sup>rd</sup> Sez  
MINISTERO DIFESA - MARINA  
00100 ROMA - ITALY

Dr. Nancy N. Perry  
Naval Education and Training  
Program Support Activity  
Code-047, Building 2435  
Pensacola, FL 32509-5000

CDR Frank C. Pettho  
Naval Postgraduate School  
Code OR/PE  
Monterey, CA 93943

Dept. of Administrative Sciences  
Code 54  
Naval Postgraduate School  
Monterey, CA 93943-5026

Dr. Elizabeth A. Phelps  
Department of Psychology  
New School for Social Research  
65 Fifth Avenue  
New York, NY 10003

Dr. Peter Pirolli  
School of Education  
University of California  
Berkeley, CA 94720

Dr. Martha Polson  
Department of Psychology  
University of Colorado  
Boulder, CO 80309-0344

Dr. Peter Polson  
University of Colorado  
Department of Psychology  
Boulder, CO 80309-0344

Dr. Joseph Psotka  
ATTN: PERI-IC  
Army Research Institute  
5001 Eisenhower Ave.  
Alexandria, VA 22333-5600

Psyc Info - CD and M  
American Psychological Assoc.  
1200 Uhle Street  
Arlington, VA 22201

Dr. Mark D. Reckase  
ACT  
P. O. Box 168  
Iowa City, IA 52243

Dr. Lynne Reder  
Department of Psychology  
Carnegie-Mellon University  
Schenley Park  
Pittsburgh, PA 15213

Dr. J. Wesley Regian  
Armstrong Laboratory  
AFHRL/IDI  
Brooks AFB, TX 78235-5000

Dr. Fred Reif  
CDEC, Smith Hall  
Carnegie-Mellon University  
Pittsburgh, PA 15213

**Distribution List**

Dr. Charles M. Reigeluth  
Chairman, Instructional  
Systems Technology  
School of Education, Rm. 210  
Indiana University  
Bloomington, IN 47405

Dr. Daniel Reisberg  
Reed College  
Department of Psychology  
Portland, OR 97202

Dr. Brian Reiser  
Institute for the Learning Sciences  
Northwestern University  
1890 Maple Avenue  
Evanston, IL 60201-3142

Dr. Lauren Resnick  
Learning R & D Center  
University of Pittsburgh  
3939 O'Hara Street  
Pittsburgh, PA 15213

Dr. Gilbert Ricard  
Mail Stop K01-14  
Grumman Aircraft Systems  
Bethpage, NY 11714

Mr. W. A. Rizzo  
Head, Human Factors Division  
Naval Training Systems Center  
Code 26  
Orlando, FL 32826-3224

Dr. Linda G. Roberts  
Science, Education, and  
Transportation Program  
Office of Technology Assessment  
Congress of the United States  
Washington, DC 20510

Dr. Salim Roukos  
IBM Corporation  
T. J. Watson Research Center  
PO Box 218  
Yorktown Heights, NY 10598

Mr. Louis Rousos  
University of Illinois  
Department of Statistics  
101 Illini Hall  
725 South Wright St.  
Champaign, IL 61820

Dr. Eduardo Salas  
Human Factors Division (Code 262)  
12350 Research Parkway  
Naval Training Systems Center  
Orlando, FL 32826-3224

Dr. Fumiko Samejima  
Department of Psychology  
University of Tennessee  
310B Austin Peay Bldg.  
Knoxville, TN 37966-0900

Mr. Drew Sands  
NPRDC Code 62  
San Diego, CA 92152-6800

Capitan Jesus Bernal Santos  
Ministerio de Defensa.  
Unidad de Psicologia (SEGENTE)  
po de la Castellana, 109  
28071, Madrid  
ESPANA

Dr. Daniel L. Schacter  
Department of Psychology  
Harvard University  
Cambridge, MA 02138

Dr. Walter Schneider  
Learning R&D Center  
University of Pittsburgh  
3939 O'Hara Street  
Pittsburgh, PA 15260

**Distribution List**

Dr. Mary Schratz  
4100 Parkside  
Carlsbad, CA 92008

Dr. Myrna F. Schwartz  
Director  
Neuropsychology Research Lab  
Moss Rehabilitation Hospital  
1200 West Tabor Road  
Philadelphia, PA 19141

Dr. Robert J. Seidel  
US Army Research Institute  
5001 Eisenhower Ave.  
Alexandria, VA 22333

Dr. Terrence J. Sejnowski  
Professor  
The Salk Institute  
P. O. Box 85800  
San Diego, CA 92138-9216

Dr. Michael G. Shafiq  
NASA Ames Research Ctr.  
Mail Stop 262-1  
Moffett Field, CA 94035-1000

Dr. Valerie L. Shalin  
Department of Ind. Engineering  
State University of New York  
342 Lawrence D. Bell Hall  
Buffalo, NY 14260

Mr. Richard J. Shavelson  
Graduate School of Education  
University of California  
Santa Barbara, CA 93106

Dr. Tracy Shors  
Dept. of Psychology  
Princeton Univ.  
Green Hall  
Princeton, NJ 08544

Dr. Randall Shumaker  
Naval Research Laboratory  
Code 5500  
4555 Overlook Avenue, S.W.  
Washington, DC 20375-5000

Dr. Edward Silver  
LRDC  
University of Pittsburgh  
3939 O'Hara Street  
Pittsburgh, PA 15260

Dr. Zita M. Simutis  
Director, Manpower & Personnel  
Research Laboratory  
US Army Research Institute  
5001 Eisenhower Avenue  
Alexandria, VA 22333-5600

Dr. Jerome E. Singer  
Department of Medical Psychology  
Uniformed Services Univ. of the  
Health Sciences  
4301 Jones Bridge Road  
Bethesda, MD 20814-4799

Dr. Jan Sinnott  
Department of Computer Science  
Towson State University  
Towson, MD 21204

Dr. Derek Sleeman  
Computing Science Department  
The University  
Aberdeen AB9 2FX  
Scotland  
UNITED KINGDOM

Dr. Robert Smillie  
Naval Ocean Systems Center  
Code 443  
San Diego, CA 92152-5000

Distribution List

Dr. Richard E. Snow  
School of Education  
Stanford University  
Stanford, CA 94305

Dr. James J. Staszewski  
Dept. of Psychology  
University of South Carolina  
Columbia, SC 29210

Dr. Bruce D. Steinberg  
Curry College  
Milton, MA 02186

Dr. Frederick Steinheiser  
CIA-ORD  
Ames Building  
Washington, DC 20505

Dr. Ted Steinke  
Dept. of Geography  
University of South Carolina  
Columbia, SC 29208

Dr. Kurt Steuck  
AL/HRTI  
Brooks AFB  
San Antonio, TX 78235-5601

Dr. Michael J. Tarr  
Dept. of Psychology  
Yale University  
PO Box 11A, Yale Station  
New Haven, CT 06520

Dr. Kikumi Tatsuoka  
Educational Testing Service  
Mail Stop 03-T  
Princeton, NJ 08541

Dr. Gary Thomasson  
Defense Manpower Data Center  
99 Pacific Street  
Suite 155A  
Monterey, CA 93940

Dr. Sharon Tkacz  
CAE-Link Corporation  
209 Madison Street  
Alexandria, VA 22314

Dr. Douglas Towne  
Behavioral Technology Labs  
University of Southern California  
1228 Spring Street  
St. Helena, CA 94574

Dean, College of Behavioral  
and Social Sciences  
University of Maryland,  
Baltimore County  
Baltimore, MD 21228

Chair, Department of Psychology  
University of Maryland,  
Baltimore County  
Baltimore, MD 21228

Dr. Kurt VanLehn  
Learning Research  
& Development Ctr.  
University of Pittsburgh  
3939 O'Hara Street  
Pittsburgh, PA 15260

Dr. Frank L. Vicino  
Navy Personnel R&D Center  
San Diego, CA 92152-6800

Dr. Jerry Vogt  
Department of Psychology  
St. Norbert College  
De Pere, WI 54115-2099

Dr. Jacques Voneche  
University of Geneva  
Department of Psychology  
Geneva  
SWITZERLAND 1204

Distribution List

Dr. Douglas Wetzel  
Code 15  
Navy Personnel R&D Center  
San Diego, CA 92152-6800

Dr. Barbara White  
School of Education  
Tolman Hall, EMST  
University of California  
Berkeley, CA 94720

Alexandra K. Wigdor  
NRC MH-176  
2101 Constitution Ave.  
Washington, DC 20418

Dr. David Wiley  
School of Education  
and Social Policy  
Northwestern University  
Evanston, IL 60208

Dr. David C. Wilkins  
University of Illinois  
Department of Computer Science  
405 North Mathews Avenue  
Urbana, IL 61801

Dr. Bruce Williams  
Department of Educational  
Psychology  
University of Illinois  
Urbana, IL 61801

Dr. Kent E. Williams  
Virginia Polytechnic Institute  
and State University  
Department of Industrial and  
Systems Engineering/MSL  
1900 Kraft Drive  
Blacksburg, VA 24060

Dr. Mark Wilson  
Graduate School of Education  
University of California, Berkeley  
Berkeley, CA 94720

Dr. Robert A. Wisner  
U.S. Army Institute for the  
Behavioral and Social Sciences  
5001 Eisenhower Avenue  
Alexandria, VA 22333-5600

Dr. Merlin C. Wittrock  
Graduate School of Education  
Univ. of Calif., Los Angeles  
Los Angeles, CA 90024

Dr. Kentaro Yamamoto  
03-0T  
Educational Testing Service  
Rosedale Road  
Princeton, NJ 08541

Dr. Masoud Yazdani  
Dept. of Computer Science  
University of Exeter  
Prince of Wales Road  
Exeter EX44PT  
ENGLAND

Frank R. Yekovich  
Dept. of Education  
Catholic University  
Washington, DC 20064

Dr. Joseph L. Young  
National Science Foundation  
1800 G Street, N.W., Room 320  
Washington, DC 20550

Mr. Anthony R. Zara  
National Council of State  
Boards of Nursing, Inc.  
676 N. St. Clair, Suite 550  
Chicago, IL 60611

Prof. Gerard de Zeeuw  
Center for Innovation  
and Cooperative Technology  
Grote Bickersstraat 72  
1013 KS Amsterdam  
The NETHERLANDS