


ARMY RESEARCH LABORATORY



# A Job Aid: Incorporating Continuous Operations Considerations in Unit Design

Charles J. Petronis  
Clarence W. Hannon



ARL-CR-286

NOVEMBER 1995

prepared by

Science Applications International Corporation  
1710 Goodridge Drive  
McLean, VA 22102

under contract

MDA903-92-D-0068

Approved for public release; distribution is unlimited.

19951219 001

DTIC QUALITY INSPECTED 1

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.

Citation of manufacturer's or trade names does not constitute an official endorsement or approval of the use thereof.

Destroy this report when it is no longer needed. Do not return it to the originator.

# REPORT DOCUMENTATION PAGE

Form Approved  
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

|  |  |   |   |  |
|--|--|---|---|--|
| 1. AGENCY USE ONLY (Leave blank)   |  | 2. REPORT DATE<br>November 1995                             | 3. REPORT TYPE AND DATES COVERED<br>Final                                     |  |
| 4. TITLE AND SUBTITLE<br><br>A Job Aid: Incorporating Continuous Operations Considerations in Unit Design  |  |   | 5. FUNDING NUMBERS<br><br>MDA903-92-D-0068<br>PR: 1L162716AH70<br>PE: 6.27.16 |  |
| 6. AUTHOR(S)<br><br>Petronis, C.J.; Hannon, C.W.   |  |   |   |  |
| 7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)<br><br>Science Applications International Corporation<br>1710 Goodridge Drive<br>McLean, VA 22102   |  |   | 8. PERFORMING ORGANIZATION REPORT NUMBER                                      |  |
| 9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)<br><br>U.S. Army Research Laboratory<br>Human Research & Engineering Directorate<br>Aberdeen Proving Ground, MD 21005-5425   |  |   | 10. SPONSORING/MONITORING AGENCY REPORT NUMBER<br><br>ARL-CR-286              |  |
| 11. SUPPLEMENTARY NOTES<br><br>The contracting officer's representative (COR) is Donald Headley, U.S. Army Research Laboratory, ATTN: AMSRL-HR-MB, Aberdeen Proving Ground, MD 21005-5425 (telephone 410-278-5834).  |  |   |   |  |
| 12a. DISTRIBUTION/AVAILABILITY STATEMENT<br><br>Approved for public release; distribution is unlimited.  |  |   | 12b. DISTRIBUTION CODE  |  |
| 13. ABSTRACT (Maximum 200 words)<br><br>This document provides guidance to unit designers for the development of Army units with enhanced continuous operations (CONOPS) capability. It complies with key policy and guidance from the Office of the Secretary of Defense, Department of the Army, and USA TRADOC publications. It is organized to answer three questions: (1) why consider CONOPS during unit design; (2) how is CONOPS capability provided in unit design; and, (3) how are shortcomings in unit CONOPS capability identified? In addition, this job aid is designed to fill some of the gaps existing in current regulations and guidance concerning the incorporation of CONOPS into unit design. The material is applicable to TRADOC and other agencies responsible for designing and developing Army units. |  |   |   |  |
| 14. SUBJECT TERMS<br><br>continuous operations                      unit design<br>human performance   |  |   | 15. NUMBER OF PAGES<br><br>45   |  |
|  |  |   | 16. PRICE CODE  |  |
| 17. SECURITY CLASSIFICATION OF REPORT<br><br>Unclassified  | 18. SECURITY CLASSIFICATION OF THIS PAGE<br><br>Unclassified | 19. SECURITY CLASSIFICATION OF ABSTRACT<br><br>Unclassified | 20. LIMITATION OF ABSTRACT  |  |

A JOB AID: INCORPORATING CONTINUOUS OPERATIONS  
CONSIDERATIONS IN UNIT DESIGN

Charles J. Petronis  
Clarence W. Hannon

November 1995

APPROVED: *Robin L. Keese*  
ROBIN L. KEESEE  
Director, Human Research &  
Engineering Directorate

|                     |                                     |
|---------------------|-------------------------------------|
| Accession For       |                                     |
| NTIS CRA&I          | <input checked="" type="checkbox"/> |
| DTIC TAB            | <input type="checkbox"/>            |
| Unannounced         | <input type="checkbox"/>            |
| Justification ..... |                                     |
| By .....            |                                     |
| Distribution /      |                                     |
| Availability Codes  |                                     |
| Dist                | Avail and/or Special                |
| A-1                 |                                     |

Approved for public release; distribution is unlimited.

U.S. ARMY RESEARCH LABORATORY  
Aberdeen Proving Ground, Maryland

## CONTENTS

|   |    |
|---|----|
| INTRODUCTION .....  | 3  |
| Purpose .....   | 3  |
| Definitions .....   | 4  |
| WHY CONSIDER CONOPS DURING UNIT DESIGN .....                              | 4  |
| Advanced Warfare Concept .....  | 4  |
| Examples of CONOPS Organizational Deficiencies .....                      | 5  |
| Human Performance Degradation .....                                       | 7  |
| WAYS FOR INCORPORATING CONOPS IN UNIT DESIGN .....                        | 10 |
| CONOPS Risk Reduction Strategies .....                                    | 10 |
| The Organizational Design Perspective .....                               | 12 |
| CONOPS Decision Tree .....  | 13 |
| CONOPS Unit Design Alternatives .....                                     | 15 |
| AN APPROACH FOR IDENTIFYING CONOPS SHORTCOMINGS IN A UNIT<br>DESIGN ..... | 21 |
| General .....   | 21 |
| Substitutability Matrix .....   | 21 |
| Analyzing a Unit's Individual Substitutability Capability .....           | 23 |
| SUMMARY .....   | 25 |
| REFERENCES .....  | 27 |
| APPENDIX  |    |
| A. Abbreviations .....  | 29 |
| DISTRIBUTION LIST .....   | 35 |
| FIGURES   |    |
| 1. Task Degradation .....   | 9  |
| 2. CONOPS Unit Design Organizational Alternatives .....                   | 14 |
| TABLES  |    |
| 1. CONOPS Risk Reduction Strategies .....                                 | 11 |
| 2. Self-Propelled Howitzer Crew Composition .....                         | 16 |
| 3. Substitutability Matrix: Field Artillery Battery .....                 | 22 |

## A JOB AID: INCORPORATING CONTINUOUS OPERATIONS CONSIDERATIONS IN UNIT DESIGN

### INTRODUCTION

#### Purpose

U.S. military forces must be capable of global deployability, rapid responsiveness, and extended combat operations. Since today's weapons are designed to be employed during adverse weather and around the clock, an important consideration is whether Army units are manned sufficiently to exploit the technological advantage offered by this 24-hour capability. By doctrine, U.S. Army units must have sufficient resources for continuous operations (HQ, Department of the Army, 1993).

To maintain 24-hour coverage for an extended period, technology-intense units such as air defense, field artillery, and maneuver battalions, their tactical operations centers (TOCs) (i.e., division-, brigade-, and battalion-level command and control centers), and their supporting elements require soldier-equipment ratios that permit down time (via crew rotations and work-rest scheduling) for rest, resupply, and maintenance while the battle continues.

Job aids are needed to assist the force designer in designing units for continuous operations. The manpower considerations of operating and maintaining the unit in realistic conflict environments require the inclusion of unit endurance parameters. Such planning falls within the purview of the manpower and personnel integration (MANPRINT) initiative. The goal of MANPRINT is to enhance soldier system performance by influencing soldier issues during weapon system design, development, production, and fielding. Given the constraints of decreasing resources, manning levels, and funding, the Army must ensure that new systems will meet performance requirements. The MANPRINT program provides a process for formal consideration of (1) the numbers of personnel required to operate and maintain a system, (2) the requisite skills, (3) training resources to help people achieve proficiency levels, (4) safety and hazards issues, (5) soldier survivability issues, (6) soldier costs, and (7) design trade-offs. The ability to maintain mission effectiveness for long periods of time should be a consideration during the unit design process.

Many variables impact unit military performance. As examples, crew training, task design, conditions of the battlefield, personnel characteristics all have an influence (see Figure 5-1 of Wagner [1995] for a complete listing). This job aid focuses on some of these variables to

enhance unit design for continuous operations. While these variables impact other design objectives (e.g., the ability to sustain casualties and to reconstitute), the focus of this paper is to enhance ability to perform continuous operations.

## Definitions

Continuous operations (CONOPS), according to Joint Pub 1-02 (Joint Chiefs of Staff, 1994), is, in principle, the “degree or state of being continuous in the conduct of functions, tasks, or duties necessary to accomplish a military action or mission in carrying out the national military strategy.” Addressing the more narrow view of unit design, CONOPS is combat continuing at the same high intensity level for extended periods. Soldiers may have opportunities for sleep, but sleep may be brief or fragmented.

From FM 22-9 (Soldier Support Center, 1991), “CONOPS is distinguished from SUSOPS (sustained operations). In SUSOPS, the same soldiers and small units engage in continuous operations with no opportunity for the unit to stand down and very little opportunity for soldiers to get more than a few minutes of sleep. Within any CONOPS, there are likely to be periods of SUSOPS.”

## WHY CONSIDER CONOPS DURING UNIT DESIGN

### Advanced Warfare Concept

The following paragraphs, quoted from FM 22-9, summarize the problems that result from around-the-clock warfare:

Continuous land combat is an advanced warfare concept. It is made possible by the almost complete mechanization of land combat forces and by the technology that permits effective movement at night, in poor weather, and in other low-visibility conditions. Continuous combat operations may be fast-paced, around-the-clock, and intense. The reasons that armies have traditionally paused in battle - darkness, resupply, regrouping - have been overcome largely by technological advancements. Now that armies have the potential to fight without let up [sic], night operations will become commonplace.

This continuous cycle of day/night operations may cause degradation of performance in cognitive skills beginning as early as 18 to 24 hours into

CONOPS. The ability to think clearly deteriorates even more rapidly than strength and endurance. Mood, morale, initiative, and motivation decline along with mental performance.

The effects of CONOPS are sometimes hidden and difficult to detect. Units are obviously impaired when soldiers are killed or wounded in action or become noncombatant losses. They are further impaired when soldiers are too tired to perform their tasks.

#### Examples of CONOPS Organizational Deficiencies

This subsection offers the combat developer concrete examples of organizational design shortcomings. Three combat organizations (armor, aviation, and field artillery) were selected, and examples of both CONOPS and SUSOPS are presented to illustrate common unit design shortcomings. The shortcomings presented below are based on National Training Center and Operation Desert Shield-Storm after-action reports.

##### Armor

Assuming that tank crews in general can find time for 3 to 4 hours of sleep each day, the weakest links in a tank battalion's SUSOPS capability are the command and control structure, reconnaissance, and supporting logistics elements, not the line platoons (U.S. Army CACDA, 1987).

(1) The battalion reconnaissance platoon habitually receives more missions than resources and time allow (U.S. Army CACDA, 1987).

(2) Sleep deprivation is sometimes a problem in support platoons. If a low operator-to-equipment ration exists, resource constraints could lead to logistical problems, as for example, having sufficient truck drivers to provide around-the-clock support (U.S. Army CACDA, 1987).

(3) The battalion TOC is designed for two-shift operations. In theory, the seven personnel authorized (three officers, two NCOs, and two enlisted) should be able to coordinate battalion operations; in practice, however, difficulties often occur, particularly when a command group is formed, security is required, and frequent displacements occur. Consequently, TOC personnel become overstressed. Commanders, in response, call on personnel from tank platoons to augment the understaffed TOC (U.S. Army CACDA, 1987).

## Army Aviation

Maneuver force commanders, as reported by the U.S. Army Aviation Center, Operation Desert-Storm after-action report, expressed concern about the lack of a robust aviation force structure during Operation Desert Storm. Deployed aviation units had a limited capability to operate 24 hours a day for an extended period during Operation Desert Storm. Organizational shortcomings included (U.S. Army Aviation Center, 1991)

(1) Lack of depth in critical aviation maintenance military occupational specialties (MOSs) hindered aviation operations. In addition to performing supervisory duties, crew chiefs also drove trucks, performed aircraft maintenance, and executed additional duties such as guard and waste disposal. Hence, they had little time for sleep and personal hygiene. Although these shortcomings have since been fixed, their existence demonstrates the sorts of problems that can occur when operations and support requirements exceed personnel resources.

(2) Inadequate aircrew-to-airframe ratio. The Army's allocation policy of one aircrew per helicopter limited helicopter availability. In fact, strenuous flying conditions such as night flying further reduced this availability. Aircraft availability was also reduced by aircrew illness and injury. In response to these conditions, aviation unit commanders tended to employ their aircraft as either day or night systems. The lack of back-up aircrews limited commanders in employing their aircraft for more than 8 hours per day. Longer employment required commanders to extend aircrew endurance schedules and to accept greater risks as a result of aircrew fatigue. Consequently, individual helicopters only flew an average of 32 hours during Operation Desert Storm's 100-hour ground campaign.

(3) Inadequate manning and equipment authorizations hindered continuous operations of forward area air refueling points (FARPs). FARP equipment includes rough terrain forklifts, fuel pumps, and tanker heavy expandable mobility tactical trucks (HEMTTs). Personnel authorizations at FARPs were too lean to sustain 24-hour operations. The manning shortage was partly attributed to the fact that FARP personnel had to drive trucks and perform other duties in addition to their arming and refueling responsibilities. Additionally, FARPs moved much like TOCs; one FARP had to be operational while the second moved to the new location. However, units had only enough personnel to man one FARP, and therefore, mission capability was missing during moves.

(4) Aviation unit TOCs lacked the mobility, automation, survivability, communications, and manning required to maintain operational tempo with their ground maneuver counterparts. The lean TOC manning was exacerbated by the fact that aviators, as TOC staff officers, were required to fly combat missions to meet operational needs.

#### Field Artillery (FA)

Operation Desert Shield-Storm experience demonstrated that the personnel redundancy and substitutability built into field artillery (FA) battery design ensured sufficient time for rest and sleep. Not unexpected, the weakest CONOPS links in the fire support system during sustained operations were the command and control structure and the supporting logistics elements, not the firing batteries (U.S. Army Field Artillery School, 1991).

(1) FA HEMTTs require two drivers to support continuous operations. The shortage of drivers adversely impacted the resupply of ammunition, fuel, and water.

(2) Fire support elements (FSEs) were inadequately staffed at brigade and battalion to support 24-hour operations. Consequently, FSE personnel were overworked to the point of exhaustion.

#### Human Performance Degradation

The shortcomings just described are not isolated examples; rather, they are typical CONOPS unit design deficiencies. Such deficiencies are likely to lead to performance degradation. The unit designer may wish to consider the following principles of performance during the design process:

- The soldier is the weak link in around-the-clock combat. In light of this fact, the unit designer may want to consider higher strength levels for selected mission-essential equipment.
- Positions involving high cognitive functioning such as reasoning, memory, and analysis are usually the first skills to deteriorate during sustained operations.
- A unit's weakest CONOPS links tend to be in functional areas in which mission performance depends upon a few soldiers who possess unique skills. These functional areas are command and control, communications, reconnaissance, and logistics.

## One Key Variable

One reason that the soldier is considered the weakest link in CONOPS is that soldiers need sleep. Continuous combat is exhausting. The lack of sleep reduces a soldier's ability to perform tasks as quickly or effectively as necessary. When performing continuous operations, soldiers accumulate a sleep debt that degrades performance. The only preventive or corrective measure for sleep loss is sleep itself. Factors such as training and motivation can reduce the initial effects of sleep loss; however, no amount of training or motivation will sustain a soldier's performance. Unit designers must understand and consider the following tenets from FM 71-100-1 (Command and General Staff College, 1993):

- Six to eight hours of sleep are required for soldiers to maintain performance indefinitely.
- Four to five hours of sleep allow soldiers to maintain effective performance for 5 to 6 days.
- Performance degradation when working without sleep is estimated to be about 25% after 24 hours.

## Other Relevant Variables

Other variables that impact human performance during CONOPS are the nature of the work task to be performed (physical versus cognitive), the degree of vigilance required to perform the work, the time of day the work will be performed, and environmental factors such as heat, cold, crowding, and vibration.

(1) Physical Versus Cognitive Tasks. Certain tasks are more susceptible to the effects of sleep loss than others. Thinking ability degrades more rapidly than physical strength as shown by Figure 1 (U.S. Army CAC, November 1993).

The susceptibility of tasks to performance degradation is as follows:

- The tasks most susceptible to performance degradation are those requiring creative and original thought.
- The next most susceptible are tasks requiring logical reasoning or sound judgment.




Figure 1. Task degradation.

- The least susceptible are tasks requiring physical performance such as the ability to follow orders and the ability to keep moving. Sustained physical effort, however, will lead to muscle fatigue and eventual failure to function.

(2) **Vigilance Tasks.** Vigilance tasks are those that require constant and concentrated attention during conditions that are seldom conducive to alertness or attention. Vigilance operations are characteristic of defensive operations, notably sentry duty and monitoring air defense and ground surveillance radars. Performance degradation manifests itself as missed detection opportunities. The operational consequence of a missed detection is task and situation dependent. The consequences, however, could be significant, for example, if the missed detection resulted in defenses not being prepared for an enemy attack. Typically, vigilance tasks are performed only during a portion of a normal duty cycle. For high vigilance tasks, cognitive performance can deteriorate after 20 to 25 minutes of continuous work (Krueger, 1989). Vigilance task performance degradation with fatigue is well recognized and unit commanders know that they cannot rely on long duration vigilance performance.

(3) **Time of Day (rhythmic variations in performance).** The following paragraphs from FM 22-9 nicely summarize the relevance of this variable on human performance:

There are rhythmic variations in individual performance based on a predictable physiological and behavioral cycle that is about one day or 24 hours. The 24-hour, day-night/work-rest cycle is called the “circadian rhythm.”

Although one's "normal" temperature is 98.6 degrees, this is really an average or midpoint of a daily swing from 96.8 to 100.8 degrees.... There is a well-established link between body temperature and sleepiness and/or performance slumps. Performance parallels body temperature. The higher the temperature, the better is the performance. As temperature decreases, there is a decline in mood and motivation and an increase in sleepiness and fatigue.

For someone accustomed to working days and sleeping nights, the performance impact is most pronounced during the circadian lull which is roughly 0200 to 0600 hours. Performance can decline 10% to 15%; however, in sleep-deprived soldiers, this decline can become 35% to 40%.

(4) Environmental Factors. CONOPS frequently take place in environments that contribute additional stress and subsequent performance degradation. Ambient temperatures in excess of 85° Fahrenheit (wet bulb globe) may cause reduced performance (both physical and cognitive) from excessive sweating (which can cause slippage or degraded vision), dehydration, and hypothermia. Prolonged exposure to cold may degrade manual dexterity because of shivering and synovial swelling and can lead to exhaustion, dehydration, and hypothermia. Ambient noise and vibration may cause difficulty in reading displays and can reduce cognitive performance and cause nausea and vomiting.

The next section examines strategies to reduce CONOPS risks with focus on the organizational design perspective.

## WAYS FOR INCORPORATING CONOPS IN UNIT DESIGN

### CONOPS Risk Reduction Strategies

The many factors have been summarized, which can impact the ability of soldiers to perform tasks effectively for long periods of time. Methods for reducing CONOPS risks can be grouped into four broad strategies. These strategies, with associated planning lead time and responsibility, are displayed in Table 1 and summarized afterward.

Table 1

## CONOPS Risk Reduction Strategies

| Strategy                | Planning lead time | Responsibility   |
|-------------------------|--------------------|------------------|
| Doctrine and leadership | Hours, days        | Commander        |
| Training                | Weeks, months      | Commander        |
| Materiel                | 10 to 20 years     | Combat developer |
| Organizational          | 10 to 20 years     | Combat developer |

#### Doctrine and Leadership

This category comprises doctrinal actions and leadership techniques which are designed to ameliorate the adverse effects of CONOPS on personnel performance. In general, these actions are implemented by a unit commander before and during the course of CONOPS. The commander anticipates, plans, and rehearses the battle in conjunction with mission, enemy, terrain and weather, troops available-time (METT-T) and FM 22-9 to ensure time for rest and sleep. In conjunction with a METT-T determination for future courses of action, and as unit capabilities permit, the commander designates elements of his unit to be inactive for rest and maintenance.

#### Training

The commander institutes unit training initiatives to reduce the effects of CONOPS on personnel through cross-training and overlearning mission-essential skills. Cross-training allows duties to be shared and permits scheduled rest periods. Overlearning assures higher reliability and rapid skill performance.

#### Materiel

In the 21st century, the technical capabilities of the soldiers and systems that the Army fields will represent the interplay of two distinct and interrelated processes. One is "technology push," the process of scientific research and technological innovation that determines what is available. The other is "requirements pull," a process that includes a wide

array of factors that affect Army needs and requirements, and these are driven by the mission, the threat, and political and economic changes at home and abroad.

The role of the combat developer in the requirements pull process is to define the equipment needed to support future doctrine. With the knowledge that human performance is the limiting factor in CONOPS, the combat developer must consider materiel alternatives to redress this limiting factor. More consideration should be given to the concept of optimal allocation of tasks between the system and the operator.

### Organizational

Manpower and equipment authorizations and organizational structure, together with an operational concept are the principal determinants of how a unit will perform during CONOPS. A unit commander's tactical and training CONOPS strategies are viable only to the extent that this unit has been designed with sufficient resources for CONOPS. This organizational concept is developed fully in the remainder of this section.

### The Organizational Design Perspective

Personnel and equipment authorizations and organizational structure, in combination with an operational concept define a unit's CONOPS mission capability. From a CONOPS organizational design perspective, the desired characteristics of a unit are

#### Sufficiency

Each unit possesses sufficient personnel and equipment to perform its mission-essential tasks for continuous operations. Sufficient personnel means that enough soldiers are assigned to each combat task to assure all soldiers an opportunity for 6 to 8 hours sleep every 24-hour cycle.

#### Sustainability

Each unit possesses sufficient support personnel and equipment to sustain mission-essential tasks during CONOPS. This means that maneuver units have not only enough soldiers to fight the battle but also enough truck drivers, maintainers, radio operators, and so forth, to sustain the battle.

## Robustness

Each unit possesses sufficient internal redundancy to absorb losses and still accomplish its mission. Internal redundancy is the existence of multiple elements that allow designated elements to replace one another for sleep rotation while the unit continues to perform all mission-essential tasks.

Normally, resources, particularly personnel, are constrained in the design of a unit, either in quantity (numbers of soldiers) or quality (skill levels and experience). To the unit designer, working under personnel "ceilings," and looking for "bill payers" are facts of life. This means that if the unit designer wants to augment an organizational element with additional personnel, for example, to provide a multi-shift capability, the space authorizations must come from somewhere else; that is, a bill payer must be found. Finding a bill payer has always been difficult but with the force reduction, it will become even more so in the future. Therefore, the unit designer should not only consider unit strength alternatives but also unit design alternatives, including new and innovative operational concepts.

## CONOPS Decision Tree

CONOPS unit design alternatives are displayed graphically in Figure 2 using a decision tree format. The tree displays CONOPS organizational alternatives, as a function of unit type, using TRADOC Pamphlet 11-9 (ARL, 1993), tactical taxonomy for categorizing military units and functions.

## Combat Battlefield Functions

The tree's upper branch contains three combat battlefield functions: maneuver, fire support, and air defense. Army policy (AR 71-31) states that units whose primary mission is to engage and inflict casualties (Category I units) must have sufficient resources by doctrine to allow continuous operations. This means that staffing requirements will be developed based on a METT-T determination for future scenarios and CONOPS principles. Guidance about this staffing process is provided in Wagner (1995), which provides a discussion of unit design principles and procedures, including the consideration given to CONOPS.

The upper branch displays two unit design methods for ensuring a CONOPS mission capability: (1) individual substitutability, and (2) system substitutability. The individual substitutability method ensures sufficient resources so that individual soldiers or crew members

can be inactive for sleep through crew rotation. The system substitutability method ensures sufficient robustness so that designated elements of the unit can be inactive for specified periods of time so that entire crews can sleep.




Figure 2. CONOPS unit design organizational alternatives.

### Combat Support and Service Support Functions

The tree's lower branch shows CONOPS design choices for the remaining tactical battlefield functions: command and control, intelligence, mobility and survivability, and combat service support. For these battlefield functions, staffing requirements are governed by AR 570-2 (HQ, Department of the Army, May 1992), which prescribes Army policies and procedures for combat support and combat service support units and elements. Manpower requirements criteria (MARC) staffing requirements are based on historical experience or field measurement of the number of hours required to perform a task or function. In the absence of empirical data, the unit designer can make assumptions and propose a staffing basis until actual experience is gained. MARC methodology is based on the concept of providing minimum essential manpower to

perform wartime functions during an average day of military operations. An average day varies by type unit and employment echelon (i.e., division, corps, and echelons above corps). In an average day, 10 to 12 hours are available for productive MOS work, and the remaining time is required for eating, sleeping, performing details, unit relocation, and so forth. Consistent with the CONOPS sleep guideline, MARC allots 7 hours per day for sleeping. MARC, however, does not allocate personnel resources for SUSOPS and a mission surge capability per se.

The tree's lower branch shows that shift operations is a third CONOPS design alternative with application to combat support and service support functions such as intelligence, command and control, and so forth. Shift operations are appropriate for tasks that must be performed around the clock for an extended period of time. The design can provide for two shifts with equal capability operating around the clock. Alternatively, it can provide for full capability during selected periods of time and reduced capability during other periods.

#### CONOPS Unit Design Alternatives

CONOPS capability often has been considered erroneously in terms of individual soldiers functioning 24 hours per day rather than from an organizational perspective. To the unit designer, CONOPS-capable means that a unit, consisting of personnel, equipment, and an operational concept, can perform its mission 24 hours per day for a sustained period of time.

The three CONOPS design alternatives depicted in Figure 2 and discussed briefly are discussed in more detail with examples in subsequent paragraphs.

#### Design for Sufficient Individual Substitutability

This design alternative is the most basic and commonly used procedure for ensuring unit CONOPS capability. It is universally applicable, regardless of battlefield function, unit type or employment zone. The essence of this approach is to ensure sufficient personnel to permit sleep rotation for mission-essential tasks. Whether the task involves logistics, command and control, or manning a weapon system, the commander needs the ability to cross-train individuals and establish sleep rotation schedules. To be viable, this approach requires not only sufficient personnel resources but also an implementing procedure.

The M109 (A2 through A5) series self-propelled 155-mm howitzer and the AN/PPS-5A ground surveillance radar are two specific examples of individual substitutability designs. Each is discussed in turn.

(1) Howitzer Crew. The CONOPS mission of a field artillery (FA) battalion is to support maneuver forces with continuous and overlapping fires on the battlefield around the clock. An FA battalion is comprised of three FA batteries. Each battery consists of two platoons, and each platoon has four howitzer sections.

A self-propelled howitzer section has a nine-man crew (see Table 2). As stated in TM 9-2350-311-10 (HQ, Department of the Army, Apr 1992), it is normal to expect gun crews to be reduced to less than the prescribed strength because of illness, casualties and the need for rest. To meet the needs of these occasions, reduced crew and cross-training procedures have been developed together with a sleep rotation plan.

Table 2

Self-Propelled Howitzer Crew Composition

| Full crew                       |           | Reduced crew    |                 |
|---------------------------------|-----------|-----------------|-----------------|
| 9-man                           | 8-man     | 7-man           | 6-man           |
| Chief of section (CS)           | CS        | CS              | CS              |
| Gunner (G)                      | G         | G               | G               |
| Ammunition team chief (ATC)     | ATC       | ATC             | ATC             |
| Assistant gunner (AG)           | AG        | AG              | AG/HD           |
| Cannoneer No. 1                 | No. 1     | No. 1           | No. 1           |
| Cannoneer No. 2                 | No. 2     | No. 2/No. 3/AVD | No. 2/No. 3/AVD |
| Cannoneer No. 3                 | No. 3/AVD | -               | -               |
| Ammunition vehicle driver (AVD) | -         | -               | -               |
| Howitzer driver (HD)            | HD        | HD              | -               |

Table 2 shows that firing missions can be performed with a reduced crew of eight, seven, or six crewmen by combining the duties of individuals as shown. By stipulating that all crew members will have the same MOS, additional CONOPS flexibility is achieved through cross-training. For example, the Ammunition Team Chief (ATC) can be trained for gunner and Chief of Section (CS) duties, and the numbered cannoneers can be expected to know the duties of all the other cannoneers, and so forth.

The operator's manual for this howitzer further reads

The section must be drilled until reaction to commands is quick, automatic and correct. Battery officers will supervise the drill. Duties should be rotated during training so that each member of the section can perform all duties within the section.

Any combination of six crew members can perform firing missions and this flexibility permits the development of sleep rotation plans that allow members to obtain as many as 6 hours of sleep every 24 hours.

(2) Radar Crew. The CONOPS mission of the AN/PPS-5 radar team is to support a maneuver brigade with mobile, real-time, 24-hour battlefield ground surveillance. Radar teams may be deployed singly or in conjunction with other ground surveillance assets. Operators interpret some types of target information and provide other data directly to indirect fire systems for immediate attack. The radar is usually employed for continuous operations. The radar is set to ready only when enemy activity is not evident.

The radar has two scopes (monitors) with a viewing hood and a headphone. Watching the two scopes through a viewing hood while listening to the headphone requires intense concentration and is very fatiguing work. Cognitive performance of this high vigilance task deteriorates rapidly after 1 hour. To maintain minimum essential task performance, the radar operator position must be rotated among team members. While two people can operate this radar for a limited period of time, the work load driver is the number of operator positions needed for this system on a sustained basis. Four radar operators, MOS 96RXX, are needed to perform minimum essential radar operator tasks while rotating the high vigilance radar monitoring task among crew members and maintaining a sleep rotation plan. Without the high vigilance requirement, the radar tasks could be performed by a three-man crew (U.S. Army CAC, August 1993).

A technique that uses the individual substitutability concept to identify CONOPS shortcomings in a unit design is discussed in the section "An Approach for Identifying CONOPS Shortcomings in a Unit Design."

#### Design for Sufficient System Substitutability

This design alternative is applicable to all battlefield functions, particularly if

organized hierarchically. Typically, Army combat units are organized hierarchically. The basic building block is the individual weapon system. For field artillery, the hierarchy is composed of sections, platoons, batteries, battalions, and division artillery-groups-brigades. The essence of this CONOPS design is to ensure sufficient overlapping mission capability so that crews or elements can be inactive for specific periods of time. Force structure robustness is a necessary, not a sufficient, condition. A CONOPS implementing procedure is also needed. How system substitutability can ensure CONOPS mission capability is illustrated by the following example.

The field artillery views the CONOPS requirement as the ability to deliver sufficient overlapping fires on the battlefield around the clock to support maneuver forces. When mission capability exists that exceeds the requirement for overlapping fires, designated elements can be permitted to be inactive for rest and maintenance. For the purpose of resting a section or platoon, a battery commander can decrease the readiness of designated firing elements from a normal fully ready or "hot" status, to a "warm" or a "cold" status. The CONOPS applications are best described as follows:

- Warm platoon. During intense continuous operations, a platoon can be inactive while maintaining firing capability. The platoon is required to monitor radios, but no fire missions are sent unless absolutely necessary.
- Cold platoon. This option takes an entire platoon out of action for a period as long as 6 hours. The primary purpose of this option is to enable the command and control elements of the platoon to concentrate on the sustainment and resting of the platoon. This would include at least 4 hours of uninterrupted sleep.
- Cold section. This option takes an entire section out of action for a designated period of time. The section may even be moved to an assembly area away from its platoon. If the cold section remains with the platoon or is in an assembly area with other battalion elements, it may not be required to maintain a radio watch, as this may interrupt sleep.

#### Design for Shift Operations

This design alternative applies to tasks that must be performed continuously, around the clock, 7 days a week, for an indefinite period of time. Typically, the tasks involve a projected constant work load overtime and involve high cognitive or vigilance work. Army command posts (CPs) at brigade, division, and corps are examples of entities designed and

organized for shift operations. The organizational design of CPs provides important insights about shift work and design challenges for the future.

A typical CP, particularly at division and corps, is considered too large and too vulnerable to enemy acquisition and attack. TRADOC has several on-going programs at the Battle Command Battle Laboratory (i.e., Battle Staff Assessment and Battle Command Concept Projects) focused on reducing CP size while maintaining a 24-hour capability. Basically, two ways provide opportunities to reduce CP staff size by (1) consolidating elements of a CP, and (2) automating selected tasks that staff members now perform manually.

Typically, any large maneuver organization (division and corps) establishes three CP echelons in support of its basic mission functions:

- A tactical CP to manage the current battle.
- A main CP to provide overall control of the battle and to plan the next battle.
- A rear CP to manage logistics activities and sustain the battle.

Subdividing division and corps CPs into elements serves to increase survivability through dispersion but at a price of additional personnel requirements. Currently, the TRADOC Battle Command Battle Laboratory is assessing the feasibility of consolidating the rear and main CPs into a single element. This consolidated echelon would be employed out of harm's way in a rear area location, possibly in the continental United States (CONUS). This opportunity is made possible by the ability to establish a distributed interactive CP using digitized battlefield data supported by long range, high volume communications networks.

Key to effective CP operations is the quantity and quality of its staff. CPs are designed to be manned with the appropriate MOSs and skills to perform battlefield functions as functional cells. A corps main CP is comprised of six functional cells, while a division main CP has three cells (Command, G-3 [Operations], and G-2 [Intelligence]). For the purpose of 24-hour operations, each cell is staffed with sufficient individual substitutability for two shift operations.

Modern warfare, as evidenced by Operation Desert Storm, is fast paced, intense, and around the clock. The battlefield situation can change quickly. For CP operations, the time when efficient around-the-clock operations are most vulnerable is during personnel changes between shifts. Typically, CP work schedules evolve around two 12-hour shifts, dependent upon the availability of staff and the work performed. Work schedules can be arranged for shifts

with equal capability operating around the clock. Alternatively, the schedule can be arranged, contingent on the tempo and tenor of combat activity, for full capability during selected periods of time and reduced capability during other periods.

The procedure of changing the entire CP staff is counter to effective CONOPS. It results in the mass departure of the incumbent shift and the immediate loss of the collective knowledge of what occurred during the previous 12 hours. While the incoming shift will have been briefed and have access to logs, it will be confronted with situations for which no shift members have direct knowledge or understanding of the contextual circumstances. Provided there is sufficient individual substitutability for two shift operations, mitigating the effects of shift change and ensuring CONOPS can occur in one of two ways. The first way involves establishing several staggered overlapping shifts within each cell, and the second way involves employing shorter than 12-hour work cycles for designated tasks.

The staggered shift change provides for scheduling officers, NCOs, and enlisted personnel on three overlapping shifts so that the new shift has access to a body of knowledge that is only 4 to 6 hours old. For example, the officer 12-hour shift might run from 0800 to 2000 hours, the noncommissioned officer (NCO) shift from 1200 to 2400 hours, and the enlisted shift from 1600 to 0400 hours. This approach tends to reduce the knowledge gap problem. The entire staff can implement the staggered shift change either by each element or by cell, depending upon requirements and peak load times. By staggering shifts, the unit has a constant interface between new and old staff members within the CP.

While the 12-hour shift cycle is the most common, it is also the most difficult to sustain. If work loads are high, then fatigue degrades performance of this schedule. This is particularly true for the night shift that spans the circadian lull (0200 to 0600). Also, the 12-hour shift is particularly difficult to sustain if vigilance or creative work is involved. Alternatives to 12-hour shifts are the 4-hour on-off and 6-hour on-off work schedule. While the rest periods are short, they provide the opportunity for distributed rest. Although sleep might not be taken during each off period, the change in activity has a recuperative effect for tasks involving high cognitive and vigilance work. In general, the 8-hour on-off work schedule or any schedule in which sleep is not taken during the same time for successive 24-hour periods should be avoided. Sleep taken at different times of day or night is less valuable for maintaining optimal performance for CONOPS (Soldier Support Center, 1991).

The need for consistent sleep periods has additional negative implications for CONOPS because of the lack of adjustment time in most military settings. It takes an average of 21 days to adapt to a new sleep cycle, and changing sleep periods may have more of a detrimental effect on performance than the sleep time itself. This means that, whatever work and sleep cycles are adapted, they should be maintained with minimal changing. Also, adaptation to the CONOPS work and sleep schedule should be started as soon as possible.

In summary, the optimal CP design would consider the specific type of work required within each cell and element and ensure sufficient individual substitutability and CONOPS capability through a combination of staggered overlapping shifts and schedules of varying time intervals for high cognitive and vigilance work.

## AN APPROACH FOR IDENTIFYING CONOPS SHORTCOMINGS IN A UNIT DESIGN

### General

As discussed previously, a factor that impacts CONOPS capability is the ability of a unit commander to cross-train and cross-assign personnel to other positions within the unit to permit scheduled rest periods. Cross assignment is also important when a unit is short of personnel (understrength, leaves, casualties, etc.). A technique for checking the design of a unit for its ability to cross assign is for the unit designer to analyze the possible substitutability within the unit through the eyes of the commander. In units where a large degree of substitutability is possible, greater potential exists through doctrinal actions and leadership techniques to develop sleep rotation schedules to support CONOPS. When substitutability does not exist to any substantial degree, the unit may be susceptible to performance degradation in that respective task area during CONOPS.

### Substitutability Matrix

A unit's CONOPS capability, as measured by a commander's ability to cross-assign personnel, can be assessed by means of a substitutability matrix. An example of a substitutability matrix is displayed in Table 3. The matrix is of an FA battery, field artillery battalion, 155-mm self-propelled, table of organization and equipment (TOE) 06367L200. The TOE job descriptions are listed in Rows 1 through 26 on the left-hand side of the table. The same personnel skills form Columns 1 through 26 across the table. For example, the platoon leader is cited in Row 7 and Column 7. The dash in each space of the diagonal from the upper

left to the lower right indicates that individuals in that row and column would not substitute for himself or herself.

Table 3  
Substitutability Matrix: Field Artillery Battery

| UNIT DESCRIPTION                    |                             |              | SUBSTITUTABILITY ASSESSMENT |   |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |  |
|-------------------------------------|-----------------------------|--------------|-----------------------------|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|--|
| SECTION                             | POSITION                    | GR. MOS STR. | No.                         | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 |  |
| (1)<br>BATTERY<br>HQ                | CDR                         | CPT 13E001   | 1                           | - | X |   |   |   |   | X |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |  |
|                                     | 1st SGT                     | E8 13Z5M     | 1                           | X |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |  |
|                                     | SPLY SGT                    | E6 92Y30     | 1                           |   |   |   |   | X |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |  |
|                                     | NBC NCO                     | E5 54B20     | 1                           |   |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |  |
|                                     | ARMORER                     | E4 92Y10     | 1                           |   |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |  |
|                                     | VEH DVR                     | E3 13B10     | 2                           |   |   |   |   |   |   |   |   |   | X  |    |    |    |    |    |    |    |    | X  |    |    |    |    |    |    |    |  |
|                                     | PLT LDR                     | LT 13E00     | 2                           | X |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    | X  |    |    |    |    |    |    |  |
|                                     | PLT SGT                     | E7 13B40     | 2                           | X |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |  |
|                                     | GUN SGT                     | E7 13B40     | 2                           | X |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |  |
|                                     | VEH DVR                     | E3 13B10     | 2                           |   |   |   |   |   |   | X |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |  |
| (2)<br>FIRE<br>DIRECTION<br>CENTERS | FD OFF                      | LT 13B00     | 2                           | X |   |   |   |   |   |   |   |   |    |    | X  |    |    |    |    |    |    |    |    |    |    |    |    |    |    |  |
|                                     | CH FD CTR                   | E6 13E30     | 2                           |   |   |   |   |   |   |   | X |   |    |    |    | X  |    |    |    |    |    |    |    |    |    |    |    |    |    |  |
|                                     | SR FD SPEC                  | E5 13E20     | 2                           |   |   |   |   |   | X |   |   |   |    |    |    |    | X  |    |    |    |    |    |    |    |    |    |    |    |    |  |
|                                     | FD SPEC                     | E4 13E10     | 6                           |   |   |   |   |   | X |   |   |   |    |    |    |    |    | X  |    |    |    |    |    |    |    |    |    |    |    |  |
|                                     | FD SPEC                     | E3 13E10     | 4                           |   |   |   |   |   | X |   |   |   |    |    |    |    |    |    | X  |    |    |    |    |    |    |    |    |    |    |  |
|                                     | SECT CH                     | E6 13B30     | 8                           |   |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |  |
|                                     | GUNNER                      | E5 13B20     | 8                           |   |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |  |
|                                     | AMMO TM CH                  | E5 13B20     | 8                           |   |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |  |
|                                     | ASST GNR                    | E4 13B10     | 8                           |   |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |  |
|                                     | (8)<br>HOWITZER<br>SECTIONS | CANNONEER    | E4 13B10                    | 8 |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |  |
| AMMO VEH DVR                        |                             | E4 13B10     | 8                           |   |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |  |
| HOWITZER DVR                        |                             | E4 13B10     | 8                           |   |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |  |
| CANNONEER                           |                             | E3 13B10     | 16                          |   |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |  |
| SECT CH                             |                             | E6 13B30     | 1                           |   |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |  |
| AMMO SPEC                           |                             | E4 13B10     | 3                           |   |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |  |
| AMMO HDLR                           |                             | E3 13B10     | 4                           |   |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |  |
| (1)<br>AMMO<br>SECTION              |                             | CDR          | CPT 13E001                  | 1 |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |  |
|                                     |                             | 1st SGT      | E8 13Z5M                    | 1 | X |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |  |
|                                     |                             | SPLY SGT     | E6 92Y30                    | 1 |   |   |   |   | X |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |  |
|                                     | NBC NCO                     | E5 54B20     | 1                           |   |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |  |
|                                     | ARMORER                     | E4 92Y10     | 1                           |   |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |  |
|                                     | VEH DVR                     | E3 13B10     | 2                           |   |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |  |

For the personnel skill in each row, a determination is made, based on field manuals, MOS guides, operational concepts, and other source materials, whether that person could substitute for the personnel skills listed in the columns of the table. For example, the table shows that the battery commander could substitute for the first sergeant, the platoon leaders, or the fire direction officer. Looking across each row of the table, the number of personnel for whom each individual can substitute can be identified. As an example, the section chief (Line 16) can substitute for 11 other individuals. Looking down each column, a determination can be made as to how many individuals can substitute for each skill. For example, 10 individuals can substitute for the platoon sergeant (Column 8).

Certain rules are necessary to develop a matrix. Two general rules were used in developing the matrix in Table 3. First, it was deemed necessary that the individual not only could substitute but would substitute. As an example, the battery commander could probably substitute for most other individuals in the battery, but he generally would not. Second, it was assumed that personnel could and would substitute, when necessary, for individuals with the same MOS two grades higher and two grades lower.

These rules are not unalterable and can be changed to accommodate different situations. For example, the impact of permitting substitutions only one grade higher and lower could be examined, or an assumption could be made that the commander would conduct selected cross-training and the impact on substitutability could be analyzed. Note that this process is not exact. Each unit designer may make different decisions with regard to an individual's ability to substitute for another individual. However, the exercise will provide indications as to where additional action is required by the unit designer or by the commander.

#### Analyzing a Unit's Individual Substitutability Capability

Once the matrix is developed, how is it analyzed? The first item of interest is to gain a general impression of the degree to which substitutability is possible within a unit. Analysis of the results displayed in Table 3 indicates that relatively good substitutability exists in a field artillery battery where there are large numbers of 13B artillerymen. The results can be expected to be similar in other units where large numbers of related MOSs occur, such as in infantry, mechanized infantry, and armor companies. In other units such as headquarters detachments, signal teams, and combat service support elements, less substitutability can be expected because, generally, more unique MOSs in fewer quantities are assigned to these latter units.

A second factor for interest is the identification of individual personnel skills for which no substitutability or very limited substitutability is possible. This can be determined by reading each column to identify columns in which no Xs or a limited number of Xs exist. In the field artillery battery example, no one can substitute for the nuclear-biological-chemical (NBC) NCO, and the supply sergeant and armorer can only substitute for each other. If it is believed that these positions must be manned continuously during CONOPS, the unit designer would be required to incorporate more personnel with similar skills, consider augmentation or cross-training, or ensure that external support is available for extended operations.

A third factor for analysis is the identification of unique cells of personnel. One situation is when the individuals within the cell can substitute internally but cannot substitute externally, nor can external elements substitute for individuals within the cell. A maintenance section might be an example of such a cell. A second case is when the individuals of the cell can substitute internally as well as externally, but external elements cannot substitute for individuals within the cell, as is exemplified by two fire direction sections. The fire direction section personnel can substitute for others within the battery, but the highly technical nature of the fire direction function prevents others within the battery from substituting for fire direction personnel. Thus, duties within each fire direction center must be defined so as to support continuous operations, or, perhaps operating procedures could be developed so that the two fire direction centers could be mutually supporting during CONOPS.

Cases when individual substitutability is limited and when unique cells exist are more prevalent in headquarters units and combat service support units where multiple, diverse MOSs exist, many times in only limited numbers.

This CONOPS test is universally applicable to all types of units, including CPs. Analyzing a CP organization with the aid of a substitutability matrix could identify opportunities for improving effectiveness or reducing staff requirements, while maintaining a 24-hour capability. This CP analysis is presented as an exercise for the interested reader. FM 71-100-1 (Command and General Staff College, 1993) provides the necessary details about the composition of CP elements and cells to perform the individual substitutability analysis.

## SUMMARY

Designing a unit that is CONOPS capable is more an art than a science. Personnel and equipment authorizations and organizational structure, in combination with an operational concept define a unit's CONOPS mission capability. From a CONOPS organizational design perspective, the desired characteristics of a unit are

- **Sufficiency.** Each unit should possess sufficient personnel and equipment to perform its mission-essential tasks for continuous operations. Sufficient personnel means that enough soldiers are assigned to each combat task to assure all soldiers an opportunity for 6 to 8 hours sleep every 24-hour cycle.
- **Sustainability.** Each unit should possess sufficient support personnel and equipment to sustain mission-essential tasks during CONOPS. This means that maneuver units have not only enough soldiers to fight the battle but also enough truck drivers, maintainers, radio operators, and so forth, to sustain the battle.
- **Robustness.** Each unit should possess sufficient internal redundancy to absorb losses and still accomplish its mission. Internal redundancy is the existence of multiple elements that allow designated elements to replace one another while the unit continues to perform all mission-essential tasks.

The unit designer should consider the following principles of performance derived from Operation Desert Shield-Storm and National Training Center experience:

- Because soldiers need to rest, the unit designer may want to consider higher strength levels for selected mission essential equipment.
- Positions involving high cognitive functioning such as reasoning, memory, and analysis are usually the first skills to deteriorate during CONOPS sustained operations.
- A unit's weakest CONOPS links tend to be in functional areas in which mission performance depends upon a few soldiers who possess unique skills. These functional areas are command and control, communications, reconnaissance and logistics.

Unit commanders can cross-train personnel and provide for sleep rotation during CONOPS only to the extent that the unit designer has designed the unit with sufficient resources. With this objective in mind, this report describes three CONOPS design alternatives and a procedure for testing individual substitutability or robustness of a unit design.

## REFERENCES

- Command and General Staff College (CGSC) (May 1993). Armored and mechanized division tactics, techniques, and procedures (Field Manual 71-100-1). Ft Leavenworth, KS: CGSC, Combat Development Directorate.
- Headquarters, Department of the Army (July 1993). Management system for tables of organization and equipment (AR 71-31). Washington, DC: Author.
- Headquarters, Department of the Army (May 1992). Manpower requirements criteria (MARC) (AR 570-2). Washington, DC: Author.
- Headquarters, Department of the Army (Apr 1992). Operator's manual for howitzer, medium, self-propelled, 155-mm (TM 9-2350-311-10, C8). Washington, DC: Author.
- Joint Chiefs of Staff (Mar 1994). Dictionary of military and associated terms (Joint Pub 1-02). Washington, DC: Author.
- Krueger, G.P. (1989). Sustained work, fatigue, sleep loss and performance: A review of the issues, Work & Stress, 3(2), 129-141.
- Soldier Support Center (Dec 1991). Soldier performance in continuous operations (CONOPS) (FM 22-9). Fort Benjamin Harrison, IN: Author.
- U.S. Army Aviation Center (1991), Operation desert shield/storm after action report (unnumbered). Fort Rucker, AL: Author.
- U.S. Army Combined Arms Combat Development Activity (CACDA) (April 1987). Continuous operations study (CONOPS) (DTIC AD No. B111424L). Fort Leavenworth, KS: Author.
- U.S. Army Combined Arms Command (CAC) (August 1993). MARC study document for ground surveillance systems operations MOS 96R MCN M07. Fort Leavenworth, KS: CAC, MARC Division, Organizations Directorate.
- U.S. Army Combined Arms Command (CAC) (November 1993). Battle command battle laboratory (unpublished program briefing). Fort Leavenworth, KS: Author.
- U.S. Army Field Artillery School (1991). Operation desert storm fire support observations (executive summary). Fort Sill, OK: Author.
- U.S. Army Research Laboratory (ARL) (1993). Blueprint of the battlefield (TRADOC Pamphlet 11-9). Aberdeen Proving Ground, MD: ARL, Human Research & Engineering Directorate (HRED).
- Wagner, M. (1995). Information management desk guide to unit design (draft report). Aberdeen Proving Ground, MD: ARL, HRED.

## BIBLIOGRAPHY

- Hegge, F.W. (1982). The future battlefield: Human dimensions and implications for doctrine and research (Report WRAIR-NP-87-11). Washington DC: Walter Reed Army Institute of Research.
- Hegge, F.W., & Redmond, D.P. Sleep discipline and shiftwork in sustained operations (unpublished paper). Washington DC: Walter Reed Army Institute of Research.
- Hull, K.S. (May 18, 1990). Military applications of circadian rhythm principles. Reston, VA: Decision Science Consortium, Inc.,
- Janowski, R.M. (October 1988). AOE force structure and CONOPS, Field Artillery, pp. 22-44.
- Krueger, G.P. (1991). Sustained military performance in continuous operations: Combatant fatigue, rest and sleep needs, In R. Gal, & A.D. Mangelsdorff (Eds.), Handbook of Military Psychology. New York: John Wiley.
- Krueger, G.P., Headley, D.B., Balkin, T.J., Belenky, G.L., & Solick, R.E. (October 1987). Strategies for sustaining soldiers and unit performance in continuous operations (Report WRAIR-NP-87-11). Washington DC: Walter Reed Army Institute of Research.
- Naito, P., Englund, C.E., & Ryman, D.H. (1986). Sleep management in sustained operations user's guide (Report No. 86-22). San Diego, CA: Naval Health Research Center (DTIC No. AD-A173050).
- National Training Center (20 November 1985). Lessons learned (Commanders' memorandum). Fort Leavenworth, KS: Center for Army Lessons Learned.
- U.S. Army Armor Center (1991). Desert shield and desert storm emerging observations. Fort Knox, KY: Author.

APPENDIX A  
ABBREVIATIONS

## ABBREVIATIONS

|          |   |
|----------|---|
| ATC      | Ammunition Team Chief                               |
| AG       | assistant gunner                                    |
| CDR      | Commander   |
| CONOPS   | continuous operations                               |
| CP       | command post  |
| CONUS    | continental United States                           |
| CS       | Chief of Section                                    |
| FA       | field artillery                                     |
| FARP     | forward arming refueling point                      |
| FSE      | fire support element                                |
| FM       | field manual  |
| G        | gunner  |
| HD       | howitzer driver                                     |
| HEMTT    | heavy expandable mobility tactical truck            |
| HQ       | Headquarters  |
| MANPRINT | manpower and personnel integration                  |
| MARC     | manpower requirements criteria                      |
| METT-T   | mission, enemy, terrain, troops, and time available |
| MOS      | military occupational specialty                     |
| NBC      | nuclear, biological, and chemical                   |
| NCO      | noncommissioned officer                             |
| SGT      | Sergeant  |
| SUSOPS   | sustained operations                                |
| TM       | technical manual                                    |
| TOC      | tactical operations center                          |
| TO&E     | table of organization and equipment                 |
| TRADOC   | Training and Doctrine Command                       |

| <u>NO. OF<br/>COPIES</u> | <u>ORGANIZATION</u>  | <u>NO. OF<br/>COPIES</u> | <u>ORGANIZATION</u>   |
|--------------------------|--|--------------------------|---|
| 1                        | HQDA (DAPE MR)<br>WASHINGTON DC 20310  | 1                        | COMMANDER<br>USA OPERATIONAL TEST &<br>EVALUATION AGENCY  |
| 1                        | OUSD(A)/DDDR&E(R&A)/E&LS<br>PENTAGON ROOM 3D129<br>WASHINGTON DC 20301-3080  |                          | ATTN CSTE TSM<br>4501 FORD AVE<br>ALEXANDRIA VA 22302-1458  |
| 1                        | CODE 1142PS<br>OFFICE OF NAVAL RESEARCH<br>800 N QUINCY STREET<br>ARLINGTON VA 22217-5000                                      | 1                        | USA BIOMEDICAL RSCH & DEV<br>LABORATORY<br>ATTN LIBRARY<br>FORT DETRICK BUILDING 568<br>FREDERICK MD 21702-5010                 |
| 1                        | WALTER REED ARMY INSTITUTE OF<br>RESEARCH<br>ATTN SGRD UWI C (COL REDMOND)<br>WASHINGTON DC 20307-5100                         | 1                        | HQ USAMRDC<br>ATTN SGRD PLC<br>FORT DETRICK MD 21701  |
| 1                        | COMMANDER<br>US ARMY RESEARCH INSTITUTE<br>ATTN PERI ZT (DR E M JOHNSON)<br>5001 EISENHOWER AVENUE<br>ALEXANDRIA VA 22333-5600 | 1                        | COMMANDER<br>USA AEROMEDICAL RESEARCH<br>LABORATORY<br>ATTN LIBRARY<br>FORT RUCKER AL 36362-5292                                |
| 1                        | DEFENSE LOGISTICS STUDIES<br>INFORMATION EXCHANGE<br>US ARMY LOG MGMT COLLEGE<br>FORT LEE VA 23801-6034                        | 1                        | US ARMY SAFETY CENTER<br>ATTN CSSC SE<br>FORT RUCKER AL 36362   |
| 1                        | DEPUTY COMMANDING GENERAL<br>ATTN EXS (Q)<br>MARINE CORPS RD&A COMMAND<br>QUANTICO VA 22134                                    | 1                        | CHIEF<br>ARMY RESEARCH INSTITUTE<br>AVIATION R&D ACTIVITY<br>ATTN PERI IR<br>FORT RUCKER AL 36362-5354                          |
| 1                        | HEADQUARTERS USATRADO<br>ATTN ATCD SP<br>FORT MONROE VA 23651  | 1                        | DIRECTOR<br>US ARMY RESEARCH LABORATORY<br>ATTN AMSRL OP SD TL (TECH LIB)<br>ADELPHI MD 20783-1145                              |
| 2                        | COMMANDER<br>USATRADO<br>COMMAND SAFETY OFFICE<br>ATTN ATOS (MR PESSAGNO/MR LYNE)<br>FORT MONROE VA 23651-5000                 | 1                        | TECHNICAL INFORMATION CENTER<br>HQS TRADO TEST & EXPERIMEN-<br>TATION COMMAND EXP CENTER<br>BLDG 2925<br>FORT ORD CA 93941-7000 |
| 1                        | COMMANDER<br>US ARMY MATERIEL COMMAND<br>ATTN AMCAM<br>5001 EISENHOWER AVENUE<br>ALEXANDRIA VA 22333-0001                      | 1                        | US ARMY NATICK RD&E CENTER<br>ATTN STRNC YBA<br>NATICK MA 01760-5020  |
| 1                        | DIRECTOR TDAD<br>DCST<br>ATTN ATTG C<br>BLDG 161<br>FORT MONROE VA 23651-5000  | 1                        | US ARMY TROOP SUPPORT COM<br>NATICK RD&E CENTER<br>ATTN BEHAVIORAL SCIENCES DIV SSD<br>NATICK MA 01760-5020                     |

| <u>NO. OF COPIES</u> | <u>ORGANIZATION</u>   | <u>NO. OF COPIES</u> | <u>ORGANIZATION</u>   |
|----------------------|---|----------------------|---|
| 1                    | US ARMY TROOP SUPPORT COM<br>NATICK RD&E CENTER<br>ATTN TECH LIBRARY (STRNC MIL)<br>NATICK MA 01760-5040                              | 1                    | GOVERNMENT PUBLICATIONS LIB<br>409 WILSON M<br>UNIVERSITY OF MINNESOTA<br>MINNEAPOLIS MN 55455  |
| 1                    | HQ USA RESEARCH INST OF<br>ENVIRONMENTAL MEDICINE<br>ATTN MEDRI CL (DR J KOBRICK)<br>NATICK MA 01760-5007                             | 1                    | DR ROBERT KENNEDY<br>ESSEX CORPORATION SUITE 227<br>1040 WOODCOCK ROAD<br>ORLANDO FL 32803  |
| 1                    | DR RICHARD JOHNSON<br>HEALTH & PERFORMANCE DIVISION<br>US ARIEM<br>NATICK MA 01760-5007   | 1                    | DR NANCY ANDERSON<br>DEPARTMENT OF PSYCHOLOGY<br>UNIVERSITY OF MARYLAND<br>COLLEGE PARK MD 20742  |
| 1                    | DR JON FALLESEN<br>ARI FIELD UNIT<br>PO BOX 3407<br>FORT LEAVENWORTH KS 66027-0347  | 1                    | DR BEN B MORGAN<br>DEPARTMENT OF PSYCHOLOGY<br>UNIVERSITY OF CENTRAL FLORIDA<br>PO BOX 25000<br>ORLANDO FL 32816                          |
| 1                    | ARI FIELD UNIT FORT KNOX<br>BUILDING 2423 PERI IK<br>FORT KNOX KY 40121-5620  | 1                    | MR KENNETH C CROMBIE<br>TECHNICAL LIBRARIAN E104<br>DELCO SYSTEMS OPERATIONS<br>6767 HOLLISTER AVENUE<br>GOLETA CA 93117                  |
| 1                    | COMMANDANT<br>USA ARTILLERY & MISSILE SCHOOL<br>ATTN USAAMS TECH LIBRARY<br>FORT SILL OK 73503  | 1                    | DIRECTOR<br>US ARMY AEROFLIGHTDYNAMICS DIR<br>ATTN SAVRT AF D (AW KERR)<br>AMES RESEARCH CENTER (MS 215-1)<br>MOFFETT FIELD CA 94035-1099 |
| 1                    | COMMANDER<br>WHITE SANDS MISSILE RANGE<br>ATTN TECHNICAL LIBRARY<br>WHITE SANDS MISSILE RANGE NM<br>88002                             | 1                    | DR TOM MALONE<br>CARLOW ASSOCIATES INC<br>SUITE 750<br>3141 FAIRVIEW PARK DRIVE<br>FAIRFAX VA 22042                                       |
| 1                    | STRICOM<br>2350 RESEARCH PARKWAY<br>ORLANDO FL 32826-3276   | 1                    | COMMANDER US ARMY RES INST<br>OF ENVIRONMENTAL MEDICINE<br>ATTN COL GERALD P KRUEGER<br>NATICK MA 01760-5007                              |
| 1                    | COMMANDER<br>USA TANK-AUTOMOTIVE R&D<br>CENTER ATTN AMSTA RS/D REES<br>WARREN MI 48090  | 1                    | HQDA (DAPE-ZXO)<br>ATTN DR FISCHL<br>WASHINGTON DC 20310-0300   |
| 1                    | COMMANDER<br>USA TANK-AUTOMOTIVE R&D<br>CENTER ATTN AMSTA TSL<br>(TECH LIBRARY)<br>WARREN MI 48397-5000                               | 1                    | COMMANDER<br>USA MEDICAL R&D COMMAND<br>ATTN SGRD PLC (LTC JJ JAEGAR)<br>FORT DETRICK MD 21701-5012                                       |
| 2                    | ADMINISTRATOR<br>DEFENSE TECHNICAL INFORMATION<br>CENTER ATTN DTIC DDA<br>8725 JOHN J KINGMAN RD STE 0944<br>FT BELVOIR VA 22060-6218 |                      |   |

| <u>NO. OF COPIES</u> | <u>ORGANIZATION</u>   | <u>NO. OF COPIES</u> | <u>ORGANIZATION</u>  |
|----------------------|---|----------------------|--|
| 1                    | PEO STANDARD ARMY MGMT<br>INFORMATION SYSTEM<br>ATTN AS PES STOP C-3<br>FT BELVOIR VA 22060-5456                        | 1                    | COMMANDER<br>US ARMY MATERIEL COMMAND<br>ATTN AMCDE AQ<br>5001 EISENHOWER AVENUE<br>ALEXANDRIA VA 22333                            |
| 1                    | PEO ARMORED SYS MODERNIZATION<br>US ARMY TANK-AUTOMOTIVE COM<br>ATTN SFAE ASM S<br>WARREN MI 48397-5000                 | 1                    | COMMANDER<br>US ARMY PERSONNEL INTEGRATION COM<br>ATTN ATNC NMF (MR BRANDENBURG)<br>200 STOVALL STREET<br>ALEXANDRIA VA 22332-1345 |
| 1                    | PEO COMBAT SUPPORT<br>ATTN AMCPEO CS<br>US ARMY TANK-AUTOMOTIVE COM<br>WARREN MI 48397-5000                             | 1                    | COMMANDANT<br>US ARMY ARMOR SCHOOL<br>ATTN ATSB CDS (MR LIPSCOMB)<br>FT KNOX KY 40121-5215   |
| 1                    | PEO MANAGEMENT INFO SYSTEMS<br>ATTN AS PEM<br>STOP C-2 BUILDING 1465<br>FT BELVOIR VA 22060-5456                        | 1                    | COMMANDER<br>US ARMY AVIATION CENTER<br>ATTN ATZQ CDM S (MR MCCRACKEN)<br>FT RUCKER AL 36362-5163                                  |
| 1                    | PEO ARMAMENTS<br>ATTN AMCPEO AR<br>BUILDING 171<br>PICATINNY ARSENAL NJ 07806-5000                                      | 1                    | COMMANDER<br>US ARMY SIGNAL CTR & FT GORDON<br>ATTN ATZH CDM<br>FT GORDON GA 30905-5090  |
| 1                    | PEO INTELLIGENCE & ELECTRONIC<br>WARFARE ATTN AMCPEO IEW<br>VINT HILL FARMS STATION BLDG 197<br>WARRENTON VA 22186-5115 | 1                    | DIRECTOR AMC-FIELD ASSISTANCE<br>IN SCIENCE & TECHNOLOGY<br>ATTN AMC-FAST (R. FRANSEEN)<br>FT BELVOIR VA 22060-5606                |
| 1                    | PEO COMMUNICATIONS<br>ATTN SFAE CM RE<br>FT MONMOUTH NJ 07703-5000  | 1                    | COMMANDER<br>US ARMY FORCES COMMAND<br>ATTN FCDJ SA BLDG 600<br>AMC FAST SCIENCE ADVISER<br>FT MCPHERSON GA 30330-6000             |
| 1                    | PEO AIR DEFENSE<br>ATTN SFAE AD S<br>US ARMY MISSILE COMMAND<br>REDSTONE ARSENAL AL 35898-5750                          | 1                    | COMMANDER<br>I CORPS AND FORT LEWIS<br>AMC FAST SCIENCE ADVISER<br>ATTN AFZH CSS<br>FORT LEWIS WA 98433-5000                       |
| 1                    | PEO STRATEGIC DEFENSE<br>PO BOX 15280 ATTN DASD ZA<br>US ARMY STRATEGIC DEFENSE COM<br>ARLINGTON VA 22215-0280          | 1                    | HQ III CORPS & FORT HOOD<br>OFFICE OF THE SCIENCE ADVISER<br>ATTN AFZF CS SA<br>FORT HOOD TX 76544-5056                            |
| 1                    | PROGRAM MANAGER LHX<br>4300 GOODFELLOW BLVD<br>ST LOUIS MO 63120-1798   | 1                    | COMMANDER<br>U.S. ARMY NATL TRAINING CENTER<br>AMC FAST SCIENCE ADVISER<br>ATTN AMXLA SA<br>FORT IRWIN CA 92310                    |
| 1                    | DAVID ALDEN<br>HUGHES SIMULATION SYSTEMS INC<br>5301 E RIVER RD<br>MINNEAPOLIS MN 55421-1024                            |                      |  |
| 1                    | OASD (FM&P)<br>WASHINGTON DC 20301-4000   |                      |  |

| <u>NO. OF COPIES</u> | <u>ORGANIZATION</u>  | <u>NO. OF COPIES</u> | <u>ORGANIZATION</u>  |
|----------------------|--|----------------------|--|
| 1                    | COMMANDER<br>HQ XVIII ABN CORPS & FT BRAGG<br>OFFICE OF SCI ADV BLDG 1-1621<br>ATTN AFZA GD FAST<br>FORT BRAGG NC 28307-5000 | 1                    | COMMANDER<br>US ARMY PACIFIC<br>AMC FAST SCIENCE ADVISER<br>ATTN APSA<br>FT SHAFTER HI 96858-5L00  |
| 1                    | SOUTHCOM WASHINGTON FIELD OFC<br>1919 SOUTH EADS ST SUITE L09<br>AMC FAST SCIENCE ADVISER<br>ARLINGTON VA 22202              | 1                    | COMMANDER<br>US ARMY JAPAN/IX CORPS<br>UNIT 45005 ATTN APAJ SA<br>AMC FAST SCIENCE ADVISERS<br>APO AP 96343-0054                               |
| 1                    | HQ US SPECIAL OPERATIONS COM<br>AMC FAST SCIENCE ADVISER<br>ATTN SOSD<br>MACDILL AIR FORCE BASE<br>TAMPA FL 33608-0442       | 1                    | AMC FAST SCIENCE ADVISERS<br>PCS #303 BOX 45 CS-SO<br>APO AP 96204-0045  |
| 1                    | HQ US ARMY EUROPE & 7TH ARMY<br>ATTN AEAGX SA<br>OFFICE OF THE SCIENCE ADVISER<br>APO AE 09014                               | 1                    | COMMANDER ALASKAN COMMAND<br>ATTN SCIENCE ADVISOR (MR GRILLS)<br>6-900 9TH ST STE 110<br>ELMENDORF AFB ALASKA 99506                            |
| 1                    | COMMANDER<br>HQ 21ST THEATER ARMY AREA COM<br>AMC FAST SCIENCE ADVISER<br>ATTN AERSA<br>APO AE 09263                         | 1                    | DIRECTOR<br>US ARMY RESEARCH LABORATORY<br>ATTN AMSRL OP SD TP (TECH PUB OFC)<br>ADELPHI MD 20783-1145<br>(1 ref set w/dist list + ARL form 1) |
| 1                    | COMMANDER<br>HEADQUARTERS USEUCOM<br>AMC FAST SCIENCE ADVISER<br>UNIT 30400 BOX 138<br>APO AE 09128                          | 1                    | DIRECTOR<br>US ARMY RESEARCH LABORATORY<br>ATTN AMSRL OP SD TA (REC MGMT)<br>ADELPHI MD 20783-1145<br>(record set)                             |
| 1                    | HQ V CORPS<br>COMMAND GROUP UNIT #25202<br>AMC FAST SCIENCE ADVISER<br>ATTN AETV SA<br>APO AE 09079-0700                     | 1                    | DR SEHCHANG HAH<br>DEPT OF BEHAVIORAL SCIENCES &<br>LEADERSHIP BLDG 601 ROOM 281<br>US MILITARY ACADEMY<br>WEST POINT NEW YORK 10996-1784      |
| 1                    | HQ 7TH ARMY TRAINING COM<br>UNIT #28130<br>AMC FAST SCIENCE ADVISER<br>ATTN AETT SA<br>APO AE 09114                          | 1                    | US ARMY RESEARCH INSTITUTE<br>ATTN PERI IK (DOROTHY L FINLEY)<br>2423 MORANDE STREET<br>FORT KNOX KY 40121-5620                                |
| 1                    | COMMANDER<br>HHC SOUTHERN EUROPEAN TASK<br>FORCE ATTN AESE SA BLDG 98<br>AMC FAST SCIENCE ADVISER<br>APO AE 09630            | 1                    | HQDA DAMO ZD<br>ATTN MR JOHN RIENTE<br>WASHINGTON DC 20310   |
| 1                    | USA FORCE INTEGRATION SUPPORT<br>AGENCY ATTN MR JAMES LUCAS<br>FT BELVOIR VA 22060-5606                                      | 1                    | USA CONCEPTS ANALYSIS AGENCY<br>ATTN MR HOWARD WHITLEY<br>8120 WOODMONT AVENUE<br>BETHESDA MD 20814-2797                                       |

| <u>NO. OF COPIES</u> | <u>ORGANIZATION</u>   | <u>NO. OF COPIES</u> | <u>ORGANIZATION</u>   |
|----------------------|---|----------------------|---|
| 1                    | US ARMY COMBINED ARMS CENTER<br>& FORT LEAVENWORTH<br>ATTN ATZL CDC<br>FT LEAVENWORTH KS 66027-5000 | 1                    | US ARMY MILITARY POLICE SCHOOL<br>ATTN ATZN MP C<br>FT MCCLELLAN AL 36205-5030  |
| 3                    | US ARMY COMBINED ARMS SUPPORT<br>COMMAND ATTN ATCL B<br>ATCL M<br>ATCL K<br>FT LEE VA 23801-6000    | 1                    | US ARMY RESEARCH LABORATORY<br>ATTN AMSRL HR MH<br>BLDG 1109D (MICHAEL BENEDICT)<br>FORT KNOX KY 40121-5215                 |
| 1                    | US ARMY ARMOR CENTER & FT KNOX<br>ATTN ATZK CD<br>FORT KNOX KY 40121-5000                           | 1                    | US ARMY RESEARCH LABORATORY<br>ATTN AMSRL HR MJ<br>(RICHARD ARMSTRONG)<br>PO BOX 620716 BLDG 514<br>FT RUCKER AL 36362-0716 |
| 1                    | US ARMY AVIATION CENTER & FORT<br>RUCKER ATTN ATZQ CD<br>FORT RUCKER AL 36362-5000                  | 1                    | US ARMY RESEARCH LABORATORY<br>ATTN AMSRL HR ML (JOHN MARTIN)<br>MYERS CENTER RM 3C214<br>FT MONMOUTH NJ 07703-5630         |
| 1                    | US ARMY INTELLIGENCE CENTER &<br>FT HUACHUCA ATTN ATZS CD<br>FORT HUACHUCA AZ 85613-6000            | 1                    | US ARMY RESEARCH LABORATORY<br>ATTN AMSRL HR MV (EDWIN SMOOTZ)<br>HQ TEXCOM BLDG 91012<br>FT HOOD TX 76544-5065             |
| 1                    | US ARMY SIGNAL SCHOOL<br>ATTN ATZH CD<br>FORT GORDON GA 30905-5000                                  | 1                    | US ARMY RESEARCH LABORATORY<br>ATTN AMSRL HR MY (JULIE HOPSON)<br>JEFFORDS ST BLDG 84017<br>FT HUACHUCA AZ 85613-7000       |
| 1                    | US ARMY INFANTRY CENTER &<br>FT BENNING ATTN ATZB CD<br>FORT BENNING GA 31905-5000                  | 1                    | US ARMY RESEARCH LABORATORY<br>ATTN AMSRL HR MS<br>(LOUIS BUCKALEW)<br>SIGNAL TOWERS RM 207<br>FT GORDON GA 30905-5233      |
| 1                    | US ARMY TRANSPORTATION CENTER<br>& FT EUSTIS ATTN ATZF TW<br>FORT EUSTIS VA 23604-5000              | 1                    | US ARMY RESEARCH LABORATORY<br>ATTN AMSRL HR MU<br>BLDG 200A (MOHSIN SINGAPORE)<br>WARREN MI 48397-5000                     |
| 1                    | US ARMY SOLDIER SUPPORT INST<br>ATTN ATSG CG<br>FORT JACKSON SC 29207-7025                          | 1                    | US ARMY RESEARCH LABORATORY<br>ATTN AMSRL HR MF<br>(LINDA PIERCE)<br>BLDG 3040 RM 220<br>FT SILL OK 73503-5600              |
| 1                    | US ARMY AIR DEFENSE ARTY SCHOOL<br>ATTN ATSA CD<br>FORT BLISS TX 79916-3802                         |                      | <u>ABERDEEN PROVING GROUND</u>  |
| 1                    | US ARMY FIELD ARTILLERY SCHOOL<br>ATTN ATSF CD<br>FORT SILL OK 73505-5600                           | 1                    | ARL SLAD<br>ATTN AMSRL BS (DR JT KLOPCIC)<br>BLDG 328 APG-AA  |
| 1                    | US ARMY INFANTRY SCHOOL<br>ATTN ATSH-WC<br>FORT BENNING GA 31905-5007                               |                      |   |
| 1                    | US ARMY CHEMICAL SCHOOL<br>ATTN ATZN CM C<br>FT MCCLELLAN AL 36205-5020                             |                      |   |

| <u>NO. OF<br/>COPIES</u> | <u>ORGANIZATION</u>   |
|--------------------------|---|
| 5                        | DIRECTOR<br>US ARMY RESEARCH LABORATORY<br>ATTN AMSRL OP AP L (TECH LIB)<br>BLDG 305 APG-AA |
| 1                        | US ARMY RESEARCH LABORATORY<br>ATTN AMSRL HR MM (DAVE HARRAH)<br>BLDG 459 APG-AA            |
| 1                        | USATECOM<br>RYAN BUILDING<br>APG-AA   |
| 1                        | LIBRARY<br>ARL BUILDING 459<br>APG-AA   |