

---

# Marine Physical Laboratory

## Vertical Source Array Development

W. S. Hodgkiss

Supported by the  
Chief of Naval Research  
Contract N00014-93-D-0141 (DO#7)

### Final Report

MPL-U-52/95  
August 1995

*Approved for public release; distribution is unlimited.*



University of California, San Diego  
Scripps Institution of Oceanography

---

19960409 188

DTIC QUALITY INSPECTED 1

# REPORT DOCUMENTATION PAGE

*Form Approved*  
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

<b>1. Agency Use Only (Leave Blank).</b>	<b>2. Report Date.</b> August 1995	<b>3. Report Type and Dates Covered.</b> Final Report	
<b>4. Title and Subtitle.</b> Vertical Source Array Development		<b>5. Funding Numbers.</b> N00014-93-D-0141(DO#7)	
<b>6. Author(s).</b> W. S. Hodgkiss		Project No. Task No.	
<b>7. Performing Monitoring Agency Names(s) and Address(es).</b> University of California, San Diego Marine Physical Laboratory Scripps Institution of Oceanography San Diego, California 92152		<b>8. Performing Organization Report Number.</b> MPL-U-52/95	
<b>9. Sponsoring/Monitoring Agency Name(s) and Address(es).</b> Chief of Naval Research Department of the Navy 800 North Quincy Street Arlington, VA 22217-5660 Code 334		<b>10. Sponsoring/Monitoring Agency Report Number.</b>	
<b>11. Supplementary Notes.</b>			
<b>12a. Distribution/Availability Statement.</b> Approved for public release; distribution is unlimited.		<b>12b. Distribution Code.</b>	
<b>13. Abstract (Maximum 200 words).</b>  Initial testing of prototype transducers for a vertical source array has been completed along with the design of a 600 m umbilical cable and calculation of the transducer tuning requirements.			
<b>14. Subject Terms.</b> vertical source array, prototype transducers, umbilical cable design, transducer tuning requirements		<b>15. Number of Pages.</b> 2	<b>16. Price Code.</b>
<b>17. Security Classification of Report.</b> Unclassified	<b>18. Security Classification of This Page.</b> Unclassified	<b>19. Security Classification of Abstract.</b> Unclassified	<b>20. Limitation of Abstract.</b> None

# Vertical Source Array Development

**William S. Hodgkiss**

**Final Report to the  
Office of Naval Research  
Contract N00014-93-D-0141 (DO #7)  
for the Period 5-1-94 - 10-31-94**

---

## *Abstract*

---

Initial testing of prototype transducers for a vertical source array has been completed along with the design of a 600 m umbilical cable and calculation of the transducer tuning requirements.

## *Research Objective*

---

The objective of this project was to assist NRaD in the design and development of a vertical source array.

## *Research Summary*

---

The traditional approach in active surveillance has been to use one or a few high power transmitting sources to couple acoustic energy into the water column. When arranged as a vertical array of sources, the total aperture typically has been only a few wavelengths. As a consequence, the radiation pattern has significant sidelobes which intersect the sea surface and bottom and reverberation (scatter) from these boundaries is a major inhibitor to target detection. One approach to reducing the amount of energy ensonifying the boundaries is to utilize a vertical source array

---

## References

with full water column aperture and thus better control over the radiation pattern.

The focus of this effort was twofold. First, MPL assisted NRaD in initial testing of the prototype transducers to be used in the vertical source array. Second, MPL carried out the 600 m umbilical cable design and the transducer tuning requirements for the vertical source array. These calculations were provided to NRaD in [1].

## *References*

---

- [1] G.E. Edmonds, "FWCA Design Review" (Presentation to NRaD, 25 March 1994).

## ONR/MPL REPORT DISTRIBUTION

Chief of Naval Research (3)  
Department of the Navy  
Ballston Tower One  
800 North Quincy Street  
Arlington, VA 22217-5660  
Atten: CDR William McIsaac, Code 334  
Mr. Ken Dial, Code 321SS

Department of the Navy (1)  
Office of Naval Research  
San Diego Regional Office  
4520 Executive Drive, Suite 300  
San Diego, CA 92121-3019

Commanding Officer (1)  
Naval Research Laboratory  
Atten: Code 2627  
Washington, D.C. 20375-5320

Defense Technical Information Center (4)  
Building 5, Cameron Station  
Alexandria, VA 22304-6145