



DEFENSE LOGISTICS AGENCY  
 DEFENSE LOGISTICS SERVICES CENTER  
 74 WASHINGTON AVE N  
 BATTLE CREEK MI 49017-3084



CHANGE NO. 3  
 DoD 4100.39-M

CH 3  
 DoD-4100.39-M-VOL-16-  
 Volume 16 *CHG-3*

*CHG 6 TO AD-A391303*

DLSC-VPH  
 1 October 1995

**DISTRIBUTION STATEMENT A**  
 Approved for public release  
 Distribution Unlimited

FEDERAL LOGISTICS INFORMATION SYSTEM (FLIS) PROCEDURES MANUAL  
*Volume 16, Change 3.*

I. Volume 16, DoD 4100.39-M, 1 October 1995, change as follows: Remove pages listed below and insert revised pages. Additions and changes are indicated by ***bold-face italic*** type. Deletions are indicated in the Significant Changes paragraph below.

	<u>REMOVE OLD</u>	<u>INSERT NEW</u>
Chapter 2	16.2-5 and 16.2-6	16.2-5 and 16.2-6
Appendix B	13 and 14, 37 and 38, 57 and 58, 63 and 64, 97 and 98, 301 and 302	13 and 14, 37 and 38, 57 and 58, 63 and 64, 97 and 98, 301 and 302

II. SIGNIFICANT CHANGES

- A. The page changes are effective upon receipt.
- B. Significant changes for the entire manual this quarter and the applicable change number for each affected volume are listed on the change sheet for volume 1.
- III. This change sheet will be filed in front of volume 16 for reference purposes after changes have been made.

BY ORDER OF THE DIRECTOR:

19960415 118

RANDALL B. HAGLUND  
 Colonel, USMC  
 Commander  
 Defense Logistics Services Center

DLSC - The Key to Readiness

DLSC QUALITY INSPECTED 1

**CH 3**  
**DoD 4100.39-M**  
**Volume 16**

DISTRIBUTION: Defense Logistics Agency: 41, 42

Army: To be distributed in accordance with Special Distribution List.

Navy: To be distributed in accordance with Special Distribution List maintained at NPFC.

Stocked:  
Commanding Officer  
Naval Publications and Forms Center  
5801 Tabor Avenue  
Philadelphia, PA 19120

Air Force: Distribution "X"

End-users who experience delays longer than this should contact the DLSC Customer Service Office, (DSN) 932-4725, (FTS) 555-4725, Commercial (616) 961-4725.

### 16.2.5 Controls

Numerous controls have been built into the DLSC Modernized System, LOLA, and LOLA Procedures. These controls safeguard system information to ensure that only authorized users can access data. Each of the controls, which are listed below, are explained fully for the user in other sections of this manual.

- a. User-IDs and Passwords
- b. Screen access and useability
- c. Terminal restrictions

### 16.2.6 System Environment

LOLA and LOLA Procedures resides on an IBM 3090 Mainframe and runs under MVS/ESA. CICS, and DB2.

The software units that comprise the LOLA Application have been created using the COBOL generator called Application Productivity software (APS). APS has been used to build the screens and provide the processing capabilities the end-user employs.

The software units that comprise the LOLA Procedures application have been created using two products: Inquire/Text and Tutor/GT. Inquire/Text has been used to build the screens and provide the processing capabilities the End-User employs. Tutor/GT has been used to provide the processing capabilities of the on-line help features.

This environment supports multiple remote access terminals around the world.

a. Hardware Required. The hardware required by LOLA and LOLA Procedures end-users makes-up a workstation. The work stations may be local or remote and are composed of the following units:

- (1) a terminal or a micro computer (connected to the central computer at DLSC)
- (2) a keyboard
- (3) a printer (the printer may be shared with other workstations and as such be placed in a central location)

b. Software Required. The software used by LOLA and LOLA Procedures is installed and maintained by DLSC, Federal Center, Battle Creek, Michigan. Kermit is needed at the PC level for downloading data.

**16.2.7 Contingencies and Alternate Modes of Operation.** Contingency protocol in the event of a system failure/slow down (LOGRUN) is as follows:

**CH 3**  
**DoD 4100.39-M**  
**Volume 16**

- a. Special Extracts
- b. CD-ROM Products
- c. Hardcopy Products
- d. Electronic Data Transfer
- e. Tape

**16.2.8 Assistance and Problem Reporting.**

DLSC provides end-users with assistance in the following ways:

- a. Updates to the end-users manuals
- b. Service number to call
- c. Integrated On-line Help
- d. On-line end-users manuals Problems should be reported to the DLSC Customer Service Office, *DSN* 932-4725, (FTS) 555-4725, Commercial (616) 961-4725.

**B.7 LOLCCD - Item CAGE Pick List Screen.**

SCRNCD: LOLCCD                      LOGISTICS ON-LINE ACCESS                      DATE: 09-MAR-93  
USERID: LSC1992                      ITEM CAGE PICK LIST                      TIME: 15:58

CAGE CODE: 10001                      CAGE NAME: NAVAL ORDNANCE SYSTEMS COMMAND

TAG	NSN	INC	ITEM NAME	PART NUMBER
-	1005-00-000-0013	05550	ADAPTER,GUN MOUNTIN	AA2498971-2
-	5925-00-000-0072	00136	CIRCUIT BREAKER	2290452-1
-	1355-00-000-0152	77777	AUTOPILOT ASSEMBLY	2556882
-	1510-00-000-0153	77777	AUTOPILOT ASSEMBLY	2556920
-	1355-00-000-0154	77777	COMPUTER ASSEMBLY	2557606
-	1355-00-000-0266	77777	COMPUTER ASSEMBLY	2557606-1
-	5310-00-000-0330	01869	WASHER,KEY	12Z335-37
-	5310-00-000-0331	01869	WASHER,KEY	12Z335-38
-	5310-00-000-0331	01869	WASHER,KEY	228463-10
-	1350-00-000-0435	20719	WASHER,SOLUBLE,UNDE	403296
-	1320-00-000-0706	20001	CHARGE,PROPELLING,5	2847233
-	1320-00-000-0725	20018	CHARGE,PROPELLING,8	L00002880
		** MORE **		TOTAL NSNS: 92

<MSG 0521> PICK ONE OR MORE ITEMS AND PRESS APPROPRIATE PF KEY

F1=HELP    F2=CLEAR SCR    F3=PREV MENU    F4=MAIN MENU    F5=CANCEL    F6=PROCESS  
F7=            F8=PAGE DOWN    F9=                      F10=CHANGE OUTPUT OPTIONS    F12=PROC ALL

a. Screen Explanation. This screen displays a list of items based on the CAGE Code entered and allows the user to pick the item(s) to be processed. Other fields shown on the screen are display only fields and will display data based on the entries made. It will display only the first 108 lines.

When multiple screens are needed to display information, MORE DATA, END OF DATA, or SEARCH CRITERIA EXCEEDS ALLOWABLE AMOUNT will appear at the bottom of the screen. The last screen in the series will also display Total NSNs found.

b. Field Entry Requirements. The valid field entries are described below.

- (1) Field Name: TAG
- Entry Requirement: To select a given NSN(s), place an X in the Tag field to the left of the desired NSN(s). Press F6 (Process) when all desired NSN(s) are selected.
- Valid Entries: X
- Results: Processes selected NSNS as defined on the Select Inquiry Output Options (LOLOUT) screen.

- (2) Field Name: TAG  
Entry Requirement: An NSN could be matched through an associated cage of the input cage or the replacement of the input cage. To display data this cage which produced matches, place an X on the tag field to the left of desired NSN and press F9.  
Valid Entries: X  
Results: Display CAGE Supplier Data for the CAGE which produced the match.

c. Available Function Keys. The following unique function keys may be used from the Item CAGE Pick List screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

- |     |               |   |
|-----|---------------|---|
| F5  | Cancel        | Cancels current search and returns to the screen the search was started.                    |
| F6  | Process       | Will process selected NSNS as defined on the Select Inquiry Output Options (LOLOUT) screen. |
| F7  | Page Up       | Displays the prior page of the current file being viewed.                                   |
| F8  | Page Down     | Displays the next page of the current file being viewed.                                    |
| F9  | CAGE-Only     | Displays CAGE/SUPPLIER DATA of an associated CAGE code.                                     |
| F10 | Change Output | Transfers to the Select Inquiry Options Output Options (LOLOUT) screen.                     |
| F12 | Proc All      | Selects and processes all NSNs on the current list.   |

The system limits the number of matches you will see on-line for CAGE-CODE SEARCH.

You may continue with the search by specifying more search conditions.

Or to obtain additional matches for this search, call or forward your request to DLSC's Customer Service Office (DSN 932-4725, FTS 552-4725, Comm'1 (616) 961-4725, fax DSN 932-4715, e-mail [wcs@dlsc.dla.mil](mailto:wcs@dlsc.dla.mil)). Please specify how you want the output.

- (2) Field Name: TAG  
Entry Requirement: Must be entered as a single entry.  
Valid Entries: Position the cursor on the Tag field of the desired item name and press a function key.  
Results: See Section 16.9.B.17.c, Available Function Keys.

c. Available Function Keys. The following unique function keys may be used from the FIIG Search Response screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

F5	Cancel	Cancels current search and returns to the screen the search was started.
F6	New Search	Performs a search for a valid FIIG entered in the Search FIIG field.
F7	Page Up	Displays the prior page of the current file being viewed.
F8	Page Down	Displays the next page of the current file being viewed.
F9	FSC Desc	Transfers selected item name to the FSC Description (LOLFSC) screen.
F10	Start CHS	Transfers selected item to the Characteristics Search Subsystem.
F11	INC Def	Transfers selected item to the Item Name Definition (LOLINC) screen.

The system limits the number of matches (100) you will see on-line for FIIG SEARCH.

You may continue with the search by specifying more search conditions.

Or to obtain additional matches for this search, call or forward your request to DLSC's Customer Service Office (DSN 932-4725, FTS 552-4725, Comm'l (616) 961-4725, fax DSN 932-4715, e-mail [vcs@lsc.dla.mil](mailto:vcs@lsc.dla.mil)). Please specify how you want the output.



**B.34 LOLINM - INC Pick List Screen.**

SCRNCD: LOLINM                      LOGISTICS ON-LINE ACCESS                      DATE: 18-FEB-93  
USERID: LSC1992                      INC PICK LIST                      TIME: 14:28

SEARCH ITEM NAME: CIRCUIT CARD

TAG INC	ITEM NAME	APP-KEY	FIG	FSC	COND
- 61638	CIRCUIT CARD ASSEMBLY	C	T01200	5998	2
- 61638	CIRCUIT CARD ASSEMBLY	C	T01200	5999	2

\*\* END OF DATA \*\*

<MSG 0624> PICK ONE INC AND PRESS APPROPRIATE PF KEY

F1=HELP   F2=CLEAR SCR   F3=LOLA MENU   F4=MAIN MENU   F5=CANCEL   F6=PROCESS  
F7=        F8=                F9=                F10=               F11=               F12=

a. Screen Explanation. This screen displays a list of INCs based on the Item Name entered and allows the user select an INC to process.

b. Field Entry Requirements. The valid field entries are described below.

- (1) Field Name: TAG
- Entry Requirement: Must be entered as a single entry.
- Valid Entries: Position the cursor on the desired INC and press F6 (Process).
- Results: Transfers to the Item INC Pick List (LOLINP) screen.

c. Available Function Keys. The following unique function keys may be used from the INC Pick List screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document.

- F5 Cancel                      Cancels current search and returns to the screen the search was started.
- F6 Process                      Transfers a selected INC to the Item INC Pick List (LOLINP) screen.

- F7 Page Up Displays the prior page of the current file being viewed.  
F8 Page Down Displays the next page of the current file being viewed.

The system limits the number of matches (100) you will see on-line for ITEM NAME CODE SEARCH.

You may continue with the search by specifying more search conditions.

Or to obtain additional matches for this search, call or forward your request to DLSC's Customer Service Office (DSN 932-4725, FTS 552-4725, Comm'l (616) 961-4725, fax (DSN) 932-4715, e-mail [wcs@dlsc.dla.mil](mailto:wcs@dlsc.dla.mil)). Please specify how you want the output.

The system limits the number of matches you will see on-line for CAGE Code, INC, and Part Number keyword searches. You may continue with the search by specifying more search conditions.

Or to obtain additional matches for this search, call or forward your request to DLSC's Customer Service Office (DSN 932-4725, FTS 552-4725, Comm'l (616) 961-4725, fax (DSN) 932-4715, e-mail [wcs@dlsc.dla.mil](mailto:wcs@dlsc.dla.mil)). Please specify how you want the output.

**B.37 LOLINR - Item Name/Keyword Search Response Screen.**

SCRNCD: LOLINR                      LOGISTICS ON-LINE ACCESS                      DATE: 18-FEB-93  
USERID: LSC1992                      ITEM NAME/KEYWORD SEARCH RESPONSE                      TIME: 10:28

SEARCH NAME: CANNULA		KEYWORD:						
TAG	ITEM NAME	INC	REL-INC	FSC	CC	CN	FIIG	A-KEY
_	CANNULA	BASIC						
_	CANNULA,BRAIN	09673		6515	1	1	T133-C	CA
_	CANNULA,INTRAVENOUS	09674		6515	1	1	T133-C	CB
_	CANNULA,URETHRAL	09675		6515	1	1	T133-C	CB
_	CANNULA,BRONCHIAL	09676		6515	1	1	T133-C	CF
_	CANNULA,BRONCHIAL AND ESOPHAGEAL	09677		6515	1	1	T133-C	CF
_	CANNULA,LARYNGECTOMY	09678		6515	1	1	T133-C	CC
_	CANNULA,ANTRUM	09680		6515	1	1	T133-C	CD
_	CANNULA,FRONTAL SINUS	09681		6515	1	1	T133-C	CD
_	CANNULA,SPHENOID	09682		6515	1	1	T133-C	CD
_	CANNULA,LARYNGEAL	09683		6515	1	1	T133-C	CB
_	CANNULA,TONSIL SNARE	09684		6515	1	1	T133-C	CB

\*\* MORE \*\*

<MSG 0658> SELECT ONE ITEM AND PRESS PF KEY

F1=HELP    F2=CLEAR SCR    F3=LOLA MENU    F4=MAIN MENU    F5=CANCEL    F6=NEW SEARCH  
F7=PAGE UP    F8=PAGE DOWN    F9=FSC DESC    F10=START CHS    F11=INC DEF    F12=

a. Screen Explanation. This screen displays a list of INCs that result from the search. This will then display screen LOLINP giving a list of NSN's to pick from.

b. Field Entry Requirements. The valid field entries are described below.

- (1) Field Name: TAG  
Entry Requirement: Must be entered only as a single entry.  
Valid Entries: Tab the cursor to the Tag field of the desired Item Name and press the appropriate function key. Basic INCs can be tagged only if F11 is pressed.  
Results: See Section 16.9.B.31.c, Available Function Keys.

c. Available Function Keys. The following unique function keys may be used from the Item Name/Keyword Search Response screen. All standardized DLSC Modernized System function keys are available. Refer to Section 16.3.2.e of this document. of this document.

F5 Cancel                      Cancels current search and returns to the screen the search was started.



**CH 3**  
**DoD 4100.39-M**  
**Volume 16**

- |     |                       |   |
|-----|-----------------------|---|
| F6  | Process               | Sends output as defined on the Select Inquiry Output Options (LOLOUT) screen. |
| F7  | Page Up               | Displays the prior page of the current file being viewed.                     |
| F8  | Page Down             | Displays the next page of the current file being viewed.                      |
| F10 | Change Output Options | Transfers to Select Specific Data Options Elements (LOLSEL) screen.           |
| F12 | Proc All              | Selects and processes all Part Numbers on the current list.                   |

The system limits the number of matches you will see on-line for PART NUMBER SEARCH.

You may continue with the search by specifying more search conditions.

Or to obtain additional matches for this search, call or forward your request to DLSC's Customer Service Office (*DSN* 932-4725, *FTS* 552-4725, *Comm*'1 (616) 961-4725, fax (*DSN*) 932-4715, e-mail *vcs@dlsc.dla.mil*). Please specify how you want the output.

c. Available Function Keys. The following unique function keys may be used from this screen. All standardized FLIS function keys are available. The screen's SCRNCNCD field or designated F keys must be used to exit this screen.

F5	Cancel	Transfers back to PROTAB.
F7	Page Up	Displays the prior page of the current Inquiry Reply being viewed.
F8	Page Down	Displays the next page of the current Inquiry Reply being viewed.
F9	Definition	Transfers the user to screen PROAD2 (Table Additional Replies) for Headers.
F10	Trailer	Transfers the user to screen PROAD2 (Table Additional Replies) for Trailers.
F11	Notes	Transfers the user to screen PROAD1 (Table Additional Replies) for Notes.
F12	Next Part	If applicable. If a table has multiple parts then this PF key is used to access additional data.

