

December 1995


*Chemical Alternatives, Recyclers,
Aircraft Cleaners and more . . .*



Environmental Products

DISTRIBUTION STATEMENT A

Approved for public release
Distribution Unlimited



**DEFENSE
LOGISTICS
AGENCY**

19960522 004

2nd Edition

*This catalog has been expanded to include products
from throughout the Defense Logistics Agency.*

DLA offers more

Environmental Products

The Defense Logistics Agency has hundreds of environmental products in its supply system ranging from citrus-based degreasers and complete antifreeze recycling systems to natural resource conservation products.

Purchasing these products can help you meet your organization's goals in:

- Reducing hazardous waste
- Eliminating use of ozone-depleting chemicals
- Protecting your employees, and
- Saving money

Many different units of issue are available to

help ensure you buy only what you need. Most of these items can be shipped directly from the supplier to your location.

DLA has done the cataloging, item management and contracting for you and can ensure you receive the benefit of its purchasing power.

This catalog is divided into broad headings describing the types of products to assist you in selecting possible alternatives to hazardous chemicals or processes in use now.

For more information about environmental products, check the guide in this catalog and then call one of DLA's representatives today!

How do I order from DLA?

Preferred methods:

Automated systems using MILSTRIP/FEDSTRIP
or
GSA's Muffin System

Alternative methods:

Contact the appropriate inventory control point via:

FAX
Mail
ESEX

Internet home page address:
<http://www.dscr.dla.mil>

New environmental products are identified daily

DLA strives to meet its customers' needs by staying abreast of the latest technology and making new products available through the federal supply system. If you know of products which would be appropriate for inclusion in future editions, we want to hear from you!

If the product falls under one of the categories in this catalog, contact the technical or marketing representative at the appropriate supply center shown on pages *ii* and *iii*. In all other cases, contact the Defense Logistics Services Center, Battle Creek, Mich.

616-961-4958 or 5729 (Commercial)
932-4958 or 5729 (DSN)
932-5305 (FAX)

Reminder: Check with the process owner, engineering support activity, etc., before substituting an environmental product for a specified hazardous item.

Prices

Prices included in this catalog are effective Oct. 1, 1995. Some items have interim estimated prices which will change after the first procurement is made, or when a long term contract is established.

Check the Defense Logistics Service Center's price list, or contact the appropriate inventory control point (ICP) for the latest price information. Telephone numbers for these offices are listed on the next two pages.

The latest prices are also shown on all electronic versions of this catalog.

We provide answers on hazardous materials

Our Hazardous Technical Information Service provides consultation services to DoD and other federal agencies worldwide.

We provide answers to questions on the safety, health, handling and disposal considerations of hazardous materials and waste.

Contact DGSC's HTIS office at the telephone numbers on page *iii*.

Key to abbreviations in this catalog:

MEK ... Methyl ethyl ketone
ODC Ozone-depleting chemical
ODS Ozone-depleting substance
PERC .. Perchloroethylene
TCA 1, 1, 1 - Trichloroethane
TCE..... Trichloroethylene
VOC Volatile organic compound

Defense Logistics Agency item managers have selected the products in this catalog based primarily on manufacturers' claims.

This catalog has not been officially endorsed by the Environmental Protection Agency or the Federal Environmental Executive. The U. S. Government does not endorse any of the products found in this catalog over any competing product or process.

Environmental products you will find in this catalog...

| | |
|---|--------|
| Aqueous cleaners/degreasers | pg. 1 |
| Semi-aqueous cleaners/degreasers .. | pg. 19 |
| Hydrocarbon-based and other cleaners/degreasers | pg. 23 |
| Aircraft cleaning compounds | pg. 49 |
| Spill control products | pg. 53 |
| Skin protection/barrier products ... | pg. 53 |
| Cold climate applications | pg. 57 |
| Support equipment/recycling products | pg. 59 |
| Marine cleaning compounds..... | pg. 63 |
| Remanufactured/recycled laser printer toner cartridges..... | pg. 65 |
| <i>Products in this category fulfill requirements of the Affirmative Procurement Program required by Executive Order 12873.</i> | |
| Petroleum, oils and lubricants..... | pg. 65 |
| <i>Products in this category fulfill requirements of the Affirmative Procurement Program required by Executive Order 12873.</i> | |
| Integrated Pest Management Products | pg. 67 |
| Natural resource conservation products | pg. 69 |
| Firefighting equipment | pg. 71 |
| Miscellaneous | pg. 71 |

S9E

Defense Electronics Supply Center
1507 Wilmington Pike
Dayton, Ohio 45444-5160

For more information on: Miscellaneous energy-saving devices for ADP equipment

Call:

Marketing 1-800-643-8825 ... DSN 986-6425 FAX 1-800-643-8827

S9F

Defense Fuel Supply Center
8725 John J. Kingman Road, Suite 2941
Fort Belvoir, Va. 22060-6221

For more information on: Bulk petroleum, oils and lubricants

Call:

Chemist 703-767-8358 ... DSN 427-8358 FAX 703-767-8366

Item Manager 703-767-9262 ... DSN 427-9262 FAX 703-767-9269

Marketing 703-767-8377 ... DSN 427-8377 FAX 703-767-8366

S9I

Defense Industrial Supply Center
700 Robbins Avenue
Philadelphia, Pa. 19111-5096

For more information on: Gaskets, fasteners, packing

Call

Technical Support 215-697-0930 ... DSN 442-0930 ... E-Mail srigefsky@disc.dla.mil

215-697-4534 ... DSN 442-6671 ... E-Mail kmaute@disc.dla.mil

Material Branch 215-697-1172 ... DSN 442-1172

Many commodities managed by the Defense Industrial Supply Center contain materials hazardous to personnel, the environment, or both. These materials include asbestos, cadmium and ozone depleting substances. They may be contained in the products the center manages and procures or in the manufacturing or testing process for products it buys.

DISC has an aggressive program to develop and secure Service approval for replacements for many of its commodities which formerly utilized hazardous materials. Once a replacement has been developed and approved by the Service, the center no longer offers the hazardous stock number to its customers.

An Asbestos Bulletin Board System is in place which will assist you in identifying DISC-managed national stock numbers that contain asbestos. Non-asbestos replacements are listed with the asbestos parts. Anyone with a computer and modem can access the system at 215-697-2340 or DSN 442-2340.

DISC will continue its program to develop additional non-hazardous replacements with the intent of replacing all hazardous related commodities with those that do not use hazardous materials in either the product or its manufacturing process.

S9C

Defense Supply Center Columbus
P. O. Box 3990
Columbus, Ohio 43216-5000

For more information on: Pest management equipment
Natural resource conservation products
Firefighting equipment

Call:

Hazardous Materials

Minimization Program 614-692-4249 . . . DSN 850-4249 FAX 614-692-1753

Item Manager 614-692-2860 . . . DSN 850-2860 FAX 614-692-2862

Marketing 614-692-1858 . . . DSN 850-1858 FAX 614-692-1293

S9G

Defense Supply Center Richmond
8000 Jefferson Davis Highway
Richmond, Va. 23297-5100

For more information on:

| | | |
|--|--------------------------------------|--|
| Aqueous cleaners/degreasers | Spill control products | Marine cleaning compounds |
| Semi-aqueous cleaners/degreasers | Skin protection barrier products | Remanufactured/recycled laser printer toner cartridges |
| Hydrocarbon-based or other cleaners/degreasers | Cold climate applications | Packaged petroleum, oils, and lubricants |
| Aircraft cleaning compounds | Support equipment/recycling products | Pesticides |

Call:

Hazardous Technical

Information Services 1-800-848-4847 . . . DSN 695-5168 email gss5089@dscr.dla.mil

Chemicals

Technical 804-279-3995 . . . DSN 695-3995 FAX DSN 695-6008

Item Manager 804-279-3540 . . . DSN 695-3540 FAX DSN 695-4403

Petroleum Products

Technical 804-279-4257 . . . DSN 695-4257 FAX DSN 695-6418

Item Manager 804-279-3024 . . . DSN 695-3024 FAX DSN 695-3971

Marketing 1-800-352-2852 . . . DSN 695-6054 FAX 1-800-352-3291
FAX DSN 695-5695

| <u>Manufacturer</u> | <u>Product</u> | <u>Possible Replacement For</u> |
|------------------------------------|----------------|--|
| Aqueous Cleaners/Degreasers | | |
| Allied Enterprises, Inc. | Formula 1000 | 1,1,1-Trichloroethane and other CFCs |
| Allied Enterprises, Inc. | Formula P-98 | Petroleum distillates and other hydrocarbons |
| Allied Enterprises, Inc. | Formula P-98 | Petroleum distillates and other hydrocarbons. |
| Allied Enterprises, Inc. | Task Force | Petroleum distillates, other hydrocarbons and acids |
| Allied Enterprises, Inc. | Task Force | Petroleum distillates, other hydrocarbons and acids |
| Brunlin Corp. | Formula 815 GD | TCA, TCE, CFC-113 |
| Brunlin Corp. | Formula 815 GD | TCA, TCE, CFC-113 |
| Brunlin Corp. | Brunlin 63-G | TCA, TCE, CFC-113 |
| Brunlin Corp. | Brunlin 63-G | TCA, TCE, CFC-113 |
| Brunlin Corp. | Formula 815 QR | TCA, TCE, CFC-113 |
| Buckeye Intl | Shopmaster | 1,1,1-Trichloroethane, methyl ethyl ketone, mineral spirits, chlorinated and stoddard solvents |

| <u>Application</u> | <u>Size</u> | <u>ICP Code</u> | <u>NSN</u> | <u>Unit Price</u> |
|--|----------------|---------------------|------------------|-------------------|
| Aqueous Cleaners/Degreasers | | | | |
| Low VOC, non-CFC aerosol spray for degreasing various industrial parts and equipment. | CN (16 oz) | S9G | 6850-01-061-5493 | 3.97 |
| Compatible with oil/water separators. NAVSEA-approved for shipboard applications. Cleans grease and oil from bilge and industrial surfaces. | DR (55 gallon) | S9G | 6850-01-278-4420 | \$657.26 |
| Compatible with oil/water separators. NAVSEA-approved for shipboard applications. Cleans grease and oil from bilge and industrial surfaces. | CN (5 gallon) | S9G | 6850-01-278-4421 | \$81.62 |
| Removes grease, oil and rust from metal decks and bulkheads. Concentrated; applied by pressure sprayer or automatic scrubber. | CN (5 gallon) | S9G | 6850-01-376-1201 | \$26.35 |
| Removes grease, oil and rust from metal decks and bulkheads. Concentrated; applied by pressure sprayer or automatic scrubber. | DR (55 gallon) | S9G | 6850-01-376-1202 | \$188.71 |
| Used in immersion, ultrasonic and steam cleaning. Removes grease, oil, shop grime and dyes from most metals, including aluminum, copper and composites. | DR (55 gallon) | S9G | 6850-01-392-8430 | \$655.73 |
| Used in immersion, ultrasonic and steam cleaning. Removes grease, oil, shop grime and dyes from most metals, including aluminum, copper and composites. | CO (5 gallon) | S9G | 6850-01-392-8433 | \$62.45 |
| Heavy duty. Used for high-pressure spray wash and steam cleaning. Removes grease, oil, shop grime and dyes from most metals. Contains a rust inhibitor for ferrous metals. | CN (5 gallon) | S9G | 6850-01-394-0166 | \$67.13 |
| Heavy duty. Used for high-pressure spray wash and steam cleaning. Removes grease, oil, shop grime and dyes from most metals. Contains a rust inhibitor for ferrous metals. | DR (55 gallon) | S9G | 6850-01-394-0169 | \$686.95 |
| Heavy duty. For immersion, ultrasonic and steam cleaning. Removes grease, oil, shop grime and dyes from most metals, including aluminum and composite materials. | DR (55 gallon) | S9G | 6850-01-394-2619 | \$552.99 |
| Cleans and removes dirt, grease and carbon from engines, metallic parts and components. Non-flammable and reduced foam characteristics. | CN (5 gallon) | S9G | 6850-01-412-8875 | \$73.69 |

Manufacturer

Product

Possible Replacement For

Aqueous Cleaners/Degreasers

| | | |
|---------------------------|------------------------|---|
| Buckeye Intl | Shopmaster | 1,1,1-Trichloroethane, methyl ethyl ketone, mineral spirits, chlorinated and stoddard solvents. |
| Buckeye Intl | Middleweight | Petroleum solvents |
| Buckeye Intl | Middleweight | Petroleum solvents |
| Cantol, Inc. | Tech 736 | Chlorinated and petroleum solvents. |
| Cantol, Inc. | Tech 736 | Chlorinated and petroleum solvents |
| Cantol, Inc. | Tech 736 | Chlorinated and petroleum solvents |
| Chem-Tech Intl | CT-1 | ODCs |
| Chem-Tech Intl | CT-1 | ODCs |
| Chem-Tech Intl | CT-1 | ODCs |
| Chemique, Inc. | KRC-7X | Chlorinated solvents |
| Chemique, Inc. | ION-417X | Chlorinated solvents |
| Chemique, Inc. | ION-417X | Chlorinated solvents |
| Coast Products, Inc. | Orange Muscle | Petroleum solvents |
| Coast Products, Inc. | Orange Muscle | Petroleum solvents |
| Coast Products, Inc. | Orange Muscle | Petroleum solvents |
| Dominion Restoration Inc. | DR-40 Graffiti Remover | Potassium hydroxide |

| <u>Application</u> | <u>Size</u> | <u>ICP Code</u> | <u>NSN</u> | <u>Unit Price</u> |
|---|-----------------------------|---------------------|------------------|-------------------|
| Aqueous Cleaners/Degreasers | | | | |
| Cleans and removes dirt, grease and carbon from engines, metallic parts and components. Non-flammable and reduced foam characteristics. | DR (55 gallon) | S9G | 6850-01-412-8881 | \$742.91 |
| General all-purpose cleaner/degreaser. | DR (55 gallon) | S9G | 6850-01-412-8882 | \$449.95 |
| General all-purpose cleaner/degreaser. | CN (5 gallon) | S9G | 6850-01-412-8883 | \$47.15 |
| Nonflammable heavy duty multipurpose emulsion cleaner and degreaser. | BX (8-1 gallon containers) | S9G | 6850-01-342-2843 | \$255.28 |
| Nonflammable heavy duty multipurpose emulsion cleaner and degreaser. | CO (6 gallon) | S9G | 6850-01-412-4355 | \$137.14 |
| Nonflammable heavy duty multipurpose emulsion cleaner and degreaser. | DR (55 gallon) | S9G | 6850-01-412-4356 | \$1,068.21 |
| Cleans electrical components, assemblies and printed circuit boards. | CN (5 gallon) | S9G | 6850-01-394-2623 | \$297.26 |
| Cleans electrical components, assemblies and printed circuit boards. | DR (55 gallon) | S9G | 6850-01-394-2629 | \$3,780.72 |
| Cleans electrical components, assemblies and printed circuit boards. | GL | S9G | 6850-01-394-2631 | \$94.92 |
| Removes rust, grease, oil from tools, stainless steel, copper, brass and aluminum surfaces. Provides protection against rust and re-oxidation. Nonflammable. | DR (55 gallon) | S9G | 6850-01-412-7809 | \$961.73 |
| General multi-purpose cleaner. | CN (5 gallon) | S9G | 6850-01-412-8927 | \$64.64 |
| General multi-purpose cleaner. | DR (55 gallon) | S9G | 6850-01-412-8928 | \$676.65 |
| General all-purpose cleaner. | CN (5 gallon) | S9G | 6850-01-416-8438 | \$57.77 |
| General all-purpose cleaner. | BX (12-32 oz spray bottles) | S9G | 6850-01-416-8439 | \$68.94 |
| General all-purpose cleaner. | BX (6-1 gallon containers) | S9G | 6850-01-416-8441 | \$70.82 |
| Removes graffiti from all non-porous surfaces such as lockers, painted surfaces, road signs, vending machines, etc. Removes crayon, inks, lipstick, magic markers, spray paints, waxes. | DR (55 gallon) | S9G | 6850-01-394-2628 | \$2,227.00 |

Manufacturer

Product

Possible Replacement For

Aqueous Cleaners/Degreasers

| | | |
|---------------------------|-------------------------------------|--|
| Dominion Restoration Inc. | DR-9000 Corrosion Removing Compound | Hydrofluoric and sulfuric acids |
| Dominion Restoration Inc. | DR-9000 Corrosion Removing Compound | Hydrofluoric and sulfuric acids |
| Dominion Restoration Inc. | DR-9000 Corrosion Removing Compound | Hydrofluoric and sulfuric acids |
| Dominion Restoration Inc. | DR-80 Metal Corrosion Control | Hydrofluoric and sulfuric acids |
| Dominion Restoration Inc. | DR-80 Metal Corrosion Control | Hydrofluoric and sulfuric acids |
| Dominion Restoration Inc. | Dominion Rust Stain Remover | Hydrofluoric and sulfuric acids |
| Dominion Restoration Inc. | Dominion Rust Stain Remover | Hydrofluoric and sulfuric acids |
| Dominion Restoration Inc. | DG-7 Neutral pH Degreaser | Solvent and petroleum-based degreasers |
| Dominion Restoration Inc. | DG-7 Neutral pH Degreaser | Solvent and petroleum-based degreasers |
| Dominion Restoration Inc. | DR-60 | Hydrofluoric, sulfuric, mineral acids. |
| Dominion Restoration Inc. | DR-60 | Hydrofluoric, sulfuric, mineral acids |
| Dominion Restoration Inc. | DR-50 | Hydrofluoric, sulfuric, mineral acids |

| <u>Application</u> | <u>Size</u> | <u>ICP Code</u> | <u>NSN</u> | <u>Unit Price</u> |
|--|----------------|---------------------|------------------|-------------------|
| Aqueous Cleaners/Degreasers | | | | |
| Bulk quantities only. NAVSEA-approved for use in internal shipboard piping systems and closed piping systems such as ballast tanks, boilers, chilled water systems, heat exchangers, pumps, valves, etc. | GL (bulk) | S9G | 6850-01-362-3900 | \$32.47 |
| NAVSEA-approved for use in internal shipboard piping systems and closed piping systems such as ballast tanks, boilers, chilled water systems, heat exchangers, pumps, valves, etc. | DR (55 gallon) | S9G | 6850-01-362-3901 | \$1,883.49 |
| NAVSEA-approved for use in internal shipboard piping systems and closed piping systems such as ballast tanks, boilers, chilled water systems, heat exchangers, pumps, valves, etc. | CN (5 gallon) | S9G | 6850-01-362-4840 | \$191.10 |
| Removes heavy concentrations of rust from all types of metal and phosphatizes the surface in one step. Prepares rusty metal surfaces for priming and painting. | DR (55 gallon) | S9G | 6850-01-375-9325 | \$1,867.26 |
| Removes heavy concentrations of rust from all types of metal and phosphatizes the surface in one step. Prepares rusty metal surfaces for priming and painting. | CN (5 gallon) | S9G | 6850-01-375-9326 | \$191.10 |
| Removes rust stains from non-polished surfaces such as brick, concrete, masonry and stone without agitation. | DR (55 gallon) | S9G | 6850-01-380-4145 | \$1,806.65 |
| Removes rust stains from non-polished surfaces such as brick, concrete, masonry and stone without agitation. | CN (5 gallon) | S9G | 6850-01-380-4314 | \$229.14 |
| Used to degrease all types of surfaces where mildness and neutral pH are essential. | DR (55 gallon) | S9G | 6850-01-384-5126 | \$2,747.80 |
| Used to degrease all types of surfaces where mildness and neutral pH are essential. | CN (5 gallon) | S9G | 6850-01-384-5205 | \$238.97 |
| Restores unpolished stone and masonry surfaces. | DR (55 gallon) | S9G | 6850-01-394-2620 | \$1,842.28 |
| Restores unpolished stone and masonry surfaces. | CN (5 gallon) | S9G | 6850-01-394-2621 | \$233.56 |
| Removes unsightly efflorescence from brick, tile, mortar joints, masonry, and adjacent surfaces. | CN (5 gallon) | S9G | 6850-01-394-2622 | \$333.48 |

Manufacturer

Product

Possible Replacement For

Aqueous Cleaners/Degreasers

| | | |
|---------------------------|---------------------|---|
| Dominion Restoration Inc. | DR-40 | Potassium hydroxide |
| Dominion Restoration Inc. | Dominion MLP and GR | Potassium hydroxide |
| Dominion Restoration Inc. | DR-50 | Hydrofluoric, sulfuric, mineral acids |
| Dominion Restoration Inc. | Dominion MLP and GR | Potassium hydroxide |
| Ecolink, Inc. | RIP-TIDE | Chlorinated solvent degreasers, ODCs |
| Ecolink, Inc. | RIP-TIDE | Chlorinated solvent degreasers, ODCs |
| Ecolink, Inc. | RIP-TIDE | Chlorinated solvent degreasers, ODCs |
| Finger Lakes Chemicals | Formula-T | Brake cleaners with chlorinated solvents |
| Finger Lakes Chemicals | 1D/4R | 1,1,1-Trichloroethane, xylene, MEK, acetone |
| Finger Lakes Chemicals | Safe Stuff | 1,1,1-Trichloroethane; xylene, MEK, acetone |
| Finger Lakes Chemicals | 3-D Degreaser | 1,1,1-Trichloroethane, xylene, MEK, acetone |
| Finger Lakes Chemicals | 1D/4R | 1,1,1-Trichloroethane, xylene, MEK, acetone |
| Finger Lakes Chemicals | Safe Stuff | 1,1,1-Trichloroethane, xylene, MEK, acetone |

| <u>Application</u> | <u>Size</u> | <u>ICP Code</u> | <u>NSN</u> | <u>Unit Price</u> |
|---|------------------|---------------------|------------------|-------------------|
| Aqueous Cleaners/Degreasers | | | | |
| Removes graffiti from non-porous surfaces such as lockers, paint surfaces, road signs, vending machines, etc. Removes crayon, inks, lipstick, magic markers, spray paints, waxes. | CN (5 gallon) | S9G | 6850-01-394-2623 | \$297.26 |
| Removes multiple layers of latex and oil based paints, polyurethane and epoxy finishes from block, brick, concrete. | DR (55 gallon) | S9G | 6850-01-394-2624 | \$1,867.26 |
| Removes unsightly efflorescence from brick, tile, mortar joints, masonry and adjacent surfaces. | DR (55 gallon) | S9G | 6850-01-394-2625 | \$3,189.95 |
| Removes multiple layers of latex and oil based paints, polyurethane and epoxy finishes from block, brick, concrete, etc. | CN (5 gallon) | S9G | 6850-01-394-2626 | \$224.82 |
| Biodegradable, water-soluble degreaser. Cleans grease, carbon deposits, coal dust, fuel oil and water-based paints. Exempt VOC in So. California. | DR (55 gallon) | S9G | 6850-01-394-0161 | \$945.13 |
| Biodegradable, water-soluble degreaser. Cleans grease, carbon deposits, coal dust, fuel oil and water-based paints. Exempt VOC in So. California. | BX (6- 1 gallon) | S9G | 6850-01-394-0164 | \$127.40 |
| Biodegradable, water-soluble degreaser. Cleans grease, carbon deposits, coal dust, fuel oil and water-based paints. Exempt VOC in So. California. | CN (6 gallon) | S9G | 6850-01-394-0165 | \$135.73 |
| Removes dirt, grease, oil and moisture from all brake parts. | DR (55 gallon) | S9G | 6850-01-383-3042 | \$1,060.28 |
| Removes coarse grease, oil, tar and dirt from parts and equipment. Leaves an invisible protective coating to prevent flash rust. | CN (5 gallon) | S9G | 6850-01-383-3046 | \$93.92 |
| Dissolves grease, ink and normal dirt. | CN (5 gallon) | S9G | 6850-01-383-3047 | \$68.63 |
| Removes grease, tar, oil and dirt from parts and equipment. | DR (55 gallon) | S9G | 6850-01-383-3052 | \$759.25 |
| Removes coarse grease, oil, tar and dirt from parts and equipment. Leaves an invisible protective coating to prevent flash rust. | DR (55 gallon) | S9G | 6850-01-383-3053 | \$1,219.65 |
| Dissolves grease, ink and normal dirt. | DR (55 gallon) | S9G | 6850-01-383-3054 | \$683.14 |

| <u>Manufacturer</u> | <u>Product</u> | <u>Possible Replacement For</u> |
|------------------------------------|--|---|
| Aqueous Cleaners/Degreasers | | |
| Finger Lakes Chemicals | 3-D Degreaser | 1,1,1-Trichloroethane; xylene, MEK, acetone |
| Finger Lakes Chemicals | Formula-T | Brake cleaners with chlorinated solvents |
| Harvey Universal | Harveys Industrial Degreaser/G92005 | Petroleum solvents |
| Harvey Universal | Harveys Industrial Degreaser/G92000 | Petroleum solvents |
| Harvey Universal | Harveys Industrial Degreaser/G92002 | Petroleum solvents |
| Harvey Universal | Harveys Power Grease & Tar Cutter/G92011 | 1,1,1-Trichloroethane |
| Harvey Universal | Harveys Power Grease & Tar Cutter/G92013 | 1,1,1-Trichloroethane |
| Harvey Universal | Harveys Power Grease & Tar Cutter/G92015 | 1,1,1-Trichloroethane |
| Harvey Universal | Harveys Power Grease & Tar Cutter/G92012 | 1,1,1-Trichloroethane |
| Harvey Universal | Harveys Industrial Cleaner/G90505 | Petroleum solvents |
| Harvey Universal | Harveys Industrial Cleaner/G90500 | Petroleum solvents |
| Harvey Universal | Harveys Industrial Cleaner/G90502 | Petroleum solvents |

| <u>Application</u> | <u>Size</u> | <u>ICP Code</u> | <u>NSN</u> | <u>Unit Price</u> |
|---|-----------------------------|---------------------|------------------|-------------------|
| Aqueous Cleaners/Degreasers | | | | |
| Removes grease, tar, oil and dirt from parts and equipment. | CN (5 gallon) | S9G | 6850-01-383-3058 | \$92.74 |
| Removes dirt, grease, oil and moisture from all brake parts. | CN (5 gallon) | S9G | 6850-01-383-3059 | \$87.93 |
| formulated to encapsulate oil and grease from soiled surfaces. Ideal for manual and automated parts degreasing. | DR (55 gallon) | S9G | 6850-01-394-2632 | \$493.36 |
| Formulated to encapsulate oil and grease from soiled surfaces. Ideal for manual and automated parts degreasing. | GL | S9G | 6850-01-394-2634 | \$7.87 |
| Formulated to encapsulate oil and grease from soiled surfaces. Ideal for manual and automated parts degreasing. | CO (5 gallon) | S9G | 6850-01-394-2636 | \$27.42 |
| Dissolves dried-on oil, heavy grease and tar from engines, heavy machine parts and industrial equipment. Industrial degreaser for use in aqueous parts baths and high pressure washing. | GL | S9G | 6850-01-394-2639 | \$20.70 |
| Dissolves dried-on oil, heavy grease and tar from engines, heavy machine parts and industrial equipment. Industrial degreaser for use in aqueous parts baths and high pressure washing. | DR (55 gallon) | S9G | 6850-01-394-2640 | \$776.88 |
| Dissolves dried-on oil, heavy grease and tar from engines, heavy machine parts and industrial equipment. Industrial degreaser for use in aqueous parts baths and high pressure washing. | BX (12-16 oz spray bottles) | S9G | 6850-01-394-2643 | \$3.40 |
| Dissolves dried-on oil, heavy grease and tar from engines, heavy machine parts and industrial equipment. Industrial degreaser for use in aqueous parts baths and high pressure washing. | CO (5 gallon) | S9G | 6850-01-394-2644 | \$42.73 |
| Removes dirt, grease, and grime from all hard surfaces for a wide variety of light industrial and commercial maintenance jobs. | DR (55 gallon) | S9G | 6850-01-394-4119 | \$460.88 |
| Removes grease, dirt and grime from all hard surfaces for a wide variety of light industrial and commercial maintenance jobs. | GL | S9G | 6850-01-394-4121 | \$10.49 |
| Removes, grease, dirt and grime from all hard surfaces for a wide variety of light industrial and commercial maintenance jobs. | CO (5 gallon) | S9G | 6850-01-394-4122 | \$47.15 |

| <u>Manufacturer</u> | <u>Product</u> | <u>Possible Replacement For</u> |
|------------------------------------|--|--|
| Aqueous Cleaners/Degreasers | | |
| Harvey Universal | Harveys Industrial Degreaser/G92007 | Petroleum solvents |
| Harvey Universal | Harveys Power Grease & Tar Cutter/G92010 | 1,1,1-Trichloroethane |
| Harvey Universal | Harveys Industrial Cleaner/G90503 | Petroleum solvents |
| Harvey Universal | Gel Rust Remover/G92510 | N/A |
| Harvey Universal | Gel Rust Remover/G92513 | N/A |
| Harvey Universal | Gel Rust Remover/G92515 | N/A |
| Harvey Universal | Gel Rust Remover/G92511 | N/A |
| Inland Technology | Samurai | MEK, 1,1,1-Trichloroethane |
| Inland Technology | Samurai | MEK, 1,1,1-Trichloroethane |
| Inland Technology | Safety Prep | MEK, acetone, xylene, toluene, 1,1,1-Trichloroethane, CFC- 113 |
| Inland Technology | Safety Prep | MEK, acetone, xylene, toluene, 1,1,1-Trichloroethane, CFC- 113 |
| Mantek, Inc. | Super Big Tex | Aromatic solvents |

| <u>Application</u> | <u>Size</u> | <u>ICP Code</u> | <u>NSN</u> | <u>Unit Price</u> |
|---|-----------------------------|---------------------|------------------|-------------------|
| Aqueous Cleaners/Degreasers | | | | |
| Formulated to encapsulate oil and grease from soiled surfaces. Ideal for manual and automated parts degreasing. | BX (12-32 oz bottles) | S9G | 6850-01-412-6447 | \$32.52 |
| Dissolves dried-on oil, heavy grease and tar from engines, heavy machine parts and industrial equipment. Industrial degreaser for use in aqueous parts bath and high pressure washing. | BX (12-32 oz bottles) | S9G | 6850-01-412-6448 | \$40.77 |
| Removes grease, dirt and grime from all hard surfaces for a wide variety of light industrial and commercial maintenance jobs. | BX (12-16 oz spray bottles) | S9G | 6850-01-412-6449 | \$32.52 |
| Cleans rust and scale deposits from ferrous surfaces. Removes rust without leaving a residue. | BX (12-32 oz bottles) | S9G | 6850-01-412-7805 | \$61.90 |
| Cleans rust and scale deposits from ferrous surfaces. Removes rust without leaving a residue. | CN (5 gallon) | S9G | 6850-01-412-7810 | \$58.74 |
| Cleans rust and scale deposits from ferrous surfaces. Removes rust without leaving a residue. | DR (55 gallon) | S9G | 6850-01-412-7811 | \$583.22 |
| Cleans rust and scale deposits from ferrous surfaces. Removes rust without leaving a residue. | GL | S9G | 6850-01-412-9137 | \$74.19 |
| For non-caustic steam cleaning and aqueous washing. For use in immersion cleaners, metal cleaning and degreasing and for manual wipe cleaning. | CN (5 gallon) | S9G | 6850-01-381-4419 | \$144.50 |
| For non-caustic steam cleaning and aqueous washing. For use in immersion cleaners, metal cleaning, degreasing and manual wipe cleaning. | DR (55 gallon) | S9G | 6850-01-381-4426 | \$948.92 |
| Surface prep for painting or welding on ferrous metals. Use in immersion cleaners. For aqueous metal parts cleaning, degreasing and for manual wipe cleaning prior to painting. Safe on plastics and most metals. | DR (55 gallon) | S9G | 6850-01-381-5088 | \$975.02 |
| Surface prep for painting or welding on ferrous metals. Use in immersion cleaners. For aqueous metal parts cleaning, degreasing and for manual wipe cleaning prior to painting. Safe on plastics and most metals. | CN (5 gallon) | S9G | 6850-01-381-5139 | \$146.87 |
| General purpose multi-use cleaner/degreaser. Will etch glass and anodized aluminum. | CN (5 gallon) | S9G | 6850-01-416-8017 | \$162.37 |

Manufacturer

Product

Possible Replacement For

Aqueous Cleaners/Degreasers

| | | |
|-----------------------|--------------------------|---|
| Mantek, Inc. | Metal Medic | N/A |
| Modern Chemical, Inc. | Blue-Gold/BG-55 | Chlorinated solvents |
| Modern Chemical, Inc. | Blue-Gold/BG-5 | Chlorinated solvents |
| Octagon Process | Oxygen Cleaning Compound | CFC-113, TSP and other chlorinated and halogenated ingredients. |
| Octagon Process | Oxygen Cleaning Compound | CFC-113, TSP and other chlorinated and halogenated ingredients. |
| PCI of America | HSSF | 1,1,1-Trichloroethane, MEK, toluene, various petroleum solvents |
| PCI of America | HSSF | 1,1,1-Trichloroethane, MEK, toluene, various petroleum solvents |
| PCI of America | HSSF | 1,1,1-Trichloroethane, MEK, toluene, various petroleum solvents |
| PCI of America | HSHID | 1,1,1-Trichloroethane, MEK, CFCs, various petroleum solvents |
| PCI of America | HSHID | 1,1,1-Trichloroethane, MEK, CFCs, various petroleum solvents |
| PDQ Precision, Inc. | 6600-9 | Chlorinated and petroleum solvents |

| <u>Application</u> | <u>Size</u> | <u>ICP Code</u> | <u>NSN</u> | <u>Unit Price</u> |
|---|------------------|---------------------|------------------|-------------------|
| Aqueous Cleaners/Degreasers | | | | |
| Polymeric rust converter and coating. Stops rust, resists new rust and passivates rusted metal surfaces. | BX (12-1 quarts) | S9G | 6850-01-416-8020 | \$377.32 |
| Cleans and degreases parts and equipment. | DR (55 gallon) | S9G | 6850-01-397-2306 | \$768.36 |
| Cleans and degreases parts and equipment. | CN (5 gallon) | S9G | 6850-01-397-2307 | \$112.71 |
| Selected NAVSEA applications. Cleans surfaces of oxygen or oxygen-enriched liquid and gas systems. Ready to use as a pumped line cleaner, batch tank cleaner, spray impingement cleaner, steam or ultrasonic cleaner. | CN (5 gallon) | S9G | 6850-01-389-3859 | \$102.54 |
| Selected NAVSEA applications. Cleans surfaces of oxygen or oxygen-enriched liquid and gas systems. Ready to use as a pumped line cleaner, batch tank cleaner, spray impingement cleaner, steam or ultrasonic cleaner. | DR (55 gallon) | S9G | 6850-01-389-3880 | \$461.98 |
| Use in cold parts washing for metal cleaning and degreasing; ultrasonic degreasers used at ambient temperatures; wipe on/wipe off process to remove contaminants from metal prior to painting. | GL | S9G | 6850-01-369-2474 | \$20.50 |
| Use in cold parts washing for metal cleaning and degreasing; ultrasonic degreasers used at ambient temperatures; wipe on/wipe off process to remove contaminants from metal prior to painting. | DR (55 gallon) | S9G | 6850-01-369-2475 | \$706.75 |
| Use in cold parts washing for metal cleaning and degreasing; ultrasonic degreasers used at ambient temperatures; wipe on/wipe off process to remove contaminants from metal prior to painting. | CN (5 gallon) | S9G | 6850-01-369-9303 | \$72.95 |
| For use in heated immersion tanks, re-circulating in line wash systems, heated ultrasonic degreasers, steam cleaners and high pressure washers. | CN (5 gallon) | S9G | 6850-01-373-5866 | \$158.00 |
| For use in heated immersion tanks, re-circulating in line wash systems, heated ultrasonic degreasers, steam cleaners and high pressure washers. | DR (55 gallon) | S9G | 6850-01-373-5867 | \$689.44 |
| Corrosion inhibiting compound for use with the Mini-Max system. Cleans weapons and electronic assemblies. | BX (4 each) | S9G | 6850-01-412-4360 | \$55.71 |

| <u>Manufacturer</u> | <u>Product</u> | <u>Possible Replacement For</u> |
|------------------------------------|---------------------------|---|
| Aqueous Cleaners/Degreasers | | |
| PDQ Precision, Inc. | 6600-71 | Chlorinated and petroleum solvents |
| PDQ Precision, Inc. | 6600-91 | Chlorinated and petroleum solvents. |
| PDQ Precision, Inc. | 6600-7/a | Chlorinated and petroleum solvents |
| PDQ Precision, Inc. | 6600-7 | Chlorinated and petroleum solvents |
| PDQ Precision, Inc. | 6600-71/a | Chlorinated and petroleum solvents |
| Penetone Corp. | Power Cleaner 310L | 1,1,1-Trichloroethane, PERC, and petroleum distillates. |
| Penetone Corp. | Power Cleaner 310L | 1,1,1-Trichloroethane, PERC, and petroleum distillates. |
| Research Chemicals | RC 605 NC Gas Tank Purger | N/A |
| Research Chemicals | RC 605 NC Gas Tank Purger | N/A |
| Research Chemicals | RC 605 NC Gas Tank Purger | N/A |
| SOQ Environmental Tech | Ecomate FN | Chlorinated and hydrocarbon solvents |
| SOQ Environmental Tech | Ecomate FN | Chlorinated and hydrocarbon solvents |
| SOQ Environmental Tech | Ecomate-FN | Chlorinated and hydrocarbon solvents |
| SOQ Environmental Tech | Ecomate MSP-50 | Chlorinated and hydrocarbon solvents |
| SOQ Environmental Tech | Ecomate MSP-50 | Chlorinated and hydrocarbon solvents |

| <u>Application</u> | <u>Size</u> | <u>ICP</u> <u>Code</u> | <u>NSN</u> | <u>Unit Price</u> |
|---|----------------|---------------------------|------------------|-------------------|
| Aqueous Cleaners/Degreasers | | | | |
| Corrosion inhibiting compound for use with the Mini-Max system. Cleans weapons and electronic assemblies. | BX (100 each) | S9G | 6850-01-412-4364 | \$509.59 |
| Corrosion inhibiting compound for use with the Mini-Max system. Cleans weapons and electronic assemblies. | BX (4 each) | S9G | 6850-01-412-4372 | \$58.70 |
| Corrosion inhibiting compound for use with the Mini-Max system. Cleans weapons and electronic assemblies. | BX (10 each) | S9G | 6850-01-412-4373 | \$72.03 |
| Corrosion inhibiting compound for use with the Mini-Max system. Cleans weapons and electronic assemblies. | BX (100 each) | S9G | 6850-01-412-4375 | \$509.59 |
| Corrosion inhibiting compound for use with the Mini-Max system. Cleans weapons and electronic assemblies. | BX (10 each) | S9G | 6850-01-412-4374 | \$61.83 |
| Used in ultra-sonic and jet washer applications. | DR (55 gallon) | S9G | 6850-01-418-1703 | \$320.10 |
| Used in ultra-sonic and jet washer applications. | CO (6 gallon) | S9G | 6850-01-418-1710 | \$46.70 |
| Purge tanks of explosive and flammable vapors and liquid residues. | DR (55 gallon) | S9G | 6850-01-416-6312 | \$683.52 |
| Purge tanks of explosive and flammable vapors and liquid residues. | CN (5 gallon) | S9G | 6850-01-416-6315 | \$68.70 |
| Purge tanks of explosive and flammable vapors and liquid residues. | GL | S9G | 6850-01-416-6316 | \$12.37 |
| Industrial cleaner and degreaser for metals and composite materials. | CN (5 gallon) | S9G | 6850-01-416-6326 | \$106.17 |
| Industrial cleaner and degreaser for metals and composite materials. | DR (55 gallon) | S9G | 6850-01-416-6328 | \$1,305.21 |
| Industrial cleaner and degreaser for metals and composite materials. | GL | S9G | 6850-01-416-6329 | \$36.85 |
| Industrial cleaner and degreaser for metals and composite materials. | CN (5 gallon) | S9G | 6850-01-416-6330 | \$111.16 |
| Industrial cleaner and degreaser for metals and composite materials. | DR (55 gallon) | S9G | 6850-01-416-6331 | \$1,511.29 |

| <u>Manufacturer</u> | <u>Product</u> | <u>Possible Replacement For</u> |
|------------------------------------|--------------------------|---|
| Aqueous Cleaners/Degreasers | | |
| SOQ Environmental Tech | Ecomate MSP-50 | Chlorinated and hydrocarbon solvents |
| Stutton Corp. | Topsall #30 | Flammable, butyl and petroleum-based products |
| Stutton Corp. | Topsall #30 | Flammable, butyl and petroleum-based products |
| Turco Products, Inc. | Turco Liquid Sprayeze-LT | N/A |
| Turco Products, Inc. | Turco 6778 | Chlorinated and petroleum solvents |
| W.R. Grace and Co. | Daraclean 282 | Chlorinated solvent degreasers; 1,1,1-Trichloroethane |
| W.R. Grace and Co. | Daraclean 282 | Chlorinated solvent degreasers; 1,1,1-Trichloroethane |
| W.R. Grace and Co. | Daraclean 235 | Chlorinated solvent degreasers; 1,1,1-Trichloroethane |
| W.R. Grace and Co. | Daraclean 235 | Chlorinated solvent degreasers; 1,1,1-Trichloroethane |

| <u>Application</u> | <u>Size</u> | <u>ICP Code</u> | <u>NSN</u> | <u>Unit Price</u> |
|--|----------------|---------------------|------------------|-------------------|
| Aqueous Cleaners/Degreasers | | | | |
| Industrial cleaner and degreaser for metals and composite materials. | GL | S9G | 6850-01-416-6332 | \$37.47 |
| Cleans/degreases any hard surface: parts, hangar floors, galleys (USDA category A), steam cleaning, pressure washing, fuel cells. Listed by EPA for oil and fuel spill washdowns. | CN (5 gallon) | S9G | 6850-01-384-5149 | \$77.03 |
| Cleans/degreases any hard surface: parts, hanger floors, galleys (USDA category A), steam cleaning, pressure washing, fuel cells. Listed by EPA for oil and fuel spill washdowns. | DR (55 gallon) | S9G | 6850-01-384-5175 | \$858.31 |
| Removes shop and lube oils from ferrous, aluminum, copper, and titanium alloys. Suitable for cleaning magnesium, zinc, cadmium and for precleaning metals prior to phosphating and painting. | DR (55 gallon) | S9G | 6850-01-397-1962 | \$893.04 |
| Removes shop soils, marking inks cutting oils, forming oils, and lube oils from ferrous and non-ferrous alloys. Low foam nonchromated emulsion nonflammable emulsion cleaner. | DR (55 gallon) | S9G | 6850-01-397-2305 | \$694.44 |
| Alkaline all-purpose cleaner; formulated to be non-aggressive toward zinc and aluminum alloys. Designed for aerospace and electronics applications. Used in soaking, agitation and spray. | CN (5 gallon) | S9G | 6850-01-364-8328 | \$112.40 |
| Alkaline all-purpose cleaner; formulated to be non-aggressive to zinc and aluminum alloys. Designed for aerospace and electronics applications. Used in soaking, agitation and spray. | DR (55 gallon) | S9G | 6850-01-364-8329 | \$673.40 |
| Alkaline all-purpose cleaner; formulated to be nonaggressive to zinc and aluminum alloys. Designed for aerospace and electronics applications. Used in soaking, agitation and spray. | CN (5 gallon) | S9G | 6850-01-406-6937 | \$96.80 |
| Alkaline all-purpose cleaner; formulated to be nonaggressive to zinc and aluminum alloys. Designed for aerospace and electronics applications. Used in soaking, agitation and spray. | DR (55 gallon) | S9G | 6850-01-406-6938 | \$637.49 |

| <u>Manufacturer</u> | <u>Product</u> | <u>Possible Replacement For</u> |
|---|--------------------|--|
| Semi-Aqueous Cleaners/Degreasers | | |
| Allied Enterprises, Inc. | Impact | 1,1,1-Trichloroethane, other chlorinated solvents, petroleum distillates |
| Allied Enterprises, Inc. | Impact | 1,1,1-Trichloroethane, other chlorinated solvents, petroleum distillates, MEK and toluene. |
| Allied Enterprises, Inc. | Impact | 1,1,1-Trichloroethane, other chlorinated solvents, petroleum distillates, MEK and toluene. |
| BioChem Systems, Inc. | Bio T Max | 1,1,1-Trichloroethane, petroleum distillates and methylene chloride |
| BioChem Systems, Inc. | Bio T Max | 1,1,1-Trichloroethane, petroleum distillates and methylene chloride |
| BioChem Systems, Inc. | Bio T Max | 1,1,1-Trichloroethane, petroleum distillates and methylene chloride |
| BioChem Systems, Inc. | Bio T Partswash-NR | 1,1,1-Trichloroethane, petroleum distillates and methylene chloride |
| BioChem Systems, Inc. | Bio T Partswash-NR | 1,1,1-Trichloroethane, petroleum distillates and methylene chloride |
| BioChem Systems, Inc. | Bio T 300B | 1,1,1-Trichloroethane, petroleum distillates and alkaline solutions |
| BioChem Systems, Inc. | Bio T 200A | Chlorinated solvents, petroleum distillates and methylene chloride |
| BioChem Systems, Inc. | Bio T 200A | Chlorinated solvents, petroleum distillates and methylene chloride |

| <u>Application</u> | <u>Size</u> | <u>ICP Code</u> | <u>NSN</u> | <u>Unit Price</u> |
|---|--------------------------|---------------------|------------------|-------------------|
| Semi-Aqueous Cleaners/Degreasers | | | | |
| Removes heavy accumulation of grease, oil and tar asphalt from engine blocks, road equipment, maintenance equipment and aircraft parts. May be used in high pressure washers. | DR (55 gallon) | S9G | 6850-01-380-4053 | \$2,544.74 |
| Removes heavy accumulation of grease, oil and tar asphalt from engine blocks, road equipment, maintenance equipment and aircraft parts. May be used in high pressure washers. | CN (5 gallon) | S9G | 6850-01-380-4369 | \$166.73 |
| Removes heavy accumulation of grease, oil and tar asphalt from engine blocks, road equipment, maintenance equipment and aircraft parts. May be used in high pressure washers. | BX (12- 1 qt containers) | S9G | 6850-01-384-0618 | \$113.50 |
| Cleaner/degreaser for removing grease, dirt, oil, and similar substances. For use in dip tanks, pressure spray units and other industrial equipment. | BX (4- 1 gallon cans) | S9G | 6850-01-381-3785 | \$182.07 |
| Cleaner/degreaser for removing grease, dirt, oil, and similar substances. For use in dip tanks, pressure spray units and other industrial equipment. | CN (5 gallon) | S9G | 6850-01-381-3930 | \$134.95 |
| Cleaner/degreaser for removing grease, dirt, oil, and similar substances. For use in dip tanks, pressure spray units and other industrial equipment. | DR (55 gallon) | S9G | 6850-01-381-3944 | \$1,075.98 |
| No-rinse required parts washing cleaner for removing grease, dirt, cutting oils and similar substances. For use in the Bio T PartsWasher System. | CN (5 gallon) | S9G | 6850-01-387-2045 | \$167.44 |
| No-rinse required parts washing cleaner for removing grease, dirt, cutting oils and similar substances. For use in the Bio T PartsWasher System. | DR (55 gallon) | S9G | 6850-01-387-2071 | \$1,674.46 |
| Metalworking cleaner for removing coolant forming grease, paint overspray and similar substances. Used in spray, immersion and ultrasonic systems. | CN (5 gallon) | S9G | 6850-01-387-4468 | \$180.67 |
| Low residue cleaner for removing adhesives, asphalt, lubricants, solder flux and similar substances. | DR (55 gallon) | S9G | 6850-01-387-4592 | \$1,680.33 |
| Low residue cleaner for removing adhesives, asphalt, lubricants, solder flux and similar substances. | CN (5 gallon) | S9G | 6850-01-387-4893 | \$184.85 |

ManufacturerProductPossible Replacement For

Semi-Aqueous Cleaners/Degreasers

| | | |
|-----------------------|--------------------|---|
| BioChem Systems, Inc. | Bio T 300B | 1,1,1-Trichloroethane, petroleum distillates and alkaline solutions |
| Brulin Corp. | Aqua-Safe | Butyl-based degreasers |
| Ecolink, Inc. | Vortex Solvent | 1,1,1-Trichloroethane toluene, acetone |
| Ecolink, Inc. | Vortex Solvent | 1,1,1-Trichloroethane, toluene, acetone |
| Ecolink, Inc. | Vortex Solvent | 1,1,1-Trichloroethane, toluene, acetone |
| Fine Organics Corp. | ENVIROSOLV CRX | Phenols, cresylics, methylene chloride |
| Fine Organics Corp. | ENVIROSOLV 654CR | Aromatics, phenols, methylene chloride |
| Fine Organics Corp. | ENVIROSOLV 654CR | Aromatics, phenols, methylene chloride |
| Fine Organics Corp. | ENVIROSOLV CRX | Phenols, cresylics, methylene chloride |
| Inland Technology | Citra Soak Solvent | ODCs |
| Inland Technology | Citra Soak Solvent | ODCs |
| Mantek, Inc. | Fresh Force | Petroleum solvents and butyl-type cleaning compounds |
| Orange-Sol | ADL-1 | Chlorinated solvents |

| <u>Application</u> | <u>Size</u> | <u>ICP Code</u> | <u>NSN</u> | <u>Unit Price</u> |
|---|----------------|---------------------|------------------|-------------------|
| Semi-Aqueous Cleaners/Degreasers | | | | |
| Metalworking cleaner for removing coolant, forming grease, paint overspray and similar substances. Used in spray, immersion and ultrasonic systems. | DR (55 gallon) | S9G | 6850-01-387-5244 | \$2,175.76 |
| Phosphate-free, heavy duty cleaner for maintaining facilities, equipment and vehicles. No butyl cellosolve or carbitol. | DR (55 gallon) | S9G | 6850-01-394-0171 | \$487.73 |
| Heavy grease and carbon removal (aircraft engine blowback). Cosmoline removal (wire rope preparation). | CN (6 gallon) | S9G | 6850-01-386-8404 | \$175.71 |
| Heavy grease and carbon removal (aircraft engine blowback). Cosmoline removal (wire rope preparation). | BX (6- 1 gal.) | S9G | 6850-01-386-8405 | \$172.36 |
| Heavy grease and carbon removal (aircraft engine blowback). Cosmoline removal (wire rope preparation). | DR (55 gallon) | S9G | 6850-01-386-8434 | \$1,373.90 |
| Removes carbon residue, burned-on greases and oils from all metals including T-56 wheel assemblies. Used in room temperature dip tank. | DR (55 gallon) | S9G | 6850-01-344-4060 | \$984.05 |
| Removes carbon, heavy greases, asphalt, tars in hot or cold dip tank. No odor. | CN (5 gallon) | S9G | 6850-01-388-9732 | \$131.17 |
| Removes carbon, metallic greases. Hot/cold immersion tank. No odor. | DR (55 gallon) | S9G | 6850-01-388-9744 | \$1,095.69 |
| Removes carbon residue, burned-on greases and oils from all metals including T-56 wheel assemblies. Used in room temperature dip tank. | CN (5 gallon) | S9G | 6850-01-394-7539 | \$129.08 |
| Solvent degreaser, water miscible. Substitute for aromatic degreasers. | CN (5 gallon) | S9G | 6850-01-378-0649 | \$268.52 |
| Solvent degreaser, water miscible. Substitute for aromatic degreasers. | DR (55 gallon) | S9G | 6850-01-378-0687 | \$1,998.40 |
| Removes greases, oils, tars, waxes, adhesives, graffiti. | CN (5 gallon) | S9G | 6850-01-416-8015 | \$299.76 |
| Removes wide variety of contaminates from metals, glass and most plastic surfaces. | GL | S9G | 6850-01-338-9146 | \$15.00 |

ManufacturerProductPossible Replacement For

Hydrocarbon-based and other cleaners/degreasers

| | | |
|-----------------------|---------------------------------|--|
| 3M | 3M Performance Fluid PF-5070 | Chlorinated solvents |
| 3M | 3M Performance Fluid PF-5070 | Chlorinated solvents |
| Ardrox, Inc. | Ardrox 5300-W | Methylene chloride |
| Ardrox, Inc. | Ardrox 5300-W | Methylene chloride |
| Bio-Tek Solvents Inc. | 134 Hi-Solv | CFCs, chlorinated and stoddard solvents |
| Bio-Tek Solvents Inc. | 134 Hi-Solv | Stoddard and chlorinated solvents, ODCs. |
| Bulfinch Corp. | SD 1291 | MEK, methylene chloride, acetone |
| Bulfinch Corp. | Safety Strip HT | Methylene chloride, caustic baths |
| Bulfinch Corp. | Nature-Sol 100 | MEK, methylene chloride, acetone |
| Bulfinch Corp. | Safety Strip 1000 | Chlorinated solvents |
| Chem-Tech Intl | CT-2L | ODCs |
| Chem-Tech Intl | CT-2L | ODCs |
| Chemtronics Inc. | Ultrajet 2000 | CFC-113 |

| <u>Application</u> | <u>Size</u> | <u>ICP Code</u> | <u>NSN</u> | <u>Unit Price</u> |
|---|------------------------|---------------------|------------------|-------------------|
| Hydrocarbon-based and other cleaners/degreasers | | | | |
| Removes halogenated lubricants, oils, grease. Qualified as a rinsing agent for the Advanced Vapor Degreasing (AVD) cleaning process. | CN (5 gallon) | S9G | 6850-01-418-1701 | \$903.00 |
| Removes halogenated lubricants, oils, greases. Qualified as a rinsing agent for the Advanced Vapor Degreasing (AVD) cleaning process. | GL | S9G | 6850-01-418-1707 | \$191.80 |
| Paint and carbon remover. Used in hot immersion systems. | CN (5 gallon) | S9G | 6850-01-387-1080 | \$157.16 |
| Paint and carbon remover. Used in hot immersion systems. | DR (55 gallon) | S9G | 6850-01-387-1108 | \$1,486.45 |
| Electrical motors, generators, A/C machinery, plastic and metal production parts, electronic assemblies and components. | DR (55 gallon) | S9G | 6850-01-244-3207 | \$592.83 |
| Electrical motors, generators, A/C machinery, plastic and metal production parts, electronic assemblies and components. | CN (5 gallon) | S9G | 6850-01-277-0595 | \$90.88 |
| High flash point, residue-free wipe solvent for removing grease, oil, ink, adhesives and sealants. | CN (5 gallon) | S9G | 6850-01-394-0167 | \$172.36 |
| Hot tank stripping solution. Removes a wide range of coatings and adhesives. | DR (55 gallon) | S9G | 6850-01-394-0168 | \$3,369.49 |
| Citrus-based wipe solvent for removing grease, oil, ink and mastics. Water rinsible. | DR (55 gallon) | S9G | 6850-01-394-2617 | \$79.31 |
| Non-chlorinated paint remover solvent. | DR (55 gallon) | S9G | 6850-01-416-6363 | \$1,100.00 |
| Cleaner and water displacement agent. Cleans metallic and non-metallic surfaces, electromechanical components, electronic assemblies and printed circuit boards. | DR (55 gallon) | S9G | 6850-01-394-2627 | \$2,756.54 |
| Cleaner and water displacement agent. Cleans metallic and non-metallic surfaces, electromechanical components, electronic assemblies, and printed circuit boards. | CN (5 gallon) | S9G | 6850-01-394-2630 | \$307.25 |
| Cleans keyboards, circuit boards, surface mount devices, computers, and other electronic components, assemblies, photographic and video equipment. | BX (12-10 oz aerosols) | S9G | 6850-01-412-0040 | \$97.85 |

| <u>Manufacturer</u> | <u>Product</u> | <u>Possible Replacement For</u> |
|--|--|---------------------------------|
| Hydrocarbon-based and other cleaners/degreasers | | |
| Chemtronics Inc. | Audio/Video KleenLube | CFC-113, 1,1,1-Trichloroethane |
| Chemtronics, Inc. | TUN-O-WASH | CFC-113, 1,1,1-Trichloroethane |
| Chemtronics, Inc. | Electronics Cleaner/ Degreaser 2000 | 1,1,1-Trichloroethane, CFC-113 |
| Chemtronics, Inc. | Electronics Cleaner/ Degreaser 2000 | 1,1,1-Trichloroethane, CFC-113 |
| Chemtronics, Inc. | Contact Clean 2000 | CFC-113, 1,1,1-Trichloroethane |
| Chemtronics, Inc. | Electronics Cleaner/ Degreaser 2000 | 1,1,1-Trichloroethane, CFC-113 |
| Chemtronics, Inc. | Contact Clean 2000 | CFC-113, 1,1,1-Trichloroethane |
| Chemtronics, Inc. | Electro-Wash 2000 | CFC-113, 1,1,1-Trichloroethane |
| Chemtronics, Inc. | TUNER RENU 2000 | CFC-113, 1,1,1-Trichloroethane |
| Chemtronics, Inc. | Pow-R-Wash | CFC-113, 1,1,1-Trichloroethane |
| Competitively procured | Ecolink 2005/Electronic Solv | CFC-113, alcohol and hexane |
| Competitively procured | Ecolink 2005/Electronic Solv | CFC-113, alcohol and hexane |
| Competitively procured | Ecolink 2005/Electronic Solv | CFC-113, alcohol and hexane |

| <u>Application</u> | <u>Size</u> | <u>ICP Code</u> | <u>NSN</u> | <u>Unit Price</u> |
|--|--------------------------|---------------------|------------------|-------------------|
| Hydrocarbon-based and other cleaners/degreasers | | | | |
| Cleans, lubricates and protects electronic contacts, motors, gears, brushes, potentiometers, commutators, controls, switches, and relays. Non-flammable and safe on most plastics. | BX (12-5 oz aerosols) | S9G | 6850-01-416-6314 | \$174.45 |
| Cleans electrical contacts, tuners, controllers, PC boards. | BX (12- 12.5 oz aerosol) | S9G | 6850-01-224-9211 | \$52.23 |
| Removes oils, grease, dirt and fluxes. High dielectric strength. Ultrasonic applications. Not compatible with some plastics. | CN (18 oz aerosol) | S9G | 6850-01-379-1038 | \$16.80 |
| Removes oils, grease, dirt and fluxes. High dielectric strength. Ultrasonic applications. Not compatible with some plastics. | CN (14.5 oz. aerosol) | S9G | 6850-01-393-9049 | \$14.98 |
| For electrical contacts in electromechanical assemblies, PC boards, motors, and interface connectors. | CN (14.5 oz aerosol) | S9G | 6850-01-393-9050 | \$12.24 |
| Removes oils, grease, dirt and fluxes. High dielectric strength. Ultrasonic applications. Not compatible with some plastics. | GL | S9G | 6850-01-393-9051 | \$101.17 |
| For electrical contacts on electromechanical assemblies, PC boards, motors, and interface connectors. | CN (18 oz aerosol) | S9G | 6850-01-393-9053 | \$15.11 |
| General purpose electronics precision cleaner. No ODCs. Safe on most plastics. | CN (12.5 oz aerosol) | S9G | 6850-01-393-9054 | \$14.46 |
| For electrical contacts, plugs, sockets. Has light lubricant. Can restore plastics. | BX (12- 12 oz aerosol) | S9G | 6850-01-394-9514 | \$275.22 |
| Cleans electrical and electronic components in transportation, telecommunications, aeronautical, electrical transmission and distribution equipment. May be used on energized equipment. | BX (12-12 oz aerosols) | S9G | 6850-01-412-5579 | \$310.44 |
| Cleans critical electronic and electrical equipment, contacts, photographic equipment, avionics. | GL | S9G | 6850-01-386-8410 | \$90.73 |
| Cleans critical electronic and electrical equipment, contacts, photographic equipment, avionics. | BX (12- 14 oz cans) | S9G | 6850-01-386-8415 | \$168.79 |
| Cleans critical electronic and electrical equipment, contacts, photographic equipment, avionics. | DR (55 gallon) | S9G | 6850-01-386-8419 | \$3,692.23 |

Manufacturer

Product

Possible Replacement For

Hydrocarbon-based and other cleaners/degreasers

| | | |
|------------------------|-------------------------------------|---|
| Competitively procured | Ecolink 2005/Electronic Solv | CFC-113, alcohol and hexane |
| CRC Industries, Inc. | Heavy Duty Degreaser II | 1,1,1-Trichloroethane other chlorinated solvents |
| CRC Industries, Inc. | Heavy Duty Degreaser II | 1,1,1-Trichloroethane other chlorinated solvents |
| CRC Industries, Inc. | Heavy Duty Degreaser II | 1,1,1-Trichloroethane other chlorinated solvents |
| CRC Industries, Inc. | Heavy Duty Degreaser II | 1,1,1-Trichloroethane other chlorinated solvents |
| CRC Industries, Inc. | Lectra Clean II | 1,1,1-Trichloroethane other chlorinated solvents |
| CRC Industries, Inc. | Lectra Clean II | 1,1,1-Trichloroethane other chlorinated solvents |
| CRC Industries, Inc. | Lectra Clean II | 1,1,1-Trichloroethane other chlorinated solvents |
| CRC Industries, Inc. | Lectra Clean II | 1,1,1-Trichloroethane other chlorinated solvents |
| Ecolink, Inc. | Electron Aerosol Dielectric Solvent | 1,1,1-Trichloroethane, CFC-113; other chlorinated solvents. |
| Ecolink, Inc. | Electron Dielectric Solvent | 1,1,1-Trichloroethane, CFC-113; other chlorinated solvents. |

| <u>Application</u> | <u>Size</u> | <u>ICP Code</u> | <u>NSN</u> | <u>Unit Price</u> |
|--|-----------------------------|---------------------|------------------|-------------------|
| Hydrocarbon-based and other cleaners/degreasers | | | | |
| Cleans critical electronic and electrical equipment, contacts, photographic equipment, avionics. | CN (6 gallon) | S9G | 6850-01-386-8423 | \$564.97 |
| Heavy duty cleaning and degreasing. Removes grease, oil, dirt and other contaminants from parts and equipment. | CN (20 oz) | S9G | 6850-01-380-3976 | \$8.72 |
| Heavy duty cleaning and degreasing. Removes grease, oil, dirt and other contaminants from parts and equipment. | CN (5 gallon) | S9G | 6850-01-380-4019 | \$304.76 |
| Heavy duty cleaning and degreasing. Removes grease, oil, dirt and other contaminants from parts and equipment. | DR (55 gallon) | S9G | 6850-01-380-4285 | \$1,732.99 |
| Heavy duty cleaning and degreasing. Removes grease, oil, dirt and other contaminants from parts and equipment. | GL | S9G | 6850-01-380-4336 | \$52.41 |
| Electrical cleaning and degreasing. Removes grease, oil, dirt and other contaminants from motors, parts, and other equipment. | DR (55 gallon) | S9G | 6850-01-382-5252 | \$1,732.99 |
| Electrical cleaning and degreasing. Removes grease, oil, dirt and other contaminants from motors, parts, and other equipment. | BX (4- 1 gallon containers) | S9G | 6850-01-382-5369 | \$150.19 |
| Electrical cleaning and degreasing. Removes grease, oil, dirt and other contaminants from motors, parts, and other equipment. | CN (5 gallon) | S9G | 6850-01-382-5390 | \$164.87 |
| Electrical cleaning and degreasing. Removes grease, oil, dirt and other contaminants from motors, parts, and other equipment. | BX (12- 20 oz cans) | S9G | 6850-01-382-5783 | \$96.74 |
| Electrical maintenance, motors, generators, general wipe down. Removes grease, fuel oil, carbon and organic resins. Can be used on most plastic and rubber surfaces. Approved NAVSHIPS Tech Manual Chaps. 300 and 556. | BX (12-15 oz aerosol cans) | S9G | 6850-01-371-8048 | \$89.94 |
| Electrical maintenance, motors, generators, general wipe down. Removes grease, fuel oil, carbon and organic resins. Can be used on most plastic and rubber surfaces. Approved NAVSHIPS Tech Manual Chaps. 300 and 556. | BX (12-22oz spray bottles) | S9G | 6850-01-371-8049 | \$97.06 |

| <u>Manufacturer</u> | <u>Product</u> | <u>Possible Replacement For</u> |
|--|-----------------------------|---|
| Hydrocarbon-based and other cleaners/degreasers | | |
| Ecolink, Inc. | Electron Dielectric Solvent | 1,1,1-Trichloroethane, CFC-113; other chlorinated solvents |
| Ecolink, Inc. | Electron Dielectric Solvent | 1,1,1-Trichloroethane, CFC-113; other chlorinated solvents. |
| Ecolink, Inc. | Electron Dielectric Solvent | 1,1,1-Trichloroethane, CFC-113; other chlorinated solvents |
| Ecolink, Inc. | Safe Strip | Methylene chloride, MEK, paint thinner |
| Ecolink, Inc. | Safe Strip | Methylene chloride, MEK, paint thinner |
| Ecolink, Inc. | Safe Strip | Methylene chloride, MEK, paint thinner |
| Ecolink, Inc. | PREPSOLV | 1,1,1-Trichloroethane, CFC-113, MEK, etc. |
| Ecolink, Inc. | PREPSOLV | 1,1,1-Trichloroethane, CFC-113, MEK, etc. |
| Ecolink, Inc. | PREPSOLV | 1,1,1-Trichloroethane, CFC-113, MEK, etc. |
| Ecolink, Inc. | PREPSOLV | 1,1,1-Trichloroethane, CFC-113, MEK, etc. |
| Ecolink, Inc. | Positron | Aromatic solvents, TCE, PFC, HCFCs, CFCs |
| Ecolink, Inc. | Pen-T | ODCs, chlorinated solvents. |

| <u>Application</u> | <u>Size</u> | <u>ICP Code</u> | <u>NSN</u> | <u>Unit Price</u> |
|--|----------------------------|---------------------|------------------|-------------------|
| Hydrocarbon-based and other cleaners/degreasers | | | | |
| Electrical maintenance, motors, generators, general wipe down. Removes grease, fuel oil, carbon and organic resins. Can be used on most plastic and rubber surfaces. Approved NAVSHIPS Tech Manual Chaps. 300 and 556. | CN (6 gallons) | S9G | 6850-01-375-5553 | \$112.65 |
| Electrical maintenance, motors, generators, general wipe down. Removes grease, fuel oil, carbon and organic resins. Can be used on most plastic and rubber surfaces. Approved NAVSHIPS Tech Manual Chaps. 300 and 556. | BX (6-1 gallon containers) | S9G | 6850-01-375-5554 | \$141.03 |
| Electrical maintenance, motors, generators, general wipe down. Removes grease, fuel oil, carbon and organic resins. Can be used on most plastic and rubber surfaces. Approved NAVSHIPS Tech Manual Chaps. 300 and 556. | DR (55 gallon) | S9G | 6850-01-375-5555 | \$819.35 |
| Paint gun, paint pot and tool cleaning. Strips urethane, acrylic and some epoxy paint. Gasket removal. | CN (6 gallon) | S9G | 6850-01-386-8424 | \$283.06 |
| Paint gun, paint pot and tool cleaning. Strips urethane, acrylic and some epoxy paint. Gasket removal. | BX (6- 1 gal.) | S9G | 6850-01-386-8428 | \$302.05 |
| Paint gun, paint pot and tool cleaning. Strips urethane, acrylic and some epoxy paint. Gasket removal. | DR (55 gallon) | S9G | 6850-01-386-8430 | \$2,241.32 |
| For precision wipe cleaning. Very low residue. Compatible with all metals. | DR (55 gallon) | S9G | 6850-01-394-0158 | \$1,648.68 |
| For precision wipe cleaning. Very low residue. Compatible with all metals. | CO (6 gallon) | S9G | 6850-01-394-0160 | \$198.00 |
| For precision wipe cleaning. Very low residue. Compatible with all metals. | BX (6- 1 gal) | S9G | 6850-01-394-0162 | \$238.08 |
| For precision wipe cleaning. Very low residue. Compatible with all metals. | BX (12-15 oz aerosol) | S9G | 6850-01-394-0163 | \$168.62 |
| Electrical maintenance, motors, generators, general wipe down. Removes grease fuel oil, carbon, and organic resins. Can be used on most plastic and rubber surfaces. | GL | S9G | 6850-01-411-8815 | \$31.74 |
| Cleaner, penetrant and lubricating agent. Nonflammable. | GL | S9G | 6850-01-411-9286 | \$27.48 |

ManufacturerProductPossible Replacement For

Hydrocarbon-based and other cleaners/degreasers

| | | |
|--------------------|------------------|---|
| Ecolink, Inc. | Positron | Aromatic solvents, TCE, PFCs, HCFCs, CFCs |
| Ecolink, Inc. | Positron | Aromatic solvents, TCE PFCs, HCFCs, CFCs |
| Ecolink, Inc. | QED | Alcohols, acetone |
| Ecolink, Inc. | QED | Alcohols, acetone |
| Ecolink, Inc. | Pen-T | ODCs |
| Ecolink, Inc. | Pen-T | ODCs |
| Ecolink, Inc. | Pen-T | ODCs |
| Ecolink, Inc. | Electron Wipes | ODCs |
| Ecolink, Inc. | Electron Wipes | ODCs |
| Enviro Tech Intl | ART-98 | ODCs |
| Enviro Tech Intl | ART-98 | ODCs |
| Enviro Tech Intl | ART-98 | ODCs |
| Exxon Chemical Co. | ACTREL 1171L | 1,1,1-Trichloroethane, other chlorinated solvents |
| Fed Spec | P-D-680 Type III | P-D-680 Type II |

| <u>Application</u> | <u>Size</u> | <u>ICP Code</u> | <u>NSN</u> | <u>Unit Price</u> |
|--|----------------------------|---------------------|------------------|-------------------|
| Hydrocarbon-based and other cleaners/degreasers | | | | |
| Electrical maintenance, motors, generators, general wipe down. Removes grease, fuel oil, carbon and organic resins. Can be used on most plastic and rubber surfaces. | CN (6 gallon) | S9G | 6850-01-412-0026 | \$145.61 |
| Electrical maintenance, motors, generators, general wipe down. Removes grease, fuel oil, carbon and organic resins. Can be used on most plastic and rubber surfaces. | DR (55 gallon) | S9G | 6850-01-412-0028 | \$959.73 |
| Electrical maintenance, motors, generators, parts cleaning, general wipe down. | CN (6 gallon) | S9G | 6850-01-412-0029 | \$157.37 |
| Electrical maintenance, motors, generators, parts cleaning, general wipe down. | DR (55 gallon) | S9G | 6850-01-412-0031 | \$1,236.51 |
| Cleaner, penetrant and lubricating agent. | BX (12-22oz spray bottles) | S9G | 6850-01-412-0034 | \$118.59 |
| Cleaner, penetrant and lubricating agent. | CN (6 gallon) | S9G | 6850-01-412-0035 | \$142.39 |
| Cleaner, penetrant and lubricating agent. | DR (55 gallon) | S9G | 6850-01-412-0036 | \$1,099.12 |
| Non-chlorinated cleaning wipes. | BX (144 each) | S9G | 6850-01-412-0037 | \$133.09 |
| Non-chlorinated cleaning wipes. | BX (500 each) | S9G | 6850-01-412-0039 | \$405.93 |
| Cleans and degreases equipment and components used in high voltage electrical systems, precision components and electronics, composite bonding and repair, aviation parts. | BX (4-1 gallon containers) | S9G | 6850-01-399-0344 | \$107.26 |
| Cleans and degreases equipment and components used in high voltage electrical systems, precision components and electronics, composite bonding and repair, aviation parts. | DR (55 gallon) | S9G | 6850-01-399-0345 | \$1,009.18 |
| Cleans and degreases equipment and components used in high voltage electrical systems, precision components and electronics, composite bonding and repair, aviation parts. | CN (5 gallon) | S9G | 6850-01-399-0675 | \$113.36 |
| General purpose cleaner/degreaser. | DR (55 gallon) | S9G | 6850-01-391-1481 | \$488.18 |
| Degreasing solvent with low odor and very high flash point. | CN (5 gallon) | S9G | 6850-01-331-3349 | \$32.42 |

| <u>Manufacturer</u> | <u>Product</u> | <u>Possible Replacement For</u> |
|--|---------------------------|---|
| Hydrocarbon-based and other cleaners/degreasers | | |
| Fed Spec | P-D-680 Type III | P-D-680 Type II |
| Fed Spec | P-D-680 Type III | P-D-680 Type II |
| Fed Spec | P-D-680 Type III | P-D-680 Type II |
| Fed Spec | P-D-680 Type III | P-D-680 Type II |
| Fed Spec | P-D-680 Type III | P-D-680 Type II |
| Fed Spec | P-D-680 Type III | P-D-680 Type II |
| Fine Organics Corp. | ENVIROSOLV 655 | 1,1,1-Trichloroethane, chlorinated solvents |
| Fine Organics Corp. | ENVIROSOLV 655 | 1,1,1-Trichloroethane, chlorinated solvents |
| Fine Organics Corp. | ENVIROSOLV 655 | Chlorinated, fluorinated solvents |
| Fine Organics Corp. | ENVIROSOLV 655 | 1,1,1-Trichloroethane, chlorinated solvents |
| Finger Lakes Chemicals | Resineater | PERC, xylene, MEK, toluene |
| Finger Lakes Chemicals | 1-1-2 | 1,1,1-Trichloroethane, PERC, xylene, MEK |
| Finger Lakes Chemicals | 1-1-2 | 1,1,1-Trichloroethane; PERC, xylene, MEK |
| Finger Lakes Chemicals | Resineater | PERC, xylene, MEK, toluene |
| Graymills Corp | Super Agitene Concentrate | Chlorinated solvents |

| <u>Application</u> | <u>Size</u> | <u>ICP Code</u> | <u>NSN</u> | <u>Unit Price</u> |
|--|------------------------|---------------------|------------------|-------------------|
| Hydrocarbon-based and other cleaners/degreasers | | | | |
| Degreasing solvent with low odor and very high flash point. | DR (55 gallon) | S9G | 6850-01-331-3350 | \$223.82 |
| Degreasing solvent with low odor and very high flash point. | QT | S9G | 6850-01-377-1808 | \$14.49 |
| Degreasing solvent with low odor and very high flash point. | GL | S9G | 6850-01-377-1809 | \$19.85 |
| Degreasing solvent with low odor and very high flash point. | PT | S9G | 6850-01-377-1811 | \$8.43 |
| Degreasing solvent with low odor and very high flash point. Bulk quantities only. | GL (bulk) | S9G | 6850-01-377-1812 | \$0.00 |
| Degreasing solvent with low odor and very high flash point. | CN (4 oz) | S9G | 6850-01-377-1916 | \$14.95 |
| Removes oils, grease, tars. Cleans electric motors. Non-aqueous. No odor. | CN (5 gallon) | S9G | 6850-01-389-0558 | \$84.31 |
| Removes oils, grease, tars. Cleans electric motors. Non-aqueous. No odor. | DR (55 gallon) | S9G | 6850-01-389-0567 | \$789.99 |
| Dissolves heavy oils, greases, inks. Moderately fast dry. Needs no rinse. | GL | S9G | 6850-01-389-0582 | \$23.77 |
| Removes oils, grease, tars. Cleans electric motors. Non-aqueous. No odor. | BX (12-12 oz aerosols) | S9G | 6850-01-397-1961 | \$88.87 |
| Removes resins, glues, tar, grease, polymers and coatings. Can use as a urethane flush solvent. | DR (55 gallon) | S9G | 6850-01-383-3038 | \$1,954.69 |
| Dissolves dirt from plastic, wood and glass. Cleans metal parts, inks, greasy areas, printing presses, rollers and printing blankets. | DR (55 gallon) | S9G | 6850-01-383-3045 | \$1,954.69 |
| Dissolves dirt from plastic, wood and glass. Cleans metal parts, inks, greasy areas, printing presses, rollers and printing blankets. | CN (5 gallon) | S9G | 6850-01-383-3056 | \$181.11 |
| Removes resins, glues, tar, grease, polymers and coatings. Can use as a urethane flush solvent. | CN (5 gallon) | S9G | 6850-01-383-3060 | \$181.11 |
| Removes grease, motor oil, cutting oil and gummy deposits. Leaves protective coating on parts to help retard corrosion. Not recommended prior to painting. | DR (50 gallon) | S9G | 6850-01-382-7303 | \$1,170.02 |

| <u>Manufacturer</u> | <u>Product</u> | <u>Possible Replacement For</u> |
|--|---------------------------|--|
| Hydrocarbon-based and other cleaners/degreasers | | |
| Graymills Corp. | Super Agitene | Chlorinated solvents |
| Graymills Corp. | Super Agitene | Chlorinated solvents |
| Graymills Corp. | Super Agitene Concentrate | Chlorinated solvents |
| Inland Technology | Citra Safe Solvent | 1,1,1-Trichloroethane, MEK, toluene and blends of MEK and toluene |
| Inland Technology | Citra Safe Solvent | 1,1,1-Trichloroethane, MEK, toluene and blends of MEK and toluene |
| Inland Technology | Teksol EP Solvent | CFC- 113, 1,1,1-Trichloroethane, PERC, other chlorinated or halogenated solvents |
| Inland Technology | X-Caliber Solvent | Methylene chloride, 1,1,1-Trichloroethane, CFC-113, TCE |
| Inland Technology | Teksol EP Solvent | CFC- 113, 1,1,1-Trichloroethane, PERC, other chlorinated or halogenated solvents |
| Inland Technology | Citrex-EB Solvent | Methylene chloride, cresylic acid, dichlorobenzene, aromatic hydrocarbons, petroleum distillates |
| Inland Technology | Partsmaster 143 Solvent | CFCs or aromatic solvents, mineral spirits |
| Inland Technology | Partsmaster 140 Solvent | CFCs or aromatic solvents, mineral spirits, |

| <u>Application</u> | <u>Size</u> | <u>ICP Code</u> | <u>NSN</u> | <u>Unit Price</u> |
|---|-----------------------------|---------------------|------------------|-------------------|
| Hydrocarbon-based and other cleaners/degreasers | | | | |
| Removes grease, motor oil, cutting oil and gummy deposits. Leaves protective coating on parts to help retard corrosion. Not recommended prior to painting. | CN (5 gallon) | S9G | 6850-00-606-1221 | \$44.46 |
| Removes grease, motor oil, cutting oil and gummy deposits. Leaves protective coating on parts to help retard corrosion. Not recommended prior to painting. | DR (50 gallon) | S9G | 6850-01-098-0264 | \$406.25 |
| Removes grease, motor oil, cutting oil and gummy deposits. Leaves protective coating on parts to help retard corrosion. Not recommended prior to painting. | CN (5 gallon) | S9G | 6850-01-382-7380 | \$127.36 |
| Surface prep, general solvent cleaning, cleaning prior to sealing and painting aircraft. Precision cleaning of metal parts, ultrasound cleaning, immersion cleaning and manual wipe cleaning. | DR (30 gallon) | S9G | 6850-01-378-0564 | \$1,009.19 |
| Surface prep, general solvent cleaning, cleaning prior to sealing and painting aircraft. Precision cleaning of metal parts, ultrasound cleaning, immersion cleaning and manual wipe cleaning. | CN (5 gallon) | S9G | 6850-01-378-0575 | \$294.93 |
| Cleans aerospace and electronic components, auto applications, motors, switches, relays and other electrical applications. Cleans circuit boards and other electronic components. | BX (6- 1 gallon containers) | S9G | 6850-01-378-0581 | \$303.99 |
| For paint stripping, cold tank soak, resin removal. Precision cleaning substitute for vapor degreasing when followed by a rinse. | CN (5 gallon) | S9G | 6850-01-378-0582 | \$327.60 |
| Cleans aerospace and electronic components, auto applications, motors, switches, relays and other electrical applications. Cleans circuit boards and other electronic components. | CN (5 gallon) | S9G | 6850-01-378-0583 | \$260.44 |
| Removes unsaturated polyester resins; cleans gel coat lines, paint guns and lines, chopper guns, uncured polyurethane foam, most paints, most graffiti, and inks. Non methylene carbon remover. | CN (5 gallon) | S9G | 6850-01-378-0599 | \$327.73 |
| Partwasher use, removes oil, grease, glues, inks, wax, asphalt. For degreasing and parts cleaning. | DR (55 gallon) | S9G | 6850-01-378-0601 | \$1,136.59 |
| Partwasher use. Removes oil, grease, glues, inks, asphalt. For degreasing and parts cleaning. | DR (55 gallon) | S9G | 6850-01-378-0610 | \$1,167.67 |

| <u>Manufacturer</u> | <u>Product</u> | <u>Possible Replacement For</u> |
|--|----------------------|--|
| Hydrocarbon-based and other cleaners/degreasers | | |
| Inland Technology | Citra Safe Aerosol | 1,1,1-Trichloroethane, MEK, toluene and blends of MEK and toluene |
| Inland Technology | Citrex Solvent | Methylene chloride, cresylic acid, or dichlorobenzene |
| Inland Technology | Citrex Solvent | Methylene chloride, cresylic acid, dichlorobenzene |
| Inland Technology | Teksol EP Solvent | CFC- 113, 1,1,1-Trichloroethane, PERC, other chlorinated or halogenated solvents |
| Inland Technology | X-Caliber Solvent | Methylene chloride, 1,1,1-Trichloroethane, CFC-113, TCE |
| Inland Technology | Breakthrough Solvent | Stoddard solvent/mineral spirits, P-D-680 Type II, PERC |
| Inland Technology | Breakthrough Solvent | Stoddard solvent/mineral spirits, P-D-680 Type II and PERC |
| Inland Technology | Breakthrough Solvent | Stoddard solvent/mineral spirits, P-D-680 Type II and PERC |
| Inland Technology | Teksol EP Solvent | CFC- 113, 1,1,1-Trichloroethane, PERC, other chlorinated or halogenated solvents |
| Inland Technology | ISO PREP Solvent | CFCs or aromatic solvents |

| <u>Application</u> | <u>Size</u> | <u>ICP Code</u> | <u>NSN</u> | <u>Unit Price</u> |
|---|-----------------------------|---------------------|------------------|-------------------|
| Hydrocarbon-based and other cleaners/degreasers | | | | |
| Surface prep, general solvent cleaning, cleaning prior to sealing and painting aircraft. Precision cleaning of metal parts, ultrasound cleaning, immersion cleaning and manual wipe cleaning. | BX (12- 15 oz aerosol cans) | S9G | 6850-01-378-0616 | \$158.76 |
| Cleans fiberglass and epoxy resins. Carburetor cleaner, cold tank compound; stripping and cleaning agent for removing paints, coating, carbon, grease, fuel residues, and resins from ferrous and non-ferrous metals. | CN (5 gallon) | S9G | 6850-01-378-0618 | \$380.40 |
| For cleaning fiberglass and epoxy resins. Carburetor cleaner and cold tank compound. Stripping and cleaning agent for removing paints, coatings, carbon, grease, fuel residues and resins from metals. | DR (55 gallon) | S9G | 6850-01-378-0624 | \$2,373.10 |
| Cleans aerospace and electronic components, auto applications, motors, switches, relays and other electrical applications. Cleans circuit boards and other electronic components. | DR (55 gallon) | S9G | 6850-01-378-0650 | \$1,659.22 |
| For paint stripping, cold tank soak, resin removal. Precision cleaning substitute for vapor degreasing when followed by a rinse. | DR (55 gallon) | S9G | 6850-01-378-0662 | \$2,473.02 |
| Partswashing and other metal cleaning operations. Designed for use with Edge Tek Filtration System. Safe on most plastics and elastomers. | DR (55 gallon) | S9G | 6850-01-378-0666 | \$1,808.85 |
| Partswashing and other metal cleaning operations. Designed for use with Edge Tek Filtration System. Safe on most plastics and elastomers. | CN (5 gallon) | S9G | 6850-01-378-0679 | \$192.21 |
| Partswashing and other metal cleaning operations. Designed for use with Edge Tek Filtration System. Safe on most plastics and elastomers. | CN (15 gallon) | S9G | 6850-01-378-0698 | \$560.31 |
| Cleans aerospace and electronic components, auto applications, motors, switches, relays and other electrical applications. Cleans circuit boards and other electronic components. | DR (30 gallon) | S9G | 6850-01-378-0700 | \$1,015.55 |
| Removes oil, grease, glues, wax, asphalt and other deposits. Safe on most plastics and elastomers. | CN (5 gallon) | S9G | 6850-01-378-0706 | \$149.88 |

| <u>Manufacturer</u> | <u>Product</u> | <u>Possible Replacement For</u> |
|--|--------------------|---|
| Hydrocarbon-based and other cleaners/degreasers | | |
| Inland Technology | Citra Safe Solvent | 1,1,1-Trichloroethane, MEK, toluene and blends of MEK and toluene |
| Inland Technology | X-Caliber Solvent | Methylene chloride, 1,1,1-Trichloroethane, CFC-113, TCE |
| Inland Technology | Citrex Solvent | Methylene chloride, cresylic acid, dichlorobenzene, acetone |
| Inland Technology | Citra Safe Solvent | 1,1,1-Trichloroethane, MEK, toluene and blends of MEK and toluene |
| Inland Technology | Aero-Strip | Methylene chloride |
| Inland Technology | EP921 | MEK, MEK/toluene blends, lacquer washes, 1,1,1-Trichloroethane, CFC-113, vapor degreasing |
| Inland Technology | Aero-Strip | Methylene chloride |
| Inland Technology | Skysol 500 | ODCs |
| Inland Technology | Skysol 100 | Chlorinated and aromatic solvents, P-D-680, Type II |
| Inland Technology | Skysol Concentrate | Chlorinated and aromatic solvents, P-D-680, Type II |

| <u>Application</u> | <u>Size</u> | <u>ICP Code</u> | <u>NSN</u> | <u>Unit Price</u> |
|---|-----------------------------|---------------------|------------------|-------------------|
| Hydrocarbon-based and other cleaners/degreasers | | | | |
| Surface preparation, general solvent cleaning and cleaning prior to sealing and painting aircraft. For precision cleaning of metal parts and for ultrasound cleaning, immersion cleaning and manual wipe cleaning. | DR (55 gallon) | S9G | 6850-01-378-0797 | \$1,829.45 |
| For paint stripping, cold tank soak, resin removal. Precision cleaning substitute for vapor degreasing when followed by a rinse. | BX (6- 1 gallon containers) | S9G | 6850-01-378-0809 | \$405.33 |
| Cleans fiberglass and epoxy resins. Carburetor cleaner, cold tank compound; stripping and cleaning agent for removing paints, coating, carbon, grease, fuel residues, and resins from ferrous and non-ferrous metals. | BX (6- 1 gallon containers) | S9G | 6850-01-378-0838 | \$405.33 |
| Surface preparation, general solvent cleaning and cleaning prior to sealing and painting aircraft. For precision cleaning of metal parts, ultrasound cleaning, immersion and manual wipe cleaning. | BX (6- 1 gallon containers) | S9G | 6850-01-378-0886 | \$355.03 |
| For paint stripping and cold tank compound cleaning. Non-chlorinated coating stripper. Designed for immersion stripping. | DR (55 gallon) | S9G | 6850-01-381-3193 | \$1,373.90 |
| For surface prep when followed by a rinse. For resin and paint application equip clean up. Immersion tank replacement for vapor degreasing. Precision cleaning for electronics and metal parts, followed by a rinse. | CN (5 gallon) | S9G | 6850-01-381-3300 | \$314.10 |
| For paint stripping and cold tank compound cleaning. Non-chlorinated coating stripper. Designed for immersion stripping. | CN (5 gallon) | S9G | 6850-01-381-3640 | \$187.35 |
| Designed for the aircraft industry as a skydrol remover and general solvent cleaner. Non RCRA precision cleaner and wipe solvent. More aggressive than Skysol 300. | CN (5 gallon) | S9G | 6850-01-381-4400 | \$193.28 |
| Designed for the aircraft industry as a skydrol remover and general solvent cleaner. Used with Edge Tek Filtration System. | DR (55 gallon) | S9G | 6850-01-381-4401 | \$1,442.60 |
| Designed for the aircraft industry as skydrol remover and general solvent cleaner. Used with the Edge Tek Filtration System. | DR (55 gallon) | S9G | 6850-01-381-4404 | \$1,442.64 |

| <u>Manufacturer</u> | <u>Product</u> | <u>Possible Replacement For</u> |
|--|------------------------|---|
| Hydrocarbon-based and other cleaners/degreasers | | |
| Inland Technology | EP 921 | MEK, MEK/toluene blends, and lacquer washes, 1,1,1- Trichloroethane, CFC- 113, vapor degreasing |
| Inland Technology | Skysol 200 | Chlorinated and aromatic solvents, P-D-680, Type II |
| Inland Technology | Skysol 500 | ODCs |
| Inland Technology | Skysol 300 | ODCs |
| Inland Technology | Skysol Concentrate | Chlorinated and aromatic solvents, P-D-680, Type II |
| Inland Technology | Skysol 100 | Chlorinated and aromatic solvents, P-D-680, Type II |
| Inland Technology | Skysol 200 | Chlorinated and aromatic solvents, P-D-680, Type II |
| Inland Technology | Skysol 300 | ODCs |
| Inland Technology | Citra Safe, Deodorized | MEK, 1,1,1-Trichloroethane, toluene and blends of MEK and toluene |
| Inland Technology | Citra Safe, Deodorized | MEK, 1,1,1-Trichloroethane, toluene and blends of MEK and toluene |

| <u>Application</u> | <u>Size</u> | <u>ICP Code</u> | <u>NSN</u> | <u>Unit Price</u> |
|---|----------------|---------------------|------------------|-------------------|
| Hydrocarbon-based and other cleaners/degreasers | | | | |
| Surface prep when followed by a rinse. Designed for resin and paint application equipment clean up. Precision cleaning for electronics and metal parts when followed by a rinse. | DR (55 gallon) | S9G | 6850-01-381-4408 | \$2,174.43 |
| Designed for the aircraft industry as a skydrol remover and general solvent cleaner. More aggressive than Skysol 100. Used with the Edge Tek Filtration System. | DR (55 gallon) | S9G | 6850-01-381-4410 | \$2,002.51 |
| Designed for the aircraft industry as a skydrol remover and general solvent cleaner. Non RCRA precision cleaner and wipe solvent. More aggressive than Skysol 300. | DR (55 gallon) | S9G | 6850-01-381-4412 | \$2,346.17 |
| Designed for the aircraft industry as a skydrol remover and general solvent cleaner. Non RCRA precision cleaner and wipe solvent. More aggressive than Skysol 200. | DR (55 gallon) | S9G | 6850-01-381-4417 | \$1,648.68 |
| Designed for the aircraft industry as a skydrol remover and general solvent cleaner. Used with the Edge Tek Filtration System. | CN (5 gallon) | S9G | 6850-01-381-4420 | \$209.07 |
| Designed for the aircraft industry as skydrol remover and general solvent cleaner. Used with the Edge Tek Filtration System. | CN (5 gallon) | S9G | 6850-01-381-4423 | \$167.80 |
| Designed for the aircraft industry as a skydrol remover and general solvent cleaner. More aggressive than Skysol 100. Used with the Edge Tek Filtration System. | CN (5 gallon) | S9G | 6850-01-381-4427 | \$243.13 |
| Designed for the aircraft industry as a skydrol remover and general solvent cleaner. Non RCRA precision cleaner and wipe solvent. More aggressive than Skysol 200. | CN (5 gallon) | S9G | 6850-01-381-4429 | \$179.54 |
| Surface preparation, general solvent cleaning, and cleaning prior to sealing and painting aircraft. For precision cleaning of metal parts and ultrasound cleaning, immersion cleaning and manual wipe cleaning. | DR (55 gallon) | S9G | 6850-01-381-7081 | \$2,498.00 |
| Surface preparation, general solvent cleaning, and cleaning prior to sealing and painting aircraft. For precision cleaning of metal parts and ultrasound cleaning, immersion cleaning and manual wipe cleaning. | CN (5 gallon) | S9G | 6850-01-381-7169 | \$326.16 |

| <u>Manufacturer</u> | <u>Product</u> | <u>Possible Replacement For</u> |
|--|------------------------|---|
| Hydrocarbon-based and other cleaners/degreasers | | |
| Inland Technology | Teksol EP Aerosol | CFC-113; 1,1,1-Trichloroethane, PERC, other chlorinated or halogenated solvents |
| ISP | Preprite | Methylene chloride, methanol, toluene, acetone, MEK, ethylene glycol |
| ISP | Preprite | Methylene chloride, methanol, toluene, acetone, MEK, ethylene glycol |
| ISP | Partsprep | 1,1,1-Trichloroethane, CFC-113, other halogenated solvents |
| ISP | Partsprep | 1,1,1-Trichloroethane, CFC-113, other halogenated solvents |
| ISP | Printsolve Ink Remover | N/A |
| ISP | Foamflush | Methylene chloride |
| ISP | Micropure CDF | CFC-113, methanol |
| ISP | Foamflush | Methylene chloride |
| ISP | Micropure CDF | CFC-113, methanol |
| ISP | Shipshape | Acetone, methylene chloride, water-based emulsifier |
| ISP | Shipshape | Acetone, methylene chloride, water-based emulsifier |

| <u>Application</u> | <u>Size</u> | <u>ICP Code</u> | <u>NSN</u> | <u>Unit Price</u> |
|---|----------------------|---------------------|------------------|-------------------|
| Hydrocarbon-based and other cleaners/degreasers | | | | |
| Cleans aerospace and electronic components, auto applications, motors, switches, relays and other electrical applications. Cleans circuit boards. | BX (12 aerosol cans) | S9G | 6850-01-399-1640 | \$131.21 |
| Removes paint, coatings, cured resin. May be brushed or sprayed on; one application and rinse away. | CN (5 gallon) | S9G | 6850-01-383-0445 | \$168.62 |
| Removes paint, coatings, cured resin. May be brushed or sprayed on; one application and rinse away. | DR (460 lbs.) | S9G | 6850-01-383-0454 | \$1,350.17 |
| Penetrates, loosens, removes deposits of carbon, smut, grease, multi-purpose lube oils and buffing compounds from ball bearings, aluminum, brass, stainless steel, carbon steel, and specialty alloys. | DR (460 lbs.) | S9G | 6850-01-383-0780 | \$1,809.80 |
| Penetrates, loosens, removes deposits of carbon, smut, grease, multi-purpose lube oils and buffing compounds from ball bearings, aluminum, brass, stainless steel, carbon steel, and speciality alloys. | CN (5 gallon) | S9G | 6850-01-383-0833 | \$231.07 |
| Cleans all cured aqueous and nonaqueous inks via spray wash from doctor blades, holders, cylinders, ink pans, transfer pails, drums and other press equipment. | DR (460 lbs.) | S9G | 6850-01-383-2064 | \$1,263.99 |
| Urethane remover. Cleans mixing heads, holding tanks, troughs, feeder lines and spray equipment. | CN (5 gallon) | S9G | 6850-01-383-3032 | \$168.62 |
| Circuit board cleaner used in immersion cleaning or spray washing. | CN (5 gallon) | S9G | 6850-01-383-3043 | \$193.60 |
| Urethane remover. Cleans mixing heads, holding tanks, troughs, feeder lines and spray equipment. | DR (460 lbs.) | S9G | 6850-01-383-3049 | \$1,332.68 |
| Circuit board cleaner used in immersion cleaning or spray washing. | DR (460 lbs.) | S9G | 6850-01-383-3050 | \$1,590.60 |
| Cleans paint equipment, urethane foam feeder lines, lay-up tools, spray equipment and hand tools. Can be used in spray booth, fabrication room or foam injection area. | DR (460 lbs.) | S9G | 6850-01-383-3784 | \$1,332.93 |
| Cleans paint equipment, urethane foam feeder lines, lay-up tools, spray equipment and hand tools. Can be used in spray booth, fabrication room or foam injection area. | CN (5 gallons) | S9G | 6850-01-383-3848 | \$174.86 |

| <u>Manufacturer</u> | <u>Product</u> | <u>Possible Replacement For</u> |
|--|---------------------------------------|---|
| Hydrocarbon-based and other cleaners/degreasers | | |
| LPS Laboratories | CFC-Free Electrocontact Cleaner | CFC-113; 1,1,1-trichloroethane |
| LPS Laboratories | CFC-Free Electrocontact Cleaner | CFC-113; 1,1,1-Trichloroethane |
| LPS Laboratories | CFC-Free Electrocontact Cleaner | CFC-113; 1,1,1-Trichloroethane |
| LPS Laboratories | LPS Electro 140 Contact Cleaner/00905 | CFCs; 1,1,1-Trichloroethane |
| LPS Laboratories | LPS Electro 140 Contact Cleaner/00955 | CFCs; 1,1,1-Trichloroethane |
| LPS Laboratories | LPS Electro 140 Contact Cleaner/00916 | CFCs; 1,1,1-Trichloroethane |
| LPS Laboratories | LPS Electro 140 Contact Cleaner/09128 | CFCs; 1,1,1-Trichloroethane |
| Mantek, Inc. | Pro Power | ODCs |
| Mantek, Inc. | Pro Power | ODCs |
| Mantek, Inc. | Pro Power | ODCs, Chlorinated solvents |
| Mantek, Inc. | Citri-Con | Petroleum and chlorinated solvents, acids, caustics |
| Mantek, Inc. | Pro-Power II | ODCs |
| Micro Care Chemical | MCC-FRZ (Freezing Compound) | CFC-11, CFC-12 |
| Micro Care Chemical | MCC-PC2 (Contact Cleaner) | CFC-113; 1,1,1-Trichloroethane |
| Miller-Stephenson Chem | MS-941/CO2 | CFC-113 |
| Occidental Chemical Corp. | OXSOL-100 | CFC-113; 1,1,1-Trichloroethane; hydrocarbons, ketones, chlorinated solvents, esters and terpenes. |

| <u>Application</u> | <u>Size</u> | <u>ICP Code</u> | <u>NSN</u> | <u>Unit Price</u> |
|--|----------------------------|---------------------|------------------|-------------------|
| Hydrocarbon-based and other cleaners/degreasers | | | | |
| Critical cleaning of electrical circuitry and contacts. | GL | S9G | 6850-01-411-6571 | \$239.71 |
| Critical cleaning of electrical circuitry and contacts. | DR (55 gallon) | S9G | 6850-01-412-0043 | \$833.38 |
| Critical cleaning of electrical circuitry and contacts. | CN (5 gallon) | S9G | 6850-01-412-0044 | \$268.46 |
| High flashpoint, fast penetrating, non-residue cleaner for electrical and precision components. | CN (5 gallon) | S9G | 6850-01-418-1699 | \$261.51 |
| High flashpoint, fast penetrating, non-residue cleaner for electrical and precision components | DR (55 gallon) | S9G | 6850-01-418-1700 | \$2,443.33 |
| High flashpoint, fast penetrating, non-residue cleaner for electrical and precision components. | BX (12-11 oz aerosol cans) | S9G | 6850-01-418-1704 | \$125.76 |
| High flashpoint, fast penetrating, non-residue cleaner for electrical and precision components. | GL | S9G | 6850-01-418-1706 | \$398.75 |
| Parts washing, degreasing and electrical components cleaner. | DR (55 gallon) | S9G | 6850-01-383-0429 | \$2,060.85 |
| Parts washing, degreasing and electrical components cleaner. | CN (5 gallon) | S9G | 6850-01-416-6317 | \$256.05 |
| Parts washing, degreasing and electrical components cleaner. | BX (12- oz aerosols) | S9G | 6850-01-416-6320 | \$175.61 |
| Liquifies greases and controls odors in drains, tanks, traps, and pipes. | CN (5 gallon) | S9G | 6850-01-416-8013 | \$318.50 |
| Parts washing and degreasing cleaner. | CN (5 gallon) | S9G | 6850-01-416-8016 | \$249.80 |
| Freezing compound and dust spray, contains no CFCs or HCFCs. | BX (12-10 oz aerosols) | S9G | 6850-01-409-2602 | \$111.06 |
| Contact electrical cleaner. | EA (16 oz aerosol) | S9G | 6850-01-411-7394 | \$18.50 |
| Aerosol precision cleaning solvent. Removes dust, dirt, fingerprints, etc. from electronic parts. No residue. Contains HCFC. | CN (16 oz aerosol) | S9G | 6850-01-383-6719 | \$10.98 |
| Cleans metal, electric and electronic components, brakes, wires, cables and refrigeration and air conditioning units. Cleans surfaces prior to adhesive bonding. | DR (55 gallon) | S9G | 6850-01-399-0674 | \$2,248.20 |

| <u>Manufacturer</u> | <u>Product</u> | <u>Possible Replacement For</u> |
|--|--------------------------------|---|
| Hydrocarbon-based and other cleaners/degreasers | | |
| Occidental Chemical Corp. | OXSOL-100 | CFC-113; 1,1,1-Trichloroethane; hydrocarbons, ketones, chlorinated solvents, esters and terpenes. |
| Orange-Sol | De-Solv-It | Chlorinated solvents |
| Orange-Sol | 48291/De-Solv-It Cable Cleaner | Chlorinated solvents |
| P-T Technologies, Inc. | PF-145HP | 1,1,1-Trichloroethane; other halogenated ingredients |
| P-T Technologies, Inc. | PF-145HP | 1,1,1-Trichloroethane; other halogenated ingredients |
| P-T Technologies, Inc. | PF-145 HP | 1,1,1-Trichloroethane; other halogenated ingredients |
| Penetone Corp. | Formula 724 | Chlorinated solvents |
| Penetone Corp. | Pensolv Safe 100 | Chlorinated solvents |
| Penetone Corp. | Pensolv L805-TS | Chlorinated solvents |
| Penetone Corp. | Pensolv L805-TS | Chlorinated solvents |
| Penetone Corp. | Pensolv L805-TS | Chlorinated solvents |
| Penetone Corp. | Formula 724 | Chlorinated solvents |

| <u>Application</u> | <u>Size</u> | <u>ICP Code</u> | <u>NSN</u> | <u>Unit Price</u> |
|---|----------------------------------|---------------------|------------------|-------------------|
| Hydrocarbon-based and other cleaners/degreasers | | | | |
| Cleans metal, electric and electronic components, brakes, wires, cables and refrigeration and air conditioning units. Cleans surfaces prior to adhesive bonding. | CN (5 gallon) | S9G | 6850-01-399-0676 | \$249.80 |
| Industrial degreaser for use in soak tanks, parts washers, ultra-sonic cleaners and pressure washers. | GL | S9G | 6850-01-338-9147 | \$15.00 |
| Cleaning agent for removing cable jelly, grease and other soils encountered in the telecommunications industry. | GL | S9G | 6850-01-396-3123 | \$95.15 |
| Many industrial applications via wiping, coarse spraying or dipping, partswashing, ultrasonic cleaners or flow rinsing systems. Used as a cleaning solvent for liquid penetrants. | DR (55 gallon) | S9G | 6850-01-377-9360 | \$787.59 |
| Many industrial applications via wiping, coarse spraying or dipping, partswashing, ultrasonic cleaners or flow rinsing systems. Used as a cleaning solvent for liquid penetrants. | CN (5 gallon) | S9G | 6850-01-377-9710 | \$77.80 |
| Many industrial applications via wiping, coarse spraying or dipping, partswashing, ultrasonic cleaners or flow rinsing systems. Used as cleaning solvent for liquid penetrants. | BX (6- 1 gallon cans) | S9G | 6850-01-378-0044 | \$124.95 |
| Used in bearing and parts washer cleaning operations. | CO (6 gallon) | S9G | 6850-01-418-1702 | \$55.20 |
| Cleans electrical connectors, circuit switches where fast drying and no flashpoint are required. No residue. | BX (12-16 oz aerosol cans) | S9G | 6850-01-418-1705 | \$99.00 |
| Used for electrical circuit board cleaning applications to remove contaminates and conformal coatings. Used as a wipe-down cleaner. | DR (55 gallon) | S9G | 6850-01-418-1706 | \$398.75 |
| Used for electronic circuit board cleaning applications to remove contaminates and conformal coatings. Used as a wipe-down cleaner. | CO (6 gallon) | S9G | 6850-01-418-1709 | \$70.50 |
| Used for electronic circuit board cleaning applications to remove contaminates and conformal coatings. Used as a wipe-down cleaner. | BX (24-13 oz pump spray bottles) | S9G | 6850-01-418-1711 | \$130.00 |
| Used in bearing and parts washer cleaning operations. | DR (55 gallon) | S9G | 6850-01-418-1712 | \$330.00 |

| <u>Manufacturer</u> | <u>Product</u> | <u>Possible Replacement For</u> |
|--|----------------------------|---------------------------------|
| Hydrocarbon-based and other cleaners/degreasers | | |
| Penetone Corp. | Pensolv L805-TS | Chlorinated solvents |
| PPG Industries Inc. | Trans 1,2 Dichloroethylene | ODCs |
| PPG Industries Inc. | Trans 1,2 Dichloroethylene | ODCs |
| Western Chemical Intl | EPA 2000 | 1,1,1-Trichloroethane, P-D-680 |
| Western Chemical Intl | EPA 2000 | 1,1,1-Trichloroethane, P-D-680 |

Aircraft Cleaning Compounds

| | | |
|------------------------|-----------------------------------|---|
| Brulin Corp. | Formula 815 AF | Solvent-based cleaners |
| Competitively procured | Sodium Bicarbonate Blast Media | Methylene chloride, toluene, MEK |
| JAD Chemical Co. | MA-102 Aircraft Cleaning Compound | Ethylene glycol, phosphates or phenols |
| JAD Chemical Co. | MA-102NF Aerosol | Phosphates, phenols or flammable aerosol cleaners |
| JAD Chemical Co. | MA-102 Aircraft Cleaning Compound | Ethylene glycol, phosphates or phenols |
| JAD Chemical Co. | MA-102 Aircraft Cleaning Compound | Ethylene glycol, phosphates or phenols |
| Mil Spec | MIL-C-43616 Class IA | N/A |
| Mil Spec | MIL-C-43616 Class I | N/A |

| <u>Application</u> | <u>Size</u> | <u>ICP Code</u> | <u>NSN</u> | <u>Unit Price</u> |
|---|----------------------------|---------------------|------------------|-------------------|
| Hydrocarbon-based and other cleaners/degreasers | | | | |
| Used for electronic circuit board cleaning applications to remove contaminants and conformal coatings. Used as a wipe-down cleaner. | BX (24-13 oz aerosol cans) | S9G | 6850-01-418-1713 | \$100.00 |
| Cleans metals, precision and electronic components. | CN (5 gallon) | S9G | 6850-01-412-0023 | \$40.59 |
| Cleans metals, precision and electronic components. | DR (55 gallon) | S9G | 6850-01-412-0024 | \$412.17 |
| Cleans high and low voltage electrical equipment. Non-conductive. Repels moisture. Meets MIL-I-25135, NDI weld inspection process. | CN (5 gallon) | S9G | 6850-01-359-9217 | \$113.66 |
| Cleans high and low voltage electrical equipment. Non-conductive. Repels moisture. Meets MIL-I-25135, NDI weld inspection process. | DR (55 gallon) | S9G | 6850-01-359-9218 | \$811.85 |

Aircraft Cleaning Compounds

| | | | | |
|--|-----------------------------|-----|------------------|----------|
| Phosphate-free, heavy duty aircraft cleaner. Meets MIL-C-87936. | DR (55 gallon) | S9G | 6850-01-394-2618 | \$830.71 |
| Used in Aqua Miser aircraft depainting system. | BG (50 lbs.) | S9G | 6810-00-053-0194 | \$24.53 |
| Exceeds MIL-C-85570, Type II. Removes heavy soils, grease and oil from aircraft surfaces. Non-acidic and will not leave a residue. | DR (55 gallon) | S9G | 6850-01-378-0401 | \$735.07 |
| Removes heavy soils, grease and oil from aircraft surfaces. Will not leave a residue. Nonflammable aerosol. | CN (16 oz aerosol) | S9G | 6850-01-378-0402 | \$5.37 |
| Exceeds MIL-C-85570, Type II. Removes heavy soils, grease and oil from aircraft surfaces. Non-acidic and will not leave a residue. | CN (5 gallon) | S9G | 6850-01-378-0425 | \$121.98 |
| Exceeds MIL-C-85570, Type II. Removes heavy soils, grease and oil from aircraft surfaces. Non-acidic and will not leave a residue. | BX (12-24 oz spray bottles) | S9G | 6850-01-418-4573 | \$52.00 |
| Aerosol aircraft cleaning compound. | CN (16oz aerosol) | S9G | 6850-00-005-5305 | \$1.37 |
| Liquid aircraft cleaning compound. | CN (5 gallon) | S9G | 6850-01-045-7929 | \$31.38 |

| <u>Manufacturer</u> | <u>Product</u> | <u>Possible Replacement For</u> |
|------------------------------------|---------------------|---------------------------------|
| Aircraft Cleaning Compounds | | |
| Mil Spec | MIL-C-43616 Class I | N/A |
| Mil Spec | MIL-C-43616 Class I | N/A |
| Mil Spec | MIL-C-43616 Class I | N/A |
| Mil Spec | MIL-C-85570 TY III | Chlorinated compounds, ODCs |
| Mil Spec | MIL-C-85570 TY V | Chlorinated compounds, ODCs |
| Mil Spec | MIL-C-85570 TY II | Chlorinated compounds, ODCs |
| Mil Spec | MIL-C-85570 TY IV | Chlorinated compounds, ODCs |
| Mil Spec | MIL-C-85570 TY V | Chlorinated compounds, ODCs |
| Mil Spec | MIL-C-85570 TY II | Chlorinated compounds, ODCs |
| Mil Spec | MIL-C-85570 TY I | Chlorinated compounds, ODCs |
| Mil Spec | MIL-C-85570 TY I | Chlorinated compounds, ODCs |
| Mil Spec | MIL-C-85570 TY I | Chlorinated compounds, ODCs |
| Mil Spec | MIL-C-85570 TY II | Chlorinated compounds, ODCs |
| Mil Spec | MIL-C-85570 TY II | Chlorinated compounds, ODCs |
| Mil Spec | MIL-C-85570 TY IV | Chlorinated compounds, ODCs |
| Mil Spec | MIL-C-85570 TY IV | Chlorinated compounds, ODCs |
| Mil Spec | MIL-C-85570 TY V | Chlorinated compounds, ODCs |
| Mil Spec | MIL-C-87937 TY II | N/A |
| Mil Spec | MIL-C-87937 TY II | N/A |
| Mil Spec | MIL-C-87937 TY I | N/A |

| <u>Application</u> | <u>Size</u> | <u>ICP Code</u> | <u>NSN</u> | <u>Unit Price</u> |
|---|----------------|---------------------|------------------|-------------------|
| Aircraft Cleaning Compounds | | | | |
| Liquid aircraft cleaning compound. | DR (15 gallon) | S9G | 6850-01-045-7930 | \$105.24 |
| Liquid aircraft cleaning compound. | DR (55 gallon) | S9G | 6850-01-045-7931 | \$208.62 |
| Bulk quantities only. Liquid aircraft cleaning compound. | GL (Bulk) | S9G | 6850-01-224-0098 | \$0.00 |
| Abrasive spot cleaner (for high gloss paint surfaces). | CN (5 gallon) | S9G | 6850-01-232-9164 | \$119.76 |
| Gel-type degreaser. | CN (5 gallon) | S9G | 6850-01-234-0219 | \$40.24 |
| General use (contains no aromatic solvent). | CN (5 gallon) | S9G | 6850-01-235-0872 | \$40.68 |
| Rubberized spot cleaner (for tactical paint scheme surfaces). | CN (5 gallon) | S9G | 6850-01-235-0873 | \$56.03 |
| Gel-type degreaser. | DR (55 gallon) | S9G | 6850-01-235-7458 | \$261.38 |
| General use (contains no aromatic solvent). | DR (55 gallon) | S9G | 6850-01-236-0128 | \$224.58 |
| General use (contains aromatic solvent). | CN (5 gallon) | S9G | 6850-01-237-7482 | \$38.74 |
| General use (contains aromatic solvent). | DR (15 gallon) | S9G | 6850-01-237-8003 | \$178.10 |
| General use (contains aromatic solvent). | DR (55 gallon) | S9G | 6850-01-237-8004 | \$340.63 |
| General use (contains no aromatic solvent). | GL | S9G | 6850-01-239-0571 | \$14.84 |
| General use (contains no aromatic solvent). | DR (15 gallon) | S9G | 6850-01-248-9828 | \$106.85 |
| Rubberized spot cleaner (for tactical paint scheme surfaces). | DR (15 gallon) | S9G | 6850-01-248-9829 | \$249.50 |
| Rubberized spot cleaner (for tactical paint scheme surfaces). | DR (55 gallon) | S9G | 6850-01-248-9830 | \$588.10 |
| Gel-type degreaser. | DR (15 gallon) | S9G | 6850-01-248-9831 | \$138.05 |
| Water-dilutable cleaning compound. Not for heavy soils. | CN (5 gallon) | S9G | 6850-01-339-5227 | \$60.06 |
| Water-dilutable cleaning compound. Not for heavy soils. | DR (55 gallon) | S9G | 6850-01-339-5228 | \$449.67 |
| Terpene-based, solvent emulsion, water-dilutable cleaning compound. Use on polyurethane and enamel coatings only. | GL | S9G | 6850-01-390-7808 | \$40.32 |

| <u>Manufacturer</u> | <u>Product</u> | <u>Possible Replacement For</u> |
|------------------------------------|--------------------|---------------------------------|
| Aircraft Cleaning Compounds | | |
| Mil Spec | MIL-C-87937 TY I | N/A |
| Mil Spec | MIL-C-87937 TY I | N/A |
| Mil Spec | MIL-C-87937 TY I | N/A |
| Mil Spec | MIL-C-87937 TY II | N/A |
| Mil Spec | MIL-C-87937 TY II | N/A |
| Mil Spec | MIL-C-87937 TY III | N/A |
| Mil Spec | MIL-C-87937 TY III | N/A |
| Mil Spec | MIL-C-87937 TY III | N/A |
| PCI of America | HK188 | MEK, toluene |

Spill Control Products

| | | |
|-------------------------|--------------------|--------------------------------|
| OSEI Corp. | Oil Spill Eater II | Mechanical clean-up procedures |
| X Products and Services | Oil Dispersant | Mechanical clean-up procedures |
| X Products and Services | Oil Dispersant | Mechanical clean-up procedures |

Skin Protection/Barrier Products

| | | |
|----------------------|--------------|-----|
| Benchmark Commercial | Derma Shield | N/A |
|----------------------|--------------|-----|

| <u>Application</u> | <u>Size</u> | <u>ICP Code</u> | <u>NSN</u> | <u>Unit Price</u> |
|---|----------------|---------------------|------------------|-------------------|
| Aircraft Cleaning Compounds | | | | |
| Terpene-based, solvent emulsion, water-dilutable cleaning compound. Use on polyurethane and enamel coatings only. | CN (5 gallon) | S9G | 6850-01-390-7811 | \$101.18 |
| Terpene-based, solvent emulsion, water-dilutable cleaning compound. Use on polyurethane and enamel coatings only. | DR (55 gallon) | S9G | 6850-01-390-7816 | \$737.22 |
| Bulk quantities only. Terpene-based, solvent emulsion, water-dilutable cleaning compound. Use on polyurethane and enamel coatings only. | GL (Bulk) | S9G | 6850-01-390-7821 | \$0.00 |
| Water-dilutable cleaning compound. Not for heavy soils. | GL | S9G | 6850-01-390-7827 | \$26.93 |
| Bulk quantities only. Water-dilutable cleaning compound. Not for heavy soils. | GL (Bulk) | S9G | 6850-01-390-7828 | \$0.00 |
| Gel-type cleaning compound. Use where complete water rinse can be tolerated. | DR (55 gallon) | S9G | 6850-01-390-9453 | \$510.11 |
| Gel-type cleaning compound. Use where complete water rinse can be tolerated. | CN (5 gallon) | S9G | 6850-01-390-9530 | \$81.63 |
| Bulk quantities only. Gel-type cleaning compound. Use where complete water rinse can be tolerated. | GL (Bulk) | S9G | 6850-01-390-9558 | \$0.00 |
| For wipe on/wipe off cleaning of aircraft metal parts and surfaces prior to painting, bonding, priming or using adhesives. | DR (55 gallon) | S9G | 6850-01-373-5865 | \$860.00 |

Spill Control Products

| | | | | |
|---|----------------|-----|------------------|------------|
| Concentrate that converts hydrocarbons or organic contaminants into carbon dioxide and water. | DR (55 gallon) | S9G | 6850-01-367-8457 | \$5,595.16 |
| Dispersant listed by EPA for fuel and oil spill wash downs. | CN (5 gallon) | S9G | 6850-01-381-5836 | \$179.86 |
| Dispersant listed by EPA for fuel and oil spill wash downs. | DR (55 gallon) | S9G | 6850-01-381-5891 | \$1,514.36 |

Skin Protection/Barrier Products

| | | | | |
|---|----------------------------|-----|------------------|----------|
| Skin protective compound that prevents direct contact by most harmful substances. | BX (6- 17 oz aerosol cans) | S9G | 6850-00-951-7157 | \$190.94 |
|---|----------------------------|-----|------------------|----------|

| <u>Manufacturer</u> | <u>Product</u> | <u>Possible Replacement For</u> |
|---|--------------------------|---------------------------------|
| Skin Protection/Barrier Products | | |
| Benchmark Commercial | Derma Shield | N/A |
| Benchmark Commercial | Derma Plus | N/A |
| Benchmark Commercial | Derma Plus | N/A |
| Benchmark Commercial | Product Dispenser 810 | N/A |
| Benchmark Medical | Derma Med | N/A |
| Benchmark Medical | Derma Med | N/A |
| BioChem Systems, Inc. | Hand Cleaner | N/A |
| Bob Seeders | Buffer Zone | N/A |
| Bob Seeders | Buffer Zone | N/A |
| Bob Seeders | Buffer Zone | N/A |
| CID | CID A-A-50169 TY III | N/A |
| CID | CID A-A-50169 TY I | N/A |
| CID | CID A-A-50169 TY II | N/A |
| CID | CID A-A-50169 TY I | N/A |
| Competitively procured | Skin Protective Compound | N/A |
| Mine Safety Appliances | FEND AE-2 | N/A |

| <u>Application</u> | <u>Size</u> | <u>ICP Code</u> | <u>NSN</u> | <u>Unit Price</u> |
|--|-----------------------------|---------------------|------------------|-------------------|
| Skin Protection/Barrier Products | | | | |
| Skin protective compound that prevents direct contact by most harmful substances. | BX (12- 12 oz aerosol cans) | S9G | 6850-01-353-0140 | \$336.62 |
| Skin protective compound, prevents direct contact by harmful substances.Same as Derma Shield with antimicrobial agent. | BX (12- 12 oz aerosol cans) | S9G | 6850-01-371-8039 | \$306.60 |
| Skin protective compound, prevents direct contact by harmful substances.Same as Derma Shield with antimicrobial agent. | BX (6- 17 oz aerosol cans) | S9G | 6850-01-371-8040 | \$194.89 |
| Use with skin protective compound. | EA | S9G | 6850-01-372-8684 | \$24.01 |
| Hypoallergenic skin protective compound. Prevents direct contact by harmful substances. | BX (6- 17 oz aerosol cans) | S9G | 6850-01-371-8041 | \$268.27 |
| Hypoallergenic skin protective compound. Prevents direct contact by harmful substances. | BX (12- 6 oz aerosol cans) | S9G | 6850-01-371-8042 | \$343.97 |
| Citrus fragrance, aloe vera and pumice hand cleaner for removing greases, oils and dirt from soiled hands. | BX (12- 22 oz tubes) | S9G | 6850-01-387-2049 | \$92.88 |
| Skin protective compound that prevents direct contact by most harmful substances. | BX (72- 8 fl. oz bottles) | S9G | 6850-01-390-9659 | \$1,004.67 |
| Skin protective compound that prevents direct contact by most harmful substances. | BX (12- 32 fl. oz bottles) | S9G | 6850-01-390-9661 | \$551.88 |
| Skin protective compound that prevents direct contact by most harmful substances. | BX (6- 1 gal. bottles) | S9G | 6850-01-390-9664 | \$696.94 |
| Skin protective compound. Water insoluble. Protects against dilute acids, alkalies, etc. | LB (1 lb. jar) | S9G | 6850-00-244-4892 | \$3.12 |
| Skin protective compound. Water dispersable. Protects against staining and adhering compounds. | LB (1 lb. jar) | S9G | 6850-00-244-4893 | \$2.81 |
| Skin protective compound. Water miscible. Protects against oils, solvents, etc. | LB (1 lb. jar) | S9G | 6850-00-244-4894 | \$3.00 |
| Skin protective compound. Water dispersable. Protects against staining and adhering compounds. | TU (6 oz) | S9G | 6850-00-405-9312 | \$3.14 |
| Skin protective compound. | TU (3 oz) | S9G | 6850-01-057-4025 | \$2.15 |
| Skin protective compound. Prevents direct contact by harmful substances. | BT (16 oz) | S9G | 6850-00-915-1440 | \$7.44 |

| <u>Manufacturer</u> | <u>Product</u> | <u>Possible Replacement For</u> |
|---|------------------------|---------------------------------|
| Skin Protection/Barrier Products | | |
| Mine Safety Appliances | FC-37665 | N/A |
| South Atlantic Chemical | Derma Guard | N/A |
| South Atlantic Chemical | Derma Guard | N/A |
| South Atlantic Chemical | Derma Guard | N/A |
| South Atlantic Chemical | Derma Guard | N/A |
| Stockhausen, Inc. | ARRETIL | N/A |
| Sun Magic Intl | Invisible Gloves #1211 | N/A |
| West Chemical Products | 211 Barrier Cream | N/A |

Cold Climate Applications

| | | |
|------------------------|-----------------|---|
| Competitively procured | Runway Deicer | Urea, ethylene glycol |
| Competitively procured | Runway Deicer | Urea, ethylene glycol |
| Dead Sea Works Ltd | MAG | Calcium chloride, urea, road salt |
| Dead Sea Works Ltd | MAG | Calcium chloride, urea, road salt |
| Mil Spec | MIL-A-8243 TY I | Ethylene glycol aircraft deicing fluids |
| Mil Spec | MIL-A-8243 TY I | Ethylene glycol aircraft deicing fluids |
| Mil Spec | MIL-A-8243 TY I | Ethylene glycol aircraft deicing fluids |

| <u>Application</u> | <u>Size</u> | <u>ICP Code</u> | <u>NSN</u> | <u>Unit Price</u> |
|---|---------------------------|---------------------|------------------|-------------------|
| Skin Protection/Barrier Products | | | | |
| Skin protective compound. Prevents direct contact by harmful substances. | TU (3 oz) | S9G | 6850-01-307-8274 | \$2.90 |
| Skin protective compound. | BX (24- 4 fl. oz bottles) | S9G | 6850-01-389-5864 | \$138.51 |
| Skin protective compound. | BX (24- 8 fl. oz bottles) | S9G | 6850-01-389-5878 | \$134.92 |
| Skin protective compound. | BX (12- 32 oz bottles) | S9G | 6850-01-389-5893 | \$149.84 |
| Skin protective compound. | BX (48- 2 oz bottles) | S9G | 6850-01-389-5912 | \$122.80 |
| Skin protective compound. | TU (100 ml) | S9G | 6850-01-312-6295 | \$4.49 |
| Skin protective compound that prevents direct contact by most harmful substances. | BX (24-1 pints) | S9G | 6850-01-416-8443 | \$97.90 |
| Protective barrier cream effective against abrasive irritants. | TU (8 oz) | S9G | 6850-01-016-3481 | \$3.37 |
| Cold Climate Applications | | | | |
| Aircraft runway deicing. | DR (55 gallon) | S9G | 6850-01-341-9855 | \$304.85 |
| Bulk quantities only. Aircraft runway deicing. | GL (bulk) | S9G | 6850-01-341-9856 | \$0.00 |
| For corrosion and concrete scaling-prone areas, particularly steps and sidewalks. | TN (bulk ton) | S9G | 6810-01-412-6154 | \$181.11 |
| For corrosion and concrete scaling-prone areas, particularly steps and sidewalks. | BG (50 lbs.) | S9G | 6810-01-412-6153 | \$44.96 |
| Propylene glycol formulated aircraft deicing fluid. | DR (55 gallon) | S9G | 6850-01-281-0338 | \$259.51 |
| Propylene glycol formulated aircraft deicing fluid. | GL (bulk) | S9G | 6850-01-281-0339 | \$5.09 |
| Propylene glycol formulated aircraft deicing fluid. | CN (5 gallon) | S9G | 6850-01-281-0340 | \$53.27 |

| <u>Manufacturer</u> | <u>Product</u> | <u>Possible Replacement For</u> |
|---|---|---------------------------------|
| Support Equipment/Recycling Products | | |
| BG Products, Inc. | Antifreeze Recycler; CC-2ULG Cool'r Clean'r | Disposal of spent antifreeze |
| BG Products, Inc. | Antifreeze Recycler; CC-1ULG Cool'r Clean'r | Disposal of spent antifreeze |
| BG Products, Inc. | Adapter Kit, Antifreeze Recycler; CC623 | N/A |
| BG Products, Inc. | Antifreeze Recycler; CC-2ULG-E Cool'r Clean'r | Disposal of spent antifreeze |
| BG Products, Inc. | Antifreeze Recycler; CC-1ULG-E Cool'r Clean'r | Disposal of spent antifreeze |
| BG Products, Inc. | Retrofit Service Kit/911B | N/A |
| BG Products, Inc. | Flush Tool/911 | N/A |
| BG Products, Inc. | Activated Charcoal Filters 999-15 | N/A |
| BG Products, Inc. | Activated Charcoal Filters 999-AP | N/A |
| BG Products, Inc. | Activated Charcoal Filters 999-1 | N/A |
| BG Products, Inc. | Ion Exchange Compound; CCR822 | N/A |
| BG Products, Inc. | Cleaning Compound, Solvent; 541 | N/A |
| BG Products, Inc. | Corrosion Inhibitor 570B | N/A |
| BG Products, Inc. | Corrosion Inhibitor 570A | N/A |
| BG Products, Inc. | Corrosion Inhibitor; 57055B | N/A |
| BG Products, Inc. | Corrosion Inhibitor; 57055A | N/A |

| <u>Application</u> | <u>Size</u> | <u>ICP Code</u> | <u>NSN</u> | <u>Unit Price</u> |
|--|------------------------|---------------------|------------------|-------------------|
| Support Equipment/Recycling Products | | | | |
| An antifreeze recycler that works through ion exchange. End product is original mixture minus all additives and contaminants. Must add new additive to restore to specification. 2 sets of filtration tanks. | EA | S9G | 4250-01-380-9034 | \$10,149.30 |
| An antifreeze recycler that works through ion exchange. End product is original mixture minus additives and contaminants. Must add new additive to restore to specification. 1 set of filtration tanks. | EA | S9G | 4250-01-380-9047 | \$8,695.64 |
| Special military adapter. | EA | S9G | 4250-01-389-0224 | \$259.44 |
| Antifreeze recycler for European current (220V). 2 sets of filtration tanks. | EA | S9G | 4250-01-390-4378 | \$13,382.15 |
| Antifreeze recycler for European current (220V). 1 set of filtration tanks. | EA | S9G | 4250-01-390-4379 | \$10,173.88 |
| Retrofit service kit. | KT | S9G | 4250-01-394-0225 | \$99.88 |
| Flush tool. | EA (1 each) | S9G | 4250-01-394-7685 | \$345.91 |
| Used with BG Cool'r Clean'r antifreeze recycler. | BX (4 filters) | S9G | 6810-01-381-7201 | \$121.92 |
| Used in the filters of the BG Cool'r Clean'r antifreeze recycler. | BG (4.2 lbs.) | S9G | 6810-01-381-9241 | \$43.69 |
| Used with BG Cool'r Clean'r antifreeze recycler. | BX (4 filters) | S9G | 6810-01-381-9299 | \$140.10 |
| Replacement resins for units with stainless steel tanks. | KT (unit package of 2) | S9G | 6810-01-388-8971 | \$1,324.39 |
| Cleaning flush for the BG Cool'r Clean'r antifreeze recycler. | BX (24- 12 oz bottles) | S9G | 6850-01-382-0628 | \$262.58 |
| Additive necessary to bring recycled antifreeze back up to military specification. | CO (2.5 gallon) | S9G | 6850-01-383-0343 | \$131.21 |
| Additive necessary to bring recycled antifreeze back up to military specification. | CO (2.5 gallon) | S9G | 6850-01-383-0366 | \$85.26 |
| Additive necessary to bring recycled antifreeze back up to military specification. | DR (55 gallon) | S9G | 6850-01-385-6705 | \$2,032.37 |
| Additive necessary to bring recycled antifreeze back up to military specification. | DR (55 gallon) | S9G | 6850-01-385-6748 | \$1,755.67 |

| <u>Manufacturer</u> | <u>Product</u> | <u>Possible Replacement For</u> |
|---|--------------------------------------|---------------------------------|
| Support Equipment/Recycling Products | | |
| BG Products, Inc. | Cleaning Compound, Solvent; 54153 | N/A |
| BG Products, Inc. | Corrosion Inhibitor Kit, CCK2 | N/A |
| BG Products, Inc. | Corrosion Inhibitor Kit, CCK1 | N/A |
| Finish Thompson, Inc. | PBE C001 (Coolant, Changer) | N/A |
| Finish Thompson, Inc. | BE-55C Antifreeze Recycler | Disposal of spent antifreeze |
| Finish Thompson, Inc. | BE-15C Antifreeze Recycler | Disposal of spent antifreeze |
| Finish Thompson, Inc. | BE-55 Kit - Auto | N/A |
| Finish Thompson, Inc. | Reinhibitor - Auto | N/A |
| Finish Thompson, Inc. | BE-55 Kit-HD | N/A |
| Finish Thompson, Inc. | Reinhibitor HD | N/A |
| Finish Thompson, Inc. | BE-15 Kit-HD | N/A |
| Finish Thompson, Inc. | BE-15 Kit | N/A |
| Finish Thompson, Inc. | Corrosion Inhibitor, J102023 | N/A |
| Finish Thompson, Inc. | Corrosion Inhibitor, J102024 | N/A |
| Finish Thompson, Inc. | Corrosion Inhibitor Kit, A101575 | N/A |
| Finish Thompson, Inc. | Corrosion Inhibitor Kit, A101574 | N/A |
| Inland Technology | Filters (Edge Tek) | N/A |
| Inland Technology | Edge Tek Retrofit Filter System | Vapor degreaser |
| Inland Technology | Filters (Resin) | N/A |

| <u>Application</u> | <u>Size</u> | <u>ICP</u> <u>Code</u> | <u>NSN</u> | <u>Unit Price</u> |
|---|-----------------|---------------------------|------------------|-------------------|
| Support Equipment/Recycling Products | | | | |
| Cleaning flush for the BG Cool'r Clean'r antifreeze recycler. | DR (53 gallon) | S9G | 6850-01-387-4481 | \$1,240.06 |
| Extended supply kit. | KT | S9G | 6850-01-411-6650 | \$6,004.48 |
| Start-up kit. | KT | S9G | 6850-01-411-6651 | \$501.95 |
| Coolant quick changer (CQC). Allows on-engine replacement of waste coolant. | EA | S9G | 4250-01-387-2319 | \$1,059.58 |
| Distillation system antifreeze recycler. 55 gallon capacity. | EA | S9G | 4250-01-387-2551 | \$12,538.73 |
| Distillation system antifreeze recycler. 15 gallon capacity. | EA | S9G | 4250-01-387-5654 | \$5,693.00 |
| Automotive start-up kit for use with BE-55C. | EA | S9G | 6850-01-387-1090 | \$395.11 |
| Automotive reinhibitor for use with BE-55C and BE-15C. | BX (6- 1 GL BT) | S9G | 6850-01-387-1095 | \$237.31 |
| Heavy duty start-up kit for use with BE-55C. | EA | S9G | 6850-01-387-1099 | \$395.11 |
| Heavy duty re-inhibitor for use with BE-55C and BE-15C. | BX (6- 1 GL BT) | S9G | 6850-01-387-1100 | \$237.31 |
| Heavy duty start-up kit for use with BE-15C. | EA | S9G | 6850-01-387-1136 | \$615.43 |
| Automotive start-up kit for use with BE-15C. | EA | S9G | 6850-01-387-4695 | \$615.43 |
| Corrosion inhibitor for use with the BE15C and BE55C. | DR (55 gallon) | S9G | 6850-01-397-1959 | \$2,254.45 |
| Corrosion inhibitor for use with the BE15C and BE55C. | DR (55 gallon) | S9G | 6850-01-397-1960 | \$2,254.45 |
| MILSPEC startup kit for use with the BE55C. | KT | S9G | 6850-01-397-4205 | \$147.38 |
| MILSPEC startup kit for use with the BE15C. | KT | S9G | 6850-01-397-4206 | \$217.40 |
| Designed for Edge Tek Systems (Polished filter) | BX (12 filters) | S9G | 4250-01-381-8024 | \$307.46 |
| Provides extended use of solvent for waste minimization. | EA | S9G | 4250-01-381-8029 | \$740.96 |
| Designed for Edge Tek Systems (Pre-filter) | BX (12 filters) | S9G | 4250-01-381-8036 | \$307.46 |

| <u>Manufacturer</u> | <u>Product</u> | <u>Possible Replacement For</u> |
|---------------------|----------------|---------------------------------|
|---------------------|----------------|---------------------------------|

Support Equipment/Recycling Products

| | | |
|-------------------|--|-----------------|
| Inland Technology | IT 16 Partwasher with Edge Tek Filter System | Vapor degreaser |
| Inland Technology | IT 30 Partwasher with Edge Tek Filter System | Vapor degreaser |
| Inland Technology | IT 48 WC/Weapons Cleaning System | Vapor degreaser |

Marine Cleaning Compounds

| | | |
|---------------------------|-------------------------------------|--|
| Allied Enterprises, Inc. | Formula P-98 | Petroleum distillates and other hydrocarbons |
| Allied Enterprises, Inc. | Formula P-98 | Petroleum distillates and other hydrocarbons. |
| Competitively procured | Flight Deck Cleaner | N/A |
| Competitively procured | Flight Deck Cleaner | N/A |
| Dominion Restoration Inc. | DR-9000 Corrosion Removing Compound | Hydrofluoric and sulfuric acids |
| Dominion Restoration Inc. | DR-9000 Corrosion Removing Compound | Removing Hydrofluoric and sulfuric acids |
| Dominion Restoration Inc. | DR-9000 Corrosion Removing Compound | Hydrofluoric and sulfuric acids |
| ISP | Preprite | Methylene chloride, methanol, toluene, acetone, MEK, ethylene glycol |
| ISP | Preprite | Methylene chloride, methanol, toluene, acetone, MEK, ethylene glycol |

| <u>Application</u> | <u>Size</u> | <u>ICP Code</u> | <u>NSN</u> | <u>Unit Price</u> |
|--|-------------|---------------------|------------------|-------------------|
| Support Equipment/Recycling Products | | | | |
| Provides extended use of solvent for waste minimization. | EA | S9G | 4250-01-381-8061 | \$1,492.04 |
| Provides extended use of solvent for waste minimization. | EA | S9G | 4250-01-381-8078 | \$1,921.75 |
| Provides extended use of solvent for waste minimization. | EA | S9G | 6850-01-397-2539 | \$2,366.86 |

Marine Cleaning Compounds

| | | | | |
|--|----------------|-----|------------------|------------|
| Compatible with oil/water separators. NAVSEA-approved for shipboard applications. Cleans grease and oil from bilge and industrial surfaces. | DR (55 gallon) | S9G | 6850-01-278-4420 | \$657.26 |
| Compatible with oil/water separators. NAVSEA-approved for shipboard applications. Cleans grease and oil from bilge and industrial surfaces. | CN (5 gallon) | S9G | 6850-01-278-4421 | \$81.62 |
| Navy-approved carrier flight deck cleaner. | CN (5 gallon) | S9G | 6850-01-376-1201 | \$26.35 |
| Navy-approved carrier flight deck cleaner. | DR (55 gallon) | S9G | 6850-01-376-1202 | \$188.71 |
| Bulk quantities only. NAVSEA-approved for use in internal shipboard piping systems and closed piping systems such as ballast tanks, boilers, chilled water systems, heat exchangers, pumps, valves, etc. | GL (bulk) | S9G | 6850-01-362-3900 | \$32.47 |
| NAVSEA-approved for use in internal shipboard piping systems and closed piping systems such as ballast tanks, boilers, chilled water systems, heat exchangers, pumps, valves, etc. | DR (55 gallon) | S9G | 6850-01-362-3901 | \$1,883.49 |
| NAVSEA-approved for use in internal shipboard piping systems and closed piping systems such as ballast tanks, boilers, chilled water systems, heat exchangers, pumps, valves, etc. | CN (5 gallon) | S9G | 6850-01-362-4840 | \$191.10 |
| Removes paint, coatings, cured resin. May be brushed or sprayed on; one application and rinse away. | CN (5 gallon) | S9G | 6850-01-383-0445 | \$168.62 |
| Removes paint, coatings, cured resin. May be brushed or sprayed on; one application and rinse away. | DR (460 lbs.) | S9G | 6850-01-383-0454 | \$1,350.17 |

| <u>Manufacturer</u> | <u>Product</u> | <u>Possible Replacement For</u> |
|---------------------|----------------|---------------------------------|
|---------------------|----------------|---------------------------------|

Marine Cleaning Compounds

| | | |
|----------------------|------------|-----|
| Unitor Ships Service | Cleanbreak | N/A |
|----------------------|------------|-----|

Remanufactured/Recycled Laser Printer Toner Cartridges

| | | |
|---------------------------|-----------------------|--|
| DGSC Purchase Description | Type I - EP | NSN 6850-01-368-7187, EP-cartridge (OEM) |
| DGSC Purchase Description | Type II - EP-S | NSN 6850-01-390-4096, EP-S cartridge (OEM) |
| DGSC Purchase Description | Type V - EP-L | NSN 6850-01-376-1767, EP-L cartridge (OEM) |
| DGSC Purchase Description | Type III - IIISi/IVSi | NSN 6850-01-398-2398, 6850-01-387-8378, EP-N cartridge (OEM) |
| DGSC Purchase Description | Type IV - LaserJet 4 | NSN 6850-01-398-2396, EP-E cartridge (OEM) |

Petroleum, Oils and Lubricants

| | | |
|---------------------------|------------------------------------|---|
| CID A-A-52039 | Lubricating oil, engine | Virgin motor oil |
| CID A-A-52039 | Lubricating oil, engine | Virgin motor oil |
| CID A-A-52039 | Lubricating oil, engine | Virgin motor oil |
| DFSC Purchase Description | Diesel Fuel, Low Sulfur, Grade DL2 | Fuel oil #2 (FS2), ASTM Specification D 396 |
| DFSC Purchase Description | Diesel Fuel, Low Sulfur, Grade DL1 | Fuel oil #1 (FS1), ASTM Specification D 396 |
| DFSC Purchase Description | Diesel Fuel, Low Sulfur, Grade DLW | Fuel oil #1 (FS1), ASTM Specification D 396 |
| DFSC Purchase Description | Diesel Fuel, Low Sulfur, Grade DLS | Fuel oil #2 (FS2), ASTM Specification D 396 |

| <u>Application</u> | <u>Size</u> | <u>ICP Code</u> | <u>NSN</u> | <u>Unit Price</u> |
|--------------------|-------------|---------------------|------------|-------------------|
|--------------------|-------------|---------------------|------------|-------------------|

Marine Cleaning Compounds

| | | | | |
|---|----------------|-----|------------------|----------|
| Heavy duty marine cleaner for use in machinery areas, bulkheads, etc. | DR (55 gallon) | S9G | 6850-01-374-8642 | \$577.00 |
|---|----------------|-----|------------------|----------|

Remanufactured/Recycled Laser Printer Toner Cartridges

| | | | | |
|-------------------------------------|----|-----|------------------|---------|
| Rebuilt and tested. For CX engines. | EA | S9G | 6850-01-216-6823 | \$50.59 |
| Rebuilt and tested. For SX engines. | EA | S9G | 6850-01-261-6064 | \$26.85 |
| Rebuilt and tested. For LX engines. | EA | S9G | 6850-01-321-0640 | \$38.56 |
| Rebuilt and tested. For NX engines. | EA | S9G | 6850-01-343-6998 | \$61.44 |
| Rebuilt and tested. For EX engines. | EA | S9G | 6850-01-376-1766 | \$79.93 |

Petroleum, Oils and Lubricants

| | | | | |
|--|------------------------|-----|------------------|----------|
| Re-refined content. | CO (5 gallon) | S9G | 9150-01-413-6892 | \$21.24 |
| Re-refined content. | BX (12- 1 QT. bottles) | S9G | 9150-01-413-6897 | \$14.99 |
| Re-refined content. | DR (55 gallon) | S9G | 9150-01-413-6990 | \$181.27 |
| Low sulfur automotive fuel that can be used as fuel oil in place of high-sulfur fuel oil #2 currently used for heating and boilers. | GL | S9F | 9140-00-000-0184 | \$0.97 |
| Low sulfur automotive fuel that can be used as fuel oil in place of high-sulfur fuel oil #1 currently used for heating and boilers. | GL | S9F | 9140-00-000-0185 | \$1.00 |
| Red-dyed low sulfur automotive fuel that can be used as fuel oil in place of high-sulfur fuel oil #1 currently used for heating and boilers. | GL | S9F | 9140-01-412-1311 | \$0.68 |
| Red-dyed low sulfur automotive fuel that can be used as fuel oil in place of high-sulfur fuel oil #2 currently used for heating and boilers. | GL | S9F | 9140-01-413-7511 | \$0.68 |

| <u>Manufacturer</u> | <u>Product</u> | <u>Possible Replacement For</u> |
|---------------------|----------------|---------------------------------|
|---------------------|----------------|---------------------------------|

Petroleum, Oils and Lubricants

| | | |
|---------------------------|------------------------------------|---|
| DFSC Purchase Description | Diesel Fuel, Low Sulfur, Grade LSS | Fuel oil #2 (FS2), ASTM Specification D 396 |
| DFSC Purchase Description | Diesel Fuel, Low Sulfur, Grade LSW | Fuel oil #1 (FS1), ASTM Specification D 396 |
| Mil Spec | MIL-L46010 | N/A |
| Mil Spec | MIL-L-46010 | N/A |

Integrated Pest Management Products

| | | |
|------------------------|-------------------------------------|----------------------------------|
| 3M | EPA Reg No. 58007-1/ Ultrathon | N/A |
| Biosys Co. | Trap, Ground Crawling Insect | Insecticides and pesticides |
| Clorox Corp. | Combat Bait Stations/41910 | Liquid and aerosol insecticides. |
| Clorox Corp. | Combat Bait Stations/41913 | Liquid and aerosol insecticides |
| Clorox Corp. | Maxforce/Combat Ant Bait Stations | Liquid and aerosol insecticides |
| Competitively procured | Permethrin Arthropod Repellent | N/A |
| Competitively procured | Indoor Fly Catcher Traps | N/A |
| IAW CID A-A-82587 | Trap, Flying Insects, Electrocuting | Insecticides and pesticides |
| IAW CID A-A-82587 | Trap, Flying Insects, Electrocuting | Insecticides and pesticides |

| <u>Application</u> | <u>Size</u> | <u>ICP Code</u> | <u>NSN</u> | <u>Unit Price</u> |
|--|--------------|---------------------|------------------|-------------------|
| Petroleum, Oils and Lubricants | | | | |
| Red-dyed low sulfur automotive fuel that can be used as fuel oil in place of high-sulfur fuel oil #2 currently used for heating and boilers. | GL | S9F | 9140-01-413-4919 | \$0.68 |
| Red-dyed low sulfur automotive fuel that can be used as fuel oil in place of high-sulfur fuel oil #1 currently used for heating and boilers. | GL | S9F | 9140-01-413-7494 | \$0.68 |
| Solid-film, heat-cured, corrosion-inhibiting lubricant. Lead free. | GL (Natural) | S9G | 9150-01-416-9506 | \$45.17 |
| Solid-film, heat-cured, corrosion-inhibiting lubricant. Lead free. | GL (Black) | S9G | 9150-01-416-9509 | \$45.17 |

Integrated Pest Management Products

| | | | | |
|--|---|-----|------------------|----------|
| Extended duration insect repellent. DoD standard issue repellent. Effective against mosquitoes, ticks, chiggers, gnats, biting flies. | BX (12-2 oz tubes) | S9G | 6840-01-284-3982 | \$34.19 |
| This is a cardboard box roach trap. It contains an attractant and insect glue. It is suitable for use in hospitals and food preparation areas. | BX (24 traps) | S9C | 3740-01-096-1632 | \$68.06 |
| Regular size bait stations. Used to control and eliminate roaches. | PG (12 boxes w/ 12 bait stations per box) | S9G | 6840-01-180-0167 | \$94.49 |
| Large bait stations. Controls and eliminates roaches. | PG (12 boxes w/ 8 bait stations per box) | S9G | 6840-01-224-1269 | \$99.81 |
| Used to control ants. | BX (24 bait stations per box.) | S9G | 6840-01-298-1122 | \$25.00 |
| Clothing application insect repellent. Standard DOD clothing repellent. Effective against ticks, mosquitoes, gnats, biting flies. | BX (12-6 oz aerosol cans) | S9G | 6840-01-278-1336 | \$43.23 |
| Sticky fly traps to control flies. | BX (12 each) | S9G | 6840-01-412-9363 | \$31.18 |
| Kills flying insects, indoor use, trap considered to be energy efficient. | EA | S9C | 3740-01-286-2362 | \$207.13 |
| Kills flying insects, indoor use, trap considered to be energy efficient. | EA | S9C | 3740-01-286-2363 | \$285.45 |

| <u>Manufacturer</u> | <u>Product</u> | <u>Possible Replacement For</u> |
|--|--|---------------------------------|
| Integrated Pest Management Products | | |
| IAW CID A-A-82587 | Trap, Flying Insects, Electrocuting | Insecticides and pesticides |
| IAW CID A-A-82587 | Trap, Flying Insects, Electrocuting | Insecticides and pesticides |
| Micro-Gen Equipment Co. | Trap, Flying Insect, Electronic | Insecticides and pesticides |
| Miles Inc. | Cutter Insect Repellent | N/A |
| Pierson Laboratories | Chigg-Away | N/A |
| Summit Chemical | Bactimos Briquets | Liquid insecticides |
| Victor | M510/Insect Fly Catcher Strips | N/A |

| Natural Resource Conservation Products | | |
|---|-----------------------|-----------------------|
| Energy Technology Lab. | Shower Head | Any other shower head |
| McMaster-Carr | Shower Head | Any other shower head |
| Sea-Tech Co. | Shower Head | Any other shower head |
| Speakman Co. | Valve, Shower Control | N/A |
| World Dryer Corp. | Hand Dryer, Electric | Paper towels |
| World Dryer Corp. | Hand Dryer, Electric | Paper towels |

| <u>Application</u> | <u>Size</u> | <u>ICP Code</u> | <u>NSN</u> | <u>Unit Price</u> |
|---|---------------------|---------------------|------------------|-------------------|
| Integrated Pest Management Products | | | | |
| Kills flying insects, indoor use, trap considered to be energy efficient. | EA | S9C | 3740-01-286-2364 | \$212.83 |
| Kills flying insects, indoor use, trap considered to be energy efficient. | EA | S9C | 3740-01-287-1036 | \$170.31 |
| Kills flying insects, indoor use, includes sticky paper inserts. | EA | S9C | 3740-01-354-5441 | \$723.55 |
| Personal application stick insect repellent. | BX (12-1 oz sticks) | S9G | 6840-00-142-8965 | \$33.13 |
| Chigger repellent. Provides protection against chigger bites and provides topical relief from a wide variety of insect bites. | BT (118 ml) | S9G | 6840-01-137-8456 | \$2.56 |
| Mosquito control. Biological control agent. | BX (100 briquets) | S9G | 6840-01-377-7049 | \$88.91 |
| Sticky fly strips to control flies. | BX (288 each) | S9G | 6840-01-412-9371 | \$230.22 |

Natural Resource Conservation Products

| | | | | |
|---|----|-----|------------------|----------|
| Water efficient shower head with on-off control button. | EA | S9C | 4510-01-244-3681 | \$16.39 |
| Water efficient shower head with on-off control button. | EA | S9C | 4510-01-187-2557 | \$10.71 |
| Water efficient shower head with on-off control button. | EA | S9C | 4510-01-316-7423 | \$13.54 |
| Designed to be installed between the shower head and the shower arm. Allows the water flow to be turned on-off without disturbing the spray pattern or temperature setting. Has 1/2 inch male and female connections. | EA | S9C | 4510-00-257-2215 | \$1.74 |
| Used to dry hands, considered energy efficient based on DOE criteria. | EA | S9C | 4510-00-069-2034 | \$183.81 |
| Used to dry hands, considered energy efficient based on DOE criteria. | EA | S9C | 4510-00-615-8615 | \$412.81 |

| <u>Manufacturer</u> | <u>Product</u> | <u>Possible Replacement For</u> |
|-------------------------------|----------------------|---|
| Firefighting Equipment | | |
| Ansul Inc. | Extinguisher, Fire | Possible replacement for some halon fire extinguishers. |
| Ansul Inc. | Extinguisher, Fire | Possible replacement for some halon fire extinguishers. |
| IAW Army Drawing 10234243 | Extinguisher, Fire | Possible replacement for some halon fire extinguishers. |
| IAW CID A-A-1106 | Extinguisher, Fire | Possible replacement for some halon fire extinguishers. |
| IAW CID A-A-1106 | Extinguisher, Fire | Possible replacement for some halon fire extinguishers. |
| IAW CID A-A-1106 | Extinguisher, Fire | Possible replacement for some halon fire extinguishers. |
| IAW CID A-A-1106 | Extinguisher, Fire | Possible replacement for some halon fire extinguishers. |
| IAW CID A-A-52471-1-S | Extinguisher, Fire | Possible replacement for some halon fire extinguishers. |
| Miscellaneous | | |
| IAW MIL-E-24269, class 1 | Extinguisher, Fire | Possible replacement for some halon fire extinguishers. |
| Chemtronics, Inc. | Ultrajet 2000 Kit | CFCs, HCFCs |
| Chemtronics, Inc. | Ultrajet 2000 Refill | CFCs, HCFCs |
| Competitively procured | Freezing Compound | CFC-11, CFC-12 |

| <u>Application</u> | <u>Size</u> | <u>ICP Code</u> | <u>NSN</u> | <u>Unit Price</u> |
|--|-------------|---------------------|------------------|-------------------|
| Firefighting Equipment | | | | |
| This is a fire extinguisher, 15 lbs., carbon dioxide, hand operated, squeeze-grip, 10B:C UL minimum fire fighting ability, USCG approved, size: 26.5" H x 10.875" W x 6.25" D, includes bracket. | EA | S9C | 4210-00-134-8958 | \$203.93 |
| This is a fire extinguisher, 272 lbs., carbon dioxide. | EA | S9C | 4210-01-374-8128 | \$724.68 |
| This is a fire extinguisher, 3.5 lbs., carbon dioxide, hand operated, squeeze-grip. | EA | S9C | 4210-00-148-8551 | \$739.72 |
| This is a fire extinguisher, 15 lbs., carbon dioxide, hand operated, squeeze-grip, 10B:C UL minimum fire fighting ability, includes wall bracket. | EA | S9C | 4210-00-202-7858 | \$148.81 |
| This is a fire extinguisher, 50 lbs., carbon dioxide, wheeled, squeeze-grip, 20B:C UL minimum fire fighting ability. | EA | S9C | 4210-00-203-0341 | \$740.39 |
| This is a fire extinguisher, 10 lbs., carbon dioxide, hand operated, squeeze grip, 10B:C UL minimum fire fighting ability, includes wall bracket. | EA | S9C | 4210-00-288-7219 | \$129.77 |
| This is a fire extinguisher, 100 lbs., carbon dioxide, wheeled, squeeze-grip, 40B:C UL minimum fire fighting ability. | EA | S9C | 4210-00-540-0550 | \$1,322.30 |
| This is a fire extinguisher, 2.5 lbs., carbon dioxide, hand operated, squeeze grip, includes vehicle bracket. | EA | S9C | 4210-01-364-1623 | \$114.13 |

Miscellaneous

| | | | | |
|---|-----------------------------|-----|------------------|----------|
| This is a fire extinguisher for shipboard application, 15 lbs., carbon dioxide, hand operated, squeeze-grip, 10B:C UL minimum fire fighting ability, no bracket provided. | EA | S9C | 4210-00-203-0217 | \$166.54 |
| High pressure duster for cleaning electronics. Kit includes trigger valve, extension hose and 10 oz. refill. | BX (1 kit) | S9G | 6830-01-381-2675 | \$280.59 |
| Refill can for Ultrajet 2000 kit. | BX (12- 10 oz aerosol cans) | S9G | 6830-01-388-6924 | \$109.00 |
| Used for isolation of electronic components. | BX (12- 12 oz aerosol cans) | S9G | 6850-01-333-1841 | \$78.98 |

| <u>Manufacturer</u> | <u>Product</u> | <u>Possible Replacement For</u> |
|---------------------|----------------|---------------------------------|
|---------------------|----------------|---------------------------------|

Miscellaneous

| | | |
|---------------------------|-----------------------------|----------------------------------|
| Competitively procured | Propylene Glycol Antifreeze | Ethylene glycol-based antifreeze |
| Competitively procured | Propylene Glycol Antifreeze | Ethylene glycol-based antifreeze |
| Competitively procured | Propylene Glycol Antifreeze | Ethylene glycol-based antifreeze |
| Crown Industrial Products | 6007N | N/A |
| Eskel-Porter Co | Control-Monitor | N/A |
| Eskel-Porter Co. | Control-Monitor | N/A |
| Eskel-Porter Co. | Control-Monitor | N/A |
| Eskel-Porter Co. | Control-Monitor | N/A |
| Eskel-Porter Co. | Control-Monitor | N/A |
| Eskel-Porter Co. | Adapter, Connector | N/A |
| Invitro Intl | CORRSITEX/734110 | N/A |
| Invitro Intl | BIO-BARRIER | N/A |
| Muscle Products Corp. | Firepower FP-10/FP-10-4 | N/A |
| Muscle Products Corp. | Firepower FP-10/FP-10-1 | N/A |
| Muscle Products Corp. | Firepower FP-10/FP-10-16WS | N/A |

| <u>Application</u> | <u>Size</u> | <u>ICP Code</u> | <u>NSN</u> | <u>Unit Price</u> |
|--|-----------------------------|---------------------|------------------|-------------------|
| Miscellaneous | | | | |
| Propylene glycol-based vehicle radiator coolant. | DR (55 gallon) | S9G | 6850-01-383-3918 | \$416.72 |
| Propylene glycol-based vehicle radiator coolant. | GL | S9G | 6850-01-383-4068 | \$19.01 |
| Propylene glycol-based vehicle radiator coolant. | BX (6- 1 gallon bottles) | S9G | 6850-01-383-4244 | \$123.65 |
| Spray-on rust inhibitor/lubricant. Lasts up to six months. | BX (12- 14 oz aerosol cans) | S9G | 6850-01-389-8496 | \$72.27 |
| Energy Saving Device for ADP Equipment. Monitors Keyboard Activity. (For PC w/Serial Mouse). | EA | S9E | 5895-01-397-1548 | \$53.75 |
| Energy Saving Device for ADP Equipment. Monitors Keyboard Activity. (For PC w/Bus Mouse). | EA | S9E | 5895-01-397-1549 | \$53.75 |
| Energy Saving Device for ADP Equipment. Monitors Keyboard Activity. (For MAC). | EA | S9E | 5895-01-397-1550 | \$50.50 |
| Energy Saving Device for ADP Equipment. Monitors Keyboard Activity. (For PC-No Mouse). | EA | S9E | 5895-01-397-1551 | \$50.50 |
| Energy Saving Device for ADP Equipment. Monitors Keyboard Activity. (For SUN). | EA | S9E | 5895-01-397-1553 | \$50.50 |
| Energy Saving Device for ADP Equipment. (Lasermiser Serial Adapter) | EA | S9E | 5935-01-397-2074 | \$42.60 |
| Kit provides accurate information to correctly package and ship corrosive and non-corrosive materials. Eliminates the expense of inappropriate overpacking and the potential risk of underpacking. | KT | S9G | 6850-01-388-9203 | \$1,236.51 |
| Corrositivity replacement test kit. | KT | S9G | 6850-01-391-3115 | \$374.70 |
| Sporting goods/firearms cleaner/lubricant. | BX (12-4 oz bottles) | S9G | 6850-01-408-4351 | \$47.84 |
| Sporting goods/firearms cleaner/lubricant. | BX (24-1 oz bottles) | S9G | 6850-01-408-4357 | \$50.12 |
| Sporting goods/firearms cleaner/lubricant. | BX (9-16 oz bottles w/s) | S9G | 6850-01-408-4358 | \$102.97 |

| <u>Manufacturer</u> | <u>Product</u> | <u>Possible Replacement For</u> |
|---------------------------|---------------------------------|--|
| Miscellaneous | | |
| National Master-Pump Inc. | Pump, Peristaltic | Any other method of cleaning up oil spills, etc. |
| Safe Brands Corp. | Safety Flush | N/A |
| Safe Brands Corp. | Sierra Freeze Point Test Strips | Hydrometers |
| Tech Spray Inc. | Freezing Compound/1672-10S | CFC-11, CFC-12 |
| Texwipe Co. | TX2500 | CFCs, HCFCs |
| Texwipe Co. | TX2503/TX3501 | CFCs, HCFCs |
| Texwipe Co. | TX1261 | ODCs |

| <u>Application</u> | <u>Size</u> | <u>ICP Code</u> | <u>NSN</u> | <u>Unit Price</u> |
|--|------------------------------|---------------------|------------------|-------------------|
| Miscellaneous | | | | |
| For environmental uses, can handle solids and heavy oils up to 80% viscosity and particles up to 3/4 inch, self priming effect allows it to reach an absolute vacuum, suction head of 32 ft, delivery head of 96 ft. | EA | S9C | 4320-01-415-9860 | \$7,818.00 |
| Radiator safety flush. Removes rust and scale; safe for all metals. | BX (12- 22 oz bottles) | S9G | 6850-01-383-4030 | \$119.28 |
| Used to check freeze point of propylene glycol-based antifreeze. Can also be used on ethylene glycol-based antifreeze. | BX (40 cards, 5 strips/card) | S9G | 6850-01-383-6259 | \$118.66 |
| Used for isolation of electronic components. | BX (12-10oz aerosols) | S9G | 6850-01-406-1356 | \$246.20 |
| Microduster includes reusable precision brass valve, extension hose and 10 oz refill. | EA (1 kit) | S9G | 6830-01-406-9819 | \$43.98 |
| Refill cans for TX2500. | BX (12-10 oz aerosol cans) | S9G | 6830-01-406-9820 | \$81.67 |
| Static-free CRT screen cleaner. | BT (4 oz) | S9G | 6850-01-384-2402 | \$6.94 |

Notes

