

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
<small>Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Service, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.</small>				
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE	3. REPORT TYPE AND DATES COVERED		
		FINAL 10/1/88 - 6/30/94		
4. TITLE AND SUBTITLE		5. FUNDING NUMBERS		
"High Resolution Measurements of the Shallow Structure of Oceanic Crust"		Grant		
6. AUTHOR(S)		N00014-89-J-1015		
G. M. Purdy and J. A. Collins				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)		8. PERFORMING ORGANIZATION REPORT NUMBER		
Woods Hole Oceanographic Institution Clark Labs 252 Woods Hole, MA 02543				
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)		10. SPONSORING/MONITORING AGENCY REPORT NUMBER		
ONR 800 North Quincy Street Arlington, VA 22217-5000				
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION/AVAILABILITY STATEMENT		12b. DISTRIBUTION CODE		
Approved for public release; distribution is unlimited				
13. ABSTRACT (Maximum 200 words)		19960703 033		
(see Project Description attached)				
14. SUBJECT TERMS		15. NUMBER OF PAGES		
		3		
		16. PRICE CODE		
17. SECURITY CLASSIFICATION OF REPORT	18. SECURITY CLASSIFICATION OF THIS PAGE	19. SECURITY CLASSIFICATION OF ABSTRACT	20. LIMITATION OF ABSTRACT	
U	U	U	UL	

NSN 7540-01-280-5500

Standard Form 298 (Rev. 2-89)  
Prescribed by ANSI Std. Z39-18  
298-102

# High Resolution Measurements of the Shallow Structure of Oceanic Crust

## Final Report

G. M. Purdy and J. A. Collins

### Long Range Scientific Objectives

The principal long range objective of this program was to understand the processes that determine the seismic velocity structure of oceanic crust sufficiently well that they may be expressed in a quantitative form and be included in a meaningful predictive model of crustal structure.

### Project Description

This program has supported a wide range of marine seismological research: one cruise to the Juan de Fuca Ridge in 1989, a program of technical development culminating in the construction of a new version of the unique deep-towed seismic source NOBEL, the development of new models of the detailed stratigraphy of the oceanic crust and the development with a large portion of the US seismological community of plans for a program of detailed study of the patterns of systematic evolution of the shallowmost velocity structure of the oceanic crust.

The basis for this program was the recognition in the middle 1980's that the original findings of Houtz and Ewing (1976) - that the velocity of the uppermost igneous crust systematically increases as it moves away from the mid-ocean ridge at which it was formed - had profound effects on the nature of low-frequency acoustic bottom interaction. There was a need for new measurements to better define the trends first reported by Houtz and Ewing, and a need for improved understanding of the evolutionary processes that control the changes in porosity structure in the uppermost crust, that in turn determine its seismo-acoustic properties. It was towards these goals that this program was directed.

### Primary Accomplishments

Three important accomplishments can be defined:

- The definition of the layering of the shallowmost crust: the importance of the thin surficial low velocity layer to both the structure of the shallow crust and to our understanding of how it is formed was revealed through the careful work of Joint Program student Gail Christeson whose PhD research was supported to a large extent by this project. The boundary at the base of this layer represents a profound change in physical properties and is surmised to constitute the top of the dike sequence. The physical properties of the volcanic seafloor are controlled by the properties of this layer that evolve through time as alteration modifies the geometry of the cracks and pores that constitute its porosity.
- The continued development of the NOBEL instrument system. NOBEL (Near Ocean Bottom Explosives Launcher) was unfortunately lost during the Juan de Fuca cruise in 1989, but has since been improved and rebuilt and now provides a unique capability to carry out high resolution seismic experiments with both source and receiver actually at the ocean floor. NOBEL can detonate on command from the research vessel up to 47 10-15 lb explosive charges within a few meters of the ocean floor and can fire one charge every 2-2.5 mins allowing placement of sources at spacings of a few tens of meters.

- Modelling studies have revealed that observations of the characteristics of this uppermost layer can reveal important new insights into the spatial and temporal variability of the crustal accretion process. Mapping of the precise geometry of the base of this layer can reveal the history of faulting, and measurements of the variations in thickness provide estimates of the variations in extrusive volume which in turn may be controlled by the magnitude of the subsidence of the dike sequence, which in turn is determined by the cooling and contraction of the melt lens underlying the mid-ocean ridge. Studies of this surficial layer, which varies in thickness from 100-400m are therefore of fundamental importance to the understanding of the processes that control the generation of the oceanic crust.

### Published Papers and Reports

- Purdy, G.M. and G.J. Fryer, 1990. *Proceedings of a Workshop on the Physical Properties of Volcanic Seafloor*, Woods Hole Oceanographic Institution, 279 pp.
- Koelsch, D. E., G. M. Purdy, J. E. Broda, 1991. A Multiple Charge Deep Deployed Explosive Source for High Resolution seismic Refraction Experiments in the Deep Ocean, paper presented at Fall MTS Conference, Mar. Technol. Soc., New Orleans, La.
- Christeson, G.L., G.M. Purdy and G.J. Fryer, 1992. Structure of young upper crust at the East Pacific Rise Near 9°30'N, *Geophys. Res. Lett.*, 19, 1045-1048.
- Christeson, G., G.M. Purdy and K.M.M. Rohr, 1993. Structure of the Northern Symmetrical Segment of the Juan de Fuca Ridge, *Mar. Geophys. Res.*, 15, 219-240.
- Christeson, G.L., W.S.D. Wilcock and G.M. Purdy, 1994. The Shallow Attenuation Structure of the Fast Spreading East Pacific Rise near 9°30'N. *Geophys. Res. Lett.*, 21, 321-324.
- Christeson, G.L., G.M. Purdy and G.J. Fryer, 1994. Seismic Constraints on Shallow Crustal Emplacement Processes at the Fast-Spreading East Pacific Rise, *J. Geophys. Res.*, 99, 17957-17973.

### Published Abstracts

- Christeson, G., G.M. Purdy and K. Rohr, 1989. A Seismic Refraction Experiment Along the Crest of the Northern Symmetric Segment of the Juan de Fuca Ridge, *EOS*, 70, p. 1160.
- Purdy, G.M., G. Christeson and K. Rohr, 1989. An On-Bottom Refraction Profile on the Eastern Flank of the Endeavor segment of the Juan de Fuca Ridge recorded using a Deep Towed Explosive Source, *EOS*, 70, p. 1160.
- Christeson, G.L., G.M. Purdy and G.J. Fryer, 1991. Upper Crustal Structure of the East-Pacific Rise from Ocean Bottom Refraction Experiments: The Velocity Structure, *EOS*, 72, p. 262.
- Christeson, G.L., G.M. Purdy and G.J. Fryer, 1991. A Dramatic Change in the Upper Crustal Structure of the East-Pacific Rise from Ocean Bottom Refraction Experiments, *EOS*, 72, p.480.
- Purdy, G.M., G.L. Christeson, G.J. Fryer and J.A. Collins, 1992. Models for the Generation of the Uppermost Oceanic Crust, *EOS*, 73, p. 273.
- Rohr, K.M.M., G.M. Purdy and N.R. Chapman, 1992. Upper Oceanic Crust: Laterally Homogeneous or Heterogeneous?, *EOS*, 73, p. 274.
- Purdy G. M. 1994. Ocean Bottom Seismology. *Eos*, 75, 66.