

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE 8/23/96	3. REPORT TYPE AND DATES COVERED Final Report 9/16/93 - 8/31/1996	
4. TITLE AND SUBTITLE Title: Nonlinear Ocean Waves			5. FUNDING NUMBERS N00014-93-1-1009	
6. AUTHOR(S) James H. Curry				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) The Regents of the University of Colorado Campus Box 19 Boulder, CO 80309-0019			8. PERFORMING ORGANIZATION REPORT NUMBER 153-4613	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) Office of Naval Research, Dr. Michael Shlesinger			10. SPONSORING / MONITORING AGENCY REPORT NUMBER ONR:N00014-93-1-1009	
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION / AVAILABILITY STATEMENT DISTRIBUTION STATEMENT A Approved for public release Distribution Unlimited			12b. DISTRIBUTION CODE 19960903 078	
13. ABSTRACT (Maximum 200 words) See attached.				
14. SUBJECT TERMS			15. NUMBER OF PAGES	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT	18. SECURITY CLASSIFICATION OF THIS PAGE	19. SECURITY CLASSIFICATION OF ABSTRACT	20. LIMITATION OF ABSTRACT	

Standard Form 298 (Rev. 2-89)

QUALITY INSPECTED

Final Report
Nonlinear Ocean Waves: Simulation, Chaos and Field Data
ONR: N00014-93-1-1009

PI: James H. Curry

Organization: University of Colorado
Applied Mathematics
Boulder, CO 80309-0526

Abstract:

The model of waves in shallow water that has been used describes nonlinear waves of permanent form, with two-dimensional surface patterns. These are the simplest waves that are not degenerate (i.e., not restricted to 1-dimension, not restricted to infinitesimal amplitudes, etc.). The work completed generalizes this model to the simplest waves that are nonlinear and have two-dimensional wave patterns and also have nontrivial time-dependence. This generalization is conceptually important because it allows descriptions of intrinsically time-dependent phenomena. The waves in question are typically not periodic in space or in time, and they have never been described before (in shallow water or in any other context).

RESULTS:

We have focused on two interrelated research topics in the context of nonlinear ocean waves:

Data Analysis:

(With Harvey Segur and Joe Hammack):

Among our most significant findings, currently in preparation for submission to Science, is our result that the nonlinear wave equation introduced by Kadomtsev and Petviashvili, the so called KP equation, has something important to say about real ocean waves and observed wave patterns in the near shore area. This is our conclusion based on an analysis of sensor data taken off of Duck North Carolina during the 1991 Halloween storm. (These data were provided to us by Dr. C. Long of the Duck facility.)

Our analysis leads us to the following conclusions: The KP equation can model some aspects of storm data, storm waves, some with amplitudes greater than 8 meters, in the near shore region exhibit a "groupiness" in structure, this groupiness can be modeled and the structure of the associated envelop can be predicted. And we believe that KP theory provides a better model than the traditional linear wave model.

Chaos:

Iterative methods for solving nonlinear equations, such as Newton's Method, generate noninvertible transformations. Such iterations are noninvertible because they have singularities, corresponding to algebraic sets, which can cause the iterations to exhibit unexpected behavior. Lora Billings and James Curry have discovered a, possibly, new type of bifurcation caused by the merging of stationary solutions to the equations of motion and points on the singular sets. This bifurcation is important because it leads to an unexpected change in the qualitative behavior of the convergence characteristic of the iteration method. Essentially, the iterative method gets "tangled" up and fails to converge. (We were lead to this problem because of a data fitting 'issue' that arose from our work on the KP equation.)