

REPORT DOCUMENTATION PAGE			Form Approved OMB NO. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comment regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.				
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE Feb. 18, 1997	3. REPORT TYPE AND DATES COVERED <i>Final</i>		
4. TITLE AND SUBTITLE A Center for Excellence in Mathematical Sciences Final Progress Report			5. FUNDING NUMBERS <i>DAAL03-91-C-0027</i>	
6. AUTHOR(S) Anil Nerode				
7. PERFORMING ORGANIZATION NAMES(S) AND ADDRESS(ES) Mathematical Sciences Institute Cornell University 409 College Ave., Rm. 321 Ithaca, NY 14850			8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Army Research Office P.O. Box 12211 Research Triangle Park, NC 27709-2211			10. SPONSORING / MONITORING AGENCY REPORT NUMBER <i>ARO 29031.283-MA-COE</i>	
11. SUPPLEMENTARY NOTES The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision, unless so designated by other documentation.				
12a. DISTRIBUTION / AVAILABILITY STATEMENT Approved for public release; distribution unlimited.			12 b. DISTRIBUTION CODE 19970226 038	
13. ABSTRACT (Maximum 200 words) This contract was a continuation of earlier contracts for the Army Center of Excellence in Mathematical Sciences established in January 1986. The Mathematical Sciences Institute provided a center of focus of the continuation of development of mathematics in the traditional areas, and more importantly, the extension of research into new areas with the development of new directions for mathematics. The philosophy behind a center for mathematical research is that only a center has the capacity to meet cross-disciplinary challenges which must combine talents of computer scientist, mathematicians, scientists, and engineers. A center can be used to create a positive national climate for the development of an entire subject by providing a forum of interaction to create a national community of researchers. A center with flexible funding and insightful leadership can identify and nurture emerging research areas which have high risk of failure but high potential of return. The Mathematical Sciences Institute has provided this leadership and flexibility to meet the changes in mathematical science as technology and knowledge expands. The proposal maintained the Mathematical Sciences Institute as the overall center for administration and program direction, with the responsibility to oversee three smaller Centers of Excellence in the Mathematical Sciences for: Nonlinear Analysis, Stochastic Analysis, and Symbolic Methods in Algorithmic Mathematics. Each of these centers pursued advancements in their areas but also coordinated and collaborated between centers. This model was extremely successful. And, as funding levels changed it was possible to allocate available resources to those programs exhibiting the greatest potential. During the over ten years of operations, the Mathematical Sciences Institute proved the value of such centers and gained an international reputation as "the" center for mathematical excellence.				
14. SUBJECT TERMS			15. NUMBER OF PAGES 71	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OR REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED	19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED	20. LIMITATION OF ABSTRACT UL	

REPORT DOCUMENTATION PAGE			Form Approved OMB NO. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comment regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.				
1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE 2/18/97		3. REPORT TYPE AND DATES COVERED
4. TITLE AND SUBTITLE A Center for Excellence in Mathematical Sciences Quantum Computing (A subcontract) <i>part of final per S. Hall</i>			5. FUNDING NUMBERS	
6. AUTHOR(S) Wolf Kohn and Anil Nerode				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Mathematical Sciences Institute Cornell University 409 College Aven., Rm. 321 Ithaca, NY 14850			8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Army Research Office P.O. Box 12211 Research Triangle Park, NC 27709-2211			10. SPONSORING / MONITORING AGENCY REPORT NUMBER	
11. SUPPLEMENTARY NOTES The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision, unless so designated by other documentation.				
12a. DISTRIBUTION / AVAILABILITY STATEMENT Approved for public release; distribution unlimited.			12 b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) We present a preliminary design of a hardware architecture for computing initial segments of primitive recursive functions and iterative processes. The formulation of the architecture is based in a paradigm which proposes a procedure for (1). encoding a function or process and, (2) carrying ou the computation. The paradigm is firmly rooted in the formalism of quantum mechanics. We propose as our representation of the architecture a generic regular multiparticle, two-dimensional lattice. This lattice is a model of crystal structures that in principle, can be produced in the lab today.				
14. SUBJECT TERMS			15. NUMBER IF PAGES 22	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OR REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED	19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED	20. LIMITATION OF ABSTRACT UL	

Kohn-Nerode Quantum Computing Program

Final Progress Report

By

Anil Nerode

and

Wolf Kohn

U.S. Army Research Office
Sub-contract Under
DAAL03-91-C-0027

Cornell University

TABLE OF CONTENTS

Cover Page	1
Report Documentation Page	3
Problem Statement	5
Participating Scientific Personnel	
Anil Nerode	
Wolf Kohn	

Quantum Wave Processor Research Report

Wolf Kohn
Anil Nerode

Problem Statement

This document describes ongoing research for the formulation, analysis and implementation of a programmable device, termed Quantum Function Evaluator (QFE), that uses quantum state propagation as a paradigm for computing objects of a class I of functions herein referred to as the computable class. The proposed research is divided into three phases: *Formulation*, *Evaluation* and *Implementation*. We will discuss an outline of the first phase in the next sections.

Outline of formulation Phase

Over a period of several years, Kohn and Nerode have conducted joint and independent research to explore formal methods in Hybrid System Theories [1], [2], [3], [4], [5], [6], [7] to determine effective computational procedures for generating control laws in a variety of application domains. The quantum computing paradigm and its possible implementation proposed for this research effort, constitute a significant extension of the results in our early efforts. This outline provides a brief synopsis of our proposed paradigm and a preliminary sketch of a possible implementation architecture. The Formulation phase of our study is composed of two major tasks: the detailed specification of the proposed *paradigm* and the detailed specification of an *implementation architecture*. We will outline the major features of these two items next.

Paradigm

The main aspects of our proposed paradigm are summarized in Figure 1. The proposed computational paradigm is composed of seven sequential steps. We outline their functionality next.

Input Function: Each Input Function is either a map of the form:

$$f : S_1 \times \dots \times S_N \rightarrow D$$

where S_i , $i=1, \dots, N$ and D are finite subsets of the naturals of the form:

$$S_i = \{0, \dots, N_i\}$$

$$D = \{0, \dots, N_d\}$$

or a solution of an iterative process of the form:

with

$$y_{n+1}^i = f^i(y_n^1, \dots, y_n^k), i = 1, \dots, k$$

$$f^i : S^k \rightarrow S, S = \{0, 1, \dots, N_s\}$$

Let p be the natural number defined by:

$$p = \max_{i,d} \{N_i, i = 1, \dots, N\}, N_d\}$$

Then, we can express f by the *encoding*:

$$F : [0, 1, \dots, p^{N-1}] \rightarrow [0, 1, \dots, p]$$

$$\text{For } x = \sum_{s=0}^{N-1} n_s \cdot p^{N-1-s}$$

(1)

$$F(x) = \begin{cases} f(n_0, \dots, n_{N-1}), & \text{If defined} \\ 0 & \text{Otherwise} \end{cases}$$




Figure 1. Quantum Computing Paradigm

Thus, the encoding is a discrete function with domain on certain points of the real line, taking values in a subset of points of the real line coinciding with the values in the range of f and mapping to 0 any encoding x that corresponds to a tuple not in the domain of f .

The central objective behind our paradigm is to find effective and fast means to compute discrete finite-valued functions via *Quantum Approximations* to their encoding. We will characterize the nature of these approximations later on. We conclude the overview of the Input Function element of our paradigm with a formal definition of the class I of computable functions.

The class I of computable input functions is defined as follows:

(i) I contains all the functions encodable in one step as above.

(ii) If $\{f_1, \dots, f_k, f_i : S_1 \times \dots \times S_N \rightarrow S_{N+1}, K \text{ finite}, S_i = \{1, \dots, N_i, N_i, \text{finite}\}\}$ is a subset of I, so is their direct sum: $f_1 \oplus \dots \oplus f_k : S_1 \times \dots \times S_N \rightarrow S_{N+1}^k$.

(iii) I contains the projection functions:

$$p_i : S_1 \times \dots \times S_N \rightarrow S_i, p_i(n_1, \dots, n_1, \dots, n_N) = n_i.$$

(iv) If $\{f_1, \dots, f_k, f_i : S_1 \times \dots \times S_N \rightarrow S_{N+1}, K \text{ finite}, S_i = \{1, \dots, N_i, N_i, \text{finite}\}\}$ is a subset of I and $g : S_{N+1}^k \rightarrow S_{N+1}$ is in I, so is the composition: $g(f_1, \dots, f_k) : S_1 \times \dots \times S_N \rightarrow S_{N+1}$.

(v) If for each $n \in \mathbb{N}$, $g : \mathbb{N} \times S_1 \times \dots \times S_k \rightarrow \mathbb{N}$ is in I so is $\min\{n, g(n, n_1, \dots, n_k)\}$.

(vi) If $g : \mathbb{N} \times S_k \rightarrow S_k$ is in I, then the family of functions,

$$\{f : \mathbb{N} \times S_1 \times \dots \times S_k \rightarrow S_{k+1}, f(n+1, n_1, \dots, n_k) = g(n, f(n, n_1, \dots, n_k))\}$$
 is in I.

(vii) Any function constructed by the finite application of (i)-(vi) is in I.

We note that the defining characteristic of I is that its elements are either an encoding or can be transformed into an encoding via finite number of steps (ii)-(vii) above. We conclude the outline of the input function with the following observation: although the class I of computable functions I includes only completely specified functions, it can be extended to a larger class which include discrete partially specified functions (relations). We will discuss this extension in a future report.

Continualization: We can complete the encoding function F into a *step function* Φ with the following identity:

$$\begin{aligned} \Phi : [0, p^{N-1}) &\rightarrow [0, p^{N-1}) \\ \Phi(y) = F(x), &\text{ for each } y, y \in [x, x+1), x \in \{0, \dots, p^{N-1}\} \end{aligned} \tag{2}$$

Figure 2 illustrates this identity for the encoding of the function given in Table 1. We refer to the process of constructing Φ as *Continualization*. With some needed modifications, this continualization process can be extended to discrete functions that are specified as solutions of iterations of the form:

Table 1.

n_0	n_1	f
0	0	2
0	1	1
0	2	1
1	0	0
1	1	2
1	2	2
2	0	1
2	1	0
2	2	0

x	F
0	2
1	1
2	1
3	0
4	2
5	2
6	1
7	0
8	0

Original Function

Encoding




Figure 2. Continualization of a function

$$Z_{k+1} = g(Z_k, k)$$

with

$$Z_k \in S^N, S = \{0, \dots, N, N \text{ finite}\} \text{ for each } k, k \text{ an integer}$$

(3)

Following Kushner and Clark [8], the encoding and continualization of a process of the form of (3) leads to a differential equation of the form of (4) together with a sampling rule of the form of (5):

$$\dot{x}(t) = G(x(t), t) + B(t) \quad (4)$$

$$G(\cdot, t) = \text{continualized version of } g(\cdot, k), t \in [k\Delta, (k+1)\Delta), k \in \mathbb{N} \quad (5)$$

and $B(t)$ is a 'convergence' function satisfying the following conditions: B is bounded, and $B(t)$ goes to zero as $t \rightarrow \infty$ quadratically. Under general conditions, one can show [9] that particular solutions of (4) are asymptotically stable in the sense of Lyapunov. In (5), Δ is a scaling parameter chosen to transform the iteration variable k into the time variable t .

Finite Hilbert Expansion: The continualized functions, appearing in (1) or (4) may be expanded in a discrete Hilbert space γ_p in terms of an orthogonal basis set such as the set of p -valued Chrestenton functions. The general form of a Chrestenton basis function is given below.

$$\text{Chrestenton function: } \varphi^j(x) = \exp\left(\frac{2\pi}{p} i \sum_{s=0}^{N-1} j_{(N-1-s)} \cdot x_s\right)$$

$$\text{with } j = \sum_{s=0}^{N-1} j_s \cdot p^{N-1-s}, x = \sum_{s=0}^{N-1} x_s \cdot p^{N-1-s}$$

For the sake of simplicity, we will continue our discussion here under the assumption that the selected bases are the Chrestenton functions, although during the study of *tunneling* as a mechanism for implementing *quantum oracles* we may need to switch to other bases.

Let $B_p = \{\varphi^k \mid \varphi^k : [0, p^{N-1}] \rightarrow [0, p^{N-1}], k = 0, \dots, p^N - 1\}$ be an orthogonal basis for γ_p . That is, $\int \varphi^k(x) \cdot \bar{\varphi}^l(x) dx = c \cdot \delta_{kl}$ for each k, l in $\{0, \dots, p^N - 1\}$. The function F can be expanded in terms of B_p as follows:

$$\Phi(x) = \sum_{x \in [0, p]^N} \beta_k \cdot \varphi^k(x) \quad (6)$$

with

$$\beta_k = \frac{\int_0^{p^N} \Phi(x) \cdot \bar{\varphi}^k(x) \cdot dx}{\int_0^{p^N} \varphi^k(x) \cdot \bar{\varphi}^k(x) \cdot dx}$$

We note that if we know the spectrum $\{\beta_k\}$ We can easily compute Φ , via (1), extract the encoding F from it and from F determine the original function f . However even for functions of more than academic interest, the number of terms in the spectrum runs in the range of 10^5 to 10^{12} . The central idea, in this regard, is that we can find very close approximations to this evaluation by a *hardware quantum device*, which we will discuss in the next section. For the moment, in this section, we continue with the description of the paradigm.

Variational Model: Given a computational process to be carried out, expressed in the form of the differential equation (4), we want to formulate the computation of the solution $x(t)$, as a variational problem. Our purpose is to proceed from this to obtain a quantum mechanical "program " for computing the solution. For the purposes of this report, we will describe the variational formulation formally. Mathematical rigor will follow in future reports.

The variational formulation is of the form:

$$\min_x \int L(x, \dot{x}, t) \cdot dt \quad (7)$$

where L known, as the lagrangian function, is chosen so that for specific boundary conditions the solutions of (7) and (4) coincide. For the purposes of our procedure we assume that L is three times continuously differentiable in its arguments. We now proceed to describe how L is determined from the function G , constructed earlier. Towards this objective we write the necessary conditions for optimality in (7), The Euler Lagrange conditions. They are expressed by the following second order differential equation:

$$\dot{x}L_{\dot{x}\dot{x}} + \ddot{x}L_{\dot{x}\ddot{x}} + L_{\dot{x}t} - L_x = 0 \quad (8)$$

Here and in the derivations that follow subindices indicate partial derivatives.

Differentiating (4) with respect to t , to obtain a definition for \ddot{x} , replacing in (8), and differentiating the result with respect to \dot{x} , we obtain, after some algebra, the following partial differential equation :

$$L_{\dot{x}\dot{x}t} + G_x L_{\dot{x}\ddot{x}} + \dot{x}L_{\dot{x}\dot{x}\dot{x}} + (\dot{x}G_x + G_t + B_t)L_{\dot{x}\dot{x}\dot{x}} = 0 \quad (9)$$

Let

$$q(x, \dot{x}, t) = L_{\dot{x}\dot{x}}(x, \dot{x}, t) \quad (10)$$

In terms of q , (9) takes the form,

$$q_t + G_x q + \dot{x}q_x + (\dot{x}G_x + G_t + B_t)q_x = 0 \quad (11)$$

That is, q satisfies a linear hyperbolic equation, whose solution can be computed by the method of characteristics ([10]). Once a solution for q is obtained L can be determined from (10) by a double quadrature. In summary, given (4) we construct by the procedure sketched above the corresponding lagrangian.

Quantization: In order to quantize the program described by (7), one introduces the canonical conjugate variables: generalized position and momentum [12]. In the canonical Quantization these are chosen as follows: position variable, representing the position operator, is represented by x , and the momentum variable is chosen as:

$$p = L_{\dot{x}} \quad (12)$$

The components of x , p satisfy the canonical commutation relations:

$$[x_k, p_l] = i\delta_{k,l} \quad k, l = 1, \dots, N \quad (13)$$

Next, we define the Hamiltonian of the system as follows:

$$H(x, p) = \sum p_k \cdot \dot{x}_k - L \quad (14)$$

The equation of motion of the system representing the program to be executed is then the Schödinger equation given by :

$$i\hbar \frac{\partial}{\partial t} |\Psi(t)\rangle = H\left(x, \frac{1}{i} \frac{\partial}{\partial x}\right) |\Psi(t)\rangle \quad (15)$$

Realization: Assume that a physical system, the hardware, is available to us. This system is characterized by the Hamiltonian operator H_0 . The realization step consists in *engineering* a field Hamiltonian H_f such that the hardware, when interacting with this field satisfies the following condition:

$$|H_0 + H_f - H| \leq \varepsilon \quad (16)$$

where $|\cdot|$ denotes a suitably selected operator norm and ε is an engineering parameter chosen to satisfy precision requirements for the computation.

The general idea is that the *discrete spectrum* of the composite Hamiltonian $H_0 + H_f$ approximates the spectrum of the function or process being computed (see (6) above). Precisely, we will devote our next report to prove the following result:

"Let

$\{\lambda_k, k = 1, \dots, N\}$ be a subset of the eigenvalues of $H_0 + H_f$ with corresponding eigenvectors $\{\Psi_k, k = 1, \dots, N\}$:

$$(H_0 + H_f) |\Psi_k\rangle = \lambda_k |\Psi_k\rangle$$

then

$$|\lambda_k - \beta_k| \leq \varepsilon/N$$

and

$$\int_0^{\infty} |\varphi^k(x) - \Psi_k(x)| \cdot dx \leq \varepsilon$$

where φ^k is a Chrestenton function"

Thus computing a discrete function or a discrete process can be approximated by exciting the hardware system appropriately and reading the resulting spectrum.

Computation: The computation, to a large extent, consists in simulating the system characterized by $H_0 + H_f$ using the hardware characterized by H_0 , and excited by the field whose Hamiltonian is H_f . Our research about computation is geared towards developing an effective translator that converts an input function or process of the class I into a Hamiltonian operator H and a resolution element that extracts the excitation Hamiltonian H_f . Our long term objectives are to design and implement a prototype system that operates according to the paradigm outlined in this section.




Figure 3. Functional Architecture for Quantum Computing

Architecture

In this section we propose a preliminary design of an architecture that implements the paradigm presented in the previous section. A functional model of our proposed architecture is depicted in Figure 3. We will next discuss briefly the functionality of the elements composing our proposed architecture:

Input Function - Given a discrete function or process to be computed, this element implements the *compilation process*; that is, it determines the excitation Hamiltonian, H_f , which encodes the function or process. This is a symbolic computation whose steps are carried out following the paradigm described in the previous section. These steps can be described by an iterative process such as (3) so in *principle* the compilation process could be carried out by the architecture itself. We will explore the mechanization of the compilation process in this direction.

Excitation Generator - This is a device that realizes *physically* the field excitation encoded in H_f . That is, the excitation generator converts a description of the computation into a physical implementation. The idea is for this device to *address* each individual particle of the quantum process described below and to excite them according to the desired state behavior dictated by:

$$i\hbar \frac{\partial}{\partial t} |\Psi(t)\rangle = (H_0 + H_f) \left(x, \frac{1}{i} \frac{\partial}{\partial x} \right) |\Psi(t)\rangle$$

Our research in this area will be focused on the development of a mechanization process for realizing this functionality. We will consider two alternatives: optical or particle (electron) excitation. A more detailed discussion of these two alternatives will be provided in our next report.

Quantum Processor - This is the device which actually carries the computation. Without excitation, it is a realization of the Hamiltonian H_0 . After excitation it is a realization of $H = H_0 + H_f$. We will provide next an abstracted model of the physical characteristics of the Quantum Processor.

The Quantum Processor is an array of identical *particles* assembled into a regular lattice. For the purposes of discussion we will consider a two-dimensional lattice. A later report will be devoted to the formulation of the physical characteristics of the lattice; in this report we will be concerned only with the formulation of some of its computational behavior.

A diagram of the Quantum Processor is shown in Figure 4. The device is composed of two elements: the computational lattice of particles and the field excitation device. From a computational point of view each particle which is allocated to a node in the lattice, can be represented as a non-deterministic, two-level state automaton, and an interface function called Input selector function as shown in Figure 5. We proceed to describe their functionality next.

In the *Lower Automaton*, the block labeled 'State transition' in figure 5 characterizes the programmable discrete spectrum of the particle. The states of the automaton represent energy levels, and edges represent allowable energy transitions. This is illustrated in Figure 6 below.




Figure 4. Quantum Processor




Figure 5. Quantum Particle

In Figure 6, the energy levels correspond to eigenvalues (or sets of eigenvalues forming a band grouped together as a single eigenstate) of the corresponding Hamiltonian. The edges correspond to energy transitions. Edges pointing up are driven by excitation: that is, the transition is effected by absorption of energy from the excitation. Edges pointing down correspond to relaxation effects: the particle releases energy of the appropriate frequency either to neighborhood particles or to the field (see Figure 7).




Figure 6. State energy transition example




Figure 7. A state transition

In Figure 7, λ_1 and λ_2 are energy levels, and the transition between them is driven by excitation energy to frequency $\nu_{1,2}$. Note from Figure 5 that energy can come to the particle either by interaction with the other particles or from the external excitation. Relaxation transitions are similar.

The state transition in the lower level automaton is controlled by the *mixing state probability density transition* computed by the *Upper Level Automaton*. State transition in this automaton is called 'probability transition' in Figure 5.

The mechanism that implements commands issued by the upper level automaton in the lower level automaton is called *Transition Selector* in Figure 5. We will explain its functionality next. For this we need some preliminary definitions.

Let $S = \{|\Psi_k(t)\rangle, k \in N_p, N_p \text{ finite}\}$ be the states of the lower automaton in each particle. let Δ be the *update time* of the particle. The update time of the particle is determined to be larger than 10 times the maximum relaxation time of any of the state transitions in the lower automaton. The state of the lower level automaton in each interval $[t, t + \Delta)$ is a *Chattering Combination* of the elements of S . A Chattering Combination of the set of functions in the interval is a function $|\Psi(t)\rangle$ defined as follows:

$$|\Psi(\tau)\rangle = \begin{cases} \Psi_{i_1}(\tau) & \tau \in I_{i_1}(t) \\ \Psi_{i_2}(\tau) & \tau \in I_{i_2}(t) \\ \vdots & \\ \Psi_{i_{N-1}}(\tau) & \tau \in I_{i_{N-1}}(t) \\ \Psi_{i_N}(\tau) & \tau \in I_{i_N}(t) \end{cases} \quad (17)$$

where $I_{j_k}(t)$, $j_k \in N_p$, is a semi-open interval in $[t, t + \Delta)$:

$$I_{j_k}(t) = \left[t + \sum_{l=0}^{k-1} \Delta_{j_l}(t), t + \sum_{l=0}^k \Delta_{j_l}(t) \right) \quad (18)$$

We note from (17) that the composite state $|\Psi(\tau)\rangle$ is constructed by 'stitching' together the pure states in S . The time spent in pure state $|\Psi_{j_k}\rangle \in S$, $\Delta_{j_k}(t)$ is a function of the characteristic excitation or relaxation times associated with the state [11]. We note that

$$\sum_k \Delta_{j_k}(t) = \Delta \quad (19)$$

and, if we define

$$\alpha_{j_k}(t) = \frac{\Delta_{j_k}(t)}{\Delta} \quad (20)$$

then equation (19) can be written as

$$\sum_k \alpha_{j_k}(t) = 1 \quad (21)$$

The set of all Chattering Combinations of S in the interval $[t, t + \Delta)$ is denoted by $\hat{S}(t, t + \Delta)$. The union of these sets for all time is denoted by \hat{S} . Now we can specify the operation of the Transition Selector in the lower automaton of our particle model. For each interval $[t, t + \Delta)$, the Transition Selector receives a command from the upper level automaton, which consists of an ordered tuple of coefficients $\langle \alpha_{j_k}(t), j_k \in N_p \rangle$ satisfying (21), and then it computes the mixed state of the particle, $|\Psi(t)\rangle$, according to (17). The state of the lattice is composed of the states of each of its particles. We will see shortly that the Chattering Coefficients have the interpretation of state occupancy probabilities. To demonstrate that, we need to discuss the dynamic structure of the upper level automaton.

In general, there is not enough information to say that the lattice or any of its particles is characterized by a specific state function. The best we can do, in order to describe the computation, is to give a probabilistic description. In the quantum formalism, this description is referred to as the probability density description [12].

Let S be the set of primitive states of the lower level automaton. Let p_j be the probability that the particle is in state $\Psi_j \in S$. The probability density operator [13], ρ , is defined by

$$\rho(t) = \sum_j p_j |\Psi_j(t)\rangle \langle \Psi_j(t)| \quad (22)$$

By differentiating (22) and using (15), after some algebra, we obtain an (operator) differential equation for ρ :

$$i\hbar \frac{\partial}{\partial t} \rho = H \cdot \rho - \rho \cdot H \quad (23)$$

The operator is termed the commutator and is written as $[H, \rho]$. Thus

$$i\hbar \frac{\partial}{\partial t} \rho = [H, \rho] \quad (24)$$

Given an observable characterized by, say, operator C , the associated observed quantity, denoted by $\langle C \rangle$, is given by the expectation of C relative to ρ :

$$\langle C \rangle = \text{trace}(\rho \cdot C) \quad (25)$$

Equation (24) characterizes the computation carried out by the upper level automaton. Equation (25) characterizes the Transducer of our architecture (see Figure 3). We will devote a future report to discussion of this device in detail.

Notice that the state function, computed by the lower level automaton, could be given as a linear combination of the states in S . We chose to model it as a Chattering Combination, which turns out to be equivalent in a specific sense (as we will show

Notice that the state function, computed by the lower level automaton, could be given as a linear combination of the states in S . We chose to model it as a Chattering Combination, which turns out to be equivalent in a specific sense (as we will show shortly) because in this form it will allow us to formulate the *sequence* of excitation steps (realized by the excitation element, see Figures 4 and 5). To a large extent, programming the quantum processor is tantamount to determining this sequence. To justify this statement, we must explain the sense in which the Chattering and Linear State Combinations are equivalent, because an extension of this result to Excitation Hamiltonians will provide us with a strategy for implementing excitation sequencing .

The equivalence between Linear and Chattering Combinations of state functions from a given set S is established in the following version of the Chattering Lemma [14]:

Chattering Lemma. Let $S = \{|\Psi_k(t)\rangle, k \in N_p, N_p \text{ finite}\}$ and let \hat{S} be the set of chattering combinations of S . Let ε, ε real and positive be given. There exist state functions $|\Theta_j\rangle \in \hat{S}$, defined for each tuple $\left\{ \alpha_1, \dots, \alpha_{n_p} \mid \alpha_i \geq 0, \sum_{i=1}^{n_p} \alpha_i = 1 \right\}$, such that

$$\max_t \left| \int_0^t \left\{ |\Theta_j(\tau)\rangle - \sum_{i=1}^{n_p} \alpha_i |\Psi_i(\tau)\rangle \right\} \cdot d\tau \right| < \varepsilon \quad (26)$$

for all $(\alpha_1, \dots, \alpha_{n_p})$.

The proof of this lemma, while not difficult, requires extensive manipulations. We will provide it in a companion report devoted exclusively to the chattering aspects of our proposed architecture. Notice that the lemma says that every chattering combination of state functions of the form of (17) on a set S , can be realized as a linear combination of elements from S with an arbitrary small error in the integral sense (see (26)). We also have the fact that under strong continuity assumptions on the state functions the converse of the lemma is also true. By choosing the boundary conditions in our lattice model appropriately, this assumption is not limiting .

Now we proceed to describe the functionality of the *Input selector function*. This function models the interaction of the particle with the excitation and with the other particles in the lattice. Some examples of possible particle interaction are shown in Figure 8. For simplicity, only nearest neighboring interactions are shown, but the model is not limited to these cases. The central task implemented by the input selector function is to establish on one hand the interaction of a particle with the other particles in the lattice and on the other hand the interaction of a particle with the excitation field in order to characterize these two tasks we look more closely at the excitation field Hamiltonian H_f .

Locally, centered in a particle, it is convenient to write H_f as the sum of two terms, the first, H_e , corresponding to the interaction of the particle with the excitation, and the second H_i corresponding to the interaction of the particle with its internal energy and with the interaction energies of the other particles in the lattice. Thus we write

$$H_f = H_e + H_i \quad (27)$$




Figure 8. Some examples of particle interaction

Under general assumptions about the lattice, the interaction Hamiltonian H_1 for given particle can be written as

$$H_1|\Psi\rangle = g_\Psi(H_1^i, \dots, H_1^k)|\Psi\rangle \quad (28)$$

where H_1^j for each j is the interaction Hamiltonian of the given particle with its 'neighboring' particle i_j , and g_Ψ is the neighborhood function at the current state of the particle, Ψ . The neighborhood function represents the local (at the current state Ψ) structure of interaction of the particles in the lattice. This structure can be determined by building the lagrangian associated with the lattice and go to the procedure of quantization that we discussed earlier. We will carry out this task once the details of the physics of the lattice are defined in the evaluation phase. The approach consist in defining *potentials* to characterize interaction. For example, a dipole (particle-to-particle) interaction between a particle located in coordinates x, y of the lattice may be characterized by a potential V of the form:

$$V(x,y,t) = d_{x-y}(t) \frac{1}{|x-y|}$$

where d_{x-y} is a relaxation function.

For the purposes of analysis and also to determine a detailed formulation of the realization step in our paradigm, it is convenient to assume that a finite set of primitive excitation Hamiltonians $E = \{H_e^i, i = 1, \dots, n_e\}$ can be realized and that implementation

of our excitation is carried out by *chattering* among the elements of E over the update interval Δ . Specifically,

$$H_e |\Psi(\tau)\rangle = \begin{cases} H_e^{i_1} |\Psi(\tau)\rangle & \tau \in I_{i_1}(t) \\ H_e^{i_2} |\Psi(\tau)\rangle & \tau \in I_{i_2}(t) \\ \vdots \\ H_e^{i_{n-1}} |\Psi(\tau)\rangle & \tau \in I_{i_{n-1}}(t) \\ H_e^{i_n} |\Psi(\tau)\rangle & \tau \in I_{i_n}(t) \end{cases} \quad (29)$$

Where the sets $I_{i_j}(t)$ are defined by expression (18). This type of *probabilistic resonance* is central to our proposed implementation of the quantum processor. The idea is to induce a probability distribution ρ on the states of the particles on the lattice so that the realization criterion is satisfied.

Thus a computation in the lattice is a propagating probabilistic wave-train in which the state of each particle is the probability distribution of its pure states. This is illustrated in Figure 9. Specifically the lattice is at an initial probabilistic state, the programmed excitation is impinged and after a transient period ξ has elapsed, the read out period, the transducer is activated to effect the eigen-value observation. After the observation has been made, the computation process is complete. If the results are not satisfactory the computation is started again from the initial probabilistic state and the read-out period is extended to $\xi_i > \xi$. This extension period cannot be extended arbitrarily because the thermal relaxation mechanisms in the lattice will induce eventually *decoherence*, that is, the loss of the probabilistic resonance described above.

Let $\{E_i\}$ be the discrete spectrum of the physical Hamiltonian H_0 . Then it can be shown using (24), that the transition probability $\rho_{i,j}$ from eigenstate i to eigenstate j satisfies,

$$i\hbar \frac{\partial}{\partial t} \rho_{i,j}(t) = (E_i - E_j) \cdot \rho_{ij} + [H_f, \rho]_{ij} \quad (30)$$

In [11], it is shown that if the system is at state $|\Psi_j\rangle$ at time $t=0$, then the presence of the relaxation Hamiltonian (28) causes the corresponding probability density term ρ_{jj} to *decay exponentially with time*. For small values of t , ρ_{jj} is the largest term in the matrix representation of the probability density operator. Assuming no excitation, and using (30) this term satisfies the following equation:

$$i\hbar \frac{\partial}{\partial t} \rho_{jj} = \sum_k ((H_1)_{jk} \rho_{kj} - \rho_{jk} (H_1)_{kj}) \quad (31)$$

with

$$i\hbar \frac{\partial}{\partial t} \rho_{ji} \equiv (E_j - E_i) \cdot \rho_{ji} - \rho_{jj} \cdot (H_1)_{ji} \text{ for } i \neq j \quad (32)$$

The solution of (31) and (32) for ρ_{ij} is given by:

$$\rho_{ij}(t) = e^{-t/\xi} \quad (33)$$

where ξ is a relaxation time that depends on the physical characteristics of the lattice. Thus the effect of the inter particle excitation Hamiltonian is to randomize the state transitions in each particle. The computation described above will be corrupted by this effect. Therefore, the read-out period ζ must be chosen so that this effect is acceptable; this means $\zeta \ll \xi$. We will use this bound in our design specifications of the quantum processor and also, in our computability analysis.




Figure 9. Wave Propagation

Conclusions

In this paper we present a preliminary design of a hardware architecture for computing initial segments of primitive recursive functions and iterative processes. The formulation of the architecture is based in a paradigm which proposes a procedure for 1- encoding a function or process and 2- Carry out the computation. The paradigm is firmly rooted in the formalism of quantum mechanics. We propose as our representation of the architecture a generic regular multiparticle, two-dimensional lattice. This lattice is a model of crystal structures that in principle, can be produced in the lab today.

References

- [1] Kohn W. "Distributed Hierarchical Automata with some Applications to Genetics in Prokaryotes", Ph.D. dissertation, MIT EE., 1978, Cambridge Mass.
- [2] Kohn W. "The Rational Tree Machine" SPIE vol. 1095 VII pp. 264-274, 1989.
- [3] Kohn W. Graham R.V., Butler J.W., "The rational Tree Machine", Proc. IEEE Northcon 88, pp. 330-347, Seattle Oct. 1988.
- [4] Kohn W., Kumar S. "Parallel Simulation of the Rational Machine" Boeing Electronics BE.-499-5 July 7, 1989.
- [5] W. Kohn and A. Nerode, "Models for hybrid systems: automata, topologies, controllability and observability", Hybrid Systems ,(R. Grossman, A. Nerode, A. Ravn, H. Rischel Eds.) Lecture Notes in Computer Science 736, Springer-Verlag, 1993, 317-356.
- [6] A. Nerode, and W. Kohn "Multiple agent autonomous hybrid control systems", in Logical Methods: A Symposium in honor of Anil Nerode's 60th Birthday, (J. N. Crossley, Jeffrey B. Remmel, Richard A., Shore, Moss E. Sweedler, eds.), Birkhauser, 1993.
- [7] Wolf Kohn, Anil Nerode, J. B. Remmel, and Xiolin Ge, "Multiple Agent Hybrid Control: Carrier Manifolds and Chattering Approximations to Optimal Control", CDC94.
- [8] Kushner H. J. and D. S. Clark "Stochastic Approximation Methods for Constrained and Unconstrained Systems", Springer -Verlag NY. 1978.
- [9] Kushner H. J. "general convergence results for stochastic approximations via weak convergence theory" J.Math. Anal.and Applic., 61, 1977, pp. 490-503.

A Center for Excellence in Mathematical Sciences

Final Progress Report

by

Anil Nerode

February 18, 1997

**U.S. Army Research Office
DAAL03-91-C-0027**

Cornell University

Table of Contents

1. Forward
2. Table of Contents
3. Appendixes
 - a. Workshops and Seminars
4. a. Statement of problem studied
 - b. Summary of the most important results
 - c. List of all publications and technical reports
 - d. List of all participating scientific personnel, showing any degrees earned.
5. Report of Inventions (NONE)
6. Bibliography (See 4c publications)
7. Appendixes

FOREWORD

This contract was a continuation of earlier contracts for the Army Center of Excellence in Mathematical Sciences established in January 1986. The Mathematical Sciences Institute provided a center of focus of the continuation of development of mathematics in the traditional areas, and more importantly, the extension of research into new areas with the development of new directions for mathematics.

The philosophy behind a center for mathematical research is that only a center has the capacity to meet cross-disciplinary challenges which must combine talents of computer scientist, mathematicians, scientists, and engineers. A center can be used to create a positive national climate for the development of an entire subject by providing a forum of interaction to create a national community of researchers. A center with flexible funding and insightful leadership can identify and nurture emerging research areas which have high risk of failure but high potential of return. The Mathematical Sciences Institute has provided this leadership and flexibility to meet the changes in mathematical science as technology and knowledge expands.

The proposal maintained the Mathematical Sciences Institute as the overall center for administration and program direction, with the responsibility to oversee three smaller Centers of Excellence in the Mathematical Sciences for: Nonlinear Analysis, Stochastic Analysis, and Symbolic Methods in Algorithmic Mathematics. Each of these centers pursued advancements in their areas but also coordinated and collaborated between centers. This model was extremely successful. And, as funding levels changed it was possible to allocate available resources to those programs exhibiting the greatest potential. During the over ten years of operations, the Mathematical Sciences Institute proved the value of such centers and gained an international reputation as "the" center for mathematical excellence.

Final Report

FINAL REPORT (4a & 4b)

Since this contract provided funding for three centers which each addressed a number of different areas of research, rather than just one distinct line of study, this report will provide information on the problems studied and results obtained by each Center of Excellence.

Center of Excellence in the Mathematical Sciences for Nonlinear Analysis

Statement of the Problems Studied:

Nonlinear analysis is the fundamental mathematical theory describing complex and nonlinear systems and nonlinear materials. With a new, and correct, mathematical basis for understanding the interactions of nonlinear waves, the science of nonlinear and complex materials will proceed more rapidly. Similarly, the study of phase portraits for dynamical systems and the classification of trajectories by their asymptotic or chaotic behavior yields invaluable insight into system behavior, while the study of bifurcation's of dynamical systems and the development of computation methods brings mathematics to bear on the complex problems of modern science and engineering.

Mathematical theory alone is not sufficient for today's science. A close interplay between mathematical theory and advanced computational algorithms is necessary. Novel and powerful algorithms and computational methods, especially tailored to the mathematical features of problem difficulties, will be developed.

Pursue the subjects of mathematical analysis, numerical analysis, development of advanced computational methods, modeling of physical phenomena and technology transfer. Work on four aspects of nonlinear analysis: nonlinear waves, dynamical systems, nonlinear materials and high resolution flow simulation. Stability, bifurcation and transition to chaos are part of the dynamical systems effort. Modeling of nonlinear material strength included theories of ductile and brittle failure, leading to plastic and granular flow. The computational methods focus on high resolution schemes and on the use of parallel computer architecture's.

Summary of the Most Important Results:

James Glimm, with P. Colella and G. Puckett, showed the dependence of wave structure on wave impedance. J. Grove and L. Coulter have developed a general package within the area of piece wise continuous interpolation. B. Plohr and D. Sharp succeeded in casting the equations governing the elasto-plastic behavior of real materials in a fully conservative form in the Eulerian frame.

Y. Deng, J. Glimm, Q. Yu, and Y. Wang motivated by structural problems in binding of protein on DNA, an optimization problem was solved. The objective function (binding free energy) to be minimized has a very large number of local minima, and the problem is to find a search algorithm which will find all of these with energy close to global minimum. The problem was solved efficiently, using (a) combinatorial methods (b) matrix theory and (c) Monte Carlo search. The later method alone would have been very inefficient.

J. Grove, with Y. Deng and G. Li developed a robust version of the front tracker method suitable on any distributed memory parallel computer. This method uses a geometric domain decomposition algorithm and has been shown to be up to 90% efficient in utilization of parallel processors.

J. Grove, with F. Wang, B. Plohr, and D.H. Sharp, developed a numerical method for the computation in Eulerian coordinates of elasto-plastic flows of materials. This method combines a conservative Eulerian formulation of the equations of motion with higher order Godunov methods and front tracking.

B. Plohr discovered a new and fully conservative formulation of plasticity. Such a conservative form is necessary for treating discontinuous solutions, such as arise in Riemann problems. Based on the importance of the conservation formulation for other computations, we expect the conservative formulation of plasticity to be fundamental. A model of shear bands has been developed which solves in part the problem of jump conditions across a shear band, following earlier results of Wright and Walter. Jump conditions are needed to allow front tracking for shear bands.

J. Bramble, X. Zhang, and J. Pasciak have developed a general theory for constructing preconditioners. They show how to precondition one system by means of a related (simpler) one. The theory is applied to many different elements useful for biharmonic problems.

Center of Excellence in the Mathematical Sciences or Stochastic Analysis

Statement of the Problems Studied:

Apply the ideas of probability theory to a wide variety of fields: biology (ecology, genetics), chemistry, physics (statistical mechanics, field theory, quantum mechanics), economics, finance, computer and communication networks, and to mathematics itself (partial differential equations, harmonic analysis, and differential geometry). Three specific areas of research are conducted:

- Interactions with Partial Differential Equations -- Relationships between interacting particle systems and measure valued diffusions with nonlinear p.d.e.'s.

- Applications to Physics and to Mathematics -- two programs on (a) problems in probability arising from mathematical physics and (b) applications of probability to topics in analysis and geometry.
- Poisson and Brownian Models -- theory and applications of processes driven by Brownian motion and Poisson processes. Topics included the theory of stochastic differential equations and their applications to finance and queuing theory; external and stable processes as alternatives to Gaussian models; random sets in economics, inference, and image analysis.

Summary of the Most Important Results:

R. Durrett culminated work, with C. Neuhauser, on particle systems and reaction diffusion equations. M. Cranston completed work on probabilistic approach to Martin boundaries on manifolds with ends. H. Kesten obtained a bound for speed of convergence to the time constant in the first-passage percolation. C. Mueller showed that blow-up can occur for the heat equation with a certain nonlinear noise term and showed long-time existence for the wave equation in one and two dimensions. J.T. Cox and A. Greven completed work on an analysis of the basic ergodic theory of a class of interacting diffusions.

The relationship between particle systems and nonlinear partial differential equations was used in work by G. Swindle showing coexistence results for catalysts. These models of the oxidation of carbon monoxide on catalyst surfaces have been around for a number of years, but now we have the first results for a model that shows all three phases: poisoning to all oxygen, poisoning to all carbon monoxide, and the physically desirable case of coexistence of the two species, which allows the reaction to occur at a positive rate.

A class of processes known as super processes have been investigated by many authors. A new insight into the structure of a branching, measure-valued processes was obtained in a joint work of E.B. Dynkin and A.V. Skorokhod. Tools have been developed which allow construction explicitly of all such processes.

C. Mueller proved regularity properties for three dimensional wave equations with nonlinear noise terms.

L. Billera and B. Sturmfels completed their work on iterated fiber polytopes, establishing a connection between subdivisions and allowable sequences.

Center of Excellence in the Mathematical Sciences for Symbolic Methods in Algorithmic Mathematics

Statement of the Problems Studied:

The Center emphasizes development of mathematics and algorithms for the manipulation, simplification, and solution of problems that represent the mathematical structures symbolically, no matter what branch of mathematics or science the problem come from, coupled with applications areas in business, government, and military. Initial areas of concentration are a Groebner Basis Project and a Symbolic Methods in AI and Computer Science project, with simultaneous development of other needed areas. The research plan consists of work in three specific areas:

- The Computational Algebra and Mathematics Program -- pursue optimization of the primary Groebner construction algorithm. Develop an algebraic theory of piece wise polynomial approximation based on the Bezier-Bernstein algebra. Address questions surrounding polytopes, splines, and complexity of Groebner basis computations. In topology determine the homotopy type of subdivision lattice of a polytope. Research automating perturbation calculations for dynamical systems.
- Mathematics of AI and Concurrency Program -- model AI, computer science, and physical and engineering science problems in logical systems, and solve such problems using mathematical logic methods from semantics, syntactics, model theory, automated deduction. Model (non-statistical) inference based on incomplete but correct information, to develop algorithms and automated deduction engines for this purpose, and to use models and software in specific applications.
- Unification of Symbolic Methods -- emphasize unification of algebraic and logical methods in symbolic computation. Develop an understanding of the symbolic-numeric interface, and a base for adding numerical analysis features to the model. Develop a new model of Hybrid systems, using the variety of talents in logic, algebra, combinatorics, dynamical systems, and numerical analysis.

Summary of the Most Important Results:

A. Nerode, with P. Broome and J. Lipton, established a mathematical underpinning for relational programming and with V.S. Subrahmanian, C. Bell, and R. Eng, developed a compiler for implementing deductive database theory by linear programming. M. Kalkbrener, with B. Sturmfels, proved that the simplicial complex defined by any initial ideal of prime is pure and strongly connected.

R. Rand, with S. Lubkin, developed mathematical models for the "circumnutation" phenomenon observed in certain species of plants. These growth movements involve a circular motion of the stem with a period of about 2 hours. The mathematical model involves reaction diffusion equations in the cross-section of

the stem. The research tries to explain observations of biologists relating to the effect of environmental changes on amplitude and period of oscillation.

L. Tuncel solved very large (up to 13 million variables) linear programming problems while studying the asymptotic behavior of interior point algorithms for linear programs. Further study proved that when n is infinite one can still get a complexity bound on the number of iterations required in terms of smoothness of the problem and the desired accuracy.

H. Blair, with W.V. Marek and J. Schlipf, established that all hyperarithmetical sets of atomic formulas are definable as projections onto particular predicates within the unique stable models of locally stratified logic programs. The result is a concrete representation theorem that identified a natural subclass of the class of logic programs with unique stable models previously identified by Marek, Nerode, and Remmel. H. Blair and M. Bai, developed a non-intuitionistic intensional model theory for higher-order Horn logic programs based on the extended simply typed lambda calculus in a manner that extends the notion of Herbrand models.

A. Nerode designed a game model for distributed computing based on message passing in OCCAM). The defect in previous universal theories was that the Rabin theory has a doubly exponential lower bound, and universally regarded as unfeasible. However, we believed that for problems that occur in practice, this unfeasibility is absent. Yakhnis and Yakhnis in 1990, found a substantially better decision method for this calculus, but their account was murky and still too complicated to apply in practice. A student of Gurevich put their proof into clear form. Using this as a starting point R. McNaughton found a graph formulation of the extraction of winning strategies for games. This has been improved by Remmel, Nerode, and Yakhnis to the point that we can now solve small games by hand and extract the winning strategies.

J. Underwood defined a new model theory for classical logic which highlights its connection to intuitionistic logic. This model theory hints at a connection with parallel computation. There appear to be deep connections with linear logic in the proof theory as well.

N. Vorobjov constructed several new effective algorithms for basic computational problems in real algebraic and analytic geometry. An algorithm for finding all irreducible components of the Zariski-closure of a semialgebraic set obtain, with A. Galligo, was extended to transcendental varieties defined by polynomial in exponent equations. The running time of both algorithms is single-exponential in number of variables.

A. Nerode and W. Kohn developed practical software tools to extract digital control automata for distributed autonomous systems using a combination of algorithms from relaxed variational problems, Hamilton-Jacobi-Bellman systems, dynamic programming, finite dimensional Lie Algebras associated with physical systems,

relaxed variational calculus for compact convex problems, and algorithms from Eilenberg for solving implicit equations in Schutzenberger series for finite automata.

A. Barvinok has shown in the counting of lattice points, that the computation of a fixed number of the highest coefficients of the Ehrhart polynomial of a convex integral polytope reduces the polynomial time to the computation of the volume of faces. This result implies, in particular, that counting integral points in a polytope of a fixed dimension can be performed in polynomial time. Although the latter result (which settled an open problem) was obtained earlier by the author, the new methods gives the best complexity so far.

D. Bridges and C. Calude produced what appears to be the first rigorous proof of a folklore result about the non-existence of recursive bounds for the exceptional values in Blum's Speed-up Theorem.

S. Marcus with V.S. Subrahmanian proved that the problem of updating (monotonic) deductive databases (both insertions and deletions) has simple, elegant analogs in nonmonotonic reasoning formalisms including both default and auto-epistemic logic. Subsequently, they showed that the problem of updating nonmonotonic deductive databases can also be viewed in terms of such analogs. Thus, nonmonotonic reasoning provide a general declarative framework whereby a wide variety of database updating problems may be clearly specified.

A. Nerode and W. Kohn developed a physically feasible scheme for quantum computing. It is based on a new computing paradigm, which encodes programs, including mixed digital and continuous directly in shaped Schrodinger equation. This is implemented by an array of quantum devices, in the eigenvalues of associated operators. The problem is solved by exciting with emitter apparatus physical array to initial conditions, and is run for what is the equivalent of 1.5 trillion operations, stopped before decoherence makes the results unreadable by spectrographic methods. There are no non-physically realizable steps in either the reading in or the reading out processes.

M. Sweedler and L. Taylor developed a technique for computing Groebner bases for zero dimensional ideals which are the kernels of maps to algebras or modules where one can compute linear independence. Unlike previous techniques this method does not require an initial set of generators for the ideal.

M. Stillman with D. Grayson, has implemented the software system Macaulay-2. More than 60000 lines of code have been written, and much of it is extremely succinct. Stillman has been mainly responsible for the polynomial and matrix arithmetic, the faster Groebner basis, resolution, Hilbert function and related algorithms, and Grayson has been mainly responsible for the presentation of high-level mathematical concepts and interpreted language.

K. Shirayanagi and M. Sweedler developed the theory and technology for automatic stabilization of a wide class of algebraic algorithms which are not inherently stable. For example, the usual form of the Euclidean algorithm for polynomials with rational or real coefficients is not stable. These techniques also permit the use of floating point and other inexact computation in order to stably approximate a large class of non-inherently stable algorithms. The techniques also enables the development of a computer algebra system which, like Maple or Mathematica, allows the expression of algorithms, but unlike other systems also allows the user to tell the system to stabilize the algorithm.

List of Publications and Technical Reports (4c)

MSI TECHNICAL REPORTS June 1991 - December 1996

- 91-57 Estimating The Critical Values of Stochastic Growth Models
L. Buttel, J.T. Cox and R. Durrett
9 pages
- 91-58 A Note on Polynomial Reductions
Alyson Reeves and Bernd Sturmfels
5 Pages
- 91-59 On The Asymptotic Distribution of Large Prime Factors
Peter Donnelly and Geoffrey Grimmett
12 Pages
- 91-60 Maximal Minors and Their Leading Terms
Bernd Sturmfels and Andrei Zelevinsky
42 Pages
- 91-61 On The Rate of Convergence of the Nonlinear Galerkin Methods
Christohe Devulder, Martine Marion and Edriss S. Titi
36 Pages
- 91-62 Theory Tabeaux
Ian Gent
16 Pages
- 91-63 A Context For Belief Revision: Normal Logic Programs
W. Marke, A. Nerode and J. Remmel
6 Pages

- 91-64 The Evolution of The Anisotropy Of A Polycrystalline
Aggregate
Ying Zhang and James T. Jenkins
42 Pages
- 91-65 Multigraded Resultants of Sylvester Type
Bernd Sturmfels and Andrei Zelevinsky
1 Pages
- 91-66 Computing Circumscriptive Deductive Databases
Anil Nerode, Raymond T. Ng and V.S. Subrahmanian
11 Pages
- 91-67 Computation and Implementation of Non-Monotonic
Deductive Databases
Colin Bell, Anil Nerode and V.S. Subrahmanian
55 Pages
- 91-68 The Lexicographic Order Isn't Necessarily The Worst
Alyson A. Reeves
5 Pages
- 91-69 Competitive Coexistence In A Seasonally Fluctuating
Environment
Toshiyuki Namba
30 Pages
- 91-70 On Branching Numbers of Normal Manifolds
Daniel Ralph
16 Pages
- 92-1 Particle Systems and Reaction-Diffusion Equations
Richard Durrett and C. Neuhauser
45 Pages
- 92-2 Computing Circumscriptive Databases, Part I: Theory and
Algorithms
Anil Nerode, Raymond T. Ng and V.S. Subrahmanian

- 92-3 A Fast Algorithm For Path Integration
Dov Bai
4 Pages
- 92-4 Product Formulas For Sparce Resultants
Paul Pedersen and Bernd Sturmfels
22 Pages
- 92-5 Approximating Oracle Machines For Combinatorial
Optimization
Shmuel Onn
4 Pages
- 92-6 Dynamical Simulation Faculty For Hybrid Systems
Allen Back, John Guckenheimer, and Mark Myers
12 Pages
- 92-7 Multigrid Preconditioning For The Biharmonic Direichlet
Problem
M.R. Hanisch
33 Pages
- 92-8 The Expressiveness of Locally Stratified Programs
Howard A. Blair, Wiktor Marek, and John Schlipf
27 Pages
- 92-9 Nontrivial Dynamics In A Driven String With Impact
Nonlinearity
Theo P. Valkering
34 Pages
- 92-10 A Note On The Primal-Dual Affine Scaling Algorithms
Levent Tuncel
11 Pages
- 91-11 On The Convergence of Primal-Dual Interior Point
Methods With Wide Neighborhoods
Levant Tuncel
26 Pages

- 91-12 Primitive Polynomial Remainder Sequences In
Elimination Theory
Michael Kalkbrener
16 Pages
- 91-13 Generalized Euclidean Algorithm For Computing
Triangular Representation Of Algebraic Varieties
Michael Kalkbrener
30 Pages
- 92-14 Initial Complexes Of Prime Ideals
Michael Kalkbrener and Bernd Sturmfels
10 Pages
- 92-15 A Generalized Euclidean Algorithm for Geometry
Theorem Proving
Michael Kalkbrener
25 Pages
- 92-16 Asymptotic Behavior of Excitable Cellular Automata
Richard Durrett and David Griffeath
39 Pages
- 92-17 Fixed-Parameter Tractability And Completeness II: On
Completeness For $W[1]$
Rod Downey and Michael Fellows
14 Pages
- 92-18 Fixed-Parameter Intractability II (Extended Abstract)
Rod Downey and Michael Fellows
10 pages
- 92-19 Fixed-Parameter Tractability and Completeness III: Some
Structural Aspects of the W Hierarchy
Rod Downey and Michael Fellows
24 Pages
- 92-20 A Practical Feasible Square Packing Algorithm For Chip
Manufacture In VLSI (In Honor of Anil Nerode's Sixieth
Birthday)
Wenqui Huang and Moss Sweedler
17 Pages

- 92-21 The Stable Models Of A Predicate Logic Program¹
V. Wiktor Marek, Anil Nerode and Jeffrey Remmel
29 Pages
- 92-22 Exact Formulas For The Plethysms $S_2[S(1^a, b)]$ And
 $S_1^2[a(1^a, b)]$
J.O. Carbonara, J.B. Remmel and M. Yang
16 Pages
- 92-23 A Classical Type Theory With Tranfinite Types
Garrel Pottinger
10 Pages
- 92-24 Computation of Vector Space T^1 For Affine Toric Varieties
Klaus Altmann
23 Pages
- 92-25 Gurevich-Harrington's Games Defined By Finite Automata
Alexander Yakhnis and Vladimir Yakhnis
27 Pages
- 92-26 Models For Hybrid Systems: Automata, Topologies,
Stability
Anil Nerode and W. Kone
42 Pages
- 92-27 A Multilevel Preconditioner For Domain Decomposition
Boundary Systems
James H. Bramble, Joseph E. Pasciak and Jinchao Xu
12 Pages
- 92-28 The Analysis Of Multigrid Algorithms For Pseudo-
Differential Operators of Order Minus One
James H. Bramble, Zbigniew Leyk and Joseph E. Pasciak
20 Pages
- 92-29 Uniform Convergence Estimates For Multigrid V-Cycle
Algorithms With Less Than Full Elliptic Regularity
James H. Bramble and Joseph E. Pasciak
10 Pages

- 92-30 A Preconditioned Algorithm For Eigenvector/Eigenvalue
Computation
James H. Bramble and Joseph E. Pasciak
14 Pages
- 92-31 Hybrid Systems Papers for CDC92
J. Guckenheimer, W. Kohn, A. Nerode and A.A. Yakhnis
18 Pages
- 92-32 Low Degree Solutions to Linear Equations With $K[X]$
Coefficients
M. Kalkbrener, M. Sweedler and L. Taylor
7 Pages
- 92-33 On Irreducible m -Degrees
Rod Downey
4 Pages
- 92-34 Degrees of Inferability
R. Downey, P. Cholak, L. Fortnow, W. Gasarach, E. Kinber,
M. Kummer, S. Kurtz and T. A. Slaman
13 Pages
- 92-35 Every Recursive Boolean Algebra Is Isomorphic To One
With Incomplete Atoms
Rod Downey
16 Pages
- 92-36 Modelling Hybrid Systems as Games
Anil Nerode and Alexander Yakhnis
15 Pages
- 92-37 Some Effectively Infinite Classes of Enumerations
Alexander Yakhnis and Vladimir Yakhnis
31 Pages
- 92-38 Hybrid Games
Alexander Yakhnis and Vladimir Yakhnis
27 Pages

- 92-39 On Turning Located Sets
Xiaolin Ge and Anil Nerode
18 Pages
- 92-40 On Extreme Points of Convex Compact Turing Located Sets
Xiaolin Ge and Anil Nerode
16 Pages
- 92-41 There Is No Plus-Capping Degree
Rodney Downey and Steffen Lempp
10 Pages
- 92-42 Finding Irreducible Components of Some Real
Transcendental Varieties
M.-F. Roy and N.N. Vorobjov
15 Pages
- 92-43 Every Low Boolean Algebra Is Isomorphic To A Recursive
One
Rodney Downey and Carl G. Jockusch
9 Pages
- 92-44 Parameterized Computational Feasibility
Rodney G. Downey and Michael R. Fellows
27 pages
- 92-45 Random Walk On The Infinite Cluster Of The Percolation
Model
G.R. Grimmett, H. Kesten and Y. Zhang
13 Pages
- 92-46 Strict Inequality For Critical Values Of Potts Models And
Random-Cluster Processes
C.E. Bezuidenhout, G.R. Grimmett, and H. Kesten
18 Pages
- 92-47 Greedy Lattice Animals I: Upper Bounds
J. Theodore Cox, Alberto Gandolfi, Philip S. Griffin and
Harry Kesten
20 Pages

- 92-48 Greedy Lattice Animals II: Linear Growth
Alberto Gandolfi and Harry Kesten
33 Pages
- 92-49 Superdiffusions And Parabolic Nonlinear Differential
Equations
E.B. Dynkin
21 Pages
- 92-50 Birth Delay Of A Markov Process And The Stopping
Distributions For Regular Processes
E.B. Dynkin
16 Pages
- 92-51 On Regularity of Super Processes
E. B. Dynkin
26 Pages
- 92-52 A Type of Interaction Between Super Processes And
Branching Particle Systems
E. B. Dynkin
4 Pages
- 92-53 The 1991 Wald Memorial Lectures: Super Processes And
Particle Differential Equations
E. B. Dynkin
95 Pages
- 92-54 Branching Measure-Valued Processes
E.B. Dynkin , S.E. Kuznetsov and A.V. Skorokhod
36 Pages
- 92-55 The Theories of T, tt And wtt R.E. Degrees: Undecidability
And Beyond
R.A. Shore
10 Pages
- 92-56 Degree Theoretic Definitions On The Low² Recursively
Enumerable Sets
Rod Downey and Richard Shore
27 Pages

- 92-57 Distributed Concurrent Programs As Strategies In Games
Anil Nerode, Alexander Yakhnis and Vladimir Yakhnis
31 Pages
- 92-58 Generating Spectral Methods Solvers For Partial
Differential Equations
G. Berkooz, P. Chew, J. Cremer, R. Palmer and R. Zippel
13 Pages
- 92-59 A Probabilistic Approach To Martin Boundaries For
Manifolds With Ends
M. Cranston
22 Pages
- 92-60 The Strong Law Of Large Numbers For A Brownian
Polymer
M. Cranston and T.S. Mountford
- 92-61 The Radial part of Brownian Motion II: Its Life And Times
On The Cut Locus
Michael Cranston, Wilfrid S. Kendall and Peter March
18 Pages
- 92-62 Multivariate Subexponential Distributions
Daren B.H. Cline, Sidney I. Resnick
24 Pages
- 92-63 Asymptotic Critical Value For A Competition Model
Richard Durrett and Rinaldo Schinazi
23 Pages
- 92-64 Stochastic Spatial Models: A User's Guide To Ecological
Applications
Richar Durrett and Simon Levin
50 Pages
- 92-65 A Modulus For The 3-Dimensional Wave Equation With
Noise: Dealing With A Singular Kernel
Carl Mueller
18 Pages

- 92-66 Hierarchically Sturctured Branching Population With
Spatial Motion
Kenneth J. Hochberg
17 Pages
- 92-67 The Arc-Sine Law And Its Analogues For Processes
Governed By Signed and Complex Measures
Kenneth J. Hochberg and Enzo Orsingher
23 Pages
- 93-1 Parameter Dependence, Size, And Survivability
K.M. Crowe
23 Pages
- 93-2 A Nonlinear Ergodic Theorem For Discrete Systems
K.M. Crowe
20 Pages
- 93-3 The Effects Of Asymmetric Competition On Competitive
Outcome
K.M. Crowe
12 Pages
- 93-4 Multiple Agent Autonomous Control A Hybrid Systems
Architecture
Anil Nerode And Wolf Kohn
30 Pages
- 93-5 The Importance Of Being Discrete
Richard Durrett and Simon Levin
27 Pages
- 93-6 Stable Processes With Sample Paths In Orlicz Spaces
Rimas Norvaisa And Gennady Samorodnitsky
31 Pages
- 93-7 Examples Of Simply-Connected Liouville Manifolds With
Positive Spectrum
Itai Benjamini And Jianguo Cao
23 Pages

- 93-8 On Hyperbolic Cascaded Reed-Solomon Codes
Keith Saints And Chris Heegard
13 Pages
- 93-9 Distributed Concurrent Programs As Strategies In
Games
Anil Nerode, Alexander Yakhnis And
Vladimir Yakhnis
31 Pages
- 93-10 Spatial Epidemic Models
Richard Durrett
20 Pages
- 93-11 Model For Hybrid System: Automata, Topologies,
Stability
Anil Nerode And Wolf Kohn
55 Pages
- 93-12 Multiple Agent Hybrid Control Architecture
Anil Nerode And Wolf Kohn
- 93-13 Extracting Programs From Proofs By An Extension Of
The Curry-Howard Process
John N. Crossley And John C. Shepherdson
67 Pages
- 93-14 Toward A Theory Of Hybrid Knowledge Bases
James. J. Lu, Anil Nerode, Jeffrey Rummel
And V.S. Subrahmanian
- 93-15 Computing Definite Logic Programs By Partial
Instantiation And Linear Programming (Extended
Abstract)
Vadim Kagan, Anil Nerode, And V.S. Subrahmanian
15 Pages
- 93-16 Coexistence Results For Catalysts
Richard Durrett And Glen Swindle
31 Pages

- 93-17 Irreducible Components Of The Varieties Defined By
Certain Transcendental Terms
Nicolai Vorobjov
10 Pages
- 93-18 Iterated Fiber Polytopes
Louis J. Billera And Bernd Sturmfels
18 Pages
- 93-19 Program Categorical And Nonuniformly Categorical
Models
Anil Nerode Andbakhadyr Khoussainov
17 Pages
- 93-20 On Algorithmic Dimensions Of Models
Bakhadyr Khoussainov And Ruzmat Dadajanov
28 Pages
- 93-21 Uniform Convergence Of Multigrid V-Cycle Iterations
For Indefinite And Nonsymmetric Problems
James H. Bramble, Do Y. Kwak And Joseph E. Pasciak
20 Pages
- 93-22 A Robust Finite Element Method For Nonhomogeneous
Dirichlet Problems In Domains With Curved Boundaries
James H. Bramble And J. Thomas King
23 Pages
- 93-23 Finitely Generated R.E. Algebras
Anil Nerode And Bakhadyr Khoussainov
27 Pages
- 93-24 Computing Definite Logic Programs By Partial
Instantiation And Linear Programming
Vadim Kagan, Anil Nerode And V.S. Subrahmanian
21 Pages
- 93-25 The Finite Systems Scheme: An Abstract Theorem And A
New Example
J.T. Cox And A. Greven
14 Pages

- 93-26 Recursive Topological Algebras And Abelian Groups I
Anil Nerode And Bakhadyr Khoussainov
49 Pages
- 93-27 Using Groebner Bases To Determine The Algebraic And
Transcendental Nature Of Field Extensions: Return
Of The Killer Tag Variables
Moss Sweedler
10 Pages
- 93-28 Models For Hybrid Systems: Automata, Topologies,
Controllability, Observability
Anil Nerode And Wolf Kohn
42 Pages
- 93-29 A Context For Belief Revision: Forward Chaining-
Normal Nonmonotonic Rule Systems:
V.W. Marek, Anil Nerode, And J.B. Remmel
58 Pages
- 93-30 Zero-One Laws For Multiple Stochastic Integrals
Jan Rosinski And Gennady Samorodnitsky
25 Pages
- 93-31 Recursive Unary Algebras And Trees
Bakhadyr Khoussianov
71 Pages
- 93-32 The Complexity Of Sets Constraints
Alexander Aiken, Dexter Kozen, Moshe Vardi, And
Ed Wimmers
26 Pages
- 93-33 Decidability Of Systems Of Set Constraints With
Negative Constraints
Alexander Aiken, Dexter Kozen, And Ed Wimmers
33 Pages
- 93-34 A Sparse Cad And Computing The Topology Of A Smooth
Real Analytic Hypersurface
Nicolai B Vorobjov
24 Pages

- 93-35 Stochastic And Deterministic Models In
Epidemiology
Carlos Castillo-Chavez, Samuel Fridman And
Xiaolong Luo
15 Pages
- 93-36 Simulation Studies On Stochastic Models With
Heterogeneously Mixing Contact Structures
Carlos Castillo-Chavez, Samuel Fridman And
Shu-Fang Hsu Schmitz
20 Pages
- 93-37 Modeling Contact Structures In Biology
Carlos Castillo-Chavez, Jorge X. Velasco-Hernandez
And Samuel Fridman
28 Pages
- 93-38 Parameter Estimation In Non-Closed Social Networks
Related To Dynamics Of Sexually Transmitted Diseases
Shu-Fang Hus Schmitz And Carlos Castillo-Chavez
38 Pages
- 93-39 Densities With Gaussian Tails
A.A. Balkema, C. Kluppelberg And S.I. Resnick
21 Pages
- 93-40 Coupling And Invariant Measures For The Heat
Equation With Noise
Carl Mueller
14 Pages
- 93-41 Singular Initial Conditions For The Heat Equations
With Noise Term
Carl Mueller
21 Pages
- 93-42 A Modulus For The 3-Dimensional Wave Equation With
Noise: Dealing With A Singular Kernel
Carl Mueller
18 Pages

- 93-43 The Support Of Measure Valued Branching Processes In A
Random Environment
D. Dawson, Y. Li And C. Mueller
19 Pages
- 93-44 A Stochastic PDE Arising As The Limit Of A Long-Range
Contact Process And Its Phase Transition
Carl Mueller And Roger Tribe
71 Pages
- 93-45 On The Isomorphism Problem In Finitely Presented
Algebras¹
Kiyoshi Shirayanagi
43 Pages
- 93-46 On Path Properties Of Super-1 Processes. I
Donald A. Dawson, Kenneth J. Hochberg And
Vladimir Vinogradov
19 Pages
- 93-47 Logic Of Functional Proofs
Sergei Artemov
28 Pages
- 93-48 A Recursion Formula For The Height Of A Polynomial
Ideal
Michael Kalkbrener
8 Pages
- 93-49 Concurrent Computation As Game Playing
Anil Nerode, Alexander Yakhnis And Vladimir Yakhnis
47 Pages
- 93-50 A Computing Definite Logic Programs By Partial
Instantiation
Vadim Kagan, Anil Nerode And V.S. Subrahmanian
21 Pages
- 93-51 A Constructive Version Of Banach's Inverse Mapping
Theorem
Hajime Ishihara
7 Pages

- 93-52 Logic Of Proofs
Sergei Artemov
35 Pages
- 93-53 Bounds On Degrees Of Projective Schemes
Bernd Sturmfels, Ngo Viet Trung And
Wolfgang Vogel
16 Pages
- 93-54 On Speedable And Levelable Vector Spaces
Frank A. Bauerle And Jeffrey B. Remmel
46 Pages
- 93-55 Recruitment Effects In Heterosexually Transmitted
Disease Models
Fred Brauer, C. Castillo-Chavez And J.X. Velasco-
Hernandez
21 Pages
- 93-56 Competitive Exclusion In Gonorrhea Models And Other
Sexually-Transmitted Diseases
C. Castillo-Chavez, Wenzhang Huang And Jia Li
28 Pages
- 93-57 Groebner Bases
Moss Sweedler
12 Pages
- 93-58 Optimal Instar Parasitization In A Stage Structured Host-
Parasitoid Model
Kathleen M. Crowe And J.M. Cushing
23 Pages
- 93-59 The Heat Equation With Levy Noise
Carl Mueller
19 Pages
- 93-60 Existential Formulas For Analytic Functions
Andrei Gabrielov
14 Pages

- 93-61 Heat Kernel Bounds On Riemannian Manifolds
Itai Benjamini, Isaac Chavel And Edgar Feldman
11 Pages
- 93-62 Heat Kernel Lower Bounds On Riemannian Manifolds
Using The Old Ideas Of Nash
Itai Benjamini, Isaac Chavel And Edgar A. Feldman
35 Pages
- 93-63 Systems Of Set Constraints With Negative
Constraints Are Nexttime-Complete
Kjartan Stefansson
10 Pages
- 93-64 Multiplicities Of Pfaffian Intersections And The
Lojasiewicz Inequality
Andrei Gabrielov
9 Pages
- 93-65 Asymmetric Abelian Avalanches And Sandpiles
Andrei Gabrielov
33 Pages
- 93-66 Toward A Euclidean Algorithm For Composition Of
Rational Functions
Moss Sweedler
4 Pages
- 93-67 Using Hybrid Knowledge Bases For Missile Siting
Problems
John Benton And V.S. Subrahmanian
12 Pages
- 93-68 A Robust Hybrid Stabilization Strategy For Equilibria
John Guckenheimer
23 Pages
- 93-69 An Exact Renormalization Model For Earthquakes And
Material Failure: Statics And Dynamics
William I. Newman, Andrei Gabrielov, Thomas A.
Durand, S. Leigh Phoenix And Donald L. Turcotte
40 Pages

- 93-70 Spectra Of Selfadjoint Operators In Constructive
 Analysis
 Douglas Bridges And Hajime Ishihara
 32 Pages
- 93-71 Grobner Bases And Triangulations Of The Second
 Hypersimplex
 Jesus A. De Loera, Bernd Sturmfels And Rekha
 R. Thomas
 22 Pages
- 93-72 The Polygon Quantum-Billiard Problem
 Richard L. Liboff
 27 Pages
- 93-73 On The Kronecker Product Of Schur Functions Of
 Two Row Shapes
 Jeffrey Remmel And Tamsen Whitehead
 34 Pages
- 93-74 Constructive Mathematics And Unbounded
 Operator - A Reply Lto Hellman
 Douglas S. Bridges
 10 Pages
- 93-75 On Completeness Under Random Reductions
 Suresh Chari And Pankaj Rohatgi
 17 Pages
- 93-76 Permutation Enumeration Of The Symmetric Group
 And The Combinatorics Of Symmetric Functions
 Desiree A. Beck And Jeffrey B. Remmel
 37 Pages
- 93-77 Hybrid Games And Hybrid Systems
 Anil Nerode And Alexander Yakhnis
 38 Pages
- 93-78 On Recursive Bounds For The Exceptional Values In
 Speed-Up
 Douglas Bridges And Cristian Calude
 8 Pages

- 93-79 A Robust Hybrid Stabilization Strategy For Equilibria
John Guckenheimer
21 Pages
- 93-80 Constraint Logic Programming: Hybrid Control,
Logic As Linear Programming
Anil Nerode And Wolf Kohn
16 Pages
- 93-81 A Note On Richman's Principle
Hajime Ishihara
8 Pages
- 93-82 Effectively And Noneffectively Nowhere Simple
Subspaces
R.G. Downey And Jeffrey B. Remmel
38 Pages
- 93-83 Polynomial Time Categoricity And Linear Orderings
Jeffrey B. Remmel
34 Pages
- 93-84 The Work Of Anil Nerode: A Retrospective
J.B. Remmel And J.N. Crossley
91 Pages
- 93-85 Analyzing Teams Of Cooperating Mobile Robots
Bruce Randall Donald, James Jennings And
Daniela Rus
- 93-86 Automatic Sensor Configuration For Task-Directed
Planning
Amy J. Briggs And Bruce R. Donald
8 Pages
- 93-87 A Geometric Theory Of Manipulation And Control
For Microfabricated Actuator Arrays
Karl-Friedrich Bohringer, Bruce R. Donald,
Robert Mihailovich And Noel C. Macdonald
7 Pages

- 93-88 Iterated Relative Recursive Enumerability
Peter A. Cholak And Peter G. Hinman
28 Pages
- 93-89 The Translation Theorem
Peter Cholak
30 Pages
- 93-90 A Constructive Proof Of Wronski's Criterion For Linear
Independence
Douglas Bridges
6 Pages
- 93-91 Conjectures And Questions From Gerald Sack's Degrees Of
Unsolvability
Richard A. Shore
27 Pages
- 93-92 Highness And Bounding Minimal Pairs
Rodney G. Downey, Stefen Lemmp And Richard Shore
25 Pages
- 93-93 Percolation Of Arbitrary Words In $\{01\}$
Itai Benjamini And Harry Kesten
40 Pages
- 93-94 Nonlinear Ergodic Theorems And Symmetric Vs.
Asymmetric Competition
Kathleen M. Crowe
25 Pages
- 93-95 Process Level Large Deviations For A Class Of Piece-Wise
Homogeneous Random Walks
V.M. Blinovskii And R.L. Dobrushin
51 Pages
- 93-96 Restrictions Of A-Hypergeometric Systems And
Connection Formulas Of The $\Delta_1 \times \Delta_{n-1}$ -Hypergeometric
Function
Mutsumi Saito And Nobuki Takayama
25 Pages

- 93-97 Databases PF Actovotoes And Modeling
Eugen Ardeleanu And Adriana Ardeleanu
6 Pages
- 93-98 Methodological Issues In Structural And Syntactical
Theories
Eugen Ardeleanu
16 Pages
- 93-99 S-Series And Plethysm Of Hook-Shaped Schur Functions
With Power Sum Symmetric Functions
J.O. Carbonara, J.B. Remmel, And M. Yang
23 Pages
- 93-100 On The Hilbert Schemes Of Canonically-Embedded
Curves Of Genus 5 And 6
John B. Little
17 Pages
- 93-101 Agents In Multiple Agent Hybrid Control
Wolf Kohn, Anil Nerode And Jeffrey B. Remmel
22 Pages
- 93-102 Hybrid System Games: Extraction Of Control
Automata With Small Topologies
Anil Nerode, Jeffrey B. Remmel, And Alexander Yakhnis
61 Pages
- 93-103 Finite And Infinite Systems Of Interacting Diffusions
J.T. Cox, Andreas Greven, And Tokuzo Shiga
44 Pages
- 93-104 An Example Of Extraction Of A Finite Control Automaton
And Nerode's Ad-Converter For A Discrete Sensing
Hybrid Systems
Anil Nerode And Alexander Yakhnis
20 Pages
- 93-105 Control Automata And Fixed Points Of Set-Valued
Operators For Discrete Sensing Hybrid Systems
Anil Nerode And Alexander Yakhnis
11 Pages

- 93-106 Functionals Of Infinitely Divisible Stochastic Processes
 With Exponential Tails
 Michael Braverman And Gennady Samorodnitsky
 24 Pages
- 94-1 A Definitive Constructive Open Mapping Theorem
 Douglas Bridges, Hajime Ishihara
 11 Pages
- 94-2 Topology And Convex Geometry Of Quadratic
 Alexander Barvinok
 23 Pages
- 94-3 Random Travelling Waves For The Kpp Equation With
 Noise
 C. Mueller And R. Sowers
 54 Pages
- 94-4 Complexity Of Stratifications Of Semi-Pfaffian Sets
 Andrei Gabrielov And Nicolai Vorobjov
 27 Pages
- 94-5 On The Development Of Multigrid Methods And Their
 Analysis
 James Bramble
 20 Pages
- 94-6 Computing Minimal Models By Partial Instantiation
 Vadim Kagan, Anil Nerode And V.S. Subrahmanian
 18 Pages
- 94-7 Asymptotic Behavior Of Basic Contact Process With
 Rapid Stirring
 Norio Konno
 33 Pages
- 94-8 Completeness Under Set-Theoretical Operations
 Marat M. Arslanov
 11 Pages

- 94-9 Intermediate Phase For The Contact Process On A Tree
Rich Durrett And Rinaldo Schinazi
8 Pages
- 94-10 On Path Properties Of Super-2 Processes, II
Donald Dawson And Kenneth Hochberg And
Vladimir Vinogrador
23 Pages
- 94-11 Lower Bounds On Critical Value Of The Threshold
Contact Process
Norio Konno
11 Pages
- 94-12 A Simple Estimate On Critical Value Of The One-
Dimensional Basic Contact Process
Norio Konno
12 Pages
- 94-13 Martin Capacity For Markov Chains And Random
Walks In Varying Dimensions
Itai Benjamini, Robin Pemantle And Yuval Peres
35 Pages
- 94-14 Monadic Second Order Theories And Quasi-Regular
Algebras
Anil Nerode And Bakhadyr Khoussainov
31 Pages
- 94-15 The Notion Of Rank And Games
Anil Nerode And Bakhadyr Khoussainov
28 Pages
- 94-16 Effective Properties Of Finitely Generated R.E. Algebras
Anil Nerode And Bakhadyr Khoussainov
25 Pages
- 94-17 Program Categorical And Nonuniformly Categorical
Models
Anil Nerode And Bakhadyr Khoussainov
18 Pages

- 94-18 Algorithm Finding Recurrence Relations Of Binomial
 Sums And It Complexity
 Nobuki Takayama
 14 Pages
- 94-19 Hybrid Zones And Voter Model Interfaces
 J.T. Cox And R. Durrett
 20 Pages
- 94-20 Coupling And Harmonic Functions In The Case Of
 Continuous Time Markov Processes
 Michael Cranston And Andreas Greven
 34 Pages
- 94-21 New Algorithms For Linear K-Matroid Intersection
 And Matroid K-Parity Problems
 Alexander Barvinok
 22 Pages
- 94-22 Non-Ground Stable And Well-Founded Semantics
 Georg Gottob, Sherry Marcus, Anil Nerode And
 V.S. Subrahmanian
 41 Pages
- 94-23 Algorithms For Chattering Approximations To
 Relaxed Optimal Controls
 Xiaolin Ge, Wolf Kohn And Anil Nerode
 25 Pages
- 94-24 Stability And Hopf Bifurcation For A Population Delay
 Model With Diffusion Effects
 Stavros Busenberg And Wenzhang Huang
 27 Pages
- 94-25 Systematic Encoding Via Groebner Bases For A Class Of
 Algebraic Geometric Goppa Codes
 Chris Heegard, John Little And Keith Saints
 25 Pages

- 94-26 On The Existence Of Stable Pairing Distributions
Carlos Castillo-Chavez, Wenzhang Huang And Jia Li
35 Pages
- 94-27 The Logistic Equation Revisited: The Two-Sex Case
Carlos Castillo-Chavez And Wenzhang Huang
15 Pages
- 94-28 Viability In Hybrid Systems
Wolf Kohn, Anil Nerode, Jeffrey B. Remmel And
Alexander Yakhnis
32 Pages
- 94-29 Nonlocal Response In A Simple Epidemiological Model
K.R. Heiderich, W. Huang And C. Castillo-Chavez
30 Pages
- 94-30 On The Structure Of Hermitain Codes
John Little, Keith Saints And Chris Heegard
27 Pages
- 94-31 A Finite Element Method For Interface Problems In
Domains With Smooth Boundaries And Interfaces
James H. Bramble And J. Thomas King
34 Pages
- 94-32 A Least-Squares Approach Based On A Discrete Minus
One Inner Product For First Order Systems
James H. Bramble, Raytcho D. Lazarov And Joseph E.
Pasciak
23 Pages
- 94-33 The Analysis Of Multigrid Algorithms For Cell
Centered Finite Difference Methods
James H. Bramble, Richard E. Ewing, Joseph E. Pasciak,
And Jian Shen
14 Pages
- 94-34 Iterative Techniques For Time Dependent Stokes
Problems
James H. Bramble And Joseph E. Pasciak
22 Pages

- 94-35 Two-Level Schwarz Methods For The Biharmonic Problem Discretized By Conforming C^1 Elements
Xuejun Zhang
21 Pages
- 94-36 New Methods For Computing A Saddle-Node Bifurcation Point For Voltage Stability Analysis (Also Reprints)
Jin Lu, Chih-Wen Liu, And James S. Thorp
7 Pages
- 94-37 Viability In Hybrid Systems
Wolf Kohn, Anil Nerode, And Jeffrey B. Remmel
39 Pages
- 94-38 Asymptotically Autonomous Epidemic Models
Carlos Castillo-Chavez And Horst R. Thieme
22 Pages
- 94-39 Basic Models In Epidemiology
Fred Brauer And Carlos Castillo-Chavez
39 Pages
- 94-40 Affinity In Paired Event Probability
Stephen P. Blythe, Stavros Busenberg And Carlos Castillo-Chavez
19 Pages
- 94-41 Effects Of Treatment And Behavioral Change On The Dynamics Of HIV/AIDS In A Highly Homosexually-Active Population
Jorge X. Velasco-Hernandez, Fred Brauer And Carlos Castillo-Chavez
30 Pages
- 94-42 A Core Group Model For Disease Transmission
K.P. Hadeler And C. Castillo-Chavez
16 Pages
- 94-43 Computing Minimal Models By Partial Instantiation
Vadim Kagan, Anil Nerode, And V.S. Subrahmanian
19 Pages

- 94-44 Lambda Calculus And Constructive Logics II
Anil Nerode And Piergiorgio Odifreddi
427 Pages
- 94-45 Nonmonotonic Rule Systems With Recursive Sets Of
Restrains
V. Wiktor Marek, Anil Nerode, And Jeffrey B. Remmel
40 Pages
- 94-46 Lattice Embeddings Below A Nonlow₂ Recursively
Enumerable Degree
Rod Downey And Richard A. Shore
28 Pages
- 94-47 Jumps Of Minimal Degrees Below 0'
Rodney G. Downey, Steffen Lempp, And Richard Shore
23 Pages
- 94-48 Efficient Resolution Of Singularities Of Plane Curves
Dexter Kozen
11 Pages
- 94-49 Efficient Average-Case Algorithms For The Modular
Group
Jin-Yi Cai, Wolfgang H. Fuchs, Dexter Kozen,
And Zicheng Liu
10 Pages
- 94-50 Multiplicities Of Zeroes Of Polynomials On Trajectories
Of Polynomial Vector Fields And Bounds On Degree Of
Nonholonomy
Andrei Gabrielov
11 Pages
- 94-51 Some New Error Estimates For Ritz-Galerkin Methods
With Minimal Regularity Assumptions
Afred H. Schatz And Junping Wang
10 Pages

- 94-52 Superconvergence In Finite Element Methods And
Meshes Which Are Locally Symmetric With Respect To A
Point
A.H. Schatz, I.H. Sloan, And L.B. Wahlbim
22 Pages
- 94-53 Interior Maximum Norm Estimates For Finite Element
Methods, Part II
A.H. Schatz And L.B. Wahlbin
36 Pages
- 94-54 A Semi-Autonomous Multiagent Decision Model For A
Battlefield Environment (Draft)
Jin Lu, Xiaolin Ge, Wolf Kohn, Anil Nerode,
and N. Coleman
31 Pages
- 94-55 Algorithms For Chattering Approximations To
Relaxed Optimal Controls Revision I
Xiaolin Ge, Wolf Kohn, And Anil Nerode
28 Pages
- 94-56 Multigrid Solution Of A Path Integral Formulation
For The Hydrogen Atom
Dov Bai
9 Pages
- 94-57 Multiple Agent Hybrid Control: Carrier Manifolds
And Chattering Approximations To Optimal Control
Wolf Kohn, Anil Nerode, J.B. Remmel, And Xiaolin Ge
7 Pages
- 94-58 Annotated Nonmonotonic Rule Systems
A. Nerode, J.B. Remmel, And V.S. Subrahmanian
19 Pages
- 94-59 ILPS'94 Proceedings {To Come Later}
- 94-60 Game Characterizations Of Logic Program Properties
Howard A. Blair
24 Pages

- 94-61 Multigrid Methods For The Biharmonic Problem
Discretized By Conforming C1 Finite Elements On
Nonnested Meshes
James Bramble And Xuejun Zhang
12 Pages
- 94-62 On The Chemical Distance For Supercritical Bernoulli
Percolation
Peter Antal And Agoston Pisztora
15 Pages
- 94-63 Asymptotics For The Euclidean Tsp With Power
Weighted Edges
J.E. Yukich
30 Pages
- 94-64 Kruskal-Katona For Some Cubical Complexes
Niandong Liu
17 Pages
- 94-65 Asymptotics For Euclidean Functionals With Power-
Weighted Edges
C. Redmond And J.E. Yukich
28 Pages
- 94-66 Interpolating D-R.E. And Real Degrees Between R.E.
Degrees
Marat Arslanov, Steffen Lempp, And Richard A. Shore
34 Pages
- 95-1 Algorithms For Chattering Approximations To
Relaxed Optimal Controls
Xiaolin Ge, Anil Nerode, Wolf Kohn, And Jeffrey B.
Rommel
34 Pages
- 95-2 Foundations Of Linguistic Geometry: Complex Systems
And Winning Conditions
Vladimir Yakhnis And Boris Stilman
15 Pages

- 95-3 Quantum Computing Device Research Report
(First Draft)
Wolf Kohn
8 Pages
- 95-4 Undecidability Results For Hybrid Systems
Thomas A. Henzinger And Peter W. Kopke
11 Pages
- 95-5 Verification Methods For The Divergent Runs Of Clock
Systems
Thomas A. Henzinger And Peter W. Kopke
19 Pages
- 95-6 A Multiple-Agent Hybrid Control Architecture For
Cost/Benefit Analysis \ A Proposed Approach To
Optimal Performance While Downsizing
Ben Cummings, Wolf Kohn, John James, Anil Nerode, Karl
Shell, And Jeffrey Rummel
30 Pages
- 95-7 Hybrid Systems And Control Theory
Anil Nerode And Wolf Kohn
17 Pages
- 95-8 A Multiple Agent Hybrid Control Architecture For
Automated Forces: Design And Software
Implementation
Xiaolin Ge, Anil Nerode, And John James
12 Pages
- 95-9 Effective Content Of The Calculus Of Variations I:
Semi-Continuity And The Chattering Lemma
Xiaolin Ge And Anil Nerode
25 Pages
- 94-10 Improving The Pointing Accuracy Of Direct-Fire
Weapons
Wolf Kohn, John James, And Anil Nerode
7 Pages

- 95-11 Hybrid Automata With Finite Mutual Simulations
Thomas A. Henzinger And Peter W. Kopke
12 Pages
- 95-12 Spatial Models For Species Area Curves
Maury Bramson, J. Theodore Cox, And Richard Durrett
38 Pages
- 95-13 The Expressive Power Of Clocks
Thomas A. Henzinger, Peter W. Kopke, And Howard
Wong-Toi
19 Pages
- 95-14 On Isolating R.E. And Isolated D-R.E. Degrees
Marat Arslanov, Steffen Lempp, And Richard Shore
20 Pages
- 95-15 A Hierarchical Model For Precursory Seismic
Activation
W.I. Newman, D.L. Turcotte, And A. Gabrielov
32 Pages
- 95-16 To Treat Or Not To Treat: The Case Of Tuberculosis
Carlos Castillo-Chavez And Zhilan Feng
33 Pages
- 95-17 Automatic Presentations Of Structures
Bakhadyr Khoussainov And Anil Nerode
26 Pages
- 95-18 A Lower Bound For Adjacencies In The Traveling
Salesman Problem
A. Sarangarajan
8 Pages
- 95-19 Hybrid Systems And Quantum Automata: Preliminary
Announcement
R.L. Grossman And M. Sweedler
11 Pages
- 95-20 Controllers As Fixed Points Of Set-Valued Operators
Anil Nerode, Jeffrey B. Remmel, And Alexander Yakhnis
15 Pages

- 95-21 McNaughton Games And Extracting Strategies For
Concurrent Programs
Anil Nerode, Jeffrey B. Remmel, And Alexander Yakhnis
52 Pages
- 95-22 Hybrid Systems As Finsler Manifolds: Finite State
Control As Approximation To Connections
Wolf Kohn, Anil Nerode, And Jeffrey B. Remmel
28 Pages
- 95-23 On Complements Of Subanalytic Sets And Existential
Formulas For Analytic Functions
Andrei Gabrielov
18 Pages
- 95-24 Geometric Incompatibility In A Fault System
Andrei Gabrielov, Vladimir Keilis-Borok, And David D.
Jackson
40 Pages
- 95-25 McNaughton Games And Extracting Strategies For
Concurrent Programs (Revised)
Anil Nerode, Jeffrey B. Remmel, And Alexander Yakhnis
54 Pages

- 95-26 What's Decidable About Hybrid Automata
Thomas A. Henzinger, Peter W. Kopke, Anuj Puri, And
Pravin Varaiya
47 Pages
- 95-27 Recursive Models Of Theories With Few Models
Bakhadyr Khoussainov, Andre Nies, And Richard A. Shore
18 Pages
- 95-28 A Theory Of Stabilizing Algebraic Algorithms
Kiyoshi Shirayanagi And Moss Sweedler
92 Pages
- 95-29 Operational Modal Logic
Sergei N. Artemov
29 Pages
- 96-1 There Is No Degree Invariant Half-Jump
Rod Downey And Richard Shore
7 Pages
- 96-2 Splitting Theorems And The Jump Operator
Rod Downey And Richard Shore
11 Pages
- 96-3 Intervals Without Critical Triples
Peter Cholak, Rod Downey And Richard Shore
30 Pages
- 96-4 Computably Categorical Structures And Expansions By
Constants
Peter Cholak, Sergey Goncharov, Bakhadyr Khoussainov
And Richard Shore
36 Pages
- 96-5 Self Equivalences For Rectangular Hybrid
Automata
Thomas A. Henzinger and Peter W. Kopke
22 Pages
- 96-6 Proof Realization of Intuitionistic and Modal Logics
S. Artemov

- 96-7 Categoricity and Scott Families
Bakhadyr Khoussainov, Richard Shore
12 Pages
- 96-8 Decidable Kripke Models of Intuitionistic Theories
Hajimee Ishihara, Bakhadyr Khoussainov, Anil Nerode
11 Pages
- 96-9 Topological Semantics For Intuitionistic Logic and Hybrid
Systems (Preliminary Report)
Sergei Artemov, Jennifer Davoren, Anil Nerode
9 pages
- 96-10 Tableaux for Functional Dependencies and
Independencies
Duminda Wijesekera, M. Ganesh, Jaideep Srivastava, and
Anil Nerode
15 pages
- 96-11 Distributed Multiple-Agent Command and Control for
Theatres of War: Reactive Control of Distributed
Interactive Simulations (DIS):
Wolf Kohn, John James and Anil Nerode
30 pages

List of Participating Scientific Personnel(4d)

*Center of Excellence in the Mathematical Sciences for Symbolic Methods in
Algorithmic Mathematics*

Visitors

J. Lipton - U. Penn. 5/3/91-8/1/91- Visiting Scientist
A. Yakhnis -9/20/90-6/30/95, Visiting Scientist
V. Yakhnis - 5/10/94-6/23/94 - Visiting Scientist, IBM
Dov Bai - Postdoc/Visiting Fellow,8/1/89-5/16/94 Utah State Univ.
Rodney Downey - Victoria University, New Zealand,8/6/92-12/23/92,
Visiting Scholar
Howard Blair - School of CA and Info. Sci., Syracuse U. ,Visiting Fellow
11/15/91-11/14/94
B. Khoussaniov - 7/1/93-6/30/95 - Visiting Scientist, Tash Kent Univ.
Garrel Pottinger - 9/1/92-8/31/95 - Visiting Fellow, Odyssey Research
Sherry Marcus- 6/3/93-10/15/93 - Visiting Scientist, Harvard Univ.
Jeff Remmel-UCSD-Visit. Sci. 6/15/93-9/15/93 and 8/10/92-9/3/92
Alan Paris - 12/8/94-2/7/95 and 5/20/94-8/18/94
David Harel 10/1/94-5/15/95, Visit. Scientist
D. Nies - 1/5-5/24/95, Visit.Sci.
Alexei Myasnikov- 3/3/93-3/12/93 - Univ. of Manitoba, Visit. Sci.
S. Artemov - Visit. Sci. 6/30/93-7/31/93 - Steklov Math. Inst.
David Morrison- Duke University, 1/5/95-5/24/95
Sergey Goncharov, Visit. Sci. 10/25/94-11/25/94 - Inst. of Math, Douglas
D. Bridges - Univ. of Waikato 7/1/93-8/4/93
E. Ardeleanu - Non-degree Student Fall 93 and Spring'94 LINZ Austria,
RISC-Johannes Kepler Univ.
Xiaolin Ge - 8/11/93-8/10/95 Univ. of Minnesota
Allen Brown - Visiting Fellow 5/12/92-5/11/94 - Xerox Corp.
Mikhail Taitslin - Visit. Fellow 5/30/93-6/30/93 - Tver Univ. Russia
M. Kalkbrenner - RISC, LINZ, Austria - Visiting Scientist
O. Moreno - Puerto Rico
Stavros Busenberg, Math Harvey Mudd
Beat Jaggi - Switzerland, Univ. Berne 8/23/92-8/23/93
Kiyoshi Shirayanagi - NTT Comm. Sci. Lab, Japan, Visiting Scholar 8/92-
7/93
Nicolai Vorobjov - Steklov Inst., Russia 8/1/92-6/30/93, Visiting Scientist
Hajime Ishihara - Japan Advanced Inst. of Science & Tech - 2/1/93-
12/1/93
Wolfgang Vogel - University of Halle, 5/13-5/26/93, Visit. Sci.

Alexandre Barvinok - Dept. of Math, Royal Inst. of Tech., Sweden 8/1/93-8/1/94

Douglas Bridges University of Waikato, New Zealand, 7/1/93-1/31/94

Andrei Gabrielov - 8/1/94-7/31/95 University of Toronto

Nobuki Takayama - Dept. of Math Kobe Univ., Japan - 7/12/93-3/30/94

John Little - College of the Holy Cross, Worcester, MA (Math) 8/19/93-7/31/94

Clara Chan - (Billera) - Virginia Polytech Inst. 9/13/94-12/31/94

Sorin Popescu - 3/1/94-3/24/94 - Univ. of Saarland, Germany

Titi, Edriss S., 8/1/91-8/31/91

Allen Back - Research Associate 5/11/91-7/1/93

Warren Nichols - Visiting Fellow

Cornell Faculty

Anil Nerode - Mathematics
Moss Sweedler - Mathematics
Richard Shore - Mathematics
Richard Zippel - Computer Science
Keith Dennis - Math
Chris Heegard - Elec. Engr.
Paul Chew - Computer Science
Al Schatz - Mathematics
Kenneth Brown - Mathematics
Dexter Kozen - Computer Science
Louis Billera - Mathematics
R. Rand - T&AM
Michael Stillman - Math
Bernd Sturmfels - Math
Bruce Donald - Comp. Sci.
Mark Gross - Math

GRA/Fellowships

Amy Briggs - CS - GRA - Summer 92
David Chang - CS GRA - Summer 92
Suresh Chari - CS- GRA - Summer 92
Niandong Liu - Math -GRA - Summer 92
Shmuel Onn - ORIE - GRA AY 91-92
KeithSaints - Appl., Math AASERT Fellow - ARO Summer Fellow 93
Aravind Srinivasan - CS - GRA - Summer 92
Levent Tuncel - ORIE - GRA - AY 91-92
Judith Underwood - CS - GRA - Summer 93, Summer 92, A& 91/92, 92/93
Ivelisse Rubio - Fellowship 91/92, 92/93,93/94,94/95
F. Bohringer - CS - Summer 93
Pankaj Rohatgi - CS - Summer 92
Rekha Thomas - ORIE - GRA Summer 93
Kjartan Stefansson - Summer 94
Sarangarajan - Summer 91
Subramanya, Rao - Summer 95, Elec. Engr., GRA
Oliva 92/93 Fellow, Math
Robert Milnikel, Spr. '94 Fellow - Math
Peter Rapkin - SUMmer 91 - GRA
Worfolk, Sum 91 - GRA

Levant Tuncel - AY 91-92 - GRA

Mitchell - 93/94 GRA and summer 94

P. Pedersen, Computer Science

Zhang - Summer 91 - GRA

Sindhushayana - Summer 92 - GRA

Peter Kopke - Computer Science

Henry Schenck - Math

A. Santos - Fall 96

S. Carver - Fall 95 - Applied Math

S. Mason - Fall 96 - Applied Math

Center of Excellence in the Mathematical Sciences for Stochastic Analysis

Visitors

J.T. Cox - Dept. of Math, Syracuse Univ. 6/8/92-8/7/92 and 6/1/93-6/30/93
M. Cranston - Dept. of Math, University of Rochester
E.B. Dynkin - Dept. of Math, Cornell
H. Kesten - Dept. of Math, Cornell
Carl Mueller - Dept. of Math, University of Rochester, 8/4/92-9/4/92
S. Levin - Ecology, Cornell
J. Gravner - Postdoc 9/1/91-5/31/92, Univ. of Wisconsin, Madison
Toshiyuki Namba - Senshu University, Japan 5/31/91-3/12/92
Steven Kalikow - Visiting Scientist, 7/1/91-7/1/93 - Univ. of Southern Calif.
Kenneth Hochberg - Visiting Scientist, 8/6/92-11/25/92 - Case Western Reserve
Roland Dobrushin - 1/93-6/30/93 - Visit. Sci. Inst. for Problems of Infor. Transmission, Russia
Norio Konno- Visiting Scholar - 5/1/93-2/28/94, Muroran Inst. of Tech, Japan
Wenzhang Huang (Chavez) Visit. Sci. Pomona College 2/17/94-8/17/94
Joseph Yukich- Visiting Fellow, Lehigh University 9/8/94-1/1/95
Jorge Velasco-Hernandez - 8/15/94-2/1/95 - UAm Iztapalapa, Visit. Sci.
Robert Fisch - 12/6/93-12/5/94, Visit. Sci. Univ. of Wisconsin, Madison
Andreas Greven- Visit. Sci. 8/24/91-10/15/91, Univ. of Gottingen
Michail Menchikov- Visit. Sci. 7/25/91-9/15/91 - Moscow Univ.
Serge Kuznetsov 5/15/94-5/27/94 - Visit. Sci., Central Econ. - Math Inst. of Russian Academy of Sciences
Tomasz Zaks,- Visit. Sci. 3/15/92-4/15/93 - Tech. Univ. of Wroclaw
Kai-Lai Chung 7/1/94-8/1/94 - Visit. Sci., Stanford University
RimasNorvicha - 4/27/92-5/26/92, Visit. Sci. Inst.of Math at Vilnius, Lithuania
Jia Li - 5/13/93-9/16/93 - Visit. Sci. Univ. of Alabama
Suetlozar Rachev - 6/18/93-7/17/93 - Visit. Sci. U.C. Santa Barbara
David S. Griffeath University of Wisconsin, 7/22/93-8/22/93
Braverman, (Samorodnitsky, OR) Russia 10/1/93-12/1/93

GRA

Hassan Allouba - Applied Math, GRA - Sum 93, Sum. 94
Susan Lee - Math GRA, Summer and Spring 93
H. Dengler - Math - GRA Spr. 93
Friedman - Summer
Brige - GRA Sum 93, Sum. 94, Appl. Math
Bobrovnikova GRA Sum. 93 - Appl. Math
Kunzelman GRA Spr. 94- Appl. Math
Schwab - non-degree Spr. 94

Postdocs

Itai Benjamini - Postdoc -8/1/93-5/24/95- Hebrew Univ.
Kathleen Crowe - Postdoc - 7/21/92-7/26/94 - Went to Humboldt State University
Peter Antal 8/15/94-2/28/95 - Swiss Federal Inst. of Tech, Postdoc
Jeff Steif - Postdoc, 7/1/91-8/31/91 - Rutgers Univ.
D. McBeth, Douglas, Postdoc 8/22/91-12/25/91 - Hewlett Packard and ORIE (Cornell)

Cornell

Richard Durrett - Math
Carlos Castilto-Chavez - Plant Breeding, Cornell
L. Buttel - Plant Breeding
E. Dynkin - Math
H. Kesten - Math
L. Billera - Math

Center of Excellence in the Mathematical Sciences for Nonlinear Analysis

Visitors

J.E. Pasciak - SUNY Stony Brook - Visiting Scientist 6/25/94-7/25/94
Paulauskas, Vyantas 12/124/93-5/11/94- Visit. Sci., Vilnius Univ.,
Lithuania
Vidar Thomee, Visit. Sci. 6/20/91-8/20/91 - Sweden

Postdocs

Z. Leyk - Postdoc 8/1/89-7/31/91 - Univ. of Warsaw
Zuejun Zhang - Postdoc 8/16/93- 8/17/95 - Univ. Maryland, D.Y.M.
Hanisch - Postdoc 8/91-5/13/93 (Cornell)

GRA/FELLOWS

Yaoping Zhang - GRA AY 83/94 and 94/95
Dunlap - Fellow 92/93, 93/94, 94/95
Baggett - Fellow Jall 93, Spr. 94

Cornell Faculty

James Bramble - Math

Advanced Degrees Earned

Ph.D. Degrees Awarded

- Hassan Allouba - [REDACTED] - CAM - Ph.D. 8/96
- Susan Lee - [REDACTED] - Math - Ph.D. 8/22/94
- Yuan-Chung Sheu - [REDACTED] - Math - Ph.D. 8/23/93
- Heike Dengler - [REDACTED] - Math - Ph.D. 1/19/94
- Erich Friedman - [REDACTED] - Ph.D. 5/26/91
- Amy Briggs - [REDACTED] - Comp. Sci., - Ph.D. 1/18/95
- Suresh Chari - [REDACTED] - Comp. Sci. - Ph.D. 8/22/94
- Niandong Liu - [REDACTED] - Math - Ph.D. 5/28/95
- Shmuel Onn 5/92 - ORIE - Ph.D. 8/24/92
- Keith Saints - [REDACTED] - CAM - Ph.D. 1/18/95
- Aravind Srinivasan - [REDACTED] - Comp. Sci. - Ph.D. 8/23/93
- Levent Tuncel - [REDACTED] - ORIE - Ph.D. 1/20/93
- Judith Underwood - [REDACTED] - Comp. Sci. - Ph.D. 8/22/94
- Pankaj Rohatgi - [REDACTED] - Comp. Sci. - Ph D. 1/19/94
- Rekha Thomas - [REDACTED] - Math - Ph.D. 8/22/94
- Kjartan Stefansson - [REDACTED] - Comp. Sci. - Ph.D. 5/28/95
- Riccardo Oliva - [REDACTED] - Math - Ph.D. Expected 5/97
- Peter Worfolk - [REDACTED] - Ph.D. 8/23/93
- N. Sindhushayana, - [REDACTED] - EE- Ph.D. 1/18/95
- Richard Dunlap - [REDACTED] - Math - Ph.D. 8/96
- Jeffrey Baggett - [REDACTED] - Math - Ph.D. 8/96
- Don Allers - [REDACTED] - CAM - Ph.D. Expected 8/97
- Bruce Anderson - [REDACTED] - Ph.D. 5/24/92
- Sunchual Lee - [REDACTED] - Math - Ph.D. 5/29/94
- Henry K. Schenck - [REDACTED] - CAM - Ph.D. Expected 8/97
- Jennifer Davoren - [REDACTED] - Math - Ph.D. Expected 8/97

REPORT OF INVENTIONS: None

BIBLIOGRAPHY: See list of Publications and Technical Reports (4c)

APPENDIX A

MSI Workshops and Seminars June 1991-December 1996

Workshops and Seminars June 1, 1991-December 31, 1991

Hybrid Systems Workshop, June 10-12, 1991

Patch Dynamics in Terrestrial, Marine, and Freshwater Ecosystems, June 23-July 19, 1991

Combinatorics and Discrete Geometry Workshop, July 17-20, 1991

First International Workshop on Logic Programming and Non-Monotonic Reasoning, July 22-24, 1991

Modern Computational Methods in Industrial Mathematics, August 15-16, 1991

Computational Geometry Workshop, October 25-26, 1991

Nonlinear Analysis Conference, November 21-23, 1991

Seminars

Mikhail Kapranov, MSI and Northwestern University, Chow Quotients of Gassmann Varieties, MSI Seminar on Combinatorial and Algebraic Geometry, June 3, 1991

S. A. Molchanov, Moscow University, Intermittancy in Random, Nonstationary Median, Probability Seminar, September 2, 1991

Wolfgang Vogel, University of Halle, Algorithms in Intersection Theory, Combinatorial and Algebraic Geometry Seminar, September 9, 1991

Andreas Greven, MSI and University of Gottingen, The Speed of a One-dimensional, Self-repellent Random Walk, Probability Seminar, Sept. 9, 1991

Wolfgang Vogel, Univ. of Halle, A Converse to Bezout's Theorem, MSI Lecture, Sept. 10, 1991

Paul Pedersen, Cornell University, Solving Systems of Algebraic Equations, Center for Applied Mathematical Colloquium, Sept. 13, 1991

Sundaram Thangavelu, Cornell University, Multiple Laguerre Expansions, Analysis Seminar, Sept. 16, 1991

Michael Kalkbrenner, MSI, An Algorithm for Solving Systems of Algebraic Equations, Combinatorial and Algebraic Geometry Seminar, Spt. 16, 1991

Larry Gray, Univ. of Minnesota, Gac's Counterexample to the Positive Rate Conjecture, Probability Seminar, Sept. 16, 1991

Anil Nerode, MSI and Cornell University, 1991 MSi Fall Colloquium, Sept. 17, 1991

Anil Nerode, MSI and Cornell University, How to Use Linear Programming to do Logic, I, Logic Seminar, Sept. 19, 1991

Richard Durrett, MSI and Cornell University, A New Game for Your Computers, Olivetti Club Seminar, Sept. 19, 1991

John Guckenheimer, Cornell University, Computing Dynamical Systems Computer Science Seminar, Sept. 19, 1991

David Eisenbud, Brandeis Univ., Computational Problems Coming from Algebraic Geometry, Combinatorial and Algebraic Geometry Seminar, Sept. 23, 1991

Moss Sweedler, MSI and Cornell University, An Overview of Symbolic Computation at Cornell, Bill Sears Club Seminar, Sept. 24, 1991

Arjen Doelman, University of Utrecht, Quasi-periodic and Homoclinic Solutions of Degenerate Modulation Equations, Dynamics Seminar, Sept. 25, 1991

Michael Kalkbrenner, MSI, CASA: A Computer Algebra Package for Constructive Algebraic Geometry, Olivetti Club Seminar, Sept. 26, 1991

Bernd Sturmfels, Cornell University, What Is the Determinant of a Rectangular Matrix?, Combinatorial and Algebraic Geometry Seminar, Sept. 30, 1991

Geoffrey Grimmett, Bristol University, Random Walk on the Infinite Cluster of the Percolation Model, Probability Seminar, Sept. 30, 1991

John Hubbard, Cornell University, Complex Analysis and Dynamical Systems, Bill Sears Club Seminar, Oct. 1, 1991

Anil Nerode, MSI and Cornell University, How to use Linear Programming to do Logic, II, Logic Seminar, Oct. 3, 1991

Steven Diaz, Syracuse University, Families of Branched Covers of the Sphere, Combinatorial and Algebraic Geometry Seminar, Oct. 7, 1991

D. Rubin, Cornell University, Non-linear Dynamics in a Electron Storage Ring, Theoretical and Applied Mechanics Colloquium, Oct. 16, 1991

Dan Edidin, Syracuse University, An Introduction to the Moduli Space of Curves, Combinatorial and Algebraic Geometry Seminar, Oct. 21, 1991

Lawrence Payne, Cornell University, On the Eigenvalues and Eigenfunctions of the Laplacian, Olivetti Club Seminar, Oct. 24, 1991

Michael Stillman, Cornell University, A Geometric Method for Computing Syzygies, I, Combinatorial and Algebraic Geometry Seminar, Oct. 28, 1991

Michael Stillman, Cornell University, A Geometric Method for Computing Syzygies, II, Combinatorial and Algebraic Geometry Seminar, Nov. 4, 1991

Anil Nerode, MSI and Cornell University, Game Semantics for a Fragment of Linear Logic, Logic Seminar, Nov. 5, 1991

Moss Sweedler, MSI and Cornell University, Symbolic Computation, MSI Symbolic Lunch, Nov. 7, 1991

John Hubbard, Cornell University, Superattractive Fixed Points of Mappings in \mathbb{C}^n , Analysis Seminar, Nov. 11, 1991

Marshall Cohen, Cornell University, Lickorish's Construction of Non-shellable Spheres, Combinatorial and Algebraic Geometry Seminar, Nov. 11, 1991

James Lipton, MSI and Univ. of Pennsylvania, Semantic Methods for Type Theory and Term Extraction, Logic Seminar, Nov. 12, 1991

David Cox, Amherst college, Algebraic Cycles and Simply-connected Elliptic Surfaces, Combinatorial and Algebraic Geometry Seminar, Nov. 18, 1991

Richard Shore, Cornell University, Post's Program -Guaranteeing Incompleteness, Logic Seminar, Nov. 19, 1991

Davdatt Dubbhashi, Cornell University, Thom's Lemma and Applications, MSI Symbolic Lunch, Nov. 20, 1991

Louis Billera, Cornell University, Structure for Splines and Triangulations, Bill Sears Club Seminar, Nov. 26, 1991

Richard Shore, Cornell University, Post's Program, II, Logic Seminar, Nov. 26, 1991

J.T. Jenkins, Cornell University, Instabilities in Rapid Granular Flows, Stability, Transition, and Turbulence Seminar, Dec. 3, 1991

Bruce Donald, Cornell University, Computing the Homology Type of a Triangulation, Center for Applied Mathematics Colloquium, Dec. 6, 1991

Workshops and Seminars January 1, 1992-June 30, 1992

January 5-8, 1992

MSI Director Anil Nerode organized a workshop on Autonomous Control Systems in conjunction with the Second International Symposium on Artificial Intelligence and Mathematics which met in Ft Lauderdale, Florida

April 19-21, 1992

S.R.S. Varadhan of the Courant Institute organized a workshop on Hydrodynamic Limits which met at MSI in Ithaca, New York

May 1, 1992

Edward Beltrami of SUNY Stony Brook organized the Fourth Annual Conference on Biomathematics which met at the MSI/Stony Brook Center for the Mathematics of Nonlinear Systems.

May 10-12, 1992

Dr. Griffeath of the University of Wisconsin, Madison organized a workshop on Cellular Automata which met at MSI in Ithaca, New York.

May 28-30, 1992

Jeffrey Remmel of UCSD and Peter Clote of Boston College organized a workshop on Feasible Mathematics II which met at MSI in Ithaca, New York.

June 1-3, 1992

Richard Shore and Moss Sweedler of Cornell, Jeffrey Remmel of UCSD, and John Crossley of Monash University organized a conference on Logical Methods in Mathematics and Computer Science which met at Cornell University in Ithaca, New York.

June 22-July 17, 1992

The Mathematical Sciences Institute and the Cornell Center for Applied Mathematics were cosponsors of the extended workshop Patch Dynamics II which met at the Engineering and Theory Center, Cornell University in Ithaca, New York.

Seminars

Michael Kalkbrener, MSI and Cornell University, MSI seminar on Combinatorial and Algebraic Geometry, February 10, 1992

Janko Gravner, MSI and Cornell University, MSI seminar on Annihilating Nested Rings, March 2, 1992

Bernd Sturmfels, MSI and Cornell University, MSI seminar on How to Divide a 12-gon into Parallelograms, March 5, 1992

Jeremy Titelbaum, University of Illinois, Chicago, MSI seminar on Some Algorithms, March 9, 1992.

Klaus Altmann, Berlin, MSI seminar on Combinatorial and Algebraic Geometry, Toric Methods in Singularity Theory, March 23, 1992

Paul Pedersen, MSI and Cornell University Seminar on Probability, Oriented Percolation in High Dimension, March 30, 1992

Tomasz Zak, Wroclaw Tech. Institute, Cornell University Operations Research Colloquium, Anderson Inequality is Strict for Gaussian and Stable Measures, March 31, 1992.

Steven Kalikow, MSI, Cornell University Seminar on Probability, Uniform Martingales and Random Markov Chains, April 13, 1992.

Anil Nerode, MSI and Cornell University, Cornell Seminar on Logic, Logic and Hybrid Systems, April 14, 1992.

Levant Tuncel, MSI and Cornell University, Cornell Seminar on Operations Research, Asymptotic Behavior of Interior Point Methods, April 14, 1992.

Michael Stillman, MSI and Cornell University, Cornell Seminar on Computing, Algebraic Geometry, April 21, 1992

Richard Durrett, MSI and Cornell University, Cornell Seminar on Coexistence Results for Catlysis, April 27, 1992.

H. Kesten, MSI and Cornell University, Seminar on Greedy Lattice Animals, June 10, 1992.

Workshops and Seminars July 1, 1992 - December 31, 1992

M. Stillman and B. Sturmfels of Cornell were organizers for the Regional Institute in Geometry and Computational Algebraic Geometry which met at Amhurst College, Amherst, Massachusetts, June 22-July 17, 1992

C. Mueller of the University of Rochester organized a workshop on Stochastic Partial Differential Equations which met at the University of Rochester, July 17-18, 1992

J. Chiment of MSI organized a program on the Mathematics of Everyday Things for elementary and high school teachers which met at the Mathematical Sciences Institute, Ithaca, New York, July 20-24, 1992

A. Nerode, MSI Director, was program chair for the symposium on Logical Foundations of Computer Science which met at Tver University, Russia, July 20-24, 1992

M. Sweedler, ACSyAM Director, was an organizer for the International Symposium on Symbolic and Algebraic Computation which met in Berkeley, California, July 27-29, 1992

M. Sweedler, ACSyAM Director, and P. Pedersen of Cornell University hosted a workshop on Real Algebra which met at the Mathematical Sciences Institute in Ithaca, New York, August 24-26, 1992

S. Busenberg of Harvey Mudd College organized the Industrial Mathematics Workshop on Semiconductor Simulation which met at the Claremont College, Claremont, California, August 28-29, 1992

M. Cranston of the University of Rochester and MSI Center Director Richard Durrett organized a workshop on Stochastic Analysis which met at the Mathematical Sciences Institute in Ithaca, New York, September 13-15, 1992

E. Tardos of Cornell University, in conjunction with the U.S.-Hungarian Science and Technology board, organized a workshop on Combinatorial Optimization which met at the Mathematical Sciences Institute, Ithaca, New York, October 5-9, 1992

R. Connelly of Cornell University organized a workshop on Higher Level Rigidity which met at the Mathematical Sciences Institute, Ithaca, New York, October 11, 1992

A. Scedrov of the University of Pennsylvania and MSI Director A. Nerode organized Jumelage 92 which met at the Mathematical Sciences Institute, Ithaca, New York, October 15-17, 1992

MSI Director A. Nerode, in conjunction with H. Blair of Syracuse University and A. Brown, Jr. of the Xerox Webster Research Center, organized a workshop on Documents, Computation, and Preference which met in Washington, D.C., October 21-23, 1992

J. Mitchell and S. Skiena of SUNY Stony Brook organized a conference on Computational Geometry which met at MSI/Stony Brook, October 23-24, 1992

MSI Director A. Nerode Chaired the Joint International Conference and Symposium on Logic Programming which met in Washington, D.C., November 9-12, 1992

W. Marek of the University of Kentucky and MSI Director A. Nerode organized the Workshop on Structural Complexity and Logic Programming which met in Washington, D.C., November 13, 1992

D. Ferguson of SUNY Stony Brook helped to organized a workshop on Applied Mathematics: Prospect for the 1990's which met at Suffolk Community College, November 13-14, 1992

J. Maceli of Ithaca College, in conjunction with ACSyAM Director M. Sweedler and MSI Center Director R. Durrett, organized a workshop on MSI-related research at the regional meeting of the Mathematical Association of America which met at Cornell University, Ithaca, New York, November 14, 1992

MSI Director A. Nerode organized a special session on Hybrid Systems at the IEEE Conference on Decision and Control which met in Tucson, Arizona, December 16-18, 1992

Seminars

J. Steif, Chalmers University of Technology, Gottenberg, Sweden, MSI Summer Seminar in Probability on Non-uniqueness of Measures of Maximal Entropy, July 1, 1992

R. Schinazi, University of Colorado, MSI Summer Seminar in Probability on Multiple Phase Transitions for Branching Markov Chains, July 7, 1992.

J. Quastel, University of California, Davis, MSI Summer Seminar in Probability on Introduction to the Entropy Method or Hydrodynamic Limits, July 8, 1992.

R. Durrett, MSI and Cornell, MSI Summer Seminar in Probability on Interacting Particle System Models of Ecosystem Dynamics, July 14, 1992.

J. Chiment, MSI, Cornell Institute for Biology Teachers Lecture on The Statistical Analysis of Fossils, July 16, 1992

J. Gravner, MSI, MSI Summer Seminar in Probability on Metastability in Greenberg Hastings Dynamics, July 21, 1992

J. Remmel, UCSD, Cornell Logic Seminar on McNaughton Games, September 1, 1992.

R. Connelly, Cornell, MSI Combinatorial and Algebraic Geometry Seminar on Counter-examples to Definitions of Higher-order Rigidity, September 7, 1992.

E. Dynkin, Cornell, Cornell Probability Seminar on Branching, September 7, 1992.

R. Downey, MSI and Victoria Univ., Cornell Logic Seminar on Effective Presentations of Linear Orderings and Boolean Algebras, September 10, 1992

O. Harlen, Cambridge, Center for Applied Mathematics Colloquium on Fiber Suspensions, September 11, 1992.

B. Jaggi, MSI and Univ. Bern, MSI Combinatorial and Algebraic Geometry Seminar on Configuration Spaces of Planar Polygons, September 14, 1992

R. Downey, MSI and Victoria Univ., Cornell Logic Seminar on Effective Presentations of Linear Orderings and Boolean Algebras II, September 17, 1992.

P. Pedersen, Cornell, MSI Symbolic Discussion Group lecture on Macaulays 1903 Paper on Resultants, September 21, 1992.

W. Vogel, MSI Combinatorial and Algebraic Geometry Seminar on the Castelnuovo-Mumford Regularity, September 21, 1992.

R. Durrett, MSI and Cornell, Cornell Probability Seminar on Asymptotic Critical Value for a Competition Model, September 21, 1992.

P. Pedersen, Cornell, MSI Symbolic Discussion Group lecture on Macaulay's 1903 Paper on Resultants III, September 28, 1992.

R. Pemantle, Univ. of Wisconsin, Cornell Oliver Club Seminar on Probability on Trees, October 6, 1992.

G. Domokos, Tech. Univ. Budapest, Cornell Dynamics Seminar on Global Description of Equilibrium Paths in Elastic Bars and Strings, October 7, 1992.

G. Domokos, Tech. Univ. Budapest, Cornell Theoretical and Applied Mechanics Seminar on Nonlinear Computational Methods for Structures with Discreet Rotational Symmetry, October 7, 1992.

A. Nerode, MSI and Cornell, Cornell Logic Seminar on A Hybrid Systems Model, October 8, 1992.

J. Chiment, MSI, Corning Community College Mathematics Field Day lecture on the Mathematics of Telling a Lie, October 10, 1992

L. de Haan, Univ. of Rotterdam, Cornell Statistics Seminar on Statistical Problems of Multidimensional Extremes, October 14, 1992.

R. Shore, Cornell and Cornell Logic Seminar on Low 2 R.E. Sets, October 22, 1992.

L. de Haan, Univ. of Rotterdam, Cornell Probability Seminar on the Tail Empirical Process and Extended Regular Variation of Second Order, October 26, 1992.

K. Saints, Cornell, MSI Symbolic Discussion Group Lecture on Error Correcting Codes, October 26, 1992.

T. Coleman, Cornell, Cornell Computational Optimization Seminar on The Reflective Newton Method for Large-scale Nonlinear Minimization with Simple Bound Constraints, October 26, 1992.

P. Worfolk, Cornell Cornell Dynamics Seminar on Instant Chaos, October 28, 1992.

L. Harkleroad, Cornell Olivetti Club lecture on Solitaire Card Games--From Graph Theory to Combinatorial Group Theory, October 29, 1992

C. Goldie, Queen Mary College, Cornell Probability Seminar on Differences Between Record Values and Order Statistics Revisited, November 2, 1992.

B. Goldfarb, Cornell, Cornell Olivetti Club lecture on Geometrically Controlled Algebra, November 5, 1992.

A. Lutoborski, Syracuse University, Cornell Center for Applied Mathematics Colloquium on Mean Coercive Functionals in Calculus of Variations, November 6, 1992.

K. Shirayanagi, MSI and NTT, MSI Combinatorial and Algebraic Geometry Seminar on Using Grobner Bases to Decide Whether Finite-dimensional Noncommutative Algebras are Isomorphic, November 9, 1992.

K. Fleischman, Univ. of Berlin, Cornell Probability Seminar on Diffusive Clustering for Hierarchially Interacting Diffusions, November 9, 1992.

K. Saint, Cornell, MSI Symbolic Discussion Group Lecture on A Decoding Algorithm which Locates Errors by Means of Groebner Bases, November 11, 1992

B. Khossainov, MSI and Tashkent Univ., Cornell Logic Seminar on Recursive Unary Algebras, November 12, 1992

S. Mizuno, Inst. Stat. Math., Cornell Center for Applied Mathematics Colloquium on Polynomiality of Infeasible-interior point Algorithms, November 13, 1992.

L. Billera, Cornell, MSI Combinatorial and Algebraic Geometry Seminar on Iterated Fiber Polytopes, November 16, 1992.

K. Hochberg, MSI and Bar-Ilan Univ., Cornell Probability Seminar on Multi-level Branching Diffusions and Super Processes, November 17, 1992.

B. Driver, UCSD, Cornell Oliver Club Seminar on What Happens When You Blow on Perfume Diffusing in A Manifold?, November 23, 1992.

M. Sweedler, MSI and Cornell, MSI Symbolic Discussion Group lecture on Multivariate Sturm's Theorem, November 23, 1992.

J. Bramble, MSI and Cornell, Cornell Advanced Computing Research Institute lecture on Multigrid as a Preconditioner for Elliptic Problems, November 30, 1992.

M. Sweedler, MSI and Cornell, MSI Symbolic Discussion Group lecture on Multivariate Sturm's Theorem II, November 30, 1992.

G. Berkooz, Cornell, Cornell Stability, Transition, and Turbulence Seminar on What Do Simulations Reproduce Statistics?, December 1, 1992.

R. Rand, Cornell, Cornell Center for Applied Mathematics Seminar on Dynamics of Separatrix Crossing and Resonant Capture, December 2, 1992.

H. Blair, Syracuse Univ., Cornell Logic Seminar on Some Complexity Results for Logic Programming Semantics, December 3, 1992.

S. Adian, Steklov Institute, MSI Symbolic Discussion Group lecture on Some Worked Problems for Groups and Semigroups, December 7, 1992.

Workshops and Seminars January 1, 1993-June 30, 1993

O. Moreno of MSI/University of Puerto Rico organized the Workshop in Codes and Exponential Sums over Finite Fields which met at the Rio Piedras campus of the University of Puerto Rico under Army Research Office sponsorship, January 25-29, 1993.

A. Nerode of MSI/Cornell organized a Workshop on Hybrid Systems and Autonomous Control which met at the Mathematical Sciences Institute in Ithaca, New York, February 16-19, 1993

E. Beltrami organized the Fifth Annual Conference on Biomathematics which met on the SUNY Stony Brook campus of the State University of New York. The conference was hosted by MSI/Stony Brook, April 16, 1993.

R. Pemantle of the University of Wisconsin organized the Workshop on Random Walks, Trees, and Groups which met at the Mathematical Sciences Institute in Ithaca, New York, April 18-20, 1993.

O. Moreno of MSI/University of Puerto Rico, T. Mora of Genova, and G. Cohen of Paris organized the Tenth International Symposium on Applied Algebra, Algebraic Algorithms, and Error Correcting Codes which met in San Juan de Puerto Rico, May 10-14, 1993.

A. Scedrov of the University of Pennsylvania organized the Workshop on Linear Logic which met on the campus of Cornell University, June 14-18, 1993.

The Mathematical Sciences Institute in conjunction with Cornell's Center for Applied Mathematics, the Woods Hole Oceanographic Institution, the National Science Foundation, and the Office of Naval Research, sponsored a summer course on Structured Population Models in Marine, Terrestrial, and Freshwater Systems. The course met at Cornell University, June 16-July 16, 1993.

D. Heath and S. Resnick of Cornell University organized a Workshop on Applied Probability in honor of N.U. Prabhu which met at the Mathematical Sciences Institute in Ithaca, New York, June 28-29, 1993

MSI Director A. Nerode organized a meeting at the Second International Workshop on Logic Programming and Nonmonotonic Reasoning with met in Lisbon, Portugal, June 28-30, 1993.

Workshops and Seminars July 1, 1993 - December 31, 1993

R. Durrett, Director of MSI Center for Stochastic Analysis, co-chaired the American Mathematical Society's 41st Summer Research Institute, which met at Cornell University, June 16-July 16, 1993

Peter Paule from the University of Linz organized a workshop on Symbolic Computation in Combinatorics, which met at the Mathematical Sciences Institute in Ithaca, New York, September 21-24, 1993

Bernd Sturmfels of MSI/Cornell organized a joint U.S.-Italian conference on Hilbert Function, which met at the Mathematical Sciences Institute in Ithaca, New York, October 27-30, 1993

Anil Nerode, Director of MSI, sponsored the Second Workshop on Structural Complexity and Recursion -theoretic Methods in Logic Programming that was hel in conjunction with the 1993 Symposium on Logic Programming in Vancouver, British Columbia, Canada, October 27-29, 1993.

Jim Bramble of MSI/Cornell organized the Finite Element Circus, which met in Snee Hall on the Cornell campus, November 12-13, 1993

Seminars

Alexander Barvinok, MSI and St. Petersburg," Counting integral points in Polynomial time". August 1993

Eugene Dynkin, Cornell Univesity, "Branching with a single point catalyst", September 6, 1993

Nobuki Takayama, MSI and Kobe University, "Secondary polytopes and hypergeometric D-modules", September 6, 1993

John Little, MSI and Mount Holycross, "The Petri Scheme", September 6, 1993

Nobuki Takayama, MSI and Kobe University, "Introduction to algebraic analysis by the computer algebra system "kan", September 13, 1993

Susan Lee, Cornell University, "Optimal drift for diffusions on $[0,1]$ ", September 3, 1993.

Richard Zippel, Cornell University, "Functional decomposition and platonic solids" September 12, 1993

Paul Pedersen, "About the European PosSO Project and possible cooperation", September 16, 1993.

Mark Gross, Cornell University, "Calabi-Yau threefolds: A survey and some results", September 20, 1993.

Heike Dengler, Cornell University, "Poisson approximations to continuous security market models", September 20, 1993

Peter Cholak, Cornell University visitor, "Post's program and the lattice or recursively enumerable sets", September 23, 1993

Ted Cox, MSI, Syracuse University, "Finite and infinite systems of interacting diffusions", September 27, 1993.

Laura Anderson, MSI and MIT, "Combinatorial differential manifolds", September 27, 1993.

Dexter Kozen, "The Complexity of Set Constraints", September 30, 1993.

Paul Pedersen, Cornell University, "Mixed monomial bases", October 4, 1993.

Norio Konno, Cornell University visitor, "Asymptotic behavior of basic contact process with rapid stirring", October 4, 1993.

Mike Stillman, Cornell faculty "Macaulay: the next generation", October 7, 1993.

Jeffrey Remmel, MSI and UCSD, "Speedable and levelable sets and vector spaces", October 14, 1993

Paul Edelman, Cornell University, "Plane partitions, free arrangements, and fiber zonotopes", October 18, 1993.

David Heath, Cornell University, "Martingales, arbitrage and completeness", October 18, 1993.

Douglas Bridges, MSI visitor, "Varieties of constructive mathematics", October 21, 1993.

Paddy Farrell, Cornell visitor, "Lower Complexity Soft-Decision Decoding for Block Code", October 21, 1993.

David Morrison, Cornell visitor from Duke University, "Mirror symmetry and toric geometry", October 25, 1993.

Michael Braverman, Cornell visitor from Russian Acad. of Sciences, "Characterizations of probability distributions by moment conditions", October 25, 1993.

Boris Kushner, Cornell visitor from Univ. of Pittsburgh, "On the definition of computable functions over reals", October 28, 1993.

Alexander Barvinok, Cornell visitor from St. Petersburg, "Topology and Convex Geometry of Quadratic Equations", November 1, 1993.

Marat Arslanov, Cornell visitor from Kazan Univ., "Completeness in the arithmetical hierarchy and fixed points", November 4, 1993.

Claudia Neuhauser, Cornell visitor from Univ. of Wisconsin-Madison, "Coexistence for a catalytic surface reaction model", November 6, 1993.

Martin Guest, Cornell visitor from Rochester, "The space of rational curves on a toric variety", November 8, 1993

Marat Arslanov, Cornell visitor from Kazan Univ., "Completeness in the arithmetical hierarchy and fixed points", November 9, 1993.

Jacob E. Goodman, Cornell visitor from CUNY, "Convexity on Affine Grassmann Manifolds", November 9, 1993.

John Little, Cornell visitor from Holycross College, "Algebraic Coding Theory", November 11, 1993.

Melvin Fitting, Cornell visitor form CUNY, "Logic programming and metric methods", November 18, 1993.

Elman Izadi, Cornell visitor from Harvard University, "The intermediate Jacobians of the theta divisors of four-dimensional polarized abelian varieties", November 19, 1993.

John Little, MSI and Holycross College, "The Hilbert Scheme of Genus 6 Canonical Curves", November 22, 1993.

S. Aida, Cornell visitor from University of MIT, "Exponential integrability derived from Poincare and logarithmic Sobolev Inequalities", November 22, 1993.

John Little, Cornell visitor from Holycross College, "The Petri Scheme Revisited", November 29, 1993.

Michael F. Singer, "Testing reducibility of linear differential equations", December 2, 1993.

Workshops and Seminars January 1, 1994-June30, 1994

Lend Adleman from the University of Southern California and Moss Sweedler from Cornell University were the organizers for ACSyam's ANTS-1, the first Algebra and Number Theory Symposium, held at MSI, May 6-9, 1994.

R. Getoor from UCSD and H. Kesten from Cornell University organized a workshop, "In Honor of E. Dynkin" held at MSI, May 22-24, 1994.

Joseph Mitchell from SUNY Stony Brook organized the "Tenth Symposium on Computational Geometry", June 6-8, 1994.

The State University of New York at Stony Brook hosted the Fifth International Conference on Hyperbolic Problems. June 13-17, 1994.

Xiaolin Ge, MSI, "Computability in Banach spaces", February 3, 1994.

Sheldon Katz, Oklahoma State University, "Polar duality and mirror symmetry for hypersurfaces in weighted projective space", February 7, 1994.

Z. Chen, University of California at San Diego "Reflecting Brownian motions and their applications to Sobolev spaces", February 7, 1994.

A. Myasnikov, McGill University, "Computability over the reals and the p-adic numbers: Are they the same?", February 10, 1994.

Peter March, Ohio State University, "Moment equations of probability measure-valued processes", February 14, 1994.

Bakhadyr Khoussainov, MSI, "Games, monadic theories and automata", February 15, 1994.

Takis Souganidis, University of Wisconsin, Madison, "Interacting particle systems and moving fronts", February 16, 1994.

Jim Coykendall, Cornell University, "Tarski's problem: The elementary theory of the nonabelian free group, February 17, 1994.

Sergi Kunetsov, Cornell Visitor, "Limit theorems for Markov snakes", February 21, 1994.

Jozef Dodziuk, CUNY, "Spectra of hyperbolic manifolds", February 22, 1994.

Harry Kesten, Cornell University, "Branching random walk with a critical branching part, February 28, 1994.

Bakhadyr Khoussainov, MSI, "An example of an algebraic but no program categorical model", March 3, 1994

Clara Chan, IDA, Princeton, "Some combinatorics of shellable complexes", March 7, 1994.

Keith Saints, ACSyAM/MSI, "Algebraic-Geometric Codes and Multi-dimensional Cyclic Codes: A Unified Theory", March 10, 1994.

Sorin Popescu, Saarbrücken, MSI visitor, "The construction of smooth surfaces in P^4 and 3-folds in P^5 ", March 17, 1994.

John Little, ACSyAM/MSI, "Systematic Encoding via Groebner Bases for a Class of Algebraic Geometric Goppa Codes, March 17, 1994.

Qi Chen, Cornell University, "McNaughton games", March 17, 1994

Roberto Schonman, UCLA, "Droplet-driven relaxation of stochastic Ising models", March 28, 1994.

Oscar Moreno, M/EPSCOR, University of Puerto Rico, "Costas Arrays and Some Conjectures on Permutation Polynomials", March 31, 1994.

Garrel Pottinger, MSI, "What a model of the whole Lambda calculus really is", March 31, 1994.

Sungchul Lee, Cornell University, "Greedy lattice animals, April 4, 1994.

Vygantas Paulauskas, Cornell visitor, "Central limit theorem in Banach spaces and some problems of functional analysis", April 5, 1994.

Richard Lawson, ACSyAM/MSI visitor, "Trees and Differential Operators", April 7, 1994.

Itai Banjamini, MSI, "Percolation on hyperbolic graphs," April 11, 1994.

Chris Heegard, Cornell University, "Uniform Partitions of Group Codes", April 12, 1994.

Ronitt Rubinfeld, ACSyAM/MSI, "Robust Characterizations of Polynomilas with Applications to Program Testing", April 14, 1994.

David Aldous, University of California at Berkeley, "Recursive self-similarity for random trees, random triangulations and Brownian excursion", April 18, 1994.

Pete McMullen, University College at London, "Face vectors of simple convex polytopes", April 19, 1994.

Audrey Ferry, Kentucky, "Topoligical characterizations for logic programming semantics", April 21, 1994.

Jesus De Loera, ACSyAM/MSI, "Computing Regular Triangulations of Point Configurations", April 21, 1994.

Wenzhang Huang, MSI, "Square Wave and Transition Layer for a Singularly Perturbed System of Differential-Difference Equations:", April 27, 1994.

John Little, ACSyAM/MSI, "Counting solutions of polynomial equations over finite fields", April 28, 1994

Peter Cholak, Cornell University visitor, "On the Elementary Theory of the Lattice of Recursively Enumerable Sets", April 28, 1994.

Peter Cholak, Cornell University visitor, "On the Elementary Theory of the Lattices of Recursively Enumerable Sets II", May 5, 1994.

Jim Coykendall, ACSyAM/MSI visitor, "Normsets and Factorization in Rings of Integers", May 5, 1994.

Rick Palmer, ACSyAM/MSI visitor, "Algebraic Topology as a language for computing", June 2, 1994.

Dexter Kozen, ACSyAM/MSI, "Resolution of Singularities of Plane Curves", June 9, 1994.

G. Michler, ACSyAM/MSI visitor, "On Algorithms for Parallel Group Computations", June 14, 1994.

Alexander Barvinok, ACSyAM/MSI, "(Sparse) interpolation of symmetric polynomials and computations in the representation ring of the symmetric group", June 16, 1994.

Workshops and Seminars July 1, 1994-December 31, 1994

Computational Geometry, October 14-15, 1994

Women In Probability, October 16-18, 1994

Hybrid Systems and Autonomous Control, October 28-30, 1994

International Logic Programming Symposium, November 14-17, 1994

Seminars

Sergei Goncharov, Novosibirsk University, "Families of r.e. sets with unique computable enumerations", November 10, 1994.

Rick Durrett, Cornell University, "Interface problems", November 14, 1994.

Howard Blair, Syracuse University, "The closed world assumption", November 15, 1994.

Zhen-Qing Chen, Cornell University, "Probabilistic potential theory for weakly coupled elliptic systems", November 16, 1994.

Paul Chew, Cornell University, "Vornoi diagrams of lines in 3-space", November 17, 1994.

Victor Marek, University of Kentucky, "Revision programming", November 17, 1994.

A. Pisztor, Courant Institute, "Surface order large deviations for the Ising model and percolation in 3 or more dimensions", November 21, 1994.

Sungchul Lee, Cornell University, "The central limit theorem for minimal spanning trees", November 28, 1994.

Workshops and Seminars January 1, 1995-June 30, 1995

Qi Chen, Cornell, "Resursive chattering lemma", February 9, 1995

Jennifer Davoren, Cornell, "Extracting finite automata for hybrid systems", February 16, 1995.

Robert Milnikel, Cornell, "Modal nonmonotonic logic", February 21, 1995.

David Morrison, Cornell visitor, "Conjectural constructions of mirror manifolds", February 27, 1995.

Andre Nies, Cornell visitor, "Application of coding methods to structures from computability theory, I", March 2, 1995.

Andre Nies, Cornell visitor, "Application of coding methods to structures from computability theory, II", March 9, 1995.

Bakhydar Khoussainov, MSI/Cornell, "Presentations, reducibilities, and dimensions of recursive models", March 16, 1995.

Leon Harkleroad, Cornell visitor, "Effectivizing combinatorics: variations on Szpilrajn and Dilworth", April 13, 1995.

Peter Kopke, Cornell, "What's decidable about hybrid automata?", April 17, 1995.

Moss Sweedler, Cornell, "The Gersgorin circle theorem", April 18, 1995.

Jennifer Davoren, Cornell, "Three valued nonmonotonic logic", April 18, 1995.

Ken Alexander, University of Southern California, "Qualitative structure of level lines of 2D random fields", April, 24, 1995.

Nich Shephard-Barron, Cambridge Univ., "Foliations on algebraic varieties", May 1, 1995.

Andre Nies, Cornell visitor, Coding in the lattices of R.E. sets", May 4, 1995.

Workshops and Seminars July 1, 1995-December 31, 1996

Anil Nerode, Director of MSI, sponsored Hybrid Systems IV, October 12-14, 1996.