

| REPORT DOCUMENTATION PAGE   |  |  | Form Approved<br>OMB NO. 0704-0188   |  |
|---|--|--|--|--|
| Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comment regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.   |  |  |  |  |
| 1. AGENCY USE ONLY (Leave blank)  | 2. REPORT DATE<br>April 20, 1997                         | 3. REPORT TYPE AND DATES COVERED<br>Final 20 Sept 93-26 Jan 96 |  |  |
| 4. TITLE AND SUBTITLE<br>Robust Wiener-Hopf Design for Multivariable Control Systems and Applications to Vibration Suppression on a Weapon Pointing System  |  |  | 5. FUNDING NUMBERS<br><br>DAAH04-93-2-0009                                 |  |
| 6. AUTHOR(S)<br>Drs. F. Khorrami and J. J. Bongiorno, Jr.   |  |  |  |  |
| 7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)<br>Polytechnic University<br>Six Metrotech Center<br>Brooklyn, NY 11201  |  |  | 8. PERFORMING ORGANIZATION REPORT NUMBER                                   |  |
| 9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES)<br>U.S. Army Research Office<br>P.O. Box 12211<br>Research Triangle Park, NC 27709-2211   |  |  | 10. SPONSORING / MONITORING AGENCY REPORT NUMBER<br><br>ARO 32450.2-MA-ISP |  |
| 11. SUPPLEMENTARY NOTES<br>The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision, unless so designated by other documentation.   |  |  |  |  |
| 12a. DISTRIBUTION / AVAILABILITY STATEMENT<br><br>Approved for public release; distribution unlimited.  |  |  |  |  |
| 13. ABSTRACT (Maximum 200 words)<br>Trade-offs between stability margin and performance are considered in two and three-degree-of-freedom multivariable control systems using a Wiener-Hopf design approach. Maximum improvement in an approximate measure of stability margin is achieved at the expense of a prescribed increase in the quadratic cost functional measuring system performance. In order to attain an analytical solution to this fundamental trade-off problem, the approximate measure of stability margin chosen is also a quadratic cost function. A novel approach is introduced which allows structured perturbations in the coprime polynomial matrix fraction description of the plant transfer matrix to be taken into account. As a consequence, it is believed that the use of an approximate measure of stability margin is mitigated. Moreover, if needed, the solution obtained could serve as a very good initial one from which to search for better solutions iteratively. The aforementioned control design methodology was implemented on the available testbeds for advanced weapon pointing systems at the Picatinny Army Arsenal in New Jersey. |  |  |  |  |
| DTIC QUALITY INSPECTED 4  |  |  |  |  |
| 14. SUBJECT TERMS<br>Wiener-Hopf Design, Stability Margin, Performance, Multivariable Linear Systems.   |  |  | 15. NUMBER OF PAGES<br>49  |  |
|   |  |  | 16. PRICE CODE   |  |
| 17. SECURITY CLASSIFICATION OR REPORT<br>UNCLASSIFIED   | 18. SECURITY CLASSIFICATION OF THIS PAGE<br>UNCLASSIFIED | 19. SECURITY CLASSIFICATION OF ABSTRACT<br>UNCLASSIFIED        | 20. LIMITATION OF ABSTRACT<br>UL   |  |

## Final Report

### Robust Wiener-Hopf Design for Multivariable Control Systems and Applications to Vibration Suppression on a Weapon Pointing System

by

Farshad Khorrami, Principal Investigator

and

Joseph J. Bongiorno, Jr., Co-Principal Investigator

*Department of Electrical Engineering*

*Five Metrotech Center*

*Polytechnic University*

*Brooklyn, NY 11201*

### Summary of the Effort

Trade-offs between stability margin and performance are considered in two and three-degree-of-freedom multivariable control systems using a Wiener-Hopf design approach. Maximum improvement in an approximate measure of stability margin is achieved at the expense of a prescribed increase in the quadratic cost functional measuring system performance. In order to attain an analytical solution to this fundamental trade-off problem, the approximate measure of stability margin chosen is also a quadratic cost function. A novel approach is introduced which allows structured perturbations in the coprime polynomial matrix fraction description of the plant transfer matrix to be taken into account. As a consequence, it is believed that the use of an approximate measure of stability margin is mitigated. Moreover, if needed, the solution obtained could serve as a very good initial one from which to search for better solutions iteratively. The aforementioned control design methodology was implemented on the available testbeds for advanced weapon pointing systems at the Picatinny Army Arsenal in New Jersey.

**Keywords:** Wiener-Hopf Design, Stability Margin, Performance, Multivariable Linear Systems.

## Contents

|           |  |           |
|-----------|--|-----------|
| <b>1</b>  | <b>Introduction</b>  | <b>3</b>  |
| <b>2</b>  | <b>Summary of Available Results</b>                            | <b>7</b>  |
| <b>3</b>  | <b>Stability Margin Considerations and Problem Formulation</b> | <b>13</b> |
| <b>4</b>  | <b>The Analytical Solution</b>                                 | <b>20</b> |
| <b>5</b>  | <b>The 2DOF System</b>   | <b>26</b> |
| <b>6</b>  | <b>Computational Issues</b>                                    | <b>30</b> |
| <b>7</b>  | <b>A Numerical Example</b>                                     | <b>32</b> |
| <b>8</b>  | <b>Conclusion</b>  | <b>36</b> |
| <b>9</b>  | <b>References</b>  | <b>42</b> |
| <b>10</b> | <b>Publications and Technical Reports for this Grant</b>       | <b>47</b> |
| <b>11</b> | <b>Personnel and Students Supported by this Grant</b>          | <b>48</b> |

# 1. Introduction

The feedback control system considered is shown in Fig. 1.1. This system is referred to as a 3DOF feedback system because of the three real rational transfer matrices  $C_u(s)$ ,  $C_w(s)$ , and  $C_z(s)$  which can be chosen in the design of the controller. When no feedforward transducer is available,  $C_z(s) = 0$  and the feedback system reduces to a 2DOF system. Optimal and suboptimal designs for the system shown in Fig. 1.1 are treated in [1] and form the basis for the work presented here. In fact, the notation used here is consistent with that used in [1] for easy reference. The transfer matrices given in the blocks of Fig. 1.1 are real and rational. The matrices  $F_t(s)$  and  $T_0(s)$  are  $n \times n$ ,  $P(s)$  is  $n \times m$ ,  $L_t(s)$  is  $l \times r$ , and  $P_0(s)$  is  $n \times r$ . The dimensions of all other vectors and matrices are taken to be compatible with these.




Figure 1.1: The 3DOF system.

The Wiener-Hopf design philosophy for two and three-degree-of-freedom (2DOF and 3DOF) multivariable control systems is described in [1-3]. In these works, a quadratic cost functional is postulated to measure system performance. The cost functional takes into account such issues as tracking error, saturation, and sensitivity to small parameter variations. The main contribution of this earlier work is the identification of the subset of all stabilizing controllers *for which the cost functional is finite*. This subset is parameterized for two-degree-of-freedom (2DOF) systems in terms of two real rational matrix parameters each of which is strictly proper and analytic in the closed right hand side of the complex plane. An identical result holds

for three-degree-of-freedom (3DOF) systems except that the parameterization is in terms of three rather than two such matrices. Since the 2DOF system can be treated as a special case of the 3DOF system [1], the ideas here are first presented and developed for the 3DOF case. The results for the 2DOF case are then easily derived.

The cost functionals are minimized in both the 2DOF and 3DOF cases when the matrix parameters are chosen to be null matrices. When non-null choices are made for any of the matrix parameters, an increase in the cost functional results which is related to the matrix parameters through simple formulas. Similar results are available in [4], [5] for the so-called generalized plant configuration. In this configuration, all system components other than the controller are represented by the generalized plant. This point of view is especially appealing to those who wish to concentrate on solving the mathematical problems associated with controller design. Their results are then applicable to all possible feedback system configurations. On the other hand, it is also useful for engineers to have design formulas available for a specific configuration whose structure has wide application. Such a structure is the one employed in the 3DOF system. Indeed, it is hard to imagine any control system applications which are not included in the 3DOF case, although a 4DOF system involving the generation of a signal to be used for diagnostic purposes is described in [6]. For the 3DOF structure, the relationship of the matrix design parameters to important engineering issues can be exploited. In particular, those matrix parameters which are connected to system robustness can be used to trade-off optimal nominal system performance against improved robustness with respect to plant uncertainty. A straightforward methodology for achieving this trade-off is described in this paper.

The direct nature of the methodology employed here together with the careful attention paid to the increase in the value of the original quadratic cost functional contrasts with the design point of view employed in the loop transfer recovery (LTR) methodology [7-14]. Specifically, the cost functional is viewed here as a truly indicative measure of nominal system performance and not one whose weights can be manipulated to achieve desired engineering goals. Instead, the matrix parameters are viewed as the objects to be manipulated and the cost increments associated with any such manipulation is kept to the forefront. In addition, a one-step process instead of a two-step process is used to find the unique choice for the matrix parameters. This unique choice is the solution of a constrained optimization problem. That is, one in which a quadratic or  $H_2$  measure of the stability margin is optimized for a prescribed increment in the cost functional. Moreover, no special considerations are needed when the plant transfer matrix is nonminimum phase and/or sensor noise as well as disturbance inputs are present. Also the design procedure begins with coprime polynomial matrix fraction descriptions for the plant and sensors and can be carried out without state variable models for these system components.

Justification for the point of view adopted here is based on the following obser-

vations. Foremost in the design of advanced control systems is the need to satisfy performance specifications. In fact, one often sacrifices stability margin or accepts conditionally stable systems in order to realize superior performance. So one should begin with an optimal  $H_2$  solution. When this solution exceeds specifications, the cost functional can be increased and the increment traded for an improvement in stability margin. That is, one should maximize stability margin subject to a constraint on the  $H_2$  norm cost increment. When the stability margin obtained in this way is not adequate, then one must use a different controller for different operating profiles of the plant: typically, one should not give up performance just for the sake of operating with a single fixed controller when high performance is required.

In a recent paper [15], stability margin is addressed in a quadratic cost setting by including an additional term that accounts for stability margin in the minimized cost functional. This approach, however, was not fully explored in [15] and does not provide the perspective gained here. Here, instead, suboptimal performance is linked to stability margin through some non-null choices of the matrix parameters. In this way, the trade-off being made becomes transparent and important design formulas are obtained.

The use of a quadratic cost functional as an indicator of control system performance for systems subjected to both stochastic and shape-deterministic inputs has been a long accepted practice in the control field and needs no justification here [16,17]. Stability margin, on the other hand, is more correctly measured by an  $H_\infty$  norm [18]. So the real problem involves the application of an  $H_2$  norm on an indicator of system performance and the application of an  $H_\infty$  norm on an indicator of stability margin, with the indicators in each case being different functions of the same matrix parameter. That is, the real problem to be solved is a mixed  $H_2/H_\infty$  problem [19–29]. The approaches in the literature for the resolution of this type of problem have typically focused on minimizing, subject to an  $H_\infty$  norm constraint, a  $H_2$  norm. Except for [25], analytical solutions are not available. In [25], however, the generalized plant configuration is considered with state feedback. This case is impractical since not only is the state of the original physical plant required, but also the states of all the sensors. Moreover, it is argued below that when the  $H_\infty$  norm is used to measure stability margin, it is the reverse problem that is more appropriate. That is, one should instead minimize the  $H_\infty$  norm subject to a constraint on the  $H_2$  norm. So it is believed that the preliminary efforts in [30] to trade-off excess stability margin in the form identified in [18] in order to minimize a quadratic performance measure is not headed in the right direction.

Unfortunately, minimizing the  $H_\infty$  norm subject to a constraint on the  $H_2$  norm is also a difficult problem for which analytical solutions are not expected. In this paper, the difficulties are circumvented by choosing a meaningful, although nonrigorous, quadratic measure rather than an  $H_\infty$  measure of stability margin. This is in keeping

with the use of a quadratic measure for saturation which is also approximate. In addition, in contrast with [18] where coprime rational matrix fraction descriptions for the plant are used, here polynomial matrix fractions are used and uncertainty is modelled as perturbations in the coefficient matrices of these coprime polynomial matrices. It is believed that this is a more natural way to model structural uncertainty in practice.

By working with an  $H_2$  norm for both measures of performance and stability margin, a key result in [31] can be employed and one obtains a frequency-domain analytical solution for the design problem to within the choice of a single scalar Lagrangian multiplier. It is anticipated that this approach will often lead to satisfactory designs or at least good initial designs from which refinements can be explored. Indeed, it is possible to view the design problem treated here as a trade-off among Pareto optimal solutions for a multicriterion optimization problem [32]. Certainly, the robustness analysis tools described in [33] would also play a major role in the evaluation and modification of the control systems synthesized using the methodology presented here.

There is a danger in using an  $H_2$  norm instead of an  $H_\infty$  norm for stability margin. In [34], for a class of scalar systems, it is established that the  $H_\infty$  norm as an indicator of system performance can be substantially larger than its minimum value when the free matrix parameter is chosen to be the one which minimizes the  $H_2$  norm of this same indicator. Since the minimum  $H_\infty$  norm solutions are typically overly conservative [35,36] when uncertainties are structured, and since the properties of the function whose  $H_\infty$  norm was investigated in [34] differ somewhat from the properties of the function used here as an indicator of stability margin, it is expected that the potential danger of working with an  $H_2$  norm is mitigated.

The  $H_2$  norm trade-off problem of interest here can also be approached numerically using convex programming along the lines taken in [29,32,37,38] or indirectly through linear matrix inequalities (LMI) as described in [39,40]. The former involves approximating the infinite-dimensional set for the real, rational, strictly-proper matrix design parameter with a sequence of larger and larger finite-dimensional subsets. The latter uses convex programming to solve the LMI associated with an optimal fixed order controller. So to approximate the infinite-dimensional problem, a sequence of controllers of increasing order would have to be studied. Clearly, the analytical result given in the sequel serves as an important complement to these numerical optimization approaches. This analytical result also provides a guide for choosing a good starting point when these numerical approaches are used to search for the solution to the underlying mixed  $H_2/H_\infty$  problem, should this step be necessary.

All results in this paper are developed by working exclusively in the complex  $s$ -plane and all matrix functions of  $s = \sigma + j\omega$  are assumed to be real and rational. The

real part of  $s$  is denoted by  $\text{Re } s$ . For any matrix  $G(s)$ , the notations  $G'$ ,  $\overline{G}$ ,  $G^*$ ,  $\det G$ , and  $\text{Tr}G$  are used for the transpose, conjugate, conjugate transpose, determinant, and trace of  $G(s)$ , respectively. The matrix  $G_*(s)$  is the conjugate transpose of  $G(-\bar{s})$  or  $G_*(s) = G^*(-\bar{s})$  which, for real rational matrices, reduces to  $G_*(s) = G'(-s)$ . A real matrix  $G(s)$  is called para-Hermitian when  $G = G_*$ . A diagonal matrix  $G$  with  $g_i$  in the  $i$ -row,  $i$ -column,  $i=1 \rightarrow n$ , is denoted by  $G = \text{diag}\{g_1, g_2, \dots, g_n\}$ . The Kronecker product of two matrices is denoted as  $G \otimes R$  and is the matrix whose  $ij$ -block is given by  $g_{ij}R$ . The vector  $g = \text{vec } G = [g'_1 \ g'_2 \ \dots \ g'_n]'$  is formed by stacking all the columns of the matrix  $G = [g_1 g_2 \ \dots \ g_n]$ . As is evident from the above, function arguments are often omitted for brevity when no confusion is possible. The notation  $G(s) \leq \mathcal{O}(s^\nu)$  means that no entry in  $G(s)$  grows faster than  $s^\nu$  as  $s \rightarrow \infty$ . In the partial fraction expansion of  $G(s)$ , the contributions made by all its finite poles in  $\text{Re } s \leq 0$ ,  $\text{Re } s > 0$ , and by its poles at  $s = \infty$  are denoted by  $\{G\}_+$ ,  $\{G\}_-$ , and  $\{G\}_\infty$ , respectively. Clearly,  $\{G\}_+$  is analytic in  $\text{Re } s > 0$ ,  $\{G\}_-$  in  $\text{Re } s \leq 0$  and both are  $\leq \mathcal{O}(s^{-1})$ . The identity matrix is denoted by  $I$ . A positive definite (positive semidefinite) matrix  $G$  is denoted by  $G > 0$  ( $G \geq 0$ ). A matrix  $G$  is said to be *good* when it is analytic on  $J$ , the finite part of the  $s = j\omega$ -axis. The normal rank of a matrix  $G(s)$ , denoted  $\gamma(G)$ , is the highest order of all non-identically-zero minors of  $G(s)$ . When needed for clarity vertical and/or horizontal lines are used to identify the partitions of a matrix. The expectation operator is denoted by  $\mathcal{E}\{\}$ .

## 2. Summary of Available Results

The Wiener-Hopf design of optimal 3DOF systems and the parameterization of all suboptimal designs which is presented in [1] is summarized in this section. In this regard, it is convenient to introduce the three closed-loop transfer matrices

$$R_u = (I + C_w F_t P)^{-1} C_u, \quad (2.1)$$

$$R_w = (I + C_w F_t P)^{-1} C_w, \quad (2.2)$$

and

$$R_z = (I + C_w F_t P)^{-1} C_z. \quad (2.3)$$

Also essential in this work are several coprime polynomial matrix fraction descriptions. Specifically, one can always write [41]

$$F_t P = B_1 A_1^{-1} = A^{-1} B, \quad (2.4)$$

where  $B_1, A_1$  is a right and  $A, B$  is a left coprime pair of polynomial matrices for which there exist real polynomial matrices  $X, Y, X_1,$  and  $Y_1$  so that

$$A_1 Y_1 = Y A, \quad (2.5a)$$

$$A X + B Y = I, \quad (2.5b)$$

$$X_1 A_1 + Y_1 B_1 = I, \quad (2.5c)$$

and

$$\det X \det X_1 \neq 0. \quad (2.5d)$$

It is a consequence of Theorem 1 in [1] that any  $C_w$  associated with a stabilizing controller is of the form

$$C_w = (X_1 - K_1 B)^{-1} (Y_1 + K_1 A) \quad (2.6)$$

where  $K_1$  is a real rational matrix analytic in  $\text{Re } s \geq 0$ . It then easily follows from (2.2) that

$$R_w = A_1 (Y_1 + K_1 A) \quad (2.7)$$

and

$$I - R_w F_t P = (I + C_w F_t P)^{-1} = A_1 (X_1 - K_1 B). \quad (2.8)$$

The cost functional  $E$  which takes tracking error, saturation, and sensitivity into account was introduced in [1,2] and is as follows:

$$\begin{aligned} E = & \frac{1}{2\pi j} \int_{-j\infty}^{j\infty} \text{Tr}(G_e(s)) ds + \frac{k}{2\pi j} \int_{-j\infty}^{j\infty} \text{Tr}(Q(s)G_r(s)) ds \\ & + \frac{\mu}{2\pi j} \int_{-j\infty}^{j\infty} \text{Tr}(\tilde{S}G_s(s)\tilde{S}^*) ds + \frac{\mu}{2\pi j} \int_{-j\infty}^{j\infty} \text{Tr}(kQ R_w F_t G_s F_t^* R_w^*) ds \end{aligned} \quad (2.9)$$

where  $G_e, G_r,$  and  $G_s$  are the spectral densities of the error  $e(s) = T_0(s)u(s) - y(s)$ , the input  $r(s)$ , and the plant uncertainty (see equation (2.18)), respectively. The constants  $k$  and  $\mu$  are nonnegative and  $Q(s)$  is a para-Hermitian nonnegative definite weighting matrix. The matrix  $\tilde{S}(s) = I - P R_w F_t$  is a closed-loop sensitivity matrix.

The expression for  $E$  in (2.9) decomposes into

$$E = E_u + E_{wz} \quad (2.10)$$

in which

$$E_u = \frac{1}{2\pi j} \int_{-j\infty}^{j\infty} [Tr\{kQ R_u G_u R_{u*} + (P_* P + kQ) R_u G_n R_{u*}\} + Tr\{(T_0 - PR_u) G_u (T_0 - PR_u)_*\}] ds \quad (2.11)$$

includes all terms involving  $R_u$  and

$$E_{wz} = \frac{1}{2\pi j} \int_{-j\infty}^{j\infty} Tr[kQ(R_w F_t P_0 + R_z L_t) G_d (R_w F_t P_0 + R_z L_t)_* + (P_* P + kQ)(R_w G_m R_{w*} + R_z G_l R_{z*}) + kQ R_w F_t \mu G_s F_{t*} R_{w*}] ds + \frac{1}{2\pi j} \int_{-j\infty}^{j\infty} Tr[(P_0 - PR_w F_t P_0 - PR_z L_t) G_d (P_0 - PR_w F_t P_0 - PR_z L_t)_* + (I - PR_w F_t) \mu G_s (I - PR_w F_t)_*] ds \quad (2.12)$$

all those involving  $R_w$  and  $R_z$ . In (2.11) and (2.12),  $G_d$ ,  $G_l$ ,  $G_m$ ,  $G_u$ , and  $G_n$  are specified spectral densities for the signals  $d(s)$ ,  $l(s)$ ,  $m(s)$ ,  $u(s)$ , and  $n(s)$  respectively, which also account for modelling of any shape-deterministic components in the signals [4].

Clearly,  $E_u$  is a nonnegative functional of  $R_u$  and  $E_{wz}$  is a nonnegative functional of  $R_w$  and  $R_z$ . So the minimization of  $E$  is equivalent to two separate minimization problems: the minimization of  $E_u$  with respect to  $R_u$  and the minimization of  $E_{wz}$  with respect to the pair  $R_w$ ,  $R_z$ . Also of interest is the parameterization of the set of all  $R_u$ ,  $R_w$ , and  $R_z$  associated with an asymptotically stable 3DOF system possessing a finite  $E_u$  and a finite  $E_{wz}$ . In this regard, the two definitions which follow are introduced.

**Definition 1:** The real rational matrices  $R_u$ ,  $R_w$ , and  $R_z$  are said to be *acceptable* for the given  $F_t$ ,  $P$  if there exists a controller which realizes them as the designated closed-system transfer matrices of an internally asymptotically stable configuration of the generic type shown in Fig. 1.1.

**Definition 2:** The acceptable matrices  $R_u$ ,  $R_w$ , and  $R_z$  are called *admissible* if they yield finite cost  $E$ . An admissible controller is one which realizes an admissible triple  $R_u$ ,  $R_w$ , and  $R_z$ .

The admissible  $R_u$  for which  $E_u$  is minimized is designated by  $\tilde{R}_u$ . Similarly, the admissible pair  $R_w$ ,  $R_z$  for which  $E_{wz}$  is minimized is designated by  $\tilde{R}_w$ ,  $\tilde{R}_z$ . Specific

formulas for  $\tilde{R}_u$ ,  $\tilde{R}_w$ , and  $\tilde{R}_z$  are given in [1]. The associated minimum values for  $E_u$  and  $E_{wz}$  are accordingly indicated by  $\tilde{E}_u$  and  $\tilde{E}_{wz}$ , respectively.

It is evident from (2.2) that  $C_w$  is determined from  $R_w$  by the formula

$$C_w = (I - R_w F_t P)^{-1} R_w. \quad (2.13)$$

So there is a one-to-one correspondence between  $C_w$  and  $R_w$ . Clearly, only  $C_w$  impacts on the stability margin of the feedback loop. Hence, no further consideration is given here to  $E_u$  and  $R_u$ . Interested readers are referred to [42,43] where suboptimal choices of  $R_u$  are investigated in connection with the design of decoupled multivariable systems.

Before one can describe in detail the results obtained in [1] that are needed here, two Wiener-Hopf spectral factorizations have to be defined. In the first, the matrix  $\Lambda$  is a Wiener-Hopf spectral solution (i.e.,  $\Lambda$  and  $\Lambda^{-1}$  are analytic in  $\text{Re } s > 0$ ) of the equation

$$A_{1*}(P_*P + kQ)A_1 = \Lambda_*\Lambda. \quad (2.14)$$

The second Wiener-Hopf spectral factorization involves the matrices

$$\tilde{A} = \begin{bmatrix} A & 0 \\ 0 & I \end{bmatrix} \quad (2.15)$$

and

$$\Phi = \begin{bmatrix} F_t G_{ds} F_{t*} + G_m & F_t P_0 G_d L_{t*} \\ L_t G_d P_{0*} F_{t*} & L_t G_d L_{t*} + G_l \end{bmatrix} \quad (2.16)$$

where the matrix  $G_{ds}$  is given by

$$G_{ds} = P_0 G_d P_{0*} + \mu G_s \quad (2.17)$$

and

$$G_s = \mathcal{E}\{(\delta P)(\delta P)_*\} + \mathcal{E}\{(\delta P_0)(\delta P_0)_*\} \quad (2.18)$$

is a probabilistic model for first-order perturbations  $\delta P$  and  $\delta P_0$  in the plant transfer matrices  $P$  and  $P_0$ , respectively. The matrix  $G_s$  appears in the terms included in the cost functional  $E$  which take into account the sensitivity of the tracking error  $e$  and plant input  $r$  to plant parameter changes. In the second Wiener-Hopf spectral factorization needed, the matrix  $\Omega$  is a Wiener-Hopf spectral solution of the equation

$$\tilde{A}\Phi\tilde{A}_* = \Omega\Omega_* \quad (2.19)$$

A set of seven underlying assumptions cited below are introduced in [1] for which the following holds.

(i) The set of all acceptable  $R_w$  and  $R_z$  that yield a finite  $E_{wz}$  is generated by the formula

$$[R_w|R_z] = [\tilde{R}_w|\tilde{R}_z] + A_1\Lambda^{-1}[Z_w|Z_z]\Omega^{-1}\tilde{A} \quad (2.20)$$

where  $Z_w$  and  $Z_z$  can be any real rational matrices analytic in  $\text{Re } s \geq 0$  and satisfying  $Z_w \leq \mathcal{O}(s^{-1})$ ,  $Z_z \leq \mathcal{O}(s^{-1})$ .

(ii) The cost functional  $E_{wz}$  is given by

$$E_{wz} = \tilde{E}_{wz} + \Delta E_{wz} \quad (2.21)$$

where

$$\Delta E_{wz} = \frac{1}{2\pi j} \int_{-j\infty}^{j\infty} \text{Tr}[Z_w Z_{w*} + Z_z Z_{z*}] ds. \quad (2.22)$$

Clearly, the choice  $Z_w \equiv 0$ ,  $Z_z \equiv 0$  leads to optimum performance. When optimum performance exceeds specifications, there exists a number  $N$  for which all allowed

$$Z_{wz} = [Z_w|Z_z] \quad (2.23)$$

satisfying

$$\Delta E_{wz} = \frac{1}{2\pi j} \int_{-j\infty}^{j\infty} \text{Tr}[Z_{wz} Z_{wz*}] ds \leq N \quad (2.24)$$

can be considered for design trade offs. Here, in particular, that allowed  $Z_{wz}$  satisfying equation (2.24) is sought for which a stability margin measure is minimized. The purpose of this paper is to describe a mechanism for achieving this goal.

The set of seven underlying assumptions mentioned above also insure the existence of an admissible  $R_u$  so that a finite  $E$  is guaranteed to exist. This assures that the problem addressed here is a meaningful one. These seven assumptions include

conditions which also involve the specified spectral densities  $G_u$  and  $G_n$  for the signals  $u(s)$  and  $n(s)$ , respectively. For easy reference, these seven assumptions follow.

**Assumption 1:** All system blocks are free of hidden poles in  $\text{Re } s \geq 0$ . The transfer matrix  $L_t(s)$  and any portion of  $P_0(s)$  arising from a block outside the feedback loop are analytic in  $\text{Re } s \geq 0$ . For any finite pole  $s_0$  of  $P$  or  $F_t$  in  $\text{Re } s \geq 0$ , the McMillan degree of  $s_0$  as a pole of  $F_t P$  is equal to the sum of its McMillan degrees as a pole of  $P$  and  $F_t$ .

**Assumption 2:** The matrix  $T_0(s)$  is proper and the spectral density  $G_u(s)$  vanishes at least as fast as  $1/s^2$ , as  $s \rightarrow \infty$ , i.e.,  $G_u(s) \leq \mathcal{O}(s^{-2})$ .

**Assumption 3:**  $T_0$  and  $F_t$  are analytic and nonsingular on the finite part of the  $s = j\omega$  axis. In addition,  $T_0$  is analytic in  $\text{Re } s > 0$  and  $(T_0 F_t - I)P$  is analytic on the finite part of the  $s = j\omega$  axis.

**Assumption 4:**  $A G_u A_*$ ,  $Q$ ,  $G_n$ , and  $(G_u + G_n)^{-1}$  are good (i.e., analytic on the finite part of the  $s = j\omega$  axis).

**Assumption 5:**  $A_{1*}(P_* P + kQ)A_1$  is nonsingular on the finite part of the  $s = j\omega$  axis.

**Assumption 6:** The matrix  $\tilde{A}\tilde{\Phi}\tilde{A}_*$  is analytic and nonsingular on the finite part of the  $s = j\omega$  axis.

**Assumption 7:** The plant-uncertainty spectral density  $G_s(s)$  and  $P_0(s)G_d(s)P_{0*}(s)$  are both  $\leq \mathcal{O}(s^{-2})$ , and  $G_m(s)$  is analytic on the finite part of the  $s = j\omega$  axis. In addition  $F_t P \leq \mathcal{O}(s^{-\nu_0})$ ,  $\Phi^{-1}(s) \leq \mathcal{O}(s^{-2\nu_1})$ , and  $(P_* P + kQ)^{-1} \leq \mathcal{O}(s^{-2\nu_2})$ , where  $\nu_0 + \nu_1 + \nu_2 \geq 0$ .

An additional assumption which plays an essential role in the sequel is now introduced.

**Assumption 8:**  $\nu_1 + \nu_2 + 1 \geq 0$ .

It is now possible to state an important lemma which is an immediate consequence

of Lemma 2 in [1].

**Lemma 1:** When Assumptions 7 and 8 hold, then  $\Omega^{-1}\tilde{A} \leq \mathcal{O}(s^{-\nu_1})$ ,  $A_1\Lambda^{-1} \leq \mathcal{O}(s^{-\nu_2})$ , and all admissible  $R_w, R_z$  satisfy  $[R_w \mid R_z] \leq \mathcal{O}(s^{-(\nu_1+\nu_2+1)})$  which implies that  $R_w, R_z$  are proper.

It is also convenient here to introduce the following definition.

**Definition 3:** Any pair of transfer matrices  $F_t, P$  that satisfy Assumption 1 are called admissible.

### 3. Stability Margin Considerations and Problem Formulation

The transfer matrices shown in Fig. 1.1 are nominal transfer matrices. Except for the plant, it is assumed that the nominal and actual transfer matrices of the system components are the same. The plant, however, has an actual transfer matrix which differs from the nominal one. In this paper, there are two differences between the nominal plant transfer matrix and the actual plant transfer matrix that are of interest. The difference  $\delta P$  in (2.18) represents the small uncertainty of the plant when it is operating normally near nominal conditions. The difference  $\hat{\delta P}$  is introduced in the sequel to characterize large perturbations associated with abnormal operation that could lead to instability. The overall objective here is to design the controller so that with normal system performance a specification on the value of the cost functional  $E_{wz}$  is met, while providing the maximum tolerance against instability arising from the perturbations  $\hat{\delta P}$ . In this section, attention is focused on the question of stability and the impact of  $\hat{\delta P}$  on this issue. In this regard, the right coprime polynomial matrix fraction description

$$F_t(P + \hat{\delta P}) = (B_1 + \delta B_1)(A_1 + \delta A_1)^{-1} \quad (3.1)$$

is introduced to define the polynomial perturbations  $\delta A_1$  and  $\delta B_1$ .

When Assumption 1 holds and the pair  $F_t, (P + \hat{\delta P})$  is admissible, it is not difficult to show [1] that the system is internally asymptotically stable for perturbations  $\delta A_1$  and  $\delta B_1$  if, and only if,

$$\phi_\delta = \det[I + (X_1 - K_1 B)\delta A_1 + (Y_1 + K_1 A)\delta B_1] \quad (3.2)$$

is free of zeros in  $\text{Re } s \geq 0$ . Using (2.7) and (2.8), (3.2) may immediately be written as

$$\phi_\delta = \det\{I + A_1^{-1} \begin{bmatrix} \hat{S} & R_w \end{bmatrix} \begin{bmatrix} \delta A_1 \\ \delta B_1 \end{bmatrix}\} \quad (3.3)$$

where

$$\hat{S} = I - R_w F_t P \quad (3.4)$$

is a loop sensitivity matrix on account of (2.8).

Since all coprime polynomial matrix pairs associated with matrix fraction descriptions of the same rational matrix differ from one another only by a unimodular matrix multiplier [44,45], the results cited above are independent of the particular choice of matrix fraction descriptions used (e.g., see the final paragraph in the Appendix of [2]). However, it is essential here that  $A_1$  satisfies the following assumption.

**Assumption 9:** The polynomial matrix  $A_1$  is column reduced and  $A_1^{-1}$  is strictly proper.

Assumption 9 is not overly restrictive. In fact, given any coprime matrix fraction description  $\hat{B}\hat{A}^{-1}$ , one can find a unimodular matrix  $U$  so that

$$\hat{B}_1 \hat{A}_1^{-1} = (\hat{B}_1 U)(\hat{A}_1 U)^{-1} = B_1 A_1^{-1} \quad (3.5)$$

where  $A_1$  is column reduced [44,45]. So there is no loss in generality in assuming that  $A_1$  is column reduced. It is also true in almost all cases of practical interest that  $A_1^{-1}$  is strictly proper when  $A_1$  is column reduced. Indeed, one has the following lemma.

**Lemma 2:** When  $F_t P = B_1 A_1^{-1}$  is strictly proper, when the pair  $B_1, A_1$  is right coprime with  $A_1$  column reduced, and when there exists no constant vector  $\alpha \neq 0$  for which  $F_t P \alpha \equiv 0$ , then  $A_1^{-1}$  is strictly proper.

**Proof:** First, it is established that the column degrees of  $A_1$  must all be positive. When the contrary is true, there is at least one column of  $A_1$  which has zero degree. This column then contains only constants. These constants cannot all be zero because  $\det A_1 \neq 0$ . This constant nonzero vector is designated by  $\alpha$ . When  $(B_1)_j$  denotes the  $j$ -column of  $B_1$  and  $\alpha$  is the  $j$ -column of  $A_1$ , it then follows that

$$(B_1)_j = F_t P \alpha. \quad (3.6)$$

Since  $F_t P$  is strictly proper,

$$\lim_{s \rightarrow \infty} (B_1)_j = 0. \quad (3.7)$$

But  $(B_1)_j$  is polynomial and the only way (3.7) can be true is if  $(B_1)_j \equiv 0$ . It then follows from (3.6) that

$$F_t P \alpha \equiv 0, \quad \alpha \neq 0 \quad (3.8)$$

which contradicts the hypothesis. It is now a simple matter to prove  $A_1^{-1}$  is strictly proper. Since  $A_1$  is column reduced, one can write

$$A_1 = (A_1)_{hc} S + L \quad (3.9)$$

where  $(A_1)_{hc}$  is a nonsingular constant matrix,

$$S = \text{diag}\{s^{\delta_{c1}}, s^{\delta_{c2}}, \dots, s^{\delta_{cm}}\} \quad (3.10)$$

with  $\delta_{cj}$  being the column degree of the  $j$ -column of  $A_1$ , and the column degrees of the polynomial matrix  $L$  are less than the corresponding column degrees of  $A_1$ . Clearly,

$$\lim_{s \rightarrow \infty} A_1^{-1} = \lim_{s \rightarrow \infty} S^{-1} [(A_1)_{hc} + L S^{-1}]^{-1} = \lim_{s \rightarrow \infty} S^{-1} (A_1)_{hc}^{-1} = 0 \quad (3.11)$$

and so  $A_1^{-1}$  is strictly proper. This completes the proof.

It should be noted that lemmas similar to Lemma 2 have appeared in the literature (e.g., see Theorem G-10 in [44] and Lemma 6.3-11 in [45]), but the possibility of (3.8) was overlooked. A simple example which exposes the difficulty is easily generated from

$$\begin{bmatrix} B_1 \\ A_1 \end{bmatrix} = \begin{bmatrix} 0 & 1 \\ 1 & s \\ 1 & 2s \end{bmatrix}. \quad (3.12)$$

In this case,  $F_t P = \begin{bmatrix} -1 & 1 \\ s & s \end{bmatrix}$  is strictly proper; however,  $A_1^{-1}$  is only proper even though  $A_1$  is column reduced. This example is ruled out as a counterexample in Lemma 2 because it satisfies  $F_t P \alpha \equiv 0$  for  $\alpha = [1 \quad 1]'$ .

It should be emphasized that Lemma 2 provides sufficient conditions for  $A_1^{-1}$  to be strictly proper. In fact, one frequently finds that  $A_1^{-1}$  is strictly proper when  $F_t P$  is only proper or even improper.

The modelling of the perturbations  $\delta A_1, \delta B_1$  is considered next. Since  $A_1$  is column reduced, one can always write

$$A_1 = \sum_{i=0}^k A_{1i} S_i, \quad \det A_{1k} = \det(A_1)_{hc} \neq 0 \quad (3.13)$$

where the elements of the  $A_{1i}$  are real numbers,

$$k = \max\{\delta_{c1}, \delta_{c2}, \dots, \delta_{cm}\} \quad (3.14)$$

and

$$S_i = \text{diag}\{s^{\delta_{i1}}, s^{\delta_{i2}}, \dots, s^{\delta_{im}}\} \quad (3.15)$$

with

$$\delta_{ij} = \max\{\delta_{cj} - k + i, 0\}. \quad (3.16)$$

It should be noted that  $S_k = S$ . Attention is restricted here to perturbations of the form

$$\begin{bmatrix} \delta A_1 \\ \delta B_1 \end{bmatrix} = (\delta \mathcal{P}) \mathcal{S} \quad (3.17)$$

where

$$\delta \mathcal{P} = \begin{bmatrix} \delta A_{10} & \delta A_{11} & \cdots & \delta A_{1,k-1} \\ \delta B_{10} & \delta B_{11} & \cdots & \delta B_{1,k-1} \end{bmatrix} \quad (3.18)$$

and

$$\mathcal{S} = [S'_0 \ S'_1 \ \cdots \ S'_{k-1}]'. \quad (3.19)$$

The implication of this modelling is treated first. Practical justification then follows.

Substituting (3.17) into (3.3) and making use of

$$\det(I + G_1 G_2) = \det(I + G_2 G_1) \quad (3.20)$$

gives

$$\phi_\delta = \det[I + SM(\delta\mathcal{P})] \quad (3.21)$$

where

$$M = A_1^{-1} \begin{bmatrix} \hat{S} & R_w \end{bmatrix}. \quad (3.22)$$

Now, because of Assumptions 7 and 8 and Lemma 1,

$$R_w F_t P \leq \mathcal{O}(s^{-(\nu_0 + \nu_1 + \nu_2 + 1)}) \leq \mathcal{O}(s^{-1}). \quad (3.23)$$

Hence,  $\hat{S}$  is proper for all admissible  $R_w$ . Also, since  $S = S_k$ ,

$$\lim_{s \rightarrow \infty} SA_1^{-1} = \lim_{s \rightarrow \infty} \left\{ \begin{bmatrix} S_0 \\ S_1 \\ \vdots \\ S_{k-1} \end{bmatrix} S_k^{-1} [(A_1)_{hc} + LS_k^{-1}]^{-1} \right\} = 0. \quad (3.24)$$

So  $SM$  in (3.21) is strictly proper for all admissible  $R_w$ . Moreover, the matrix  $M$  is analytic in  $\text{Re } s \geq 0$  since

$$A_1^{-1}[\hat{S} \mid R_w] = [(X_1 - K_1 B) \mid (Y_1 + K_1 A)]. \quad (3.25)$$

Hence,  $SM(\delta\mathcal{P})$  is analytic in  $\text{Re } s \geq 0$  and strictly proper.

It immediately follows from the generalized Nyquist theorem (e.g., see Chapter 2 of [46]) that  $\phi_\delta$  is free of zeros in  $\text{Re } s \geq 0$  when there are no encirclements in the complex  $s$ -plane of the point  $-1 + j0$  by the characteristic loci for  $\mathcal{S}(j\omega)M(j\omega)(\delta\mathcal{P})$ . Now  $M$  is a function of  $R_w$  which in turn is a function of  $Z_{wz}$ . So one should seek an allowed  $Z_{wz}$  satisfying (2.24) for which there are no encirclements of the  $-1 + j0$  point by the characteristic loci for the largest set of expected perturbations  $\delta\mathcal{P}$  (i.e., so that the stability margin is maximized). This design problem defies an analytical solution, however. Hence, an alternative design approach is considered here. Specifically, that allowed  $Z_{wz}$  satisfying (2.24) is sought for which

$$J = \frac{1}{2\pi j} \int_{-j\infty}^{j\infty} \text{Tr}(SM\Sigma M_* S_*) ds \quad (3.26)$$

is minimized where with  $\mathcal{E}$  denoting the expectation operator

$$\Sigma = \mathcal{E}\{(\delta\mathcal{P})(\delta\mathcal{P})'\}. \quad (3.27)$$

Clearly, in this formulation the perturbation matrix is assumed to contain elements which are zero-mean random variables with known covariances. When this is not the case, one might take  $\Sigma = I$  or one might replace  $\Sigma$  with some appropriate weighting matrix. The advantage of including  $\Sigma$  in  $J$  is that when  $\Sigma$  is known, the structure of the perturbations is in some way included in the design process.  $J$  being finite for all allowed  $Z_{wz}$  is a consequence of the fact that  $SM$  is analytic in  $\text{Re } s \geq 0$  and strictly proper for all admissible  $R_w$ .

It is expected that this alternative approach may yield designs with stability margins that are significantly better than those for the optimal performance design which corresponds to the choice  $Z_{wz} \equiv 0$ . This expectation is based on the anticipation that designs for which  $J$  is kept small are designs which in practice tend to keep  $S(j\omega)M(j\omega)\delta\mathcal{P}$  small so that encirclement of the  $-1 + j0$  point are avoided.

The functional  $J$  is a special case of the functional

$$J = \frac{1}{2\pi j} \int_{-j\infty}^{j\infty} \text{Tr}(W_1 M W_2 M^* W_{1*}) ds \quad (3.28)$$

where  $W_1$  and  $W_2$  satisfy the following assumption.

**Assumption 10:** The  $km \times m$  matrix  $W_1$  is analytic in  $0 \leq \text{Re } s < \infty$  and such that  $W_1 A_1^{-1}$  is strictly proper. The  $(n+m) \times (n+m)$  matrix  $W_2$  is a proper para-Hermitian matrix which is analytic and nonnegative definite on the  $s = j\omega$  axis.

In order that the theory developed here be applicable to situations in which the modelling of the perturbations  $\delta A_1$ ,  $\delta B_1$  is done differently and/or the weighting matrix  $\Sigma$  in (3.26) is chosen differently, all results in the sequel are developed for the more general case of (3.28). Specifically, a formula is derived which gives the strictly proper  $Z_{wz}$  analytic in  $\text{Re } s \geq 0$  and satisfying (2.24) for which (3.28) is minimized.

The practicality of the perturbation model assumed in (3.17) thru (3.19) is justified next. In most applications,  $F_t P$  is strictly proper. When  $A_1$  is column reduced, it then follows that

$$\lim_{s \rightarrow \infty} F_t P = \lim_{s \rightarrow \infty} B_1 S_k^{-1} A_{1k}^{-1} = 0. \quad (3.29)$$

Now (3.29) holds if, and only if,

$$\lim_{s \rightarrow \infty} B_1 S_k^{-1} = 0 \quad (3.30)$$

or the column degrees of  $B_1$  are less than the corresponding column degrees of  $A_1$ .

In this case, it is always possible to write

$$B_1 = \sum_{i=0}^{k-1} B_{1i} S_i \quad (3.31)$$

and

$$\delta B_1 = \sum_{i=0}^{k-1} \delta B_{1i} S_i \quad (3.32)$$

which agrees with the second block row of (3.17).

The justification for taking  $\delta A_{1k} = 0$  is more involved. When  $\delta A_{1k} \neq 0$ , then

$$\delta \mathcal{P} = \begin{bmatrix} \delta \mathcal{P}_A & \delta A_{1k} \\ \delta \mathcal{P}_B & 0 \end{bmatrix} \quad (3.33)$$

where

$$\begin{bmatrix} \delta \mathcal{P}_A \\ \delta \mathcal{P}_B \end{bmatrix} = \begin{bmatrix} \delta A_{10} & \delta A_{11} & \cdots & \delta A_{1,k-1} \\ \delta B_{10} & \delta B_{11} & \cdots & \delta B_{1,k-1} \end{bmatrix} \quad (3.34)$$

and

$$\begin{bmatrix} \delta A_1 \\ \delta B_1 \end{bmatrix} = \begin{bmatrix} \delta \mathcal{P}_A & \delta A_{1k} \\ \delta \mathcal{P}_B & 0 \end{bmatrix} \begin{bmatrix} \mathcal{S} \\ S_k \end{bmatrix}. \quad (3.35)$$

Using (3.35) in (3.3) and invoking (3.20) now yields

$$\phi_\delta = \det(I + \mathcal{M}) \quad (3.36)$$

where

$$\mathcal{M} = \begin{bmatrix} \mathcal{S} \\ S_k \end{bmatrix} A_1^{-1} \begin{bmatrix} \hat{S} & R_w \end{bmatrix} \begin{bmatrix} \delta \mathcal{P}_A & \delta A_{1k} \\ \delta \mathcal{P}_B & 0 \end{bmatrix}. \quad (3.37)$$

Since under Assumptions 7 and 8,  $R_w$  and  $F_t P R_w$  are strictly proper for all admissible  $R_w$ ,

$$\lim_{s \rightarrow \infty} \begin{bmatrix} \hat{S} & R_w \end{bmatrix} = \begin{bmatrix} I & 0 \end{bmatrix}. \quad (3.38)$$

It should now be clear when (3.24) is recalled that

$$\lim_{s \rightarrow \infty} \mathcal{M} = \begin{bmatrix} 0 \\ A_{1k}^{-1} \end{bmatrix} \begin{bmatrix} I & 0 \end{bmatrix} \begin{bmatrix} \delta \mathcal{P}_A & \delta A_{1k} \\ \delta \mathcal{P}_B & 0 \end{bmatrix} \quad (3.39)$$

or

$$\mathcal{M}(\infty) = \begin{bmatrix} 0 & 0 \\ A_{1k}^{-1} \delta \mathcal{P}_A & A_{1k}^{-1} \delta A_{1k} \end{bmatrix}. \quad (3.40)$$

So with  $\delta A_{1k} \neq 0$ ,  $\mathcal{M}$  is not strictly proper and any  $H_2$  norm associated with this matrix is infinite.

Obviously,  $\delta A_{1k} = 0$  is needed for the theory developed here. On the other hand, since  $\delta A_{1k}$  impacts primarily on the high frequency behavior of  $\mathcal{M}$  and since from (3.40) the eigenvalues of  $\mathcal{M}(\infty)$  are all less than unity in magnitude when

$$\|A_{1k}^{-1} \delta A_{1k}\| \leq \|A_{1k}^{-1}\| \|\delta A_{1k}\| < 1, \quad (3.41)$$

it is clear that the impact of non-null  $\delta A_{1k}$  on encirclements of the  $-1 + j0$  point by the characteristic loci of  $\mathcal{M}$  is small when the inequality in (3.41) is valid. So the designs proposed here are more robust to parameter variations that affect the low frequency behavior of the plant. But this is usually desired, since loop gains are typically small in the higher frequency range. The problem formulation is now complete.

#### 4. The Analytical Solution

The constrained optimization problem associated with (2.24) and (3.28) is solved by introducing a Lagrangian [16,17] multiplier  $\alpha^2$  and minimizing first

$$\hat{J} = J + \alpha^2 \Delta E_{wz}. \quad (4.1)$$

This yields the minimizing  $Z_{wz}$  as a function of  $\alpha^2$ . The parameter  $\alpha^2$  is then chosen so that (2.24) is satisfied. It is shown in the Appendix A that  $J$  and  $\Delta E_{wz}$  are a monotonically increasing and a monotonically decreasing function of  $\alpha^2$ , respectively. Also, it should be clear that minimizing  $\hat{J}$  is equivalent to minimizing

$$\lambda_1 \hat{J} = \lambda_1 J + \lambda_2 \Delta E_{wz} \quad (4.2)$$

when

$$\lambda_1 = \frac{1}{1 + \alpha^2} \quad , \quad \lambda_2 = \frac{\alpha^2}{1 + \alpha^2} = 1 - \lambda_1. \quad (4.3)$$

So the set of all  $Z_{wz}$  that minimize  $\hat{J}$  for  $0 \leq \alpha^2 < \infty$  is the same set that minimizes  $\lambda_1 \hat{J}$  with  $\lambda_1 \geq 0$ ,  $\lambda_2 \geq 0$  and  $\lambda_1 + \lambda_2 = 1$ . Hence, as described in [31,32], the set of solutions  $Z_{wz}$  is the set of Pareto optimal solutions for the multiple objective criteria  $J$  and  $\Delta E_{wz}$ . In fact, after some additional observations described below, it is possible to easily derive a formula for this set of  $Z_{wz}$  by using equation (4.5) in [31] and setting  $\alpha^2 = \frac{\lambda_2}{\lambda_1}$  in the result. This is done in Appendix B.

Because of the properties of  $W_2$  included in Assumption 10, one can always write

$$W_2 = H_2 H_{2*} \quad (4.4)$$

where  $H_2$  is proper and analytic in  $Re(s) \geq 0$ . It then follows from (3.28) that

$$J = \|T_1\|_2^2 \triangleq \frac{1}{2\pi j} \int_{-j\infty}^{j\infty} Tr(T_1 T_{1*}) ds \quad (4.5)$$

where

$$T_1 = W_1 M H_2. \quad (4.6)$$

It is also obvious from (2.24) that

$$\Delta E_{wz} = \|T_2\|_2^2 \quad (4.7)$$

where

$$T_2 = Z_{wz}. \quad (4.8)$$

Moreover, the matrix  $M$  in (4.6) can be expressed in terms of  $Z_{wz}$  with the aid of (2.20) and (3.22). From (2.20),

$$R_w = \tilde{R}_w + A_1 \Lambda^{-1} Z_{wz} \Omega^{-1} \begin{bmatrix} A \\ 0 \end{bmatrix}. \quad (4.9)$$

Then, when (2.4) is recalled,

$$\hat{S} = I - R_w F_t P = I - \tilde{R}_w F_t P - A_1 \Lambda^{-1} Z_{wz} \Omega^{-1} \begin{bmatrix} B \\ 0 \end{bmatrix}. \quad (4.10)$$

Thus, (3.22) gives

$$M = A_1^{-1} \begin{bmatrix} \hat{S} & R_w \end{bmatrix} = \Psi_1 + \Psi_2 Z_{wz} \Psi_3 \quad (4.11)$$

where

$$\Psi_1 = A_1^{-1} [(I - \tilde{R}_w F_t P) \mid \tilde{R}_w], \quad (4.12)$$

$$\Psi_2 = \Lambda^{-1}, \quad (4.13)$$

and

$$\Psi_3 = \Omega^{-1} \begin{bmatrix} -B & A \\ 0 & 0 \end{bmatrix}. \quad (4.14)$$

Hence (4.6) is equivalent to

$$T_1 = R_1 - U_1 Z_{wz} V_1 \quad (4.15)$$

where

$$R_1 = W_1 \Psi_1 H_2, \quad (4.16)$$

$$U_1 = -W_1 \Psi_2, \quad (4.17)$$

and

$$V_1 = \Psi_3 H_2. \quad (4.18)$$

Similarly, (4.8) is of the form

$$T_2 = R_2 - U_2 Z_{wz} V_2, \quad (4.19)$$

with

$$R_2 = 0, \quad U_2 = -I, \quad V_2 = I. \quad (4.20)$$

Clearly,  $R_2$ ,  $U_2$ , and  $V_2$  are proper, real, rational matrices which are analytic in  $\text{Re}(s) \geq 0$ . It is also established in the sequel that the same is true of  $R_1$ ,  $U_1$ , and  $V_1$ . In addition, both  $R_1$  and  $R_2$  are strictly proper. As a consequence, minimizing (4.2) or

$$\lambda_1 \hat{J} = \|\sqrt{\lambda_1} R_1 - \sqrt{\lambda_1} U_1 Z_{wz} V_1\|_2^2 + \|\sqrt{\lambda_2} R_2 - \sqrt{\lambda_2} U_2 Z_{wz} V_2\|_2^2 \quad (4.21)$$

with respect to  $Z_{wz}$  is a special case of the problem already solved in Sections III and IV of [31]. Here  $Z_{wz}$  plays the role of the matrix  $Q$  in [31] and the fact that  $R_1$  and  $R_2$  are strictly proper guarantees that  $Z_{wz}$  will also be.

That  $R_1$ ,  $U_1$ , and  $V_1$  have the properties described above is established with the aid of the following lemmas and one additional assumption.

**Lemma 3:**  $W_1 \Psi_2 \leq \mathcal{O}(s^{(-\nu_2+1)})$ .

**Proof:** From (4.13),

$$W_1 \Psi_2 = W_1 \Lambda^{-1} = (W_1 A_1^{-1})(A_1 \Lambda^{-1}). \quad (4.22)$$

From Lemma 1,  $A_1 \Lambda^{-1} \leq \mathcal{O}(s^{-\nu_2})$ . Since  $W_1 A_1^{-1}$  is strictly proper by Assumption 10, it immediately follows that the lemma is true.

**Lemma 4:** With  $\nu_4 = \max\{0, -\nu_0\}$ ,  $\Psi_3 \leq \mathcal{O}(s^{(\nu_4-\nu_1)})$ .

**Proof:** From (2.4) and (4.14),

$$\Psi_3 = \Omega^{-1} \begin{bmatrix} -AF_t P & A \\ 0 & 0 \end{bmatrix} = \Omega^{-1} \tilde{A} \begin{bmatrix} -F_t P & I \\ 0 & 0 \end{bmatrix}. \quad (4.23)$$

Since

- i)  $\Omega^{-1} \tilde{A} \leq \mathcal{O}(s^{-\nu_1})$  because of Lemma 1,
- ii)  $F_t P \leq \mathcal{O}(s^{-\nu_0})$  because of assumption 7,

it immediately follows that the lemma is true.

**Lemma 5:**  $\Psi_1$ ,  $\Psi_2$  and  $\Psi_3$  are analytic in  $Re(s) \geq 0$ .

**Proof:** Since  $M$  is analytic in  $Re s \geq 0$  because of (3.25) and since it is clear from (4.11) and (4.12) that  $\Psi_1$  is the particular value of  $M$  corresponding to the choice  $R_w = \tilde{R}_w$ , it follows that  $\Psi_1$  is analytic in  $Re s \geq 0$ . The matrix  $\Psi_3$  in (4.14) is analytic in  $Re s \geq 0$  because Assumption 6 guarantees that  $\Omega^{-1}$  is good and, therefore, analytic

in  $\text{Re } s \geq 0$ . Finally, attention is turned to  $\Psi_2 = \Lambda^{-1}$ . From Assumption 5,  $\Lambda_*\Lambda$  is nonsingular on the finite  $s = j\omega$  axis. The product  $\Lambda_*\Lambda$  is also good because  $A_{1*}(P_*P + kQ)A_1 = (PA_1)_*(PA_1) + kA_{1*}QA_1$  good follows from  $Q$  good and  $PA_1$  good. That  $Q$  is good is a consequence of Assumption 4. The proof that  $PA_1$  is good is given in Section II of [41]. So  $\Lambda_*\Lambda$  is good and nonsingular on the finite  $s = j\omega$  axis. It immediately follows that the same is true for  $\Lambda$  and  $\Psi_2 = \Lambda^{-1}$ . Since  $\Lambda^{-1}$  is already analytic in  $\text{Re } s > 0$ , it follows that  $\Lambda^{-1}$  is analytic in  $\text{Re } s \geq 0$ .

The final assumption needed is

**Assumption 11:**  $\nu_o = \nu_1 = \nu_2 = 0$ .

**Remark:** Assumption 11 is consistent with Assumptions 7 and 8 and the specifications in practical cases. Typically,  $F_tP$  is proper which is equivalent to  $\nu_o = 0$ . Also,  $P$  is strictly proper and  $kQ$  is proper and positive definite at infinity. Hence,  $(P_*P + kQ)^{-1}$  is proper which is equivalent to  $\nu_2 = 0$ . Moreover, the matrix  $\Phi$  in (2.16) is typically proper and positive definite at infinity so that  $\Phi^{-1}$  is proper. This is equivalent to  $\nu_1 = 0$ . Finally, it should be noted that the results derived in the sequel are derived with a somewhat less restrictive Assumption 11 in [47] using standard Wiener-Hopf arguments. Since Assumption 11 is satisfied in most practical applications, however, the simpler derivation based on the already existing results in [31] is given here.

All is now in place to readily confirm the properties of  $R_1$ ,  $U_1$  and  $V_1$  cited above. By construction  $H_2$  is proper and analytic in  $\text{Re } s \geq 0$ . Hence,  $R_1$  in (4.16) is analytic in  $\text{Re } s \geq 0$  and strictly proper when the same is true of  $W_1\Psi_1$ . Now  $W_1$  is analytic in  $\text{Re } s \geq 0$  by assumption 10 and  $\Psi_1$  is analytic in  $\text{Re } s \geq 0$  by Lemma 5. Hence,  $R_1$  is analytic in  $\text{Re } s \geq 0$ . Also,

$$W_1\Psi_1 = W_1A_1^{-1}[(I - \tilde{R}_w F_t P)|\tilde{R}_w]. \quad (4.24)$$

Now  $W_1A_1^{-1}$  is strictly proper by Assumption 10. Because of Assumptions 7 and 11 and Lemma 1, it is also true that  $\tilde{R}_w$  and  $\tilde{R}_w F_t P$  are strictly proper. Hence, it immediately follows from (4.24) that  $W_1\Psi_1$  and, therefore,  $R_1$  is strictly proper.

It is obvious that  $U_1$  in (4.17) is proper because of Assumption 11 and Lemma 3. It is also clear that  $U_1$  is analytic in  $\text{Re } s \geq 0$  since  $W_1$  is by Assumption 10 and  $\Psi_2$  is by Lemma 5. Finally,  $V_1$  is proper and analytic in  $\text{Re } s \geq 0$  when  $\Psi_3$  is because of the properties of  $H_2$ . Clearly,  $\Psi_3$  is analytic in  $\text{Re } s \geq 0$  by Lemma 5. Also,  $\Psi_3$  is proper since with Assumption 11 one has  $\nu_4 = \nu_1 = 0$  in Lemma 4.

It is now a straightforward process to prove the following theorem which represents

the key result of this section.

**Theorem:** When  $\alpha \neq 0$  and Assumptions 1 thru 11 are satisfied, the functional

$$\hat{J} = \frac{1}{2\pi j} \int_{-j\infty}^{j\infty} [Tr(W_1 M W_2 M^* W_{1*}) + \alpha^2 Tr(Z_{wz} Z_{wz*})] ds \quad (4.25)$$

with

$$M = \Psi_1 + \Psi_2 Z_{wz} \Psi_3 = A_1^{-1} [(I - \tilde{R}_w F_t P) | \tilde{R}_w] + \Lambda^{-1} Z_{wz} \Omega^{-1} \begin{bmatrix} -B & A \\ 0 & 0 \end{bmatrix} \quad (4.26)$$

is minimized over the set of all strictly proper  $Z_{wz}$  analytic in  $\text{Re } s \geq 0$  if, and only if,  $Z_{wz}$  is chosen so that

$$vec Z_{wz} = z_0 = \nabla^{-1} \{ \nabla_*^{-1} v \}_+ \quad (4.27)$$

where  $\nabla$  is a Wiener-Hopf spectral solution to the equation

$$\mathcal{D} = (\Psi_3 W_2 \Psi_{3*})' \otimes (\Psi_{2*} W_{1*} W_1 \Psi_2) + \alpha^2 I = \nabla_* \nabla, \quad (4.28)$$

and where

$$v = vec V = -vec(\Psi_{2*} W_{1*} W_1 \Psi_1 W_2 \Psi_{3*}). \quad (4.29)$$

**Proof:** See Appendix B.

## 5. The 2DOF System

It should be clear from Fig.1 that when there is no feedforward transducer (i.e.,  $L_t=0$ ) one should expect that the results obtained for the 3DOF system reduced to a 2DOF system design. That is, one should expect that  $C_z=0$  is obtained. It is demonstrated in this section that this is indeed the case. In the process, the formulas for the 2DOF system design are derived.

It follows from (2.3) that  $C_z=0$  is equivalent to  $R_z = 0$ . It has already been pointed out in [1] that  $\dot{R}_z = 0$  when  $L_t = 0$ . Hence, in light of (2.20), it only remains to show that

$$\delta R_z = A_1 \Lambda^{-1} [Z_w | Z_z] \Omega^{-1} \begin{bmatrix} 0 \\ I \end{bmatrix} = 0. \quad (5.1)$$

The first step entails the derivation of a useful formula for  $\Omega$ . With  $L_t=0$ , one easily finds from (2.15), (2.16), and (2.19) that

$$\Omega \Omega_* = \begin{bmatrix} A(F_t G_{ds} F_{t*} + G_m) A_* & 0 \\ 0 & G_l \end{bmatrix}. \quad (5.2)$$

Hence,

$$\Omega = \begin{bmatrix} \Omega_1 & 0 \\ 0 & \Omega_2 \end{bmatrix} \quad (5.3)$$

where  $\Omega_1$  and  $\Omega_2$  are Wiener-Hopf spectral solutions to

$$\Omega_1 \Omega_{1*} = A(F_t G_{ds} F_{t*} + G_m) A_* \quad (5.4)$$

and

$$\Omega_2 \Omega_{2*} = G_l. \quad (5.5)$$

Substituting (5.3) into (5.1) then yields

$$\delta R_z = A_1 \Lambda^{-1} Z_z \Omega_2^{-1}. \quad (5.6)$$

The next step entails the derivation of useful formulas for  $Z_w$  and  $Z_z$  starting with (4.27). From (4.14) and (5.3),

$$\Psi_3 = \left[ \hat{\Psi}'_3 \quad 0' \right]' \quad (5.7)$$

where

$$\hat{\Psi}_3 = \Omega_1^{-1} \left[ -B \quad A \right]. \quad (5.8)$$

It is now convenient to introduce

$$\mathcal{A} = \Psi_{2*} W_{1*} W_1 \Psi_2$$

and

$$\mathcal{B} = \Psi_3 W_2 \Psi_{3*}.$$

Then (5.7) yields

$$\mathcal{B} = \begin{bmatrix} \hat{\mathcal{B}} & 0 \\ 0 & 0 \end{bmatrix} \quad (5.9)$$

where

$$\hat{\mathcal{B}} = \hat{\Psi}_3 W_2 \hat{\Psi}_{3*}, \quad (5.10)$$

and it follows from (4.28) that

$$\mathcal{D} = \begin{bmatrix} (\hat{\mathcal{B}}' \otimes \mathcal{A} + \alpha^2 I) & 0 \\ 0 & \alpha^2 I \end{bmatrix} \quad (5.11)$$

and

$$\nabla = \begin{bmatrix} \hat{\nabla} & 0 \\ 0 & \alpha I \end{bmatrix} \quad (5.12)$$

where  $\hat{\nabla}$  is a Wiener-Hopf spectral solution to

$$\hat{\nabla}'_* \hat{\nabla} = \hat{\mathcal{B}}' \otimes \mathcal{A} + \alpha^2 I = (\hat{\Psi}_3 W_2 \hat{\Psi}_{3*})' \otimes \Psi_{2*} W_{1*} W_1 \Psi_2 + \alpha^2 I. \quad (5.13)$$

The final piece of information needed for (4.27) is  $v$  which follows from (4.29). Clearly, (5.7) leads to

$$V = -\Psi_{2*}W_{1*}W_1\Psi_1W_2\Psi_{3*} = \begin{bmatrix} \hat{V} & 0 \end{bmatrix} \quad (5.14)$$

where

$$\hat{V} = -\Psi_{2*}W_{1*}W_1\Psi_1W_2\hat{\Psi}_{3*}. \quad (5.15)$$

Using careful bookkeeping and recalling that  $F_tP = A^{-1}B = B_1 A_1^{-1}$  is an  $n \times m$  matrix, one can show that  $Z_w$  and  $\hat{V}$  are  $m \times n$  matrices and  $\hat{\nabla}$  is an  $nm \times nm$  matrix. Hence,

$$v = \text{vec}V = \begin{bmatrix} \hat{v}' & 0' \end{bmatrix}' \quad (5.16)$$

where the vector

$$\hat{v} = \begin{bmatrix} v'_1 & v'_2 & \cdots & v'_n \end{bmatrix}' = \text{vec}\hat{V} \quad (5.17)$$

has  $nm$  rows. Substituting (5.12) and (5.16) into (4.27) then gives

$$\text{vec}[Z_w|Z_z] = \begin{bmatrix} \hat{\nabla}^{-1} \{ \hat{\nabla}_*^{-1} \hat{v} \}_+ \\ 0 \end{bmatrix} \quad (5.18)$$

from which it follows that

$$\text{vec}Z_w = \hat{\nabla}^{-1} \{ \hat{\nabla}_*^{-1} \hat{v} \}_+ \quad (5.19)$$

and

$$\text{vec}Z_z = 0. \quad (5.20)$$

Hence, (5.6) gives  $\delta R_z = 0$  and (5.1) is confirmed.

The  $Z_w$  given by (5.19) is denoted by  $Z_{w0}$ . The associated expression for  $R_w$  is obtained from (2.20), with  $Z_z = 0$  and  $\Omega$  given by (5.3). One gets

$$R_w = R_{w0} = \tilde{R}_w + A_1 \Lambda^{-1} Z_{w0} \Omega_1^{-1} A \quad (5.21)$$

where

$$\text{vec}Z_{w0} = \hat{\nabla}^{-1} \{ \hat{\nabla}_*^{-1} \hat{v} \}_+. \quad (5.22)$$

Using (5.21) in (2.13) then gives the  $C_w$  in the 2DOF controller

$$r(s) = C_u(s)u_0(s) - C_w(s)w(s) \quad (5.23)$$

that results.

Since the functional (4.25) reduces to

$$\hat{J} = \frac{1}{2\pi j} \int_{-j\infty}^{j\infty} [Tr(W_1 M W_2 M_* W_{1*}) + \alpha^2 Tr(Z_w Z_{w*})] ds \quad (5.24)$$

with

$$M = \Psi_1 + \Psi_2 Z_w \hat{\Psi}_3 \quad (5.25)$$

when  $Z_z=0$ , it follows that (5.24) is minimized when  $R_w=R_{w0}$  and  $Z_w=Z_{w0}$ . This is indeed the result one would seek in the robust design of a 2DOF controller.

It should be noted that the above results are independent of  $G_l$  so long as Assumption 6 and  $\Phi^{-1} \leq \mathcal{O}(s^{-2\nu_1})$  in Assumption 7 are satisfied. Now (5.2) is the expression for  $\tilde{A}\Phi\tilde{A}_*$ . Clearly, all that is needed for the satisfaction of Assumption 6 is that  $A\hat{\Phi}A_*$ , where

$$\hat{\Phi} = F_l G_{ds} F_{l*} + G_m, \quad (5.26)$$

be analytic and nonsingular on the finite part of the  $s = j\omega$  axis. For then one can always pick a  $G_l$  so that the same is true for  $\tilde{A}\Phi\tilde{A}_*$ . With regard to

$$\Phi^{-1} = \begin{bmatrix} \hat{\Phi}^{-1} & 0 \\ 0 & G_l^{-1} \end{bmatrix} \leq \mathcal{O}(s^{-2\nu_1}) \quad (5.27)$$

all that is needed is  $\hat{\Phi}^{-1} \leq \mathcal{O}(s^{-2\nu_1})$  for one can always pick a  $G_l$  satisfying  $G_l^{-1} \leq \mathcal{O}(s^{-2\nu_1})$ .

As a consequence of the above results and observations it is now possible to state without any further proof the following corollary to the main theorem.

**Corollary:** When  $\alpha \neq 0$  and Assumptions 1 thru 11 are satisfied with  $A\hat{\Phi}A_*$  replacing  $\tilde{A}\Phi\tilde{A}_*$  in Assumption 6 and with  $\hat{\Phi}$  replacing  $\Phi$  in Assumption 7, the functional

$$\hat{J} = \frac{1}{2\pi j} \int_{-j\infty}^{j\infty} [Tr(W_1 M W_2 M_* W_{1*}) + \alpha^2 Tr(Z_w Z_{w*})] ds \quad (5.28)$$

with

$$M = \Psi_1 + \Psi_2 Z_w \hat{\Psi}_3 \quad (5.29)$$

is minimized over the set of all strictly proper  $Z_w$  analytic in  $\text{Re } s \geq 0$  if, and only if,  $Z_w$  is chosen so that

$$\text{vec} Z_w = \hat{\nabla}^{-1} \{ \hat{\nabla}_*^{-1} \hat{v} \}_+ \quad (5.30)$$

where  $\hat{\nabla}$  is a Wiener-Hopf spectral solution to the equation

$$\hat{\nabla}_* \hat{\nabla} = (\hat{\Psi}_3 W_2 \hat{\Psi}_{3*})' \otimes (\Psi_{2*} W_{1*} W_1 \Psi_2) + \alpha^2 I \quad (5.31)$$

and where

$$\hat{v} = \text{vec} \hat{V} = -\text{vec}(\Psi_{2*} W_{1*} W_1 \Psi_1 W_2 \hat{\Psi}_{3*}). \quad (5.32)$$

## 6. Computational Issues

Once  $R_w$  and  $R_z$  have been determined, the final step in the design process can be taken. Specifically, the controller transfer matrices  $C_w$  and  $C_z$  can be computed. From (2.2) and (2.3), one gets

$$C_w = (I - R_w F_t P)^{-1} R_w \quad (6.1)$$

and

$$C_z = (I - R_w F_t P)^{-1} R_z. \quad (6.2)$$

These formulas, however, involve a number of cancellations that must be assured despite roundoff error in the numerical computation. Failure to enforce these theoretically required cancellations can lead to a synthesized controller with poles (zeros) where the plant has zeros (poles) in  $\text{Re } s \geq 0$ . In such cases, the system is unstable because of unstable hidden modes.

The best way to proceed is to recognize from (2.20) that  $R_w$  and  $R_z$  are of the form

$$R_w = A_1 H_w \quad (6.3)$$

and

$$R_z = A_1 H_z \quad (6.4)$$

where  $H_w$  and  $H_z$  are analytic in  $\text{Re } s \geq 0$  since the formulas for  $\tilde{R}_w$  and  $\tilde{R}_z$  given in [1] are also of this form. So one would compute  $H_w$  and  $H_z$  separately and then recognize that the substitution of (6.3) and (6.4) into (6.1) and (6.2) yields, respectively,

$$C_w = D_w^{-1} H_w \quad (6.5)$$

and

$$C_z = D_w^{-1} H_z \quad (6.6)$$

where in view of (2.4)

$$D_w = A_1^{-1}(I - R_w F_t P) = (I - H_w B_1) A_1^{-1}. \quad (6.7)$$

It is important to recognize that additional cancellations occur in the computation of  $D_w$ . Since  $R_w$  is acceptable, it follows from (2.7) and (6.3) that

$$H_w = Y_1 + K_1 A. \quad (6.8)$$

Using (2.5c) and (6.8) in (6.7), one gets

$$\begin{aligned} D_w &= [I - (Y_1 + K_1 A) B_1] A_1^{-1} \\ &= [I - Y_1 B_1 - K_1 A B_1] A_1^{-1} \\ &= [X_1 A_1 - K_1 B A_1] A_1^{-1} = X_1 - K_1 B. \end{aligned} \quad (6.9)$$

Since  $X_1$  and  $B$  are polynomial matrices and  $K_1$  is analytic in  $\text{Re } s \geq 0$ , it follows that  $D_w$  is analytic in  $\text{Re } s \geq 0$ . Thus, when using the final result in (6.7) to calculate  $D_w$ , one must take care to assure that no poles of  $A_1^{-1}$  in  $\text{Re } s \geq 0$  are poles of any element of  $D_w$ . This is accomplished for each element of  $D_w$  by dividing the factor containing the poles of  $A_1^{-1}$  in  $\text{Re } s \geq 0$  into the numerator polynomial and ignoring any remainder polynomial as being due to roundoff error.

## 7. A Numerical Example

A 2DOF design is carried out in this section to illustrate the advocated design methodology for trade-off between performance and stability margin. The following single-input-single-output plant is considered for a pure servo problem

$$P(s) = \frac{s-1}{s(s-2)}. \quad (7.1)$$

The spectral densities of the signals are  $G_u = -\frac{1}{s^2}$  and  $G_d = G_m = G_n = 0$ , i.e., no disturbance, input noise, or measurement noise. The first-order plant perturbations are accounted for by the plant uncertainty spectral density

$$G_s(s) = \frac{\sigma^2(1-s^2)}{s^2(s^2-4)} \quad (7.2)$$

and the constants are taken as  $k = Q = F_t = T_0 = \mu = \sigma = 1$ . Therefore,  $G_{ds} = G_s$ .

The optimal 2DOF design has been carried out in [2] and  $\tilde{R}_w$  is given by

$$\tilde{R}_w = \frac{s(s-2)[(8+3\sqrt{7})s-1]}{(s+1)(s^2+\sqrt{7}s+1)}. \quad (7.3)$$

This  $\tilde{R}_w$  is realized with

$$\tilde{C}_w = \frac{(8+3\sqrt{7})s-1}{s-(5+2\sqrt{7})}. \quad (7.4)$$

For this design,

$$\tilde{E}_w = 68.395 \quad (7.5)$$

which is the minimum value of the cost functional

$$E_w = \frac{1}{2\pi j} \int_{-j\infty}^{j\infty} \text{Tr}(R_w G_s R_w^*) ds + \frac{1}{2\pi j} \int_{-j\infty}^{j\infty} \text{Tr}[(I - PR_w)G_s(I - PR_w)^*] ds. \quad (7.6)$$

Equation (7.6) follows from (2.12) with the given data for this example. It should be noted that this  $E_w$  reflects only first-order plant uncertainty so that the choice of a non-zero  $Z_w$  for improved stability margin corresponds to an increased sensitivity to

“small” plant uncertainty as measured by the cost increment  $\Delta E_w$ . Moreover, with  $Z_u \equiv 0$  no change in tracking and plant saturation cost occurs.

The case considered is one in which the normal operating profile involves only small perturbations in the numerator polynomial coefficients as modelled by (7.2). However, an infrequent abnormal operating profile, which results in a significant change in the plant poles at  $s=0$  and  $s=2$  and the plant zero at  $s=1$ , is expected. In order to provide more stability margin for the abnormal case, a trade-off of optimal performance under normal operating conditions for greater stability margin in the abnormal case is considered here through a nonzero choice of  $Z_w$ . It is assumed that the plant zero and poles change in a fashion such that only  $\delta A_{10}$  and  $\delta B_{10}$  are nonzero. Then, with  $\delta P$  equal to the first block column of (3.18), it follows that (3.19) reduces to  $\mathcal{S} = S_0 = 1$  in (3.17). Moreover, with  $\delta A_{10}$  and  $\delta B_{10}$  independent zero-mean random variables each with unity variance, the matrix  $\Sigma$  in (3.27) is an identity matrix. So in (4.25),  $W_1 = \mathcal{S} = 1$  and  $W_2 = \Sigma = I$ . It now follows in a straightforward fashion from (5.31) since

$$\hat{\Psi}_3 \hat{\Psi}_{3*} = \frac{s^4 - 5s^2 + 1}{\sigma^2(1 - s^2)} \quad (7.7)$$

and

$$\Psi_{2*} \Psi_2 = \frac{1}{s^4 - 5s^2 + 1}, \quad (7.8)$$

that

$$\hat{\nabla} = \frac{\alpha\sigma s + \sqrt{1 + \alpha^2\sigma^2}}{\sigma(s + 1)}. \quad (7.9)$$

Furthermore,

$$\hat{v} = \frac{(8 + 3\sqrt{7})s - (5 + 2\sqrt{7})}{\sigma(s^2 - 1)(s^2 - \sqrt{7}s + 1)} = -\text{vec}(\Psi_{2*} \Psi_1 \hat{\Psi}_{3*}). \quad (7.10)$$

It then follows from (5.30) that

$$Z_w = \frac{\sigma\zeta}{\alpha\sigma s + \sqrt{1 + \alpha^2\sigma^2}} \quad (7.11)$$

where

$$\zeta = \frac{13 + 5\sqrt{7}}{(2 + \sqrt{7})(\alpha\sigma + \sqrt{1 + \alpha^2\sigma^2})}. \quad (7.12)$$

The trade-off in performance and stability margin obtained through different choices of  $\alpha$  is summarized in the following table where the values listed for the square root of

$$\|M\|_2^2 = \frac{1}{2\pi j} \int_{-j\infty}^{j\infty} \text{Tr}(MM_*) ds = J \quad (7.13)$$

and for

$$\|M\|_\infty = \sup_\omega \bar{\sigma}(M(j\omega)), \quad (7.14)$$

where  $\bar{\sigma}(\cdot)$  denotes the maximum singular value of  $(\cdot)$ , are the ones obtained with the listed  $C_w$  that was obtained using the design methodology described in this paper. The last two columns are explained later. Clearly, by giving up performance, a reasonable gain in the stability margin may be achieved. The first row in the table corresponds to the optimal design (7.4). As expected, the smaller  $\alpha$  is, the better is the stability margin and the greater is the degradation in performance. The  $\alpha$  corresponding to a 100% increase in cost, namely  $\alpha^*$ , is 0.165393. In this case, 5.24 db improvement in stability margin is achieved as measured by  $\|M\|_\infty$ .

As noted earlier, a quadratic measure was chosen as an approximate measure of stability margin in this paper. To show the efficacy of this design methodology, a numerical optimization was carried out to evaluate the best  $H_\infty$  design for each row in Table 1. This optimization was carried out over the set of first order  $Z_w$ , namely  $Z_w^1$ , that give the listed value of  $\Delta E_w$  since the optimal solution for  $Z_w$  in the  $H_2$  setting was also first order. Specifically, the optimization was carried out over  $Z_w$  of the form:

$$Z_w = \frac{a_1}{s + a_2}, \quad a_2 > 0, \quad (7.15)$$

and  $a_1 = \pm\sqrt{2a_2\Delta E_w}$  in order to assure that  $\|Z_w\|_2^2 = \Delta E_w$ .

The last column in Table 1 lists the stability margin for the best  $H_\infty$  solution over the set of allowable first order  $Z_w$  when  $a_1$  is negative. The column before the last is the same as the last column except that the parameter  $a_1$  is now positive. Obviously, the attained stability margins for the  $H_2$  solutions are *reasonably close* to the  $H_\infty$  solutions. In all cases shown for a positive  $a_1$ , the  $H_2$  solutions yielded an improvement

| $\alpha$   | $E_w$   | $\Delta E_w$<br>(% of $\tilde{E}_w$ ) | $\ M\ _\infty$<br>(db) | $\ M\ _2$<br>(db) | $C_w = g \frac{(s-z)}{(s-p)}$     | $\inf_{Z_w^1} \ M\ _\infty$<br>(db) - $a_1 > 0$ | $\inf_{Z_w^1} \ M\ _\infty$<br>(db) - $a_1 < 0$ |
|------------|---------|---------------------------------------|------------------------|-------------------|-----------------------------------|---|---|
| $\infty$   | 68.395  | 0<br>(0%)                             | 20.29                  | 14.187            | $z=0.063, p=10.292$<br>$g=15.937$ | 20.29   | 20.29   |
| 1.0        | 70.328  | 1.934<br>(2.83%)                      | 18.786                 | 13.337            | $z=0.077, p=12.216$<br>$g=18.276$ | 17.74   | 16.66   |
| 0.9        | 71.006  | 2.611<br>(3.82%)                      | 18.570                 | 13.213            | $z=0.080, p=12.590$<br>$g=18.731$ | 17.44   | 16.66   |
| 0.8        | 71.989  | 3.594<br>(5.25%)                      | 18.311                 | 13.064            | $z=0.083, p=13.083$<br>$g=19.329$ | 17.07   | 16.66   |
| 0.7        | 73.451  | 5.056<br>(7.39%)                      | 18.003                 | 12.885            | $z=0.087, p=13.747$<br>$g=20.137$ | 16.63   | 16.66   |
| 0.6        | 75.697  | 7.302<br>(10.67%)                     | 17.636                 | 12.670            | $z=0.091, p=14.675$<br>$g=21.265$ | 16.12   | 16.66   |
| 0.5        | 79.285  | 10.890<br>(15.92%)                    | 17.194                 | 12.410            | $z=0.098, p=16.034$<br>$g=22.916$ | 15.49   | 16.66   |
| 0.4        | 85.352  | 16.957<br>(24.79%)                    | 16.671                 | 12.098            | $z=0.106, p=18.155$<br>$g=25.493$ | 14.74   | 16.66   |
| 0.3        | 96.563  | 28.168<br>(41.18%)                    | 16.052                 | 11.723            | $z=0.116, p=21.813$<br>$g=29.939$ | 13.83   | 16.66   |
| 0.2        | 120.910 | 52.515<br>(76.78%)                    | 15.327                 | 11.277            | $z=0.131, p=29.335$<br>$g=39.080$ | 12.72   | 16.66   |
| $\alpha^*$ | 136.790 | 68.395<br>(100%)                      | 15.050                 | 11.103            | $z=0.137, p=34.117$<br>$g=44.891$ | 12.28   | 16.66   |
| 0.1        | 198.237 | 129.879<br>(189.9%)                   | 14.490                 | 10.747            | $z=0.150, p=52.335$<br>$g=67.031$ | 11.36   | 16.66   |

Table 7.1: Suboptimal designs for improved stability margin for various  $\alpha$ s.

in stability margin which was at least 59% of that obtained with the associated  $H_\infty$  solution. Moreover, when a better solution than the  $H_2$  solution is desired, then the  $H_2$  solution provides a good initial point for an iterative search for the  $H_\infty$  solution. A larger gain in stability margin may be achieved when  $\alpha \geq 0.8$  if negative values of  $a_1$  are permitted. However, in this case, the controller needed is second order and the larger stability margin is realized at the expense of an unreasonably fast pole in the controller. Therefore, the resulting controller is not a practical one. Actually, this is another reason why an approximate measure of stability margin may be more suitable since a controller with a very high bandwidth may be needed if one insists on achieving the maximum possible stability margin. In one example, by giving up a small amount of stability margin, one could reduce the controller bandwidth required to a more practical value.

Additional insight regarding the solutions obtained can be gained from an examination of the stability region in the  $\delta A_{10}$ ,  $\delta B_{10}$  parameter space. The closed-loop characteristic polynomial for this example with first order controllers of the form

$$C_w(s) = g \frac{s - z}{s - p} \quad (7.16)$$

is given by

$$\Delta_c(s) = (s^2 - 2s + \delta A_{10})(s - p) + g(s - z)(s - 1 + \delta B_{10}). \quad (7.17)$$

Appealing to the Routh test for the above polynomial gives as the necessary and sufficient conditions for asymptotic stability:

$$g - p - 2 > 0 \quad (7.18a)$$

$$(g - 2) \delta A_{10} + g(g - p + z - 2) \delta B_{10} + (g - p - 2)[2p - g(1 + z)] - gz > 0 \quad (7.18b)$$

$$- \delta A_{10} - gz \delta B_{10} + gz > 0. \quad (7.18c)$$

The inequality (7.18a) is satisfied automatically since all the controllers stabilize the nominal plant. The last two inequalities establish the range of allowable perturbations in the plant parameters and are linear in the unknown parameters  $\delta A_{10}$  and  $\delta B_{10}$ . The set of parameters for which the closed-loop system is asymptotically stable is shown in Figure 7.1 (the hatched area). This set corresponds to the optimal controller (i.e.,  $\alpha = \infty$ ). When perturbations along any ray drawn from the origin are equally likely, the shortest distance from the origin to the boundary of the stability region defines the stability margin. This distance is the radius of the circle shown in Figure 7.1. This radius is in agreement with the value of  $\|M\|_{\infty}^{-1}$  obtained from Table 1 for the  $\alpha = \infty$  case and is the minimum distance from the origin to the line  $l_2$ . The constraint (7.18c) is indeed the limiting factor in this example. As parameter  $\alpha$  decreases, the line  $l_2$  rotates counter-clockwise about the point (0,1); therefore, the stability margin increases. The parameter set for  $\alpha^* = 0.165393$  is given in Figure 7.2. In this case, the stability margin is larger by a factor of about 2. The circle with the smallest radius corresponds to the optimal design. The second circle corresponds to the suboptimal design and the largest circle corresponds to the best  $H_{\infty}$  design constrained to the set of first order  $Z_w$ . It should be pointed out that it is inherently difficult to achieve a good stability margin for this plant [2] since it is unstable and non-minimum phase and the relative distance between the right-half-plane zero and pole is small. Never-the-less, a substantial relative improvement is possible when a trade-off of performance can be considered.




Figure 7.1: Allowable parameter space for the optimal  $H_2$  design.




Figure 7.2: Allowable parameter space for the suboptimal  $H_2$  design.

## 8. Conclusion

A promising control design methodology for trade-off between performance and stability margin for multivariable systems has been introduced and applied to a scalar example. To attain an analytical solution to this fundamental trade-off problem, a quadratic measure for stability margin is chosen. Furthermore, a novel approach is introduced which allows structured perturbations in the coprime polynomial matrix fraction description of the plant transfer matrix to be taken into account. The advocated methodology provides a good initial solution from which better solutions, if needed, may be searched for iteratively. Future work will include applications of this design methodology to practical multivariable examples to assess the efficacy of the

methodology presented here. Needed in this effort are efficient numerical algorithms. In this regard, it is expected that [48–51] will play an important role.

## Appendix A

The cost functional (4.1) is of the form

$$\hat{J} = J + \alpha^2 K \quad (8.1)$$

with

$$K(Z_{wz}) = \Delta E_{wz}. \quad (8.2)$$

The optimum  $Z_{wz}$  is the one which minimizes  $\hat{J}$  and it depends parametrically on  $\alpha$ . In this regard, one has the following lemma.

**Lemma A1:**  $J$  is a monotonically increasing function of  $\alpha^2$  and  $K$  is a monotonically decreasing function of  $\alpha^2$ .

**Proof:** Suppose with  $\alpha^2 = \alpha_1^2$ ,  $Z_{wz} = Z_{wz_1}$  is the unique optimum choice and for this choice  $J = J_1$  and  $K = K_1$ . Similarly, with  $\alpha^2 = \alpha_2^2$ ,  $Z_{wz} = Z_{wz_2}$  minimizes  $\hat{J}$  and  $J = J_2$  and  $K = K_2$  in this case. Then,

$$J_1 + \alpha_2^2 K_1 > J_2 + \alpha_2^2 K_2 \quad (8.3)$$

and

$$J_2 + \alpha_1^2 K_2 > J_1 + \alpha_1^2 K_1. \quad (8.4)$$

Multiplying (8.3) with  $\alpha_1^2$  and (8.4) with  $\alpha_2^2$  and adding the two expressions yields

$$\alpha_1^2(J_1 - J_2) > \alpha_2^2(J_1 - J_2). \quad (8.5)$$

Therefore,

$$(J_1 - J_2)(\alpha_1^2 - \alpha_2^2) > 0. \quad (8.6)$$

This implies that

$$(J_1 - J_2) < 0 \Leftrightarrow \alpha_1^2 - \alpha_2^2 < 0 \quad (\text{or } (J_1 - J_2) > 0 \Leftrightarrow \alpha_1^2 - \alpha_2^2 > 0). \quad (8.7)$$

Therefore,

$$J_1 < J_2 \Leftrightarrow \alpha_1^2 < \alpha_2^2 \quad (\text{or } J_1 > J_2 \Leftrightarrow \alpha_1^2 > \alpha_2^2). \quad (8.8)$$

The above establishes that  $J$  is a monotonically increasing function of  $\alpha^2$ . From (8.3),

$$J_1 - J_2 > \alpha_2^2(K_2 - K_1). \quad (8.9)$$

Furthermore, from (8.7) and (8.9),

$$\alpha_1^2 < \alpha_2^2 \Leftrightarrow 0 > J_1 - J_2 > \alpha_2^2(K_2 - K_1). \quad (8.10)$$

So,

$$\alpha_1^2 < \alpha_2^2 \quad \Leftrightarrow \quad J_1 < J_2 \quad \text{and} \quad K_1 > K_2. \quad (8.11)$$

This completes the proof.

## Appendix B

The proof of the theorem stated in Section IV is given in this appendix. The first step is to recall that minimizing (4.25) with respect to  $Z_{wz}$  is equivalent to doing the same to (4.21). This optimization problem is a special case of the one solved in [31]. Since  $R_1$  and  $R_2$  are strictly proper here and since it is clear from (4.20) with  $\lambda_2 \neq 0$  that both  $\sqrt{\lambda_2}U_2$  and  $V_2$  have full column rank everywhere in the complex plane (infinity included), it follows from Theorem 3.4 in [31] that one can always write the optimal choice for  $Z_{wz}$ , which plays the role of  $Q$  in [31], as

$$Z_{wz}^o = Z_{wz\infty} + \hat{Z}_{wz} \quad (8.12)$$

where the constant matrix  $Z_{wz\infty} = 0$  and  $\|\hat{Z}_{wz}\|_2$  exists.

Now all that remains is the implementation of the steps given in Section IV of [31] to derive the formula for

$$Z_{wz}^o = \hat{Z}_{wz}. \quad (8.13)$$

First set

$$r = \begin{bmatrix} \text{vec}(\sqrt{\lambda_1}R_1) \\ \text{vec}(\sqrt{\lambda_2}R_2) \end{bmatrix} = \begin{bmatrix} \text{vec}(\sqrt{\lambda_1}W_1\Psi_1H_2) \\ 0 \end{bmatrix} \quad (8.14)$$

and

$$W = \begin{bmatrix} V_1' \otimes (\sqrt{\lambda_1} U_1) \\ V_2' \otimes (\sqrt{\lambda_2} U_2) \end{bmatrix} = \begin{bmatrix} -H_2' \Psi_3' \otimes \sqrt{\lambda_1} W_1 \Psi_2 \\ -\sqrt{\lambda_2} I \end{bmatrix}. \quad (8.15)$$

Next recognize that  $W_* = \tilde{W}$  in [31] and form

$$\tilde{W}W = W_*W = \lambda_1 \mathcal{D} \quad (8.16)$$

where  $\mathcal{D}$  is given by (4.28) with

$$\alpha^2 = \frac{\lambda_2}{\lambda_1} \neq 0. \quad (8.17)$$

The matrix  $W_*W$  has a Wiener spectral factor  $W_o$ . Hence, so does  $\mathcal{D}$  and the symbol  $\nabla$  is used to represent it. Clearly, one can take

$$W_o = \sqrt{\lambda_1} \nabla. \quad (8.18)$$

Associated with this factorization is the inner matrix

$$W_i = WW_o^{-1} = \frac{1}{\sqrt{\lambda_1}} W \nabla^{-1}. \quad (8.19)$$

Using the fact that

$$P_{H_2}(W_i^* r) = \{W_{i^*} r\}_+ \quad (8.20)$$

in (4.5) of [31] then gives

$$\text{vec}(Z_{wz}^o) \triangleq z_o = W_o^{-1} \{W_{i^*} r\}_+ \quad (8.21)$$

or

$$z_o = \frac{1}{\sqrt{\lambda_1}} \nabla^{-1} \left\{ \frac{1}{\sqrt{\lambda_1}} \nabla_*^{-1} W_* r \right\}_+. \quad (8.22)$$

From (8.14) and (8.15), one gets

$$W_* r = -(H_2' \Psi_3' \otimes \sqrt{\lambda_1} W_1 \Psi_2)_* \text{vec}(\sqrt{\lambda_1} W_1 \Psi_1 H_2). \quad (8.23)$$

The identities (see [52])

$$(G_1 \otimes G_2)_* = G_{1*} \otimes G_{2*} \quad (8.24)$$

and

$$\text{vec}(G_1 G_2 G_3) = (G_3' \otimes G_1) \text{vec}(G_2) \quad (8.25)$$

then lead to

$$W_{*r} = -\text{vec} \left( (\sqrt{\lambda_1} \Psi_{2*} W_{1*}) (\sqrt{\lambda_1} W_1 \Psi_1 H_2) (H_{2*} \Psi_{3*}) \right) \quad (8.26)$$

or

$$W_{*r} = \lambda_1 v \quad (8.27)$$

where  $v$  is given by (4.29). Substituting (8.27) into (8.22) gives (4.27) and completes the proof.

## 9. References

- [1] K. Park and J. J. Bongiorno, Jr., "Wiener-Hopf design of servo-regulator-type multivariable control systems including feedforward compensation," *International Journal of Control*, vol. 52, no. 5, pp. 1189–1216, 1990.
- [2] D. C. Youla and J. J. Bongiorno, Jr., "A feedback theory of two-degree-of-freedom optimal Wiener-Hopf design," *IEEE Trans. on Automatic Control*, vol. AC-30, pp. 652–665, July 1985.
- [3] K. Park and D. C. Youla, "Numerical calculation of the optimal three-degree-of-freedom Wiener-Hopf controller," *International Journal of Control*, vol. 56, no. 1, pp. 227–244, 1992.
- [4] K. Park and J. Bongiorno, Jr., "A general theory for the Wiener-Hopf design of multivariable control systems," *IEEE Trans. on Automatic Control*, vol. AC-34, pp. 619–626, June 1989.
- [5] J. C. Doyle, K. Glover, P. P. Khargonekar, and B. A. Francis, "State-space solutions to standard  $H_2$  and  $H_\infty$  control problems," *IEEE Trans. on Automatic Control*, vol. AC-34, pp. 831–847, Aug 1989.
- [6] C. A. Jacobson and C. N. Nett, "An integrated approach to controls and diagnostics using the four parameter controller," *IEEE Control Systems Magazine*, vol. 11, pp. 22–29, October 1991.
- [7] J. C. Doyle and G. Stein, "Multivariable feedback design: Concepts for a classical/modern synthesis," *IEEE Trans. on Automatic Control*, vol. AC-26, pp. 4–16, Feb. 1981.
- [8] G. Stein and M. Athans, "The LQG/LTR procedure for multivariable feedback control design," *IEEE Trans. on Automatic Control*, vol. AC-32, pp. 105–114, Feb. 1987.
- [9] H. H. Neimann, P. Sogaard-Andersen, and J. Stoustrup, "Loop transfer recovery for general observer architectures," *International Journal of Control*, vol. 53, no. 5, pp. 1177–1203, 1991.
- [10] A. Saberi, B. M. Chen, and P. Sannuti, "Theory of LTR for non-minimum phase systems, recoverable target loops and recovery in a subspace: Part 1. Analysis and part 2. Design," *International Journal of Control*, vol. 53, no. 5, pp. 1067–1160, 1991.

- [11] H. H. Yeh, S. S. Banda, A. G. Sparks, and D. B. Ridgely, "Loop shaping in mixed  $H_2$  and  $H_\infty$  control," *International Journal of Control*, vol. 56, no. 5, pp. 1059–1078, 1992.
- [12] A. Saberi, B. M. Chen, and P. Sannuti, *Loop Transfer Recovery: Analysis and Design*. Berlin: Springer-Verlag, 1993.
- [13] L. Turan and D. L. Mingori, "A unified loop transfer recovery approach to robust control using  $H_\infty$  optimization methods," *Automatica*, vol. 31, no. 7, pp. 1045–1052, 1995.
- [14] S. J. Lee, S.-M. Hong, and G. C. Goodwin, "Loop transfer recovery for linear systems with delays in the state and the output," *International Journal of Control*, vol. 61, no. 5, pp. 1099–1118, 1995.
- [15] M. A. DaSilveira and G. O. Corrêa, " $H_2$ -optimal control of linear systems with tracking/disturbance rejection constraints," *International Journal of Control*, vol. 55, no. 5, pp. 1115–1139, 1992.
- [16] G. C. Newton, Jr., L. A. Gould, and J. F. Kaiser, *Analytical Design of Linear Feedback Controls*. New York: Wiley, 1957.
- [17] S. S. L. Chang, *Synthesis of Optimum Control Systems*. New York: McGraw-Hill, 1961.
- [18] K. Glover and D. McFarlane, "Robust stabilization of normalized coprime factor plant descriptions with  $H_\infty$  bounded uncertainty," *IEEE Trans. on Automatic Control*, vol. AC-34, pp. 821–830, August 1989.
- [19] D. S. Bernstein and W. M. Haddad, "LQG control with an  $H_\infty$  performance bound: a Riccati equation approach," *IEEE Trans. on Automatic Control*, vol. AC-34, pp. 293–305, March 1989.
- [20] P. P. Khargonekar and M. A. Rotea, "Mixed  $H_2/H_\infty$  control: a convex optimization approach," *IEEE Trans. on Automatic Control*, vol. AC-36, pp. 824–837, July 1991.
- [21] H. H. Yeh, S. S. Banda, and B. C. Chang, "Necessary and sufficient conditions for mixed  $H_2$  and  $H_\infty$  optimal control," *IEEE Trans. on Automatic Control*, vol. AC-37, pp. 355–358, March 1992.
- [22] D. J. N. Limebeer, B. D. O. Anderson, and B. Hendel, "A Nash game approach to mixed  $H_2/H_\infty$  control," *IEEE Trans. on Automatic Control*, vol. AC-39, pp. 69–82, Jan. 1994.

- [23] K. Zhou, K. Glover, B. Bodenheimer, and J. Doyle, "Mixed  $H_2$  and  $H_\infty$  performance objectives I: Robust performance analysis," *IEEE Trans. on Automatic Control*, vol. AC-39, pp. 1564–1574, Aug. 1994.
- [24] J. Doyle, K. Zhou, K. Glover, and B. Bodenheimer, "Mixed  $H_2$  and  $H_\infty$  performance objectives II: Optimal control," *IEEE Trans. on Automatic Control*, vol. AC-39, pp. 1575–1587, Aug. 1994.
- [25] M. A. Rotea and P. P. Khargonekar, " $H^2$ -optimal control with an  $H^\infty$ -constraint: The state feedback case," *Automatica*, vol. 27, no. 2, pp. 307–316, 1991.
- [26] I. Kaminer, P. P. Khargonekar, and M. A. Rotea, "Mixed  $H_2/H_\infty$  control for discrete-time systems via convex optimization," *Automatica*, vol. 29, no. 1, pp. 57–70, 1993.
- [27] Y. W. Wang and D. S. Bernstein, " $L_2$  controller synthesis with  $L_\infty$ -bounded closed-loop impulse response," *International Journal of Control*, vol. 60, no. 6, pp. 1295–1306, 1994.
- [28] Y. Theodor and U. Shaked, "Output-feedback mixed  $H_2/H_\infty$  control - a dynamic game approach," *International Journal of Control*, vol. 64, no. 2, pp. 263–279, 1994.
- [29] C. W. Scherer, "Multiobjective  $H_2/H_\infty$  control," *IEEE Trans. on Automatic Control*, vol. 40, pp. 1054–1062, June 1995.
- [30] D. Mustafa and T. N. Davidson, "On non-central  $H_\infty$  controllers," in *Proceedings of the 32nd Conf. on Decision and Control*, (San Antonio, Texas), pp. 643–645, December 1993.
- [31] P. P. Khargonekar and M. A. Rotea, "Multiple objective optimal control of linear systems: The quadratic norm case," *IEEE Trans. on Automatic Control*, vol. 36, pp. 14–24, Jan. 1991.
- [32] S. P. Boyd and C. H. Barratt, *Linear Controller Design*. New Jersey: Prentice Hall, 1991.
- [33] B. R. Barmish, *New Tools for Robustness of Linear Systems*. New York: Macmillan, 1994.
- [34] B. A. Francis and J. C. Doyle, "Linear control theory with an  $H_\infty$  optimality criterion," *SIAM Journal of Control and Optimization*, vol. 25, pp. 815–844, July 1987.

- [35] J. C. Doyle, B. A. Francis, and A. R. Tannenbaum, *Feedback Control Theory*. New York: Macmillan, 1992.
- [36] W. M. Haddad, E. G. Collins, and D. S. Bernstein, "Robust stability analysis using the small gain, circle, positivity, and Popov theorems: a comparative study," *IEEE Trans. on Control Systems Technology*, vol. 1, pp. 290–293, December 1993.
- [37] M. A. Rotea, "The generalized  $H_2$  control problem," *Automatica*, vol. 29, no. 2, pp. 373–385, 1993.
- [38] J. R. H. Carvalho and P. A. V. Ferreira, "Multiple-criterion control: A convex programming approach," *Automatica*, vol. 31, no. 7, pp. 1025–1029, 1995.
- [39] R. E. Skelton and T. Iwasaki, "Increased roles of linear algebra in control education," *IEEE Control Systems Magazine*, vol. 15, pp. 76–90, August 1995.
- [40] S. P. Boyd, L. ElGhaoui, E. Feron, and V. Balakrishnan, *Linear Matrix Inequalities in Control Theory*. Philadelphia: SIAM Studies in Applied Mathematics, 1994.
- [41] D. C. Youla, H. A. Jabr, and J. J. Bongiorno, Jr., "Modern Wiener-Hopf design of optimal controllers—part II: the multivariable case," *IEEE Trans. on Automatic Control*, vol. AC-21, pp. 319–338, June 1976.
- [42] H. P. Lee and J. J. Bongiorno, Jr., "Wiener-Hopf design of optimal decoupled multivariable feedback control systems," *IEEE Trans. on Automatic Control*, vol. AC-38, pp. 1838–1843, December 1993.
- [43] H. P. Lee and J. J. Bongiorno, Jr., "Wiener-Hopf design of optimal decoupling controllers for plants with non-square transfer matrices," *International Journal of Control*, vol. 58, no. 6, pp. 1227–1246, 1993.
- [44] C. T. Chen, *Linear System Theory and Design*. New York: Holt, Rinehart, and Winston, 1984.
- [45] T. Kailath, *Linear Systems*. New Jersey: Prentice-Hall, 1980.
- [46] J. M. Maciejowski, *Multivariable Feedback Design*. New York: Addison-Wesley, 1989.
- [47] J. J. Bongiorno, Jr., F. Khorrami, and T. C. Lin, "A Wiener-Hopf approach to tradeoffs between stability margin and performance in two and three-degree-of-freedom multivariable control systems," Tech. Rep. CRRL-1101-09/94-P, Control/Robotics Research Laboratory, Polytechnic University, Brooklyn, NY, 1994.

- [48] B. C. Chang, "Programs for solving polynomial equations," Tech. Rep. #8209, Dept. of Electrical Engineering, Rice University, Houston, Texas, May 1982.
- [49] M. Yamada, P. C. Zun, and Y. Funahashi, "On solving Diohantine equations by real matrix manipulation," *IEEE Trans. on Automatic Control*, vol. 40, pp. 118–122, January 1995.
- [50] F. A. Aliev and V. B. Larin, "Generalized lyapunov equation and factorization of matrix polynomials," *Systems and Control Letters*, vol. 21, pp. 485–491, 1993.
- [51] J. F. Mahoney and B. D. Sullivan, "Partial fractions expansion: a review of computational methodology and efficiency," *Journal of Computational and Applied Mathematics*, vol. 9, pp. 247–269, 1983.
- [52] J. W. Brewer, "Kronecker products and matrix calculus in system theory," *IEEE Trans. on Circuits and Systems*, vol. CAS-25, pp. 772–781, September 1978.

## 10. Publications and Technical Reports for this Grant

- Refereed Journal Papers (appeared, accepted, and submitted)

- [1] J. J. Bongiorno, F. Khorrami, and T. C. Lin, "A Wiener-Hopf approach to tradeoffs between stability margin and performance in two and three degree-of-freedom multivariable control systems." Submitted to the *International Journal of Control*.
- [2] F. Khorrami, J. Lewinsohn, J. Rastegar, and S. Jain, "Feedforward control for vibration free maneuvers of flexible manipulators via the Trajectory Pattern Method." *IEEE Trans. on Control Systems Technology*. (Accepted pending revision).
- [3] S. Jain and F. Khorrami, "Decentralized adaptive output feedback Design for large scale nonlinear systems." *IEEE Trans. on Automatic Control*, May 1997. (To appear).
- [4] S. Jain and F. Khorrami, "Decentralized adaptive control of a class of large scale interconnected nonlinear systems," *IEEE Trans. on Automatic Control*, vol. 42, no. 2, pp. 136-154, Feb. 1997.
- [5] S. Jain and F. Khorrami, "Positioning of unknown flexible payloads for robotic arms using a wrist-mounted force/torque sensor," *IEEE Trans. on Control Systems Technology*, vol. 3, no. 2, pp. 189-201, June 1995.

- Refereed Conference Papers (appeared, accepted, and submitted)

- [6] S. Jain and F. Khorrami, "Decentralized Control of Large Scale Power Systems with Unknown Interconnections," in *Proceedings of the IEEE Conference on Control Applications*, (New Albany, New York), pp. 618-623, Sept. 1995.
- [7] <sup>1</sup> S. Jain and F. Khorrami, "Robust adaptive control of a class of nonlinear systems: state and output feedback," in *Proceedings of the American Control Conference*, (Seattle, Washington), pp. 1580-84, June, 1995.

---

<sup>1</sup>This paper was one of the five finalists chosen for the 1995 ACC Best Student Paper Award.

- [8] J. J. Bongiorno, F. Khorrami, and T. C. Lin, "A Wiener-Hopf approach to tradeoffs between stability margin and performance in two and three degree-of-freedom multivariable control systems," in *Proceedings of the American Control Conference*, (Seattle, Washington), pp. 982-987, June, 1995.
- [9] S. Jain and F. Khorrami, "Decentralized adaptive control of a class of large scale interconnected nonlinear systems," in *Proceedings of the American Control Conference*, (Seattle, Washington), pp. 2938-2942, June, 1995.
- [10] S. Jain and F. Khorrami, "Decentralized adaptive output feedback control of large scale interconnected nonlinear systems," in *Proceedings of the American Control Conference*, (Seattle, Washington), pp. 1600-1604, June, 1995.
- [11] F. Khorrami, I. Zeinoun, J. J. Bongiorno, and S. Nourbakhsh, "Application of  $H_2$  Design for vibration damping and pointing of flexible structures with embedded smart materials," in *Proceedings of the American Control Conference*, (Seattle, Washington), pp. 4178-4182, June, 1995.
- [12] S. Jain and F. Khorrami, "Decentralized adaptive control of mismatched large scale interconnected nonlinear systems," in *Proceedings of the Symposium on Nonlinear Control Systems Design*, (Tahoe City, CA), pp. 314-319, June, 1995.
- [13] J. Rastegar, F. Khorrami, and Z. Retchkiman, "Inversion of nonlinear systems via trajectory pattern method," in *Proceedings of the 33rd Conference on Decision and Control*, (Orlando, Florida), pp. 2382-2387, Dec. 1994.

## 11. Personnel and Students Supported by this Grant

Professors Khorrami (PI) and Bongiorno (Co-PI) were supported by this grant. Furthermore, the following students were partially supported on this research grant:

- Hemant Melkote; attained the M.S. degree in the Electrical Engineering and is currently continuing for his Ph.D.
- T.C. Lin; attained the M.S. degree in the Electrical Engineering and finished the course work for his Ph.D. degree.
- Dr. Z. Retchkiman; a post-doctoral fellow.