DoD 4100.39-M
Volume 12

FEDERAL LOGISTICS INFORMATION SYSTEM

FLIS PROCEDURES MANUAL

DATA ELEMENT DICTIONARY

DISTRIBUTION STATEMENT A
Approved for public release;
Distribution Unlimited

DTIC QUALITY INSPECTED 2

APRIL 1997

19970903 045

VOLUME	TITLE
1	General and Administrative
2	Multiple Application Procedures
3	Development and Maintenance of Item Logistics Data Tools
4	Item Identification
5	Data Bank Interrogations/Search
6	Supply Management
7	Establish/Maintenance of Organizational Entity (OE) and Provisioning Screening Master Address
8	Document Identifier Code (DIC) Input/ Output (I/O) Formats (Fixed Length)
9	Document Identifier Code (DIC) Input/ Output (I/O) Formats (Variable Length)
10	Multiple Application References/ Instructions/Tables and Grids
11	Edit/Validation Criteria
12	Data Element Dictionary and Glossary of Term/Acronyms
13	Material Management Decision Rule Tables
14	Reports and Statistics
15	Publications
16	Logistics On-Line Access (LOLA) End Users Manual
17	Reserved
18	Automated Mailing Labels System (AMLS)

Above volumes are available as a complete set or on an individual basis

DEFENSE LOGISTICS AGENCY
DEFENSE LOGISTICS SERVICES CENTER
74 WASHINGTON AVENUE N
BATTLE CREEK MICHIGAN 49017-3084

FOREWORD

This is one of the volumes (see backside of cover for listing) which comprise the FLIS Procedures Manual. It is published under the authority of Department of Defense Directive 4100.39-M. Federal Logistics System (FLIS).

1. Under the Defense Integrated Data System (DIDS, all data was input toe the DLSC Total Item Record (TIR using coding defined by Data Record Numbers (DRN's) and stored in limited arrangements. Characteristic/user data was input to, stored and retrieved from 'tables' known as "DIDS Segments". Formal programs had to be developed for each data input or extract from this system. Only the programming staff knew where the information was stored and how to get to it.

The modernized system was eight years in development, todays physical relational data base was derived from the Logical Data Model provided to the contractor. Data in the modernized system continues to be stored using coding defined by DRN's, which can be viewed as groups of DB2 Elements. With minor exceptions, most data remains unchanged, but some DRN's have been expanded and split to allow greater flexibility in data storage and retrieval. i.e., for example, FSC 5865 for old DRN 3990 (ASGD-FSC) is now stored as DRN 3994 (ASGD-FSG)(58) and DRN 3996 (ASGD-FSC-WI-FSG) (65). Other changes include replacing the limited number of TIR segments by grouping DB2 data elements into approximately 1000 relational table groups. Each grouping of relational data has an assigned group table name and group table number. DB2 Elements are used to link to and extract other unique data stored under a different Group Table Name. The most major change is that responsibility for knowing where and how data is stored or extracted has been shifted from the programmer to the user AND informal user developed programs extract, process and format the data.

This document supersedes Volume 12, DoD 4100.39-M, July 1994.

2. There are 6 chapters to this manual.

Chapter 1; GROUP TABLE INDEX identifies basic Group Table information. The listing is provided in Group Table Name sequence and displays the following information:

Group Table Name
Assigned Group Table Number
Quantity of DB2 Elements assigned to that table grouping
Total length of the DB2 Element records

Chapter 2. GROUP TABLE NUMBER TO DB2 ELEMENT NAME CROSS REFERENCE identified all DB2 Element names associated with Group Table Number/Name. The listing, used in conjunction with Chapters 3 and 4 is provided in Table Group Number sequence (alpha, numeric, 06 follows 059), and displays the following information:

Group Table Number
Group Table Name
Key DB2 Elements
DB2 Element Name in Data Record Number (DRN) sequence within the group
DRN's

Host/COBOL Name (which may vary from the DB2 Element Name)
Description of the data stored under that DRN, i.e., type, record length and number of decimals required/permitted

Chapter 3. USAGE - HOST/COBOL NAME TO TABLE GROUP NUMBER cross references the Host/Cobol Name to the associated DB2 Element Name and identifies all Group Table Numbers where that data element is used as part of the Table Group. The listing, used in conjunction with Chapters 2 and 4, is provided in Host/COBOL Name sequence and displays the following information:

Host COBOL Name
DB2 Element Name
Group Table Number

Chapter 4: DRN DEFINITIONS, CUSTODIAN ID, OTHER RECORD DATA identifies the DRN record custodian and provides the DRN title and definition in clear text with other pertinent information on the DRN. The listing, use alone or with Chapters 2 and 3, is provided in DRN sequence and displays the following information:

Data Record Number
Host/COBOL Name
DB2 Element Name
Custodian Office Symbol
Data Format information
- FV -- Fixed or Variable length field
- TYPE
  - CHAR -- Fixed length alphanumeric character data text string
  - VARCHAR -- Variable length alphanumeric character data text string
  - SMALLINT(eger) -- Numeric value only, range -32768 to +32767
  - INTEGER -- Numeric data only, value range -2147383648 to +2147483647
  - DECIMAL -- Numeric data requiring decimal value, decimal point is system supplied
  - DATE -- Numeric 4 to 17 position field depending upon DRN
  - LENGTH -- Maximum number of characters permitted in field

Un-abbreviated Host/Cobol Name
Clear text definition of the DRN

Chapter 5. CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE cross references the Clear Text Host COBOL name to its associated DRN. The listing, used alone or with Chapter 4 is provided in Clear Text Host/COBOL Name sequence, and displays the following information:

Clear Text Host/COBOL Name
Data Record Number

Chapter 6: DRN TO TABLE GROUP NO. APPLICATION CROSS REFERENCE identifies each Table Group No. Where a specific DRN is used. The listing, used alone or in conjunction with Chapter 2, is provided in DRN sequence and displays the following information

DRN
DB2 Element Name
Group Table Number

BY ORDER OF THE DIRECTOR

RANDALL B. HAGLUND
Colonel, USMC
Commander
Defense Logistics Services Center

DISTRIBUTION: Defense Logistics Agency: 41,12
ARMY: To be distributed in accordance with Special Distribution List.
NAVY:

Commanding Officer
Naval Publications and Forms Center
15801 Tabor Avenue
Philadelphia, Pa 19120

Air Force: Distribution "X"

TABLE OF CONTENTS

PAGE

FOREWORD i

TABLE OF CONTENTS v

CHAPTER 1, GROUP TABLE INDEX 1-1

CHAPTER 2, GROUP TABLE NAME TO DB2 ELEMENT NAME CROSS REFERENCE 2-1

CHAPTER 3, USAGE -- HOST/COBOL NAME TO GROUP TABLE NO 3-1

CHAPTER 4, DRN DEFINITIONS, CUSTODIAN ID, AND OTHER RECORD DATA 4-1

CHAPTER 5, CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE 5-1

CHAPTER 6, DRN TO TABLE GROUP NO. CROSS REFERENCE 6-1

CHAPTER 1
DATA DICTIONARY
GROUP TABLE
INDEX

GROUP TABLE NAME	GRP TBL NO.	DRNS/ ELEM IN TBL	ROW/ RECORD LENGTH
AAC_ALL_CL_ACTV	642	11	22
AAC_ALL_CL_A_A	644	11	22
AAC_ALL_CL_A_TL	643	11	22
AAC_ALL_CL_A_TL_A	645	11	22
AAC_ALL_CL_DEPT	638	7	13
AAC_ALL_CL_D_A	640	7	13
AAC_ALL_CL_D_TL	639	6	11
AAC_ALL_CL_D_TL_A	641	6	11
AAC_ASGN_CL_A	636	8	20
AAC_ASGN_CL_MGR	634	8	20
AAC_ASGN_CL_TL	635	7	18
AAC_ASGN_CL_TL_A	637	7	18
AAC_ASGN_INT_A	630	7	13
AAC_ASGN_INT_MGR	628	7	13
AAC_ASGN_INT_TL	629	6	11
AAC_ASGN_INT_TL_A	631	6	11
AAC_INDV_CLASSES	019	9	17
AAC_INDV_CL_A	442	9	17
AAC_INDV_CL_TL	625	8	15
AAC_INDV_CL_TL_A	627	8	15
ABV_MRC_DATA	020	5	21
ABV_MRC_DATA_A	472	5	21
ACCESS_DEFINITION	359	12	1194
ACCESS_DESCR_TBL	333	15	2255
ACCESS_RCRD_DSCR_T	334	16	18
ACQUISITION_ADV_CD	156	3	1002
ACQ_MTHD_CD	154	2	1001
ACQ_MTHD_SUF_CD	155	2	1001
ACTIVITY_CAT_CODE	159	2	121
ACTIVITY_FORMAT_ID	382	7	29
ACTIVITY_MEDIA_ID	783	8	19
ACTY_CD_AND_ADD	158	2	7
ACTY_DIC_EDIT	398	3	10
ACTY_OP_HOLD	475	9	1536
ACTY_STORAGE_STATS	474	7	38
ADDRESS_LINE_NBR	160	2	142
ADPEC_FSC	338	2	4
ADPE_IDENTIFICA_CD	161	2	1001
ADP_CAO_DATA	077	5	24
ADP_CAO_TO_BATCH	710	6	89
ADRS_SEQ_CDS	862	1	1
AEB_ACCT_REQ_CD_D	908	2	4
AEB_ACCT_REQ_CD_N	909	2	4
AEB_MC_MGT_CD1_FSC	898	2	4
AEB_MC_MGT_CD1_FSG	897	1	2
AEB_MC_MGT_CD2_FSC	900	2	4
AEB_MC_MGT_CD2_FSG	899	1	2
AEB_MC_MGT_CD3_FSC	902	2	4
AEB_MC_MGT_CD3_FSG	901	1	2
AEB_MC_MGT_CD4_FSC	904	2	4
AEB_MC_MGT_CD4_FSG	903	1	2
AEB_MC_MGT_CD5_FSG	905	1	2
AEB_MC_MGT_CD6_FSC	907	2	4
AEB_MC_MGT_CD6_FSG	906	1	2
AF_BUDGET_CD	164	5	644
AF_EXP_REC_REP_CD	165	6	105
AF_FSC_MGR_EDIT	720	1	6
AF_FUND_CD	166	2	242
AF_SOS_LOAD	440	2	7
AIA_MSG_HEADER_LOG	844	2	80
AIR_CMDTY_CD	162	2	351
AIR_DIMENSION_CD	163	2	1001
AIR_SPECIAL_HDLG	167	2	501
AIR_S_HDLG_PART1	728	4	503
AIR_S_HDLG_PART2	729	2	501
AMC_CHANGE_DATA	329	8	14
AMC_CHANGE_DATA_A	330	8	14
AMC_DATA	021	11	13
AMC_DATA_A	444	11	13
AMLS_REQUEST_PARM	378	19	625
AMMO_CD_DESC	001	8	1784
AMMO_CODE_VALUES	723	2	5
AMMO_EDIT_CRITERIA	487	2	12
AMSC_AMC_COMBO	153	3	3
AMSC_DATA	022	7	12
AMSC_DATA_A	445	7	12
AMSC_DATA_TOT	425	6	11
AMSC_DATA_TOT_A	556	6	11
APPLIC_MESSAGE_DAT	132	2	70
APPL_OP_HOLD	408	7	1527
APPL_OUTPUT_DIC	476	5	26
ARCHIVE_LOG	840	7	50
ARMY_ACCT_REQT_CD	168	2	401
ARMY_MCC_SUBGROUP	171	2	81
ARMY_MCC_SUBGROUP1	172	2	212
ARMY_RECOVERBTY_CD	173	2	251
AR_FSC_MGR_EDIT	719	1	6
AR_MCC_APPRO_SUBGP	169	2	101
AR_MCC_DESC_USE	170	2	601
ASN970107135959PC	010	7	82
ASN970107140251PC	1QF	7	82
ASSIGN_ISAC_RPLY	952	4	13
ASSIGN_MRC	919	4	13
ASSIGN_REPLY	920	2	8
ASSOC_ADDRESS_ENT	145	5	342
AUTHZD_DIC_ACTYS	175	3	54
AUTHZD_SUB_ORIG_CD	157	22	597
AUTODIN	041	5	4000

CHAPTER 1
DATA DICTIONARY
GROUP TABLE
INDEX

GROUP TABLE NAME	GRP TBL NO.	DRNS/ ELEM IN TBL	ROW/ RECORD LENGTH
AUTODIN_KWA_LOG	841	8	24
AUTODIN_MESSAGES	012	7	38
AUTZD_ABBREVIATON	174	2	135
BILLING_DATA	104	6	22
BUSINESS_CAT_DATA	079	3	10
CAGE_ACT_AACNSN	493	4	9
CAGE_ACT_AACNSN_A	419	4	9
CAGE_AFFL_CODES	700	2	51
CAGE_AUDIT_DATA	081	6	89
CAGE_CD_VALUES	725	3	14
CAGE_CLEAR_TEXT	069	2	1101
CAGE_DATA_1	082	26	83
CAGE_DATA_NSNREF	023	4	11
CAGE_DATA_NSNREF_A	413	4	11
CAGE_DEL_HIST	502	3	6
CAGE_EDI_INPUT	070	4	1143
CAGE_FSCNSN	494	5	15
CAGE_FSCNSN_A	420	5	15
CAGE_INCNSN	495	4	16
CAGE_INCNSN_A	421	4	16
CAGE_KEYWORD_ADRS	504	3	31
CAGE_KHN_BKUP	151	5	1505
CAGE_LI_NBR_DATA	083	3	7
CAGE_REF_NBR_FMT	176	4	231
CAGE_RSN_CODES	708	2	101
CAGE_TRADING_PART	222	6	133
CAGE_ZIP_RNG_EXCP	004	3	17
CALLABLE_ACCESS	477	14	364
CALLABLE_DESCR_TBL	336	13	363
CALL_ACCESS_LIST	337	3	17
CAO_ADP_PT_PROC_CD	178	2	131
CARD_IDENTIFIC_CD	179	3	721
CAT_DEST_ACTY	188	2	5
CDD_FRT_DEST_DATA	090	8	50
CG_INVTRY_ACCT_CD	229	2	271
CG_REPARABILITY_CD	184	2	181
CG_SERIAL_NBR_CTRL	180	2	81
CHAR_DATA	116	11	1011
CICS_TO_BATCH	102	3	58
CIIC_CLASS_CD	182	3	345
CIIM_RTRN_ACTN_DRN	746	3	7
CIMM_RTRN_ACTN_CD	183	5	485
CMD_AUTHZN_CD	858	2	15
CMD_BASIC	006	46	75
CMD_BASIC_DOC_DIC	972	7	17
CMD_BASIC_HIST	505	52	89
CMD_PHRASE_DOC_DIC	973	7	17
CMD_PHRASE_IS_HIST	506	21	81
CMD_PHRASE_I_S	007	15	67
CMD_RCVRS_ACTY_CD	955	2	8
CNTRL_INVTY_ITM_CD	270	3	1002
COCO_TABLE	117	5	1323
COLLABORATORS	008	6	15
COLLABORATORS_HIST	507	12	29
COLLABOR_DOC_DIC	974	7	17
COLLOQ_XREF	091	4	10
COLLOQ_XREF_HIST	513	9	19
COMALTY_DDOD_DTL	792	34	31
COMALTY_DDOD_DTL_A	793	30	10
COMALTY_DDOD_TOT	790	33	19
COMALTY_DDOD_TOT_A	791	33	19
COMALTY_MGD_TOT	763	26	19
COMALTY_MGD_TOT_A	764	26	19
COMALTY_MS_D_DTL	369	66	31
COMALTY_MS_D_DTL_A	546	66	31
COMALTY_MS_D_TOT	788	65	19
COMALTY_MS_D_TOT_A	789	65	19
COMALTY_MS_S_DTL	786	26	31
COMALTY_MS_S_DTL_A	787	26	31
COMALTY_MS_S_TOT	784	25	19
COMALTY_MS_S_TOT_A	785	25	19
COMALTY_M_S_TOT	694	21	19
COMALTY_M_S_TOT_A	695	17	19
COMALTY_SDOD_DTL	024	22	31
COMALTY_SDOD_DTL_A	446	22	31
COMALTY_SDOD_TOT	692	21	19
COMALTY_SDOD_TOT_A	693	21	19
COMMONALITY_FAA	367	6	6
COMMONALITY_FAA_A	545	6	6
COMMONALITY_MGD	370	11	17
COMMONALITY_MGD_A	547	11	17
COMMON_NBR_SYS_IND	186	2	151
COMMRI_ACTY_CD	409	7	20
COMM_CATG	944	3	6
COMM_DATA	709	8	103
COMM_DATA_BATCH	606	3	12
COMPONENT_TABLE	388	17	234
COM_GOV_ENT_STA_CD	185	2	1001
CONFLICT_NOTIF_CD	187	3	1702
CONTR_ID_CDS	863	2	43
CONT_LABL_CD	860	5	46
CONVERSION_GD_DATA	119	9	48
CONVERT_REF_NBR	108	3	96
CONV_GD_SKLTN	118	5	15
CORP_ADDRESS	002	7	123
CORP_ADRS_NM_LINES	003	4	44
CORP_PHONE	005	3	26
COUNTRY_CODES	701	2	39

CHAPTER 1
DATA DICTIONARY
GROUP TABLE
INDEX

GROUP TABLE NAME	GRP TBL NO.	DRNS/ ELEM IN TBL	ROW/ RECORD LENGTH
CRITL_CD_FIIG_TBL	111	2	251
CTOC_SUSPNS_FL	875	11	30
CUTOFF_DATE	026	4	18
CUTOFF_DATE_A	448	5	12
DAAS_ACCESS	387	2	9
DAAS_SOS	331	9	24
DAAS_SOS_HIST	519	11	24
DAC_DATA	027	11	15
DAC_DATA_A	449	11	15
DATA_TRANM_CRTL_CD	190	2	251
DCSC_AY_FSG_FSC	896	2	4
DCSC_AY_SUB_ACT	894	1	2
DD_PARM_CRITERIA	135	12	45
DEBARRED_BDRS_DATA	092	8	49
DECDE_COMP_DESCR_T	339	14	27
DECODE_ACCESS	461	8	198
DECODE_COMPONENT	473	18	226
DEGREE_OF_MATCH_CD	191	3	17
DELETION_REASON_CD	192	2	1001
DEMAND_INDICATR_CD	193	2	201
DEMILITARIZATIO_CD	194	3	1002
DEMIL_AGENCY	426	5	10
DEMIL_AGENCY_A	557	5	10
DEMIL_MGR_CODES	428	5	11
DEMIL_MGR_CODES_A	559	5	11
DEMIL_MGR_ITEMS	427	4	10
DEMIL_MGR_ITEMS_A	558	4	10
DEMIL_NIIN	028	4	8
DEMIL_NIIN_A	450	4	8
DEMIL_REVIEW	129	14	56
DEPARTMENT_ACTY	029	4	10
DEPARTMENT_ACTY_A	451	4	10
DEPOT_SRC_OF_REP	009	7	17
DEPOT_SRC_REP_HIST	508	13	31
DEPT_GOALS_TAB	030	5	8
DEPT_GOALS_TAB_A	452	5	8
DESC_TY_FSG_FSC	895	2	4
DESC_TY_SUB_ACT	893	1	2
DIC_BATCH_T912	181	3	5
DIC_DATA	196	11	382
DIC_I_O_CORRELATON	197	8	59
DIC_OTHER_OUTPUT	624	3	9
DIC_RELATED_TO_FD	198	3	9
DIC_RTN_CD_ED_CRIT	770	1	1
DIC_RTN_CD_ED_NOTE	864	3	1200
DIC_SEG_ODRC	499	5	30
DIC_SPEC_NOTES	992	4	89
DIC_TABLE	383	13	52
DIDS_SEG_CD	199	2	81
DISTRIBUTION_ENT	146	4	19
DIST_SEG_M_EDIT	721	1	6
DLA_REP_CHAR_IN_CD	200	2	1001
DLN_ENTITY	147	2	30
DOC_AVLB_CD_DATA	201	2	1001
DOD_CMDTY_MAT_MGMT	202	2	101
DRAW_NOTE_DATA	826	6	335
DRN_WITHIN_A_DIC	207	9	56
DRN_WTHN_DIC_NOTES	208	3	1510
DROP_DICS_SEGMENT	209	4	7
DRP_DICS	480	3	6
DRP_SEGMENTS	210	2	3
DSOR_ACTY_CD_XREF	833	3	165
DSOR_CD_NIMSC_CMPT	829	3	24
DSOR_DOC_DIC	975	7	17
DSOR_MISMO_ADRS	834	9	289
DXRF_OVERNIGHT	579	3	16
EDIT_GUIDE_1	120	12	25
EDIT_GUIDE_2	121	10	20026
EDIT_GUIDE_3	122	5	15
EDIT_GUIDE_4	123	2	7
EFFECTIVE_DAT_DLSC	365	3	8
EFF_AMMO_CD_DESC	073	10	1784
EFF_DATD_CHAR_DATA	380	9	23
EFF_DATED_ITM_DATA	010	17	50
EFF_DATED_ITM_HIST	509	23	64
EFF_DTD_FSC	094	19	24
EFF_DTD_FSC_HIST	515	21	32
EFF_DT_ITM_DOC_DIC	976	7	17
EFF_MOE_RULE_COLBR	095	3	6
EFF_MOE_RULE_RCVR	096	3	6
ELEC_STAT_DISCH	211	2	126
EMERGENCY_NIIN	960	3	10
EST_ACTUAL_PRIC_CD	212	2	91
EXTD_FRT_DEST_DATA	732	5	258
EXTRACT_DESCR	133	20	60
FCS_GOALS_DEPT_DTL	744	10	10
FCS_GOALS_DEPT_D_A	745	10	10
FCS_GOALS_DEPT_TOT	429	9	8
FCS_GOALS_DEPT_T_A	560	9	8
FCS_GOAL_ACTY_DTL	794	10	10
FCS_GOAL_ACTY_D_A	795	10	10
FCS_GOAL_D_F_A_DTL	031	12	14
FCS_GOAL_D_F_A_D_A	453	12	14
FCS_GOAL_D_F_A_TOT	804	18	12
FCS_GOAL_D_F_A_T_A	805	18	12
FCS_GOAL_FSC_A_DTL	800	13	16
FCS_GOAL_FSC_A_D_A	801	13	16
FCS_GOAL_FSC_A_TOT	802	12	14

CHAPTER 1
DATA DICTIONARY
GROUP TABLE
INDEX

GROUP TABLE NAME	GRP TBL NO.	DRNS/ ELEM IN TBL	ROW/ RECORD LENGTH
FCS_GOAL_FSC_A_T_A	803	12	14
FCS_GOAL_FSC_D_DTL	796	12	14
FCS_GOAL_FSC_D_D_A	797	12	14
FCS_GOAL_FSC_D_TOT	798	11	12
FCS_GOAL_FSC_D_T_A	799	11	12
FCS_Q_S_AIN	682	4	10
FCS_Q_S_AIN_A	683	15	10
FCS_Q_S_REF	678	15	10
FCS_Q_S_REF_A	679	15	10
FCS_Q_S_TYPII	032	15	10
FCS_Q_S_TYPII_A	454	15	10
FC_COLLOQ_XREF	592	4	10
FC_FSC_NOTE_DAT_GP	591	8	7917
FC_FSG_NOTE_DAT_GP	595	5	3959
FC_NAMES_BY_TYP	593	12	3552
FC_NM_CD_FSC_XREF	594	6	1771
FED_COND_CD_DSPL	832	3	531
FED_COND_CD_SPLY	831	3	651
FIIG_COUNT_DATA	033	5	17
FIIG_COUNT_DATA_A	414	5	17
FIIG_DRAWING_DATA	072	9	136
FIIG_POP_MGD	034	8	21
FIIG_POP_MGD_A	415	8	21
FIIG_POP_MGD_DTL	430	7	23
FIIG_POP_MGD_DTL_A	467	7	23
FIIG_POP_NONMGD	431	8	21
FIIG_POP_NONMGD_A	466	8	21
FIIG_SB_SCTN_TITLE	963	4	128
FIIG_SCTN_TITLE	964	2	121
FIIG_VAL_TABLE	815	3	129
FILE_ACCESS_RECORD	418	10	47
FILE_COMPONENT	447	18	199
FILE_MAINT_ACTN_CD	213	2	251
FIRST_OF_MONTH	956	2	5
FIXD_FMT_EDIT_CRIT	228	4	1405
FIXED_OR_VRBLE_DIC	214	5	2512
FOREIGN_ADDRESS	328	8	163
FREIGHT_DATA	035	6	23
FREIGHT_DATA_A	416	6	23
FREIGHT_DATA_TOTAL	503	5	18
FREIGHT_DATA_TTL_A	423	5	18
FREIGHT_LGN_DATA	149	7	24
FRT_STATS_ENTITY	097	14	0
FSC_FSCINC_DATA	432	6	15
FSC_FSCINC_DATA_A	465	6	15
FSC_GOALS_TAB	036	7	10
FSC_GOALS_TAB_A	455	7	10
FSC_INC_DATA	037	3	11
FSC_INC_DATA_A	417	3	11
FSC_MOE_RULE_CHG	215	3	1010
FSC_NOTE_DATE_GP2	491	10	1999
FSC_NOTE_DAT_GROUP	076	8	7917
FSC_POP_MGD	038	8	21
FSC_POP_MGD_A	470	8	21
FSC_POP_MGD_DTL	434	7	23
FSC_POP_MGD_DTL_A	471	7	23
FSC_POP_NONMGD	435	8	21
FSC_POP_NONMGD_A	562	8	21
FSC_REQ_ESD_CD	216	2	4
FSC_RI_TABLE	525	3	5
FSC_SEGM_FILE_MNT	148	5	10
FSC_SEGM_FM_HIST	530	7	11
FSG_FSC_NAIN_EDIT	986	3	23
FSG_NOTE_DATE_GP2	492	9	1997
FSG_NOTE_DAT_GROUP	316	5	3959
FST_POS_MOE_EDIT	734	2	3
FUTURE_R_OUTPUT	918	7	32
FUT_SSR_MOE_RL_ST	218	2	101
GATEKEEPER	876	6	50
GD_REF_BACK	501	4	15
GIRDER	772	16	176
GIRDER_CAGE_CNTL	929	2	6
GIRDER_DAT_GROUP_1	317	3	1060
GIRDER_ERROR	780	6	337
GIRDER_EXCEPTION	781	10	151
GIRDER_LTI	773	4	87
GIRDER_MFR_UPD	932	8	128
GIRDER_STATS	779	5	9
GIRDER_TRN_HLD	937	3	85
GLOSSARY_ACRONYM	219	3	140
GLOSSARY_OF_TERMS	220	3	1320
GROUPING_CRITERIA	130	19	18
GROUPING_DESCR	138	11	20
HCC_TABLE	711	3	102
HISTORY_CHAR_DATA	115	14	1011
HIST_KRU_IMAGE	314	4	1132
HMIC_FSC_TBL	962	3	5
HMIC_TBL	110	2	251
HOLD_TRANS	845	2	9
HSM_APPL_OP_HOLD	866	7	1527
HSM_KRU_IMAGE	315	4	1132
HSM_ORIGINAL_IMAGE	867	3	1152
HSM_ORIG_IMAGE_EXT	868	3	1151
HSM_ORIG_IMAGE_KEY	869	7	115
HSM_TRANS_HIST_KEY	871	8	64
HSM_TRANS_HIST_MST	872	16	83
HSM_TRANS_HIST_SEG	319	5	1152
HSM_TRANS_PROC_ERR	323	9	84

CHAPTER 1
DATA DICTIONARY
GROUP TABLE
INDEX

GROUP TABLE NAME	GRP TBL NO.	DRNS/ ELEM IN TBL	ROW/ RECORD LENGTH
HSM_TRANS_SEG_EXT	931	5	1151
HZRD_MATERIAL_CD	224	2	1002
H_D_BRK_FSC_CAT_XT	221	4	1005
IANDS_ACTY_DATA	373	10	10
IANDS_ACTY_DATA_A	550	10	10
IANDS_DEPT_ALL_TOT	933	6	6
IANDS_DEPT_ALL_T_A	938	6	6
IANDS_DEPT_DATA	039	9	12
IANDS_DEPT_DATA_A	456	9	12
IANDS_DEPT_TOTAL	934	7	8
IANDS_DEPT_TOTAL_A	939	7	8
IANDS_FSG_TOTAL	935	8	10
IANDS_FSG_TOTAL_A	940	8	10
IDS_AUTO_QA	699	4	4
IDS_JCL_GEN_INFO	134	5	81
ID_CAT_ITEM_SELECT	497	4	22
ID_DECODE_CAT_CHAR	498	8	1126
ID_INC_XREF	828	6	20
ID_MRC_XREF	827	6	19
II_SCREEN_DECISION	230	4	54
IMCA_FSC_EDIT	716	1	6
IMC_ALL_DATA	040	7	19
IMC_ALL_DATA_A	457	7	19
IMC_NEW_DATA	436	7	19
IMC_NEW_DATA_A	563	7	19
IMM_FSC_EDIT	735	1	6
IMPS_ERROR_LOG	086	8	279
IMPS_HEADERS_IN	084	15	198
IMPS_MESSAGES_IN	085	4	22080
INACTIVE_PHRS_CD	884	1	1
INCMP_ADRS_EDIT_CD	226	2	101
INC_CAGE_COMBOS	225	2	10
INC_FIIG_CORL	830	8	190
INC_MRC_COUNT	356	3	11
INC_MRC_VAL_MODE_F	361	6	44
INC_MRC_VAL_MODE_H	362	12	62
INC_MRC_VAL_MODE_J	360	10	71
INC_MRC_VAL_MOD_AB	358	5	29
INC_MRC_VAL_MOD_DL	357	5	20
INFO_DISSEM_DATA_A	458	31	6
INTEGRITY_CD_FRGHT	227	2	1001
ISAC_RPLY_AUD	950	7	396
ISAC_RPLY_TAB	125	4	387
ISC_AUTH_SPEC_STD	917	2	6
ISC_DATA	042	8	11
ISC_DATA_A	459	8	11
ISC_DATA_TOT	741	7	12
ISC_DATA_TOT_A	742	7	12
ITEMNM_DEPT_TOT_A	691	6	8
ITEM_DRAWING_DATA	136	5	26
ITEM_MANAGEMENT_CD	231	4	1102
ITEM_NAME_DATA	438	3	25
ITEM_NAME_DATA_A	565	3	25
ITEM_NAME_DEPT_ACT	043	2	6
ITEM_NAME_DEPT_A_A	460	7	10
ITEM_NAME_DEPT_TOT	690	6	8
ITEM_STDZN_CD	232	2	1001
ITM_EXC_CRI_REC_TP	342	6	20
ITM_NM_FUT_HIST	489	9	2001
IT_VLD_IMCA_TBL	080	1	2
KEYWORD_INDEX	364	2	42
KFU_COND_CD_DATA	217	3	802
KFU_STATUS_CD	233	7	256
KHN_ACTY_TBL	327	2	7
KVI_STRAGLER_FL	949	3	2
KVI_SUSPNS_FL	948	15	30
LABEL_FORMAT	379	32	110
LAD_SEG_DRN	889	3	5
LCD_SEG_DRN	890	3	5
LCG_SEG_DRN	892	3	5
LDD_SEG_DRN	891	3	5
LESS_THN_CRLD_CD	234	2	21
LESS_THN_TL_CD	235	2	21
LFU_ARCHIVE_BUILD	605	4	44
LIMITED_DIST	782	14	62
LMTD_DISTRIBTON_CD	236	5	1291
LMT_DIS_ACT_CD_VAL	936	2	7
LMX_LMD_COMB	403	3	7
LOLA_INQ_ALL_DEPT	621	15	9
LOLA_INQ_ALL_DEP_A	623	15	9
LOLA_INQ_DEPT	620	16	11
LOLA_INQ_DEPT_A	622	16	11
LOLA_INQ_STATS	045	17	13
LOLA_INQ_STATS_A	462	17	13
LOLA_MGMT_STATS_A	554	7	38
LOLA_MGMT_STATS_DT	381	7	38
LOLA_OVERNIGHT	341	8	82
LOLA_RESPONSE	957	8	45
LOLA_UPD_STATSDATA	368	9	37
LOLA_UPD_STATSHIST	374	7	23
LOLA_UPD_TRANSDATA	375	8	1504
LTI_LFN_FOLLOWUP	958	3	9
LVI_R_TABLE_EDIT	989	2	4
MADS_DIST_CNTL	666	8	0
MADS_DIST_HOLD	612	5	22080
MAINTENANCE_DIC	013	1	3
MAJ_MAT_CAT_ARMY	237	2	201
MARKUP_DESCR_TBL	335	11	176

CHAPTER 1
DATA DICTIONARY
GROUP TABLE
INDEX

GROUP TABLE NAME	GRP TBL NO.	DRNS/ ELEM IN TBL	ROW/ RECORD LENGTH
MASTER_DRAW_FILE	816	3	24
MAT_MGMT_AG_AF	238	3	648
MC_CDG_DATA	880	6	1020
MC_CHARACTERISTICS	881	6	21
MC_COMBAT_ESNTL_CD	239	2	321
MC_ECHELON_CD	240	3	391
MC_MAINT_DATA	878	7	3990
MC_MATERIL_IDEN_CD	241	3	82
MC_MGT_CD	242	3	481
MC_OPERTNL_TEST_CD	266	2	701
MC_PHYSICAL_CAT_CD	269	2	61
MC_RECOVERABLTY_CD	243	2	321
MC_STORES_ACCT_CD	244	2	81
MDLS_BATCH_DEPT_A	326	27	8
MDLS_BB_COMMENT	599	4	251
MDLS_BTCH_INQ_DATA	048	28	10
MDLS_BTCH_INQ_DA_A	526	28	10
MDLS_BTCH_INQ_DEPT	223	27	8
MDLS_DAT_ASSET_DRC	320	10	53
MDLS_DAT_AST_TITLE	321	6	66
MDLS_DGTZD_MEDIA	279	3	34
MDLS_FTP_TRNSMT	143	3	12
MDLS_INIT_ACCESS	597	1	8
MDLS_INQ_ORDR_DATA	046	30	10
MDLS_INQ_ORDR_DA_A	463	30	10
MDLS_INQ_ORDR_DEPT	112	29	8
MDLS_INQ_OR_DEPT_A	113	29	8
MDLS_MEDIA	322	2	7
MDLS_ORDERS	324	11	41
MDLS_REPOSITORY	325	15	554
MDLS_REPOS_PHN	488	4	23
MDLS_UPDT_BB	598	4	87
MDLS_UPDT_STAT_DAT	047	21	13
MDLS_UPDT_STAT_D_A	464	21	13
MDLS_UPDT_ST_DEPT	114	20	8
MDLS_UPDT_ST_DPT_A	195	20	8
MDLS_USR_ADRS_DAT	355	9	254
MEDALS_DIST_LEVEL	204	2	41
MEDALS_SEC_CLASS	205	2	41
MEDIA_MESSAGE_ID	397	6	161
MEDIA_TYPE_TABLE	410	13	151
MGMT_CHG_DA_DTL	751	5	11
MGMT_CHG_DA_D_A	752	5	11
MGMT_CHG_DEPT	749	6	8
MGMT_CHG_DEPT_A	750	6	8
MGMT_CHG_DEPT_ACTY	049	7	10
MGMT_CHG_DEPT_A_A	527	7	10
MGMT_CHG_DEPT_DTL	753	4	9
MGMT_CHG_DEPT_D_A	754	4	9
MGT_INFO_TABLE	340	27	118
MGT_RSP_CHG_DATA	578	10	12
MGT_RSP_CHG_DATA_A	590	10	12
MIOS_ACTIVE_SEG	071	5	1152
MJR_ORGN_ENTITY_CD	247	2	102
MM07_CAGE_ASSET	343	7	84
MM08_NIIN_ASSET	344	6	56
MNDTRY_CAGE_RNCC	245	2	6
MOBIL_RESERVE_REQT	246	2	101
MODE_A_B_REPLY	351	7	39
MODE_CD_EDIT	390	6	24
MODE_D_L_REPLY	350	7	30
MODE_F_REPLY	353	8	54
MODE_H_REPLY	354	16	1062
MODE_J_REPLY	352	15	139
MODE_TEXT_INDEX	349	6	58
MODE_TEXT_REPLY	348	8	1014
MOE_CD_MOE_RL_RLTN	137	2	6
MOE_FSGFSC_DATA	433	6	12
MOE_FSGFSC_DATA_A	561	6	12
MOE_RL_DLT_DOC_DIC	977	7	17
MOE_RULE_COLL_REC	439	5	10
MOE_RULE_COLL_RE_A	566	5	10
MOE_RULE_DELT_HIST	510	12	28
MOE_RULE_DELT_RSN	011	4	13
MOE_RULE_DEPT	051	5	10
MOE_RULE_DEPT_A	529	5	10
MOE_RULE_FSC	437	5	14
MOE_RULE_FSC_A	564	5	14
MOE_RULE_PS_EDITS	152	5	10
MOE_RULE_RPLM_DATA	730	2	8
MOE_RULE_STATS	088	8	0
MOE_RULE_TBL	093	19	529
MOE_TO_IMC_ACTY	318	2	4
MRC_RPLY_TAB	126	4	8
MRD_DECODE	127	10	254
MRD_KEY_GRP_CD	391	2	22
MRD_REPL_AUD_TABLE	923	7	399
MRD_REQ_AUD_TABLE	921	14	763
MRD_REQ_AUD_T_SEQ	922	5	5
MRD_REQ_STMT_DEF	347	2	504
MRSP_ALL_CL_ACTV	572	22	21
MRSP_ALL_CL_A_A	588	22	21
MRSP_ALL_CL_A_TL	577	22	21
MRSP_ALL_CL_A_TL_A	589	22	21
MRSP_ALL_CL_DEPT	571	12	12
MRSP_ALL_CL_D_A	586	12	12
MRSP_ALL_CL_D_TL	576	11	10
MRSP_ALL_CL_D_TL_A	587	11	10

CHAPTER 1
DATA DICTIONARY
GROUP TABLE
INDEX

GROUP TABLE NAME	GRP TBL NO.	DRNS/ ELEM IN TBL	ROW/ RECORD LENGTH
MRSP_ASGN_CL_A	584	13	19
MRSP_ASGN_CL_MGR	570	13	19
MRSP_ASGN_CL_TL	575	12	17
MRSP_ASGN_CL_TL_A	585	12	17
MRSP_ASGN_INT_A	582	12	12
MRSP_ASGN_INT_MGR	569	12	12
MRSP_ASGN_INT_TL	574	11	10
MRSP_ASGN_INT_TL_A	583	11	10
MRSP_INDV_CLASSES	371	14	16
MRSP_INDV_CL_A	580	14	16
MRSP_INDV_CL_TL	573	13	14
MRSP_INDV_CL_TL_A	581	13	14
MS_DEPT_MATRIX	959	3	6
MS_JOB_CNTL	993	10	14
MS_JOB_CNTL_HIST	879	11	14
MULTIMEDIA_RR_FIXD	995	3	1152
MULTIMEDIA_RR_VARI	996	3	1152
MULTI_MEDIA_OUT	945	7	1541
M_RL_FSC_G_MGT_EX	733	4	9
NAIN_CHAL_BY_ACTY	912	1	6
NAIN_FSG_FSC_EDIT	985	3	23
NAIN_POP_DATA	053	6	29
NAIN_POP_DATA_A	531	6	29
NAIN_POP_DATA_DTL	611	6	31
NAIN_POP_DATA_DT_A	615	6	31
NAIN_POP_TOT	696	5	10
NAIN_POP_TOT_A	697	5	10
NAMES_BY_TYP	098	12	3552
NAME_CODE_VALUES	724	3	7
NATL_CDFN_BUREU_CD	251	3	23
NATO_ACTIVITY_SEG	999	7	1514
NATO_ACTY_SUR_OP	888	1	6
NATO_AUDIT_DATA	025	8	26
NATO_CAGE	685	4	276
NATO_CASE_DATA	044	8	1513
NATO_CHAR	688	5	1122
NATO_IDENT	684	8	54
NATO_ISAC_EXTRACT	124	4	19
NATO_L07_DCSN_DATA	998	9	19
NATO_MASS_CHG	103	7	55
NATO_MOE_RULE	687	3	13
NATO_NCC_COMMENT	422	6	511
NATO_NIIN_REF	686	10	53
NATO_PRIMARY_DATA	060	21	35
NATO_REF_NBR_DATA	059	7	48
NATO_RTN_CD_DATA	105	9	267
NATO_SUSPENSE_DATA	997	7	1514
NATO_TRACKING_DATA	106	15	54
NAVY_COGNIZANCE_CD	252	4	453
NAVY_MATL_CNTRL_CD	253	2	161
NEXT_NIIN_PSCN	914	3	10
NIIN_DRAWING_DATA	075	5	31
NIIN_ID_NBR_DATA	842	5	142
NIIN_MOE_RULE_DATA	345	14	24
NIIN_MOE_RULE_HIST	521	20	38
NIIN_MOE_R_DOC_DIC	980	7	17
NIIN_PKG_DAT_GROUP	346	34	177
NIIN_PKG_DAT_HIST	928	40	191
NIIN_PKG_DOC_DIC	981	6	14
NIIN_PSCN_STATU_CD	255	3	1101
NIIN_REF_DOC_DIC	982	6	14
NIIN_REF_NBR_DATA	014	14	88
NIIN_REF_NBR_HIST	522	20	102
NM_CD_FSC_XREF	099	6	1771
NM_CD_FSC_XRF_HIST	518	11	1780
NONEFF_DTD_ITM_DAT	016	35	83
NONEFF_ITM_DOC_DIC	983	6	14
NONEF_DTD_ITM_HIST	523	40	95
NONSMBL_ITM_MAT_CD	256	2	1201
NON_CMD_ACTY_ACC	015	6	14
NON_CMD_ACTY_HIST	511	12	28
NON_CMD_AC_DOC_DIC	978	7	17
NORMAL_SOURCE_PROC	257	3	601
NOTES_DATA	394	6	1204
NSCM_PRFX_CDFN_BUR	258	5	35
NSCM_SUFX_CDFN_BUR	259	5	30
NVY_IRC_SOS_NSP_CD	261	3	7
NVY_IS_RE_REQ_CD	262	2	402
NVY_SOS_CD	260	4	57
NVY_SPEC_MTL_ID_CD	254	2	562
ODRC_DIC_VAL_TBL	859	15	20
ORIGINAL_IMAGE	399	2	1151
ORIGINAL_IMAGE_KEY	385	7	115
ORIG_IMAGE_EXTENTS	848	3	1151
ORIG_KRU_IMAGE	994	4	1132
OTPT_MODE_MEDIA_CD	267	11	528
O_E_DESIGNATOR_CD	263	2	101
PAGE_HEADERS	393	5	85
PAGE_TRAILERS	395	3	803
PASSTHRU_CHECK	206	3	16
PASSTHRU_STATS	608	7	36
PASS_LINE_ACCESS	926	5	33
PASS_TO_CICS	443	2	80
PHRASE_CD_DATA	268	3	1101
PHRASE_CD_PKG_COMB	839	3	3
PHRASE_CD_SVC	836	3	151
PHRS_CD_DRN_0217	882	1	1
PICA_LEVEL_OF_AUTH	271	2	1302

CHAPTER 1
DATA DICTIONARY
GROUP TABLE
INDEX

GROUP TABLE NAME	GRP TBL NO.	DRNS/ ELEM IN TBL	ROW/ RECORD LENGTH
PICA_SICA_CMD_CMPT	837	9	220
PIC_ACTY_TOT	551	8	10
PIC_ACTY_TOT_A	552	8	10
PIC_DATA	372	9	13
PIC_DATA_A	549	9	13
PIC_DATA_TOT	441	7	8
PIC_DATA_TOT_A	568	7	8
PKG_UP_QTY	946	2	123
PMIC_MRC_TYPE	988	2	5
PMIC_RPLY	987	3	8
PREC_METL_IND_CODE	272	2	101
PRICE_VALIDATON_CD	273	2	1201
PRIM_BUS_CODES	704	2	51
PRIORITY_IND_CODE	412	4	27
PRODUCT_CONSOL	478	6	19
PROD_NM_XREF	966	2	25
PROPOSAL_INITIATOR	203	2	95
PSEUDO_SOS_SPLY_CD	274	2	1003
PSMAT_ADDR	144	12	451
QUANT_UNIT_PACK_CD	277	2	201
RDG_TITLE	965	3	167
RECEIVERS	017	6	15
RECEIVERS_DOC_DIC	979	7	17
RECEIVERS_HIST	512	12	29
REC_MENU3	968	25	619
REC_PROF1	967	13	58
REC_PROF2	969	3	11
REC_PROF3	925	2	14
REC_TERM	970	2	12
REF_NBR_COMBO	278	9	19
REF_NBR_CTGY_CD	280	2	1601
REF_NBR_DUPL_DECSN	287	8	29
REF_NBR_FORMAT_CD	282	2	201
REF_NBR_GATEKEEPER	953	6	78
REF_NBR_JUSTIFN_CD	283	2	1001
REF_NBR_STATUS_CD	284	2	1001
REF_NBR_VARITON_CD	285	2	1001
REF_PAR_DES_RSN_CD	286	2	1001
REIMBURSEMENT_CD	288	2	126
REJ_REPLY_RECORD	924	9	18
RELEASE_NOW	849	2	9
REORDER_CRITERIA	850	5	23
REPBL_ACTY_LOA	058	6	13
REPBL_ACTY_LOA_A	535	6	13
REPBL_ACTY_TOT	056	5	11
REPBL_ACTY_TOT_A	533	5	11
REPBL_DEPT_LOA	057	5	11
REPBL_DEPT_LOA_A	534	5	11
REPBL_DEPT_TOT	055	4	9
REPBL_DEPT_TOT_A	532	4	9
REPLACEMENT_AMMO	496	2	8
REPLACEMENT_INCS	990	2	10
REPLY_TABLE	128	4	390
REROUTED_TRANS	402	3	1152
REROUTED_TRAN_KEYS	389	7	115
REROUTE_LOG	401	6	44
RETURN_ACTION_CD	291	5	1405
RETURN_CD_RLTD_DRN	292	5	21
RNAAC_BYPASS	490	1	2
RNCC_RNVC_COMB_MAY	289	5	14
RNCC_RNVC_COMB_MST	290	4	4
RPDMRC_FOLLOW_UP	877	4	10
RPLD_NSN_DOC_DIC	984	6	14
RPLD_NSN_STDZN	018	4	22
RPLD_NSN_STDZ_HIST	524	10	36
RPLM_CAGE_CD	101	2	10
RTN_CD_CAT_TAB	061	4	13
SCRN_OTHER	066	5	8
SCRN_OTHER_A	542	5	8
SCRN_PRENIIN	757	5	8
SCRN_PRENIIN_A	758	5	8
SCRN_PREREF	755	5	8
SCRN_PREREF_A	756	5	8
SCRN_PRONIIN	761	5	8
SCRN_PRONIIN_A	762	5	8
SCRN_PROREF	759	5	8
SCRN_PROREF_A	760	5	8
SEG_CD_SUPMTL	293	3	83
SEG_FORMAT	249	7	20
SEG_FORMAT_HEADERS	177	5	1392
SEG_FORMAT_NOTES	305	4	1209
SEG_RTN_CD_ED_CRIT	771	6	7
SELECT_FMT_MODULE	407	2	13
SERVICE_AGNCY_ACTY	063	4	15
SERVICE_CD_PSMAT	835	2	77
SERVICE_ENTITIES	482	5	26
SERV_AGCY_DESIG_CD	294	2	22
SGL_MULT_OUTPUT_CD	873	2	501
SHELF_LIFE_CODE	295	2	201
SICA_LEVEL_OF_AUTH	296	2	1302
SINGLE_SUB_BY_PASS	304	2	6
SIZE_OF_BUS_CODES	705	2	51
SKO_COMPONENTS	942	9	64
SNF_NIINS	089	4	10
SORTING_TABLE	486	7	132
SOS_MODIFIER_CODES	298	2	203
SOS_SUB_ACT_MOE_CD	886	2	8
SOURCE_OF_SPLY_CD	299	4	510

CHAPTER 1
DATA DICTIONARY
GROUP TABLE
INDEX

GROUP TABLE NAME	GRP TBL NO.	DRNS/ ELEM IN TBL	ROW/ RECORD LENGTH
SPCL_APPL_OP_HOLD	961	7	1508
SPCL_MTL_CONT_CD	301	2	121
SPECIAL_PACK_REQT	302	2	101
SPECL_HANDLING_CD	300	2	81
SP_PROJ_MM_OUT	715	8	1545
SSP_FSC_EDIT	717	1	6
STATE_CODES	483	2	22
STATISTICAL_IND_CD	303	2	101
STATS_REACTIVATION	626	4	16
STAT_ARCHIVE_TBLS	913	9	57
STAT_DEPT_NME_CD	698	2	9
STAT_LOG_STATUS	141	6	31
STAT_MGR	857	5	17
STAT_OF_STATS	062	4	24
STAT_RESTOR_STATUS	142	2	10
STAT_USER_REQUEST	140	5	32
STDZN_SUB_FSC_EDIT	718	1	6
STOP_WORD_CDM	485	1	35
STYL_RPLY_AUD	951	7	403
STYL_RPLY_TAB	131	4	394
SUR_SUB_ACT_MOE_CD	887	2	8
SVCBL_STD_DATA	943	18	74
SVC_PEC_DE	883	2	5
TABLE_ALIAS	971	3	36
TABLE_CONTENTS	392	9	1573
TBL_DIRECTR_CSTDN	150	4	36
TEL_TYP_CODES	702	2	21
TEXT_TABLES	736	5	79
TIIM_ALL_CL_ACTV	660	34	21
TIIM_ALL_CL_A_A	661	34	21
TIIM_ALL_CL_A_TL	662	34	21
TIIM_ALL_CL_A_TL_A	663	34	21
TIIM_ALL_CL_DEPT	656	18	12
TIIM_ALL_CL_D_A	657	18	12
TIIM_ALL_CL_D_TL	658	17	10
TIIM_ALL_CL_D_TL_A	659	17	10
TIIM_ASGN_CL_A	653	19	19
TIIM_ASGN_CL_MGR	652	19	19
TIIM_ASGN_CL_TL	654	18	17
TIIM_ASGN_CL_TL_A	655	18	17
TIIM_ASGN_INT_A	649	18	12
TIIM_ASGN_INT_MGR	648	18	12
TIIM_ASGN_INT_TL	650	5	10
TIIM_ASGN_INT_TL_A	651	17	10
TIIM_INDV_CLASSES	050	20	16
TIIM_INDV_CL_A	528	20	16
TIIM_INDV_CL_TL	646	19	14
TIIM_INDV_CL_TL_A	647	19	14
TIN_EXMP_CODES	707	2	51
TM_CONVID_ACTY	618	3	11
TM_CONVID_MSG	619	4	22004
TM_MESSAGE_OUT	843	9	22099
TM_MESSAGE_RECOVER	054	8	99
TM_RECOVERY	617	11	1041
TM_RELEASED_KEYS	616	8	120
TM_SEGMENT_DROP	074	27	34
TM_TAPE_LOG	603	7	26
TM_TRACKING_LOG	604	17	112
TM_TRANS_COUNT	613	7	32
TM_TRANS_HOLD	614	7	99
TRANSACT_STATUS_CD	306	5	453
TRANSITION_TABLE	386	1	3
TRANS_ACTIVE_BATCH	851	4	81
TRANS_ACTIVE_KEYS	602	8	64
TRANS_ACTIVE_MAST	600	7	63
TRANS_ACTIVE_SEG	609	5	1152
TRANS_ACTIVE_STATS	601	10	41
TRANS_ACTIVE_TRACK	052	8	92
TRANS_HIST_EXTENTS	747	5	1151
TRANS_HIST_KEYS	774	8	64
TRANS_HIST_MAST	852	16	83
TRANS_HIST_SEG	775	5	1152
TRANS_PROC_ERROR	405	9	84
TRANS_SEG_EXTENTS	838	5	1151
TRANS_SUSP_EXTENTS	854	5	1151
TRANS_SUSP_KEYS	776	8	64
TRANS_SUSP_MAST	777	8	26
TRANS_SUSP_SEG	778	5	1152
TRN_DIC_IO_STATS	064	6	16
TRN_DIC_IO_STATS_A	540	6	16
TRN_DIC_OAC_A	740	18	13
TRN_DIC_OAC_DTL	739	18	13
TRN_DIC_OAC_TOT	818	17	10
TRN_DIC_OAC_TOT_A	819	17	10
TRN_DIC_SAC_A	541	18	13
TRN_DIC_SAC_DTL	065	18	13
TRN_DIC_SAC_TOT	820	17	10
TRN_DIC_SAC_TOT_A	821	17	10
TRN_QDIC_OAC_DPT	810	17	10
TRN_QDIC_OAC_DPT_A	811	13	6
TRN_QDIC_OAC_ST	808	11	13
TRN_QDIC_OAC_ST_A	809	11	13
TRN_QDIC_SAC_DPT	824	17	10
TRN_QDIC_SAC_DPT_A	825	17	10
TRN_QDIC_SAC_ST	822	11	13
TRN_QDIC_SAC_ST_A	823	11	13
TRN_TIMING_DATA	376	6	11
TRN_TIMING_DATA_A	468	6	11

CHAPTER 1
DATA DICTIONARY
GROUP TABLE
INDEX

GROUP TABLE NAME	GRP TBL NO.	DRNS/ ELEM IN TBL	ROW/ RECORD LENGTH
TYPE_OF_CARGO_CD	311	2	1001
TYPE_O_E_AGNCY_RSP	265	2	81
TYPII_FSC_OAC_FYD	548	11	14
TYPII_FSC_SAC_FYD	396	11	14
TYPII_FSC_SAC_FY_A	555	11	14
TYPII_OAC_DTL	676	15	10
TYPII_OAC_DTL_A	677	15	10
TYPII_OAC_FYD	424	9	10
TYPII_OAC_QTR	067	9	10
TYPII_SAC_DTL	680	15	10
TYPII_SAC_DTL_A	681	15	10
TYPII_SAC_FYD	068	9	10
TYPII_SAC_QTR	668	9	10
TYPII_XFR_OAC_FYD	377	17	14
TYPII_XFR_OAC_QTR	664	15	10
TYPII_XFR_SAC_FYD	670	17	14
TYPII_XFR_SAC_QTR	672	15	10
TYPII_XFR_SAC_QT_A	673	15	10
TYP_FIN_MGMT_CTRL	308	2	101
TYP_OF_ADDRESS_CD	307	2	101
TYP_OF_BUS_CODES	703	2	51
TYP_OF_CORP_CODES	706	2	101
TYP_OF_ITM_IDNT_CD	309	3	103
TYP_SP_PRCSG_IN_CD	310	2	361
UNAPPRV_ITEM_NM_DT	363	4	997
UNDEFINABLE_TRANS	481	5	212
UNIT_OF_ISSUE_CD	312	4	823
USER_ACCESS_AUTH	954	3	10
USER_DATE_XREF	366	4	414
USER_INPUT_FORMAT	406	7	22
USER_OUTPUT_FORMAT	404	7	22
USG_CAGE	189	1	5
USING_SERVICE_CD	313	2	81
U_I_CONVERN_FACTOR	813	8	136
U_OF_MEASURE_DESIG	276	2	22
VALID_CONTINUATION	853	3	5
VALID_DIC_ODRC	855	4	9
VALID_FSC_W_B_ISC	916	2	4
VALID_ISC_COMBO	915	2	2
VALID_SEGMENTS	411	4	7
VAL_DMIL_CIIC_COMB	941	2	2
VAR_FMT_R_ED_CRI	536	6	1408
VAR_SEG_PARAM	479	7	5
WEAPON_NAME	846	3	78
WEAPON_TO_NIIN	847	7	15
WORKLOAD_DATA	109	5	4
ZIP_ADRS_DATA	139	8	77

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
001	AMMO_CD_DESC	0	CL_ASST_MODH3_9553	9553	CLAS-ASST-MOD-H3	VARCHAR	1762,	0)
		0	DT_ESTB_CANC_0308	0308	DT-ESTB-CANC-RCD-DIDS	INTEGER	4,	0)
		0	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2,	0)
		0	FSG_3994	3994	ASGND-FSG	CHAR	2,	0)
		0	INC_4080	4080	INC	CHAR	5,	0)
		0	STA_CD_NM_FSC_0320	0320	STATUS-CD-NM-FSC	CHAR	1,	0)
		0	USR_CD_1101	1101	USR-CD	CHAR	8,	0)
		1	AMMO_CD_8805	8805	AMMO-CD	CHAR	4,	0)
002	CORP_ADDRESS	0	POBOX_1361	1361	POBOX	CHAR	36,	0)
		0	ST_ADRS_1_1082	1082	ST-ADRS-1	CHAR	36,	0)
		0	ST_ADRS_2_1083	1083	ST-ADRS-2	CHAR	36,	0)
		0	ZIP_ADD_ON_4398	4398	ZIP-ADD-ON-CD	CHAR	4,	0)
		0	ZIP_CD_4400	4400	ZIP-CD	CHAR	5,	0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR	5,	0)
		2	ADRS_TYP_CD_2137	2137	ADRS-TYP-CD	CHAR	1,	0)
003	CORP_ADRS_NM_LINES	0	ADRS_TYP_CD_2137	2137	ADRS-TYP-CD	CHAR	1,	0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR	5,	0)
		2	ADRS_NM_LN_NO_1087	1087	ADRS-NM-LN-NO	CHAR	2,	0)
		3	ADRS_NM_C_TXT_1086	1086	ADRS-NM-CLR-TXT	CHAR	36,	0)
004	CAGE_ZIP_RNG_EXCP	0	ADP_PNT_CD_8835	8835	ADP-PNT-CD	CHAR	6,	0)
		0	CAO_CD_8870	8870	CAO-CD	CHAR	6,	0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR	5,	0)
005	CORP_PHONE	0	TEL_NBR_1359	1359	TEL-NBR	CHAR	20,	0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR	5,	0)
		2	TEL_NBR_TYP_1088	1088	TEL-NBR-TYP-CD	CHAR	1,	0)
006	CMD_BASIC	0	AAC_2507	2507	ACQ-AD-CD	CHAR	1,	0)
		0	ACTG_RQMT_AR_2665	2665	ACCTG-RQMTS-CD-AR	CHAR	1,	0)
		0	AR_MCC_AP_SUB_2163	2163	AR-MCC-APPROP-SUBGRP	CHAR	1,	0)
		0	AR_MCC_SG_CD1_2167	2167	AR-MCC-SUB-GRP-CD1	CHAR	2,	0)
		0	AR_MCC_USE_CD_2161	2161	AR-MCC-DESCP-USE-CD	CHAR	1,	0)
		0	BDGT_CD_AF_3765	3765	AF-BDGT-CD-MDL	CHAR	1,	0)
		0	CIIC_2863	2863	CIIC	CHAR	1,	0)
		0	CMBT_ESTL_MC_3311	3311	CMBT-ESNTL-CD-MC	CHAR	1,	0)
		0	COG_CD_NVY_2608	2608	COG-CD-NVY	CHAR	2,	0)
		0	ECH_CD_MC_3150	3150	ECH-CD-MC	CHAR	1,	0)
		0	ERRC_CD_AF_2655	2655	ERRC-CD-AF	CHAR	1,	0)
		0	FUND_CD_AF_2695	2695	FD-CD-AF	CHAR	2,	0)
		0	INV_ACT_CG_0708	0708	INV-ACCT-CD-CG	CHAR	1,	0)
		0	IRRC_NVY_0132	0132	ISS-REP-RQNG-RSTRN-CD	CHAR	2,	0)
		0	MAJ_MCC_AR_9256	9256	MAJ-MCC-AR	CHAR	1,	0)
		0	MAT_CTL_NVY_2832	2832	MAT-CTL-CD-NAVY	CHAR	1,	0)
		0	MAT_IDEN_MC_4126	4126	MAT-IDEN-CD	CHAR	1,	0)
		0	MAT_MGMT_MC_9257	9257	MAT-MGMT-CD-MC	CHAR	1,	0)
		0	MMAC_AF_2836	2836	MAT-MGMT-AG-CD-AF	CHAR	2,	0)
		0	OPRTL_TST_MC_0572	0572	OPRTNL-TST-CD	CHAR	1,	0)
		0	PHY_CTGY_MC_0573	0573	PHY-CTGY-CD	CHAR	1,	0)
		0	PVC_AF_0858	0858	PR-VLDTN-CD-AF	CHAR	1,	0)
		0	QUP_6106	6106	QUP-CD	CHAR	1,	0)
		0	RECOV_CD_AR_2892	2892	RECOV-CD-AR	CHAR	1,	0)
		0	RECOV_CD_MC_2891	2891	RECOV-CD-MC	CHAR	1,	0)
		0	REP_CD_CG_0709	0709	REPBL-CD-CG	CHAR	1,	0)
		0	REP_CD_DLA_2934	2934	REPBL-CHAR-IND-CD-DLA	CHAR	1,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	----------DATA---------- TYPE--LENGTH--DECIMAL
		0	REP_NET_PR_5235	5235	REP-NET-PR	INTEGER (4, 0)
		0	ROW_OBS_DT_4489	4489	ROW-OBS-DT	INTEGER (4, 0)
		0	SER_NO_CTL_CG_0763	0763	SER-NBR-CTL-CD-CG	CHAR (1, 0)
		0	SLC_2943	2943	SHLF-LIF-CD	CHAR (1, 0)
		0	SMIC_NVY_2834	2834	SP-MAT-IDEN-CD	CHAR (2, 0)
		0	SOSM_CD_2948	2948	SOS-MOD-CD	CHAR (3, 0)
		0	SOS_CD_3690	3690	SOS-CD	CHAR (3, 0)
		0	SP_MAT_CONT_0121	0121	SP-MAT-CONT-CD	CHAR (1, 0)
		0	STRS_ACT_MC_2959	2959	STRS-ACCT-MC	CHAR (1, 0)
		0	TYP_SP_PRC_0568	0568	TYP-OF-SP-PRCSG-IND-CD	CHAR (1, 0)
		0	UI_3050	3050	UI	CHAR (2, 0)
		0	UI_CONV_FAC_3053	3053	UI-CONV-FAC	CHAR (5, 0)
		0	UNIT_PR_7075	7075	DLR-VAL-UNIT-PR	DECIMAL (11, 2)
		0	USI_SVC_CD_0745	0745	USI-SVC-CD	CHAR (1, 0)
		1	TMSTMP_3059	3059	TMSTMP	TIMESTMP (10, 0)
		2	EFF_DT_2128	2128	EFF-DT	INTEGER (4, 0)
		3	NCB_CD_4130	4130	NCB-CD	CHAR (2, 0)
		4	I_I_NBR_4131	4131	I-I-NBR	CHAR (7, 0)
		5	MOE_CD_2833	2833	MOE-CD	CHAR (2, 0)
007	CMD_PHRASE_I_S	0	QNTV_EXPRSN_8575	8575	QNTV-EXPRSN	CHAR (13, 0)
		0	ROW_OBS_DT_4489	4489	ROW-OBS-DT	INTEGER (4, 0)
		0	UNIT_MEAS_CD_0107	0107	UNIT-MEAS-CD	CHAR (2, 0)
		1	QTY_PER_ASBL_0106	0106	QTY-PER-ASBLY	INTEGER (4, 0)
		1	TMSTMP_3059	3059	TMSTMP	TIMESTMP (10, 0)
		2	EFF_DT_2128	2128	EFF-DT	INTEGER (4, 0)
		2	REL_NSN_2895	2895	REL-NSN	CHAR (13, 0)
		3	NCB_CD_4130	4130	NCB-CD	CHAR (2, 0)
		3	TECH_DOC_NBR_2893	2893	TECH-DOC-NBR	CHAR (20, 0)
		4	I_I_NBR_4131	4131	I-I-NBR	CHAR (7, 0)
		5	MOE_CD_2833	2833	MOE-CD	CHAR (2, 0)
		6	PHRS_CD_2862	2862	PHRS-CD-MDL	CHAR (1, 0)
		7	USI_SVC_CD_0745	0745	USI-SVC-CD	CHAR (1, 0)
		8	JTC_0792	0792	I-S-JTC	CHAR (3, 0)
		9	OOU_0793	0793	I-S-OOU-CD	CHAR (3, 0)
008	COLLABORATORS	0	EFF_DT_2128	2128	EFF-DT	INTEGER (4, 0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR (2, 0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR (7, 0)
		3	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR (4, 0)
		4	SUPPLM_COLLBR_2533	2533	SUPPLM-COLLBR	CHAR (2, 0)
		5	TMSTMP_3059	3059	TMSTMP	TIMESTMP (10, 0)
009	DEPOT_SRC_OF_REP	0	EFF_DT_2128	2128	EFF-DT	INTEGER (4, 0)
		0	FMR_DSOR_0904	0904	FMR-DSOR	CHAR (2, 0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR (2, 0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR (7, 0)
		3	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR (4, 0)
		4	DSOR_0903	0903	DSOR	CHAR (2, 0)
		5	TMSTMP_3059	3059	TMSTMP	TIMESTMP (10, 0)
010	ASN970107135959PC	0	CNTL_SERVER			CHAR (18, 0)
		0	COPY_OWNER			CHAR (18, 0)
		0	COPY_SERVER			CHAR (18, 0)
		0	COPY_STRUCTURE			SMALLINT (2, 0)
		0	COPY_TABLE			CHAR (18, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		0	IBMSNAP_LOG-MARKER			TIMESTMP	10	0
		0	PRUNE_LIMIT_SEQ			CHAR	10	0
		0	ADPEC_0801	0801	ADPE-IDEN-CD	CHAR	1	0
		0	CRITL_CD_FIIG_3843	3843	CRITL-CD-FIIG	CHAR	1	0
		0	DELT_RSN_CD_4540	4540	DELT-RSN-CD	CHAR	1	0
		0	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	6	0
		0	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2	0
		0	FSG_3994	3994	ASGND-FSG	CHAR	2	0
		0	INC_4080	4080	INC	CHAR	5	0
		0	LKD_LKU_RPLM_2499	2499	LKD-LKU-RPLM-IND	INTEGER	4	0
		0	PINC_3084	3084	PINC	CHAR	7	0
		0	PMIC_0802	0802	PREC-MTLS-IND-CD	CHAR	1	0
		0	RPDMRC_4765	4765	RPDMRC	CHAR	1	0
		0	RPLM_NSN_CANC_8875	8875	RPLM-NSN-CANC	CHAR	13	0
		0	TMSTMP_3059	3059	TMSTMP	TIMESTMP	10	0
		0	TYP_II_4820	4820	TYP-OF-II-CD	CHAR	1	0
		1	NCB_CD_4130	4130	NCB-CD	CHAR	2	0
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	7	0
		3	EFF_DT_2128	2128	EFF-DT	INTEGER	4	0
011	MOE_RULE_DELT_RSN	0	TMSTMP_3059	3059	TMSTMP	TIMESTMP	10	0
		1	NCB_CD_4130	4130	NCB-CD	CHAR	2	0
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	7	0
		3	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	4	0
012	AUTODIN_MESSAGES	0	AUTODIN_DT_TM_9486	9486	AUTODIN-MSG-DT-TM	CHAR	7	0
		0	OP_MOD_MED_CD_3740	3740	OP-MODE-MED-CD	CHAR	2	0
		0	SSN_9765	9765	SSN	CHAR	4	0
		1	DOC_CTL_NBR_1015	1015	DOC-CTL-NBR	CHAR	16	0
		2	ACTY_CD_2046	2046	ACTY-CD	CHAR	6	0
		3	DIC_3920	3920	DOC-ID-CD	CHAR	3	0
		4	JRNL_TMSTMP_9487	9487	JRNL-TMSTMP	TIMESTMP	10	0
013	MAINTENANCE_DIC	1	DIC_3920	3920	DOC-ID-CD	CHAR	3	0
014	NIIN_REF_NBR_DATA	0	DAC_2640	2640	DAC	CHAR	1	0
		0	REF_NBR_3570	3570	REF-NBR-LOG	CHAR	32	0
		0	RNAAC_2900	2900	RNAAC	CHAR	2	0
		0	RNCC_2910	2910	RNCC	CHAR	1	0
		0	RNFC_2920	2920	REF-NBR-FMT-CD	CHAR	1	0
		0	RNJC_2750	2750	RNJC	CHAR	1	0
		0	RNSC_2923	2923	REF-NBR-STAT-CD	CHAR	1	0
		0	RNVC_4780	4780	RNVC	CHAR	1	0
		0	SADC_4672	4672	SVC-AGCY-DESI-CD	CHAR	2	0
		0	TMSTMP_3059	3059	TMSTMP	TIMESTMP	10	0
		1	NCB_CD_4130	4130	NCB-CD	CHAR	2	0
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	7	0
		3	CONV_REF_NBR_3571	3571	CONV-REF-NBR	CHAR	32	0
		4	CAGE_CD_9250	9250	CAGE-CD	CHAR	5	0
015	NON_CMD_ACTY_ACC	0	EFF_DT_2128	2128	EFF-DT	INTEGER	4	0
		0	TMSTMP_3059	3059	TMSTMP	TIMESTMP	10	0
		1	NCB_CD_4130	4130	NCB-CD	CHAR	2	0
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	7	0
		3	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	4	0
		4	AAC_2507	2507	ACQ-AD-CD	CHAR	1	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
016	NONEFF_DTD_ITM_DAT	0	AIR_CMTY_HDLG_9215	9215	AIR-CMDTY-SP-HDLG-CD	CHAR	2,	0)
		0	AIR_DIM_CD_9220	9220	AIR-DIM-CD	CHAR	1,	0)
		0	DEMIL_CD_0167	0167	D-MIL-CD	CHAR	1,	0)
		0	DLA_GSA_EXCPT_0511	0511	ACTY-DESI-CD-DLA-GSA	CHAR	1,	0)
		0	DT_LST_MRN_2260	2260	DT-LST-MOE-RULE-NBR-WTHD	INTEGER	4,	0)
		0	DT_NIIN_ASGMT_2180	2180	DT-NIIN-PSCN-ASGMT	INTEGER	4,	0)
		0	DT_STDZN_DEC_2300	2300	DT-STDZN-DEC	INTEGER	4,	0)
		0	ESD_EMI_CD_2043	2043	ESD-EMI-CD	CHAR	1,	0)
		0	FMSN_1515	1515	FILE-MAINT-SEQ-NBR	CHAR	3,	0)
		0	HMC_2720	2720	HMC	CHAR	2,	0)
		0	HMIC_0865	0865	HZRD-MAT-IND-CD	CHAR	1,	0)
		0	INTGTY_CD_0864	0864	INTGTY-CD	CHAR	1,	0)
		0	ISC_2650	2650	ITM-STDZN-CD	CHAR	1,	0)
		0	LCL_CD_2760	2760	LS-THN-CRLD-RTNG-CD	CHAR	1,	0)
		0	LMT_DIST_CD_4645	4645	LMT-DIST-CD	CHAR	1,	0)
		0	LST_KWN_SOS_1071	1071	LST-KWN-SOS	CHAR	3,	0)
		0	NATO_FMSN_1516	1516	NATO-FILE-MAINT-SEQ-NBR	CHAR	3,	0)
		0	NIIN_STAT_CD_2670	2670	NIIN-PSCN-STAT-CD	CHAR	1,	0)
		0	NMFC_2850	2850	NMFC-CD	CHAR	6,	0)
		0	ORG_STDZN_DEC_9325	9325	ORIG-STDZN-DEC	CHAR	2,	0)
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	2,	0)
		0	RAIL_VARI_CD_4760	4760	RAIL-VARI-CD	CHAR	1,	0)
		0	RPLM_NSN_STDZ_9525	9525	RPLM-NSN-STDZN-RL	CHAR	13,	0)
		0	SP_HDLG_CD_9240	9240	SP-HDLG-CD	CHAR	1,	0)
		0	STYL_RP_IL_DW_0771	0771	STYL-RPLY-CD-IL-DWG	CHAR	6,	0)
		0	SUB_ITM_NBR_0861	0861	NMFC-SUB-ITM-NBR	CHAR	1,	0)
		0	SUR_PRC_ID_CD_0872	0872	SURCHG-PRCSG-IND-CD	CHAR	1,	0)
		0	SUR_PRC_UN_PR_2599	2599	SURCHG-PRCSG-UNIT-PR	CHAR	9,	0)
		0	SUR_PRC_YR_2597	2597	SURCHG-PRCSG-YR	SMALLINT	2,	0)
		0	TMSTMP_3059	3059	TMSTMP	TIMESTMP	10,	0)
		0	TYPE_CGO_CD_9260	9260	TYP-CGO-CD	CHAR	1,	0)
		0	UFC_CD_MODF_3040	3040	UFC-CD-MODF	CHAR	5,	0)
		0	WTR_CMDTY_CD_9275	9275	WTR-CMDTY-CD	CHAR	3,	0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR	2,	0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	7,	0)
017	RECEIVERS	0	EFF_DT_2128	2128	EFF-DT	INTEGER	4,	0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR	2,	0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	7,	0)
		3	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	4,	0)
		4	SUPPLM_RCVR_2534	2534	SUPPLM-RCVR	CHAR	2,	0)
		5	TMSTMP_3059	3059	TMSTMP	TIMESTMP	10,	0)
018	RPLD_NSN_STDZN	0	TMSTMP_3059	3059	TMSTMP	TIMESTMP	10,	0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR	2,	0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	7,	0)
		3	RP_NSN_STD_RL_8977	8977	RPLD-NSN-STDZN-RL	CHAR	13,	0)
019	AAC_INDV_CLASSES	0	AAC_STAT_CNT_5349	5349	AAC-FSC-ACTY-LOA-AAC-NSN	INTEGER	4,	0)
		0	AAC_STAT_CNT_5431	5431	AAC-FSC-DEPT-LOA-AAC-NSN	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	2,	0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2,	0)
		4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2,	0)
		5	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	----------DATA---------- TYPE--LENGTH--DECIMAL
		6	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR (2, 0)
		7	AAC_2507	2507	ACQ-AD-CD	CHAR (1, 0)
020	ABV_MRC_DATA	0	AMRC_STAT_CNT_8224	8224	ABV-MRC-FIIG-INC-NSN	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	FIIG_4065	4065	GDE-NBR-FIIG	CHAR (6, 0)
		3	INC_4080	4080	INC	CHAR (5, 0)
		4	MRC_3445	3445	MRC	CHAR (4, 0)
021	AMC_DATA	0	AMC_STAT_CNT_6355	6355	AMC-DP-CC-BBAL-NSN	INTEGER (4, 0)
		0	AMC_STAT_CNT_6357	6357	AMC-DP-CC-ADDS-NSN	INTEGER (4, 0)
		0	AMC_STAT_CNT_6359	6359	AMC-DP-CC-DLTS-NSN	INTEGER (4, 0)
		0	AMC_STAT_CNT_6371	6371	AMC-AT-CC-BBAL-NSN	INTEGER (4, 0)
		0	AMC_STAT_CNT_6373	6373	AMC-AT-CC-ADDS-NSN	INTEGER (4, 0)
		0	AMC_STAT_CNT_6377	6377	AMC-AT-CC-DLTS-NSN	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
		4	STAT_CCTGY_3995	3995	STAT-CMDTY-CTGY	CHAR (2, 0)
		5	AMC_2871	2871	ACQ-MTHD-CD	CHAR (1, 0)
022	AMSC_DATA	0	AMC_STAT_CNT_6387	6387	AMSC-DP-AT-AMC-NSN	INTEGER (4, 0)
		0	AMC_STAT_CNT_6400	6400	AMSC-DP-AMC-NSN	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
		4	AMC_2871	2871	ACQ-MTHD-CD	CHAR (1, 0)
		5	AMSC_2876	2876	ACQ-MTHD-SUF-CD	CHAR (1, 0)
023	CAGE_DATA_NSNREF	0	CAGE_STAT_CNT_6654	6654	CAGE-NSN	INTEGER (4, 0)
		0	CAGE_STAT_CNT_6655	6655	CAGE-REF	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	CAGE_CD_9250	9250	CAGE-CD	CHAR (5, 0)
024	COMALTY_SDOD_DTL	0	ICDS_STAT_CNT_5835	5835	ICDS-FSC-ALL-LC-DOD-MM	INTEGER (4, 0)
		0	ICDS_STAT_CNT_5837	5837	ICDS-FSC-ALL-LC-MS-MM	INTEGER (4, 0)
		0	ICDS_STAT_CNT_5839	5839	ICDS-FSC-ALL-LC-IM-MM	INTEGER (4, 0)
		0	ICDS_STAT_CNT_5841	5841	ICDS-FSC-ALL-LC-OD-MM	INTEGER (4, 0)
		0	ICDS_STAT_CNT_5909	5909	ICDS-IM-ALL-LC-DOD-MM	INTEGER (4, 0)
		0	ICDS_STAT_CNT_5911	5911	ICDS-IM-ALL-LC-MS-MM	INTEGER (4, 0)
		0	ICDS_STAT_CNT_5913	5913	ICDS-IM-ALL-LC-IM-MM	INTEGER (4, 0)
		0	ICDS_STAT_CNT_5915	5915	ICDS-IM-ALL-LC-OD-MM	INTEGER (4, 0)
		0	ICDS_STAT_CNT_5925	5925	ICDS-LA-ALL-LC-DOD-MM	INTEGER (4, 0)
		0	ICDS_STAT_CNT_5927	5927	ICDS-LA-ALL-LC-MS-MM	INTEGER (4, 0)
		0	ICDS_STAT_CNT_5929	5929	ICDS-LA-ALL-LC-IM-MM	INTEGER (4, 0)
		0	ICDS_STAT_CNT_5931	5931	ICDS-LA-ALL-LC-OD-MM	INTEGER (4, 0)
		0	ICDS_STAT_CNT_5941	5941	ICDS-LA-FSC-LC-DOD-MM	INTEGER (4, 0)
		0	ICDS_STAT_CNT_5943	5943	ICDS-LA-FSC-LC-MS-MM	INTEGER (4, 0)
		0	ICDS_STAT_CNT_5945	5945	ICDS-LA-FSC-LC-IM-MM	INTEGER (4, 0)
		0	ICDS_STAT_CNT_5947	5947	ICDS-LA-FSC-LC-OD-MM	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR (7, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
		6	STAT_LOA_COMB_3090	3090	STAT-LVL-AUTH-COMB	CHAR (12, 0)
025	NATO_AUDIT_DATA	0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR (7, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		0	DIC_3920	3920	DOC-ID-CD	CHAR	3	0
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER	4	0
		0	MSG_CD_1105	1105	MSG-CD	CHAR	4	0
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	2	0
		0	PGM_ID_1108	1108	PGM-ID	CHAR	8	0
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	2	0
		1	TMSTMP_3059	3059	TMSTMP	TIMESTMP	10	0
026	CUTOFF_DATE	0	BEG_DATE_0912	0912	BEGINNING-DATE	INTEGER	4	0
		0	ENDING_DATE_0913	0913	ENDING-DATE	INTEGER	4	0
		1	TYPE_OF_STAT_0907	0907	TYPE-OF-STAT	CHAR	12	0
		2	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
027	DAC_DATA	0	DAC_STAT_CNT_5629	5629	DAC-TYPE-II-1-TOT	INTEGER	4	0
		0	DAC_STAT_CNT_5630	5630	DAC-TYPE-II-1A-TOT	INTEGER	4	0
		0	DAC_STAT_CNT_5631	5631	DAC-TYPE-II-1B-TOT	INTEGER	4	0
		0	DAC_STAT_CNT_5632	5632	DAC-TYPE-II-4-TOT	INTEGER	4	0
		0	DAC_STAT_CNT_5633	5633	DAC-TYPE-II-4A-TOT	INTEGER	4	0
		0	DAC_STAT_CNT_5634	5634	DAC-TYPE-II-4B-TOT	INTEGER	4	0
		0	DAC_STAT_CNT_5635	5635	DAC-TYPE-II-2-TOT	INTEGER	4	0
		0	DAC_STAT_CNT_5637	5637	DAC-DEPT-REF-QTY	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_LMD_RT_G_8159	8159	STAT-LIMITED-RIGHTS-GRP	CHAR	2	0
		3	STAT_DAC_SA_6592	6592	STAT-DAC-SA	CHAR	7	0
028	DEMIL_NIIN	0	DS1_STAT_CNT_8215	8215	DS1-DEML-NSC-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	DEMIL_CD_0167	0167	D-MIL-CD	CHAR	1	0
		3	NIIN_STAT_CD_2670	2670	NIIN-PSCN-STAT-CD	CHAR	1	0
029	DEPARTMENT_ACTY	0	STAT_ACTY_CH_0908	0908	STAT-DEPT-ACTY-CHANGED	DATE	,	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
		3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
030	DEPT_GOALS_TAB	0	PIC_STAT_CNT_5824	5824	PIC-DEPT-STD-PCT-ZER	INTEGER	4	0
		0	PIC_STAT_CNT_9697	9697	PIC-DEPT-STD-PCT-ONE	INTEGER	4	0
		0	PIC_STAT_CNT_9698	9698	PIC-DEPT-STD-PCT-TWO	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
031	FCS_GOAL_D_F_A_DTL	0	M3D_STAT_CNT_6329	6329	M3D-D-FSC-AT-MG	INTEGER	4	0
		0	M3D_STAT_CNT_6330	6330	M3D-D-FSC-AT-DM	INTEGER	4	0
		0	M3D_STAT_CNT_6331	6331	M3D-D-FSC-AT-DM-G	INTEGER	4	0
		0	M3D_STAT_CNT_6334	6334	M3D-D-FSC-AT-AIN	INTEGER	4	0
		0	M3D_STAT_CNT_6335	6335	M3D-D-FSC-AT-AIN-G	INTEGER	4	0
		0	M3D_STAT_CNT_6338	6338	M3D-D-FSC-AT-RN	INTEGER	4	0
		0	M3D_STAT_CNT_6339	6339	M3D-D-FSC-AT-RN-G	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		3	FSG_3994	3994	ASGND-FSG	CHAR	2	0
		4	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2	0
		5	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
032	FCS_Q_S_TYPII	0	FCS_STAT_CNT_6392	6392	FCS-SAC-TII-1-NSN	INTEGER	4	0
		0	FCS_STAT_CNT_6393	6393	FCS-SAC-TII-2-NSN	INTEGER	4	0
		0	FCS_STAT_CNT_6394	6394	FCS-SAC-TII-4-NSN	INTEGER	4	0
		0	FCS_STAT_CNT_6402	6402	FCS-C-SAC-TII-1-NSN	INTEGER	4	0
		0	FCS_STAT_CNT_6403	6403	FCS-C-SAC-TII-2-NSN	INTEGER	4	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	----------DATA---------- TYPE--LENGTH--DECIMAL
		0	FCS_STAT_CNT_6404	6404	FCS-C-SAC-TII-4-NSN	INTEGER (4, 0)
		0	FCS_STAT_CNT_6410	6410	FCS-SDP-TII-1-NSN	INTEGER (4, 0)
		0	FCS_STAT_CNT_6411	6411	FCS-SDP-TII-2-NSN	INTEGER (4, 0)
		0	FCS_STAT_CNT_6412	6412	FCS-SDP-TII-4-NSN	INTEGER (4, 0)
		0	FCS_STAT_CNT_6419	6419	FCS-C-SDP-TII-1-NSN	INTEGER (4, 0)
		0	FCS_STAT_CNT_6420	6420	FCS-C-SDP-TII-2-NSN	INTEGER (4, 0)
		0	FCS_STAT_CNT_6423	6423	FCS-C-SDP-TII-4-NSN	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
033	FIIG_COUNT_DATA	0	FIIG_4065	4065	GDE-NBR-FIIG	CHAR (6, 0)
		0	INC_4080	4080	INC	CHAR (5, 0)
		0	POP_STAT_CNT_6611	6611	POP-FIIG-EFFDTD-INC-NSN	INTEGER (4, 0)
		0	POP_STAT_CNT_6612	6612	POP-FIIG-INC-NSN	INTEGER (4, 0)
		0	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
034	FIIG_POP_MGD	0	POP_STAT_CNT_6724	6724	POP-FIIG-AIN-FSC-MG-FU	INTEGER (4, 0)
		0	POP_STAT_CNT_6725	6725	POP-FIIG-AIN-FSC-MG-PA	INTEGER (4, 0)
		0	POP_STAT_CNT_7172	7172	POP-FIIG-AIN-FSC-MG-RE	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	FIIG_4065	4065	GDE-NBR-FIIG	CHAR (6, 0)
		3	INC_4080	4080	INC	CHAR (5, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
035	FREIGHT_DATA	0	FRGT_STAT_CNT_6599	6599	FREIGHT-INC-NSN	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	NMFC_2850	2850	NMFC-CD	CHAR (6, 0)
		3	SUB_ITM_NBR_0861	0861	NMFC-SUB-ITM-NBR	CHAR (1, 0)
		4	UFC_CD_MODF_3040	3040	UFC-CD-MODF	CHAR (5, 0)
		5	INC_4080	4080	INC	CHAR (5, 0)
036	FSC_GOALS_TAB	0	M3D_STAT_CNT_6318	6318	M3D-D-FSC-DM-G	INTEGER (4, 0)
		0	M3D_STAT_CNT_6322	6322	M3D-D-FSC-AIN-G	INTEGER (4, 0)
		0	M3D_STAT_CNT_6326	6326	M3D-D-FSC-RN-G	INTEGER (4, 0)
		0	TRFR_STAT_CNT_6777	6777	TRFR-FSC-ODP-FYD-GOAL	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
037	FSC_INC_DATA	0	INC_STAT_CNT_5750	5750	INC-NSN	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	INC_4080	4080	INC	CHAR (5, 0)
038	FSC_POP_MGD	0	POP_STAT_CNT_5601	5601	POP-FSC-FIIG-AIN-MG-FU	INTEGER (4, 0)
		0	POP_STAT_CNT_5602	5602	POP-FSC-FIIG-AIN-MG-RE	INTEGER (4, 0)
		0	POP_STAT_CNT_5617	5617	POP-FSC-FIIG-AIN-MG-PA	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
		4	FIIG_4065	4065	GDE-NBR-FIIG	CHAR (6, 0)
		5	INC_4080	4080	INC	CHAR (5, 0)
039	IANDS_DEPT_DATA	0	IANS_STAT_CNT_9599	9599	IANDS-DEPT-FSC-REL-SICA	INTEGER (4, 0)
		0	IANS_STAT_CNT_9600	9600	IANDS-DEPT-FSC-MTR-SICA	INTEGER (4, 0)
		0	IANS_STAT_CNT_9601	9601	IANDS-DEPT-FSC-REL-PICA	INTEGER (4, 0)
		0	IANS_STAT_CNT_9602	9602	IANDS-DEPT-FSC-MTR-PICA	INTEGER (4, 0)
		0	IANS_STAT_CNT_9603	9603	IANDS-DEPT-FSC-TOT-FAM	INTEGER (4, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	FSG_3994	3994	ASGND-FSG	CHAR	2	0
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2	0
		4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
040	IMC_ALL_DATA	0	IMC_STAT_CNT_5653	5653	IMC-AL-DP-AT-IMC-CIC	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	7	0
		3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
		5	CRD_ID_CD_IMC_0099	0099	CRD-IDEN-CD-IMC	CHAR	1	0
		6	IMC_2744	2744	IMC	CHAR	1	0
041	AUTODIN	0	MESSAGE_LENGTH			INTEGER	4	0
		0	MESSAGE_SEG			VARCHAR	4000	0
		0	MSG_SEGMENT_NO			SMALLINT	2	0
		0	TMSTP			TIMESTMP	10	0
		0	TOTAL_MSG_SEGS			SMALLINT	2	0
042	ISC_DATA	0	ISC_STAT_CNT_5746	5746	ISC-FSC-WMGR-NSN	INTEGER	4	0
		0	ISC_STAT_CNT_5747	5747	ISC-FSC-USGOVT-NSN	INTEGER	4	0
		0	ISC_STAT_CNT_5748	5748	ISC-FSC-DOD-NSN	INTEGER	4	0
		0	ISC_STAT_CNT_5749	5749	ISC-FSC-WOMGR-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	FSG_3994	3994	ASGND-FSG	CHAR	2	0
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2	0
		4	ISC_2650	2650	ITM-STDZN-CD	CHAR	1	0
043	ITEM_NAME_DEPT_ACT	0	IN_STAT_CNT_6695	6695	IN-DP-AT-AIN-NR-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
044	NATO_CASE_DATA	0	APPL_OP_REC_9136	9136	APPL-OP-REC	VARCHAR	1500	0
		1	CASE_NBR_2544	2544	CASE-NBR	CHAR	2	0
		2	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	2	0
		3	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	2	0
		4	DT_TRAN_2310	2310	DT-TRAN	INTEGER	4	0
		5	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	7	0
		6	TMSTMP_3059	3059	TMSTMP	TIMESTMP	10	0
		7	SEG_SEQ_9414	9414	SEG-SEQ	SMALLINT	2	0
045	LOLA_INQ_STATS	0	LRN_STAT_CNT_1132	1132	LRN-RNL-ACTY-DLY	INTEGER	4	0
		0	LRN_STAT_CNT_1153	1153	LRN-P-RNL-ACTY-DLY	INTEGER	4	0
		0	LRN_STAT_CNT_1173	1173	LRN-NM-NIIN-ACTY-DLY	INTEGER	4	0
		0	LRN_STAT_CNT_1193	1193	LRN-CHS-ACTY-DLY	INTEGER	4	0
		0	LRN_STAT_CNT_1233	1233	LRN-FSG-FSC-ITM-NM-ACT-D	INTEGER	4	0
		0	LRN_STAT_CNT_1667	1667	LRN-NIIN-INQ-ACTY-DLY	INTEGER	4	0
		0	LRN_STAT_CNT_1729	1729	LRN-COMB-ACTY-DLY	INTEGER	4	0
		0	LRN_STAT_CNT_2410	2410	LRN-ACT-DLY-TOT	INTEGER	4	0
		0	LRN_STAT_CNT_3742	3742	LRN-APPL-HELP-DEPT-DLY	INTEGER	4	0
		0	LRN_STAT_CNT_5975	5975	LRN-C-NIIN-ACTY-DLY	INTEGER	4	0
		0	LRN_STAT_CNT_6178	6178	LRN-C-RNL-ACTY-DLY	INTEGER	4	0
		0	LRN_STAT_CNT_6202	6202	LRN-C-P-RNL-ACTY-DLY	INTEGER	4	0
		0	LRN_STAT_CNT_8232	8232	LRN-PROC-ACTY-DLY	INTEGER	4	0
		1	LOLA_REQ_DATE_3306	3306	LOLA-REQUEST-DATE	CHAR	8	0
		2	LOLA_STAT_SC_3307	3307	LOLA-STATS-SCOPE	CHAR	1	0
		3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
046	MDLS_INQ_ORDR_DATA	0	MDLS_STAT_CNT_7191	7191	MDLS-TOT-INQ-D1	INTEGER	4	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		0	MDLS_STAT_CNT_7192	7192	MDLS-INPUT-MATCH-D1	INTEGER	4	0
		0	MDLS_STAT_CNT_7193	7193	MDLS-TOT-OFFERED-D1	INTEGER	4	0
		0	MDLS_STAT_CNT_7197	7197	MDLS-TOT-INQ-D2	INTEGER	4	0
		0	MDLS_STAT_CNT_7198	7198	MDLS-INPUT-MATCH-D2	INTEGER	4	0
		0	MDLS_STAT_CNT_7199	7199	MDLS-TOT-OFFERED-D2	INTEGER	4	0
		0	MDLS_STAT_CNT_7202	7202	MDLS-TOT-INQ-P1	INTEGER	4	0
		0	MDLS_STAT_CNT_7203	7203	MDLS-INPUT-MATCH-P1	INTEGER	4	0
		0	MDLS_STAT_CNT_7204	7204	MDLS-TOT-OFFERED-P1	INTEGER	4	0
		0	MDLS_STAT_CNT_7208	7208	MDLS-TOT-INQ-P2	INTEGER	4	0
		0	MDLS_STAT_CNT_7209	7209	MDLS-INPUT-MATCH-P2	INTEGER	4	0
		0	MDLS_STAT_CNT_7210	7210	MDLS-TOT-OFFERED-P2	INTEGER	4	0
		0	MDLS_STAT_CNT_7214	7214	MDLS-TOT-INQ-NN	INTEGER	4	0
		0	MDLS_STAT_CNT_7215	7215	MDLS-INPUT-MATCH-NN	INTEGER	4	0
		0	MDLS_STAT_CNT_7216	7216	MDLS-TOT-OFFERED-NN	INTEGER	4	0
		0	MDLS_STAT_CNT_7220	7220	MDLS-TOT-INQ-D3	INTEGER	4	0
		0	MDLS_STAT_CNT_7221	7221	MDLS-INPUT-MATCH-D3	INTEGER	4	0
		0	MDLS_STAT_CNT_7222	7222	MDLS-TOT-OFFERED-D3	INTEGER	4	0
		0	MDLS_STAT_CNT_7625	7625	MDLS-EDIT-ERR-D1	INTEGER	4	0
		0	MDLS_STAT_CNT_7626	7626	MDLS-EDIT-ERR-D2	INTEGER	4	0
		0	MDLS_STAT_CNT_7627	7627	MDLS-EDIT-ERR-D3	INTEGER	4	0
		0	MDLS_STAT_CNT_7628	7628	MDLS-EDIT-ERR-P1	INTEGER	4	0
		0	MDLS_STAT_CNT_7629	7629	MDLS-EDIT-ERR-P2	INTEGER	4	0
		0	MDLS_STAT_CNT_7630	7630	MDLS-EDIT-ERR-NN	INTEGER	4	0
		0	MDLS_STAT_CNT_7635	7635	MDLS-ORDER-ERRS	INTEGER	4	0
		0	MDLS_STAT_CNT_7636	7636	MDLS-ASSETS-ORDERED	INTEGER	4	0
		0	MDLS_STAT_CNT_7637	7637	MDLS-COPIES-ORDERED	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
047	MDLS_UPDT_STAT_DAT	0	MDLS_R_DA_CT_1258	1258	MDLS-REP-DA-COUNT	INTEGER	4	0
		0	MDLS_R_NIINCT_1260	1260	MDLS-REP-NIIN-COUNT	INTEGER	4	0
		0	MDLS_R_PN_CT_1259	1259	MDLS-REP-PN-COUNT	INTEGER	4	0
		0	MDLS_R_TITLCT_1261	1261	MDLS-REP-TITLE-COUNT	INTEGER	4	0
		0	MDLS_STAT_CNT_7433	7433	MDLS-CHANGE-DAI-CT	INTEGER	4	0
		0	MDLS_STAT_CNT_7435	7435	MDLS-DAI-ERR-CT	INTEGER	4	0
		0	MDLS_STAT_CNT_7436	7436	MDLS-ADD-DAI-CT	INTEGER	4	0
		0	MDLS_STAT_CNT_7437	7437	MDLS-DEL-DAI-CT	INTEGER	4	0
		0	MDLS_STAT_CNT_7439	7439	MDLS-REF-NBR-ERR-CT	INTEGER	4	0
		0	MDLS_STAT_CNT_7440	7440	MDLS-ADD-REF-NBR-CT	INTEGER	4	0
		0	MDLS_STAT_CNT_7441	7441	MDLS-DEL-REF-NBR-CT	INTEGER	4	0
		0	MDLS_STAT_CNT_7443	7443	MDLS-NIIN-ERR-CT	INTEGER	4	0
		0	MDLS_STAT_CNT_7444	7444	MDLS-ADD-NIIN-CT	INTEGER	4	0
		0	MDLS_STAT_CNT_7445	7445	MDLS-DEL-NIIN-CT	INTEGER	4	0
		0	MDLS_STAT_CNT_7447	7447	MDLS-TI-ERR-CT	INTEGER	4	0
		0	MDLS_STAT_CNT_7448	7448	MDLS-ADD-TI-CT	INTEGER	4	0
		0	MDLS_STAT_CNT_7449	7449	MDLS-DEL-TI-CT	INTEGER	4	0
		0	MDLS_STAT_CNT_7450	7450	MDLS-INVALID-TYPE-ERR-CT	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		3	RPTY_ID_2638	2638	RPTY-ID	CHAR	5	0
048	MDLS_BTCH_INQ_DATA	0	MDLS_STAT_CNT_7191	7191	MDLS-TOT-INQ-D1	INTEGER	4	0
		0	MDLS_STAT_CNT_7192	7192	MDLS-INPUT-MATCH-D1	INTEGER	4	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		0	MDLS_STAT_CNT_7193	7193	MDLS-TOT-OFFERED-D1	INTEGER	4	0
		0	MDLS_STAT_CNT_7197	7197	MDLS-TOT-INQ-D2	INTEGER	4	0
		0	MDLS_STAT_CNT_7198	7198	MDLS-INPUT-MATCH-D2	INTEGER	4	0
		0	MDLS_STAT_CNT_7199	7199	MDLS-TOT-OFFERED-D2	INTEGER	4	0
		0	MDLS_STAT_CNT_7202	7202	MDLS-TOT-INQ-P1	INTEGER	4	0
		0	MDLS_STAT_CNT_7203	7203	MDLS-INPUT-MATCH-P1	INTEGER	4	0
		0	MDLS_STAT_CNT_7204	7204	MDLS-TOT-OFFERED-P1	INTEGER	4	0
		0	MDLS_STAT_CNT_7208	7208	MDLS-TOT-INQ-P2	INTEGER	4	0
		0	MDLS_STAT_CNT_7209	7209	MDLS-INPUT-MATCH-P2	INTEGER	4	0
		0	MDLS_STAT_CNT_7210	7210	MDLS-TOT-OFFERED-P2	INTEGER	4	0
		0	MDLS_STAT_CNT_7214	7214	MDLS-TOT-INQ-NN	INTEGER	4	0
		0	MDLS_STAT_CNT_7215	7215	MDLS-INPUT-MATCH-NN	INTEGER	4	0
		0	MDLS_STAT_CNT_7216	7216	MDLS-TOT-OFFERED-NN	INTEGER	4	0
		0	MDLS_STAT_CNT_7220	7220	MDLS-TOT-INQ-D3	INTEGER	4	0
		0	MDLS_STAT_CNT_7221	7221	MDLS-INPUT-MATCH-D3	INTEGER	4	0
		0	MDLS_STAT_CNT_7222	7222	MDLS-TOT-OFFERED-D3	INTEGER	4	0
		0	MDLS_STAT_CNT_7625	7625	MDLS-EDIT-ERR-D1	INTEGER	4	0
		0	MDLS_STAT_CNT_7626	7626	MDLS-EDIT-ERR-D2	INTEGER	4	0
		0	MDLS_STAT_CNT_7627	7627	MDLS-EDIT-ERR-D3	INTEGER	4	0
		0	MDLS_STAT_CNT_7628	7628	MDLS-EDIT-ERR-P1	INTEGER	4	0
		0	MDLS_STAT_CNT_7629	7629	MDLS-EDIT-ERR-P2	INTEGER	4	0
		0	MDLS_STAT_CNT_7630	7630	MDLS-EDIT-ERR-NN	INTEGER	4	0
		0	MDLS_STAT_CNT_7632	7632	MDLS-TOT-INQ-UNDEF	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
049	MGMT_CHG_DEPT_ACTY	0	MCHG_STAT_CNT_6840	6840	MGMTCHG-ACTY-NEW-NSN	INTEGER	4	0
		0	MCHG_STAT_CNT_6841	6841	MGMTCHG-ACTY-NEW-MGR-NSN	INTEGER	4	0
		0	MCHG_STAT_CNT_6842	6842	MGMTCHG-ACTY-REIN-NSN	INTEGER	4	0
		0	MCHG_STAT_CNT_6843	6843	MGMTCHG-ACTY-REACT-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
050	TIIM_INDV_CLASSES	0	M6B5_STAT_CNT_7952	7952	M6B5-FSC-DP-LOA-T1-NSN	INTEGER	4	0
		0	M6B5_STAT_CNT_7953	7953	M6B5-FSC-DP-LOA-T1A-NSN	INTEGER	4	0
		0	M6B5_STAT_CNT_7954	7954	M6B5-FSC-DP-LOA-T1B-NSN	INTEGER	4	0
		0	M6B5_STAT_CNT_7955	7955	M6B5-FSC-DP-LOA-T4-NSN	INTEGER	4	0
		0	M6B5_STAT_CNT_7956	7956	M6B5-FSC-DP-LOA-T4A-NSN	INTEGER	4	0
		0	M6B5_STAT_CNT_7957	7957	M6B5-FSC-DP-LOA-T4B-NSN	INTEGER	4	0
		0	M6B5_STAT_CNT_7958	7958	M6B5-FSC-DP-LOA-T2-NSN	INTEGER	4	0
		0	M6B6_STAT_CNT_7987	7987	M6B6-FSC-AT-LOA-T1-NSN	INTEGER	4	0
		0	M6B6_STAT_CNT_7988	7988	M6B6-FSC-AT-LOA-T1A-NSN	INTEGER	4	0
		0	M6B6_STAT_CNT_7989	7989	M6B6-FSC-AT-LOA-T1B-NSN	INTEGER	4	0
		0	M6B6_STAT_CNT_7990	7990	M6B6-FSC-AT-LOA-T4-NSN	INTEGER	4	0
		0	M6B6_STAT_CNT_7991	7991	M6B6-FSC-AT-LOA-T4A-NSN	INTEGER	4	0
		0	M6B6_STAT_CNT_7992	7992	M6B6-FSC-AT-LOA-T4B-NSN	INTEGER	4	0
		0	M6B6_STAT_CNT_7993	7993	M6B6-FSC-AT-LOA-T2-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	FSG_3994	3994	ASGND-FSG	CHAR	2	0
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2	0
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		5	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		6	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR	2	0
051	MOE_RULE_DEPT	0	MOE_STAT_CNT_7812	7812	MOE-NSN	INTEGER	4	0
		0	MOE_STAT_CNT_7813	7813	MOE-EFFDTD-DEL-NSN	INTEGER	4	0
		0	MOE_STAT_CNT_7814	7814	MOE-EFFDTD-ADD-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	4	0
052	TRANS_ACTIVE_TRACK	0	ACTY_OP_9217	9217	TM-ACTY-OP	VARCHAR	20	0
		0	DIC_OP_1052	1052	DIC-OP	CHAR	3	0
		0	INPUT_MEDIA_9170	9170	INPUT-MEDIA	CHAR	3	0
		0	IP_TRK_9221	9221	TM-IP-TRK-ID	CHAR	15	0
		0	MEDALS_FLG_9216	9216	TM-MEDALS-FLG	CHAR	3	0
		0	OP_TRK_9222	9222	TM-OP-TRK-ID	CHAR	15	0
		0	SP_PROJ_9223	9223	TM-SP-PROJ-ID	CHAR	12	0
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	21	0
053	NAIN_POP_DATA	0	POP_STAT_CNT_6729	6729	POP-NAIN-FSC-INAC	INTEGER	4	0
		0	POP_STAT_CNT_6730	6730	POP-NAIN-FSC-MG	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	FSG_3994	3994	ASGND-FSG	CHAR	2	0
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2	0
		4	NAIN_5020	5020	NON-APRVD-ITM-NM	CHAR	19	0
054	TM_MESSAGE_RECOVER	0	ACTY_CD_2046	2046	ACTY-CD	CHAR	6	0
		0	COMM_RI_9142	9142	COMM-RI	CHAR	7	0
		0	MEDIA_HEADER_9178	9178	MEDIA-HEADER	CHAR	80	0
		0	MESSAGE_LGTH_9179	9179	MESSAGE-LGTH	INTEGER	4	0
		0	RE_PROCESS_TS_9203	9203	RE-PROCESS-TS	TIMESTMP	10	0
		0	SSN_9765	9765	SSN	CHAR	4	0
		1	TMSTMP_3059	3059	TMSTMP	TIMESTMP	10	0
		2	OP_MOD_MED_CD_3740	3740	OP-MODE-MED-CD	CHAR	2	0
055	REPBL_DEPT_TOT	0	REP_STAT_CNT_1653	1653	REP-DEPT-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		3	REPBL_CD_2745	2745	REPBL-CD	CHAR	1	0
056	REPBL_ACTY_TOT	0	REP_STAT_CNT_1651	1651	REP-ACTY-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
		4	REPBL_CD_2745	2745	REPBL-CD	CHAR	1	0
057	REPBL_DEPT_LOA	0	REP_STAT_CNT_1652	1652	REP-DEPT-LOA-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		3	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR	2	0
		4	REPBL_CD_2745	2745	REPBL-CD	CHAR	1	0
058	REPBL_ACTY_LOA	0	REP_STAT_CNT_1650	1650	REP-ACTY-LOA-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
		4	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR	2	0
		5	REPBL_CD_2745	2745	REPBL-CD	CHAR	1	0
059	NATO_REF_NBR_DATA	1	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	2	0
		2	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	2	0
		3	DT_TRAN_2310	2310	DT-TRAN	INTEGER	4	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		4	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	7	0
		5	TMSTMP_3059	3059	TMSTMP	TIMESTMP	10	0
		6	REF_NBR_3570	3570	REF-NBR-LOG	CHAR	32	0
		7	CAGE_CD_9250	9250	CAGE-CD	CHAR	5	0
060	NATO_PRIMARY_DATA	0	BRNCH_CD_0997	0997	BRNCH-CD	CHAR	1	0
		0	BTCH_CTL_NBR_0998	0998	BTCH-CTL-NBR	CHAR	10	0
		0	DIC_3920	3920	DOC-ID-CD	CHAR	3	0
		0	DIC_OP_1052	1052	DIC-OP	CHAR	3	0
		0	DSK_CD_CATLG_3870	3870	DSK-CD-CATLG	CHAR	1	0
		0	DT_BILD_1041	1041	DT-BILD	INTEGER	4	0
		0	DT_DSK_CD_CHG_1013	1013	DT-TRAN-DSK-CD-CHNG	INTEGER	4	0
		0	DT_FOR_BLNG_1036	1036	DT-FLGD-FOR-BLNG	INTEGER	4	0
		0	DT_FOR_PRG_1042	1042	DT-FLGD-FOR-PURGE	INTEGER	4	0
		0	DT_FOR_RTC_1044	1044	DT-FLGD-FOR-RTC	INTEGER	4	0
		0	DT_PRCSD_1031	1031	DT-PRCSD	INTEGER	4	0
		0	DT_PRIM_OP_1008	1008	DT-PRIM-OP	INTEGER	4	0
		0	DT_PURGED_1051	1051	DT-PURGED	INTEGER	4	0
		0	DT_RTC_1016	1016	DT-RTC	INTEGER	4	0
		0	NATO_TRAN_PR_1973	1973	NATO-TRAN-PR-CD	CHAR	2	0
		0	RTC_CD_1002	1002	RTC-CD	CHAR	3	0
		0	TM_CD_1987	1987	TM-CD	CHAR	1	0
		1	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	2	0
		2	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	2	0
		3	DT_TRAN_2310	2310	DT-TRAN	INTEGER	4	0
		4	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	7	0
061	RTN_CD_CAT_TAB	1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	DIC_OP_1052	1052	DIC-OP	CHAR	3	0
		3	RTN_CD_9480	9480	RTN-CD	CHAR	2	0
		4	STAT_RETN_CAT_5666	5666	STAT-RETURN-CATEGORY	CHAR	2	0
062	STAT_OF_STATS	0	MGR_STAT_CNT_6605	6605	MGR-ACCESS-COUNT	INTEGER	4	0
		1	STATS_ACCS_DT_9705	9705	STATS-ACCESS-DATE	CHAR	10	0
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		3	TYPE_OF_STAT_0907	0907	TYPE-OF-STAT	CHAR	12	0
063	SERVICE_AGNCY_ACTY	0	STATS_SA_PREF_3844	3844	STATS-SVC-AGCY-PREF-CD	SMALLINT	2	0
		0	STAT_DAC_SA_6592	6592	STAT-DAC-SA	CHAR	7	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
064	TRN_DIC_IO_STATS	0	IO_STST_CNT_6546			INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
		3	DIC_OP_1052	1052	DIC-OP	CHAR	3	0
		4	DIC_IP_3921	3921	DIC-IP	CHAR	3	0
		5	RTN_CD_9480	9480	RTN-CD	CHAR	2	0
065	TRN_DIC_SAC_DTL	0	DIC_STAT_CNT_5325	5325	DIC-SAC-DEPT-TOT-NIINST	INTEGER	4	0
		0	DIC_STAT_CNT_6779	6779	DIC-SAC-NIINST	INTEGER	4	0
		0	DIC_STAT_CNT_6780	6780	DIC-SAC-RULES	INTEGER	4	0
		0	DIC_STAT_CNT_6781	6781	DIC-SAC-CLRCL	INTEGER	4	0
		0	DIC_STAT_CNT_6782	6782	DIC-SAC-PDUPS	INTEGER	4	0
		0	DIC_STAT_CNT_6783	6783	DIC-SAC-ADUPS	INTEGER	4	0
		0	DIC_STAT_CNT_6786	6786	DIC-SAC-APRVD	INTEGER	4	0
		0	DIC_STAT_CNT_6788	6788	DIC-SAC-RECVD	INTEGER	4	0
		0	DIC_STAT_CNT_9587	9587	DIC-SAC-DEPT-TOT-RECVD	INTEGER	4	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	----------DATA---------- TYPE--LENGTH--DECIMAL
		0	DIC_STAT_CNT_9589	9589	DIC-SAC-DEPT-TOT-APRVD	INTEGER (4, 0)
		0	DIC_STAT_CNT_9591	9591	DIC-SAC-DEPT-TOT-ADUPS	INTEGER (4, 0)
		0	DIC_STAT_CNT_9592	9592	DIC-SAC-DEPT-TOT-PDUPS	INTEGER (4, 0)
		0	DIC_STAT_CNT_9593	9593	DIC-SAC-DEPT-TOT-CLRCL	INTEGER (4, 0)
		0	DIC_STAT_CNT_9594	9594	DIC-SAC-DEPT-TOT-RULES	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
		4	DIC_IP_3921	3921	DIC-IP	CHAR (3, 0)
066	SCRN_OTHER	0	LSND_STAT_CNT_5469	5469	SCN-LSN-NSN-DP-CUR-MTH	INTEGER (4, 0)
		0	LSND_STAT_CNT_5470	5470	SCN-LSN-NSN-DP-CUR-NMTH	INTEGER (4, 0)
		0	LSND_STAT_CNT_5471	5471	SCN-LSN-NSN-DP-CUR-REJ	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
067	TYPII_OAC_QTR	0	TRFR_STAT_CNT_6744	6744	TRFR-OAC-CUR-T2-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_6745	6745	TRFR-OAC-CUR-T1-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_6746	6746	TRFR-OAC-CUR-T4-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_6754	6754	TRFR-ODP-CUR-T2-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_6755	6755	TRFR-ODP-CUR-T1-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_6756	6756	TRFR-ODP-CUR-T4-NSN	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
068	TYPII_SAC_FYD	0	TRFR_STAT_CNT_2455	2455	TRFR-SAC-FYD-T2-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_2456	2456	TRFR-SAC-FYD-T1-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_2457	2457	TRFR-SAC-FYD-T4-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_9643	9643	TRFR-SDP-FYD-T2-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_9644	9644	TRFR-SDP-FYD-T1-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_9645	9645	TRFR-SDP-FYD-T4-NSN	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
069	CAGE_CLEAR_TEXT	0	ORG_ID_TXT_SG_0010	0010	ORGN-IDEN-CLRTXT-LI-SEG	VARCHAR (1096, 0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR (5, 0)
070	CAGE_EDI_INPUT	0	CAGE_STAT_CD_2694	2694	CAGE-NSCM-STAT-CD	CHAR (1, 0)
		0	DUNS_3405	3405	DUNS	CHAR (9, 0)
		0	INPUT_RECORD_9171	9171	INPUT-RECORD	VARCHAR (1128, 0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR (5, 0)
071	MIOS_ACTIVE_SEG	0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR (1, 0)
		0	SEGMENT_DATA_9416	9416	SEGMENT-DATA	VARCHAR (1127, 0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR (21, 0)
		2	SEGMENT_CD_9415	9415	SEGMENT-CD	CHAR (3, 0)
		3	SEG_SEQ_9414	9414	SEG-SEQ	SMALLINT (2, 0)
072	FIIG_DRAWING_DATA	0	DWG_STAT_DT_5073	5073	DWG-STAT-DT	INTEGER (4, 0)
		0	DWG_STAT_IND_5072	5072	DWG-STAT-IND	CHAR (1, 0)
		0	FIIG_DWG_SEQ_5061	5061	FIIG-DWG-SEQ	SMALLINT (2, 0)
		0	FIIG_DWG_TI_5062	5062	FIIG-DWG-TI	VARCHAR (120, 0)
		1	DWG_FIIG_4069	4069	DWG-FIIG	CHAR (5, 0)
		2	FIIG_SCTN_ID_5069	5069	FIIG-SCTN-ID	CHAR (1, 0)
		3	REF_DWG_GP_DS_3565	3565	REF-DWG-GP-DES	CHAR (2, 0)
		4	FIIG_SB_SC_ID_5071	5071	FIIG-SB-SC-ID	CHAR (2, 0)
		5	STYL_NBR_FIIG_0768	0768	STYL-NBR-FIIG	CHAR (5, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
073	EFF_AMMO_CD_DESC	0	CL_ASST_MODH3_9553	9553	CLAS-ASST-MOD-H3	VARCHAR	1762,	0)
		0	DT_ESTB_CANC_0308	0308	DT-ESTB-CANC-RCD-DIDS	INTEGER	4,	0)
		0	EFF_DT_2128	2128	EFF-DT	INTEGER	4,	0)
		0	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2,	0)
		0	FSG_3994	3994	ASGND-FSG	CHAR	2,	0)
		0	INC_4080	4080	INC	CHAR	5,	0)
		0	STA_CD_NM_FSC_0320	0320	STATUS-CD-NM-FSC	CHAR	1,	0)
		0	USR_CD_1101	1101	USR-CD	CHAR	8,	0)
		1	AMMO_CD_8805	8805	AMMO-CD	CHAR	4,	0)
		2	TMSTMP1_4564	4564	TMSTMP1	TIMESTMP	10,	0)
074	TM_SEGMENT_DROP	0	ALL_SEGS_DRPD_9735	9735	ALL-SEGS-DRPD-IND	CHAR	1,	0)
		0	DRPD_SEG_1_9711	9711	DRPD-SEG-1-IND	CHAR	1,	0)
		0	DRPD_SEG_6_9712	9712	DRPD-SEG-6-IND	CHAR	1,	0)
		0	DRPD_SEG_7_9713	9713	DRPD-SEG-7-IND	CHAR	1,	0)
		0	DRPD_SEG_9_9714	9714	DRPD-SEG-9-IND	CHAR	1,	0)
		0	DRPD_SEG_A_9715	9715	DRPD-SEG-A-IND	CHAR	1,	0)
		0	DRPD_SEG_B_9716	9716	DRPD-SEG-B-IND	CHAR	1,	0)
		0	DRPD_SEG_C_9717	9717	DRPD-SEG-C-IND	CHAR	1,	0)
		0	DRPD_SEG_D_9718	9718	DRPD-SEG-D-IND	CHAR	1,	0)
		0	DRPD_SEG_E_9719	9719	DRPD-SEG-E-IND	CHAR	1,	0)
		0	DRPD_SEG_F_9720	9720	DRPD-SEG-F-IND	CHAR	1,	0)
		0	DRPD_SEG_G_9721	9721	DRPD-SEG-G-IND	CHAR	1,	0)
		0	DRPD_SEG_H_9722	9722	DRPD-SEG-H-IND	CHAR	1,	0)
		0	DRPD_SEG_J_9723	9723	DRPD-SEG-J-IND	CHAR	1,	0)
		0	DRPD_SEG_K_9724	9724	DRPD-SEG-K-IND	CHAR	1,	0)
		0	DRPD_SEG_L_9725	9725	DRPD-SEG-L-IND	CHAR	1,	0)
		0	DRPD_SEG_M_9726	9726	DRPD-SEG-M-IND	CHAR	1,	0)
		0	DRPD_SEG_N_9727	9727	DRPD-SEG-N-IND	CHAR	1,	0)
		0	DRPD_SEG_P_9728	9728	DRPD-SEG-P-IND	CHAR	1,	0)
		0	DRPD_SEG_Q_9729	9729	DRPD-SEG-Q-IND	CHAR	1,	0)
		0	DRPD_SEG_R_9730	9730	DRPD-SEG-R-IND	CHAR	1,	0)
		0	DRPD_SEG_V_9731	9731	DRPD-SEG-V-IND	CHAR	1,	0)
		0	DRPD_SEG_W_9732	9732	DRPD-SEG-W-IND	CHAR	1,	0)
		0	DRPD_SEG_Y_9733	9733	DRPD-SEG-Y-IND	CHAR	1,	0)
		0	DRPD_SEG_Z_9734	9734	DRPD-SEG-Z-IND	CHAR	1,	0)
		1	ACTY_CD_2046	2046	ACTY-CD	CHAR	6,	0)
		2	DIC_3920	3920	DOC-ID-CD	CHAR	3,	0)
075	NIIN_DRAWING_DATA	0	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	6,	0)
		0	PRPRTY_IND_5066	5066	PRPRTY-IND	CHAR	1,	0)
		1	DGTZD- _DWG_NBR_0772	0772	DGTZD-DWG-NBR	CHAR	15,	0)
		2	NCB_CD_4130	4130	NCB-CD	CHAR	2,	0)
		3	I_I_NBR_4131	4131	I-I-NBR	CHAR	7,	0)
076	FSC_NOTE_DAT_GROUP	0	FSC_DT_E_C_RC_5182	5182	FSC-DT-ESB-CANC-RCD-DIDS	INTEGER	4,	0)
		0	FSC_EXCL_NAR_0376	0376	FSC-EXCL-NAR	VARCHAR	1978,	0)
		0	FSC_INCL_NAR_0375	0375	FSC-INCL-NAR	VARCHAR	1978,	0)
		0	FSC_NOTE_4962	4962	FSC-NOTE	VARCHAR	1978,	0)
		0	FSC_TI_4970	4970	FSC-TI	VARCHAR	1978,	0)
		1	FSG_3994	3994	ASGND-FSG	CHAR	2,	0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2,	0)
		3	STA_CD_NM_FSC_0320	0320	STATUS-CD-NM-FSC	CHAR	1,	0)
077	ADP_CAO_DATA	0	ADP_PNT_CD_8835	8835	ADP-PNT-CD	CHAR	6,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	----------DATA---------- TYPE--LENGTH--DECIMAL
		0	CAO_CD_8870	8870	CAO-CD	CHAR (6, 0)
		0	ST_US_POSN_AB_0186	0186	STA-US-POSN-ABR	CHAR (2, 0)
		1	FRM_ZIP_CD_3414	3414	FRM-ZIP-CD	CHAR (5, 0)
		2	TO_ZIP_CD_3415	3415	TO-ZIP-CD	CHAR (5, 0)
079	BUSINESS_CAT_DATA	0	SIC_CD_SQ_IND_9368	9368	SIC-CD-SQ-IND	CHAR (1, 0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR (5, 0)
		2	STD_IND_CL_CD_1368			CHAR (4, 0)
080	IT_VLD_IMCA_TBL	1	IMCA_4075	4075	IMCA	CHAR (2, 0)
081	CAGE_AUDIT_DATA	0	DE_IMG_AFT_CG_1377	1377	DATA-ELE-IMG-AFT-CHNG	CHAR (36, 0)
		0	DE_IMG_BEF_CG_1376	1376	DATA-ELE-IMG-BEF-CHNG	CHAR (36, 0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR (5, 0)
		2	DRN_0950	0950	DATA-REC-NBR	CHAR (4, 0)
		3	USR_CD_1101	1101	USR-CD	CHAR (8, 0)
		4	TMSTMP1_4564	4564	TMSTMP1	TIMESTMP (10, 0)
082	CAGE_DATA_1	0	ACTY_CD_2046	2046	ACTY-CD	CHAR (6, 0)
		0	ASSOC_CD_CAGE_8855	8855	ASSOC-CD-CAGE-NSCM-CD	CHAR (5, 0)
		0	BUS_FM_CD_3406	3406	BUS-FM-CD	CHAR (1, 0)
		0	CAGE_NSCM_DES_2620	2620	CAGE-NSCM-DESI-CD	CHAR (1, 0)
		0	CAGE_RQST_RSN_3407	3407	CAGE-RQST-RSN-CD	CHAR (1, 0)
		0	CAGE_STAT_CD_2694	2694	CAGE-NSCM-STAT-CD	CHAR (1, 0)
		0	CAGE_TYP_CD_4238	4238	CAGE-NSCM-TYP-CD	CHAR (1, 0)
		0	CNBR_SYS_I_0845	0845	COMN-NBRING-SYS-IND	CHAR (1, 0)
		0	CONTR_ESTBMT_3404	3404	CONTR-ESTBMT-CD	CHAR (9, 0)
		0	CONTR_ID_CHNG_3412	3412	CONTR-ID-CHNG-CD	CHAR (1, 0)
		0	CRTFN_NBR_5295	5295	CRTFN-NBR	CHAR (7, 0)
		0	DT_OE_RCD_EST_2262	2262	DT-OE-RCD-ESTB	INTEGER (4, 0)
		0	DUNS_3405	3405	DUNS	CHAR (9, 0)
		0	FRN_DOM_CD_4235	4235	FOR-DOM-DESI-CD	CHAR (1, 0)
		0	MINM_ADRS_CD_2645	2645	MINM-ADRS-CD	CHAR (1, 0)
		0	PARNT_TAXPYR_3403	3403	PARNT-TAXPYR-ID	CHAR (9, 0)
		0	PLND_PRDCR_CD_3411	3411	CONTR-PLND-PRDCR-CD	CHAR (1, 0)
		0	PR_BUS_CAT_CD_1365	1365	PRIM-BUS-CTGY-CD	CHAR (1, 0)
		0	SZ_OF_BUS_CD_1364	1364	SZ-OF-BUS-CD	CHAR (1, 0)
		0	TAX_PYR_EXMPN_3402	3402	TAXPYR-ID-EXMPN-CD	CHAR (1, 0)
		0	TAX_PYR_ID_3401	3401	TAXPYR-ID	CHAR (9, 0)
		0	TYP_BUS_CD_1366	1366	TYP-OF-BUS-CD	CHAR (1, 0)
		0	TYP_CAGE_AFFL_0250	0250	TYPE-CAGE-NSCM-AFFL-CD	CHAR (1, 0)
		0	USR_CD_1101	1101	USR-CD	CHAR (8, 0)
		0	WMN_OWND_BUS_1367	1367	WMN-OWND-BUS-CD	CHAR (1, 0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR (5, 0)
083	CAGE_LI_NBR_DATA	0	DT_OE_LI_CHG_8656	8656	DT-OE-LI-SEG-CHNGD	INTEGER (4, 0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR (5, 0)
		2	OE_LI_SEG_NBR_1001	1001	OE-LI-SEG-NBR	CHAR (2, 0)
084	IMPS_HEADERS_IN	0	COMM_RI_9142	9142	COMM-RI	CHAR (7, 0)
		0	EDIT_CMPLT_TS_9383	9383	EDIT-CMPLTD-TS	TIMESTMP (10, 0)
		0	EDIT_RESULTS_9384	9384	EDIT-RESULTS-TX	CHAR (20, 0)
		0	EDIT_STAT_9382	9382	EDIT-STAT-CD	CHAR (1, 0)
		0	INPUT_MEDIA_9170	9170	INPUT-MEDIA	CHAR (2, 0)
		0	LOG_MSG_TS_9381	9381	LOG-MSG-TMSTMP	TIMESTMP (10, 0)
		0	MED_TRAIL_9387	9387	TM-MED-TRAIL-TX	CHAR (80, 0)
		0	MESSAGE_LGTH_9179	9179	MESSAGE-LGTH	INTEGER (4, 0)
		0	RECVD_MSG_TS_9386	9386	TM-RECVD-MSG-TS	TIMESTMP (10, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		0	RECVD_TD_QUE_9388	9388	TM-RECVD-TD-QUE-TX	CHAR	4	0
		0	RELED_MSG_TS_9385	9385	TM-RELED-MSG-TS	TIMESTMP	10	0
		0	RE_PRCSD_TS_9394	9394	TM-RE-PRCSD-MSG-TS	TIMESTMP	10	0
		0	SSN_9765	9765	SSN	CHAR	4	0
		1	MEDIA_HEADER_9178	9178	MEDIA-HEADER	CHAR	80	0
		2	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER	4	0
085	IMPS_MESSAGES_IN	0	MSG_TX_9389	9389	TM-MSG-TX	VARCHAR	22000	0
		1	MEDIA_HEADER_9178	9178	MEDIA-HEADER	CHAR	80	0
		2	LOG_MSG_TS_9381	9381	LOG-MSG-TMSTMP	TIMESTMP	10	0
		3	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER	4	0
086	IMPS_ERROR_LOG	0	ACTY_CD_2046	2046	ACTY-CD	CHAR	6	0
		0	CICS_ERR_9392	9392	CICS-ERR-CD	CHAR	4	0
		0	DB2_SQL_ERR_9390	9390	DB2-SQL-ERR-CD	INTEGER	4	0
		0	DB2_SQL_STA_9391	9391	DB2-SQL-STA-ERR-CD	CHAR	5	0
		0	ERROR_TS_9152	9152	ERROR-TS	TIMESTMP	10	0
		0	ERR_MSG_9393	9393	ERR-MSG-TX	VARCHAR	256	0
		0	PGM_ID_1108	1108	PGM-ID	CHAR	8	0
		1	LOG_MSG_TS_9381	9381	LOG-MSG-TMSTMP	TIMESTMP	10	0
088	MOE_RULE_STATS	0	MOE_CR_ADD_CT_1109	1109	MOE-CUR-ADD-CT	INTEGER	4	0
		0	MOE_CR_CHG_CT_1117	1117	MOE-CUR-CHG-CT	INTEGER	4	0
		0	MOE_CR_DEL_CT_1119	1119	MOE-CUR-DEL-CT	INTEGER	4	0
		0	MOE_ED_ADD_CT_1493	1493	MOE-EFF-DT-ADD-CT	INTEGER	4	0
		0	MOE_ED_CHG_CT_1495	1495	MOE-EFF-DT-CHG-CT	INTEGER	4	0
		0	MOE_ED_DEL_CT_1497	1497	MOE-EFF-DT-DEL-CT	INTEGER	4	0
		0	MOE_MST_INQ_C_1499	1499	MOE-MOE-MSTR-INQ-CT	INTEGER	4	0
		1	MR_STAT_DT_3474			INTEGER	4	0
089	SNF_NIINS	0	SNF_TYP_UPDT_9309	9309	SNF-TYP-UPDT	CHAR	1	0
		1	NCB_CD_4130	4130	NCB-CD	CHAR	2	0
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	7	0
		3	SNF_END_DT_9308	9308	SNF-END-DT	INTEGER	4	0
090	CDD_FRT_DEST_DATA	0	DATE_LST_CHG_0043	0043	DATE-LST-CHG	INTEGER	4	0
		0	FRT_CD_STAT_2090	2090	FRT-CD-STAT-CD	CHAR	1	0
		0	FRT_DESC_4020	4020	FRT-DESC	CHAR	35	0
		0	LST_TL_CD_2770	2770	LS-THN-TL-RTNG-CD	CHAR	1	0
		0	TYP_LST_ACT_0044	0044	TYP-LST-ACT	CHAR	1	0
		1	NMFC_2850	2850	NMFC-CD	CHAR	6	0
		2	SUB_ITM_NBR_0861	0861	NMFC-SUB-ITM-NBR	CHAR	1	0
		3	UFC_CD_MODF_3040	3040	UFC-CD-MODF	CHAR	5	0
091	COLLOQ_XREF	0	DT_ESTB_CANC_0308	0308	DT-ESTB-CANC-RCD-DIDS	INTEGER	4	0
		0	REL_INC_2926	2926	REL-INC	CHAR	5	0
		1	EFF_DT_2128	2128	EFF-DT	INTEGER	4	0
		2	NM_CD_2303	2303	NM-CD	CHAR	5	0
092	DEBARRED_BDRS_DATA	0	DBRD_END_DT_0867	0867	DBRD-CONTR-END-DT	INTEGER	4	0
		0	DBRD_STAT_CD_0866	0866	DBRD-BDR-STAT-CD	CHAR	1	0
		0	DBRMT_SYM-_MNG_1380	1380	DBRMT-PPSL-INITR-SYM-MNG	CHAR	30	0
		0	DBR_PRO_I_SYM_0868	0868	DOD-DBRMT-PPSL-INITR-SYM	CHAR	5	0
		0	DT_DBR_REC_CH_1375	1375	DT-DBRD-BDR-RCD-CHNGD	INTEGER	4	0
		0	DT_DBR_REC_ES_1374	1374	DT-DBRD-BDR-RCD-ESTB	INTEGER	4	0
		0	USR_CD_1101	1101	USR-CD	CHAR	8	0
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR	5	0
093	MOE_RULE_TBL	0	AUTH_II_SUBMR_2535	2535	AUTHZD-II-DATA-SUBMR-CD	CHAR	2	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		0	CMDTY_MMC-_DOD_2611	2611	CMDTY-MAT-MGMT-CD-DOD	CHAR	1	0
		0	COG_CD_NVY_2608	2608	COG-CD-NVY	CHAR	2	0
		0	CRYPTO_IND_CD_0857	0857	CRYPTO-IND-CD	CHAR	1	0
		0	DATE_LST_CHG_0043	0043	DATE-LST-CHG	INTEGER	4	0
		0	FSC_M_RL_C_IN_0122	0122	FSC-MOE-RULE-CHNG-IND	CHAR	1	0
		0	FUT_M_RL_ST_C_0297	0297	FUT-CT-MOE-RULE-STAT-CD	CHAR	1	0
		0	MAJ_MCC_AR_9256	9256	MAJ-MCC-AR	CHAR	1	0
		0	MAT_MGMT_MC_9257	9257	MAT-MGMT-CD-MC	CHAR	1	0
		0	MGMT_EXCP_NTS_9542	9542	MGMT-EXCP-NOTES	VARCHAR	500	0
		0	MMAC_AF_2836	2836	MAT-MGMT-AG-CD-AF	CHAR	2	0
		0	M_RL_STAT_CD_8458	8458	MOE-RULE-STAT-CD	CHAR	1	0
		0	PICA_2866	2866	PICA	CHAR	2	0
		0	PICA_LOA_3505	3505	PICA-LVL-AUTH-CD	CHAR	2	0
		0	RPLM_M_RL_NBR_0226	0226	RPLM-MOE-RULE-NBR1	CHAR	4	0
		0	SICA_2938	2938	SICA-CD	CHAR	2	0
		0	SICA_LOA_9547	9547	SICA-LVL-AUTH	CHAR	2	0
		1	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	4	0
		2	EFF_DT_2128	2128	EFF-DT	INTEGER	4	0
094	EFF_DTD_FSC	0	AF_FSC_MGR_8860	8860	AF-FSC-MGR	CHAR	2	0
		0	AR_FSC_MGR_8831	8831	AR-FSC-MGR	CHAR	2	0
		0	CMDTY_MMC-_DOD_2611	2611	CMDTY-MAT-MGMT-CD-DOD	CHAR	1	0
		0	EFF_DT_2128	2128	EFF-DT	INTEGER	4	0
		0	FSC_DT_E_C_RC_5182	5182	FSC-DT-ESB-CANC-RCD-DIDS	INTEGER	4	0
		0	FSC_M_RL_C_IN_0122	0122	FSC-MOE-RULE-CHNG-IND	CHAR	1	0
		0	H_D_BRK_CMDTY_3428	3428	HI-DLR-BRKOT-CMDTY-CTG	CHAR	1	0
		0	IMCA_4075	4075	IMCA	CHAR	2	0
		0	IMM_9090	9090	IMM	CHAR	2	0
		0	SIN_SUBM_ACTY_9255	9255	SIN-SUBMG-ACTY-CD	CHAR	2	0
		0	STA_CD_NM_FSC_0320	0320	STATUS-CD-NM-FSC	CHAR	1	0
		0	STDZN_SUBMR_0749	0749	STDZN-SUBMG-ACTY-CD	CHAR	2	0
		0	SUBJ_IMM_M_CD_9545	9545	SUBJ-INTEG-MAT-MGMT-CD	CHAR	1	0
		0	SUBJ_IM_CDNG_9546	9546	SUBJ-ITM-MGMT-CDNG	CHAR	1	0
		0	SUBJ_SI_SUB_P_9544	9544	SUBJ-SIN-SUBMR-PRO	CHAR	1	0
		0	SUBJ_TO_WIMM_0090	0090	SUBJ-TO-WIMM	CHAR	1	0
		0	TMSTMP2_4402	4402	TMSTMP2	TIMESTMP	10	0
		1	FSG_3994	3994	ASGND-FSG	CHAR	2	0
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2	0
095	EFF_MOE_RULE_COLBR	1	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	4	0
		2	EFF_DT_2128	2128	EFF-DT	INTEGER	4	0
		3	AUTH_II_COLBR_2531	2531	AUTHZD-II-DATA-COLLBR-CD	CHAR	2	0
096	EFF_MOE_RULE_RCVR	1	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	4	0
		2	EFF_DT_2128	2128	EFF-DT	INTEGER	4	0
		3	AUTH_II_RCVR_2532	2532	AUTHZD-II-DATA-RCVR-CD	CHAR	2	0
097	FRT_STATS_ENTITY	0	FR_EXD_ADD_CT_1960	1960	FRT-EXTND-DESC-ADD-CT	INTEGER	4	0
		0	FR_EXD_ADD_ER_1955	1955	FRT-EXTND-DESC-ADD-ER-CT	INTEGER	4	0
		0	FR_EXD_CHG_CT_1961	1961	FRT-EXTND-DESC-CHG-CT	INTEGER	4	0
		0	FR_EXD_CHG_ER_1532	1532	FRT-EXTND-DESC-CHG-ER-CT	INTEGER	4	0
		0	FR_EXD_DEL_CT_1962	1962	FRT-EXTND-DESC-DEL-CT	INTEGER	4	0
		0	FR_EXD_DEL_ER_1957	1957	FRT-EXTND-DESC-DEL-ER-CT	INTEGER	4	0
		0	FR_MST_ADD_CT_1524	1524	FRT-MSTR-ADD-CT	INTEGER	4	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	----------DATA---------- TYPE--LENGTH--DECIMAL
		0	FR_MST_ADD_ER_1517	1517	FRT-MSTR-ADD-ER-CT	INTEGER (4, 0)
		0	FR_MST_CHG_CT_1959	1959	FRT-MSTR-CHG-CT	INTEGER (4, 0)
		0	FR_MST_CHG_ER_2029	2029	FRT-MSTR-CHG-ER-CT	INTEGER (4, 0)
		0	FR_MST_DEL_CT_1954	1954	FRT-MSTR-DELETE-CT	INTEGER (4, 0)
		0	FR_MST_DEL_ER_1533	1533	FRT-MSTR-DEL-ER-CT	INTEGER (4, 0)
		0	FR_MST_TI_FRM_1528	1528	FRT-MSTR-TIME-FRAME	INTEGER (4, 0)
		1	FR_MST_INQ_DT_1952	1952	FRT-MSTR-INQ-DATE	DATE (, 0)
098	NAMES_BY_TYP	0	APPLB_KEY_CD_0103	0103	APPLB-KEY-CD-FIIG	CHAR (3, 0)
		0	CONCEPT_NBR_4488	4488	CONCEPT-NBR	CHAR (1, 0)
		0	DT_ESTB_CANC_0308	0308	DT-ESTB-CANC-RCD-DIDS	INTEGER (4, 0)
		0	FIIG_4065	4065	GDE-NBR-FIIG	CHAR (6, 0)
		0	FSC_COND_CD_2607	2607	FSC-COND-CD	CHAR (1, 0)
		0	ITM_NM_DEF_5015	5015	ITM-NM-DEF-DLIM	VARCHAR (1762, 0)
		0	ITM_NM_TYP_CD_3308	3308	ITM-NM-TYP-CD	CHAR (1, 0)
		0	NM_PREFIX_2516	2516	NM-PREFIX	CHAR (10, 0)
		0	NM_ROOT_RMDR_2517	2517	NM-ROOT-RMDR	VARCHAR (1743, 0)
		0	SHRT_NM_2301	2301	SHRT-NM	CHAR (19, 0)
		0	STA_CD_NM_FSC_0320	0320	STATUS-CD-NM-FSC	CHAR (1, 0)
		1	NM_CD_2303	2303	NM-CD	CHAR (5, 0)
099	NM_CD_FSC_XREF	0	CL_ASST_MODH2_9554	9554	CLAS-ASST-MOD-H2	VARCHAR (1762, 0)
		0	DT_ESTB_CANC_0308	0308	DT-ESTB-CANC-RCD-DIDS	INTEGER (4, 0)
		0	EFF_DT_2128	2128	EFF-DT	INTEGER (4, 0)
		1	NM_CD_2303	2303	NM-CD	CHAR (5, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
101	RPLM_CAGE_CD	0	RPLM_CAGE_CD_3595	3595	RPLM-CAGE-CD	CHAR (5, 0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR (5, 0)
102	CICS_TO_BATCH	0	BTCH_FMT_PARM_2602	2602	BTCH-FMT-PARM	CHAR (50, 0)
		0	USR_CD_1101	1101	USR-CD	CHAR (8, 0)
		1	TMSTMP1_4564	4564	TMSTMP1	TIMESTMP (10, 0)
103	NATO_MASS_CHG	0	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
		0	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		0	RPLM_CAGE_CD_3595	3595	RPLM-CAGE-CD	CHAR (5, 0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR (5, 0)
		2	REF_NBR_3570	3570	REF-NBR-LOG	CHAR (32, 0)
		3	NCB_CD_4130	4130	NCB-CD	CHAR (2, 0)
		4	I_I_NBR_4131	4131	I-I-NBR	CHAR (7, 0)
104	BILLING_DATA	0	DT_PR_EFF_1967	1967	DT-PR-EFF	INTEGER (4, 0)
		0	NATO_FG_TR_P_1024	1024	NATO-FGN-GOVT-TRANS-PR	DECIMAL (7, 0)
		0	NATO_O_TR_PR_1972	1972	NATO-FG-OLD-TRAN-PR	DECIMAL (7, 0)
		1	DIC_IP_3921	3921	DIC-IP	CHAR (3, 0)
		2	DIC_OP_1052	1052	DIC-OP	CHAR (3, 0)
		3	NATO_TRAN_PR_1973	1973	NATO-TRAN-PR-CD	CHAR (2, 0)
105	NATO_RTN_CD_DATA	0	DRN_0950	0950	DATA-REC-NBR	CHAR (4, 0)
		0	DRN_VAL_9975	9975	DRN-VAL	VARCHAR (250, 0)
		0	RTN_CD_9480	9480	RTN-CD	CHAR (2, 0)
		1	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR (2, 0)
		2	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR (2, 0)
		3	DT_TRAN_2310	2310	DT-TRAN	INTEGER (4, 0)
		4	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR (7, 0)
		5	TMSTMP_3059	3059	TMSTMP	TIMESTMP (10, 0)
		6	SEG_SEQ_9414	9414	SEG-SEQ	SMALLINT (2, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	----------DATA---------- TYPE--LENGTH--DECIMAL			
106	NATO_TRACKING_DATA	0	DT_SECD_IP_1009	1009	DT-SECD-IP	INTEGER	(	4,	0)
		0	DT_SECD_OP_1011	1011	DT-SECD-OP	INTEGER	(	4,	0)
		0	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(	2,	0)
		0	FSG_3994	3994	ASGND-FSG	CHAR	(	2,	0)
		0	INC_4080	4080	INC	CHAR	(	5,	0)
		0	I_I_NBR_4131	4131	I-I-NBR	CHAR	(	7,	0)
		0	NAIN_5020	5020	NON-APRVD-ITM-NM	CHAR	(	19,	0)
		0	NCB_CD_4130	4130	NCB-CD	CHAR	(	2,	0)
		0	SUPL_DIC_IP_1028	1028	SUPLMNTRY-DIC-IP	CHAR	(	3,	0)
		0	SUPL_DIC_OP_1029	1029	SUPLMNTRY-DIC-OP	CHAR	(	3,	0)
		1	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	(	2,	0)
		2	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	(	2,	0)
		3	DT_TRAN_2310	2310	DT-TRAN	INTEGER	(	4,	0)
		4	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	(	7,	0)
		5	TMSTMP_3059	3059	TMSTMP	TIMESTMP	(	10,	0)
108	CONVERT_REF_NBR	0	CONV_REF_NBR_3571	3571	CONV-REF-NBR	CHAR	(	32,	0)
		0	REF_NBR_9999			CHAR	(	32,	0)
		1	REF_NBR_3570	3570	REF-NBR-LOG	CHAR	(	32,	0)
109	WORKLOAD_DATA	0	WRKLD_CNT_1026	1026	WRKLD-CNT	INTEGER	(	4,	0)
		0	WRKLD_LOCK_OT_2024	2024	WRKLD-LOCK-OT-CD	CHAR	(	1,	0)
		1	BRNCH_CD_0997	0997	BRNCH-CD	CHAR	(	1,	0)
		2	TM_CD_1987	1987	TM-CD	CHAR	(	1,	0)
		3	DSK_CD_CATLG_3870	3870	DSK-CD-CATLG	CHAR	(	1,	0)
110	HMIC_TBL	0	HMIC_EXPLN_3466	3466	HMIC-EXPLN	VARCHAR	(	250,	0)
		1	HMIC_0865	0865	HZRD-MAT-IND-CD	CHAR	(	1,	0)
111	CRITL_CD_FIIG_TBL	0	CRT_CD_FIG_EX_3467	3467	CRITL-CD-FIIG-EXPLN	VARCHAR	(	250,	0)
		1	CRITL_CD_FIIG_3843	3843	CRITL-CD-FIIG	CHAR	(	1,	0)
112	MDLS_INQ_ORDR_DEPT	0	MDLS_STAT_CNT_7191	7191	MDLS-TOT-INQ-D1	INTEGER	(	4,	0)
		0	MDLS_STAT_CNT_7192	7192	MDLS-INPUT-MATCH-D1	INTEGER	(	4,	0)
		0	MDLS_STAT_CNT_7193	7193	MDLS-TOT-OFFERED-D1	INTEGER	(	4,	0)
		0	MDLS_STAT_CNT_7197	7197	MDLS-TOT-INQ-D2	INTEGER	(	4,	0)
		0	MDLS_STAT_CNT_7198	7198	MDLS-INPUT-MATCH-D2	INTEGER	(	4,	0)
		0	MDLS_STAT_CNT_7199	7199	MDLS-TOT-OFFERED-D2	INTEGER	(	4,	0)
		0	MDLS_STAT_CNT_7202	7202	MDLS-TOT-INQ-P1	INTEGER	(	4,	0)
		0	MDLS_STAT_CNT_7203	7203	MDLS-INPUT-MATCH-P1	INTEGER	(	4,	0)
		0	MDLS_STAT_CNT_7204	7204	MDLS-TOT-OFFERED-P1	INTEGER	(	4,	0)
		0	MDLS_STAT_CNT_7208	7208	MDLS-TOT-INQ-P2	INTEGER	(	4,	0)
		0	MDLS_STAT_CNT_7209	7209	MDLS-INPUT-MATCH-P2	INTEGER	(	4,	0)
		0	MDLS_STAT_CNT_7210	7210	MDLS-TOT-OFFERED-P2	INTEGER	(	4,	0)
		0	MDLS_STAT_CNT_7214	7214	MDLS-TOT-INQ-NN	INTEGER	(	4,	0)
		0	MDLS_STAT_CNT_7215	7215	MDLS-INPUT-MATCH-NN	INTEGER	(	4,	0)
		0	MDLS_STAT_CNT_7216	7216	MDLS-TOT-OFFERED-NN	INTEGER	(	4,	0)
		0	MDLS_STAT_CNT_7220	7220	MDLS-TOT-INQ-D3	INTEGER	(	4,	0)
		0	MDLS_STAT_CNT_7221	7221	MDLS-INPUT-MATCH-D3	INTEGER	(	4,	0)
		0	MDLS_STAT_CNT_7222	7222	MDLS-TOT-OFFERED-D3	INTEGER	(	4,	0)
		0	MDLS_STAT_CNT_7625	7625	MDLS-EDIT-ERR-D1	INTEGER	(	4,	0)
		0	MDLS_STAT_CNT_7626	7626	MDLS-EDIT-ERR-D2	INTEGER	(	4,	0)
		0	MDLS_STAT_CNT_7627	7627	MDLS-EDIT-ERR-D3	INTEGER	(	4,	0)
		0	MDLS_STAT_CNT_7628	7628	MDLS-EDIT-ERR-P1	INTEGER	(	4,	0)
		0	MDLS_STAT_CNT_7629	7629	MDLS-EDIT-ERR-P2	INTEGER	(	4,	0)
		0	MDLS_STAT_CNT_7630	7630	MDLS-EDIT-ERR-NN	INTEGER	(	4,	0)
		0	MDLS_STAT_CNT_7635	7635	MDLS-ORDER-ERRS	INTEGER	(	4,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		0	MDLS_STAT_CNT_7636	7636	MDLS-ASSETS-ORDERED	INTEGER	4,	0)
		0	MDLS_STAT_CNT_7637	7637	MDLS-COPIES-ORDERED	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2,	0)
113	MDLS_INQ_OR_DEPT_A	0	MDLS_STAT_CNT_7191	7191	MDLS-TOT-INQ-D1	INTEGER	4,	0)
		0	MDLS_STAT_CNT_7192	7192	MDLS-INPUT-MATCH-D1	INTEGER	4,	0)
		0	MDLS_STAT_CNT_7193	7193	MDLS-TOT-OFFERED-D1	INTEGER	4,	0)
		0	MDLS_STAT_CNT_7197	7197	MDLS-TOT-INQ-D2	INTEGER	4,	0)
		0	MDLS_STAT_CNT_7198	7198	MDLS-INPUT-MATCH-D2	INTEGER	4,	0)
		0	MDLS_STAT_CNT_7199	7199	MDLS-TOT-OFFERED-D2	INTEGER	4,	0)
		0	MDLS_STAT_CNT_7202	7202	MDLS-TOT-INQ-P1	INTEGER	4,	0)
		0	MDLS_STAT_CNT_7203	7203	MDLS-INPUT-MATCH-P1	INTEGER	4,	0)
		0	MDLS_STAT_CNT_7204	7204	MDLS-TOT-OFFERED-P1	INTEGER	4,	0)
		0	MDLS_STAT_CNT_7208	7208	MDLS-TOT-INQ-P2	INTEGER	4,	0)
		0	MDLS_STAT_CNT_7209	7209	MDLS-INPUT-MATCH-P2	INTEGER	4,	0)
		0	MDLS_STAT_CNT_7210	7210	MDLS-TOT-OFFERED-P2	INTEGER	4,	0)
		0	MDLS_STAT_CNT_7214	7214	MDLS-TOT-INQ-NN	INTEGER	4,	0)
		0	MDLS_STAT_CNT_7215	7215	MDLS-INPUT-MATCH-NN	INTEGER	4,	0)
		0	MDLS_STAT_CNT_7216	7216	MDLS-TOT-OFFERED-NN	INTEGER	4,	0)
		0	MDLS_STAT_CNT_7220	7220	MDLS-TOT-INQ-D3	INTEGER	4,	0)
		0	MDLS_STAT_CNT_7221	7221	MDLS-INPUT-MATCH-D3	INTEGER	4,	0)
		0	MDLS_STAT_CNT_7222	7222	MDLS-TOT-OFFERED-D3	INTEGER	4,	0)
		0	MDLS_STAT_CNT_7625	7625	MDLS-EDIT-ERR-D1	INTEGER	4,	0)
		0	MDLS_STAT_CNT_7626	7626	MDLS-EDIT-ERR-D2	INTEGER	4,	0)
		0	MDLS_STAT_CNT_7627	7627	MDLS-EDIT-ERR-D3	INTEGER	4,	0)
		0	MDLS_STAT_CNT_7628	7628	MDLS-EDIT-ERR-P1	INTEGER	4,	0)
		0	MDLS_STAT_CNT_7629	7629	MDLS-EDIT-ERR-P2	INTEGER	4,	0)
		0	MDLS_STAT_CNT_7630	7630	MDLS-EDIT-ERR-NN	INTEGER	4,	0)
		0	MDLS_STAT_CNT_7635	7635	MDLS-ORDER-ERRS	INTEGER	4,	0)
		0	MDLS_STAT_CNT_7636	7636	MDLS-ASSETS-ORDERED	INTEGER	4,	0)
		0	MDLS_STAT_CNT_7637	7637	MDLS-COPIES-ORDERED	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2,	0)
114	MDLS_UPDT_ST_DEPT	0	MDLS_R_DA_CT_1258	1258	MDLS-REP-DA-COUNT	INTEGER	4,	0)
		0	MDLS_R_NIINCT_1260	1260	MDLS-REP-NIIN-COUNT	INTEGER	4,	0)
		0	MDLS_R_PN_CT_1259	1259	MDLS-REP-PN-COUNT	INTEGER	4,	0)
		0	MDLS_R_TITLCT_1261	1261	MDLS-REP-TITLE-COUNT	INTEGER	4,	0)
		0	MDLS_STAT_CNT_7433	7433	MDLS-CHANGE-DAI-CT	INTEGER	4,	0)
		0	MDLS_STAT_CNT_7435	7435	MDLS-DAI-ERR-CT	INTEGER	4,	0)
		0	MDLS_STAT_CNT_7436	7436	MDLS-ADD-DAI-CT	INTEGER	4,	0)
		0	MDLS_STAT_CNT_7437	7437	MDLS-DEL-DAI-CT	INTEGER	4,	0)
		0	MDLS_STAT_CNT_7439	7439	MDLS-REF-NBR-ERR-CT	INTEGER	4,	0)
		0	MDLS_STAT_CNT_7440	7440	MDLS-ADD-REF-NBR-CT	INTEGER	4,	0)
		0	MDLS_STAT_CNT_7441	7441	MDLS-DEL-REF-NBR-CT	INTEGER	4,	0)
		0	MDLS_STAT_CNT_7443	7443	MDLS-NIIN-ERR-CT	INTEGER	4,	0)
		0	MDLS_STAT_CNT_7444	7444	MDLS-ADD-NIIN-CT	INTEGER	4,	0)
		0	MDLS_STAT_CNT_7445	7445	MDLS-DEL-NIIN-CT	INTEGER	4,	0)
		0	MDLS_STAT_CNT_7447	7447	MDLS-TI-ERR-CT	INTEGER	4,	0)
		0	MDLS_STAT_CNT_7448	7448	MDLS-ADD-TI-CT	INTEGER	4,	0)
		0	MDLS_STAT_CNT_7449	7449	MDLS-DEL-TI-CT	INTEGER	4,	0)
		0	MDLS_STAT_CNT_7450	7450	MDLS-INVALID-TYPE-ERR-CT	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	----------DATA---------- TYPE--LENGTH--DECIMAL
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
115	HISTORY_CHAR_DATA	0	AND_OR_4410	4410	AND-OR	CHAR (2, 0)
		0	CDD_CLR_RPLY_4128	4128	CDD-CLR-RPLY	VARCHAR (990, 0)
		0	EFF_DT_2128	2128	EFF-DT	INTEGER (4, 0)
		0	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER (4, 0)
		0	MODE_CD_4735	4735	MODE-CD	CHAR (1, 0)
		0	MRC_SEQ_NBR_4407	4407	MRC-SEQ-NBR	SMALLINT (2, 0)
		0	PRPY_IND_4409	4409	PRPY-IND	CHAR (1, 0)
		1	TMSTMP3_4443	4443	TMSTMP3	TIMESTMP (10, 0)
		2	NCB_CD_4130	4130	NCB-CD	CHAR (2, 0)
		3	I_I_NBR_4131	4131	I-I-NBR	CHAR (7, 0)
		4	MRC_3445	3445	MRC	CHAR (4, 0)
		5	SEC_AD_IND_CD_9485	9485	SECD-ADRS-IND-CD	CHAR (1, 0)
		6	SAC_8990	8990	SAC	CHAR (3, 0)
		7	RPLY_SEQ_NBR_4408	4408	RPLY-SEQ-NBR	SMALLINT (2, 0)
116	CHAR_DATA	0	AND_OR_4410	4410	AND-OR	CHAR (2, 0)
		0	CDD_CLR_RPLY_4128	4128	CDD-CLR-RPLY	VARCHAR (990, 0)
		0	MODE_CD_4735	4735	MODE-CD	CHAR (1, 0)
		0	MRC_SEQ_NBR_4407	4407	MRC-SEQ-NBR	SMALLINT (2, 0)
		0	PRPY_IND_4409	4409	PRPY-IND	CHAR (1, 0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR (2, 0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR (7, 0)
		3	MRC_3445	3445	MRC	CHAR (4, 0)
		4	SEC_AD_IND_CD_9485	9485	SECD-ADRS-IND-CD	CHAR (1, 0)
		5	SAC_8990	8990	SAC	CHAR (3, 0)
		6	RPLY_SEQ_NBR_4408	4408	RPLY-SEQ-NBR	SMALLINT (2, 0)
117	COCO_TABLE	0	CNV_FRM_LEFT_4416	4416	CNV-FRM-LEFT	DECIMAL (15, 0)
		0	CNV_FRM_RIGHT_4417	4417	CNV-FRM-RIGHT	DECIMAL (7, 0)
		0	COCO_CONV_TYP_4415	4415	COCO-CONV-TYPE	CHAR (1, 0)
		0	UNIT_MEAS_DES_4411	4411	UNIT-MEAS-DES	VARCHAR (1300, 0)
		1	COCO_NBR_2254	2254	COCO-NBR	SMALLINT (2, 0)
118	CONV_GD_SKLTN	0	CHNG_RPLY_TO_4414	4414	CHNG-RPLY-TO	CHAR (6, 0)
		0	COCO_NBR_2254	2254	COCO-NBR	SMALLINT (2, 0)
		0	SKIP_CNT_4412	4412	SKIP-COUNT	CHAR (1, 0)
		1	SKEL_CODE_2319	2319	SKELETON-CODE	CHAR (2, 0)
		2	CHNG_RPLY_FRM_4413	4413	CHNG-RPLY-FRM	CHAR (6, 0)
119	CONVERSION_GD_DATA	0	CHNG_RPLY_TO_4414	4414	CHNG-RPLY-TO	CHAR (6, 0)
		0	CNV_FRM_LEFT_4416	4416	CNV-FRM-LEFT	DECIMAL (15, 0)
		0	CNV_FRM_RIGHT_4417	4417	CNV-FRM-RIGHT	DECIMAL (7, 0)
		0	COCO_CONV_TYP_4415	4415	COCO-CONV-TYPE	CHAR (1, 0)
		0	SKEL_CODE_2319	2319	SKELETON-CODE	CHAR (2, 0)
		0	SKIP_CNT_4412	4412	SKIP-COUNT	CHAR (1, 0)
		1	FIIG_4065	4065	GDE-NBR-FIIG	CHAR (6, 0)
		2	MRC_3445	3445	MRC	CHAR (4, 0)
		3	CHNG_RPLY_FRM_4413	4413	CHNG-RPLY-FRM	CHAR (6, 0)
120	EDIT_GUIDE_1	0	DIML_MRC_IND_0326	0326	DIML-MRC-IND	CHAR (1, 0)
		0	FIIG_SEQ_NO_4404	4404	GDE-NBR-FIIG-SEQ-NO	SMALLINT (2, 0)
		0	ISAC_IND_CD_0826	0826	OPTNL-MAND-ISAC-IND-CD	CHAR (1, 0)
		0	MRC_IND_CD_8450	8450	OPTNL-MAND-MRC-IND-CD	CHAR (1, 0)
		0	PRPTN_EDIT_CD_0762	0762	PRPTN-EDIT-SYMBL-IND-CD	CHAR (1, 0)
		0	RPLY_TBL_DCOD_3845	3845	RPLY-TBL-CD-FIIG-DCOD-GD	CHAR (4, 0)
		0	SAC_CDNG_IND_0115	0115	SAC-CDNG-IND	CHAR (1, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		0	SCR_KEY_CD_1047	1047	SCRNG-KEY-CODE	CHAR	1	0
		0	TAIL_SEQ_NO_4403	4403	TAIL-SEQ-NO	SMALLINT	2	0
		1	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	6	0
		2	INC_4080	4080	INC	CHAR	5	0
		3	MRC_3445	3445	MRC	CHAR	4	0
121	EDIT_GUIDE_2	0	CRD_SEQ_CD_8264	8264	CRD-SEQ-CD	CHAR	4	0
		0	ED_CRITE_STMT_4129	4129	EDIT-CRITE-STMT	VARCHAR	20000	0
		0	ISAC_LMTN_CD_0825	0825	ISAC-LMTN-CD	CHAR	2	0
		0	ISAC_PRES_CD_2348	2348	ISAC-PRES-CD	CHAR	1	0
		0	PROP_CHAR_CD_2514	2514	PROP-CHAR-CD	CHAR	1	0
		0	REF_MRC_4475	4475	REF-BACK-MRC	CHAR	4	0
		1	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	6	0
		2	DIC_3920	3920	DOC-ID-CD	CHAR	3	0
		3	MRC_3445	3445	MRC	CHAR	4	0
		4	MODE_CD_4735	4735	MODE-CD	CHAR	1	0
122	EDIT_GUIDE_3	0	INC_APPL_IND_4405	4405	INC-APPLIC-IND	CHAR	1	0
		0	INC_LOCKT_IND_0583	0583	INC-LOCKT-IND	CHAR	1	0
		0	TAIL_ACT_CD_2513	2513	TAIL-ACT-CD	CHAR	2	0
		1	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	6	0
		2	INC_4080	4080	INC	CHAR	5	0
123	EDIT_GUIDE_4	0	FIIG_LCKT_IND_0581	0581	FIIG-LOCKT-IND	CHAR	1	0
		1	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	6	0
124	NATO_ISAC_EXTRACT	0	RPLY_TBL_DCOD_3845	3845	RPLY-TBL-CD-FIIG-DCOD-GD	CHAR	4	0
		1	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	6	0
		2	INC_4080	4080	INC	CHAR	5	0
		3	MRC_3445	3445	MRC	CHAR	4	0
125	ISAC_RPLY_TAB	0	DCOD_ISAC_RPY_2308	2308	DCODD-ISAC-RPLY-STMT	VARCHAR	379	0
		1	RPLY_TBL_DCOD_3845	3845	RPLY-TBL-CD-FIIG-DCOD-GD	CHAR	4	0
		2	SEC_AD_IND_CD_9485	9485	SECD-ADRS-IND-CD	CHAR	1	0
		3	SAC_8990	8990	SAC	CHAR	3	0
126	MRC_RPLY_TAB	0	CD_F_LGT_RPLY_0365	0365	CD-FOR-LGTH-RPLY	SMALLINT	2	0
		0	RPLY_TBL_MRD_8254	8254	RPLY-TBL-CD-MRD	CHAR	4	0
		1	MRC_3445	3445	MRC	CHAR	4	0
		2	RPLY_DCOD_SEQ_0510	0510	RPLY-TBL-DCOD-SEQ-NBR	SMALLINT	2	0
127	MRD_DECODE	0	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	6	0
		0	KEYWRD_GRP_CD_2034	2034	KEYWRD-GRP-CD	CHAR	2	0
		0	KEYWRD- _MOD_ST_2033	2033	KEYWRD-MODIFIER-STMT	VARCHAR	108	0
		0	MODE_CD_4735	4735	MODE-CD	CHAR	1	0
		0	MRC_USG_DESI_0847	0847	MRC-USG-DESI	CHAR	1	0
		0	MRD_STATUS_CD_0816	0816	MRD-STAT-IND-CD	CHAR	1	0
		0	PRT_SKLTN_CD_0368	0368	PRT-SKLTN-CD	CHAR	1	0
		0	RQMT_RPY_INST_2648	2648	RQMT-RPLY-INST	CHAR	20	0
		0	RQMT_STMT_3614	3614	RQMT-STMT	VARCHAR	110	0
		1	MRC_3445	3445	MRC	CHAR	4	0
128	REPLY_TABLE	0	DCOD_RPLY_ST_3864	3864	DCODD-RPLY-STMT	VARCHAR	379	0
		0	RPLY_STAT_IND_2498	2498	RPLY-STAT-IND	CHAR	1	0
		1	RPLY_TBL_MRD_8254	8254	RPLY-TBL-CD-MRD	CHAR	4	0
		2	CDD_RPLY_3465	3465	CDD-RPLY	CHAR	6	0
129	DEMIL_REVIEW	0	AUTH_II_SUBMR_2535	2535	AUTHZD-II-DATA-SUBMR-CD	CHAR	2	0
		0	CIIC_2863	2863	CIIC	CHAR	1	0
		0	DEMIL_CD_0167	0167	D-MIL-CD	CHAR	1	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		0	DEMIL_MATCH			CHAR	1,	0)
		0	DISAGREE_NC_CD			CHAR	1,	0)
		0	FUTURE_REVIEW			CHAR	1,	0)
		0	ITEM_NAME			CHAR	32,	0)
		0	NEW_CIIC			CHAR	1,	0)
		0	NEW_DEMIL			CHAR	1,	0)
		0	PICA_2866	2866	PICA	CHAR	2,	0)
		1	FSG_3994	3994	ASGND-FSG	CHAR	2,	0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2,	0)
		3	NCB_CD_4130	4130	NCB-CD	CHAR	2,	0)
		4	I_I_NBR_4131	4131	I-I-NBR	CHAR	7,	0)
130	GROUPING_CRITERIA	0	CTR_ATTR_8616	8616	IDS-CTR-ATTR-ID	CHAR	2,	0)
		0	END_ACCS_NBR_8606	8606	IDS-END-ACCS-NBR	SMALLINT	2,	0)
		0	END_CMP_8607	8607	IDS-END-CMP-NBR	SMALLINT	2,	0)
		0	END_RCD_TYP_8605	8605	IDS-END-RCD-TYP-CD	SMALLINT	2,	0)
		0	FORCED_WRITE_8615	8615	IDS-FORCED-WRITE-IND	CHAR	1,	0)
		0	POST_BRK_ACCS_8612	8612	IDS-POST-BRK-ACCS-NBR	SMALLINT	2,	0)
		0	POST_BRK_CMP_8613	8613	IDS-POST-BRK-CMP-NBR	SMALLINT	2,	0)
		0	POST_BRK_POS_8614	8614	IDS-POST-BRK-POS-CD	CHAR	1,	0)
		0	POST_BRK_RCD_8611	8611	IDS-POST-BRK-RCD-TYP-CD	SMALLINT	2,	0)
		0	PRE_BRK_ACCS_8609	8609	IDS-PRE-BRK-ACCS-NBR	SMALLINT	2,	0)
		0	PRE_BRK_CMP_8610	8610	IDS-PRE-BRK-CMP-NBR	SMALLINT	2,	0)
		0	PRE_BRK_RCD_8608	8608	IDS-PRE-BRK-RCD-TYP-CD	SMALLINT	2,	0)
		0	START_ACCS_8603	8603	IDS-START-ACCS-NBR	SMALLINT	2,	0)
		0	START_CMP_8604	8604	IDS-START-CMP-NBR	SMALLINT	2,	0)
		0	START_RCD_TYP_8602	8602	IDS-START-RCD-TYP-CD	SMALLINT	2,	0)
		0	ZER_SUPRSN_8617	8617	IDS-ZER-SUPRSN-IND	CHAR	1,	0)
		1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR	10,	0)
		2	REV_LVL_2644	2644	REV-LVL	CHAR	3,	0)
		3	GRP_NBR_8601	8601	IDS-GRP-NBR	SMALLINT	2,	0)
131	STYL_RPLY_TAB	0	DCOD_STYL_RPY_2309	2309	DCODD-STYL-RPLY-STMT	VARCHAR	379,	0)
		1	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	6,	0)
		2	MRC_3445	3445	MRC	CHAR	4,	0)
		3	STYL_NBR_FIIG_0768	0768	STYL-NBR-FIIG	CHAR	5,	0)
132	APPLIC_MESSAGE_DAT	0	MSG_0983	0983	MSG	CHAR	66,	0)
		1	MSG_CD_1105	1105	MSG-CD	CHAR	4,	0)
133	EXTRACT_DESCR	0	CANC_ITM_IND_4329	4329	IDS-CANC-ITM-IND-CD	CHAR	1,	0)
		0	DEF_STAT_CD_4193	4193	IDS-DEF-STAT-CD	CHAR	1,	0)
		0	DYN_ALLOC_8627	8627	IDS-DYN-ALLOC-IND	CHAR	1,	0)
		0	EXTR_ITM_QY_4209	4209	IDS-EXTR-DATA-ITM-QY	INTEGER	4,	0)
		0	EXTR_OP_FL_4202	4202	IDS-EXTR-OP-FL-QTY	INTEGER	4,	0)
		0	EXTR_UPDT_8624	8624	IDS-EXTR-UPDT-CD	CHAR	1,	0)
		0	FILE_NM_HLQ_8628	8628	IDS-FILE-NM-HLQ-ID	CHAR	8,	0)
		0	FMT_OP_8625	8625	IDS-FMT-OP-CD	CHAR	1,	0)
		0	ITM_PRCSG_QTY_4201	4201	IDS-ITM-PRCSG-QTY	SMALLINT	2,	0)
		0	LST_PUB_DT_4191	4191	IDS-LST-PUB-DT	INTEGER	4,	0)
		0	NXT_PUB_DT_4188	4188	IDS-NXT-PUB-DT	INTEGER	4,	0)
		0	PRPY_DCOD_4253	4253	IDS-PRPY-DCOD-IND	CHAR	1,	0)
		0	PRPY_NOTC_4254	4254	IDS-PRPY-NOTC-IND	CHAR	1,	0)
		0	RCD_LGTH_ATTR_8622	8622	IDS-RCD-LGTH-ATTR-ID	VARCHAR	30,	0)
		0	RNDM_SMPL_IND_2671	2671	RNDM-SMPL-IND-CD	CHAR	1,	0)
		0	SRT_RPL_4252	4252	IDS-SRT-RPL-IND	CHAR	1,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		0	UPDT_KEY_LGTH_8626	8626	IDS-UPDT-KEY-LGTH-QY	SMALLINT	2,	0)
		0	USER_PAD_CHAR_4251	4251	IDS-USER-PAD-CHAR	SMALLINT	2,	0)
		1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR	10,	0)
		2	REV_LVL_2644	2644	REV-LVL	CHAR	3,	0)
134	IDS_JCL_GEN_INFO	0	JCL_TX_4315	4315	IDS-JCL-TX	VARCHAR	72,	0)
		1	JOB_JCL_4311	4311	IDS-JOB-JCL-ID	CHAR	7,	0)
		2	STEP_JCL_4312	4312	IDS-STEP-JCL-ID	CHAR	1,	0)
		3	JCL_TYP_4313	4313	IDS-JCL-TYP-CD	CHAR	1,	0)
		4	STEP_SEQ_4314	4314	IDS-STEP-SEQ-ID	SMALLINT	2,	0)
135	DD_PARM_CRITERIA	0	ASCII_IND_4325	4325	IDS-ASCII-IND-CD	CHAR	1,	0)
		0	FILE_RET_TIME_4322	4322	IDS-FILE-RET-TIME-QY	CHAR	3,	0)
		0	FXD_BLCKSZ_4324	4324	IDS-FXD-OP-BLCKSZ-QY	CHAR	5,	0)
		0	FXD_LRECL_4323	4323	IDS-FXD-OP-LRECL-QY	CHAR	5,	0)
		0	PRIM_SPC_ALOC_4317	4317	IDS-PRIM-SPC-ALOC-QY	CHAR	3,	0)
		0	PRIM_WS_ALOC_4319	4319	IDS-PRIM-WS-ALOC-QY	CHAR	3,	0)
		0	SECD_SPC_ALOC_4318	4318	IDS-SECD-SPC-ALOC-QY	CHAR	3,	0)
		0	SECD_WS_ALOC_4320	4320	IDS-SECD-WS-ALOC-QY	CHAR	3,	0)
		0	STOR_UNIT_TYP_4321	4321	IDS-STOR-UNIT-TYP-TX	CHAR	5,	0)
		1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR	10,	0)
		2	REV_LVL_2644	2644	REV-LVL	CHAR	3,	0)
		3	FILE_TYP_4316	4316	IDS-FILE-TYP-CD	CHAR	1,	0)
136	ITEM_DRAWING_DATA	0	ILL_ACPT_IND_4063	4063	ILL-ACPT-IND	CHAR	1,	0)
		0	ILL_ID_4066	4066	ILL-ID	CHAR	10,	0)
		0	ILL_RTN_DT_4061	4061	ILL-RTN-DT	INTEGER	4,	0)
		0	ILL_START_DT_4062	4062	ILL-START-DT	INTEGER	4,	0)
		1	DGTZD-_DWG_NBR_0772	0772	DGTZD-DWG-NBR	CHAR	15,	0)
137	MOE_CD_MOE_RL_RLTN	0	MOE_CD_2833	2833	MOE-CD	CHAR	2,	0)
		1	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	4,	0)
138	GROUPING_DESCR	0	CTR_ATTR_8616	8616	IDS-CTR-ATTR-ID	CHAR	2,	0)
		0	CTR_FUNC_8623	8623	IDS-CTR-FUNC-CD	CHAR	1,	0)
		0	END_CMP_SEQ_8620	8620	IDS-END-CMP-SEQ-NBR	SMALLINT	2,	0)
		0	FORCED_WRITE_8615	8615	IDS-FORCED-WRITE-IND	CHAR	1,	0)
		0	GRP_TYP_8618	8618	IDS-GRP-TYP-ID	CHAR	1,	0)
		0	POST_BRK_POS_8614	8614	IDS-POST-BRK-POS-CD	CHAR	1,	0)
		0	START_CMP_SEQ_8619	8619	IDS-START-CMP-SEQ-NBR	SMALLINT	2,	0)
		0	ZER_SUPRSN_8617	8617	IDS-ZER-SUPRSN-IND	CHAR	1,	0)
		1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR	10,	0)
		2	REV_LVL_2644	2644	REV-LVL	CHAR	3,	0)
		3	GRP_NBR_8601	8601	IDS-GRP-NBR	SMALLINT	2,	0)
139	ZIP_ADRS_DATA	0	CITY_1084	1084	CITY	CHAR	36,	0)
		0	CNGRSL_DSTRCT_3410	3410	CNGRSL-DSTRCT-CD	CHAR	3,	0)
		0	CNTY_NM_3409	3409	CNTY-NM	CHAR	21,	0)
		0	FIPS_CNTY_CD_1371	1371	FIPS-CNTY-CD	CHAR	3,	0)
		0	FIPS_CTY_CD_1369	1369	FIPS-CTY-CD	CHAR	5,	0)
		0	FIPS_STA_CD_1370	1370	FIPS-STA-CD	CHAR	2,	0)
		0	ST_US_POSN_AB_0186	0186	STA-US-POSN-ABR	CHAR	2,	0)
		1	ZIP_CD_4400	4400	ZIP-CD	CHAR	5,	0)
140	STAT_USER_REQUEST	0	ARCH_BEG_DT_9311	9311	ARCHIVE-BEGIN-DATE	CHAR	6,	0)
		0	ARCH_END_DT_9312	9312	ARCHIVE-END-DATE	CHAR	6,	0)
		1	USER_RQST_DT_3309	3309	STAT-USER-RQST-DT	TIMESTMP	10,	0)
		2	USR_CD_1101	1101	USR-CD	CHAR	8,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		3	TYPE_OF_STAT_0907	0907	TYPE-OF-STAT	CHAR	12,	0)
141	STAT_LOG_STATUS	0	RSTR_STAT_FLG_9314	9314	RESTORE-STATUS-FLAG	CHAR	1,	0)
		1	USR_CD_1101	1101	USR-CD	CHAR	8,	0)
		2	TYPE_OF_STAT_0907	0907	TYPE-OF-STAT	CHAR	12,	0)
		3	LOG_DT_3339	3339	STAT-LOG-DT	TIMESTMP	10,	0)
		4	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		5	DB2_ARC_GP_NO_2746	2746	DB2-ARCH-GRP-NBR	CHAR	4,	0)
142	STAT_RESTOR_STATUS	1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	DB2_ARC_GP_NO_2746	2746	DB2-ARCH-GRP-NBR	CHAR	4,	0)
143	MDLS_FTP_TRNSMT	0	RELEASED_TS_9208	9208	RELEASED-TS	TIMESTMP	10,	0)
		0	TM_TRNSMT_TS_2578	2578	TM-TRNSMT-TS	TIMESTMP	10,	0)
		1	ACTY_GRP_9133	9133	ACTY-GRP	CHAR	12,	0)
144	PSMAT_ADDR	0	ALT_OP_MED_CD_0420	0420	ALT-OP-MED-CD	CHAR	2,	0)
		0	CMD_AUTHZN_CD_0759	0759	CMD-AUTHZN-CD	CHAR	1,	0)
		0	DT_ESB_PSMT_R_0874	0874	DT-ESB-PSMAT-RD	INTEGER	4,	0)
		0	DT_LST_ACC_PS_0875	0875	DT-LST-ACCSD-PSMAT-RD	INTEGER	4,	0)
		0	OP_MOD_MED_CD_3740	3740	OP-MODE-MED-CD	CHAR	2,	0)
		0	PSO_ACT_CD_0892	0892	PSO-ACT-CD	CHAR	3,	0)
		0	P_SCR_RCV_ADD_0232	0232	PRVSNG-SCRNG-RCVR-ADRS	VARCHAR	432,	0)
		0	SVC_CD_P_SCRN_0264	0264	SVC-CD-PRVSNG-SCRNG-DEST	CHAR	2,	0)
		0	SVC_CON_ID_CD_0744	0744	SVC-CONTR-IDEN-CD	CHAR	1,	0)
		1	ACTY_CD_SCRNG_0177	0177	ACTY-CD-SCRNG	CHAR	2,	0)
		2	DEST_CD_SCRNG_3890	3890	DEST-CD-SCRNG	CHAR	5,	0)
		3	ADRS_SEQ_CD_0233	0233	ADRS-SEQ-CD	CHAR	1,	0)
145	ASSOC_ADDRESS_ENT	0	CLR_MLNG_ADRS_1282	1282	IN-THE-CLR-MLNG-ADRS	VARCHAR	320,	0)
		0	MLNG_PIC_0985	0985	MLNG-PIC	CHAR	3,	0)
		0	ZIP_CD_4400	4400	ZIP-CD	CHAR	10,	0)
		1	LBL_ID_2235	2235	LBL-ID	CHAR	2,	0)
		2	AA_0979	0979	AA	CHAR	7,	0)
146	DISTRIBUTION_ENT	0	TOT_PRD_ADRS_0978	0978	TTL-DLN-PRDCT-PER-ADRS	INTEGER	4,	0)
		1	LBL_ID_2235	2235	LBL-ID	CHAR	2,	0)
		2	AA_0979	0979	AA	CHAR	7,	0)
		3	DLN_1283	1283	DLN	CHAR	10,	0)
147	DLN_ENTITY	0	PRDCT_TI_0982	0982	PRDCT-TI	CHAR	20,	0)
		1	DLN_1283	1283	DLN	CHAR	10,	0)
148	FSC_SEGM_FILE_MNT	0	DIST_AC_SEG_M_0478	0478	DIST-ACTY-CD-SEG-M	CHAR	2,	0)
		0	FILE_MNT_RCVR_8905	8905	FILE-MAINT-RCVR-CD	CHAR	2,	0)
		1	FSG_3994	3994	ASGND-FSG	CHAR	2,	0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2,	0)
		3	MOE_CD_2833	2833	MOE-CD	CHAR	2,	0)
149	FREIGHT_LGN_DATA	0	FMR_NMFC_0096	0096	FMR-NMFC-CD	CHAR	6,	0)
		0	FMR_NMFC_SUB_0862	0862	FMR-NMFC-SUB-ITEM-NBR	CHAR	1,	0)
		0	FMR_UFC_0097	0097	FMR-UFC-CD	CHAR	5,	0)
		1	NMFC_2850	2850	NMFC-CD	CHAR	6,	0)
		2	SUB_ITM_NBR_0861	0861	NMFC-SUB-ITM-NBR	CHAR	1,	0)
		3	UFC_CD_MODF_3040	3040	UFC-CD-MODF	CHAR	5,	0)
		4	TMSTMP_3059	3059	TMSTMP	TIMESTMP	10,	0)
150	TBL_DIRECTR_CSTDN	0	TBL_CSTDN_2232	2232	TBL-CSTDN	CHAR	15,	0)
		0	TBL_CSTDN_ALT_2231	2231	TBL-CSTDN-ALT	CHAR	15,	0)
		1	TBL_NBR_1298	1298	TBL-NBR	INTEGER	4,	0)
		2	TBL_RSP_DIR_2233	2233	TBL-RSPNSBL-DRCTRT	CHAR	6,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	----------DATA---------- TYPE--LENGTH--DECIMAL
151	CAGE_KHN_BKUP	0	APPL_OP_REC_9136	9136	APPL-OP-REC	VARCHAR (1500, 0)
		1	RECVD_STAMP_9204	9204	RECVD-STAMP	TIMESTMP (10, 0)
		2	DIC_SEQ_9146	9146	DIC-SEQ	SMALLINT (2, 0)
		3	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER (4, 0)
		4	CAGE_CD_9250	9250	CAGE-CD	CHAR (5, 0)
152	MOE_RULE_PS_EDITS	1	PICA_LOA_3505	3505	PICA-LVL-AUTH-CD	CHAR (2, 0)
		2	PICA_2866	2866	PICA	CHAR (2, 0)
		3	SICA_2938	2938	SICA-CD	CHAR (2, 0)
		4	SICA_LOA_9547	9547	SICA-LVL-AUTH	CHAR (2, 0)
		5	MOE_CD_2833	2833	MOE-CD	CHAR (2, 0)
153	AMSC_AMC_COMBO	0	AMSC_AMC_VC_8009	8009	AMSC-AMC-VLD-COMBS-CD	CHAR (1, 0)
		1	AMSC_2876	2876	ACQ-MTHD-SUF-CD	CHAR (1, 0)
		2	AMC_2871	2871	ACQ-MTHD-CD	CHAR (1, 0)
154	ACQ_MTHD_CD	0	AMC_EX_5204	5204	ACQ-MTHD-CD-EXP	VARCHAR (1000, 0)
		1	AMC_2871	2871	ACQ-MTHD-CD	CHAR (1, 0)
155	ACQ_MTHD_SUF_CD	0	AMSC_EX_5205	5205	ACQ-MTHD-SUF-CD-EXPLN	VARCHAR (1000, 0)
		1	AMSC_2876	2876	ACQ-MTHD-SUF-CD	CHAR (1, 0)
156	ACQUISITION_ADV_CD	0	AAC_EXPLN_5250	5250	AAC-EXPLN	VARCHAR (1000, 0)
		0	SYM_IND_3456	3456	SYM-IND	CHAR (1, 0)
		1	AAC_2507	2507	ACQ-AD-CD	CHAR (1, 0)
157	AUTHZD_SUB_ORIG_CD	0	ACTY_CITY_3246	3246	ACTY-CITY	VARCHAR (60, 0)
		0	ACTY_NM_LINE1_3238	3238	ACTY-NM-LINE1	VARCHAR (60, 0)
		0	ACTY_NM_LINE2_3239	3239	ACTY-NM-LINE2	VARCHAR (60, 0)
		0	ACTY_NM_LINE3_3240	3240	ACTY-NM-LINE3	VARCHAR (60, 0)
		0	ACTY_NM_LINE4_3241	3241	ACTY-NM-LINE4	VARCHAR (60, 0)
		0	ACTY_NM_LINE5_3242	3242	ACTY-NM-LINE5	VARCHAR (60, 0)
		0	ACTY_OFC_SYM_3243	3243	ACTY-OFC-SYM	VARCHAR (60, 0)
		0	ACTY_ST_ADRS1_3244	3244	ACTY-ST-ADRS1	VARCHAR (60, 0)
		0	ACTY_ST_ADRS2_3245	3245	ACTY-ST-ADRS2	VARCHAR (60, 0)
		0	ACTY_ST_US_AB_3247	3247	ACTY-STA-US-POS-ABR	CHAR (2, 0)
		0	ACTY_ZIP_CD_3248	3248	ACTY-ZIP-CD	CHAR (9, 0)
		0	ALT_OP_MED_CD_0420	0420	ALT-OP-MED-CD	CHAR (2, 0)
		0	CNTRY_NM_1966	1966	CNTRY-NM	CHAR (26, 0)
		0	DROP_IN_MAINT_2223	2223	DROP-INDX-CD-MAINT	CHAR (2, 0)
		0	DROP_IN_NOTIF_2224	2224	DROP-INDX-CD-NOTIF	CHAR (2, 0)
		0	MOE_CD_2833	2833	MOE-CD	CHAR (2, 0)
		0	ORG_ACT_IND_2222	2222	ORG-ACT-IND	CHAR (1, 0)
		0	RNAAC_IND_2221	2221	RNAAC-IND	CHAR (1, 0)
		0	SSR_OP_MED_CD_2094	2094	CT-OP-MED-CD	CHAR (2, 0)
		0	SUBMR_ACT_IND_2143	2143	SUBMR-ACT-IND	CHAR (1, 0)
		0	TIR_OP_MED_CD_2093	2093	TIR-OP-MED-CD	CHAR (1, 0)
		1	ACTY_CD_2046	2046	ACTY-CD	CHAR (6, 0)
158	ACTY_CD_AND_ADD	1	ACTY_CD_2046	2046	ACTY-CD	CHAR (6, 0)
		2	CTGY_CD_0905	0905	CTGY-CD	CHAR (1, 0)
159	ACTIVITY_CAT_CODE	0	CTGY_CD_ACT_X_2227	2227	CTGY-CD-ACT-EXPLN	VARCHAR (120, 0)
		1	CTGY_CD_0905	0905	CTGY-CD	CHAR (1, 0)
160	ADDRESS_LINE_NBR	0	OE_LI_SEG_EXP_0011	0011	OE-LI-SEG-NBR-EXPLN	VARCHAR (140, 0)
		1	OE_LI_SEG_NBR_1001	1001	OE-LI-SEG-NBR	CHAR (2, 0)
161	ADPE_IDENTIFICA_CD	0	ADPEC_DEF_5262	5262	ADPE-IDEN-CD-DEF	VARCHAR (1000, 0)
		1	ADPEC_0801	0801	ADPE-IDEN-CD	CHAR (1, 0)
162	AIR_CMDTY_CD	0	AIR_CMTY_EX_5232	5232	AIR-CMDTY-CD-EXPLN	VARCHAR (350, 0)
		1	AIR_CMDTY_CD_2497	2497	AIR-CMDTY-CD	CHAR (1, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	----------DATA---------- TYPE--LENGTH--DECIMAL
163	AIR_DIMENSION_CD	0	AIR_DIM_CD_EX_5231	5231	AIR-DIM-CD-EXPLN	VARCHAR (1000, 0)
		1	AIR_DIM_CD_9220	9220	AIR-DIM-CD	CHAR (1, 0)
164	AF_BUDGET_CD	0	AF_BDGT_APPRP_3160	3160	AF-BDGT-APPRP	CHAR (15, 0)
		0	AF_BDGT_PGM_3159	3159	AF-BDGT-PGM	CHAR (3, 0)
		0	AF_BGT_STK_FD_3162	3162	AF-BDGT-STK-FD-DIV	CHAR (25, 0)
		0	BDGT_CD_AF_EX_3161	3161	AF-BDGT-CD-MDL-DEF	VARCHAR (600, 0)
		1	BDGT_CD_AF_3765	3765	AF-BDGT-CD-MDL	CHAR (1, 0)
165	AF_EXP_REC_REP_CD	0	ERRC_CNDM_LV_2841	2841	ERRC-CNDM-LV-AF	CHAR (15, 0)
		0	ERRC_DSG_AF_2842	2842	ERRC-DSG-AF	CHAR (3, 0)
		0	ERRC_EXP_Y_N_2843	2843	ERRC-EXP-Y-N-AF	CHAR (3, 0)
		0	ERRC_EX_AF_3164	3164	ERRC-CD-EXPLN-AF	VARCHAR (80, 0)
		0	ERRC_REP_Y_N_2844	2844	ERRC-REP-Y-N-AF	CHAR (3, 0)
		1	ERRC_CD_AF_2655	2655	ERRC-CD-AF	CHAR (1, 0)
166	AF_FUND_CD	0	FD_CD_DEF_AF_3163	3163	FD-CD-DEF-AF	VARCHAR (240, 0)
		1	FUND_CD_AF_2695	2695	FD-CD-AF	CHAR (2, 0)
167	AIR_SPECIAL_HDLG	0	AIR_S_HDLG_EX_3170	3170	AIR-SP-HDLG-CD-EXPLN	VARCHAR (500, 0)
		1	AIR_S_HDLG_3169	3169	AIR-SP-HDLG-CD	CHAR (1, 0)
168	ARMY_ACCT_REQT_CD	0	ACT_RQM_BR_EX_3157	3157	ACCTG-RQMTS-CD-EXPLN-AR	VARCHAR (400, 0)
		1	ACTG_RQMT_AR_2665	2665	ACCTG-RQMTS-CD-AR	CHAR (1, 0)
169	AR_MCC_APPRO_SUBGP	0	AR_MCC_AP_TXT_2164	2164	AR-MCC-APPROP-SUBGRP-TXT	VARCHAR (100, 0)
		1	AR_MCC_AP_SUB_2163	2163	AR-MCC-APPROP-SUBGRP	CHAR (1, 0)
170	AR_MCC_DESC_USE	0	AR_MCC_USE_TX_2162	2162	AR-MCC-DESCP-USE-TXT	VARCHAR (600, 0)
		1	AR_MCC_USE_CD_2161	2161	AR-MCC-DESCP-USE-CD	CHAR (1, 0)
171	ARMY_MCC_SUBGROUP	0	AR_MCC_SG_TX_2166	2166	AR-MCC-SUB-GRP-TXT	CHAR (80, 0)
		1	AR_MCC_SG_CD_2165	2165	AR-MCC-SUB-GRP-CD	CHAR (1, 0)
172	ARMY_MCC_SUBGROUP1	0	AR_MCC_SG_TX1_2168	2168	AR-MCC-SUB-GRP-TXT1	VARCHAR (210, 0)
		1	AR_MCC_SG_CD1_2167	2167	AR-MCC-SUB-GRP-CD1	CHAR (2, 0)
173	ARMY_RECOVERBTY_CD	0	RECOV_EX_AR_5259	5259	RECOV-CD-EXPLN-AR	VARCHAR (250, 0)
		1	RECOV_CD_AR_2892	2892	RECOV-CD-AR	CHAR (1, 0)
174	AUTZD_ABBREVIATON	1	PUB_TRM_ABR_3190	3190	PUB-TERM-ABBREV	CHAR (15, 0)
		2	PUB_TERM_3192	3192	PUB-TERM	VARCHAR (120, 0)
175	AUTHZD_DIC_ACTYS	0	CTGY_DIC_CMNT_4626	4626	CTGY-DIC-CMNT	CHAR (50, 0)
		1	CTGY_CD_0905	0905	CTGY-CD	CHAR (1, 0)
		2	DIC_3920	3920	DOC-ID-CD	CHAR (3, 0)
176	CAGE_REF_NBR_FMT	0	FMT_REMARKS_4511	4511	FMT-REMARKS	VARCHAR (200, 0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR (5, 0)
		2	FMT_R_NBR_CAG_3113	3113	FMT-REF-NBR-GOVT-CAGE	CHAR (15, 0)
		3	FMT_EXAMPLE_3114	3114	FMT-EXAMPLE	CHAR (11, 0)
177	SEG_FORMAT_HEADERS	0	DIDS_INTRO_4469			VARCHAR (1300, 0)
		0	DRN_0950	0950	DATA-REC-NBR	CHAR (4, 0)
		0	HEAD_NARRTV_4453	4453	HEAD-NARRTV	CHAR (79, 0)
		1	F_OR_V_KEY_1092	1092	F-OR-V-KEY	CHAR (8, 0)
		2	DIDS_SEG_CD_8999	8999	FLIS-SEG-CD	CHAR (1, 0)
178	CAO_ADP_PT_PROC_CD	0	CAO_EX_PR_EX_5270	5270	CAO-ADP-EXCP-PRCSG-CD-EX	VARCHAR (130, 0)
		1	CAO_EX_PR_CD_8868	8868	CAO-ADP-EXCP-PROC-CD	CHAR (1, 0)
179	CARD_IDENTIFIC_CD	0	CRD_ID_CD_EX_5212	5212	CRD-IDEN-CD-EXPLN	VARCHAR (600, 0)
		0	CRD_ID_CD_TI_5211	5211	CRD-IDEN-CD-TI	VARCHAR (120, 0)
		1	CRD_ID_CD_IMC_0099	0099	CRD-IDEN-CD-IMC	CHAR (1, 0)
180	CG_SERIAL_NBR_CTRL	0	SRN_CTL_CG_EX_3182	3182	SER-NBR-CTL-CD-CG-EXPLN	VARCHAR (80, 0)
		1	SER_NO_CTL_CG_0763	0763	SER-NBR-CTL-CD-CG	CHAR (1, 0)
181	DIC_BATCH_T912	0	DIC_CATEGORY_9756	9756	DIC-CATEGORY	CHAR (2, 0)
		1	DIC_3920	3920	DOC-ID-CD	CHAR (3, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	----------DATA---------- TYPE--LENGTH--DECIMAL
		2	RECVD_STAMP_9204	9204	RECVD-STAMP	TIMESTMP (10, 0)
182	CIIC_CLASS_CD	0	CIIC_CLS_EX_2496	2496	CIIC-CLS-CD-TI-EX	VARCHAR (320, 0)
		1	CIIC_CLS_CD_5255	5255	CIIC-CLS-CD	CHAR (1, 0)
		2	CIIC_CLS_TI_2495	2495	CIIC-CLS-CD-TI	CHAR (24, 0)
183	CIMM_RTRN_ACTN_CD	0	CIIM_IN_IND_3138	3138	CIIM-INPUT-FILE-IND	CHAR (15, 0)
		0	CIIM_RTN_DEF_3137	3137	CIIM-RTN-ACTN-CD-DEF-INS	VARCHAR (450, 0)
		0	CIIM_RTN_TO_3139	3139	CIIM-ACTN-RTN-TO	CHAR (15, 0)
		0	DIC_OP_1052	1052	DIC-OP	CHAR (3, 0)
		1	CIIM_RTN_CD_3134	3134	CIIM-RTN-ACTN-CD	CHAR (2, 0)
184	CG_REPARABILITY_CD	0	REP_CD_CG_EX_3180	3180	REPBL-CD-CG-EXPLN	VARCHAR (180, 0)
		1	REP_CD_CG_0709	0709	REPBL-CD-CG	CHAR (1, 0)
185	COM_GOV_ENT_STA_CD	0	CAGE_USR_INTP_5293	5293	CAGE-STAT-CD-USER-INTPTN	VARCHAR (1000, 0)
		1	CAGE_STAT_CD_2694	2694	CAGE-NSCM-STAT-CD	CHAR (1, 0)
186	COMMON_NBR_SYS_IND	0	CNBR_SYS_I_EX_5271	5271	COMN-NBRG-SYS-IND-EXPLN	VARCHAR (150, 0)
		1	CNBR_SYS_I_0845	0845	COMN-NBRING-SYS-IND	CHAR (1, 0)
187	CONFLICT_NOTIF_CD	0	CONF_NOTI_EX_5110	5110	CONF-NOTI-CD-EXPLN	VARCHAR (850, 0)
		0	CONF_NOT_CDRK_5111	5111	CONF-NOTI-CD-RMK	VARCHAR (850, 0)
		1	CONF_NOTI_CD_0095	0095	CONF-NOTI-CD	CHAR (2, 0)
188	CAT_DEST_ACTY	1	DIC_3920	3920	DOC-ID-CD	CHAR (3, 0)
		2	DEST_ACTY_OP_3880	3880	DEST-ACTY-CD-OP	CHAR (2, 0)
189	USG_CAGE	1	CAGE_CD_9250	9250	CAGE-CD	CHAR (5, 0)
190	DATA_TRANM_CRTL_CD	0	D_TRN_CTL_EX_5135	5135	DATA-TRNSMSN-CTL-CD-EXPL	VARCHAR (250, 0)
		1	D_TRN_CTL_CD_0756	0756	DATA-TRNSM-CTL-CD	CHAR (1, 0)
191	DEGREE_OF_MATCH_CD	0	CHAR_SCRN_IND_3102	3102	CHAR-SCRN-IND	CHAR (8, 0)
		0	REF_SCRN_IND_3101	3101	REF-SCRN-IND	CHAR (8, 0)
		1	DEG_MTCH_CD_0595	0595	DEG-MTCH-CD	CHAR (1, 0)
192	DELETION_REASON_CD	0	DELT_RSN_EX_5132	5132	DELT-RSN-CD-EXPLN	VARCHAR (1000, 0)
		1	DELT_RSN_CD_4540	4540	DELT-RSN-CD	CHAR (1, 0)
193	DEMAND_INDICATR_CD	0	DMD_IND_EX_5217	5217	DMD-IND-CD-EXPLN	VARCHAR (200, 0)
		1	DMD_IND_CD_0728	0728	DMD-IND-CD	CHAR (1, 0)
194	DEMILITARIZATIO_CD	0	DEMIL_CD_EX_5136	5136	DEMIL-CD-EXPLN	VARCHAR (1000, 0)
		0	SYM_IND_3456	3456	SYM-IND	CHAR (1, 0)
		1	DEMIL_CD_0167	0167	D-MIL-CD	CHAR (1, 0)
195	MDLS_UPDT_ST_DPT_A	0	MDLS_R_DA_CT_1258	1258	MDLS-REP-DA-COUNT	INTEGER (4, 0)
		0	MDLS_R_NIINCT_1260	1260	MDLS-REP-NIIN-COUNT	INTEGER (4, 0)
		0	MDLS_R_PN_CT_1259	1259	MDLS-REP-PN-COUNT	INTEGER (4, 0)
		0	MDLS_R_TITLCT_1261	1261	MDLS-REP-TITLE-COUNT	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7433	7433	MDLS-CHANGE-DAI-CT	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7435	7435	MDLS-DAI-ERR-CT	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7436	7436	MDLS-ADD-DAI-CT	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7437	7437	MDLS-DEL-DAI-CT	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7439	7439	MDLS-REF-NBR-ERR-CT	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7440	7440	MDLS-ADD-REF-NBR-CT	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7441	7441	MDLS-DEL-REF-NBR-CT	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7443	7443	MDLS-NIIN-ERR-CT	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7444	7444	MDLS-ADD-NIIN-CT	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7445	7445	MDLS-DEL-NIIN-CT	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7447	7447	MDLS-TI-ERR-CT	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7448	7448	MDLS-ADD-TI-CT	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7449	7449	MDLS-DEL-TI-CT	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7450	7450	MDLS-INVALID-TYPE-ERR-CT	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2,	0)
196	DIC_DATA	0	DIC_CSTDN_2214	2214	DIC-CSTDN	CHAR	15,	0)
		0	DIC_CSTDN_ALT_2213	2213	DIC-CSTDN-ALT	CHAR	15,	0)
		0	DIC_I_O_TYPE_2052	2052	DIC-I-O-TYPE	CHAR	1,	0)
		0	DIC_REF_2211	2211	DIC-REF	CHAR	15,	0)
		0	DLSC_ONLY_IND_4621	4621	DLSC-ONLY-IND	CHAR	1,	0)
		0	I_I_DATA_IND_4622	4622	I-I-DATA-IND	CHAR	1,	0)
		0	MAND_SEG_STNG_4624	4624	MAND-SEG-STNG	CHAR	30,	0)
		0	OPTL_SEG_STNG_4625	4625	OPTNL-SEG-STNG	CHAR	30,	0)
		0	SUPT_DATA_IND_4623	4623	SUPT-DATA-IND	CHAR	1,	0)
		0	TRANS_TI_2057	2057	TRANS-TI	VARCHAR	270,	0)
		1	DIC_3920	3920	DOC-ID-CD	CHAR	3,	0)
197	DIC_I_O_CORRELATON	0	CM_NOTE_IND_2101	2101	CAT-MGMT-IP-OP-NOTE-IND	CHAR	2,	0)
		0	ED_DIC_2099	2099	ED-DIC	CHAR	3,	0)
		0	ED_DIC_DESTN_2102	2102	ED-DIC-DESTN	CHAR	15,	0)
		0	OP_DESTN_2096	2096	OP-DESTN	CHAR	15,	0)
		0	RL_UP_DIC_DES_2098	2098	ROLL-UP-DIC-DESTN	CHAR	15,	0)
		0	ROLL_UP_DIC_2097	2097	ROLL-UP-DIC	CHAR	3,	0)
		1	DIC_OP_1052	1052	DIC-OP	CHAR	3,	0)
		2	DIC_3920	3920	DOC-ID-CD	CHAR	3,	0)
198	DIC_RELATED_TO_FD	1	DIC_3920	3920	DOC-ID-CD	CHAR	3,	0)
		2	NATO_ONLY_IND_3451	3451	NATO-ONLY-IND	CHAR	1,	0)
		3	DIC_TO_FD_2212	2212	DIC-RLTD-FNCTNL-DSCPTN	CHAR	5,	0)
199	DIDS_SEG_CD	0	DIDS_SEG_EX_3175	3175	DIDS-SEG-CD-EXPLN	VARCHAR	80,	0)
		1	DIDS_SEG_CD_8999	8999	FLIS-SEG-CD	CHAR	1,	0)
1QF	ASN970107140251PC	0	CNTL_SERVER			CHAR	18,	0)
		0	COPY_OWNER			CHAR	18,	0)
		0	COPY_SERVER			CHAR	18,	0)
		0	COPY_STRUCTURE			SMALLINT	2,	0)
		0	COPY_TABLE			CHAR	18,	0)
		0	IBMSNAP_LOG-MARKER			TIMESTMP	10,	0)
		0	PRUNE_LIMIT_SEQ			CHAR	10,	0)
200	DLA_REP_CHAR_IN_CD	0	REP_CD_DLA_EX_5261	5261	REPBL-CHAR-IND-CD-DLA-DE	VARCHAR	1000,	0)
		1	REP_CD_DLA_2934	2934	REPBL-CHAR-IND-CD-DLA	CHAR	1,	0)
201	DOC_AVLB_CD_DATA	0	DAC_EX_5123	5123	DOC-AVLB-CD-EXPLN	VARCHAR	1000,	0)
		1	DAC_2640	2640	DAC	CHAR	1,	0)
202	DOD_CMDTY_MAT-_MGMT	0	CMDTY_MMC_ID_5308	5308	CMDTY-MAT-MGMT-CD-DOD-ID	VARCHAR	100,	0)
		1	CMDTY_MMC-_DOD_2611	2611	CMDTY-MAT-MGMT-CD-DOD	CHAR	1,	0)
203	PROPOSAL_INITIATOR	0	DBR_PRO_INIT_3193	3193	DOD-DBRMT-PPSL-INITR	VARCHAR	90,	0)
		1	DBR_PRO_I_SYM_0868	0868	DOD-DBRMT-PPSL-INITR-SYM	CHAR	5,	0)
204	MEDALS_DIST_LEVEL	0	DOC_DIST_DESC_8016	8016	MEDALS-DOC-DIST-DESC-TX	CHAR	40,	0)
		1	DOC_DIST_STMT_8013	8013	MEDALS-DOC-DIST-STMT-CD	CHAR	1,	0)
205	MEDALS_SEC_CLASS	0	DOC_SEC_DESC_8015	8015	MEDALS-DOC-SEC-DESC-TX	CHAR	40,	0)
		1	DOC_SEC_8011	8011	MEDALS-DOC-SEC-CD	CHAR	1,	0)
206	PASSTHRU_CHECK	0	PSTHRU_ACT_NM_2140	2140	PASSTHRU-ACTY-NM	CHAR	9,	0)
		1	DIC_IP_3921	3921	DIC-IP	CHAR	3,	0)
		2	PSTHRU_ACT_ID_2139	2139	PASSTHRU-ACTY-ID	CHAR	4,	0)
207	DRN_WITHIN_A_DIC	0	DIC_DRN_NOTE_2111	2111	DIC-DRN-NOTE	CHAR	30,	0)
		0	DIDS_SEG_CD_8999	8999	FLIS-SEG-CD	CHAR	1,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		0	REC_COL_2109	2109	REC-COL	CHAR	7	0
		0	SEG_CD_SUPMTL_0225	0225	SEG-CD-SUPMTL	CHAR	2	0
		1	F_OR_V_KEY_1092	1092	F-OR-V-KEY	CHAR	8	0
		2	DIC_3920	3920	DOC-ID-CD	CHAR	3	0
		3	NATO_ONLY_IND_3451	3451	NATO-ONLY-IND	CHAR	1	0
		4	ROW_NBR_4518	4518	ROW-NBR	INTEGER	4	0
		5	DRN_0950	0950	DATA-REC-NBR	CHAR	4	0
208	DRN_WTHN_DIC_NOTES	0	DIC_DRN_N_DEF_2113	2113	DIC-DRN-NOTE-DEF	VARCHAR	1500	0
		0	F_OR_V_KEY_1092	1092	F-OR-V-KEY	CHAR	8	0
		1	DIC_DRN_N_NBR_2112			CHAR	2	0
209	DROP_DICS_SEGMENT	0	DRP_N_OR_M_4505	4505	DRP-NOTIF-OR-MAINT-IND	CHAR	1	0
		1	DROP_INDX_CD_2225	2225	DROP-INDX-CD	CHAR	2	0
		2	DIC_3920	3920	DOC-ID-CD	CHAR	3	0
		3	DIDS_SEG_CD_8999	8999	FLIS-SEG-CD	CHAR	1	0
210	DRP_SEGMENTS	1	DROP_INDX_CD_2225	2225	DROP-INDX-CD	CHAR	2	0
		2	DIDS_SEG_CD_8999	8999	FLIS-SEG-CD	CHAR	1	0
211	ELEC_STAT_DISCH	0	ESD_EMI_CD_EX_2508	2508	ESD-EMI-CD-EX	VARCHAR	125	0
		1	ESD_EMI_CD_2043	2043	ESD-EMI-CD	CHAR	1	0
212	EST_ACTUAL_PRIC_CD	0	EST_ACT_PR_EX_5219	5219	EST-ACT-PR-CD-EXPLN	VARCHAR	90	0
		1	EST_ACT_PR_CD_0731	0731	ESTD-OR-ACTL-PR-CD	CHAR	1	0
213	FILE_MAINT_ACTN_CD	0	FILE_MAINT_EX_3173	3173	FILE-MAINT-ACTN-CD-EXPLN	VARCHAR	250	0
		1	FILE_MAINT_CD_8850	8850	FILE-MAINT-ACTN-CD	CHAR	1	0
214	FIXED_OR_VRBLE_DIC	0	TRANS_DEF_2127	2127	TRANS-DEF	VARCHAR	1000	0
		0	TRANS_INST_2131	2131	TRANS-INST	VARCHAR	1500	0
		1	F_OR_V_KEY_1092	1092	F-OR-V-KEY	CHAR	8	0
		2	DIC_3920	3920	DOC-ID-CD	CHAR	3	0
		3	NATO_ONLY_IND_3451	3451	NATO-ONLY-IND	CHAR	1	0
215	FSC_MOE_RULE_CHG	0	FSC_M_RL_C_EX_5305	5305	FSC-MOE-IND-CD-EXPLN	VARCHAR	1000	0
		0	FSC_M_RL_C_TI_4504	4504	FSC-MOE-RL-CHG-IND-CD-TI	CHAR	9	0
		1	FSC_M_RL_C_IN_0122	0122	FSC-MOE-RULE-CHNG-IND	CHAR	1	0
216	FSC_REQ_ESD_CD	1	FSG_3994	3994	ASGND-FSG	CHAR	2	0
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2	0
217	KFU_COND_CD_DATA	0	FU_COND_DEF_5104	5104	FLW-UP-COND-CD-DEF	VARCHAR	500	0
		0	FU_COND_INST_5105	5105	FLW-UP-COND-CD-INST	VARCHAR	300	0
		1	FU_COND_CD_0155	0155	FU-COND-CD	CHAR	2	0
218	FUT_SSR_MOE_RL_ST	0	FUT_M_RL_ST_D_5306	5306	FUT-CT-MOE-RL-ST-CD-DEF	VARCHAR	100	0
		1	FUT_M_RL_ST_C_0297	0297	FUT-CT-MOE-RULE-STAT-CD	CHAR	1	0
219	GLOSSARY_ACRONYM	0	GLS_TRM_VL_RF_2134	2134	GLOS-TERM-VOL-REF	CHAR	30	0
		1	GLOS_ACRNM_2135	2135	GLOS-ACRNM	CHAR	20	0
		2	GLOS_ACRNM_TI_2136	2136	GLOS-ACRNM-TI	CHAR	90	0
220	GLOSSARY_OF_TERMS	0	GLOS_TERM_DEF_2133	2133	GLOS-TERM-DEF	VARCHAR	1200	0
		0	GLS_TRM_VL_RF_2134	2134	GLOS-TERM-VOL-REF	CHAR	30	0
		1	GLOS_TERM_2132	2132	GLOS-TERM	CHAR	90	0
221	H_D_BRK_FSC_CAT_XT	0	CMDTY_CT_EXP_5301	5301	CMDTY-CTGY-EXPLN	VARCHAR	1000	0
		1	H_D_BRK_CMDTY_3428	3428	HI-DLR-BRKOT-CMDTY-CTG	CHAR	1	0
		2	FSG_3994	3994	ASGND-FSG	CHAR	2	0
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2	0
222	CAGE_TRADING_PART	0	CNTCT_NM_3374	3374	CAGE-PNT-OF-CNTCT-NM	CHAR	35	0
		0	DUNS_3405	3405	DUNS	CHAR	9	0
		0	DUNS_PLUS4_4361	4361	CCR-DUNS-PLUS4-ID	CHAR	4	0
		0	EMAIL_ADRS_3375	3375	EMAIL-ADRS-TX	CHAR	80	0
		0	RGSTR_RNWL_DT_3373	3373	VND-RGSTR-RNWL-DT	INTEGER	4	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	---------DATA--------- TYPE--LENGTH--DECIMAL
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR (5, 0)
223	MDLS_BTCH_INQ_DEPT	0	MDLS_STAT_CNT_7191	7191	MDLS-TOT-INQ-D1	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7192	7192	MDLS-INPUT-MATCH-D1	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7193	7193	MDLS-TOT-OFFERED-D1	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7197	7197	MDLS-TOT-INQ-D2	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7198	7198	MDLS-INPUT-MATCH-D2	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7199	7199	MDLS-TOT-OFFERED-D2	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7202	7202	MDLS-TOT-INQ-P1	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7203	7203	MDLS-INPUT-MATCH-P1	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7204	7204	MDLS-TOT-OFFERED-P1	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7208	7208	MDLS-TOT-INQ-P2	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7209	7209	MDLS-INPUT-MATCH-P2	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7210	7210	MDLS-TOT-OFFERED-P2	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7214	7214	MDLS-TOT-INQ-NN	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7215	7215	MDLS-INPUT-MATCH-NN	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7216	7216	MDLS-TOT-OFFERED-NN	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7220	7220	MDLS-TOT-INQ-D3	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7221	7221	MDLS-INPUT-MATCH-D3	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7222	7222	MDLS-TOT-OFFERED-D3	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7625	7625	MDLS-EDIT-ERR-D1	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7626	7626	MDLS-EDIT-ERR-D2	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7627	7627	MDLS-EDIT-ERR-D3	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7628	7628	MDLS-EDIT-ERR-P1	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7629	7629	MDLS-EDIT-ERR-P2	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7630	7630	MDLS-EDIT-ERR-NN	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7632	7632	MDLS-TOT-INQ-UNDEF	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
224	HZRD_MATERIAL_CD	0	HMC_EXPLN_5222	5222	HMC-EXPLN	VARCHAR (1000, 0)
		1	HMC_2720	2720	HMC	CHAR (2, 0)
225	INC_CAGE_COMBOS	1	CAGE_CD_9250	9250	CAGE-CD	CHAR (5, 0)
		2	INC_4080	4080	INC	CHAR (5, 0)
226	INCMP_ADRS_EDIT_CD	0	MINM_ADRS_EX_5288	5288	MINM-ADRS-CD-EXPLN	VARCHAR (100, 0)
		1	MINM_ADRS_CD_2645	2645	MINM-ADRS-CD	CHAR (1, 0)
227	INTEGRITY_CD_FRGHT	0	INTGTY_CD_DEF_5220	5220	INTGTY-CD-DEF	VARCHAR (1000, 0)
		1	INTGTY_CD_0864	0864	INTGTY-CD	CHAR (1, 0)
228	FIXD_FMT_EDIT_CRIT	0	DRN_0950	0950	DATA-REC-NBR	CHAR (4, 0)
		0	ED_VAL_CRI_EX_4583	4583	EDT-VAL-CRIT-EXPL	VARCHAR (1400, 0)
		1	ROW_NBR_4518	4518	ROW-NBR	INTEGER (4, 0)
		2	SEQ_KEY_3043	3043	SEQ-KEY	CHAR (1, 0)
229	CG_INVTRY_ACCT_CD	0	INV_ACT_CG_EX_3179	3179	INV-ACCT-CD-CG-EXPLN	VARCHAR (270, 0)
		1	INV_ACT_CG_0708	0708	INV-ACCT-CD-CG	CHAR (1, 0)
230	II_SCREEN_DECISION	1	CHAR_SCRN_IND_3102	3102	CHAR-SCRN-IND	CHAR (8, 0)
		2	REF_SCRN_IND_3101	3101	REF-SCRN-IND	CHAR (8, 0)
		3	RESULT_ACTN_3104	3104	RESULT-ACTN	CHAR (30, 0)
		4	TYP_MATCH_3103	3103	TYP-MATCH	CHAR (8, 0)
231	ITEM_MANAGEMENT_CD	0	IMC_DEF_5209	5209	IMC-DEF	VARCHAR (1000, 0)
		0	IMC_TI_5208	5208	IMC-TI	VARCHAR (100, 0)
		0	INVLD_IMC_IND_2747	2747	INVLD-IMC-IND	CHAR (1, 0)
		1	IMC_2744	2744	IMC	CHAR (1, 0)
232	ITEM_STDZN_CD	0	ITM_STDZN_EX_5134	5134	ITM-STDZN-CD-EXPLN	VARCHAR (1000, 0)
		1	ISC_2650	2650	ITM-STDZN-CD	CHAR (1, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	---------DATA--------- TYPE--LENGTH--DECIMAL
233	KFU_STATUS_CD	0	ADD_R_P_Q_SEG_3146	3146	ADDNTL-R-P-Q-SEG	CHAR (1, 0)
		0	CURR_TIR_SEG_3145	3145	CURR-TIR-SEG	CHAR (1, 0)
		0	FU_STAT_DEF_3141	3141	FU-STAT-CD-DEF	VARCHAR (125, 0)
		0	FU_STAT_INST_3142	3142	FU-STAT-CD-INST	VARCHAR (125, 0)
		0	SGR_WO_OP_DIC_3144	3144	SEG-R-W-O-OP-DIC	CHAR (1, 0)
		0	SGR_W_OP_DIC_3143	3143	SEG-R-WITH-OP-DIC	CHAR (1, 0)
		1	FU_STAT_CD_0166	0166	FU-STAT-CD	CHAR (2, 0)
234	LESS_THN_CRLD_CD	0	LCL_EX_5233	5233	LS-THN-CRLD-RTNG-CD-EXPL	CHAR (20, 0)
		1	LCL_CD_2760	2760	LS-THN-CRLD-RTNG-CD	CHAR (1, 0)
235	LESS_THN_TL_CD	0	LST_TL_EX_5234	5234	LS-THN-TL-RTNG-CD-EXPLN	CHAR (20, 0)
		1	LST_TL_CD_2770	2770	LS-THN-TL-RTNG-CD	CHAR (1, 0)
236	LMTD_DISTRIBTON_CD	0	AUTH_INT_SUB_4506	4506	AUTH-INTEROG-SUB	CHAR (30, 0)
		0	AUTH_UPD_RCVR_4507	4507	AUTH-FL-UPDT-RCVRS	CHAR (30, 0)
		0	CAT_SGL_SUB_4503	4503	DOD-CAT-ACT-SGL-SUB	CHAR (30, 0)
		0	LMT_DIST_EX_5106	5106	LMT-DIST-CD-EXPLN	VARCHAR (1200, 0)
		1	LMT_DIST_CD_4645	4645	LMT-DIST-CD	CHAR (1, 0)
237	MAJ_MAT_CAT_ARMY	0	MAJ_MCC_AR_EX_2283	2283	MAJ-MCC-AR-EXPLN	VARCHAR (200, 0)
		1	MAJ_MCC_AR_9256	9256	MAJ-MCC-AR	CHAR (1, 0)
238	MAT_MGMT_AG_AF	0	MMAC_DEF_AF_3158	3158	MAT-MGMT-AG-CD-DEF-AF	VARCHAR (640, 0)
		1	MMAC_AF_2836	2836	MAT-MGMT-AG-CD-AF	CHAR (2, 0)
		2	ACTY_CD_2046	2046	ACTY-CD	CHAR (6, 0)
239	MC_COMBAT_ESNTL_CD	0	CMBT_MC_EXP_3165	3165	CMBT-ESNTL-CD-EXPLN-MC	VARCHAR (320, 0)
		1	CMBT_ESTL_MC_3311	3311	CMBT-ESNTL-CD-MC	CHAR (1, 0)
240	MC_ECHELON_CD	0	ECH_REM_MC_3152	3152	ECH-REM-MC	VARCHAR (350, 0)
		0	EC_ACQ_STK_MC_3151	3151	ECH-ACQ-STK-MC	CHAR (40, 0)
		1	ECH_CD_MC_3150	3150	ECH-CD-MC	CHAR (1, 0)
241	MC_MATERIL_IDEN_CD	0	MAT_ID_MC_EX_3166	3166	MAT-IDEN-CD-EXPLN	VARCHAR (80, 0)
		0	MAT_ID_MC_NOT_3167	3167	MAT-IDEN-CD-NOTE-IND	CHAR (1, 0)
		1	MAT_IDEN_MC_4126	4126	MAT-IDEN-CD	CHAR (1, 0)
242	MC_MGT_CD	0	MAT_CAT_MC_3148	3148	MAT-CAT-MC	VARCHAR (80, 0)
		0	MGT_AG_G_C_MC_3149	3149	MGMT-AGNCY-GRP-OR-CLS-MC	VARCHAR (400, 0)
		1	MAT_MGMT_MC_9257	9257	MAT-MGMT-CD-MC	CHAR (1, 0)
243	MC_RECOVERABLTY_CD	0	RECOV_EX_MC_3154	3154	RECOV-CD-EXPLN-MC	VARCHAR (320, 0)
		1	RECOV_CD_MC_2891	2891	RECOV-CD-MC	CHAR (1, 0)
244	MC_STORES_ACCT_CD	0	STRS_ACT_MC_X_3153	3153	STRS-ACCT-EXPLN-MC	CHAR (80, 0)
		1	STRS_ACT_MC_2959	2959	STRS-ACCT-MC	CHAR (1, 0)
245	MNDTRY_CAGE_RNCC	1	CAGE_CD_9250	9250	CAGE-CD	CHAR (5, 0)
		2	RNCC_2910	2910	RNCC	CHAR (1, 0)
246	MOBIL_RESERVE_REQT	0	TYP_MBL_RSV_X_5215	5215	TYP-MBLZTN-RSV-RQT-CD-EX	VARCHAR (100, 0)
		1	TYP_MBL_RSV_0723	0723	TYP-MOBLZTN-RSRV-RQMT-CD	CHAR (1, 0)
247	MJR_ORGN_ENTITY_CD	0	MOE_CD_IDEN_5299	5299	MOE-CD-IDEN	VARCHAR (100, 0)
		1	MOE_CD_2833	2833	MOE-CD	CHAR (2, 0)
249	SEG_FORMAT	0	DRN_0950	0950	DATA-REC-NBR	CHAR (4, 0)
		0	REC_COL_2109	2109	REC-COL	CHAR (7, 0)
		0	SEG_NOTE_NBR1_4528	4528	DLIS-SEG-NOTE1	SMALLINT (2, 0)
		0	SEG_NOTE_NBR2_4529	4529	DLIS-SEG-NOTE2	SMALLINT (2, 0)
		1	F_OR_V_KEY_1092	1092	F-OR-V-KEY	CHAR (8, 0)
		2	DIDS_SEG_CD_8999	8999	FLIS-SEG-CD	CHAR (1, 0)
		3	ROW_NBR_4518	4518	ROW-NBR	INTEGER (4, 0)
251	NATL_CDFN_BUREU_CD	0	NCB_CD_CTRY_5101	5101	NATL-CDFN-BUR-CD-CTRY	CHAR (20, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		0	NCB_CD_NOTE_5102	5102	NATL-CDFN-BUR-CD-NOTE	CHAR	1	0
		1	NCB_CD_4130	4130	NCB-CD	CHAR	2	0
252	NAVY_COGNIZANCE_CD	0	COG_CD_NVY_EX_5256	5256	COG-CD-NVY-DEF	VARCHAR	300	0
		0	COG_RETL_OFC_5257	5257	COG-CD-INV-MGR-RETL-OFC	VARCHAR	150	0
		0	NO_Q8_ED_NVY_3181	3181	NO-Q8-RTN-CD-ED-NVY	CHAR	1	0
		1	COG_CD_NVY_2608	2608	COG-CD-NVY	CHAR	2	0
253	NAVY_MATL_CNTRL_CD	0	MCC_NVY_EX_3156	3156	MAT-CTL-CD-DEF-NVY	VARCHAR	160	0
		1	MAT_CTL_NVY_2832	2832	MAT-CTL-CD-NAVY	CHAR	1	0
254	NVY_SPEC_MTL_ID_CD	0	SP_MAT_APL_IK_3155	3155	SP-MAT-APL-ITEM-OR-KIT	VARCHAR	560	0
		1	SMIC_NVY_2834	2834	SP-MAT-IDEN-CD	CHAR	2	0
255	NIIN_PSCN_STATU_CD	0	N_PSCN_ST_DEF_5201	5201	NIIN-PSCN-ST-CD-DEF-INST	VARCHAR	100	0
		0	N_PSCN_ST_NOT_5203	5203	NIIN-PSCN-ST-CD-CON-NOTE	VARCHAR	1000	0
		1	NIIN_STAT_CD_2670	2670	NIIN-PSCN-STAT-CD	CHAR	1	0
256	NONSMBL_ITM_MAT_CD	0	NIMSC_EXPLN_5210	5210	NIMSC-EXPLN	VARCHAR	1200	0
		1	NIMSC_0076	0076	NIMSC	CHAR	1	0
257	NORMAL_SOURCE_PROC	0	NRM_SRC_PR_EX_5214	5214	NOR-SRC-PRCMT-CD-EXPLN	VARCHAR	500	0
		0	NRM_SRC_PR_TI_5213	5213	NORM-SRC-PRCMT-CD-TI	VARCHAR	100	0
		1	NRM_SRC_PR_CD_0721	0721	NORM-SRC-PRCMT-CD	CHAR	1	0
258	NSCM_PRFX_CDFN_BUR	0	KRT_IND_2051	2051	KRT-IND-CD	CHAR	1	0
		0	NSCM_CD_BUR_N_5268	5268	NSCM-PRFX-CDFN-BUR-CD-NT	CHAR	1	0
		0	NSCM_CD_BUR_X_5272	5272	NSCM-PRFX-CDFN-BUR-CD-EX	CHAR	30	0
		0	SUBMB_ACTY_CD_3720			CHAR	2	0
		1	NSCM_CDFN_BUR_4180	4180	NSCM-CDFN-BUR	CHAR	1	0
259	NSCM_SUFX_CDFN_BUR	0	KRT_IND_2051	2051	KRT-IND-CD	CHAR	1	0
		0	NSCM_S_CD_B_N_5265	5265	NSCM-SUF-CDFN-BUR-CD-NOT	CHAR	1	0
		0	NSCM_S_CD_B_X_5266	5266	NSCM-SUF-CDFN-BUR-CD-EXP	CHAR	25	0
		0	SUBMB_ACTY_CD_3720			CHAR	2	0
		1	NSCM_S_CD_BR_5267	5267	NSCM-SUF-CDFN-BUR-CD	CHAR	1	0
260	NVY_SOS_CD	0	COG_CD_NV_CM_4558	4558	COG-CD-CMNT-NVY	CHAR	50	0
		1	COG_CD_NVY_2608	2608	COG-CD-NVY	CHAR	2	0
		2	NVY_SP_SOS_CD_0135	0135	NVY-SP-SOS-CD	CHAR	2	0
		3	SOS_CD_3690	3690	SOS-CD	CHAR	3	0
261	NVY_IRC_SOS_NSP_CD	1	IRRC_NVY_0132	0132	ISS-REP-RQNG-RSTRN-CD	CHAR	2	0
		2	NVY_SP_SOS_CD_0135	0135	NVY-SP-SOS-CD	CHAR	2	0
		3	SOS_CD_3690	3690	SOS-CD	CHAR	3	0
262	NVY_IS_RE_REQ_CD	0	IRRC_NVY_DEF_5260	5260	ISS-REP-RQNG-RSTRN-CD-DE	VARCHAR	400	0
		1	IRRC_NVY_0132	0132	ISS-REP-RQNG-RSTRN-CD	CHAR	2	0
263	O_E_DESIGNATOR_CD	0	OE_DESI_EX_5287	5287	OE-DESI-CD-EXPLN	VARCHAR	100	0
		1	CAGE_NSCM_DES_2620	2620	CAGE-NSCM-DESI-CD	CHAR	1	0
265	TYPE_O_E_AGNCY_RSP	0	TYP_OE_CD_EXP_3171	3171	TYP-OF-OE-CD-EXPLN	VARCHAR	80	0
		1	CAGE_TYP_CD_4238	4238	CAGE-NSCM-TYP-CD	CHAR	1	0
266	MC_OPERTNL_TEST_CD	0	OPRTL_T_MC_EX_3176	3176	OPRTNL-TST-CD-EXPLN	VARCHAR	700	0
		1	OPRTL_TST_MC_0572	0572	OPRTNL-TST-CD	CHAR	1	0
267	OTPT_MODE_MEDIA_CD	0	EAM_CRD_INTRP_3120	3120	EAM-CARD-INTERP-IND	CHAR	2	0
		0	F_V_LEN_IND_3119	3119	FIXED-VAR-LEN-MED-IND	CHAR	2	0
		0	LST_PRT_P_IND_3121	3121	LISTIN-PART-PAPER-IND	CHAR	2	0
		0	MT_BLCK_FAC_3126	3126	MAG-TAPE-BLCKNG-FAC-IND	CHAR	24	0
		0	MT_DNSTY_IND_3124	3124	MAG-TAPE-DENSITY-IND	CHAR	4	0
		0	MT_LAB_IND_3127	3127	MAG-TAPE-LAB-IND	CHAR	8	0
		0	MT_PRTY_IND_3125	3125	MAG-TAPE-PARITY-IND	CHAR	4	0
		0	MT_TRC_ENCD_I_3122	3122	MAG-TAPE-TRCKS-ENCOD-IND	VARCHAR	90	0
		0	MT_USG_NOTE_3123	3123	MAG-TAPE-USAGE-NOTE	VARCHAR	300	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	---------DATA--------- TYPE--LENGTH--DECIMAL
		0	OP_MOD_MED_EX_3118	3118	OP-MODE-MED-CD-DESC	VARCHAR (90, 0)
		1	OP_MOD_MED_CD_3740	3740	OP-MODE-MED-CD	CHAR (2, 0)
268	PHRASE_CD_DATA	0	PHRS_CD_EXPLN_5241	5241	PHRS-CD-EXPLN	VARCHAR (1000, 0)
		1	PHRS_CD_2862	2862	PHRS-CD-MDL	CHAR (1, 0)
		2	PHRS_CD_PHRS_5240	5240	PHRS-CD-PHRS	CHAR (100, 0)
269	MC_PHYSICAL_CAT_CD	0	PHY_CTGY_MC_X_3177	3177	PHY-CTGY-CD-EXPLN	VARCHAR (60, 0)
		1	PHY_CTGY_MC_0573	0573	PHY-CTGY-CD	CHAR (1, 0)
270	CNTRL_INVTY_ITM_CD	0	CII_CTGY_EX_5254	5254	CTLD-INV-ITM-CD-EXPLN	VARCHAR (1000, 0)
		1	CIIC_2863	2863	CIIC	CHAR (1, 0)
		2	CIIC_CLS_CD_5255	5255	CIIC-CLS-CD	CHAR (1, 0)
271	PICA_LEVEL_OF_AUTH	0	PICA_LOA_DEF_5303	5303	PICA-LVL-AUTH-CD-DEF	VARCHAR (1300, 0)
		1	PICA_LOA_3505	3505	PICA-LVL-AUTH-CD	CHAR (2, 0)
272	PREC_METL_IND_CODE	0	TYP_PREC_MTL_5263	5263	TYP-PREC-MTL	VARCHAR (100, 0)
		1	PMIC_0802	0802	PREC-MTLS-IND-CD	CHAR (1, 0)
273	PRICE_VALIDATON_CD	0	PVC_AF_DEF_3191	3191	PR-VLDTN-CD-AF-DEF	VARCHAR (1200, 0)
		1	PVC_AF_0858	0858	PR-VLDTN-CD-AF	CHAR (1, 0)
274	PSEUDO_SOS_SPLY_CD	0	PSDO_SOS_DESC_5113	5113	PSDO-SOS-CD-DESC	VARCHAR (1000, 0)
		1	PSDO_SOS_CD_0133	0133	PSDO-SOS-CD	CHAR (3, 0)
276	U_OF_MEASURE_DESIG	0	UNIT_MEAS_TRM_2347	2347	UNIT-MEAS-TRM	CHAR (20, 0)
		1	UNIT_MEAS_CD_0107	0107	UNIT-MEAS-CD	CHAR (2, 0)
277	QUANT_UNIT_PACK_CD	0	QUP_CD_QTY_5248	5248	QUP-CD-QTY	VARCHAR (200, 0)
		1	QUP_6106	6106	QUP-CD	CHAR (1, 0)
278	REF_NBR_COMBO	0	VLD_REF_MAY_3112	3112	VLD-REF-MAY-HV-NOTE-IND	CHAR (10, 0)
		0	VLD_REF_MST_3108	3108	VLD-REF-MST-HV-NOTE-IND	CHAR (1, 0)
		1	TYP_II_CD_TYP_5116	5116	TYP-OF-II-CD-TYP	CHAR (2, 0)
		2	RNCC_MS_H_RNG_3105	3105	RNCC-MUST-HAVE-RNG	CHAR (1, 0)
		3	RNVC_MS_H_RNG_3106	3106	RNVC-MUST-HAVE-RNG	CHAR (1, 0)
		4	DAC_MUST_RNG_3107	3107	DAC-MUST-HAVE-RNG	CHAR (1, 0)
		5	RNCC_MA_H_RNG_3109	3109	RNCC-MAY-HAVE-RNG	CHAR (1, 0)
		6	RNVC_MA_H_RNG_3110	3110	RNVC-MAY-HAVE-RNG	CHAR (1, 0)
		7	DAC_MAY_RNG_3111	3111	DAC-MAY-HAVE-RNG	CHAR (1, 0)
279	MDLS_DGTZD_MEDIA	0	DGTZD_MED_ABR_8019	8019	MDLS-DGTZD-MED-ABR-TX	CHAR (4, 0)
		0	JED_MED_DEF_8018	8018	MDLS-JEDMICS-MED-DEF-TX	CHAR (25, 0)
		1	JED_MED_CD_8017	8017	MDLS-JEDMICS-MED-CD	CHAR (5, 0)
280	REF_NBR_CTGY_CD	0	RNCC_EX_5125	5125	REF-NBR-CTGY-CD-EXPLN	VARCHAR (1600, 0)
		1	RNCC_2910	2910	RNCC	CHAR (1, 0)
282	REF_NBR_FORMAT_CD	0	RNFC_EX_5114	5114	REF-NBR-FMT-CD-EXPLN	VARCHAR (200, 0)
		1	RNFC_2920	2920	REF-NBR-FMT-CD	CHAR (1, 0)
283	REF_NBR_JUSTIFN_CD	0	RNJC_EX_5121	5121	REF-NBR-JUST-CD-EXPLN	VARCHAR (1000, 0)
		1	RNJC_2750	2750	RNJC	CHAR (1, 0)
284	REF_NBR_STATUS_CD	0	R_N_STAT_EX_5131	5131	REF-NBR-STAT-CD-EXPLN	VARCHAR (1000, 0)
		1	RNSC_2923	2923	REF-NBR-STAT-CD	CHAR (1, 0)
285	REF_NBR_VARITON_CD	0	RNVC_EX_5127	5127	REF-NBR-VARI-CD-EXPLN	VARCHAR (1000, 0)
		1	RNVC_4780	4780	RNVC	CHAR (1, 0)
286	REF_PAR_DES_RSN_CD	0	RPDMRC_EXP_5119	5119	RPDMRC-EXP	VARCHAR (1000, 0)
		1	RPDMRC_4765	4765	RPDMRC	CHAR (1, 0)
287	REF_NBR_DUPL_DECSN	0	RN_DEC_CAT_CD_2561	2561	REF-NBR-DEC-CTGY-CD	CHAR (1, 0)
		0	R_N_DUP_DEC_3133	3133	REF-NBR-DUP-DEC	CHAR (8, 0)
		0	R_N_DUP_DEC_I_3117	3117	REF-NBR-DUP-DEC-IND	CHAR (4, 0)
		1	RNCC_IN_3128	3128	RNCC-IN	CHAR (1, 0)
		2	RNVC_IN_3129	3129	RNVC-IN	CHAR (1, 0)
		3	RNCC_DB_3130	3130	RNCC-DB	CHAR (1, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		4	RNVC_DB_3131	3131	RNVC-DB	CHAR	1	0
		5	UNMTCH_RNCC_3132	3132	UNMATCHED-RNCC	CHAR	12	0
288	REIMBURSEMENT_CD	0	REIMB_CD_EX_3185	3185	REIMB-CD-EXPLN	VARCHAR	125	0
		1	REIMB_CD_2930	2930	REIMB-CD	CHAR	1	0
289	RNCC_RNVC_COMB-_MAY	0	VLD_REF_MAY_3112	3112	VLD-REF-MAY-HV-NOTE-IND	CHAR	10	0
		1	SCRN_RNCC_3115	3115	SCRN-RNCC	CHAR	1	0
		2	SCRN_RNVC_3116	3116	SCRN-RNVC	CHAR	1	0
		3	RNCC_MA_H_RNG_3109	3109	RNCC-MAY-HAVE-RNG	CHAR	1	0
		4	RNVC_MA_H_RNG_3110	3110	RNVC-MAY-HAVE-RNG	CHAR	1	0
290	RNCC_RNVC_COMB_MST	1	SCRN_RNCC_3115	3115	SCRN-RNCC	CHAR	1	0
		2	SCRN_RNVC_3116	3116	SCRN-RNVC	CHAR	1	0
		3	RNCC_MS_H_RNG_3105	3105	RNCC-MUST-HAVE-RNG	CHAR	1	0
		4	RNVC_MS_H_RNG_3106	3106	RNVC-MUST-HAVE-RNG	CHAR	1	0
291	RETURN_ACTION_CD	0	RTN_CD_CMMT_4559	4559	RTN-CD-CMNT	CHAR	1	0
		0	RTN_DEF_INST_3140	3140	RTN-CD-DEF-INST	VARCHAR	1400	0
		1	RTN_CD_9480	9480	RTN-CD	CHAR	2	0
		2	DIDS_SEG_CD_8999	8999	FLIS-SEG-CD	CHAR	1	0
		3	SEQ_KEY_3043	3043	SEQ-KEY	CHAR	1	0
292	RETURN_CD_RLTD_DRN	1	RTN_CD_9480	9480	RTN-CD	CHAR	2	0
		2	DIC_3920	3920	DOC-ID-CD	CHAR	3	0
		3	DIDS_SEG_CD_8999	8999	FLIS-SEG-CD	CHAR	1	0
		4	DRN_0950	0950	DATA-REC-NBR	CHAR	4	0
		5	RTN_CD_DRN_CM_4557	4557	RTN-CD-DRN-CMNT	CHAR	11	0
293	SEG_CD_SUPMTL	0	DIDS_SEG_CD_8999	8999	FLIS-SEG-CD	CHAR	1	0
		0	SEG_CD_SUP_EX_3174	3174	SEG-CD-SUPMTL-EXPLN	VARCHAR	80	0
		1	SEG_CD_SUPMTL_0225	0225	SEG-CD-SUPMTL	CHAR	2	0
294	SERV_AGCY_DESIG_CD	0	SA_DESI_CD_X_5319	5319	SVC-AGCY-DESI-CD-DEF	VARCHAR	20	0
		1	SADC_4672	4672	SVC-AGCY-DESI-CD	CHAR	2	0
295	SHELF_LIFE_CODE	0	STR_TM_PED_5237	5237	STR-TM-PED	VARCHAR	200	0
		1	SLC_2943	2943	SHLF-LIF-CD	CHAR	1	0
296	SICA_LEVEL_OF_AUTH	0	SICA_LOA_DEF_5302	5302	SICA-LVL-AUTH-CD-DEF	VARCHAR	1300	0
		1	SICA_LOA_9547	9547	SICA-LVL-AUTH	CHAR	2	0
298	SOS_MODIFIER_CODES	0	SOSM_CD_EX_5252	5252	SOS-MOD-CD-EXPLN	VARCHAR	200	0
		1	SOSM_CD_2948	2948	SOS-MOD-CD	CHAR	3	0
299	SOURCE_OF_SPLY_CD	0	NO_Q8_ED_3136	3136	NO-Q8-RTN-CD-ED	CHAR	1	0
		0	SA_ADD_SOS_CD_5108	5108	SVC-ACTY-AND-ADRS-SOS-CD	VARCHAR	500	0
		1	SOS_CD_3690	3690	SOS-CD	CHAR	3	0
		2	ACTY_CD_2046	2046	ACTY-CD	CHAR	6	0
300	SPECL_HANDLING_CD	0	SP_HDLG_CD_EX_3168	3168	SP-HDLG-CD-EXPLN	VARCHAR	80	0
		1	SP_HDLG_CD_9240	9240	SP-HDLG-CD	CHAR	1	0
301	SPCL_MTL_CONT_CD	0	SP_MAT_CON_EX_3172	3172	SP-MAT-CONT-CD-EXPLN	VARCHAR	120	0
		1	SP_MAT_CONT_0121	0121	SP-MAT-CONT-CD	CHAR	1	0
302	SPECIAL_PACK_REQT	0	S_PKG_RQM_EX_5216	5216	SP-PKG-RQMT-CD-EXPLN	VARCHAR	100	0
		1	S_PKG_RQM_CD_0725	0725	SP-PKG-RQMT-CD	CHAR	1	0
303	STATISTICAL_IND_CD	0	STATL_I_CD_EX_5133	5133	STATL-IND-CD-EXPLN	VARCHAR	100	0
		1	STATL_IND_CD_3708	3708	STATL-IND-CD	CHAR	1	0
304	SINGLE_SUB_BY_PASS	1	FSC_3990	3990	ASGND-FSC	CHAR	4	0
		2	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	2	0
305	SEG_FORMAT_NOTES	0	DIDS_NOTE_NAR_1300	1300	DIDS-NOTE-NAR	VARCHAR	1200	0
		1	F_OR_V_KEY_1092	1092	F-OR-V-KEY	CHAR	8	0
		2	DIDS_SEG_CD_8999	8999	FLIS-SEG-CD	CHAR	1	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	----------DATA---------- TYPE--LENGTH--DECIMAL
		3	DIDS_NOTE_NBR_1288	1288	DIDS-NOTE-NBR	INTEGER (4, 0)
306	TRANSACT_STATUS_CD	0	TRAN_STAT_DEF_3186	3186	TRAN-STAT-CD-DEF	VARCHAR (150, 0)
		0	TRAN_STAT_INS_3187	3187	TRAN-STAT-CD-INST	VARCHAR (150, 0)
		0	TRAN_STAT_NOT_3189	3189	TRAN-STAT-CD-NOTE-IND	CHAR (1, 0)
		0	TRAN_STAT_OP_3188	3188	TRAN-STAT-CD-OP	VARCHAR (150, 0)
		1	TRN_STATUS_CD_0854	0854	TRAN-STAT-CD	CHAR (2, 0)
307	TYP_OF_ADDRESS_CD	0	FRN_DOM_EX_5289	5289	FOR-DOM-DESI-CD-EXPLN	VARCHAR (100, 0)
		1	FRN_DOM_CD_4235	4235	FOR-DOM-DESI-CD	CHAR (1, 0)
308	TYP_FIN_MGMT_CTRL	0	TYP_FIN_MGT_X_5218	5218	TYP-FINCL-MGT-CTL-CD-EXP	VARCHAR (100, 0)
		1	TYP_FIN_MGT_0729	0729	TYP-FINCL-MGMT-CTL-CD	CHAR (1, 0)
309	TYP_OF_ITM_IDNT_CD	0	TYP_II_CD_EXP_5117	5117	TYP-OF-II-CD-EXPLN	VARCHAR (100, 0)
		0	TYP_II_CD_TYP_5116	5116	TYP-OF-II-CD-TYP	CHAR (2, 0)
		1	TYP_II_4820	4820	TYP-OF-II-CD	CHAR (1, 0)
310	TYP_SP_PRCSG_IN_CD	0	TYP_SP_PRC_E_3178	3178	TYP-OF-SP-PRCSG-IND-CD-E	VARCHAR (360, 0)
		1	TYP_SP_PRC_0568	0568	TYP-OF-SP-PRCSG-IND-CD	CHAR (1, 0)
311	TYPE_OF_CARGO_CD	0	TYP_CGO_EXP_5224	5224	TYP-CGO-CD-EXPLN	VARCHAR (1000, 0)
		1	TYPE_CGO_CD_9260	9260	TYP-CGO-CD	CHAR (1, 0)
312	UNIT_OF_ISSUE_CD	0	SYM_IND_3456	3456	SYM-IND	CHAR (1, 0)
		0	UI_DEF_5243	5243	UI-DEF	VARCHAR (800, 0)
		0	UI_TRM_5242	5242	UI-TRM	VARCHAR (20, 0)
		1	UI_3050	3050	UI	CHAR (2, 0)
313	USING_SERVICE_CD	0	USI_SVC_CD_X_3147	3147	USI-SVC-CD-EXPLN	VARCHAR (80, 0)
		1	USI_SVC_CD_0745	0745	USI-SVC-CD	CHAR (1, 0)
314	HIST_KRU_IMAGE	0	INPUT_RECORD_9171	9171	INPUT-RECORD	VARCHAR (1128, 0)
		1	ACTY_CD_2046	2046	ACTY-CD	CHAR (4, 0)
		2	LOGGED_TS_9173	9173	LOGGED-TS	TIMESTMP (10, 0)
		3	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER (4, 0)
315	HSM_KRU_IMAGE	0	INPUT_RECORD_9171	9171	INPUT-RECORD	VARCHAR (1128, 0)
		1	ACTY_CD_2046	2046	ACTY-CD	CHAR (4, 0)
		2	LOGGED_TS_9173	9173	LOGGED-TS	TIMESTMP (10, 0)
		3	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER (4, 0)
316	FSG_NOTE_DAT_GROUP	0	FSG_DT_E_C_RC_5183	5183	FSG-DT-ESB-CANC-RCD-DIDS	INTEGER (4, 0)
		0	FSG_NOTE_4965	4965	FSG-NOTE	VARCHAR (1978, 0)
		0	FSG_TI_4972	4972	FSG-TI	VARCHAR (1978, 0)
		0	STA_CD_NM_FSC_0320	0320	STATUS-CD-NM-FSC	CHAR (1, 0)
		1	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
317	GIRDER_DAT_GROUP_1	0	GIRDER_CD_EX_5100	5100	GIRDER-CD-EXPLN	VARCHAR (1000, 0)
		0	MFR_NOTES_0809	0809	MFR-NOTES	VARCHAR (58, 0)
		1	GIRDER_CD_0808	0808	GIRDER-CD	CHAR (2, 0)
318	MOE_TO_IMC_ACTY	1	MOE_CD_2833	2833	MOE-CD	CHAR (2, 0)
		2	IMC_ACTY_2748	2748	IMC-ACTY	CHAR (2, 0)
319	HSM_TRANS_HIST_SEG	0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR (1, 0)
		0	SEGMENT_DATA_9416	9416	SEGMENT-DATA	VARCHAR (1127, 0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR (21, 0)
		2	SEGMENT_CD_9415	9415	SEGMENT-CD	CHAR (3, 0)
		3	SEG_SEQ_9414	9414	SEG-SEQ	SMALLINT (2, 0)
320	MDLS_DAT_ASSET_DRC	0	DOC_DIST_STMT_8013	8013	MEDALS-DOC-DIST-STMT-CD	CHAR (1, 0)
		0	DOC_NUC_8012	8012	MEDALS-DOC-NUC-CD	CHAR (1, 0)
		0	DOC_SEC_8011	8011	MEDALS-DOC-SEC-CD	CHAR (1, 0)
		0	DRC_2634	2634	DRC	CHAR (1, 0)
		0	EDRS_8014	8014	MEDALS-EDRS-CTL-ACTY-CD	CHAR (2, 0)
		1	MDLS_DOC_NBR_2632	2632	MEDALS-DOC-NBR	CHAR (32, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		2	MDLS_CAGE_CD_2272	2272	MDLS-CAGE-CD	CHAR	5,	0)
		3	DOC_TYP_2633	2633	DOC-TYP	CHAR	2,	0)
		4	REV_LVL_2644	2644	REV-LVL	CHAR	3,	0)
		5	RPTY_ID_2638	2638	RPTY-ID	CHAR	5,	0)
321	MDLS_DAT_AST_TITLE	0	MDLS_TI_2344	2344	MDLS-TI	CHAR	19,	0)
		0	RPTY_ID_TI_2286	2286	RPTY-ID-TI	CHAR	5,	0)
		1	MDLS_DOC_NBR_2632	2632	MEDALS-DOC-NBR	CHAR	32,	0)
		2	MDLS_CAGE_CD_2272	2272	MDLS-CAGE-CD	CHAR	5,	0)
		3	DOC_TYP_2633	2633	DOC-TYP	CHAR	2,	0)
		4	REV_LVL_2644	2644	REV-LVL	CHAR	3,	0)
322	MDLS_MEDIA	1	RPTY_ID_2638	2638	RPTY-ID	CHAR	5,	0)
		2	MDLS_MED_CD_2289	2289	MDLS-MED-CD	CHAR	2,	0)
323	HSM_TRANS_PROC_ERR	0	ACTY_CD_2046	2046	ACTY-CD	CHAR	6,	0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR	3,	0)
		0	ERROR_TS_9152	9152	ERROR-TS	TIMESTMP	10,	0)
		0	MSG_CD_1105	1105	MSG-CD	CHAR	4,	0)
		0	PGM_ID_1108	1108	PGM-ID	CHAR	8,	0)
		0	RESOLUTION_9411	9411	RESOLUTION	CHAR	40,	0)
		0	RTN_CD_9480	9480	RTN-CD	CHAR	2,	0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	21,	0)
		2	ERROR_SEQ_9151	9151	ERROR-SEQ	SMALLINT	2,	0)
324	MDLS_ORDERS	0	DOC_TYP_2633	2633	DOC-TYP	CHAR	2,	0)
		0	DRC_2634	2634	DRC	CHAR	1,	0)
		0	MDLS_CAGE_CD_2272	2272	MDLS-CAGE-CD	CHAR	5,	0)
		0	MDLS_DOC_NBR_2632	2632	MEDALS-DOC-NBR	CHAR	15,	0)
		0	MDLS_MED_CD_2289	2289	MDLS-MED-CD	CHAR	2,	0)
		0	NBR_CPY_0890	0890	NBR-CPY	SMALLINT	2,	0)
		0	REV_LVL_2644	2644	REV-LVL	CHAR	3,	0)
		0	RPTY_ID_2638	2638	RPTY-ID	CHAR	5,	0)
		0	TM_TRNSMT_TS_2578	2578	TM-TRNSMT-TS	TIMESTMP	10,	0)
		1	USR_CD_1101	1101	USR-CD	CHAR	8,	0)
		2	TMSTMP7_9478	9478	TMSTMP7	TIMESTMP	10,	0)
325	MDLS_REPOSITORY	0	ACTY_CD_2046	2046	ACTY-CD	CHAR	6,	0)
		0	LOC_SHRT_TI_2639	2639	LOC-SHRT-TI	CHAR	20,	0)
		0	MDLS_PRF_MD_C_2288	2288	MDLS-PREF-MED-CD	CHAR	2,	0)
		0	RPTY_CITY_0884	0884	RPTY-CITY	CHAR	60,	0)
		0	RPTY_CLR_TXT1_0889	0889	RPTY-CLR-TXT1	VARCHAR	60,	0)
		0	RPTY_CLR_TXT2_2625	2625	RPTY-CLR-TXT2	VARCHAR	60,	0)
		0	RPTY_CLR_TXT3_2626	2626	RPTY-CLR-TXT3	VARCHAR	60,	0)
		0	RPTY_CLR_TXT4_2627	2627	RPTY-CLR-TXT4	VARCHAR	60,	0)
		0	RPTY_E_ML_ADR_2624	2624	RPTY-E-MAIL-ADRS	CHAR	30,	0)
		0	RPTY_NAME_0882	0882	RPTY-NAME	VARCHAR	60,	0)
		0	RPTY_OFC_SYM_2621	2621	RPTY-OFC-SYM	CHAR	60,	0)
		0	RPTY_ST_ADRS_0883	0883	RPTY-ST-ADRS	CHAR	60,	0)
		0	RPTY_ST_US_AB_2622	2622	RPTY-STA-US-POS-ABR	CHAR	2,	0)
		0	RPTY_ZIP_CD_2623	2623	RPTY-ZIP-CD	CHAR	9,	0)
		1	RPTY_ID_2638	2638	RPTY-ID	CHAR	5,	0)
326	MDLS_BATCH_DEPT_A	0	MDLS_STAT_CNT_7191	7191	MDLS-TOT-INQ-D1	INTEGER	4,	0)
		0	MDLS_STAT_CNT_7192	7192	MDLS-INPUT-MATCH-D1	INTEGER	4,	0)
		0	MDLS_STAT_CNT_7193	7193	MDLS-TOT-OFFERED-D1	INTEGER	4,	0)
		0	MDLS_STAT_CNT_7197	7197	MDLS-TOT-INQ-D2	INTEGER	4,	0)
		0	MDLS_STAT_CNT_7198	7198	MDLS-INPUT-MATCH-D2	INTEGER	4,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		0	MDLS_STAT_CNT_7199	7199	MDLS-TOT-OFFERED-D2	INTEGER	4	0
		0	MDLS_STAT_CNT_7202	7202	MDLS-TOT-INQ-P1	INTEGER	4	0
		0	MDLS_STAT_CNT_7203	7203	MDLS-INPUT-MATCH-P1	INTEGER	4	0
		0	MDLS_STAT_CNT_7204	7204	MDLS-TOT-OFFERED-P1	INTEGER	4	0
		0	MDLS_STAT_CNT_7208	7208	MDLS-TOT-INQ-P2	INTEGER	4	0
		0	MDLS_STAT_CNT_7209	7209	MDLS-INPUT-MATCH-P2	INTEGER	4	0
		0	MDLS_STAT_CNT_7210	7210	MDLS-TOT-OFFERED-P2	INTEGER	4	0
		0	MDLS_STAT_CNT_7214	7214	MDLS-TOT-INQ-NN	INTEGER	4	0
		0	MDLS_STAT_CNT_7215	7215	MDLS-INPUT-MATCH-NN	INTEGER	4	0
		0	MDLS_STAT_CNT_7216	7216	MDLS-TOT-OFFERED-NN	INTEGER	4	0
		0	MDLS_STAT_CNT_7220	7220	MDLS-TOT-INQ-D3	INTEGER	4	0
		0	MDLS_STAT_CNT_7221	7221	MDLS-INPUT-MATCH-D3	INTEGER	4	0
		0	MDLS_STAT_CNT_7222	7222	MDLS-TOT-OFFERED-D3	INTEGER	4	0
		0	MDLS_STAT_CNT_7625	7625	MDLS-EDIT-ERR-D1	INTEGER	4	0
		0	MDLS_STAT_CNT_7626	7626	MDLS-EDIT-ERR-D2	INTEGER	4	0
		0	MDLS_STAT_CNT_7627	7627	MDLS-EDIT-ERR-D3	INTEGER	4	0
		0	MDLS_STAT_CNT_7628	7628	MDLS-EDIT-ERR-P1	INTEGER	4	0
		0	MDLS_STAT_CNT_7629	7629	MDLS-EDIT-ERR-P2	INTEGER	4	0
		0	MDLS_STAT_CNT_7630	7630	MDLS-EDIT-ERR-NN	INTEGER	4	0
		0	MDLS_STAT_CNT_7632	7632	MDLS-TOT-INQ-UNDEF	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
327	KHN_ACTY_TBL	0	KHN_ACTY_IND_4356	4356	KHN-ACTY-IND	CHAR	1	0
		1	ACTY_CD_2046	2046	ACTY-CD	CHAR	6	0
328	FOREIGN_ADDRESS	0	CITY_1084	1084	CITY	CHAR	36	0
		0	CNTRY_CD_3408	3408	CNTRY-CD	CHAR	3	0
		0	POBOX_1361	1361	POBOX	CHAR	36	0
		0	POS_ZONE_2549	2549	POS-ZONE	CHAR	10	0
		0	ST_ADRS_1_1082	1082	ST-ADRS-1	CHAR	36	0
		0	ST_ADRS_2_1083	1083	ST-ADRS-2	CHAR	36	0
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR	5	0
		2	ADRS_TYP_CD_2137	2137	ADRS-TYP-CD	CHAR	1	0
329	AMC_CHANGE_DATA	0	AMC_STAT_CNT_6363	6363	AMC-DP-CC-MVMT-NSN	INTEGER	4	0
		0	AMC_STAT_CNT_6381	6381	AMC-AT-CC-MVMT-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
		4	STAT_CCTGY_3995	3995	STAT-CMDTY-CTGY	CHAR	2	0
		5	AMC_TO_3085	3085	ACQ-MTHD-CD-TO	CHAR	1	0
		6	AMC_FROM_3086	3086	ACQ-MTHD-CD-FROM	CHAR	1	0
330	AMC_CHANGE_DATA_A	0	AMC_STAT_CNT_6363	6363	AMC-DP-CC-MVMT-NSN	INTEGER	4	0
		0	AMC_STAT_CNT_6381	6381	AMC-AT-CC-MVMT-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
		4	STAT_CCTGY_3995	3995	STAT-CMDTY-CTGY	CHAR	2	0
		5	AMC_TO_3085	3085	ACQ-MTHD-CD-TO	CHAR	1	0
		6	AMC_FROM_3086	3086	ACQ-MTHD-CD-FROM	CHAR	1	0
331	DAAS_SOS	0	AF_SOS_9403	9403	AF-SOS	CHAR	3	0
		0	AR_SOS_9402	9402	AR-SOS	CHAR	3	0
		0	IMM_SOS_9401	9401	IMM-SOS	CHAR	3	0
		0	INACT_SOS_IND_0134	0134	INACT-SOS-IND-CD	CHAR	1	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		0	NVY_SOS_9404	9404	NVY-SOS	CHAR	3,	0)
		0	NVY_SP_SOS_CD_0135	0135	NVY-SP-SOS-CD	CHAR	2,	0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR	2,	0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	7,	0)
		3	EFF_DT_2128	2128	EFF-DT	INTEGER	4,	0)
333	ACCESS_DESCR_TBL	0	ACCS_RPET_CT_4256	4256	IDS-ACCS-RPET-CT-QTY	SMALLINT	2,	0)
		0	ACCS_TYP_CD_4198	4198	IDS-ACCS-TYP-CD	CHAR	1,	0)
		0	CMPNT_BLN_4162	4162	IDS-ACCS-CMPNT-BLN-IND	CHAR	1,	0)
		0	CMPNT_FAIL_4164	4164	IDS-ACCS-CMPNT-FAIL-IND	CHAR	1,	0)
		0	CMPNT_FILE_NM_4168	4168	IDS-ACCS-CMPNT-FILE-NM	CHAR	8,	0)
		0	CMPNT_MANY_4165	4165	IDS-ACCS-CMPNT-MANY-IND	CHAR	1,	0)
		0	CMPNT_OMIT_4163	4163	IDS-ACCS-CMPNT-OMIT-IND	CHAR	1,	0)
		0	DATA_RPL_4255	4255	IDS-DATA-RPL-IND	CHAR	1,	0)
		0	EXTR_TYP_SEQ_4166	4166	IDS-EXTR-RCD-TYP-SEQ-NBR	VARCHAR	20,	0)
		0	LINK_PARM_4208	4208	IDS-LINK-PARM-STNG-TXT	VARCHAR	160,	0)
		0	TBL_QRY_STNG_4207	4207	IDS-TBL-QRY-STNG-TXT	VARCHAR	2048,	0)
		1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR	10,	0)
		2	REV_LVL_2644	2644	REV-LVL	CHAR	3,	0)
		3	REC_TYP_CD_4197	4197	IDS-REC-TYP-CD	SMALLINT	2,	0)
		4	ACCS_SEQ_NBR_4199	4199	IDS-ACCS-REC-SEQ-NBR	SMALLINT	2,	0)
334	ACCESS_RCRD_DSCR_T	0	CMPNT_CATNT_4173	4173	IDS-ACCS-CMPNT-CATNT-IND	CHAR	1,	0)
		0	CMPNT_DSCRD_4171	4171	IDS-ACCS-CMPNT-DSCRD-IND	CHAR	1,	0)
		0	CMPNT_LGTH_4174	4174	IDS-ACCS-CMPNT-LGTH-NBR	SMALLINT	2,	0)
		0	CMPNT_OFST_4187	4187	IDS-ACCS-CMPNT-OFST-NBR	SMALLINT	2,	0)
		0	CMPNT_SEQ_4172	4172	IDS-ACCS-CMPNT-SEQ-NBR	SMALLINT	2,	0)
		0	CMPNT_SRT_4177	4177	IDS-A-CMPNT-SRT-ORDR-IND	CHAR	1,	0)
		0	DATA_STRM_BRK_4176	4176	IDS-DATA-STRM-BRK-IND	CHAR	1,	0)
		0	EX_FILE_LGTH_4158	4158	IDS-EXTN-FILE-LGTH-NBR	INTEGER	4,	0)
		0	FLD_JUST_4257	4257	IDS-FLD-JUST	CHAR	1,	0)
		0	MRKP_DSRPTR_4179	4179	IDS-MRKP-DSRPTR-FLD-NBR	SMALLINT	2,	0)
		0	XFILE_RPETD_4159	4159	IDS-XFILE-RPETD-DATA-NBR	SMALLINT	2,	0)
		1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR	10,	0)
		2	REV_LVL_2644	2644	REV-LVL	CHAR	3,	0)
		3	REC_TYP_CD_4197	4197	IDS-REC-TYP-CD	SMALLINT	2,	0)
		4	ACCS_SEQ_NBR_4199	4199	IDS-ACCS-REC-SEQ-NBR	SMALLINT	2,	0)
		5	IDS_CMPNT_NBR_4160	4160	IDS-CMPNT-NBR	SMALLINT	2,	0)
335	MARKUP_DESCR_TBL	0	DAT_LGTH_ATTR_8621	8621	IDS-DAT-LGTH-ATTR-ID	CHAR	2,	0)
		0	MARKUP_TXT_4156	4156	IDS-MARKUP-TXT	VARCHAR	79,	0)
		0	MRKP_CPTLZTN_4182	4182	IDS-MRKP-CPTLZTN-IND	CHAR	1,	0)
		0	MRKP_HPHN_4181	4181	NSN-MRKP-HPHN-IND	CHAR	1,	0)
		0	POST_DELIM_4260	4260	IDS-POST-DELIM	SMALLINT	2,	0)
		0	POST_MRKP_4258	4258	IDS-POST-MRKP-TXT	VARCHAR	79,	0)
		0	PRE_DELIM_4259	4259	IDS-PRE-DELIM	SMALLINT	2,	0)
		0	ZER_SUPRSN_8617	8617	IDS-ZER-SUPRSN-IND	CHAR	1,	0)
		1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR	10,	0)
		2	REV_LVL_2644	2644	REV-LVL	CHAR	3,	0)
		3	MRKP_DSRPTR_4179	4179	IDS-MRKP-DSRPTR-FLD-NBR	SMALLINT	2,	0)
336	CALLABLE_DESCR_TBL	0	ACCS_PARM_4185	4185	IDS-CLBL-ACCS-PARM-TXT	VARCHAR	160,	0)
		0	ACCS_SUBRTN_4183	4183	IDS-CLBL-ACCS-SUBRTN-NM	CHAR	8,	0)
		0	CMPNT_DSCRD_4171	4171	IDS-ACCS-CMPNT-DSCRD-IND	CHAR	1,	0)
		0	CMPNT_LGTH_4174	4174	IDS-ACCS-CMPNT-LGTH-NBR	SMALLINT	2,	0)
		0	CMPNT_SEQ_4172	4172	IDS-ACCS-CMPNT-SEQ-NBR	SMALLINT	2,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		0	EXTR_TYP_SEQ_4166	4166	IDS-EXTR-RCD-TYP-SEQ-NBR	VARCHAR	20	0
		0	MRKP_DSRPTR_4179	4179	IDS-MRKP-DSRPTR-FLD-NBR	SMALLINT	2	0
		0	PASD_PARM_4184	4184	IDS-C-ACCS-PASD-PARM-TXT	VARCHAR	160	0
		0	ROW_IND_4205	4205	ROW-IND	CHAR	1	0
		1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR	10	0
		2	REV_LVL_2644	2644	REV-LVL	CHAR	3	0
		3	REC_TYP_CD_4197	4197	IDS-REC-TYP-CD	SMALLINT	2	0
		4	ACCS_SEQ_NBR_4199	4199	IDS-ACCS-REC-SEQ-NBR	SMALLINT	2	0
337	CALL_ACCESS_LIST	0	SGML_ELE_NAME_9481	9481	SGML-ELE-NAME	CHAR	8	0
		0	SRT_ALLOWED_9482	9482	SRT-ALLOWED-IND	CHAR	1	0
		1	ACCS_SUBRTN_4183	4183	IDS-CLBL-ACCS-SUBRTN-NM	CHAR	8	0
338	ADPEC_FSC	1	FSG_3994	3994	ASGND-FSG	CHAR	2	0
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2	0
339	DECDE_COMP_DESCR_T	0	CDD_RPLY_3465	3465	CDD-RPLY	CHAR	6	0
		0	CMPNT_CATNT_4173	4173	IDS-ACCS-CMPNT-CATNT-IND	CHAR	1	0
		0	CMPNT_DSCRD_4171	4171	IDS-ACCS-CMPNT-DSCRD-IND	CHAR	1	0
		0	CMPNT_LGTH_4174	4174	IDS-ACCS-CMPNT-LGTH-NBR	SMALLINT	2	0
		0	CMPNT_SEQ_4172	4172	IDS-ACCS-CMPNT-SEQ-NBR	SMALLINT	2	0
		0	DATA_STRM_BRK_4176	4176	IDS-DATA-STRM-BRK-IND	CHAR	1	0
		0	FLD_JUST_4257	4257	IDS-FLD-JUST	CHAR	1	0
		0	MRC_3445	3445	MRC	CHAR	4	0
		0	MRKP_DSRPTR_4179	4179	IDS-MRKP-DSRPTR-FLD-NBR	SMALLINT	2	0
		1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR	10	0
		2	REV_LVL_2644	2644	REV-LVL	CHAR	3	0
		3	REC_TYP_CD_4197	4197	IDS-REC-TYP-CD	SMALLINT	2	0
		4	ACCS_SEQ_NBR_4199	4199	IDS-ACCS-REC-SEQ-NBR	SMALLINT	2	0
		5	IDS_CMPNT_NBR_4160	4160	IDS-CMPNT-NBR	SMALLINT	2	0
340	MGT_INFO_TABLE	0	ACT_USR_IND_4196	4196	IDS-ACT-USR-IND	CHAR	1	0
		0	CANC_ITM_IND_4329	4329	IDS-CANC-ITM-IND-CD	CHAR	1	0
		0	DEF_ESTB_DT_4192	4192	IDS-PRDCT-DEF-ESTB-DT	CHAR	9	0
		0	DEF_STAT_CD_4193	4193	IDS-DEF-STAT-CD	CHAR	1	0
		0	DYN_ALLOC_8627	8627	IDS-DYN-ALLOC-IND	CHAR	1	0
		0	EXTR_OP_FL_4202	4202	IDS-EXTR-OP-FL-QTY	INTEGER	4	0
		0	EXTR_UPDT_8624	8624	IDS-EXTR-UPDT-CD	CHAR	1	0
		0	FILEAID_MBR_4328	4328	IDS-FILEAID-MBR-NM	CHAR	8	0
		0	FILE_NM_HLQ_8628	8628	IDS-FILE-NM-HLQ-ID	CHAR	8	0
		0	FMT_OP_8625	8625	IDS-FMT-OP-CD	CHAR	1	0
		0	FUNC_MNEM_NM_4195	4195	IDS-FUNC-MNEM-NM	CHAR	6	0
		0	ITM_PRCSG_QTY_4201	4201	IDS-ITM-PRCSG-QTY	SMALLINT	2	0
		0	LST_PUB_DT_4191	4191	IDS-LST-PUB-DT	INTEGER	4	0
		0	LST_UPDT_DT_4189	4189	IDS-LST-PUB-UPDT-DT	CHAR	9	0
		0	NXT_PUB_DT_4188	4188	IDS-NXT-PUB-DT	INTEGER	4	0
		0	PRDCT_TI_0982	0982	PRDCT-TI	CHAR	20	0
		0	PRFL_PRFX_TX_4326	4326	IDS-PRFL-PRFX-TX	CHAR	8	0
		0	PRFX_JCL_MBR_4327	4327	IDS-PRFX-JCL-MBR-NM	CHAR	6	0
		0	PRPY_DCOD_4253	4253	IDS-PRPY-DCOD-IND	CHAR	1	0
		0	PRPY_NOTC_4254	4254	IDS-PRPY-NOTC-IND	CHAR	1	0
		0	PUB_CYCL_TM_4194	4194	IDS-PUB-CYCL-TM	CHAR	13	0
		0	RNDM_SMPL_IND_2671	2671	RNDM-SMPL-IND-CD	CHAR	1	0
		0	SRT_RPL_4252	4252	IDS-SRT-RPL-IND	CHAR	1	0
		0	USER_PAD_CHAR_4251	4251	IDS-USER-PAD-CHAR	SMALLINT	2	0
		0	USR_CD_1101	1101	USR-CD	CHAR	8	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	----------DATA---------- TYPE--LENGTH--DECIMAL			
		1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR	(	10,	0)
		2	REV_LVL_2644	2644	REV-LVL	CHAR	(	3,	0)
341	LOLA_OVERNIGHT	0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	(	7,	0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR	(	3,	0)
		0	LSN_LTI_RMDR_4696	4696	LOLA-OVERNIGHT-LSN-LTI	CHAR	(	57,	0)
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	(	2,	0)
		0	PKG_SEQ_NBR_1070	1070	PKG-SEQ-NBR	CHAR	(	3,	0)
		0	PRI_IND_CD_2867	2867	PRI-IND-CD	CHAR	(	1,	0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	(	2,	0)
		0	TRANS_DT_4695	4695	LOLA-OVERNIGHT-TRAN-DT	CHAR	(	7,	0)
342	ITM_EXC_CRI_REC_TP	0	ACCS_TYP_CD_4198	4198	IDS-ACCS-TYP-CD	CHAR	(	1,	0)
		0	FUNC_MNEM_NM_4195	4195	IDS-FUNC-MNEM-NM	CHAR	(	6,	0)
		1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR	(	10,	0)
		2	REV_LVL_2644	2644	REV-LVL	CHAR	(	3,	0)
		3	REC_TYP_CD_4197	4197	IDS-REC-TYP-CD	SMALLINT	(	2,	0)
		4	ACCS_SEQ_NBR_4199	4199	IDS-ACCS-REC-SEQ-NBR	SMALLINT	(	2,	0)
343	MM07_CAGE_ASSET	0	DOC_TYP_2633	2633	DOC-TYP	CHAR	(	2,	0)
		0	MDLS_CAGE_CD_2272	2272	MDLS-CAGE-CD	CHAR	(	5,	0)
		0	MDLS_CAGE_PN_2287	2287	MDLS-CAGE-CD-PN	CHAR	(	5,	0)
		0	MDLS_DOC_NBR_2632	2632	MEDALS-DOC-NBR	CHAR	(	32,	0)
		0	MDLS_PN_2259	2259	MDLS-PN	CHAR	(	32,	0)
		0	REV_LVL_2644	2644	REV-LVL	CHAR	(	3,	0)
		0	RPTY_ID_CG_PN_2345	2345	RPTY-ID-CAGE-PN	CHAR	(	5,	0)
344	MM08_NIIN_ASSET	0	DOC_TYP_2633	2633	DOC-TYP	CHAR	(	2,	0)
		0	MDLS_ASG_NIIN_2274	2274	MDLS-ASGND-NIIN	CHAR	(	9,	0)
		0	MDLS_CAGE_CD_2272	2272	MDLS-CAGE-CD	CHAR	(	5,	0)
		0	MDLS_DOC_NBR_2632	2632	MEDALS-DOC-NBR	CHAR	(	32,	0)
		0	REV_LVL_2644	2644	REV-LVL	CHAR	(	3,	0)
		0	RPTY_ID_NIIN_2346	2346	RPTY-ID-NIIN	CHAR	(	5,	0)
345	NIIN_MOE_RULE_DATA	0	AMC_2871	2871	ACQ-MTHD-CD	CHAR	(	1,	0)
		0	AMSC_2876	2876	ACQ-MTHD-SUF-CD	CHAR	(	1,	0)
		0	CRD_ID_CD_IMC_0099	0099	CRD-IDEN-CD-IMC	CHAR	(	1,	0)
		0	DT_MR_ASGND_9128	9128	DT-MOE-RULE-ASGND-NIIN	INTEGER	(	4,	0)
		0	FMR_MOE_RULE_8280	8280	FMR-MOE-RULE-NBR	CHAR	(	4,	0)
		0	IMC_2744	2744	IMC	CHAR	(	1,	0)
		0	IMC_ACTY_2748	2748	IMC-ACTY	CHAR	(	2,	0)
		0	NIMSC_0076	0076	NIMSC	CHAR	(	1,	0)
		0	ROW_OBS_DT_4489	4489	ROW-OBS-DT	INTEGER	(	4,	0)
		0	TMSTMP_3059	3059	TMSTMP	TIMESTMP	(	10,	0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR	(	2,	0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	(	7,	0)
		3	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	(	4,	0)
		4	EFF_DT_2128	2128	EFF-DT	INTEGER	(	4,	0)
346	NIIN_PKG_DAT_GROUP	0	CLNG_DRY_PRC_5161	5161	CLNG-DRYNG-PRO-CD	CHAR	(	1,	0)
		0	CTNR_NSN_5178	5178	CTNR-NSN	CHAR	(	13,	0)
		0	CUSH_DUN_MAT_5164	5164	CUSH-DUN-MAT-CD	CHAR	(	2,	0)
		0	INTMD_CTNR_CD_5167	5167	INTMED-CTNR-CD	CHAR	(	2,	0)
		0	INTMD_CTN_QTY_5152	5152	INTMED-CTNR-QTY	CHAR	(	3,	0)
		0	ITM_TYP_STOR_5156	5156	ITM-TYP-STOR-CD	CHAR	(	1,	0)
		0	LVL_A_PKG_CD_5170	5170	LVL-A-PKG-RQMT-CD	CHAR	(	1,	0)
		0	LVL_B_PKG_CD_5171	5171	LVL-B-PKG-RQMT-CD	CHAR	(	1,	0)
		0	LVL_C_PKG_CD_5172	5172	LVL-C-PKG-RQMT-CD	CHAR	(	1,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	---------DATA--------- TYPE--LENGTH--DECIMAL
		0	MTHD_PRSRV_CD_5160	5160	MTHD-PRES-CD	CHAR (2, 0)
		0	OPTNL_PRO_IND_5173	5173	OPTNL-PRO-IND-CD	CHAR (1, 0)
		0	PKG_CTGY_CD_5159	5159	PKG-CTGY-CD	CHAR (4, 0)
		0	PKG_DSGN_ACTY_5179	5179	PKG-DSGN-ACTY-CD	CHAR (5, 0)
		0	PRSRV_MAT_CD_5162	5162	PRES-CD	CHAR (2, 0)
		0	SPI_DT_5177	5177	SPI-DT	CHAR (5, 0)
		0	SPI_NBR_5175	5175	SPI-NBR	CHAR (10, 0)
		0	SPI_REV_5176	5176	SPI-REV	CHAR (1, 0)
		0	SP_MKG_CD_5169	5169	SP-MKG-CD	CHAR (2, 0)
		0	SUPMTL_INST_5174	5174	SUPMTL-INST	VARCHAR (59, 0)
		0	THK_CUSH_DUN_5165	5165	THK-CUSH-DUN-CD	CHAR (1, 0)
		0	TMSTMP_3059	3059	TMSTMP	TIMESTMP (10, 0)
		0	UNIT_CTNR_CD_5166	5166	UNIT-CTNR-CD	CHAR (2, 0)
		0	UNIT_CTNR_LVL_5168	5168	UNIT-CTNR-LVL-CD	CHAR (1, 0)
		0	UNPKG_ITM_DIM_5158	5158	UNPKG-ITM-DIM	CHAR (12, 0)
		0	UNPKG_ITM_WT_5157	5157	UNPKG-ITM-WT	CHAR (5, 0)
		0	UP_CU_5155	5155	UP-CU	CHAR (7, 0)
		0	UP_QTY_5321	5321	UP-QTY	CHAR (3, 0)
		0	UP_SZ_5154	5154	UP-SZ	CHAR (12, 0)
		0	UP_WT_5153	5153	UP-WT	CHAR (5, 0)
		0	WRAP_MAT_CD_5163	5163	WRAP-MAT-CD	CHAR (2, 0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR (2, 0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR (7, 0)
		3	LOP_CD_5151	5151	LVL-PROTN-CD	CHAR (1, 0)
		4	PICA_SICA_IND_5099	5099	PICA-SICA-IND-CD	CHAR (1, 0)
347	MRD_REQ_STMT_DEF	0	RQMT_STMT_DEF_5027	5027	RQMT-STMT-DEF	VARCHAR (500, 0)
		1	MRC_3445	3445	MRC	CHAR (4, 0)
348	MODE_TEXT_REPLY	0	AND_OR_IND_3060	3060	AND-OR-IND	CHAR (1, 0)
		0	CDD_CLR_RPLY_4128	4128	CDD-CLR-RPLY	VARCHAR (990, 0)
		1	PINC_3084	3084	PINC	CHAR (7, 0)
		2	MRC_3445	3445	MRC	CHAR (4, 0)
		3	SAC_8990	8990	SAC	CHAR (3, 0)
		4	NCB_CD_4130	4130	NCB-CD	CHAR (2, 0)
		5	I_I_NBR_4131	4131	I-I-NBR	CHAR (7, 0)
		6	RPLY_SEQ_NBR_4408	4408	RPLY-SEQ-NBR	SMALLINT (2, 0)
349	MODE_TEXT_INDEX	1	PINC_3084	3084	PINC	CHAR (7, 0)
		2	MRC_3445	3445	MRC	CHAR (4, 0)
		3	SAC_8990	8990	SAC	CHAR (3, 0)
		4	CLRTXT_KEY_3088	3088	CLRTXT-KEY	CHAR (35, 0)
		5	NCB_CD_4130	4130	NCB-CD	CHAR (2, 0)
		6	I_I_NBR_4131	4131	I-I-NBR	CHAR (7, 0)
350	MODE_D_L_REPLY	0	AND_OR_IND_3060	3060	AND-OR-IND	CHAR (1, 0)
		1	PINC_3084	3084	PINC	CHAR (7, 0)
		2	MRC_3445	3445	MRC	CHAR (4, 0)
		3	SAC_8990	8990	SAC	CHAR (3, 0)
		4	DL_REPLY_4418	4418	DL-REPLY	CHAR (6, 0)
		5	NCB_CD_4130	4130	NCB-CD	CHAR (2, 0)
		6	I_I_NBR_4131	4131	I-I-NBR	CHAR (7, 0)
351	MODE_A_B_REPLY	0	AND_OR_IND_3060	3060	AND-OR-IND	CHAR (1, 0)
		1	PINC_3084	3084	PINC	CHAR (7, 0)
		2	MRC_3445	3445	MRC	CHAR (4, 0)
		3	SAC_8990	8990	SAC	CHAR (3, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		4	AB_VALUE_4419	4419	AB-VALUE	DECIMAL	15,	7)
		5	NCB_CD_4130	4130	NCB-CD	CHAR	2,	0)
		6	I_I_NBR_4131	4131	I-I-NBR	CHAR	7,	0)
352	MODE_J_REPLY	0	AND_OR_IND_3060	3060	AND-OR-IND	CHAR	1,	0)
		0	NCB_CD_4130	4130	NCB-CD	CHAR	2,	0)
		0	STORE_M_J_TBL_4424	4424	STORE-M-J-TBL	CHAR	12,	0)
		0	STORE_M_MAX_4426	4426	STORE-M-MAX	VARCHAR	23,	0)
		0	STORE_M_MIN_4425	4425	STORE-M-MIN	VARCHAR	23,	0)
		1	I_I_NBR_4131	4131	I-I-NBR	CHAR	7,	0)
		1	PINC_3084	3084	PINC	CHAR	7,	0)
		2	MRC_3445	3445	MRC	CHAR	4,	0)
		3	SAC_8990	8990	SAC	CHAR	3,	0)
		4	J_TBL_REPLY_3073	3073	J-TBL-REPLY	CHAR	12,	0)
		5	J_MIN_L_VAL_4420	4420	J-MIN-L-VALUE	DECIMAL	15,	0)
		6	J_MIN_R_VAL_4423	4423	J-MIN-R-VALUE	DECIMAL	7,	0)
		7	STORE_TYPE_4421	4421	STORE-TYPE	CHAR	1,	0)
		8	J_MAX_L_VAL_4422	4422	J-MAX-L-VALUE	DECIMAL	15,	0)
		9	J_MAX_R_VAL_4427	4427	J-MAX-R-VALUE	DECIMAL	7,	0)
353	MODE_F_REPLY	0	AND_OR_IND_3060	3060	AND-OR-IND	CHAR	1,	0)
		1	PINC_3084	3084	PINC	CHAR	7,	0)
		2	MRC_3445	3445	MRC	CHAR	4,	0)
		3	SAC_8990	8990	SAC	CHAR	3,	0)
		4	F_MIN_VALUE_3078	3078	F-MIN-VALUE	DECIMAL	15,	7)
		5	F_MAX_VALUE_4428	4428	F-MAX-VALUE	DECIMAL	15,	7)
		6	NCB_CD_4130	4130	NCB-CD	CHAR	2,	0)
		7	I_I_NBR_4131	4131	I-I-NBR	CHAR	7,	0)
354	MODE_H_REPLY	0	AND_OR_IND_3060	3060	AND-OR-IND	CHAR	1,	0)
		0	H_J_TEXT_4437	4437	H-J-TEXT	VARCHAR	990,	0)
		0	H_TAB7_VAL_4435	4435	H-TAB7-VALUE	CHAR	6,	0)
		1	H_TAB8_VAL_4436	4436	H-TAB8-VALUE	CHAR	6,	0)
		1	PINC_3084	3084	PINC	CHAR	7,	0)
		2	MRC_3445	3445	MRC	CHAR	4,	0)
		2	NCB_CD_4130	4130	NCB-CD	CHAR	2,	0)
		3	I_I_NBR_4131	4131	I-I-NBR	CHAR	7,	0)
		3	SAC_8990	8990	SAC	CHAR	3,	0)
		4	H_TAB1_VAL_4429	4429	H-TAB1-VALUE	CHAR	6,	0)
		4	RPLY_SEQ_NBR_4408	4408	RPLY-SEQ-NBR	SMALLINT	2,	0)
		5	H_TAB2_VAL_4430	4430	H-TAB2-VALUE	CHAR	6,	0)
		6	H_TAB3_VAL_4431	4431	H-TAB3-VALUE	CHAR	6,	0)
		7	H_TAB4_VAL_4432	4432	H-TAB4-VALUE	CHAR	6,	0)
		8	H_TAB5_VAL_4433	4433	H-TAB5-VALUE	CHAR	6,	0)
		9	H_TAB6_VAL_4434	4434	H-TAB6-VALUE	CHAR	6,	0)
355	MDLS_USR_ADRS_DAT	0	CITY_1084	1084	CITY	CHAR	36,	0)
		0	CNTRY_1085	1085	CNTRY	CHAR	36,	0)
		0	DLVR_ADRS_LI_3354	3354	DLVR-ADRS-LI-TX	CHAR	50,	0)
		0	OFC_NM_LI_3351	3351	OFC-NM-LI-TX	CHAR	50,	0)
		0	OPTNL_NM_3352			CHAR	50,	0)
		0	ST_US_PDSN_AB_0186			CHAR	2,	0)
		0	TEL_NBR_1359	1359	TEL-NBR	CHAR	12,	0)
		0	ZIP_PLUS_FOUR_4399	4399	ZIP-PLUS-FOUR-CD	CHAR	10,	0)
		1	USR_CD_1101	1101	USR-CD	CHAR	8,	0)
356	INC_MRC_COUNT	0	MRC_COUNT_4439	4439	MRC-VALUE-COUNT	INTEGER	4,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		1	PINC_3084	3084	PINC	CHAR	7	0
		2	MRC_3445	3445	MRC	CHAR	4	0
357	INC_MRC_VAL_MOD_DL	0	MRC_COUNT_4439	4439	MRC-VALUE-COUNT	INTEGER	4	0
		1	PINC_3084	3084	PINC	CHAR	7	0
		2	MRC_3445	3445	MRC	CHAR	4	0
		3	SAC_8990	8990	SAC	CHAR	3	0
		4	DL_REPLY_4418	4418	DL-REPLY	CHAR	6	0
358	INC_MRC_VAL_MOD_AB	0	MRC_COUNT_4439	4439	MRC-VALUE-COUNT	INTEGER	4	0
		1	PINC_3084	3084	PINC	CHAR	7	0
		2	MRC_3445	3445	MRC	CHAR	4	0
		3	SAC_8990	8990	SAC	CHAR	3	0
		4	AB_VALUE_4419	4419	AB-VALUE	DECIMAL	15	7
359	ACCESS_DEFINITION	0	ACCS_RPET_CT_4256	4256	IDS-ACCS-RPET-CT-QTY	SMALLINT	2	0
		0	COND_TXT_4206	4206	IDS-COND-TXT	VARCHAR	1120	0
		0	DATA_RPL_4255	4255	IDS-DATA-RPL-IND	CHAR	1	0
		0	DB2_TBL_NAME_4465	4465	DB2-TBL-NAME	CHAR	18	0
		0	FUNC_MNEM_NM_4195	4195	IDS-FUNC-MNEM-NM	CHAR	6	0
		0	MBR_STNG_TX_4203	4203	IDS-SQL-COND-MBR-STNG-TX	CHAR	17	0
		0	PRCSG_ACTN_4204	4204	IDS-PRCSG-ACTN-TXT	CHAR	18	0
		0	ROW_IND_4205	4205	ROW-IND	CHAR	1	0
		1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR	10	0
		2	REV_LVL_2644	2644	REV-LVL	CHAR	3	0
		3	REC_TYP_CD_4197	4197	IDS-REC-TYP-CD	SMALLINT	2	0
		4	ACCS_SEQ_NBR_4199	4199	IDS-ACCS-REC-SEQ-NBR	SMALLINT	2	0
360	INC_MRC_VAL_MODE_J	0	MRC_COUNT_4439	4439	MRC-VALUE-COUNT	INTEGER	4	0
		1	PINC_3084	3084	PINC	CHAR	7	0
		2	MRC_3445	3445	MRC	CHAR	4	0
		3	SAC_8990	8990	SAC	CHAR	3	0
		4	J_TBL_REPLY_3073	3073	J-TBL-REPLY	CHAR	12	0
		5	J_MIN_L_VAL_4420	4420	J-MIN-L-VALUE	DECIMAL	15	0
		6	J_MIN_R_VAL_4423	4423	J-MIN-R-VALUE	DECIMAL	7	0
		7	STORE_TYPE_4421	4421	STORE-TYPE	CHAR	1	0
		8	J_MAX_L_VAL_4422	4422	J-MAX-L-VALUE	DECIMAL	15	0
		9	J_MAX_R_VAL_4427	4427	J-MAX-R-VALUE	DECIMAL	7	0
361	INC_MRC_VAL_MODE_F	0	MRC_COUNT_4439	4439	MRC-VALUE-COUNT	INTEGER	4	0
		1	PINC_3084	3084	PINC	CHAR	7	0
		2	MRC_3445	3445	MRC	CHAR	4	0
		3	SAC_8990	8990	SAC	CHAR	3	0
		4	F_MIN_VALUE_3078	3078	F-MIN-VALUE	DECIMAL	15	7
		5	F_MAX_VALUE_4428	4428	F-MAX-VALUE	DECIMAL	15	7
362	INC_MRC_VAL_MODE_H	0	H_TAB7_VAL_4435	4435	H-TAB7-VALUE	CHAR	6	0
		0	MRC_COUNT_4439	4439	MRC-VALUE-COUNT	INTEGER	4	0
		1	H_TAB8_VAL_4436	4436	H-TAB8-VALUE	CHAR	6	0
		1	PINC_3084	3084	PINC	CHAR	7	0
		2	MRC_3445	3445	MRC	CHAR	4	0
		3	SAC_8990	8990	SAC	CHAR	3	0
		4	H_TAB1_VAL_4429	4429	H-TAB1-VALUE	CHAR	6	0
		5	H_TAB2_VAL_4430	4430	H-TAB2-VALUE	CHAR	6	0
		6	H_TAB3_VAL_4431	4431	H-TAB3-VALUE	CHAR	6	0
		7	H_TAB4_VAL_4432	4432	H-TAB4-VALUE	CHAR	6	0
		8	H_TAB5_VAL_4433	4433	H-TAB5-VALUE	CHAR	6	0
		9	H_TAB6_VAL_4434	4434	H-TAB6-VALUE	CHAR	6	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
363	UNAPPRV_ITEM_NM_DT	0	DT_ESTB_CANC_0308	0308	DT-ESTB-CANC-RCD-DIDS	INTEGER	4	0
		0	NAIN_5020	5020	NON-APRVD-ITM-NM	CHAR	19	0
		0	NAIN_RMDR_2177	2177	ITM-NM-NON-APRVD-RMDR	VARCHAR	971	0
		1	NAIN_CD_3237	3237	NAIN-CD	CHAR	7	0
364	KEYWORD_INDEX	1	ITEM_NM_KY_WD_4401	4401	ITEM-NAME-KEYWORD	CHAR	35	0
		2	PINC_3084	3084	PINC	CHAR	7	0
365	EFFECTIVE_DAT_DLSC	0	DT_TRAN_2310	2310	DT-TRAN	INTEGER	4	0
		0	USR_CD_1101	1101	USR-CD	CHAR	8	0
		1	TMSTMP2_4402	4402	TMSTMP2	TIMESTMP	10	0
366	USER_DATE_XREF	0	PC_DN_LD_LINE_3087	3087	PC-DN-LD-LINE	VARCHAR	400	0
		1	USR_CD_1101	1101	USR-CD	CHAR	8	0
		2	TMSTMP_3059	3059	TMSTMP	TIMESTMP	10	0
		3	SCRN_ID_0981	0981	SCREEN-ID-CODE	CHAR	6	0
367	COMMONALITY_FAA	0	ICFS_STAT_CNT_5895	5895	ICFS-FAA-ALL-MNGD-TOT	INTEGER	4	0
		0	ICFS_STAT_CNT_5896	5896	ICFS-FAA-ALL-MNGD-MM	INTEGER	4	0
		0	ICFS_STAT_CNT_5898	5898	ICFS-DLA-ALL-MM	INTEGER	4	0
		0	ICFS_STAT_CNT_5901	5901	ICFS-DOD-ALL-MM	INTEGER	4	0
		0	ICFS_STAT_CNT_7810	7810	ICFS-GSA-ALL-MM	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
368	LOLA_UPD_STATSDATA	0	ACTY_CD_2046	2046	ACTY-CD	CHAR	6	0
		0	DIC_IP_3921	3921	DIC-IP	CHAR	3	0
		0	DIC_OP_1052	1052	DIC-OP	CHAR	3	0
		0	RTN_CD_9480	9480	RTN-CD	CHAR	2	0
		0	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		0	USR_CD_1101	1101	USR-CD	CHAR	8	0
		1	TRANS_DT_4695	4695	LOLA-OVERNIGHT-TRAN-DT	CHAR	7	0
		2	UPDT_PRC_TIME_3323	3323	LOLA-UPDT-PRCSD-TIME	CHAR	6	0
		3	RECVD_STAMP_9204	9204	RECVD-STAMP	TIMESTMP	10	0
369	COMALTY_MS_D_DTL	0	ICMD_STAT_CNT_5849	5849	ICMD-LA-ALL-LC-ANM	INTEGER	4	0
		0	ICMD_STAT_CNT_5850	5850	ICMD-LA-ALL-LC-AN	INTEGER	4	0
		0	ICMD_STAT_CNT_5851	5851	ICMD-LA-ALL-LC-AFM	INTEGER	4	0
		0	ICMD_STAT_CNT_5852	5852	ICMD-LA-ALL-LC-AF	INTEGER	4	0
		0	ICMD_STAT_CNT_5853	5853	ICMD-LA-ALL-LC-AM	INTEGER	4	0
		0	ICMD_STAT_CNT_5854	5854	ICMD-LA-ALL-LC-A	INTEGER	4	0
		0	ICMD_STAT_CNT_5855	5855	ICMD-LA-ALL-LC-NFM	INTEGER	4	0
		0	ICMD_STAT_CNT_5856	5856	ICMD-LA-ALL-LC-NF	INTEGER	4	0
		0	ICMD_STAT_CNT_5857	5857	ICMD-LA-ALL-LC-NM	INTEGER	4	0
		0	ICMD_STAT_CNT_5858	5858	ICMD-LA-ALL-LC-N	INTEGER	4	0
		0	ICMD_STAT_CNT_5861	5861	ICMD-LA-ALL-LC-FM	INTEGER	4	0
		0	ICMD_STAT_CNT_5862	5862	ICMD-LA-ALL-LC-F	INTEGER	4	0
		0	ICMD_STAT_CNT_5863	5863	ICMD-LA-ALL-LC-M	INTEGER	4	0
		0	ICMD_STAT_CNT_5880	5880	ICMD-LA-FSC-LC-ANFM	INTEGER	4	0
		0	ICMD_STAT_CNT_5881	5881	ICMD-LA-FSC-LC-ANF	INTEGER	4	0
		0	ICMD_STAT_CNT_5882	5882	ICMD-LA-FSC-LC-ANM	INTEGER	4	0
		0	ICMD_STAT_CNT_5883	5883	ICMD-LA-FSC-LC-AN	INTEGER	4	0
		0	ICMD_STAT_CNT_5884	5884	ICMD-LA-FSC-LC-AFM	INTEGER	4	0
		0	ICMD_STAT_CNT_5885	5885	ICMD-LA-FSC-LC-AF	INTEGER	4	0
		0	ICMD_STAT_CNT_5886	5886	ICMD-LA-FSC-LC-AM	INTEGER	4	0
		0	ICMD_STAT_CNT_5887	5887	ICMD-LA-FSC-LC-A	INTEGER	4	0
		0	ICMD_STAT_CNT_5888	5888	ICMD-LA-FSC-LC-NFM	INTEGER	4	0
		0	ICMD_STAT_CNT_5889	5889	ICMD-LA-FSC-LC-NF	INTEGER	4	0
		0	ICMD_STAT_CNT_5890	5890	ICMD-LA-FSC-LC-NM	INTEGER	4	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		0	ICMD_STAT_CNT_5891	5891	ICMD-LA-FSC-LC-N	INTEGER	4	0
		0	ICMD_STAT_CNT_5892	5892	ICMD-LA-FSC-LC-FM	INTEGER	4	0
		0	ICMD_STAT_CNT_5893	5893	ICMD-LA-FSC-LC-F	INTEGER	4	0
		0	ICMD_STAT_CNT_5894	5894	ICMD-LA-FSC-LC-M	INTEGER	4	0
		0	ICMD_STAT_CNT_7102	7102	ICMD-FSC-ALL-LC-ANFM	INTEGER	4	0
		0	ICMD_STAT_CNT_7103	7103	ICMD-FSC-ALL-LC-ANF	INTEGER	4	0
		0	ICMD_STAT_CNT_7104	7104	ICMD-FSC-ALL-LC-ANM	INTEGER	4	0
		0	ICMD_STAT_CNT_7105	7105	ICMD-FSC-ALL-LC-AN	INTEGER	4	0
		0	ICMD_STAT_CNT_7106	7106	ICMD-FSC-ALL-LC-AFM	INTEGER	4	0
		0	ICMD_STAT_CNT_7107	7107	ICMD-FSC-ALL-LC-AF	INTEGER	4	0
		0	ICMD_STAT_CNT_7108	7108	ICMD-FSC-ALL-LC-AM	INTEGER	4	0
		0	ICMD_STAT_CNT_7109	7109	ICMD-FSC-ALL-LC-A	INTEGER	4	0
		0	ICMD_STAT_CNT_7110	7110	ICMD-FSC-ALL-LC-NFM	INTEGER	4	0
		0	ICMD_STAT_CNT_7111	7111	ICMD-FSC-ALL-LC-NF	INTEGER	4	0
		0	ICMD_STAT_CNT_7112	7112	ICMD-FSC-ALL-LC-NM	INTEGER	4	0
		0	ICMD_STAT_CNT_7113	7113	ICMD-FSC-ALL-LC-N	INTEGER	4	0
		0	ICMD_STAT_CNT_7114	7114	ICMD-FSC-ALL-LC-FM	INTEGER	4	0
		0	ICMD_STAT_CNT_7115	7115	ICMD-FSC-ALL-LC-F	INTEGER	4	0
		0	ICMD_STAT_CNT_7116	7116	ICMD-FSC-ALL-LC-M	INTEGER	4	0
		0	ICMD_STAT_CNT_7132	7132	ICMD-IM-ALL-LC-ANFM	INTEGER	4	0
		0	ICMD_STAT_CNT_7133	7133	ICMD-IM-ALL-LC-ANF	INTEGER	4	0
		0	ICMD_STAT_CNT_7134	7134	ICMD-IM-ALL-LC-ANM	INTEGER	4	0
		0	ICMD_STAT_CNT_7135	7135	ICMD-IM-ALL-LC-AN	INTEGER	4	0
		0	ICMD_STAT_CNT_7136	7136	ICMD-IM-ALL-LC-AFM	INTEGER	4	0
		0	ICMD_STAT_CNT_7137	7137	ICMD-IM-ALL-LC-AF	INTEGER	4	0
		0	ICMD_STAT_CNT_7138	7138	ICMD-IM-ALL-LC-AM	INTEGER	4	0
		0	ICMD_STAT_CNT_7139	7139	ICMD-IM-ALL-LC-A	INTEGER	4	0
		0	ICMD_STAT_CNT_7140	7140	ICMD-IM-ALL-LC-NFM	INTEGER	4	0
		0	ICMD_STAT_CNT_7141	7141	ICMD-IM-ALL-LC-NF	INTEGER	4	0
		0	ICMD_STAT_CNT_7142	7142	ICMD-IM-ALL-LC-NM	INTEGER	4	0
		0	ICMD_STAT_CNT_7143	7143	ICMD-IM-ALL-LC-N	INTEGER	4	0
		0	ICMD_STAT_CNT_7144	7144	ICMD-IM-ALL-LC-FM	INTEGER	4	0
		0	ICMD_STAT_CNT_7145	7145	ICMD-IM-ALL-LC-F	INTEGER	4	0
		0	ICMD_STAT_CNT_7146	7146	ICMD-IM-ALL-LC-M	INTEGER	4	0
		0	ICMD_STAT_CNT_7162	7162	ICMD-LA-ALL-LC-ANFM	INTEGER	4	0
		0	ICMD_STAT_CNT_7163	7163	ICMD-LA-ALL-LC-ANF	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	7	0
		4	FSG_3994	3994	ASGND-FSG	CHAR	2	0
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2	0
		6	STAT_LOA_COMB_3090	3090	STAT-LVL-AUTH-COMB	CHAR	12	0
370	COMMONALITY_MGD	0	ICWD_STAT_CNT_5800	5800	ICWD-LA-FSC-DOD-CI-OGOV	INTEGER	4	0
		0	ICWD_STAT_CNT_5801	5801	ICWD-LA-FSC-DOD-CI	INTEGER	4	0
		0	ICWD_STAT_CNT_5802	5802	ICWD-LA-FSC-DOD-OGOV	INTEGER	4	0
		0	ICWD_STAT_CNT_5803	5803	ICWD-LA-FSC-DOD	INTEGER	4	0
		0	ICWD_STAT_CNT_5804	5804	ICWD-LA-FSC-CI-OGOV	INTEGER	4	0
		0	ICWD_STAT_CNT_5805	5805	ICWD-LA-FSC-CI	INTEGER	4	0
		0	ICWD_STAT_CNT_5806	5806	ICWD-LA-FSC-OGOV	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	7	0
		3	FSG_3994	3994	ASGND-FSG	CHAR	2	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		4	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2	0
371	MRSP_INDV_CLASSES	0	M8B5_STAT_CNT_5563	5563	M8B5-FSC-DP-LOA-BB-NSN	INTEGER	4	0
		0	M8B5_STAT_CNT_5564	5564	M8B5-FSC-DP-LOA-ADD-NSN	INTEGER	4	0
		0	M8B5_STAT_CNT_5567	5567	M8B5-FSC-DP-LOA-DLT-NSN	INTEGER	4	0
		0	M8B5_STAT_CNT_5568	5568	M8B5-FSC-DP-LOA-EB-NSN	INTEGER	4	0
		0	M8B6_STAT_CNT_5577	5577	M8B6-FSC-AT-LOA-BB-NSN	INTEGER	4	0
		0	M8B6_STAT_CNT_5578	5578	M8B6-FSC-AT-LOA-ADD-NSN	INTEGER	4	0
		0	M8B6_STAT_CNT_5579	5579	M8B6-FSC-AT-LOA-DLT-NSN	INTEGER	4	0
		0	M8B6_STAT_CNT_9576	9576	M8B6-FSC-AT-LOA-EB-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	FSG_3994	3994	ASGND-FSG	CHAR	2	0
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2	0
		4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		5	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
		6	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR	2	0
372	PIC_DATA	0	PIC_STAT_CNT_5815	5815	PIC-ACTY-DIC-PRICD-ZER	INTEGER	4	0
		0	PIC_STAT_CNT_9670	9670	PIC-ACTY-DIC-PRICD-ONE	INTEGER	4	0
		0	PIC_STAT_CNT_9671	9671	PIC-ACTY-DIC-PRICD-TWO	INTEGER	4	0
		0	PIC_STAT_CNT_9672	9672	PIC-ACTY-DIC-PRICD-THREE	INTEGER	4	0
		0	PIC_STAT_CNT_9673	9673	PIC-ACTY-DIC-PRICD-FOUR	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
		4	DIC_IP_3921	3921	DIC-IP	CHAR	3	0
373	IANDS_ACTY_DATA	0	IANS_STAT_CNT_6088	6088	IANDS-ACTY-NSN-FAMILIES	INTEGER	4	0
		0	IANS_STAT_CNT_6089	6089	IANDS-DEPT-NSN-FAMILIES	INTEGER	4	0
		0	IANS_STAT_CNT_6099	6099	IANDS-GTOT-NSN-FAMILIES	INTEGER	4	0
		0	IANS_STAT_CNT_8118	8118	IANDS-DEPT-NSN	INTEGER	4	0
		0	IANS_STAT_CNT_8121	8121	IANDS-GTOT-NSN	INTEGER	4	0
		0	IANS_STAT_CNT_9596	9596	IANDS-ACTY-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
		4	IANS_SIZE_2234	2234	IANDS-FAMILY-SIZE	INTEGER	4	0
374	LOLA_UPD_STATSHIST	0	UPDT_DIC_CT_3324	3324	LOLA-UPDT-DIC-CT-NBR	INTEGER	4	0
		1	TRANS_DT_4695	4695	LOLA-OVERNIGHT-TRAN-DT	CHAR	7	0
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		3	ACTY_CD_2046	2046	ACTY-CD	CHAR	6	0
		4	DIC_IP_3921	3921	DIC-IP	CHAR	3	0
		5	DIC_OP_1052	1052	DIC-OP	CHAR	3	0
		6	RTN_CD_9480	9480	RTN-CD	CHAR	2	0
375	LOLA_UPD_TRANSDATA	0	DIC_OP_1052	1052	DIC-OP	CHAR	3	0
		0	DRN_0950	0950	DATA-REC-NBR	CHAR	4	0
		0	RTN_CD_9480	9480	RTN-CD	CHAR	2	0
		0	UPDT_COMM_3314	3314	LOLA-UPDT-COMM-TXT	VARCHAR	1400	0
		0	UPDT_TRAN_HDR_3313	3313	LOLA-UPDT-TRAN-HDR-TXT	CHAR	66	0
		0	USR_CD_1101	1101	USR-CD	CHAR	8	0
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	21	0
		2	RECVD_STAMP_9204	9204	RECVD-STAMP	TIMESTMP	10	0
376	TRN_TIMING_DATA	0	TMG_STAT_CNT_6892	6892	TMG-PIC-DIC-TMFR	INTEGER	4	0
		0	TMG_STAT_CNT_6893	6893	TMG-PIC-DIC-TMFR-AVG-TM	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	----------DATA---------- TYPE--LENGTH--DECIMAL
		2	DIC_IP_3921	3921	DIC-IP	CHAR (3, 0)
		3	PRI_IND_CD_2867	2867	PRI-IND-CD	CHAR (1, 0)
		4	STAT_BTCH_TIM_2604	2604	STAT-BTCH-TIM	CHAR (1, 0)
377	TYPII_XFR_OAC_FYD	0	TRFR_STAT_CNT_1574	1574	TRFR-OAC-FYD-T1-2-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_1575	1575	TRFR-OAC-FYD-T1-4-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_1576	1576	TRFR-OAC-FYD-T2-1-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_1577	1577	TRFR-OAC-FYD-T2-4-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_1578	1578	TRFR-OAC-FYD-T4-1-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_1579	1579	TRFR-OAC-FYD-T4-2-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_1581	1581	TRFR-ODP-FYD-T1-2-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_1582	1582	TRFR-ODP-FYD-T1-4-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_1583	1583	TRFR-ODP-FYD-T2-1-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_1584	1584	TRFR-ODP-FYD-T2-4-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_1585	1585	TRFR-ODP-FYD-T4-1-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_1586	1586	TRFR-ODP-FYD-T4-2-NSN	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
		4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		5	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
378	AMLS_REQUEST_PARM	0	AMLS_LST_CNTL_3290	3290	AMLS-LST-CNTL-ID	INTEGER (4, 0)
		0	AMLS_PROC_DT_3286	3286	AMLS-PROCESS-DATE	DATE (, 0)
		0	AMLS_PROC_TM_3287	3287	AMLS-PROCESS-TIME	TIME (, 0)
		0	AMLS_SUB_DT_3284	3284	AMLS-SUBMIT-DATE	DATE (, 0)
		0	AMLS_SUB_TM_3285	3285	AMLS-SUBMIT-TIME	TIME (, 0)
		0	AMLS_TRGT_PGM_3204	3204	AMLS-TARGET-PGM	CHAR (8, 0)
		0	DELETER_USRID_3221	3221	DELETER-USERID	CHAR (8, 0)
		0	DLN_1283	1283	DLN	CHAR (10, 0)
		0	LBL_FORMAT_3228	3228	LBL-FORMAT	CHAR (2, 0)
		0	LBL_FORM_CD_3288	3288	LBL-FORM-CD	CHAR (1, 0)
		0	LBL_ID_2235	2235	LBL-ID	CHAR (2, 0)
		0	LBL_SET_QTY_3289	3289	LBL-SET-QTY	SMALLINT (2, 0)
		0	NBR_ADRS_PRCD_3220	3220	NBR-ADRS-PRCSD	DECIMAL (11, 0)
		0	PARM_INFO_3201	3201	PARM-INFO	VARCHAR (560, 0)
		0	PRI_IND_CD_2867	2867	PRI-IND-CD	CHAR (1, 0)
		0	SRC_OF_RQST_3200	3200	SOURCE-OF-RQST	CHAR (2, 0)
		0	SUBMTR_USERID_3205	3205	SUBMTR-USERID	CHAR (8, 0)
		1	AMLS_RUN_ID_3202	3202	AMLS-RUN-ID	CHAR (7, 0)
		2	AMLS_RI_SEQ_3203	3203	AMLS-RUN-ID-SEQ-NBR	CHAR (5, 0)
379	LABEL_FORMAT	0	ADRS_1_ROW_3206	3206	ADRS-1-ROW	SMALLINT (2, 0)
		0	ADRS_2_ROW_3208	3208	ADRS-2-ROW	SMALLINT (2, 0)
		0	ADRS_3_ROW_3209	3209	ADRS-3-ROW	SMALLINT (2, 0)
		0	ADRS_4_ROW_3210	3210	ADRS-4-ROW	SMALLINT (2, 0)
		0	ADRS_5_ROW_3211	3211	ADRS-5-ROW	SMALLINT (2, 0)
		0	ADRS_6_ROW_3212	3212	ADRS-6-ROW	SMALLINT (2, 0)
		0	ADRS_7_ROW_3213	3213	ADRS-7-ROW	SMALLINT (2, 0)
		0	ADRS_8_ROW_3214	3214	ADRS-8-ROW	SMALLINT (2, 0)
		0	ADRS_OFST_IN_3196	3196	ADRS-OFFSET-INCH	DECIMAL (5, 3)
		0	ADRS_WIDTH_IN_3197	3197	ADRS-WIDTH-INCH	DECIMAL (5, 3)
		0	CHAR_ADRS_LI_3225	3225	CHAR-IN-ADRS-LI	SMALLINT (2, 0)
		0	CHAR_PER_INCH_3235	3235	CHAR-PER-INCH	SMALLINT (2, 0)
		0	DLN_ROW_3233	3233	DLN-ROW	SMALLINT (2, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		0	DLN_SEQ_3198	3198	DLN-SEQ	CHAR	1	0
		0	LBL_ID_ROW_3207	3207	LBL-ID-ROW	SMALLINT	2	0
		0	LBL_ID_SEQ_3230	3230	LBL-ID-SEQ	CHAR	1	0
		0	LENGTH_INCH_3227	3227	LENGTH-INCH	DECIMAL	5	3
		0	LINES_INCH_3234	3234	LINES-PER-INCH	SMALLINT	2	0
		0	MA_AA_ROW_3194	3194	MA-AA-ROW	SMALLINT	2	0
		0	MA_AA_SEQ_3195	3195	MA-AA-SEQ	CHAR	1	0
		0	MLNG_PIC_ROW_3231	3231	MLNG-PIC-ROW	SMALLINT	2	0
		0	MLNG_PIC_SEQ_3232	3232	MLNG-PIC-SEQ	CHAR	1	0
		0	NBR_COPY_ROW_3223	3223	NBR-COPIES-ROW	SMALLINT	2	0
		0	NBR_COPY_SEQ_3218	3218	NBR-COPIES-SEQ	CHAR	1	0
		0	NBR_LBL_ACRS_3224	3224	NBR-LBL-ACROSS	CHAR	1	0
		0	OPER_MSG_3229	3229	OPR-MSG	CHAR	80	0
		0	PRDCT_TI_ROW_3199	3199	PRDCT-TI-ROW	SMALLINT	2	0
		0	PRDCT_TI_SEQ_3222	3222	PRDCT-TI-SEQ	CHAR	1	0
		0	WIDTH_INCH_3226	3226	WIDTH-INCH	DECIMAL	5	3
		0	ZIP_CD_ROW_3219	3219	ZIP-CD-ROW	SMALLINT	2	0
		0	ZIP_CD_SEQ_3216	3216	ZIP-CD-SEQ	CHAR	1	0
		1	LBL_FORMAT_3228	3228	LBL-FORMAT	CHAR	2	0
380	EFF_DATD_CHAR_DATA	0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	7	0
		0	DIC_3920	3920	DOC-ID-CD	CHAR	3	0
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER	4	0
		0	EFF_DT_2128	2128	EFF-DT	INTEGER	4	0
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	2	0
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	2	0
		1	TMSTMP3_4443	4443	TMSTMP3	TIMESTMP	10	0
		2	NCB_CD_4130	4130	NCB-CD	CHAR	2	0
		3	I_I_NBR_4131	4131	I-I-NBR	CHAR	7	0
381	LOLA_MGMT_STATS_DT	0	DT_TRAN_2310	2310	DT-TRAN	INTEGER	4	0
		0	INQ_OUT_VIEW_4477	4477	INQ-OUT-VIEW	CHAR	20	0
		0	QUERY_TYPE_4476	4476	QUERY-TYPE	CHAR	2	0
		0	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		1	USR_CD_1101	1101	USR-CD	CHAR	8	0
		2	TMSTMP_3059	3059	TMSTMP	TIMESTMP	10	0
		3	ACTY_CD_2046	2046	ACTY-CD	CHAR	6	0
382	ACTIVITY_FORMAT_ID	0	ACTY_CATEGORY_9751	9751	ACTY-CATEGORY	CHAR	2	0
		0	ACTY_TYPE_9134	9134	ACTY-TYPE	CHAR	4	0
		0	DFLT_OP_FMT_2564	2564	DFLT-OP-FMT	CHAR	1	0
		0	INPUT_FORMAT_9169	9169	INPUT-FORMAT	CHAR	8	0
		0	OUTPUT_FORMAT_9195	9195	OUTPUT-FORMAT	CHAR	8	0
		1	ACTY_CD_2046	2046	ACTY-CD	CHAR	6	0
		2	EFF_DT_2128	2128	EFF-DT	INTEGER	4	0
383	DIC_TABLE	0	DFLT_RELE_TDQ_9500	9500	DFLT-RELE-TDQ-ID	CHAR	4	0
		0	DIC_CATEGORY_9756	9756	DIC-CATEGORY	CHAR	2	0
		0	DSPL_ORDR_8269	8269	TM-DSPL-ORDR-ID	CHAR	3	0
		0	FU_STAT_CD_0166	0166	FU-STAT-CD	CHAR	2	0
		0	I_O_TYPE_9167	9167	I-O-TYPE	CHAR	1	0
		0	OP_DATA_GP_9802	9802	TM-OP-DATA-GP	CHAR	1	0
		0	PGM_ID_1108	1108	PGM-ID	CHAR	8	0
		0	PGM_NAME_9198	9198	PGM-NAME	CHAR	18	0
		0	PGM_TRANSID_9199	9199	PGM-TRANSID	CHAR	4	0
		0	TRANS_TYP_FLG_9440	9440	TRANS-TYP-FLG	CHAR	4	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		0	VALID_HX_DIC_9443	9443	VALID-HX-DIC	CHAR	1,	0)
		0	VALID_LFU_DIC_9444	9444	VALID-LFU-DIC	CHAR	1,	0)
		1	DIC_3920	3920	DOC-ID-CD	CHAR	3,	0)
385	ORIGINAL_IMAGE_KEY	0	ACTY_CD_2046	2046	ACTY-CD	CHAR	6,	0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR	3,	0)
		0	DIC_SEQ_9146	9146	DIC-SEQ	SMALLINT	2,	0)
		0	MEDIA_HEADER_9178	9178	MEDIA-HEADER	CHAR	80,	0)
		0	SEGMENT_CD_9415	9415	SEGMENT-CD	CHAR	3,	0)
		0	TRANS_NBR_9437	9437	TRANS-NBR	SMALLINT	2,	0)
		1	ORIG_IMAG_KEY_9759	9759	ORIG-IMAG-KEY	CHAR	23,	0)
386	TRANSITION_TABLE	1	DIC_3920	3920	DOC-ID-CD	CHAR	3,	0)
387	DAAS_ACCESS	1	ACTY_CD_2046	2046	ACTY-CD	CHAR	6,	0)
		2	DIC_3920	3920	DOC-ID-CD	CHAR	3,	0)
388	COMPONENT_TABLE	0	CMPNT_ELE_NM_4161	4161	IDS-DB2-CMPNT-ELE-NM	CHAR	18,	0)
		0	CMPNT_LGTH_4174	4174	IDS-ACCS-CMPNT-LGTH-NBR	SMALLINT	2,	0)
		0	DAT_LGTH_ATTR_8621	8621	IDS-DAT-LGTH-ATTR-ID	CHAR	2,	0)
		0	EDIT_MBR_TXT_4155	4155	IDS-EDIT-MBR-TXT	CHAR	17,	0)
		0	FLD_JUST_4257	4257	IDS-FLD-JUST	CHAR	1,	0)
		0	FUNC_MNEM_NM_4195	4195	IDS-FUNC-MNEM-NM	CHAR	6,	0)
		0	MARKUP_TXT_4156	4156	IDS-MARKUP-TXT	VARCHAR	79,	0)
		0	POST_DELIM_4260	4260	IDS-POST-DELIM	SMALLINT	2,	0)
		0	POST_MRKP_4258	4258	IDS-POST-MRKP-TXT	VARCHAR	79,	0)
		0	PRCSG_ACTN_4204	4204	IDS-PRCSG-ACTN-TXT	CHAR	18,	0)
		0	PRE_DELIM_4259	4259	IDS-PRE-DELIM	SMALLINT	2,	0)
		0	ZER_SUPRSN_8617	8617	IDS-ZER-SUPRSN-IND	CHAR	1,	0)
		1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR	10,	0)
		2	REV_LVL_2644	2644	REV-LVL	CHAR	3,	0)
		3	REC_TYP_CD_4197	4197	IDS-REC-TYP-CD	SMALLINT	2,	0)
		4	ACCS_SEQ_NBR_4199	4199	IDS-ACCS-REC-SEQ-NBR	SMALLINT	2,	0)
		5	IDS_CMPNT_NBR_4160	4160	IDS-CMPNT-NBR	SMALLINT	2,	0)
389	REROUTED_TRAN_KEYS	0	ACTY_CD_2046	2046	ACTY-CD	CHAR	6,	0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR	3,	0)
		0	DIC_SEQ_9146	9146	DIC-SEQ	SMALLINT	2,	0)
		0	MEDIA_HEADER_9178	9178	MEDIA-HEADER	CHAR	80,	0)
		0	SEGMENT_CD_9415	9415	SEGMENT-CD	CHAR	3,	0)
		0	TRANS_NBR_9437	9437	TRANS-NBR	SMALLINT	2,	0)
		1	RR_TRANS_KEY_9763	9763	RR-TRANS-KEY	CHAR	23,	0)
390	MODE_CD_EDIT	0	NBR_OF_TBLS_4444	4444	NBR-OF-TBLS	INTEGER	4,	0)
		0	PRT_SKLTN_1_4445	4445	PRT-SKLTN-1	CHAR	1,	0)
		0	PRT_SKLTN_2_4446	4446	PRT-SKLTN-2	CHAR	1,	0)
		0	PRT_SKLTN_3_4447	4447	PRT-SKLTN-3	CHAR	1,	0)
		1	MODE_CD_4735	4735	MODE-CD	CHAR	1,	0)
		2	RQMT_RPY_INST_2648	2648	RQMT-RPLY-INST	CHAR	20,	0)
391	MRD_KEY_GRP_CD	0	KEY_GRP_DESC_4448	4448	KEY-GRP-DESC	CHAR	20,	0)
		1	KEYWRD_GRP_CD_2034	2034	KEYWRD-GRP-CD	CHAR	2,	0)
392	TABLE_CONTENTS	0	DB2_GRP_NUM_4492	4492	DB2-GRP-NUM	CHAR	3,	0)
		0	DB2_TBL_NAME_4465	4465	DB2-TBL-NAME	CHAR	18,	0)
		0	DIDS_INTRO_4469			VARCHAR	1300,	0)
		0	HLP_PRC_PGMNM_4491	4491	HLP-PRC-PGMNM	CHAR	8,	0)
		0	TABLE_TYP_DV_1079			CHAR	1,	0)
		0	TABL_NAME_REM_4449	4449	TABL-NAME-REM	VARCHAR	200,	0)
		1	TBL_NBR_1298	1298	TBL-NBR	INTEGER	4,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		2	DIDS_TBL_NAME_4466			CHAR	40	0
		3	DIDS_SUB_PART_4467	4467	FLIS-SUB-PART	CHAR	3	0
393	PAGE_HEADERS	0	HEAD_NARRTV_4453	4453	HEAD-NARRTV	CHAR	79	0
		1	TBL_NBR_1298	1298	TBL-NBR	INTEGER	4	0
		2	DB2_GRP_NUM_4492	4492	DB2-GRP-NUM	CHAR	3	0
		3	DIDS_SUB_SEC_4450	4450	DIDS-SUB-SEC	CHAR	3	0
		4	ROW_NBR_4518	4518	ROW-NBR	INTEGER	4	0
394	NOTES_DATA	0	DIDS_NOTE_NAR_1300	1300	DIDS-NOTE-NAR	VARCHAR	1200	0
		1	TBL_NBR_1298	1298	TBL-NBR	INTEGER	4	0
		2	DIDS_SUB_SEC_4450	4450	DIDS-SUB-SEC	CHAR	3	0
		3	DIDS_NOTE_NBR_1288	1288	DIDS-NOTE-NBR	INTEGER	4	0
		4	DLIS_CHP_NBR_3452	3452	DLIS-PROC-CHP-NBR	SMALLINT	2	0
		5	SEQ_KEY_3043	3043	SEQ-KEY	CHAR	1	0
395	PAGE_TRAILERS	0	TRAIL_NARRATV_4454	4454	TRAIL-NARRATV	VARCHAR	800	0
		1	TBL_NBR_1298	1298	TBL-NBR	INTEGER	4	0
		2	DIDS_SUB_SEC_4450	4450	DIDS-SUB-SEC	CHAR	3	0
396	TYPII_FSC_SAC_FYD	0	TRFR_STAT_CNT_9648	9648	TRFR-FSC-SAC-FYD-T2-NSN	INTEGER	4	0
		0	TRFR_STAT_CNT_9649	9649	TRFR-FSC-SAC-FYD-T1-NSN	INTEGER	4	0
		0	TRFR_STAT_CNT_9650	9650	TRFR-FSC-SAC-FYD-T4-NSN	INTEGER	4	0
		0	TRFR_STAT_CNT_9655	9655	TRFR-FSC-SDP-FYD-T2-NSN	INTEGER	4	0
		0	TRFR_STAT_CNT_9656	9656	TRFR-FSC-SDP-FYD-T1-NSN	INTEGER	4	0
		0	TRFR_STAT_CNT_9657	9657	TRFR-FSC-SDP-FYD-T4-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	FSG_3994	3994	ASGND-FSG	CHAR	2	0
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2	0
		4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		5	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
397	MEDIA_MESSAGE_ID	0	AUTODIN_IO_9140	9140	AUTODIN-IO	CHAR	1	0
		0	MESSAGE_LGTH_9179	9179	MESSAGE-LGTH	INTEGER	4	0
		0	RCVD_SND_STMP_9202	9202	RCVD-SND-STMP	TIMESTMP	10	0
		0	TRAILER_9432	9432	TRAILER	CHAR	80	0
		0	TRANS_COUNT_9433	9433	TRANS-COUNT	SMALLINT	2	0
		1	MEDIA_HEADER_9178	9178	MEDIA-HEADER	CHAR	80	0
398	ACTY_DIC_EDIT	0	CIT_ELGBL_IND_9506	9506	CIT-ELGBL-IND-CD	CHAR	1	0
		1	DIC_3920	3920	DOC-ID-CD	CHAR	3	0
		2	ACTY_CD_2046	2046	ACTY-CD	CHAR	6	0
399	ORIGINAL_IMAGE	0	INPUT_RECORD_9171	9171	INPUT-RECORD	VARCHAR	1128	0
		1	ORIG_IMAG_KEY_9759	9759	ORIG-IMAG-KEY	CHAR	23	0
401	REROUTE_LOG	0	ACTY_CD_2046	2046	ACTY-CD	CHAR	6	0
		0	CPU_ROUTED_TO_9143	9143	CPU-ROUTED-TO	CHAR	10	0
		0	DIC_3920	3920	DOC-ID-CD	CHAR	3	0
		0	INPUT_MEDIA_9170	9170	INPUT-MEDIA	CHAR	2	0
		0	REROUTED_TIME_9210	9210	REROUTED-TIME	TIMESTMP	10	0
		1	RR_TRANS_KEY_9763	9763	RR-TRANS-KEY	CHAR	23	0
402	REROUTED_TRANS	0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR	1	0
		0	INPUT_RECORD_9171	9171	INPUT-RECORD	VARCHAR	1128	0
		1	RR_TRANS_KEY_9763	9763	RR-TRANS-KEY	CHAR	23	0
403	LMX_LMD_COMB	1	DIC_3920	3920	DOC-ID-CD	CHAR	3	0
		2	ALLOWED_DIC_9135	9135	ALLOWED-DIC	CHAR	3	0
		3	SEGMENT_STATS_9420	9420	SEGMENT-STATS	CHAR	1	0
404	USER_OUTPUT_FORMAT	0	DE_LENGTH_1882	1882	DATA-ELE-LGTH	SMALLINT	2	0
		0	DRN_0950	0950	DATA-REC-NBR	CHAR	4	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		0	SEG_LGTH_0189	0189	SEG-LGTH	CHAR	4	0
		1	FORMAT_NAME_9162	9162	FORMAT-NAME	CHAR	8	0
		2	DIC_3920	3920	DOC-ID-CD	CHAR	3	0
		3	SEGMENT_CD_9415	9415	SEGMENT-CD	CHAR	3	0
		4	DE_START_POS_1097	1097	DATA-ELE-START-POS	SMALLINT	2	0
405	TRANS_PROC_ERROR	0	ACTY_CD_2046	2046	ACTY-CD	CHAR	6	0
		0	DIC_3920	3920	DOC-ID-CD	CHAR	3	0
		0	ERROR_TS_9152	9152	ERROR-TS	TIMESTMP	10	0
		0	MSG_CD_1105	1105	MSG-CD	CHAR	4	0
		0	PGM_ID_1108	1108	PGM-ID	CHAR	8	0
		0	RESOLUTION_9411	9411	RESOLUTION	CHAR	40	0
		0	RTN_CD_9480	9480	RTN-CD	CHAR	2	0
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	21	0
		2	ERROR_SEQ_9151	9151	ERROR-SEQ	SMALLINT	2	0
406	USER_INPUT_FORMAT	0	DE_LENGTH_1882	1882	DATA-ELE-LGTH	SMALLINT	2	0
		0	DRN_0950	0950	DATA-REC-NBR	CHAR	4	0
		0	SEG_LGTH_0189	0189	SEG-LGTH	CHAR	4	0
		1	FORMAT_NAME_9162	9162	FORMAT-NAME	CHAR	8	0
		2	DIC_3920	3920	DOC-ID-CD	CHAR	3	0
		3	SEGMENT_CD_9415	9415	SEGMENT-CD	CHAR	3	0
		4	DE_START_POS_1097	1097	DATA-ELE-START-POS	SMALLINT	2	0
407	SELECT_FMT_MODULE	0	PGM_ID_1108	1108	PGM-ID	CHAR	8	0
		1	SELECT_KEY_9764	9764	SELECT-KEY	CHAR	5	0
408	APPL_OP_HOLD	0	APPL_OP_REC_9136	9136	APPL-OP-REC	VARCHAR	1500	0
		1	DIC_CATEGORY_9756	9756	DIC-CATEGORY	CHAR	2	0
		2	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	21	0
		3	DIC_3920	3920	DOC-ID-CD	CHAR	3	0
		4	DIC_SEQ_9146	9146	DIC-SEQ	SMALLINT	2	0
		5	ADRS_SEQ_CD_0233	0233	ADRS-SEQ-CD	CHAR	1	0
		6	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER	4	0
409	COMMRI_ACTY_CD	0	KWA_ACTY_NOTI_9563	9563	KWA-ACTY-NOTI-IND	CHAR	1	0
		0	KWA_NATO_ZZ_9564	9564	KWA-NATO-ACTY-ZZ-IND	CHAR	1	0
		0	KWA_NO_NOTI_9562	9562	KWA-NO-OP-ACTY-NOTI-IND	CHAR	1	0
		0	PRIM_COMM_RI_9214	9214	PRIM-COMM-RI-IND	CHAR	1	0
		1	COMM_RI_9142	9142	COMM-RI	CHAR	7	0
		2	ACTY_CD_2046	2046	ACTY-CD	CHAR	6	0
		3	PSO_ACT_CD_0892	0892	PSO-ACT-CD	CHAR	3	0
410	MEDIA_TYPE_TABLE	0	ASCII_EBCDIC_9139	9139	ASCII-EBCDIC	CHAR	1	0
		0	BLOCK_SIZE_9141	9141	BLOCK-SIZE	CHAR	4	0
		0	EAM_CRD_INTRP_3120	3120	EAM-CARD-INTERP-IND	CHAR	2	0
		0	F_V_LEN_IND_3119	3119	FIXED-VAR-LEN-MED-IND	CHAR	2	0
		0	LST_PRT_P_IND_3121	3121	LISTIN-PART-PAPER-IND	CHAR	2	0
		0	MAX_REC_LGTH_9176	9176	MAX-REC-LGTH	CHAR	4	0
		0	MIN_REC_LGTH_9182	9182	MIN-REC-LGTH	CHAR	4	0
		0	MT_BLCK_FAC_3126	3126	MAG-TAPE-BLCKNG-FAC-IND	CHAR	24	0
		0	MT_DNSTY_IND_3124	3124	MAG-TAPE-DENSITY-IND	CHAR	4	0
		0	MT_LAB_IND_3127	3127	MAG-TAPE-LAB-IND	CHAR	8	0
		0	MT_PRTY_IND_3125	3125	MAG-TAPE-PARITY-IND	CHAR	4	0
		0	OP_MOD_MED_EX_3118	3118	OP-MODE-MED-CD-DESC	VARCHAR	90	0
		1	OP_MOD_MED_CD_3740	3740	OP-MODE-MED-CD	CHAR	2	0
411	VALID_SEGMENTS	0	SEGMENT_FLAG_9418	9418	SEGMENT-FLAG	CHAR	1	0
		0	SEGMENT_POS_9419	9419	SEGMENT-POS	SMALLINT	2	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		1	DIC_3920	3920	DOC-ID-CD	CHAR	3	0
		2	SEGMENT_CD_9415	9415	SEGMENT-CD	CHAR	3	0
412	PRIORITY_IND_CODE	0	NATO_PIC_VAL_9187	9187	NATO-PIC-VAL	CHAR	1	0
		0	PIC_DESC_9200	9200	PIC-DESC	CHAR	25	0
		0	RESPONSE_HRS_9412	9412	RESPONSE-HRS	SMALLINT	2	0
		1	PRI_IND_CD_2867	2867	PRI-IND-CD	CHAR	1	0
413	CAGE_DATA_NSNREF_A	0	CAGE_STAT_CNT_6654	6654	CAGE-NSN	INTEGER	4	0
		0	CAGE_STAT_CNT_6655	6655	CAGE-REF	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	CAGE_CD_9250	9250	CAGE-CD	CHAR	5	0
414	FIIG_COUNT_DATA_A	0	POP_STAT_CNT_6611	6611	POP-FIIG-EFFDTD-INC-NSN	INTEGER	4	0
		0	POP_STAT_CNT_6612	6612	POP-FIIG-INC-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	6	0
		3	INC_4080	4080	INC	CHAR	5	0
415	FIIG_POP_MGD_A	0	POP_STAT_CNT_6724	6724	POP-FIIG-AIN-FSC-MG-FU	INTEGER	4	0
		0	POP_STAT_CNT_6725	6725	POP-FIIG-AIN-FSC-MG-PA	INTEGER	4	0
		0	POP_STAT_CNT_7172	7172	POP-FIIG-AIN-FSC-MG-RE	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	6	0
		3	INC_4080	4080	INC	CHAR	5	0
		4	FSG_3994	3994	ASGND-FSG	CHAR	2	0
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2	0
416	FREIGHT_DATA_A	0	FRGT_STAT_CNT_6599	6599	FREIGHT-INC-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	NMFC_2850	2850	NMFC-CD	CHAR	6	0
		3	SUB_ITM_NBR_0861	0861	NMFC-SUB-ITM-NBR	CHAR	1	0
		4	UFC_CD_MODF_3040	3040	UFC-CD-MODF	CHAR	5	0
		5	INC_4080	4080	INC	CHAR	5	0
417	FSC_INC_DATA_A	0	INC_STAT_CNT_5750	5750	INC-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	INC_4080	4080	INC	CHAR	5	0
418	FILE_ACCESS_RECORD	0	ACCS_RPET_CT_4256	4256	IDS-ACCS-RPET-CT-QTY	SMALLINT	2	0
		0	CMPNT_FILE_NM_4168	4168	IDS-ACCS-CMPNT-FILE-NM	CHAR	8	0
		0	DATA_RPL_4255	4255	IDS-DATA-RPL-IND	CHAR	1	0
		0	FUNC_MNEM_NM_4195	4195	IDS-FUNC-MNEM-NM	CHAR	6	0
		0	PRCSG_ACTN_4204	4204	IDS-PRCSG-ACTN-TXT	CHAR	18	0
		0	ROW_IND_4205	4205	ROW-IND	CHAR	1	0
		1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR	10	0
		2	REV_LVL_2644	2644	REV-LVL	CHAR	3	0
		3	REC_TYP_CD_4197	4197	IDS-REC-TYP-CD	SMALLINT	2	0
		4	ACCS_SEQ_NBR_4199	4199	IDS-ACCS-REC-SEQ-NBR	SMALLINT	2	0
419	CAGE_ACT_AACNSN_A	0	CAGE_STAT_CNT_6651	6651	CAGE-ACTY-AAC-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
		3	AAC_2507	2507	ACQ-AD-CD	CHAR	1	0
420	CAGE_FSCNSN_A	0	CAGE_STAT_CNT_6657	6657	CAGE-FSC-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	CAGE_CD_9250	9250	CAGE-CD	CHAR	5	0
		3	FSG_3994	3994	ASGND-FSG	CHAR	2	0
		4	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2	0
421	CAGE_INCNSN_A	0	CAGE_STAT_CNT_6656	6656	CAGE-INC-NSN	INTEGER	4	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	INC_4080	4080	INC	CHAR	5	0
		3	CAGE_CD_9250	9250	CAGE-CD	CHAR	5	0
422	NATO_NCC_COMMENT	0	NCC_CMNT_8976	8976	NATO-CDFN-CTL-CMNT-TX	VARCHAR	500	0
		1	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	2	0
		2	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	2	0
		3	DT_TRAN_2310	2310	DT-TRAN	INTEGER	4	0
		4	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	7	0
		5	TMSTMP_3059	3059	TMSTMP	TIMESTMP	10	0
423	FREIGHT_DATA_TTL_A	0	FRGT_STAT_CNT_6600	6600	FREIGHT-INC-TOT-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	NMFC_2850	2850	NMFC-CD	CHAR	6	0
		3	SUB_ITM_NBR_0861	0861	NMFC-SUB-ITM-NBR	CHAR	1	0
		4	UFC_CD_MODF_3040	3040	UFC-CD-MODF	CHAR	5	0
424	TYPII_OAC_FYD	0	TRFR_STAT_CNT_6749	6749	TRFR-OAC-FYD-T2-NSN	INTEGER	4	0
		0	TRFR_STAT_CNT_6750	6750	TRFR-OAC-FYD-T1-NSN	INTEGER	4	0
		0	TRFR_STAT_CNT_6751	6751	TRFR-OAC-FYD-T4-NSN	INTEGER	4	0
		0	TRFR_STAT_CNT_6759	6759	TRFR-ODP-FYD-T2-NSN	INTEGER	4	0
		0	TRFR_STAT_CNT_6760	6760	TRFR-ODP-FYD-T1-NSN	INTEGER	4	0
		0	TRFR_STAT_CNT_6761	6761	TRFR-ODP-FYD-T4-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
425	AMSC_DATA_TOT	0	AMSC_STAT_TOT_6388	6388	AMSC-DP-AT-AMC-TOT	INTEGER	4	0
		0	AMSC_STAT_TOT_6401	6401	AMSC-DP-AMC-TOT-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
		4	AMC_2871	2871	ACQ-MTHD-CD	CHAR	1	0
426	DEMIL_AGENCY	0	DS2_STAT_CNT_8217	8217	DS2-DPT-DEML-NSC-0-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	NIIN_STAT_CD_2670	2670	NIIN-PSCN-STAT-CD	CHAR	1	0
		3	DEMIL_CD_0167	0167	D-MIL-CD	CHAR	1	0
		4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
427	DEMIL_MGR_ITEMS	0	DS3_STAT_CNT_8219	8219	DS3-DOD-SS-NSC-0-MGD-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	NIIN_STAT_CD_2670	2670	NIIN-PSCN-STAT-CD	CHAR	1	0
		3	SOS_CD_3690	3690	SOS-CD	CHAR	3	0
428	DEMIL_MGR_CODES	0	DS4_STAT_CNT_8221	8221	DS4-ML-SS-NSC-0-DEML-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	NIIN_STAT_CD_2670	2670	NIIN-PSCN-STAT-CD	CHAR	1	0
		3	SOS_CD_3690	3690	SOS-CD	CHAR	3	0
		4	DEMIL_CD_0167	0167	D-MIL-CD	CHAR	1	0
429	FCS_GOALS_DEPT_TOT	0	M3AC_STAT_CNT_1588	1588	M3AC-D-MG	INTEGER	4	0
		0	M3AC_STAT_CNT_1589	1589	M3AC-D-DM	INTEGER	4	0
		0	M3AC_STAT_CNT_1590	1590	M3AC-D-DM-G	INTEGER	4	0
		0	M3AC_STAT_CNT_1593	1593	M3AC-D-AIN	INTEGER	4	0
		0	M3AC_STAT_CNT_1594	1594	M3AC-D-AIN-G	INTEGER	4	0
		0	M3AC_STAT_CNT_1597	1597	M3AC-D-RN	INTEGER	4	0
		0	M3AC_STAT_CNT_1598	1598	M3AC-D-RN-G	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
430	FIIG_POP_MGD_DTL	0	POP_STAT_CNT_6726	6726	POP-FIIG-AIN-FSC-MG-AC	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	6,	0)
		3	INC_4080	4080	INC	CHAR	5,	0)
		4	FSG_3994	3994	ASGND-FSG	CHAR	2,	0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2,	0)
		6	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2,	0)
431	FIIG_POP_NONMGD	0	POP_STAT_CNT_7828	7828	POP-FIIG-AIN-FSC-NMG-FU	INTEGER	4,	0)
		0	POP_STAT_CNT_7829	7829	POP-FIIG-AIN-FSC-NMG-PA	INTEGER	4,	0)
		0	POP_STAT_CNT_7830	7830	POP-FIIG-AIN-FSC-NMG-RE	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	2,	0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2,	0)
		4	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	6,	0)
		5	INC_4080	4080	INC	CHAR	5,	0)
432	FSC_FSCINC_DATA	0	FSC_INC_NSN_5751	5751	FSC-INC-NSN	INTEGER	4,	0)
		0	FSC_STAT_CNT_5752	5752	FSC-NSN	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	2,	0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2,	0)
		4	INC_4080	4080	INC	CHAR	5,	0)
433	MOE_FSGFSC_DATA	0	MOE_STAT_CNT_5753	5753	MOE-FSG-NSN	INTEGER	4,	0)
		0	MOE_STAT_CNT_5754	5754	MOE-FSC-NSN	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	MOE_CD_2833	2833	MOE-CD	CHAR	2,	0)
		3	FSG_3994	3994	ASGND-FSG	CHAR	2,	0)
		4	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2,	0)
434	FSC_POP_MGD_DTL	0	POP_STAT_CNT_5603	5603	POP-FSC-FIIG-AIN-MG-AC	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	2,	0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2,	0)
		4	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	6,	0)
		5	INC_4080	4080	INC	CHAR	5,	0)
		6	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2,	0)
435	FSC_POP_NONMGD	0	POP_STAT_CNT_5613	5613	POP-FSC-FIIG-AIN-NMG-FU	INTEGER	4,	0)
		0	POP_STAT_CNT_5614	5614	POP-FSC-FIIG-AIN-NMG-PA	INTEGER	4,	0)
		0	POP_STAT_CNT_5615	5615	POP-FSC-FIIG-AIN-NMG-RE	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	2,	0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2,	0)
		4	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	6,	0)
		5	INC_4080	4080	INC	CHAR	5,	0)
436	IMC_NEW_DATA	0	IMC_STAT_CNT_5639	5639	IMC-NW-DP-AT-IMC-CIC	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	7,	0)
		3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2,	0)
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2,	0)
		5	CRD_ID_CD_IMC_0099	0099	CRD-IDEN-CD-IMC	CHAR	1,	0)
		6	IMC_2744	2744	IMC	CHAR	1,	0)
437	MOE_RULE_FSC	0	MOE_STAT_CNT_5754	5754	MOE-FSC-NSN	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	2,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	---------DATA--------- TYPE--LENGTH--DECIMAL
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
		4	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR (4, 0)
438	ITEM_NAME_DATA	0	INAM_STAT_CNT_7824	7824	ITEM-NAME-NSN	INTEGER (4, 0)
		0	SHRT_NM_2301	2301	SHRT-NM	CHAR (19, 0)
		0	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
439	MOE_RULE_COLL_REC	0	MOE_STAT_CNT_7820	7820	MOE-RGSTRN-CLBR-AT	INTEGER (4, 0)
		0	MOE_STAT_CNT_7821	7821	MOE-RGSTRN-RCVR-AT	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
440	AF_SOS_LOAD	0	SOS_CD_3690	3690	SOS-CD	CHAR (3, 0)
		1	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR (4, 0)
441	PIC_DATA_TOT	0	PIC_STAT_CNT_5823	5823	PIC-DEPT-PRICD-ZER	INTEGER (4, 0)
		0	PIC_STAT_CNT_9692	9692	PIC-DEPT-PRICD-ONE	INTEGER (4, 0)
		0	PIC_STAT_CNT_9693	9693	PIC-DEPT-PRICD-TWO	INTEGER (4, 0)
		0	PIC_STAT_CNT_9694	9694	PIC-DEPT-PRICD-THREE	INTEGER (4, 0)
		0	PIC_STAT_CNT_9695	9695	PIC-DEPT-PRICD-FOUR	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
442	AAC_INDV_CL_A	0	AAC_STAT_CNT_5349	5349	AAC-FSC-ACTY-LOA-AAC-NSN	INTEGER (4, 0)
		0	AAC_STAT_CNT_5431	5431	AAC-FSC-DEPT-LOA-AAC-NSN	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
		4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		5	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
		6	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR (2, 0)
		7	AAC_2507	2507	ACQ-AD-CD	CHAR (1, 0)
443	PASS_TO_CICS	0	CICS_PASS_TX_9070	9070	CICS-PASS-TX	CHAR (50, 0)
		1	CICS_PASS_KEY_9069	9069	CICS-PASS-KEY-TX	CHAR (30, 0)
444	AMC_DATA_A	0	AMC_STAT_CNT_6355	6355	AMC-DP-CC-BBAL-NSN	INTEGER (4, 0)
		0	AMC_STAT_CNT_6357	6357	AMC-DP-CC-ADDS-NSN	INTEGER (4, 0)
		0	AMC_STAT_CNT_6359	6359	AMC-DP-CC-DLTS-NSN	INTEGER (4, 0)
		0	AMC_STAT_CNT_6371	6371	AMC-AT-CC-BBAL-NSN	INTEGER (4, 0)
		0	AMC_STAT_CNT_6373	6373	AMC-AT-CC-ADDS-NSN	INTEGER (4, 0)
		0	AMC_STAT_CNT_6377	6377	AMC-AT-CC-DLTS-NSN	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
		4	STAT_CCTGY_3995	3995	STAT-CMDTY-CTGY	CHAR (2, 0)
		5	AMC_2871	2871	ACQ-MTHD-CD	CHAR (1, 0)
445	AMSC_DATA_A	0	AMC_STAT_CNT_6387	6387	AMSC-DP-AT-AMC-NSN	INTEGER (4, 0)
		0	AMC_STAT_CNT_6400	6400	AMSC-DP-AMC-NSN	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
		4	AMC_2871	2871	ACQ-MTHD-CD	CHAR (1, 0)
		5	AMSC_2876	2876	ACQ-MTHD-SUF-CD	CHAR (1, 0)
446	COMALTY_SDOD_DTL_A	0	ICDS_STAT_CNT_5835	5835	ICDS-FSC-ALL-LC-DOD-MM	INTEGER (4, 0)
		0	ICDS_STAT_CNT_5837	5837	ICDS-FSC-ALL-LC-MS-MM	INTEGER (4, 0)
		0	ICDS_STAT_CNT_5839	5839	ICDS-FSC-ALL-LC-IM-MM	INTEGER (4, 0)
		0	ICDS_STAT_CNT_5841	5841	ICDS-FSC-ALL-LC-OD-MM	INTEGER (4, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	----------DATA---------- TYPE--LENGTH--DECIMAL
		0	ICDS_STAT_CNT_5909	5909	ICDS-IM-ALL-LC-DOD-MM	INTEGER (4, 0)
		0	ICDS_STAT_CNT_5911	5911	ICDS-IM-ALL-LC-MS-MM	INTEGER (4, 0)
		0	ICDS_STAT_CNT_5913	5913	ICDS-IM-ALL-LC-IM-MM	INTEGER (4, 0)
		0	ICDS_STAT_CNT_5915	5915	ICDS-IM-ALL-LC-OD-MM	INTEGER (4, 0)
		0	ICDS_STAT_CNT_5925	5925	ICDS-LA-ALL-LC-DOD-MM	INTEGER (4, 0)
		0	ICDS_STAT_CNT_5927	5927	ICDS-LA-ALL-LC-MS-MM	INTEGER (4, 0)
		0	ICDS_STAT_CNT_5929	5929	ICDS-LA-ALL-LC-IM-MM	INTEGER (4, 0)
		0	ICDS_STAT_CNT_5931	5931	ICDS-LA-ALL-LC-OD-MM	INTEGER (4, 0)
		0	ICDS_STAT_CNT_5941	5941	ICDS-LA-FSC-LC-DOD-MM	INTEGER (4, 0)
		0	ICDS_STAT_CNT_5943	5943	ICDS-LA-FSC-LC-MS-MM	INTEGER (4, 0)
		0	ICDS_STAT_CNT_5945	5945	ICDS-LA-FSC-LC-IM-MM	INTEGER (4, 0)
		0	ICDS_STAT_CNT_5947	5947	ICDS-LA-FSC-LC-OD-MM	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR (7, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
		6	STAT_LOA_COMB_3090	3090	STAT-LVL-AUTH-COMB	CHAR (12, 0)
447	FILE_COMPONENT	0	CMPNT_LGTH_4174	4174	IDS-ACCS-CMPNT-LGTH-NBR	SMALLINT (2, 0)
		0	DAT_LGTH_ATTR_8621	8621	IDS-DAT-LGTH-ATTR-ID	CHAR (2, 0)
		0	EX_FILE_LGTH_4158	4158	IDS-EXTN-FILE-LGTH-NBR	SMALLINT (2, 0)
		0	FILE_OFST_NBR_4152	4152	IDS-EXTN-FILE-OFST-NBR	SMALLINT (2, 0)
		0	FLD_JUST_4257	4257	IDS-FLD-JUST	CHAR (1, 0)
		0	FUNC_MNEM_NM_4195	4195	IDS-FUNC-MNEM-NM	CHAR (6, 0)
		0	MARKUP_TXT_4156	4156	IDS-MARKUP-TXT	VARCHAR (79, 0)
		0	POST_DELIM_4260	4260	IDS-POST-DELIM	SMALLINT (2, 0)
		0	POST_MRKP_4258	4258	IDS-POST-MRKP-TXT	VARCHAR (79, 0)
		0	PRCSG_ACTN_4204	4204	IDS-PRCSG-ACTN-TXT	CHAR (18, 0)
		0	PRE_DELIM_4259	4259	IDS-PRE-DELIM	SMALLINT (2, 0)
		0	XFILE_RPETD_4159	4159	IDS-XFILE-RPETD-DATA-NBR	SMALLINT (2, 0)
		0	ZER_SUPRSN_8617	8617	IDS-ZER-SUPRSN-IND	CHAR (1, 0)
		1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR (10, 0)
		2	REV_LVL_2644	2644	REV-LVL	CHAR (3, 0)
		3	REC_TYP_CD_4197	4197	IDS-REC-TYP-CD	SMALLINT (2, 0)
		4	ACCS_SEQ_NBR_4199	4199	IDS-ACCS-REC-SEQ-NBR	SMALLINT (2, 0)
		5	IDS_CMPNT_NBR_4160	4160	IDS-CMPNT-NBR	SMALLINT (2, 0)
448	CUTOFF_DATE_A	0	BEG_DATE_0912	0912	BEGINNING-DATE	INTEGER (4, 0)
		0	DATE_RPT_THRU_0914	0914	DATE-REPORTED-THRU	DATE (, 0)
		0	ENDING_DATE_0913	0913	ENDING-DATE	INTEGER (4, 0)
		1	TYPE_OF_STAT_0907	0907	TYPE-OF-STAT	CHAR (12, 0)
		2	RPT_PERIOD_0911	0911	REPORTING-PERIOD	DATE (, 0)
449	DAC_DATA_A	0	DAC_STAT_CNT_5629	5629	DAC-TYPE-II-1-TOT	INTEGER (4, 0)
		0	DAC_STAT_CNT_5630	5630	DAC-TYPE-II-1A-TOT	INTEGER (4, 0)
		0	DAC_STAT_CNT_5631	5631	DAC-TYPE-II-1B-TOT	INTEGER (4, 0)
		0	DAC_STAT_CNT_5632	5632	DAC-TYPE-II-4-TOT	INTEGER (4, 0)
		0	DAC_STAT_CNT_5633	5633	DAC-TYPE-II-4A-TOT	INTEGER (4, 0)
		0	DAC_STAT_CNT_5634	5634	DAC-TYPE-II-4B-TOT	INTEGER (4, 0)
		0	DAC_STAT_CNT_5635	5635	DAC-TYPE-II-2-TOT	INTEGER (4, 0)
		0	DAC_STAT_CNT_5637	5637	DAC-DEPT-REF-QTY	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_LMD_RT_G_8159	8159	STAT-LIMITED-RIGHTS-GRP	CHAR (2, 0)
		3	STAT_DAC_SA_6592	6592	STAT-DAC-SA	CHAR (7, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
450	DEMIL_NIIN_A	0	DS1_STAT_CNT_8215	8215	DS1-DEML-NSC-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	DEMIL_CD_0167	0167	D-MIL-CD	CHAR	1	0
		3	NIIN_STAT_CD_2670	2670	NIIN-PSCN-STAT-CD	CHAR	1	0
451	DEPARTMENT_ACTY_A	0	STAT_ACTY_CH_0908	0908	STAT-DEPT-ACTY-CHANGED	DATE		0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
		3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
452	DEPT_GOALS_TAB_A	0	PIC_STAT_CNT_5824	5824	PIC-DEPT-STD-PCT-ZER	INTEGER	4	0
		0	PIC_STAT_CNT_9697	9697	PIC-DEPT-STD-PCT-ONE	INTEGER	4	0
		0	PIC_STAT_CNT_9698	9698	PIC-DEPT-STD-PCT-TWO	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
453	FCS_GOAL_D_F_A_D_A	0	M3D_STAT_CNT_6329	6329	M3D-D-FSC-AT-MG	INTEGER	4	0
		0	M3D_STAT_CNT_6330	6330	M3D-D-FSC-AT-DM	INTEGER	4	0
		0	M3D_STAT_CNT_6331	6331	M3D-D-FSC-AT-DM-G	INTEGER	4	0
		0	M3D_STAT_CNT_6334	6334	M3D-D-FSC-AT-AIN	INTEGER	4	0
		0	M3D_STAT_CNT_6335	6335	M3D-D-FSC-AT-AIN-G	INTEGER	4	0
		0	M3D_STAT_CNT_6338	6338	M3D-D-FSC-AT-RN	INTEGER	4	0
		0	M3D_STAT_CNT_6339	6339	M3D-D-FSC-AT-RN-G	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		3	FSG_3994	3994	ASGND-FSG	CHAR	2	0
		4	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2	0
		5	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
454	FCS_Q_S_TYPII_A	0	FCS_STAT_CNT_6392	6392	FCS-SAC-TII-1-NSN	INTEGER	4	0
		0	FCS_STAT_CNT_6393	6393	FCS-SAC-TII-2-NSN	INTEGER	4	0
		0	FCS_STAT_CNT_6394	6394	FCS-SAC-TII-4-NSN	INTEGER	4	0
		0	FCS_STAT_CNT_6402	6402	FCS-C-SAC-TII-1-NSN	INTEGER	4	0
		0	FCS_STAT_CNT_6403	6403	FCS-C-SAC-TII-2-NSN	INTEGER	4	0
		0	FCS_STAT_CNT_6404	6404	FCS-C-SAC-TII-4-NSN	INTEGER	4	0
		0	FCS_STAT_CNT_6410	6410	FCS-SDP-TII-1-NSN	INTEGER	4	0
		0	FCS_STAT_CNT_6411	6411	FCS-SDP-TII-2-NSN	INTEGER	4	0
		0	FCS_STAT_CNT_6412	6412	FCS-SDP-TII-4-NSN	INTEGER	4	0
		0	FCS_STAT_CNT_6419	6419	FCS-C-SDP-TII-1-NSN	INTEGER	4	0
		0	FCS_STAT_CNT_6420	6420	FCS-C-SDP-TII-2-NSN	INTEGER	4	0
		0	FCS_STAT_CNT_6423	6423	FCS-C-SDP-TII-4-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
455	FSC_GOALS_TAB_A	0	M3D_STAT_CNT_6318	6318	M3D-D-FSC-DM-G	INTEGER	4	0
		0	M3D_STAT_CNT_6322	6322	M3D-D-FSC-AIN-G	INTEGER	4	0
		0	M3D_STAT_CNT_6326	6326	M3D-D-FSC-RN-G	INTEGER	4	0
		0	TRFR_STAT_CNT_6777	6777	TRFR-FSC-ODP-FYD-GOAL	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	FSG_3994	3994	ASGND-FSG	CHAR	2	0
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2	0
456	IANDS_DEPT_DATA_A	0	IANS_STAT_CNT_9599	9599	IANDS-DEPT-FSC-REL-SICA	INTEGER	4	0
		0	IANS_STAT_CNT_9600	9600	IANDS-DEPT-FSC-MTR-SICA	INTEGER	4	0
		0	IANS_STAT_CNT_9601	9601	IANDS-DEPT-FSC-REL-PICA	INTEGER	4	0
		0	IANS_STAT_CNT_9602	9602	IANDS-DEPT-FSC-MTR-PICA	INTEGER	4	0
		0	IANS_STAT_CNT_9603	9603	IANDS-DEPT-FSC-TOT-FAM	INTEGER	4	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	FSG_3994	3994	ASGND-FSG	CHAR	2	0
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2	0
		4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
457	IMC_ALL_DATA_A	0	IMC_STAT_CNT_5653	5653	IMC-AL-DP-AT-IMC-CIC	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	7	0
		3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
		5	CRD_ID_CD_IMC_0099	0099	CRD-IDEN-CD-IMC	CHAR	1	0
		6	IMC_2744	2744	IMC	CHAR	1	0
458	INFO_DISSEM_DATA_A	0	ID_STAT_CNT_2181	2181	ID-MLC-CUM-CHG	INTEGER	4	0
		0	ID_STAT_CNT_2182	2182	ID-MLC-CUR-CHG	INTEGER	4	0
		0	ID_STAT_CNT_2184	2184	ID-MLN-CUM-CHG	INTEGER	4	0
		0	ID_STAT_CNT_2185	2185	ID-MLN-CUR-CHG	INTEGER	4	0
		0	ID_STAT_CNT_2187	2187	ID-MCRL-CUM-CHG	INTEGER	4	0
		0	ID_STAT_CNT_2188	2188	ID-MCRL-CUR-CHG	INTEGER	4	0
		0	ID_STAT_CNT_2195	2195	ID-MLMC-CUM-CHG	INTEGER	4	0
		0	ID_STAT_CNT_2196	2196	ID-MLMC-CUR-CHG	INTEGER	4	0
		0	ID_STAT_CNT_6137	6137	ID-MCRL-NSN	INTEGER	4	0
		0	ID_STAT_CNT_6154	6154	ID-MLMC-NSN	INTEGER	4	0
		0	ID_STAT_CNT_6159	6159	ID-MLC-NSN	INTEGER	4	0
		0	ID_STAT_CNT_6161	6161	ID-MLN-NSN	INTEGER	4	0
		0	ID_STAT_CNT_6162	6162	ID-PIIL-NSN	INTEGER	4	0
		0	ID_STAT_CNT_6164	6164	ID-CG-NSN	INTEGER	4	0
		0	ID_STAT_CNT_6166	6166	ID-FAA-NSN	INTEGER	4	0
		0	ID_STAT_CNT_6169	6169	ID-AMMO-NSN	INTEGER	4	0
		0	ID_STAT_CNT_6171	6171	ID-CAC-NSN	INTEGER	4	0
		0	ID_STAT_CNT_6172	6172	ID-MED-NSN	INTEGER	4	0
		0	ID_STAT_CNT_6267	6267	ID-CAC-CUM-CHG	INTEGER	4	0
		0	ID_STAT_CNT_6268	6268	ID-CAC-CUR-CHG	INTEGER	4	0
		0	ID_STAT_CNT_6270	6270	ID-MED-CUM-CHG	INTEGER	4	0
		0	ID_STAT_CNT_6271	6271	ID-MED-CUR-CHG	INTEGER	4	0
		0	ID_STAT_CNT_6273	6273	ID-AMMO-CUM-CHG	INTEGER	4	0
		0	ID_STAT_CNT_6274	6274	ID-AMMO-CUR-CHG	INTEGER	4	0
		0	ID_STAT_CNT_6279	6279	ID-FAA-CUM-CHG	INTEGER	4	0
		0	ID_STAT_CNT_6280	6280	ID-FAA-CUR-CHG	INTEGER	4	0
		0	ID_STAT_CNT_6282	6282	ID-CG-CUM-CHG	INTEGER	4	0
		0	ID_STAT_CNT_6283	6283	ID-CG-CUR-CHG	INTEGER	4	0
		0	ID_STAT_CNT_6285	6285	ID-PIIL-CUM-CHG	INTEGER	4	0
		0	ID_STAT_CNT_6286	6286	ID-PIIL-CUR-CHG	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
459	ISC_DATA_A	0	ISC_STAT_CNT_5746	5746	ISC-FSC-WMGR-NSN	INTEGER	4	0
		0	ISC_STAT_CNT_5747	5747	ISC-FSC-USGOVT-NSN	INTEGER	4	0
		0	ISC_STAT_CNT_5748	5748	ISC-FSC-DOD-NSN	INTEGER	4	0
		0	ISC_STAT_CNT_5749	5749	ISC-FSC-WOMGR-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	FSG_3994	3994	ASGND-FSG	CHAR	2	0
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2	0
		4	ISC_2650	2650	ITM-STDZN-CD	CHAR	1	0
460	ITEM_NAME_DEPT_A_A	0	IN_STAT_CNT_6688	6688	IN-DP-AT-AIN-NSN	INTEGER	4	0
		0	IN_STAT_CNT_6689	6689	IN-DP-AT-NAIN-NSN	INTEGER	4	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	---------DATA--------- TYPE--LENGTH--DECIMAL
		0	IN_STAT_CNT_6695	6695	IN-DP-AT-AIN-NR-NSN	INTEGER (4, 0)
		0	IN_STAT_CNT_6696	6696	IN-DP-AT-NAIN-NR-NSN	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
461	DECODE_ACCESS	0	DCOD_SVC_IND_4157	4157	IDS-DCOD-SVC-IND	CHAR (1, 0)
		0	FUNC_MNEM_NM_4195	4195	IDS-FUNC-MNEM-NM	CHAR (6, 0)
		0	PARM_STNG_TXT_4153	4153	IDS-PARM-STNG-TXT	VARCHAR (160, 0)
		0	PRCSG_ACTN_4204	4204	IDS-PRCSG-ACTN-TXT	CHAR (18, 0)
		1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR (10, 0)
		2	REV_LVL_2644	2644	REV-LVL	CHAR (3, 0)
		3	REC_TYP_CD_4197	4197	IDS-REC-TYP-CD	SMALLINT (2, 0)
		4	ACCS_SEQ_NBR_4199	4199	IDS-ACCS-REC-SEQ-NBR	SMALLINT (2, 0)
462	LOLA_INQ_STATS_A	0	LRN_STAT_CNT_1132	1132	LRN-RNL-ACTY-DLY	INTEGER (4, 0)
		0	LRN_STAT_CNT_1153	1153	LRN-P-RNL-ACTY-DLY	INTEGER (4, 0)
		0	LRN_STAT_CNT_1173	1173	LRN-NM-NIIN-ACTY-DLY	INTEGER (4, 0)
		0	LRN_STAT_CNT_1193	1193	LRN-CHS-ACTY-DLY	INTEGER (4, 0)
		0	LRN_STAT_CNT_1233	1233	LRN-FSG-FSC-ITM-NM-ACT-D	INTEGER (4, 0)
		0	LRN_STAT_CNT_1667	1667	LRN-NIIN-INQ-ACTY-DLY	INTEGER (4, 0)
		0	LRN_STAT_CNT_1729	1729	LRN-COMB-ACTY-DLY	INTEGER (4, 0)
		0	LRN_STAT_CNT_2410	2410	LRN-ACT-DLY-TOT	INTEGER (4, 0)
		0	LRN_STAT_CNT_3742	3742	LRN-APPL-HELP-DEPT-DLY	INTEGER (4, 0)
		0	LRN_STAT_CNT_5975	5975	LRN-C-NIIN-ACTY-DLY	INTEGER (4, 0)
		0	LRN_STAT_CNT_6178	6178	LRN-C-RNL-ACTY-DLY	INTEGER (4, 0)
		0	LRN_STAT_CNT_6202	6202	LRN-C-P-RNL-ACTY-DLY	INTEGER (4, 0)
		0	LRN_STAT_CNT_8232	8232	LRN-PROC-ACTY-DLY	INTEGER (4, 0)
		1	LOLA_REQ_DATE_3306	3306	LOLA-REQUEST-DATE	CHAR (8, 0)
		2	LOLA_STAT_SC_3307	3307	LOLA-STATS-SCOPE	CHAR (1, 0)
		3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
463	MDLS_INQ_ORDR_DA_A	0	MDLS_STAT_CNT_7191	7191	MDLS-TOT-INQ-D1	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7192	7192	MDLS-INPUT-MATCH-D1	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7193	7193	MDLS-TOT-OFFERED-D1	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7197	7197	MDLS-TOT-INQ-D2	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7198	7198	MDLS-INPUT-MATCH-D2	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7199	7199	MDLS-TOT-OFFERED-D2	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7202	7202	MDLS-TOT-INQ-P1	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7203	7203	MDLS-INPUT-MATCH-P1	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7204	7204	MDLS-TOT-OFFERED-P1	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7208	7208	MDLS-TOT-INQ-P2	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7209	7209	MDLS-INPUT-MATCH-P2	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7210	7210	MDLS-TOT-OFFERED-P2	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7214	7214	MDLS-TOT-INQ-NN	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7215	7215	MDLS-INPUT-MATCH-NN	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7216	7216	MDLS-TOT-OFFERED-NN	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7220	7220	MDLS-TOT-INQ-D3	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7221	7221	MDLS-INPUT-MATCH-D3	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7222	7222	MDLS-TOT-OFFERED-D3	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7625	7625	MDLS-EDIT-ERR-D1	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7626	7626	MDLS-EDIT-ERR-D2	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7627	7627	MDLS-EDIT-ERR-D3	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7628	7628	MDLS-EDIT-ERR-P1	INTEGER (4, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	----------DATA---------- TYPE--LENGTH--DECIMAL
		0	MDLS_STAT_CNT_7629	7629	MDLS-EDIT-ERR-P2	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7630	7630	MDLS-EDIT-ERR-NN	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7635	7635	MDLS-ORDER-ERRS	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7636	7636	MDLS-ASSETS-ORDERED	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7637	7637	MDLS-COPIES-ORDERED	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
464	MDLS_UPDT_STAT_D_A	0	MDLS_R_DA_CT_1258	1258	MDLS-REP-DA-COUNT	INTEGER (4, 0)
		0	MDLS_R_NIINCT_1260	1260	MDLS-REP-NIIN-COUNT	INTEGER (4, 0)
		0	MDLS_R_PN_CT_1259	1259	MDLS-REP-PN-COUNT	INTEGER (4, 0)
		0	MDLS_R_TITLCT_1261	1261	MDLS-REP-TITLE-COUNT	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7433	7433	MDLS-CHANGE-DAI-CT	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7435	7435	MDLS-DAI-ERR-CT	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7436	7436	MDLS-ADD-DAI-CT	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7437	7437	MDLS-DEL-DAI-CT	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7439	7439	MDLS-REF-NBR-ERR-CT	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7440	7440	MDLS-ADD-REF-NBR-CT	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7441	7441	MDLS-DEL-REF-NBR-CT	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7443	7443	MDLS-NIIN-ERR-CT	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7444	7444	MDLS-ADD-NIIN-CT	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7445	7445	MDLS-DEL-NIIN-CT	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7447	7447	MDLS-TI-ERR-CT	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7448	7448	MDLS-ADD-TI-CT	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7449	7449	MDLS-DEL-TI-CT	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7450	7450	MDLS-INVALID-TYPE-ERR-CT	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		3	RPTY_ID_2638	2638	RPTY-ID	CHAR (5, 0)
465	FSC_FSCINC_DATA_A	0	FSC_INC_NSN_5751	5751	FSC-INC-NSN	INTEGER (4, 0)
		0	FSC_STAT_CNT_5752	5752	FSC-NSN	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
		4	INC_4080	4080	INC	CHAR (5, 0)
466	FIIG_POP_NONMGD_A	0	POP_STAT_CNT_7828	7828	POP-FIIG-AIN-FSC-NMG-FU	INTEGER (4, 0)
		0	POP_STAT_CNT_7829	7829	POP-FIIG-AIN-FSC-NMG-PA	INTEGER (4, 0)
		0	POP_STAT_CNT_7830	7830	POP-FIIG-AIN-FSC-NMG-RE	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
		4	FIIG_4065	4065	GDE-NBR-FIIG	CHAR (6, 0)
		5	INC_4080	4080	INC	CHAR (5, 0)
467	FIIG_POP_MGD_DTL_A	0	POP_STAT_CNT_6726	6726	POP-FIIG-AIN-FSC-MG-AC	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	FIIG_4065	4065	GDE-NBR-FIIG	CHAR (6, 0)
		3	INC_4080	4080	INC	CHAR (5, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
		6	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
468	TRN_TIMING_DATA_A	0	TMG_STAT_CNT_6892	6892	TMG-PIC-DIC-TMFR	INTEGER (4, 0)
		0	TMG_STAT_CNT_6893	6893	TMG-PIC-DIC-TMFR-AVG-TM	INTEGER (4, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	DIC_IP_3921	3921	DIC-IP	CHAR	3	0
		3	PRI_IND_CD_2867	2867	PRI-IND-CD	CHAR	1	0
		4	STAT_BTCH_TIM_2604	2604	STAT-BTCH-TIM	CHAR	1	0
470	FSC_POP_MGD_A	0	POP_STAT_CNT_5601	5601	POP-FSC-FIIG-AIN-MG-FU	INTEGER	4	0
		0	POP_STAT_CNT_5602	5602	POP-FSC-FIIG-AIN-MG-RE	INTEGER	4	0
		0	POP_STAT_CNT_5617	5617	POP-FSC-FIIG-AIN-MG-PA	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	FSG_3994	3994	ASGND-FSG	CHAR	2	0
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2	0
		4	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	6	0
		5	INC_4080	4080	INC	CHAR	5	0
471	FSC_POP_MGD_DTL_A	0	POP_STAT_CNT_5603	5603	POP-FSC-FIIG-AIN-MG-AC	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	FSG_3994	3994	ASGND-FSG	CHAR	2	0
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2	0
		4	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	6	0
		5	INC_4080	4080	INC	CHAR	5	0
		6	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
472	ABV_MRC_DATA_A	0	AMRC_STAT_CNT_8224	8224	ABV-MRC-FIIG-INC-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	6	0
		3	INC_4080	4080	INC	CHAR	5	0
		4	MRC_3445	3445	MRC	CHAR	4	0
473	DECODE_COMPONENT	0	CDD_RPLY_3465	3465	CDD-RPLY	CHAR	6	0
		0	CMPNT_LGTH_4174	4174	IDS-ACCS-CMPNT-LGTH-NBR	SMALLINT	2	0
		0	DAT_LGTH_ATTR_8621	8621	IDS-DAT-LGTH-ATTR-ID	CHAR	2	0
		0	EDIT_MBR_TXT_4155	4155	IDS-EDIT-MBR-TXT	CHAR	17	0
		0	FLD_JUST_4257	4257	IDS-FLD-JUST	CHAR	1	0
		0	FUNC_MNEM_NM_4195	4195	IDS-FUNC-MNEM-NM	CHAR	6	0
		0	MARKUP_TXT_4156	4156	IDS-MARKUP-TXT	VARCHAR	79	0
		0	MRC_3445	3445	MRC	CHAR	4	0
		0	POST_DELIM_4260	4260	IDS-POST-DELIM	SMALLINT	2	0
		0	POST_MRKP_4258	4258	IDS-POST-MRKP-TXT	VARCHAR	79	0
		0	PRCSG_ACTN_4204	4204	IDS-PRCSG-ACTN-TXT	CHAR	18	0
		0	PRE_DELIM_4259	4259	IDS-PRE-DELIM	SMALLINT	2	0
		0	ZER_SUPRSN_8617	8617	IDS-ZER-SUPRSN-IND	CHAR	1	0
		1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR	10	0
		2	REV_LVL_2644	2644	REV-LVL	CHAR	3	0
		3	REC_TYP_CD_4197	4197	IDS-REC-TYP-CD	SMALLINT	2	0
		4	ACCS_SEQ_NBR_4199	4199	IDS-ACCS-REC-SEQ-NBR	SMALLINT	2	0
		5	IDS_CMPNT_NBR_4160	4160	IDS-CMPNT-NBR	SMALLINT	2	0
474	ACTY_STORAGE_STATS	0	DIC_3920	3920	DOC-ID-CD	CHAR	3	0
		0	DIC_SEQ_9146	9146	DIC-SEQ	SMALLINT	2	0
		0	OP_MOD_MED_CD_3740	3740	OP-MODE-MED-CD	CHAR	2	0
		1	ACTY_GRP_9133	9133	ACTY-GRP	CHAR	12	0
		2	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	21	0
		3	FILE_CHAR_CNT_9157	9157	FILE-CHAR-CNT	INTEGER	4	0
		4	FILE_REC_CNT_9158	9158	FILE-REC-CNT	INTEGER	4	0
475	ACTY_OP_HOLD	0	OUTPUT_RECORD_9196	9196	OUTPUT-RECORD	VARCHAR	1500	0
		0	RPTY_ID_2638	2638	RPTY-ID	CHAR	3	0
		1	ACTY_CATEGORY_9751	9751	ACTY-CATEGORY	CHAR	2	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		2	ACTY_CD_2046	2046	ACTY-CD	CHAR	6	0
		3	ADRS_SEQ_CD_0233	0233	ADRS-SEQ-CD	CHAR	1	0
		4	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	21	0
		5	DIC_3920	3920	DOC-ID-CD	CHAR	3	0
		6	DIC_SEQ_9146	9146	DIC-SEQ	SMALLINT	2	0
		7	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER	4	0
476	APPL_OUTPUT_DIC	0	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER	4	0
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	21	0
		2	DIC_3920	3920	DOC-ID-CD	CHAR	3	0
		3	DIC_SEQ_9146	9146	DIC-SEQ	SMALLINT	2	0
		4	RTN_CD_9480	9480	RTN-CD	CHAR	2	0
477	CALLABLE_ACCESS	0	ACCS_SUBRTN_4183	4183	IDS-CLBL-ACCS-SUBRTN-NM	CHAR	8	0
		0	CMPNT_DSCRD_4171	4171	IDS-ACCS-CMPNT-DSCRD-IND	CHAR	1	0
		0	CMPNT_LGTH_4174	4174	IDS-ACCS-CMPNT-LGTH-NBR	SMALLINT	2	0
		0	FUNC_MNEM_NM_4195	4195	IDS-FUNC-MNEM-NM	CHAR	6	0
		0	MARKUP_TXT_4156	4156	IDS-MARKUP-TXT	VARCHAR	79	0
		0	PARM_STNG_TXT_4153	4153	IDS-PARM-STNG-TXT	VARCHAR	160	0
		0	POST_DELIM_4260	4260	IDS-POST-DELIM	SMALLINT	2	0
		0	POST_MRKP_4258	4258	IDS-POST-MRKP-TXT	VARCHAR	79	0
		0	PRCSG_ACTN_4204	4204	IDS-PRCSG-ACTN-TXT	CHAR	18	0
		0	PRE_DELIM_4259	4259	IDS-PRE-DELIM	SMALLINT	2	0
		1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR	10	0
		2	REV_LVL_2644	2644	REV-LVL	CHAR	3	0
		3	REC_TYP_CD_4197	4197	IDS-REC-TYP-CD	SMALLINT	2	0
		4	ACCS_SEQ_NBR_4199	4199	IDS-ACCS-REC-SEQ-NBR	SMALLINT	2	0
478	PRODUCT_CONSOL	0	FUNC_MNEM_NM_4195	4195	IDS-FUNC-MNEM-NM	CHAR	6	0
		0	RCD_TYP_ORDR_4169	4169	IDS-RCD-TYP-ORDR-NBR	SMALLINT	2	0
		1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR	10	0
		2	REV_LVL_2644	2644	REV-LVL	CHAR	3	0
		3	PRDCT_PT_NBR_4154	4154	IDS-PRDCT-PT-NBR	SMALLINT	2	0
		4	REC_TYP_CD_4197	4197	IDS-REC-TYP-CD	SMALLINT	2	0
479	VAR_SEG_PARAM	0	MAX_LGTH_4593	4593	MAX-LGTH	SMALLINT	2	0
		0	MAX_OCURS_4594			SMALLINT	2	0
		0	MIN_LGTH_4592	4592	MIN-LGTH	SMALLINT	2	0
		0	REPT_SEG_IND_4594	4594	REPT-SEG-IND	CHAR	1	0
		0	TOT_MAX_LGTH_4596	4596	TOT-MAX-LGTH	INTEGER	4	0
		1	DIDS_SEG_CD_8999	8999	FLIS-SEG-CD	CHAR	1	0
		2	I_OR_O_IND_4591	4591	IN-OR-OUT-IND	CHAR	3	0
480	DRP_DICS	1	DROP_INDX_CD_2225	2225	DROP-INDX-CD	CHAR	2	0
		2	DIC_3920	3920	DOC-ID-CD	CHAR	3	0
		3	DRP_N_OR_M_4505	4505	DRP-NOTIF-OR-MAINT-IND	CHAR	1	0
481	UNDEFINABLE_TRANS	0	MEDIA_HEADER_9178	9178	MEDIA-HEADER	CHAR	80	0
		0	TRANS_NBR_9437	9437	TRANS-NBR	SMALLINT	2	0
		0	UNDEF_SEGMENT_9442	9442	UNDEFINED-SEG	CHAR	132	0
		1	LOGGED_TS_9173	9173	LOGGED-TS	TIMESTMP	10	0
		2	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER	4	0
482	SERVICE_ENTITIES	0	LBL_FORMAT_3228	3228	LBL-FORMAT	CHAR	2	0
		0	LBL_ID_DLN_3283	3283	LBL-ID-DLN-IND	CHAR	1	0
		0	LBL_ID_MA_IND_3282	3282	LBL-ID-MA-IND	CHAR	1	0
		0	LBL_ID_TEXT_3281	3281	LBL-ID-TEXT	CHAR	20	0
		1	LBL_ID_2235	2235	LBL-ID	CHAR	2	0
483	STATE_CODES	1	ST_US_POSN_AB_0186	0186	STA-US-POSN-ABR	CHAR	2	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	----------DATA---------- TYPE--LENGTH--DECIMAL
		2	STATE_NAME_4490	4490	STATE-NAME	CHAR (20, 0)
485	STOP_WORD_CDM	1	STOP_WORD-_CDM_4463	4463	STOP-WORD-CDM	CHAR (35, 0)
486	SORTING_TABLE	0	DAT_LGTH_ATTR_8621	8621	IDS-DAT-LGTH-ATTR-ID	CHAR (2, 0)
		0	FUNC_MNEM_NM_4195	4195	IDS-FUNC-MNEM-NM	CHAR (6, 0)
		0	SRT_SEQ_TXT_4167	4167	IDS-SRT-SEQ-TXT	VARCHAR (110, 0)
		0	ZER_SUPRSN_8617	8617	IDS-ZER-SUPRSN-IND	CHAR (1, 0)
		1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR (10, 0)
		2	REV_LVL_2644	2644	REV-LVL	CHAR (3, 0)
		3	PRDCT_PT_NBR_4154	4154	IDS-PRDCT-PT-NBR	SMALLINT (2, 0)
487	AMMO_EDIT_CRITERIA	1	FSC_3990	3990	ASGND-FSC	CHAR (4, 0)
		2	AMMO_CD_PRFX_8809	8809	AMMO-CD-PRFX-ID	CHAR (8, 0)
488	MDLS_REPOS_PHN	0	RPTY_TEL_EXT_2574	2574	RPTY-TEL-EXT	CHAR (5, 0)
		0	RPTY_TEL_NBR_2572	2572	RPTY-TEL-NBR	CHAR (12, 0)
		1	RPTY_ID_2638	2638	RPTY-ID	CHAR (5, 0)
		2	RPTY_T_NBR_TP_2571	2571	RPTY-T-NBR-TP	CHAR (1, 0)
489	ITM_NM_FUT_HIST	0	DRN_FULL_VAL_4469	4469	DRN-FULL-VALUE	VARCHAR (1978, 0)
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER (4, 0)
		0	EFF_DT_2128	2128	EFF-DT	INTEGER (4, 0)
		0	RPLD_INC_2646	2646	RPLD-INC	CHAR (5, 0)
		0	STA_CD_NM_FSC_0320	0320	STATUS-CD-NM-FSC	CHAR (1, 0)
		0	USR_CD_1101	1101	USR-CD	CHAR (8, 0)
		1	NM_CD_2303	2303	NM-CD	CHAR (5, 0)
		2	DRN_0950	0950	DATA-REC-NBR	CHAR (4, 0)
		3	TMSTMP4_4472	4472	TMSTMP4	TIMESTMP (10, 0)
490	RNAAC_BYPASS	0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR (2, 0)
491	FSC_NOTE_DATE_GP2	0	DRN_FULL_VAL_4469	4469	DRN-FULL-VALUE	VARCHAR (1978, 0)
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER (4, 0)
		0	EFF_DT_2128	2128	EFF-DT	INTEGER (4, 0)
		0	RPLD_FSC_2647	2647	RPLD-FSC	CHAR (4, 0)
		0	STA_CD_NM_FSC_0320	0320	STATUS-CD-NM-FSC	CHAR (1, 0)
		0	USR_CD_1101	1101	USR-CD	CHAR (8, 0)
		1	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
		3	DRN_0950	0950	DATA-REC-NBR	CHAR (4, 0)
		4	TMSTMP5_4473	4473	TMSTMP5	TIMESTMP (10, 0)
492	FSG_NOTE_DATE_GP2	0	DRN_FULL_VAL_4469	4469	DRN-FULL-VALUE	VARCHAR (1978, 0)
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER (4, 0)
		0	EFF_DT_2128	2128	EFF-DT	INTEGER (4, 0)
		0	RPLD_FSC_2647	2647	RPLD-FSC	CHAR (4, 0)
		0	STA_CD_NM_FSC_0320	0320	STATUS-CD-NM-FSC	CHAR (1, 0)
		0	USR_CD_1101	1101	USR-CD	CHAR (8, 0)
		1	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		2	DRN_0950	0950	DATA-REC-NBR	CHAR (4, 0)
		3	TMSTMP6_4474	4474	TMSTMP6	TIMESTMP (10, 0)
493	. CAGE_ACT_AACNSN	0	CAGE_STAT_CNT_6651	6651	CAGE-ACTY-AAC-NSN	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
		3	AAC_2507	2507	ACQ-AD-CD	CHAR (1, 0)
494	CAGE_FSCNSN	0	CAGE_STAT_CNT_6657	6657	CAGE-FSC-NSN	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	CAGE_CD_9250	9250	CAGE-CD	CHAR (5, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		3	FSG_3994	3994	ASGND-FSG	CHAR	2,	0)
		4	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2,	0)
495	CAGE_INCNSN	0	CAGE_STAT_CNT_6656	6656	CAGE-INC-NSN	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	INC_4080	4080	INC	CHAR	5,	0)
		3	CAGE_CD_9250	9250	CAGE-CD	CHAR	5,	0)
496	REPLACEMENT_AMMO	1	AMMO_CD_8805	8805	AMMO-CD	CHAR	4,	0)
		2	RPLD_AMMO_8815	8815	RPLD-AMMO-CD	CHAR	4,	0)
497	ID_CAT_ITEM_SELECT	1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR	10,	0)
		2	REV_LVL_2644	2644	REV-LVL	CHAR	3,	0)
		3	NCB_CD_4130	4130	NCB-CD	CHAR	2,	0)
		4	I_I_NBR_4131	4131	I-I-NBR	CHAR	7,	0)
498	ID_DECODE_CAT_CHAR	0	MRC_3445	3445	MRC	CHAR	4,	0)
		0	MRC_CLR_TXT_R_0113	0113	MRC-CLRTXT-RPLY-FLD	VARCHAR	990,	0)
		0	RQMT_STMT_3614	3614	RQMT-STMT	VARCHAR	110,	0)
		1	INFO_DISEM_ID_1720	1720	INFO-DISEM-IDEN-NBR	CHAR	10,	0)
		2	REV_LVL_2644	2644	REV-LVL	CHAR	3,	0)
		3	NCB_CD_4130	4130	NCB-CD	CHAR	2,	0)
		4	I_I_NBR_4131	4131	I-I-NBR	CHAR	7,	0)
		5	RPLY_SEQ_NBR_4408	4408	RPLY-SEQ-NBR	SMALLINT	2,	0)
499	DIC_SEG_ODRC	0	FIRST_ODRC_4691	4691	FRST-LOLA-OVERNIGHT-ODRC	CHAR	4,	0)
		0	SECOND_ODRC_4692	4692	SECN-LOLA-OVERNIGHT-ODRC	CHAR	4,	0)
		0	THIRD_ODRC_4693	4693	THRD-LOLA-OVERNIGHT-ODRC	CHAR	4,	0)
		1	DIC_3920	3920	DOC-ID-CD	CHAR	3,	0)
		2	SEG_VALUES_4694	4694	LOLA-OVERNIGHT-SEG-VAL	CHAR	15,	0)
501	GD_REF_BACK	0	REF_MRC_4475	4475	REF-BACK-MRC	CHAR	4,	0)
		1	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	6,	0)
		2	MRC_3445	3445	MRC	CHAR	4,	0)
		3	MODE_CD_4735	4735	MODE-CD	CHAR	1,	0)
502	CAGE_DEL_HIST	0	CAGE_STAT_CD_2694	2694	CAGE-NSCM-STAT-CD	CHAR	1,	0)
		0	DT_OE_RCD_DEL_8657	8657	DT-OE-RCD-DELD	INTEGER	4,	0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR	5,	0)
503	FREIGHT_DATA_TOTAL	0	FRGT_STAT_CNT_6600	6600	FREIGHT-INC-TOT-NSN	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	NMFC_2850	2850	NMFC-CD	CHAR	6,	0)
		3	SUB_ITM_NBR_0861	0861	NMFC-SUB-ITM-NBR	CHAR	1,	0)
		4	UFC_CD_MODF_3040	3040	UFC-CD-MODF	CHAR	5,	0)
504	CAGE_KEYWORD_ADRS	1	CAGE_CD_9250	9250	CAGE-CD	CHAR	5,	0)
		2	CAGE_KEYWORD_4471	4471	CAGE-KEYWORD	CHAR	25,	0)
		3	ADRS_TYP_CD_2137	2137	ADRS-TYP-CD	CHAR	1,	0)
505	CMD_BASIC_HIST	0	AAC_2507	2507	ACQ-AD-CD	CHAR	1,	0)
		0	ACTG_RQMT_AR_2665	2665	ACCTG-RQMTS-CD-AR	CHAR	1,	0)
		0	AR_MCC_AP_SUB_2163	2163	AR-MCC-APPROP-SUBGRP	CHAR	1,	0)
		0	AR_MCC_SG_CD1_2167	2167	AR-MCC-SUB-GRP-CD1	CHAR	2,	0)
		0	AR_MCC_USE_CD_2161	2161	AR-MCC-DESCP-USE-CD	CHAR	1,	0)
		0	BDGT_CD_AF_3765	3765	AF-BDGT-CD-MDL	CHAR	1,	0)
		0	CIIC_2863	2863	CIIC	CHAR	1,	0)
		0	CMBT_ESTL_MC_3311	3311	CMBT-ESNTL-CD-MC	CHAR	1,	0)
		0	COG_CD_NVY_2608	2608	COG-CD-NVY	CHAR	2,	0)
		0	ECH_CD_MC_3150	3150	ECH-CD-MC	CHAR	1,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		0	ERRC_CD_AF_2655	2655	ERRC-CD-AF	CHAR	1	0
		0	FUND_CD_AF_2695	2695	FD-CD-AF	CHAR	2	0
		0	INV_ACT_CG_0708	0708	INV-ACCT-CD-CG	CHAR	1	0
		0	IRRC_NVY_0132	0132	ISS-REP-RQNG-RSTRN-CD	CHAR	2	0
		0	I_I_NBR_4131	4131	I-I-NBR	CHAR	7	0
		0	MAJ_MCC_AR_9256	9256	MAJ-MCC-AR	CHAR	1	0
		0	MAT_CTL_NVY_2832	2832	MAT-CTL-CD-NAVY	CHAR	1	0
		0	MAT_IDEN_MC_4126	4126	MAT-IDEN-CD	CHAR	1	0
		0	MAT_MGMT_MC_9257	9257	MAT-MGMT-CD-MC	CHAR	1	0
		0	MMAC_AF_2836	2836	MAT-MGMT-AG-CD-AF	CHAR	2	0
		0	OPRTL_TST_MC_0572	0572	OPRTNL-TST-CD	CHAR	1	0
		0	PHY_CTGY_MC_0573	0573	PHY-CTGY-CD	CHAR	1	0
		0	PVC_AF_0858	0858	PR-VLDTN-CD-AF	CHAR	1	0
		0	QUP_6106	6106	QUP-CD	CHAR	1	0
		0	RECOV_CD_AR_2892	2892	RECOV-CD-AR	CHAR	1	0
		0	RECOV_CD_MC_2891	2891	RECOV-CD-MC	CHAR	1	0
		0	REP_CD_CG_0709	0709	REPBL-CD-CG	CHAR	1	0
		0	REP_CD_DLA_2934	2934	REPBL-CHAR-IND-CD-DLA	CHAR	1	0
		0	REP_NET_PR_5235	5235	REP-NET-PR	INTEGER	4	0
		0	ROW_OBS_DT_4489	4489	ROW-OBS-DT	INTEGER	4	0
		0	SER_NO_CTL_CG_0763	0763	SER-NBR-CTL-CD-CG	CHAR	1	0
		0	SLC_2943	2943	SHLF-LIF-CD	CHAR	1	0
		0	SMIC_NVY_2834	2834	SP-MAT-IDEN-CD	CHAR	2	0
		0	SOSM_CD_2948	2948	SOS-MOD-CD	CHAR	3	0
		0	SOS_CD_3690	3690	SOS-CD	CHAR	3	0
		0	SP_MAT_CONT_0121	0121	SP-MAT-CONT-CD	CHAR	1	0
		0	STRS_ACT_MC_2959	2959	STRS-ACCT-MC	CHAR	1	0
		0	TYP_SP_PRC_0568	0568	TYP-OF-SP-PRCSG-IND-CD	CHAR	1	0
		0	UI_3050	3050	UI	CHAR	2	0
		0	UI_CONV_FAC_3053	3053	UI-CONV-FAC	CHAR	5	0
		0	UNIT_PR_7075	7075	DLR-VAL-UNIT-PR	DECIMAL	11	2
		1	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER	4	0
		1	MOE_CD_2833	2833	MOE-CD	CHAR	2	0
		2	DT_TRAN_2310	2310	DT-TRAN	INTEGER	4	0
		2	USI_SVC_CD_0745	0745	USI-SVC-CD	CHAR	1	0
		3	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	7	0
		4	DIC_3920	3920	DOC-ID-CD	CHAR	3	0
		5	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	2	0
		6	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	2	0
		7	TMSTMP_3059	3059	TMSTMP	TIMESTMP	10	0
		8	EFF_DT_2128	2128	EFF-DT	INTEGER	4	0
		9	NCB_CD_4130	4130	NCB-CD	CHAR	2	0
506	CMD_PHRASE_IS_HIST	0	I_I_NBR_4131	4131	I-I-NBR	CHAR	7	0
		0	JTC_0792	0792	I-S-JTC	CHAR	3	0
		0	OOU_0793	0793	I-S-OOU-CD	CHAR	3	0
		0	QNTV_EXPRSN_8575	8575	QNTV-EXPRSN	CHAR	13	0
		0	QTY_PER_ASBL_0106	0106	QTY-PER-ASBLY	INTEGER	4	0
		0	REL_NSN_2895	2895	REL-NSN	CHAR	13	0
		0	ROW_OBS_DT_4489	4489	ROW-OBS-DT	INTEGER	4	0
		0	TECH_DOC_NBR_2893	2893	TECH-DOC-NBR	CHAR	20	0
		0	UNIT_MEAS_CD_0107	0107	UNIT-MEAS-CD	CHAR	2	0
		1	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER	4	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	----------DATA---------- TYPE--LENGTH--DECIMAL
		1	MOE_CD_2833	2833	MOE-CD	CHAR (2, 0)
		2	DT_TRAN_2310	2310	DT-TRAN	INTEGER (4, 0)
		2	PHRS_CD_2862	2862	PHRS-CD-MDL	CHAR (1, 0)
		3	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR (7, 0)
		3	USI_SVC_CD_0745	0745	USI-SVC-CD	CHAR (1, 0)
		4	DIC_3920	3920	DOC-ID-CD	CHAR (3, 0)
		5	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR (2, 0)
		6	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR (2, 0)
		7	TMSTMP_3059	3059	TMSTMP	TIMESTMP (10, 0)
		8	EFF_DT_2128	2128	EFF-DT	INTEGER (4, 0)
		9	NCB_CD_4130	4130	NCB-CD	CHAR (2, 0)
507	COLLABORATORS_HIST	0	I_I_NBR_4131	4131	I-I-NBR	CHAR (7, 0)
		1	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER (4, 0)
		1	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR (4, 0)
		2	DT_TRAN_2310	2310	DT-TRAN	INTEGER (4, 0)
		2	SUPPLM_COLLBR_2533	2533	SUPPLM-COLLBR	CHAR (2, 0)
		3	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR (7, 0)
		4	DIC_3920	3920	DOC-ID-CD	CHAR (3, 0)
		5	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR (2, 0)
		6	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR (2, 0)
		7	TMSTMP_3059	3059	TMSTMP	TIMESTMP (10, 0)
		8	EFF_DT_2128	2128	EFF-DT	INTEGER (4, 0)
		9	NCB_CD_4130	4130	NCB-CD	CHAR (2, 0)
508	DEPOT_SRC_REP_HIST	0	FMR_DSOR_0904	0904	FMR-DSOR	CHAR (2, 0)
		0	NCB_CD_4130	4130	NCB-CD	CHAR (2, 0)
		1	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER (4, 0)
		1	I_I_NBR_4131	4131	I-I-NBR	CHAR (7, 0)
		2	DT_TRAN_2310	2310	DT-TRAN	INTEGER (4, 0)
		2	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR (4, 0)
		3	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR (7, 0)
		4	DIC_3920	3920	DOC-ID-CD	CHAR (3, 0)
		5	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR (2, 0)
		6	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR (2, 0)
		7	DSOR_0903	0903	DSOR	CHAR (2, 0)
		8	TMSTMP_3059	3059	TMSTMP	TIMESTMP (10, 0)
		9	EFF_DT_2128	2128	EFF-DT	INTEGER (4, 0)
509	EFF_DATED_ITM_HIST	0	ADPEC_0801	0801	ADPE-IDEN-CD	CHAR (1, 0)
		0	CRITL_CD_FIIG_3843	3843	CRITL-CD-FIIG	CHAR (1, 0)
		0	DELT_RSN_CD_4540	4540	DELT-RSN-CD	CHAR (1, 0)
		0	FIIG_4065	4065	GDE-NBR-FIIG	CHAR (6, 0)
		0	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
		0	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		0	INC_4080	4080	INC	CHAR (5, 0)
		0	I_I_NBR_4131	4131	I-I-NBR	CHAR (7, 0)
		0	LKD_LKU_RPLM_2499	2499	LKD-LKU-RPLM-IND	INTEGER (4, 0)
		0	PINC_3084	3084	PINC	CHAR (7, 0)
		0	PMIC_0802	0802	PREC-MTLS-IND-CD	CHAR (1, 0)
		0	RPDMRC_4765	4765	RPDMRC	CHAR (1, 0)
		0	RPLM_NSN_CANC_8875	8875	RPLM-NSN-CANC	CHAR (13, 0)
		0	TYP_II_4820	4820	TYP-OF-II-CD	CHAR (1, 0)
		1	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER (4, 0)
		2	DT_TRAN_2310	2310	DT-TRAN	INTEGER (4, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		3	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	7	0
		4	DIC_3920	3920	DOC-ID-CD	CHAR	3	0
		5	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	2	0
		6	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	2	0
		7	TMSTMP_3059	3059	TMSTMP	TIMESTMP	10	0
		8	EFF_DT_2128	2128	EFF-DT	INTEGER	4	0
		9	NCB_CD_4130	4130	NCB-CD	CHAR	2	0
510	MOE_RULE_DELT_HIST	0	NCB_CD_4130	4130	NCB-CD	CHAR	2	0
		1	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER	4	0
		1	I_I_NBR_4131	4131	I-I-NBR	CHAR	7	0
		2	DT_TRAN_2310	2310	DT-TRAN	INTEGER	4	0
		2	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	4	0
		3	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	7	0
		4	DIC_3920	3920	DOC-ID-CD	CHAR	3	0
		5	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	2	0
		6	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	2	0
		7	DELT_RSN_CD_4540	4540	DELT-RSN-CD	CHAR	1	0
		8	TMSTMP_3059	3059	TMSTMP	TIMESTMP	10	0
		9	EFF_DT_2128	2128	EFF-DT	INTEGER	4	0
511	NON_CMD_ACTY_HIST	0	NCB_CD_4130	4130	NCB-CD	CHAR	2	0
		1	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER	4	0
		1	I_I_NBR_4131	4131	I-I-NBR	CHAR	7	0
		2	DT_TRAN_2310	2310	DT-TRAN	INTEGER	4	0
		2	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	4	0
		3	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	7	0
		4	DIC_3920	3920	DOC-ID-CD	CHAR	3	0
		5	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	2	0
		6	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	2	0
		7	AAC_2507	2507	ACQ-AD-CD	CHAR	1	0
		8	TMSTMP_3059	3059	TMSTMP	TIMESTMP	10	0
		9	EFF_DT_2128	2128	EFF-DT	INTEGER	4	0
512	RECEIVERS_HIST	0	I_I_NBR_4131	4131	I-I-NBR	CHAR	7	0
		1	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER	4	0
		1	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	4	0
		2	DT_TRAN_2310	2310	DT-TRAN	INTEGER	4	0
		2	SUPPLM_RCVR_2534	2534	SUPPLM-RCVR	CHAR	2	0
		3	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	7	0
		4	DIC_3920	3920	DOC-ID-CD	CHAR	3	0
		5	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	2	0
		6	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	2	0
		7	TMSTMP_3059	3059	TMSTMP	TIMESTMP	10	0
		8	EFF_DT_2128	2128	EFF-DT	INTEGER	4	0
		9	NCB_CD_4130	4130	NCB-CD	CHAR	2	0
513	COLLOQ_XREF_HIST	0	DT_ESTB_CANC_0308	0308	DT-ESTB-CANC-RCD-DIDS	INTEGER	4	0
		0	EFF_DT_2128	2128	EFF-DT	INTEGER	4	0
		0	NM_CD_2303	2303	NM-CD	CHAR	5	0
		0	REL_INC_2926	2926	REL-INC	CHAR	5	0
		0	STA_CD_NM_FSC_0320	0320	STATUS-CD-NM-FSC	CHAR	1	0
		0	TMSTMP2_4402	4402	TMSTMP2	TIMESTMP	10	0
		1	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER	4	0
		2	DT_TRAN_2310	2310	DT-TRAN	INTEGER	4	0
		3	USR_CD_1101	1101	USR-CD	CHAR	8	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	---------DATA--------- TYPE--LENGTH--DECIMAL
515	EFF_DTD_FSC_HIST	0	AF_FSC_MGR_8860	8860	AF-FSC-MGR	CHAR (2, 0)
		0	AR_FSC_MGR_8831	8831	AR-FSC-MGR	CHAR (2, 0)
		0	CMDTY_MMC-_DOD_2611	2611	CMDTY-MAT-MGMT-CD-DOD	CHAR (1, 0)
		0	EFF_DT_2128	2128	EFF-DT	INTEGER (4, 0)
		0	FSC_DT_E_C_RC_5182	5182	FSC-DT-ESB-CANC-RCD-DIDS	INTEGER (4, 0)
		0	FSC_M_RL_C_IN_0122	0122	FSC-MOE-RULE-CHNG-IND	CHAR (1, 0)
		0	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
		0	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		0	H_D_BRK_CMDTY_3428	3428	HI-DLR-BRKOT-CMDTY-CTG	CHAR (1, 0)
		0	IMCA_4075	4075	IMCA	CHAR (2, 0)
		0	IMM_9090	9090	IMM	CHAR (2, 0)
		0	SIN_SUBM_ACTY_9255	9255	SIN-SUBMG-ACTY-CD	CHAR (2, 0)
		0	STA_CD_NM_FSC_0320	0320	STATUS-CD-NM-FSC	CHAR (1, 0)
		0	STDZN_SUBMR_0749	0749	STDZN-SUBMG-ACTY-CD	CHAR (2, 0)
		0	SUBJ_IMM_M_CD_9545	9545	SUBJ-INTEG-MAT-MGMT-CD	CHAR (1, 0)
		0	SUBJ_IM_CDNG_9546	9546	SUBJ-ITM-MGMT-CDNG	CHAR (1, 0)
		0	SUBJ_SI_SUB_P_9544	9544	SUBJ-SIN-SUBMR-PRO	CHAR (1, 0)
		0	SUBJ_TO_WIMM_0090	0090	SUBJ-TO-WIMM	CHAR (1, 0)
		1	DT_TRAN_2310	2310	DT-TRAN	INTEGER (4, 0)
		2	USR_CD_1101	1101	USR-CD	CHAR (8, 0)
		3	TMSTMP2_4402	4402	TMSTMP2	TIMESTMP (10, 0)
518	NM_CD_FSC_XRF_HIST	0	CL_ASST_MODH2_9554	9554	CLAS-ASST-MOD-H2	VARCHAR (1762, 0)
		0	DT_ESTB_CANC_0308	0308	DT-ESTB-CANC-RCD-DIDS	INTEGER (4, 0)
		0	EFF_DT_2128	2128	EFF-DT	INTEGER (4, 0)
		0	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
		0	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		0	NM_CD_2303	2303	NM-CD	CHAR (5, 0)
		0	STA_CD_NM_FSC_0320	0320	STATUS-CD-NM-FSC	CHAR (1, 0)
		1	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER (4, 0)
		2	DT_TRAN_2310	2310	DT-TRAN	INTEGER (4, 0)
		3	USR_CD_1101	1101	USR-CD	CHAR (8, 0)
		4	TMSTMP2_4402	4402	TMSTMP2	TIMESTMP (10, 0)
519	DAAS_SOS_HIST	0	AF_SOS_9403	9403	AF-SOS	CHAR (3, 0)
		0	AR_SOS_9402	9402	AR-SOS	CHAR (3, 0)
		0	IMM_SOS_9401	9401	IMM-SOS	CHAR (3, 0)
		0	INACT_SOS_IND_0134	0134	INACT-SOS-IND-CD	CHAR (1, 0)
		0	NVY_SOS_9404	9404	NVY-SOS	CHAR (3, 0)
		0	NVY_SP_SOS_CD_0135	0135	NVY-SP-SOS-CD	CHAR (2, 0)
		1	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER (4, 0)
		2	EFF_DT_2128	2128	EFF-DT	INTEGER (4, 0)
		3	NCB_CD_4130	4130	NCB-CD	CHAR (2, 0)
		4	I_I_NBR_4131	4131	I-I-NBR	CHAR (7, 0)
		5	TMSTMP_3059	3059	TMSTMP	TIMESTMP (10, 0)
521	NIIN_MOE_RULE_HIST	0	AMC_2871	2871	ACQ-MTHD-CD	CHAR (1, 0)
		0	AMSC_2876	2876	ACQ-MTHD-SUF-CD	CHAR (1, 0)
		0	CRD_ID_CD_IMC_0099	0099	CRD-IDEN-CD-IMC	CHAR (1, 0)
		0	DT_MR_ASGND_9128	9128	DT-MOE-RULE-ASGND-NIIN	INTEGER (4, 0)
		0	EFF_DT_2128	2128	EFF-DT	INTEGER (4, 0)
		0	FMR_MOE_RULE_8280	8280	FMR-MOE-RULE-NBR	CHAR (4, 0)
		0	IMC_2744	2744	IMC	CHAR (1, 0)
		0	IMC_ACTY_2748	2748	IMC-ACTY	CHAR (2, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		0	I_I_NBR_4131	4131	I-I-NBR	CHAR	7	0
		0	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	4	0
		0	NCB_CD_4130	4130	NCB-CD	CHAR	2	0
		0	NIMSC_0076	0076	NIMSC	CHAR	1	0
		0	ROW_OBS_DT_4489	4489	ROW-OBS-DT	INTEGER	4	0
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	2	0
		0	TMSTMP_3059	3059	TMSTMP	TIMESTMP	10	0
		1	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER	4	0
		2	DT_TRAN_2310	2310	DT-TRAN	INTEGER	4	0
		3	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	7	0
		4	DIC_3920	3920	DOC-ID-CD	CHAR	3	0
		5	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	2	0
522	NIIN_REF_NBR_HIST	0	DAC_2640	2640	DAC	CHAR	1	0
		0	NCB_CD_4130	4130	NCB-CD	CHAR	2	0
		0	RNAAC_2900	2900	RNAAC	CHAR	2	0
		0	RNCC_2910	2910	RNCC	CHAR	1	0
		0	RNFC_2920	2920	REF-NBR-FMT-CD	CHAR	1	0
		0	RNJC_2750	2750	RNJC	CHAR	1	0
		0	RNSC_2923	2923	REF-NBR-STAT-CD	CHAR	1	0
		0	RNVC_4780	4780	RNVC	CHAR	1	0
		0	SADC_4672	4672	SVC-AGCY-DESI-CD	CHAR	2	0
		1	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER	4	0
		1	I_I_NBR_4131	4131	I-I-NBR	CHAR	7	0
		2	DT_TRAN_2310	2310	DT-TRAN	INTEGER	4	0
		2	REF_NBR_3570	3570	REF-NBR-LOG	CHAR	32	0
		3	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	7	0
		4	DIC_3920	3920	DOC-ID-CD	CHAR	3	0
		5	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	2	0
		6	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	2	0
		7	TMSTMP_3059	3059	TMSTMP	TIMESTMP	10	0
		8	CAGE_CD_9250	9250	CAGE-CD	CHAR	5	0
		9	CONV_REF_NBR_3571	3571	CONV-REF-NBR	CHAR	32	0
523	NONEF_DTD_ITM_HIST	0	AIR_CMTY_HDLG_9215	9215	AIR-CMDTY-SP-HDLG-CD	CHAR	2	0
		0	AIR_DIM_CD_9220	9220	AIR-DIM-CD	CHAR	1	0
		0	DEMIL_CD_0167	0167	D-MIL-CD	CHAR	1	0
		0	DLA_GSA_EXCPT_0511	0511	ACTY-DESI-CD-DLA-GSA	CHAR	1	0
		0	DT_LST_MRN_2260	2260	DT-LST-MOE-RULE-NBR-WTHD	INTEGER	4	0
		0	DT_NIIN_ASGMT_2180	2180	DT-NIIN-PSCN-ASGMT	INTEGER	4	0
		0	DT_STDZN_DEC_2300	2300	DT-STDZN-DEC	INTEGER	4	0
		0	ESD_EMI_CD_2043	2043	ESD-EMI-CD	CHAR	1	0
		0	FMSN_1515	1515	FILE-MAINT-SEQ-NBR	CHAR	3	0
		0	HMC_2720	2720	HMC	CHAR	2	0
		0	HMIC_0865	0865	HZRD-MAT-IND-CD	CHAR	1	0
		0	INTGTY_CD_0864	0864	INTGTY-CD	CHAR	1	0
		0	ISC_2650	2650	ITM-STDZN-CD	CHAR	1	0
		0	LCL_CD_2760	2760	LS-THN-CRLD-RTNG-CD	CHAR	1	0
		0	LMT_DIST_CD_4645	4645	LMT-DIST-CD	CHAR	1	0
		0	LST_KWN_SOS_1071	1071	LST-KWN-SOS	CHAR	3	0
		0	NATO_FMSN_1516	1516	NATO-FILE-MAINT-SEQ-NBR	CHAR	3	0
		0	NIIN_STAT_CD_2670	2670	NIIN-PSCN-STAT-CD	CHAR	1	0
		0	NMFC_2850	2850	NMFC-CD	CHAR	6	0
		0	ORG_STDZN_DEC_9325	9325	ORIG-STDZN-DEC	CHAR	2	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		0	RAIL_VARI_CD_4760	4760	RAIL-VARI-CD	CHAR	1	0
		0	RPLM_NSN_STDZ_9525	9525	RPLM-NSN-STDZN-RL	CHAR	13	0
		0	SP_HDLG_CD_9240	9240	SP-HDLG-CD	CHAR	1	0
		0	STYL_RP_IL_DW_0771	0771	STYL-RPLY-CD-IL-DWG	CHAR	6	0
		0	SUB_ITM_NBR_0861	0861	NMFC-SUB-ITM-NBR	CHAR	1	0
		0	SUR_PRC_ID_CD_0872	0872	SURCHG-PRCSG-IND-CD	CHAR	1	0
		0	SUR_PRC_UN_PR_2599	2599	SURCHG-PRCSG-UNIT-PR	CHAR	9	0
		0	SUR_PRC_YR_2597	2597	SURCHG-PRCSG-YR	SMALLINT	2	0
		0	TYPE_CGO_CD_9260	9260	TYP-CGO-CD	CHAR	1	0
		0	UFC_CD_MODF_3040	3040	UFC-CD-MODF	CHAR	5	0
		0	WTR_CMDTY_CD_9275	9275	WTR-CMDTY-CD	CHAR	3	0
		1	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER	4	0
		2	DT_TRAN_2310	2310	DT-TRAN	INTEGER	4	0
		3	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	7	0
		4	DIC_3920	3920	DOC-ID-CD	CHAR	3	0
		5	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	2	0
		6	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	2	0
		7	TMSTMP_3059	3059	TMSTMP	TIMESTMP	10	0
		8	NCB_CD_4130	4130	NCB-CD	CHAR	2	0
		9	I_I_NBR_4131	4131	I-I-NBR	CHAR	7	0
524	RPLD_NSN_STDZ_HIST	0	TMSTMP_3059	3059	TMSTMP	TIMESTMP	10	0
		1	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER	4	0
		2	DT_TRAN_2310	2310	DT-TRAN	INTEGER	4	0
		3	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	7	0
		4	DIC_3920	3920	DOC-ID-CD	CHAR	3	0
		5	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	2	0
		6	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	2	0
		7	NCB_CD_4130	4130	NCB-CD	CHAR	2	0
		8	I_I_NBR_4131	4131	I-I-NBR	CHAR	7	0
		9	RP_NSN_STD_RL_8977	8977	RPLD-NSN-STDZN-RL	CHAR	13	0
525	FSC_RI_TABLE	0	BRNCH_CD_0997	0997	BRNCH-CD	CHAR	1	0
		1	FSG_3994	3994	ASGND-FSG	CHAR	2	0
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2	0
526	MDLS_BTCH_INQ_DA_A	0	MDLS_STAT_CNT_7191	7191	MDLS-TOT-INQ-D1	INTEGER	4	0
		0	MDLS_STAT_CNT_7192	7192	MDLS-INPUT-MATCH-D1	INTEGER	4	0
		0	MDLS_STAT_CNT_7193	7193	MDLS-TOT-OFFERED-D1	INTEGER	4	0
		0	MDLS_STAT_CNT_7197	7197	MDLS-TOT-INQ-D2	INTEGER	4	0
		0	MDLS_STAT_CNT_7198	7198	MDLS-INPUT-MATCH-D2	INTEGER	4	0
		0	MDLS_STAT_CNT_7199	7199	MDLS-TOT-OFFERED-D2	INTEGER	4	0
		0	MDLS_STAT_CNT_7202	7202	MDLS-TOT-INQ-P1	INTEGER	4	0
		0	MDLS_STAT_CNT_7203	7203	MDLS-INPUT-MATCH-P1	INTEGER	4	0
		0	MDLS_STAT_CNT_7204	7204	MDLS-TOT-OFFERED-P1	INTEGER	4	0
		0	MDLS_STAT_CNT_7208	7208	MDLS-TOT-INQ-P2	INTEGER	4	0
		0	MDLS_STAT_CNT_7209	7209	MDLS-INPUT-MATCH-P2	INTEGER	4	0
		0	MDLS_STAT_CNT_7210	7210	MDLS-TOT-OFFERED-P2	INTEGER	4	0
		0	MDLS_STAT_CNT_7214	7214	MDLS-TOT-INQ-NN	INTEGER	4	0
		0	MDLS_STAT_CNT_7215	7215	MDLS-INPUT-MATCH-NN	INTEGER	4	0
		0	MDLS_STAT_CNT_7216	7216	MDLS-TOT-OFFERED-NN	INTEGER	4	0
		0	MDLS_STAT_CNT_7220	7220	MDLS-TOT-INQ-D3	INTEGER	4	0
		0	MDLS_STAT_CNT_7221	7221	MDLS-INPUT-MATCH-D3	INTEGER	4	0
		0	MDLS_STAT_CNT_7222	7222	MDLS-TOT-OFFERED-D3	INTEGER	4	0
		0	MDLS_STAT_CNT_7625	7625	MDLS-EDIT-ERR-D1	INTEGER	4	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	----------DATA---------- TYPE--LENGTH--DECIMAL
		0	MDLS_STAT_CNT_7626	7626	MDLS-EDIT-ERR-D2	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7627	7627	MDLS-EDIT-ERR-D3	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7628	7628	MDLS-EDIT-ERR-P1	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7629	7629	MDLS-EDIT-ERR-P2	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7630	7630	MDLS-EDIT-ERR-NN	INTEGER (4, 0)
		0	MDLS_STAT_CNT_7632	7632	MDLS-TOT-INQ-UNDEF	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
527	MGMT_CHG_DEPT_A_A	0	MCHG_STAT_CNT_6840	6840	MGMTCHG-ACTY-NEW-NSN	INTEGER (4, 0)
		0	MCHG_STAT_CNT_6841	6841	MGMTCHG-ACTY-NEW-MGR-NSN	INTEGER (4, 0)
		0	MCHG_STAT_CNT_6842	6842	MGMTCHG-ACTY-REIN-NSN	INTEGER (4, 0)
		0	MCHG_STAT_CNT_6843	6843	MGMTCHG-ACTY-REACT-NSN	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
528	TIIM_INDV_CL_A	0	M6B5_STAT_CNT_7952	7952	M6B5-FSC-DP-LOA-T1-NSN	INTEGER (4, 0)
		0	M6B5_STAT_CNT_7953	7953	M6B5-FSC-DP-LOA-T1A-NSN	INTEGER (4, 0)
		0	M6B5_STAT_CNT_7954	7954	M6B5-FSC-DP-LOA-T1B-NSN	INTEGER (4, 0)
		0	M6B5_STAT_CNT_7955	7955	M6B5-FSC-DP-LOA-T4-NSN	INTEGER (4, 0)
		0	M6B5_STAT_CNT_7956	7956	M6B5-FSC-DP-LOA-T4A-NSN	INTEGER (4, 0)
		0	M6B5_STAT_CNT_7957	7957	M6B5-FSC-DP-LOA-T4B-NSN	INTEGER (4, 0)
		0	M6B5_STAT_CNT_7958	7958	M6B5-FSC-DP-LOA-T2-NSN	INTEGER (4, 0)
		0	M6B6_STAT_CNT_7987	7987	M6B6-FSC-AT-LOA-T1-NSN	INTEGER (4, 0)
		0	M6B6_STAT_CNT_7988	7988	M6B6-FSC-AT-LOA-T1A-NSN	INTEGER (4, 0)
		0	M6B6_STAT_CNT_7989	7989	M6B6-FSC-AT-LOA-T1B-NSN	INTEGER (4, 0)
		0	M6B6_STAT_CNT_7990	7990	M6B6-FSC-AT-LOA-T4-NSN	INTEGER (4, 0)
		0	M6B6_STAT_CNT_7991	7991	M6B6-FSC-AT-LOA-T4A-NSN	INTEGER (4, 0)
		0	M6B6_STAT_CNT_7992	7992	M6B6-FSC-AT-LOA-T4B-NSN	INTEGER (4, 0)
		0	M6B6_STAT_CNT_7993	7993	M6B6-FSC-AT-LOA-T2-NSN	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
		5	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		6	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR (2, 0)
529	MOE_RULE_DEPT_A	0	MOE_STAT_CNT_7812	7812	MOE-NSN	INTEGER (4, 0)
		0	MOE_STAT_CNT_7813	7813	MOE-EFFDTD-DEL-NSN	INTEGER (4, 0)
		0	MOE_STAT_CNT_7814	7814	MOE-EFFDTD-ADD-NSN	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR (4, 0)
530	FSC_SEGM_FM_HIST	0	FILE_MNT_RCVR_8905	8905	FILE-MAINT-RCVR-CD	CHAR (2, 0)
		0	STA_CD_NM_FSC_0320	0320	STATUS-CD-NM-FSC	CHAR (1, 0)
		0	TMSTMP2_4402	4402	TMSTMP2	TIMESTMP (10, 0)
		1	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
		3	MOE_CD_2833	2833	MOE-CD	CHAR (2, 0)
		4	DIST_AC_SEG_M_0478	0478	DIST-ACTY-CD-SEG-M	CHAR (2, 0)
531	NAIN_POP_DATA_A	0	POP_STAT_CNT_6729	6729	POP-NAIN-FSC-INAC	INTEGER (4, 0)
		0	POP_STAT_CNT_6730	6730	POP-NAIN-FSC-MG	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	----------DATA---------- TYPE--LENGTH--DECIMAL
		2	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
		4	NAIN_5020	5020	NON-APRVD-ITM-NM	CHAR (19, 0)
532	REPBL_DEPT_TOT_A	0	REP_STAT_CNT_1653	1653	REP-DEPT-NSN	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		3	REPBL_CD_2745	2745	REPBL-CD	CHAR (1, 0)
533	REPBL_ACTY_TOT_A	0	REP_STAT_CNT_1651	1651	REP-ACTY-NSN	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
		4	REPBL_CD_2745	2745	REPBL-CD	CHAR (1, 0)
534	REPBL_DEPT_LOA_A	0	REP_STAT_CNT_1652	1652	REP-DEPT-LOA-NSN	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		3	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR (2, 0)
		4	REPBL_CD_2745	2745	REPBL-CD	CHAR (1, 0)
535	REPBL_ACTY_LOA_A	0	REP_STAT_CNT_1650	1650	REP-ACTY-LOA-NSN	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
		4	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR (2, 0)
		5	REPBL_CD_2745	2745	REPBL-CD	CHAR (1, 0)
536	VAR_FMT_R_ED_CRI	0	ED_VAL_CRI_EX_4583	4583	EDT-VAL-CRIT-EXPL	VARCHAR (1400, 0)
		1	BSC_CM_IM_IND_4582	4582	BSC-CMB-IMM-IND	CHAR (1, 0)
		2	ROW_NBR_4518	4518	ROW-NBR	INTEGER (4, 0)
		3	SEQ_KEY_3043	3043	SEQ-KEY	CHAR (1, 0)
		4	RTN_CD_9480	9480	RTN-CD	CHAR (2, 0)
		5	DRN_0950	0950	DATA-REC-NBR	CHAR (4, 0)
540	TRN_DIC_IO_STATS_A	0	IO_STST_CNT_6546			INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
		3	DIC_OP_1052	1052	DIC-OP	CHAR (3, 0)
		4	DIC_IP_3921	3921	DIC-IP	CHAR (3, 0)
		5	RTN_CD_9480	9480	RTN-CD	CHAR (2, 0)
541	TRN_DIC_SAC_A	0	DIC_STAT_CNT_5325	5325	DIC-SAC-DEPT-TOT-NIINST	INTEGER (4, 0)
		0	DIC_STAT_CNT_6779	6779	DIC-SAC-NIINST	INTEGER (4, 0)
		0	DIC_STAT_CNT_6780	6780	DIC-SAC-RULES	INTEGER (4, 0)
		0	DIC_STAT_CNT_6781	6781	DIC-SAC-CLRCL	INTEGER (4, 0)
		0	DIC_STAT_CNT_6782	6782	DIC-SAC-PDUPS	INTEGER (4, 0)
		0	DIC_STAT_CNT_6783	6783	DIC-SAC-ADUPS	INTEGER (4, 0)
		0	DIC_STAT_CNT_6786	6786	DIC-SAC-APRVD	INTEGER (4, 0)
		0	DIC_STAT_CNT_6788	6788	DIC-SAC-RECVD	INTEGER (4, 0)
		0	DIC_STAT_CNT_9587	9587	DIC-SAC-DEPT-TOT-RECVD	INTEGER (4, 0)
		0	DIC_STAT_CNT_9589	9589	DIC-SAC-DEPT-TOT-APRVD	INTEGER (4, 0)
		0	DIC_STAT_CNT_9591	9591	DIC-SAC-DEPT-TOT-ADUPS	INTEGER (4, 0)
		0	DIC_STAT_CNT_9592	9592	DIC-SAC-DEPT-TOT-PDUPS	INTEGER (4, 0)
		0	DIC_STAT_CNT_9593	9593	DIC-SAC-DEPT-TOT-CLRCL	INTEGER (4, 0)
		0	DIC_STAT_CNT_9594	9594	DIC-SAC-DEPT-TOT-RULES	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		4	DIC_IP_3921	3921	DIC-IP	CHAR	3	0
542	SCRN_OTHER_A	0	LSND_STAT_CNT_5469	5469	SCN-LSN-NSN-DP-CUR-MTH	INTEGER	4	0
		0	LSND_STAT_CNT_5470	5470	SCN-LSN-NSN-DP-CUR-NMTH	INTEGER	4	0
		0	LSND_STAT_CNT_5471	5471	SCN-LSN-NSN-DP-CUR-REJ	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
545	COMMONALITY_FAA_A	0	ICFS_STAT_CNT_5895	5895	ICFS-FAA-ALL-MNGD-TOT	INTEGER	4	0
		0	ICFS_STAT_CNT_5896	5896	ICFS-FAA-ALL-MNGD-MM	INTEGER	4	0
		0	ICFS_STAT_CNT_5898	5898	ICFS-DLA-ALL-MM	INTEGER	4	0
		0	ICFS_STAT_CNT_5901	5901	ICFS-DOD-ALL-MM	INTEGER	4	0
		0	ICFS_STAT_CNT_7810	7810	ICFS-GSA-ALL-MM	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
546	COMALTY_MS_D_DTL_A	0	ICMD_STAT_CNT_5849	5849	ICMD-LA-ALL-LC-ANM	INTEGER	4	0
		0	ICMD_STAT_CNT_5850	5850	ICMD-LA-ALL-LC-AN	INTEGER	4	0
		0	ICMD_STAT_CNT_5851	5851	ICMD-LA-ALL-LC-AFM	INTEGER	4	0
		0	ICMD_STAT_CNT_5852	5852	ICMD-LA-ALL-LC-AF	INTEGER	4	0
		0	ICMD_STAT_CNT_5853	5853	ICMD-LA-ALL-LC-AM	INTEGER	4	0
		0	ICMD_STAT_CNT_5854	5854	ICMD-LA-ALL-LC-A	INTEGER	4	0
		0	ICMD_STAT_CNT_5855	5855	ICMD-LA-ALL-LC-NFM	INTEGER	4	0
		0	ICMD_STAT_CNT_5856	5856	ICMD-LA-ALL-LC-NF	INTEGER	4	0
		0	ICMD_STAT_CNT_5857	5857	ICMD-LA-ALL-LC-NM	INTEGER	4	0
		0	ICMD_STAT_CNT_5858	5858	ICMD-LA-ALL-LC-N	INTEGER	4	0
		0	ICMD_STAT_CNT_5861	5861	ICMD-LA-ALL-LC-FM	INTEGER	4	0
		0	ICMD_STAT_CNT_5862	5862	ICMD-LA-ALL-LC-F	INTEGER	4	0
		0	ICMD_STAT_CNT_5863	5863	ICMD-LA-ALL-LC-M	INTEGER	4	0
		0	ICMD_STAT_CNT_5880	5880	ICMD-LA-FSC-LC-ANFM	INTEGER	4	0
		0	ICMD_STAT_CNT_5881	5881	ICMD-LA-FSC-LC-ANF	INTEGER	4	0
		0	ICMD_STAT_CNT_5882	5882	ICMD-LA-FSC-LC-ANM	INTEGER	4	0
		0	ICMD_STAT_CNT_5883	5883	ICMD-LA-FSC-LC-AN	INTEGER	4	0
		0	ICMD_STAT_CNT_5884	5884	ICMD-LA-FSC-LC-AFM	INTEGER	4	0
		0	ICMD_STAT_CNT_5885	5885	ICMD-LA-FSC-LC-AF	INTEGER	4	0
		0	ICMD_STAT_CNT_5886	5886	ICMD-LA-FSC-LC-AM	INTEGER	4	0
		0	ICMD_STAT_CNT_5887	5887	ICMD-LA-FSC-LC-A	INTEGER	4	0
		0	ICMD_STAT_CNT_5888	5888	ICMD-LA-FSC-LC-NFM	INTEGER	4	0
		0	ICMD_STAT_CNT_5889	5889	ICMD-LA-FSC-LC-NF	INTEGER	4	0
		0	ICMD_STAT_CNT_5890	5890	ICMD-LA-FSC-LC-NM	INTEGER	4	0
		0	ICMD_STAT_CNT_5891	5891	ICMD-LA-FSC-LC-N	INTEGER	4	0
		0	ICMD_STAT_CNT_5892	5892	ICMD-LA-FSC-LC-FM	INTEGER	4	0
		0	ICMD_STAT_CNT_5893	5893	ICMD-LA-FSC-LC-F	INTEGER	4	0
		0	ICMD_STAT_CNT_5894	5894	ICMD-LA-FSC-LC-M	INTEGER	4	0
		0	ICMD_STAT_CNT_7102	7102	ICMD-FSC-ALL-LC-ANFM	INTEGER	4	0
		0	ICMD_STAT_CNT_7103	7103	ICMD-FSC-ALL-LC-ANF	INTEGER	4	0
		0	ICMD_STAT_CNT_7104	7104	ICMD-FSC-ALL-LC-ANM	INTEGER	4	0
		0	ICMD_STAT_CNT_7105	7105	ICMD-FSC-ALL-LC-AN	INTEGER	4	0
		0	ICMD_STAT_CNT_7106	7106	ICMD-FSC-ALL-LC-AFM	INTEGER	4	0
		0	ICMD_STAT_CNT_7107	7107	ICMD-FSC-ALL-LC-AF	INTEGER	4	0
		0	ICMD_STAT_CNT_7108	7108	ICMD-FSC-ALL-LC-AM	INTEGER	4	0
		0	ICMD_STAT_CNT_7109	7109	ICMD-FSC-ALL-LC-A	INTEGER	4	0
		0	ICMD_STAT_CNT_7110	7110	ICMD-FSC-ALL-LC-NFM	INTEGER	4	0
		0	ICMD_STAT_CNT_7111	7111	ICMD-FSC-ALL-LC-NF	INTEGER	4	0
		0	ICMD_STAT_CNT_7112	7112	ICMD-FSC-ALL-LC-NM	INTEGER	4	0
		0	ICMD_STAT_CNT_7113	7113	ICMD-FSC-ALL-LC-N	INTEGER	4	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	----------DATA---------- TYPE--LENGTH--DECIMAL
		0	ICMD_STAT_CNT_7114	7114	ICMD-FSC-ALL-LC-FM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7115	7115	ICMD-FSC-ALL-LC-F	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7116	7116	ICMD-FSC-ALL-LC-M	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7132	7132	ICMD-IM-ALL-LC-ANFM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7133	7133	ICMD-IM-ALL-LC-ANF	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7134	7134	ICMD-IM-ALL-LC-ANM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7135	7135	ICMD-IM-ALL-LC-AN	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7136	7136	ICMD-IM-ALL-LC-AFM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7137	7137	ICMD-IM-ALL-LC-AF	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7138	7138	ICMD-IM-ALL-LC-AM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7139	7139	ICMD-IM-ALL-LC-A	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7140	7140	ICMD-IM-ALL-LC-NFM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7141	7141	ICMD-IM-ALL-LC-NF	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7142	7142	ICMD-IM-ALL-LC-NM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7143	7143	ICMD-IM-ALL-LC-N	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7144	7144	ICMD-IM-ALL-LC-FM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7145	7145	ICMD-IM-ALL-LC-F	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7146	7146	ICMD-IM-ALL-LC-M	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7162	7162	ICMD-LA-ALL-LC-ANFM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7163	7163	ICMD-LA-ALL-LC-ANF	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR (7, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
		6	STAT_LOA_COMB_3090	3090	STAT-LVL-AUTH-COMB	CHAR (12, 0)
547	COMMONALITY_MGD_A	0	ICWD_STAT_CNT_5800	5800	ICWD-LA-FSC-DOD-CI-OGOV	INTEGER (4, 0)
		0	ICWD_STAT_CNT_5801	5801	ICWD-LA-FSC-DOD-CI	INTEGER (4, 0)
		0	ICWD_STAT_CNT_5802	5802	ICWD-LA-FSC-DOD-OGOV	INTEGER (4, 0)
		0	ICWD_STAT_CNT_5803	5803	ICWD-LA-FSC-DOD	INTEGER (4, 0)
		0	ICWD_STAT_CNT_5804	5804	ICWD-LA-FSC-CI-OGOV	INTEGER (4, 0)
		0	ICWD_STAT_CNT_5805	5805	ICWD-LA-FSC-CI	INTEGER (4, 0)
		0	ICWD_STAT_CNT_5806	5806	ICWD-LA-FSC-OGOV	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR (7, 0)
		3	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		4	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
548	TYPII_FSC_OAC_FYD	0	TRFR_STAT_CNT_6764	6764	TRFR-FSC-OAC-FYD-T2-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_6765	6765	TRFR-FSC-OAC-FYD-T1-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_6766	6766	TRFR-FSC-OAC-FYD-T4-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_6771			INTEGER (4, 0)
		0	TRFR_STAT_CNT_6772	6772	TRFR-FSC-ODP-FYD-T1-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_6773			INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
		4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		5	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
549	PIC_DATA_A	0	PIC_STAT_CNT_5815	5815	PIC-ACTY-DIC-PRICD-ZER	INTEGER (4, 0)
		0	PIC_STAT_CNT_9670	9670	PIC-ACTY-DIC-PRICD-ONE	INTEGER (4, 0)
		0	PIC_STAT_CNT_9671	9671	PIC-ACTY-DIC-PRICD-TWO	INTEGER (4, 0)
		0	PIC_STAT_CNT_9672	9672	PIC-ACTY-DIC-PRICD-THREE	INTEGER (4, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		0	PIC_STAT_CNT_9673	9673	PIC-ACTY-DIC-PRICD-FOUR	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
		4	DIC_IP_3921	3921	DIC-IP	CHAR	3	0
550	IANDS_ACTY_DATA_A	0	IANS_STAT_CNT_6088	6088	IANDS-ACTY-NSN-FAMILIES	INTEGER	4	0
		0	IANS_STAT_CNT_6089	6089	IANDS-DEPT-NSN-FAMILIES	INTEGER	4	0
		0	IANS_STAT_CNT_6099	6099	IANDS-GTOT-NSN-FAMILIES	INTEGER	4	0
		0	IANS_STAT_CNT_8118	8118	IANDS-DEPT-NSN	INTEGER	4	0
		0	IANS_STAT_CNT_8121	8121	IANDS-GTOT-NSN	INTEGER	4	0
		0	IANS_STAT_CNT_9596	9596	IANDS-ACTY-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
		4	IANS_SIZE_2234	2234	IANDS-FAMILY-SIZE	INTEGER	4	0
551	PIC_ACTY_TOT	0	PIC_STAT_CNT_5819	5819	PIC-ACTY-PRICD-ZER	INTEGER	4	0
		0	PIC_STAT_CNT_9681	9681	PIC-ACTY-PRICD-ONE	INTEGER	4	0
		0	PIC_STAT_CNT_9682	9682	PIC-ACTY-PRICD-TWO	INTEGER	4	0
		0	PIC_STAT_CNT_9683	9683	PIC-ACTY-PRICD-THREE	INTEGER	4	0
		0	PIC_STAT_CNT_9684	9684	PIC-ACTY-PRICD-FOUR	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
552	PIC_ACTY_TOT_A	0	PIC_STAT_CNT_5819	5819	PIC-ACTY-PRICD-ZER	INTEGER	4	0
		0	PIC_STAT_CNT_9681	9681	PIC-ACTY-PRICD-ONE	INTEGER	4	0
		0	PIC_STAT_CNT_9682	9682	PIC-ACTY-PRICD-TWO	INTEGER	4	0
		0	PIC_STAT_CNT_9683	9683	PIC-ACTY-PRICD-THREE	INTEGER	4	0
		0	PIC_STAT_CNT_9684	9684	PIC-ACTY-PRICD-FOUR	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
554	LOLA_MGMT_STATS_A	0	INQ_OUT_VIEW_4477	4477	INQ-OUT-VIEW	CHAR	20	0
		0	QUERY_TYPE_4476	4476	QUERY-TYPE	CHAR	2	0
		0	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		0	USR_CD_1101	1101	USR-CD	CHAR	8	0
		1	DT_TRAN_2310	2310	DT-TRAN	INTEGER	4	0
		2	TMSTMP_3059	3059	TMSTMP	TIMESTMP	10	0
		3	ACTY_CD_2046	2046	ACTY-CD	CHAR	6	0
555	TYPII_FSC_SAC_FY_A	0	TRFR_STAT_CNT_9648	9648	TRFR-FSC-SAC-FYD-T2-NSN	INTEGER	4	0
		0	TRFR_STAT_CNT_9649	9649	TRFR-FSC-SAC-FYD-T1-NSN	INTEGER	4	0
		0	TRFR_STAT_CNT_9650	9650	TRFR-FSC-SAC-FYD-T4-NSN	INTEGER	4	0
		0	TRFR_STAT_CNT_9655	9655	TRFR-FSC-SDP-FYD-T2-NSN	INTEGER	4	0
		0	TRFR_STAT_CNT_9656	9656	TRFR-FSC-SDP-FYD-T1-NSN	INTEGER	4	0
		0	TRFR_STAT_CNT_9657	9657	TRFR-FSC-SDP-FYD-T4-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	FSG_3994	3994	ASGND-FSG	CHAR	2	0
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2	0
		4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		5	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
556	AMSC_DATA_TOT_A	0	AMSC_STAT_TOT_6388	6388	AMSC-DP-AT-AMC-TOT	INTEGER	4	0
		0	AMSC_STAT_TOT_6401	6401	AMSC-DP-AMC-TOT-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	----------DATA---------- TYPE--LENGTH--DECIMAL			
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2,	0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(	2,	0)
		4	AMC_2871	2871	ACQ-MTHD-CD	CHAR	(	1,	0)
557	DEMIL_AGENCY_A	0	DS2_STAT_CNT_8217	8217	DS2-DPT-DEML-NSC-0-NSN	INTEGER	(	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6,	0)
		2	NIIN_STAT_CD_2670	2670	NIIN-PSCN-STAT-CD	CHAR	(	1,	0)
		3	DEMIL_CD_0167	0167	D-MIL-CD	CHAR	(	1,	0)
		4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2,	0)
558	DEMIL_MGR_ITEMS_A	0	DS3_STAT_CNT_8219	8219	DS3-DOD-SS-NSC-0-MGD-NSN	INTEGER	(	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6,	0)
		2	NIIN_STAT_CD_2670	2670	NIIN-PSCN-STAT-CD	CHAR	(	1,	0)
		3	SOS_CD_3690	3690	SOS-CD	CHAR	(	3,	0)
559	DEMIL_MGR_CODES_A	0	DS4_STAT_CNT_8221	8221	DS4-ML-SS-NSC-0-DEML-NSN	INTEGER	(	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6,	0)
		2	NIIN_STAT_CD_2670	2670	NIIN-PSCN-STAT-CD	CHAR	(	1,	0)
		3	SOS_CD_3690	3690	SOS-CD	CHAR	(	3,	0)
		4	DEMIL_CD_0167	0167	D-MIL-CD	CHAR	(	1,	0)
560	FCS_GOALS_DEPT_T_A	0	M3AC_STAT_CNT_1588	1588	M3AC-D-MG	INTEGER	(	4,	0)
		0	M3AC_STAT_CNT_1589	1589	M3AC-D-DM	INTEGER	(	4,	0)
		0	M3AC_STAT_CNT_1590	1590	M3AC-D-DM-G	INTEGER	(	4,	0)
		0	M3AC_STAT_CNT_1593	1593	M3AC-D-AIN	INTEGER	(	4,	0)
		0	M3AC_STAT_CNT_1594	1594	M3AC-D-AIN-G	INTEGER	(	4,	0)
		0	M3AC_STAT_CNT_1597	1597	M3AC-D-RN	INTEGER	(	4,	0)
		0	M3AC_STAT_CNT_1598	1598	M3AC-D-RN-G	INTEGER	(	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2,	0)
561	MOE_FSGFSC_DATA_A	0	MOE_STAT_CNT_5753	5753	MOE-FSG-NSN	INTEGER	(	4,	0)
		0	MOE_STAT_CNT_5754	5754	MOE-FSC-NSN	INTEGER	(	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6,	0)
		2	MOE_CD_2833	2833	MOE-CD	CHAR	(	2,	0)
		3	FSG_3994	3994	ASGND-FSG	CHAR	(	2,	0)
		4	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(	2,	0)
562	FSC_POP_NONMGD_A	0	POP_STAT_CNT_5613	5613	POP-FSC-FIIG-AIN-NMG-FU	INTEGER	(	4,	0)
		0	POP_STAT_CNT_5614	5614	POP-FSC-FIIG-AIN-NMG-PA	INTEGER	(	4,	0)
		0	POP_STAT_CNT_5615	5615	POP-FSC-FIIG-AIN-NMG-RE	INTEGER	(	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6,	0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	(	2,	0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(	2,	0)
		4	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	(	6,	0)
		5	INC_4080	4080	INC	CHAR	(	5,	0)
563	IMC_NEW_DATA_A	0	IMC_STAT_CNT_5639	5639	IMC-NW-DP-AT-IMC-CIC	INTEGER	(	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6,	0)
		2	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	(	7,	0)
		3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2,	0)
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	(	2,	0)
		5	CRD_ID_CD_IMC_0099	0099	CRD-IDEN-CD-IMC	CHAR	(	1,	0)
		6	IMC_2744	2744	IMC	CHAR	(	1,	0)
564	MOE_RULE_FSC_A	0	MOE_STAT_CNT_5754	5754	MOE-FSC-NSN	INTEGER	(	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	(	6,	0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	(	2,	0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	(	2,	0)
		4	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	(	4,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	----------DATA---------- TYPE--LENGTH--DECIMAL
565	ITEM_NAME_DATA_A	0	INAM_STAT_CNT_7824	7824	ITEM-NAME-NSN	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	SHRT_NM_2301	2301	SHRT-NM	CHAR (19, 0)
566	MOE_RULE_COLL_RE_A	0	MOE_STAT_CNT_7820	7820	MOE-RGSTRN-CLBR-AT	INTEGER (4, 0)
		0	MOE_STAT_CNT_7821	7821	MOE-RGSTRN-RCVR-AT	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
568	PIC_DATA_TOT_A	0	PIC_STAT_CNT_5823	5823	PIC-DEPT-PRICD-ZER	INTEGER (4, 0)
		0	PIC_STAT_CNT_9692	9692	PIC-DEPT-PRICD-ONE	INTEGER (4, 0)
		0	PIC_STAT_CNT_9693	9693	PIC-DEPT-PRICD-TWO	INTEGER (4, 0)
		0	PIC_STAT_CNT_9694	9694	PIC-DEPT-PRICD-THREE	INTEGER (4, 0)
		0	PIC_STAT_CNT_9695	9695	PIC-DEPT-PRICD-FOUR	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
569	MRSP_ASGN_INT_MGR	0	M8B1_STAT_CNT_5513	5513	M8B1-IM-DP-LOA-BB-NSN	INTEGER (4, 0)
		0	M8B1_STAT_CNT_5514	5514	M8B1-IM-DP-LOA-ADD-NSN	INTEGER (4, 0)
		0	M8B1_STAT_CNT_5515	5515	M8B1-IM-DP-LOA-DLT-NSN	INTEGER (4, 0)
		0	M8B1_STAT_CNT_5516	5516	M8B1-IM-DP-LOA-EB-NSN	INTEGER (4, 0)
		0	M8B2_STAT_CNT_5525	5525	M8B2-IM-AT-LOA-BB-NSN	INTEGER (4, 0)
		0	M8B2_STAT_CNT_5526	5526	M8B2-IM-AT-LOA-ADD-NSN	INTEGER (4, 0)
		0	M8B2_STAT_CNT_5527	5527	M8B2-IM-AT-LOA-DLT-NSN	INTEGER (4, 0)
		0	M8B2_STAT_CNT_5528	5528	M8B2-IM-AT-LOA-EB-NSN	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
		4	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR (2, 0)
570	MRSP_ASGN_CL_MGR	0	M8B3_STAT_CNT_5537	5537	M8B3-CLM-DP-LOA-BB-NSN	INTEGER (4, 0)
		0	M8B3_STAT_CNT_5538	5538	M8B3-CLM-DP-LOA-ADD-NSN	INTEGER (4, 0)
		0	M8B3_STAT_CNT_5541	5541	M8B3-CLM-DP-LOA-DLT-NSN	INTEGER (4, 0)
		0	M8B3_STAT_CNT_5542	5542	M8B3-CLM-DP-LOA-EB-NSN	INTEGER (4, 0)
		0	M8B4_STAT_CNT_5551	5551	M8B4-CLM-AT-LOA-BB-NSN	INTEGER (4, 0)
		0	M8B4_STAT_CNT_5552	5552	M8B4-CLM-AT-LOA-ADD-NSN	INTEGER (4, 0)
		0	M8B4_STAT_CNT_5553	5553	M8B4-CLM-AT-LOA-DLT-NSN	INTEGER (4, 0)
		0	M8B4_STAT_CNT_5554	5554	M8B4-CLM-AT-LOA-EB-NSN	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR (7, 0)
		3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
		5	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR (2, 0)
571	MRSP_ALL_CL_DEPT	0	M8A1_STAT_CNT_5487	5487	M8A1-DP-LOA-BB-NSN	INTEGER (4, 0)
		0	M8A1_STAT_CNT_5488	5488	M8A1-DP-LOA-ADD-NSN	INTEGER (4, 0)
		0	M8A1_STAT_CNT_5489	5489	M8A1-DP-LOA-DLT-NSN	INTEGER (4, 0)
		0	M8A1_STAT_CNT_5490	5490	M8A1-DP-LOA-EB-NSN	INTEGER (4, 0)
		0	M8C1_STAT_CNT_5499	5499	M8C1-DP-AT-LOA-BB-NSN	INTEGER (4, 0)
		0	M8C1_STAT_CNT_5500	5500	M8C1-DP-AT-LOA-ADD-NSN	INTEGER (4, 0)
		0	M8C1_STAT_CNT_5501	5501	M8C1-DP-AT-LOA-DLT-NSN	INTEGER (4, 0)
		0	M8C1_STAT_CNT_5502	5502	M8C1-DP-AT-LOA-EB-NSN	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
		4	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR (2, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	---------DATA--------- TYPE--LENGTH--DECIMAL
572	MRSP_ALL_CL_ACTV	0	M8B2_STAT_CNT_5525	5525	M8B2-IM-AT-LOA-BB-NSN	INTEGER (4, 0)
		0	M8B2_STAT_CNT_5526	5526	M8B2-IM-AT-LOA-ADD-NSN	INTEGER (4, 0)
		0	M8B2_STAT_CNT_5527	5527	M8B2-IM-AT-LOA-DLT-NSN	INTEGER (4, 0)
		0	M8B2_STAT_CNT_5528	5528	M8B2-IM-AT-LOA-EB-NSN	INTEGER (4, 0)
		0	M8B4_STAT_CNT_5551	5551	M8B4-CLM-AT-LOA-BB-NSN	INTEGER (4, 0)
		0	M8B4_STAT_CNT_5552	5552	M8B4-CLM-AT-LOA-ADD-NSN	INTEGER (4, 0)
		0	M8B4_STAT_CNT_5553	5553	M8B4-CLM-AT-LOA-DLT-NSN	INTEGER (4, 0)
		0	M8B4_STAT_CNT_5554	5554	M8B4-CLM-AT-LOA-EB-NSN	INTEGER (4, 0)
		0	M8B6_STAT_CNT_5577	5577	M8B6-FSC-AT-LOA-BB-NSN	INTEGER (4, 0)
		0	M8B6_STAT_CNT_5578	5578	M8B6-FSC-AT-LOA-ADD-NSN	INTEGER (4, 0)
		0	M8B6_STAT_CNT_5579	5579	M8B6-FSC-AT-LOA-DLT-NSN	INTEGER (4, 0)
		0	M8B6_STAT_CNT_9576	9576	M8B6-FSC-AT-LOA-EB-NSN	INTEGER (4, 0)
		0	M8C1_STAT_CNT_5499	5499	M8C1-DP-AT-LOA-BB-NSN	INTEGER (4, 0)
		0	M8C1_STAT_CNT_5500	5500	M8C1-DP-AT-LOA-ADD-NSN	INTEGER (4, 0)
		0	M8C1_STAT_CNT_5501	5501	M8C1-DP-AT-LOA-DLT-NSN	INTEGER (4, 0)
		0	M8C1_STAT_CNT_5502	5502	M8C1-DP-AT-LOA-EB-NSN	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR (7, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
		6	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR (2, 0)
573	MRSP_INDV_CL_TL	0	M8B5_STAT_CNT_5571	5571	M8B5-FSC-DP-BB-NSN	INTEGER (4, 0)
		0	M8B5_STAT_CNT_5572	5572	M8B5-FSC-DP-ADD-NSN	INTEGER (4, 0)
		0	M8B5_STAT_CNT_5573	5573	M8B5-FSC-DP-DLT-NSN	INTEGER (4, 0)
		0	M8B5_STAT_CNT_5574	5574	M8B5-FSC-DP-EB-NSN	INTEGER (4, 0)
		0	M8B6_STAT_CNT_5583	5583	M8B6-FSC-AT-BB-NSN	INTEGER (4, 0)
		0	M8B6_STAT_CNT_5584	5584	M8B6-FSC-AT-ADD-NSN	INTEGER (4, 0)
		0	M8B6_STAT_CNT_5585	5585	M8B6-FSC-AT-DLT-NSN	INTEGER (4, 0)
		0	M8B6_STAT_CNT_5586	5586	M8B6-FSC-AT-EB-NSN	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
		4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		5	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
574	MRSP_ASGN_INT_TL	0	M8B1_STAT_CNT_5519	5519	M8B1-IM-DP-BB-NSN	INTEGER (4, 0)
		0	M8B1_STAT_CNT_5520	5520	M8B1-IM-DP-ADD-NSN	INTEGER (4, 0)
		0	M8B1_STAT_CNT_5521	5521	M8B1-IM-DP-DLT-NSN	INTEGER (4, 0)
		0	M8B1_STAT_CNT_5522	5522	M8B1-IM-DP-EB-NSN	INTEGER (4, 0)
		0	M8B2_STAT_CNT_5531	5531	M8B2-IM-AT-BB-NSN	INTEGER (4, 0)
		0	M8B2_STAT_CNT_5532	5532	M8B2-IM-AT-ADD-NSN	INTEGER (4, 0)
		0	M8B2_STAT_CNT_5533	5533	M8B2-IM-AT-DLT-NSN	INTEGER (4, 0)
		0	M8B2_STAT_CNT_5534	5534	M8B2-IM-AT-EB-NSN	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
575	MRSP_ASGN_CL_TL	0	M8B3_STAT_CNT_5545	5545	M8B3-CLM-DP-BB-NSN	INTEGER (4, 0)
		0	M8B3_STAT_CNT_5546	5546	M8B3-CLM-DP-ADD-NSN	INTEGER (4, 0)
		0	M8B3_STAT_CNT_5547	5547	M8B3-CLM-DP-DLT-NSN	INTEGER (4, 0)
		0	M8B3_STAT_CNT_5548	5548	M8B3-CLM-DP-EB-NSN	INTEGER (4, 0)
		0	M8B4_STAT_CNT_5557	5557	M8B4-CLM-AT-BB-NSN	INTEGER (4, 0)
		0	M8B4_STAT_CNT_5558	5558	M8B4-CLM-AT-ADD-NSN	INTEGER (4, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		0	M8B4_STAT_CNT_5559	5559	M8B4-CLM-AT-DLT-NSN	INTEGER	4	0
		0	M8B4_STAT_CNT_5560	5560	M8B4-CLM-AT-EB-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	7	0
		3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
576	MRSP_ALL_CL_D_TL	0	M8A1_STAT_CNT_5493	5493	M8A1-DP-BB-NSN	INTEGER	4	0
		0	M8A1_STAT_CNT_5494	5494	M8A1-DP-ADD-NSN	INTEGER	4	0
		0	M8A1_STAT_CNT_5495	5495	M8A1-DP-DLT-NSN	INTEGER	4	0
		0	M8A1_STAT_CNT_5496	5496	M8A1-DP-EB-NSN	INTEGER	4	0
		0	M8C1_STAT_CNT_5505	5505	M8C1-DP-AT-BB-NSN	INTEGER	4	0
		0	M8C1_STAT_CNT_5506	5506	M8C1-DP-AT-ADD-NSN	INTEGER	4	0
		0	M8C1_STAT_CNT_5507	5507	M8C1-DP-AT-DLT-NSN	INTEGER	4	0
		0	M8C1_STAT_CNT_5508	5508	M8C1-DP-AT-EB-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
577	MRSP_ALL_CL_A_TL	0	M8B2_STAT_CNT_5531	5531	M8B2-IM-AT-BB-NSN	INTEGER	4	0
		0	M8B2_STAT_CNT_5532	5532	M8B2-IM-AT-ADD-NSN	INTEGER	4	0
		0	M8B2_STAT_CNT_5533	5533	M8B2-IM-AT-DLT-NSN	INTEGER	4	0
		0	M8B2_STAT_CNT_5534	5534	M8B2-IM-AT-EB-NSN	INTEGER	4	0
		0	M8B4_STAT_CNT_5557	5557	M8B4-CLM-AT-BB-NSN	INTEGER	4	0
		0	M8B4_STAT_CNT_5558	5558	M8B4-CLM-AT-ADD-NSN	INTEGER	4	0
		0	M8B4_STAT_CNT_5559	5559	M8B4-CLM-AT-DLT-NSN	INTEGER	4	0
		0	M8B4_STAT_CNT_5560	5560	M8B4-CLM-AT-EB-NSN	INTEGER	4	0
		0	M8B6_STAT_CNT_5583	5583	M8B6-FSC-AT-BB-NSN	INTEGER	4	0
		0	M8B6_STAT_CNT_5584	5584	M8B6-FSC-AT-ADD-NSN	INTEGER	4	0
		0	M8B6_STAT_CNT_5585	5585	M8B6-FSC-AT-DLT-NSN	INTEGER	4	0
		0	M8B6_STAT_CNT_5586	5586	M8B6-FSC-AT-EB-NSN	INTEGER	4	0
		0	M8C1_STAT_CNT_5505	5505	M8C1-DP-AT-BB-NSN	INTEGER	4	0
		0	M8C1_STAT_CNT_5506	5506	M8C1-DP-AT-ADD-NSN	INTEGER	4	0
		0	M8C1_STAT_CNT_5507	5507	M8C1-DP-AT-DLT-NSN	INTEGER	4	0
		0	M8C1_STAT_CNT_5508	5508	M8C1-DP-AT-EB-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	7	0
		4	FSG_3994	3994	ASGND-FSG	CHAR	2	0
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2	0
		6	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
578	MGT_RSP_CHG_DATA	0	M8B5_STAT_CHG_5575	5575	M8B5-FSC-DP-NET-CHG	INTEGER	4	0
		0	M8B5_STAT_CNT_5571	5571	M8B5-FSC-DP-BB-NSN	INTEGER	4	0
		0	M8B5_STAT_CNT_5572	5572	M8B5-FSC-DP-ADD-NSN	INTEGER	4	0
		0	M8B5_STAT_CNT_5573	5573	M8B5-FSC-DP-DLT-NSN	INTEGER	4	0
		0	M8B5_STAT_CNT_5574	5574	M8B5-FSC-DP-EB-NSN	INTEGER	4	0
		0	M8B5_STAT_PCT_5576	5576	M8B5-FSC-DP-PCT	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		3	FSG_3994	3994	ASGND-FSG	CHAR	2	0
		4	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2	0
579	DXRF_OVERNIGHT	0	ACCS_TYP_CD_4198	4198	IDS-ACCS-TYP-CD	CHAR	1	0
		0	TRANS_DT_4695	4695	LOLA-OVERNIGHT-TRAN-DT	CHAR	7	0
		0	USR_CD_1101	1101	USR-CD	CHAR	8	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
580	MRSP_INDV_CL_A	0	M8B5_STAT_CNT_5563	5563	M8B5-FSC-DP-LOA-BB-NSN	INTEGER	4	0
		0	M8B5_STAT_CNT_5564	5564	M8B5-FSC-DP-LOA-ADD-NSN	INTEGER	4	0
		0	M8B5_STAT_CNT_5567	5567	M8B5-FSC-DP-LOA-DLT-NSN	INTEGER	4	0
		0	M8B5_STAT_CNT_5568	5568	M8B5-FSC-DP-LOA-EB-NSN	INTEGER	4	0
		0	M8B6_STAT_CNT_5577	5577	M8B6-FSC-AT-LOA-BB-NSN	INTEGER	4	0
		0	M8B6_STAT_CNT_5578	5578	M8B6-FSC-AT-LOA-ADD-NSN	INTEGER	4	0
		0	M8B6_STAT_CNT_5579	5579	M8B6-FSC-AT-LOA-DLT-NSN	INTEGER	4	0
		0	M8B6_STAT_CNT_9576	9576	M8B6-FSC-AT-LOA-EB-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	FSG_3994	3994	ASGND-FSG	CHAR	2	0
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2	0
		4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		5	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
		6	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR	2	0
581	MRSP_INDV_CL_TL_A	0	M8B5_STAT_CNT_5571	5571	M8B5-FSC-DP-BB-NSN	INTEGER	4	0
		0	M8B5_STAT_CNT_5572	5572	M8B5-FSC-DP-ADD-NSN	INTEGER	4	0
		0	M8B5_STAT_CNT_5573	5573	M8B5-FSC-DP-DLT-NSN	INTEGER	4	0
		0	M8B5_STAT_CNT_5574	5574	M8B5-FSC-DP-EB-NSN	INTEGER	4	0
		0	M8B6_STAT_CNT_5583	5583	M8B6-FSC-AT-BB-NSN	INTEGER	4	0
		0	M8B6_STAT_CNT_5584	5584	M8B6-FSC-AT-ADD-NSN	INTEGER	4	0
		0	M8B6_STAT_CNT_5585	5585	M8B6-FSC-AT-DLT-NSN	INTEGER	4	0
		0	M8B6_STAT_CNT_5586	5586	M8B6-FSC-AT-EB-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	FSG_3994	3994	ASGND-FSG	CHAR	2	0
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2	0
		4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		5	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
582	MRSP_ASGN_INT_A	0	M8B1_STAT_CNT_5513	5513	M8B1-IM-DP-LOA-BB-NSN	INTEGER	4	0
		0	M8B1_STAT_CNT_5514	5514	M8B1-IM-DP-LOA-ADD-NSN	INTEGER	4	0
		0	M8B1_STAT_CNT_5515	5515	M8B1-IM-DP-LOA-DLT-NSN	INTEGER	4	0
		0	M8B1_STAT_CNT_5516	5516	M8B1-IM-DP-LOA-EB-NSN	INTEGER	4	0
		0	M8B2_STAT_CNT_5525	5525	M8B2-IM-AT-LOA-BB-NSN	INTEGER	4	0
		0	M8B2_STAT_CNT_5526	5526	M8B2-IM-AT-LOA-ADD-NSN	INTEGER	4	0
		0	M8B2_STAT_CNT_5527	5527	M8B2-IM-AT-LOA-DLT-NSN	INTEGER	4	0
		0	M8B2_STAT_CNT_5528	5528	M8B2-IM-AT-LOA-EB-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
		4	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR	2	0
583	MRSP_ASGN_INT_TL_A	0	M8B1_STAT_CNT_5519	5519	M8B1-IM-DP-BB-NSN	INTEGER	4	0
		0	M8B1_STAT_CNT_5520	5520	M8B1-IM-DP-ADD-NSN	INTEGER	4	0
		0	M8B1_STAT_CNT_5521	5521	M8B1-IM-DP-DLT-NSN	INTEGER	4	0
		0	M8B1_STAT_CNT_5522	5522	M8B1-IM-DP-EB-NSN	INTEGER	4	0
		0	M8B2_STAT_CNT_5531	5531	M8B2-IM-AT-BB-NSN	INTEGER	4	0
		0	M8B2_STAT_CNT_5532	5532	M8B2-IM-AT-ADD-NSN	INTEGER	4	0
		0	M8B2_STAT_CNT_5533	5533	M8B2-IM-AT-DLT-NSN	INTEGER	4	0
		0	M8B2_STAT_CNT_5534	5534	M8B2-IM-AT-EB-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
584	MRSP_ASGN_CL_A	0	M8B3_STAT_CNT_5537	5537	M8B3-CLM-DP-LOA-BB-NSN	INTEGER	4	0
		0	M8B3_STAT_CNT_5538	5538	M8B3-CLM-DP-LOA-ADD-NSN	INTEGER	4	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		0	M8B3_STAT_CNT_5541	5541	M8B3-CLM-DP-LOA-DLT-NSN	INTEGER	4,	0)
		0	M8B3_STAT_CNT_5542	5542	M8B3-CLM-DP-LOA-EB-NSN	INTEGER	4,	0)
		0	M8B4_STAT_CNT_5551	5551	M8B4-CLM-AT-LOA-BB-NSN	INTEGER	4,	0)
		0	M8B4_STAT_CNT_5552	5552	M8B4-CLM-AT-LOA-ADD-NSN	INTEGER	4,	0)
		0	M8B4_STAT_CNT_5553	5553	M8B4-CLM-AT-LOA-DLT-NSN	INTEGER	4,	0)
		0	M8B4_STAT_CNT_5554	5554	M8B4-CLM-AT-LOA-EB-NSN	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	7,	0)
		3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2,	0)
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2,	0)
		5	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR	2,	0)
585	MRSP_ASGN_CL_TL_A	0	M8B3_STAT_CNT_5545	5545	M8B3-CLM-DP-BB-NSN	INTEGER	4,	0)
		0	M8B3_STAT_CNT_5546	5546	M8B3-CLM-DP-ADD-NSN	INTEGER	4,	0)
		0	M8B3_STAT_CNT_5547	5547	M8B3-CLM-DP-DLT-NSN	INTEGER	4,	0)
		0	M8B3_STAT_CNT_5548	5548	M8B3-CLM-DP-EB-NSN	INTEGER	4,	0)
		0	M8B4_STAT_CNT_5557	5557	M8B4-CLM-AT-BB-NSN	INTEGER	4,	0)
		0	M8B4_STAT_CNT_5558	5558	M8B4-CLM-AT-ADD-NSN	INTEGER	4,	0)
		0	M8B4_STAT_CNT_5559	5559	M8B4-CLM-AT-DLT-NSN	INTEGER	4,	0)
		0	M8B4_STAT_CNT_5560	5560	M8B4-CLM-AT-EB-NSN	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	7,	0)
		3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2,	0)
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2,	0)
586	MRSP_ALL_CL_D_A	0	M8A1_STAT_CNT_5487	5487	M8A1-DP-LOA-BB-NSN	INTEGER	4,	0)
		0	M8A1_STAT_CNT_5488	5488	M8A1-DP-LOA-ADD-NSN	INTEGER	4,	0)
		0	M8A1_STAT_CNT_5489	5489	M8A1-DP-LOA-DLT-NSN	INTEGER	4,	0)
		0	M8A1_STAT_CNT_5490	5490	M8A1-DP-LOA-EB-NSN	INTEGER	4,	0)
		0	M8C1_STAT_CNT_5499	5499	M8C1-DP-AT-LOA-BB-NSN	INTEGER	4,	0)
		0	M8C1_STAT_CNT_5500	5500	M8C1-DP-AT-LOA-ADD-NSN	INTEGER	4,	0)
		0	M8C1_STAT_CNT_5501	5501	M8C1-DP-AT-LOA-DLT-NSN	INTEGER	4,	0)
		0	M8C1_STAT_CNT_5502	5502	M8C1-DP-AT-LOA-EB-NSN	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2,	0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2,	0)
		4	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR	2,	0)
587	MRSP_ALL_CL_D_TL_A	0	M8A1_STAT_CNT_5493	5493	M8A1-DP-BB-NSN	INTEGER	4,	0)
		0	M8A1_STAT_CNT_5494	5494	M8A1-DP-ADD-NSN	INTEGER	4,	0)
		0	M8A1_STAT_CNT_5495	5495	M8A1-DP-DLT-NSN	INTEGER	4,	0)
		0	M8A1_STAT_CNT_5496	5496	M8A1-DP-EB-NSN	INTEGER	4,	0)
		0	M8C1_STAT_CNT_5505	5505	M8C1-DP-AT-BB-NSN	INTEGER	4,	0)
		0	M8C1_STAT_CNT_5506	5506	M8C1-DP-AT-ADD-NSN	INTEGER	4,	0)
		0	M8C1_STAT_CNT_5507	5507	M8C1-DP-AT-DLT-NSN	INTEGER	4,	0)
		0	M8C1_STAT_CNT_5508	5508	M8C1-DP-AT-EB-NSN	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2,	0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2,	0)
588	MRSP_ALL_CL_A_A	0	M8B2_STAT_CNT_5525	5525	M8B2-IM-AT-LOA-BB-NSN	INTEGER	4,	0)
		0	M8B2_STAT_CNT_5526	5526	M8B2-IM-AT-LOA-ADD-NSN	INTEGER	4,	0)
		0	M8B2_STAT_CNT_5527	5527	M8B2-IM-AT-LOA-DLT-NSN	INTEGER	4,	0)
		0	M8B2_STAT_CNT_5528	5528	M8B2-IM-AT-LOA-EB-NSN	INTEGER	4,	0)
		0	M8B4_STAT_CNT_5551	5551	M8B4-CLM-AT-LOA-BB-NSN	INTEGER	4,	0)
		0	M8B4_STAT_CNT_5552	5552	M8B4-CLM-AT-LOA-ADD-NSN	INTEGER	4,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		0	M8B4_STAT_CNT_5553	5553	M8B4-CLM-AT-LOA-DLT-NSN	INTEGER	4	0
		0	M8B4_STAT_CNT_5554	5554	M8B4-CLM-AT-LOA-EB-NSN	INTEGER	4	0
		0	M8B6_STAT_CNT_5577	5577	M8B6-FSC-AT-LOA-BB-NSN	INTEGER	4	0
		0	M8B6_STAT_CNT_5578	5578	M8B6-FSC-AT-LOA-ADD-NSN	INTEGER	4	0
		0	M8B6_STAT_CNT_5579	5579	M8B6-FSC-AT-LOA-DLT-NSN	INTEGER	4	0
		0	M8B6_STAT_CNT_9576	9576	M8B6-FSC-AT-LOA-EB-NSN	INTEGER	4	0
		0	M8C1_STAT_CNT_5499	5499	M8C1-DP-AT-LOA-BB-NSN	INTEGER	4	0
		0	M8C1_STAT_CNT_5500	5500	M8C1-DP-AT-LOA-ADD-NSN	INTEGER	4	0
		0	M8C1_STAT_CNT_5501	5501	M8C1-DP-AT-LOA-DLT-NSN	INTEGER	4	0
		0	M8C1_STAT_CNT_5502	5502	M8C1-DP-AT-LOA-EB-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	7	0
		4	FSG_3994	3994	ASGND-FSG	CHAR	2	0
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2	0
		6	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR	2	0
589	MRSP_ALL_CL_A_TL_A	0	M8B2_STAT_CNT_5531	5531	M8B2-IM-AT-BB-NSN	INTEGER	4	0
		0	M8B2_STAT_CNT_5532	5532	M8B2-IM-AT-ADD-NSN	INTEGER	4	0
		0	M8B2_STAT_CNT_5533	5533	M8B2-IM-AT-DLT-NSN	INTEGER	4	0
		0	M8B2_STAT_CNT_5534	5534	M8B2-IM-AT-EB-NSN	INTEGER	4	0
		0	M8B4_STAT_CNT_5557	5557	M8B4-CLM-AT-BB-NSN	INTEGER	4	0
		0	M8B4_STAT_CNT_5558	5558	M8B4-CLM-AT-ADD-NSN	INTEGER	4	0
		0	M8B4_STAT_CNT_5559	5559	M8B4-CLM-AT-DLT-NSN	INTEGER	4	0
		0	M8B4_STAT_CNT_5560	5560	M8B4-CLM-AT-EB-NSN	INTEGER	4	0
		0	M8B6_STAT_CNT_5583	5583	M8B6-FSC-AT-BB-NSN	INTEGER	4	0
		0	M8B6_STAT_CNT_5584	5584	M8B6-FSC-AT-ADD-NSN	INTEGER	4	0
		0	M8B6_STAT_CNT_5585	5585	M8B6-FSC-AT-DLT-NSN	INTEGER	4	0
		0	M8B6_STAT_CNT_5586	5586	M8B6-FSC-AT-EB-NSN	INTEGER	4	0
		0	M8C1_STAT_CNT_5505	5505	M8C1-DP-AT-BB-NSN	INTEGER	4	0
		0	M8C1_STAT_CNT_5506	5506	M8C1-DP-AT-ADD-NSN	INTEGER	4	0
		0	M8C1_STAT_CNT_5507	5507	M8C1-DP-AT-DLT-NSN	INTEGER	4	0
		0	M8C1_STAT_CNT_5508	5508	M8C1-DP-AT-EB-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	7	0
		4	FSG_3994	3994	ASGND-FSG	CHAR	2	0
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2	0
		6	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
590	MGT_RSP_CHG_DATA_A	0	M8B5_STAT_CHG_5575	5575	M8B5-FSC-DP-NET-CHG	INTEGER	4	0
		0	M8B5_STAT_CNT_5571	5571	M8B5-FSC-DP-BB-NSN	INTEGER	4	0
		0	M8B5_STAT_CNT_5572	5572	M8B5-FSC-DP-ADD-NSN	INTEGER	4	0
		0	M8B5_STAT_CNT_5573	5573	M8B5-FSC-DP-DLT-NSN	INTEGER	4	0
		0	M8B5_STAT_CNT_5574	5574	M8B5-FSC-DP-EB-NSN	INTEGER	4	0
		0	M8B5_STAT_PCT_5576	5576	M8B5-FSC-DP-PCT	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		3	FSG_3994	3994	ASGND-FSG	CHAR	2	0
		4	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2	0
591	FC_FSC_NOTE_DAT_GP	0	FSC_DT_E_C_RC_5182	5182	FSC-DT-ESB-CANC-RCD-DIDS	INTEGER	4	0
		0	FSC_EXCL_NAR_0376	0376	FSC-EXCL-NAR	VARCHAR	1978	0
		0	FSC_INCL_NAR_0375	0375	FSC-INCL-NAR	VARCHAR	1978	0
		0	FSC_NOTE_4962	4962	FSC-NOTE	VARCHAR	1978	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	---------DATA--------- TYPE--LENGTH--DECIMAL
		0	FSC_TI_4970	4970	FSC-TI	VARCHAR (1978, 0)
		1	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
		3	STA_CD_NM_FSC_0320	0320	STATUS-CD-NM-FSC	CHAR (1, 0)
592	FC_COLLOQ_XREF	0	DT_ESTB_CANC_0308	0308	DT-ESTB-CANC-RCD-DIDS	INTEGER (4, 0)
		0	REL_INC_2926	2926	REL-INC	CHAR (5, 0)
		1	EFF_DT_2128	2128	EFF-DT	INTEGER (4, 0)
		2	NM_CD_2303	2303	NM-CD	CHAR (5, 0)
593	FC_NAMES_BY_TYP	0	APPLB_KEY_CD_0103	0103	APPLB-KEY-CD-FIIG	CHAR (3, 0)
		0	CONCEPT_NBR_4488	4488	CONCEPT-NBR	CHAR (1, 0)
		0	DT_ESTB_CANC_0308	0308	DT-ESTB-CANC-RCD-DIDS	INTEGER (4, 0)
		0	FIIG_4065	4065	GDE-NBR-FIIG	CHAR (6, 0)
		0	FSC_COND_CD_2607	2607	FSC-COND-CD	CHAR (1, 0)
		0	ITM_NM_DEF_5015	5015	ITM-NM-DEF-DLIM	VARCHAR (1762, 0)
		0	ITM_NM_TYP_CD_3308	3308	ITM-NM-TYP-CD	CHAR (1, 0)
		0	NM_PREFIX_2516	2516	NM-PREFIX	CHAR (10, 0)
		0	NM_ROOT_RMDR_2517	2517	NM-ROOT-RMDR	VARCHAR (1743, 0)
		0	SHRT_NM_2301	2301	SHRT-NM	CHAR (19, 0)
		0	STA_CD_NM_FSC_0320	0320	STATUS-CD-NM-FSC	CHAR (1, 0)
		1	NM_CD_2303	2303	NM-CD	CHAR (5, 0)
594	FC_NM_CD_FSC_XREF	0	CL_ASST_MODH2_9554	9554	CLAS-ASST-MOD-H2	VARCHAR (1762, 0)
		0	DT_ESTB_CANC_0308	0308	DT-ESTB-CANC-RCD-DIDS	INTEGER (4, 0)
		0	EFF_DT_2128	2128	EFF-DT	INTEGER (4, 0)
		1	NM_CD_2303	2303	NM-CD	CHAR (5, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
595	FC_FSG_NOTE_DAT_GP	0	FSG_DT_E_C_RC_5183	5183	FSG-DT-ESB-CANC-RCD-DIDS	INTEGER (4, 0)
		0	FSG_NOTE_4965	4965	FSG-NOTE	VARCHAR (1978, 0)
		0	FSG_TI_4972	4972	FSG-TI	VARCHAR (1978, 0)
		0	STA_CD_NM_FSC_0320	0320	STATUS-CD-NM-FSC	CHAR (1, 0)
		1	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
597	MDLS_INIT_ACCESS	1	USR_CD_1101	1101	USR-CD	CHAR (8, 0)
598	MDLS_UPDT_BB	0	MDLS_BB_MSG_8353	8353	MDLS-BUL-BRD-MSG-TX	CHAR (79, 0)
		0	TMSTMP_3059	3059	TMSTMP	TIMESTMP (10, 0)
		1	BB_MSG_ID_8351	8351	MDLS-BUL-BRD-MSG-ID	CHAR (6, 0)
		2	BB_LI_SEQ_8352	8352	MDLS-BUL-BRD-LI-SEQ-ID	CHAR (2, 0)
599	MDLS_BB_COMMENT	0	MDLS_BB_CMNT_8354	8354	MDLS-BUL-BRD-CMNT-TX	CHAR (237, 0)
		1	USR_CD_1101	1101	USR-CD	CHAR (8, 0)
		2	TMSTMP_3059	3059	TMSTMP	TIMESTMP (10, 0)
		3	BB_MSG_ID_8351	8351	MDLS-BUL-BRD-MSG-ID	CHAR (6, 0)
600	TRANS_ACTIVE_MAST	0	EXEC_COUNT_9153	9153	EXEC-COUNT	SMALLINT (2, 0)
		0	INPUT_MEDIA_9170	9170	INPUT-MEDIA	CHAR (2, 0)
		0	NATO_PIC_9186	9186	NATO-PIC	CHAR (1, 0)
		0	PRI_IND_CD_2867	2867	PRI-IND-CD	CHAR (1, 0)
		0	REJECT_FLAG_9205	9205	REJECT-FLAG	CHAR (1, 0)
		0	TRANS_REF_KEY_9438	9438	TRANS-REF-KEY	CHAR (37, 0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR (21, 0)
601	TRANS_ACTIVE_STATS	0	FORMATTED_TS_9164	9164	FORMATTED-TS	TIMESTMP (10, 0)
		0	ON_HOLD_TS_9190	9190	ON-HOLD-TS	TIMESTMP (10, 0)
		0	OP_PARTITION_9192	9192	OP-PARTITION	CHAR (2, 0)
		0	PROCESSED_TS_9201	9201	PROCESSED-TS	TIMESTMP (10, 0)
		0	REJECTED_TS_9206	9206	REJECTED-TS	TIMESTMP (10, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		0	RELEASED_TS_9208	9208	RELEASED-TS	TIMESTMP	10	0
		0	RE_PROCESS_TS_9203	9203	RE-PROCESS-TS	TIMESTMP	10	0
		0	TM_COMPLT_TS_9427	9427	TM-COMPLT-TS	TIMESTMP	10	0
		0	TM_FILE_NAME_9429	9429	TM-FILE-NAME	CHAR	18	0
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	21	0
602	TRANS_ACTIVE_KEYS	0	ACTY_CD_2046	2046	ACTY-CD	CHAR	6	0
		0	DIC_3920	3920	DOC-ID-CD	CHAR	3	0
		0	FSC_3990	3990	ASGND-FSC	CHAR	4	0
		0	NIIN_4000	4000	ASGND-NIIN	CHAR	9	0
		0	RECVD_STAMP_9204	9204	RECVD-STAMP	TIMESTMP	10	0
		0	SUBMR_CTL_NBR_1120	1120	SUBMR-CTL-NBR	CHAR	17	0
		0	TYPE_OF_TRNS_9441	9441	TYPE-OF-TRNS	CHAR	4	0
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	21	0
603	TM_TAPE_LOG	0	MULT_MED_TRAN_9483	9483	TM-MULT-MED-TRAN-QTY	INTEGER	4	0
		0	SP_PROJ_9223	9223	TM-SP-PROJ-ID	CHAR	4	0
		0	TAPE_IP_TM_9228	9228	TM-TAPE-IP-TM	TIMESTMP	10	0
		0	TAPE_VOL_SER_9227	9227	TM-TAPE-VOL-SER-NBR-ID	CHAR	8	0
		0	USR_CD_1101	1101	USR-CD	CHAR	8	0
		1	ACTY_CD_2046	2046	ACTY-CD	CHAR	6	0
		2	TAPE_LOG_IP_9226	9226	TM-TAPE-LOG-IP-TM	TIMESTMP	10	0
604	TM_TRACKING_LOG	0	ACTY_CD_2046	2046	ACTY-CD	CHAR	6	0
		0	ACTY_OP_9217	9217	TM-ACTY-OP	VARCHAR	20	0
		0	APP_ARCH_KEY_9224	9224	TM-APP-ARCH-KEY-ID	INTEGER	4	0
		0	DIC_OP_1052	1052	DIC-OP	CHAR	3	0
		0	INPUT_MEDIA_9170	9170	INPUT-MEDIA	CHAR	2	0
		0	IP_TRK_9221	9221	TM-IP-TRK-ID	CHAR	15	0
		0	MEDALS_FLG_9216	9216	TM-MEDALS-FLG	CHAR	1	0
		0	OP_MOD_MED_CD_3740	3740	OP-MODE-MED-CD	CHAR	2	0
		0	OP_TRK_9222	9222	TM-OP-TRK-ID	CHAR	15	0
		0	SP_PROJ_9223	9223	TM-SP-PROJ-ID	CHAR	4	0
		0	TMSTMP_3059	3059	TMSTMP	TIMESTMP	10	0
		0	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	21	0
		0	TRANS_TS_STAT_9446	9446	TM-TRANS-TS-STAT-CD	CHAR	2	0
		0	TRAN_PROC_FLG_9229	9229	TM-TRAN-PROC-FLG-ID	CHAR	1	0
		1	DIC_3920	3920	DOC-ID-CD	CHAR	3	0
		2	SUBMR_CTL_NBR_1120	1120	SUBMR-CTL-NBR	CHAR	17	0
		3	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER	4	0
605	LFU_ARCHIVE_BUILD	0	APP_ARCH_KEY_9224	9224	TM-APP-ARCH-KEY-ID	INTEGER	4	0
		0	LFU_PROC_STAT_9230	9230	LFU-PROC-STAT-CD	CHAR	2	0
		0	LFU_TRANS_KEY_9445	9445	LFU-TRANS-KEY	CHAR	21	0
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	21	0
606	COMM_DATA_BATCH	0	TMSTMP_3059	3059	TMSTMP	TIMESTMP	10	0
		0	TM_BATCH_NBR_9424	9424	TM-BATCH-NBR	SMALLINT	2	0
		1	ACTY_GRP_9133	9133	ACTY-GRP	CHAR	12	0
608	PASSTHRU_STATS	0	ACTY_CD_2046	2046	ACTY-CD	CHAR	6	0
		0	DIC_IP_3921	3921	DIC-IP	CHAR	3	0
		0	RTN_CD_9480	9480	RTN-CD	CHAR	2	0
		0	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		0	TYPE_OF_TRNS_9441	9441	TYPE-OF-TRNS	CHAR	4	0
		1	TRANS_DT_4695	4695	LOLA-OVERNIGHT-TRAN-DT	CHAR	7	0
		2	UPDT_PRC_TIME_3323	3323	LOLA-UPDT-PRCSD-TIME	CHAR	12	0
609	TRANS_ACTIVE_SEG	0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR	1	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	----------DATA---------- TYPE--LENGTH--DECIMAL
		0	SEGMENT_DATA_9416	9416	SEGMENT-DATA	VARCHAR (1127, 0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR (21, 0)
		2	SEGMENT_CD_9415	9415	SEGMENT-CD	CHAR (3, 0)
		3	SEG_SEQ_9414	9414	SEG-SEQ	SMALLINT (2, 0)
611	NAIN_POP_DATA_DTL	0	POP_STAT_CNT_6731	6731	POP-NAIN-FSC-AC	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
		5	NAIN_5020	5020	NON-APRVD-ITM-NM	CHAR (19, 0)
612	MADS_DIST_HOLD	0	AUTODIN_MSG_9310	9310	AUTODIN-MSG	VARCHAR (22000, 0)
		0	MEDIA_HEADER_9178	9178	MEDIA-HEADER	CHAR (80, 0)
		1	MADS_DB2_PART_9241	9241	MADS-DB2-PARTITION-QY	SMALLINT (2, 0)
		2	TMSTMP_3059	3059	TMSTMP	TIMESTMP (10, 0)
		3	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER (4, 0)
613	TM_TRANS_COUNT	0	DFLT_RELE_TDQ_9500	9500	DFLT-RELE-TDQ-ID	CHAR (4, 0)
		0	HELD_CNT_9501	9501	TM-HELD-CNT-QY	INTEGER (4, 0)
		0	RELED_CNT_9502	9502	TM-RELED-CNT-QY	INTEGER (4, 0)
		1	DIC_3920	3920	DOC-ID-CD	CHAR (3, 0)
		2	ACTY_CD_2046	2046	ACTY-CD	CHAR (6, 0)
		3	SP_PROJ_9223	9223	TM-SP-PROJ-ID	CHAR (4, 0)
		4	IP_TRK_9221	9221	TM-IP-TRK-ID	CHAR (15, 0)
614	TM_TRANS_HOLD	0	RELE_DATA_9503	9503	TM-RELE-DATA	CHAR (70, 0)
		0	REORG_FLAG_9504	9504	REORG-STATUS-FLAG-ID	CHAR (1, 0)
		1	DIC_3920	3920	DOC-ID-CD	CHAR (3, 0)
		2	ACTY_CD_2046	2046	ACTY-CD	CHAR (6, 0)
		3	SP_PROJ_9223	9223	TM-SP-PROJ-ID	CHAR (4, 0)
		4	IP_TRK_9221	9221	TM-IP-TRK-ID	CHAR (15, 0)
		5	TMSTMP_3059	3059	TMSTMP	TIMESTMP (10, 0)
615	NAIN_POP_DATA_DT_A	0	POP_STAT_CNT_6731	6731	POP-NAIN-FSC-AC	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
		5	NAIN_5020	5020	NON-APRVD-ITM-NM	CHAR (19, 0)
616	TM_RELEASED_KEYS	0	ACTY_CD_2046	2046	ACTY-CD	CHAR (6, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR (3, 0)
		0	IP_TRK_9221	9221	TM-IP-TRK-ID	CHAR (15, 0)
		0	RELE_DATA_9503	9503	TM-RELE-DATA	CHAR (70, 0)
		0	REORG_FLAG_9504	9504	REORG-STATUS-FLAG-ID	CHAR (1, 0)
		0	SP_PROJ_9223	9223	TM-SP-PROJ-ID	CHAR (4, 0)
		0	TMSTMP_3059	3059	TMSTMP	TIMESTMP (10, 0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR (21, 0)
617	TM_RECOVERY	0	LOGGED_TS_9173	9173	LOGGED-TS	TIMESTMP (10, 0)
		0	TMSTMP_3059	3059	TMSTMP	TIMESTMP (10, 0)
		0	TM_CKPNT_CT_1_9511	9511	TM-RESTRT-CKPNT-CTR-1-QY	INTEGER (4, 0)
		0	TM_CKPNT_CT_2_9512	9512	TM-RESTRT-CKPNT-CTR-2-QY	INTEGER (4, 0)
		0	TM_CKPNT_CT_3_9513	9513	TM-RESTRT-CKPNT-CTR-3-QY	INTEGER (4, 0)
		0	TM_CKPNT_CT_4_9514	9514	TM-RESTRT-CKPNT-CTR-4-QY	INTEGER (4, 0)
		0	TM_CKPNT_WS_9510	9510	TM-RESTRT-CKPNT-WS-FLD	VARCHAR (1024, 0)
		0	TM_COMMIT_RT_9509	9509	TM-COMMIT-CKPNT-RT	SMALLINT (2, 0)
		0	TM_JOB_STAT_9508	9508	TM-JOB-STAT-CD	CHAR (1, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	----------DATA---------- TYPE--LENGTH--DECIMAL			
		1	JCL_JOB_NM_9507	9507	JCL-JOB-CRD-NM	CHAR	(	8,	0)
		2	PGM_ID_1108	1108	PGM-ID	CHAR	(	8,	0)
618	TM_CONVID_ACTY	0	ROW_HLD_FLG_9191	9191	ROW-HLD-FLG-ID	CHAR	(	1,	0)
		1	SNA_CVSN_ID_3052			CHAR	(	4,	0)
		2	ACTY_CD_2046	2046	ACTY-CD	CHAR	(	6,	0)
619	TM_CONVID_MSG	0	MSG_TX_9389	9389	TM-MSG-TX	VARCHAR	(	22000,	0)
		1	SNA_CVSN_ID_3052			CHAR	(	4,	0)
		2	TMSTMP_3059	3059	TMSTMP	TIMESTMP	(	10,	0)
		3	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER	(	4,	0)
620	LOLA_INQ_DEPT	0	LRN_STAT_CNT_1137	1137	LRN-RNL-DEPT-DLY	INTEGER	(	4,	0)
		0	LRN_STAT_CNT_1158	1158	LRN-P-RNL-DEPT-DLY	INTEGER	(	4,	0)
		0	LRN_STAT_CNT_1178	1178	LRN-NM-NIIN-DEPT-DLY	INTEGER	(	4,	0)
		0	LRN_STAT_CNT_1198	1198	LRN-CHS-DEPT-DLY	INTEGER	(	4,	0)
		0	LRN_STAT_CNT_1672	1672	LRN-NIIN-INQ-DEPT-DLY	INTEGER	(	4,	0)
		0	LRN_STAT_CNT_1734	1734	LRN-COMB-DEPT-DLY	INTEGER	(	4,	0)
		0	LRN_STAT_CNT_2429	2429	LRN-DEPT-DLY-TOT	INTEGER	(	4,	0)
		0	LRN_STAT_CNT_3742	3742	LRN-APPL-HELP-DEPT-DLY	INTEGER	(	4,	0)
		0	LRN_STAT_CNT_5983	5983	LRN-C-NIIN-DEPT-DLY	INTEGER	(	4,	0)
		0	LRN_STAT_CNT_6183	6183	LRN-C-RNL-DEPT-DLY	INTEGER	(	4,	0)
		0	LRN_STAT_CNT_6207	6207	LRN-C-P-RNL-DEPT-DLY	INTEGER	(	4,	0)
		0	LRN_STAT_CNT_6860	6860	LRN-FSG-FSC-ITM-NM-DPT-D	INTEGER	(	4,	0)
		0	LRN_STAT_CNT_8237	8237	LRN-PROC-DEPT-DLY	INTEGER	(	4,	0)
		1	LOLA_REQ_DATE_3306	3306	LOLA-REQUEST-DATE	CHAR	(	8,	0)
		2	LOLA_STAT_SC_3307	3307	LOLA-STATS-SCOPE	CHAR	(	1,	0)
		3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	(	2,	0)
621	LOLA_INQ_ALL_DEPT	0	LRN_STAT_CNT_1121	1121	LRN-NIIN-INQ-DLY-TOT	INTEGER	(	4,	0)
		0	LRN_STAT_CNT_1142	1142	LRN-RNL-DLY-TOT	INTEGER	(	4,	0)
		0	LRN_STAT_CNT_1163	1163	LRN-P-RNL-DLY-TOT	INTEGER	(	4,	0)
		0	LRN_STAT_CNT_1183	1183	LRN-NM-NIIN-DLY-TOT	INTEGER	(	4,	0)
		0	LRN_STAT_CNT_1203	1203	LRN-CHS-TOT-DLY	INTEGER	(	4,	0)
		0	LRN_STAT_CNT_1657	1657	LRN-C-P-RNL-DLY-TOT	INTEGER	(	4,	0)
		0	LRN_STAT_CNT_1739	1739	LRN-COMB-TOT-DLY	INTEGER	(	4,	0)
		0	LRN_STAT_CNT_2422	2422	LRN-GRD-TOT-DLY-TOT	INTEGER	(	4,	0)
		0	LRN_STAT_CNT_3742	3742	LRN-APPL-HELP-DEPT-DLY	INTEGER	(	4,	0)
		0	LRN_STAT_CNT_5989	5989	LRN-C-NIIN-DLY-TOT	INTEGER	(	4,	0)
		0	LRN_STAT_CNT_6189	6189	LRN-C-RNL-DLY-TOT	INTEGER	(	4,	0)
		0	LRN_STAT_CNT_6865	6865	LRN-FSG-FSC-ITM-NM-TOT-D	INTEGER	(	4,	0)
		0	LRN_STAT_CNT_8242	8242	LRN-PROC-TOT-DLY	INTEGER	(	4,	0)
		1	LOLA_REQ_DATE_3306	3306	LOLA-REQUEST-DATE	CHAR	(	8,	0)
		2	LOLA_STAT_SC_3307	3307	LOLA-STATS-SCOPE	CHAR	(	1,	0)
622	LOLA_INQ_DEPT_A	0	LRN_STAT_CNT_1137	1137	LRN-RNL-DEPT-DLY	INTEGER	(	4,	0)
		0	LRN_STAT_CNT_1158	1158	LRN-P-RNL-DEPT-DLY	INTEGER	(	4,	0)
		0	LRN_STAT_CNT_1178	1178	LRN-NM-NIIN-DEPT-DLY	INTEGER	(	4,	0)
		0	LRN_STAT_CNT_1198	1198	LRN-CHS-DEPT-DLY	INTEGER	(	4,	0)
		0	LRN_STAT_CNT_1672	1672	LRN-NIIN-INQ-DEPT-DLY	INTEGER	(	4,	0)
		0	LRN_STAT_CNT_1734	1734	LRN-COMB-DEPT-DLY	INTEGER	(	4,	0)
		0	LRN_STAT_CNT_2429	2429	LRN-DEPT-DLY-TOT	INTEGER	(	4,	0)
		0	LRN_STAT_CNT_3742	3742	LRN-APPL-HELP-DEPT-DLY	INTEGER	(	4,	0)
		0	LRN_STAT_CNT_5983	5983	LRN-C-NIIN-DEPT-DLY	INTEGER	(	4,	0)
		0	LRN_STAT_CNT_6183	6183	LRN-C-RNL-DEPT-DLY	INTEGER	(	4,	0)
		0	LRN_STAT_CNT_6207	6207	LRN-C-P-RNL-DEPT-DLY	INTEGER	(	4,	0)
		0	LRN_STAT_CNT_6860	6860	LRN-FSG-FSC-ITM-NM-DPT-D	INTEGER	(	4,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		0	LRN_STAT_CNT_8237	8237	LRN-PROC-DEPT-DLY	INTEGER	4	0
		1	LOLA_REQ_DATE_3306	3306	LOLA-REQUEST-DATE	CHAR	8	0
		2	LOLA_STAT_SC_3307	3307	LOLA-STATS-SCOPE	CHAR	1	0
		3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
623	LOLA_INQ_ALL_DEP_A	0	LRN_STAT_CNT_1121	1121	LRN-NIIN-INQ-DLY-TOT	INTEGER	4	0
		0	LRN_STAT_CNT_1142	1142	LRN-RNL-DLY-TOT	INTEGER	4	0
		0	LRN_STAT_CNT_1163	1163	LRN-P-RNL-DLY-TOT	INTEGER	4	0
		0	LRN_STAT_CNT_1183	1183	LRN-NM-NIIN-DLY-TOT	INTEGER	4	0
		0	LRN_STAT_CNT_1203	1203	LRN-CHS-TOT-DLY	INTEGER	4	0
		0	LRN_STAT_CNT_1657	1657	LRN-C-P-RNL-DLY-TOT	INTEGER	4	0
		0	LRN_STAT_CNT_1739	1739	LRN-COMB-TOT-DLY	INTEGER	4	0
		0	LRN_STAT_CNT_2422	2422	LRN-GRD-TOT-DLY-TOT	INTEGER	4	0
		0	LRN_STAT_CNT_3742	3742	LRN-APPL-HELP-DEPT-DLY	INTEGER	4	0
		0	LRN_STAT_CNT_5989	5989	LRN-C-NIIN-DLY-TOT	INTEGER	4	0
		0	LRN_STAT_CNT_6189	6189	LRN-C-RNL-DLY-TOT	INTEGER	4	0
		0	LRN_STAT_CNT_6865	6865	LRN-FSG-FSC-ITM-NM-TOT-D	INTEGER	4	0
		0	LRN_STAT_CNT_8242	8242	LRN-PROC-TOT-DLY	INTEGER	4	0
		1	LOLA_REQ_DATE_3306	3306	LOLA-REQUEST-DATE	CHAR	8	0
		2	LOLA_STAT_SC_3307	3307	LOLA-STATS-SCOPE	CHAR	1	0
624	DIC_OTHER_OUTPUT	0	DOC_ID_CD_CT_1997	1997	DOC-ID-CD-CT	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	DIC_OP_1052	1052	DIC-OP	CHAR	3	0
625	AAC_INDV_CL_TL	0	AAC_STAT_CNT_5378	5378	AAC-FSC-ACTY-AAC-NSN	INTEGER	4	0
		0	AAC_STAT_CNT_5458	5458	AAC-FSC-DEPT-AAC-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	FSG_3994	3994	ASGND-FSG	CHAR	2	0
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2	0
		4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		5	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
		6	AAC_2507	2507	ACQ-AD-CD	CHAR	1	0
626	STATS_REACTIVATION	0	DELT_RSN_CD_4540	4540	DELT-RSN-CD	CHAR	1	0
		1	NCB_CD_4130	4130	NCB-CD	CHAR	2	0
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	7	0
		3	ACTY_CD_2046	2046	ACTY-CD	CHAR	6	0
627	AAC_INDV_CL_TL_A	0	AAC_STAT_CNT_5378	5378	AAC-FSC-ACTY-AAC-NSN	INTEGER	4	0
		0	AAC_STAT_CNT_5458	5458	AAC-FSC-DEPT-AAC-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	FSG_3994	3994	ASGND-FSG	CHAR	2	0
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2	0
		4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		5	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
		6	AAC_2507	2507	ACQ-AD-CD	CHAR	1	0
628	AAC_ASGN_INT_MGR	0	AAC_STAT_CNT_5674	5674	AAC-IM-ACTY-LOA-AAC-NSN	INTEGER	4	0
		0	AAC_STAT_CNT_8180	8180	AAC-IM-DEPT-LOA-AAC-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
		4	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR	2	0
		5	AAC_2507	2507	ACQ-AD-CD	CHAR	1	0
629	AAC_ASGN_INT_TL	0	AAC_STAT_CNT_5703	5703	AAC-IM-ACTY-AAC-NSN	INTEGER	4	0
		0	AAC_STAT_CNT_8183	8183	AAC-IM-DEPT-AAC-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
		4	AAC_2507	2507	ACQ-AD-CD	CHAR	1	0
630	AAC_ASGN_INT_A	0	AAC_STAT_CNT_5674	5674	AAC-IM-ACTY-LOA-AAC-NSN	INTEGER	4	0
		0	AAC_STAT_CNT_8180	8180	AAC-IM-DEPT-LOA-AAC-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
		4	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR	2	0
		5	AAC_2507	2507	ACQ-AD-CD	CHAR	1	0
631	AAC_ASGN_INT_TL_A	0	AAC_STAT_CNT_5703	5703	AAC-IM-ACTY-AAC-NSN	INTEGER	4	0
		0	AAC_STAT_CNT_8183	8183	AAC-IM-DEPT-AAC-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
		4	AAC_2507	2507	ACQ-AD-CD	CHAR	1	0
634	AAC_ASGN_CL_MGR	0	AAC_STAT_CNT_8186	8186	AAC-LA-ACTY-LOA-AAC-NSN	INTEGER	4	0
		0	AAC_STAT_CNT_8211	8211	AAC-LA-DEPT-LOA-AAC-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	7	0
		3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
		5	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR	2	0
		6	AAC_2507	2507	ACQ-AD-CD	CHAR	1	0
635	AAC_ASGN_CL_TL	0	AAC_STAT_CNT_8189	8189	AAC-LA-ACTY-AAC-NSN	INTEGER	4	0
		0	AAC_STAT_CNT_8214	8214	AAC-LA-DEPT-AAC-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	7	0
		3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
		5	AAC_2507	2507	ACQ-AD-CD	CHAR	1	0
636	AAC_ASGN_CL_A	0	AAC_STAT_CNT_8186	8186	AAC-LA-ACTY-LOA-AAC-NSN	INTEGER	4	0
		0	AAC_STAT_CNT_8211	8211	AAC-LA-DEPT-LOA-AAC-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	7	0
		3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
		5	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR	2	0
		6	AAC_2507	2507	ACQ-AD-CD	CHAR	1	0
637	AAC_ASGN_CL_TL_A	0	AAC_STAT_CNT_8189	8189	AAC-LA-ACTY-AAC-NSN	INTEGER	4	0
		0	AAC_STAT_CNT_8214	8214	AAC-LA-DEPT-AAC-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	7	0
		3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
		5	AAC_2507	2507	ACQ-AD-CD	CHAR	1	0
638	AAC_ALL_CL_DEPT	0	AAC_STAT_CNT_5511	5511	AAC-ACTY-LOA-AAC-NSN	INTEGER	4	0
		0	AAC_STAT_CNT_5593	5593	AAC-DEPT-LOA-AAC-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
		4	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR	2	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	----------DATA---------- TYPE--LENGTH--DECIMAL
		5	AAC_2507	2507	ACQ-AD-CD	CHAR (1, 0)
639	AAC_ALL_CL_D_TL	0	AAC_STAT_CNT_5540	5540	AAC-ACTY-AAC-NSN	INTEGER (4, 0)
		0	AAC_STAT_CNT_5621	5621	AAC-DEPT-AAC-NSN	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
		4	AAC_2507	2507	ACQ-AD-CD	CHAR (1, 0)
640	AAC_ALL_CL_D_A	0	AAC_STAT_CNT_5511	5511	AAC-ACTY-LOA-AAC-NSN	INTEGER (4, 0)
		0	AAC_STAT_CNT_5593	5593	AAC-DEPT-LOA-AAC-NSN	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
		4	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR (2, 0)
		5	AAC_2507	2507	ACQ-AD-CD	CHAR (1, 0)
641	AAC_ALL_CL_D_TL_A	0	AAC_STAT_CNT_5540	5540	AAC-ACTY-AAC-NSN	INTEGER (4, 0)
		0	AAC_STAT_CNT_5621	5621	AAC-DEPT-AAC-NSN	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
		4	AAC_2507	2507	ACQ-AD-CD	CHAR (1, 0)
642	AAC_ALL_CL_ACTV	0	AAC_STAT_CNT_5349	5349	AAC-FSC-ACTY-LOA-AAC-NSN	INTEGER (4, 0)
		0	AAC_STAT_CNT_5511	5511	AAC-ACTY-LOA-AAC-NSN	INTEGER (4, 0)
		0	AAC_STAT_CNT_5674	5674	AAC-IM-ACTY-LOA-AAC-NSN	INTEGER (4, 0)
		0	AAC_STAT_CNT_8186	8186	AAC-LA-ACTY-LOA-AAC-NSN	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR (7, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
		6	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR (2, 0)
		7	AAC_2507	2507	ACQ-AD-CD	CHAR (1, 0)
643	AAC_ALL_CL_A_TL	0	AAC_STAT_CNT_5378	5378	AAC-FSC-ACTY-AAC-NSN	INTEGER (4, 0)
		0	AAC_STAT_CNT_5540	5540	AAC-ACTY-AAC-NSN	INTEGER (4, 0)
		0	AAC_STAT_CNT_5703	5703	AAC-IM-ACTY-AAC-NSN	INTEGER (4, 0)
		0	AAC_STAT_CNT_8189	8189	AAC-LA-ACTY-AAC-NSN	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR (7, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
		6	AAC_2507	2507	ACQ-AD-CD	CHAR (1, 0)
		7	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
644	AAC_ALL_CL_A_A	0	AAC_STAT_CNT_5349	5349	AAC-FSC-ACTY-LOA-AAC-NSN	INTEGER (4, 0)
		0	AAC_STAT_CNT_5511	5511	AAC-ACTY-LOA-AAC-NSN	INTEGER (4, 0)
		0	AAC_STAT_CNT_5674	5674	AAC-IM-ACTY-LOA-AAC-NSN	INTEGER (4, 0)
		0	AAC_STAT_CNT_8186	8186	AAC-LA-ACTY-LOA-AAC-NSN	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR (7, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
		6	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR (2, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		7	AAC_2507	2507	ACQ-AD-CD	CHAR	1	0
645	AAC_ALL_CL_A_TL_A	0	AAC_STAT_CNT_5378	5378	AAC-FSC-ACTY-AAC-NSN	INTEGER	4	0
		0	AAC_STAT_CNT_5540	5540	AAC-ACTY-AAC-NSN	INTEGER	4	0
		0	AAC_STAT_CNT_5703	5703	AAC-IM-ACTY-AAC-NSN	INTEGER	4	0
		0	AAC_STAT_CNT_8189	8189	AAC-LA-ACTY-AAC-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	7	0
		4	FSG_3994	3994	ASGND-FSG	CHAR	2	0
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2	0
		6	AAC_2507	2507	ACQ-AD-CD	CHAR	1	0
		7	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
646	TIIM_INDV_CL_TL	0	M6B5_STAT_CNT_7962	7962	M6B5-FSC-DP-T1-NSN	INTEGER	4	0
		0	M6B5_STAT_CNT_7963	7963	M6B5-FSC-DP-T1A-NSN	INTEGER	4	0
		0	M6B5_STAT_CNT_7964	7964	M6B5-FSC-DP-T1B-NSN	INTEGER	4	0
		0	M6B5_STAT_CNT_7965	7965	M6B5-FSC-DP-T4-NSN	INTEGER	4	0
		0	M6B5_STAT_CNT_7966	7966	M6B5-FSC-DP-T4A-NSN	INTEGER	4	0
		0	M6B5_STAT_CNT_7967	7967	M6B5-FSC-DP-T4B-NSN	INTEGER	4	0
		0	M6B5_STAT_CNT_7968	7968	M6B5-FSC-DP-T2-NSN	INTEGER	4	0
		0	M6B6_STAT_CNT_7998	7998	M6B6-FSC-AT-T1-NSN	INTEGER	4	0
		0	M6B6_STAT_CNT_7999	7999	M6B6-FSC-AT-T1A-NSN	INTEGER	4	0
		0	M6B6_STAT_CNT_8000	8000	M6B6-FSC-AT-T1B-NSN	INTEGER	4	0
		0	M6B6_STAT_CNT_8001	8001	M6B6-FSC-AT-T4-NSN	INTEGER	4	0
		0	M6B6_STAT_CNT_8002	8002	M6B6-FSC-AT-T4A-NSN	INTEGER	4	0
		0	M6B6_STAT_CNT_8204	8204	M6B6-FSC-AT-T4B-NSN	INTEGER	4	0
		0	M6B6_STAT_CNT_8205	8205	M6B6-FSC-AT-T2-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	FSG_3994	3994	ASGND-FSG	CHAR	2	0
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2	0
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
		5	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
647	TIIM_INDV_CL_TL_A	0	M6B5_STAT_CNT_7962	7962	M6B5-FSC-DP-T1-NSN	INTEGER	4	0
		0	M6B5_STAT_CNT_7963	7963	M6B5-FSC-DP-T1A-NSN	INTEGER	4	0
		0	M6B5_STAT_CNT_7964	7964	M6B5-FSC-DP-T1B-NSN	INTEGER	4	0
		0	M6B5_STAT_CNT_7965	7965	M6B5-FSC-DP-T4-NSN	INTEGER	4	0
		0	M6B5_STAT_CNT_7966	7966	M6B5-FSC-DP-T4A-NSN	INTEGER	4	0
		0	M6B5_STAT_CNT_7967	7967	M6B5-FSC-DP-T4B-NSN	INTEGER	4	0
		0	M6B5_STAT_CNT_7968	7968	M6B5-FSC-DP-T2-NSN	INTEGER	4	0
		0	M6B6_STAT_CNT_7998	7998	M6B6-FSC-AT-T1-NSN	INTEGER	4	0
		0	M6B6_STAT_CNT_7999	7999	M6B6-FSC-AT-T1A-NSN	INTEGER	4	0
		0	M6B6_STAT_CNT_8000	8000	M6B6-FSC-AT-T1B-NSN	INTEGER	4	0
		0	M6B6_STAT_CNT_8001	8001	M6B6-FSC-AT-T4-NSN	INTEGER	4	0
		0	M6B6_STAT_CNT_8002	8002	M6B6-FSC-AT-T4A-NSN	INTEGER	4	0
		0	M6B6_STAT_CNT_8204	8204	M6B6-FSC-AT-T4B-NSN	INTEGER	4	0
		0	M6B6_STAT_CNT_8205	8205	M6B6-FSC-AT-T2-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	FSG_3994	3994	ASGND-FSG	CHAR	2	0
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2	0
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
		5	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
648	TIIM_ASGN_INT_MGR	0	M6B1_STAT_CNT_7873	7873	M6B1-IM-DP-LOA-T1-NSN	INTEGER	4	0
		0	M6B1_STAT_CNT_7874	7874	M6B1-IM-DP-LOA-T1A-NSN	INTEGER	4	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		0	M6B1_STAT_CNT_7875	7875	M6B1-IM-DP-LOA-T1B-NSN	INTEGER	4	0
		0	M6B1_STAT_CNT_7876	7876	M6B1-IM-DP-LOA-T4-NSN	INTEGER	4	0
		0	M6B1_STAT_CNT_7877	7877	M6B1-IM-DP-LOA-T4A-NSN	INTEGER	4	0
		0	M6B1_STAT_CNT_7878	7878	M6B1-IM-DP-LOA-T4B-NSN	INTEGER	4	0
		0	M6B1_STAT_CNT_7879	7879	M6B1-IM-DP-LOA-T2-NSN	INTEGER	4	0
		0	M6B2_STAT_CNT_7912	7912	M6B2-IM-AT-LOA-T1-NSN	INTEGER	4	0
		0	M6B2_STAT_CNT_7913	7913	M6B2-IM-AT-LOA-T1A-NSN	INTEGER	4	0
		0	M6B2_STAT_CNT_7914	7914	M6B2-IM-AT-LOA-T1B-NSN	INTEGER	4	0
		0	M6B2_STAT_CNT_7915	7915	M6B2-IM-AT-LOA-T4-NSN	INTEGER	4	0
		0	M6B2_STAT_CNT_7916	7916	M6B2-IM-AT-LOA-T4A-NSN	INTEGER	4	0
		0	M6B2_STAT_CNT_7917	7917	M6B2-IM-AT-LOA-T4B-NSN	INTEGER	4	0
		0	M6B2_STAT_CNT_7918	7918	M6B2-IM-AT-LOA-T2-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
		4	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR	2	0
649	TIIM_ASGN_INT_A	0	M6B1_STAT_CNT_7873	7873	M6B1-IM-DP-LOA-T1-NSN	INTEGER	4	0
		0	M6B1_STAT_CNT_7874	7874	M6B1-IM-DP-LOA-T1A-NSN	INTEGER	4	0
		0	M6B1_STAT_CNT_7875	7875	M6B1-IM-DP-LOA-T1B-NSN	INTEGER	4	0
		0	M6B1_STAT_CNT_7876	7876	M6B1-IM-DP-LOA-T4-NSN	INTEGER	4	0
		0	M6B1_STAT_CNT_7877	7877	M6B1-IM-DP-LOA-T4A-NSN	INTEGER	4	0
		0	M6B1_STAT_CNT_7878	7878	M6B1-IM-DP-LOA-T4B-NSN	INTEGER	4	0
		0	M6B1_STAT_CNT_7879	7879	M6B1-IM-DP-LOA-T2-NSN	INTEGER	4	0
		0	M6B2_STAT_CNT_7912	7912	M6B2-IM-AT-LOA-T1-NSN	INTEGER	4	0
		0	M6B2_STAT_CNT_7913	7913	M6B2-IM-AT-LOA-T1A-NSN	INTEGER	4	0
		0	M6B2_STAT_CNT_7914	7914	M6B2-IM-AT-LOA-T1B-NSN	INTEGER	4	0
		0	M6B2_STAT_CNT_7915	7915	M6B2-IM-AT-LOA-T4-NSN	INTEGER	4	0
		0	M6B2_STAT_CNT_7916	7916	M6B2-IM-AT-LOA-T4A-NSN	INTEGER	4	0
		0	M6B2_STAT_CNT_7917	7917	M6B2-IM-AT-LOA-T4B-NSN	INTEGER	4	0
		0	M6B2_STAT_CNT_7918	7918	M6B2-IM-AT-LOA-T2-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
		4	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR	2	0
650	TIIM_ASGN_INT_TL	0	M6B1_STAT_CNT_7883	7883	M6B1-IM-DP-T1-NSN	INTEGER	4	0
		0	M6B2_STAT_CNT_7922	7922	M6B2-IM-AT-T1-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
651	TIIM_ASGN_INT_TL_A	0	M6B1_STAT_CNT_7883	7883	M6B1-IM-DP-T1-NSN	INTEGER	4	0
		0	M6B1_STAT_CNT_7884	7884	M6B1-IM-DP-T1A-NSN	INTEGER	4	0
		0	M6B1_STAT_CNT_7885	7885	M6B1-IM-DP-T1B-NSN	INTEGER	4	0
		0	M6B1_STAT_CNT_7886	7886	M6B1-IM-DP-T4-NSN	INTEGER	4	0
		0	M6B1_STAT_CNT_7887	7887	M6B1-IM-DP-T4A-NSN	INTEGER	4	0
		0	M6B1_STAT_CNT_7888	7888	M6B1-IM-DP-T4B-NSN	INTEGER	4	0
		0	M6B1_STAT_CNT_7889	7889	M6B1-IM-DP-T2-NSN	INTEGER	4	0
		0	M6B2_STAT_CNT_7922	7922	M6B2-IM-AT-T1-NSN	INTEGER	4	0
		0	M6B2_STAT_CNT_7923	7923	M6B2-IM-AT-T1A-NSN	INTEGER	4	0
		0	M6B2_STAT_CNT_7924	7924	M6B2-IM-AT-T1B-NSN	INTEGER	4	0
		0	M6B2_STAT_CNT_7925	7925	M6B2-IM-AT-T4-NSN	INTEGER	4	0
		0	M6B2_STAT_CNT_7926	7926	M6B2-IM-AT-T4A-NSN	INTEGER	4	0
		0	M6B2_STAT_CNT_7927	7927	M6B2-IM-AT-T4B-NSN	INTEGER	4	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		0	M6B2_STAT_CNT_7928	7928	M6B2-IM-AT-T2-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
652	TIIM_ASGN_CL_MGR	0	M6B3_STAT_CNT_7893	7893	M6B3-CLM-DP-LOA-T1-NSN	INTEGER	4	0
		0	M6B3_STAT_CNT_7894	7894	M6B3-CLM-DP-LOA-T1A-NSN	INTEGER	4	0
		0	M6B3_STAT_CNT_7895	7895	M6B3-CLM-DP-LOA-T1B-NSN	INTEGER	4	0
		0	M6B3_STAT_CNT_7896	7896	M6B3-CLM-DP-LOA-T4-NSN	INTEGER	4	0
		0	M6B3_STAT_CNT_7897	7897	M6B3-CLM-DP-LOA-T4A-NSN	INTEGER	4	0
		0	M6B3_STAT_CNT_7898	7898	M6B3-CLM-DP-LOA-T4B-NSN	INTEGER	4	0
		0	M6B3_STAT_CNT_7899	7899	M6B3-CLM-DP-LOA-T2-NSN	INTEGER	4	0
		0	M6B4_STAT_CNT_7932	7932	M6B4-CLM-AT-LOA-T1-NSN	INTEGER	4	0
		0	M6B4_STAT_CNT_7933	7933	M6B4-CLM-AT-LOA-T1A-NSN	INTEGER	4	0
		0	M6B4_STAT_CNT_7934	7934	M6B4-CLM-AT-LOA-T1B-NSN	INTEGER	4	0
		0	M6B4_STAT_CNT_7935	7935	M6B4-CLM-AT-LOA-T4-NSN	INTEGER	4	0
		0	M6B4_STAT_CNT_7936	7936	M6B4-CLM-AT-LOA-T4A-NSN	INTEGER	4	0
		0	M6B4_STAT_CNT_7937	7937	M6B4-CLM-AT-LOA-T4B-NSN	INTEGER	4	0
		0	M6B4_STAT_CNT_7938	7938	M6B4-CLM-AT-LOA-T2-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	7	0
		3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
		5	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR	2	0
653	TIIM_ASGN_CL_A	0	M6B3_STAT_CNT_7893	7893	M6B3-CLM-DP-LOA-T1-NSN	INTEGER	4	0
		0	M6B3_STAT_CNT_7894	7894	M6B3-CLM-DP-LOA-T1A-NSN	INTEGER	4	0
		0	M6B3_STAT_CNT_7895	7895	M6B3-CLM-DP-LOA-T1B-NSN	INTEGER	4	0
		0	M6B3_STAT_CNT_7896	7896	M6B3-CLM-DP-LOA-T4-NSN	INTEGER	4	0
		0	M6B3_STAT_CNT_7897	7897	M6B3-CLM-DP-LOA-T4A-NSN	INTEGER	4	0
		0	M6B3_STAT_CNT_7898	7898	M6B3-CLM-DP-LOA-T4B-NSN	INTEGER	4	0
		0	M6B3_STAT_CNT_7899	7899	M6B3-CLM-DP-LOA-T2-NSN	INTEGER	4	0
		0	M6B4_STAT_CNT_7932	7932	M6B4-CLM-AT-LOA-T1-NSN	INTEGER	4	0
		0	M6B4_STAT_CNT_7933	7933	M6B4-CLM-AT-LOA-T1A-NSN	INTEGER	4	0
		0	M6B4_STAT_CNT_7934	7934	M6B4-CLM-AT-LOA-T1B-NSN	INTEGER	4	0
		0	M6B4_STAT_CNT_7935	7935	M6B4-CLM-AT-LOA-T4-NSN	INTEGER	4	0
		0	M6B4_STAT_CNT_7936	7936	M6B4-CLM-AT-LOA-T4A-NSN	INTEGER	4	0
		0	M6B4_STAT_CNT_7937	7937	M6B4-CLM-AT-LOA-T4B-NSN	INTEGER	4	0
		0	M6B4_STAT_CNT_7938	7938	M6B4-CLM-AT-LOA-T2-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	7	0
		3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
		5	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR	2	0
654	TIIM_ASGN_CL_TL	0	M6B3_STAT_CNT_7902	7902	M6B3-CLM-DP-T1-NSN	INTEGER	4	0
		0	M6B3_STAT_CNT_7903	7903	M6B3-CLM-DP-T1A-NSN	INTEGER	4	0
		0	M6B3_STAT_CNT_7904	7904	M6B3-CLM-DP-T1B-NSN	INTEGER	4	0
		0	M6B3_STAT_CNT_7905	7905	M6B3-CLM-DP-T4-NSN	INTEGER	4	0
		0	M6B3_STAT_CNT_7906	7906	M6B3-CLM-DP-T4A-NSN	INTEGER	4	0
		0	M6B3_STAT_CNT_7907	7907	M6B3-CLM-DP-T4B-NSN	INTEGER	4	0
		0	M6B3_STAT_CNT_7908	7908	M6B3-CLM-DP-T2-NSN	INTEGER	4	0
		0	M6B4_STAT_CNT_7942	7942	M6B4-CLM-AT-T1-NSN	INTEGER	4	0
		0	M6B4_STAT_CNT_7943	7943	M6B4-CLM-AT-T1A-NSN	INTEGER	4	0
		0	M6B4_STAT_CNT_7944	7944	M6B4-CLM-AT-T1B-NSN	INTEGER	4	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	---------DATA--------- TYPE--LENGTH--DECIMAL
		0	M6B4_STAT_CNT_7945	7945	M6B4-CLM-AT-T4-NSN	INTEGER (4, 0)
		0	M6B4_STAT_CNT_7946	7946	M6B4-CLM-AT-T4A-NSN	INTEGER (4, 0)
		0	M6B4_STAT_CNT_7947	7947	M6B4-CLM-AT-T4B-NSN	INTEGER (4, 0)
		0	M6B4_STAT_CNT_7948	7948	M6B4-CLM-AT-T2-NSN	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR (7, 0)
		3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
655	TIIM_ASGN_CL_TL_A	0	M6B3_STAT_CNT_7902	7902	M6B3-CLM-DP-T1-NSN	INTEGER (4, 0)
		0	M6B3_STAT_CNT_7903	7903	M6B3-CLM-DP-T1A-NSN	INTEGER (4, 0)
		0	M6B3_STAT_CNT_7904	7904	M6B3-CLM-DP-T1B-NSN	INTEGER (4, 0)
		0	M6B3_STAT_CNT_7905	7905	M6B3-CLM-DP-T4-NSN	INTEGER (4, 0)
		0	M6B3_STAT_CNT_7906	7906	M6B3-CLM-DP-T4A-NSN	INTEGER (4, 0)
		0	M6B3_STAT_CNT_7907	7907	M6B3-CLM-DP-T4B-NSN	INTEGER (4, 0)
		0	M6B3_STAT_CNT_7908	7908	M6B3-CLM-DP-T2-NSN	INTEGER (4, 0)
		0	M6B4_STAT_CNT_7942	7942	M6B4-CLM-AT-T1-NSN	INTEGER (4, 0)
		0	M6B4_STAT_CNT_7943	7943	M6B4-CLM-AT-T1A-NSN	INTEGER (4, 0)
		0	M6B4_STAT_CNT_7944	7944	M6B4-CLM-AT-T1B-NSN	INTEGER (4, 0)
		0	M6B4_STAT_CNT_7945	7945	M6B4-CLM-AT-T4-NSN	INTEGER (4, 0)
		0	M6B4_STAT_CNT_7946	7946	M6B4-CLM-AT-T4A-NSN	INTEGER (4, 0)
		0	M6B4_STAT_CNT_7947	7947	M6B4-CLM-AT-T4B-NSN	INTEGER (4, 0)
		0	M6B4_STAT_CNT_7948	7948	M6B4-CLM-AT-T2-NSN	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR (7, 0)
		3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		4	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
656	TIIM_ALL_CL_DEPT	0	M6A1_STAT_CNT_7832	7832	M6A1-DP-LOA-T1-NSN	INTEGER (4, 0)
		0	M6A1_STAT_CNT_7833	7833	M6A1-DP-LOA-T1A-NSN	INTEGER (4, 0)
		0	M6A1_STAT_CNT_7834	7834	M6A1-DP-LOA-T1B-NSN	INTEGER (4, 0)
		0	M6A1_STAT_CNT_7835	7835	M6A1-DP-LOA-T4-NSN	INTEGER (4, 0)
		0	M6A1_STAT_CNT_7836	7836	M6A1-DP-LOA-T4A-NSN	INTEGER (4, 0)
		0	M6A1_STAT_CNT_7837	7837	M6A1-DP-LOA-T4B-NSN	INTEGER (4, 0)
		0	M6A1_STAT_CNT_7838	7838	M6A1-DP-LOA-T2-NSN	INTEGER (4, 0)
		0	M6C1_STAT_CNT_7852	7852	M6C1-AT-LOA-T1-NSN	INTEGER (4, 0)
		0	M6C1_STAT_CNT_7853	7853	M6C1-AT-LOA-T1A-NSN	INTEGER (4, 0)
		0	M6C1_STAT_CNT_7854	7854	M6C1-AT-LOA-T1B-NSN	INTEGER (4, 0)
		0	M6C1_STAT_CNT_7855	7855	M6C1-AT-LOA-T4-NSN	INTEGER (4, 0)
		0	M6C1_STAT_CNT_7856	7856	M6C1-AT-LOA-T4A-NSN	INTEGER (4, 0)
		0	M6C1_STAT_CNT_7857	7857	M6C1-AT-LOA-T4B-NSN	INTEGER (4, 0)
		0	M6C1_STAT_CNT_7858	7858	M6C1-AT-LOA-T2-NSN	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
		4	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR (2, 0)
657	TIIM_ALL_CL_D_A	0	M6A1_STAT_CNT_7832	7832	M6A1-DP-LOA-T1-NSN	INTEGER (4, 0)
		0	M6A1_STAT_CNT_7833	7833	M6A1-DP-LOA-T1A-NSN	INTEGER (4, 0)
		0	M6A1_STAT_CNT_7834	7834	M6A1-DP-LOA-T1B-NSN	INTEGER (4, 0)
		0	M6A1_STAT_CNT_7835	7835	M6A1-DP-LOA-T4-NSN	INTEGER (4, 0)
		0	M6A1_STAT_CNT_7836	7836	M6A1-DP-LOA-T4A-NSN	INTEGER (4, 0)
		0	M6A1_STAT_CNT_7837	7837	M6A1-DP-LOA-T4B-NSN	INTEGER (4, 0)
		0	M6A1_STAT_CNT_7838	7838	M6A1-DP-LOA-T2-NSN	INTEGER (4, 0)
		0	M6C1_STAT_CNT_7852	7852	M6C1-AT-LOA-T1-NSN	INTEGER (4, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		0	M6C1_STAT_CNT_7853	7853	M6C1-AT-LOA-T1A-NSN	INTEGER	4,	0)
		0	M6C1_STAT_CNT_7854	7854	M6C1-AT-LOA-T1B-NSN	INTEGER	4,	0)
		0	M6C1_STAT_CNT_7855	7855	M6C1-AT-LOA-T4-NSN	INTEGER	4,	0)
		0	M6C1_STAT_CNT_7856	7856	M6C1-AT-LOA-T4A-NSN	INTEGER	4,	0)
		0	M6C1_STAT_CNT_7857	7857	M6C1-AT-LOA-T4B-NSN	INTEGER	4,	0)
		0	M6C1_STAT_CNT_7858	7858	M6C1-AT-LOA-T2-NSN	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2,	0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2,	0)
		4	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR	2,	0)
658	TIIM_ALL_CL_D_TL	0	M6A1_STAT_CNT_7842	7842	M6A1-DP-T1-NSN	INTEGER	4,	0)
		0	M6A1_STAT_CNT_7843	7843	M6A1-DP-T1A-NSN	INTEGER	4,	0)
		0	M6A1_STAT_CNT_7844	7844	M6A1-DP-T1B-NSN	INTEGER	4,	0)
		0	M6A1_STAT_CNT_7845	7845	M6A1-DP-T4-NSN	INTEGER	4,	0)
		0	M6A1_STAT_CNT_7846	7846	M6A1-DP-T4A-NSN	INTEGER	4,	0)
		0	M6A1_STAT_CNT_7847	7847	M6A1-DP-T4B-NSN	INTEGER	4,	0)
		0	M6A1_STAT_CNT_7848	7848	M6A1-DP-T2-NSN	INTEGER	4,	0)
		0	M6C1_STAT_CNT_7862	7862	M6C1-AT-T1-NSN	INTEGER	4,	0)
		0	M6C1_STAT_CNT_7863	7863	M6C1-AT-T1A-NSN	INTEGER	4,	0)
		0	M6C1_STAT_CNT_7864	7864	M6C1-AT-T1B-NSN	INTEGER	4,	0)
		0	M6C1_STAT_CNT_7865	7865	M6C1-AT-T4-NSN	INTEGER	4,	0)
		0	M6C1_STAT_CNT_7866	7866	M6C1-AT-T4A-NSN	INTEGER	4,	0)
		0	M6C1_STAT_CNT_7867	7867	M6C1-AT-T4B-NSN	INTEGER	4,	0)
		0	M6C1_STAT_CNT_7868	7868	M6C1-AT-T2-NSN	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2,	0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2,	0)
659	TIIM_ALL_CL_D_TL_A	0	M6A1_STAT_CNT_7842	7842	M6A1-DP-T1-NSN	INTEGER	4,	0)
		0	M6A1_STAT_CNT_7843	7843	M6A1-DP-T1A-NSN	INTEGER	4,	0)
		0	M6A1_STAT_CNT_7844	7844	M6A1-DP-T1B-NSN	INTEGER	4,	0)
		0	M6A1_STAT_CNT_7845	7845	M6A1-DP-T4-NSN	INTEGER	4,	0)
		0	M6A1_STAT_CNT_7846	7846	M6A1-DP-T4A-NSN	INTEGER	4,	0)
		0	M6A1_STAT_CNT_7847	7847	M6A1-DP-T4B-NSN	INTEGER	4,	0)
		0	M6A1_STAT_CNT_7848	7848	M6A1-DP-T2-NSN	INTEGER	4,	0)
		0	M6C1_STAT_CNT_7862	7862	M6C1-AT-T1-NSN	INTEGER	4,	0)
		0	M6C1_STAT_CNT_7863	7863	M6C1-AT-T1A-NSN	INTEGER	4,	0)
		0	M6C1_STAT_CNT_7864	7864	M6C1-AT-T1B-NSN	INTEGER	4,	0)
		0	M6C1_STAT_CNT_7865	7865	M6C1-AT-T4-NSN	INTEGER	4,	0)
		0	M6C1_STAT_CNT_7866	7866	M6C1-AT-T4A-NSN	INTEGER	4,	0)
		0	M6C1_STAT_CNT_7867	7867	M6C1-AT-T4B-NSN	INTEGER	4,	0)
		0	M6C1_STAT_CNT_7868	7868	M6C1-AT-T2-NSN	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2,	0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2,	0)
660	TIIM_ALL_CL_ACTV	0	M6B2_STAT_CNT_7912	7912	M6B2-IM-AT-LOA-T1-NSN	INTEGER	4,	0)
		0	M6B2_STAT_CNT_7913	7913	M6B2-IM-AT-LOA-T1A-NSN	INTEGER	4,	0)
		0	M6B2_STAT_CNT_7914	7914	M6B2-IM-AT-LOA-T1B-NSN	INTEGER	4,	0)
		0	M6B2_STAT_CNT_7915	7915	M6B2-IM-AT-LOA-T4-NSN	INTEGER	4,	0)
		0	M6B2_STAT_CNT_7916	7916	M6B2-IM-AT-LOA-T4A-NSN	INTEGER	4,	0)
		0	M6B2_STAT_CNT_7917	7917	M6B2-IM-AT-LOA-T4B-NSN	INTEGER	4,	0)
		0	M6B2_STAT_CNT_7918	7918	M6B2-IM-AT-LOA-T2-NSN	INTEGER	4,	0)
		0	M6B4_STAT_CNT_7932	7932	M6B4-CLM-AT-LOA-T1-NSN	INTEGER	4,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		0	M6B4_STAT_CNT_7933	7933	M6B4-CLM-AT-LOA-T1A-NSN	INTEGER	4,	0)
		0	M6B4_STAT_CNT_7934	7934	M6B4-CLM-AT-LOA-T1B-NSN	INTEGER	4,	0)
		0	M6B4_STAT_CNT_7935	7935	M6B4-CLM-AT-LOA-T4-NSN	INTEGER	4,	0)
		0	M6B4_STAT_CNT_7936	7936	M6B4-CLM-AT-LOA-T4A-NSN	INTEGER	4,	0)
		0	M6B4_STAT_CNT_7937	7937	M6B4-CLM-AT-LOA-T4B-NSN	INTEGER	4,	0)
		0	M6B4_STAT_CNT_7938	7938	M6B4-CLM-AT-LOA-T2-NSN	INTEGER	4,	0)
		0	M6B6_STAT_CNT_7987	7987	M6B6-FSC-AT-LOA-T1-NSN	INTEGER	4,	0)
		0	M6B6_STAT_CNT_7988	7988	M6B6-FSC-AT-LOA-T1A-NSN	INTEGER	4,	0)
		0	M6B6_STAT_CNT_7989	7989	M6B6-FSC-AT-LOA-T1B-NSN	INTEGER	4,	0)
		0	M6B6_STAT_CNT_7990	7990	M6B6-FSC-AT-LOA-T4-NSN	INTEGER	4,	0)
		0	M6B6_STAT_CNT_7991	7991	M6B6-FSC-AT-LOA-T4A-NSN	INTEGER	4,	0)
		0	M6B6_STAT_CNT_7992	7992	M6B6-FSC-AT-LOA-T4B-NSN	INTEGER	4,	0)
		0	M6B6_STAT_CNT_7993	7993	M6B6-FSC-AT-LOA-T2-NSN	INTEGER	4,	0)
		0	M6C1_STAT_CNT_7852	7852	M6C1-AT-LOA-T1-NSN	INTEGER	4,	0)
		0	M6C1_STAT_CNT_7853	7853	M6C1-AT-LOA-T1A-NSN	INTEGER	4,	0)
		0	M6C1_STAT_CNT_7854	7854	M6C1-AT-LOA-T1B-NSN	INTEGER	4,	0)
		0	M6C1_STAT_CNT_7855	7855	M6C1-AT-LOA-T4-NSN	INTEGER	4,	0)
		0	M6C1_STAT_CNT_7856	7856	M6C1-AT-LOA-T4A-NSN	INTEGER	4,	0)
		0	M6C1_STAT_CNT_7857	7857	M6C1-AT-LOA-T4B-NSN	INTEGER	4,	0)
		0	M6C1_STAT_CNT_7858	7858	M6C1-AT-LOA-T2-NSN	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2,	0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	7,	0)
		4	FSG_3994	3994	ASGND-FSG	CHAR	2,	0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2,	0)
		6	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR	2,	0)
661	TIIM_ALL_CL_A_A	0	M6B2_STAT_CNT_7912	7912	M6B2-IM-AT-LOA-T1-NSN	INTEGER	4,	0)
		0	M6B2_STAT_CNT_7913	7913	M6B2-IM-AT-LOA-T1A-NSN	INTEGER	4,	0)
		0	M6B2_STAT_CNT_7914	7914	M6B2-IM-AT-LOA-T1B-NSN	INTEGER	4,	0)
		0	M6B2_STAT_CNT_7915	7915	M6B2-IM-AT-LOA-T4-NSN	INTEGER	4,	0)
		0	M6B2_STAT_CNT_7916	7916	M6B2-IM-AT-LOA-T4A-NSN	INTEGER	4,	0)
		0	M6B2_STAT_CNT_7917	7917	M6B2-IM-AT-LOA-T4B-NSN	INTEGER	4,	0)
		0	M6B2_STAT_CNT_7918	7918	M6B2-IM-AT-LOA-T2-NSN	INTEGER	4,	0)
		0	M6B4_STAT_CNT_7932	7932	M6B4-CLM-AT-LOA-T1-NSN	INTEGER	4,	0)
		0	M6B4_STAT_CNT_7933	7933	M6B4-CLM-AT-LOA-T1A-NSN	INTEGER	4,	0)
		0	M6B4_STAT_CNT_7934	7934	M6B4-CLM-AT-LOA-T1B-NSN	INTEGER	4,	0)
		0	M6B4_STAT_CNT_7935	7935	M6B4-CLM-AT-LOA-T4-NSN	INTEGER	4,	0)
		0	M6B4_STAT_CNT_7936	7936	M6B4-CLM-AT-LOA-T4A-NSN	INTEGER	4,	0)
		0	M6B4_STAT_CNT_7937	7937	M6B4-CLM-AT-LOA-T4B-NSN	INTEGER	4,	0)
		0	M6B4_STAT_CNT_7938	7938	M6B4-CLM-AT-LOA-T2-NSN	INTEGER	4,	0)
		0	M6B6_STAT_CNT_7987	7987	M6B6-FSC-AT-LOA-T1-NSN	INTEGER	4,	0)
		0	M6B6_STAT_CNT_7988	7988	M6B6-FSC-AT-LOA-T1A-NSN	INTEGER	4,	0)
		0	M6B6_STAT_CNT_7989	7989	M6B6-FSC-AT-LOA-T1B-NSN	INTEGER	4,	0)
		0	M6B6_STAT_CNT_7990	7990	M6B6-FSC-AT-LOA-T4-NSN	INTEGER	4,	0)
		0	M6B6_STAT_CNT_7991	7991	M6B6-FSC-AT-LOA-T4A-NSN	INTEGER	4,	0)
		0	M6B6_STAT_CNT_7992	7992	M6B6-FSC-AT-LOA-T4B-NSN	INTEGER	4,	0)
		0	M6B6_STAT_CNT_7993	7993	M6B6-FSC-AT-LOA-T2-NSN	INTEGER	4,	0)
		0	M6C1_STAT_CNT_7852	7852	M6C1-AT-LOA-T1-NSN	INTEGER	4,	0)
		0	M6C1_STAT_CNT_7853	7853	M6C1-AT-LOA-T1A-NSN	INTEGER	4,	0)
		0	M6C1_STAT_CNT_7854	7854	M6C1-AT-LOA-T1B-NSN	INTEGER	4,	0)
		0	M6C1_STAT_CNT_7855	7855	M6C1-AT-LOA-T4-NSN	INTEGER	4,	0)
		0	M6C1_STAT_CNT_7856	7856	M6C1-AT-LOA-T4A-NSN	INTEGER	4,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		0	M6C1_STAT_CNT_7857	7857	M6C1-AT-LOA-T4B-NSN	INTEGER	4,	0)
		0	M6C1_STAT_CNT_7858	7858	M6C1-AT-LOA-T2-NSN	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2,	0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	7,	0)
		4	FSG_3994	3994	ASGND-FSG	CHAR	2,	0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2,	0)
		6	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR	2,	0)
662	TIIM_ALL_CL_A_TL	0	M6B2_STAT_CNT_7922	7922	M6B2-IM-AT-T1-NSN	INTEGER	4,	0)
		0	M6B2_STAT_CNT_7923	7923	M6B2-IM-AT-T1A-NSN	INTEGER	4,	0)
		0	M6B2_STAT_CNT_7924	7924	M6B2-IM-AT-T1B-NSN	INTEGER	4,	0)
		0	M6B2_STAT_CNT_7925	7925	M6B2-IM-AT-T4-NSN	INTEGER	4,	0)
		0	M6B2_STAT_CNT_7926	7926	M6B2-IM-AT-T4A-NSN	INTEGER	4,	0)
		0	M6B2_STAT_CNT_7927	7927	M6B2-IM-AT-T4B-NSN	INTEGER	4,	0)
		0	M6B2_STAT_CNT_7928	7928	M6B2-IM-AT-T2-NSN	INTEGER	4,	0)
		0	M6B4_STAT_CNT_7942	7942	M6B4-CLM-AT-T1-NSN	INTEGER	4,	0)
		0	M6B4_STAT_CNT_7943	7943	M6B4-CLM-AT-T1A-NSN	INTEGER	4,	0)
		0	M6B4_STAT_CNT_7944	7944	M6B4-CLM-AT-T1B-NSN	INTEGER	4,	0)
		0	M6B4_STAT_CNT_7945	7945	M6B4-CLM-AT-T4-NSN	INTEGER	4,	0)
		0	M6B4_STAT_CNT_7946	7946	M6B4-CLM-AT-T4A-NSN	INTEGER	4,	0)
		0	M6B4_STAT_CNT_7947	7947	M6B4-CLM-AT-T4B-NSN	INTEGER	4,	0)
		0	M6B4_STAT_CNT_7948	7948	M6B4-CLM-AT-T2-NSN	INTEGER	4,	0)
		0	M6B6_STAT_CNT_7998	7998	M6B6-FSC-AT-T1-NSN	INTEGER	4,	0)
		0	M6B6_STAT_CNT_7999	7999	M6B6-FSC-AT-T1A-NSN	INTEGER	4,	0)
		0	M6B6_STAT_CNT_8000	8000	M6B6-FSC-AT-T1B-NSN	INTEGER	4,	0)
		0	M6B6_STAT_CNT_8001	8001	M6B6-FSC-AT-T4-NSN	INTEGER	4,	0)
		0	M6B6_STAT_CNT_8002	8002	M6B6-FSC-AT-T4A-NSN	INTEGER	4,	0)
		0	M6B6_STAT_CNT_8204	8204	M6B6-FSC-AT-T4B-NSN	INTEGER	4,	0)
		0	M6B6_STAT_CNT_8205	8205	M6B6-FSC-AT-T2-NSN	INTEGER	4,	0)
		0	M6C1_STAT_CNT_7862	7862	M6C1-AT-T1-NSN	INTEGER	4,	0)
		0	M6C1_STAT_CNT_7863	7863	M6C1-AT-T1A-NSN	INTEGER	4,	0)
		0	M6C1_STAT_CNT_7864	7864	M6C1-AT-T1B-NSN	INTEGER	4,	0)
		0	M6C1_STAT_CNT_7865	7865	M6C1-AT-T4-NSN	INTEGER	4,	0)
		0	M6C1_STAT_CNT_7866	7866	M6C1-AT-T4A-NSN	INTEGER	4,	0)
		0	M6C1_STAT_CNT_7867	7867	M6C1-AT-T4B-NSN	INTEGER	4,	0)
		0	M6C1_STAT_CNT_7868	7868	M6C1-AT-T2-NSN	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2,	0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	7,	0)
		4	FSG_3994	3994	ASGND-FSG	CHAR	2,	0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2,	0)
		6	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2,	0)
663	TIIM_ALL_CL_A_TL_A	0	M6B2_STAT_CNT_7922	7922	M6B2-IM-AT-T1-NSN	INTEGER	4,	0)
		0	M6B2_STAT_CNT_7923	7923	M6B2-IM-AT-T1A-NSN	INTEGER	4,	0)
		0	M6B2_STAT_CNT_7924	7924	M6B2-IM-AT-T1B-NSN	INTEGER	4,	0)
		0	M6B2_STAT_CNT_7925	7925	M6B2-IM-AT-T4-NSN	INTEGER	4,	0)
		0	M6B2_STAT_CNT_7926	7926	M6B2-IM-AT-T4A-NSN	INTEGER	4,	0)
		0	M6B2_STAT_CNT_7927	7927	M6B2-IM-AT-T4B-NSN	INTEGER	4,	0)
		0	M6B2_STAT_CNT_7928	7928	M6B2-IM-AT-T2-NSN	INTEGER	4,	0)
		0	M6B4_STAT_CNT_7942	7942	M6B4-CLM-AT-T1-NSN	INTEGER	4,	0)
		0	M6B4_STAT_CNT_7943	7943	M6B4-CLM-AT-T1A-NSN	INTEGER	4,	0)
		0	M6B4_STAT_CNT_7944	7944	M6B4-CLM-AT-T1B-NSN	INTEGER	4,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	---------DATA--------- TYPE--LENGTH--DECIMAL
		0	M6B4_STAT_CNT_7945	7945	M6B4-CLM-AT-T4-NSN	INTEGER (4, 0)
		0	M6B4_STAT_CNT_7946	7946	M6B4-CLM-AT-T4A-NSN	INTEGER (4, 0)
		0	M6B4_STAT_CNT_7947	7947	M6B4-CLM-AT-T4B-NSN	INTEGER (4, 0)
		0	M6B4_STAT_CNT_7948	7948	M6B4-CLM-AT-T2-NSN	INTEGER (4, 0)
		0	M6B6_STAT_CNT_7998	7998	M6B6-FSC-AT-T1-NSN	INTEGER (4, 0)
		0	M6B6_STAT_CNT_7999	7999	M6B6-FSC-AT-T1A-NSN	INTEGER (4, 0)
		0	M6B6_STAT_CNT_8000	8000	M6B6-FSC-AT-T1B-NSN	INTEGER (4, 0)
		0	M6B6_STAT_CNT_8001	8001	M6B6-FSC-AT-T4-NSN	INTEGER (4, 0)
		0	M6B6_STAT_CNT_8002	8002	M6B6-FSC-AT-T4A-NSN	INTEGER (4, 0)
		0	M6B6_STAT_CNT_8204	8204	M6B6-FSC-AT-T4B-NSN	INTEGER (4, 0)
		0	M6B6_STAT_CNT_8205	8205	M6B6-FSC-AT-T2-NSN	INTEGER (4, 0)
		0	M6C1_STAT_CNT_7862	7862	M6C1-AT-T1-NSN	INTEGER (4, 0)
		0	M6C1_STAT_CNT_7863	7863	M6C1-AT-T1A-NSN	INTEGER (4, 0)
		0	M6C1_STAT_CNT_7864	7864	M6C1-AT-T1B-NSN	INTEGER (4, 0)
		0	M6C1_STAT_CNT_7865	7865	M6C1-AT-T4-NSN	INTEGER (4, 0)
		0	M6C1_STAT_CNT_7866	7866	M6C1-AT-T4A-NSN	INTEGER (4, 0)
		0	M6C1_STAT_CNT_7867	7867	M6C1-AT-T4B-NSN	INTEGER (4, 0)
		0	M6C1_STAT_CNT_7868	7868	M6C1-AT-T2-NSN	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR (7, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
		6	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
664	TYPII_XFR_OAC_QTR	0	TRFR_STAT_CNT_1561	1561	TRFR-ODP-T1-4-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_1562	1562	TRFR-ODP-T2-1-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_1563	1563	TRFR-ODP-T2-4-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_1564	1564	TRFR-ODP-T4-1-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_1565	1565	TRFR-ODP-T4-2-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_1567	1567	TRFR-OAC-T1-2-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_1568	1568	TRFR-OAC-T1-4-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_1569	1569	TRFR-OAC-T2-1-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_1570	1570	TRFR-OAC-T2-4-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_1571	1571	TRFR-OAC-T4-1-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_1572	1572	TRFR-OAC-T4-2-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_6778	6778	TRFR-ODP-T1-2-NSN	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
666	MADS_DIST_CNTL	0	FILE_CHAR_CNT_9157	9157	FILE-CHAR-CNT	INTEGER (4, 0)
		0	FILE_CHAR_MIN_9243	9243	FILE-CHAR-MIN-QY	INTEGER (4, 0)
		0	FILE_REC_CNT_9158	9158	FILE-REC-CNT	INTEGER (4, 0)
		0	FILE_REC_MIN_9242	9242	FILE-REC-MIN-QY	INTEGER (4, 0)
		0	MADS_DB2_PART_9241	9241	MADS-DB2-PARTITION-QY	SMALLINT (2, 0)
		0	RELEASED_TS_9208	9208	RELEASED-TS	TIMESTMP (10, 0)
		0	TMSTMP_3059	3059	TMSTMP	TIMESTMP (10, 0)
		0	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER (4, 0)
668	TYPII_SAC_QTR	0	TRFR_STAT_CNT_2451	2451	TRFR-SAC-CUR-T2-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_2452	2452	TRFR-SAC-CUR-T1-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_2453	2453	TRFR-SAC-CUR-T4-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_2459	2459	TRFR-SDP-CUR-T2-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_2460	2460	TRFR-SDP-CUR-T1-NSN	INTEGER (4, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	----------DATA---------- TYPE--LENGTH--DECIMAL
		0	TRFR_STAT_CNT_9640	9640	TRFR-SDP-CUR-T4-NSN	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
670	TYPII_XFR_SAC_FYD	0	TRFR_STAT_CNT_2466	2466	TRFR-SAC-FYD-T1-2-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_2467	2467	TRFR-SAC-FYD-T1-4-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_2468	2468	TRFR-SAC-FYD-T2-1-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_2469	2469	TRFR-SAC-FYD-T2-4-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_2470	2470	TRFR-SAC-FYD-T4-1-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_2474	2474	TRFR-SDP-FYD-T1-4-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_2475	2475	TRFR-SDP-FYD-T2-1-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_2476	2476	TRFR-SDP-FYD-T2-4-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_2477	2477	TRFR-SDP-FYD-T4-1-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_2478	2478	TRFR-SDP-FYD-T4-2-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_2741	2741	TRFR-SAC-FYD-T4-2-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_2743	2743	TRFR-SDP-FYD-T1-2-NSN	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
		4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		5	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
672	TYPII_XFR_SAC_QTR	0	TRFR_STAT_CNT_2146	2146	TRFR-SAC-T2-4-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_2147	2147	TRFR-SAC-T2-1-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_2461	2461	TRFR-SDP-T1-2-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_2462	2462	TRFR-SDP-T1-4-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_2463	2463	TRFR-SDP-T2-1-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_2464	2464	TRFR-SDP-T4-2-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_9662	9662	TRFR-SAC-T1-2-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_9663	9663	TRFR-SAC-T1-4-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_9664	9664	TRFR-SAC-T4-1-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_9665	9665	TRFR-SAC-T4-2-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_9667	9667	TRFR-SDP-T2-4-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_9668	9668	TRFR-SDP-T4-1-NSN	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
673	TYPII_XFR_SAC_QT_A	0	TRFR_STAT_CNT_2146	2146	TRFR-SAC-T2-4-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_2147	2147	TRFR-SAC-T2-1-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_2461	2461	TRFR-SDP-T1-2-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_2462	2462	TRFR-SDP-T1-4-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_2463	2463	TRFR-SDP-T2-1-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_2464	2464	TRFR-SDP-T4-2-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_9662	9662	TRFR-SAC-T1-2-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_9663	9663	TRFR-SAC-T1-4-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_9664	9664	TRFR-SAC-T4-1-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_9665	9665	TRFR-SAC-T4-2-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_9667	9667	TRFR-SDP-T2-4-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_9668	9668	TRFR-SDP-T4-1-NSN	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
676	TYPII_OAC_DTL	0	TRFR_STAT_CNT_1561	1561	TRFR-ODP-T1-4-NSN	INTEGER (4, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		0	TRFR_STAT_CNT_1562	1562	TRFR-ODP-T2-1-NSN	INTEGER	4	0
		0	TRFR_STAT_CNT_1563	1563	TRFR-ODP-T2-4-NSN	INTEGER	4	0
		0	TRFR_STAT_CNT_1564	1564	TRFR-ODP-T4-1-NSN	INTEGER	4	0
		0	TRFR_STAT_CNT_1565	1565	TRFR-ODP-T4-2-NSN	INTEGER	4	0
		0	TRFR_STAT_CNT_1567	1567	TRFR-OAC-T1-2-NSN	INTEGER	4	0
		0	TRFR_STAT_CNT_1568	1568	TRFR-OAC-T1-4-NSN	INTEGER	4	0
		0	TRFR_STAT_CNT_1569	1569	TRFR-OAC-T2-1-NSN	INTEGER	4	0
		0	TRFR_STAT_CNT_1570	1570	TRFR-OAC-T2-4-NSN	INTEGER	4	0
		0	TRFR_STAT_CNT_1571	1571	TRFR-OAC-T4-1-NSN	INTEGER	4	0
		0	TRFR_STAT_CNT_1572	1572	TRFR-OAC-T4-2-NSN	INTEGER	4	0
		0	TRFR_STAT_CNT_6778	6778	TRFR-ODP-T1-2-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
677	TYPII_OAC_DTL_A	0	TRFR_STAT_CNT_1561	1561	TRFR-ODP-T1-4-NSN	INTEGER	4	0
		0	TRFR_STAT_CNT_1562	1562	TRFR-ODP-T2-1-NSN	INTEGER	4	0
		0	TRFR_STAT_CNT_1563	1563	TRFR-ODP-T2-4-NSN	INTEGER	4	0
		0	TRFR_STAT_CNT_1564	1564	TRFR-ODP-T4-1-NSN	INTEGER	4	0
		0	TRFR_STAT_CNT_1565	1565	TRFR-ODP-T4-2-NSN	INTEGER	4	0
		0	TRFR_STAT_CNT_1567	1567	TRFR-OAC-T1-2-NSN	INTEGER	4	0
		0	TRFR_STAT_CNT_1568	1568	TRFR-OAC-T1-4-NSN	INTEGER	4	0
		0	TRFR_STAT_CNT_1569	1569	TRFR-OAC-T2-1-NSN	INTEGER	4	0
		0	TRFR_STAT_CNT_1570	1570	TRFR-OAC-T2-4-NSN	INTEGER	4	0
		0	TRFR_STAT_CNT_1571	1571	TRFR-OAC-T4-1-NSN	INTEGER	4	0
		0	TRFR_STAT_CNT_1572	1572	TRFR-OAC-T4-2-NSN	INTEGER	4	0
		0	TRFR_STAT_CNT_6778	6778	TRFR-ODP-T1-2-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
678	FCS_Q_S_REF	0	FCS_STAT_CNT_6886	6886	FCS-REF-SDP-TII-1-NSN	INTEGER	4	0
		0	FCS_STAT_CNT_6887	6887	FCS-REF-SDP-TII-2-NSN	INTEGER	4	0
		0	FCS_STAT_CNT_6888	6888	FCS-REF-SDP-TII-4-NSN	INTEGER	4	0
		0	FCS_STAT_CNT_8162	8162	FCS-REF-SAC-TII-1-NSN	INTEGER	4	0
		0	FCS_STAT_CNT_8163	8163	FCS-REF-SAC-TII-2-NSN	INTEGER	4	0
		0	FCS_STAT_CNT_8164	8164	FCS-REF-SAC-TII-4-NSN	INTEGER	4	0
		0	FCS_STAT_CNT_8170	8170	FCS-C-REF-SAC-TII-1-NSN	INTEGER	4	0
		0	FCS_STAT_CNT_8171	8171	FCS-C-REF-SAC-TII-2-NSN	INTEGER	4	0
		0	FCS_STAT_CNT_8172	8172	FCS-C-REF-SAC-TII-4-NSN	INTEGER	4	0
		0	FCS_STAT_CNT_8173	8173	FCS-C-REF-SDP-TII-1-NSN	INTEGER	4	0
		0	FCS_STAT_CNT_8174	8174	FCS-C-REF-SDP-TII-2-NSN	INTEGER	4	0
		0	FCS_STAT_CNT_8175	8175	FCS-C-REF-SDP-TII-4-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
679	FCS_Q_S_REF_A	0	FCS_STAT_CNT_6886	6886	FCS-REF-SDP-TII-1-NSN	INTEGER	4	0
		0	FCS_STAT_CNT_6887	6887	FCS-REF-SDP-TII-2-NSN	INTEGER	4	0
		0	FCS_STAT_CNT_6888	6888	FCS-REF-SDP-TII-4-NSN	INTEGER	4	0
		0	FCS_STAT_CNT_8162	8162	FCS-REF-SAC-TII-1-NSN	INTEGER	4	0
		0	FCS_STAT_CNT_8163	8163	FCS-REF-SAC-TII-2-NSN	INTEGER	4	0
		0	FCS_STAT_CNT_8164	8164	FCS-REF-SAC-TII-4-NSN	INTEGER	4	0
		0	FCS_STAT_CNT_8170	8170	FCS-C-REF-SAC-TII-1-NSN	INTEGER	4	0
		0	FCS_STAT_CNT_8171	8171	FCS-C-REF-SAC-TII-2-NSN	INTEGER	4	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	----------DATA---------- TYPE--LENGTH--DECIMAL
		0	FCS_STAT_CNT_8172	8172	FCS-C-REF-SAC-TII-4-NSN	INTEGER (4, 0)
		0	FCS_STAT_CNT_8173	8173	FCS-C-REF-SDP-TII-1-NSN	INTEGER (4, 0)
		0	FCS_STAT_CNT_8174	8174	FCS-C-REF-SDP-TII-2-NSN	INTEGER (4, 0)
		0	FCS_STAT_CNT_8175	8175	FCS-C-REF-SDP-TII-4-NSN	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
680	TYPII_SAC_DTL	0	TRFR_STAT_CNT_2146	2146	TRFR-SAC-T2-4-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_2147	2147	TRFR-SAC-T2-1-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_2461	2461	TRFR-SDP-T1-2-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_2462	2462	TRFR-SDP-T1-4-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_2463	2463	TRFR-SDP-T2-1-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_2464	2464	TRFR-SDP-T4-2-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_9662	9662	TRFR-SAC-T1-2-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_9663	9663	TRFR-SAC-T1-4-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_9664	9664	TRFR-SAC-T4-1-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_9665	9665	TRFR-SAC-T4-2-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_9667	9667	TRFR-SDP-T2-4-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_9668	9668	TRFR-SDP-T4-1-NSN	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
681	TYPII_SAC_DTL_A	0	TRFR_STAT_CNT_2146	2146	TRFR-SAC-T2-4-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_2147	2147	TRFR-SAC-T2-1-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_2461	2461	TRFR-SDP-T1-2-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_2462	2462	TRFR-SDP-T1-4-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_2463	2463	TRFR-SDP-T2-1-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_2464	2464	TRFR-SDP-T4-2-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_9662	9662	TRFR-SAC-T1-2-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_9663	9663	TRFR-SAC-T1-4-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_9664	9664	TRFR-SAC-T4-1-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_9665	9665	TRFR-SAC-T4-2-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_9667	9667	TRFR-SDP-T2-4-NSN	INTEGER (4, 0)
		0	TRFR_STAT_CNT_9668	9668	TRFR-SDP-T4-1-NSN	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
682	FCS_Q_S_AIN	0	FCS_STAT_CNT_6428	6428	FCS-AIN-SAC-TII-1-NSN	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
683	FCS_Q_S_AIN_A	0	FCS_STAT_CNT_6428	6428	FCS-AIN-SAC-TII-1-NSN	INTEGER (4, 0)
		0	FCS_STAT_CNT_6431	6431	FCS-AIN-SAC-TII-2-NSN	INTEGER (4, 0)
		0	FCS_STAT_CNT_6432	6432	FCS-AIN-SAC-TII-4-NSN	INTEGER (4, 0)
		0	FCS_STAT_CNT_6438	6438	FCS-C-AIN-SAC-TII-1-NSN	INTEGER (4, 0)
		0	FCS_STAT_CNT_6439	6439	FCS-C-AIN-SAC-TII-2-NSN	INTEGER (4, 0)
		0	FCS_STAT_CNT_6440	6440	FCS-C-AIN-SAC-TII-4-NSN	INTEGER (4, 0)
		0	FCS_STAT_CNT_6445	6445	FCS-AIN-SDP-TII-1-NSN	INTEGER (4, 0)
		0	FCS_STAT_CNT_6446	6446	FCS-AIN-SDP-TII-2-NSN	INTEGER (4, 0)
		0	FCS_STAT_CNT_6447	6447	FCS-AIN-SDP-TII-4-NSN	INTEGER (4, 0)
		0	FCS_STAT_CNT_6453	6453	FCS-C-AIN-SDP-TII-1-NSN	INTEGER (4, 0)
		0	FCS_STAT_CNT_6454	6454	FCS-C-AIN-SDP-TII-2-NSN	INTEGER (4, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		0	FCS_STAT_CNT_6455	6455	FCS-C-AIN-SDP-TII-4-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
684	NATO_IDENT	0	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2	0
		0	FSG_3994	3994	ASGND-FSG	CHAR	2	0
		0	INC_4080	4080	INC	CHAR	5	0
		0	NATO_RPLM_NSN_8971	8971	NATO-RPLM-NSN-CANCL-ID	CHAR	16	0
		0	NIIN_STAT_CD_2670	2670	NIIN-PSCN-STAT-CD	CHAR	1	0
		0	SHRT_NM_2301	2301	SHRT-NM	CHAR	19	0
		1	NCB_CD_4130	4130	NCB-CD	CHAR	2	0
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	7	0
685	NATO_CAGE	0	NATO_MFR_FAX_8975	8975	NATO-MFR-FAX-NBR-ID	CHAR	38	0
		0	NATO_MFR_NM_8972	8972	NATO-MFR-NM	CHAR	195	0
		0	NATO_MFR_TEL_8974	8974	NATO-MFR-TEL-NBR-ID	CHAR	38	0
		1	NSCM_4140	4140	NATO-NSCM-CD	CHAR	5	0
686	NATO_NIIN_REF	0	RNAAC_2900	2900	RNAAC	CHAR	2	0
		0	RNCC_2910	2910	RNCC	CHAR	1	0
		0	RNFC_2920	2920	REF-NBR-FMT-CD	CHAR	1	0
		0	RNJC_2750	2750	RNJC	CHAR	1	0
		0	RNSC_2923	2923	REF-NBR-STAT-CD	CHAR	1	0
		0	RNVC_4780	4780	RNVC	CHAR	1	0
		1	NCB_CD_4130	4130	NCB-CD	CHAR	2	0
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	7	0
		3	REF_NBR_3570	3570	REF-NBR-LOG	CHAR	32	0
		4	CAGE_CD_9250	9250	CAGE-CD	CHAR	5	0
687	NATO_MOE_RULE	1	NCB_CD_4130	4130	NCB-CD	CHAR	2	0
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	7	0
		3	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	4	0
688	NATO_CHAR	0	I_I_NBR_4131	4131	I-I-NBR	CHAR	7	0
		0	MRC_3445	3445	MRC	CHAR	4	0
		0	MRC_CLR_TXT_R_0113	0113	MRC-CLRTXT-RPLY-FLD	VARCHAR	999	0
		0	NCB_CD_4130	4130	NCB-CD	CHAR	2	0
		0	RQMT_STMT_3614	3614	RQMT-STMT	VARCHAR	110	0
690	ITEM_NAME_DEPT_TOT	0	IN_STAT_CNT_6691	6691	IN-DP-AIN-NSN	INTEGER	4	0
		0	IN_STAT_CNT_6692	6692	IN-DP-NAIN-NSN	INTEGER	4	0
		0	IN_STAT_CNT_6699	6699	IN-DP-AIN-NR-NSN	INTEGER	4	0
		0	IN_STAT_CNT_6700	6700	IN-DP-NAIN-NR-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
691	ITEMNM_DEPT_TOT_A	0	IN_STAT_CNT_6691	6691	IN-DP-AIN-NSN	INTEGER	4	0
		0	IN_STAT_CNT_6692	6692	IN-DP-NAIN-NSN	INTEGER	4	0
		0	IN_STAT_CNT_6699	6699	IN-DP-AIN-NR-NSN	INTEGER	4	0
		0	IN_STAT_CNT_6700	6700	IN-DP-NAIN-NR-NSN	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
692	COMALTY_SDOD_TOT	0	ICDS_STAT_CNT_5827	5827	ICDS-FSC-ALL-DOD-MM	INTEGER	4	0
		0	ICDS_STAT_CNT_5829	5829	ICDS-FSC-ALL-MS-MM	INTEGER	4	0
		0	ICDS_STAT_CNT_5831	5831	ICDS-FSC-ALL-IM-MM	INTEGER	4	0
		0	ICDS_STAT_CNT_5833	5833	ICDS-FSC-ALL-OD-MM	INTEGER	4	0
		0	ICDS_STAT_CNT_5843	5843	ICDS-IM-ALL-DOD-MM	INTEGER	4	0
		0	ICDS_STAT_CNT_5860	5860	ICDS-IM-ALL-MS-MM	INTEGER	4	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		0	ICDS_STAT_CNT_5905	5905	ICDS-IM-ALL-IM-MM	INTEGER	4,	0)
		0	ICDS_STAT_CNT_5907	5907	ICDS-IM-ALL-OD-MM	INTEGER	4,	0)
		0	ICDS_STAT_CNT_5917	5917	ICDS-LA-ALL-DOD-MM	INTEGER	4,	0)
		0	ICDS_STAT_CNT_5919	5919	ICDS-LA-ALL-MS-MM	INTEGER	4,	0)
		0	ICDS_STAT_CNT_5921	5921	ICDS-LA-ALL-IM-MM	INTEGER	4,	0)
		0	ICDS_STAT_CNT_5923	5923	ICDS-LA-ALL-OD-MM	INTEGER	4,	0)
		0	ICDS_STAT_CNT_5933	5933	ICDS-LA-FSC-ALL-DOD-MM	INTEGER	4,	0)
		0	ICDS_STAT_CNT_5935	5935	ICDS-LA-FSC-ALL-MS-MM	INTEGER	4,	0)
		0	ICDS_STAT_CNT_5937	5937	ICDS-LA-FSC-ALL-IM-MM	INTEGER	4,	0)
		0	ICDS_STAT_CNT_5939	5939	ICDS-LA-FSC-ALL-OD-MM	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2,	0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	7,	0)
		4	FSG_3994	3994	ASGND-FSG	CHAR	2,	0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2,	0)
693	COMALTY_SDOD_TOT_A	0	ICDS_STAT_CNT_5827	5827	ICDS-FSC-ALL-DOD-MM	INTEGER	4,	0)
		0	ICDS_STAT_CNT_5829	5829	ICDS-FSC-ALL-MS-MM	INTEGER	4,	0)
		0	ICDS_STAT_CNT_5831	5831	ICDS-FSC-ALL-IM-MM	INTEGER	4,	0)
		0	ICDS_STAT_CNT_5833	5833	ICDS-FSC-ALL-OD-MM	INTEGER	4,	0)
		0	ICDS_STAT_CNT_5843	5843	ICDS-IM-ALL-DOD-MM	INTEGER	4,	0)
		0	ICDS_STAT_CNT_5860	5860	ICDS-IM-ALL-MS-MM	INTEGER	4,	0)
		0	ICDS_STAT_CNT_5905	5905	ICDS-IM-ALL-IM-MM	INTEGER	4,	0)
		0	ICDS_STAT_CNT_5907	5907	ICDS-IM-ALL-OD-MM	INTEGER	4,	0)
		0	ICDS_STAT_CNT_5917	5917	ICDS-LA-ALL-DOD-MM	INTEGER	4,	0)
		0	ICDS_STAT_CNT_5919	5919	ICDS-LA-ALL-MS-MM	INTEGER	4,	0)
		0	ICDS_STAT_CNT_5921	5921	ICDS-LA-ALL-IM-MM	INTEGER	4,	0)
		0	ICDS_STAT_CNT_5923	5923	ICDS-LA-ALL-OD-MM	INTEGER	4,	0)
		0	ICDS_STAT_CNT_5933	5933	ICDS-LA-FSC-ALL-DOD-MM	INTEGER	4,	0)
		0	ICDS_STAT_CNT_5935	5935	ICDS-LA-FSC-ALL-MS-MM	INTEGER	4,	0)
		0	ICDS_STAT_CNT_5937	5937	ICDS-LA-FSC-ALL-IM-MM	INTEGER	4,	0)
		0	ICDS_STAT_CNT_5939	5939	ICDS-LA-FSC-ALL-OD-MM	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2,	0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	7,	0)
		4	FSG_3994	3994	ASGND-FSG	CHAR	2,	0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2,	0)
694	COMALTY_M_S_TOT	0	ICWS_STAT_CNT_5755	5755	ICWS-ALL-MNGD-MM	INTEGER	4,	0)
		0	ICWS_STAT_CNT_5757	5757	ICWS-ALL-DOD-MM	INTEGER	4,	0)
		0	ICWS_STAT_CNT_5759	5759	ICWS-ALL-CI-MM	INTEGER	4,	0)
		0	ICWS_STAT_CNT_5761	5761	ICWS-ALL-OGOV-MM	INTEGER	4,	0)
		0	ICWS_STAT_CNT_5763	5763	ICWS-IM-ALL-MNGD-MM	INTEGER	4,	0)
		0	ICWS_STAT_CNT_5765	5765	ICWS-IM-ALL-DOD-MM	INTEGER	4,	0)
		0	ICWS_STAT_CNT_5767	5767	ICWS-IM-ALL-CI-MM	INTEGER	4,	0)
		0	ICWS_STAT_CNT_5769	5769	ICWS-IM-ALL-OGOV-MM	INTEGER	4,	0)
		0	ICWS_STAT_CNT_5771	5771	ICWS-LA-ALL-MNGD-MM	INTEGER	4,	0)
		0	ICWS_STAT_CNT_5773	5773	ICWS-LA-ALL-DOD-MM	INTEGER	4,	0)
		0	ICWS_STAT_CNT_5775	5775	ICWS-LA-ALL-CI-MM	INTEGER	4,	0)
		0	ICWS_STAT_CNT_5777	5777	ICWS-LA-ALL-OGOV-MM	INTEGER	4,	0)
		0	ICWS_STAT_CNT_5807	5807	ICWS-LA-FSC-MNGD-MM	INTEGER	4,	0)
		0	ICWS_STAT_CNT_5809	5809	ICWS-LA-FSC-DOD-MM	INTEGER	4,	0)
		0	ICWS_STAT_CNT_5811	5811	ICWS-LA-FSC-CI-MM	INTEGER	4,	0)
		0	ICWS_STAT_CNT_5813	5813	ICWS-LA-FSC-OGOV-MM	INTEGER	4,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	7	0
		4	FSG_3994	3994	ASGND-FSG	CHAR	2	0
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2	0
695	COMALTY_M_S_TOT_A	0	ICWS_STAT_CNT_5759	5759	ICWS-ALL-CI-MM	INTEGER	4	0
		0	ICWS_STAT_CNT_5763	5763	ICWS-IM-ALL-MNGD-MM	INTEGER	4	0
		0	ICWS_STAT_CNT_5765	5765	ICWS-IM-ALL-DOD-MM	INTEGER	4	0
		0	ICWS_STAT_CNT_5767	5767	ICWS-IM-ALL-CI-MM	INTEGER	4	0
		0	ICWS_STAT_CNT_5769	5769	ICWS-IM-ALL-OGOV-MM	INTEGER	4	0
		0	ICWS_STAT_CNT_5771	5771	ICWS-LA-ALL-MNGD-MM	INTEGER	4	0
		0	ICWS_STAT_CNT_5773	5773	ICWS-LA-ALL-DOD-MM	INTEGER	4	0
		0	ICWS_STAT_CNT_5777	5777	ICWS-LA-ALL-OGOV-MM	INTEGER	4	0
		0	ICWS_STAT_CNT_5807	5807	ICWS-LA-FSC-MNGD-MM	INTEGER	4	0
		0	ICWS_STAT_CNT_5809	5809	ICWS-LA-FSC-DOD-MM	INTEGER	4	0
		0	ICWS_STAT_CNT_5811	5811	ICWS-LA-FSC-CI-MM	INTEGER	4	0
		0	ICWS_STAT_CNT_5813	5813	ICWS-LA-FSC-OGOV-MM	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	7	0
		4	FSG_3994	3994	ASGND-FSG	CHAR	2	0
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2	0
696	NAIN_POP_TOT	0	POP_STAT_CNT_6732	6732	POP-NAIN-FSC-ALL-INAC	INTEGER	4	0
		0	POP_STAT_CNT_6733	6733	POP-NAIN-FSC-ALL-MG	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	FSG_3994	3994	ASGND-FSG	CHAR	2	0
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2	0
697	NAIN_POP_TOT_A	0	POP_STAT_CNT_6732	6732	POP-NAIN-FSC-ALL-INAC	INTEGER	4	0
		0	POP_STAT_CNT_6733	6733	POP-NAIN-FSC-ALL-MG	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	FSG_3994	3994	ASGND-FSG	CHAR	2	0
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2	0
698	STAT_DEPT_NME_CD	0	STAT_DEPT_NM_9704	9704	STAT-DEPT-NAME	CHAR	7	0
		1	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
699	IDS_AUTO_QA	0	CNFDNC_LVL_RT_2673	2673	CNFDNC-LVL-RT	CHAR	2	0
		0	ERR_RT_2674	2674	ERR-RT	CHAR	2	0
		0	OP_PROD_EXTR_2672	2672	OP-PROD-EXTR-QY	INTEGER	4	0
		0	SMPL_SZ_QY_2675	2675	SMPL-SZ-QY	SMALLINT	2	0
700	CAGE_AFFL_CODES	0	CAGE_AFFL_DEF_3366	3366	TYPE-CAGE-NSCM-AFFL-CD-DEF	CHAR	50	0
		0	TYP_CAGE_AFFL_0250	0250	TYPE-CAGE-NSCM-AFFL-CD	CHAR	1	0
701	COUNTRY_CODES	0	CNTRY_1085	1085	CNTRY	CHAR	36	0
		0	CNTRY_CD_3408	3408	CNTRY-CD	CHAR	3	0
702	TEL_TYP_CODES	0	TEL_NBR_TYP_1088	1088	TEL-NBR-TYP-CD	CHAR	1	0
		0	TEL_TYP_DEF_3413	3413	TEL-NBR-TYP-CD-DEF	CHAR	20	0
703	TYP_OF_BUS_CODES	0	TYP_BUS_CD_1366	1366	TYP-OF-BUS-CD	CHAR	1	0
		0	TYP_BUS_DEF_3369	3369	TYP-OF-BUS-DEF	CHAR	50	0
704	PRIM_BUS_CODES	0	BUS_CAT_DEF_3368	3368	PRIM-BUS-CAT-DEF	CHAR	50	0
		0	PR_BUS_CAT_CD_1365	1365	PRIM-BUS-CTGY-CD	CHAR	1	0
705	SIZE_OF_BUS_CODES	0	SZ_OF_BUS_CD_1364	1364	SZ-OF-BUS-CD	CHAR	1	0
		0	SZ_OF_BUS_DEF_3367	3367	SZ-OF-BUS-CD-DEF	CHAR	50	0
706	TYP_OF_CORP_CODES	0	BUS_FM_CD_3406	3406	BUS-FM-CD	CHAR	1	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		0	BUS_FM_CD_DEF_3372	3372	BUS-FM-CD-DEF	CHAR	100,	0)
707	TIN_EXMP_CODES	0	TAX_PYR_EXMPN_3402	3402	TAXPYR-ID-EXMPN-CD	CHAR	1,	0)
		0	TPYR_EXMP_DEF_3371	3371	TAXPYR-ID-EXMPN-DEF	CHAR	50,	0)
708	CAGE_RSN_CODES	0	CAGE_RQST_RSN_3407	3407	CAGE-RQST-RSN-CD	CHAR	1,	0)
		0	CAGE_RSN_DEF_3370	3370	CAGE-RQST-RSN-DEF	CHAR	100,	0)
709	COMM_DATA	0	CMMD_CPBLTY_3418	3418	MDLS-FTP-CMMD-CPBLTY-CD	CHAR	1,	0)
		0	COMM_ADRS_ID_6572			CHAR	20,	0)
		0	COMM_FILE_NM_6575			CHAR	45,	0)
		0	EXTRNL_PASWD_6574			CHAR	15,	0)
		0	EXTRNL_USRID_6573			CHAR	8,	0)
		0	FTP_STAT_IND_2576	2576	FTP-STAT-IND-CD	CHAR	1,	0)
		0	NULL_MSG_IND_2577	2577	NULL-MSG-IND-CD	CHAR	1,	0)
		1	ACTY_GRP_9133	9133	ACTY-GRP	CHAR	12,	0)
710	ADP_CAO_TO_BATCH	0	DE_IMG_AFT_CG_1377	1377	DATA-ELE-IMG-AFT-CHNG	CHAR	36,	0)
		0	DE_IMG_BEF_CG_1376	1376	DATA-ELE-IMG-BEF-CHNG	CHAR	36,	0)
		0	RESTRT_COMMIT_9515	9515	RESTART-COMMIT-ID	CHAR	8,	0)
		0	TYP_LST_ACT_0044	0044	TYP-LST-ACT	CHAR	1,	0)
		0	USR_CD_1101	1101	USR-CD	CHAR	8,	0)
		1	RECVD_STAMP_9204	9204	RECVD-STAMP	TIMESTMP	10,	0)
711	HCC_TABLE	0	HCC_ABRV_DEF_9077	9077	HCC-ABRV-DEF-TX	CHAR	40,	0)
		0	HCC_GP_9079	9079	HCC-GP-TX	CHAR	60,	0)
		1	HCC_2579	2579	HZRD-CHAR-CD	CHAR	2,	0)
715	SP_PROJ_MM_OUT	0	OUTPUT_RECORD_9196	9196	OUTPUT-RECORD	VARCHAR	1500,	0)
		1	SP_PROJ_9223	9223	TM-SP-PROJ-ID	CHAR	4,	0)
		2	ACTY_GRP_9133	9133	ACTY-GRP	CHAR	12,	0)
		3	OP_MOD_MED_CD_3740	3740	OP-MODE-MED-CD	CHAR	2,	0)
		4	OP_DATA_GP_9802	9802	TM-OP-DATA-GP	CHAR	1,	0)
		5	USER_DEF_FLG_9803	9803	TM-USER-DEF-FLG	CHAR	1,	0)
		6	OP_SEQ_FLD_9801	9801	TM-OP-SEQ-FLD	CHAR	25,	0)
		7	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER	4,	0)
716	IMCA_FSC_EDIT	1	ACTY_CD_2046	2046	ACTY-CD	CHAR	6,	0)
717	SSP_FSC_EDIT	1	ACTY_CD_2046	2046	ACTY-CD	CHAR	6,	0)
718	STDZN_SUB_FSC_EDIT	1	ACTY_CD_2046	2046	ACTY-CD	CHAR	6,	0)
719	AR_FSC_MGR_EDIT	1	ACTY_CD_2046	2046	ACTY-CD	CHAR	6,	0)
720	AF_FSC_MGR_EDIT	1	ACTY_CD_2046	2046	ACTY-CD	CHAR	6,	0)
721	DIST_SEG_M_EDIT	1	ACTY_CD_2046	2046	ACTY-CD	CHAR	6,	0)
723	AMMO_CODE_VALUES	0	STA_CD_NM_FSC_0320	0320	STATUS-CD-NM-FSC	CHAR	1,	0)
		1	AMMO_CD_8805	8805	AMMO-CD	CHAR	4,	0)
724	NAME_CODE_VALUES	0	STA_CD_NM_FSC_0320	0320	STATUS-CD-NM-FSC	CHAR	1,	0)
		1	NM_CD_2303	2303	NM-CD	CHAR	5,	0)
		2	ITM_NM_TYP_CD_3308	3308	ITM-NM-TYP-CD	CHAR	1,	0)
725	CAGE_CD_VALUES	0	CAGE_STAT_CD_2694	2694	CAGE-NSCM-STAT-CD	CHAR	1,	0)
		0	USR_CD_1101	1101	USR-CD	CHAR	8,	0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR	5,	0)
728	AIR_S_HDLG_PART1	0	AIR_S_HDLG_EX_3170	3170	AIR-SP-HDLG-CD-EXPLN	VARCHAR	500,	0)
		1	AIR_S_HDLG_P1_4521	4521	AIR-SP-HDLG-PT-1	CHAR	1,	0)
		2	AIR_S_HDLG_S1_4522	4522	AIR-SP-HDLG-SUB-1	CHAR	1,	0)
		3	AIR_S_HDLG_S2_4523	4523	AIR-SP-HDLG-SUB-2	CHAR	1,	0)
729	AIR_S_HDLG_PART2	0	AIR_S_HDLG_EX_3170	3170	AIR-SP-HDLG-CD-EXPLN	VARCHAR	500,	0)
		1	AIR_S_HDLG_P2_4524	4524	AIR-SP-HDLG-PT-2	CHAR	1,	0)
730	MOE_RULE_RPLM_DATA	1	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR	4,	0)
		2	RPLM_M_RL_NBR_0226	0226	RPLM-MOE-RULE-NBR1	CHAR	4,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	----------DATA---------- TYPE--LENGTH--DECIMAL
732	EXTD_FRT_DEST_DATA	0	DATE_LST_CHG_0043	0043	DATE-LST-CHG	INTEGER (4, 0)
		0	EXTD_FRT_DESC_0041	0041	EXTD-FRT-DESC	VARCHAR (250, 0)
		0	TYP_LST_ACT_0044	0044	TYP-LST-ACT	CHAR (1, 0)
		1	NMFC_2850	2850	NMFC-CD	CHAR (6, 0)
		2	SUB_ITM_NBR_0861	0861	NMFC-SUB-ITM-NBR	CHAR (1, 0)
733	M_RL_FSC_G_MGT_EX	0	INCL_EXCL_CD_4497	4497	INCL-EXCL-CD	CHAR (1, 0)
		1	MOE_RULE_NBR_8290	8290	MOE-RULE-NBR	CHAR (4, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
734	FST_POS_MOE_EDIT	1	FST_POS_MR_4495	4495	FST-POS-MR	CHAR (1, 0)
		2	MOE_CD_2833	2833	MOE-CD	CHAR (2, 0)
735	IMM_FSC_EDIT	1	ACTY_CD_2046	2046	ACTY-CD	CHAR (6, 0)
736	TEXT_TABLES	0	TEXT_LINE_4519	4519	TEXT-LINE	CHAR (78, 0)
		0	TX_TB_HDR_IND_3453	3453	TXT-TAB-HDR-IND	CHAR (1, 0)
		1	DLIS_CHP_NBR_3452	3452	DLIS-PROC-CHP-NBR	SMALLINT (2, 0)
		2	TBL_NBR_1298	1298	TBL-NBR	INTEGER (4, 0)
		3	ROW_NBR_4518	4518	ROW-NBR	INTEGER (4, 0)
739	TRN_DIC_OAC_DTL	0	DIC_STAT_CNT_5355	5355	DIC-OAC-DEPT-TOT-RECVD	INTEGER (4, 0)
		0	DIC_STAT_CNT_5357	5357	DIC-OAC-DEPT-TOT-APRVD	INTEGER (4, 0)
		0	DIC_STAT_CNT_5359	5359	DIC-OAC-DEPT-TOT-ADUPS	INTEGER (4, 0)
		0	DIC_STAT_CNT_5360	5360	DIC-OAC-DEPT-TOT-PDUPS	INTEGER (4, 0)
		0	DIC_STAT_CNT_5361	5361	DIC-OAC-DEPT-TOT-CLRCL	INTEGER (4, 0)
		0	DIC_STAT_CNT_5362	5362	DIC-OAC-DEPT-TOT-RULES	INTEGER (4, 0)
		0	DIC_STAT_CNT_5363	5363	DIC-OAC-DEPT-TOT-NIINST	INTEGER (4, 0)
		0	DIC_STAT_CNT_6799	6799	DIC-OAC-PDUPS	INTEGER (4, 0)
		0	DIC_STAT_CNT_6800	6800	DIC-OAC-ADUPS	INTEGER (4, 0)
		0	DIC_STAT_CNT_6803	6803	DIC-OAC-APRVD	INTEGER (4, 0)
		0	DIC_STAT_CNT_6805	6805	DIC-OAC-RECVD	INTEGER (4, 0)
		0	DIC_STAT_CNT_6836	6836	DIC-OAC-NIINST	INTEGER (4, 0)
		0	DIC_STAT_CNT_6837	6837	DIC-OAC-RULES	INTEGER (4, 0)
		0	DIC_STAT_CNT_6838	6838	DIC-OAC-CLRCL	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
		4	DIC_IP_3921	3921	DIC-IP	CHAR (3, 0)
740	TRN_DIC_OAC_A	0	DIC_STAT_CNT_5355	5355	DIC-OAC-DEPT-TOT-RECVD	INTEGER (4, 0)
		0	DIC_STAT_CNT_5357	5357	DIC-OAC-DEPT-TOT-APRVD	INTEGER (4, 0)
		0	DIC_STAT_CNT_5359	5359	DIC-OAC-DEPT-TOT-ADUPS	INTEGER (4, 0)
		0	DIC_STAT_CNT_5360	5360	DIC-OAC-DEPT-TOT-PDUPS	INTEGER (4, 0)
		0	DIC_STAT_CNT_5361	5361	DIC-OAC-DEPT-TOT-CLRCL	INTEGER (4, 0)
		0	DIC_STAT_CNT_5362	5362	DIC-OAC-DEPT-TOT-RULES	INTEGER (4, 0)
		0	DIC_STAT_CNT_5363	5363	DIC-OAC-DEPT-TOT-NIINST	INTEGER (4, 0)
		0	DIC_STAT_CNT_6799	6799	DIC-OAC-PDUPS	INTEGER (4, 0)
		0	DIC_STAT_CNT_6800	6800	DIC-OAC-ADUPS	INTEGER (4, 0)
		0	DIC_STAT_CNT_6803	6803	DIC-OAC-APRVD	INTEGER (4, 0)
		0	DIC_STAT_CNT_6805	6805	DIC-OAC-RECVD	INTEGER (4, 0)
		0	DIC_STAT_CNT_6836	6836	DIC-OAC-NIINST	INTEGER (4, 0)
		0	DIC_STAT_CNT_6837	6837	DIC-OAC-RULES	INTEGER (4, 0)
		0	DIC_STAT_CNT_6838	6838	DIC-OAC-CLRCL	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		4	DIC_IP_3921	3921	DIC-IP	CHAR	3,	0)
741	ISC_DATA_TOT	0	ISC_STAT_CNT_5740	5740	ISC-FSG-NSN	INTEGER	4,	0)
		0	M8A1_STAT_CNT_5496	5496	M8A1-DP-EB-NSN	INTEGER	4,	0)
		0	M8B5_STAT_CNT_5574	5574	M8B5-FSC-DP-EB-NSN	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2,	0)
		3	FSG_3994	3994	ASGND-FSG	CHAR	2,	0)
		4	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2,	0)
742	ISC_DATA_TOT_A	0	ISC_STAT_CNT_5740	5740	ISC-FSG-NSN	INTEGER	4,	0)
		0	M8A1_STAT_CNT_5496	5496	M8A1-DP-EB-NSN	INTEGER	4,	0)
		0	M8B5_STAT_CNT_5574	5574	M8B5-FSC-DP-EB-NSN	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2,	0)
		3	FSG_3994	3994	ASGND-FSG	CHAR	2,	0)
		4	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2,	0)
744	FCS_GOALS_DEPT_DTL	0	M3A_STAT_CNT_1601	1601	M3A-D-LOA-MG	INTEGER	4,	0)
		0	M3A_STAT_CNT_1602	1602	M3A-D-LOA-DM	INTEGER	4,	0)
		0	M3A_STAT_CNT_1603	1603	M3A-D-LOA-DM-G	INTEGER	4,	0)
		0	M3A_STAT_CNT_1606	1606	M3A-D-LOA-AIN	INTEGER	4,	0)
		0	M3A_STAT_CNT_1607	1607	M3A-D-LOA-AIN-G	INTEGER	4,	0)
		0	M3A_STAT_CNT_1610	1610	M3A-D-LOA-RN	INTEGER	4,	0)
		0	M3A_STAT_CNT_1611	1611	M3A-D-LOA-RN-G	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2,	0)
		3	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR	2,	0)
745	FCS_GOALS_DEPT_D_A	0	M3A_STAT_CNT_1601	1601	M3A-D-LOA-MG	INTEGER	4,	0)
		0	M3A_STAT_CNT_1602	1602	M3A-D-LOA-DM	INTEGER	4,	0)
		0	M3A_STAT_CNT_1603	1603	M3A-D-LOA-DM-G	INTEGER	4,	0)
		0	M3A_STAT_CNT_1606	1606	M3A-D-LOA-AIN	INTEGER	4,	0)
		0	M3A_STAT_CNT_1607	1607	M3A-D-LOA-AIN-G	INTEGER	4,	0)
		0	M3A_STAT_CNT_1610	1610	M3A-D-LOA-RN	INTEGER	4,	0)
		0	M3A_STAT_CNT_1611	1611	M3A-D-LOA-RN-G	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2,	0)
		3	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR	2,	0)
746	CIIM_RTRN_ACTN_DRN	1	CIIM_RTN_CD_3134	3134	CIIM-RTN-ACTN-CD	CHAR	2,	0)
		2	DIDS_SEG_CD_8999	8999	FLIS-SEG-CD	CHAR	1,	0)
		3	DRN_0950	0950	DATA-REC-NBR	CHAR	4,	0)
747	TRANS_HIST_EXTENTS	0	EXT_SEG_DATA_9154	9154	EXT-SEG-DATA	VARCHAR	1127,	0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	21,	0)
		2	SEGMENT_CD_9415	9415	SEGMENT-CD	CHAR	3,	0)
		3	SEG_SEQ_9414	9414	SEG-SEQ	SMALLINT	2,	0)
		4	EXT_SEG_SEQ_9155	9155	EXT-SEG-SEQ	SMALLINT	2,	0)
749	MGMT_CHG_DEPT	0	MCHG_STAT_CNT_6848	6848	MGMTCHG-DP-NEW-NSN	INTEGER	4,	0)
		0	MCHG_STAT_CNT_6849	6849	MGMTCHG-DP-NEW-MGR-NSN	INTEGER	4,	0)
		0	MCHG_STAT_CNT_6850	6850	MGMTCHG-DP-REIN-NSN	INTEGER	4,	0)
		0	MCHG_STAT_CNT_6851	6851	MGMTCHG-DP-REACT-NSN	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2,	0)
750	MGMT_CHG_DEPT_A	0	MCHG_STAT_CNT_6848	6848	MGMTCHG-DP-NEW-NSN	INTEGER	4,	0)
		0	MCHG_STAT_CNT_6849	6849	MGMTCHG-DP-NEW-MGR-NSN	INTEGER	4,	0)
		0	MCHG_STAT_CNT_6850	6850	MGMTCHG-DP-REIN-NSN	INTEGER	4,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		0	MCHG_STAT_CNT_6851	6851	MGMTCHG-DP-REACT-NSN	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2,	0)
751	MGMT_CHG_DA_DTL	0	MCHG_STAT_CNT_6845	6845	MGMTCHG-ACTY-DLT-RSN-NSN	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2,	0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2,	0)
		4	DELT_RSN_CD_4540	4540	DELT-RSN-CD	CHAR	1,	0)
752	MGMT_CHG_DA_D_A	0	MCHG_STAT_CNT_6845	6845	MGMTCHG-ACTY-DLT-RSN-NSN	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2,	0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2,	0)
		4	DELT_RSN_CD_4540	4540	DELT-RSN-CD	CHAR	1,	0)
753	MGMT_CHG_DEPT_DTL	0	MCHG_STAT_CNT_6853	6853	MGMTCHG-DP-DLT-RSN-NSN	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2,	0)
		3	DELT_RSN_CD_4540	4540	DELT-RSN-CD	CHAR	1,	0)
754	MGMT_CHG_DEPT_D_A	0	MCHG_STAT_CNT_6853	6853	MGMTCHG-DP-DLT-RSN-NSN	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2,	0)
		3	DELT_RSN_CD_4540	4540	DELT-RSN-CD	CHAR	1,	0)
755	SCRN_PREREF	0	PRER_STAT_CNT_5451	5451	SCN-PRE-REF-DP-CUR-MTH	INTEGER	4,	0)
		0	PRER_STAT_CNT_5452	5452	SCN-PRE-REF-DP-CUR-NMTH	INTEGER	4,	0)
		0	PRER_STAT_CNT_5453	5453	SCN-PRE-REF-DP-CUR-REJ	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2,	0)
756	SCRN_PREREF_A	0	PRER_STAT_CNT_5451	5451	SCN-PRE-REF-DP-CUR-MTH	INTEGER	4,	0)
		0	PRER_STAT_CNT_5452	5452	SCN-PRE-REF-DP-CUR-NMTH	INTEGER	4,	0)
		0	PRER_STAT_CNT_5453	5453	SCN-PRE-REF-DP-CUR-REJ	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2,	0)
757	SCRN_PRENIIN	0	PREN_STAT_CNT_6241	6241	SCN-PRE-NSN-DP-CUR-MTH	INTEGER	4,	0)
		0	PREN_STAT_CNT_6242	6242	SCN-PRE-NSN-DP-CUR-NMTH	INTEGER	4,	0)
		0	PREN_STAT_CNT_6243	6243	SCN-PRE-NSN-DP-CUR-REJ	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2,	0)
758	SCRN_PRENIIN_A	0	PREN_STAT_CNT_6241	6241	SCN-PRE-NSN-DP-CUR-MTH	INTEGER	4,	0)
		0	PREN_STAT_CNT_6242	6242	SCN-PRE-NSN-DP-CUR-NMTH	INTEGER	4,	0)
		0	PREN_STAT_CNT_6243	6243	SCN-PRE-NSN-DP-CUR-REJ	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2,	0)
759	SCRN_PROREF	0	PROR_STAT_CNT_6225	6225	SCN-PRO-REF-DP-CUR-MTH	INTEGER	4,	0)
		0	PROR_STAT_CNT_6226	6226	SCN-PRO-REF-DP-CUR-NMTH	INTEGER	4,	0)
		0	PROR_STAT_CNT_6227	6227	SCN-PRO-REF-DP-CUR-REJ	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2,	0)
760	SCRN_PROREF_A	0	PROR_STAT_CNT_6225	6225	SCN-PRO-REF-DP-CUR-MTH	INTEGER	4,	0)
		0	PROR_STAT_CNT_6226	6226	SCN-PRO-REF-DP-CUR-NMTH	INTEGER	4,	0)
		0	PROR_STAT_CNT_6227	6227	SCN-PRO-REF-DP-CUR-REJ	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2,	0)
761	SCRN_PRONIIN	0	PRON_STAT_CNT_6209	6209	SCN-PRO-NSN-DP-CUR-MTH	INTEGER	4,	0)
		0	PRON_STAT_CNT_6210	6210	SCN-PRO-NSN-DP-CUR-NMTH	INTEGER	4,	0)
		0	PRON_STAT_CNT_6211	6211	SCN-PRO-NSN-DP-CUR-REJ	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2,	0)
762	SCRN_PRONIIN_A	0	PRON_STAT_CNT_6209	6209	SCN-PRO-NSN-DP-CUR-MTH	INTEGER	4,	0)
		0	PRON_STAT_CNT_6210	6210	SCN-PRO-NSN-DP-CUR-NMTH	INTEGER	4,	0)
		0	PRON_STAT_CNT_6211	6211	SCN-PRO-NSN-DP-CUR-REJ	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2,	0)
763	COMALTY_MGD_TOT	0	ICWD_STAT_CNT_5779	5779	ICWD-ALL-DOD-CI-OGOV	INTEGER	4,	0)
		0	ICWD_STAT_CNT_5780	5780	ICWD-ALL-DOD-CI	INTEGER	4,	0)
		0	ICWD_STAT_CNT_5781	5781	ICWD-ALL-DOD-OGOV	INTEGER	4,	0)
		0	ICWD_STAT_CNT_5782	5782	ICWD-ALL-DOD	INTEGER	4,	0)
		0	ICWD_STAT_CNT_5783	5783	ICWD-ALL-CI-OGOV	INTEGER	4,	0)
		0	ICWD_STAT_CNT_5784	5784	ICWD-ALL-CI	INTEGER	4,	0)
		0	ICWD_STAT_CNT_5785	5785	ICWD-ALL-OGOV	INTEGER	4,	0)
		0	ICWD_STAT_CNT_5786	5786	ICWD-IM-ALL-DOD-CI-OGOV	INTEGER	4,	0)
		0	ICWD_STAT_CNT_5787	5787	ICWD-IM-ALL-DOD-CI	INTEGER	4,	0)
		0	ICWD_STAT_CNT_5788	5788	ICWD-IM-ALL-DOD-OGOV	INTEGER	4,	0)
		0	ICWD_STAT_CNT_5789	5789	ICWD-IM-ALL-DOD	INTEGER	4,	0)
		0	ICWD_STAT_CNT_5790	5790	ICWD-IM-ALL-CI-OGOV	INTEGER	4,	0)
		0	ICWD_STAT_CNT_5791	5791	ICWD-IM-ALL-CI	INTEGER	4,	0)
		0	ICWD_STAT_CNT_5792	5792	ICWD-IM-ALL-OGOV	INTEGER	4,	0)
		0	ICWD_STAT_CNT_5793	5793	ICWD-LA-ALL-DOD-CI-OGOV	INTEGER	4,	0)
		0	ICWD_STAT_CNT_5794	5794	ICWD-LA-ALL-DOD-CI	INTEGER	4,	0)
		0	ICWD_STAT_CNT_5795	5795	ICWD-LA-ALL-DOD-OGOV	INTEGER	4,	0)
		0	ICWD_STAT_CNT_5796	5796	ICWD-LA-ALL-DOD	INTEGER	4,	0)
		0	ICWD_STAT_CNT_5797	5797	ICWD-LA-ALL-CI-OGOV	INTEGER	4,	0)
		0	ICWD_STAT_CNT_5798	5798	ICWD-LA-ALL-CI	INTEGER	4,	0)
		0	ICWD_STAT_CNT_5799	5799	ICWD-LA-ALL-OGOV	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2,	0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	7,	0)
		4	FSG_3994	3994	ASGND-FSG	CHAR	2,	0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2,	0)
764	COMALTY_MGD_TOT_A	0	ICWD_STAT_CNT_5779	5779	ICWD-ALL-DOD-CI-OGOV	INTEGER	4,	0)
		0	ICWD_STAT_CNT_5780	5780	ICWD-ALL-DOD-CI	INTEGER	4,	0)
		0	ICWD_STAT_CNT_5781	5781	ICWD-ALL-DOD-OGOV	INTEGER	4,	0)
		0	ICWD_STAT_CNT_5782	5782	ICWD-ALL-DOD	INTEGER	4,	0)
		0	ICWD_STAT_CNT_5783	5783	ICWD-ALL-CI-OGOV	INTEGER	4,	0)
		0	ICWD_STAT_CNT_5784	5784	ICWD-ALL-CI	INTEGER	4,	0)
		0	ICWD_STAT_CNT_5785	5785	ICWD-ALL-OGOV	INTEGER	4,	0)
		0	ICWD_STAT_CNT_5786	5786	ICWD-IM-ALL-DOD-CI-OGOV	INTEGER	4,	0)
		0	ICWD_STAT_CNT_5787	5787	ICWD-IM-ALL-DOD-CI	INTEGER	4,	0)
		0	ICWD_STAT_CNT_5788	5788	ICWD-IM-ALL-DOD-OGOV	INTEGER	4,	0)
		0	ICWD_STAT_CNT_5789	5789	ICWD-IM-ALL-DOD	INTEGER	4,	0)
		0	ICWD_STAT_CNT_5790	5790	ICWD-IM-ALL-CI-OGOV	INTEGER	4,	0)
		0	ICWD_STAT_CNT_5791	5791	ICWD-IM-ALL-CI	INTEGER	4,	0)
		0	ICWD_STAT_CNT_5792	5792	ICWD-IM-ALL-OGOV	INTEGER	4,	0)
		0	ICWD_STAT_CNT_5793	5793	ICWD-LA-ALL-DOD-CI-OGOV	INTEGER	4,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	----------DATA---------- TYPE--LENGTH--DECIMAL
		0	ICWD_STAT_CNT_5794	5794	ICWD-LA-ALL-DOD-CI	INTEGER (4, 0)
		0	ICWD_STAT_CNT_5795	5795	ICWD-LA-ALL-DOD-OGOV	INTEGER (4, 0)
		0	ICWD_STAT_CNT_5796	5796	ICWD-LA-ALL-DOD	INTEGER (4, 0)
		0	ICWD_STAT_CNT_5797	5797	ICWD-LA-ALL-CI-OGOV	INTEGER (4, 0)
		0	ICWD_STAT_CNT_5798	5798	ICWD-LA-ALL-CI	INTEGER (4, 0)
		0	ICWD_STAT_CNT_5799	5799	ICWD-LA-ALL-OGOV	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR (7, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
770	DIC_RTN_CD_ED_CRIT	5	SEQ_KEY_3043	3043	SEQ-KEY	CHAR (1, 0)
771	SEG_RTN_CD_ED_CRIT	0	FILE_VAL_IND_4584	4584	FILE-VAL-IND	CHAR (1, 0)
		0	RTN_CD_9480	9480	RTN-CD	CHAR (2, 0)
		1	IN_EX_IND_4581	4581	INTRNL-EXTRNL-IND	CHAR (1, 0)
		4	SEG_CD_SUPMTL_0225	0225	SEG-CD-SUPMTL	CHAR (2, 0)
		5	ROW_NBR_4518	4518	ROW-NBR	INTEGER (4, 0)
		6	SEQ_KEY_3043	3043	SEQ-KEY	CHAR (1, 0)
772	GIRDER	0	ACTIVITY_FLAG_9131	9131	ACTIVITY-FLAG	CHAR (1, 0)
		0	DAC_2640	2640	DAC	CHAR (1, 0)
		0	GRDR_CD_NW_1_4541	4541	GIRDER-CD-NEW-1	CHAR (2, 0)
		0	GRDR_CD_NW_2_4542	4542	GIRDER-CD-NEW-2	CHAR (2, 0)
		0	GRDR_NW_CG_CD_4544	4544	GIRDER-NEW-CAGE-CD	CHAR (5, 0)
		0	GRDR_NW_RN_LG_4545	4545	GIRDER-NEW-REF-NBR-LOG	CHAR (32, 0)
		0	MFR_NOTES_0809	0809	MFR-NOTES	VARCHAR (58, 0)
		0	NSN_3960	3960	ASGND-NSN	CHAR (13, 0)
		0	PICA_2866	2866	PICA	CHAR (2, 0)
		0	RNAAC_2900	2900	RNAAC	CHAR (2, 0)
		0	RNCC_2910	2910	RNCC	CHAR (1, 0)
		0	RNVC_4780	4780	RNVC	CHAR (1, 0)
		0	SHRT_NM_2301	2301	SHRT-NM	CHAR (19, 0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR (5, 0)
		2	REF_NBR_3570	3570	REF-NBR-LOG	CHAR (32, 0)
		3	GRDR_SEQ_NBR_4543	4543	GIRDER-SEQ-NBR	INTEGER (4, 0)
773	GIRDER_LTI	0	PICA_2866	2866	PICA	CHAR (2, 0)
		0	SEG_IP_TRAN_4508	4508	SEG-IP-TRAN	CHAR (80, 0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR (5, 0)
		2	TMSTMP_3059	3059	TMSTMP	TIMESTMP (10, 0)
774	TRANS_HIST_KEYS	0	ACTY_CD_2046	2046	ACTY-CD	CHAR (6, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR (3, 0)
		0	FSC_3990	3990	ASGND-FSC	CHAR (4, 0)
		0	NIIN_4000	4000	ASGND-NIIN	CHAR (9, 0)
		0	RECVD_STAMP_9204	9204	RECVD-STAMP	TIMESTMP (10, 0)
		0	SUBMR_CTL_NBR_1120	1120	SUBMR-CTL-NBR	CHAR (17, 0)
		0	TYPE_OF_TRNS_9441	9441	TYPE-OF-TRNS	CHAR (4, 0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR (21, 0)
775	TRANS_HIST_SEG	0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR (1, 0)
		0	SEGMENT_DATA_9416	9416	SEGMENT-DATA	VARCHAR (1127, 0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR (21, 0)
		2	SEGMENT_CD_9415	9415	SEGMENT-CD	CHAR (3, 0)
		3	SEG_SEQ_9414	9414	SEG-SEQ	SMALLINT (2, 0)
776	TRANS_SUSP_KEYS	0	ACTY_CD_2046	2046	ACTY-CD	CHAR (6, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		0	DIC_3920	3920	DOC-ID-CD	CHAR	3	0
		0	FSC_3990	3990	ASGND-FSC	CHAR	4	0
		0	NIIN_4000	4000	ASGND-NIIN	CHAR	9	0
		0	RECVD_STAMP_9204	9204	RECVD-STAMP	TIMESTMP	10	0
		0	SUBMR_CTL_NBR_1120	1120	SUBMR-CTL-NBR	CHAR	17	0
		0	TYPE_OF_TRNS_9441	9441	TYPE-OF-TRNS	CHAR	4	0
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	21	0
777	TRANS_SUSP_MAST	0	EXEC_COUNT_9153	9153	EXEC-COUNT	SMALLINT	2	0
		0	FORMATTED_TS_9164	9164	FORMATTED-TS	TIMESTMP	10	0
		0	INPUT_MEDIA_9170	9170	INPUT-MEDIA	CHAR	2	0
		0	NATO_PIC_9186	9186	NATO-PIC	CHAR	1	0
		0	ON_HOLD_TS_9190	9190	ON-HOLD-TS	TIMESTMP	10	0
		0	PRI_IND_CD_2867	2867	PRI-IND-CD	CHAR	1	0
		0	REJECT_FLAG_9205	9205	REJECT-FLAG	CHAR	1	0
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	21	0
778	TRANS_SUSP_SEG	0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR	1	0
		0	SEGMENT_DATA_9416	9416	SEGMENT-DATA	VARCHAR	1127	0
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	21	0
		2	SEGMENT_CD_9415	9415	SEGMENT-CD	CHAR	3	0
		3	SEG_SEQ_9414	9414	SEG-SEQ	SMALLINT	2	0
779	GIRDER_STATS	0	GC_PICA_LAR_1501	1501	GC-PICA-LAR-CNT	INTEGER	4	0
		0	GC_PICA_LCR_1502	1502	GC-PICA-LCR-CNT	INTEGER	4	0
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR	5	0
		2	GIRDER_CD_0808	0808	GIRDER-CD	CHAR	2	0
		3	PICA_2866	2866	PICA	CHAR	2	0
780	GIRDER_ERROR	0	GRDR_DUP_PROT_4547	4547	GIRDER-DUP-PROTECTED	CHAR	83	0
		0	GRDR_MFR_DATA_4546	4546	GIRDER-MFR-DATA	VARCHAR	100	0
		0	GRDR_MFR_PROT_4548	4548	GIRDER-MFR-PROTECTED	CHAR	83	0
		0	MSG_0983	0983	MSG	CHAR	66	0
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR	5	0
		2	TMSTMP_3059	3059	TMSTMP	TIMESTMP	10	0
781	GIRDER_EXCEPTION	0	GRDR_CD_NW_1_4541	4541	GIRDER-CD-NEW-1	CHAR	2	0
		0	GRDR_CD_NW_2_4542	4542	GIRDER-CD-NEW-2	CHAR	2	0
		0	GRDR_NW_CG_CD_4544	4544	GIRDER-NEW-CAGE-CD	CHAR	5	0
		0	GRDR_NW_RN_LG_4545	4545	GIRDER-NEW-REF-NBR-LOG	CHAR	32	0
		0	MFR_NOTES_0809	0809	MFR-NOTES	VARCHAR	58	0
		0	PICA_2866	2866	PICA	CHAR	2	0
		0	TMSTMP_3059	3059	TMSTMP	TIMESTMP	10	0
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR	5	0
		2	REF_NBR_3570	3570	REF-NBR-LOG	CHAR	32	0
		3	NSN_3960	3960	ASGND-NSN	CHAR	13	0
782	LIMITED_DIST	0	ACTY_CD_SCRNG_0177	0177	ACTY-CD-SCRNG	CHAR	2	0
		0	CRITL_CD_FIIG_3843	3843	CRITL-CD-FIIG	CHAR	1	0
		0	DEMIL_CD_0167	0167	D-MIL-CD	CHAR	1	0
		0	DEST_CD_SCRNG_3890	3890	DEST-CD-SCRNG	CHAR	5	0
		0	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	6	0
		0	INC_4080	4080	INC	CHAR	5	0
		0	LMT_DIST_CD_4645	4645	LMT-DIST-CD	CHAR	1	0
		0	NIIN_STAT_CD_2670	2670	NIIN-PSCN-STAT-CD	CHAR	1	0
		0	NSN_3960	3960	ASGND-NSN	CHAR	13	0
		0	ODRC_4690	4690	OP-DATA-RQST-CD	CHAR	4	0
		0	SHRT_NM_2301	2301	SHRT-NM	CHAR	19	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	----------DATA---------- TYPE--LENGTH--DECIMAL
		0	TYP_II_4820	4820	TYP-OF-II-CD	CHAR (1, 0)
		1	DIC_3920	3920	DOC-ID-CD	CHAR (3, 0)
		2	TMSTMP_3059	3059	TMSTMP	TIMESTMP (10, 0)
783	ACTIVITY_MEDIA_ID	0	ALT_OP_MED_CD_0420	0420	ALT-OP-MED-CD	CHAR (2, 0)
		0	MINIMIZE_FLAG_9181	9181	MINIMIZE-FLAG	CHAR (1, 0)
		0	MIN_ALT_MED_9180	9180	MIN-ALT-MED	CHAR (2, 0)
		0	OP_DIST_FREQ_9804	9804	TM-OP-DIST-FREQ-CD	CHAR (1, 0)
		0	OP_MOD_MED_CD_3740	3740	OP-MODE-MED-CD	CHAR (2, 0)
		1	ACTY_CD_2046	2046	ACTY-CD	CHAR (6, 0)
		2	RPTY_ID_2638	2638	RPTY-ID	CHAR (5, 0)
		3	EFF_DT_2128	2128	EFF-DT	INTEGER (4, 0)
784	COMALTY_MS_S_TOT	0	ICMS_STAT_CNT_6495	6495	ICMS-FSC-ALL-MS-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6497	6497	ICMS-FSC-ALL-AR-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6499	6499	ICMS-FSC-ALL-NA-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6501	6501	ICMS-FSC-ALL-AF-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6503	6503	ICMS-FSC-ALL-MC-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6515	6515	ICMS-IM-ALL-MS-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6517	6517	ICMS-IM-ALL-AR-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6519	6519	ICMS-IM-ALL-NA-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6521	6521	ICMS-IM-ALL-AF-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6523	6523	ICMS-IM-ALL-MC-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6535	6535	ICMS-LA-ALL-MS-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6538	6538	ICMS-LA-ALL-NA-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6930	6930	ICMS-LA-ALL-MC-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6932	6932	ICMS-LA-ALL-AF-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6966	6966	ICMS-LA-FSC-ALL-MS-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6968	6968	ICMS-LA-FSC-ALL-AR-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6970	6970	ICMS-LA-FSC-ALL-NA-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6972	6972	ICMS-LA-FSC-ALL-AF-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6974	6974	ICMS-LA-FSC-ALL-MC-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_8071	8071	ICMS-LA-ALL-AR-MM	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR (7, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
785	COMALTY_MS_S_TOT_A	0	ICMS_STAT_CNT_6495	6495	ICMS-FSC-ALL-MS-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6497	6497	ICMS-FSC-ALL-AR-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6499	6499	ICMS-FSC-ALL-NA-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6501	6501	ICMS-FSC-ALL-AF-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6503	6503	ICMS-FSC-ALL-MC-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6515	6515	ICMS-IM-ALL-MS-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6517	6517	ICMS-IM-ALL-AR-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6519	6519	ICMS-IM-ALL-NA-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6521	6521	ICMS-IM-ALL-AF-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6523	6523	ICMS-IM-ALL-MC-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6535	6535	ICMS-LA-ALL-MS-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6538	6538	ICMS-LA-ALL-NA-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6930	6930	ICMS-LA-ALL-MC-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6932	6932	ICMS-LA-ALL-AF-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6966	6966	ICMS-LA-FSC-ALL-MS-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6968	6968	ICMS-LA-FSC-ALL-AR-MM	INTEGER (4, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	----------DATA---------- TYPE--LENGTH--DECIMAL
		0	ICMS_STAT_CNT_6970	6970	ICMS-LA-FSC-ALL-NA-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6972	6972	ICMS-LA-FSC-ALL-AF-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6974	6974	ICMS-LA-FSC-ALL-MC-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_8071	8071	ICMS-LA-ALL-AR-MM	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR (7, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
786	COMALTY_MS_S_DTL	0	ICMS_STAT_CNT_6505	6505	ICMS-FSC-ALL-LC-MS-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6507	6507	ICMS-FSC-ALL-LC-AR-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6509	6509	ICMS-FSC-ALL-LC-NA-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6511	6511	ICMS-FSC-ALL-LC-AF-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6513	6513	ICMS-FSC-ALL-LC-MC-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6525	6525	ICMS-IM-ALL-LC-MS-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6527	6527	ICMS-IM-ALL-LC-AR-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6529	6529	ICMS-IM-ALL-LC-NA-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6531	6531	ICMS-IM-ALL-LC-AF-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6533	6533	ICMS-IM-ALL-LC-MC-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6928	6928	ICMS-LA-ALL-LC-MS-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6958	6958	ICMS-LA-ALL-LC-AR-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6960	6960	ICMS-LA-ALL-LC-NA-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6962	6962	ICMS-LA-ALL-LC-AF-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6964	6964	ICMS-LA-ALL-LC-MC-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6976	6976	ICMS-LA-FSC-LC-MS-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6978	6978	ICMS-LA-FSC-LC-AR-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_7081	7081	ICMS-LA-FSC-LC-NA-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_7083	7083	ICMS-LA-FSC-LC-AF-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_7085	7085	ICMS-LA-FSC-LC-MC-MM	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR (7, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
		6	STAT_LOA_COMB_3090	3090	STAT-LVL-AUTH-COMB	CHAR (12, 0)
787	COMALTY_MS_S_DTL_A	0	ICMS_STAT_CNT_6505	6505	ICMS-FSC-ALL-LC-MS-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6507	6507	ICMS-FSC-ALL-LC-AR-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6509	6509	ICMS-FSC-ALL-LC-NA-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6511	6511	ICMS-FSC-ALL-LC-AF-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6513	6513	ICMS-FSC-ALL-LC-MC-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6525	6525	ICMS-IM-ALL-LC-MS-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6527	6527	ICMS-IM-ALL-LC-AR-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6529	6529	ICMS-IM-ALL-LC-NA-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6531	6531	ICMS-IM-ALL-LC-AF-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6533	6533	ICMS-IM-ALL-LC-MC-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6928	6928	ICMS-LA-ALL-LC-MS-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6958	6958	ICMS-LA-ALL-LC-AR-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6960	6960	ICMS-LA-ALL-LC-NA-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6962	6962	ICMS-LA-ALL-LC-AF-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6964	6964	ICMS-LA-ALL-LC-MC-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6976	6976	ICMS-LA-FSC-LC-MS-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_6978	6978	ICMS-LA-FSC-LC-AR-MM	INTEGER (4, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	----------DATA---------- TYPE--LENGTH--DECIMAL
		0	ICMS_STAT_CNT_7081	7081	ICMS-LA-FSC-LC-NA-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_7083	7083	ICMS-LA-FSC-LC-AF-MM	INTEGER (4, 0)
		0	ICMS_STAT_CNT_7085	7085	ICMS-LA-FSC-LC-MC-MM	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR (7, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
		6	STAT_LOA_COMB_3090	3090	STAT-LVL-AUTH-COMB	CHAR (12, 0)
788	COMALTY_MS_D_TOT	0	ICMD_STAT_CNT_5864	5864	ICMD-LA-FSC-ALL-ANFM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_5865	5865	ICMD-LA-FSC-ALL-ANF	INTEGER (4, 0)
		0	ICMD_STAT_CNT_5866	5866	ICMD-LA-FSC-ALL-ANM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_5867	5867	ICMD-LA-FSC-ALL-AN	INTEGER (4, 0)
		0	ICMD_STAT_CNT_5869	5869	ICMD-LA-FSC-ALL-AFM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_5870	5870	ICMD-LA-FSC-ALL-AF	INTEGER (4, 0)
		0	ICMD_STAT_CNT_5871	5871	ICMD-LA-FSC-ALL-AM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_5872	5872	ICMD-LA-FSC-ALL-A	INTEGER (4, 0)
		0	ICMD_STAT_CNT_5873	5873	ICMD-LA-FSC-ALL-NFM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_5874	5874	ICMD-LA-FSC-ALL-NF	INTEGER (4, 0)
		0	ICMD_STAT_CNT_5875	5875	ICMD-LA-FSC-ALL-NM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_5876	5876	ICMD-LA-FSC-ALL-N	INTEGER (4, 0)
		0	ICMD_STAT_CNT_5877	5877	ICMD-LA-FSC-ALL-FM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_5878	5878	ICMD-LA-FSC-ALL-F	INTEGER (4, 0)
		0	ICMD_STAT_CNT_5879	5879	ICMD-LA-FSC-ALL-M	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7087	7087	ICMD-FSC-ALL-ANFM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7088	7088	ICMD-FSC-ALL-ANF	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7089	7089	ICMD-FSC-ALL-ANM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7090	7090	ICMD-FSC-ALL-AN	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7091	7091	ICMD-FSC-ALL-AFM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7092	7092	ICMD-FSC-ALL-AF	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7093	7093	ICMD-FSC-ALL-AM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7094	7094	ICMD-FSC-ALL-A	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7095	7095	ICMD-FSC-ALL-NFM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7096	7096	ICMD-FSC-ALL-NF	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7097	7097	ICMD-FSC-ALL-NM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7098	7098	ICMD-FSC-ALL-N	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7099	7099	ICMD-FSC-ALL-FM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7100	7100	ICMD-FSC-ALL-F	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7101	7101	ICMD-FSC-ALL-M	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7117	7117	ICMD-IM-ALL-ANFM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7118	7118	ICMD-IM-ALL-ANF	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7119	7119	ICMD-IM-ALL-ANM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7120	7120	ICMD-IM-ALL-AN	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7121	7121	ICMD-IM-ALL-AFM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7122	7122	ICMD-IM-ALL-AF	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7123	7123	ICMD-IM-ALL-AM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7124	7124	ICMD-IM-ALL-A	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7125	7125	ICMD-IM-ALL-NFM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7126	7126	ICMD-IM-ALL-NF	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7127	7127	ICMD-IM-ALL-NM	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7128	7128	ICMD-IM-ALL-N	INTEGER (4, 0)
		0	ICMD_STAT_CNT_7129	7129	ICMD-IM-ALL-FM	INTEGER (4, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		0	ICMD_STAT_CNT_7130	7130	ICMD-IM-ALL-F	INTEGER	4,	0)
		0	ICMD_STAT_CNT_7131	7131	ICMD-IM-ALL-M	INTEGER	4,	0)
		0	ICMD_STAT_CNT_7147	7147	ICMD-LA-ALL-ANFM	INTEGER	4,	0)
		0	ICMD_STAT_CNT_7148	7148	ICMD-LA-ALL-ANF	INTEGER	4,	0)
		0	ICMD_STAT_CNT_7149	7149	ICMD-LA-ALL-ANM	INTEGER	4,	0)
		0	ICMD_STAT_CNT_7150	7150	ICMD-LA-ALL-AN	INTEGER	4,	0)
		0	ICMD_STAT_CNT_7151	7151	ICMD-LA-ALL-AFM	INTEGER	4,	0)
		0	ICMD_STAT_CNT_7152	7152	ICMD-LA-ALL-AF	INTEGER	4,	0)
		0	ICMD_STAT_CNT_7153	7153	ICMD-LA-ALL-AM	INTEGER	4,	0)
		0	ICMD_STAT_CNT_7154	7154	ICMD-LA-ALL-A	INTEGER	4,	0)
		0	ICMD_STAT_CNT_7155	7155	ICMD-LA-ALL-NFM	INTEGER	4,	0)
		0	ICMD_STAT_CNT_7156	7156	ICMD-LA-ALL-NF	INTEGER	4,	0)
		0	ICMD_STAT_CNT_7157	7157	ICMD-LA-ALL-NM	INTEGER	4,	0)
		0	ICMD_STAT_CNT_7158	7158	ICMD-LA-ALL-N	INTEGER	4,	0)
		0	ICMD_STAT_CNT_7159	7159	ICMD-LA-ALL-FM	INTEGER	4,	0)
		0	ICMD_STAT_CNT_7160	7160	ICMD-LA-ALL-F	INTEGER	4,	0)
		0	ICMD_STAT_CNT_7161	7161	ICMD-LA-ALL-M	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2,	0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	7,	0)
		4	FSG_3994	3994	ASGND-FSG	CHAR	2,	0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2,	0)
789	COMALTY_MS_D_TOT_A	0	ICMD_STAT_CNT_5864	5864	ICMD-LA-FSC-ALL-ANFM	INTEGER	4,	0)
		0	ICMD_STAT_CNT_5865	5865	ICMD-LA-FSC-ALL-ANF	INTEGER	4,	0)
		0	ICMD_STAT_CNT_5866	5866	ICMD-LA-FSC-ALL-ANM	INTEGER	4,	0)
		0	ICMD_STAT_CNT_5867	5867	ICMD-LA-FSC-ALL-AN	INTEGER	4,	0)
		0	ICMD_STAT_CNT_5869	5869	ICMD-LA-FSC-ALL-AFM	INTEGER	4,	0)
		0	ICMD_STAT_CNT_5870	5870	ICMD-LA-FSC-ALL-AF	INTEGER	4,	0)
		0	ICMD_STAT_CNT_5871	5871	ICMD-LA-FSC-ALL-AM	INTEGER	4,	0)
		0	ICMD_STAT_CNT_5872	5872	ICMD-LA-FSC-ALL-A	INTEGER	4,	0)
		0	ICMD_STAT_CNT_5873	5873	ICMD-LA-FSC-ALL-NFM	INTEGER	4,	0)
		0	ICMD_STAT_CNT_5874	5874	ICMD-LA-FSC-ALL-NF	INTEGER	4,	0)
		0	ICMD_STAT_CNT_5875	5875	ICMD-LA-FSC-ALL-NM	INTEGER	4,	0)
		0	ICMD_STAT_CNT_5876	5876	ICMD-LA-FSC-ALL-N	INTEGER	4,	0)
		0	ICMD_STAT_CNT_5877	5877	ICMD-LA-FSC-ALL-FM	INTEGER	4,	0)
		0	ICMD_STAT_CNT_5878	5878	ICMD-LA-FSC-ALL-F	INTEGER	4,	0)
		0	ICMD_STAT_CNT_5879	5879	ICMD-LA-FSC-ALL-M	INTEGER	4,	0)
		0	ICMD_STAT_CNT_7087	7087	ICMD-FSC-ALL-ANFM	INTEGER	4,	0)
		0	ICMD_STAT_CNT_7088	7088	ICMD-FSC-ALL-ANF	INTEGER	4,	0)
		0	ICMD_STAT_CNT_7089	7089	ICMD-FSC-ALL-ANM	INTEGER	4,	0)
		0	ICMD_STAT_CNT_7090	7090	ICMD-FSC-ALL-AN	INTEGER	4,	0)
		0	ICMD_STAT_CNT_7091	7091	ICMD-FSC-ALL-AFM	INTEGER	4,	0)
		0	ICMD_STAT_CNT_7092	7092	ICMD-FSC-ALL-AF	INTEGER	4,	0)
		0	ICMD_STAT_CNT_7093	7093	ICMD-FSC-ALL-AM	INTEGER	4,	0)
		0	ICMD_STAT_CNT_7094	7094	ICMD-FSC-ALL-A	INTEGER	4,	0)
		0	ICMD_STAT_CNT_7095	7095	ICMD-FSC-ALL-NFM	INTEGER	4,	0)
		0	ICMD_STAT_CNT_7096	7096	ICMD-FSC-ALL-NF	INTEGER	4,	0)
		0	ICMD_STAT_CNT_7097	7097	ICMD-FSC-ALL-NM	INTEGER	4,	0)
		0	ICMD_STAT_CNT_7098	7098	ICMD-FSC-ALL-N	INTEGER	4,	0)
		0	ICMD_STAT_CNT_7099	7099	ICMD-FSC-ALL-FM	INTEGER	4,	0)
		0	ICMD_STAT_CNT_7100	7100	ICMD-FSC-ALL-F	INTEGER	4,	0)
		0	ICMD_STAT_CNT_7101	7101	ICMD-FSC-ALL-M	INTEGER	4,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		0	ICMD_STAT_CNT_7117	7117	ICMD-IM-ALL-ANFM	INTEGER	4	0
		0	ICMD_STAT_CNT_7118	7118	ICMD-IM-ALL-ANF	INTEGER	4	0
		0	ICMD_STAT_CNT_7119	7119	ICMD-IM-ALL-ANM	INTEGER	4	0
		0	ICMD_STAT_CNT_7120	7120	ICMD-IM-ALL-AN	INTEGER	4	0
		0	ICMD_STAT_CNT_7121	7121	ICMD-IM-ALL-AFM	INTEGER	4	0
		0	ICMD_STAT_CNT_7122	7122	ICMD-IM-ALL-AF	INTEGER	4	0
		0	ICMD_STAT_CNT_7123	7123	ICMD-IM-ALL-AM	INTEGER	4	0
		0	ICMD_STAT_CNT_7124	7124	ICMD-IM-ALL-A	INTEGER	4	0
		0	ICMD_STAT_CNT_7125	7125	ICMD-IM-ALL-NFM	INTEGER	4	0
		0	ICMD_STAT_CNT_7126	7126	ICMD-IM-ALL-NF	INTEGER	4	0
		0	ICMD_STAT_CNT_7127	7127	ICMD-IM-ALL-NM	INTEGER	4	0
		0	ICMD_STAT_CNT_7128	7128	ICMD-IM-ALL-N	INTEGER	4	0
		0	ICMD_STAT_CNT_7129	7129	ICMD-IM-ALL-FM	INTEGER	4	0
		0	ICMD_STAT_CNT_7130	7130	ICMD-IM-ALL-F	INTEGER	4	0
		0	ICMD_STAT_CNT_7131	7131	ICMD-IM-ALL-M	INTEGER	4	0
		0	ICMD_STAT_CNT_7147	7147	ICMD-LA-ALL-ANFM	INTEGER	4	0
		0	ICMD_STAT_CNT_7148	7148	ICMD-LA-ALL-ANF	INTEGER	4	0
		0	ICMD_STAT_CNT_7149	7149	ICMD-LA-ALL-ANM	INTEGER	4	0
		0	ICMD_STAT_CNT_7150	7150	ICMD-LA-ALL-AN	INTEGER	4	0
		0	ICMD_STAT_CNT_7151	7151	ICMD-LA-ALL-AFM	INTEGER	4	0
		0	ICMD_STAT_CNT_7152	7152	ICMD-LA-ALL-AF	INTEGER	4	0
		0	ICMD_STAT_CNT_7153	7153	ICMD-LA-ALL-AM	INTEGER	4	0
		0	ICMD_STAT_CNT_7154	7154	ICMD-LA-ALL-A	INTEGER	4	0
		0	ICMD_STAT_CNT_7155	7155	ICMD-LA-ALL-NFM	INTEGER	4	0
		0	ICMD_STAT_CNT_7156	7156	ICMD-LA-ALL-NF	INTEGER	4	0
		0	ICMD_STAT_CNT_7157	7157	ICMD-LA-ALL-NM	INTEGER	4	0
		0	ICMD_STAT_CNT_7158	7158	ICMD-LA-ALL-N	INTEGER	4	0
		0	ICMD_STAT_CNT_7159	7159	ICMD-LA-ALL-FM	INTEGER	4	0
		0	ICMD_STAT_CNT_7160	7160	ICMD-LA-ALL-F	INTEGER	4	0
		0	ICMD_STAT_CNT_7161	7161	ICMD-LA-ALL-M	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR	7	0
		4	FSG_3994	3994	ASGND-FSG	CHAR	2	0
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2	0
790	COMALTY_DDOD_TOT	0	ICDD_STAT_CNT_5949	5949	ICDD-FSC-ALL-MS-IM-OD	INTEGER	4	0
		0	ICDD_STAT_CNT_5950	5950	ICDD-FSC-ALL-MS-IM	INTEGER	4	0
		0	ICDD_STAT_CNT_5951	5951	ICDD-FSC-ALL-MS-OD	INTEGER	4	0
		0	ICDD_STAT_CNT_5952	5952	ICDD-FSC-ALL-MS	INTEGER	4	0
		0	ICDD_STAT_CNT_5953	5953	ICDD-FSC-ALL-IM-OD	INTEGER	4	0
		0	ICDD_STAT_CNT_5954	5954	ICDD-FSC-ALL-IM	INTEGER	4	0
		0	ICDD_STAT_CNT_5955	5955	ICDD-FSC-ALL-OD	INTEGER	4	0
		0	ICDD_STAT_CNT_5963	5963	ICDD-IM-ALL-MS-IM-OD	INTEGER	4	0
		0	ICDD_STAT_CNT_5964	5964	ICDD-IM-ALL-MS-IM	INTEGER	4	0
		0	ICDD_STAT_CNT_5965	5965	ICDD-IM-ALL-MS-OD	INTEGER	4	0
		0	ICDD_STAT_CNT_5966	5966	ICDD-IM-ALL-MS	INTEGER	4	0
		0	ICDD_STAT_CNT_5967	5967	ICDD-IM-ALL-IM-OD	INTEGER	4	0
		0	ICDD_STAT_CNT_5968	5968	ICDD-IM-ALL-IM	INTEGER	4	0
		0	ICDD_STAT_CNT_5969	5969	ICDD-IM-ALL-OD	INTEGER	4	0
		0	ICDD_STAT_CNT_6467	6467	ICDD-LA-ALL-MS-IM-OD	INTEGER	4	0
		0	ICDD_STAT_CNT_6468	6468	ICDD-LA-ALL-MS-IM	INTEGER	4	0
		0	ICDD_STAT_CNT_6469	6469	ICDD-LA-ALL-MS-OD	INTEGER	4	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	----------DATA---------- TYPE--LENGTH--DECIMAL
		0	ICDD_STAT_CNT_6470	6470	ICDD-LA-ALL-MS	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6471	6471	ICDD-LA-ALL-IM-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6472	6472	ICDD-LA-ALL-IM	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6473	6473	ICDD-LA-ALL-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6481	6481	ICDD-LA-FSC-ALL-MS-IM-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6482	6482	ICDD-LA-FSC-ALL-MS-IM	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6483	6483	ICDD-LA-FSC-ALL-MS-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6484	6484	ICDD-LA-FSC-ALL-MS	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6485	6485	ICDD-LA-FSC-ALL-IM-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6486	6486	ICDD-LA-FSC-ALL-IM	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6487	6487	ICDD-LA-FSC-ALL-OD	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR (7, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
791	COMALTY_DDOD_TOT_A	0	ICDD_STAT_CNT_5949	5949	ICDD-FSC-ALL-MS-IM-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_5950	5950	ICDD-FSC-ALL-MS-IM	INTEGER (4, 0)
		0	ICDD_STAT_CNT_5951	5951	ICDD-FSC-ALL-MS-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_5952	5952	ICDD-FSC-ALL-MS	INTEGER (4, 0)
		0	ICDD_STAT_CNT_5953	5953	ICDD-FSC-ALL-IM-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_5954	5954	ICDD-FSC-ALL-IM	INTEGER (4, 0)
		0	ICDD_STAT_CNT_5955	5955	ICDD-FSC-ALL-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_5963	5963	ICDD-IM-ALL-MS-IM-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_5964	5964	ICDD-IM-ALL-MS-IM	INTEGER (4, 0)
		0	ICDD_STAT_CNT_5965	5965	ICDD-IM-ALL-MS-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_5966	5966	ICDD-IM-ALL-MS	INTEGER (4, 0)
		0	ICDD_STAT_CNT_5967	5967	ICDD-IM-ALL-IM-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_5968	5968	ICDD-IM-ALL-IM	INTEGER (4, 0)
		0	ICDD_STAT_CNT_5969	5969	ICDD-IM-ALL-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6467	6467	ICDD-LA-ALL-MS-IM-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6468	6468	ICDD-LA-ALL-MS-IM	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6469	6469	ICDD-LA-ALL-MS-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6470	6470	ICDD-LA-ALL-MS	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6471	6471	ICDD-LA-ALL-IM-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6472	6472	ICDD-LA-ALL-IM	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6473	6473	ICDD-LA-ALL-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6481	6481	ICDD-LA-FSC-ALL-MS-IM-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6482	6482	ICDD-LA-FSC-ALL-MS-IM	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6483	6483	ICDD-LA-FSC-ALL-MS-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6484	6484	ICDD-LA-FSC-ALL-MS	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6485	6485	ICDD-LA-FSC-ALL-IM-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6486	6486	ICDD-LA-FSC-ALL-IM	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6487	6487	ICDD-LA-FSC-ALL-OD	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR (7, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
792	COMALTY_DDOD_DTL	0	ICDD_STAT_CNT_5956	5956	ICDD-FSC-ALL-LC-MS-IM-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_5957	5957	ICDD-FSC-ALL-LC-MS-IM	INTEGER (4, 0)
		0	ICDD_STAT_CNT_5958	5958	ICDD-FSC-ALL-LC-MS-OD	INTEGER (4, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	---------DATA--------- TYPE--LENGTH--DECIMAL
		0	ICDD_STAT_CNT_5959	5959	ICDD-FSC-ALL-LC-MS	INTEGER (4, 0)
		0	ICDD_STAT_CNT_5960	5960	ICDD-FSC-ALL-LC-IM-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_5961	5961	ICDD-FSC-ALL-LC-IM	INTEGER (4, 0)
		0	ICDD_STAT_CNT_5962	5962	ICDD-FSC-ALL-LC-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6460	6460	ICDD-IM-ALL-LC-MS-IM-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6461	6461	ICDD-IM-ALL-LC-MS-IM	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6462	6462	ICDD-IM-ALL-LC-MS-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6463	6463	ICDD-IM-ALL-LC-MS	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6464	6464	ICDD-IM-ALL-LC-IM-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6465	6465	ICDD-IM-ALL-LC-IM	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6466	6466	ICDD-IM-ALL-LC-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6474	6474	ICDD-LA-ALL-LC-MS-IM-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6475	6475	ICDD-LA-ALL-LC-MS-IM	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6476	6476	ICDD-LA-ALL-LC-MS-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6477	6477	ICDD-LA-ALL-LC-MS	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6478	6478	ICDD-LA-ALL-LC-IM-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6479	6479	ICDD-LA-ALL-LC-IM	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6480	6480	ICDD-LA-ALL-LC-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6488	6488	ICDD-LA-FSC-LC-MS-IM-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6489	6489	ICDD-LA-FSC-LC-MS-IM	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6490	6490	ICDD-LA-FSC-LC-MS-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6491	6491	ICDD-LA-FSC-LC-MS	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6492	6492	ICDD-LA-FSC-LC-IM-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6493	6493	ICDD-LA-FSC-LC-IM	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6494	6494	ICDD-LA-FSC-LC-OD	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		3	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR (7, 0)
		4	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
		6	STAT_LOA_COMB_3090	3090	STAT-LVL-AUTH-COMB	CHAR (12, 0)
793	COMALTY_DDOD_DTL_A	0	ICDD_STAT_CNT_5956	5956	ICDD-FSC-ALL-LC-MS-IM-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_5957	5957	ICDD-FSC-ALL-LC-MS-IM	INTEGER (4, 0)
		0	ICDD_STAT_CNT_5958	5958	ICDD-FSC-ALL-LC-MS-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_5959	5959	ICDD-FSC-ALL-LC-MS	INTEGER (4, 0)
		0	ICDD_STAT_CNT_5961	5961	ICDD-FSC-ALL-LC-IM	INTEGER (4, 0)
		0	ICDD_STAT_CNT_5962	5962	ICDD-FSC-ALL-LC-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6460	6460	ICDD-IM-ALL-LC-MS-IM-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6461	6461	ICDD-IM-ALL-LC-MS-IM	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6462	6462	ICDD-IM-ALL-LC-MS-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6463	6463	ICDD-IM-ALL-LC-MS	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6464	6464	ICDD-IM-ALL-LC-IM-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6465	6465	ICDD-IM-ALL-LC-IM	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6466	6466	ICDD-IM-ALL-LC-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6474	6474	ICDD-LA-ALL-LC-MS-IM-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6475	6475	ICDD-LA-ALL-LC-MS-IM	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6476	6476	ICDD-LA-ALL-LC-MS-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6477	6477	ICDD-LA-ALL-LC-MS	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6478	6478	ICDD-LA-ALL-LC-IM-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6479	6479	ICDD-LA-ALL-LC-IM	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6480	6480	ICDD-LA-ALL-LC-OD	INTEGER (4, 0)
		0	ICDD_STAT_CNT_6488	6488	ICDD-LA-FSC-LC-MS-IM-OD	INTEGER (4, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		0	ICDD_STAT_CNT_6489	6489	ICDD-LA-FSC-LC-MS-IM	INTEGER	4	0
		0	ICDD_STAT_CNT_6490	6490	ICDD-LA-FSC-LC-MS-OD	INTEGER	4	0
		0	ICDD_STAT_CNT_6491	6491	ICDD-LA-FSC-LC-MS	INTEGER	4	0
		0	ICDD_STAT_CNT_6492	6492	ICDD-LA-FSC-LC-IM-OD	INTEGER	4	0
		0	ICDD_STAT_CNT_6493	6493	ICDD-LA-FSC-LC-IM	INTEGER	4	0
		0	ICDD_STAT_CNT_6494	6494	ICDD-LA-FSC-LC-OD	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		4	FSG_3994	3994	ASGND-FSG	CHAR	2	0
		5	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2	0
794	FCS_GOAL_ACTY_DTL	0	M3C1_STAT_CNT_1634	1634	M3C1-D-AT-MG	INTEGER	4	0
		0	M3C1_STAT_CNT_1635	1635	M3C1-D-AT-DM	INTEGER	4	0
		0	M3C1_STAT_CNT_1636	1636	M3C1-D-AT-DM-G	INTEGER	4	0
		0	M3C1_STAT_CNT_1638	1638	M3C1-D-AT-AIN	INTEGER	4	0
		0	M3C1_STAT_CNT_1639	1639	M3C1-D-AT-AIN-G	INTEGER	4	0
		0	M3C1_STAT_CNT_1641	1641	M3C1-D-AT-RN	INTEGER	4	0
		0	M3C1_STAT_CNT_1642	1642	M3C1-D-AT-RN-G	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
795	FCS_GOAL_ACTY_D_A	0	M3C1_STAT_CNT_1634	1634	M3C1-D-AT-MG	INTEGER	4	0
		0	M3C1_STAT_CNT_1635	1635	M3C1-D-AT-DM	INTEGER	4	0
		0	M3C1_STAT_CNT_1636	1636	M3C1-D-AT-DM-G	INTEGER	4	0
		0	M3C1_STAT_CNT_1638	1638	M3C1-D-AT-AIN	INTEGER	4	0
		0	M3C1_STAT_CNT_1639	1639	M3C1-D-AT-AIN-G	INTEGER	4	0
		0	M3C1_STAT_CNT_1641	1641	M3C1-D-AT-RN	INTEGER	4	0
		0	M3C1_STAT_CNT_1642	1642	M3C1-D-AT-RN-G	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
796	FCS_GOAL_FSC_D_DTL	0	M3B_STAT_CNT_1624	1624	M3B-FSC-D-LOA-MG	INTEGER	4	0
		0	M3B_STAT_CNT_1625	1625	M3B-FSC-D-LOA-DM	INTEGER	4	0
		0	M3B_STAT_CNT_1626	1626	M3B-FSC-D-LOA-DM-G	INTEGER	4	0
		0	M3B_STAT_CNT_1628	1628	M3B-FSC-D-LOA-AIN	INTEGER	4	0
		0	M3B_STAT_CNT_1629	1629	M3B-FSC-D-LOA-AIN-G	INTEGER	4	0
		0	M3B_STAT_CNT_1631	1631	M3B-FSC-D-LOA-RN	INTEGER	4	0
		0	M3B_STAT_CNT_1632	1632	M3B-FSC-D-LOA-RN-G	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	FSG_3994	3994	ASGND-FSG	CHAR	2	0
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2	0
		4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		5	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR	2	0
797	FCS_GOAL_FSC_D_D_A	0	M3B_STAT_CNT_1624	1624	M3B-FSC-D-LOA-MG	INTEGER	4	0
		0	M3B_STAT_CNT_1625	1625	M3B-FSC-D-LOA-DM	INTEGER	4	0
		0	M3B_STAT_CNT_1626	1626	M3B-FSC-D-LOA-DM-G	INTEGER	4	0
		0	M3B_STAT_CNT_1628	1628	M3B-FSC-D-LOA-AIN	INTEGER	4	0
		0	M3B_STAT_CNT_1629	1629	M3B-FSC-D-LOA-AIN-G	INTEGER	4	0
		0	M3B_STAT_CNT_1631	1631	M3B-FSC-D-LOA-RN	INTEGER	4	0
		0	M3B_STAT_CNT_1632	1632	M3B-FSC-D-LOA-RN-G	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	FSG_3994	3994	ASGND-FSG	CHAR	2	0
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2	0
		4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		5	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR	2	0
798	FCS_GOAL_FSC_D_TOT	0	M3BC_STAT_CNT_1614	1614	M3BC-FSC-D-MG	INTEGER	4	0
		0	M3BC_STAT_CNT_1615	1615	M3BC-FSC-D-DM	INTEGER	4	0
		0	M3BC_STAT_CNT_1616	1616	M3BC-FSC-D-DM-G	INTEGER	4	0
		0	M3BC_STAT_CNT_1618	1618	M3BC-FSC-D-AIN	INTEGER	4	0
		0	M3BC_STAT_CNT_1619	1619	M3BC-FSC-D-AIN-G	INTEGER	4	0
		0	M3BC_STAT_CNT_1621	1621	M3BC-FSC-D-RN	INTEGER	4	0
		0	M3BC_STAT_CNT_1622	1622	M3BC-FSC-D-RN-G	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	FSG_3994	3994	ASGND-FSG	CHAR	2	0
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2	0
		4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
799	FCS_GOAL_FSC_D_T_A	0	M3BC_STAT_CNT_1614	1614	M3BC-FSC-D-MG	INTEGER	4	0
		0	M3BC_STAT_CNT_1615	1615	M3BC-FSC-D-DM	INTEGER	4	0
		0	M3BC_STAT_CNT_1616	1616	M3BC-FSC-D-DM-G	INTEGER	4	0
		0	M3BC_STAT_CNT_1618	1618	M3BC-FSC-D-AIN	INTEGER	4	0
		0	M3BC_STAT_CNT_1619	1619	M3BC-FSC-D-AIN-G	INTEGER	4	0
		0	M3BC_STAT_CNT_1621	1621	M3BC-FSC-D-RN	INTEGER	4	0
		0	M3BC_STAT_CNT_1622	1622	M3BC-FSC-D-RN-G	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	FSG_3994	3994	ASGND-FSG	CHAR	2	0
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2	0
		4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
800	FCS_GOAL_FSC_A_DTL	0	M3C2_STAT_CNT_6295	6295	M3C2-FSC-D-AT-LOA-MG	INTEGER	4	0
		0	M3C2_STAT_CNT_6296	6296	M3C2-FSC-D-AT-LOA-DM-G	INTEGER	4	0
		0	M3C2_STAT_CNT_6298	6298	M3C2-FSC-D-AT-LOA-AIN	INTEGER	4	0
		0	M3C2_STAT_CNT_6299	6299	M3C2-FSC-D-AT-LOA-AIN-G	INTEGER	4	0
		0	M3C2_STAT_CNT_6301	6301	M3C2-FSC-D-AT-LOA-RN	INTEGER	4	0
		0	M3C2_STAT_CNT_6302	6302	M3C2-FSC-D-AT-LOA-RN-G	INTEGER	4	0
		0	M3C2_STAT_CNT_6650	6650	M3C2-FSC-D-AT-LOA-DM	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	FSG_3994	3994	ASGND-FSG	CHAR	2	0
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2	0
		4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		5	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
		6	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR	2	0
801	FCS_GOAL_FSC_A_D_A	0	M3C2_STAT_CNT_6295	6295	M3C2-FSC-D-AT-LOA-MG	INTEGER	4	0
		0	M3C2_STAT_CNT_6296	6296	M3C2-FSC-D-AT-LOA-DM-G	INTEGER	4	0
		0	M3C2_STAT_CNT_6298	6298	M3C2-FSC-D-AT-LOA-AIN	INTEGER	4	0
		0	M3C2_STAT_CNT_6299	6299	M3C2-FSC-D-AT-LOA-AIN-G	INTEGER	4	0
		0	M3C2_STAT_CNT_6301	6301	M3C2-FSC-D-AT-LOA-RN	INTEGER	4	0
		0	M3C2_STAT_CNT_6302	6302	M3C2-FSC-D-AT-LOA-RN-G	INTEGER	4	0
		0	M3C2_STAT_CNT_6650	6650	M3C2-FSC-D-AT-LOA-DM	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	FSG_3994	3994	ASGND-FSG	CHAR	2	0
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2	0
		4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
		5	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2	0
		6	STAT_LOA_3066	3066	STAT-LVL-AUTH-CD	CHAR	2	0
802	FCS_GOAL_FSC_A_TOT	0	M3C2_STAT_CNT_1644	1644	M3C2-FSC-D-AT-MG	INTEGER	4	0
		0	M3C2_STAT_CNT_1645	1645	M3C2-FSC-D-AT-DM	INTEGER	4	0
		0	M3C2_STAT_CNT_1646	1646	M3C2-FSC-D-AT-DM-G	INTEGER	4	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		0	M3C2_STAT_CNT_1648	1648	M3C2-FSC-D-AT-AIN	INTEGER	4,	0)
		0	M3C2_STAT_CNT_1649	1649	M3C2-FSC-D-AT-AIN-G	INTEGER	4,	0)
		0	M3C2_STAT_CNT_6292	6292	M3C2-FSC-D-AT-RN	INTEGER	4,	0)
		0	M3C2_STAT_CNT_6293	6293	M3C2-FSC-D-AT-RN-G	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	2,	0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2,	0)
		4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2,	0)
		5	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2,	0)
803	FCS_GOAL_FSC_A_T_A	0	M3C2_STAT_CNT_1644	1644	M3C2-FSC-D-AT-MG	INTEGER	4,	0)
		0	M3C2_STAT_CNT_1645	1645	M3C2-FSC-D-AT-DM	INTEGER	4,	0)
		0	M3C2_STAT_CNT_1646	1646	M3C2-FSC-D-AT-DM-G	INTEGER	4,	0)
		0	M3C2_STAT_CNT_1648	1648	M3C2-FSC-D-AT-AIN	INTEGER	4,	0)
		0	M3C2_STAT_CNT_1649	1649	M3C2-FSC-D-AT-AIN-G	INTEGER	4,	0)
		0	M3C2_STAT_CNT_6292	6292	M3C2-FSC-D-AT-RN	INTEGER	4,	0)
		0	M3C2_STAT_CNT_6293	6293	M3C2-FSC-D-AT-RN-G	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	2,	0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2,	0)
		4	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2,	0)
		5	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2,	0)
804	FCS_GOAL_D_F_A_TOT	0	M3D_STAT_CNT_6304	6304	M3D-D-MG	INTEGER	4,	0)
		0	M3D_STAT_CNT_6305	6305	M3D-D-DM	INTEGER	4,	0)
		0	M3D_STAT_CNT_6306	6306	M3D-D-DM-G	INTEGER	4,	0)
		0	M3D_STAT_CNT_6308	6308	M3D-D-AIN	INTEGER	4,	0)
		0	M3D_STAT_CNT_6309	6309	M3D-D-AIN-G	INTEGER	4,	0)
		0	M3D_STAT_CNT_6312	6312	M3D-D-RN	INTEGER	4,	0)
		0	M3D_STAT_CNT_6313	6313	M3D-D-RN-G	INTEGER	4,	0)
		0	M3E_STAT_CNT_6342	6342	M3E-FSC-D-MG	INTEGER	4,	0)
		0	M3E_STAT_CNT_6343	6343	M3E-FSC-D-DM	INTEGER	4,	0)
		0	M3E_STAT_CNT_6344	6344	M3E-FSC-D-DM-G	INTEGER	4,	0)
		0	M3E_STAT_CNT_6346	6346	M3E-FSC-D-AIN	INTEGER	4,	0)
		0	M3E_STAT_CNT_6347	6347	M3E-FSC-D-AIN-G	INTEGER	4,	0)
		0	M3E_STAT_CNT_6349	6349	M3E-FSC-D-RN	INTEGER	4,	0)
		0	M3E_STAT_CNT_6350	6350	M3E-FSC-D-RN-G	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2,	0)
		3	FSG_3994	3994	ASGND-FSG	CHAR	2,	0)
		4	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2,	0)
805	FCS_GOAL_D_F_A_T_A	0	M3D_STAT_CNT_6304	6304	M3D-D-MG	INTEGER	4,	0)
		0	M3D_STAT_CNT_6305	6305	M3D-D-DM	INTEGER	4,	0)
		0	M3D_STAT_CNT_6306	6306	M3D-D-DM-G	INTEGER	4,	0)
		0	M3D_STAT_CNT_6308	6308	M3D-D-AIN	INTEGER	4,	0)
		0	M3D_STAT_CNT_6309	6309	M3D-D-AIN-G	INTEGER	4,	0)
		0	M3D_STAT_CNT_6312	6312	M3D-D-RN	INTEGER	4,	0)
		0	M3D_STAT_CNT_6313	6313	M3D-D-RN-G	INTEGER	4,	0)
		0	M3E_STAT_CNT_6342	6342	M3E-FSC-D-MG	INTEGER	4,	0)
		0	M3E_STAT_CNT_6343	6343	M3E-FSC-D-DM	INTEGER	4,	0)
		0	M3E_STAT_CNT_6344	6344	M3E-FSC-D-DM-G	INTEGER	4,	0)
		0	M3E_STAT_CNT_6346	6346	M3E-FSC-D-AIN	INTEGER	4,	0)
		0	M3E_STAT_CNT_6347	6347	M3E-FSC-D-AIN-G	INTEGER	4,	0)
		0	M3E_STAT_CNT_6349	6349	M3E-FSC-D-RN	INTEGER	4,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		0	M3E_STAT_CNT_6350	6350	M3E-FSC-D-RN-G	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2,	0)
		3	FSG_3994	3994	ASGND-FSG	CHAR	2,	0)
		4	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2,	0)
808	TRN_QDIC_OAC_ST	0	QDIC_STAT_CNT_6816	6816	QDIC-OAC-DIC-NIINST	INTEGER	4,	0)
		0	QDIC_STAT_CNT_6817	6817	QDIC-OAC-DIC-RULES	INTEGER	4,	0)
		0	QDIC_STAT_CNT_6818	6818	QDIC-OAC-DIC-CLRCL	INTEGER	4,	0)
		0	QDIC_STAT_CNT_6819	6819	QDIC-OAC-DIC-PDUPS	INTEGER	4,	0)
		0	QDIC_STAT_CNT_6820	6820	QDIC-OAC-DIC-ADUPS	INTEGER	4,	0)
		0	QDIC_STAT_CNT_6823	6823	QDIC-OAC-DIC-APRVD	INTEGER	4,	0)
		0	QDIC_STAT_CNT_6825	6825	QDIC-OAC-DIC-RECVD	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2,	0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2,	0)
		4	DIC_IP_3921	3921	DIC-IP	CHAR	3,	0)
809	TRN_QDIC_OAC_ST_A	0	QDIC_STAT_CNT_6816	6816	QDIC-OAC-DIC-NIINST	INTEGER	4,	0)
		0	QDIC_STAT_CNT_6817	6817	QDIC-OAC-DIC-RULES	INTEGER	4,	0)
		0	QDIC_STAT_CNT_6818	6818	QDIC-OAC-DIC-CLRCL	INTEGER	4,	0)
		0	QDIC_STAT_CNT_6819	6819	QDIC-OAC-DIC-PDUPS	INTEGER	4,	0)
		0	QDIC_STAT_CNT_6820	6820	QDIC-OAC-DIC-ADUPS	INTEGER	4,	0)
		0	QDIC_STAT_CNT_6823	6823	QDIC-OAC-DIC-APRVD	INTEGER	4,	0)
		0	QDIC_STAT_CNT_6825	6825	QDIC-OAC-DIC-RECVD	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2,	0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2,	0)
		4	DIC_IP_3921	3921	DIC-IP	CHAR	3,	0)
810	TRN_QDIC_OAC_DPT	0	QDIC_STAT_CNT_5422	5422	QDIC-ALL-OAC-DEPT-RECVD	INTEGER	4,	0)
		0	QDIC_STAT_CNT_5424	5424	QDIC-ALL-OAC-DEPT-APRVD	INTEGER	4,	0)
		0	QDIC_STAT_CNT_5426	5426	QDIC-ALL-OAC-DEPT-ADUPS	INTEGER	4,	0)
		0	QDIC_STAT_CNT_5427	5427	QDIC-ALL-OAC-DEPT-PDUPS	INTEGER	4,	0)
		0	QDIC_STAT_CNT_5428	5428	QDIC-ALL-OAC-DEPT-CLRCL	INTEGER	4,	0)
		0	QDIC_STAT_CNT_5429	5429	QDIC-ALL-OAC-DEPT-RULES	INTEGER	4,	0)
		0	QDIC_STAT_CNT_5430	5430	QDIC-ALL-OAC-DEPT-NIINST	INTEGER	4,	0)
		0	QDIC_STAT_CNT_5442	5442	QDIC-OAC-TOT-RECVD	INTEGER	4,	0)
		0	QDIC_STAT_CNT_5444	5444	QDIC-OAC-TOT-APRVD	INTEGER	4,	0)
		0	QDIC_STAT_CNT_5446	5446	QDIC-OAC-TOT-ADUPS	INTEGER	4,	0)
		0	QDIC_STAT_CNT_5447	5447	QDIC-OAC-TOT-PDUPS	INTEGER	4,	0)
		0	QDIC_STAT_CNT_5448	5448	QDIC-OAC-TOT-CLRCL	INTEGER	4,	0)
		0	QDIC_STAT_CNT_5449	5449	QDIC-OAC-TOT-RULES	INTEGER	4,	0)
		0	QDIC_STAT_CNT_5450	5450	QDIC-OAC-TOT-NIINST	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2,	0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2,	0)
811	TRN_QDIC_OAC_DPT_A	0	QDIC_STAT_CNT_5422	5422	QDIC-ALL-OAC-DEPT-RECVD	INTEGER	4,	0)
		0	QDIC_STAT_CNT_5424	5424	QDIC-ALL-OAC-DEPT-APRVD	INTEGER	4,	0)
		0	QDIC_STAT_CNT_5426	5426	QDIC-ALL-OAC-DEPT-ADUPS	INTEGER	4,	0)
		0	QDIC_STAT_CNT_5427	5427	QDIC-ALL-OAC-DEPT-PDUPS	INTEGER	4,	0)
		0	QDIC_STAT_CNT_5428	5428	QDIC-ALL-OAC-DEPT-CLRCL	INTEGER	4,	0)
		0	QDIC_STAT_CNT_5429	5429	QDIC-ALL-OAC-DEPT-RULES	INTEGER	4,	0)
		0	QDIC_STAT_CNT_5430	5430	QDIC-ALL-OAC-DEPT-NIINST	INTEGER	4,	0)
		0	QDIC_STAT_CNT_5442	5442	QDIC-OAC-TOT-RECVD	INTEGER	4,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	----------DATA---------- TYPE--LENGTH--DECIMAL
		0	QDIC_STAT_CNT_5447	5447	QDIC-OAC-TOT-PDUPS	INTEGER (4, 0)
		0	QDIC_STAT_CNT_5448	5448	QDIC-OAC-TOT-CLRCL	INTEGER (4, 0)
		0	QDIC_STAT_CNT_5449	5449	QDIC-OAC-TOT-RULES	INTEGER (4, 0)
		0	QDIC_STAT_CNT_5450	5450	QDIC-OAC-TOT-NIINST	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
813	U_I_CONVERN_FACTOR	0	NEW_QUANT_EXP_3045	3045	NEW-QUANT-EXP	CHAR (13, 0)
		0	NEW_UI_TEXT_3047	3047	NEW-UI-TEXT	VARCHAR (50, 0)
		0	OLD_QUANT_EXP_3044	3044	OLD-QUANT-EXP	CHAR (13, 0)
		0	OUT_UI_TEXT_3046			VARCHAR (50, 0)
		0	UI_CONV_FAC_3053	3053	UI-CONV-FAC	CHAR (5, 0)
		1	OLD_UI_CD_3041	3041	OLD-UI-CD	CHAR (2, 0)
		2	NEW_UI_CD_3042	3042	NEW-UI-CD	CHAR (2, 0)
		3	SEQ_KEY_3043	3043	SEQ-KEY	CHAR (1, 0)
815	FIIG_VAL_TABLE	0	DWG_FIIG_INIT_4064	4064	DWG-FIIG-INITR-ID	CHAR (4, 0)
		0	DWG_FIIG_TI_9779	9779	DWG-FIIG-TI	VARCHAR (120, 0)
		1	DWG_FIIG_4069	4069	DWG-FIIG	CHAR (5, 0)
816	MASTER_DRAW_FILE	0	PHYS_TYP_IND_5074	5074	PHYS-TYP-IND	CHAR (1, 0)
		1	DGTZD- _DWG_NBR_0772	0772	DGTZD-DWG-NBR	CHAR (15, 0)
		2	PHYS_DWG_ID_5037	5037	PHYS-DWG-ID	CHAR (8, 0)
818	TRN_DIC_OAC_TOT	0	DIC_STAT_CNT_5335	5335	DIC-ALL-OAC-DEPT-RECVD	INTEGER (4, 0)
		0	DIC_STAT_CNT_5337	5337	DIC-ALL-OAC-DEPT-APRVD	INTEGER (4, 0)
		0	DIC_STAT_CNT_5339	5339	DIC-ALL-OAC-DEPT-ADUPS	INTEGER (4, 0)
		0	DIC_STAT_CNT_5340	5340	DIC-ALL-OAC-DEPT-PDUPS	INTEGER (4, 0)
		0	DIC_STAT_CNT_5341	5341	DIC-ALL-OAC-DEPT-CLRCL	INTEGER (4, 0)
		0	DIC_STAT_CNT_5342	5342	DIC-ALL-OAC-DEPT-RULES	INTEGER (4, 0)
		0	DIC_STAT_CNT_5343	5343	DIC-ALL-OAC-DEPT-NIINST	INTEGER (4, 0)
		0	DIC_STAT_CNT_6806	6806	DIC-ALL-OAC-NIINST	INTEGER (4, 0)
		0	DIC_STAT_CNT_6807	6807	DIC-ALL-OAC-RULES	INTEGER (4, 0)
		0	DIC_STAT_CNT_6808	6808	DIC-ALL-OAC-CLRCL	INTEGER (4, 0)
		0	DIC_STAT_CNT_6809	6809	DIC-ALL-OAC-PDUPS	INTEGER (4, 0)
		0	DIC_STAT_CNT_6810	6810	DIC-ALL-OAC-ADUPS	INTEGER (4, 0)
		0	DIC_STAT_CNT_6813	6813	DIC-ALL-OAC-APRVD	INTEGER (4, 0)
		0	DIC_STAT_CNT_6815	6815	DIC-ALL-OAC-RECVD	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR (2, 0)
819	TRN_DIC_OAC_TOT_A	0	DIC_STAT_CNT_5335	5335	DIC-ALL-OAC-DEPT-RECVD	INTEGER (4, 0)
		0	DIC_STAT_CNT_5337	5337	DIC-ALL-OAC-DEPT-APRVD	INTEGER (4, 0)
		0	DIC_STAT_CNT_5339	5339	DIC-ALL-OAC-DEPT-ADUPS	INTEGER (4, 0)
		0	DIC_STAT_CNT_5340	5340	DIC-ALL-OAC-DEPT-PDUPS	INTEGER (4, 0)
		0	DIC_STAT_CNT_5341	5341	DIC-ALL-OAC-DEPT-CLRCL	INTEGER (4, 0)
		0	DIC_STAT_CNT_5342	5342	DIC-ALL-OAC-DEPT-RULES	INTEGER (4, 0)
		0	DIC_STAT_CNT_5343	5343	DIC-ALL-OAC-DEPT-NIINST	INTEGER (4, 0)
		0	DIC_STAT_CNT_6806	6806	DIC-ALL-OAC-NIINST	INTEGER (4, 0)
		0	DIC_STAT_CNT_6807	6807	DIC-ALL-OAC-RULES	INTEGER (4, 0)
		0	DIC_STAT_CNT_6808	6808	DIC-ALL-OAC-CLRCL	INTEGER (4, 0)
		0	DIC_STAT_CNT_6809	6809	DIC-ALL-OAC-PDUPS	INTEGER (4, 0)
		0	DIC_STAT_CNT_6810	6810	DIC-ALL-OAC-ADUPS	INTEGER (4, 0)
		0	DIC_STAT_CNT_6813	6813	DIC-ALL-OAC-APRVD	INTEGER (4, 0)
		0	DIC_STAT_CNT_6815	6815	DIC-ALL-OAC-RECVD	INTEGER (4, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2,	0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2,	0)
820	TRN_DIC_SAC_TOT	0	DIC_STAT_CNT_6789	6789	DIC-ALL-SAC-NIINST	INTEGER	4,	0)
		0	DIC_STAT_CNT_6790	6790	DIC-ALL-SAC-RULES	INTEGER	4,	0)
		0	DIC_STAT_CNT_6791	6791	DIC-ALL-SAC-CLRCL	INTEGER	4,	0)
		0	DIC_STAT_CNT_6792	6792	DIC-ALL-SAC-PDUPS	INTEGER	4,	0)
		0	DIC_STAT_CNT_6793	6793	DIC-ALL-SAC-ADUPS	INTEGER	4,	0)
		0	DIC_STAT_CNT_6796	6796	DIC-ALL-SAC-APRVD	INTEGER	4,	0)
		0	DIC_STAT_CNT_6798	6798	DIC-ALL-SAC-RECVD	INTEGER	4,	0)
		0	DIC_STAT_CNT_7647	7647	DIC-ALL-SAC-DEPT-RECVD	INTEGER	4,	0)
		0	DIC_STAT_CNT_7649	7649	DIC-ALL-SAC-DEPT-APRVD	INTEGER	4,	0)
		0	DIC_STAT_CNT_7651	7651	DIC-ALL-SAC-DEPT-ADUPS	INTEGER	4,	0)
		0	DIC_STAT_CNT_7652	7652	DIC-ALL-SAC-DEPT-PDUPS	INTEGER	4,	0)
		0	DIC_STAT_CNT_7653	7653	DIC-ALL-SAC-DEPT-CLRCL	INTEGER	4,	0)
		0	DIC_STAT_CNT_7654	7654	DIC-ALL-SAC-DEPT-RULES	INTEGER	4,	0)
		0	DIC_STAT_CNT_9577	9577	DIC-ALL-SAC-DEPT-NIINST	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2,	0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2,	0)
821	TRN_DIC_SAC_TOT_A	0	DIC_STAT_CNT_6789	6789	DIC-ALL-SAC-NIINST	INTEGER	4,	0)
		0	DIC_STAT_CNT_6790	6790	DIC-ALL-SAC-RULES	INTEGER	4,	0)
		0	DIC_STAT_CNT_6791	6791	DIC-ALL-SAC-CLRCL	INTEGER	4,	0)
		0	DIC_STAT_CNT_6792	6792	DIC-ALL-SAC-PDUPS	INTEGER	4,	0)
		0	DIC_STAT_CNT_6793	6793	DIC-ALL-SAC-ADUPS	INTEGER	4,	0)
		0	DIC_STAT_CNT_6796	6796	DIC-ALL-SAC-APRVD	INTEGER	4,	0)
		0	DIC_STAT_CNT_6798	6798	DIC-ALL-SAC-RECVD	INTEGER	4,	0)
		0	DIC_STAT_CNT_7647	7647	DIC-ALL-SAC-DEPT-RECVD	INTEGER	4,	0)
		0	DIC_STAT_CNT_7649	7649	DIC-ALL-SAC-DEPT-APRVD	INTEGER	4,	0)
		0	DIC_STAT_CNT_7651	7651	DIC-ALL-SAC-DEPT-ADUPS	INTEGER	4,	0)
		0	DIC_STAT_CNT_7652	7652	DIC-ALL-SAC-DEPT-PDUPS	INTEGER	4,	0)
		0	DIC_STAT_CNT_7653	7653	DIC-ALL-SAC-DEPT-CLRCL	INTEGER	4,	0)
		0	DIC_STAT_CNT_7654	7654	DIC-ALL-SAC-DEPT-RULES	INTEGER	4,	0)
		0	DIC_STAT_CNT_9577	9577	DIC-ALL-SAC-DEPT-NIINST	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2,	0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2,	0)
822	TRN_QDIC_SAC_ST	0	QDIC_STAT_CNT_6826	6826	QDIC-SAC-DIC-NIINST	INTEGER	4,	0)
		0	QDIC_STAT_CNT_6827	6827	QDIC-SAC-DIC-RULES	INTEGER	4,	0)
		0	QDIC_STAT_CNT_6828	6828	QDIC-SAC-DIC-CLRCL	INTEGER	4,	0)
		0	QDIC_STAT_CNT_6829	6829	QDIC-SAC-DIC-PDUPS	INTEGER	4,	0)
		0	QDIC_STAT_CNT_6830	6830	QDIC-SAC-DIC-ADUPS	INTEGER	4,	0)
		0	QDIC_STAT_CNT_6833	6833	QDIC-SAC-DIC-APRVD	INTEGER	4,	0)
		0	QDIC_STAT_CNT_6835	6835	QDIC-SAC-DIC-RECVD	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2,	0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2,	0)
		4	DIC_IP_3921	3921	DIC-IP	CHAR	3,	0)
823	TRN_QDIC_SAC_ST_A	0	QDIC_STAT_CNT_6826	6826	QDIC-SAC-DIC-NIINST	INTEGER	4,	0)
		0	QDIC_STAT_CNT_6827	6827	QDIC-SAC-DIC-RULES	INTEGER	4,	0)
		0	QDIC_STAT_CNT_6828	6828	QDIC-SAC-DIC-CLRCL	INTEGER	4,	0)
		0	QDIC_STAT_CNT_6829	6829	QDIC-SAC-DIC-PDUPS	INTEGER	4,	0)
		0	QDIC_STAT_CNT_6830	6830	QDIC-SAC-DIC-ADUPS	INTEGER	4,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		0	QDIC_STAT_CNT_6833	6833	QDIC-SAC-DIC-APRVD	INTEGER	4,	0)
		0	QDIC_STAT_CNT_6835	6835	QDIC-SAC-DIC-RECVD	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2,	0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2,	0)
		4	DIC_IP_3921	3921	DIC-IP	CHAR	3,	0)
824	TRN_QDIC_SAC_DPT	0	QDIC_STAT_CNT_5384	5384	QDIC-ALL-SAC-DEPT-RECVD	INTEGER	4,	0)
		0	QDIC_STAT_CNT_5386	5386	QDIC-ALL-SAC-DEPT-APRVD	INTEGER	4,	0)
		0	QDIC_STAT_CNT_5388	5388	QDIC-ALL-SAC-DEPT-ADUPS	INTEGER	4,	0)
		0	QDIC_STAT_CNT_5389	5389	QDIC-ALL-SAC-DEPT-PDUPS	INTEGER	4,	0)
		0	QDIC_STAT_CNT_5390	5390	QDIC-ALL-SAC-DEPT-CLRCL	INTEGER	4,	0)
		0	QDIC_STAT_CNT_5391	5391	QDIC-ALL-SAC-DEPT-RULES	INTEGER	4,	0)
		0	QDIC_STAT_CNT_5392	5392	QDIC-ALL-SAC-DEPT-NIINST	INTEGER	4,	0)
		0	QDIC_STAT_CNT_5402	5402	QDIC-SAC-TOT-RECVD	INTEGER	4,	0)
		0	QDIC_STAT_CNT_5406	5406	QDIC-SAC-TOT-APRVD	INTEGER	4,	0)
		0	QDIC_STAT_CNT_5408	5408	QDIC-SAC-TOT-ADUPS	INTEGER	4,	0)
		0	QDIC_STAT_CNT_5409	5409	QDIC-SAC-TOT-PDUPS	INTEGER	4,	0)
		0	QDIC_STAT_CNT_5410	5410	QDIC-SAC-TOT-CLRCL	INTEGER	4,	0)
		0	QDIC_STAT_CNT_5411	5411	QDIC-SAC-TOT-RULES	INTEGER	4,	0)
		0	QDIC_STAT_CNT_5412	5412	QDIC-SAC-TOT-NIINST	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2,	0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2,	0)
825	TRN_QDIC_SAC_DPT_A	0	QDIC_STAT_CNT_5384	5384	QDIC-ALL-SAC-DEPT-RECVD	INTEGER	4,	0)
		0	QDIC_STAT_CNT_5386	5386	QDIC-ALL-SAC-DEPT-APRVD	INTEGER	4,	0)
		0	QDIC_STAT_CNT_5388	5388	QDIC-ALL-SAC-DEPT-ADUPS	INTEGER	4,	0)
		0	QDIC_STAT_CNT_5389	5389	QDIC-ALL-SAC-DEPT-PDUPS	INTEGER	4,	0)
		0	QDIC_STAT_CNT_5390	5390	QDIC-ALL-SAC-DEPT-CLRCL	INTEGER	4,	0)
		0	QDIC_STAT_CNT_5391	5391	QDIC-ALL-SAC-DEPT-RULES	INTEGER	4,	0)
		0	QDIC_STAT_CNT_5392	5392	QDIC-ALL-SAC-DEPT-NIINST	INTEGER	4,	0)
		0	QDIC_STAT_CNT_5402	5402	QDIC-SAC-TOT-RECVD	INTEGER	4,	0)
		0	QDIC_STAT_CNT_5406	5406	QDIC-SAC-TOT-APRVD	INTEGER	4,	0)
		0	QDIC_STAT_CNT_5408	5408	QDIC-SAC-TOT-ADUPS	INTEGER	4,	0)
		0	QDIC_STAT_CNT_5409	5409	QDIC-SAC-TOT-PDUPS	INTEGER	4,	0)
		0	QDIC_STAT_CNT_5410	5410	QDIC-SAC-TOT-CLRCL	INTEGER	4,	0)
		0	QDIC_STAT_CNT_5411	5411	QDIC-SAC-TOT-RULES	INTEGER	4,	0)
		0	QDIC_STAT_CNT_5412	5412	QDIC-SAC-TOT-NIINST	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2,	0)
		3	STAT_ACTIVITY_0898	0898	STAT-ACTIVITY	CHAR	2,	0)
826	DRAW_NOTE_DATA	0	FIIG_DWG_NOTE_5064	5064	FIIG-DWG-NOTE	VARCHAR	320,	0)
		1	DWG_FIIG_4069	4069	DWG-FIIG	CHAR	5,	0)
		2	FIIG_SCTN_ID_5069	5069	FIIG-SCTN-ID	CHAR	1,	0)
		3	REF_DWG_GP_DS_3565	3565	REF-DWG-GP-DES	CHAR	2,	0)
		4	FIIG_SB_SC_ID_5071	5071	FIIG-SB-SC-ID	CHAR	2,	0)
		5	STYL_NBR_FIIG_0768	0768	STYL-NBR-FIIG	CHAR	5,	0)
827	ID_MRC_XREF	1	DWG_FIIG_4069	4069	DWG-FIIG	CHAR	5,	0)
		2	FIIG_SCTN_ID_5069	5069	FIIG-SCTN-ID	CHAR	1,	0)
		3	REF_DWG_GP_DS_3565	3565	REF-DWG-GP-DES	CHAR	2,	0)
		4	FIIG_SB_SC_ID_5071	5071	FIIG-SB-SC-ID	CHAR	2,	0)
		5	STYL_NBR_FIIG_0768	0768	STYL-NBR-FIIG	CHAR	5,	0)
		6	MRC_3445	3445	MRC	CHAR	4,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
828	ID_INC_XREF	1	DWG_FIIG_4069	4069	DWG-FIIG	CHAR	5	0
		2	FIIG_SCTN_ID_5069	5069	FIIG-SCTN-ID	CHAR	1	0
		3	REF_DWG_GP_DS_3565	3565	REF-DWG-GP-DES	CHAR	2	0
		4	FIIG_SB_SC_ID_5071	5071	FIIG-SB-SC-ID	CHAR	2	0
		5	STYL_NBR_FIIG_0768	0768	STYL-NBR-FIIG	CHAR	5	0
		6	INC_4080	4080	INC	CHAR	5	0
829	DSOR_CD_NIMSC_CMPT	0	DSOR_STMT_3484	3484	DSOR-STMT	CHAR	10	0
		1	NIMSC_0076	0076	NIMSC	CHAR	1	0
		2	SVC_NM_3479	3479	SVC-NM	CHAR	13	0
830	INC_FIIG_CORL	0	TYPE_II_2_3486	3486	TYP-II-2	CHAR	20	0
		0	TYPE_II_4_3487			CHAR	20	0
		0	TYP_II_1_3490	3490	TYP-II-1	CHAR	20	0
		0	TYP_II_K_3491	3491	TYP-II-K	CHAR	20	0
		0	TYP_II_L_3492	3492	TYP-II-L	CHAR	20	0
		0	TYP_II_M_3488	3488	TYP-II-M	CHAR	20	0
		0	TYP_II_N_3489	3489	TYP-II-N	CHAR	20	0
		1	INC_FIIG_CORL_3485	3485	INC-FIIG-CORL	CHAR	50	0
831	FED_COND_CD_SPLY	0	CON_CD_FD1_3184	3184	COND-CD-FED1-DF	VARCHAR	600	0
		0	CON_CD_FD1_TI_3183	3183	COND-CD-FED1-TI	CHAR	50	0
		1	CON_CD_FED1_3475	3475	COND-CD-FED1	CHAR	1	0
832	FED_COND_CD_DSPL	0	CON_CD_FD2_TI_3477	3477	COND-CD-FED2-TI	CHAR	30	0
		0	CON_CD_FD2_XD_3478	3478	COND-CD-FED2-EXP-DF	VARCHAR	500	0
		1	CON_CD_FED2_3476	3476	COND-CD-FED2	CHAR	1	0
833	DSOR_ACTY_CD_XREF	0	DSOR_ACTY_NM_3483	3483	DSOR-ACTY-NM	CHAR	150	0
		1	SVC_NM_3479	3479	SVC-NM	CHAR	13	0
		2	DSOR_0903	0903	DSOR	CHAR	2	0
834	DSOR_MISMO_ADRS	0	ATTN_LINE_3482	3482	ATTN-LINE	CHAR	36	0
		0	CITY_1083			CHAR	36	0
		0	NM_LINE1_3480	3480	NM-LINE-1	CHAR	60	0
		0	NM_LINE2_3481	3481	NM-LINE-2	CHAR	60	0
		0	ST_ADRS_1_1082	1082	ST-ADRS-1	CHAR	36	0
		0	ST_ADRS_2_1083	1083	ST-ADRS-2	CHAR	36	0
		0	ST_US_POSN_AB_0186	0186	STA-US-POSN-ABR	CHAR	2	0
		0	ZIP_CD_4400	4400	ZIP-CD	CHAR	10	0
		1	SVC_NM_3479	3479	SVC-NM	CHAR	13	0
835	SERVICE_CD_PSMAT	0	SVC_CD_P_S_EX_3449	3449	SVC-CD-P-S-EX	CHAR	75	0
		1	SVC_CD_P_SCRN_0264	0264	SVC-CD-PRVSNG-SCRNG-DEST	CHAR	2	0
836	PHRASE_CD_SVC	0	PHRS_CD_PHRS_5240	5240	PHRS-CD-PHRS	CHAR	100	0
		1	PHRS_CD_2862	2862	PHRS-CD-MDL	CHAR	1	0
		2	PHRS_CD_SVC_X_3450	3450	PHRS-CD-SVC-X	CHAR	50	0
837	PICA_SICA_CMD_CMPT	0	CIIC_NOTE_3494	3494	CIIC-NOTE	CHAR	25	0
		0	PRICE_NOTE_3447	3447	PRICE-NOTE	CHAR	25	0
		0	QE_NOTE_3448	3448	QE-NOTE	CHAR	25	0
		0	QUP_NOTE_3499	3499	QUP-NOTE	CHAR	25	0
		0	SLC_NOTE_3495	3495	SLC-NOTE	CHAR	25	0
		0	SOSM_NOTE_3496	3496	SOSM-NOTE	CHAR	25	0
		0	SOS_NOTE_3498	3498	SOS-NOTE	CHAR	25	0
		0	UI_NOTE_3497	3497	UI-NOTE	CHAR	25	0
		1	SVC_SICA_3493	3493	SVC-SICA	CHAR	20	0
838	TRANS_SEG_EXTENTS	0	EXT_SEG_DATA_9154	9154	EXT-SEG-DATA	VARCHAR	1127	0
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	21	0
		2	SEGMENT_CD_9415	9415	SEGMENT-CD	CHAR	3	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		3	SEG_SEQ_9414	9414	SEG-SEQ	SMALLINT	2,	0)
		4	EXT_SEG_SEQ_9155	9155	EXT-SEG-SEQ	SMALLINT	2,	0)
839	PHRASE_CD_PKG_COMB	0	PH_CD_NT_IND_3051	3051	PHRS-CD-COMB-NT-IND	CHAR	1,	0)
		1	FRST_PHRS_CD_3048	3048	FRST-PHRS-CD	CHAR	1,	0)
		2	SCND_PHRS_CD_3049	3049	SCND-PHRS-CD	CHAR	1,	0)
840	ARCHIVE_LOG	0	ARCHIVE_TS_9137	9137	ARCHIVE-TS	TIMESTMP	10,	0)
		0	ARCHVNG_USER_9138	9138	ARCVD-BY-USER	CHAR	8,	0)
		0	ARCH_DATA_TYP_9225	9225	TM-ARCH-DATA-TYP-ID	CHAR	3,	0)
		0	DATASET_NAME_9144	9144	DATASET-NAME	CHAR	38,	0)
		0	FOOTPRNT_DATE_9161	9161	FOOTPRNT-DATE	DATE	,	0)
		0	RESTORE_FLAG_9066	9066	RESTORE-FLAG	CHAR	1,	0)
		1	APP_ARCH_KEY_9224	9224	TM-APP-ARCH-KEY-ID	INTEGER	4,	0)
841	AUTODIN_KWA_LOG	0	AUTODIN_CIC_9306	9306	AUTODIN-CONT-IND-CD	CHAR	4,	0)
		0	COMM_RI_9142	9142	COMM-RI	CHAR	7,	0)
		0	OP_MOD_MED_CD_3740	3740	OP-MODE-MED-CD	CHAR	2,	0)
		0	RE_OP_AUTO_TS_9484	9484	RE-OP-AUTODIN-MSG-TMSTMP-ID	TIMESTMP	10,	0)
		1	ACTY_CD_2046	2046	ACTY-CD	CHAR	6,	0)
		2	RCVD_SND_STMP_9202	9202	RCVD-SND-STMP	TIMESTMP	10,	0)
		3	SSN_9765	9765	SSN	CHAR	4,	0)
		4	AUTODIN_IO_9140	9140	AUTODIN-IO	CHAR	1,	0)
842	NIIN_ID_NBR_DATA	0	FIIG_DWG_TI_5062	5062	FIIG-DWG-TI	VARCHAR	120,	0)
		0	PRT_DWG_SUPR_8261	8261	PRT-DWG-SUPRSN-IND-CD	CHAR	1,	0)
		0	STYL_NBR_FIIG_0768	0768	STYL-NBR-FIIG	CHAR	5,	0)
		0	TBL_V_IN_CT_C_0941	0941	TBL-VRBL-INDCTR-CD	CHAR	1,	0)
		1	DGTZD-_DWG_NBR_0772	0772	DGTZD-DWG-NBR	CHAR	15,	0)
843	TM_MESSAGE_OUT	0	ACTY_CD_2046	2046	ACTY-CD	CHAR	6,	0)
		0	AUTODIN_MSG_9310	9310	AUTODIN-MSG	VARCHAR	22000,	0)
		0	COMM_RI_9142	9142	COMM-RI	CHAR	7,	0)
		0	MEDIA_HEADER_9178	9178	MEDIA-HEADER	CHAR	80,	0)
		0	RE_PROCESS_TS_9203	9203	RE-PROCESS-TS	TIMESTMP	10,	0)
		0	SSN_9765	9765	SSN	CHAR	4,	0)
		1	OP_MOD_MED_CD_3740	3740	OP-MODE-MED-CD	CHAR	2,	0)
		2	TMSTMP_3059	3059	TMSTMP	TIMESTMP	10,	0)
		3	TM_REC_NBR_9430	9430	TM-REC-NBR	SMALLINT	2,	0)
844	AIA_MSG_HEADER_LOG	1	MEDIA_HEADER_9178	9178	MEDIA-HEADER	CHAR	80,	0)
		2	TMSTMP_3059	3059	TMSTMP	TIMESTMP	10,	0)
845	HOLD_TRANS	1	ACTY_CD_2046	2046	ACTY-CD	CHAR	6,	0)
		2	DIC_3920	3920	DOC-ID-CD	CHAR	3,	0)
846	WEAPON_NAME	0	WPN_SYS_NM_3887	3887	WPN-SYS-NM	CHAR	75,	0)
		1	WPN_SYS_ID_3881	3881	WPN-SYS-ID	CHAR	2,	0)
		2	WPN_SYS_SVC_3882	3882	WPN-SYS-SVC-CD	CHAR	1,	0)
847	WEAPON_TO_NIIN	0	DLA_CTR_CD_3886	3886	DLA-CTR-CD	CHAR	1,	0)
		0	WPN_SYS_ESNTL_3885	3885	WPN-SYS-ESNTL-CD	CHAR	1,	0)
		0	WPN_SYS_IND_3883	3883	WPN-SYS-IND-CD	CHAR	1,	0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR	2,	0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	7,	0)
		3	WPN_SYS_ID_3881	3881	WPN-SYS-ID	CHAR	2,	0)
		4	WPN_SYS_SVC_3882	3882	WPN-SYS-SVC-CD	CHAR	1,	0)
848	ORIG_IMAGE_EXTENTS	0	INPUT_RECORDS_9171			VARCHAR	1128,	0)
		1	ORIG_IMAG_KEY_9759	9759	ORIG-IMAG-KEY	CHAR	23,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	----------DATA---------- TYPE--LENGTH--DECIMAL
		2	EXT_SEG_SEQ_9155	9155	EXT-SEG-SEQ	SMALLINT (2, 0)
849	RELEASE_NOW	1	ACTY_CD_2046	2046	ACTY-CD	CHAR (6, 0)
		2	DIC_3920	3920	DOC-ID-CD	CHAR (3, 0)
850	REORDER_CRITERIA	0	ACTY_CD_2046	2046	ACTY-CD	CHAR (6, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR (3, 0)
		0	RELEASED_CNT_9207	9207	RELEASED-CNT	CHAR (6, 0)
		0	USR_CD_1101	1101	USR-CD	CHAR (8, 0)
		1	REORDER_TS_9209	9209	REORDER-TS	TIMESTMP (10, 0)
851	TRANS_ACTIVE_BATCH	0	TM_BATCH_TRNS_9426	9426	TM-BATCH-TRNS	CHAR (80, 0)
		0	TRANS_ERR_FLG_9434	9434	TRANS-ERR-FLG	CHAR (1, 0)
		1	TM_BATCH_NBR_9424	9424	TM-BATCH-NBR	SMALLINT (2, 0)
		2	TM_BATCH_SEQ_9425	9425	TM-BATCH-SEQ-NBR	INTEGER (4, 0)
852	TRANS_HIST_MAST	0	EXEC_COUNT_9153	9153	EXEC-COUNT	SMALLINT (2, 0)
		0	FORMATTED_TS_9164	9164	FORMATTED-TS	TIMESTMP (10, 0)
		0	INPUT_MEDIA_9170	9170	INPUT-MEDIA	CHAR (2, 0)
		0	NATO_PIC_9186	9186	NATO-PIC	CHAR (1, 0)
		0	ON_HOLD_TS_9190	9190	ON-HOLD-TS	TIMESTMP (10, 0)
		0	OP_PARTITION_9192	9192	OP-PARTITION	CHAR (2, 0)
		0	PRI_IND_CD_2867	2867	PRI-IND-CD	CHAR (1, 0)
		0	PROCESSED_TS_9201	9201	PROCESSED-TS	TIMESTMP (10, 0)
		0	REJECTED_TS_9206	9206	REJECTED-TS	TIMESTMP (10, 0)
		0	REJECT_FLAG_9205	9205	REJECT-FLAG	CHAR (1, 0)
		0	RELEASED_TS_9208	9208	RELEASED-TS	TIMESTMP (10, 0)
		0	RE_PROCESS_TS_9203	9203	RE-PROCESS-TS	TIMESTMP (10, 0)
		0	TM_COMPLT_TS_9427	9427	TM-COMPLT-TS	TIMESTMP (10, 0)
		0	TM_FILE_NAME_9429	9429	TM-FILE-NAME	CHAR (18, 0)
		0	TRANS_REF_KEY_9438	9438	TRANS-REF-KEY	CHAR (37, 0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR (21, 0)
853	VALID_CONTINUATION	1	SEGMENT_CD_9415	9415	SEGMENT-CD	CHAR (3, 0)
		2	CONTI_IND_CD_8555	8555	CONTI-IND-CD	CHAR (1, 0)
		3	VALID_POSIT_9771	9771	VALID-POSIT	CHAR (1, 0)
854	TRANS_SUSP_EXTENTS	0	EXT_SEG_DATA_9154	9154	EXT-SEG-DATA	VARCHAR (1127, 0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR (21, 0)
		2	SEGMENT_CD_9415	9415	SEGMENT-CD	CHAR (3, 0)
		3	SEG_SEQ_9414	9414	SEG-SEQ	SMALLINT (2, 0)
		4	EXT_SEG_SEQ_9155	9155	EXT-SEG-SEQ	SMALLINT (2, 0)
855	VALID_DIC_ODRC	0	ODRC_4690	4690	OP-DATA-RQST-CD	CHAR (4, 0)
		1	DIC_3920	3920	DOC-ID-CD	CHAR (3, 0)
		2	NATO_FLAG_9185	9185	NATO-FLAG	CHAR (1, 0)
		3	ODRC_SEQ_9189	9189	ODRC-SEQ	CHAR (1, 0)
857	STAT_MGR	0	STAT_ACTY_CH_0908	0908	STAT-DEPT-ACTY-CHANGED	DATE (, 0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR (6, 0)
		2	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
		4	STAT_MANAGER_2506	2506	STAT-MANAGER	CHAR (7, 0)
858	CMD_AUTHZN_CD	0	CMD_AUTH_CD_X_3458	3458	CMD-AUTH-CD-X	CHAR (14, 0)
		1	CMD_AU-THZN_CD_0759	0759	CMD-AUTHZN-CD	CHAR (1, 0)
859	ODRC_DIC_VAL_TBL	0	DR_SEG_A_4982	4982	DR-SEG-A-CD	CHAR (1, 0)
		0	DR_SEG_B_4983	4983	DR-SEG-B-CD	CHAR (1, 0)
		0	DR_SEG_C_4984	4984	DR-SEG-C-CD	CHAR (1, 0)
		0	DR_SEG_E_4985	4985	DR-SEG-E-CD	CHAR (1, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		0	DR_SEG_F_4986	4986	DR-SEG-F-CD	CHAR	1,	0)
		0	DR_SEG_G_4987	4987	DR-SEG-G-CD	CHAR	1,	0)
		0	DR_SEG_H_4988	4988	DR-SEG-H-CD	CHAR	1,	0)
		0	DR_SEG_M_4989	4989	DR-SEG-M-CD	CHAR	1,	0)
		0	DR_SEG_N_4990	4990	DR-SEG-N-CD	CHAR	1,	0)
		0	DR_SEG_V_4991	4991	DR-SEG-V-CD	CHAR	1,	0)
		0	DR_SEG_W_4996	4996	DR-SEG-W-CD	CHAR	1,	0)
		0	DR_SEG_Z_4992	4992	DR-SEG-Z-CD	CHAR	1,	0)
		1	DIC_3920	3920	DOC-ID-CD	CHAR	3,	0)
		2	ODRC_4690	4690	OP-DATA-RQST-CD	CHAR	4,	0)
		3	DR_ODRC_REC_4981	4981	DR-ODRC-REC-CD	CHAR	1,	0)
860	CONT_LABL_CD	0	CNTR_LBL_CD_X_3457	3457	CONTR-LBL-CD-EX-PSMAT	CHAR	42,	0)
		0	DR_CONTR_LBL1_4993	4993	DR-CONTR-LBL-CD-1	CHAR	1,	0)
		0	DR_CONTR_LBL2_4994	4994	DR-CONTR-LBL-CD-2	CHAR	1,	0)
		0	DR_CONTR_LBL3_4995	4995	DR-CONTR-LBL-CD-3	CHAR	1,	0)
		1	CONTR_LBL_CD_0893	0893	CONTR-LABEL-CD-PSMAT	CHAR	1,	0)
862	ADRS_SEQ_CDS	1	ADRS_SEQ_CD_0233	0233	ADRS-SEQ-CD	CHAR	1,	0)
863	CONTR_ID_CDS	0	SVC_CNTR_CD_X_5236	5236	SVC-CONTR-IDEN-CD-EXPLN	CHAR	42,	0)
		1	SVC_CON_ID_CD_0744	0744	SVC-CONTR-IDEN-CD	CHAR	1,	0)
864	DIC_RTN_CD_ED_NOTE	0	DIDS_NOTE_NAR_1300	1300	DIDS-NOTE-NAR	VARCHAR	1200,	0)
		1	DLIS_CHP_NBR_3452	3452	DLIS-PROC-CHP-NBR	SMALLINT	2,	0)
		2	DIDS_NOTE_NBR_1288	1288	DIDS-NOTE-NBR	INTEGER	4,	0)
866	HSM_APPL_OP_HOLD	0	APPL_OP_REC_9136	9136	APPL-OP-REC	VARCHAR	1500,	0)
		1	DIC_CATEGORY_9756	9756	DIC-CATEGORY	CHAR	2,	0)
		2	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	21,	0)
		3	DIC_3920	3920	DOC-ID-CD	CHAR	3,	0)
		4	DIC_SEQ_9146	9146	DIC-SEQ	SMALLINT	2,	0)
		5	ADRS_SEQ_CD_0233	0233	ADRS-SEQ-CD	CHAR	1,	0)
		6	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER	4,	0)
867	HSM_ORIGINAL_IMAGE	0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR	1,	0)
		0	INPUT_RECORD_9171	9171	INPUT-RECORD	VARCHAR	1128,	0)
		1	ORIG_IMAG_KEY_9759	9759	ORIG-IMAG-KEY	CHAR	23,	0)
868	HSM_ORIG_IMAGE_EXT	0	INPUT_RECORD_9171	9171	INPUT-RECORD	VARCHAR	1128,	0)
		1	ORIG_IMAG_KEY_9759	9759	ORIG-IMAG-KEY	CHAR	23,	0)
		2	EXT_SEG_SEQ_9155	9155	EXT-SEG-SEQ	SMALLINT	2,	0)
869	HSM_ORIG_IMAGE_KEY	0	ACTY_CD_2046	2046	ACTY-CD	CHAR	6,	0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR	3,	0)
		0	DIC_SEQ_9146	9146	DIC-SEQ	SMALLINT	2,	0)
		0	MEDIA_HEADER_9178	9178	MEDIA-HEADER	CHAR	80,	0)
		0	SEGMENT_CD_9415	9415	SEGMENT-CD	CHAR	3,	0)
		0	TRANS_NBR_9437	9437	TRANS-NBR	SMALLINT	2,	0)
		1	ORIG_IMAG_KEY_9759	9759	ORIG-IMAG-KEY	CHAR	23,	0)
871	HSM_TRANS_HIST_KEY	0	ACTY_CD_2046	2046	ACTY-CD	CHAR	6,	0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR	3,	0)
		0	FSC_3990	3990	ASGND-FSC	CHAR	4,	0)
		0	NIIN_4000	4000	ASGND-NIIN	CHAR	9,	0)
		0	RECVD_STAMP_9204	9204	RECVD-STAMP	TIMESTMP	10,	0)
		0	SUBMR_CTL_NBR_1120	1120	SUBMR-CTL-NBR	CHAR	17,	0)
		0	TYPE_OF_TRNS_9441	9441	TYPE-OF-TRNS	CHAR	4,	0)
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	21,	0)
872	HSM_TRANS_HIST_MST	0	EXEC_COUNT_9153	9153	EXEC-COUNT	SMALLINT	2,	0)
		0	FORMATTED_TS_9164	9164	FORMATTED-TS	TIMESTMP	10,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		0	INPUT_MEDIA_9170	9170	INPUT-MEDIA	CHAR	2	0
		0	NATO_PIC_9186	9186	NATO-PIC	CHAR	1	0
		0	ON_HOLD_TS_9190	9190	ON-HOLD-TS	TIMESTMP	10	0
		0	OP_PARTITION_9192	9192	OP-PARTITION	CHAR	2	0
		0	PRI_IND_CD_2867	2867	PRI-IND-CD	CHAR	1	0
		0	PROCESSED_TS_9201	9201	PROCESSED-TS	TIMESTMP	10	0
		0	REJECTED_TS_9206	9206	REJECTED-TS	TIMESTMP	10	0
		0	REJECT_FLAG_9205	9205	REJECT-FLAG	CHAR	1	0
		0	RELEASED_TS_9208	9208	RELEASED-TS	TIMESTMP	10	0
		0	RE_PROCESS_TS_9203	9203	RE-PROCESS-TS	TIMESTMP	10	0
		0	TM_COMPLT_TS_9427	9427	TM-COMPLT-TS	TIMESTMP	10	0
		0	TM_FILE_NAME_9429	9429	TM-FILE-NAME	CHAR	18	0
		0	TRANS_REF_KEY_9438	9438	TRANS-REF-KEY	CHAR	37	0
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	21	0
873	SGL_MULT_OUTPUT_CD	0	SIN_MLT_OP_EX_3455	3455	SIN-MULT-OP-EX	VARCHAR	500	0
		1	SIN_MLT_OP_CD_4535	4535	SIN-MULT-OP-CD	CHAR	1	0
875	CTOC_SUSPNS_FL	0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	7	0
		0	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2	0
		0	FSG_3994	3994	ASGND-FSG	CHAR	2	0
		0	LMD_DATE_4218	4218	LMD-DATE	INTEGER	4	0
		0	LMD_ODIC_3892	3892	LMD-ODIC	CHAR	3	0
		0	LVA_DATE_4217	4217	LVA-DATE	INTEGER	4	0
		0	LVA_ODIC_3893	3893	LVA-ODIC	CHAR	3	0
		0	RTN_CD_9480	9480	RTN-CD	CHAR	2	0
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	2	0
		1	NCB_CD_4130	4130	NCB-CD	CHAR	2	0
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	7	0
876	GATEKEEPER	0	DIC_3920	3920	DOC-ID-CD	CHAR	3	0
		0	I_I_NBR_4131	4131	I-I-NBR	CHAR	7	0
		0	MIOS_TRAN_KEY_9410	9410	MIOS-TRAN-KEY	TIMESTMP	10	0
		0	NCB_CD_4130	4130	NCB-CD	CHAR	2	0
		0	SUBMR_CTL_NBR_1120	1120	SUBMR-CTL-NBR	CHAR	17	0
		0	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	21	0
877	RPDMRC_FOLLOW_UP	1	NCB_CD_4130	4130	NCB-CD	CHAR	2	0
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	7	0
		3	RPDMRC_FU_DT_4532	4532	RPDMRC-KFP-FU-DT	INTEGER	4	0
		4	RPDMRC_FU_IND_4531	4531	RPDMRC-KFP-FU-IND	CHAR	1	0
878	MC_MAINT_DATA	0	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	6	0
		0	FILE_MAINT_CD_8850	8850	FILE-MAINT-ACTN-CD	CHAR	1	0
		0	INC_4080	4080	INC	CHAR	5	0
		0	MC_CRITE_STMT_0324	0324	MASS-CHNG-CRITE-STMT	VARCHAR	3967	0
		0	MC_FIIG_4574	4574	MASS-CHNG-GDE-NBR-FIIG	CHAR	6	0
		0	MC_INC_4571	4571	MASS-CHNG-INC	CHAR	5	0
		1	MC_LGG_TMSTMP_4573	4573	MASS-CHNG-LGG-TMSTMP	TIMESTMP	10	0
879	MS_JOB_CNTL_HIST	0	ACCUM_RTN_CD_9452	9452	ACCUM-RTN-CD	SMALLINT	2	0
		0	CARRY_OVR_CNT_9455	9455	CARRY-OVR-CNT	INTEGER	4	0
		0	CARRY_OVR_FLG_9453	9453	CARRY-OVR-FLG	CHAR	1	0
		0	CARRY_OVR_RTN_9454	9454	CARRY-OVR-RTN-CD	SMALLINT	2	0
		0	EXTR_RTN_CD_9451	9451	EXTR-RTN-CD	SMALLINT	2	0
		0	FORCED_FLAG_9458	9458	FORCED-FLAG	CHAR	1	0
		0	STORED_JUL_DT_9462	9462	STORED-JUL-DT	INTEGER	4	0
		0	UPDT_CNT_9457	9457	UPDT-CNT	INTEGER	4	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	----------DATA---------- TYPE--LENGTH--DECIMAL
		0	UPDT_RTN_CD_9456	9456	UPDT-RTN-CD	SMALLINT (2, 0)
		1	JOB_CTL_JUL_9461	9461	JOB-CTL-JUL-DT	INTEGER (4, 0)
		2	TYPE_OF_STAT_0907	0907	TYPE-OF-STAT	CHAR (12, 0)
880	MC_CDG_DATA	0	MC_CDG_4575	4575	MASS-CHNG-CDG	VARCHAR (1005, 0)
		0	MC_FIIG_4574	4574	MASS-CHNG-GDE-NBR-FIIG	CHAR (6, 0)
		0	MC_INC_4571	4571	MASS-CHNG-INC	CHAR (5, 0)
		0	MC_LGG_TMSTMP_4573	4573	MASS-CHNG-LGG-TMSTMP	TIMESTMP (10, 0)
		0	MRC_3445	3445	MRC	CHAR (4, 0)
		1	MC_CDG_TM-STMP_4572	4572	MASS-CHNG-CHAR-TMSTMP	TIMESTMP (10, 0)
881	MC_CHARACTERISTICS	0	MC_DEL_CDG_3631	3631	MASS-CHG-DEL-CDG-CD	CHAR (1, 0)
		0	MC_FIIG_4574	4574	MASS-CHNG-GDE-NBR-FIIG	CHAR (6, 0)
		0	MC_INC_4571	4571	MASS-CHNG-INC	CHAR (5, 0)
		1	MC_CDG_TM-STMP_4572	4572	MASS-CHNG-CHAR-TMSTMP	TIMESTMP (10, 0)
		2	NCB_CD_4130	4130	NCB-CD	CHAR (2, 0)
		3	I_I_NBR_4131	4131	I-I-NBR	CHAR (7, 0)
882	PHRS_CD_DRN_0217	1	PHRS_CD_2862	2862	PHRS-CD-MDL	CHAR (1, 0)
883	SVC_PEC_DE	1	DRN_0950	0950	DATA-REC-NBR	CHAR (4, 0)
		2	USI_SVC_CD_0745	0745	USI-SVC-CD	CHAR (1, 0)
884	INACTIVE_PHRS_CD	1	PHRS_CD_2862	2862	PHRS-CD-MDL	CHAR (1, 0)
886	SOS_SUB_ACT_MOE_CD	1	ACTY_CD_2046	2046	ACTY-CD	CHAR (6, 0)
		2	MOE_CD_2833	2833	MOE-CD	CHAR (2, 0)
887	SUR_SUB_ACT_MOE_CD	1	ACTY_CD_2046	2046	ACTY-CD	CHAR (6, 0)
		2	MOE_CD_2833	2833	MOE-CD	CHAR (2, 0)
888	NATO_ACTY_SUR_OP	1	ACTY_CD_2046	2046	ACTY-CD	CHAR (6, 0)
889	LAD_SEG_DRN	0	DRN_SEQ_NBR_5039	5039	DRN-SEQ-NBR	SMALLINT (2, 0)
		1	DIDS_SEG_CD_8999	8999	FLIS-SEG-CD	CHAR (1, 0)
		2	DRN_0950	0950	DATA-REC-NBR	CHAR (4, 0)
890	LCD_SEG_DRN	0	DRN_SEQ_NBR_5039	5039	DRN-SEQ-NBR	SMALLINT (2, 0)
		1	DIDS_SEG_CD_8999	8999	FLIS-SEG-CD	CHAR (1, 0)
		2	DRN_0950	0950	DATA-REC-NBR	CHAR (4, 0)
891	LDD_SEG_DRN	0	DRN_SEQ_NBR_5039	5039	DRN-SEQ-NBR	SMALLINT (2, 0)
		1	DIDS_SEG_CD_8999	8999	FLIS-SEG-CD	CHAR (1, 0)
		2	DRN_0950	0950	DATA-REC-NBR	CHAR (4, 0)
892	LCG_SEG_DRN	0	DRN_SEQ_NBR_5039	5039	DRN-SEQ-NBR	SMALLINT (2, 0)
		1	DIDS_SEG_CD_8999	8999	FLIS-SEG-CD	CHAR (1, 0)
		2	DRN_0950	0950	DATA-REC-NBR	CHAR (4, 0)
893	DESC_TY_SUB_ACT	1	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR (2, 0)
894	DCSC_AY_SUB_ACT	1	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR (2, 0)
895	DESC_TY_FSG_FSC	1	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
896	DCSC_AY_FSG_FSC	1	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
897	AEB_MC_MGT_CD1_FSG	1	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
898	AEB_MC_MGT_CD1_FSC	1	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
899	AEB_MC_MGT_CD2_FSG	1	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
900	AEB_MC_MGT_CD2_FSC	1	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
901	AEB_MC_MGT_CD3_FSG	1	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
902	AEB_MC_MGT_CD3_FSC	1	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	----------DATA---------- TYPE--LENGTH--DECIMAL
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
903	AEB_MC_MGT_CD4_FSG	1	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
904	AEB_MC_MGT_CD4_FSC	1	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
905	AEB_MC_MGT_CD5_FSG	1	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
906	AEB_MC_MGT_CD6_FSG	1	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
907	AEB_MC_MGT_CD6_FSC	1	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
908	AEB_ACCT_REQ_CD_D	1	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
909	AEB_ACCT_REQ_CD_N	1	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
912	NAIN_CHAL_BY_ACTY	1	ACTY_CD_2046	2046	ACTY-CD	CHAR (6, 0)
913	STAT_ARCHIVE_TBLS	0	ARCH_BEG_DT_9311	9311	ARCHIVE-BEGIN-DATE	CHAR (6, 0)
		0	ARCH_END_DT_9312	9312	ARCHIVE-END-DATE	CHAR (6, 0)
		0	DB2_ARC_GP_NO_2746	2746	DB2-ARCH-GRP-NBR	CHAR (4, 0)
		0	DB2_GRP_NUM_4457			CHAR (4, 0)
		0	DB2_TBL_NAME_4466			CHAR (18, 0)
		0	RSTR_STAT_FLG_9314	9314	RESTORE-STATUS-FLAG	CHAR (1, 0)
		0	TBL_ALL0C_2471			INTEGER (4, 0)
		0	TBL_VOLUME_2473	2473	TBL-VOLUME	CHAR (6, 0)
		0	TYPE_OF_STAT_0907	0907	TYPE-OF-STAT	CHAR (12, 0)
914	NEXT_NIIN_PSCN	0	I_I_NBR_4131	4131	I-I-NBR	CHAR (7, 0)
		0	NCB_CD_4130	4130	NCB-CD	CHAR (2, 0)
		1	NIIN_PSCN_IND_5038	5038	NIIN-PSCN-IND	CHAR (1, 0)
915	VALID_ISC_COMBO	1	ISC_2650	2650	ITM-STDZN-CD	CHAR (1, 0)
		2	REP_ISC_8525	8525	REP-ITM-STDZN-CD	CHAR (1, 0)
916	VALID_FSC_W_B_ISC	1	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
917	ISC_AUTH_SPEC_STD	1	CAGE_CD_9250	9250	CAGE-CD	CHAR (5, 0)
		2	MIL_VOL_IND_3454	3454	MIL-VOL-IND	CHAR (1, 0)
918	FUTURE_R_OUTPUT	0	DIC_3920	3920	DOC-ID-CD	CHAR (3, 0)
		0	DOC_CTL_NBR_1015	1015	DOC-CTL-NBR	CHAR (16, 0)
		0	DRN_SEQ_NBR_5039	5039	DRN-SEQ-NBR	SMALLINT (2, 0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR (2, 0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR (7, 0)
		3	EFF_DT_2128	2128	EFF-DT	INTEGER (4, 0)
		4	DRN_0950	0950	DATA-REC-NBR	CHAR (4, 0)
919	ASSIGN_MRC	0	MRC_ASGN_STAT_3462	3462	MRC-ASGND-STAT-IND	CHAR (1, 0)
		0	TMSTMP_3059	3059	TMSTMP	TIMESTMP (10, 0)
		0	USR_CD_1101	1101	USR-CD	CHAR (8, 0)
		1	MRC_3445	3445	MRC	CHAR (4, 0)
920	ASSIGN_REPLY	0	TMSTMP_3059	3059	TMSTMP	TIMESTMP (10, 0)
		0	USR_CD_1101	1101	USR-CD	CHAR (8, 0)
921	MRD_REQ_AUD_TABLE	0	FIIG_4065	4065	GDE-NBR-FIIG	CHAR (6, 0)
		0	KEYWRD_GRP_CD_2034	2034	KEYWRD-GRP-CD	CHAR (2, 0)
		0	KEYWRD-_MOD_ST_2033	2033	KEYWRD-MODIFIER-STMT	VARCHAR (108, 0)
		0	MODE_CD_4735	4735	MODE-CD	CHAR (1, 0)
		0	MRC_3445	3445	MRC	CHAR (4, 0)
		0	MRC_USG_DESI_0847	0847	MRC-USG-DESI	CHAR (1, 0)
		0	MRD_STATUS_CD_0816	0816	MRD-STAT-IND-CD	CHAR (1, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	----------DATA---------- TYPE--LENGTH--DECIMAL
		0	PRT_SKLTN_CD_0368	0368	PRT-SKLTN-CD	CHAR (1, 0)
		0	RQMT_RPY_INST_2648	2648	RQMT-RPLY-INST	CHAR (20, 0)
		0	RQMT_STMT_3614	3614	RQMT-STMT	VARCHAR (110, 0)
		0	RQMT_STMT_DEF_5027	5027	RQMT-STMT-DEF	VARCHAR (500, 0)
		0	USR_CD_1101	1101	USR-CD	CHAR (8, 0)
		1	TMSTMP_3059	3059	TMSTMP	TIMESTMP (10, 0)
		2	AUD_RQMT_STAT_3460	3460	MRD-AUD-RQMT-STAT-IND	CHAR (1, 0)
922	MRD_REQ_AUD_T_SEQ	0	CD_F_LGT_RPLY_0365	0365	CD-FOR-LGTH-RPLY	SMALLINT (2, 0)
		0	RPLY_TBL_MRD_8254	8254	RPLY-TBL-CD-MRD	CHAR (4, 0)
		1	TMSTMP_3059	3059	TMSTMP	TIMESTMP (10, 0)
		2	AUD_RQMT_STAT_3460	3460	MRD-AUD-RQMT-STAT-IND	CHAR (1, 0)
		3	RPLY_DCOD_SEQ_0510	0510	RPLY-TBL-DCOD-SEQ-NBR	SMALLINT (2, 0)
923	MRD_REPL_AUD_TABLE	0	CDD_RPLY_3465	3465	CDD-RPLY	CHAR (6, 0)
		0	DCOD_RPLY_ST_3864	3864	DCODD-RPLY-STMT	VARCHAR (379, 0)
		0	RPLY_STAT_IND_2498	2498	RPLY-STAT-IND	CHAR (1, 0)
		0	RPLY_TBL_MRD_8254	8254	RPLY-TBL-CD-MRD	CHAR (4, 0)
		0	USR_CD_1101	1101	USR-CD	CHAR (8, 0)
		1	TMSTMP_3059	3059	TMSTMP	TIMESTMP (10, 0)
		2	AUD_RPLY_STAT_3461	3461	MRD-AUD-RPLY-STAT-IND	CHAR (1, 0)
924	REJ_REPLY_RECORD	0	BTCH_STAT_CTR_1107	1107	BATCH-STAT-CNTR	INTEGER (4, 0)
		0	DIC_IP_3921	3921	DIC-IP	CHAR (3, 0)
		0	DIC_OP_1052	1052	DIC-OP	CHAR (3, 1
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR (2, 0
		0	RTN_CD_9480	9480	RTN-CD	CHAR (2, 0)
		0	STATL_IND_CD_3708	3708	STATL-IND-CD	CHAR (1, 0)
		0	STAT_JUL_DATE_7646			CHAR (5, 0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR (2, 0)
		1	TMSTMP_3059	3059	TMSTMP	TIMESTMP (10, 0)
925	REC_PROF3	1	USR_CD_1101	1101	USR-CD	CHAR (8, 0)
		2	ACTY_CD_2046	2046	ACTY-CD	CHAR (6, 0)
926	PASS_LINE_ACCESS	0	ACTY_CD_2046	2046	ACTY-CD	CHAR (6, 0)
		0	LN_2780_DESC_9213			CHAR (20, 0)
		0	MULTI_INP_FLG_9479	9479	MULTI-INP-FLG	CHAR (1, 0)
		0	PORT_NBR_9212			CHAR (2, 0)
		1	LN_2780_IDEN_9211	9211	LN-2780-IDEN	CHAR (4, 0)
928	NIIN_PKG_DAT_HIST	0	CLNG_DRY_PRC_5161	5161	CLNG-DRYNG-PRO-CD	CHAR (1, 0)
		0	CTNR_NSN_5178	5178	CTNR-NSN	CHAR (13, 0)
		0	CUSH_DUN_MAT_5164	5164	CUSH-DUN-MAT-CD	CHAR (2, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR (3, 0)
		0	INTMD_CTNR_CD_5167	5167	INTMED-CTNR-CD	CHAR (2, 0)
		0	INTMD_CTN_QTY_5152	5152	INTMED-CTNR-QTY	CHAR (3, 0)
		0	ITM_TYP_STOR_5156	5156	ITM-TYP-STOR-CD	CHAR (1, 0)
		0	LVL_A_PKG_CD_5170	5170	LVL-A-PKG-RQMT-CD	CHAR (1, 0)
		0	LVL_B_PKG_CD_5171	5171	LVL-B-PKG-RQMT-CD	CHAR (1, 0)
		0	LVL_C_PKG_CD_5172	5172	LVL-C-PKG-RQMT-CD	CHAR (1, 0)
		0	MTHD_PRSRV_CD_5160	5160	MTHD-PRES-CD	CHAR (2, 0)
		0	OPTNL_PRO_IND_5173	5173	OPTNL-PRO-IND-CD	CHAR (1, 0)
		0	PICA_SICA_IND_5099	5099	PICA-SICA-IND-CD	CHAR (1, 0)
		0	PKG_CTGY_CD_5159	5159	PKG-CTGY-CD	CHAR (4, 0)
		0	PKG_DSGN_ACTY_5179	5179	PKG-DSGN-ACTY-CD	CHAR (5, 0)
		0	PRSRV_MAT_CD_5162	5162	PRES-CD	CHAR (2, 0)
		0	SPI_DT_5177	5177	SPI-DT	CHAR (5, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		0	SPI_NBR_5175	5175	SPI-NBR	CHAR	10	0
		0	SPI_REV_5176	5176	SPI-REV	CHAR	1	0
		0	SP_MKG_CD_5169	5169	SP-MKG-CD	CHAR	2	0
		0	SUPMTL_INST_5174	5174	SUPMTL-INST	VARCHAR	59	0
		0	THK_CUSH_DUN_5165	5165	THK-CUSH-DUN-CD	CHAR	1	0
		0	UNIT_CTNR_CD_5166	5166	UNIT-CTNR-CD	CHAR	2	0
		0	UNIT_CTNR_LVL_5168	5168	UNIT-CTNR-LVL-CD	CHAR	1	0
		0	UNPKG_ITM_DIM_5158	5158	UNPKG-ITM-DIM	CHAR	12	0
		0	UNPKG_ITM_WT_5157	5157	UNPKG-ITM-WT	CHAR	5	0
		0	UP_CU_5155	5155	UP-CU	CHAR	7	0
		0	UP_QTY_5321	5321	UP-QTY	CHAR	3	0
		0	UP_SZ_5154	5154	UP-SZ	CHAR	12	0
		0	UP_WT_5153	5153	UP-WT	CHAR	5	0
		0	WRAP_MAT_CD_5163	5163	WRAP-MAT-CD	CHAR	2	0
		1	HISTORY_DT_4470	4470	HISTORY-DATE	INTEGER	4	0
		2	DT_TRAN_2310	2310	DT-TRAN	INTEGER	4	0
		3	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	7	0
		4	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	2	0
		5	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	2	0
		6	TMSTMP_3059	3059	TMSTMP	TIMESTMP	10	0
		7	NCB_CD_4130	4130	NCB-CD	CHAR	2	0
		8	I_I_NBR_4131	4131	I-I-NBR	CHAR	7	0
		9	LOP_CD_5151	5151	LVL-PROTN-CD	CHAR	1	0
929	GIRDER_CAGE_CNTL	0	ACTIVITY_FLAG_9131	9131	ACTIVITY-FLAG	CHAR	1	0
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR	5	0
931	HSM_TRANS_SEG_EXT	0	EXT_SEG_DATA_9154	9154	EXT-SEG-DATA	VARCHAR	1127	0
		1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR	21	0
		2	SEGMENT_CD_9415	9415	SEGMENT-CD	CHAR	3	0
		3	SEG_SEQ_9414	9414	SEG-SEQ	SMALLINT	2	0
		4	EXT_SEG_SEQ_9155	9155	EXT-SEG-SEQ	SMALLINT	2	0
932	GIRDER_MFR_UPD	0	MFR_NOTES_0809	0809	MFR-NOTES	VARCHAR	58	0
		0	PICA_2866	2866	PICA	CHAR	2	0
		0	RNAAC_2900	2900	RNAAC	CHAR	2	0
		0	RNCC_2910	2910	RNCC	CHAR	1	0
		0	RNVC_4780	4780	RNVC	CHAR	1	0
		0	SHRT_NM_2301	2301	SHRT-NM	CHAR	19	0
		2	REF_NBR_3570	3570	REF-NBR-LOG	CHAR	32	0
		3	NSN_3960	3960	ASGND-NSN	CHAR	13	0
933	IANDS_DEPT_ALL_TOT	0	IANS_STAT_CNT_8123	8123	IANDS-GTOT-REL-SICA	INTEGER	4	0
		0	IANS_STAT_CNT_8124	8124	IANDS-GTOT-MTR-SICA	INTEGER	4	0
		0	IANS_STAT_CNT_8125	8125	IANDS-GTOT-REL-PICA	INTEGER	4	0
		0	IANS_STAT_CNT_8126	8126	IANDS-GTOT-MTR-PICA	INTEGER	4	0
		0	IANS_STAT_CNT_8127	8127	IANDS-GTOT-MTR-P-S-FAM	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
934	IANDS_DEPT_TOTAL	0	IANS_STAT_CNT_6871	6871	IANDS-DEPT-MTR-P-S-FAM	INTEGER	4	0
		0	IANS_STAT_CNT_9607	9607	IANDS-DEPT-REL-SICA	INTEGER	4	0
		0	IANS_STAT_CNT_9608	9608	IANDS-DEPT-MTR-SICA	INTEGER	4	0
		0	IANS_STAT_CNT_9609	9609	IANDS-DEPT-REL-PICA	INTEGER	4	0
		0	IANS_STAT_CNT_9610	9610	IANDS-DEPT-MTR-PICA	INTEGER	4	0
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6	0
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2	0
935	IANDS_FSG_TOTAL	0	IANS_STAT_CNT_6882	6882	IANDS-DEPT-FSG-TOT-FAM	INTEGER	4	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		0	IANS_STAT_CNT_6885	6885	IANDS-DEPT-FSG-MTR-PICA	INTEGER	4,	0)
		0	IANS_STAT_CNT_9604	9604	IANDS-DEPT-FSG-REL-SICA	INTEGER	4,	0)
		0	IANS_STAT_CNT_9605	9605	IANDS-DEPT-FSG-MTR-SICA	INTEGER	4,	0)
		0	IANS_STAT_CNT_9606	9606	IANDS-DEPT-FSG-REL-PICA	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	2,	0)
		3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2,	0)
936	LMT_DIS_ACT_CD_VAL	1	LMT_DIST_CD_4645	4645	LMT-DIST-CD	CHAR	1,	0)
		2	ACTY_CD_2046	2046	ACTY-CD	CHAR	6,	0)
937	GIRDER_TRN_HLD	0	SEG_IP_TRAN_4508	4508	SEG-IP-TRAN	CHAR	80,	0)
		1	CAGE_CD_9250	9250	CAGE-CD	CHAR	5,	0)
		2	TMSTMP_3059	3059	TMSTMP	TIMESTMP	10,	0)
938	IANDS_DEPT_ALL_T_A	0	IANS_STAT_CNT_8123	8123	IANDS-GTOT-REL-SICA	INTEGER	4,	0)
		0	IANS_STAT_CNT_8124	8124	IANDS-GTOT-MTR-SICA	INTEGER	4,	0)
		0	IANS_STAT_CNT_8125	8125	IANDS-GTOT-REL-PICA	INTEGER	4,	0)
		0	IANS_STAT_CNT_8126	8126	IANDS-GTOT-MTR-PICA	INTEGER	4,	0)
		0	IANS_STAT_CNT_8127	8127	IANDS-GTOT-MTR-P-S-FAM	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
939	IANDS_DEPT_TOTAL_A	0	IANS_STAT_CNT_6871	6871	IANDS-DEPT-MTR-P-S-FAM	INTEGER	4,	0)
		0	IANS_STAT_CNT_9607	9607	IANDS-DEPT-REL-SICA	INTEGER	4,	0)
		0	IANS_STAT_CNT_9608	9608	IANDS-DEPT-MTR-SICA	INTEGER	4,	0)
		0	IANS_STAT_CNT_9609	9609	IANDS-DEPT-REL-PICA	INTEGER	4,	0)
		0	IANS_STAT_CNT_9610	9610	IANDS-DEPT-MTR-PICA	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2,	0)
940	IANDS_FSG_TOTAL_A	0	IANS_STAT_CNT_6882	6882	IANDS-DEPT-FSG-TOT-FAM	INTEGER	4,	0)
		0	IANS_STAT_CNT_6885	6885	IANDS-DEPT-FSG-MTR-PICA	INTEGER	4,	0)
		0	IANS_STAT_CNT_9604	9604	IANDS-DEPT-FSG-REL-SICA	INTEGER	4,	0)
		0	IANS_STAT_CNT_9605	9605	IANDS-DEPT-FSG-MTR-SICA	INTEGER	4,	0)
		0	IANS_STAT_CNT_9606	9606	IANDS-DEPT-FSG-REL-PICA	INTEGER	4,	0)
		1	STAT_REQ_DATE_0899	0899	STATS-REQUEST-DATE	CHAR	6,	0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	2,	0)
		3	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR	2,	0)
941	VAL_DMIL_CIIC_COMB	1	DEMIL_CD_0167	0167	D-MIL-CD	CHAR	1,	0)
		2	CIIC_2863	2863	CIIC	CHAR	1,	0)
942	SKO_COMPONENTS	0	CMP_FSC_8595	8595	CMP-FSC	CHAR	4,	0)
		0	CMP_ITEM_NAME_8597	8597	CMP-ITEM-NAME	CHAR	19,	0)
		0	SKO_FSC_8594	8594	SKO-FSC	CHAR	4,	0)
		0	SKO_ITEM_NAME_8596	8596	SKO-ITEM-NAME	CHAR	19,	0)
		0	SKO_QTY_8593	8593	SKO-QTY	SMALLINT	2,	0)
		1	SKO_NCB_CD_8582	8582	SKO-NCB-CD	CHAR	2,	0)
		2	SKO_I_I_NBR_8581	8581	SKO-I-I-NBR	CHAR	7,	0)
		3	CMP_NCB_CD_8584	8584	CMP-NCB-CD	CHAR	2,	0)
		4	CMP_I_I_NBR_8583	8583	CMP-I-I-NBR	CHAR	7,	0)
943	SVCBL_STD_DATA	0	ADDNL_RQM_CD_7973	7973	ADDNL-RQM-CD	CHAR	2,	0)
		0	ASGND_FSC_3990			CHAR	4,	0)
		0	HZR_STR_CMPAT_7974			CHAR	2,	0)
		0	IDENT_MKG_CD2_8598			CHAR	8,	0)
		0	IDENT_MKG_CD_7975			CHAR	8,	0)
		0	INSP_CD_STNG_8599	8599	INSP-CD-STNG	CHAR	20,	0)
		0	INSP_LVL_7977			CHAR	2,	0)
		0	LST_INSP_PED_7972			CHAR	2,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		0	PKG_CODE_7978			CHAR	2	0
		0	PK_CD_7979			CHAR	2	0
		0	REINSP_LMT_7980			CHAR	1	0
		0	REINSP_PED_7981			CHAR	2	0
		0	SHLF_LIF_MO_7982			CHAR	1	0
		0	SP_RQMT_CD_7983			CHAR	2	0
		0	STOR_CODE_7984			CHAR	2	0
		0	SVC_QLTY_LVL_7985			CHAR	3	0
		0	TEST_RQMT_DE_7986			CHAR	2	0
		1	ASGND_NIIN_4000			CHAR	9	0
944	COMM_CATG	0	STAT_CCTGY_3995	3995	STAT-CMDTY-CTGY	CHAR	2	0
		1	FSG_3996			CHAR	2	0
		2	FSC_WI_FSG_3994			CHAR	2	0
945	MULTI_MEDIA_OUT	0	OUTPUT_RECORD_9196	9196	OUTPUT-RECORD	VARCHAR	1500	0
		1	ACTY_GRP_9133	9133	ACTY-GRP	CHAR	12	0
		2	OP_MOD_MED_CD_3740	3740	OP-MODE-MED-CD	CHAR	2	0
		3	OP_DATA_GP_9802	9802	TM-OP-DATA-GP	CHAR	1	0
		4	USER_DEF_FLG_9803	9803	TM-USER-DEF-FLG	CHAR	1	0
		5	OP_SEQ_FLD_9801	9801	TM-OP-SEQ-FLD	CHAR	25	0
		6	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER	4	0
946	PKG_UP_QTY	0	UP_QTY_EXPL_3464	3464	UP-QTY-EXPL	VARCHAR	120	0
		1	UP_QTY_5321	5321	UP-QTY	CHAR	3	0
948	KVI_SUSPNS_FL	0	DLAC_3891	3891	DLAC	CHAR	2	0
		0	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2	0
		0	FSG_3994	3994	ASGND-FSG	CHAR	2	0
		0	INCR_NBR_2219	2219	INCR-NBR	CHAR	2	0
		0	KVI_SPNS_E_DT_4214	4214	KVI-SUSPNS-ESTB-DT	INTEGER	4	0
		0	LMD_DATE_4218	4218	LMD-DATE	INTEGER	4	0
		0	LMD_ODIC_3892	3892	LMD-ODIC	CHAR	3	0
		0	LVA_DATE_4217	4217	LVA-DATE	INTEGER	4	0
		0	LVA_ODIC_3893	3893	LVA-ODIC	CHAR	3	0
		0	OTHER_DIC_4215	4215	OTH-DIC	CHAR	3	0
		0	OTHR_DIC_DATE_4216	4216	OTH-DIC-DATE	INTEGER	4	0
		0	RTN_CD_9480	9480	RTN-CD	CHAR	2	0
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	2	0
		1	NCB_CD_4130	4130	NCB-CD	CHAR	2	0
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR	7	0
949	KVI_STRAGLER_FL	0	KVI_DECR_CTR_4211	4211	KVI-DECR-CTR	INTEGER	4	0
		0	KVI_ORIG_CTR_4212	4212	KVI-ORIG-CTR	INTEGER	4	0
		1	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	2	0
950	ISAC_RPLY_AUD	0	DCOD_ISAC_RPY_2308	2308	DCODD-ISAC-RPLY-STMT	VARCHAR	379	0
		0	RPLY_TBL_DCOD_3845	3845	RPLY-TBL-CD-FIIG-DCOD-GD	CHAR	4	0
		0	SAC_8990	8990	SAC	CHAR	3	0
		0	SEC_AD_IND_CD_9485	9485	SECD-ADRS-IND-CD	CHAR	1	0
		0	USR_CD_1101	1101	USR-CD	CHAR	8	0
		1	TMSTMP_3059	3059	TMSTMP	TIMESTMP	10	0
		2	AUD_ISAC_RPY_3562	3562	AUD-ISAC-RPLY-STAT-IND	CHAR	1	0
951	STYL_RPLY_AUD	0	DCOD_STYL_RPY_2309	2309	DCODD-STYL-RPLY-STMT	VARCHAR	379	0
		0	FIIG_4065	4065	GDE-NBR-FIIG	CHAR	6	0
		0	MRC_3445	3445	MRC	CHAR	4	0
		0	STYL_NBR_FIIG_0768	0768	STYL-NBR-FIIG	CHAR	5	0
		0	USR_CD_1101	1101	USR-CD	CHAR	8	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	----------DATA---------- TYPE--LENGTH--DECIMAL
		1	TMSTMP_3059	3059	TMSTMP	TIMESTMP (,0, 0)
		2	AUD_STYL_RPY_3563	3563	AUD-STYL-RPLY-STAT-IND	CHAR (1, 0)
952	ASSIGN_ISAC_RPLY	0	ASGN_ISAC_RPY_3561	3561	ASGN-ISAC-RPLY-STAT-IND	CHAR (1, 0)
		0	TMSTMP_3059	3059	TMSTMP	TIMESTMP (10, 0)
		0	USR_CD_1101	1101	USR-CD	CHAR (8, 0)
		1	RPLY_TBL_DCOD_3845	3845	RPLY-TBL-CD-FIIG-DCOD-GD	CHAR (4, 0)
953	REF_NBR_GATEKEEPER	0	CAGE_CD_9250	9250	CAGE-CD	CHAR (5, 0)
		0	CONV_REF_NBR_3571	3571	CONV-REF-NBR	CHAR (32, 0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR (3, 0)
		0	MIOS_TRAN_KEY_9410	9410	MIOS-TRAN-KEY	TIMESTMP (10, 0)
		0	SUBMR_CTL_NBR_1120	1120	SUBMR-CTL-NBR	CHAR (17, 0)
		0	TRANS_KEY_9435	9435	TRANS-KEY	CHAR (21, 0)
954	USER_ACCESS_AUTH	0	USR_ACCS_LVL_1381	1381	USR-ACCS-LVL	CHAR (1, 0)
		1	USR_CD_1101	1101	USR-CD	CHAR (8, 0)
		2	USR_ACCS_SUB_3381	3381	USR-ACCS-LVL-SUBSYS-CD	CHAR (1, 0)
955	CMD_RCVRS_ACTY_CD	1	ACTY_CD_2046	2046	ACTY-CD	CHAR (6, 0)
		2	DEPT_CD_8329	8329	DEPT-CD	CHAR (2, 0)
956	FIRST_OF_MONTH	0	FRST_MNTH_JUL_2538	2538	FRST-MNTH-JUL	CHAR (3, 0)
		1	NUMERIC-_MONTH_2539	2539	NUMERIC-MONTH	CHAR (2, 0)
957	LOLA_RESPONSE	1	TRANS_KEY_9435	9435	TRANS-KEY	CHAR (21, 0)
		2	RTN_CD_9480	9480	RTN-CD	CHAR (2, 0)
		3	DIC_OP_1052	1052	DIC-OP	CHAR (3, 0)
		4	PKG_SEQ_NBR_1070	1070	PKG-SEQ-NBR	CHAR (3, 0)
		5	DRN_0950	0950	DATA-REC-NBR	CHAR (4, 0)
		6	SEGMENT_CD_9415	9415	SEGMENT-CD	CHAR (3, 0)
		7	NCB_CD_4130	4130	NCB-CD	CHAR (2, 0)
		8	I_I_NBR_4131	4131	I-I-NBR	CHAR (7, 0)
958	LTI_LFN_FOLLOWUP	0	DIC_IP_3921	3921	DIC-IP	CHAR (3, 0)
		0	TRN_STATUS_CD_0854	0854	TRAN-STAT-CD	CHAR (2, 0)
		1	ODRC_4690	4690	OP-DATA-RQST-CD	CHAR (4, 0)
959	MS_DEPT_MATRIX	0	ROLL_UP_CD_9460	9460	ROLL-UP-CD	CHAR (2, 0)
		1	STAT_DEPT_0897	0897	STAT-DEPARTMENT	CHAR (2, 0)
		2	ROLL_UP_DEPT_9459	9459	ROLL-UP-DEPT-CD	CHAR (2, 0)
960	EMERGENCY_NIIN	0	NIIN_STAT_CD_2670	2670	NIIN-PSCN-STAT-CD	CHAR (1, 0)
		1	NCB_CD_4130	4130	NCB-CD	CHAR (2, 0)
		2	I_I_NBR_4131	4131	I-I-NBR	CHAR (7, 0)
961	SPCL_APPL_OP_HOLD	0	APPL_OP_REC_9136	9136	APPL-OP-REC	VARCHAR (1500, 0)
		1	DIC_CATEGORY_9756	9756	DIC-CATEGORY	CHAR (2, 0)
		2	ALLOWED_DIC_9135	9135	ALLOWED-DIC	CHAR (3, 0)
		3	RECVD_STAMP_9204	9204	RECVD-STAMP	TIMESTMP (10, 0)
		4	DIC_3920	3920	DOC-ID-CD	CHAR (3, 0)
		5	DIC_SEQ_9146	9146	DIC-SEQ	SMALLINT (2, 0)
		6	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER (4, 0)
962	HMIC_FSC_TBL	1	FSG_3994	3994	ASGND-FSG	CHAR (2, 0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR (2, 0)
		3	HMIC_FSC_TB_N_8589	8589	HMIC-FSC-TBL-NBR	CHAR (1, 0)
963	FIIG_SB_SCTN_TITLE	0	FIIG_SB_SC_TI_5068	5068	FIIG-SB-SC-TI	VARCHAR (120, 0)
		1	DWG_FIIG_4069	4069	DWG-FIIG	CHAR (5, 0)
		2	FIIG_SCTN_ID_5069	5069	FIIG-SCTN-ID	CHAR (1, 0)
		3	FIIG_SB_SC_ID_5071	5071	FIIG-SB-SC-ID	CHAR (2, 0)
964	FIIG_SCTN_TITLE	0	FIIG_SEC_TI_5070	5070	FIIG-SEC-TI	VARCHAR (120, 0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		1	FIIG_SCTN_ID_5069	5069	FIIG-SCTN-ID	CHAR	1	0
965	RDG_TITLE	0	RDG_TI_0964	0964	RDG-TI	CHAR	160	0
		1	DWG_FIIG_4069	4069	DWG-FIIG	CHAR	5	0
		2	REF_DWG_GP_DS_3565	3565	REF-DWG-GP-DES	CHAR	2	0
966	PROD_NM_XREF	1	DLN_1283	1283	DLN	CHAR	10	0
		2	DGTZD-_DWG_NBR_0772	0772	DGTZD-DWG-NBR	CHAR	15	0
967	REC_PROF1	0	ACCESS_FLAG			CHAR	1	0
		0	ACTIVITY_CD			CHAR	6	0
		0	AMLS_LBL_ID_9999			CHAR	2	0
		0	AMLS_LID_ACES_9999			CHAR	1	0
		0	FIRST_INIT			CHAR	2	0
		0	GROUPID			CHAR	5	0
		0	LAST_NAME			CHAR	17	0
		0	PC_CODE			CHAR	1	0
		0	PRNT1			CHAR	8	0
		0	PRNT2_9999			CHAR	4	0
		0	PROPRITORY			CHAR	1	0
		0	SVC_ENT_9999			CHAR	2	0
		1	USERID			CHAR	8	0
968	REC_MENU3	0	CLECT_I_1			CHAR	6	0
		0	CLECT_I_2			CHAR	6	0
		0	CLECT_I_3			CHAR	6	0
		0	CLECT_I_4			CHAR	6	0
		0	CLECT_I_5			CHAR	6	0
		0	CLECT_I_6			CHAR	6	0
		0	CLECT_I_7			CHAR	6	0
		0	CLECT_T_1			CHAR	8	0
		0	CLECT_T_2			CHAR	8	0
		0	CLECT_T_3			CHAR	8	0
		0	CLECT_T_4			CHAR	8	0
		0	CLECT_T_5			CHAR	8	0
		0	CLECT_T_6			CHAR	8	0
		0	CLECT_T_7			CHAR	8	0
		0	CLECT_X_1			CHAR	60	0
		0	CLECT_X_2			CHAR	60	0
		0	CLECT_X_3			CHAR	60	0
		0	CLECT_X_4			CHAR	60	0
		0	CLECT_X_5			CHAR	60	0
		0	CLECT_X_6			CHAR	60	0
		0	CLECT_X_7			CHAR	60	0
		0	MENU_SCR_TITLE			CHAR	45	0
		0	MENU_TITLE			CHAR	45	0
		1	GROUP_ID			CHAR	5	0
		2	MENU_ID			CHAR	6	0
969	REC_PROF2	0	AAT_LID_ACES_9999			CHAR	1	0
		1	AAT_USERID_9999			CHAR	8	0
		2	AAT_LBL_ID_9999			CHAR	2	0
970	REC_TERM	0	PRINTER_ID			CHAR	4	0
		1	TERMINAL_ID			CHAR	8	0
971	TABLE_ALIAS	0	TABLE_KEYLEN			DECIMAL	3	0
		0	TABLE_NAME			CHAR	27	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		1	TABLE_GROUP			CHAR	6	0
972	CMD_BASIC_DOC_DIC	0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	7	0
		0	DIC_3920	3920	DOC-ID-CD	CHAR	3	0
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER	4	0
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	2	0
		0	PRIM_DIC_4549	4549	PRIM-DIC	CHAR	3	0
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	2	0
		1	TMSTMP_3059	3059	TMSTMP	TIMESTMP	10	0
973	CMD_PHRASE_DOC_DIC	0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	7	0
		0	DIC_3920	3920	DOC-ID-CD	CHAR	3	0
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER	4	0
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	2	0
		0	PRIM_DIC_4549	4549	PRIM-DIC	CHAR	3	0
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	2	0
		1	TMSTMP_3059	3059	TMSTMP	TIMESTMP	10	0
974	COLLABOR_DOC_DIC	0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	7	0
		0	DIC_3920	3920	DOC-ID-CD	CHAR	3	0
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER	4	0
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	2	0
		0	PRIM_DIC_4549	4549	PRIM-DIC	CHAR	3	0
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	2	0
		1	TMSTMP_3059	3059	TMSTMP	TIMESTMP	10	0
975	DSOR_DOC_DIC	0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	7	0
		0	DIC_3920	3920	DOC-ID-CD	CHAR	3	0
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER	4	0
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	2	0
		0	PRIM_DIC_4549	4549	PRIM-DIC	CHAR	3	0
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	2	0
		1	TMSTMP_3059	3059	TMSTMP	TIMESTMP	10	0
976	EFF_DT_ITM_DOC_DIC	0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	7	0
		0	DIC_3920	3920	DOC-ID-CD	CHAR	3	0
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER	4	0
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	2	0
		0	PRIM_DIC_4549	4549	PRIM-DIC	CHAR	3	0
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	2	0
		1	TMSTMP_3059	3059	TMSTMP	TIMESTMP	10	0
977	MOE_RL_DLT_DOC_DIC	0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	7	0
		0	DIC_3920	3920	DOC-ID-CD	CHAR	3	0
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER	4	0
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	2	0
		0	PRIM_DIC_4549	4549	PRIM-DIC	CHAR	3	0
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	2	0
		1	TMSTMP_3059	3059	TMSTMP	TIMESTMP	10	0
978	NON_CMD_AC_DOC_DIC	0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	7	0
		0	DIC_3920	3920	DOC-ID-CD	CHAR	3	0
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER	4	0
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	2	0
		0	PRIM_DIC_4549	4549	PRIM-DIC	CHAR	3	0
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	2	0
		1	TMSTMP_3059	3059	TMSTMP	TIMESTMP	10	0
979	RECEIVERS_DOC_DIC	0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	7	0
		0	DIC_3920	3920	DOC-ID-CD	CHAR	3	0

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER	4,	0)
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	2,	0)
		0	PRIM_DIC_4549	4549	PRIM-DIC	CHAR	3,	0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	2,	0)
		1	TMSTMP_3059	3059	TMSTMP	TIMESTMP	10,	0)
980	NIIN_MOE_R_DOC_DIC	0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	7,	0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR	3,	0)
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER	4,	0)
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	2,	0)
		0	PRIM_DIC_4549	4549	PRIM-DIC	CHAR	3,	0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	2,	0)
		1	TMSTMP_3059	3059	TMSTMP	TIMESTMP	10,	0)
981	NIIN_PKG_DOC_DIC	0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	7,	0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR	3,	0)
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER	4,	0)
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	2,	0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	2,	0)
		1	TMSTMP_3059	3059	TMSTMP	TIMESTMP	10,	0)
982	NIIN_REF_DOC_DIC	0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	7,	0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR	3,	0)
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER	4,	0)
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	2,	0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	2,	0)
		1	TMSTMP_3059	3059	TMSTMP	TIMESTMP	10,	0)
983	NONEFF_ITM_DOC_DIC	0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	7,	0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR	3,	0)
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER	4,	0)
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	2,	0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	2,	0)
		1	TMSTMP_3059	3059	TMSTMP	TIMESTMP	10,	0)
984	RPLD_NSN_DOC_DIC	0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	7,	0)
		0	DIC_3920	3920	DOC-ID-CD	CHAR	3,	0)
		0	DT_TRAN_2310	2310	DT-TRAN	INTEGER	4,	0)
		0	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	2,	0)
		0	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	2,	0)
		1	TMSTMP_3059	3059	TMSTMP	TIMESTMP	10,	0)
985	NAIN_FSG_FSC_EDIT	1	NAIN_STRING_6589	6589	NAIN-STRNG	CHAR	19,	0)
		2	FSG_3994	3994	ASGND-FSG	CHAR	2,	0)
		3	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2,	0)
986	FSG_FSC_NAIN_EDIT	1	FSG_3994	3994	ASGND-FSG	CHAR	2,	0)
		2	FSC_WI_FSG_3996	3996	ASGND-FSC-WI-FSG	CHAR	2,	0)
		3	NAIN_STRING_6589	6589	NAIN-STRNG	CHAR	19,	0)
987	PMIC_RPLY	0	PMIC_0802	0802	PREC-MTLS-IND-CD	CHAR	1,	0)
		1	PMIC_TBL_TYPE_3574	3574	PMIC-TBL-TYPE	CHAR	1,	0)
		2	PMIC_CDD_RPLY_3572	3572	PMIC-CDD-REPLY	CHAR	6,	0)
988	PMIC_MRC_TYPE	0	PMIC_TBL_TYPE_3574	3574	PMIC-TBL-TYPE	CHAR	1,	0)
		1	PMIC_MRC_3573	3573	PMIC-MRC	CHAR	4,	0)
989	LVI_R_TABLE_EDIT	1	DRN_0950	0950	DATA-REC-NBR	CHAR	4,	0)
		2	DRN_SEQ_NBR_5039	5039	DRN-SEQ-NBR	SMALLINT	2,	0)
990	REPLACEMENT_INCS	1	NM_CD_2303	2303	NM-CD	CHAR	5,	0)
		2	RPLD_INC_2646	2646	RPLD-INC	CHAR	5,	0)
992	DIC_SPEC_NOTES	0	TEXT_LINE_4519	4519	TEXT-LINE	CHAR	78,	0)

CHAPTER 2
DATA DICTIONARY
GROUP TABLE NO. TO
DB2 ELEMENT NAME CROSS REFERENCE

GRP TBL NO.	GROUP TABLE NAME	PRI KEY	DB2 ELEMENT NAME	DRN	HOST/COBOL NAME	DATA TYPE	LENGTH	DECIMAL
		1	DIC_3920	3920	DOC-ID-CD	CHAR	3	0
		2	F_OR_V_KEY_1092	1092	F-OR-V-KEY	CHAR	8	0
		3	ROW_NBR_4518	4518	ROW-NBR	INTEGER	4	0
993	MS_JOB_CNTL	0	ACCUM_RTN_CD_9452	9452	ACCUM-RTN-CD	SMALLINT	2	0
		0	CARRY_OVR_CNT_9455	9455	CARRY-OVR-CNT	INTEGER	4	0
		0	CARRY_OVR_FLG_9453	9453	CARRY-OVR-FLG	CHAR	1	0
		0	CARRY_OVR_RTN_9454	9454	CARRY-OVR-RTN-CD	SMALLINT	2	0
		0	EXTR_RTN_CD_9451	9451	EXTR-RTN-CD	SMALLINT	2	0
		0	FORCED_FLAG_9458	9458	FORCED-FLAG	CHAR	1	0
		0	UPDT_CNT_9457	9457	UPDT-CNT	INTEGER	4	0
		0	UPDT_RTN_CD_9456	9456	UPDT-RTN-CD	SMALLINT	2	0
		1	JOB_CTL_JUL_9461	9461	JOB-CTL-JUL-DT	INTEGER	4	0
		2	TYPE_OF_STAT_0907	0907	TYPE-OF-STAT	CHAR	12	0
994	ORIG_KRU_IMAGE	0	INPUT_RECORD_9171	9171	INPUT-RECORD	VARCHAR	1128	0
		1	ACTY_CD_2046	2046	ACTY-CD	CHAR	4	0
		2	LOGGED_TS_9173	9173	LOGGED-TS	TIMESTMP	10	0
		3	TM_REC_NBR_9430	9430	TM-REC-NBR	INTEGER	4	0
995	MULTIMEDIA_RR_FIXD	0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR	1	0
		0	INPUT_RECORD_9171	9171	INPUT-RECORD	VARCHAR	1128	0
		1	RR_TRANS_KEY_9763	9763	RR-TRANS-KEY	CHAR	23	0
996	MULTIMEDIA_RR_VARI	0	EXTEND_FLAG_9156	9156	EXTEND-FLAG	CHAR	1	0
		0	INPUT_RECORD_9171	9171	INPUT-RECORD	VARCHAR	1128	0
		1	RR_TRANS_KEY_9763	9763	RR-TRANS-KEY	CHAR	23	0
997	NATO_SUSPENSE_DATA	0	APPL_OP_REC_9136	9136	APPL-OP-REC	VARCHAR	1500	0
		0	DIC_3920	3920	DOC-ID-CD	CHAR	3	0
		1	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	2	0
		2	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	2	0
		3	DT_TRAN_2310	2310	DT-TRAN	INTEGER	4	0
		4	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	7	0
		5	TMSTMP_3059	3059	TMSTMP	TIMESTMP	10	0
998	NATO_L07_DCSN_DATA	0	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	7	0
		0	L07_TRAN_RCVD_2542	2542	L07-TRANS-RCVD-QTY	INTEGER	4	0
		0	L07_TRAN_SENT_2541	2541	L07-TRANS-SENT-QTY	INTEGER	4	0
		0	TMSTMP_3059	3059	TMSTMP	TIMESTMP	10	0
		1	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	2	0
		2	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	2	0
		3	DT_TRAN_2310	2310	DT-TRAN	INTEGER	4	0
		4	LWST_DCSN_SEQ_2198	2198	LWST-DOC-CTL-NBR-SEQ-NBR	CHAR	4	0
		5	HI_DCSN_SEQ_2199	2199	HGST-DOC-CTL-NBR-SEQ-NBR	CHAR	4	0
999	NATO_ACTIVITY_SEG	0	APPL_OP_REC_9136	9136	APPL-OP-REC	VARCHAR	1500	0
		1	SUBMG_ACTY_CD_3720	3720	SUBMG-ACTY-CD	CHAR	2	0
		2	ORIG_ACTY_CD_4210	4210	ORIG-ACTY-CD	CHAR	2	0
		3	DT_TRAN_2310	2310	DT-TRAN	INTEGER	4	0
		4	DCSN_1000	1000	DOC-CTL-SER-NBR	CHAR	7	0
		5	DIC_3920	3920	DOC-ID-CD	CHAR	3	0
		6	TMSTMP_3059	3059	TMSTMP	TIMESTMP	10	0

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
	AAT_LBL_ID_9999	969
	AAT_LID_ACES_9999	969
	AAT_USERID_9999	969
	ACCESS_FLAG	967
	ACTIVITY_CD	967
	AMLS_LBL_ID_9999	967
	AMLS_LID_ACES_9999	967
	ASGND_FSC_3990	943
	ASGND_NIIN_4000	943
	CITY_1083	834
	CLECT_I_1	968
	CLECT_I_2	968
	CLECT_I_3	968
	CLECT_I_4	968
	CLECT_I_5	968
	CLECT_I_6	968
	CLECT_I_7	968
	CLECT_T_1	968
	CLECT_T_2	968
	CLECT_T_3	968
	CLECT_T_4	968
	CLECT_T_5	968
	CLECT_T_6	968
	CLECT_T_7	968
	CLECT_X_1	968
	CLECT_X_2	968
	CLECT_X_3	968
	CLECT_X_4	968
	CLECT_X_5	968
	CLECT_X_6	968
	CLECT_X_7	968
	CNTL_SERVER	010
		1QF
	COMM_ADRS_ID_6572	709
	COMM_FILE_NM_6575	709
	COPY_OWNER	010
		1QF
	COPY_SERVER	010
		1QF
	COPY_STRUCTURE	010
		1QF
	COPY_TABLE	010
		1QF
	DB2_GRP_NUM_4457	913
	DB2_TBL_NAME_4466	913
	DEMIL_MATCH	129
	DIC_DRN_N_NBR_2112	208

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
	DIDS_INTRO_4469	177
		392
	DIDS_TBL_NAME_4466	392
	DISAGREE_NC_CD	129
	EXTRNL_PASWD_6574	709
	EXTRNL_USRID_6573	709
	FIRST_INIT	967
	FSC_WI_FSG_3994	944
	FSG_3996	944
	FUTURE_REVIEW	129
	GROUPID	967
	GROUP_ID	968
	HZR_STR_CMPAT_7974	943
	IBMSNAP_LOGMARKER	010
		1QF
	IDENT_MKG_CD2_8598	943
	IDENT_MKG_CD_7975	943
	INPUT_RECORDS_9171	848
	INSP_LVL_7977	943
	IO_STST_CNT_6546	064
		540
	ITEM_NAME	129
	LAST_NAME	967
	LN_2780_DESC_9213	926
	LST_INSP_PED_7972	943
	MAX_OCURS_4594	479
	MENU_ID	968
	MENU_SCR_TITLE	968
	MENU_TITLE	968
	MESSAGE_LENGTH	041
	MESSAGE_SEG	041
	MR_STAT_DT_3474	088
	MSG_SEGMENT_NO	041
	NEW_CIIC	129
	NEW_DEMIL	129
	OPTNL_NM_3352	355
	OUT_UI_TEXT_3046	813
	PC_CODE	967
	PKG_CODE_7978	943
	PK_CD_7979	943
	PORT_NBR_9212	926
	PRINTER_ID	970
	PRNT1	967
	PRNT2_9999	967
	PROPRITORY	967
	PRUNE_LIMIT_SEQ	010
		1QF

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
	REF_NBR_9999	108
	REINSP_LMT_7980	943
	REINSP_PED_7981	943
	SHLF_LIF_MO_7982	943
	SNA_CVSN_ID_3052	618
		619
	SP_RQMT_CD_7983	943
	STAT_JUL_DATE_7646	924
	STD_IND_CL_CD_1368	079
	STOR_CODE_7984	943
	ST_US_PDSN_AB_0186	355
	SUBMB_ACTY_CD_3720	258
		259
	SVC_ENT_9999	967
	SVC_QLTY_LVL_7985	943
	TABLE_GROUP	971
	TABLE_KEYLEN	971
	TABLE_NAME	971
	TABLE_TYP_DV_1079	392
	TBL_ALL0C_2471	913
	TERMINAL_ID	970
	TEST_RQMT_DE_7986	943
	TMSTP	041
	TOTAL_MSG_SEGS	041
	TRFR_STAT_CNT_6771	548
	TRFR_STAT_CNT_6773	548
	TYPE_II_4_3487	830
	USERID	967
AA	AA_0979	145
		146
AAC-ACTY-AAC-NSN	AAC_STAT_CNT_5540	639
		641
		643
		645
AAC-ACTY-LOA-AAC-NSN	AAC_STAT_CNT_5511	638
		640
		642
		644
AAC-DEPT-AAC-NSN	AAC_STAT_CNT_5621	639
		641
AAC-DEPT-LOA-AAC-NSN	AAC_STAT_CNT_5593	638
		640
AAC-EXPLN	AAC_EXPLN_5250	156
AAC-FSC-ACTY-AAC-NSN	AAC_STAT_CNT_5378	625
		627
		643
		645

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
AAC-FSC-ACTY-LOA-AAC-NSN	AAC_STAT_CNT_5349	019
		442
		642
		644
AAC-FSC-DEPT-AAC-NSN	AAC_STAT_CNT_5458	625
		627
AAC-FSC-DEPT-LOA-AAC-NSN	AAC_STAT_CNT_5431	019
		442
AAC-IM-ACTY-AAC-NSN	AAC_STAT_CNT_5703	629
		631
		643
		645
AAC-IM-ACTY-LOA-AAC-NSN	AAC_STAT_CNT_5674	628
		630
		642
		644
AAC-IM-DEPT-AAC-NSN	AAC_STAT_CNT_8183	629
		631
AAC-IM-DEPT-LOA-AAC-NSN	AAC_STAT_CNT_8180	628
		630
AAC-LA-ACTY-AAC-NSN	AAC_STAT_CNT_8189	635
		637
		643
		645
AAC-LA-ACTY-LOA-AAC-NSN	AAC_STAT_CNT_8186	634
		636
		642
		644
AAC-LA-DEPT-AAC-NSN	AAC_STAT_CNT_8214	635
		637
AAC-LA-DEPT-LOA-AAC-NSN	AAC_STAT_CNT_8211	634
		636
AB-VALUE	AB_VALUE_4419	351
		358
ABV-MRC-FIIG-INC-NSN	AMRC_STAT_CNT_8224	020
		472
ACCTG-RQMTS-CD-AR	ACTG_RQMT_AR_2665	006
		168
		505
ACCTG-RQMTS-CD-EXPLN-AR	ACT_RQM_BR_EX_3157	168
ACCUM-RTN-CD	ACCUM_RTN_CD_9452	879
		993
ACQ-AD-CD	AAC_2507	006
		015
		019
		156
		419

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		442
		493
		505
		511
		625
		627
		628
		629
		630
		631
		634
		635
		636
		637
		638
		639
		640
		641
		642
		643
		644
		645
ACQ-MTHD-CD	AMC_2871	021
		022
		153
		154
		345
		425
		444
		445
		521
		556
ACQ-MTHD-CD-EXP	AMC_EX_5204	154
ACQ-MTHD-CD-FROM	AMC_FROM_3086	329
		330
ACQ-MTHD-CD-TO	AMC_TO_3085	329
		330
ACQ-MTHD-SUF-CD	AMSC_2876	022
		153
		155
		345
		445
		521
ACQ-MTHD-SUF-CD-EXPLN	AMSC_EX_5205	155
ACTIVITY-FLAG	ACTIVITY_FLAG_9131	772
		929
ACTY-CATEGORY	ACTY_CATEGORY_9751	382
		475
ACTY-CD	ACTY_CD_2046	012
		054
		074
		082
		086
		157
		158
		238
		299
		314
		315
		323
		325
		327
		368
		374
		381
		382
		385
		387
		389
		398
		401
		405
		409
		475
		554
		602
		603
		604
		608
		613
		614
		616
		618
		626
		716
		717
		718
		719
		720
		721
		735
		774
		776
		783

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		841
		843
		845
		849
		850
		869
		871
		886
		887
		888
		912
		925
		926
		936
		955
		994
ACTY-CD-SCRNG	ACTY_CD_SCRNG_0177	144
		782
ACTY-CITY	ACTY_CITY_3246	157
ACTY-DESI-CD-DLA-GSA	DLA_GSA_EXCPT_0511	016
		523
ACTY-GRP	ACTY_GRP_9133	143
		474
		606
		709
		715
		945
ACTY-NM-LINE1	ACTY_NM_LINE1_3238	157
ACTY-NM-LINE2	ACTY_NM_LINE2_3239	157
ACTY-NM-LINE3	ACTY_NM_LINE3_3240	157
ACTY-NM-LINE4	ACTY_NM_LINE4_3241	157
ACTY-NM-LINE5	ACTY_NM_LINE5_3242	157
ACTY-OFC-SYM	ACTY_OFC_SYM_3243	157
ACTY-ST-ADRS1	ACTY_ST_ADRS1_3244	157
ACTY-ST-ADRS2	ACTY_ST_ADRS2_3245	157
ACTY-STA-US-POS-ABR	ACTY_ST_US_AB_3247	157
ACTY-TYPE	ACTY_TYPE_9134	382
ACTY-ZIP-CD	ACTY_ZIP_CD_3248	157
ADDNL-RQM-CD	ADDNL_RQM_CD_7973	943
ADDNTL-R-P-Q-SEG	ADD_R_P_Q_SEG_3146	233
ADP-PNT-CD	ADP_PNT_CD_8835	004
		077
ADPE-IDEN-CD	ADPEC_0801	010
		161
		509
ADPE-IDEN-CD-DEF	ADPEC_DEF_5262	161
ADRS-1-ROW	ADRS_1_ROW_3206	379

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
ADRS-2-ROW	ADRS_2_ROW_3208	379
ADRS-3-ROW	ADRS_3_ROW_3209	379
ADRS-4-ROW	ADRS_4_ROW_3210	379
ADRS-5-ROW	ADRS_5_ROW_3211	379
ADRS-6-ROW	ADRS_6_ROW_3212	379
ADRS-7-ROW	ADRS_7_ROW_3213	379
ADRS-8-ROW	ADRS_8_ROW_3214	379
ADRS-NM-CLR-TXT	ADRS_NM_C_TXT_1086	003
ADRS-NM-LN-NO	ADRS_NM_LN_NO_1087	003
ADRS-OFFSET-INCH	ADRS_OFST_IN_3196	379
ADRS-SEQ-CD	ADRS_SEQ_CD_0233	144
		408
		475
		862
		866
ADRS-TYP-CD	ADRS_TYP_CD_2137	002
		003
		328
		504
ADRS-WIDTH-INCH	ADRS_WIDTH_IN_3197	379
AF-BDGT-APPRP	AF_BDGT_APPRP_3160	164
AF-BDGT-CD-MDL	BDGT_CD_AF_3765	006
		164
		505
AF-BDGT-CD-MDL-DEF	BDGT_CD_AF_EX_3161	164
AF-BDGT-PGM	AF_BDGT_PGM_3159	164
AF-BDGT-STK-FD-DIV	AF_BGT_STK_FD_3162	164
AF-FSC-MGR	AF_FSC_MGR_8860	094
		515
AF-SOS	AF_SOS_9403	331
		519
AIR-CMDTY-CD	AIR_CMDTY_CD_2497	162
AIR-CMDTY-CD-EXPLN	AIR_CMTY_EX_5232	162
AIR-CMDTY-SP-HDLG-CD	AIR_CMTY_HDLG_9215	016
		523
AIR-DIM-CD	AIR_DIM_CD_9220	016
		163
		523
AIR-DIM-CD-EXPLN	AIR_DIM_CD_EX_5231	163
AIR-SP-HDLG-CD	AIR_S_HDLG_3169	167
AIR-SP-HDLG-CD-EXPLN	AIR_S_HDLG_EX_3170	167
		728
		729
AIR-SP-HDLG-PT-1	AIR_S_HDLG_P1_4521	728
AIR-SP-HDLG-PT-2	AIR_S_HDLG_P2_4524	729
AIR-SP-HDLG-SUB-1	AIR_S_HDLG_S1_4522	728
AIR-SP-HDLG-SUB-2	AIR_S_HDLG_S2_4523	728

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
ALL-SEGS-DRPD-IND	ALL_SEGS_DRPD_9735	074
ALLOWED-DIC	ALLOWED_DIC_9135	403
		961
ALT-OP-MED-CD	ALT_OP_MED_CD_0420	144
		157
		783
AMC-AT-CC-ADDS-NSN	AMC_STAT_CNT_6373	021
		444
AMC-AT-CC-BBAL-NSN	AMC_STAT_CNT_6371	021
		444
AMC-AT-CC-DLTS-NSN	AMC_STAT_CNT_6377	021
		444
AMC-AT-CC-MVMT-NSN	AMC_STAT_CNT_6381	329
		330
AMC-DP-CC-ADDS-NSN	AMC_STAT_CNT_6357	021
		444
AMC-DP-CC-BBAL-NSN	AMC_STAT_CNT_6355	021
		444
AMC-DP-CC-DLTS-NSN	AMC_STAT_CNT_6359	021
		444
AMC-DP-CC-MVMT-NSN	AMC_STAT_CNT_6363	329
		330
AMLS-LST-CNTL-ID	AMLS_LST_CNTL_3290	378
AMLS-PROCESS-DATE	AMLS_PROC_DT_3286	378
AMLS-PROCESS-TIME	AMLS_PROC_TM_3287	378
AMLS-RUN-ID	AMLS_RUN_ID_3202	378
AMLS-RUN-ID-SEQ-NBR	AMLS_RI_SEQ_3203	378
AMLS-SUBMIT-DATE	AMLS_SUB_DT_3284	378
AMLS-SUBMIT-TIME	AMLS_SUB_TM_3285	378
AMLS-TARGET-PGM	AMLS_TRGT_PGM_3204	378
AMMO-CD	AMMO_CD_8805	001
		073
		496
		723
AMMO-CD-PRFX-ID	AMMO_CD_PRFX_8809	487
AMSC-AMC-VLD-COMBS-CD	AMSC_AMC_VC_8009	153
AMSC-DP-AMC-NSN	AMC_STAT_CNT_6400	022
		445
AMSC-DP-AMC-TOT-NSN	AMSC_STAT_TOT_6401	425
		556
AMSC-DP-AT-AMC-NSN	AMC_STAT_CNT_6387	022
		445
AMSC-DP-AT-AMC-TOT	AMSC_STAT_TOT_6388	425
		556
AND-OR	AND_OR_4410	115
		116
AND-OR-IND	AND_OR_IND_3060	348
		350
		351
		352
		353
		354
APPL-OP-REC	APPL_OP_REC_9136	044
		151
		408
		866
		961
		997
		999
APPLB-KEY-CD-FIIG	APPLB_KEY_CD_0103	098
		593
AR-FSC-MGR	AR_FSC_MGR_8831	094
		515
AR-MCC-APPROP-SUBGRP	AR_MCC_AP_SUB_2163	006
		169
		505
AR-MCC-APPROP-SUBGRP-TXT	AR_MCC_AP_TXT_2164	169
AR-MCC-DESCP-USE-CD	AR_MCC_USE_CD_2161	006
		170
		505
AR-MCC-DESCP-USE-TXT	AR_MCC_USE_TX_2162	170
AR-MCC-SUB-GRP-CD	AR_MCC_SG_CD_2165	171
AR-MCC-SUB-GRP-CD1	AR_MCC_SG_CD1_2167	006
		172
		505
AR-MCC-SUB-GRP-TXT	AR_MCC_SG_TX_2166	171
AR-MCC-SUB-GRP-TXT1	AR_MCC_SG_TX1_2168	172
AR-SOS	AR_SOS_9402	331
		519
ARCHIVE-BEGIN-DATE	ARCH_BEG_DT_9311	140
		913
ARCHIVE-END-DATE	ARCH_END_DT_9312	140
		913
ARCHIVE-TS	ARCHIVE_TS_9137	840
ARCVD-BY-USER	ARCHVNG_USER_9138	840
ASCII-EBCDIC	ASCII_EBCDIC_9139	410
ASGN-ISAC-RPLY-STAT-IND	ASGN_ISAC_RPY_3561	952
ASGND-FSC	FSC_3990	304
		487
		602
		774
		776
		871
ASGND-FSC-WI-FSG	FSC_WI_FSG_3996	001

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		010
		019
		024
		031
		034
		036
		038
		039
		042
		050
		053
		073
		076
		094
		099
		103
		106
		129
		148
		216
		221
		338
		369
		370
		371
		377
		396
		415
		420
		430
		431
		432
		433
		434
		435
		437
		442
		446
		453
		455
		456
		459
		465
		466
		467
		470
		471
		491
		494
		509
		515
		518
		525
		528
		530
		531
		546
		547
		548
		555
		561
		562
		564
		572
		573
		577
		578
		580
		581
		588
		589
		590
		591
		594
		611
		615
		625
		627
		642
		643
		644
		645
		646
		647
		660
		661
		662
		663
		670
		684
		692
		693
		694
		695

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		696			031
		697			034
		733			036
		741			038
		742			039
		763			042
		764			050
		784			053
		785			073
		786			076
		787			094
		788			099
		789			103
		790			106
		791			129
		792			148
		793			216
		796			221
		797			316
		798			338
		799			369
		800			370
		801			371
		802			377
		803			396
		804			415
		805			420
		857			430
		875			431
		895			432
		896			433
		898			434
		900			435
		902			437
		904			442
		907			446
		908			453
		909			455
		916			456
		948			459
		962			465
		985			466
		986			467
ASGND-FSG	FSG_3994	001			470
		010			471
		019			491
		024			492

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		494
		509
		515
		518
		525
		528
		530
		531
		546
		547
		548
		555
		561
		562
		564
		572
		573
		577
		578
		580
		581
		588
		589
		590
		591
		594
		595
		611
		615
		625
		627
		642
		643
		644
		645
		646
		647
		660
		661
		662
		663
		670
		684
		692
		693
		694
		695
		696
		697
		733
		741
		742
		763
		764
		784
		785
		786
		787
		788
		789
		790
		791
		792
		793
		796
		797
		798
		799
		800
		801
		802
		803
		804
		805
		857
		875
		895
		896
		897
		898
		899
		900
		901
		902
		903
		904
		905
		906
		907
		908
		909
		916
		935
		940

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		948
		962
		985
		986
ASGND-NIIN	NIIN_4000	602
		774
		776
		871
ASGND-NSN	NSN_3960	772
		781
		782
		932
ASSOC-CD-CAGE-NSCM-CD	ASSOC_CD_CAGE_8855	082
ATTN-LINE	ATTN_LINE_3482	834
AUD-ISAC-RPLY-STAT-IND	AUD_ISAC_RPY_3562	950
AUD-STYL-RPLY-STAT-IND	AUD_STYL_RPY_3563	951
AUTH-FL-UPDT-RCVRS	AUTH_UPD_RCVR_4507	236
AUTH-INTEROG-SUB	AUTH_INT_SUB_4506	236
AUTHZD-II-DATA-COLLBR-CD	AUTH_II_COLBR_2531	095
AUTHZD-II-DATA-RCVR-CD	AUTH_II_RCVR_2532	096
AUTHZD-II-DATA-SUBMR-CD	AUTH_II_SUBMR_2535	093
		129
AUTODIN-CONT-IND-CD	AUTODIN_CIC_9306	841
AUTODIN-IO	AUTODIN_IO_9140	397
		841
AUTODIN-MSG	AUTODIN_MSG_9310	612
		843
AUTODIN-MSG-DT-TM	AUTODIN_DT_TM_9486	012
BATCH-STAT-CNTR	BTCH_STAT_CTR_1107	924
BEGINNING-DATE	BEG_DATE_0912	026
		448
BLOCK-SIZE	BLOCK_SIZE_9141	410
BRNCH-CD	BRNCH_CD_0997	060
		109
		525
BSC-CMB-IMM-IND	BSC_CM_IM_IND_4582	536
BTCH-CTL-NBR	BTCH_CTL_NBR_0998	060
BTCH-FMT-PARM	BTCH_FMT_PARM_2602	102
BUS-FM-CD	BUS_FM_CD_3406	082
		706
BUS-FM-CD-DEF	BUS_FM_CD_DEF_3372	706
CAGE-ACTY-AAC-NSN	CAGE_STAT_CNT_6651	419
		493
CAGE-CD	CAGE_CD_9250	002
		003
		004
		005
		014
		023
		059
		069
		070
		079
		081
		082
		083
		092
		101
		103
		151
		176
		189
		222
		225
		245
		328
		413
		420
		421
		494
		495
		502
		504
		522
		686
		725
		772
		773
		779
		780
		781
		917
		929
		937
		953
CAGE-FSC-NSN	CAGE_STAT_CNT_6657	420
		494
CAGE-INC-NSN	CAGE_STAT_CNT_6656	421
		495
CAGE-KEYWORD	CAGE_KEYWORD_4471	504
CAGE-NSCM-DESI-CD	CAGE_NSCM_DES_2620	082
		263
CAGE-NSCM-STAT-CD	CAGE_STAT_CD_2694	070
		082

CHAPTER 3
DATA DICTIONARY
-----USAGE----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		185
		502
		725
CAGE-NSCM-TYP-CD	CAGE_TYP_CD_4238	082
		265
CAGE-NSN	CAGE_STAT_CNT_6654	023
		413
CAGE-PNT-OF-CNTCT-NM	CNTCT_NM_3374	222
CAGE-REF	CAGE_STAT_CNT_6655	023
		413
CAGE-RQST-RSN-CD	CAGE_RQST_RSN_3407	082
		708
CAGE-RQST-RSN-DEF	CAGE_RSN_DEF_3370	708
CAGE-STAT-CD-USER-INTPTN	CAGE_USR_INTP_5293	185
CAO-ADP-EXCP-PRCSG-CD-EX	CAO_EX_PR_EX_5270	178
CAO-ADP-EXCP-PROC-CD	CAO_EX_PR_CD_8868	178
CAO-CD	CAO_CD_8870	004
		077
CARRY-OVR-CNT	CARRY_OVR_CNT_9455	879
		993
CARRY-OVR-FLG	CARRY_OVR_FLG_9453	879
		993
CARRY-OVR-RTN-CD	CARRY_OVR_RTN_9454	879
		993
CASE-NBR	CASE_NBR_2544	044
CAT-MGMT-IP-OP-NOTE-IND	CM_NOTE_IND_2101	197
CCR-DUNS-PLUS4-ID	DUNS_PLUS4_4361	222
CD-FOR-LGTH-RPLY	CD_F_LGT_RPLY_0365	126
		922
CDD-CLR-RPLY	CDD_CLR_RPLY_4128	115
		116
		348
CDD-RPLY	CDD_RPLY_3465	128
		339
		473
		923
CHAR-IN-ADRS-LI	CHAR_ADRS_LI_3225	379
CHAR-PER-INCH	CHAR_PER_INCH_3235	379
CHAR-SCRN-IND	CHAR_SCRN_IND_3102	191
		230
CHNG-RPLY-FRM	CHNG_RPLY_FRM_4413	118
		119
CHNG-RPLY-TO	CHNG_RPLY_TO_4414	118
		119
CICS-ERR-CD	CICS_ERR_9392	086
CICS-PASS-KEY-TX	CICS_PASS_KEY_9069	443
CICS-PASS-TX	CICS_PASS_TX_9070	443

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
CIIC	CIIC_2863	006
		129
		270
		505
		941
CIIC-CLS-CD	CIIC_CLS_CD_5255	182
		270
CIIC-CLS-CD-TI	CIIC_CLS_TI_2495	182
CIIC-CLS-CD-TI-EX	CIIC_CLS_EX_2496	182
CIIC-NOTE	CIIC_NOTE_3494	837
CIIM-ACTN-RTN-TO	CIIM_RTN_TO_3139	183
CIIM-INPUT-FILE-IND	CIIM_IN_IND_3138	183
CIIM-RTN-ACTN-CD	CIIM_RTN_CD_3134	183
		746
CIIM-RTN-ACTN-CD-DEF-INS	CIIM_RTN_DEF_3137	183
CIT-ELGBL-IND-CD	CIT_ELGBL_IND_9506	398
CITY	CITY_1084	139
		328
		355
CLAS-ASST-MOD-H2	CL_ASST_MODH2_9554	099
		518
		594
CLAS-ASST-MOD-H3	CL_ASST_MODH3_9553	001
		073
CLNG-DRYNG-PRO-CD	CLNG_DRY_PRC_5161	346
		928
CLRTXT-KEY	CLRTXT_KEY_3088	349
CMBT-ESNTL-CD-EXPLN-MC	CMBT_MC_EXP_3165	239
CMBT-ESNTL-CD-MC	CMBT_ESTL_MC_3311	006
		239
		505
CMD-AUTH-CD-X	CMD_AUTH_CD_X_3458	858
CMD-AUTHZN-CD	CMD_AUTHZN_CD_0759	144
		858
CMDTY-CTGY-EXPLN	CMDTY_CT_EXP_5301	221
CMDTY-MAT-MGMT-CD-DOD	CMDTY_MMC_DOD_2611	093
		094
		202
		515
CMDTY-MAT-MGMT-CD-DOD-ID	CMDTY_MMC_ID_5308	202
CMP-FSC	CMP_FSC_8595	942
CMP-I-I-NBR	CMP_I_I_NBR_8583	942
CMP-ITEM-NAME	CMP_ITEM_NAME_8597	942
CMP-NCB-CD	CMP_NCB_CD_8584	942
CNFDNC-LVL-RT	CNFDNC_LVL_RT_2673	699
CNGRSL-DSTRCT-CD	CNGRSL_DSTRCT_3410	139
CNTRY	CNTRY_1085	355

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		701
CNTRY-CD	CNTRY_CD_3408	328
		701
CNTRY-NM	CNTRY_NM_1966	157
CNTY-NM	CNTY_NM_3409	139
CNV-FRM-LEFT	CNV_FRM_LEFT_4416	117
		119
CNV-FRM-RIGHT	CNV_FRM_RIGHT_4417	117
		119
COCO-CONV-TYPE	COCO_CONV_TYP_4415	117
		119
COCO-NBR	COCO_NBR_2254	117
		118
COG-CD-CMNT-NVY	COG_CD_NV_CM_4558	260
COG-CD-INV-MGR-RETL-OFC	COG_RETL_OFC_5257	252
COG-CD-NVY	COG_CD_NVY_2608	006
		093
		252
		260
		505
COG-CD-NVY-DEF	COG_CD_NVY_EX_5256	252
COMM-RI	COMM_RI_9142	054
		084
		409
		841
		843
COMN-NBRG-SYS-IND-EXPLN	CNBR_SYS_I_EX_5271	186
COMN-NBRING-SYS-IND	CNBR_SYS_I_0845	082
		186
CONCEPT-NBR	CONCEPT_NBR_4488	098
		593
COND-CD-FED1	CON_CD_FED1_3475	831
COND-CD-FED1-DF	CON_CD_FD1_3184	831
COND-CD-FED1-TI	CON_CD_FD1_TI_3183	831
COND-CD-FED2	CON_CD_FED2_3476	832
COND-CD-FED2-EXP-DF	CON_CD_FD2_XD_3478	832
COND-CD-FED2-TI	CON_CD_FD2_TI_3477	832
CONF-NOTI-CD	CONF_NOTI_CD_0095	187
CONF-NOTI-CD-EXPLN	CONF_NOTI_EX_5110	187
CONF-NOTI-CD-RMK	CONF_NOT_CDRK_5111	187
CONTI-IND-CD	CONTI_IND_CD_8555	853
CONTR-ESTBMT-CD	CONTR_ESTBMT_3404	082
CONTR-ID-CHNG-CD	CONTR_ID_CHNG_3412	082
CONTR-LABEL-CD-PSMAT	CONTR_LBL_CD_0893	860
CONTR-LBL-CD-EX-PSMAT	CNTR_LBL_CD_X_3457	860
CONTR-PLND-PRDCR-CD	PLND_PRDCR_CD_3411	082
CONV-REF-NBR	CONV_REF_NBR_3571	014

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		108
		522
		953
CPU-ROUTED-TO	CPU_ROUTED_TO_9143	401
CRD-IDEN-CD-EXPLN	CRD_ID_CD_EX_5212	179
CRD-IDEN-CD-IMC	CRD_ID_CD_IMC_0099	040
		179
		345
		436
		457
		521
		563
CRD-IDEN-CD-TI	CRD_ID_CD_TI_5211	179
CRD-SEQ-CD	CRD_SEQ_CD_8264	121
CRITL-CD-FIIG	CRITL_CD_FIIG_3843	010
		111
		509
		782
CRITL-CD-FIIG-EXPLN	CRT_CD_FIG_EX_3467	111
CRTFN-NBR	CRTFN_NBR_5295	082
CRYPTO-IND-CD	CRYPTO_IND_CD_0857	093
CT-OP-MED-CD	SSR_OP_MED_CD_2094	157
CTGY-CD	CTGY_CD_0905	158
		159
		175
CTGY-CD-ACT-EXPLN	CTGY_CD_ACT_X_2227	159
CTGY-DIC-CMNT	CTGY_DIC_CMNT_4626	175
CTLD-INV-ITM-CD-EXPLN	CII_CTGY_EX_5254	270
CTNR-NSN	CTNR_NSN_5178	346
		928
CURR-TIR-SEG	CURR_TIR_SEG_3145	233
CUSH-DUN-MAT-CD	CUSH_DUN_MAT_5164	346
		928
D-MIL-CD	DEMIL_CD_0167	016
		028
		129
		194
		426
		428
		450
		523
		557
		559
		782
		941
DAC	DAC_2640	014
		201

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		522
		772
DAC-DEPT-REF-QTY	DAC_STAT_CNT_5637	027
		449
DAC-MAY-HAVE-RNG	DAC_MAY_RNG_3111	278
DAC-MUST-HAVE-RNG	DAC_MUST_RNG_3107	278
DAC-TYPE-II-1-TOT	DAC_STAT_CNT_5629	027
		449
DAC-TYPE-II-1A-TOT	DAC_STAT_CNT_5630	027
		449
DAC-TYPE-II-1B-TOT	DAC_STAT_CNT_5631	027
		449
DAC-TYPE-II-2-TOT	DAC_STAT_CNT_5635	027
		449
DAC-TYPE-II-4-TOT	DAC_STAT_CNT_5632	027
		449
DAC-TYPE-II-4A-TOT	DAC_STAT_CNT_5633	027
		449
DAC-TYPE-II-4B-TOT	DAC_STAT_CNT_5634	027
		449
DATA-ELE-IMG-AFT-CHNG	DE_IMG_AFT_CG_1377	081
		710
DATA-ELE-IMG-BEF-CHNG	DE_IMG_BEF_CG_1376	081
		710
DATA-ELE-LGTH	DE_LENGTH_1882	404
		406
DATA-ELE-START-POS	DE_START_POS_1097	404
		406
DATA-REC-NBR	DRN_0950	081
		105
		177
		207
		228
		249
		292
		375
		404
		406
		489
		491
		492
		536
		746
		883
		889
		890
		891

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		892
		918
		957
		989
DATA-TRNSM-CTL-CD	D_TRN_CTL_CD_0756	190
DATA-TRNSMSN-CTL-CD-EXPL	D_TRN_CTL_EX_5135	190
DATASET-NAME	DATASET_NAME_9144	840
DATE-LST-CHG	DATE_LST_CHG_0043	090
		093
		732
DATE-REPORTED-THRU	DATE_RPT_THRU_0914	448
DB2-ARCH-GRP-NBR	DB2_ARC_GP_NO_2746	141
		142
		913
DB2-GRP-NUM	DB2_GRP_NUM_4492	392
		393
DB2-SQL-ERR-CD	DB2_SQL_ERR_9390	086
DB2-SQL-STA-ERR-CD	DB2_SQL_STA_9391	086
DB2-TBL-NAME	DB2_TBL_NAME_4465	359
		392
DBRD-BDR-STAT-CD	DBRD_STAT_CD_0866	092
DBRD-CONTR-END-DT	DBRD_END_DT_0867	092
DBRMT-PPSL-INITR-SYM-MNG	DBRMT_SYM_MNG_1380	092
DCODD-ISAC-RPLY-STMT	DCOD_ISAC_RPY_2308	125
		950
DCODD-RPLY-STMT	DCOD_RPLY_ST_3864	128
		923
DCODD-STYL-RPLY-STMT	DCOD_STYL_RPY_2309	131
		951
DEG-MTCH-CD	DEG_MTCH_CD_0595	191
DELETER-USERID	DELETER_USRID_3221	378
DELT-RSN-CD	DELT_RSN_CD_4540	010
		192
		509
		510
		626
		751
		752
		753
		754
DELT-RSN-CD-EXPLN	DELT_RSN_EX_5132	192
DEMIL-CD-EXPLN	DEMIL_CD_EX_5136	194
DEPT-CD	DEPT_CD_8329	955
DEST-ACTY-CD-OP	DEST_ACTY_OP_3880	188
DEST-CD-SCRNG	DEST_CD_SCRNG_3890	144
		782
DFLT-OP-FMT	DFLT_OP_FMT_2564	382

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
DFLT-RELE-TDQ-ID	DFLT_RELE_TDQ_9500	383
		613
DGTZD-DWG-NBR	DGTZD_DWG_NBR_0772	075
		136
		816
		842
		966
DIC-ALL-OAC-ADUPS	DIC_STAT_CNT_6810	818
		819
DIC-ALL-OAC-APRVD	DIC_STAT_CNT_6813	818
		819
DIC-ALL-OAC-CLRCL	DIC_STAT_CNT_6808	818
		819
DIC-ALL-OAC-DEPT-ADUPS	DIC_STAT_CNT_5339	818
		819
DIC-ALL-OAC-DEPT-APRVD	DIC_STAT_CNT_5337	818
		819
DIC-ALL-OAC-DEPT-CLRCL	DIC_STAT_CNT_5341	818
		819
DIC-ALL-OAC-DEPT-NIINST	DIC_STAT_CNT_5343	818
		819
DIC-ALL-OAC-DEPT-PDUPS	DIC_STAT_CNT_5340	818
		819
DIC-ALL-OAC-DEPT-RECVD	DIC_STAT_CNT_5335	818
		819
DIC-ALL-OAC-DEPT-RULES	DIC_STAT_CNT_5342	818
		819
DIC-ALL-OAC-NIINST	DIC_STAT_CNT_6806	818
		819
DIC-ALL-OAC-PDUPS	DIC_STAT_CNT_6809	818
		819
DIC-ALL-OAC-RECVD	DIC_STAT_CNT_6815	818
		819
DIC-ALL-OAC-RULES	DIC_STAT_CNT_6807	818
		819
DIC-ALL-SAC-ADUPS	DIC_STAT_CNT_6793	820
		821
DIC-ALL-SAC-APRVD	DIC_STAT_CNT_6796	820
		821
DIC-ALL-SAC-CLRCL	DIC_STAT_CNT_6791	820
		821
DIC-ALL-SAC-DEPT-ADUPS	DIC_STAT_CNT_7651	820
		821
DIC-ALL-SAC-DEPT-APRVD	DIC_STAT_CNT_7649	820
		821
DIC-ALL-SAC-DEPT-CLRCL	DIC_STAT_CNT_7653	820
		821
DIC-ALL-SAC-DEPT-NIINST	DIC_STAT_CNT_9577	820
		821
DIC-ALL-SAC-DEPT-PDUPS	DIC_STAT_CNT_7652	820
		821
DIC-ALL-SAC-DEPT-RECVD	DIC_STAT_CNT_7647	820
		821
DIC-ALL-SAC-DEPT-RULES	DIC_STAT_CNT_7654	820
		821
DIC-ALL-SAC-NIINST	DIC_STAT_CNT_6789	820
		821
DIC-ALL-SAC-PDUPS	DIC_STAT_CNT_6792	820
		821
DIC-ALL-SAC-RECVD	DIC_STAT_CNT_6798	820
		821
DIC-ALL-SAC-RULES	DIC_STAT_CNT_6790	820
		821
DIC-CATEGORY	DIC_CATEGORY_9756	181
		383
		408
		866
		961
DIC-CSTDN	DIC_CSTDN_2214	196
DIC-CSTDN-ALT	DIC_CSTDN_ALT_2213	196
DIC-DRN-NOTE	DIC_DRN_NOTE_2111	207
DIC-DRN-NOTE-DEF	DIC_DRN_N_DEF_2113	208
DIC-I-O-TYPE	DIC_I_O_TYPE_2052	196
DIC-IP	DIC_IP_3921	064
		065
		104
		206
		368
		372
		374
		376
		468
		540
		541
		549
		608
		739
		740
		808
		809
		822
		823
		924
		958

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
DIC-OAC-ADUPS	DIC_STAT_CNT_6800	739
		740
DIC-OAC-APRVD	DIC_STAT_CNT_6803	739
		740
DIC-OAC-CLRCL	DIC_STAT_CNT_6838	739
		740
DIC-OAC-DEPT-TOT-ADUPS	DIC_STAT_CNT_5359	739
		740
DIC-OAC-DEPT-TOT-APRVD	DIC_STAT_CNT_5357	739
		740
DIC-OAC-DEPT-TOT-CLRCL	DIC_STAT_CNT_5361	739
		740
DIC-OAC-DEPT-TOT-NIINST	DIC_STAT_CNT_5363	739
		740
DIC-OAC-DEPT-TOT-PDUPS	DIC_STAT_CNT_5360	739
		740
DIC-OAC-DEPT-TOT-RECVD	DIC_STAT_CNT_5355	739
		740
DIC-OAC-DEPT-TOT-RULES	DIC_STAT_CNT_5362	739
		740
DIC-OAC-NIINST	DIC_STAT_CNT_6836	739
		740
DIC-OAC-PDUPS	DIC_STAT_CNT_6799	739
		740
DIC-OAC-RECVD	DIC_STAT_CNT_6805	739
		740
DIC-OAC-RULES	DIC_STAT_CNT_6837	739
		740
DIC-OP	DIC_OP_1052	052
		060
		061
		064
		104
		183
		197
		368
		374
		375
		540
		604
		624
		924
		957
DIC-REF	DIC_REF_2211	196
DIC-RLTD-FNCTNL-DSCPTN	DIC_TO_FD_2212	198
DIC-SAC-ADUPS	DIC_STAT_CNT_6783	065
		541

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
DIC-SAC-APRVD	DIC_STAT_CNT_6786	065
		541
DIC-SAC-CLRCL	DIC_STAT_CNT_6781	065
		541
DIC-SAC-DEPT-TOT-ADUPS	DIC_STAT_CNT_9591	065
		541
DIC-SAC-DEPT-TOT-APRVD	DIC_STAT_CNT_9589	065
		541
DIC-SAC-DEPT-TOT-CLRCL	DIC_STAT_CNT_9593	065
		541
DIC-SAC-DEPT-TOT-NIINST	DIC_STAT_CNT_5325	065
		541
DIC-SAC-DEPT-TOT-PDUPS	DIC_STAT_CNT_9592	065
		541
DIC-SAC-DEPT-TOT-RECVD	DIC_STAT_CNT_9587	065
		541
DIC-SAC-DEPT-TOT-RULES	DIC_STAT_CNT_9594	065
		541
DIC-SAC-NIINST	DIC_STAT_CNT_6779	065
		541
DIC-SAC-PDUPS	DIC_STAT_CNT_6782	065
		541
DIC-SAC-RECVD	DIC_STAT_CNT_6788	065
		541
DIC-SAC-RULES	DIC_STAT_CNT_6780	065
		541
DIC-SEQ	DIC_SEQ_9146	151
		385
		389
		408
		474
		475
		476
		866
		869
		961
DIDS-NOTE-NAR	DIDS_NOTE_NAR_1300	305
		394
		864
DIDS-NOTE-NBR	DIDS_NOTE_NBR_1288	305
		394
		864
DIDS-SEG-CD-EXPLN	DIDS_SEG_EX_3175	199
DIDS-SUB-SEC	DIDS_SUB_SEC_4450	393
		394
		395
DIML-MRC-IND	DIML_MRC_IND_0326	120

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
DIST-ACTY-CD-SEG-M	DIST_AC_SEG_M_0478	148
		530
DL-REPLY	DL_REPLY_4418	350
		357
DLA-CTR-CD	DLA_CTR_CD_3886	847
DLAC	DLAC_3891	948
DLIS-PROC-CHP-NBR	DLIS_CHP_NBR_3452	394
		736
		864
DLIS-SEG-NOTE1	SEG_NOTE_NBR1_4528	249
DLIS-SEG-NOTE2	SEG_NOTE_NBR2_4529	249
DLN	DLN_1283	146
		147
		378
		966
DLN-ROW	DLN_ROW_3233	379
DLN-SEQ	DLN_SEQ_3198	379
DLR-VAL-UNIT-PR	UNIT_PR_7075	006
		505
DLSC-ONLY-IND	DLSC_ONLY_IND_4621	196
DLVR-ADRS-LI-TX	DLVR_ADRS_LI_3354	355
DMD-IND-CD	DMD_IND_CD_0728	193
DMD-IND-CD-EXPLN	DMD_IND_EX_5217	193
DOC-AVLB-CD-EXPLN	DAC_EX_5123	201
DOC-CTL-NBR	DOC_CTL_NBR_1015	012
		918
DOC-CTL-SER-NBR	DCSN_1000	025
		044
		059
		060
		105
		106
		341
		380
		422
		505
		506
		507
		508
		509
		510
		511
		512
		521
		522
		523
		524
		875
		928
		972
		973
		974
		975
		976
		977
		978
		979
		980
		981
		982
		983
		984
		997
		998
		999
DOC-ID-CD	DIC_3920	012
		013
		025
		060
		074
		121
		175
		181
		188
		196
		197
		198
		207
		209
		214
		292
		323
		341
		380
		383
		385
		386
		387
		389
		398
		401
		403
		404
		405

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		406
		408
		411
		474
		475
		476
		480
		499
		505
		506
		507
		508
		509
		510
		511
		512
		521
		522
		523
		524
		602
		604
		613
		614
		616
		774
		776
		782
		845
		849
		850
		855
		859
		866
		869
		871
		876
		918
		928
		953
		961
		972
		973
		974
		975
		976
		977
		978
		979
		980
		981
		982
		983
		984
		992
		997
		999
DOC-ID-CD-CT	DOC_ID_CD_CT_1997	624
DOC-TYP	DOC_TYP_2633	320
		321
		324
		343
		344
DOD-CAT-ACT-SGL-SUB	CAT_SGL_SUB_4503	236
DOD-DBRMT-PPSL-INITR	DBR_PRO_INIT_3193	203
DOD-DBRMT-PPSL-INITR-SYM	DBR_PRO_I_SYM_0868	092
		203
DR-CONTR-LBL-CD-1	DR_CONTR_LBL1_4993	860
DR-CONTR-LBL-CD-2	DR_CONTR_LBL2_4994	860
DR-CONTR-LBL-CD-3	DR_CONTR_LBL3_4995	860
DR-ODRC-REC-CD	DR_ODRC_REC_4981	859
DR-SEG-A-CD	DR_SEG_A_4982	859
DR-SEG-B-CD	DR_SEG_B_4983	859
DR-SEG-C-CD	DR_SEG_C_4984	859
DR-SEG-E-CD	DR_SEG_E_4985	859
DR-SEG-F-CD	DR_SEG_F_4986	859
DR-SEG-G-CD	DR_SEG_G_4987	859
DR-SEG-H-CD	DR_SEG_H_4988	859
DR-SEG-M-CD	DR_SEG_M_4989	859
DR-SEG-N-CD	DR_SEG_N_4990	859
DR-SEG-V-CD	DR_SEG_V_4991	859
DR-SEG-W-CD	DR_SEG_W_4996	859
DR-SEG-Z-CD	DR_SEG_Z_4992	859
DRC	DRC_2634	320
		324
DRN-FULL-VALUE	DRN_FULL_VAL_4469	489
		491
		492
DRN-SEQ-NBR	DRN_SEQ_NBR_5039	889
		890
		891
		892
		918
		989

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
DRN-VAL	DRN_VAL_9975	105
DROP-INDX-CD	DROP_INDX_CD_2225	209
		210
		480
DROP-INDX-CD-MAINT	DROP_IN_MAINT_2223	157
DROP-INDX-CD-NOTIF	DROP_IN_NOTIF_2224	157
DRP-NOTIF-OR-MAINT-IND	DRP_N_OR_M_4505	209
		480
DRPD-SEG-1-IND	DRPD_SEG_1_9711	074
DRPD-SEG-6-IND	DRPD_SEG_6_9712	074
DRPD-SEG-7-IND	DRPD_SEG_7_9713	074
DRPD-SEG-9-IND	DRPD_SEG_9_9714	074
DRPD-SEG-A-IND	DRPD_SEG_A_9715	074
DRPD-SEG-B-IND	DRPD_SEG_B_9716	074
DRPD-SEG-C-IND	DRPD_SEG_C_9717	074
DRPD-SEG-D-IND	DRPD_SEG_D_9718	074
DRPD-SEG-E-IND	DRPD_SEG_E_9719	074
DRPD-SEG-F-IND	DRPD_SEG_F_9720	074
DRPD-SEG-G-IND	DRPD_SEG_G_9721	074
DRPD-SEG-H-IND	DRPD_SEG_H_9722	074
DRPD-SEG-J-IND	DRPD_SEG_J_9723	074
DRPD-SEG-K-IND	DRPD_SEG_K_9724	074
DRPD-SEG-L-IND	DRPD_SEG_L_9725	074
DRPD-SEG-M-IND	DRPD_SEG_M_9726	074
DRPD-SEG-N-IND	DRPD_SEG_N_9727	074
DRPD-SEG-P-IND	DRPD_SEG_P_9728	074
DRPD-SEG-Q-IND	DRPD_SEG_Q_9729	074
DRPD-SEG-R-IND	DRPD_SEG_R_9730	074
DRPD-SEG-V-IND	DRPD_SEG_V_9731	074
DRPD-SEG-W-IND	DRPD_SEG_W_9732	074
DRPD-SEG-Y-IND	DRPD_SEG_Y_9733	074
DRPD-SEG-Z-IND	DRPD_SEG_Z_9734	074
DS1-DEML-NSC-NSN	DS1_STAT_CNT_8215	028
		450
DS2-DPT-DEML-NSC-0-NSN	DS2_STAT_CNT_8217	426
		557
DS3-DOD-SS-NSC-0-MGD-NSN	DS3_STAT_CNT_8219	427
		558
DS4-ML-SS-NSC-0-DEML-NSN	DS4_STAT_CNT_8221	428
		559
DSK-CD-CATLG	DSK_CD_CATLG_3870	060
		109
DSOR	DSOR_0903	009
		508
		833
DSOR-ACTY-NM	DSOR_ACTY_NM_3483	833
DSOR-STMT	DSOR_STMT_3484	829

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
DT-BILD	DT_BILD_1041	060
DT-DBRD-BDR-RCD-CHNGD	DT_DBR_REC_CH_1375	092
DT-DBRD-BDR-RCD-ESTB	DT_DBR_REC_ES_1374	092
DT-ESB-PSMAT-RD	DT_ESB_PSMT_R_0874	144
DT-ESTB-CANC-RCD-DIDS	DT_ESTB_CANC_0308	001
		073
		091
		098
		099
		363
		513
		518
		592
		593
		594
DT-FLGD-FOR-BLNG	DT_FOR_BLNG_1036	060
DT-FLGD-FOR-PURGE	DT_FOR_PRG_1042	060
DT-FLGD-FOR-RTC	DT_FOR_RTC_1044	060
DT-LST-ACCSD-PSMAT-RD	DT_LST_ACC_PS_0875	144
DT-LST-MOE-RULE-NBR-WTHD	DT_LST_MRN_2260	016
		523
DT-MOE-RULE-ASGND-NIIN	DT_MR_ASGND_9128	345
		521
DT-NIIN-PSCN-ASGMT	DT_NIIN_ASGMT_2180	016
		523
DT-OE-LI-SEG-CHNGD	DT_OE_LI_CHG_8656	083
DT-OE-RCD-DELD	DT_OE_RCD_DEL_8657	502
DT-OE-RCD-ESTB	DT_OE_RCD_EST_2262	082
DT-PR-EFF	DT_PR_EFF_1967	104
DT-PRCSD	DT_PRCSD_1031	060
DT-PRIM-OP	DT_PRIM_OP_1008	060
DT-PURGED	DT_PURGED_1051	060
DT-RTC	DT_RTC_1016	060
DT-SECD-IP	DT_SECD_IP_1009	106
DT-SECD-OP	DT_SECD_OP_1011	106
DT-STDZN-DEC	DT_STDZN_DEC_2300	016
		523
DT-TRAN	DT_TRAN_2310	025
		044
		059
		060
		105
		106
		365
		380
		381
		422

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		489
		491
		492
		505
		506
		507
		508
		509
		510
		511
		512
		513
		515
		518
		521
		522
		523
		524
		554
		928
		972
		973
		974
		975
		976
		977
		978
		979
		980
		981
		982
		983
		984
		997
		998
		999
DT-TRAN-DSK-CD-CHNG	DT_DSK_CD_CHG_1013	060
DUNS	DUNS_3405	070
		082
		222
DWG-FIIG	DWG_FIIG_4069	072
		815
		826
		827
		828
		963
		965

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
DWG-FIIG-INITR-ID	DWG_FIIG_INIT_4064	815
DWG-FIIG-TI	DWG_FIIG_TI_9779	815
DWG-STAT-DT	DWG_STAT_DT_5073	072
DWG-STAT-IND	DWG_STAT_IND_5072	072
EAM-CARD-INTERP-IND	EAM_CRD_INTRP_3120	267
		410
ECH-ACQ-STK-MC	EC_ACQ_STK_MC_3151	240
ECH-CD-MC	ECH_CD_MC_3150	006
		240
		505
ECH-REM-MC	ECH_REM_MC_3152	240
ED-DIC	ED_DIC_2099	197
ED-DIC-DESTN	ED_DIC_DESTN_2102	197
EDIT-CMPLTD-TS	EDIT_CMPLT_TS_9383	084
EDIT-CRITE-STMT	ED_CRITE_STMT_4129	121
EDIT-RESULTS-TX	EDIT_RESULTS_9384	084
EDIT-STAT-CD	EDIT_STAT_9382	084
EDT-VAL-CRIT-EXPL	ED_VAL_CRI_EX_4583	228
		536
EFF-DT	EFF_DT_2128	006
		007
		008
		009
		010
		015
		017
		073
		091
		093
		094
		095
		096
		099
		115
		331
		345
		380
		382
		489
		491
		492
		505
		506
		507
		508
		509
		510

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		511
		512
		513
		515
		518
		519
		521
		592
		594
		783
		918
EMAIL-ADRS-TX	EMAIL_ADRS_3375	222
ENDING-DATE	ENDING_DATE_0913	026
		448
ERR-MSG-TX	ERR_MSG_9393	086
ERR-RT	ERR_RT_2674	699
ERRC-CD-AF	ERRC_CD_AF_2655	006
		165
		505
ERRC-CD-EXPLN-AF	ERRC_EX_AF_3164	165
ERRC-CNDM-LV-AF	ERRC_CNDM_LV_2841	165
ERRC-DSG-AF	ERRC_DSG_AF_2842	165
ERRC-EXP-Y-N-AF	ERRC_EXP_Y_N_2843	165
ERRC-REP-Y-N-AF	ERRC_REP_Y_N_2844	165
ERROR-SEQ	ERROR_SEQ_9151	323
		405
ERROR-TS	ERROR_TS_9152	086
		323
		405
ESD-EMI-CD	ESD_EMI_CD_2043	016
		211
		523
ESD-EMI-CD-EX	ESD_EMI_CD_EX_2508	211
EST-ACT-PR-CD-EXPLN	EST_ACT_PR_EX_5219	212
ESTD-OR-ACTL-PR-CD	EST_ACT_PR_CD_0731	212
EXEC-COUNT	EXEC_COUNT_9153	600
		777
		852
		872
EXT-SEG-DATA	EXT_SEG_DATA_9154	747
		838
		854
		931
EXT-SEG-SEQ	EXT_SEG_SEQ_9155	747
		838
		848
		854

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		868
		931
EXTD-FRT-DESC	EXTD_FRT_DESC_0041	732
EXTEND-FLAG	EXTEND_FLAG_9156	071
		319
		402
		609
		775
		778
		867
		995
		996
EXTR-RTN-CD	EXTR_RTN_CD_9451	879
		993
F-MAX-VALUE	F_MAX_VALUE_4428	353
		361
F-MIN-VALUE	F_MIN_VALUE_3078	353
		361
F-OR-V-KEY	F_OR_V_KEY_1092	177
		207
		208
		214
		249
		305
		992
FCS-AIN-SAC-TII-1-NSN	FCS_STAT_CNT_6428	682
		683
FCS-AIN-SAC-TII-2-NSN	FCS_STAT_CNT_6431	683
FCS-AIN-SAC-TII-4-NSN	FCS_STAT_CNT_6432	683
FCS-AIN-SDP-TII-1-NSN	FCS_STAT_CNT_6445	683
FCS-AIN-SDP-TII-2-NSN	FCS_STAT_CNT_6446	683
FCS-AIN-SDP-TII-4-NSN	FCS_STAT_CNT_6447	683
FCS-C-AIN-SAC-TII-1-NSN	FCS_STAT_CNT_6438	683
FCS-C-AIN-SAC-TII-2-NSN	FCS_STAT_CNT_6439	683
FCS-C-AIN-SAC-TII-4-NSN	FCS_STAT_CNT_6440	683
FCS-C-AIN-SDP-TII-1-NSN	FCS_STAT_CNT_6453	683
FCS-C-AIN-SDP-TII-2-NSN	FCS_STAT_CNT_6454	683
FCS-C-AIN-SDP-TII-4-NSN	FCS_STAT_CNT_6455	683
FCS-C-REF-SAC-TII-1-NSN	FCS_STAT_CNT_8170	678
		679
FCS-C-REF-SAC-TII-2-NSN	FCS_STAT_CNT_8171	678
		679
FCS-C-REF-SAC-TII-4-NSN	FCS_STAT_CNT_8172	678
		679
FCS-C-REF-SDP-TII-1-NSN	FCS_STAT_CNT_8173	678
		679
FCS-C-REF-SDP-TII-2-NSN	FCS_STAT_CNT_8174	678

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		679
FCS-C-REF-SDP-TII-4-NSN	FCS_STAT_CNT_8175	678
		679
FCS-C-SAC-TII-1-NSN	FCS_STAT_CNT_6402	032
		454
FCS-C-SAC-TII-2-NSN	FCS_STAT_CNT_6403	032
		454
FCS-C-SAC-TII-4-NSN	FCS_STAT_CNT_6404	032
		454
FCS-C-SDP-TII-1-NSN	FCS_STAT_CNT_6419	032
		454
FCS-C-SDP-TII-2-NSN	FCS_STAT_CNT_6420	032
		454
FCS-C-SDP-TII-4-NSN	FCS_STAT_CNT_6423	032
		454
FCS-REF-SAC-TII-1-NSN	FCS_STAT_CNT_8162	678
		679
FCS-REF-SAC-TII-2-NSN	FCS_STAT_CNT_8163	678
		679
FCS-REF-SAC-TII-4-NSN	FCS_STAT_CNT_8164	678
		679
FCS-REF-SDP-TII-1-NSN	FCS_STAT_CNT_6886	678
		679
FCS-REF-SDP-TII-2-NSN	FCS_STAT_CNT_6887	678
		679
FCS-REF-SDP-TII-4-NSN	FCS_STAT_CNT_6888	678
		679
FCS-SAC-TII-1-NSN	FCS_STAT_CNT_6392	032
		454
FCS-SAC-TII-2-NSN	FCS_STAT_CNT_6393	032
		454
FCS-SAC-TII-4-NSN	FCS_STAT_CNT_6394	032
		454
FCS-SDP-TII-1-NSN	FCS_STAT_CNT_6410	032
		454
FCS-SDP-TII-2-NSN	FCS_STAT_CNT_6411	032
		454
FCS-SDP-TII-4-NSN	FCS_STAT_CNT_6412	032
		454
FD-CD-AF	FUND_CD_AF_2695	006
		166
		505
FD-CD-DEF-AF	FD_CD_DEF_AF_3163	166
FIIG-DWG-NOTE	FIIG_DWG_NOTE_5064	826
FIIG-DWG-SEQ	FIIG_DWG_SEQ_5061	072
FIIG-DWG-TI	FIIG_DWG_TI_5062	072
		842
FIIG-LOCKT-IND	FIIG_LCKT_IND_0581	123
FIIG-SB-SC-ID	FIIG_SB_SC_ID_5071	072
		826
		827
		828
		963
FIIG-SB-SC-TI	FIIG_SB_SC_TI_5068	963
FIIG-SCTN-ID	FIIG_SCTN_ID_5069	072
		826
		827
		828
		963
		964
FIIG-SEC-TI	FIIG_SEC_TI_5070	964
FILE-CHAR-CNT	FILE_CHAR_CNT_9157	474
		666
FILE-CHAR-MIN-QY	FILE_CHAR_MIN_9243	666
FILE-MAINT-ACTN-CD	FILE_MAINT_CD_8850	213
		878
FILE-MAINT-ACTN-CD-EXPLN	FILE_MAINT_EX_3173	213
FILE-MAINT-RCVR-CD	FILE_MNT_RCVR_8905	148
		530
FILE-MAINT-SEQ-NBR	FMSN_1515	016
		523
FILE-REC-CNT	FILE_REC_CNT_9158	474
		666
FILE-REC-MIN-QY	FILE_REC_MIN_9242	666
FILE-VAL-IND	FILE_VAL_IND_4584	771
FIPS-CNTY-CD	FIPS_CNTY_CD_1371	139
FIPS-CTY-CD	FIPS_CTY_CD_1369	139
FIPS-STA-CD	FIPS_STA_CD_1370	139
FIXED-VAR-LEN-MED-IND	F_V_LEN_IND_3119	267
		410
FLIS-SEG-CD	DIDS_SEG_CD_8999	177
		199
		207
		209
		210
		249
		291
		292
		293
		305
		479
		746
		889
		890

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		891
		892
FLIS-SUB-PART	DIDS_SUB_PART_4467	392
FLW-UP-COND-CD-DEF	FU_COND_DEF_5104	217
FLW-UP-COND-CD-INST	FU_COND_INST_5105	217
FMR-DSOR	FMR_DSOR_0904	009
		508
FMR-MOE-RULE-NBR	FMR_MOE_RULE_8280	345
		521
FMR-NMFC-CD	FMR_NMFC_0096	149
FMR-NMFC-SUB-ITEM-NBR	FMR_NMFC_SUB_0862	149
FMR-UFC-CD	FMR_UFC_0097	149
FMT-EXAMPLE	FMT_EXAMPLE_3114	176
FMT-REF-NBR-GOVT-CAGE	FMT_R_NBR_CAG_3113	176
FMT-REMARKS	FMT_REMARKS_4511	176
FOOTPRNT-DATE	FOOTPRNT_DATE_9161	840
FOR-DOM-DESI-CD	FRN_DOM_CD_4235	082
		307
FOR-DOM-DESI-CD-EXPLN	FRN_DOM_EX_5289	307
FORCED-FLAG	FORCED_FLAG_9458	879
		993
FORMAT-NAME	FORMAT_NAME_9162	404
		406
FORMATTED-TS	FORMATTED_TS_9164	601
		777
		852
		872
FREIGHT-INC-NSN	FRGT_STAT_CNT_6599	035
		416
FREIGHT-INC-TOT-NSN	FRGT_STAT_CNT_6600	423
		503
FRM-ZIP-CD	FRM_ZIP_CD_3414	077
FRST-LOLA-OVERNIGHT-ODRC	FIRST_ODRC_4691	499
FRST-MNTH-JUL	FRST_MNTH_JUL_2538	956
FRST-PHRS-CD	FRST_PHRS_CD_3048	839
FRT-CD-STAT-CD	FRT_CD_STAT_2090	090
FRT-DESC	FRT_DESC_4020	090
FRT-EXTND-DESC-ADD-CT	FR_EXD_ADD_CT_1960	097
FRT-EXTND-DESC-ADD-ER-CT	FR_EXD_ADD_ER_1955	097
FRT-EXTND-DESC-CHG-CT	FR_EXD_CHG_CT_1961	097
FRT-EXTND-DESC-CHG-ER-CT	FR_EXD_CHG_ER_1532	097
FRT-EXTND-DESC-DEL-CT	FR_EXD_DEL_CT_1962	097
FRT-EXTND-DESC-DEL-ER-CT	FR_EXD_DEL_ER_1957	097
FRT-MSTR-ADD-CT	FR_MST_ADD_CT_1524	097
FRT-MSTR-ADD-ER-CT	FR_MST_ADD_ER_1517	097
FRT-MSTR-CHG-CT	FR_MST_CHG_CT_1959	097
FRT-MSTR-CHG-ER-CT	FR_MST_CHG_ER_2029	097
FRT-MSTR-DEL-ER-CT	FR_MST_DEL_ER_1533	097
FRT-MSTR-DELETE-CT	FR_MST_DEL_CT_1954	097
FRT-MSTR-INQ-DATE	FR_MST_INQ_DT_1952	097
FRT-MSTR-TIME-FRAME	FR_MST_TI_FRM_1528	097
FSC-COND-CD	FSC_COND_CD_2607	098
		593
FSC-DT-ESB-CANC-RCD-DIDS	FSC_DT_E_C_RC_5182	076
		094
		515
		591
FSC-EXCL-NAR	FSC_EXCL_NAR_0376	076
		591
FSC-INC-NSN	FSC_INC_NSN_5751	432
		465
FSC-INCL-NAR	FSC_INCL_NAR_0375	076
		591
FSC-MOE-IND-CD-EXPLN	FSC_M_RL_C_EX_5305	215
FSC-MOE-RL-CHG-IND-CD-TI	FSC_M_RL_C_TI_4504	215
FSC-MOE-RULE-CHNG-IND	FSC_M_RL_C_IN_0122	093
		094
		215
		515
FSC-NOTE	FSC_NOTE_4962	076
		591
FSC-NSN	FSC_STAT_CNT_5752	432
		465
FSC-TI	FSC_TI_4970	076
		591
FSG-DT-ESB-CANC-RCD-DIDS	FSG_DT_E_C_RC_5183	316
		595
FSG-NOTE	FSG_NOTE_4965	316
		595
FSG-TI	FSG_TI_4972	316
		595
FST-POS-MR	FST_POS_MR_4495	734
FTP-STAT-IND-CD	FTP_STAT_IND_2576	709
FU-COND-CD	FU_COND_CD_0155	217
FU-STAT-CD	FU_STAT_CD_0166	233
		383
FU-STAT-CD-DEF	FU_STAT_DEF_3141	233
FU-STAT-CD-INST	FU_STAT_INST_3142	233
FUT-CT-MOE-RL-ST-CD-DEF	FUT_M_RL_ST_D_5306	218
FUT-CT-MOE-RULE-STAT-CD	FUT_M_RL_ST_C_0297	093
		218
GC-PICA-LAR-CNT	GC_PICA_LAR_1501	779
GC-PICA-LCR-CNT	GC_PICA_LCR_1502	779
GDE-NBR-FIIG	FIIG_4065	010

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		020
		033
		034
		038
		075
		098
		119
		120
		121
		122
		123
		124
		127
		131
		414
		415
		430
		431
		434
		435
		466
		467
		470
		471
		472
		501
		509
		562
		593
		782
		878
		921
		951
GDE-NBR-FIIG-SEQ-NO	FIIG_SEQ_NO_4404	120
GIRDER-CD	GIRDER_CD_0808	317
		779
GIRDER-CD-EXPLN	GIRDER_CD_EX_5100	317
GIRDER-CD-NEW-1	GRDR_CD_NW_1_4541	772
		781
GIRDER-CD-NEW-2	GRDR_CD_NW_2_4542	772
		781
GIRDER-DUP-PROTECTED	GRDR_DUP_PROT_4547	780
GIRDER-MFR-DATA	GRDR_MFR_DATA_4546	780
GIRDER-MFR-PROTECTED	GRDR_MFR_PROT_4548	780
GIRDER-NEW-CAGE-CD	GRDR_NW_CG_CD_4544	772
		781
GIRDER-NEW-REF-NBR-LOG	GRDR_NW_RN_LG_4545	772

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		781
GIRDER-SEQ-NBR	GRDR_SEQ_NBR_4543	772
GLOS-ACRNM	GLOS_ACRNM_2135	219
GLOS-ACRNM-TI	GLOS_ACRNM_TI_2136	219
GLOS-TERM	GLOS_TERM_2132	220
GLOS-TERM-DEF	GLOS_TERM_DEF_2133	220
GLOS-TERM-VOL-REF	GLS_TRM_VL_RF_2134	219
		220
H-J-TEXT	H_J_TEXT_4437	354
H-TAB1-VALUE	H_TAB1_VAL_4429	354
		362
H-TAB2-VALUE	H_TAB2_VAL_4430	354
		362
H-TAB3-VALUE	H_TAB3_VAL_4431	354
		362
H-TAB4-VALUE	H_TAB4_VAL_4432	354
		362
H-TAB5-VALUE	H_TAB5_VAL_4433	354
		362
H-TAB6-VALUE	H_TAB6_VAL_4434	354
		362
H-TAB7-VALUE	H_TAB7_VAL_4435	354
		362
H-TAB8-VALUE	H_TAB8_VAL_4436	354
		362
HCC-ABRV-DEF-TX	HCC_ABRV_DEF_9077	711
HCC-GP-TX	HCC_GP_9079	711
HEAD-NARRTV	HEAD_NARRTV_4453	177
		393
HGST-DOC-CTL-NBR-SEQ-NBR	HI_DCSN_SEQ_2199	998
HI-DLR-BRKOT-CMDTY-CTG	H_D_BRK_CMDTY_3428	094
		221
		515
HISTORY-DATE	HISTORY_DT_4470	115
		505
		506
		507
		508
		509
		510
		511
		512
		513
		518
		519
		521
		522

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		523
		524
		928
HLP-PRC-PGMNM	HLP_PRC_PGMNM_4491	392
HMC	HMC_2720	016
		224
		523
HMC-EXPLN	HMC_EXPLN_5222	224
HMIC-EXPLN	HMIC_EXPLN_3466	110
HMIC-FSC-TBL-NBR	HMIC_FSC_TB_N_8589	962
HZRD-CHAR-CD	HCC_2579	711
HZRD-MAT-IND-CD	HMIC_0865	016
		110
		523
I-I-DATA-IND	I_I_DATA_IND_4622	196
I-I-NBR	I_I_NBR_4131	006
		007
		008
		009
		010
		011
		014
		015
		016
		017
		018
		075
		089
		103
		106
		115
		116
		129
		331
		345
		346
		348
		349
		350
		351
		352
		353
		354
		380
		497
		498
		505
		506
		507
		508
		509
		510
		511
		512
		519
		521
		522
		523
		524
		626
		684
		686
		687
		688
		847
		875
		876
		877
		881
		914
		918
		928
		948
		957
		960
I-O-TYPE	I_O_TYPE_9167	383
I-S-JTC	JTC_0792	007
		506
I-S-OOU-CD	OOU_0793	007
		506
IANDS-ACTY-NSN	IANS_STAT_CNT_9596	373
		550
IANDS-ACTY-NSN-FAMILIES	IANS_STAT_CNT_6088	373
		550
IANDS-DEPT-FSC-MTR-PICA	IANS_STAT_CNT_9602	039
		456
IANDS-DEPT-FSC-MTR-SICA	IANS_STAT_CNT_9600	039
		456
IANDS-DEPT-FSC-REL-PICA	IANS_STAT_CNT_9601	039
		456
IANDS-DEPT-FSC-REL-SICA	IANS_STAT_CNT_9599	039
		456
IANDS-DEPT-FSC-TOT-FAM	IANS_STAT_CNT_9603	039
		456

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
IANDS-DEPT-FSG-MTR-PICA	IANS_STAT_CNT_6885	935 940
IANDS-DEPT-FSG-MTR-SICA	IANS_STAT_CNT_9605	935 940
IANDS-DEPT-FSG-REL-PICA	IANS_STAT_CNT_9606	935 940
IANDS-DEPT-FSG-REL-SICA	IANS_STAT_CNT_9604	935 940
IANDS-DEPT-FSG-TOT-FAM	IANS_STAT_CNT_6882	935 940
IANDS-DEPT-MTR-P-S-FAM	IANS_STAT_CNT_6871	934 939
IANDS-DEPT-MTR-PICA	IANS_STAT_CNT_9610	934 939
IANDS-DEPT-MTR-SICA	IANS_STAT_CNT_9608	934 939
IANDS-DEPT-NSN	IANS_STAT_CNT_8118	373 550
IANDS-DEPT-NSN-FAMILIES	IANS_STAT_CNT_6089	373 550
IANDS-DEPT-REL-PICA	IANS_STAT_CNT_9609	934 939
IANDS-DEPT-REL-SICA	IANS_STAT_CNT_9607	934 939
IANDS-FAMILY-SIZE	IANS_SIZE_2234	373 550
IANDS-GTOT-MTR-P-S-FAM	IANS_STAT_CNT_8127	933 938
IANDS-GTOT-MTR-PICA	IANS_STAT_CNT_8126	933 938
IANDS-GTOT-MTR-SICA	IANS_STAT_CNT_8124	933 938
IANDS-GTOT-NSN	IANS_STAT_CNT_8121	373 550
IANDS-GTOT-NSN-FAMILIES	IANS_STAT_CNT_6099	373 550
IANDS-GTOT-REL-PICA	IANS_STAT_CNT_8125	933 938
IANDS-GTOT-REL-SICA	IANS_STAT_CNT_8123	933 938
ICDD-FSC-ALL-IM	ICDD_STAT_CNT_5954	790 791
ICDD-FSC-ALL-IM-OD	ICDD_STAT_CNT_5953	790 791
ICDD-FSC-ALL-LC-IM	ICDD_STAT_CNT_5961	792 793
ICDD-FSC-ALL-LC-IM-OD	ICDD_STAT_CNT_5960	792
ICDD-FSC-ALL-LC-MS	ICDD_STAT_CNT_5959	792 793
ICDD-FSC-ALL-LC-MS-IM	ICDD_STAT_CNT_5957	792 793
ICDD-FSC-ALL-LC-MS-IM-OD	ICDD_STAT_CNT_5956	792 793
ICDD-FSC-ALL-LC-MS-OD	ICDD_STAT_CNT_5958	792 793
ICDD-FSC-ALL-LC-OD	ICDD_STAT_CNT_5962	792 793
ICDD-FSC-ALL-MS	ICDD_STAT_CNT_5952	790 791
ICDD-FSC-ALL-MS-IM	ICDD_STAT_CNT_5950	790 791
ICDD-FSC-ALL-MS-IM-OD	ICDD_STAT_CNT_5949	790 791
ICDD-FSC-ALL-MS-OD	ICDD_STAT_CNT_5951	790 791
ICDD-FSC-ALL-OD	ICDD_STAT_CNT_5955	790 791
ICDD-IM-ALL-IM	ICDD_STAT_CNT_5968	790 791
ICDD-IM-ALL-IM-OD	ICDD_STAT_CNT_5967	790 791
ICDD-IM-ALL-LC-IM	ICDD_STAT_CNT_6465	792 793
ICDD-IM-ALL-LC-IM-OD	ICDD_STAT_CNT_6464	792 793
ICDD-IM-ALL-LC-MS	ICDD_STAT_CNT_6463	792 793
ICDD-IM-ALL-LC-MS-IM	ICDD_STAT_CNT_6461	792 793
ICDD-IM-ALL-LC-MS-IM-OD	ICDD_STAT_CNT_6460	792 793
ICDD-IM-ALL-LC-MS-OD	ICDD_STAT_CNT_6462	792 793
ICDD-IM-ALL-LC-OD	ICDD_STAT_CNT_6466	792 793
ICDD-IM-ALL-MS	ICDD_STAT_CNT_5966	790 791
ICDD-IM-ALL-MS-IM	ICDD_STAT_CNT_5964	790 791
ICDD-IM-ALL-MS-IM-OD	ICDD_STAT_CNT_5963	790 791
ICDD-IM-ALL-MS-OD	ICDD_STAT_CNT_5965	790 791
ICDD-IM-ALL-OD	ICDD_STAT_CNT_5969	790

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		791
ICDD-LA-ALL-IM	ICDD_STAT_CNT_6472	790
		791
ICDD-LA-ALL-IM-OD	ICDD_STAT_CNT_6471	790
		791
ICDD-LA-ALL-LC-IM	ICDD_STAT_CNT_6479	792
		793
ICDD-LA-ALL-LC-IM-OD	ICDD_STAT_CNT_6478	792
		793
ICDD-LA-ALL-LC-MS	ICDD_STAT_CNT_6477	792
		793
ICDD-LA-ALL-LC-MS-IM	ICDD_STAT_CNT_6475	792
		793
ICDD-LA-ALL-LC-MS-IM-OD	ICDD_STAT_CNT_6474	792
		793
ICDD-LA-ALL-LC-MS-OD	ICDD_STAT_CNT_6476	792
		793
ICDD-LA-ALL-LC-OD	ICDD_STAT_CNT_6480	792
		793
ICDD-LA-ALL-MS	ICDD_STAT_CNT_6470	790
		791
ICDD-LA-ALL-MS-IM	ICDD_STAT_CNT_6468	790
		791
ICDD-LA-ALL-MS-IM-OD	ICDD_STAT_CNT_6467	790
		791
ICDD-LA-ALL-MS-OD	ICDD_STAT_CNT_6469	790
		791
ICDD-LA-ALL-OD	ICDD_STAT_CNT_6473	790
		791
ICDD-LA-FSC-ALL-IM	ICDD_STAT_CNT_6486	790
		791
ICDD-LA-FSC-ALL-IM-OD	ICDD_STAT_CNT_6485	790
		791
ICDD-LA-FSC-ALL-MS	ICDD_STAT_CNT_6484	790
		791
ICDD-LA-FSC-ALL-MS-IM	ICDD_STAT_CNT_6482	790
		791
ICDD-LA-FSC-ALL-MS-IM-OD	ICDD_STAT_CNT_6481	790
		791
ICDD-LA-FSC-ALL-MS-OD	ICDD_STAT_CNT_6483	790
		791
ICDD-LA-FSC-ALL-OD	ICDD_STAT_CNT_6487	790
		791
ICDD-LA-FSC-LC-IM	ICDD_STAT_CNT_6493	792
		793
ICDD-LA-FSC-LC-IM-OD	ICDD_STAT_CNT_6492	792
		793

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
ICDD-LA-FSC-LC-MS	ICDD_STAT_CNT_6491	792
		793
ICDD-LA-FSC-LC-MS-IM	ICDD_STAT_CNT_6489	792
		793
ICDD-LA-FSC-LC-MS-IM-OD	ICDD_STAT_CNT_6488	792
		793
ICDD-LA-FSC-LC-MS-OD	ICDD_STAT_CNT_6490	792
		793
ICDD-LA-FSC-LC-OD	ICDD_STAT_CNT_6494	792
		793
ICDS-FSC-ALL-DOD-MM	ICDS_STAT_CNT_5827	692
		693
ICDS-FSC-ALL-IM-MM	ICDS_STAT_CNT_5831	692
		693
ICDS-FSC-ALL-LC-DOD-MM	ICDS_STAT_CNT_5835	024
		446
ICDS-FSC-ALL-LC-IM-MM	ICDS_STAT_CNT_5839	024
		446
ICDS-FSC-ALL-LC-MS-MM	ICDS_STAT_CNT_5837	024
		446
ICDS-FSC-ALL-LC-OD-MM	ICDS_STAT_CNT_5841	024
		446
ICDS-FSC-ALL-MS-MM	ICDS_STAT_CNT_5829	692
		693
ICDS-FSC-ALL-OD-MM	ICDS_STAT_CNT_5833	692
		693
ICDS-IM-ALL-DOD-MM	ICDS_STAT_CNT_5843	692
		693
ICDS-IM-ALL-IM-MM	ICDS_STAT_CNT_5905	692
		693
ICDS-IM-ALL-LC-DOD-MM	ICDS_STAT_CNT_5909	024
		446
ICDS-IM-ALL-LC-IM-MM	ICDS_STAT_CNT_5913	024
		446
ICDS-IM-ALL-LC-MS-MM	ICDS_STAT_CNT_5911	024
		446
ICDS-IM-ALL-LC-OD-MM	ICDS_STAT_CNT_5915	024
		446
ICDS-IM-ALL-MS-MM	ICDS_STAT_CNT_5860	692
		693
ICDS-IM-ALL-OD-MM	ICDS_STAT_CNT_5907	692
		693
ICDS-LA-ALL-DOD-MM	ICDS_STAT_CNT_5917	692
		693
ICDS-LA-ALL-IM-MM	ICDS_STAT_CNT_5921	692
		693
ICDS-LA-ALL-LC-DOD-MM	ICDS_STAT_CNT_5925	024

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		446
ICDS-LA-ALL-LC-IM-MM	ICDS_STAT_CNT_5929	024
		446
ICDS-LA-ALL-LC-MS-MM	ICDS_STAT_CNT_5927	024
		446
ICDS-LA-ALL-LC-OD-MM	ICDS_STAT_CNT_5931	024
		446
ICDS-LA-ALL-MS-MM	ICDS_STAT_CNT_5919	692
		693
ICDS-LA-ALL-OD-MM	ICDS_STAT_CNT_5923	692
		693
ICDS-LA-FSC-ALL-DOD-MM	ICDS_STAT_CNT_5933	692
		693
ICDS-LA-FSC-ALL-IM-MM	ICDS_STAT_CNT_5937	692
		693
ICDS-LA-FSC-ALL-MS-MM	ICDS_STAT_CNT_5935	692
		693
ICDS-LA-FSC-ALL-OD-MM	ICDS_STAT_CNT_5939	692
		693
ICDS-LA-FSC-LC-DOD-MM	ICDS_STAT_CNT_5941	024
		446
ICDS-LA-FSC-LC-IM-MM	ICDS_STAT_CNT_5945	024
		446
ICDS-LA-FSC-LC-MS-MM	ICDS_STAT_CNT_5943	024
		446
ICDS-LA-FSC-LC-OD-MM	ICDS_STAT_CNT_5947	024
		446
ICFS-DLA-ALL-MM	ICFS_STAT_CNT_5898	367
		545
ICFS-DOD-ALL-MM	ICFS_STAT_CNT_5901	367
		545
ICFS-FAA-ALL-MNGD-MM	ICFS_STAT_CNT_5896	367
		545
ICFS-FAA-ALL-MNGD-TOT	ICFS_STAT_CNT_5895	367
		545
ICFS-GSA-ALL-MM	ICFS_STAT_CNT_7810	367
		545
ICMD-FSC-ALL-A	ICMD_STAT_CNT_7094	788
		789
ICMD-FSC-ALL-AF	ICMD_STAT_CNT_7092	788
		789
ICMD-FSC-ALL-AFM	ICMD_STAT_CNT_7091	788
		789
ICMD-FSC-ALL-AM	ICMD_STAT_CNT_7093	788
		789
ICMD-FSC-ALL-AN	ICMD_STAT_CNT_7090	788
		789
ICMD-FSC-ALL-ANF	ICMD_STAT_CNT_7088	788
		789
ICMD-FSC-ALL-ANFM	ICMD_STAT_CNT_7087	788
		789
ICMD-FSC-ALL-ANM	ICMD_STAT_CNT_7089	788
		789
ICMD-FSC-ALL-F	ICMD_STAT_CNT_7100	788
		789
ICMD-FSC-ALL-FM	ICMD_STAT_CNT_7099	788
		789
ICMD-FSC-ALL-LC-A	ICMD_STAT_CNT_7109	369
		546
ICMD-FSC-ALL-LC-AF	ICMD_STAT_CNT_7107	369
		546
ICMD-FSC-ALL-LC-AFM	ICMD_STAT_CNT_7106	369
		546
ICMD-FSC-ALL-LC-AM	ICMD_STAT_CNT_7108	369
		546
ICMD-FSC-ALL-LC-AN	ICMD_STAT_CNT_7105	369
		546
ICMD-FSC-ALL-LC-ANF	ICMD_STAT_CNT_7103	369
		546
ICMD-FSC-ALL-LC-ANFM	ICMD_STAT_CNT_7102	369
		546
ICMD-FSC-ALL-LC-ANM	ICMD_STAT_CNT_7104	369
		546
ICMD-FSC-ALL-LC-F	ICMD_STAT_CNT_7115	369
		546
ICMD-FSC-ALL-LC-FM	ICMD_STAT_CNT_7114	369
		546
ICMD-FSC-ALL-LC-M	ICMD_STAT_CNT_7116	369
		546
ICMD-FSC-ALL-LC-N	ICMD_STAT_CNT_7113	369
		546
ICMD-FSC-ALL-LC-NF	ICMD_STAT_CNT_7111	369
		546
ICMD-FSC-ALL-LC-NFM	ICMD_STAT_CNT_7110	369
		546
ICMD-FSC-ALL-LC-NM	ICMD_STAT_CNT_7112	369
		546
ICMD-FSC-ALL-M	ICMD_STAT_CNT_7101	788
		789
ICMD-FSC-ALL-N	ICMD_STAT_CNT_7098	788
		789
ICMD-FSC-ALL-NF	ICMD_STAT_CNT_7096	788
		789
ICMD-FSC-ALL-NFM	ICMD_STAT_CNT_7095	788

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		789
ICMD-FSC-ALL-NM	ICMD_STAT_CNT_7097	788
		789
ICMD-IM-ALL-A	ICMD_STAT_CNT_7124	788
		789
ICMD-IM-ALL-AF	ICMD_STAT_CNT_7122	788
		789
ICMD-IM-ALL-AFM	ICMD_STAT_CNT_7121	788
		789
ICMD-IM-ALL-AM	ICMD_STAT_CNT_7123	788
		789
ICMD-IM-ALL-AN	ICMD_STAT_CNT_7120	788
		789
ICMD-IM-ALL-ANF	ICMD_STAT_CNT_7118	788
		789
ICMD-IM-ALL-ANFM	ICMD_STAT_CNT_7117	788
		789
ICMD-IM-ALL-ANM	ICMD_STAT_CNT_7119	788
		789
ICMD-IM-ALL-F	ICMD_STAT_CNT_7130	788
		789
ICMD-IM-ALL-FM	ICMD_STAT_CNT_7129	788
		789
ICMD-IM-ALL-LC-A	ICMD_STAT_CNT_7139	369
		546
ICMD-IM-ALL-LC-AF	ICMD_STAT_CNT_7137	369
		546
ICMD-IM-ALL-LC-AFM	ICMD_STAT_CNT_7136	369
		546
ICMD-IM-ALL-LC-AM	ICMD_STAT_CNT_7138	369
		546
ICMD-IM-ALL-LC-AN	ICMD_STAT_CNT_7135	369
		546
ICMD-IM-ALL-LC-ANF	ICMD_STAT_CNT_7133	369
		546
ICMD-IM-ALL-LC-ANFM	ICMD_STAT_CNT_7132	369
		546
ICMD-IM-ALL-LC-ANM	ICMD_STAT_CNT_7134	369
		546
ICMD-IM-ALL-LC-F	ICMD_STAT_CNT_7145	369
		546
ICMD-IM-ALL-LC-FM	ICMD_STAT_CNT_7144	369
		546
ICMD-IM-ALL-LC-M	ICMD_STAT_CNT_7146	369
		546
ICMD-IM-ALL-LC-N	ICMD_STAT_CNT_7143	369
		546
ICMD-IM-ALL-LC-NF	ICMD_STAT_CNT_7141	369
		546
ICMD-IM-ALL-LC-NFM	ICMD_STAT_CNT_7140	369
		546
ICMD-IM-ALL-LC-NM	ICMD_STAT_CNT_7142	369
		546
ICMD-IM-ALL-M	ICMD_STAT_CNT_7131	788
		789
ICMD-IM-ALL-N	ICMD_STAT_CNT_7128	788
		789
ICMD-IM-ALL-NF	ICMD_STAT_CNT_7126	788
		789
ICMD-IM-ALL-NFM	ICMD_STAT_CNT_7125	788
		789
ICMD-IM-ALL-NM	ICMD_STAT_CNT_7127	788
		789
ICMD-LA-ALL-A	ICMD_STAT_CNT_7154	788
		789
ICMD-LA-ALL-AF	ICMD_STAT_CNT_7152	788
		789
ICMD-LA-ALL-AFM	ICMD_STAT_CNT_7151	788
		789
ICMD-LA-ALL-AM	ICMD_STAT_CNT_7153	788
		789
ICMD-LA-ALL-AN	ICMD_STAT_CNT_7150	788
		789
ICMD-LA-ALL-ANF	ICMD_STAT_CNT_7148	788
		789
ICMD-LA-ALL-ANFM	ICMD_STAT_CNT_7147	788
		789
ICMD-LA-ALL-ANM	ICMD_STAT_CNT_7149	788
		789
ICMD-LA-ALL-F	ICMD_STAT_CNT_7160	788
		789
ICMD-LA-ALL-FM	ICMD_STAT_CNT_7159	788
		789
ICMD-LA-ALL-LC-A	ICMD_STAT_CNT_5854	369
		546
ICMD-LA-ALL-LC-AF	ICMD_STAT_CNT_5852	369
		546
ICMD-LA-ALL-LC-AFM	ICMD_STAT_CNT_5851	369
		546
ICMD-LA-ALL-LC-AM	ICMD_STAT_CNT_5853	369
		546
ICMD-LA-ALL-LC-AN	ICMD_STAT_CNT_5850	369
		546
ICMD-LA-ALL-LC-ANF	ICMD_STAT_CNT_7163	369

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		546
ICMD-LA-ALL-LC-ANFM	ICMD_STAT_CNT_7162	369
		546
ICMD-LA-ALL-LC-ANM	ICMD_STAT_CNT_5849	369
		546
ICMD-LA-ALL-LC-F	ICMD_STAT_CNT_5862	369
		546
ICMD-LA-ALL-LC-FM	ICMD_STAT_CNT_5861	369
		546
ICMD-LA-ALL-LC-M	ICMD_STAT_CNT_5863	369
		546
ICMD-LA-ALL-LC-N	ICMD_STAT_CNT_5858	369
		546
ICMD-LA-ALL-LC-NF	ICMD_STAT_CNT_5856	369
		546
ICMD-LA-ALL-LC-NFM	ICMD_STAT_CNT_5855	369
		546
ICMD-LA-ALL-LC-NM	ICMD_STAT_CNT_5857	369
		546
ICMD-LA-ALL-M	ICMD_STAT_CNT_7161	788
		789
ICMD-LA-ALL-N	ICMD_STAT_CNT_7158	788
		789
ICMD-LA-ALL-NF	ICMD_STAT_CNT_7156	788
		789
ICMD-LA-ALL-NFM	ICMD_STAT_CNT_7155	788
		789
ICMD-LA-ALL-NM	ICMD_STAT_CNT_7157	788
		789
ICMD-LA-FSC-ALL-A	ICMD_STAT_CNT_5872	788
		789
ICMD-LA-FSC-ALL-AF	ICMD_STAT_CNT_5870	788
		789
ICMD-LA-FSC-ALL-AFM	ICMD_STAT_CNT_5869	788
		789
ICMD-LA-FSC-ALL-AM	ICMD_STAT_CNT_5871	788
		789
ICMD-LA-FSC-ALL-AN	ICMD_STAT_CNT_5867	788
		789
ICMD-LA-FSC-ALL-ANF	ICMD_STAT_CNT_5865	788
		789
ICMD-LA-FSC-ALL-ANFM	ICMD_STAT_CNT_5864	788
		789
ICMD-LA-FSC-ALL-ANM	ICMD_STAT_CNT_5866	788
		789
ICMD-LA-FSC-ALL-F	ICMD_STAT_CNT_5878	788
		789
ICMD-LA-FSC-ALL-FM	ICMD_STAT_CNT_5877	788
		789
ICMD-LA-FSC-ALL-M	ICMD_STAT_CNT_5879	788
		789
ICMD-LA-FSC-ALL-N	ICMD_STAT_CNT_5876	788
		789
ICMD-LA-FSC-ALL-NF	ICMD_STAT_CNT_5874	788
		789
ICMD-LA-FSC-ALL-NFM	ICMD_STAT_CNT_5873	788
		789
ICMD-LA-FSC-ALL-NM	ICMD_STAT_CNT_5875	788
		789
ICMD-LA-FSC-LC-A	ICMD_STAT_CNT_5887	369
		546
ICMD-LA-FSC-LC-AF	ICMD_STAT_CNT_5885	369
		546
ICMD-LA-FSC-LC-AFM	ICMD_STAT_CNT_5884	369
		546
ICMD-LA-FSC-LC-AM	ICMD_STAT_CNT_5886	369
		546
ICMD-LA-FSC-LC-AN	ICMD_STAT_CNT_5883	369
		546
ICMD-LA-FSC-LC-ANF	ICMD_STAT_CNT_5881	369
		546
ICMD-LA-FSC-LC-ANFM	ICMD_STAT_CNT_5880	369
		546
ICMD-LA-FSC-LC-ANM	ICMD_STAT_CNT_5882	369
		546
ICMD-LA-FSC-LC-F	ICMD_STAT_CNT_5893	369
		546
ICMD-LA-FSC-LC-FM	ICMD_STAT_CNT_5892	369
		546
ICMD-LA-FSC-LC-M	ICMD_STAT_CNT_5894	369
		546
ICMD-LA-FSC-LC-N	ICMD_STAT_CNT_5891	369
		546
ICMD-LA-FSC-LC-NF	ICMD_STAT_CNT_5889	369
		546
ICMD-LA-FSC-LC-NFM	ICMD_STAT_CNT_5888	369
		546
ICMD-LA-FSC-LC-NM	ICMD_STAT_CNT_5890	369
		546
ICMS-FSC-ALL-AF-MM	ICMS_STAT_CNT_6501	784
		785
ICMS-FSC-ALL-AR-MM	ICMS_STAT_CNT_6497	784
		785
ICMS-FSC-ALL-LC-AF-MM	ICMS_STAT_CNT_6511	786

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		787
ICMS-FSC-ALL-LC-AR-MM	ICMS_STAT_CNT_6507	786
		787
ICMS-FSC-ALL-LC-MC-MM	ICMS_STAT_CNT_6513	786
		787
ICMS-FSC-ALL-LC-MS-MM	ICMS_STAT_CNT_6505	786
		787
ICMS-FSC-ALL-LC-NA-MM	ICMS_STAT_CNT_6509	786
		787
ICMS-FSC-ALL-MC-MM	ICMS_STAT_CNT_6503	784
		785
ICMS-FSC-ALL-MS-MM	ICMS_STAT_CNT_6495	784
		785
ICMS-FSC-ALL-NA-MM	ICMS_STAT_CNT_6499	784
		785
ICMS-IM-ALL-AF-MM	ICMS_STAT_CNT_6521	784
		785
ICMS-IM-ALL-AR-MM	ICMS_STAT_CNT_6517	784
		785
ICMS-IM-ALL-LC-AF-MM	ICMS_STAT_CNT_6531	786
		787
ICMS-IM-ALL-LC-AR-MM	ICMS_STAT_CNT_6527	786
		787
ICMS-IM-ALL-LC-MC-MM	ICMS_STAT_CNT_6533	786
		787
ICMS-IM-ALL-LC-MS-MM	ICMS_STAT_CNT_6525	786
		787
ICMS-IM-ALL-LC-NA-MM	ICMS_STAT_CNT_6529	786
		787
ICMS-IM-ALL-MC-MM	ICMS_STAT_CNT_6523	784
		785
ICMS-IM-ALL-MS-MM	ICMS_STAT_CNT_6515	784
		785
ICMS-IM-ALL-NA-MM	ICMS_STAT_CNT_6519	784
		785
ICMS-LA-ALL-AF-MM	ICMS_STAT_CNT_6932	784
		785
ICMS-LA-ALL-AR-MM	ICMS_STAT_CNT_8071	784
		785
ICMS-LA-ALL-LC-AF-MM	ICMS_STAT_CNT_6962	786
		787
ICMS-LA-ALL-LC-AR-MM	ICMS_STAT_CNT_6958	786
		787
ICMS-LA-ALL-LC-MC-MM	ICMS_STAT_CNT_6964	786
		787
ICMS-LA-ALL-LC-MS-MM	ICMS_STAT_CNT_6928	786
		787
ICMS-LA-ALL-LC-NA-MM	ICMS_STAT_CNT_6960	786
		787
ICMS-LA-ALL-MC-MM	ICMS_STAT_CNT_6930	784
		785
ICMS-LA-ALL-MS-MM	ICMS_STAT_CNT_6535	784
		785
ICMS-LA-ALL-NA-MM	ICMS_STAT_CNT_6538	784
		785
ICMS-LA-FSC-ALL-AF-MM	ICMS_STAT_CNT_6972	784
		785
ICMS-LA-FSC-ALL-AR-MM	ICMS_STAT_CNT_6968	784
		785
ICMS-LA-FSC-ALL-MC-MM	ICMS_STAT_CNT_6974	784
		785
ICMS-LA-FSC-ALL-MS-MM	ICMS_STAT_CNT_6966	784
		785
ICMS-LA-FSC-ALL-NA-MM	ICMS_STAT_CNT_6970	784
		785
ICMS-LA-FSC-LC-AF-MM	ICMS_STAT_CNT_7083	786
		787
ICMS-LA-FSC-LC-AR-MM	ICMS_STAT_CNT_6978	786
		787
ICMS-LA-FSC-LC-MC-MM	ICMS_STAT_CNT_7085	786
		787
ICMS-LA-FSC-LC-MS-MM	ICMS_STAT_CNT_6976	786
		787
ICMS-LA-FSC-LC-NA-MM	ICMS_STAT_CNT_7081	786
		787
ICWD-ALL-CI	ICWD_STAT_CNT_5784	763
		764
ICWD-ALL-CI-OGOV	ICWD_STAT_CNT_5783	763
		764
ICWD-ALL-DOD	ICWD_STAT_CNT_5782	763
		764
ICWD-ALL-DOD-CI	ICWD_STAT_CNT_5780	763
		764
ICWD-ALL-DOD-CI-OGOV	ICWD_STAT_CNT_5779	763
		764
ICWD-ALL-DOD-OGOV	ICWD_STAT_CNT_5781	763
		764
ICWD-ALL-OGOV	ICWD_STAT_CNT_5785	763
		764
ICWD-IM-ALL-CI	ICWD_STAT_CNT_5791	763
		764
ICWD-IM-ALL-CI-OGOV	ICWD_STAT_CNT_5790	763
		764
ICWD-IM-ALL-DOD	ICWD_STAT_CNT_5789	763

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		764
ICWD-IM-ALL-DOD-CI	ICWD_STAT_CNT_5787	763
		764
ICWD-IM-ALL-DOD-CI-OGOV	ICWD_STAT_CNT_5786	763
		764
ICWD-IM-ALL-DOD-OGOV	ICWD_STAT_CNT_5788	763
		764
ICWD-IM-ALL-OGOV	ICWD_STAT_CNT_5792	763
		764
ICWD-LA-ALL-CI	ICWD_STAT_CNT_5798	763
		764
ICWD-LA-ALL-CI-OGOV	ICWD_STAT_CNT_5797	763
		764
ICWD-LA-ALL-DOD	ICWD_STAT_CNT_5796	763
		764
ICWD-LA-ALL-DOD-CI	ICWD_STAT_CNT_5794	763
		764
ICWD-LA-ALL-DOD-CI-OGOV	ICWD_STAT_CNT_5793	763
		764
ICWD-LA-ALL-DOD-OGOV	ICWD_STAT_CNT_5795	763
		764
ICWD-LA-ALL-OGOV	ICWD_STAT_CNT_5799	763
		764
ICWD-LA-FSC-CI	ICWD_STAT_CNT_5805	370
		547
ICWD-LA-FSC-CI-OGOV	ICWD_STAT_CNT_5804	370
		547
ICWD-LA-FSC-DOD	ICWD_STAT_CNT_5803	370
		547
ICWD-LA-FSC-DOD-CI	ICWD_STAT_CNT_5801	370
		547
ICWD-LA-FSC-DOD-CI-OGOV	ICWD_STAT_CNT_5800	370
		547
ICWD-LA-FSC-DOD-OGOV	ICWD_STAT_CNT_5802	370
		547
ICWD-LA-FSC-OGOV	ICWD_STAT_CNT_5806	370
		547
ICWS-ALL-CI-MM	ICWS_STAT_CNT_5759	694
		695
ICWS-ALL-DOD-MM	ICWS_STAT_CNT_5757	694
ICWS-ALL-MNGD-MM	ICWS_STAT_CNT_5755	694
ICWS-ALL-OGOV-MM	ICWS_STAT_CNT_5761	694
ICWS-IM-ALL-CI-MM	ICWS_STAT_CNT_5767	694
		695
ICWS-IM-ALL-DOD-MM	ICWS_STAT_CNT_5765	694
		695
ICWS-IM-ALL-MNGD-MM	ICWS_STAT_CNT_5763	694
		695
ICWS-IM-ALL-OGOV-MM	ICWS_STAT_CNT_5769	694
		695
ICWS-LA-ALL-CI-MM	ICWS_STAT_CNT_5775	694
ICWS-LA-ALL-DOD-MM	ICWS_STAT_CNT_5773	694
		695
ICWS-LA-ALL-MNGD-MM	ICWS_STAT_CNT_5771	694
		695
ICWS-LA-ALL-OGOV-MM	ICWS_STAT_CNT_5777	694
		695
ICWS-LA-FSC-CI-MM	ICWS_STAT_CNT_5811	694
		695
ICWS-LA-FSC-DOD-MM	ICWS_STAT_CNT_5809	694
		695
ICWS-LA-FSC-MNGD-MM	ICWS_STAT_CNT_5807	694
		695
ICWS-LA-FSC-OGOV-MM	ICWS_STAT_CNT_5813	694
		695
ID-AMMO-CUM-CHG	ID_STAT_CNT_6273	458
ID-AMMO-CUR-CHG	ID_STAT_CNT_6274	458
ID-AMMO-NSN	ID_STAT_CNT_6169	458
ID-CAC-CUM-CHG	ID_STAT_CNT_6267	458
ID-CAC-CUR-CHG	ID_STAT_CNT_6268	458
ID-CAC-NSN	ID_STAT_CNT_6171	458
ID-CG-CUM-CHG	ID_STAT_CNT_6282	458
ID-CG-CUR-CHG	ID_STAT_CNT_6283	458
ID-CG-NSN	ID_STAT_CNT_6164	458
ID-FAA-CUM-CHG	ID_STAT_CNT_6279	458
ID-FAA-CUR-CHG	ID_STAT_CNT_6280	458
ID-FAA-NSN	ID_STAT_CNT_6166	458
ID-MCRL-CUM-CHG	ID_STAT_CNT_2187	458
ID-MCRL-CUR-CHG	ID_STAT_CNT_2188	458
ID-MCRL-NSN	ID_STAT_CNT_6137	458
ID-MED-CUM-CHG	ID_STAT_CNT_6270	458
ID-MED-CUR-CHG	ID_STAT_CNT_6271	458
ID-MED-NSN	ID_STAT_CNT_6172	458
ID-MLC-CUM-CHG	ID_STAT_CNT_2181	458
ID-MLC-CUR-CHG	ID_STAT_CNT_2182	458
ID-MLC-NSN	ID_STAT_CNT_6159	458
ID-MLMC-CUM-CHG	ID_STAT_CNT_2195	458
ID-MLMC-CUR-CHG	ID_STAT_CNT_2196	458
ID-MLMC-NSN	ID_STAT_CNT_6154	458
ID-MLN-CUM-CHG	ID_STAT_CNT_2184	458
ID-MLN-CUR-CHG	ID_STAT_CNT_2185	458
ID-MLN-NSN	ID_STAT_CNT_6161	458
ID-PIIL-CUM-CHG	ID_STAT_CNT_6285	458
ID-PIIL-CUR-CHG	ID_STAT_CNT_6286	458

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
ID-PIIL-NSN	ID_STAT_CNT_6162	458
IDS-A-CMPNT-SRT-ORDR-IND	CMPNT_SRT_4177	334
IDS-ACCS-CMPNT-BLN-IND	CMPNT_BLN_4162	333
IDS-ACCS-CMPNT-CATNT-IND	CMPNT_CATNT_4173	334
		339
IDS-ACCS-CMPNT-DSCRD-IND	CMPNT_DSCRD_4171	334
		336
		339
		477
IDS-ACCS-CMPNT-FAIL-IND	CMPNT_FAIL_4164	333
IDS-ACCS-CMPNT-FILE-NM	CMPNT_FILE_NM_4168	333
		418
IDS-ACCS-CMPNT-LGTH-NBR	CMPNT_LGTH_4174	334
		336
		339
		388
		447
		473
		477
IDS-ACCS-CMPNT-MANY-IND	CMPNT_MANY_4165	333
IDS-ACCS-CMPNT-OFST-NBR	CMPNT_OFST_4187	334
IDS-ACCS-CMPNT-OMIT-IND	CMPNT_OMIT_4163	333
IDS-ACCS-CMPNT-SEQ-NBR	CMPNT_SEQ_4172	334
		336
		339
IDS-ACCS-REC-SEQ-NBR	ACCS_SEQ_NBR_4199	333
		334
		336
		339
		342
		359
		388
		418
		447
		461
		473
		477
IDS-ACCS-RPET-CT-QTY	ACCS_RPET_CT_4256	333
		359
		418
IDS-ACCS-TYP-CD	ACCS_TYP_CD_4198	333
		342
		579
IDS-ACT-USR-IND	ACT_USR_IND_4196	340
IDS-ASCII-IND-CD	ASCII_IND_4325	135
IDS-C-ACCS-PASD-PARM-TXT	PASD_PARM_4184	336
IDS-CANC-ITM-IND-CD	CANC_ITM_IND_4329	133

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		340
IDS-CLBL-ACCS-PARM-TXT	ACCS_PARM_4185	336
IDS-CLBL-ACCS-SUBRTN-NM	ACCS_SUBRTN_4183	336
		337
		477
IDS-CMPNT-NBR	IDS_CMPNT_NBR_4160	334
		339
		388
		447
		473
IDS-COND-TXT	COND_TXT_4206	359
IDS-CTR-ATTR-ID	CTR_ATTR_8616	130
		138
IDS-CTR-FUNC-CD	CTR_FUNC_8623	138
IDS-DAT-LGTH-ATTR-ID	DAT_LGTH_ATTR_8621	335
		388
		447
		473
		486
IDS-DATA-RPL-IND	DATA_RPL_4255	333
		359
		418
IDS-DATA-STRM-BRK-IND	DATA_STRM_BRK_4176	334
		339
IDS-DB2-CMPNT-ELE-NM	CMPNT_ELE_NM_4161	388
IDS-DCOD-SVC-IND	DCOD_SVC_IND_4157	461
IDS-DEF-STAT-CD	DEF_STAT_CD_4193	133
		340
IDS-DYN-ALLOC-IND	DYN_ALLOC_8627	133
		340
IDS-EDIT-MBR-TXT	EDIT_MBR_TXT_4155	388
		473
IDS-END-ACCS-NBR	END_ACCS_NBR_8606	130
IDS-END-CMP-NBR	END_CMP_8607	130
IDS-END-CMP-SEQ-NBR	END_CMP_SEQ_8620	138
IDS-END-RCD-TYP-CD	END_RCD_TYP_8605	130
IDS-EXTN-FILE-LGTH-NBR	EX_FILE_LGTH_4158	334
		447
IDS-EXTN-FILE-OFST-NBR	FILE_OFST_NBR_4152	447
IDS-EXTR-DATA-ITM-QY	EXTR_ITM_QY_4209	133
IDS-EXTR-OP-FL-QTY	EXTR_OP_FL_4202	133
		340
IDS-EXTR-RCD-TYP-SEQ-NBR	EXTR_TYP_SEQ_4166	333
		336
IDS-EXTR-UPDT-CD	EXTR_UPDT_8624	133
		340
IDS-FILE-NM-HLQ-ID	FILE_NM_HLQ_8628	133

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		340
IDS-FILE-RET-TIME-QY	FILE_RET_TIME_4322	135
IDS-FILE-TYP-CD	FILE_TYP_4316	135
IDS-FILEAID-MBR-NM	FILEAID_MBR_4328	340
IDS-FLD-JUST	FLD_JUST_4257	334
		339
		388
		447
		473
IDS-FMT-OP-CD	FMT_OP_8625	133
		340
IDS-FORCED-WRITE-IND	FORCED_WRITE_8615	130
		138
IDS-FUNC-MNEM-NM	FUNC_MNEM_NM_4195	340
		342
		359
		388
		418
		447
		461
		473
		477
		478
		486
IDS-FXD-OP-BLCKSZ-QY	FXD_BLCKSZ_4324	135
IDS-FXD-OP-LRECL-QY	FXD_LRECL_4323	135
IDS-GRP-NBR	GRP_NBR_8601	130
		138
IDS-GRP-TYP-ID	GRP_TYP_8618	138
IDS-ITM-PRCSG-QTY	ITM_PRCSG_QTY_4201	133
		340
IDS-JCL-TX	JCL_TX_4315	134
IDS-JCL-TYP-CD	JCL_TYP_4313	134
IDS-JOB-JCL-ID	JOB_JCL_4311	134
IDS-LINK-PARM-STNG-TXT	LINK_PARM_4208	333
IDS-LST-PUB-DT	LST_PUB_DT_4191	133
		340
IDS-LST-PUB-UPDT-DT	LST_UPDT_DT_4189	340
IDS-MARKUP-TXT	MARKUP_TXT_4156	335
		388
		447
		473
		477
IDS-MRKP-CPTLZTN-IND	MRKP_CPTLZTN_4182	335
IDS-MRKP-DSRPTR-FLD-NBR	MRKP_DSRPTR_4179	334
		335
		336

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		339
IDS-NXT-PUB-DT	NXT_PUB_DT_4188	133
		340
IDS-PARM-STNG-TXT	PARM_STNG_TXT_4153	461
		477
IDS-POST-BRK-ACCS-NBR	POST_BRK_ACCS_8612	130
IDS-POST-BRK-CMP-NBR	POST_BRK_CMP_8613	130
IDS-POST-BRK-POS-CD	POST_BRK_POS_8614	130
		138
IDS-POST-BRK-RCD-TYP-CD	POST_BRK_RCD_8611	130
IDS-POST-DELIM	POST_DELIM_4260	335
		388
		447
		473
		477
IDS-POST-MRKP-TXT	POST_MRKP_4258	335
		388
		447
		473
		477
IDS-PRCSG-ACTN-TXT	PRCSG_ACTN_4204	359
		388
		418
		447
		461
		473
		477
IDS-PRDCT-DEF-ESTB-DT	DEF_ESTB_DT_4192	340
IDS-PRDCT-PT-NBR	PRDCT_PT_NBR_4154	478
		486
IDS-PRE-BRK-ACCS-NBR	PRE_BRK_ACCS_8609	130
IDS-PRE-BRK-CMP-NBR	PRE_BRK_CMP_8610	130
IDS-PRE-BRK-RCD-TYP-CD	PRE_BRK_RCD_8608	130
IDS-PRE-DELIM	PRE_DELIM_4259	335
		388
		447
		473
		477
IDS-PRFL-PRFX-TX	PRFL_PRFX_TX_4326	340
IDS-PRFX-JCL-MBR-NM	PRFX_JCL_MBR_4327	340
IDS-PRIM-SPC-ALOC-QY	PRIM_SPC_ALOC_4317	135
IDS-PRIM-WS-ALOC-QY	PRIM_WS_ALOC_4319	135
IDS-PRPY-DCOD-IND	PRPY_DCOD_4253	133
		340
IDS-PRPY-NOTC-IND	PRPY_NOTC_4254	133
		340
IDS-PUB-CYCL-TM	PUB_CYCL_TM_4194	340

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
IDS-RCD-LGTH-ATTR-ID	RCD_LGTH_ATTR_8622	133
IDS-RCD-TYP-ORDR-NBR	RCD_TYP_ORDR_4169	478
IDS-REC-TYP-CD	REC_TYP_CD_4197	333
		334
		336
		339
		342
		359
		388
		418
		447
		461
		473
		477
		478
IDS-SECD-SPC-ALOC-QY	SECD_SPC_ALOC_4318	135
IDS-SECD-WS-ALOC-QY	SECD_WS_ALOC_4320	135
IDS-SQL-COND-MBR-STNG-TX	MBR_STNG_TX_4203	359
IDS-SRT-RPL-IND	SRT_RPL_4252	133
		340
IDS-SRT-SEQ-TXT	SRT_SEQ_TXT_4167	486
IDS-START-ACCS-NBR	START_ACCS_8603	130
IDS-START-CMP-NBR	START_CMP_8604	130
IDS-START-CMP-SEQ-NBR	START_CMP_SEQ_8619	138
IDS-START-RCD-TYP-CD	START_RCD_TYP_8602	130
IDS-STEP-JCL-ID	STEP_JCL_4312	134
IDS-STEP-SEQ-ID	STEP_SEQ_4314	134
IDS-STOR-UNIT-TYP-TX	STOR_UNIT_TYP_4321	135
IDS-TBL-QRY-STNG-TXT	TBL_QRY_STNG_4207	333
IDS-UPDT-KEY-LGTH-QY	UPDT_KEY_LGTH_8626	133
IDS-USER-PAD-CHAR	USER_PAD_CHAR_4251	133
		340
IDS-XFILE-RPETD-DATA-NBR	XFILE_RPETD_4159	334
		447
IDS-ZER-SUPRSN-IND	ZER_SUPRSN_8617	130
		138
		335
		388
		447
		473
		486
ILL-ACPT-IND	ILL_ACPT_IND_4063	136
ILL-ID	ILL_ID_4066	136
ILL-RTN-DT	ILL_RTN_DT_4061	136
ILL-START-DT	ILL_START_DT_4062	136
IMC	IMC_2744	040
		231
		345
		436
		457
		521
		563
IMC-ACTY	IMC_ACTY_2748	318
		345
		521
IMC-AL-DP-AT-IMC-CIC	IMC_STAT_CNT_5653	040
		457
IMC-DEF	IMC_DEF_5209	231
IMC-NW-DP-AT-IMC-CIC	IMC_STAT_CNT_5639	436
		563
IMC-TI	IMC_TI_5208	231
IMCA	IMCA_4075	080
		094
		515
IMM	IMM_9090	094
		515
IMM-SOS	IMM_SOS_9401	331
		519
IN-DP-AIN-NR-NSN	IN_STAT_CNT_6699	690
		691
IN-DP-AIN-NSN	IN_STAT_CNT_6691	690
		691
IN-DP-AT-AIN-NR-NSN	IN_STAT_CNT_6695	043
		460
IN-DP-AT-AIN-NSN	IN_STAT_CNT_6688	460
IN-DP-AT-NAIN-NR-NSN	IN_STAT_CNT_6696	460
IN-DP-AT-NAIN-NSN	IN_STAT_CNT_6689	460
IN-DP-NAIN-NR-NSN	IN_STAT_CNT_6700	690
		691
IN-DP-NAIN-NSN	IN_STAT_CNT_6692	690
		691
IN-OR-OUT-IND	I_OR_O_IND_4591	479
IN-THE-CLR-MLNG-ADRS	CLR_MLNG_ADRS_1282	145
INACT-SOS-IND-CD	INACT_SOS_IND_0134	331
		519
INC	INC_4080	001
		010
		020
		033
		034
		035
		037
		038
		073

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		106
		120
		122
		124
		225
		414
		415
		416
		417
		421
		430
		431
		432
		434
		435
		465
		466
		467
		470
		471
		472
		495
		509
		562
		684
		782
		828
		878
INC-APPLIC-IND	INC_APPL_IND_4405	122
INC-FIIG-CORL	INC_FIIG_CORL_3485	830
INC-LOCKT-IND	INC_LOCKT_IND_0583	122
INC-NSN	INC_STAT_CNT_5750	037
		417
INCL-EXCL-CD	INCL_EXCL_CD_4497	733
INCR-NBR	INCR_NBR_2219	948
INFO-DISEM-IDEN-NBR	INFO_DISEM_ID_1720	130
		133
		135
		138
		333
		334
		335
		336
		339
		340
		342
		359

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		388
		418
		447
		461
		473
		477
		478
		486
		497
		498
INPUT-FORMAT	INPUT_FORMAT_9169	382
INPUT-MEDIA	INPUT_MEDIA_9170	052
		084
		401
		600
		604
		777
		852
		872
INPUT-RECORD	INPUT_RECORD_9171	070
		314
		315
		399
		402
		867
		868
		994
		995
		996
INQ-OUT-VIEW	INQ_OUT_VIEW_4477	381
		554
INSP-CD-STNG	INSP_CD_STNG_8599	943
INTGTY-CD	INTGTY_CD_0864	016
		227
		523
INTGTY-CD-DEF	INTGTY_CD_DEF_5220	227
INTMED-CTNR-CD	INTMD_CTNR_CD_5167	346
		928
INTMED-CTNR-QTY	INTMD_CTN_QTY_5152	346
		928
INTRNL-EXTRNL-IND	IN_EX_IND_4581	771
INV-ACCT-CD-CG	INV_ACT_CG_0708	006
		229
		505
INV-ACCT-CD-CG-EXPLN	INV_ACT_CG_EX_3179	229
INVLD-IMC-IND	INVLD_IMC_IND_2747	231
ISAC-LMTN-CD	ISAC_LMTN_CD 0825	121

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
ISAC-PRES-CD	ISAC_PRES_CD_2348	121
ISC-FSC-DOD-NSN	ISC_STAT_CNT_5748	042
		459
ISC-FSC-USGOVT-NSN	ISC_STAT_CNT_5747	042
		459
ISC-FSC-WMGR-NSN	ISC_STAT_CNT_5746	042
		459
ISC-FSC-WOMGR-NSN	ISC_STAT_CNT_5749	042
		459
ISC-FSG-NSN	ISC_STAT_CNT_5740	741
		742
ISS-REP-RQNG-RSTRN-CD	IRRC_NVY_0132	006
		261
		262
		505
ISS-REP-RQNG-RSTRN-CD-DE	IRRC_NVY_DEF_5260	262
ITEM-NAME-KEYWORD	ITEM_NM_KY_WD_4401	364
ITEM-NAME-NSN	INAM_STAT_CNT_7824	438
		565
ITM-NM-DEF-DLIM	ITM_NM_DEF_5015	098
		593
ITM-NM-NON-APRVD-RMDR	NAIN_RMDR_2177	363
ITM-NM-TYP-CD	ITM_NM_TYP_CD_3308	098
		593
		724
ITM-STDZN-CD	ISC_2650	016
		042
		232
		459
		523
		915
ITM-STDZN-CD-EXPLN	ITM_STDZN_EX_5134	232
ITM-TYP-STOR-CD	ITM_TYP_STOR_5156	346
		928
J-MAX-L-VALUE	J_MAX_L_VAL_4422	352
		360
J-MAX-R-VALUE	J_MAX_R_VAL_4427	352
		360
J-MIN-L-VALUE	J_MIN_L_VAL_4420	352
		360
J-MIN-R-VALUE	J_MIN_R_VAL_4423	352
		360
J-TBL-REPLY	J_TBL_REPLY_3073	352
		360
JCL-JOB-CRD-NM	JCL_JOB_NM_9507	617
JOB-CTL-JUL-DT	JOB_CTL_JUL_9461	879
		993
JRNL-TMSTMP	JRNL_TMSTMP_9487	012
KEY-GRP-DESC	KEY_GRP_DESC_4448	391
KEYWRD-GRP-CD	KEYWRD_GRP_CD_2034	127
		391
		921
KEYWRD-MODIFIER-STMT	KEYWRD_MOD_ST_2033	127
		921
KHN-ACTY-IND	KHN_ACTY_IND_4356	327
KRT-IND-CD	KRT_IND_2051	258
		259
KVI-DECR-CTR	KVI_DECR_CTR_4211	949
KVI-ORIG-CTR	KVI_ORIG_CTR_4212	949
KVI-SUSPNS-ESTB-DT	KVI_SPNS_E_DT_4214	948
KWA-ACTY-NOTI-IND	KWA_ACTY_NOTI_9563	409
KWA-NATO-ACTY-ZZ-IND	KWA_NATO_ZZ_9564	409
KWA-NO-OP-ACTY-NOTI-IND	KWA_NO_NOTI_9562	409
L07-TRANS-RCVD-QTY	L07_TRAN_RCVD_2542	998
L07-TRANS-SENT-QTY	L07_TRAN_SENT_2541	998
LBL-FORM-CD	LBL_FORM_CD_3288	378
LBL-FORMAT	LBL_FORMAT_3228	378
		379
		482
LBL-ID	LBL_ID_2235	145
		146
		378
		482
LBL-ID-DLN-IND	LBL_ID_DLN_3283	482
LBL-ID-MA-IND	LBL_ID_MA_IND_3282	482
LBL-ID-ROW	LBL_ID_ROW_3207	379
LBL-ID-SEQ	LBL_ID_SEQ_3230	379
LBL-ID-TEXT	LBL_ID_TEXT_3281	482
LBL-SET-QTY	LBL_SET_QTY_3289	378
LENGTH-INCH	LENGTH_INCH_3227	379
LFU-PROC-STAT-CD	LFU_PROC_STAT_9230	605
LFU-TRANS-KEY	LFU_TRANS_KEY_9445	605
LINES-PER-INCH	LINES_INCH_3234	379
LISTIN-PART-PAPER-IND	LST_PRT_P_IND_3121	267
		410
LKD-LKU-RPLM-IND	LKD_LKU_RPLM_2499	010
		509
LMD-DATE	LMD_DATE_4218	875
		948
LMD-ODIC	LMD_ODIC_3892	875
		948
LMT-DIST-CD	LMT_DIST_CD_4645	016
		236
		523

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		782
		936
LMT-DIST-CD-EXPLN	LMT_DIST_EX_5106	236
LN-2780-IDEN	LN_2780_IDEN_9211	926
LOC-SHRT-TI	LOC_SHRT_TI_2639	325
LOG-MSG-TMSTMP	LOG_MSG_TS_9381	084
		085
		086
LOGGED-TS	LOGGED_TS_9173	314
		315
		481
		617
		994
LOLA-OVERNIGHT-LSN-LTI	LSN_LTI_RMDR_4696	341
LOLA-OVERNIGHT-SEG-VAL	SEG_VALUES_4694	499
LOLA-OVERNIGHT-TRAN-DT	TRANS_DT_4695	341
		368
		374
		579
		608
LOLA-REQUEST-DATE	LOLA_REQ_DATE_3306	045
		462
		620
		621
		622
		623
LOLA-STATS-SCOPE	LOLA_STAT_SC_3307	045
		462
		620
		621
		622
		623
LOLA-UPDT-COMM-TXT	UPDT_COMM_3314	375
LOLA-UPDT-DIC-CT-NBR	UPDT_DIC_CT_3324	374
LOLA-UPDT-PRCSD-TIME	UPDT_PRC_TIME_3323	368
		608
LOLA-UPDT-TRAN-HDR-TXT	UPDT_TRAN_HDR_3313	375
LRN-ACT-DLY-TOT	LRN_STAT_CNT_2410	045
		462
LRN-APPL-HELP-DEPT-DLY	LRN_STAT_CNT_3742	045
		462
		620
		621
		622
		623
LRN-C-NIIN-ACTY-DLY	LRN_STAT_CNT_5975	045
		462
LRN-C-NIIN-DEPT-DLY	LRN_STAT_CNT_5983	620
		622
LRN-C-NIIN-DLY-TOT	LRN_STAT_CNT_5989	621
		623
LRN-C-P-RNL-ACTY-DLY	LRN_STAT_CNT_6202	045
		462
LRN-C-P-RNL-DEPT-DLY	LRN_STAT_CNT_6207	620
		622
LRN-C-P-RNL-DLY-TOT	LRN_STAT_CNT_1657	621
		623
LRN-C-RNL-ACTY-DLY	LRN_STAT_CNT_6178	045
		462
LRN-C-RNL-DEPT-DLY	LRN_STAT_CNT_6183	620
		622
LRN-C-RNL-DLY-TOT	LRN_STAT_CNT_6189	621
		623
LRN-CHS-ACTY-DLY	LRN_STAT_CNT_1193	045
		462
LRN-CHS-DEPT-DLY	LRN_STAT_CNT_1198	620
		622
LRN-CHS-TOT-DLY	LRN_STAT_CNT_1203	621
		623
LRN-COMB-ACTY-DLY	LRN_STAT_CNT_1729	045
		462
LRN-COMB-DEPT-DLY	LRN_STAT_CNT_1734	620
		622
LRN-COMB-TOT-DLY	LRN_STAT_CNT_1739	621
		623
LRN-DEPT-DLY-TOT	LRN_STAT_CNT_2429	620
		622
LRN-FSG-FSC-ITM-NM-ACT-D	LRN_STAT_CNT_1233	045
		462
LRN-FSG-FSC-ITM-NM-DPT-D	LRN_STAT_CNT_6860	620
		622
LRN-FSG-FSC-ITM-NM-TOT-D	LRN_STAT_CNT_6865	621
		623
LRN-GRD-TOT-DLY-TOT	LRN_STAT_CNT_2422	621
		623
LRN-NIIN-INQ-ACTY-DLY	LRN_STAT_CNT_1667	045
		462
LRN-NIIN-INQ-DEPT-DLY	LRN_STAT_CNT_1672	620
		622
LRN-NIIN-INQ-DLY-TOT	LRN_STAT_CNT_1121	621
		623
LRN-NM-NIIN-ACTY-DLY	LRN_STAT_CNT_1173	045
		462
LRN-NM-NIIN-DEPT-DLY	LRN_STAT_CNT_1178	620

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		622
LRN-NM-NIIN-DLY-TOT	LRN_STAT_CNT_1183	621
		623
LRN-P-RNL-ACTY-DLY	LRN_STAT_CNT_1153	045
		462
LRN-P-RNL-DEPT-DLY	LRN_STAT_CNT_1158	620
		622
LRN-P-RNL-DLY-TOT	LRN_STAT_CNT_1163	621
		623
LRN-PROC-ACTY-DLY	LRN_STAT_CNT_8232	045
		462
LRN-PROC-DEPT-DLY	LRN_STAT_CNT_8237	620
		622
LRN-PROC-TOT-DLY	LRN_STAT_CNT_8242	621
		623
LRN-RNL-ACTY-DLY	LRN_STAT_CNT_1132	045
		462
LRN-RNL-DEPT-DLY	LRN_STAT_CNT_1137	620
		622
LRN-RNL-DLY-TOT	LRN_STAT_CNT_1142	621
		623
LS-THN-CRLD-RTNG-CD	LCL_CD_2760	016
		234
		523
LS-THN-CRLD-RTNG-CD-EXPL	LCL_EX_5233	234
LS-THN-TL-RTNG-CD	LST_TL_CD_2770	090
		235
LS-THN-TL-RTNG-CD-EXPLN	LST_TL_EX_5234	235
LST-KWN-SOS	LST_KWN_SOS_1071	016
		523
LVA-DATE	LVA_DATE_4217	875
		948
LVA-ODIC	LVA_ODIC_3893	875
		948
LVL-A-PKG-RQMT-CD	LVL_A_PKG_CD_5170	346
		928
LVL-B-PKG-RQMT-CD	LVL_B_PKG_CD_5171	346
		928
LVL-C-PKG-RQMT-CD	LVL_C_PKG_CD_5172	346
		928
LVL-PROTN-CD	LOP_CD_5151	346
		928
LWST-DOC-CTL-NBR-SEQ-NBR	LWST_DCSN_SEQ_2198	998
M3A-D-LOA-AIN	M3A_STAT_CNT_1606	744
		745
M3A-D-LOA-AIN-G	M3A_STAT_CNT_1607	744
		745
M3A-D-LOA-DM	M3A_STAT_CNT_1602	744
		745
M3A-D-LOA-DM-G	M3A_STAT_CNT_1603	744
		745
M3A-D-LOA-MG	M3A_STAT_CNT_1601	744
		745
M3A-D-LOA-RN	M3A_STAT_CNT_1610	744
		745
M3A-D-LOA-RN-G	M3A_STAT_CNT_1611	744
		745
M3AC-D-AIN	M3AC_STAT_CNT_1593	429
		560
M3AC-D-AIN-G	M3AC_STAT_CNT_1594	429
		560
M3AC-D-DM	M3AC_STAT_CNT_1589	429
		560
M3AC-D-DM-G	M3AC_STAT_CNT_1590	429
		560
M3AC-D-MG	M3AC_STAT_CNT_1588	429
		560
M3AC-D-RN	M3AC_STAT_CNT_1597	429
		560
M3AC-D-RN-G	M3AC_STAT_CNT_1598	429
		560
M3B-FSC-D-LOA-AIN	M3B_STAT_CNT_1628	796
		797
M3B-FSC-D-LOA-AIN-G	M3B_STAT_CNT_1629	796
		797
M3B-FSC-D-LOA-DM	M3B_STAT_CNT_1625	796
		797
M3B-FSC-D-LOA-DM-G	M3B_STAT_CNT_1626	796
		797
M3B-FSC-D-LOA-MG	M3B_STAT_CNT_1624	796
		797
M3B-FSC-D-LOA-RN	M3B_STAT_CNT_1631	796
		797
M3B-FSC-D-LOA-RN-G	M3B_STAT_CNT_1632	796
		797
M3BC-FSC-D-AIN	M3BC_STAT_CNT_1618	798
		799
M3BC-FSC-D-AIN-G	M3BC_STAT_CNT_1619	798
		799
M3BC-FSC-D-DM	M3BC_STAT_CNT_1615	798
		799
M3BC-FSC-D-DM-G	M3BC_STAT_CNT_1616	798
		799
M3BC-FSC-D-MG	M3BC_STAT_CNT_1614	798

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		799
M3BC-FSC-D-RN	M3BC_STAT_CNT_1621	798
		799
M3BC-FSC-D-RN-G	M3BC_STAT_CNT_1622	798
		799
M3C1-D-AT-AIN	M3C1_STAT_CNT_1638	794
		795
M3C1-D-AT-AIN-G	M3C1_STAT_CNT_1639	794
		795
M3C1-D-AT-DM	M3C1_STAT_CNT_1635	794
		795
M3C1-D-AT-DM-G	M3C1_STAT_CNT_1636	794
		795
M3C1-D-AT-MG	M3C1_STAT_CNT_1634	794
		795
M3C1-D-AT-RN	M3C1_STAT_CNT_1641	794
		795
M3C1-D-AT-RN-G	M3C1_STAT_CNT_1642	794
		795
M3C2-FSC-D-AT-AIN	M3C2_STAT_CNT_1648	802
		803
M3C2-FSC-D-AT-AIN-G	M3C2_STAT_CNT_1649	802
		803
M3C2-FSC-D-AT-DM	M3C2_STAT_CNT_1645	802
		803
M3C2-FSC-D-AT-DM-G	M3C2_STAT_CNT_1646	802
		803
M3C2-FSC-D-AT-LOA-AIN	M3C2_STAT_CNT_6298	800
		801
M3C2-FSC-D-AT-LOA-AIN-G	M3C2_STAT_CNT_6299	800
		801
M3C2-FSC-D-AT-LOA-DM	M3C2_STAT_CNT_6650	800
		801
M3C2-FSC-D-AT-LOA-DM-G	M3C2_STAT_CNT_6296	800
		801
M3C2-FSC-D-AT-LOA-MG	M3C2_STAT_CNT_6295	800
		801
M3C2-FSC-D-AT-LOA-RN	M3C2_STAT_CNT_6301	800
		801
M3C2-FSC-D-AT-LOA-RN-G	M3C2_STAT_CNT_6302	800
		801
M3C2-FSC-D-AT-MG	M3C2_STAT_CNT_1644	802
		803
M3C2-FSC-D-AT-RN	M3C2_STAT_CNT_6292	802
		803
M3C2-FSC-D-AT-RN-G	M3C2_STAT_CNT_6293	802
		803
M3D-D-AIN	M3D_STAT_CNT_6308	804
		805
M3D-D-AIN-G	M3D_STAT_CNT_6309	804
		805
M3D-D-DM	M3D_STAT_CNT_6305	804
		805
M3D-D-DM-G	M3D_STAT_CNT_6306	804
		805
M3D-D-FSC-AIN-G	M3D_STAT_CNT_6322	036
		455
M3D-D-FSC-AT-AIN	M3D_STAT_CNT_6334	031
		453
M3D-D-FSC-AT-AIN-G	M3D_STAT_CNT_6335	031
		453
M3D-D-FSC-AT-DM	M3D_STAT_CNT_6330	031
		453
M3D-D-FSC-AT-DM-G	M3D_STAT_CNT_6331	031
		453
M3D-D-FSC-AT-MG	M3D_STAT_CNT_6329	031
		453
M3D-D-FSC-AT-RN	M3D_STAT_CNT_6338	031
		453
M3D-D-FSC-AT-RN-G	M3D_STAT_CNT_6339	031
		453
M3D-D-FSC-DM-G	M3D_STAT_CNT_6318	036
		455
M3D-D-FSC-RN-G	M3D_STAT_CNT_6326	036
		455
M3D-D-MG	M3D_STAT_CNT_6304	804
		805
M3D-D-RN	M3D_STAT_CNT_6312	804
		805
M3D-D-RN-G	M3D_STAT_CNT_6313	804
		805
M3E-FSC-D-AIN	M3E_STAT_CNT_6346	804
		805
M3E-FSC-D-AIN-G	M3E_STAT_CNT_6347	804
		805
M3E-FSC-D-DM	M3E_STAT_CNT_6343	804
		805
M3E-FSC-D-DM-G	M3E_STAT_CNT_6344	804
		805
M3E-FSC-D-MG	M3E_STAT_CNT_6342	804
		805
M3E-FSC-D-RN	M3E_STAT_CNT_6349	804
		805
M3E-FSC-D-RN-G	M3E_STAT_CNT_6350	804

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		805
M6A1-DP-LOA-T1-NSN	M6A1_STAT_CNT_7832	656
		657
M6A1-DP-LOA-T1A-NSN	M6A1_STAT_CNT_7833	656
		657
M6A1-DP-LOA-T1B-NSN	M6A1_STAT_CNT_7834	656
		657
M6A1-DP-LOA-T2-NSN	M6A1_STAT_CNT_7838	656
		657
M6A1-DP-LOA-T4-NSN	M6A1_STAT_CNT_7835	656
		657
M6A1-DP-LOA-T4A-NSN	M6A1_STAT_CNT_7836	656
		657
M6A1-DP-LOA-T4B-NSN	M6A1_STAT_CNT_7837	656
		657
M6A1-DP-T1-NSN	M6A1_STAT_CNT_7842	658
		659
M6A1-DP-T1A-NSN	M6A1_STAT_CNT_7843	658
		659
M6A1-DP-T1B-NSN	M6A1_STAT_CNT_7844	658
		659
M6A1-DP-T2-NSN	M6A1_STAT_CNT_7848	658
		659
M6A1-DP-T4-NSN	M6A1_STAT_CNT_7845	658
		659
M6A1-DP-T4A-NSN	M6A1_STAT_CNT_7846	658
		659
M6A1-DP-T4B-NSN	M6A1_STAT_CNT_7847	658
		659
M6B1-IM-DP-LOA-T1-NSN	M6B1_STAT_CNT_7873	648
		649
M6B1-IM-DP-LOA-T1A-NSN	M6B1_STAT_CNT_7874	648
		649
M6B1-IM-DP-LOA-T1B-NSN	M6B1_STAT_CNT_7875	648
		649
M6B1-IM-DP-LOA-T2-NSN	M6B1_STAT_CNT_7879	648
		649
M6B1-IM-DP-LOA-T4-NSN	M6B1_STAT_CNT_7876	648
		649
M6B1-IM-DP-LOA-T4A-NSN	M6B1_STAT_CNT_7877	648
		649
M6B1-IM-DP-LOA-T4B-NSN	M6B1_STAT_CNT_7878	648
		649
M6B1-IM-DP-T1-NSN	M6B1_STAT_CNT_7883	650
		651
M6B1-IM-DP-T1A-NSN	M6B1_STAT_CNT_7884	651
M6B1-IM-DP-T1B-NSN	M6B1_STAT_CNT_7885	651
M6B1-IM-DP-T2-NSN	M6B1_STAT_CNT_7889	651
M6B1-IM-DP-T4-NSN	M6B1_STAT_CNT_7886	651
M6B1-IM-DP-T4A-NSN	M6B1_STAT_CNT_7887	651
M6B1-IM-DP-T4B-NSN	M6B1_STAT_CNT_7888	651
M6B2-IM-AT-LOA-T1-NSN	M6B2_STAT_CNT_7912	648
		649
		660
		661
M6B2-IM-AT-LOA-T1A-NSN	M6B2_STAT_CNT_7913	648
		649
		660
		661
M6B2-IM-AT-LOA-T1B-NSN	M6B2_STAT_CNT_7914	648
		649
		660
		661
M6B2-IM-AT-LOA-T2-NSN	M6B2_STAT_CNT_7918	648
		649
		660
		661
M6B2-IM-AT-LOA-T4-NSN	M6B2_STAT_CNT_7915	648
		649
		660
		661
M6B2-IM-AT-LOA-T4A-NSN	M6B2_STAT_CNT_7916	648
		649
		660
		661
M6B2-IM-AT-LOA-T4B-NSN	M6B2_STAT_CNT_7917	648
		649
		660
		661
M6B2-IM-AT-T1-NSN	M6B2_STAT_CNT_7922	650
		651
		662
		663
M6B2-IM-AT-T1A-NSN	M6B2_STAT_CNT_7923	651
		662
		663
M6B2-IM-AT-T1B-NSN	M6B2_STAT_CNT_7924	651
		662
		663
M6B2-IM-AT-T2-NSN	M6B2_STAT_CNT_7928	651
		662
		663
M6B2-IM-AT-T4-NSN	M6B2_STAT_CNT_7925	651
		662

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
M6B2-IM-AT-T4A-NSN	M6B2_STAT_CNT_7926	663 651 662
M6B2-IM-AT-T4B-NSN	M6B2_STAT_CNT_7927	663 651 662
M6B3-CLM-DP-LOA-T1-NSN	M6B3_STAT_CNT_7893	652 653
M6B3-CLM-DP-LOA-T1A-NSN	M6B3_STAT_CNT_7894	652 653
M6B3-CLM-DP-LOA-T1B-NSN	M6B3_STAT_CNT_7895	652 653
M6B3-CLM-DP-LOA-T2-NSN	M6B3_STAT_CNT_7899	652 653
M6B3-CLM-DP-LOA-T4-NSN	M6B3_STAT_CNT_7896	652 653
M6B3-CLM-DP-LOA-T4A-NSN	M6B3_STAT_CNT_7897	652 653
M6B3-CLM-DP-LOA-T4B-NSN	M6B3_STAT_CNT_7898	652 653
M6B3-CLM-DP-T1-NSN	M6B3_STAT_CNT_7902	654 655
M6B3-CLM-DP-T1A-NSN	M6B3_STAT_CNT_7903	654 655
M6B3-CLM-DP-T1B-NSN	M6B3_STAT_CNT_7904	654 655
M6B3-CLM-DP-T2-NSN	M6B3_STAT_CNT_7908	654 655
M6B3-CLM-DP-T4-NSN	M6B3_STAT_CNT_7905	654 655
M6B3-CLM-DP-T4A-NSN	M6B3_STAT_CNT_7906	654 655
M6B3-CLM-DP-T4B-NSN	M6B3_STAT_CNT_7907	654 655
M6B4-CLM-AT-LOA-T1-NSN	M6B4_STAT_CNT_7932	652 653 660 661
M6B4-CLM-AT-LOA-T1A-NSN	M6B4_STAT_CNT_7933	652 653 660 661
M6B4-CLM-AT-LOA-T1B-NSN	M6B4_STAT_CNT_7934	652 653 660 661
M6B4-CLM-AT-LOA-T2-NSN	M6B4_STAT_CNT_7938	652 653 660 661
M6B4-CLM-AT-LOA-T4-NSN	M6B4_STAT_CNT_7935	652 653 660 661
M6B4-CLM-AT-LOA-T4A-NSN	M6B4_STAT_CNT_7936	652 653 660 661
M6B4-CLM-AT-LOA-T4B-NSN	M6B4_STAT_CNT_7937	652 653 660 661
M6B4-CLM-AT-T1-NSN	M6B4_STAT_CNT_7942	654 655 662 663
M6B4-CLM-AT-T1A-NSN	M6B4_STAT_CNT_7943	654 655 662 663
M6B4-CLM-AT-T1B-NSN	M6B4_STAT_CNT_7944	654 655 662 663
M6B4-CLM-AT-T2-NSN	M6B4_STAT_CNT_7948	654 655 662 663
M6B4-CLM-AT-T4-NSN	M6B4_STAT_CNT_7945	654 655 662 663
M6B4-CLM-AT-T4A-NSN	M6B4_STAT_CNT_7946	654 655 662 663
M6B4-CLM-AT-T4B-NSN	M6B4_STAT_CNT_7947	654 655 662 663
M6B5-FSC-DP-LOA-T1-NSN	M6B5_STAT_CNT_7952	050 528
M6B5-FSC-DP-LOA-T1A-NSN	M6B5_STAT_CNT_7953	050

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		528
M6B5-FSC-DP-LOA-T1B-NSN	M6B5_STAT_CNT_7954	050
		528
M6B5-FSC-DP-LOA-T2-NSN	M6B5_STAT_CNT_7958	050
		528
M6B5-FSC-DP-LOA-T4-NSN	M6B5_STAT_CNT_7955	050
		528
M6B5-FSC-DP-LOA-T4A-NSN	M6B5_STAT_CNT_7956	050
		528
M6B5-FSC-DP-LOA-T4B-NSN	M6B5_STAT_CNT_7957	050
		528
M6B5-FSC-DP-T1-NSN	M6B5_STAT_CNT_7962	646
		647
M6B5-FSC-DP-T1A-NSN	M6B5_STAT_CNT_7963	646
		647
M6B5-FSC-DP-T1B-NSN	M6B5_STAT_CNT_7964	646
		647
M6B5-FSC-DP-T2-NSN	M6B5_STAT_CNT_7968	646
		647
M6B5-FSC-DP-T4-NSN	M6B5_STAT_CNT_7965	646
		647
M6B5-FSC-DP-T4A-NSN	M6B5_STAT_CNT_7966	646
		647
M6B5-FSC-DP-T4B-NSN	M6B5_STAT_CNT_7967	646
		647
M6B6-FSC-AT-LOA-T1-NSN	M6B6_STAT_CNT_7987	050
		528
		660
		661
M6B6-FSC-AT-LOA-T1A-NSN	M6B6_STAT_CNT_7988	050
		528
		660
		661
M6B6-FSC-AT-LOA-T1B-NSN	M6B6_STAT_CNT_7989	050
		528
		660
		661
M6B6-FSC-AT-LOA-T2-NSN	M6B6_STAT_CNT_7993	050
		528
		660
		661
M6B6-FSC-AT-LOA-T4-NSN	M6B6_STAT_CNT_7990	050
		528
		660
		661
M6B6-FSC-AT-LOA-T4A-NSN	M6B6_STAT_CNT_7991	050
		528
		660
		661
M6B6-FSC-AT-LOA-T4B-NSN	M6B6_STAT_CNT_7992	050
		528
		660
		661
M6B6-FSC-AT-T1-NSN	M6B6_STAT_CNT_7998	646
		647
		662
		663
M6B6-FSC-AT-T1A-NSN	M6B6_STAT_CNT_7999	646
		647
		662
		663
M6B6-FSC-AT-T1B-NSN	M6B6_STAT_CNT_8000	646
		647
		662
		663
M6B6-FSC-AT-T2-NSN	M6B6_STAT_CNT_8205	646
		647
		662
		663
M6B6-FSC-AT-T4-NSN	M6B6_STAT_CNT_8001	646
		647
		662
		663
M6B6-FSC-AT-T4A-NSN	M6B6_STAT_CNT_8002	646
		647
		662
		663
M6B6-FSC-AT-T4B-NSN	M6B6_STAT_CNT_8204	646
		647
		662
		663
M6C1-AT-LOA-T1-NSN	M6C1_STAT_CNT_7852	656
		657
		660
		661
M6C1-AT-LOA-T1A-NSN	M6C1_STAT_CNT_7853	656
		657
		660
		661
M6C1-AT-LOA-T1B-NSN	M6C1_STAT_CNT_7854	656
		657
		660
		661
M6C1-AT-LOA-T2-NSN	M6C1_STAT_CNT_7858	656

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		657
		660
		661
M6C1-AT-LOA-T4-NSN	M6C1_STAT_CNT_7855	656
		657
		660
		661
M6C1-AT-LOA-T4A-NSN	M6C1_STAT_CNT_7856	656
		657
		660
		661
M6C1-AT-LOA-T4B-NSN	M6C1_STAT_CNT_7857	656
		657
		660
		661
M6C1-AT-T1-NSN	M6C1_STAT_CNT_7862	658
		659
		662
		663
M6C1-AT-T1A-NSN	M6C1_STAT_CNT_7863	658
		659
		662
		663
M6C1-AT-T1B-NSN	M6C1_STAT_CNT_7864	658
		659
		662
		663
M6C1-AT-T2-NSN	M6C1_STAT_CNT_7868	658
		659
		662
		663
M6C1-AT-T4-NSN	M6C1_STAT_CNT_7865	658
		659
		662
		663
M6C1-AT-T4A-NSN	M6C1_STAT_CNT_7866	658
		659
		662
		663
M6C1-AT-T4B-NSN	M6C1_STAT_CNT_7867	658
		659
		662
		663
M8A1-DP-ADD-NSN	M8A1_STAT_CNT_5494	576
		587
M8A1-DP-BB-NSN	M8A1_STAT_CNT_5493	576
		587
M8A1-DP-DLT-NSN	M8A1_STAT_CNT_5495	576
		587
M8A1-DP-EB-NSN	M8A1_STAT_CNT_5496	576
		587
		741
		742
M8A1-DP-LOA-ADD-NSN	M8A1_STAT_CNT_5488	571
		586
M8A1-DP-LOA-BB-NSN	M8A1_STAT_CNT_5487	571
		586
M8A1-DP-LOA-DLT-NSN	M8A1_STAT_CNT_5489	571
		586
M8A1-DP-LOA-EB-NSN	M8A1_STAT_CNT_5490	571
		586
M8B1-IM-DP-ADD-NSN	M8B1_STAT_CNT_5520	574
		583
M8B1-IM-DP-BB-NSN	M8B1_STAT_CNT_5519	574
		583
M8B1-IM-DP-DLT-NSN	M8B1_STAT_CNT_5521	574
		583
M8B1-IM-DP-EB-NSN	M8B1_STAT_CNT_5522	574
		583
M8B1-IM-DP-LOA-ADD-NSN	M8B1_STAT_CNT_5514	569
		582
M8B1-IM-DP-LOA-BB-NSN	M8B1_STAT_CNT_5513	569
		582
M8B1-IM-DP-LOA-DLT-NSN	M8B1_STAT_CNT_5515	569
		582
M8B1-IM-DP-LOA-EB-NSN	M8B1_STAT_CNT_5516	569
		582
M8B2-IM-AT-ADD-NSN	M8B2_STAT_CNT_5532	574
		577
		583
		589
M8B2-IM-AT-BB-NSN	M8B2_STAT_CNT_5531	574
		577
		583
		589
M8B2-IM-AT-DLT-NSN	M8B2_STAT_CNT_5533	574
		577
		583
		589
M8B2-IM-AT-EB-NSN	M8B2_STAT_CNT_5534	574
		577
		583
		589
M8B2-IM-AT-LOA-ADD-NSN	M8B2_STAT_CNT_5526	569

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		572
		582
		588
M8B2-IM-AT-LOA-BB-NSN	M8B2_STAT_CNT_5525	569
		572
		582
		588
M8B2-IM-AT-LOA-DLT-NSN	M8B2_STAT_CNT_5527	569
		572
		582
		588
M8B2-IM-AT-LOA-EB-NSN	M8B2_STAT_CNT_5528	569
		572
		582
		588
M8B3-CLM-DP-ADD-NSN	M8B3_STAT_CNT_5546	575
		585
M8B3-CLM-DP-BB-NSN	M8B3_STAT_CNT_5545	575
		585
M8B3-CLM-DP-DLT-NSN	M8B3_STAT_CNT_5547	575
		585
M8B3-CLM-DP-EB-NSN	M8B3_STAT_CNT_5548	575
		585
M8B3-CLM-DP-LOA-ADD-NSN	M8B3_STAT_CNT_5538	570
		584
M8B3-CLM-DP-LOA-BB-NSN	M8B3_STAT_CNT_5537	570
		584
M8B3-CLM-DP-LOA-DLT-NSN	M8B3_STAT_CNT_5541	570
		584
M8B3-CLM-DP-LOA-EB-NSN	M8B3_STAT_CNT_5542	570
		584
M8B4-CLM-AT-ADD-NSN	M8B4_STAT_CNT_5558	575
		577
		585
		589
M8B4-CLM-AT-BB-NSN	M8B4_STAT_CNT_5557	575
		577
		585
		589
M8B4-CLM-AT-DLT-NSN	M8B4_STAT_CNT_5559	575
		577
		585
		589
M8B4-CLM-AT-EB-NSN	M8B4_STAT_CNT_5560	575
		577
		585
		589
M8B4-CLM-AT-LOA-ADD-NSN	M8B4_STAT_CNT_5552	570
		572
		584
		588
M8B4-CLM-AT-LOA-BB-NSN	M8B4_STAT_CNT_5551	570
		572
		584
		588
M8B4-CLM-AT-LOA-DLT-NSN	M8B4_STAT_CNT_5553	570
		572
		584
		588
M8B4-CLM-AT-LOA-EB-NSN	M8B4_STAT_CNT_5554	570
		572
		584
		588
M8B5-FSC-DP-ADD-NSN	M8B5_STAT_CNT_5572	573
		578
		581
		590
M8B5-FSC-DP-BB-NSN	M8B5_STAT_CNT_5571	573
		578
		581
		590
M8B5-FSC-DP-DLT-NSN	M8B5_STAT_CNT_5573	573
		578
		581
		590
M8B5-FSC-DP-EB-NSN	M8B5_STAT_CNT_5574	573
		578
		581
		590
M8B5-FSC-DP-LOA-ADD-NSN	M8B5_STAT_CNT_5564	371
		580
M8B5-FSC-DP-LOA-BB-NSN	M8B5_STAT_CNT_5563	371
		580
M8B5-FSC-DP-LOA-DLT-NSN	M8B5_STAT_CNT_5567	371
		580
M8B5-FSC-DP-LOA-EB-NSN	M8B5_STAT_CNT_5568	371
		580
M8B5-FSC-DP-NET-CHG	M8B5_STAT_CHG_5575	578
		590
M8B5-FSC-DP-PCT	M8B5_STAT_PCT_5576	578
		590
M8B6-FSC-AT-ADD-NSN	M8B6_STAT_CNT_5584	573

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		577
		581
		589
M8B6-FSC-AT-BB-NSN	M8B6_STAT_CNT_5583	573
		577
		581
		589
M8B6-FSC-AT-DLT-NSN	M8B6_STAT_CNT_5585	573
		577
		581
		589
M8B6-FSC-AT-EB-NSN	M8B6_STAT_CNT_5586	573
		577
		581
		589
M8B6-FSC-AT-LOA-ADD-NSN	M8B6_STAT_CNT_5578	371
		572
		580
		588
M8B6-FSC-AT-LOA-BB-NSN	M8B6_STAT_CNT_5577	371
		572
		580
		588
M8B6-FSC-AT-LOA-DLT-NSN	M8B6_STAT_CNT_5579	371
		572
		580
		588
M8B6-FSC-AT-LOA-EB-NSN	M8B6_STAT_CNT_9576	371
		572
		580
		588
M8C1-DP-AT-ADD-NSN	M8C1_STAT_CNT_5506	576
		577
		587
		589
M8C1-DP-AT-BB-NSN	M8C1_STAT_CNT_5505	576
		577
		587
		589
M8C1-DP-AT-DLT-NSN	M8C1_STAT_CNT_5507	576
		577
		587
		589
M8C1-DP-AT-EB-NSN	M8C1_STAT_CNT_5508	576
		577
		587
		589

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
M8C1-DP-AT-LOA-ADD-NSN	M8C1_STAT_CNT_5500	571
		572
		586
		588
M8C1-DP-AT-LOA-BB-NSN	M8C1_STAT_CNT_5499	571
		572
		586
		588
M8C1-DP-AT-LOA-DLT-NSN	M8C1_STAT_CNT_5501	571
		572
		586
		588
M8C1-DP-AT-LOA-EB-NSN	M8C1_STAT_CNT_5502	571
		572
		586
		588
MA-AA-ROW	MA_AA_ROW_3194	379
MA-AA-SEQ	MA_AA_SEQ_3195	379
MADS-DB2-PARTITION-QY	MADS_DB2_PART_9241	612
		666
MAG-TAPE-BLCKNG-FAC-IND	MT_BLCK_FAC_3126	267
		410
MAG-TAPE-DENSITY-IND	MT_DNSTY_IND_3124	267
		410
MAG-TAPE-LAB-IND	MT_LAB_IND_3127	267
		410
MAG-TAPE-PARITY-IND	MT_PRTY_IND_3125	267
		410
MAG-TAPE-TRCKS-ENCOD-IND	MT_TRC_ENCD_I_3122	267
MAG-TAPE-USAGE-NOTE	MT_USG_NOTE_3123	267
MAJ-MCC-AR	MAJ_MCC_AR_9256	006
		093
		237
		505
MAJ-MCC-AR-EXPLN	MAJ_MCC_AR_EX_2283	237
MAND-SEG-STNG	MAND_SEG_STNG_4624	196
MASS-CHG-DEL-CDG-CD	MC_DEL_CDG_3631	881
MASS-CHNG-CDG	MC_CDG_4575	880
MASS-CHNG-CHAR-TMSTMP	MC_CDG_TMSTMP_4572	880
		881
MASS-CHNG-CRITE-STMT	MC_CRITE_STMT_0324	878
MASS-CHNG-GDE-NBR-FIIG	MC_FIIG_4574	878
		880
		881
MASS-CHNG-INC	MC_INC_4571	878
		880
		881

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
MASS-CHNG-LGG-TMSTMP	MC_LGG_TMSTMP_4573	878
		880
MAT-CAT-MC	MAT_CAT_MC_3148	242
MAT-CTL-CD-DEF-NVY	MCC_NVY_EX_3156	253
MAT-CTL-CD-NAVY	MAT_CTL_NVY_2832	006
		253
		505
MAT-IDEN-CD	MAT_IDEN_MC_4126	006
		241
		505
MAT-IDEN-CD-EXPLN	MAT_ID_MC_EX_3166	241
MAT-IDEN-CD-NOTE-IND	MAT_ID_MC_NOT_3167	241
MAT-MGMT-AG-CD-AF	MMAC_AF_2836	006
		093
		238
		505
MAT-MGMT-AG-CD-DEF-AF	MMAC_DEF_AF_3158	238
MAT-MGMT-CD-MC	MAT_MGMT_MC_9257	006
		093
		242
		505
MAX-LGTH	MAX_LGTH_4593	479
MAX-REC-LGTH	MAX_REC_LGTH_9176	410
MDLS-ADD-DAI-CT	MDLS_STAT_CNT_7436	047
		114
		195
		464
MDLS-ADD-NIIN-CT	MDLS_STAT_CNT_7444	047
		114
		195
		464
MDLS-ADD-REF-NBR-CT	MDLS_STAT_CNT_7440	047
		114
		195
		464
MDLS-ADD-TI-CT	MDLS_STAT_CNT_7448	047
		114
		195
		464
MDLS-ASGND-NIIN	MDLS_ASG_NIIN_2274	344
MDLS-ASSETS-ORDERED	MDLS_STAT_CNT_7636	046
		112
		113
		463
MDLS-BUL-BRD-CMNT-TX	MDLS_BB_CMNT_8354	599
MDLS-BUL-BRD-LI-SEQ-ID	BB_LI_SEQ_8352	598
MDLS-BUL-BRD-MSG-ID	BB_MSG_ID_8351	598
		599
MDLS-BUL-BRD-MSG-TX	MDLS_BB_MSG_8353	598
MDLS-CAGE-CD	MDLS_CAGE_CD_2272	320
		321
		324
		343
		344
MDLS-CAGE-CD-PN	MDLS_CAGE_PN_2287	343
MDLS-CHANGE-DAI-CT	MDLS_STAT_CNT_7433	047
		114
		195
		464
MDLS-COPIES-ORDERED	MDLS_STAT_CNT_7637	046
		112
		113
		463
MDLS-DAI-ERR-CT	MDLS_STAT_CNT_7435	047
		114
		195
		464
MDLS-DEL-DAI-CT	MDLS_STAT_CNT_7437	047
		114
		195
		464
MDLS-DEL-NIIN-CT	MDLS_STAT_CNT_7445	047
		114
		195
		464
MDLS-DEL-REF-NBR-CT	MDLS_STAT_CNT_7441	047
		114
		195
		464
MDLS-DEL-TI-CT	MDLS_STAT_CNT_7449	047
		114
		195
		464
MDLS-DGTZD-MED-ABR-TX	DGTZD_MED_ABR_8019	279
MDLS-EDIT-ERR-D1	MDLS_STAT_CNT_7625	046
		048
		112
		113
		223
		326
		463
		526
MDLS-EDIT-ERR-D2	MDLS_STAT_CNT_7626	046
		048

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		112
		113
		223
		326
		463
		526
MDLS-EDIT-ERR-D3	MDLS_STAT_CNT_7627	046
		048
		112
		113
		223
		326
		463
		526
MDLS-EDIT-ERR-NN	MDLS_STAT_CNT_7630	046
		048
		112
		113
		223
		326
		463
		526
MDLS-EDIT-ERR-P1	MDLS_STAT_CNT_7628	046
		048
		112
		113
		223
		326
		463
		526
MDLS-EDIT-ERR-P2	MDLS_STAT_CNT_7629	046
		048
		112
		113
		223
		326
		463
		526
MDLS-FTP-CMMD-CPBLTY-CD	CMMD_CPBLTY_3418	709
MDLS-INPUT-MATCH-D1	MDLS_STAT_CNT_7192	046
		048
		112
		113
		223
		326
		463
		526
MDLS-INPUT-MATCH-D2	MDLS_STAT_CNT_7198	046
		048
		112
		113
		223
		326
		463
		526
MDLS-INPUT-MATCH-D3	MDLS_STAT_CNT_7221	046
		048
		112
		113
		223
		326
		463
		526
MDLS-INPUT-MATCH-NN	MDLS_STAT_CNT_7215	046
		048
		112
		113
		223
		326
		463
		526
MDLS-INPUT-MATCH-P1	MDLS_STAT_CNT_7203	046
		048
		112
		113
		223
		326
		463
		526
MDLS-INPUT-MATCH-P2	MDLS_STAT_CNT_7209	046
		048
		112
		113
		223
		326
		463
		526
MDLS-INVALID-TYPE-ERR-CT	MDLS_STAT_CNT_7450	047
		114
		195
		464
MDLS-JEDMICS-MED-CD	JED_MED_CD_8017	279
MDLS-JEDMICS-MED-DEF-TX	JED_MED_DEF_8018	279
MDLS-MED-CD	MDLS_MED_CD_2289	322

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		324
MDLS-NIIN-ERR-CT	MDLS_STAT_CNT_7443	047
		114
		195
		464
MDLS-ORDER-ERRS	MDLS_STAT_CNT_7635	046
		112
		113
		463
MDLS-PN	MDLS_PN_2259	343
MDLS-PREF-MED-CD	MDLS_PRF_MD_C_2288	325
MDLS-REF-NBR-ERR-CT	MDLS_STAT_CNT_7439	047
		114
		195
		464
MDLS-REP-DA-COUNT	MDLS_R_DA_CT_1258	047
		114
		195
		464
MDLS-REP-NIIN-COUNT	MDLS_R_NIINCT_1260	047
		114
		195
		464
MDLS-REP-PN-COUNT	MDLS_R_PN_CT_1259	047
		114
		195
		464
MDLS-REP-TITLE-COUNT	MDLS_R_TITLCT_1261	047
		114
		195
		464
MDLS-TI	MDLS_TI_2344	321
MDLS-TI-ERR-CT	MDLS_STAT_CNT_7447	047
		114
		195
		464
MDLS-TOT-INQ-D1	MDLS_STAT_CNT_7191	046
		048
		112
		113
		223
		326
		463
		526
MDLS-TOT-INQ-D2	MDLS_STAT_CNT_7197	046
		048
		112
		113
		223
		326
MDLS-TOT-INQ-D3	MDLS_STAT_CNT_7220	046
		048
		112
		113
		223
		326
		463
		526
MDLS-TOT-INQ-NN	MDLS_STAT_CNT_7214	046
		048
		112
		113
		223
		326
		463
		526
MDLS-TOT-INQ-P1	MDLS_STAT_CNT_7202	046
		048
		112
		113
		223
		326
		463
		526
MDLS-TOT-INQ-P2	MDLS_STAT_CNT_7208	046
		048
		112
		113
		223
		326
		463
		526
MDLS-TOT-INQ-UNDEF	MDLS_STAT_CNT_7632	048
		223
		326
		526
MDLS-TOT-OFFERED-D1	MDLS_STAT_CNT_7193	046
		048
		112
		113
		223
		326

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		463
		526
MDLS-TOT-OFFERED-D2	MDLS_STAT_CNT_7199	046
		048
		112
		113
		223
		326
		463
		526
MDLS-TOT-OFFERED-D3	MDLS_STAT_CNT_7222	046
		048
		112
		113
		223
		326
		463
		526
MDLS-TOT-OFFERED-NN	MDLS_STAT_CNT_7216	046
		048
		112
		113
		223
		326
		463
		526
MDLS-TOT-OFFERED-P1	MDLS_STAT_CNT_7204	046
		048
		112
		113
		223
		326
		463
		526
MDLS-TOT-OFFERED-P2	MDLS_STAT_CNT_7210	046
		048
		112
		113
		223
		326
		463
		526
MEDALS-DOC-DIST-DESC-TX	DOC_DIST_DESC_8016	204
MEDALS-DOC-DIST-STMT-CD	DOC_DIST_STMT_8013	204
		320
MEDALS-DOC-NBR	MDLS_DOC_NBR_2632	320
		321

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		324
		343
		344
MEDALS-DOC-NUC-CD	DOC_NUC_8012	320
MEDALS-DOC-SEC-CD	DOC_SEC_8011	205
		320
MEDALS-DOC-SEC-DESC-TX	DOC_SEC_DESC_8015	205
MEDALS-EDRS-CTL-ACTY-CD	EDRS_8014	320
MEDIA-HEADER	MEDIA_HEADER_9178	054
		084
		085
		385
		389
		397
		481
		612
		843
		844
		869
MESSAGE-LGTH	MESSAGE_LGTH_9179	054
		084
		397
MFR-NOTES	MFR_NOTES_0809	317
		772
		781
		932
MGMT-AGNCY-GRP-OR-CLS-MC	MGT_AG_G_C_MC_3149	242
MGMT-EXCP-NOTES	MGMT_EXCP_NTS_9542	093
MGMTCHG-ACTY-DLT-RSN-NSN	MCHG_STAT_CNT_6845	751
		752
MGMTCHG-ACTY-NEW-MGR-NSN	MCHG_STAT_CNT_6841	049
		527
MGMTCHG-ACTY-NEW-NSN	MCHG_STAT_CNT_6840	049
		527
MGMTCHG-ACTY-REACT-NSN	MCHG_STAT_CNT_6843	049
		527
MGMTCHG-ACTY-REIN-NSN	MCHG_STAT_CNT_6842	049
		527
MGMTCHG-DP-DLT-RSN-NSN	MCHG_STAT_CNT_6853	753
		754
MGMTCHG-DP-NEW-MGR-NSN	MCHG_STAT_CNT_6849	749
		750
MGMTCHG-DP-NEW-NSN	MCHG_STAT_CNT_6848	749
		750
MGMTCHG-DP-REACT-NSN	MCHG_STAT_CNT_6851	749
		750
MGMTCHG-DP-REIN-NSN	MCHG_STAT_CNT_6850	749

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		750
MGR-ACCESS-COUNT	MGR_STAT_CNT_6605	062
MIL-VOL-IND	MIL_VOL_IND_3454	917
MIN-ALT-MED	MIN_ALT_MED_9180	783
MIN-LGTH	MIN_LGTH_4592	479
MIN-REC-LGTH	MIN_REC_LGTH_9182	410
MINIMIZE-FLAG	MINIMIZE_FLAG_9181	783
MINM-ADRS-CD	MINM_ADRS_CD_2645	082
		226
MINM-ADRS-CD-EXPLN	MINM_ADRS_EX_5288	226
MIOS-TRAN-KEY	MIOS_TRAN_KEY_9410	876
		953
MLNG-PIC	MLNG_PIC_0985	145
MLNG-PIC-ROW	MLNG_PIC_ROW_3231	379
MLNG-PIC-SEQ	MLNG_PIC_SEQ_3232	379
MODE-CD	MODE_CD_4735	115
		116
		121
		127
		390
		501
		921
MOE-CD	MOE_CD_2833	006
		007
		137
		148
		152
		157
		247
		318
		433
		505
		506
		530
		561
		734
		886
		887
MOE-CD-IDEN	MOE_CD_IDEN_5299	247
MOE-CUR-ADD-CT	MOE_CR_ADD_CT_1109	088
MOE-CUR-CHG-CT	MOE_CR_CHG_CT_1117	088
MOE-CUR-DEL-CT	MOE_CR_DEL_CT_1119	088
MOE-EFF-DT-ADD-CT	MOE_ED_ADD_CT_1493	088
MOE-EFF-DT-CHG-CT	MOE_ED_CHG_CT_1495	088
MOE-EFF-DT-DEL-CT	MOE_ED_DEL_CT_1497	088
MOE-EFFDTD-ADD-NSN	MOE_STAT_CNT_7814	051
		529
MOE-EFFDTD-DEL-NSN	MOE_STAT_CNT_7813	051
		529
MOE-FSC-NSN	MOE_STAT_CNT_5754	433
		437
		561
		564
MOE-FSG-NSN	MOE_STAT_CNT_5753	433
		561
MOE-MOE-MSTR-INQ-CT	MOE_MST_INQ_C_1499	088
MOE-NSN	MOE_STAT_CNT_7812	051
		529
MOE-RGSTRN-CLBR-AT	MOE_STAT_CNT_7820	439
		566
MOE-RGSTRN-RCVR-AT	MOE_STAT_CNT_7821	439
		566
MOE-RULE-NBR	MOE_RULE_NBR_8290	008
		009
		011
		015
		017
		051
		093
		095
		096
		137
		345
		437
		440
		507
		508
		510
		511
		512
		521
		529
		564
		687
		730
		733
MOE-RULE-STAT-CD	M_RL_STAT_CD_8458	093
MRC	MRC_3445	020
		115
		116
		119
		120
		121
		124

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		126
		127
		131
		339
		347
		348
		349
		350
		351
		352
		353
		354
		356
		357
		358
		360
		361
		362
		472
		473
		498
		501
		688
		827
		880
		919
		921
		951
MRC-ASGND-STAT-IND	MRC_ASGN_STAT_3462	919
MRC-CLRTXT-RPLY-FLD	MRC_CLR_TXT_R_0113	498
		688
MRC-SEQ-NBR	MRC_SEQ_NBR_4407	115
		116
MRC-USG-DESI	MRC_USG_DESI_0847	127
		921
MRC-VALUE-COUNT	MRC_COUNT_4439	356
		357
		358
		360
		361
		362
MRD-AUD-RPLY-STAT-IND	AUD_RPLY_STAT_3461	923
MRD-AUD-RQMT-STAT-IND	AUD_RQMT_STAT_3460	921
		922
MRD-STAT-IND-CD	MRD_STATUS_CD_0816	127
		921
MSG	MSG_0983	132

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		780
MSG-CD	MSG_CD_1105	025
		132
		323
		405
MTHD-PRES-CD	MTHD_PRSRV_CD_5160	346
		928
MULTI-INP-FLG	MULTI_INP_FLG_9479	926
NAIN-CD	NAIN_CD_3237	363
NAIN-STRNG	NAIN_STRING_6589	985
		986
NATL-CDFN-BUR-CD-CTRY	NCB_CD_CTRY_5101	251
NATL-CDFN-BUR-CD-NOTE	NCB_CD_NOTE_5102	251
NATO-CDFN-CTL-CMNT-TX	NCC_CMNT_8976	422
NATO-FG-OLD-TRAN-PR	NATO_O_TR_PR_1972	104
NATO-FGN-GOVT-TRANS-PR	NATO_FG_TR_P_1024	104
NATO-FILE-MAINT-SEQ-NBR	NATO_FMSN_1516	016
		523
NATO-FLAG	NATO_FLAG_9185	855
NATO-MFR-FAX-NBR-ID	NATO_MFR_FAX_8975	685
NATO-MFR-NM	NATO_MFR_NM_8972	685
NATO-MFR-TEL-NBR-ID	NATO_MFR_TEL_8974	685
NATO-NSCM-CD	NSCM_4140	685
NATO-ONLY-IND	NATO_ONLY_IND_3451	198
		207
		214
NATO-PIC	NATO_PIC_9186	600
		777
		852
		872
NATO-PIC-VAL	NATO_PIC_VAL_9187	412
NATO-RPLM-NSN-CANCL-ID	NATO_RPLM_NSN_8971	684
NATO-TRAN-PR-CD	NATO_TRAN_PR_1973	060
		104
NBR-ADRS-PRCSD	NBR_ADRS_PRCD_3220	378
NBR-COPIES-ROW	NBR_COPY_ROW_3223	379
NBR-COPIES-SEQ	NBR_COPY_SEQ_3218	379
NBR-CPY	NBR_CPY_0890	324
NBR-LBL-ACROSS	NBR_LBL_ACRS_3224	379
NBR-OF-TBLS	NBR_OF_TBLS_4444	390
NCB-CD	NCB_CD_4130	006
		007
		008
		009
		010
		011
		014

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		015			881
		016			914
		017			918
		018			928
		075			948
		089			957
		103			960
		106	NEW-QUANT-EXP	NEW_QUANT_EXP_3045	813
		115	NEW-UI-CD	NEW_UI_CD_3042	813
		116	NEW-UI-TEXT	NEW_UI_TEXT_3047	813
		129	NIIN-PSCN-IND	NIIN_PSCN_IND_5038	914
		251	NIIN-PSCN-ST-CD-CON-NOTE	N_PSCN_ST_NOT_5203	255
		331	NIIN-PSCN-ST-CD-DEF-INST	N_PSCN_ST_DEF_5201	255
		345	NIIN-PSCN-STAT-CD	NIIN_STAT_CD_2670	016
		346			028
		348			255
		349			426
		350			427
		351			428
		352			450
		353			523
		354			557
		380			558
		497			559
		498			684
		505			782
		506			960
		507	NIMSC	NIMSC_0076	256
		508			345
		509			521
		510			829
		511	NIMSC-EXPLN	NIMSC_EXPLN_5210	256
		512	NM-CD	NM_CD_2303	091
		519			098
		521			099
		522			489
		523			513
		524			518
		626			592
		684			593
		686			594
		687			724
		688			990
		847	NM-LINE-1	NM_LINE1_3480	834
		875	NM-LINE-2	NM_LINE2_3481	834
		876	NM-PREFIX	NM_PREFIX_2516	098
		877			593

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
NM-ROOT-RMDR	NM_ROOT_RMDR_2517	098
		593
NMFC-CD	NMFC_2850	016
		035
		090
		149
		416
		423
		503
		523
		732
NMFC-SUB-ITM-NBR	SUB_ITM_NBR_0861	016
		035
		090
		149
		416
		423
		503
		523
		732
NO-Q8-RTN-CD-ED	NO_Q8_ED_3136	299
NO-Q8-RTN-CD-ED-NVY	NO_Q8_ED_NVY_3181	252
NON-APRVD-ITM-NM	NAIN_5020	053
		106
		363
		531
		611
		615
NOR-SRC-PRCMT-CD-EXPLN	NRM_SRC_PR_EX_5214	257
NORM-SRC-PRCMT-CD	NRM_SRC_PR_CD_0721	257
NORM-SRC-PRCMT-CD-TI	NRM_SRC_PR_TI_5213	257
NSCM-CDFN-BUR	NSCM_CDFN_BUR_4180	258
NSCM-PRFX-CDFN-BUR-CD-EX	NSCM_CD_BUR_X_5272	258
NSCM-PRFX-CDFN-BUR-CD-NT	NSCM_CD_BUR_N_5268	258
NSCM-SUF-CDFN-BUR-CD	NSCM_S_CD_BR_5267	259
NSCM-SUF-CDFN-BUR-CD-EXP	NSCM_S_CD_B_X_5266	259
NSCM-SUF-CDFN-BUR-CD-NOT	NSCM_S_CD_B_N_5265	259
NSN-MRKP-HPHN-IND	MRKP_HPHN_4181	335
NULL-MSG-IND-CD	NULL_MSG_IND_2577	709
NUMERIC-MONTH	NUMERIC_MONTH_2539	956
NVY-SOS	NVY_SOS_9404	331
		519
NVY-SP-SOS-CD	NVY_SP_SOS_CD_0135	260
		261
		331
		519
ODRC-SEQ	ODRC_SEQ_9189	855

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
OE-DESI-CD-EXPLN	OE_DESI_EX_5287	263
OE-LI-SEG-NBR	OE_LI_SEG_NBR_1001	083
		160
OE-LI-SEG-NBR-EXPLN	OE_LI_SEG_EXP_0011	160
OFC-NM-LI-TX	OFC_NM_LI_3351	355
OLD-QUANT-EXP	OLD_QUANT_EXP_3044	813
OLD-UI-CD	OLD_UI_CD_3041	813
ON-HOLD-TS	ON_HOLD_TS_9190	601
		777
		852
		872
OP-DATA-RQST-CD	ODRC_4690	782
		855
		859
		958
OP-DESTN	OP_DESTN_2096	197
OP-MODE-MED-CD	OP_MOD_MED_CD_3740	012
		054
		144
		267
		410
		474
		604
		715
		783
		841
		843
		945
OP-MODE-MED-CD-DESC	OP_MOD_MED_EX_3118	267
		410
OP-PARTITION	OP_PARTITION_9192	601
		852
		872
OP-PROD-EXTR-QY	OP_PROD_EXTR_2672	699
OPR-MSG	OPER_MSG_3229	379
OPRTNL-TST-CD	OPRTL_TST_MC_0572	006
		266
		505
OPRTNL-TST-CD-EXPLN	OPRTL_T_MC_EX_3176	266
OPTNL-MAND-ISAC-IND-CD	ISAC_IND_CD_0826	120
OPTNL-MAND-MRC-IND-CD	MRC_IND_CD_8450	120
OPTNL-PRO-IND-CD	OPTNL_PRO_IND_5173	346
		928
OPTNL-SEG-STNG	OPTL_SEG_STNG_4625	196
ORG-ACT-IND	ORG_ACT_IND_2222	157
ORGN-IDEN-CLRTXT-LI-SEG	ORG_ID_TXT_SG_0010	069
ORIG-ACTY-CD	ORIG_ACTY_CD_4210	016

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		025	OTH-DIC	OTHER_DIC_4215	948
		044	OTH-DIC-DATE	OTHR_DIC_DATE_4216	948
		059	OUTPUT-FORMAT	OUTPUT_FORMAT_9195	382
		060	OUTPUT-RECORD	OUTPUT_RECORD_9196	475
		105			715
		106			945
		341	PARM-INFO	PARM_INFO_3201	378
		380	PARNT-TAXPYR-ID	PARNT_TAXPYR_3403	082
		422	PASSTHRU-ACTY-ID	PSTHRU_ACT_ID_2139	206
		505	PASSTHRU-ACTY-NM	PSTHRU_ACT_NM_2140	206
		506	PC-DN-LD-LINE	PC_DN_LD_LINE_3087	366
		507	PGM-ID	PGM_ID_1108	025
		508			086
		509			323
		510			383
		511			405
		512			407
		521			617
		522	PGM-NAME	PGM_NAME_9198	383
		523	PGM-TRANSID	PGM_TRANSID_9199	383
		524	PHRS-CD-COMB-NT-IND	PH_CD_NT_IND_3051	839
		924	PHRS-CD-EXPLN	PHRS_CD_EXPLN_5241	268
		928	PHRS-CD-MDL	PHRS_CD_2862	007
		972			268
		973			506
		974			836
		975			882
		976			884
		977	PHRS-CD-PHRS	PHRS_CD_PHRS_5240	268
		978			836
		979	PHRS-CD-SVC-X	PHRS_CD_SVC_X_3450	836
		980	PHY-CTGY-CD	PHY_CTGY_MC_0573	006
		981			269
		982			505
		983	PHY-CTGY-CD-EXPLN	PHY_CTGY_MC_X_3177	269
		984	PHYS-DWG-ID	PHYS_DWG_ID_5037	816
		997	PHYS-TYP-IND	PHYS_TYP_IND_5074	816
		998	PIC-ACTY-DIC-PRICD-FOUR	PIC_STAT_CNT_9673	372
		999			549
ORIG-IMAG-KEY	ORIG_IMAG_KEY_9759	385	PIC-ACTY-DIC-PRICD-ONE	PIC_STAT_CNT_9670	372
		399			549
		848	PIC-ACTY-DIC-PRICD-THREE	PIC_STAT_CNT_9672	372
		867			549
		868	PIC-ACTY-DIC-PRICD-TWO	PIC_STAT_CNT_9671	372
		869			549
ORIG-STDZN-DEC	ORG_STDZN_DEC_9325	016	PIC-ACTY-DIC-PRICD-ZER	PIC_STAT_CNT_5815	372
		523			549

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
PIC-ACTY-PRICD-FOUR	PIC_STAT_CNT_9684	551
		552
PIC-ACTY-PRICD-ONE	PIC_STAT_CNT_9681	551
		552
PIC-ACTY-PRICD-THREE	PIC_STAT_CNT_9683	551
		552
PIC-ACTY-PRICD-TWO	PIC_STAT_CNT_9682	551
		552
PIC-ACTY-PRICD-ZER	PIC_STAT_CNT_5819	551
		552
PIC-DEPT-PRICD-FOUR	PIC_STAT_CNT_9695	441
		568
PIC-DEPT-PRICD-ONE	PIC_STAT_CNT_9692	441
		568
PIC-DEPT-PRICD-THREE	PIC_STAT_CNT_9694	441
		568
PIC-DEPT-PRICD-TWO	PIC_STAT_CNT_9693	441
		568
PIC-DEPT-PRICD-ZER	PIC_STAT_CNT_5823	441
		568
PIC-DEPT-STD-PCT-ONE	PIC_STAT_CNT_9697	030
		452
PIC-DEPT-STD-PCT-TWO	PIC_STAT_CNT_9698	030
		452
PIC-DEPT-STD-PCT-ZER	PIC_STAT_CNT_5824	030
		452
PIC-DESC	PIC_DESC_9200	412
PICA	PICA_2866	093
		129
		152
		772
		773
		779
		781
		932
PICA-LVL-AUTH-CD	PICA_LOA_3505	093
		152
		271
PICA-LVL-AUTH-CD-DEF	PICA_LOA_DEF_5303	271
PICA-SICA-IND-CD	PICA_SICA_IND_5099	346
		928
PINC	PINC_3084	010
		348
		349
		350
		351
		352
		353
		354
		356
		357
		358
		360
		361
		362
		364
		509
PKG-CTGY-CD	PKG_CTGY_CD_5159	346
		928
PKG-DSGN-ACTY-CD	PKG_DSGN_ACTY_5179	346
		928
PKG-SEQ-NBR	PKG_SEQ_NBR_1070	341
		957
PMIC-CDD-REPLY	PMIC_CDD_RPLY_3572	987
PMIC-MRC	PMIC_MRC_3573	988
PMIC-TBL-TYPE	PMIC_TBL_TYPE_3574	987
		988
POBOX	POBOX_1361	002
		328
POP-FIIG-AIN-FSC-MG-AC	POP_STAT_CNT_6726	430
		467
POP-FIIG-AIN-FSC-MG-FU	POP_STAT_CNT_6724	034
		415
POP-FIIG-AIN-FSC-MG-PA	POP_STAT_CNT_6725	034
		415
POP-FIIG-AIN-FSC-MG-RE	POP_STAT_CNT_7172	034
		415
POP-FIIG-AIN-FSC-NMG-FU	POP_STAT_CNT_7828	431
		466
POP-FIIG-AIN-FSC-NMG-PA	POP_STAT_CNT_7829	431
		466
POP-FIIG-AIN-FSC-NMG-RE	POP_STAT_CNT_7830	431
		466
POP-FIIG-EFFDTD-INC-NSN	POP_STAT_CNT_6611	033
		414
POP-FIIG-INC-NSN	POP_STAT_CNT_6612	033
		414
POP-FSC-FIIG-AIN-MG-AC	POP_STAT_CNT_5603	434
		471
POP-FSC-FIIG-AIN-MG-FU	POP_STAT_CNT_5601	038
		470
POP-FSC-FIIG-AIN-MG-PA	POP_STAT_CNT_5617	038
		470
POP-FSC-FIIG-AIN-MG-RE	POP_STAT_CNT_5602	038

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		470
POP-FSC-FIIG-AIN-NMG-FU	POP_STAT_CNT_5613	435
		562
POP-FSC-FIIG-AIN-NMG-PA	POP_STAT_CNT_5614	435
		562
POP-FSC-FIIG-AIN-NMG-RE	POP_STAT_CNT_5615	435
		562
POP-NAIN-FSC-AC	POP_STAT_CNT_6731	611
		615
POP-NAIN-FSC-ALL-INAC	POP_STAT_CNT_6732	696
		697
POP-NAIN-FSC-ALL-MG	POP_STAT_CNT_6733	696
		697
POP-NAIN-FSC-INAC	POP_STAT_CNT_6729	053
		531
POP-NAIN-FSC-MG	POP_STAT_CNT_6730	053
		531
POS-ZONE	POS_ZONE_2549	328
PR-VLDTN-CD-AF	PVC_AF_0858	006
		273
		505
PR-VLDTN-CD-AF-DEF	PVC_AF_DEF_3191	273
PRDCT-TI	PRDCT_TI_0982	147
		340
PRDCT-TI-ROW	PRDCT_TI_ROW_3199	379
PRDCT-TI-SEQ	PRDCT_TI_SEQ_3222	379
PREC-MTLS-IND-CD	PMIC_0802	010
		272
		509
		987
PRES-CD	PRSRV_MAT_CD_5162	346
		928
PRI-IND-CD	PRI_IND_CD_2867	341
		376
		378
		412
		468
		600
		777
		852
		872
PRICE-NOTE	PRICE_NOTE_3447	837
PRIM-BUS-CAT-DEF	BUS_CAT_DEF_3368	704
PRIM-BUS-CTGY-CD	PR_BUS_CAT_CD_1365	082
		704
PRIM-COMM-RI-IND	PRIM_COMM_RI_9214	409
PRIM-DIC	PRIM_DIC_4549	972
		973
		974
		975
		976
		977
		978
		979
		980
PROCESSED-TS	PROCESSED_TS_9201	601
		852
		872
PROP-CHAR-CD	PROP_CHAR_CD_2514	121
PRPRTY-IND	PRPRTY_IND_5066	075
PRPTN-EDIT-SYMBL-IND-CD	PRPTN_EDIT_CD_0762	120
PRPY-IND	PRPY_IND_4409	115
		116
PRT-DWG-SUPRSN-IND-CD	PRT_DWG_SUPR_8261	842
PRT-SKLTN-1	PRT_SKLTN_1_4445	390
PRT-SKLTN-2	PRT_SKLTN_2_4446	390
PRT-SKLTN-3	PRT_SKLTN_3_4447	390
PRT-SKLTN-CD	PRT_SKLTN_CD_0368	127
		921
PRVSNG-SCRNG-RCVR-ADRS	P_SCR_RCV_ADD_0232	144
PSDO-SOS-CD	PSDO_SOS_CD_0133	274
PSDO-SOS-CD-DESC	PSDO_SOS_DESC_5113	274
PSO-ACT-CD	PSO_ACT_CD_0892	144
		409
PUB-TERM	PUB_TERM_3192	174
PUB-TERM-ABBREV	PUB_TRM_ABR_3190	174
QDIC-ALL-OAC-DEPT-ADUPS	QDIC_STAT_CNT_5426	810
		811
QDIC-ALL-OAC-DEPT-APRVD	QDIC_STAT_CNT_5424	810
		811
QDIC-ALL-OAC-DEPT-CLRCL	QDIC_STAT_CNT_5428	810
		811
QDIC-ALL-OAC-DEPT-NIINST	QDIC_STAT_CNT_5430	810
		811
QDIC-ALL-OAC-DEPT-PDUPS	QDIC_STAT_CNT_5427	810
		811
QDIC-ALL-OAC-DEPT-RECVD	QDIC_STAT_CNT_5422	810
		811
QDIC-ALL-OAC-DEPT-RULES	QDIC_STAT_CNT_5429	810
		811
QDIC-ALL-SAC-DEPT-ADUPS	QDIC_STAT_CNT_5388	824
		825
QDIC-ALL-SAC-DEPT-APRVD	QDIC_STAT_CNT_5386	824
		825

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
QDIC-ALL-SAC-DEPT-CLRCL	QDIC_STAT_CNT_5390	824
		825
QDIC-ALL-SAC-DEPT-NIINST	QDIC_STAT_CNT_5392	824
		825
QDIC-ALL-SAC-DEPT-PDUPS	QDIC_STAT_CNT_5389	824
		825
QDIC-ALL-SAC-DEPT-RECVD	QDIC_STAT_CNT_5384	824
		825
QDIC-ALL-SAC-DEPT-RULES	QDIC_STAT_CNT_5391	824
		825
QDIC-OAC-DIC-ADUPS	QDIC_STAT_CNT_6820	808
		809
QDIC-OAC-DIC-APRVD	QDIC_STAT_CNT_6823	808
		809
QDIC-OAC-DIC-CLRCL	QDIC_STAT_CNT_6818	808
		809
QDIC-OAC-DIC-NIINST	QDIC_STAT_CNT_6816	808
		809
QDIC-OAC-DIC-PDUPS	QDIC_STAT_CNT_6819	808
		809
QDIC-OAC-DIC-RECVD	QDIC_STAT_CNT_6825	808
		809
QDIC-OAC-DIC-RULES	QDIC_STAT_CNT_6817	808
		809
QDIC-OAC-TOT-ADUPS	QDIC_STAT_CNT_5446	810
QDIC-OAC-TOT-APRVD	QDIC_STAT_CNT_5444	810
QDIC-OAC-TOT-CLRCL	QDIC_STAT_CNT_5448	810
		811
QDIC-OAC-TOT-NIINST	QDIC_STAT_CNT_5450	810
		811
QDIC-OAC-TOT-PDUPS	QDIC_STAT_CNT_5447	810
		811
QDIC-OAC-TOT-RECVD	QDIC_STAT_CNT_5442	810
		811
QDIC-OAC-TOT-RULES	QDIC_STAT_CNT_5449	810
		811
QDIC-SAC-DIC-ADUPS	QDIC_STAT_CNT_6830	822
		823
QDIC-SAC-DIC-APRVD	QDIC_STAT_CNT_6833	822
		823
QDIC-SAC-DIC-CLRCL	QDIC_STAT_CNT_6828	822
		823
QDIC-SAC-DIC-NIINST	QDIC_STAT_CNT_6826	822
		823
QDIC-SAC-DIC-PDUPS	QDIC_STAT_CNT_6829	822
		823
QDIC-SAC-DIC-RECVD	QDIC_STAT_CNT_6835	822
		823
QDIC-SAC-DIC-RULES	QDIC_STAT_CNT_6827	822
		823
QDIC-SAC-TOT-ADUPS	QDIC_STAT_CNT_5408	824
		825
QDIC-SAC-TOT-APRVD	QDIC_STAT_CNT_5406	824
		825
QDIC-SAC-TOT-CLRCL	QDIC_STAT_CNT_5410	824
		825
QDIC-SAC-TOT-NIINST	QDIC_STAT_CNT_5412	824
		825
QDIC-SAC-TOT-PDUPS	QDIC_STAT_CNT_5409	824
		825
QDIC-SAC-TOT-RECVD	QDIC_STAT_CNT_5402	824
		825
QDIC-SAC-TOT-RULES	QDIC_STAT_CNT_5411	824
		825
QE-NOTE	QE_NOTE_3448	837
QNTV-EXPRSN	QNTV_EXPRSN_8575	007
		506
QTY-PER-ASBLY	QTY_PER_ASBL_0106	007
		506
QUERY-TYPE	QUERY_TYPE_4476	381
		554
QUP-CD	QUP_6106	006
		277
		505
QUP-CD-QTY	QUP_CD_QTY_5248	277
QUP-NOTE	QUP_NOTE_3499	837
RAIL-VARI-CD	RAIL_VARI_CD_4760	016
		523
RCVD-SND-STMP	RCVD_SND_STMP_9202	397
		841
RDG-TI	RDG_TI_0964	965
RE-OP-AUTODIN-MSG-TMSTMP-ID	RE_OP_AUTO_TS_9484	841
RE-PROCESS-TS	RE_PROCESS_TS_9203	054
		601
		843
		852
		872
REC-COL	REC_COL_2109	207
		249
RECOV-CD-AR	RECOV_CD_AR_2892	006
		173
		505
RECOV-CD-EXPLN-AR	RECOV_EX_AR_5259	173
RECOV-CD-EXPLN-MC	RECOV_EX_MC_3154	243

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
RECOV-CD-MC	RECOV_CD_MC_2891	006
		243
		505
RECVD-STAMP	RECVD_STAMP_9204	151
		181
		368
		375
		602
		710
		774
		776
		871
		961
REF-BACK-MRC	REF_MRC_4475	121
		501
REF-DWG-GP-DES	REF_DWG_GP_DS_3565	072
		826
		827
		828
		965
REF-NBR-CTGY-CD-EXPLN	RNCC_EX_5125	280
REF-NBR-DEC-CTGY-CD	RN_DEC_CAT_CD_2561	287
REF-NBR-DUP-DEC	R_N_DUP_DEC_3133	287
REF-NBR-DUP-DEC-IND	R_N_DUP_DEC_I_3117	287
REF-NBR-FMT-CD	RNFC_2920	014
		282
		522
		686
REF-NBR-FMT-CD-EXPLN	RNFC_EX_5114	282
REF-NBR-JUST-CD-EXPLN	RNJC_EX_5121	283
REF-NBR-LOG	REF_NBR_3570	014
		059
		103
		108
		522
		686
		772
		781
		932
REF-NBR-STAT-CD	RNSC_2923	014
		284
		522
		686
REF-NBR-STAT-CD-EXPLN	R_N_STAT_EX_5131	284
REF-NBR-VARI-CD-EXPLN	RNVC_EX_5127	285
REF-SCRN-IND	REF_SCRN_IND_3101	191
		230

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
REIMB-CD	REIMB_CD_2930	288
REIMB-CD-EXPLN	REIMB_CD_EX_3185	288
REJECT-FLAG	REJECT_FLAG_9205	600
		777
		852
		872
REJECTED-TS	REJECTED_TS_9206	601
		852
		872
REL-INC	REL_INC_2926	091
		513
		592
REL-NSN	REL_NSN_2895	007
		506
RELEASED-CNT	RELEASED_CNT_9207	850
RELEASED-TS	RELEASED_TS_9208	143
		601
		666
		852
		872
REORDER-TS	REORDER_TS_9209	850
REORG-STATUS-FLAG-ID	REORG_FLAG_9504	614
		616
REP-ACTY-LOA-NSN	REP_STAT_CNT_1650	058
		535
REP-ACTY-NSN	REP_STAT_CNT_1651	056
		533
REP-DEPT-LOA-NSN	REP_STAT_CNT_1652	057
		534
REP-DEPT-NSN	REP_STAT_CNT_1653	055
		532
REP-ITM-STDZN-CD	REP_ISC_8525	915
REP-NET-PR	REP_NET_PR_5235	006
		505
REPBL-CD	REPBL_CD_2745	055
		056
		057
		058
		532
		533
		534
		535
REPBL-CD-CG	REP_CD_CG_0709	006
		184
		505
REPBL-CD-CG-EXPLN	REP_CD_CG_EX_3180	184
REPBL-CHAR-IND-CD-DLA	REP_CD_DLA_2934	006

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		200
		505
REPBL-CHAR-IND-CD-DLA-DE	REP_CD_DLA_EX_5261	200
REPORTING-PERIOD	RPT_PERIOD_0911	448
REPT-SEG-IND	REPT_SEG_IND_4594	479
REROUTED-TIME	REROUTED_TIME_9210	401
RESOLUTION	RESOLUTION_9411	323
		405
RESPONSE-HRS	RESPONSE_HRS_9412	412
RESTART-COMMIT-ID	RESTRT_COMMIT_9515	710
RESTORE-FLAG	RESTORE_FLAG_9066	840
RESTORE-STATUS-FLAG	RSTR_STAT_FLG_9314	141
		913
RESULT-ACTN	RESULT_ACTN_3104	230
REV-LVL	REV_LVL_2644	130
		133
		135
		138
		320
		321
		324
		333
		334
		335
		336
		339
		340
		342
		343
		344
		359
		388
		418
		447
		461
		473
		477
		478
		486
		497
		498
RNAAC	RNAAC_2900	014
		522
		686
		772
		932
RNAAC-IND	RNAAC_IND_2221	157

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
RNCC	RNCC_2910	014
		245
		280
		522
		686
		772
		932
RNCC-DB	RNCC_DB_3130	287
RNCC-IN	RNCC_IN_3128	287
RNCC-MAY-HAVE-RNG	RNCC_MA_H_RNG_3109	278
		289
RNCC-MUST-HAVE-RNG	RNCC_MS_H_RNG_3105	278
		290
RNDM-SMPL-IND-CD	RNDM_SMPL_IND_2671	133
		340
RNJC	RNJC_2750	014
		283
		522
		686
RNVC	RNVC_4780	014
		285
		522
		686
		772
		932
RNVC-DB	RNVC_DB_3131	287
RNVC-IN	RNVC_IN_3129	287
RNVC-MAY-HAVE-RNG	RNVC_MA_H_RNG_3110	278
		289
RNVC-MUST-HAVE-RNG	RNVC_MS_H_RNG_3106	278
		290
ROLL-UP-CD	ROLL_UP_CD_9460	959
ROLL-UP-DEPT-CD	ROLL_UP_DEPT_9459	959
ROLL-UP-DIC	ROLL_UP_DIC_2097	197
ROLL-UP-DIC-DESTN	RL_UP_DIC_DES_2098	197
ROW-HLD-FLG-ID	ROW_HLD_FLG_9191	618
ROW-IND	ROW_IND_4205	336
		359
		418
ROW-NBR	ROW_NBR_4518	207
		228
		249
		393
		536
		736
		771
		992

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
ROW-OBS-DT	ROW_OBS_DT_4489	006
		007
		345
		505
		506
		521
RPDMRC	RPDMRC_4765	010
		286
		509
RPDMRC-EXP	RPDMRC_EXP_5119	286
RPDMRC-KFP-FU-DT	RPDMRC_FU_DT_4532	877
RPDMRC-KFP-FU-IND	RPDMRC_FU_IND_4531	877
RPLD-AMMO-CD	RPLD_AMMO_8815	496
RPLD-FSC	RPLD_FSC_2647	491
		492
RPLD-INC	RPLD_INC_2646	489
		990
RPLD-NSN-STDZN-RL	RP_NSN_STD_RL_8977	018
		524
RPLM-CAGE-CD	RPLM_CAGE_CD_3595	101
		103
RPLM-MOE-RULE-NBR1	RPLM_M_RL_NBR_0226	093
		730
RPLM-NSN-CANC	RPLM_NSN_CANC_8875	010
		509
RPLM-NSN-STDZN-RL	RPLM_NSN_STDZ_9525	016
		523
RPLY-SEQ-NBR	RPLY_SEQ_NBR_4408	115
		116
		348
		354
		498
RPLY-STAT-IND	RPLY_STAT_IND_2498	128
		923
RPLY-TBL-CD-FIIG-DCOD-GD	RPLY_TBL_DCOD_3845	120
		124
		125
		950
		952
RPLY-TBL-CD-MRD	RPLY_TBL_MRD_8254	126
		128
		922
		923
RPLY-TBL-DCOD-SEQ-NBR	RPLY_DCOD_SEQ_0510	126
		922
RPTY-CITY	RPTY_CITY_0884	325
RPTY-CLR-TXT1	RPTY_CLR_TXT1_0889	325
RPTY-CLR-TXT2	RPTY_CLR_TXT2_2625	325
RPTY-CLR-TXT3	RPTY_CLR_TXT3_2626	325
RPTY-CLR-TXT4	RPTY_CLR_TXT4_2627	325
RPTY-E-MAIL-ADRS	RPTY_E_ML_ADR_2624	325
RPTY-ID	RPTY_ID_2638	047
		320
		322
		324
		325
		464
		475
		488
		783
RPTY-ID-CAGE-PN	RPTY_ID_CG_PN_2345	343
RPTY-ID-NIIN	RPTY_ID_NIIN_2346	344
RPTY-ID-TI	RPTY_ID_TI_2286	321
RPTY-NAME	RPTY_NAME_0882	325
RPTY-OFC-SYM	RPTY_OFC_SYM_2621	325
RPTY-ST-ADRS	RPTY_ST_ADRS_0883	325
RPTY-STA-US-POS-ABR	RPTY_ST_US_AB_2622	325
RPTY-T-NBR-TP	RPTY_T_NBR_TP_2571	488
RPTY-TEL-EXT	RPTY_TEL_EXT_2574	488
RPTY-TEL-NBR	RPTY_TEL_NBR_2572	488
RPTY-ZIP-CD	RPTY_ZIP_CD_2623	325
RQMT-RPLY-INST	RQMT_RPY_INST_2648	127
		390
		921
RQMT-STMT	RQMT_STMT_3614	127
		498
		688
		921
RQMT-STMT-DEF	RQMT_STMT_DEF_5027	347
		921
RR-TRANS-KEY	RR_TRANS_KEY_9763	389
		401
		402
		995
		996
RTC-CD	RTC_CD_1002	060
RTN-CD	RTN_CD_9480	061
		064
		105
		291
		292
		323
		368
		374

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		375
		405
		476
		536
		540
		608
		771
		875
		924
		948
		957
RTN-CD-CMNT	RTN_CD_CMMT_4559	291
RTN-CD-DEF-INST	RTN_DEF_INST_3140	291
RTN-CD-DRN-CMNT	RTN_CD_DRN_CM_4557	292
SAC	SAC_8990	115
		116
		125
		348
		349
		350
		351
		352
		353
		354
		357
		358
		360
		361
		362
		950
SAC-CDNG-IND	SAC_CDNG_IND_0115	120
SCN-LSN-NSN-DP-CUR-MTH	LSND_STAT_CNT_5469	066
		542
SCN-LSN-NSN-DP-CUR-NMTH	LSND_STAT_CNT_5470	066
		542
SCN-LSN-NSN-DP-CUR-REJ	LSND_STAT_CNT_5471	066
		542
SCN-PRE-NSN-DP-CUR-MTH	PREN_STAT_CNT_6241	757
		758
SCN-PRE-NSN-DP-CUR-NMTH	PREN_STAT_CNT_6242	757
		758
SCN-PRE-NSN-DP-CUR-REJ	PREN_STAT_CNT_6243	757
		758
SCN-PRE-REF-DP-CUR-MTH	PRER_STAT_CNT_5451	755
		756
SCN-PRE-REF-DP-CUR-NMTH	PRER_STAT_CNT_5452	755
		756

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
SCN-PRE-REF-DP-CUR-REJ	PRER_STAT_CNT_5453	755
		756
SCN-PRO-NSN-DP-CUR-MTH	PRON_STAT_CNT_6209	761
		762
SCN-PRO-NSN-DP-CUR-NMTH	PRON_STAT_CNT_6210	761
		762
SCN-PRO-NSN-DP-CUR-REJ	PRON_STAT_CNT_6211	761
		762
SCN-PRO-REF-DP-CUR-MTH	PROR_STAT_CNT_6225	759
		760
SCN-PRO-REF-DP-CUR-NMTH	PROR_STAT_CNT_6226	759
		760
SCN-PRO-REF-DP-CUR-REJ	PROR_STAT_CNT_6227	759
		760
SCND-PHRS-CD	SCND_PHRS_CD_3049	839
SCREEN-ID-CODE	SCRN_ID_0981	366
SCRN-RNCC	SCRN_RNCC_3115	289
		290
SCRN-RNVC	SCRN_RNVC_3116	289
		290
SCRNG-KEY-CODE	SCR_KEY_CD_1047	120
SECD-ADRS-IND-CD	SEC_AD_IND_CD_9485	115
		116
		125
		950
SECN-LOLA-OVERNIGHT-ODRC	SECOND_ODRC_4692	499
SEG-CD-SUPMTL	SEG_CD_SUPMTL_0225	207
		293
		771
SEG-CD-SUPMTL-EXPLN	SEG_CD_SUP_EX_3174	293
SEG-IP-TRAN	SEG_IP_TRAN_4508	773
		937
SEG-LGTH	SEG_LGTH_0189	404
		406
SEG-R-W-O-OP-DIC	SGR_WO_OP_DIC_3144	233
SEG-R-WITH-OP-DIC	SGR_W_OP_DIC_3143	233
SEG-SEQ	SEG_SEQ_9414	044
		071
		105
		319
		609
		747
		775
		778
		838
		854
		931

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
SEGMENT-CD	SEGMENT_CD_9415	071
		319
		385
		389
		404
		406
		411
		609
		747
		775
		778
		838
		853
		854
		869
		931
		957
SEGMENT-DATA	SEGMENT_DATA_9416	071
		319
		609
		775
		778
SEGMENT-FLAG	SEGMENT_FLAG_9418	411
SEGMENT-POS	SEGMENT_POS_9419	411
SEGMENT-STATS	SEGMENT_STATS_9420	403
SELECT-KEY	SELECT_KEY_9764	407
SEQ-KEY	SEQ_KEY_3043	228
		291
		394
		536
		770
		771
		813
SER-NBR-CTL-CD-CG	SER_NO_CTL_CG_0763	006
		180
		505
SER-NBR-CTL-CD-CG-EXPLN	SRN_CTL_CG_EX_3182	180
SGML-ELE-NAME	SGML_ELE_NAME_9481	337
SHLF-LIF-CD	SLC_2943	006
		295
		505
SHRT-NM	SHRT_NM_2301	098
		438
		565
		593
		684
		772

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		782
		932
SIC-CD-SQ-IND	SIC_CD_SQ_IND_9368	079
SICA-CD	SICA_2938	093
		152
SICA-LVL-AUTH	SICA_LOA_9547	093
		152
		296
SICA-LVL-AUTH-CD-DEF	SICA_LOA_DEF_5302	296
SIN-MULT-OP-CD	SIN_MLT_OP_CD_4535	873
SIN-MULT-OP-EX	SIN_MLT_OP_EX_3455	873
SIN-SUBMG-ACTY-CD	SIN_SUBM_ACTY_9255	094
		515
SKELETON-CODE	SKEL_CODE_2319	118
		119
SKIP-COUNT	SKIP_CNT_4412	118
		119
SKO-FSC	SKO_FSC_8594	942
SKO-I-I-NBR	SKO_I_I_NBR_8581	942
SKO-ITEM-NAME	SKO_ITEM_NAME_8596	942
SKO-NCB-CD	SKO_NCB_CD_8582	942
SKO-QTY	SKO_QTY_8593	942
SLC-NOTE	SLC_NOTE_3495	837
SMPL-SZ-QY	SMPL_SZ_QY_2675	699
SNF-END-DT	SNF_END_DT_9308	089
SNF-TYP-UPDT	SNF_TYP_UPDT_9309	089
SOS-CD	SOS_CD_3690	006
		260
		261
		299
		427
		428
		440
		505
		558
		559
SOS-MOD-CD	SOSM_CD_2948	006
		298
		505
SOS-MOD-CD-EXPLN	SOSM_CD_EX_5252	298
SOS-NOTE	SOS_NOTE_3498	837
SOSM-NOTE	SOSM_NOTE_3496	837
SOURCE-OF-RQST	SRC_OF_RQST_3200	378
SP-HDLG-CD	SP_HDLG_CD_9240	016
		300
		523
SP-HDLG-CD-EXPLN	SP_HDLG_CD_EX_3168	300

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
SP-MAT-APL-ITEM-OR-KIT	SP_MAT_APL_IK_3155	254
SP-MAT-CONT-CD	SP_MAT_CONT_0121	006
		301
		505
SP-MAT-CONT-CD-EXPLN	SP_MAT_CON_EX_3172	301
SP-MAT-IDEN-CD	SMIC_NVY_2834	006
		254
		505
SP-MKG-CD	SP_MKG_CD_5169	346
		928
SP-PKG-RQMT-CD	S_PKG_RQM_CD_0725	302
SP-PKG-RQMT-CD-EXPLN	S_PKG_RQM_EX_5216	302
SPI-DT	SPI_DT_5177	346
		928
SPI-NBR	SPI_NBR_5175	346
		928
SPI-REV	SPI_REV_5176	346
		928
SRT-ALLOWED-IND	SRT_ALLOWED_9482	337
SSN	SSN_9765	012
		054
		084
		841
		843
ST-ADRS-1	ST_ADRS_1_1082	002
		328
		834
ST-ADRS-2	ST_ADRS_2_1083	002
		328
		834
STA-US-POSN-ABR	ST_US_POSN_AB_0186	077
		139
		483
		834
STAT-ACTIVITY	STAT_ACTIVITY_0898	019
		021
		022
		029
		031
		032
		040
		045
		046
		048
		049
		050
		056
		058
		063
		064
		065
		067
		068
		329
		330
		371
		372
		373
		377
		396
		419
		424
		425
		430
		434
		436
		439
		442
		444
		445
		451
		453
		454
		457
		460
		462
		463
		467
		471
		493
		526
		527
		528
		533
		535
		540
		541
		548
		549
		550
		551
		552
		555
		556

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		563			652
		566			653
		569			654
		570			655
		571			656
		572			657
		573			658
		574			659
		575			660
		576			661
		577			662
		580			663
		581			664
		582			668
		583			670
		584			672
		585			673
		586			676
		587			677
		588			678
		589			679
		611			680
		615			681
		625			682
		627			683
		628			739
		629			740
		630			751
		631			752
		634			794
		635			795
		636			800
		637			801
		638			802
		639			803
		640			808
		641			809
		642			810
		643			818
		644			819
		645			820
		646			821
		647			822
		648			823
		649			824
		650			825
		651	STAT-BTCH-TIM	STAT_BTCH_TIM_2604	376

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		468
STAT-CMDTY-CTGY	STAT_CCTGY_3995	021
		329
		330
		444
		944
STAT-DAC-SA	STAT_DAC_SA_6592	027
		063
		449
STAT-DEPARTMENT	STAT_DEPT_0897	019
		021
		022
		024
		029
		030
		031
		032
		039
		040
		045
		046
		047
		048
		049
		050
		055
		056
		057
		058
		062
		065
		066
		067
		068
		112
		113
		114
		195
		223
		326
		329
		330
		368
		369
		371
		372
		373
		374
		377
		381
		396
		424
		425
		426
		429
		436
		439
		441
		442
		444
		445
		446
		451
		452
		453
		454
		456
		457
		460
		462
		463
		464
		526
		527
		528
		532
		533
		534
		535
		541
		542
		546
		548
		549
		550
		551
		552
		554
		555
		556
		557
		560
		563
		566

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		568			654
		569			655
		570			656
		571			657
		573			658
		574			659
		575			662
		576			663
		577			664
		578			668
		580			670
		581			672
		582			673
		583			676
		584			677
		585			678
		586			679
		587			680
		589			681
		590			682
		608			683
		620			690
		622			691
		625			692
		627			693
		628			694
		629			695
		630			698
		631			739
		634			740
		635			741
		636			742
		637			744
		638			745
		639			749
		640			750
		641			751
		643			752
		645			753
		646			754
		647			755
		648			756
		649			757
		650			758
		651			759
		652			760
		653			761

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		762
		763
		764
		784
		785
		786
		787
		788
		789
		790
		791
		792
		794
		795
		796
		797
		798
		799
		800
		801
		802
		803
		804
		805
		808
		809
		810
		818
		819
		820
		821
		822
		823
		824
		825
		934
		935
		939
		940
		959
STAT-DEPT-ACTY-CHANGED	STAT_ACTY_CH_0908	029
		451
		857
STAT-DEPT-NAME	STAT_DEPT_NM_9704	698
STAT-LIMITED-RIGHTS-GRP	STAT_LMD_RT_G_8159	027
		449
STAT-LOG-DT	LOG_DT_3339	141

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
STAT-LVL-AUTH-CD	STAT_LOA_3066	019
		050
		057
		058
		371
		442
		528
		534
		535
		569
		570
		571
		572
		580
		582
		584
		586
		588
		628
		630
		634
		636
		638
		640
		642
		644
		648
		649
		652
		653
		656
		657
		660
		661
		744
		745
		796
		797
		800
		801
STAT-LVL-AUTH-COMB	STAT_LOA_COMB_3090	024
		369
		446
		546
		786
		787
		792

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
STAT-MANAGER	STAT_MANAGER_2506	024
		040
		369
		370
		436
		446
		457
		546
		547
		563
		570
		572
		575
		577
		584
		585
		588
		589
		634
		635
		636
		637
		642
		643
		644
		645
		652
		653
		654
		655
		660
		661
		662
		663
		692
		693
		694
		695
		763
		764
		784
		785
		786
		787
		788
		789
		790
		791
		792
		857
STAT-RETURN-CATEGORY	STAT_RETN_CAT_5666	061
STAT-USER-RQST-DT	USER_RQST_DT_3309	140
STATE-NAME	STATE_NAME_4490	483
STATL-IND-CD	STATL_IND_CD_3708	303
		924
STATL-IND-CD-EXPLN	STATL_I_CD_EX_5133	303
STATS-ACCESS-DATE	STATS_ACCS_DT_9705	062
STATS-REQUEST-DATE	STAT_REQ_DATE_0899	019
		020
		021
		022
		023
		024
		026
		027
		028
		029
		030
		031
		032
		033
		034
		035
		036
		037
		038
		039
		040
		042
		043
		046
		047
		048
		049
		050
		051
		053
		055
		056
		057
		058
		061
		063
		064

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		065
		066
		067
		068
		112
		113
		114
		141
		142
		195
		223
		326
		329
		330
		367
		369
		370
		371
		372
		373
		376
		377
		396
		413
		414
		415
		416
		417
		419
		420
		421
		423
		424
		425
		426
		427
		428
		429
		430
		431
		432
		433
		434
		435
		436
		437
		438
		439
		441
		442
		444
		445
		446
		449
		450
		451
		452
		453
		454
		455
		456
		457
		458
		459
		460
		463
		464
		465
		466
		467
		468
		470
		471
		472
		493
		494
		495
		503
		526
		527
		528
		529
		531
		532
		533
		534
		535
		540
		541
		542
		545
		546
		547
		548

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.	HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		549			634
		550			635
		551			636
		552			637
		555			638
		556			639
		557			640
		558			641
		559			642
		560			643
		561			644
		562			645
		563			646
		564			647
		565			648
		566			649
		568			650
		569			651
		570			652
		571			653
		572			654
		573			655
		574			656
		575			657
		576			658
		577			659
		578			660
		580			661
		581			662
		582			663
		583			664
		584			668
		585			670
		586			672
		587			673
		588			676
		589			677
		590			678
		611			679
		615			680
		624			681
		625			682
		627			683
		628			690
		629			691
		630			692
		631			693

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		694
		695
		696
		697
		739
		740
		741
		742
		744
		745
		749
		750
		751
		752
		753
		754
		755
		756
		757
		758
STATS-SVC-AGCY-PREF-CD	STATS_SA_PREF_3844	759
STATUS-CD-NM-FSC	STA_CD_NM_FSC_0320	760
		761
		762
		763
		764
		784
		785
		786
		787
		788
		789
		790
		791
		792
		793
		794
		795
		796
STDZN-SUBMG-ACTY-CD	STDZN_SUBMR_0749	797
		798
STOP-WORD-CDM	STOP_WORD_CDM_4463	799
STORE-M-J-TBL	STORE_M_J_TBL_4424	800
STORE-M-MAX	STORE_M_MAX_4426	801
STORE-M-MIN	STORE_M_MIN_4425	802
STORE-TYPE	STORE_TYPE_4421	803
		804
		805
		808
		809
		810
		811
		818
		819
		820
		821
		822
		823
		824
		825
		857
		933
		934
		935
		938
		939
		940
		063
		001
		073
		076
		094
		098
		316
		489
		491
		492
		513
		515
		518
		530
		591
		593
		595
		723
		724
		094
		515
		485
		352
		352
		352
		352
		360

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
STORED-JUL-DT	STORED_JUL_DT_9462	879
STR-TM-PED	STR_TM_PED_5237	295
STRS-ACCT-EXPLN-MC	STRS_ACT_MC_X_3153	244
STRS-ACCT-MC	STRS_ACT_MC_2959	006
		244
		505
STYL-NBR-FIIG	STYL_NBR_FIIG_0768	072
		131
		826
		827
		828
		842
		951
STYL-RPLY-CD-IL-DWG	STYL_RP_IL_DW_0771	016
		523
SUBJ-INTEG-MAT-MGMT-CD	SUBJ_IMM_M_CD_9545	094
		515
SUBJ-ITM-MGMT-CDNG	SUBJ_IM_CDNG_9546	094
		515
SUBJ-SIN-SUBMR-PRO	SUBJ_SI_SUB_P_9544	094
		515
SUBJ-TO-WIMM	SUBJ_TO_WIMM_0090	094
		515
SUBMG-ACTY-CD	SUBMG_ACTY_CD_3720	025
		044
		059
		060
		105
		106
		304
		341
		380
		422
		490
		505
		506
		507
		508
		509
		510
		511
		512
		521
		522
		523
		524
		875

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		893
		894
		924
		928
		948
		949
		972
		973
		974
		975
		976
		977
		978
		979
		980
		981
		982
		983
		984
		997
		998
		999
SUBMR-ACT-IND	SUBMR_ACT_IND_2143	157
SUBMR-CTL-NBR	SUBMR_CTL_NBR_1120	602
		604
		774
		776
		871
		876
		953
SUBMTR-USERID	SUBMTR_USERID_3205	378
SUPLMNTRY-DIC-IP	SUPL_DIC_IP_1028	106
SUPLMNTRY-DIC-OP	SUPL_DIC_OP_1029	106
SUPMTL-INST	SUPMTL_INST_5174	346
		928
SUPPLM-COLLBR	SUPPLM_COLLBR_2533	008
		507
SUPPLM-RCVR	SUPPLM_RCVR_2534	017
		512
SUPT-DATA-IND	SUPT_DATA_IND_4623	196
SURCHG-PRCSG-IND-CD	SUR_PRC_ID_CD_0872	016
		523
SURCHG-PRCSG-UNIT-PR	SUR_PRC_UN_PR_2599	016
		523
SURCHG-PRCSG-YR	SUR_PRC_YR_2597	016
		523
SVC-ACTY-AND-ADRS-SOS-CD	SA_ADD_SOS_CD_5108	299

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
SVC-AGCY-DESI-CD	SADC_4672	014
		294
		522
SVC-AGCY-DESI-CD-DEF	SA_DESI_CD_X_5319	294
SVC-CD-P-S-EX	SVC_CD_P_S_EX_3449	835
SVC-CD-PRVSNG-SCRNG-DEST	SVC_CD_P_SCRN_0264	144
		835
SVC-CONTR-IDEN-CD	SVC_CON_ID_CD_0744	144
		863
SVC-CONTR-IDEN-CD-EXPLN	SVC_CNTR_CD_X_5236	863
SVC-NM	SVC_NM_3479	829
		833
		834
SVC-SICA	SVC_SICA_3493	837
SYM-IND	SYM_IND_3456	156
		194
		312
SZ-OF-BUS-CD	SZ_OF_BUS_CD_1364	082
		705
SZ-OF-BUS-CD-DEF	SZ_OF_BUS_DEF_3367	705
TABL-NAME-REM	TABL_NAME_REM_4449	392
TAIL-ACT-CD	TAIL_ACT_CD_2513	122
TAIL-SEQ-NO	TAIL_SEQ_NO_4403	120
TAXPYR-ID	TAX_PYR_ID_3401	082
TAXPYR-ID-EXMPN-CD	TAX_PYR_EXMPN_3402	082
		707
TAXPYR-ID-EXMPN-DEF	TPYR_EXMP_DEF_3371	707
TBL-CSTDN	TBL_CSTDN_2232	150
TBL-CSTDN-ALT	TBL_CSTDN_ALT_2231	150
TBL-NBR	TBL_NBR_1298	150
		392
		393
		394
		395
		736
TBL-RSPNSBL-DRCTRT	TBL_RSP_DIR_2233	150
TBL-VOLUME	TBL_VOLUME_2473	913
TBL-VRBL-INDCTR-CD	TBL_V_IN_CT_C_0941	842
TECH-DOC-NBR	TECH_DOC_NBR_2893	007
		506
TEL-NBR	TEL_NBR_1359	005
		355
TEL-NBR-TYP-CD	TEL_NBR_TYP_1088	005
		702
TEL-NBR-TYP-CD-DEF	TEL_TYP_DEF_3413	702
TEXT-LINE	TEXT_LINE_4519	736
		992

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
THK-CUSH-DUN-CD	THK_CUSH_DUN_5165	346
		928
THRD-LOLA-OVERNIGHT-ODRC	THIRD_ODRC_4693	499
TIR-OP-MED-CD	TIR_OP_MED_CD_2093	157
TM-ACTY-OP	ACTY_OP_9217	052
		604
TM-APP-ARCH-KEY-ID	APP_ARCH_KEY_9224	604
		605
		840
TM-ARCH-DATA-TYP-ID	ARCH_DATA_TYP_9225	840
TM-BATCH-NBR	TM_BATCH_NBR_9424	606
		851
TM-BATCH-SEQ-NBR	TM_BATCH_SEQ_9425	851
TM-BATCH-TRNS	TM_BATCH_TRNS_9426	851
TM-CD	TM_CD_1987	060
		109
TM-COMMIT-CKPNT-RT	TM_COMMIT_RT_9509	617
TM-COMPLT-TS	TM_COMPLT_TS_9427	601
		852
		872
TM-DSPL-ORDR-ID	DSPL_ORDR_8269	383
TM-FILE-NAME	TM_FILE_NAME_9429	601
		852
		872
TM-HELD-CNT-QY	HELD_CNT_9501	613
TM-IP-TRK-ID	IP_TRK_9221	052
		604
		613
		614
		616
TM-JOB-STAT-CD	TM_JOB_STAT_9508	617
TM-MED-TRAIL-TX	MED_TRAIL_9387	084
TM-MEDALS-FLG	MEDALS_FLG_9216	052
		604
TM-MSG-TX	MSG_TX_9389	085
		619
TM-MULT-MED-TRAN-QTY	MULT_MED_TRAN_9483	603
TM-OP-DATA-GP	OP_DATA_GP_9802	383
		715
		945
TM-OP-DIST-FREQ-CD	OP_DIST_FREQ_9804	783
TM-OP-SEQ-FLD	OP_SEQ_FLD_9801	715
		945
TM-OP-TRK-ID	OP_TRK_9222	052
		604
TM-RE-PRCSD-MSG-TS	RE_PRCSD_TS_9394	084
TM-REC-NBR	TM_REC_NBR_9430	084

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		085
		151
		314
		315
		408
		475
		476
		481
		604
		612
		619
		666
		715
		843
		866
		945
		961
		994
TM-RECVD-MSG-TS	RECVD_MSG_TS_9386	084
TM-RECVD-TD-QUE-TX	RECVD_TD_QUE_9388	084
TM-RELE-DATA	RELE_DATA_9503	614
		616
TM-RELED-CNT-QY	RELED_CNT_9502	613
TM-RELED-MSG-TS	RELED_MSG_TS_9385	084
TM-RESTRT-CKPNT-CTR-1-QY	TM_CKPNT_CT_1_9511	617
TM-RESTRT-CKPNT-CTR-2-QY	TM_CKPNT_CT_2_9512	617
TM-RESTRT-CKPNT-CTR-3-QY	TM_CKPNT_CT_3_9513	617
TM-RESTRT-CKPNT-CTR-4-QY	TM_CKPNT_CT_4_9514	617
TM-RESTRT-CKPNT-WS-FLD	TM_CKPNT_WS_9510	617
TM-SP-PROJ-ID	SP_PROJ_9223	052
		603
		604
		613
		614
		616
		715
TM-TAPE-IP-TM	TAPE_IP_TM_9228	603
TM-TAPE-LOG-IP-TM	TAPE_LOG_IP_9226	603
TM-TAPE-VOL-SER-NBR-ID	TAPE_VOL_SER_9227	603
TM-TRAN-PROC-FLG-ID	TRAN_PROC_FLG_9229	604
TM-TRANS-TS-STAT-CD	TRANS_TS_STAT_9446	604
TM-TRNSMT-TS	TM_TRNSMT_TS_2578	143
		324
TM-USER-DEF-FLG	USER_DEF_FLG_9803	715
		945
TMG-PIC-DIC-TMFR	TMG_STAT_CNT_6892	376
		468
TMG-PIC-DIC-TMFR-AVG-TM	TMG_STAT_CNT_6893	376
		468
TMSTMP	TMSTMP_3059	006
		007
		008
		009
		010
		011
		014
		015
		016
		017
		018
		025
		044
		054
		059
		105
		106
		149
		345
		346
		366
		381
		422
		505
		506
		507
		508
		509
		510
		511
		512
		519
		521
		522
		523
		524
		554
		598
		599
		604
		606
		612
		614
		616
		617

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		619
		666
		773
		780
		781
		782
		843
		844
		919
		920
		921
		922
		923
		924
		928
		937
		950
		951
		952
		972
		973
		974
		975
		976
		977
		978
		979
		980
		981
		982
		983
		984
		997
		998
		999
TMSTMP1	TMSTMP1_4564	073
		081
		102
TMSTMP2	TMSTMP2_4402	094
		365
		513
		515
		518
		530
TMSTMP3	TMSTMP3_4443	115
		380
TMSTMP4	TMSTMP4_4472	489

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
TMSTMP5	TMSTMP5_4473	491
TMSTMP6	TMSTMP6_4474	492
TMSTMP7	TMSTMP7_9478	324
TO-ZIP-CD	TO_ZIP_CD_3415	077
TOT-MAX-LGTH	TOT_MAX_LGTH_4596	479
TRAIL-NARRATV	TRAIL_NARRATV_4454	395
TRAILER	TRAILER_9432	397
TRAN-STAT-CD	TRN_STATUS_CD_0854	306
		958
TRAN-STAT-CD-DEF	TRAN_STAT_DEF_3186	306
TRAN-STAT-CD-INST	TRAN_STAT_INS_3187	306
TRAN-STAT-CD-NOTE-IND	TRAN_STAT_NOT_3189	306
TRAN-STAT-CD-OP	TRAN_STAT_OP_3188	306
TRANS-COUNT	TRANS_COUNT_9433	397
TRANS-DEF	TRANS_DEF_2127	214
TRANS-ERR-FLG	TRANS_ERR_FLG_9434	851
TRANS-INST	TRANS_INST_2131	214
TRANS-KEY	TRANS_KEY_9435	052
		071
		319
		323
		375
		405
		408
		474
		475
		476
		600
		601
		602
		604
		605
		609
		616
		747
		774
		775
		776
		777
		778
		838
		852
		854
		866
		871
		872
		876

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		931
		953
		957
TRANS-NBR	TRANS_NBR_9437	385
		389
		481
		869
TRANS-REF-KEY	TRANS_REF_KEY_9438	600
		852
		872
TRANS-TI	TRANS_TI_2057	196
TRANS-TYP-FLG	TRANS_TYP_FLG_9440	383
TRFR-FSC-OAC-FYD-T1-NSN	TRFR_STAT_CNT_6765	548
TRFR-FSC-OAC-FYD-T2-NSN	TRFR_STAT_CNT_6764	548
TRFR-FSC-OAC-FYD-T4-NSN	TRFR_STAT_CNT_6766	548
TRFR-FSC-ODP-FYD-GOAL	TRFR_STAT_CNT_6777	036
		455
TRFR-FSC-ODP-FYD-T1-NSN	TRFR_STAT_CNT_6772	548
TRFR-FSC-SAC-FYD-T1-NSN	TRFR_STAT_CNT_9649	396
		555
TRFR-FSC-SAC-FYD-T2-NSN	TRFR_STAT_CNT_9648	396
		555
TRFR-FSC-SAC-FYD-T4-NSN	TRFR_STAT_CNT_9650	396
		555
TRFR-FSC-SDP-FYD-T1-NSN	TRFR_STAT_CNT_9656	396
		555
TRFR-FSC-SDP-FYD-T2-NSN	TRFR_STAT_CNT_9655	396
		555
TRFR-FSC-SDP-FYD-T4-NSN	TRFR_STAT_CNT_9657	396
		555
TRFR-OAC-CUR-T1-NSN	TRFR_STAT_CNT_6745	067
TRFR-OAC-CUR-T2-NSN	TRFR_STAT_CNT_6744	067
TRFR-OAC-CUR-T4-NSN	TRFR_STAT_CNT_6746	067
TRFR-OAC-FYD-T1-2-NSN	TRFR_STAT_CNT_1574	377
TRFR-OAC-FYD-T1-4-NSN	TRFR_STAT_CNT_1575	377
TRFR-OAC-FYD-T1-NSN	TRFR_STAT_CNT_6750	424
TRFR-OAC-FYD-T2-1-NSN	TRFR_STAT_CNT_1576	377
TRFR-OAC-FYD-T2-4-NSN	TRFR_STAT_CNT_1577	377
TRFR-OAC-FYD-T2-NSN	TRFR_STAT_CNT_6749	424
TRFR-OAC-FYD-T4-1-NSN	TRFR_STAT_CNT_1578	377
TRFR-OAC-FYD-T4-2-NSN	TRFR_STAT_CNT_1579	377
TRFR-OAC-FYD-T4-NSN	TRFR_STAT_CNT_6751	424
TRFR-OAC-T1-2-NSN	TRFR_STAT_CNT_1567	664
		676
		677
TRFR-OAC-T1-4-NSN	TRFR_STAT_CNT_1568	664
		676
		677
TRFR-OAC-T2-1-NSN	TRFR_STAT_CNT_1569	664
		676
		677
TRFR-OAC-T2-4-NSN	TRFR_STAT_CNT_1570	664
		676
		677
TRFR-OAC-T4-1-NSN	TRFR_STAT_CNT_1571	664
		676
		677
TRFR-OAC-T4-2-NSN	TRFR_STAT_CNT_1572	664
		676
		677
TRFR-ODP-CUR-T1-NSN	TRFR_STAT_CNT_6755	067
TRFR-ODP-CUR-T2-NSN	TRFR_STAT_CNT_6754	067
TRFR-ODP-CUR-T4-NSN	TRFR_STAT_CNT_6756	067
TRFR-ODP-FYD-T1-2-NSN	TRFR_STAT_CNT_1581	377
TRFR-ODP-FYD-T1-4-NSN	TRFR_STAT_CNT_1582	377
TRFR-ODP-FYD-T1-NSN	TRFR_STAT_CNT_6760	424
TRFR-ODP-FYD-T2-1-NSN	TRFR_STAT_CNT_1583	377
TRFR-ODP-FYD-T2-4-NSN	TRFR_STAT_CNT_1584	377
TRFR-ODP-FYD-T2-NSN	TRFR_STAT_CNT_6759	424
TRFR-ODP-FYD-T4-1-NSN	TRFR_STAT_CNT_1585	377
TRFR-ODP-FYD-T4-2-NSN	TRFR_STAT_CNT_1586	377
TRFR-ODP-FYD-T4-NSN	TRFR_STAT_CNT_6761	424
TRFR-ODP-T1-2-NSN	TRFR_STAT_CNT_6778	664
		676
		677
TRFR-ODP-T1-4-NSN	TRFR_STAT_CNT_1561	664
		676
		677
TRFR-ODP-T2-1-NSN	TRFR_STAT_CNT_1562	664
		676
		677
TRFR-ODP-T2-4-NSN	TRFR_STAT_CNT_1563	664
		676
		677
TRFR-ODP-T4-1-NSN	TRFR_STAT_CNT_1564	664
		676
		677
TRFR-ODP-T4-2-NSN	TRFR_STAT_CNT_1565	664
		676
		677
TRFR-SAC-CUR-T1-NSN	TRFR_STAT_CNT_2452	668
TRFR-SAC-CUR-T2-NSN	TRFR_STAT_CNT_2451	668
TRFR-SAC-CUR-T4-NSN	TRFR_STAT_CNT_2453	668
TRFR-SAC-FYD-T1-2-NSN	TRFR_STAT_CNT_2466	670

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
TRFR-SAC-FYD-T1-4-NSN	TRFR_STAT_CNT_2467	670
TRFR-SAC-FYD-T1-NSN	TRFR_STAT_CNT_2456	068
TRFR-SAC-FYD-T2-1-NSN	TRFR_STAT_CNT_2468	670
TRFR-SAC-FYD-T2-4-NSN	TRFR_STAT_CNT_2469	670
TRFR-SAC-FYD-T2-NSN	TRFR_STAT_CNT_2455	068
TRFR-SAC-FYD-T4-1-NSN	TRFR_STAT_CNT_2470	670
TRFR-SAC-FYD-T4-2-NSN	TRFR_STAT_CNT_2741	670
TRFR-SAC-FYD-T4-NSN	TRFR_STAT_CNT_2457	068
TRFR-SAC-T1-2-NSN	TRFR_STAT_CNT_9662	672
		673
		680
		681
TRFR-SAC-T1-4-NSN	TRFR_STAT_CNT_9663	672
		673
		680
		681
TRFR-SAC-T2-1-NSN	TRFR_STAT_CNT_2147	672
		673
		680
		681
TRFR-SAC-T2-4-NSN	TRFR_STAT_CNT_2146	672
		673
		680
		681
TRFR-SAC-T4-1-NSN	TRFR_STAT_CNT_9664	672
		673
		680
		681
TRFR-SAC-T4-2-NSN	TRFR_STAT_CNT_9665	672
		673
		680
		681
TRFR-SDP-CUR-T1-NSN	TRFR_STAT_CNT_2460	668
TRFR-SDP-CUR-T2-NSN	TRFR_STAT_CNT_2459	668
TRFR-SDP-CUR-T4-NSN	TRFR_STAT_CNT_9640	668
TRFR-SDP-FYD-T1-2-NSN	TRFR_STAT_CNT_2743	670
TRFR-SDP-FYD-T1-4-NSN	TRFR_STAT_CNT_2474	670
TRFR-SDP-FYD-T1-NSN	TRFR_STAT_CNT_9644	068
TRFR-SDP-FYD-T2-1-NSN	TRFR_STAT_CNT_2475	670
TRFR-SDP-FYD-T2-4-NSN	TRFR_STAT_CNT_2476	670
TRFR-SDP-FYD-T2-NSN	TRFR_STAT_CNT_9643	068
TRFR-SDP-FYD-T4-1-NSN	TRFR_STAT_CNT_2477	670
TRFR-SDP-FYD-T4-2-NSN	TRFR_STAT_CNT_2478	670
TRFR-SDP-FYD-T4-NSN	TRFR_STAT_CNT_9645	068
TRFR-SDP-T1-2-NSN	TRFR_STAT_CNT_2461	672
		673
		680
		681
TRFR-SDP-T1-4-NSN	TRFR_STAT_CNT_2462	672
		673
		680
		681
TRFR-SDP-T2-1-NSN	TRFR_STAT_CNT_2463	672
		673
		680
		681
TRFR-SDP-T2-4-NSN	TRFR_STAT_CNT_9667	672
		673
		680
		681
TRFR-SDP-T4-1-NSN	TRFR_STAT_CNT_9668	672
		673
		680
		681
TRFR-SDP-T4-2-NSN	TRFR_STAT_CNT_2464	672
		673
		680
		681
TTL-DLN-PRDCT-PER-ADRS	TOT_PRD_ADRS_0978	146
TXT-TAB-HDR-IND	TX_TB_HDR_IND_3453	736
TYP-CGO-CD	TYPE_CGO_CD_9260	016
		311
		523
TYP-CGO-CD-EXPLN	TYP_CGO_EXP_5224	311
TYP-FINCL-MGMT-CTL-CD	TYP_FIN_MGT_0729	308
TYP-FINCL-MGT-CTL-CD-EXP	TYP_FIN_MGT_X_5218	308
TYP-II-1	TYP_II_1_3490	830
TYP-II-2	TYPE_II_2_3486	830
TYP-II-K	TYP_II_K_3491	830
TYP-II-L	TYP_II_L_3492	830
TYP-II-M	TYP_II_M_3488	830
TYP-II-N	TYP_II_N_3489	830
TYP-LST-ACT	TYP_LST_ACT_0044	090
		710
		732
TYP-MATCH	TYP_MATCH_3103	230
TYP-MBLZTN-RSV-RQT-CD-EX	TYP_MBL_RSV_X_5215	246
TYP-MOBLZTN-RSRV-RQMT-CD	TYP_MBL_RSV_0723	246
TYP-OF-BUS-CD	TYP_BUS_CD_1366	082
		703
TYP-OF-BUS-DEF	TYP_BUS_DEF_3369	703
TYP-OF-II-CD	TYP_II_4820	010
		309
		509

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		782
TYP-OF-II-CD-EXPLN	TYP_II_CD_EXP_5117	309
TYP-OF-II-CD-TYP	TYP_II_CD_TYP_5116	278
		309
TYP-OF-OE-CD-EXPLN	TYP_OE_CD_EXP_3171	265
TYP-OF-SP-PRCSG-IND-CD	TYP_SP_PRC_0568	006
		310
		505
TYP-OF-SP-PRCSG-IND-CD-E	TYP_SP_PRC_E_3178	310
TYP-PREC-MTL	TYP_PREC_MTL_5263	272
TYPE-CAGE-NSCM-AFFL-CD	TYP_CAGE_AFFL_0250	082
		700
TYPE-CAGE-NSCM-AFFL-CD-DEF	CAGE_AFFL_DEF_3366	700
TYPE-OF-STAT	TYPE_OF_STAT_0907	026
		062
		140
		141
		448
		879
		913
		993
TYPE-OF-TRNS	TYPE_OF_TRNS_9441	602
		608
		774
		776
		871
UFC-CD-MODF	UFC_CD_MODF_3040	016
		035
		090
		149
		416
		423
		503
		523
UI	UI_3050	006
		312
		505
UI-CONV-FAC	UI_CONV_FAC_3053	006
		505
		813
UI-DEF	UI_DEF_5243	312
UI-NOTE	UI_NOTE_3497	837
UI-TRM	UI_TRM_5242	312
UNDEFINED-SEG	UNDEF_SEGMENT_9442	481
UNIT-CTNR-CD	UNIT_CTNR_CD_5166	346
		928
UNIT-CTNR-LVL-CD	UNIT_CTNR_LVL_5168	346

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		928
UNIT-MEAS-CD	UNIT_MEAS_CD_0107	007
		276
		506
UNIT-MEAS-DES	UNIT_MEAS_DES_4411	117
UNIT-MEAS-TRM	UNIT_MEAS_TRM_2347	276
UNMATCHED-RNCC	UNMTCH_RNCC_3132	287
UNPKG-ITM-DIM	UNPKG_ITM_DIM_5158	346
		928
UNPKG-ITM-WT	UNPKG_ITM_WT_5157	346
		928
UP-CU	UP_CU_5155	346
		928
UP-QTY	UP_QTY_5321	346
		928
		946
UP-QTY-EXPL	UP_QTY_EXPL_3464	946
UP-SZ	UP_SZ_5154	346
		928
UP-WT	UP_WT_5153	346
		928
UPDT-CNT	UPDT_CNT_9457	879
		993
UPDT-RTN-CD	UPDT_RTN_CD_9456	879
		993
USI-SVC-CD	USI_SVC_CD_0745	006
		007
		313
		505
		506
		883
USI-SVC-CD-EXPLN	USI_SVC_CD_X_3147	313
USR-ACCS-LVL	USR_ACCS_LVL_1381	954
USR-ACCS-LVL-SUBSYS-CD	USR_ACCS_SUB_3381	954
USR-CD	USR_CD_1101	001
		073
		081
		082
		092
		102
		140
		141
		324
		340
		355
		365
		366

CHAPTER 3
DATA DICTIONARY
-----USAGE-----
HOST/COBOL NAME TO GROUP TABLE NO.

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
		368
		375
		381
		489
		491
		492
		513
		515
		518
		554
		579
		597
		599
		603
		710
		725
		850
		919
		920
		921
		923
		925
		950
		951
		952
		954
VALID-HX-DIC	VALID_HX_DIC_9443	383
VALID-LFU-DIC	VALID_LFU_DIC_9444	383

HOST/COBOL NAME	DB2 ELEMENT NAME	GRP TBL NO.
VALID-POSIT	VALID_POSIT_9771	853
VLD-REF-MAY-HV-NOTE-IND	VLD_REF_MAY_3112	278
		289
VLD-REF-MST-HV-NOTE-IND	VLD_REF_MST_3108	278
VND-RGSTR-RNWL-DT	RGSTR_RNWL_DT_3373	222
WIDTH-INCH	WIDTH_INCH_3226	379
WMN-OWND-BUS-CD	WMN_OWND_BUS_1367	082
WPN-SYS-ESNTL-CD	WPN_SYS_ESNTL_3885	847
WPN-SYS-ID	WPN_SYS_ID_3881	846
		847
WPN-SYS-IND-CD	WPN_SYS_IND_3883	847
WPN-SYS-NM	WPN_SYS_NM_3887	846
WPN-SYS-SVC-CD	WPN_SYS_SVC_3882	846
		847
WRAP-MAT-CD	WRAP_MAT_CD_5163	346
		928
WRKLD-CNT	WRKLD_CNT_1026	109
WRKLD-LOCK-OT-CD	WRKLD_LOCK_OT_2024	109
WTR-CMDTY-CD	WTR_CMDTY_CD_9275	016
		523
ZIP-ADD-ON-CD	ZIP_ADD_ON_4398	002
ZIP-CD	ZIP_CD_4400	002
		139
		145
		834
ZIP-CD-ROW	ZIP_CD_ROW_3219	379
ZIP-CD-SEQ	ZIP_CD_SEQ_3216	379
ZIP-PLUS-FOUR-CD	ZIP_PLUS_FOUR_4399	355

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

0010 ORGN-IDEN-CLRTXT-LI-SEG ORG_ID_TXT_SG_0010 DLSC-SBB V VARCHAR 1096

ORGANIZATIONAL IDENTIFICATION IN THE CLEAR TEXT LINE SEGM

VARIABLE LENGTH MISCELLANEOUS CAGE (COMMERCIAL AND GOVERNMENT ENTITY) CLEAR TEXT DATA WHICH CAN NOT BE RECORDED IN ANY OTHER CAGE RELATED DATA ELEMENT. INFORMATION MAY CONSIST OF RELATED CAGE TECHNICIAN NOTATIONS. CODING EXPLANATIONS, OR ADDITIONAL PERTINENT INFORMATION DESCRIBING THE CAGE ENTITY.

0011 OE-LI-SEG-NBR-EXPLN OE_LI_SEG_EXP_0011 DLSC-SC F VARCHAR 140

ORGANIZATIONAL ENTITY LINE SEGMENT NUMBER EXPLANATION

A SINGLE LINE OF VARIABLE LENGTH DATA, MAXIMUM OF 36S POSITIONS, CONSTITUTING IN THE CLEAR ORGANIZATIONAL IDENTIFICATION INFORMATION. A SEGMENT MAY CONSIST OF RELATED NOTATIONS SUCH AS, USE APPLICABLE FACILITY CODE, AND OTHER CLEAR TEXT INFORMATION PERTINENT TO A PARTICULAR COMMERCIAL AND GOVERNMENT ENTITY. THIS DRN WILL APPLY TO LINES 23-59 AND ANY PART THEREOF. AN EXPLANATION OF A CODE THAT IDENTIFIES THE TYPE OF LINE SEGMENT, IN THE CLEAR TEXT, COMPRISING AN ORGANIZATIONAL ENTITY RECORD. NUMERIC RANGE 01-59.

0041 EXTD-FRT-DESC EXTD_FRT_DESC_0041 DLSC-SB V VARCHAR 250

EXTENDED FREIGHT DESCRIPTION

A BROAD STANDARDIZED DESCRIPTION CONSISTING OF 250 POSITIONS USED TO GROUP LIKE ITEMS FOR THE PURPOSE OF ASSESSING CLASS AND COMMODITY RATES. SEE VOLUME 16 AND LOLA USERS INFORMATION ON-LINE.

0043 DATE-LST-CHG DATE_LST_CHG_0043 DLSC-SB F INTEGER 7

DATE LAST CHANGE

THIS DATE REFLECTS THE DATE OF THE LAST CHANGE. STORED FIELD ALLOWS FOR THE CENTURY IN THE FORM CCYYDDD AND MAY BE IGNORED FOR INPUT/OUTPUT. SEE VOLUME 16 AND LOLA USER INFO ON-LINE.

0044 TYP-LST-ACT TYP_LST_ACT_0044 DLSC-SB F CHAR 1

TYPE LAST ACTION

THIS CODE REFLECTS THE LAST ACTION TO THE FILE. THE VALID VALUES ARE C = CHANGE, A = ADD, R = REPLACE.

0045 IN-THE-CLR-ADRS DLSC-SBB F 360

IN THE CLEAR ADDRESS

THE IN THE CLEAR ADDRESS DATA FOR EACH ORGANIZATIONAL ENTITY, CONSISTING OF THE ADDRESS LINE ENTRIES, 01 THROUGH 10, ENCOMPASSING THE NAME, STREET ADDRESS, POST OFFICE BOX NUMBER, CITY, STATE, AND/OR COUNTRY AND IS UTILIZED FOR APPLICABLE OUTPUT PURPOSES. SEE VOLUME 10, TABLE 89 AND QUICK INFO ON-LINE.

0046 COMN-VAL-CDS DLSC-VO F 10

COMMON VALUE CODES

THE DATA CODES WITHIN THE MASTER REQUIREMENT CODE THAT ARE USED TO IDENTIFY THE CITED COMMON GROUP.

0074 FAB-CAGE-NSCM-CD DLSC-SBB F 5

FABRICATED CAGE/NSCM CODE

A CODE ASSIGNED BY THE PROGRAM MANAGER TO AN ENTITY THAT DOES NOT QUALIFY FOR THE ASSIGNMENT OF A COMMERCIAL AND GOVERNMENT ENTITY (CAGE) CODE OR NATO SUPPLY CODE FOR MANUFACTURERS (NSCM). THE NAME/ADDRESS IS RECORDED IN THE CAGE MASTER WITH A NOTATION WHICH INDICATES THE PROPER CAGE CODE OR NSCM TO BE USED FOR CATALOGING OR MILSCAP PURPOSES.

0076 NIMSC NIMSC_0076 DLSC-SBA F CHAR 1

NONCONSUMABLE ITEM MATERIAL SUPPORT CODE

A CODE DESIGNATING THE DEGREE OF SUPPORT RECEIVED BY AN INDIVIDUAL SECONDARY INVENTORY CONTROL ACTIVITY OR TO IDENTIFY THE SERVICE(S) PERFORMING DEPOT MAINTENANCE FOR A LEAD SERVICE (PRIMARY INVENTORY CONTROL ACTIVITY). SEE VOLUME 10, TABLE 107, AND QUICK INFO ON-LINE.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

0078 DT-MOE-RULE-NBR-WTHDW — DLSC-SB — F INTEGER 5

DATE, MAJOR ORGANIZATIONAL ENTITY RULE NUMBER WITHDRAWN

THE YEAR AND JULIAN DAY THAT A MAJOR ORGANIZATIONAL ENTITY /MOE/ RULE NUMBER WAS WITHDRAWN FROM AN ITEM, E.G. 72100.

0090 SUBJ-TO-WIMM — SUBJ_TO_WIMM_0090 — DLSC-SB — F CHAR 1

SUBJECT TO WEAPONS INTEGRATED MATERIEL MANAGEMENT

AN ALPHA W OR "BLANK" THAT SPECIFIES WHETHER OR NOT AN ASSIGNED FEDERAL SUPPLY CLASS IS SUBJECT TO WEAPONS INTEGRATED MATERIEL MANAGEMENT (WIMM).

0091 DT-EFF-MOE-RULE-TBL-ACTN — DLSC-SB — F 5

DATE EFFECTIVE MAJOR ORGANIZATIONAL ENTITY RULE TBL ACTIO

THE YEAR AND JULIAN DATE A MAJOR ORGANIZATIONAL ENTITY RULE TABLE FILE MAINTENANCE ACTION BECOMES EFFECTIVE. SEE VOLUME 13 AND QUICK INFO ON-LINE.

0092 DT-EFF-STD-FSC-TBL-ENTRY — DLSC-SB — F 5

DATE, EFFECTIVE, STANDARD, FEDERAL SUPPLY CLASS TABLE ENT

THE YEAR AND JULIAN DAY DENOTING THE EFFECTIVE DATE FOR A DATA ENTRY RECORDED IN THE STANDARD FEDERAL SUPPLY CLASS TABLE.

0093 PUB-INTRO-ID-CD — DLSC-SB — F 9

PUBLICATION INTRODUCTION IDENTIFIER CODE

A CODE THAT IDENTIFIES THE INTRODUCTIONS TO BE USED IN VARIOUS DLSC- PRODUCED PUBLICATIONS, E.G., 40801101 IDENTIFIES THE INTRODUCTION TO BE PRINTED IN THE FIRST FRAME OF THE FIRST SECTION OF THE FIRST MICROFICHE CARD FOR CATALOGING HANDBOOK H4-1 BASIC EDITION.

0094 INDX-ENTRY — DLSC-SBB — V 1762

INDEX ENTRY

NAMES OF ITEMS OF PERSONAL PROPERTY NOT CURRENTLY LISTED IN THE FEDERAL ITEM NAME DIRECTORY FOR SUPPLY CATALOGING, INCLUDING STANDARDIZED NAMES, PART NAMES, NAMES OF COMMODITIES NOT CARRIED AS ITEMS OF SUPPLY IN THE FEDERAL GOVERNMENT, AND NAMES ENTERED IN STRAIGHTFORWARD SEQUENCE.

0095 CONF-NOTI-CD — CONF_NOTI_CD_0095 — DLSC-SBA — F CHAR 2

CONFLICT NOTIFICATION CODE

A CODE WHICH IS USED TO IDENTIFY A SPECIFIC CONFLICT CONDITION RECORDED AGAINST AND ASSOCIATED WITH AN APPROVED FILE MAINTENANCE ACTION. SEE VOLUME 10, TABLE 109 AND QUICK INFO ON-LINE.

0096 FMR-NMFC-CD — FMR_NMFC_0096 — DLSC-SB — F CHAR 6

FORMER NATIONAL MOTOR FREIGHT CLASSIFICATION CODE

THE FORMER NATIONAL MOTOR FREIGHT CLASSIFICATION CODE PREVIOUSLY RECORDED WHICH HAS BEEN DELETED IN ITS ENTIRETY OR HAS BEEN REPLACED WITH A NEW CLASSIFICATION CODE.

0097 FMR-UFC-CD — FMR_UFC_0097 — DLSC-SBA — F CHAR 5

FORMER UNIFORM FREIGHT CLASSIFICATION CODE

THE FORMER UNIFORM CLASSIFICATION CODE PREVIOUSLY RECORDED BUT WHICH HAS EITHER BEEN DELETED IN ITS ENTIRETY OR HAS BEEN REPLACED WITH A NEW CLASSIFICATION CODE.

0099 CRD-IDEN-CD-IMC — CRD_ID_CD_IMC_0099 — DLSC-SBA — F CHAR 1

CARD IDENTIFICATION CODE (CIC), ITEM MANAGEMENT CODING

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A CODE WHICH DELINEATES THE SPECIFIC TYPE OF ITEM MANAGEMENT CODING ACTION INVOLVED. THE REFERENCE TO CARD IN THE TITLE REFERS TO THE IMC DATA RECORD ITSELF AND NOT TO THE INPUT FORMAT (CARD/WIRE). SEE VOLUME 10, TABLE 137 AND QUICK INFO ON-LINE.

0103 APPLB-KEY-CD-FIIG APPLB_KEY_CD_0103 DLSC-SC F CHAR 3

APPLICABILITY KEY CODE, FEDERAL ITEM IDENTIFICATION GUIDE

A CODE THAT INDICATES WHETHER A REQUIREMENT IN A FEDERAL ITEM IDENTIFICATION GUIDE /FIIG/ NEED BE SATISFIED FOR THE ITEM BEING IDENTIFIED.

0106 QTY-PER-ASBLY QTY_PER_ASBL_0106 DLSC-SB F INTEGER 3

QUANTITY PER ASSEMBLY

A THREE POSITION NUMERIC CODE INDICATING THE NUMBER OF ITEMS IDENTIFIED BY A RELATED NATIONAL STOCK NUMBER, REQUIRED IN AN ASSEMBLY.

0107 UNIT-MEAS-CD UNIT_MEAS_CD_0107 DLSC-SBA F CHAR 2

UNIT MEASURE CODE

A TWO POSITION ALPHA CODE INDICATING A RECOGNIZABLE PHYSICAL MEASUREMENT/LENGTH, VOLUME, WEIGHT/ A COUNT OF ITEM SUCH AS, FOOT, GALLON, POUND, EACH, DOZEN, GROSS, FOR THE RELATED NATIONAL STOCK NUMBER. SEE VOLUME 10, TABLE 81 AND QUICK INFO ON-LINE.

0111 SR-1-SPEC-STD-CTL-DATA DLSC-SCA V 110

STANDARD REQUIREMENT-1 SPECIFICATION/STANDARD CONTROL DAT

THIS DATA ELEMENT IS USED TO PRINT THE CLEAR TEXT STANDARD REQUIREMENT 1 DATA ON THE DD FORM 146 OUTPUT. THE SR-1 DATA IS EXTRACTED FROM THE TOTAL ITEM RECORD BASED ON THE REFERENCE NUMBER CATEGORY CODES 1, 2, 4 AND 7. THIS DATA GROUP INCLUDES DATA RECORD NUMBERS 9250 AND 3570 PLUS THE CLEAR TEXT TO BE PRINTED ON THE BASIS OF THE RNCC FOR THE EXTRACTED REFERENCE NUMBER.

0112 SR-5-MFRS-DATA DLSC-SBA V 110

STANDARD REQUIREMENT-5 THE MANUFACTURERS DATA

THIS DATA ELEMENT IS USED TO PRINT THE CLEAR TEXT STANDARD REQUIREMENT 5 DATA ON THE DD FORM 146 OUTPUT. THE SR-5 DATA IS EXTRACTED FROM THE TOTAL ITEM RECORD BASED ON THE REFERENCE NUMBER CATEGORY CODE 3 FOR ITEM IDENTIFICATION TYPES 1A, 1B, 4A AND 4B. THIS DATA GROUP INCLUDES DATA RECORD NUMBERS 9250 AND 3570 PLUS THE CLEAR TEXT TO BE PRINTED WITH THE EXTRACTED REFERENCE NUMBER.

0113 MRC-CLRTXT-RPLY-FLD MRC_CLR_TXT_R_0113 DLSC-SBA V VARCHAR 999

MASTER REQUIREMENT CODE CLEAR TEXT REPLY FIELD

THIS DATA ELEMENT CONSISTS OF THE ENTIRE MASTER REQUIREMENT CODE REPLY FIELD IN CLEAR TEXT. IF REPLY CODE/S/ ARE INCLUDED IN THE CHARACTERISTICS DATA GROUP, THE DECODED REPLY STATEMENT /DRN 3864/ IS INCLUDED IN THIS REPLY FIELD. THE CONTENT OF THE DATA IS IN THE FORMAT FOR PRINTING IN THE DD FORM 146 DESCRIPTION AS DESIGNATED IN THE REPLY FIELD DISPLAY CRITERIA DD FORM 146 /DRN 8327/.

0114 MILSTICCS-RPLY-FLD DLSC-SCA V 9999

MILSTICCS REPLY FIELD

A VARIABLE DATA FIELD WHICH IS A MILSTICCS CODED REPLY OR PART OF THE REPLY TO A PRIMARY ADDRESS CODE REQUIREMENT STATEMENT. IT MAY INCLUDE REPLY CODE(S) OR CLEAR TEXT OR A COMBINATION OF BOTH. WHEN OUTPUT IN A DETAIL LISTING INVOLVING SECONDARY ADDRESS CODING, THE MILSTICCS REPLY FIELD WILL INCLUDE SAC, MODE CODE AND REPLY FIELD. WHEN OUTPUT IN A DETAIL LISTING INVOLVING AND/OR CODING, THE MILSTICCS REPLY FIELD WILL INCLUDE THE MODE CODE, REPLY FIELD, AND/OR SYMBOL(S) AND A REPORT OF THE MODE CODE AND REPLY FIELD.

0115 SAC-CDNG-IND SAC_CDNG_IND_0115 DLSC-SC F CHAR 1

SECONDARY ADDRESS CODING OR AND/OR CODING INDICATOR

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A CODE REFLECTED IN THE FORMAT EDIT GUIDE CRITERIA INDICATING THE USE OF SECONDARY ADDRESS CODING, "AND" CODING, AND "OR" CODING THAT APPLIES TO AN MRC. VALID VALUES ARE R = OR, A = AND, $ = AND/OR, C = SECONDARY ADDRESS CODING, N = NONE, T = SECONDARY ADDRESS CODING AND "AND/OR" CODING, W = SECONDARY ADDRESS CODING AND "AND" CODING, Z = SECONDARY ADDRESS CODING AND "OR" CODING.

0116 QTY-OCCRS — DLSC-SCA — F — 7

QUANTITY OF OCCURRENCES

A QUANTITATIVE COUNT OF THE TOTAL TIMES A SPECIFIC DATA ELEMENT OCCURS, SUCH AS A PRIMARY ADDRESS CODE, OR MASTER REQUIREMENT CODE WITH A SPECIFIC MODE CODE AND CODED REPLY FIELD.

0121 SP-MAT-CONT-CD — SP_MAT_CONT_0121 — DLSC-SBA — F — CHAR — 1

SPECIAL MATERIAL CONTENT CODE

A CODE THAT INDICATES AN ITEM REPRESENTS OR CONTAINS PECULIAR MATERIAL REQUIRING SPECIAL TREATMENT, PRECAUTIONS OR MANAGEMENT CONTROL OF THE ITEM. SEE VOLUME 10, TABLE 102 AND QUICK INFO ON-LINE.

0122 FSC-MOE-RULE-CHNG-IND — FSC_M_RL_C_IN_0122 — DLSC-SBA — F — CHAR — 1

FEDERAL SUPPLY CLASS/MOE RULE INDICATOR CODE

A CODE WHICH IS COMPUTER GENERATED AS THE RESULT OF AN INPUT TRANSACTION CHANGING ANY PORTION OF A FEDERAL SUPPLY CLASS/MAJOR ORGANIZATIONAL ENTITY/MOE/RULE RECORD. VALID VALUES ARE: A-NEW, C-CANCELLED, D-DELETION, R-REVISED, OR BLANK-AUTHORIZED FOR CURRENT LEVEL OF APPLICATION USE.

0126 FMR-REL-NSN — DLSC-SB — F — CHAR — 13

FORMER RELATED NATIONAL STOCK NUMBER

THE RELATED NATIONAL STOCK NUMBER THAT IS RECORDED IN A CATALOG MANAGEMENT DATA RECORD TO BE REPLACED BY ANOTHER NATIONAL STOCK NUMBER THROUGH A CHANGE NOTICE.

0130 FRT-CLAS-CD — DLSC-SBA — F — 12

FREIGHT CLASSIFICATION CODE

A CODE ASSIGNED TO EACH DESCRIPTIVE ITEM IDENTIFICATION, TO BE EXTENDED TO ALL ITEMS, BY THE MILITARY TRAFFIC MANAGEMENT COMMAND, CONSISTING OF THE SIX DIGIT NATIONAL MOTOR FREIGHT CLASSIFICATION (NMFC) CODE, DRN 2850, THE ONE DIGIT NMFC SUB-ITEM NUMBER, DRN 0861, AND THE FIVE DIGIT UNIFORM FREIGHT CLASSIFICATION (UFC) CODE, DRN 3040.

0131 DOC-CTL-NBR-FU — DLSC-SBA — F — CHAR — 18

DOCUMENT CONTROL NUMBER, FOLLOW-UP

USED IN FOLLOW-UP TRANSACTIONS AND THEIR RESULTANT OUTPUTS TO IDENTIFY THE DOCUMENT CONTROL NUMBER OF A PREVIOUSLY SUBMITTED TRANSACTION FOR WHICH NOTIFICATION HAS NOT BEEN RECEIVED BY THE SUBMITTING ACTIVITY AS REQUIRED.

0132 ISS-REP-RQNG-RSTRN-CD — IRRC_NVY_0132 — DLSC-SBA — F — CHAR — 2

ISSUE, REPAIR AND/OR REQUISITIONING RESTRICTION CODE (IRR

A CODE THAT INDICATES RESTRICTIONS ON ISSUING OR INSTRUCTIONS FOR REQUISTIONING, ITEM REPAIR/OVERHAUL, TURN-IN, EXCHANGE OR DISPOSAL. SEE VOLUME 10, TABLE 95 AND QUICK INFO ON-LINE.

0133 PSDO-SOS-CD — PSDO_SOS_CD_0133 — DLSC-SBA — F — CHAR — 3

PSEUDO SOURCE OF SUPPLY CODE

A CODE USED TO REFLECT WHETHER THE SOURCE OF SUPPLY IS EITHER CENTRALIZED OR DECENTRALIZED. THIS CODE IS ALSO USED TO INDICATE TO THE DEFENSE AUTOMATIC ADDRESSING SYSTEMS /DAAS/ THE TYPE OF UPDATE ACTION TO BE TAKEN ON THE SOURCE OF SUPPLY FILE MAINTAINED BY DAAS. SEE VOLUME 10, TABLE 110 AND QUICK INFO ON-LINE.

0134 INACT-SOS-IND-CD — INACT_SOS_IND_0134 — DLSC-SBA — F — CHAR — 1

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

INACTIVE SOURCE OF SUPPLY INDICATOR CODE

A ONE POSITION CODE USED TO DENOTE AN INACTIVE SOURCE OF SUPPLY.

0135 NVY-SP-SOS-CD NVY_SP_SOS_CD_0135 DLSC-SBA F CHAR 2

NAVY SPECIAL SOURCE OF SUPPLY CODE

A TWO POSITION CODE USED FOR ROUTING MILITARY STANDARD REQUISITIONING AND ISSUE PROCEDURES REQUISITIONS. THIS CODE IS USED ONLY BY THE NAVY AND IS APPLIED AGAINST A GEOGRAPHICAL GRID /MATRIX/ BY DEFENSE AUTOMATIC ADDRESSING SYSTEM. SEE VOLUME 10, TABLE 111 AND QUICK INFO ON-LINE.

0137 MAINT-ACTN-CD DLSC-SBA F 2

MAINTENANCE ACTION CODE

A CODE USED BY A MILITARY SERVICE OR A WEAPONS INTEGRATED MATERIAL MANAGER TO IDENTIFY THE SPECIFIC CATALOG MANAGEMENT DATA RECORD BEING ESTABLISHED OR UPDATED. CODE MM INDICATES ACTION TO A WEAPONS INTEGRATED MATERIAL MANAGER RECORD ONLY, MS INDICATES ACTION TO THE WEAPONS INTEGRATED MATERIAL MANAGER AND HIS SERVICE RECORD, AND CODE SS INDICATES ACTION TO SERVICE RECORD ONLY.

0139 DAAS-CRIT-SOS-UPDT DLSC-SBA V 11

DAAS CRITICAL SOURCE OF SUPPLY UPDATE

A GROUP OF DATA ELEMENTS PERTINENT TO AFFECT AN IMMEDIATE SOURCE OF SUPPLY UPDATE TO BE UTILIZED BY THE DEFENSE AUTOMATIC ADDRESSING SYSTEM (DAAS). THE LENGTH OF THE DATA SEGMENT IS 80 CHARACTERS IN CARD FORMAT. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPENDICES OF THE FLIS PROCEDURES MANUAL.

0153 DAAS-SOS-UPDT DLSC-SBA F 80

DEFENSE AUTOMATIC ADDRESSING SYSTEM SOURCE OF SUPPLY UPDA

A GROUP OF DATA ELEMENTS MAKING-UP THE OUTPUT FROM THE FEDERAL LOGISTICS INFORMATION SYSTEM TO THE DEFENSE AUTOMATIC ADDRESSING SYSTEM AS A NOTIFICATION OF A SOURCE OF SUPPLY UPDATE TO BE UTILIZED IN THE ROUTING OF MILITARY STANDARD REQUISITIONING AND ISSUE PROCEDURES (MILSTRIP) REQUISITIONS. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPENDICES OF THE FLIS PROCEDURES MANUAL.

0154 IMC-AD-NOTI-SEG DLSC-SBA V 21

ITEM MANAGEMENT CODING ADVICE NOTIFICATION SEGMENT

A GROUP OF DATA CONSISTING OF HOMOGENEOUS DATA ELEMENTS PERTINENT TO THE ITEM MANAGEMENT CODING (IMC), I.E., IMC CATEGORY CODE IDENTIFICATION, REFERENCE NUMBER CATEGORY CODE, MAJOR ORGANIZATIONAL ENTITY RULE NUMBER. THE LENGTH OF THE DATA SEGMENT IS 80 CHARACTERS IN CARD FORMAT. A DESCRIPTION OF THE DATA IS CONTAINED IN THE APPENDICES OF THE FLIS PROCEDURES MANUAL.

0155 FU-COND-CD FU_COND_CD_0155 DLSC-SBA F CHAR 2

FOLLOW-UP CONDITION CODE

A TWO POSITION CODE GENERATED BY DEFENSE LOGISTICS SERVICES CENTER (DLSC) WHICH IDENTIFIES THE CONDITION THAT DLSC WILL FOLLOW-UP TO SERVICE/AGENCY ACTIVITIES. THIS CODE WILL INDICATE WHAT ACTION IS REQUIRED BY THE RECIPIENT OF THE FOLLOW-UP.

0158 INT-CD-PAC-SUMRY-MODE-CD DLSC-SC F 4

INTERROGATION CODE, PAC SUMMARY BY MODE CODE WITHIN FIIG

A CODE SUBMITTED WITH AN INTERROGATION TRANSACTION TO INDICATE THAT THE SUBMITTER REQUIRES PRIMARY ADDRESS CODE SUMMARY BY MODE CODE WITHIN FEDERAL ITEM IDENTIFICATION GUIDE. THE DATA WILL CONSIST OF DATA RECORD NUMBERS, 4065, 4735, 0116, 3445, 0115, 0114 AND 4080. SEE VOLUME 10, TABLE 28 AND QUICK INFO ON-LINE.

0159 INT-CD-PAC-DTL-MODE-CD-F DLSC-SC F 4

INTERROGATION CODE, PAC DETAIL BY MODE CODE PAC FIIG

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A CODE SUBMITTED WITH AN INTERROGATION TRANSACTION TO INDICATE THAT THE SUBMITTER REQUIRES PRIMARY ADDDRESS CODE DETAIL BY MODE CODE WITHIN FEDERAL ITEM IDENTIFICATION GUIDE. THE DATA CONSISTS OF DATA RECORD NUMBERS 4065, 3445, 4375, 0116, 4080, 3445, 4735, 0114, 4080. SEE VOLUME 10, TABLE 28, AND QUICK INFO ON-LINE.

0161 INT-CD-PAC-WI-INC-WI-FII DLSC-SC F 4

INTERROGATION CODE, PAC W/IN ITEM NAME CODE W/IN FIIG

A CODE SUBMITTED WITH AN INTERROGATION TRANSACTION TO INDICATE THAT THE SUBMITTER REQUIRES PRIMARY ADDRESS CODE DETAIL BY PRIMARY ADDRESS CODE WITHIN ITEM NAME CODE WITHIN FEDERAL ITEM IDENTIFICATION GUIDE. THE OUTPUT DATA WILL CONSIST OF DATA RECORD NUMBERS 4065, 4080, 3445, 0116, 3445,4735, 0114, 3960, 8863 AND 0114. SEE VOLUME 10, TABLE 28 AND QUICK INFO ON-LINE.

0162 INT-CD-PAC-DTL-PAC-WI-FI DLSC-SC F 4

INTERROGATION CODE PAC DETAIL PAC WITHIN FIIG

A CODE SUBMITTED WITH AN INTERROGATION TRANSACTION TO INDICATE THAT THE SUBMITTER REQUIRES THE PRIMARY ADDRESS CODE DETAIL BY PRIMARY ADDRESS CODE WITHIN FEDERAL ITEM IDENTIFICATION GUIDE. THE OUTPUT DATA WILL CONSIST OF DATA RECORD NUMBERS 4065, 3445, 0116, 4080, 3445, 4735, 0114, 4080, 3960, 8863 AND 0114. SEE VOLUME 10, TABLE 28 AND QUICK INFO ON-LINE.

0163 INT-CD-PAC-SUMRY-RPLY-CD DLSC-SC F 4

INTERROGATION CODE, PAC SUM BY REPLY CODE W/IN PAC W/IN F

A CODE SUBMITTED WITH AN INTERROGATION TRANSACTION TO INDICATE THAT THE SUBMITTER REQUIRES PRIMARY ADDRESS CODE SUMMARY BY REPLY CODE WITHIN PRIMARY ADDRESS CODE WITHIN FEDERAL ITEM IDENTIFICATION GUIDE. THE OUTPUT DATA WILL CONSIST OF DATA RECORD NUMBERS 4065, 3445, 0114, 0116, 3445, 4735, 0115, 0114 AND 4080. SEE VOLUME 10, TABLE 28 AND QUICK INFO ON-LINE.

0164 INT-CD-PAC-DTL-RPLY-CD DLSC-SC F 4

INTERROGATION CODE, PAC DETAIL BY REPLY CODE PAC FIIG

A CODE SUBMITTED WITH AN INTERROGATION TRANSACTION TO INDICATE THAT THE SUBMITTER REQUIRES PRIMARY ADDRESS CODE SUMMARY BY REPLY CODE WITHIN PRIMARY ADDRESS CODE WITHIN FEDERAL ITEM IDENTIFICATION GUIDE. THE OUTPUT DATA WILL CONSIST OF DATA RECORD NUMBERS 4065, 3445, 0114, 0116, 4080, 3445, 4735, 0114, 4080, 3960, 8863 AND 0114. SEE VOLUME 10, TABLE 28 AND QUICK INFO ON-LINE.

0166 FU-STAT-CD FU_STAT_CD_0166 DLSC-SBA F CHAR 2

FOLLOW-UP STATUS CODE

USED IN THE RESULTANT OUTPUTS OF FOLLOW-UP INTERROGATIONS TO IDENTIFY THE CURRENT STATUS OF A PREVIOUSLY SUBMITTED TRANSACTION FOR WHICH NOTIFICATION HAD NOT BEEN RECEIVED BY THE SUBMITTING ACTIVITY.

0167 D-MIL-CD DEMIL_CD_0167 DLSC-SBA F CHAR 1

DEMILITARIZATION (DEMIL) CODE

A CODE TO IDENTIFY EACH ITEM REQUIRING DEMILITARIZATION AND THE TYPE OF DEMILITARIZATION REQUIRED. SEE VOLUME 10, TABLE 38 AND QUICK INFO ON-LINE.

0169 INT-CD-PAC-SUMRY-FIIG DLSC-SC F 4

INTERROGATION CODE, PRIMARY ADDRESS CODE SUMMARY BY FIIG

A CODE SUBMITTED WITH AN INTERROGATION TRANSACTION TO INDICATE THAT THE SUBMITTER REQUIRES PRIMARY ADDRESS CODE SUMMARY BY FEDERAL ITEM IDENTIFICATION GUIDE. THE DATA CONSISTS OF DATA RECORD NUMBERS 4065, 0116, 3445,4735, 0115, 0114, AND 4080. SEE VOLUME 10, TABLE 28 AND QUICK INFO ON-LINE.

0170 INT-CD-PAC-SUM-MOE-CD-FI DLSC-SC F 4

INTERROGATION CODE, PAC SUM BY MODE CODE W/IN PAC W/IN FI

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A CODE SUBMITTED WITH AN INTERROGATION TRANSACTION TO INDICATE THAT THE SUBMITTER REQUIRES PRIMARY ADDRESS CODE SUMMARY BY MODE CODE WITHIN PRIMARY ADDRESS CODE WITHIN FEDERAL ITEM IDENTIFICATION GUIDE. THE DATA CONSISTS OF DATA RECORD NUMBERS 4065, 3445, 3735, 0116, 0115, 0114 AND 4080. SEE VOLUME 10, TABLE 28 AND QUICK INFO ON-LINE.

0177 ACTY-CD-SCRNG — ACTY_CD_SCRNG_0177 — DLSC-SBA — F CHAR 2
ACTIVITY CODE, SCREENING
A TWO POSITION CODE OF THE GOVERNMENT ACTIVITY AUTHORIZING THE SUBMITTAL OF PROVISIONING AND OTHER PREPROCUREMENT SCREENING REQUESTS.

0186 STA-US-POSN-ABR — ST_US_POSN_AB_0186 — DLSC-SBB — F CHAR 2
STATE/U.S. POSSESSION ABBREVIATION
A TWO POSITION ALPHA ABBREVIATION DESIGNATED BY THE U.S. POSTAL SERVICE TO IDENTIFY EACH STATE AND U.S. POSSESSION.

0189 SEG-LGTH — SEG_LGTH_0189 — DLSC-E — F CHAR 4
SEGMENT LENGTH
THIS FIELD CONTAINS THE NUMBER OF CHARACTERS IN THE SEGMENT.

0209 REF-NBR-CHAR-CTR — DLSC-SBA — F 2
REFERENCE NUMBER CHARACTER COUNTER
A TWO POSITION COUNTER TO CONTAIN THE VALUE OF THE NUMBER OF CHARACTERS IN THE REFERENCE NUMBER. THE VALUE MAY RANGE FROM 01 TO 32.

0210 ITM-NM-CHAR-CTR — DLSC-SBA — F 2
ITEM NAME CHARACTER COUNTER
A TWO POSITION COUNTER TO CONTAIN THE VALUE OF THE NUMBER OF CHARACTERS IN THE ITEM NAME CODE OR THE ITEM NAME FIELD. THE VALUE MAY RANGE FROM 00 TO 19.

0211 OCRS-CTR-1 — DLSC-SBA — F 1
OCCURS COUNTER/1/
A ONE POSITION COUNTER TO INDICATE THE NUMBER OF OCCURRENCES OF A FIXED GROUP OF DATA. THE VALUE MAY RANGE FROM 1 TO 9.

0212 OCRS-CTR-2 — DLSC-SBA — F 2
OCCURS COUNTER/2/
A TWO POSITION COUNTER TO INDICATE THE NUMBER OF OCCURRENCES OF A FIXED GROUP OF DATA. THE VALUE MAY RANGE FROM ZEROS TO 99.

0213 RQMT-STMT-CHAR-CTR — DLSC-E — F 3
REQUIREMENT STATEMENT CHARACTER CTR
A THREE POSITION COUNTER TO CONTAIN THE VALUE OF THE NUMBER OF CHARACTERS IN A REQUIREMENT STATEMENT (DRN 3614). THE VALUE MAY RANGE FROM ZEROS TO 200.

0214 MRC-CLRTXT-RPLY-CHAR-CTR — DLSC-E — F 3
MASTER REQUIREMENT CODE CLEAR TEXT REPLY CHARACTER COUNTE
A THREE POSITION COUNTER TO CONTAIN THE VALUE OF THE NUMBER OF CHARACTERS IN THE MASTER REQUIREMENT CODE/CLEAR TEXT REPLY DATA. THE VALUE OF THE COUNTER MAY RANGE FROM 000 TO 999.

0216 FMR-PHRS-RL-GP — DLSC-SBA — F 34

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

FORMER PHRASE RELATIONSHIP GROUP

A GROUP OF DATA REQUIRED TO CHANGE A RELATED NATIONAL STOCK NUMBER IN THE TOTAL ITEM RECORD. DATA RECORD NUMBERS INCLUDED IN THE GROUP ARE 2128, 0137 OR 2833, 2862, 2895 AND 0126.

0217 PHRS-RL-GP — DLSC-SBA — F — 21

PHRASE RELATIONSHIP GROUP

A GROUP OF DATA REQUIRED TO AFFECT AN ADD OR DELETE ACTION OF A DATA ELEMENT AND RELATED DATA TO THE TOTAL ITEM RECORD. DATA RECORD NUMBERS INCLUDED IN THE GROUP ARE 2128, 0137 OR 2833, 2862 AND 2895.

0218 UI-CHNG-DATA — DLSC-SBA — F — 26

UNIT OF ISSUE CHANGE DATA

A GROUP OF DATA REQUIRED TO AFFECT AN UNIT OF ISSUE CHANGE IN THE TOTAL ITEM RECORD. DATA RECORD NUMBERS INCLUDED IN THE GROUP ARE 2128, 0137 OR 2833, 3050, 7075, 6106, 3053 AND 8472.

0225 SEG-CD-SUPMTL — SEG_CD_SUPMTL_0225 — DLSC-SBA — F — CHAR — 2

SEGMENT CODE, SUPPLEMENTAL

A CODE WHICH FURTHER QUALIFIES AND EXPANDS A FEDERAL LOGISTICS INFORMATION SYSTEM CODE/DRN 8999/FOR PURPOSES OF IDENTIFYING A SPECIFIC PORTION OF A SYSTEM SUPPORT RECORD FILES SEGMENT. SEE VOLUME 10, TABLE 120 AND QUICK INFO ON-LINE.

0226 RPLM-MOE-RULE-NBR1 — RPLM_M_RL_NBR_0226 — DLSC-SCA — F — CHAR — 4

REPLACEMENT MAJOR ORGANIZATIONAL ENTITY RULE NUMBER - 1

THIS DATA RECORD NUMBER IDENTIFIES THE NEW MAJOR ORGANIZATIONAL ENTITY RULE NUMBER THAT IS A REPLACEMENT FOR A MAJOR ORGANIZATIONAL ENTITY RULE NUMBER ON THE SYSTEM SUPPORT RECORD FILE THAT IS BEING CANCELLED. THIS FIRST OPTIONAL DATA ELEMENT IDENTIFIES THE NEW MAJOR ORGANIZATIONAL ENTITY (MOE) RULE NUMBER WHICH IS TO REPLACE AN EXISTING MOE RULE NUMBER THAT IS TO BE CANCELLED. THIS IS THE FIRST OF ONE TO FIVE REPLACEMENT MOE RULE NUMBERS FOR ANY ONE MOE RULE NUMBER. SEE DATA ELEMENTS RPLM-MOE-RULE-NBR2, RPLM-MOE-RULE-NBR3, ETC. SEE VOLUME 13 AND QUICK INFO ON-LINE.

0227 CRD-IDEN-NBR — DLSC-SBA — F — 2

CARD IDENTIFICATION NUMBER

A CODE USED TO IDENTIFY A SPECIFIC CARD RECORD CONTAINED WITHIN A FILE SEGMENT FOR WHICH AN INPUT MAINTENANCE ACTION APPLIES.

0228 CT-MOE-RULE-MGMT-EXCP — DLSC-SBA — F — CHAR — 800

CATALOG TOOLS MOE RULE MANAGEMENT EXCEPTION SEGMENT

A GROUP OF DATA CONSISTING OF HOMOGENEOUS DATA ELEMENTS PERTINENT TO THE NOTES APPLICABLE TO A GIVEN CATALOG TOOLS MOE RULE MANAGEMENT EXCEPTIONS SEGMENT MAJOR ORGANIZATIONAL ENTITY RULE AND A CARD IDENTIFICATION NUMBER. A DESCRIPTION OF THE DATA IS CONTAINED IN THE APPENDICES OF THE FLIS PROCEDURES.

0232 PRVSNG-SCRNG-RCVR-ADRS — P_SCR_RCV_ADD_0232 — DLSC-SBA — V — VARCHAR — 48

PROVISIONING SCREENING RECEIVER'S ADDRESS

THE RECEIVER'S ADDRESS ENTERED IN THE PSMAT. FOR IN-THE-CLEAR MAILING ADDRESSES, EACH LINE OF THE ADDRESS IS LIMITED TO A MAX OF 48 POSITIONS AND TO 9 LINES PER ADDRESS. FOR WIRE OUTPUT, ADDRESSES WILL BE REFLECTED BY A 2 POSITION ACTIVITY CODE WHICH WILL BE CONVERTED TO THE JANUP 128 RIC BY OUTPUT CONTROL AND BY ALTERNATE RECEIVER'S ADDRESS WHICH WILL BE INDENTED TO THE FOURTH POSITION OF THE RECEIVER'S ADDRESS FIELD. THERE IS A MAX LIMIT OF 24 ADDRESSES PER DISTRIBUTION REQUIREMENT. SEE VOL 10 TABLE 23 AND QUICK INFO ON-LINE.

0233 ADRS-SEQ-CD — ADRS_SEQ_CD_0233 — DLSC-SBA — F — CHAR — 1

ADDRESS SEQUENCE CODE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A CODE USED TO IDENTIFY THE SEQUENCE IN WHICH THE RECEIVERS MAILING ADDRESS DATA WILL BE RECORDED. THIS CODE WILL ALSO BE USED WHEN MAKING FILE CHANGES TO ENSURE THAT THE APPLICABLE ADDRESS RECORD IS ADDRESSED. SEE VOLUME 10, TABLE 23 AND QUICK INFO ON-LINE.

0234 PRT-CTL-CD — DLSC-SCA — F — 1

PRINT CONTROL CODE

A NUMERIC CODE PROVIDED IN SEGMENT M FOR USE BY RECIPIENTS IN FORMATTING CLEAR TEXT CHARACTERISTICS DATA OUTPUT. THE CODE "1" WILL INDICATE THAT DATA IS TO BEGIN PRINTING AT THE LEFT MARGIN OF THE AREA RESERVED FOR THE REQUIREMENT STATEMENT. THE CODE "2" WILL INDICATE THAT DATA IS TO COMMENCE PRINTING AT THE LEFT MARGIN OF THE AREA RESERVED FOR THE REPLY DATA. THE CODE "3" WILL INDICATE THAT DATA IS TO BEGIN PRINTING AT THE NEXT POSITION FOLLOWING THE LAST PRINTED CHARACTER ON THE PRECEDING CARD.

0238 TYP-VAL-CD — DLSC-SBA — F — 1

TYPE OF VALUE CODE

A CODE TO IDENTIFY THE SEGMENT TO WHICH THIS CODE APPLIES. THE VALUE WILL BE "S" FOR SUBMITTED VALUE AND "R" FOR REPLACED VALUE.

0241 CT-ST-FSC-MGMT-MANT-SG — DLSC-SBA — F — CHAR — 160

CATALOG TOOLS STANDARD FSC MANAGEMENT MAINTENANCE SEGMENT

A GROUP OF CONTROL DATA ELEMENTS AND HOMOGENEOUS DATA ELEMENTS PERTINENT TO THE ADDING, DELETING, AND CHANGING OF CATALOG TOOLS STANDARD FSC MANAGEMENT MAINTENANCE SEGMENT STANDARD FEDERAL SUPPLY CLASSIFICATION MANAGEMENT MAINTENANCE (ACTIONS) DATA. A DESCRIPTION OF THE DATA IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

0242 SSR-OP-SEG — DLSC-SBA — F — 80

SYSTEM SUPPORT RECORD OUTPUT SEGMENT

A DUAL-PURPOSE GROUP OF DATA ELEMENTS CONSISTING OF THE DATA REQUIRED TO RETURN SUPPLEMENTAL SEGMENTS & DATA ELEMENTS WITHOUT VALUE AND/OR, IN AN ABBREVIATED FORM, WILL BE USED AS AN OUTPUT HEADER FOR OTHER TYPES OF SYSTEM SUPPORT RECORD (SSR) OUTPUT. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPENDICES OF THE DLIS PROCEDURES MANUAL.

0244 OE-FILE-MAINT-TRAN-CD — DLSC-SBB — F — 3

ORGANIZATIONAL ENTITY FILE MAINTENANCE TRANSACTION CODE

A CODE WHICH IS COMPUTER APPLIED TO EACH INDIVIDUAL ORGANIZATIONAL ENTITY (O.E.) RECORD FURNISHED TO RECIPIENT ACTIVITIES/AGENCIES. THE CODE DESIGNATES THE ACTION TO BE AFFECTED ON THE RECIPIENT FILE. I.E., 001-TOTAL DELETE, 002-DELETE ERRONEOUS CODE, 003-TOTAL ADD AND/OR CHANGE.

0246 OE-ML-ROUT-DATA-SEG — DLSC-SBB — F — 80

ORGANIZATIONAL ENTITY MAIL ROUTING DATA SEGMENT

A GROUP OF DATA ELEMENTS CONSISTING OF THE ORGANIZATIONAL ENTITY LINE SEGMENT NUMBER 10, ZIP CODE, CONTRACT ADMINISTRATION OFFICE (CAO), AUTOMATIC DATA PROCESSING (ADP) POINT CODE, ADP EXCEPTION CODE AND CERTAIN DATA ELEMENTS REQUIRED FOR INTERNAL PROCESSING. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPENDICES OF THE FLIS PROCEDURE MANUAL AND IN THE INTERNAL STANDARD OPERATING PROCEDURE (FOR THOSE DATA ELEMENTS NOT APPLICABLE TO EXTERNAL INPUT).

0247 OE-FILE-MAINT-SEQ-CD — DLSC-SBB — F — 2

ORGANIZATIONAL ENTITY FILE MAINTENANCE SEQUENCE CODE

A CODE USED TO SEQUENCE ORGANIZATIONAL ENTITY (OE) OUTPUT FILE MAINTENANCE RECORDS FURNISHED TO RECIPIENT ACTIVITIES/AGENCIES. CODE EA WILL BE REFLECTED IN A ONE 80-COLUMN RECORD. CODE CA, CB, ETC., WILL BE REFLECTED IN MULTIPLE 80-COLUMN RECORDS. THE SEQUENCE CODE FOR THE LAST LINE RECORD OF AN O.E. RECORD WILL ALWAYS BEGIN WITH AN E.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	FORMAT FV	FORMAT TYPE	FORMAT LG
CLEAR TEXT HOST/COBOL NAME						
DRN DEFINITION						

0248 OE-CLRTXT-DATA-CTR — DLSC-SBB — F — 2

ORGANIZATIONAL ENTITY CLEAR TEXT DATA COUNTER

A TWO POSITION COUNTER TO IDENTIFY THE NUMBER OF CHARACTERS COMPRISING EACH LINE OF ORGANIZATIONAL ENTITY CLEAR TEXT IDENTIFICATION DATA. THE COUNTER IS USED IN CONNECTION WITH O.E. OUTPUT FILE MAINTENANCE DATA FURNISHED TO RECIPIENT ACTIVITIES/AGENCIES. THE VALUE OF THE COUNTER MAY RANGE FROM 01 TO 72.

0249 OE-NM-ADRS-DATA-SEG — DLSC-SBB — V — 1908

ORGANIZATIONAL ENTITY NAME/ADDRESS DATA SEGMENT

A DATA SEGMENT CONSISTING OF THE ORGANIZATIONAL ENTITY (OE) LINE SEGMENT NUMBERS WITH THE CLEAR TEXT DATA TO IDENTIFY AN O.E. THE DATA IS COMPOSED OF THE O.E. NAME, STREET ADDRESS, POST OFFICE BOX NUMBER, CITY, STATE OR COUNTRY, AND OTHER SPECIAL NOTATIONS AS APPLIES TO SPECIFIC O.E.'S. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPENDICES OF THE FLIS PROCEDURES MANUAL.

0250 TYPE-CAGE-NSCM-AFFL-CD — TYP_CAGE_AFFL_0250 — DLSC-SBB — F — CHAR — 1

TYPE OF CAGE/NSCM AFFILIATION CODE

CODE THAT DENOTES THE CORPORATE RELATIONSHIP WITHIN A CORPORATE COMPLEX STRUCTURE. SEE VOLUME 10, TABLE 197 AND QUICK INFO ON-LINE.

0251 OE-FILE-MAINT-DATA-SEG — DLSC-SBB — V — 9999

ORGANIZATIONAL ENTITY FILE MAINTENANCE DATA SEGMENT

A GROUP OF DATA ELEMENTS REQUIRED FOR OUTPUT TO UPDATE FILES OF SELECTED CUSTOMERS WHO HAVE PREVIOUSLY BEEN FURNISHED A BASIC FILE. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPENDICES OF THE FLIS PROCEDURES MANUAL.

0252 SEG-CD-SUPMTL-IP — DLSC-SBB — F — 2

SEGMENT CODE, SUPPLEMENTAL, INPUT

THE SUBMITTED FILE CONTROL SUPPLEMENTAL SEGMENT CODE PERPETUATED FROM INPUT TRANSACTIONS TO RESULTANT OUTPUTS TO IDENTIFY THE TYPE OF SYSTEM SUPPORT RECORD AFFECTED/UPDATED.

0255 FMR-FRT-CL-CD — DLSC-SBA — F — 12

FORMER FREIGHT CLASSIFICATION CODE

A DATA CHAIN CONSISTING OF THE FORMER NATIONAL MOTOR FREIGHT CLASSIFICATION CODE (NMFC), DRN 0096, THE FORMER NMFC SUB-ITEM NUMBER DRN 0862, AND THE FORMER UNIFORM FREIGHT CLASSIFICATION CODE, DRN 0097. IT IS USED IN CHANGES AND DELETIONS TO THE SYSTEM SUPPORT RECORD MASTER FREIGHT TABLE.

0258 CT-INT-OP-SEG — DLSC-SBB — V — VARCHAR — 80

CATALOG TOOLS INTERROGATION OUTPUT SEGMENT

A GROUP OF DATA ELEMENTS USED FOR OUTPUT IN THE CATALOG TOOLS INTERROGATION PROCESS. A DEFINITION OF THE DATA ELEMENTS IS CONTAINED IN THE APPENDICES OF THE FLIS PROCEDURES MANUALS.

0260 PHRS-CD-REL-NSN — DLSC-SBA — F — 14

PHRASE CODE AND RELATED NATIONAL STOCK NUMBER

A DATA CHAIN OF CODES USED IN TRANSMITTING THE PHRASE CODES AND RELATED NATIONAL STOCK NUMBERS INVOLVED IN A UNIT OF ISSUE CHANGE. DATA RECORD NUMBERS 2862 AND 2895 WILL APPEAR IN THIS SEQUENCE IN THE DATA CHAIN.

0261 QTY-CP-REQ — DLSC-SBA — F — 1

QUANTITY OF COPIES REQUIRED

A QUANTITATIVE NUMERIC TOTAL OF COPY(IES) OF MACHINE GENERATED REPORTS (PRINTOUTS) REQUIRED FOR DISTRIBUTION, E.G., FOUR PART PAPER OR AN ALPHA M FOR MICROFICHE.

0262 PAC-SUMRY-DTL-IP-SEG — DLSC-SCA — V — 9999

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

PRIMARY ADDRESS CODE SUMMARY/DETAIL INPUT SEGMENT

A GROUP OF DATA ELEMENTS PERTINENT TO PRIMARY ADDRESS CODE SUMMARY/ DETAIL TRANSACTIONS. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPENDICES OF THE DLIS PROCEDURES MANUAL.

0264 SVC-CD-PRVSNG-SCRNG-DEST SVC_CD_P_SCRN_0264 DLSC-SBA F CHAR 2

SERVICE CODE, PROVISIONING SCREENING DESTINATION TABLE

A TWO POSITION NUMERIC CODE REPRESENTING (BY SERVICE/AGENCY DESIGNATION) THE DEPARTMENT OF DEFENSE COMPONENT OR FEDERAL CIVIL AGENCY WHICH AUTHORIZED THE ESTABLISHMENT OF A PROVISIONING SCREENING DESTINATION TABLE RECORD IN THE PROVISIONING SCREENING RESULTS DESTINATION TABLE. SEE VOLUME 10, TABLE 42 AND QUICK INFO ON-LINE.

0265 MAINT-NBR DLSC-SBA F 4

MAINTENANCE NUMBER

A CODE USED TO IDENTIFY THE SEQUENCE IN WHICH INPUT ACTIONS WILL OCCUR WITHIN A GIVEN DOCUMENT IDENTIFIER CODE PACKAGE OR SEGMENT THEREOF. THIS CODE WILL ALSO GENERATE A COMPUTER COUNT ASSIGNED TO EACH OCCURENCE OF FILE MAINTENANCE ACTION.

0272 PAC-DTL-MODE-CD-W-I-FIIG DLSC-SC F 4

PRIMARY ADDRESS CODE DETAIL BY SPECIFIC MODE CODE W/I FII

A CODE SUBMITTED WITH AN INTERROGATION TRANSACTION TO INDICATE THAT THE SUBMITTER REQUIRES PRIMARY ADDRESS CODE DETAIL BY SPECIFIC MODE CODE WITHIN A FEDERAL ITEM IDENTIFICATION GUIDE. THE DATA CONSISTS OF DATA RECORD NUMBERS 4065, 4080, 4735, 3990, 8863, 4820, 3843, 0114 AND 0273. SEE VOLUME 10, TABLE 28 AND QUICK INFO ON-LINE.

0273 OVAL-QTY-OCCR DLSC-SCA F 9

OVERALL QUANTITY OF OCCURRENCE

A QUANTITATIVE NUMERICAL DESIGNATION WHICH INDICATES THE OVERALL QUANTITY OF OCCURRENCE OF ALL SPECIFIC DATA ELEMENTS.

0296 SP-SOS-IP DLSC-SBA F 19

SPECIAL SOURCE OF SUPPLY INPUT

A GROUP OF INPUT DATA USED BY THE DEFENSE NUCLEAR AGENCY (DNA) FOR MAINTENANCE OF THE DEFENSE AUTOMATIC ADDRESSING SYSTEM (DAAS) SOURCE OF SUPPLY FILE. IT CONSISTS OF DATA RECORD NUMBERS (DRNS) 2128,3960,0133 UP TO FOUR OCCURRENCES, AND 0135 ONLY IF A NAVY SOS IS SUBMITTED. THE FORMAT OF THIS DRN IS AS FOLLOWS: POS 1-5, EFFECTIVE DATE. POS 6-8, IMM SOS/PSPS. POS 9-11, AIR FORCE SOS/PSOS. POS 12-13, ARMY SOS/PSOS. POS 15-17, NAVY SOS/PSOS. POS 18-19, NAVY SPECIAL SOS, DRN 0135.

0297 FUT-CT-MOE-RULE-STAT-CD FUT_M_RL_ST_C_0297 DLSC-SBA F CHAR 1

FUTURE CATALOG TOOLS MOE RULE STATUS CODE

A CODE ENTERED AGAINST A CATALOG TOOLS MAJOR ORGANIZATIONAL ENTITY (MOE) RULE RECORD WHICH REFLECTS THE FORTHCOMING STATUS CODE TO BE ASSIGNED BASED ON A PENDING FUTURE EFFECTIVE DATED CATALOG TOOLS MOE RULE ACTION. SEE VOLUME 10, TABLE 116 AND QUICK INFO ON-LINE.

0300 ZIP-CD-RNG ZIP_CD_RNG_0300 DLSC-SBB F CHAR 10

ZIP CODE RANGE

A RANGE OF ZIP CODES APPLICABLE TO A GIVEN STATE OR U.S. POSSESSION, OR A PORTION THEREOF.

0303 DCOD-TBL-RPLY-LGTH DLSC-VO F 1

DECODE TABLE REPLY LENGTH

A COUNT OF THE NUMBER OF CHARACTERS IN THE DECODE TABLE REPLY DATA.

0304 PRPTN-EDIT-CRITE-STMT PPN_EDIT_STMT_0304 DLSC-SCA V VARCHAR 9999

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

PROPORTION EDIT CRITERIA STATEMENT

THE PROPORTION EDIT CRITERIA STATEMENT SYMBOLOGY APPLIED TO A GIVEN MASTER REQUIREMENTS CODE TO EDIT THE STRUCTURE OF THE MASTER REQUIREMENTS CODED REPLIES.

0305 PRPTN-EDIT-DATA-GP — DLSC-SCA — V — 9999

PROPORTION EDIT DATA GROUP

AN INPUT DATA GROUP USED TO ENTER THE FEDERAL ITEM IDENTIFICATION GUIDE (FIIG) PROPORTION EDIT DATA, APPLICABLE TO A GIVEN FIIG, INTO THE SYSTEM SUPPORT RECORD SECTOR. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPENDICES OF THE DLIS PROCEDURES MANUAL.

0308 DT-ESTB-CANC-RCD-DIDS — DT_ESTB_CANC_0308 — DLSC-SCA — F — INTEGER — 7

DATE ESTABLISHED, CANCELLED RECORD DIDS

A YEAR AND JULIAN DAY USED TO IDENTIFY WHEN A RECORD WAS ESTABLISHED OR CANCELLED IN THE ITEM NAME/FEDERAL SUPPLY CLASS FILES. THE DATE IS USED FOR CONTROL IN PUBLICATION AND MAINTENANCE OF THESE FILES. STORED FIELD ALLOWS FOR THE CENTURY IN THE FORM CCYYDDD AND MAY BE IGNORED FOR INPUT/OUTPUT.

0309 FSC-EXCL-DIRCT-DATA — DLSC-SB — V — 2004

FEDERAL SUPPLY CLASS EXCLUSION DIRECTIVE DATA

A GROUP OF DATA USED BY THE PROGRAM MANAGER TO INPUT FEDERAL SUPPLY CLASS EXCLUSION DIRECTIVE DATA INTO THE SYSTEM SUPPORT RECORD SECTOR. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

0310 APPLB-KEY-CD-DATA — DLSC-SB — V — 2004

APPLICABILITY KEY CODE DATA

A GROUP OF DATA ELEMENTS USED BY THE PROGRAM MANAGER TO INPUT APPLICABILITY KEY INDEXED TO AN APPROVED ITEM NAME INTO THE SYSTEM SUPPORT RECORD. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

0311 INC-AMMO-CD-GNC-DESC-DAT — DLSC-SB — V — 2004

INC/AMMO CODE/GENERIC DESCRIPTION/EFFECTIVE DATE DATA

A GROUP OF DATA ELEMENTS USED BY THE PROGRAM MANAGER TO INPUT GENERIC DESCRIPTION AND RESPECTIVE AMMO CODE IN THE SYSTEM SUPPORT RECORD. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

0312 FSG-TI-DATA — DLSC-SB — V — 2004

FEDERAL SUPPLY GROUP TITLE DATA

A GROUP OF DATA ELEMENTS USED BY THE PROGRAM MANAGER TO INPUT FEDERAL SUPPLY GROUP TITLES INTO THE SYSTEM SUPPORT RECORD. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

0313 FSG-NOTE-DATA — DLSC-SB — V — 2004

FEDERAL SUPPLY GROUP NOTE DATA

A GROUP OF DATA ELEMENTS USED BY THE PROGRAM MANAGER TO INPUT FEDERAL SUPPLY GROUP NOTE INTO THE SYSTEM SUPPORT RECORD. A DESCRIPTION OF DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

0314 FSC-TI-EFF-DT-DATA — DLSC-SB — V — 2004

FEDERAL SUPPLY CLASS/TITLE/EFFECTIVE DATE DATA

A GROUP OF DATA ELEMENTS USED BY THE PROGRAM MANAGER TO INPUT FEDERAL SUPPLY CLASS TITLE INTO THE SYSTEM SUPPORT RECORD. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

0315 FSC-NOTE-DATA — DLSC-SB — V — 2004
FEDERAL SUPPLY CLASS NOTE DATA
A GROUP OF DATA ELEMENTS USED BY THE PROGRAM MANAGER TO INPUT FEDERAL SUPPLY CLASS NOTE DATA INTO THE SYSTEM SUPPORT RECORD. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE OPERATING PROCEDURE.

0317 ABRS-TRMS-DATA — DLSC-SB — V — 2004
ABBREVIATIONS/TERMS DATA
A GROUP OF DATA ELEMENTS USED BY THE PROGRAM MANAGER TO INPUT ABBREVIATIONS/TERMS INTO THE SYSTEM SUPPORT RECORD. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

0319 OLD-FIIG-NBR — DLSC-SC — F — 6
OLD FEDERAL ITEM IDENTIFICATION GUIDE NUMBER
A NUMBER WHICH WAS ORIGINALLY ASSIGNED TO AN ITEM NAME IN THE SYSTEM SUPPORT RECORD WHEN APPLICABLE AND WAS LATER CHANGED TO A DIFFERENT GUIDE NUMBER.

0320 STATUS-CD-NM-FSC — STA_CD_NM_FSC_0320 — DLSC-SC — F — CHAR — 1
STATUS CODE NAME/FEDERAL SUPPLY CLASS
AN INTERNALLY GENERATED CODE WHICH DENOTES THE CURRENT STATUS OF A DATA ELEMENT CONTAINED IN EITHER THE NAME OR FEDERAL SUPPLY CLASS MASTER OR VALIDATION FILES. THE FOLLOWING CODES ARE ASSIGNED AS APPLICABLE: CODE A - ACTIVE RECORD, CODE C - CANCELLED RECORD, CODE E - EFFECTIVE DATED RECORD, CODE P - CONTROLS PUBLISHING OF DATA ON CANCELLED RECORD LHB, OR CODE R - REINSTATEMENT OF AMMO CODE RECORD.

0322 RULE-IND-CD — RULE_IND_CD_0322 — DLSC-SC — F — CHAR — 2
RULE INDICATOR CODE, SECTION II, FIIG
A CODE THAT DESIGNATES THE RULE THAT MUST BE APPLIED TO THE MASTER REQUIREMENT CODE AS INDICATED IN THE SECTION 11 CRITERIA.

0323 SCRNG-IND-CD — SCR_IND_CD_0323 — DLSC-SC — F — CHAR — 1
SEARCH SCREENING INDICATOR CODE
A CODE USED TO INDICATE THE TYPE OF SEARCH/SCREENING FOR EACH ITEM NAME CODE IN THE FORMAT EDIT GUIDES.

0324 MASS-CHNG-CRITE-STMT — MC_CRITE_STMT_0324 — DLSC-SC — V — VARCHAR — 3967
MASS CHANGE CRITERIA STATEMENT
THE MASS CHANGE CRITERIA STATEMENT SYMBOLOGY APPLIED TO A GIVEN ITEM NAME AND MASTER REQUIREMENT CODE TO RESTRUCTURE THE ITEM OR ITEMS AS REQUIRED BY THE FEDERAL ITEM IDENTIFICATION GUIDE REVISION.

0325 EXTR-CHAR-IMG-TEST — DLSC-SB — F — 80
EXTRACT CHARACTER IMAGE FOR TESTING
AN INPUT DATA GROUP USED TO EXTRACT AN IMAGE FROM THE TOTAL ITEM RECORD OF EACH ITEM APPLICABLE TO A GIVEN FEDERAL ITEM IDENTIFICATION GUIDE OR ITEM NAME CODE, FOR TESTING SECTION II CRITERIA. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

0326 DIML-MRC-IND — DIML_MRC_IND_0326 — DLSC-SC — F — CHAR — 1
DIMENSIONAL MASTER REQUIREMENT CODE INDICATOR
A CODE REFLECTED IN THE FORMAT EDIT GUIDE WHICH INDICATES THAT AN MRC HAS DIMENSIONS TO BE DESCRIBED. FOR EXAMPLE THE INSIDE/OUTSIDE DIAMETER OF A SPECIFIC REQUIREMENT. IF AN MRC IS DIMENSIONAL, THE PROPER USE OF MIN/MAX AND "AND" CODING IS ENFORCED. THE VALID VALUES ARE "Y", "J", OR "G". FOR A NON-DIMENSIONAL MRC, THE VALID VALUE IS "N".

0330 CT-MOE-RULE-DE-SEG — DLSC-SB — F — CHAR — 80
CATALOG TOOLS MOE RULE DATA ELEMENT SEGMENT

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A GROUP OF DATA CONSISTING OF HOMOGENEOUS DATA ELEMENTS PERTINENT TO THE CATALOG TOOLS MOE RULE DATA ELEMENT SEGMENT MAJOR ORGANIZATIONAL ENTITY RULE. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPENDICES OF THE FLIS PROCEDURES MANUAL.

0331 CT-MOE-RULE-MAINT-SEG — DLSC-SB — F CHAR 80

CATALOG TOOLS MOE RULE MAINTENANCE SEGMENT

A GROUP OF INPUT/OUTPUT DATA REQUIRED TO CONTROL THE PROCESSING OF MAINTENANCE ACTIONS FOR CATALOG TOOLS MOE RULE MAINTENANCE SEGMENT MAJOR ORGANIZATIONAL ENTITY RULE DATA BASED ON INPUT DOCUMENT IDENTIFIER CODE (DIC). A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPENDICES OF THE FLIS PROCEDURES MANUAL.

0339 SEG-V-TRMNR-CD — DLSC-SC — F 2

SEGMENT V TERMINATOR CODE

A SET OF SPECIAL CHARACTERS (##) USED TO TERMINATE THE LAST CHARACTERISTIC DATA GROUP OF A SEGMENT V TRANSACTION. IN THE EVENT OF A MULTIPLE SEGMENT V TRANSACTIONS, THIS SET OF CHARACTERS WILL BE USED ONLY ON THE LAST ONE. DATA RECORD NUMBER 8268 (DATA ELEMENT TERMINATOR CODE) MUST NOT PRECEDE THESE TWO CHARACTERS.

0340 SCTN-II-EDIT-DATA-GP — DLSC-SC — V 9999

SECTION II EDIT DATA GROUP

AN INPUT GROUP OF DATA USED TO ENTER THE FEDERAL ITEM IDENTIFICATION GUIDE (FIIG) SECTION II EDIT CRITERIA, APPLICABLE TO A GIVEN FIIG, INTO THE SYSTEM SUPPORT RECORD SECTOR. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

0342 DT-INT — DLSC-SC — F 5

DATE, INTERROGATION

A YEAR AND JULIAN DAY USED IN INTERROGATIONS FOR EXTRACTING ALL DATA TO WHICH ANY ADD, CHANGE, OR DELETE TRANSACTION HAS OCCURRED SINCE THAT DATE.

0344 IL-PUB-TYP-SCH-CHNG-CD — DLSC-V — F 1

IDENTIFICATION LIST PUBLICATION TYPE SCHEDULE CHANGE CODE

A CODE USED TO DESIGNATE THE TYPE OF UPDATE ACTION TO IDENTIFICATION LIST SCHEDULE.

0345 PUB-CY-IL-BSC — DLSC-V — F 3

PUBLICATION CYCLE IDENTIFICATION LIST BASIC

THE PUBLICATION FREQUENCY OF AN IDENTIFICATION LIST BASIC EDITION DESIGNATED IN DAILY INCREMENT (JULIAN DAYS).

0346 PUB-CY-IL-CHNG-BUL — DLSC-V — F 3

PUBLICATION CYCLE IDENTIFICATION LIST CHANGE BULLETIN

THE PUBLICATION FREQUENCY OF AN IDENTIFICATION LIST CHANGE BULLETIN DESIGNATED IN DAILY INCREMENTS.

0347 DT-NXT-IL-BSC — DLSC-V — F 5

DATE NEXT IDENTIFICATION LIST BASIC

THE YEAR AND JULIAN DAY ESTABLISHED FOR PUBLISHING THE NEXT IDENTIFICATION LIST BASIC EDITION, E.G. 74061.

0348 DT-NXT-IL-CHNG-BUL — DLSC-V — F 5

DATE NEXT IDENTIFICATION LIST CHANGE BULLETIN

THE YEAR AND JULIAN DATE ESTABLISHED FOR PUBLISHING THE NEXT IDENTIFICATION LIST CHANGE BULLETIN.

0349 IL-UPDT-CD — DLSC-V — F 1

IDENTIFICATION LIST UPDATE CODE

A CODE USED TO DESIGNATE THE TYPE OF UPDATE TO THE IDENTIFICATION LIST PUBLICATION SCHEDULE.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

0350 FSC-CT-PUB — DLSC-V — F — 2

FEDERAL SUPPLY CLASS COUNT

A COUNT OF THE QUANTITY OF FEDERAL SUPPLY CLASSES ASSOCIATED WITH A PUBLICATION UNIT.

0356 OFF-LI-CHAR-CHNG-DATA-GP — DLSC-SB — V — 9999

OFF LINE CHARACTER MASS CHANGE DATA GROUP

A GROUP OF INPUT DATA USED TO ENTER MASS CHANGE CRITERIA TO A GIVEN FEDERAL ITEM IDENTIFICATION GUIDE (FIIG)/ITEM NAME CODE (INC) IN THE OFF LINE FILE FOR A FIIG BEING REVISED. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

0364 J-MODE-CD-IND — DLSC-SC — F — 1

J MODE CODE INDICATOR

A DATA FIELD WHICH DESIGNATES THE MODE/FORMAT OR STRUCTURE OF THE VARIABLE CLEAR TEXT PORTION OF A J MODE CODE REPLY. CODE A INDICATES THE CLEAR TEXT PORTION IS AN A MODE CODE. CODE B INDICATES THE CLEAR TEXT PORTION IS A B MODE CODE. CODE F INDICATES THE CLEAR TEXT PORTION IS A F MODE CODE.

0365 CD-FOR-LGTH-RPLY — CD_F_LGT_RPLY_0365 — DLSC-SC — F — SMALLINT — 1

CODE FOR LENGTH OF REPLY

A CODE IDENTIFYING THE SIZE OF THE CODED REPLY (DRN 3465).

0366 RPLY-DCOD-GDE — DLSC-SC — F — 560

REPLY DECODE GUIDE

A GROUP OF INPUT DATA USED TO ENTER THE REPLY DECODE GUIDE INTO THE SYSTEM SUPPORT RECORD SECTOR. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

0367 SECD-SEQ-DCOD-GDE — DLSC-SC — F — 80

SECONDARY SEQUENCING DECODE GUIDE

A GROUP OF DATA ELEMENTS USED TO ENTER THE SECONDARY SEQUENCING DECODE GUIDE INTO THE SYSTEM SUPPORT RECORD SECTOR. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

0368 PRT-SKLTN-CD — PRT_SKLTN_CD_0368 — DLSC-SC — F — CHAR — 1

PRINT SKELETON CODE

A CODE WHICH IDENTIFIES THE VARIOUS TYPES OF F AND J MODE CODES ASSIGNEDTO MASTER REQUIREMENT CODES (MRCS). CODE A IS FOR 1A VARIABLE REPLY. B IS FOR A 1F VARIABLE WITH A BY CONDITION AND T IS FOR A 1F VARIABLE WITH A TO CONDITION. CODE X IDENTIFIES MRCS WITH DUMMY TABLES. DUMMY TABLES ARE TABLES THAT ARE ASSIGNED TO MRCS BUT DUE TO THEIR IMMENSE SIZE ARE NOT MAINTAINED IN THE MASTER REQUIREMENTS DIRECTORY (MRD).

0375 FSC-INCL-NAR — FSC_INCL_NAR_0375 — DLSC-SC — V — VARCHAR — 1978

FEDERAL SUPPLY CLASS INCLUSION NARRATIVE

AN INCLUSION NARRATIVE WILL BE USED WHEN IT IS DESIRABLE TO LIMIT THE CONCEPT OF A CLASS BY INDICATING THAT CERTAIN CLOSELY RELATED ITEMS WHICH MIGHT OTHERWISE BE CONSTRUED AS BEING EXCLUDED, ARE INCLUDED UNDER THE CONCEPT.

0376 FSC-EXCL-NAR — FSC_EXCL_NAR_0376 — DLSC-SC — V — VARCHAR — 1978

FEDERAL SUPPLY CLASS EXCLUSION NARRATIVE

AN EXCLUSION NARRATIVE WILL BE USED WHEN IT IS DESIRABLE TO LIMIT THE CONCEPT OF A CLASS BY INDICATING THAT CERTAIN CLOSELY RELATED ITEMS ARE EXCLUDED FROM THE CONCEPT WHICH MIGHT OTHERWISE BE CONSTRUED AS BEING INCLUDED IN THE CONCEPT.

0395 DODAAC-DPDO — DLSC-SB — F — 6

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

DODAAC DEFENSE PROPERTY DISPOSAL OFFICE

A DEPARTMENT OF DEFENSE ACTIVITY ADDRESS CODE ASSIGNED TO IDENTIFY A SPECIFIC DEFENSE PROPERTY DISPOSAL OFFICE (DPDO) WHICH REPORTED AN ASSET AS SURPLUS. THE FIRST POSITION DESIGNATES THE MILITARY SERVICE OR OTHER GOVERNMENT ELEMENTS OF OWNERSHIP OR SPONSORSHIP. THE REMAINING FIVE POSITIONS ARE ASSIGNED IN ACCORDANCE WITH ESTABLISHED PROCEDURES BY THE SERVICE POINT OF THE PARTICIPATING MILITARY SERVICE OR AGENCY, E.G., SX1000.

0399 PUB-INTRO-DATA — DLSC-V — V — 149

PUBLICATION INTRODUCTORY DATA

A SERIES OF SENTENCES AND PARAGRAPHS THAT DEFINE THE CONTENT AND EXPLAIN THE USE OF PUBLICATION AND/OR SECTION OR SUBSECTION THEREOF. INPUT WILL INCLUDE SPECIAL CHARACTERS FOR ESTABLISHING TYPE STYLE WHICH WILL NOT APPEAR IN OUTPUT. THE LENGTH OF THE DATA (149 CHARACTERS) REFLECTS ONE LINE OF THE PUBLICATION INTRODUCTORY DATA (THE NUMBER OF LINES IS VARIABLE).

0405 TRM-ABR-H6-DATA-GP — DLSC-SB — V — 1762

TERM/ABBREVIATION H6 DATA GROUP

A CLEAR TEXT STATEMENT OF TERMS (DATA RECORD NUMBER 5035-TERMS, H6), INTERSPERSED WITH COMPUTER OUTPUT MICROFILM (COM) PRINT SYMBOLS, AND THE ABBREVIATIONS (DRN 3250-ABBREVIATIONS, H6). THE TERMS ARE SEPARATED FROM THE ABBREVIATIONS BY AN EQUAL SYMBOL (=).

0411 TYP-DATA-CD — DLSC-V — F — 2

TYPE DATA CODE

A CODE SUBMITTED WITH A MASS DATA RETRIEVAL TRANSACTION TO ENABLE IDENTIFICATION OF SPECIFIC FILES.

0418 MGMT-CTL-DATA-UNUSE-POS — DLSC-SB — F — 1

MANAGEMENT CONTROL DATA UNUSED POSITIONS

A DATA ELEMENT CONTAINING ONE BLANK REQUIRED TO FILL THE UNUSED POSITION OF A MANAGEMENT CONTROL DATA CHAIN. THIS DATA RECORD NUMBER IS A COMPONENT OF DRN 8925 (MANAGEMENT CONTROL DATA, AIR FORCE).

0420 ALT-OP-MED-CD — ALT_OP_MED_CD_0420 — DLSC-SBA — F — CHAR — 2

ALTERNATE OUTPUT MEDIA CODE

A CODE IDENTIFYING THE ALTERNATE OUTPUT MEDIA WHEN THE OUTPUT EXCEEDS THE AUTOMATIC DIGITAL NETWORK (AUTODIN) LIMITATIONS OR FOR ANY OTHER REASON WHY DATA CANNOT BE TRANSMITTED BY AUTODIN. THIS ALTERNATE MEDIA WOULD ALSO BE APPLICABLE DURING A PERIOD WHEN AUTODIN IS EITHER NOT OPERATING OR UNDER LIMITED OPERATION, SUCH AS DURING MINIMIZE. SEE VOLUME 10, TABLE 10 AND QUICK INFO ON-LINE.

0437 TBL-ENTRY-NBR — DLSC-V — F — 6

TABLE ENTRY NUMBER

A CODE USED TO IDENTIFY THE SEQUENTIAL ORDER OF DATA WITHIN A GIVEN TABLE, E.G., CROSS-REFERENCE OR ABRIDGED TABLES.

0438 REL-DE-CDS — DLSC-V — F — 54

RELATED DATA ELEMENT CODES

A DATA FIELD CONTAINING WORDS/NUMERICS/SYMBOLS WHICH REPRESENTS THE NARRATIVE DATA OF A TABLE INCLUDED IN THE FEDERAL LOGISTICS INFORMATION SYSTEM ROUTINES/PROCESSES/REQUIREMENTS.

0441 ESTB-CANC-INC-OP-SEG — DLSC-SC — V — 160

ESTABLISH/CANCEL ITEM NAME CODE (INC) OUTPUT SEGMENT

A SYSTEM SUPPORT RECORD OUTPUT SEGMENT USED TO NOTIFY THE MILITARY TRAFFIC MANAGEMENT AND TERMINAL SERVICE (MTMTS) OF THE ESTABLISHMENT OR CANCELLATION OF AN ITEM NAME CODE (INC) IN THE ITEM NAME SECTOR. THE SEGMENT CONSISTS OF TRANSACTION CONTROL DATA ELEMENTS, OLD/NEW INC, AS WELL AS ITEM NAME AND FREIGHT CLASSIFICATION DATA, IF APPLICABLE, TO NEW/CURRENT INC.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

0442 RPLY-RCD-CT — DLSC-SC — F — 1
REPLY RECORD COUNT
THIS COUNT INDICATES THE NUMBER OF RECORDS IN A TRANSACTION NEEDED TO ACCOMODATE THE ENTIRE DECODED REPLY STATEMENT.

0443 EXPSN-FLD-1 — DLSC-V — F — 1
EXPANSION FIELD 1
A FIELD TO BE FILLED WITH BLANKS. THIS FIELD IS INCLUDED FOR ALIGNING DATA ELEMENTS IN LIKE POSITIONS.

0444 EXPSN-FLD-2 — DLSC-V — F — 2
EXPANSION FIELD 2
A FIELD TO BE FILLED WITH BLANKS. THIS FIELD IS INCLUDED FOR ALIGNING DATA ELEMENTS IN LIKE POSITIONS.

0445 EXPSN-FLD-3 — DLSC-V — F — 3
EXPANSION FIELD 3
A FIELD TO BE FILLED WITH BLANKS. THIS FIELD IS INCLUDED FOR ALIGNING DATA ELEMENTS IN LIKE POSITIONS.

0478 DIST-ACTY-CD-SEG-M — DIST_AC_SEG_M_0478 — DLSC-SB — F CHAR — 2
DISTRIBUTION ACTIVITY CODE SEGMENT M
A CODE IN THE STANDARD FSC TABLE USED TO IDENTIFY THE ACTIVITIES DESIRING DECODED CHARACTERISTICS DATA (SEGMENT M)

0481 NEW-DOD-AMMO-CD — DLSC-SC — F — 9
NEW DEPARTMENT OF DEFENSE AMMUNITION CODE
A DEPARTMENT OF DEFENSE AMMUNITION CODE WHICH REPLACES ANOTHER DEPARTMENT OF DEFENSE AMMUNITION CODE WHICH IS CURRENTLY ASSIGNED TO AN ITEM NAME CODE IN THE SYSTEM SUPPORT RECORD. IT IS A NINE CHARACTER SEMISIGNIFICANT NUMBER. THE FIRST FOUR POSITIONS ARE NUMERIC AND REPRESENT THE FEDERAL SUPPLY CLASS ASSIGNED TO THE APPROVED ITEM NAME. THE FIFTH POSITION IS A DASH. THE LAST FOUR POSITIONS MAY BE A ONE OR TWO POSITION ALPHA FOLLOWED BY NUMERICS AND REPRESENT THE AMMUNITION CODE ASSIGNED BY GENERIC DESCRIPTIONS.

0482 DOD-AMMO-CD-SPTR — DLSC-SC — F — 1
DEPARTMENT OF DEFENSE AMMUNITION CODE SEPARATOR
A CODE USED IN THE DoD AMMUNITION CODE (DRN 3767) TO SEPARATE THE FSC (DRN 3970) AND THE AMMUNITION CODE (DRN 8805).

0487 SEQ-CD — DLSC-SB — F — 3
SEQUENCING CODE
A NUMERIC CODE USED TO DETERMINE THE SEQUENCE OF ACTION OCCURRING WITHIN A SPECIFIC DOCUMENT IDENTIFIER CODE TRANSACTION OR SEGMENT OF THE TRANSACTION.

0488 COMMA — DLSC-SB — F — 1
COMMA
A SPECIAL CHARACTER CODE (,) USED TO SEPARATE A SERIES OF LIKE DATA ELEMENTS. USED IN SCREENING KEY COMPUTATION TO SEPARATE A SERIES OF ITEM NAME CODES.

0489 CMPT-CHARA-SCRNG-KEYS — DLSC-SB — V — 80
COMPUTE CHARACTERISTIC SCREENING KEYS

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A GROUP OF DATA ALLOWING FOR THE RECOMPUTATION OF SCREENING KEYS WITHOUT SCREENING THE FILE ITEMS THAT ARE REPRESENTED BY THE RECOMPUTED KEYS. THE INTERNAL DESIGN INTERFACE GUIDANCE HANDBOOK CONTAINS A DESCRIPTION OF THE DATA ELEMENTS.

0510 RPLY-TBL-DCOD-SEQ-NBR RPLY_DCOD_SEQ_0510 DLSC-V F SMALLINT 1
REPLY TABLE DECODE SEQUENCE NUMBER
A CODE THAT DESIGNATES THE REPLY TABLE SEQUENCE IN WHICH THE ABRIGED CLEAR TEXT STATEMENT, REQUIRED FOR PRINTOUTS IN PUBLICATIONS, IS DECODED.

0511 ACTY-DESI-CD-DLA-GSA DLA_GSA_EXCPT_0511 DLSC-SBA F CHAR 1
ACTIVITY DESIGNATOR CODE-DLA/GSA
A CODE WHICH WILL IDENTIFY DLA OR GSA MANAGEMENT BY EXCEPTION FOR A NATIONAL STOCK NUMBER E.G. D-DLA, G-GSA.

0513 SECD-SEQ-CD DLSC-SC F 10
SECONDARY SEQUENCE CODE
A CODE USED TO EXTEND OR MODIFY THE MASTER REQUREMENT CODE. IT CONSISTS OF THE ONE DIGIT SECONDARY ADDRESS INDICATOR CODE AND THE SECONDARY ADDRESS CODE.

0542 ITM-NM-INC-VLDTN DLSC-SC F 250
ITEM NAME, ITEM NAME CODE VALIDATION
THE FIRST TWO HUNDRED AND FIFTY POSITIONS OF THE TOTAL ITEM NAME EXTRACTED FROM THE MASTER ITEM NAME FILE AND UTILIZED IN THE ITEM NAME CODE VALIDATION FILE.

0543 TBLR-PRT-POS DLSC-V F 2
TABULAR PRINT POSITION
DESIGNATES THE STARTING PRINT POSITION OF TABULAR DATA ON A PRINT LINE.

0566 NSN-INDX-NBR DLSC-V F 6
NSN INDEX NUMBER
A NUMERICAL DESIGNATION ASSIGNED TO EACH NATIONAL STOCK NUMBER (NSN) IN A PUBLICATION FOR THE PURPOSE OF INDEXING AND LOCATING AN ITEM WITHIN A PUBLICATION. THE FIRST ITEM IN THE PUBLICATION WILL BE ASSIGNED 000001 AND EACH SUCCEEDING ITEM WILL BE ASSIGNED A SEQUENTIAL NUMBER INCREMENTED BY 1, TO THE LAST ITEM IN THE PUBLICATION.

0568 TYP-OF-SP-PRCSG-IND-CD TYP_SP_PRC_0568 DLSC-SBA F CHAR 1
TYPE OF SPECIAL PROCESSING INDICATOR CODE
A CODE THAT INDICATES SPECIAL INPUT PROCESSING OR TAILORED OUTPUT. SEE VOLUME 10, TABLE 125 AND QUICK INFO ON-LINE.

0572 OPRTNL-TST-CD OPRTL_TST_MC_0572 DLSC-SB F CHAR 1
OPERATIONAL TEST CODE
A CODE THAT INDICATES THE TYPE OF ITEM WHICH REQUIRES INSPECTION AND OPERATIONAL TESTING AND DEPTH OF PERFORMING INSPECTION AND TESTING. SEE VOLUME 10 TABLE 123 AND QUICK INFO ON-LINE.

0573 PHY-CTGY-CD PHY_CTGY_MC_0573 DLSC-SBA F CHAR 1
PHYSICAL CATEGORY CODE
A CODE THAT INDICATES PHYSICAL CATEGORY FOR PICKING, PACKING AND MARKING ITEMS FOR SHIPMENT. SEE VOLUME 10, TABLE 124 AND QUICK INFO ON-LINE.

0581 FIIG-LOCKT-IND FIIG_LCKT_IND_0581 DLSC-SC F CHAR 1

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

FIIG LOCKOUT INDICATOR

A SYMBOL # USED IN CARD COLUMN 4 OF THE FIRST CARD OF THE FEDERAL ITEM IDENTIFICATION GUIDE *FIIG* TECHNICAL EDIT TO INDICATE THAT NO PROCESSING IS ALLOWED AGAINST THE FIIG CITED IN CARD COLUMNS 5-10.

0583 INC-LOCKT-IND INC_LOCKT_IND_0583 DLSC-SC F CHAR 1

ITEM NAME CODE LOCKOUT INDICATOR

A SYMBOL (#) USED IN A SPECIFIED LOCATION IN THE FORMAT EDIT TO INDICATE THAT THE ITEM NAME CODE (INC) IS IN PROCESSING LOCKOUT STATUS.

0584 THIRD-MODE-CD-IND DLSC-SC F 1

THIRD MODE CODE INDICATOR

A SYMBOL (*) USED IN A SPECIFIED LOCATION IN THE TECHNICAL EDIT TO INDICATE THAT THREE MODE CODES ARE APPLICABLE TO A GIVEN PRIMARY ADDRESS CODE (PAC).

0595 DEG-MTCH-CD DEG_MTCH_CD_0595 DLSC-SBA F CHAR 1

DEGREE OF MATCH CODE

A CODE USED TO NOTIFY SUBMITTER/ORIGINATOR OF THE DEGREE OF MATCH BETWEEN THE SUBMITTAL AND THE FILE CANDIDATE CONTAINED IN DATABASE. SEE VOLUME 10, TABLE 27 AND QUICK INFO ON-LINE.

0597 DATE-PROC-LOG-ACT DLSC-SB F 5

DATE, PROCESSING LOGISTICS ACTION

THE YEAR AND JULIAN DAY DENOTING THE DATE THAT PROCESSING IS PERFORMED AS IT APPLIES TO A PREDETERMINED LOGISTICS ACTION WHICH ESTABLISHES OR CHANGES A SOURCE OF SUPPLY.

0635 SUPLR-RCVR-AREA-CD DLSC-SB F 1

SUPPLIER/RECEIVER AREA CODE

A CODE USED TO SPECIFY THE GEOGRAPHICAL AREA FOR CATEGORY OF SUPPORT SERVICE INTERROGATIONS.

0638 NBR-CPY-DRIS-RPT DLSC-SB F 2

NUMBER OF COPIES, DRIS REPORT

THIS CODE INDICATES THE NUMBER OF COPIES OF THE DRIS REPORT TO BE MAILED TO THE DESIGNATED ADDRESS.

0654 SVC-IND-CD-DRIS DLSC-SB F 1

SERVICE INDICATOR CODE, DRIS

A CODE USED IN DRIS ADDRESS DATA TO IDENTIFY THE SERVICE/AGENCY TO WHICH THE ADDRESSEE (DODAAC) BELONGS.

0707 MGMT-CTL-DATA-CG DLSC-SB F 7

MANAGEMENT CONTROL DATA, COAST GUARD

A DATA CHAIN OF MANAGEMENT CODES USED BY THE UNITED STATES COAST GUARD TO DESIGNATE CONTROLS WHICH ARE ESSENTIAL TO THE SUCCESSFUL OPERATION OF COAST GUARD-PECULIAR SYSTEMS.

0708 INV-ACCT-CD-CG INV_ACT_CG_0708 DLSC-SBA F CHAR 1

INVENTORY ACCOUNT CODE, COAST GUARD

A CODE USED TO DESIGNATE THE INVENTORY ACCOUNT IN WHICH AN ITEM IS HELD IN THE COAST GUARD SUPPLY SYSTEM. SEE VOLUME 10, TABLE 127 AND QUICK INFO ON-LINE.

0709 REPBL-CD-CG REP_CD_CG_0709 DLSC-SBA F CHAR 1

REPARABILITY CODE, COAST GUARD

A CODE USED WITHIN THE COAST GUARD TO DENOTE IF AN ITEM IS REPARABLE AND THE LOWEST MAINTENANCE LEVEL AT WHICH REPAIR OR CONDEMNATION IS NORMALLY ACCOMPLISHED. SEE VOLUME 10, TABLE 128 AND QUICK INFO ON-LINE.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

0710 MGMT-CTL-DATA-CG-UNUSE — DLSC-SB — F — 4

MANAGEMENT CONTROL DATA, COAST GUARD UNUSED POSITIONS

A DATA ELEMENT REQUIRED TO FILL THE UNUSED POSITIONS OF A MANAGEMENT CONTROL DATA CHAIN. THIS DATA RECORD NUMBER IS A COMPONENT OF DRN 0707, (MANAGEMENT CONTROL DATA, COAST GUARD).

0721 NORM-SRC-PRCMT-CD — NRM_SRC_PR_CD_0721 — DLSC-SBA — F — CHAR — 1

NORMAL SOURCE OF PROCUREMENT CODE

A CODE INDICATING THE PROCUREMENT SOURCE NORMALLY EMPLOYED IN ACQUIRING STOCKS OF AN ITEM. SEE VOLUME 10, TABLE 138 AND QUICK INFO ON-LINE.

0722 NBR-UNIT-OH-DUE-IN — DLSC-SB — F — 7

NUMBER OF UNITS, ON HAND/DUE IN

A CODE INDICATING THE TOTAL NUMBER OF UNITS OF AN ITEM CURRENTLY ON HAND IN WHOLESALE STOCK OR DUE IN. DOES NOT INCLUDE ASSETS WHICH WOULD NOT NORMALLY BE TRANSFERRED TO THE INTEGRATED MANAGER.

0723 TYP-MOBLZTN-RSRV-RQMT-CD — TYP_MBL_RSV_0723 — DLSC-SBA — F — CHAR — 1

TYPE OF MOBILIZATION RESERVE REQUIREMENT CODE

A CODE INDICATING THE TYPE OF MOBILIZATION REQUIREMENT. SEE VOLUME 10, TABLE 139 AND QUICK INFO ON-LINE.

0724 PERM-CDNG-CD — DLSC-SB — F — 1

PERMISSIVE CODING CODE

A CODE DENOTING THE ITEM MANAGEMENT CODE THAT WOULD HAVE BEEN USED BY A SERVICE TO RETAIN MANAGEMENT OF AN ITEM, IF THE ITEM HAD NOT BEEN PERMISSIVE CODED TO THE COMMODITY INTEGRATED MATERIEL MANAGER.

0725 SP-PKG-RQMT-CD — S_PKG_RQM_CD_0725 — DLSC-SBA — F — CHAR — 1

SPECIAL PACKAGING REQUIREMENT CODE

A CODE INDICATING WHETHER SPECIAL PACKAGING IS REQUIRED WHICH IS BEYOND NORMAL PRACTICE AND WHICH CANNOT BE OBTAINED THROUGH LOCAL PURCHASE. SEE VOLUME 10, TABLE 140 AND QUICK INFO ON-LINE.

0726 DT-OPRNTL-ND — DLSC-SB — F — 5

DATE, OPERATIONAL NEED

THE YEAR AND JULIAN DAY IN WHICH AN ITEM, NEW TO THE APPROPRIATE MILITARY SUPPLY SYSTEM, WILL BE INITIALLY REQUIRED TO SUPPORT A SERVICE OPERATIONAL PROGRAM OR DEMAND WILL GENERATE FOR AN ESTABLISHED ITEM AS A RESULT OF A NEW SERVICE OPERATIONAL PROGRAM OR SERVICE-SUPPORTED TEST PROGRAM.

0727 NBR-UNIT-ESTD-DMD — DLSC-SB — F — 7

NUMBER OF UNITS, ESTIMATED DEMAND

A CODE INDICATING THE TOTAL NUMBER OF UNITS WHICH ARE FORECAST TO BE ISSUED IN THE NEXT 12-MONTH PERIOD.

0728 DMD-IND-CD — DMD_IND_CD_0728 — DLSC-SBA — F — CHAR — 1

DEMAND INDICATOR CODE

A CODE INDICATING THE BASIS FOR THE FORECAST OF ESTIMATED DEMAND. SEE VOLUME 10, TABLE 141 AND QUICK INFO ON-LINE.

0729 TYP-FINCL-MGMT-CTL-CD — TYP_FIN_MGT_0729 — DLSC-SBA — F — CHAR — 1

TYPE OF FINANCIAL MANAGEMENT CONTROL CODE

A CODE INDICATING THE TYPE OF FINANCIAL MANAGEMENT CONTROL OVER AN ITEM. SEE VOLUME 10, TABLE 142 AND QUICK INFO ON-LINE.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

0730 NBR-MO-PROD-LEAD-TIME — DLSC-SB — F — 2

NUMBER OF MONTHS, PRODUCTION LEAD TIME

A CODE INDICATING THE ACTUAL OR ESTIMATED NUMBER OF MONTHS TIME INTERVAL BETWEEN THE PLACEMENT OF A CONTRACT AND RECEIPT INTO THE SUPPLY SYSTEM OF THE FIRST ACCEPTABLE MATERIAL PURCHASED.

0731 ESTD-OR-ACTL-PR-CD — EST_ACT_PR_CD_0731 — DLSC-SBA — F — CHAR — 1

ESTIMATED OR ACTUAL PRICE CODE

A CODE INDICATING THE BASIS FOR THE STANDARD UNIT PRICE OF AN ITEM. CODES AND DEFINITIONS ARE "A" ACTUAL PRICE, "B" ESTIMATED PRICE. SEE VOLUME 10, TABLE 144 AND QUICK INFO ON-LINE.

0732 IMC-DATA-SEG — DLSC-SB — V — 55

ITEM MANAGEMENT CODING DATA SEGMENT

A GROUP OF DATA CONSISTING OF HOMOGENEOUS DATA ELEMENTS PERTAINING TO ITEM MANAGEMENT CODING. THE FLIS PROCEDURES MANUAL, VOLUMES 8 AND 9, CHAPTER 3, SPECIFY THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.

0733 DEST-ACTY-CD-FLD-OP — DLSC-SBA — V — 2

DESTINATION ACTIVITY CODE FIELD, OUTPUT

A DATA FIELD INDICATING THE CODE(S) IDENTIFYING ACTIVITY(IES) AND MAILING ADDRESS(ES) FOR THE PURPOSE OF FORWARDING OUTGOING DATA. THIS FIELD WILL CONTAIN ONE OR MORE DESTINATION ACTIVITY CODES, OUTPUT (DRN 3880). SEE VOLUME 10, TABLE 104 AND QUICK INFO ON-LINE.

0735 FILE-CMPAT-ACTY-CD — DLSC-SBA — F — 2

FILE COMPATIBILITY ACTIVITY CODE

A CODE IDENTIFYING THE ACTIVITY DESIGNATED TO PARTICIPATE IN THE FILE COMPARISON CHECKS CONDUCTED BETWEEN THE FEDERAL LOGISTICS INFORMATION SYSTEM/FLIS DATABASE AND THE FILES OF THE DESIGNATED ACTIVITY. SEE VOLUME 10, TABLE 149 AND QUICK INFO ON-LINE.

0744 SVC-CONTR-IDEN-CD — SVC_CON_ID_CD_0744 — DLSC-SB — F — CHAR — 1

SERVICE/CONTRACTOR IDENTIFICATION CODE

A CODE TO BE ASSIGNED IN THE PROVISIONING SCREENING MASTER ADDRESS FILE TO INDICATE WHETHER THE ADDRESSEE IS 1-A CONTRACTOR, 2-A SERVICE AGENCY REGISTERED WITH A CONTRACTOR OR 3-A SERVICE AGENCY ALONE.

0745 USI-SVC-CD — USI_SVC_CD_0745 — DLSC-SBA — F — CHAR — 1

USING SERVICE CODE

A CODE USED TO DIFFERENTIATE BETWEEN SERVICES INTEGRATED MATERIEL MANAGER, LEAD SERVICE AND CIVIL AGENCY CATALOG MANAGEMENT DATA. SEE VOLUME 10, TABLE 39 AND QUICK INFO ON-LINE

0749 STDZN-SUBMG-ACTY-CD — STDZN_SUBMR_0749 — DLSC-SB — F — CHAR — 2

STANDARDIZATION SUBMITTING ACTIVITY CODE

A CODE THAT IDENTIFIES AN ACTIVITY HAVING SOLE RESPONSIBILITY FOR SUBMITTAL OF STANDARDIZATION DATA IN A GIVEN FSC CLASS TO THE DEFENSE LOGISTICS SERVICE CENTER. THE RESPONSIBILE ACTIVITIES ASSIGNED TO SPECIFIC FSC CLASSES ARE DESIGNATED IN THE STANDARDIZATION DIRECTORY (SD-1), PART 1, UNDER THE ITEM REDUCTION COLUMN.

0752 FLIS-DATA-MSG-CTL-SEG — DLSC-SB — F — 32

FLIS DATA MESSAGE CONTROL SEGMENT

FLIS DATA SEGMENT CONTAINING THE DATA ELEMENTS NECESSARY TO GENERATE AN OUTPUT MESSAGE USED TO FURNISH AUTODIN RECEIVERS THE AUTODIN STATION SERIAL NUMBERS AND TOTAL NUMBER OF AUTODIN MESSAGES GENERATED BY FLIS FOR A SPECIFIED DATE.

0753 DT-AUTODIN-STA-SER-NBR — DLSC-SB — F — 5

DATE OF AUTODIN STATION SERIAL NUMBER

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE JULIAN DATE OF THE DIDS DATA GENERATION.

0754 AUTODIN-STA-SER-NBR — DLSC-SB — F — 4

AUTODIN STATION SERIAL NUMBER

APPEARS AS THE IDENTIFYING SERIAL NUMBER IN THE HEADER OF THE AUTODIN MESSAGE.

0755 AUTODIN-MSG-CT — DLSC-SB — F — 4

AUTODIN MESSAGE COUNT

A COUNT OF THE TOTAL NUMBER OF STATION SERIAL NUMBERS GENERATED BY DIDS FOR CONTENT INDICATOR CODES (CICS) IHFN/DHFN, IHFL/DHFL, IHFH/DHFH AND DHHF (DAAS) FOR AN ACTIVITY, FOR THE JULIAN DATE REFLECTED IN DRN 0753.

0756 DATA-TRNSM-CTL-CD — D_TRN_CTL_CD_0756 — DLSC-SBA — F — CHAR — 1

DATA TRANSMISSION CONTROL CODE

A CODE USED TO PROVIDE SERVICES/AGENCIES OPTIONS TO INFORM DLSC OF THEIR INTEREST IN RECEIVING KWA NOTIFICATIONS TO VERIFY RECEIPT OF ALL DLIS DATA TRANSMITTED VIA AUTODIN. (SEE DRN 0752). SEE VOLUME 10, TABLE 101 AND QUICK INFO ON-LINE.

0757 PROD-CD-NON-PARME-SCRNG — PRO_CD_NPASCR_0757 — DLSC-SC — F — CHAR — 1

PRODUCTION CODE FOR NON-PARAMETRIC SEARCH AND SCREENING

A CODE WHICH INDICATES THOSE INCS IN PRODUCTION FOR NON-PARAMETRIC SEARCH/SCREENING (4) OR NON-PARAMETRIC SEARCH/NON-SCREENING (5) OR NON-PARAMETRIC SCREENING/NON SEARCH (2).

0758 DATA-TRMNR-ASSOD-WTH-INC — DLSC-SC — F — 4

DATA TERMINATOR ASSOCIATED WITH INC

A TERMINATOR INDICATING THE END OF DATA ASSOCIATED WITH RESPECTIVE ITEM NAME CODE

0759 CMD-AUTHZN-CD — CMD_AUTHZN_CD_0759 — DLSC-SB — F — CHAR — 1

CATALOG MANAGEMENT DATA AUTHORIZATION CODE

A CODE WHICH DESIGNATES IF AN ACTIVITY ON THE PROVISIONING SCREENING RESULTS DESTINATION TABLE IS AUTHORIZED TO RECEIVE CATALOG MANAGEMENT DATA.

0760 FII-EDIT-GDE-DELT-DESI — DLSC-SB — F — 12

FEDERAL ITEM IDENTIFICATION EDIT GUIDE DELETION DESIGNATOR

A DESIGNATOR WHICH IS USED FOR DELETING AN ENTIRE FIIG EDIT GUIDE FROM THE EDIT GUIDE MASTER FILE.

0761 DELT-RCDS-DESI-CD — DLSC-SB — F — 1

DELETION OF RECORDS DESIGNATOR CODE

A DESIGNATOR CODE USED FOR THE DELETION OF SINGLE OR MULTIPLE RECORDS FROM THE TECHNICAL, RELATIONSHIP, PROPORTION AND FORMAT EDIT GUIDES.

0762 PRPTN-EDIT-SYMBL-IND-CD — PRPTN_EDIT_CD_0762 — DLSC-SC — F — CHAR — 1

PROPORTION EDIT SYMBOLOGY INDICATOR CODE

A CODE USED TO INDICATE THE TYPE OF PROPORTION VALIDATION WHICH IS BEING APPLIED TO A MASTER REQUIREMENT CODE IN THE PROPORTION EDIT GUIDE. VALID VALUES ARE T = ISAC TABLE, R = ISAC RANGE, P = PROPORTIONAL, SPACE = NONE OF THE ABOVE.

0763 SER-NBR-CTL-CD-CG — SER_NO_CTL_CG_0763 — DLSC-SBA — F — CHAR — 1

SERIAL NUMBER CONTROL CODE, COAST GUARD

A SINGLE NUMERIC CODE USED TO IDENTIFY WHETHER OR NOT AN ITEM IS SUBJECT TO SERIAL NUMBER CONTROL. SEE VOLUME 10, TABLE 150 AND QUICK INFO ON-LINE.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

0764 RECIPL-PSCN — DLSC-SB — F — 9

RECIPROCAL PERMANENT SYSTEM CONTROL NUMBER

A NUMBER THAT IS EQUIVALENT TO THE PERMANENT SYSTEM CONTROL NUMBER (PSCN) THAT IS RECORDED IN THE INTERNAL I&S RECORD AND HAS AN INTERCHANGEABILITY AND SUBSTATUTABILITY (I&S) RELATIONSHIP WITH THE APPLICABLE PSCN RECORDED IN THE ITEM CACELLATION DATA PORTION OF THE DIDS DATA BASE.

0766 IDENT-SAC — DLSC-SC — F — 10

IDENTIFIED SECONDARY ADDRESS CODE (ISAC)

A CODE FORMED FROM DRNS 8990 AND 9485. IT IS USED AS A FIXED REPLY CODE TO IDENTIFY FIXED REPLIES FOR SPECIFIC LOCATIONS, SEQUENCES, ETC. AND RELATE THEM TO THE APPLICABLE CHARACTERISTIC FOR A DESIGNATED MASTER REQUIREMENT CODE (MRC). THE IDENTIFIED SECONDARY ADDRESS CODE (ISAC) MAY BE UP TO TEN POSITIONS IN LENGTH.

0767 STYL-NBR-ID-CD-FIIG — DLSC-SC — F — 11

STYLE NUMBER IDENTIFIER CODE, FIIG

A CODE FORMED FROM DRNS 4065 AND 0768. IT IS ASSOCIATED WITH L MODE CODES AND USED AS A FIXED REPLY CODE TO IDENTIFY FEDERAL ITEM IDENTIFICATION GUIDE (FIIG) STYLES, FOUND IN FIIG REFERENCE DRAWING GROUPS, FOR THE PURPOSE OF DECODING THE STYLES. THE FIIG STYLE NUMBER IDENTIFIER CODE MAY BE UP TO ELEVEN POSITIONS IN LENGTH.

0768 STYL-NBR-FIIG — STYL_NBR_FIIG_0768 — DLSC-SC — F — CHAR — 5

STYLE NUMBER FEDERAL ITEM IDENTIFICATION GUIDE

AN ALPHANUMERIC CHARACTER USED IN FEDERAL ITEM IDENTIFICATION GUIDE REFERENCE DRAWING GROUPS TO DIFFERENTIATE AND IDENTIFY UNIQUE STYLES. THE FIIG STYLE NUMBER MAY BE UP TO FIVE POSITIONS IN LENGTH.

0769 IL-SIN-DWG-CR-DATA-SEG — DLSC-V — F — 80

IL SINGLE DRAWING CROSS REFERENCE DATA SEGMENT

A GROUP OF DATA ELEMENTS USED TO ADD, DELETE, REPLACE OR ESTABLISH INFORMATION RELATIVE TO DIGITIZED GRAPHICS RECORDED IN THE IDENTIFICATION LIST (IL) DIGITIZED GRAPHICS FILE. THIS INFORMATION IS UTILIZED IN PRODUCING IDENTIFICATION LISTS.

0771 STYL-RPLY-CD-IL-DWG — STYL_RP_IL_DW_0771 — DLSC-V — F — CHAR — 6

STYLE/REPLY CODE, IDENTIFICATION LIST DRAWING

A CODE WHICH INDICATES THE RECORDED STYLE AND REPLY APPLICABLE TO A SPECIFIC DRAWING WITHIN A FEDERAL ITEM IDENTIFICATION GUIDE REFERENCE DRAWING GROUP. USED TO DISPLAY GRAPHICS IN THE IDENTIFICATION LISTS.

0772 DGTZD-DWG-NBR — DGTZD_DWG_NBR_0772 — DLSC-VPE — F — CHAR — 15

DIGITIZED DRAWING IDENTIFICATION NUMBER

A NUMBER ASSIGNED TO A DIGITIZED DRAWING. IF THE DRAWING IS NIIN TYPE, THE STRUCTURES FIRST 13 POSITIONS ARE THE NSN FOLLOWED BY 2 ZEROS. IF THE DRAWING IS FIIG TYPE, THE STRUCTURE CONSISTS OF 5 KEYS. A) DRN 4069 = DWG-FIIG, B) DRN 5069 = FIIG-SCTN-ID, C) DRN 3565 = REF-DWG-GP-DS, D) DRN 5071 = FIIG-SB-SC-ID, E) DRN 0768 = STYL-NBR-FIIG.

0773 ADDNL-GRPHS-INFO — ADD_GRPHS_0773 — DLSC-V — V — VARCHAR — 30

ADDITIONAL GRAPHICS INFORMATION

ADDITIONAL INFORMATION TO BE DISPLAYED WITH A SPECIFIC DIGITIZED DRAWING IN THE PRODUCTION OF IDENTIFICATION LISTS.

0774 IL-DGTZD-GRPHS-DATA-SEG — DLSC-V — F — 80

IDENTIFICATION LIST DIGITIZED GRAPHICS DATA SEGMENT

A GROUP OF DATA ELEMENTS USED TO DELETE AN ENTRY OR REPLACE A DIGITIZED GRAPHICS IDENTIFICATION NUMBER IN THE IDENTIFICATION LIST DIGITIZED GRAPHICS FILE.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

0775 DGTZD-GRPHS-IDEN-NBR-RPL — DLSC-V — F — 14

DIGITIZED GRAPHICS IDENTIFICATION NUMBER, REPLACEMENT

A DIGITIZED GRAPHICS IDENTIFICATION NUMBER REPLACING A PREVIOUSLY ASSIGNED IDENTIFICATION NUMBER RECORDED ON A DIGITIZED DRAWING IN THE IDENTIFICATION LIST DIGITIZED GRAPHICS FILE.

0776 MAINT-NBR-IL-DWG — DLSC-V — F — 14

MAINTENANCE NUMBER IDENTIFICATION LIST DRAWING

A CODE USED TO IDENTIFY THE SEQUENCE OF ACTIONS WITHIN THE IDENTIFICATION LIST DIGITIZED GRAPHICS FILE MAINTENANCE PACKAGE.

0777 EFF-DT-LJE-PRCSG-DATA-SG — DLSC-SB — V — 44

EFFECTIVE DATE (LJE) PROCESSING DATA SEGMENT

A GROUP OF DATA CONSISTING OF DATA ELEMENTS PERTINENT TO EFFECTIVE DATED TRANSACTIONS THAT ARE BEING HELD IN SUSPENSE UNTIL AN EFFECTIVE DATE IS REACHED. THESE TRIGGERS ARE ALWAYS MACHINE GENERATED. NOTE: THE ASSIGNED SUPPLEMENTAL SEGMENT CODE IS 815, HOWEVER A SLASH (/) IS USED TO IDENTIFY THIS SEGMENT IN THE DESIGN FILE.

0780 SUBMG-ACTY-CD-REL-TRAN — DLSC-SBA — F — 2

SUBMITTING ACTIVITY CODE, RELATED TRANSACTION

DATA ELEMENT REPRESENTING ANY PARTICIPATING FOREIGN GOVERNMENT OR AGENCY WHICH SUBMITS PROPOSED DATA TO DEFENSE LOGISTICS SERVICES CENTER THROUGH INTERNATIONAL CODIFICATION DIVISION, DLSC-SD, FOR APPROVAL. IT IS USED EXCLUSIVELY BY DLSC-SD AS TEMPORARILY RELOCATED SUBMITTING ACTIVITY CODE IN AN INTERNAL DESIGN TECHNIQUE DEVELOPED TO PROVIDE DLSC-SD WITH THE RETURN IN THE EVENT THE INPUT TRANSACTION REJECTS. UPON APPROVAL OF THE INPUT TRANSACTION, THE DATA IN THIS FIELD MOVES TO SUBMITTING ACTIVITY CODE FIELD. SEE VOLUME 10, TABLE 104, AND QUICK INFO ON-LINE.

0781 EXPSN-FLD-5 — DLSC-V — F — 5

EXPANSION FIELD 5

A FIELD TO BE FILLED WITH BLANKS. THIS FIELD IS INCLUDED FOR ALIGNING DATA ELEMENTS IN LIKE POSITIONS.

0782 NONSCRNG-MRC-DETERM — NSCR_MRC_DET_0782 — DLSC-SC — F — CHAR — 1

NONSCREENING MASTER REQUIREMENT CODE DETERMINATOR

A CODE USED IN THE FORMAT EDIT GUIDES TO DETERMINE THE THRESHOLD LEVEL OF NONSCREENING MASTER REQUIREMENT CODES (MRCS) REQUIRED TO BE PRESENT FOR AN ITEM NAME CODE (INC) IN ORDER THAT THE SUBMITTED TRANSACTION BE SUBJECTED TO TWO STEP SCREENING.

0791 FOI-GIRDER-SCHG-CD — DLSC-V — F — 1

FREDOM OF INFORMATION GIRDER SCHEDULING CODE

A CODE TO IDENTIFY A PROCESSING ROUTINE TO BE FOLLOWED FOR FREEDOM OF INFORMATION AND GIRDER REQUESTS TO OBTAIN SELECTED OUTPUT.

0792 I-S-JTC — JTC_0792 — DLSC-SB — F — CHAR — 3

I&S JUMP TO CODE

A CODE DENOTING AN EXCEPTION TO THE NORMAL SEQUENCE TO BE FOLLOWED IN THE ATTRITION OF ITEMS WITHIN AN I & S FAMILY.

0793 I-S-OOU-CD — OOU_0793 — DLSC-SB — F — CHAR — 3

I&S ORDER OF USE CODE

A CODE DENOTING A NATIONAL STOCK NUMBER'S I&S RELATIONSHIP WITHIN A SERVICE/AGENCY'S I&S FAMILY. THE FIRST TWO POSITIONS INDICATE THE I&S ORDER OF USE SUBGROUP CODE, AND THE LAST POSITION INDICATES THE ORDER OF USE SEQUENCE CODE WITHIN SUBGROUPS.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

0794 I-S-FMLY-RL-GP — DLSC-SBA — F — 23

I&S FAMILY RELATIONSHIP GROUP

A GROUP OF DATA ELEMENTS REQUIRED TO AFFECT AN ADD OR DELETE OF I&S JUMP TO CODE FOR A RELATED NSN. DATA RECORD NUMBERS INCLUDED IN THE GROUP ARE 2128, 0137, 2895, AND 0792.

0795 GIIC — DLSC-SBA — F — 1

GENERIC ITEM INDICATOR CODE

A CODE (ALWAYS '7') USED TO DENOTE A GENERIC MASTER NSN IN AN I&S FAMILY

0796 GNC-MSTR-NSN — GNC_MSTR_NSN_0796 — DLSC-SB — F — CHAR — 13

GENERIC MASTER NATIONAL STOCK NUMBER

AN ITEM THAT HAS AN ACQUISITION ADVICE CODE OF W, IS RECORDED AS A MASTER NSN IN AN I&S FAMILY, AND IS IDENTIFIED TO A MILITARY, FEDERAL, OR ADOPTED INDUSTRY SPECIFICATION/STANDARD BUT STOCKLISTED WITH A DIFFERENT NSN FOR SUPPLY MANAGEMENT PURPOSES.

0797 MSTR-NSN — MSTR_NSN_0797 — DLSC-SB — F — CHAR — 13

MASTER NATIONAL STOCK NUMBER

THE SOLE NATIONAL STOCK NUMBER DETERMINED BY RESEARCH TO BE THE MOST DESIRABLE AND/OR SATISFACTORY IN MEETING A SPECIFIC REQUIREMENT. IT IS PROCURABLE, AUTHORIZED FOR PURCHASE, AND SUITABLE FOR USE IN LIEU OF ANY OTHER ITEM WITHIN ITS I&S FAMILY.

0801 ADPE-IDEN-CD — ADPEC_0801 — DLSC-SBA — F — CHAR — 1

AUTOMATIC DATA PROCESSING EQUIPMENT IDEN CODE (ADPEC)

A ONE POSITION IDENTIFIER CODE TO INDICATE AN ITEM OF ADPE OR CONTAINING ADPE REGARDLESS OF ASSIGNED FSC TO PROVIDE VISIBILITY FOR COMPLIANCE WITH UNIQUE MANAGER REQUIREMENTS ESTABLISHED FOR ADPE BY PUBLIC LAW 89-306. SEE VOLUME 10, TABLES 159 AND 161 AND QUICK INFO ON-LINE.

0802 PREC-MTLS-IND-CD — PMIC_0802 — DLSC-SBA — F — CHAR — 1

PRECIOUS METALS INDICATOR CODE (PMIC)

THIS CODE IS TO IDENTIFY ITEMS THAT HAVE PRECIOUS METALS AS PART OF THEIR CONTENT. PRECIOUS METALS ARE THOSE METALS GENERALLY CONSIDERED TO BE UNCOMMON AND HIGHLY VALUABLE WHICH ARE RELATIVELY SUPERIOR IN CERTAIN PROPERTIES SUCH AS RESISTANCE TO CORROSION AND ELECTRICAL CONDUCTIVITY. THE PRECIOUS METALS RECOVERY PROGRAM FOR THE FEDERAL GOVERNMENT ENCOMPASSES GOLD, SILVER, PLATINUM, AND THE PLATINUM FAMILY WHICH CONSISTS OF PALLADIUM, IRIDIUM, RHODIUM, OSMIUM, AND RUTHENIUM. SEE VOLUME 10, TABLE 160 AND QUICK INFO ON-LINE.

0803 ISC-IDEN — DLSC-SB — F — 1

ITEM STANDARDIZATION CODE IDENTIFICATION

A CODE THAT IDENTIFIES WHICH ITEM STANDARDIZATION CODE IS REQUIRED IN AN AUTOMATED TABULAR STUDY LIST. THE CODE MUST BE ONE OF THE FOLLOWING: 1=ALL STANDARDIZATION CODES, 2=STANDARDIZATION CODE OF 5 ONLY OR 3= ALL STANDARDIZATION CODES EXCEPT 3 AND E.

0804 DESC-AVLB — DLSC-V — F — 1

DESCRIPTION AVAILABILITY

A CODE THAT INDICATES WHETHER A DESCRIPTION IS AVAILABLE IN THE TOTAL ITEM RECORD/TIR. THIS CODE IS TO BE GENERATED FROM THE TYPE OF ITEM IDENTIFICATION CODE/DRN 4820. TYPE OF II "2" SHALL BE DISPLAYED AS "N" DESIGNATING NO DESCRIPTION AVAILABLE. ALL OTHER TYPES OF II'S ARE TO REFLECT A BLANK.

0805 MCRL-SVC-AGCY-DESI — DLSC-SBA — F — 1

MCRL SERVICE AGENCY DESIGNATOR

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

AN ALPHA CHARACTER CODE DELINEATING THE SERVICE/AGENCY THAT MADE THE DECISION TO RELATE A PARTICULAR NATIONAL STOCK NUMBER TO A LOGISTICS REFERENCE NUMBER. GENERATED FROM DECODING DRN 4672 (SERVICE/AGENCY DESIGNATOR CODE) IN SEGMENT C. SEE VOLUME 10, TABLE 154 AND QUICK INFO ON-LINE.

0806 MCRL-REF-NBR-TOT-CR-CT — DLSC-V — F — 2

MCRL REFERENCE NUMBER TOTAL CROSS REFERENCE COUNT

A COMPUTER GENERATED HEXADECIMAL COUNT OF THE QUANTITY OF NSNs WHICH ARE CROSSED REFERENCED IN THE MCRL TO A REFERENCE NUMBER (IF NONE, COUNT IS 00).

0807 MCRL-REF-NBR-RCDS-CTR — DLSC-V — F — 2

MCRL REFERENCE NUMBER RECORDS COUNTER

A HEXADECIMAL COUNTER USED TO SEQUENCE MULTIPLE RECORDS FOR REFERENCE NUMBERS. (IF NONE, COUNTER IS 01).

0808 GIRDER-CD — GIRDER_CD_0808 — DLSC-SD — F — CHAR — 2

GIRDER CODE

ACTION CODE FURNISHED BY THE MANUFACTURER IN ACCORDANCE WITH FLIS PROCEDURES.

0809 MFR-NOTES — MFR_NOTES_0809 — DLSC-SD — F — VARCHAR — 58

MANUFACTURER'S NOTES

ANNOTATED DATA PROVIDED BY THE MANUFACTURER IN ACCORDANCE WITH CHAPTER 19, VOLUME 4, DOD 4100.39-M.

0810 MCRL-CR-NSN — DLSC-V — F — 13

MCRL CROSS REFERENCE NATIONAL STOCK NUMBER (NSN)

THIS NATIONAL STOCK NUMBER (NSN) HAS A DIRECT CROSS-REFERENCE RELATIONSHIP TO THE ACTIVE/CURRENT NSN ON THE ITEM OF SUPPLY. CANCELLED NSNs AND NSNs THAT CONTAIN THE FEDERAL SUPPLY CLASS (FSC) FORMERLY ASSIGNED TO THE ITEM OF SUPPLY WILL APPEAR IN THIS FIELD.

0811 NIIN-TO-DWG-MAINT-SEG — DLSC-V — F — 80

NIIN TO DRAWING MAINTENANCE SEGMENT

A GROUP OF DATA ELEMENTS USED TO MASS DELETE AN ENTRY OR REPLACE A DIGITIZED GRAPHICS IDENTIFICATION NUMBER OR ADD GRAPHICS INFORMATION IN THE IDENTIFICATION LIST NATIONAL ITEM IDENTIFICATION NUMBER TO DRAWING CROSS-REFERENCE.

0814 DE-SPTR-CD — DLSC-SB — F — 1

DATA ELEMENT SEPARATOR CODE

A SPECIAL CHARACTER (AN ASTERISK) USED TO INDICATE THE SEPARATION OF A FIXED/VARIABLE DATA ELEMENT FROM ANOTHER FIXED/VARIABLE DATA ELEMENT.

0815 STRT-RCD-IND-CD — DLSC-SB — F — 2

START RECORD INDICATOR CODE

A CODE (DOUBLE ASTERISK) USED IN THE MASTER REQUIREMENT DIRECTORY (MRD) PROGRAMS TO INDICATE THE START OF A DATA INPUT RECORD.

0816 MRD-STAT-IND-CD — MRD_STATUS_CD_0816 — DLSC-SC — F — CHAR — 1

MASTER REQUIREMENT DIRECTORY (MRD) STATUS INDICATOR CODE

A CODE USED IN THE MRD TO INDICATE THE STATUS OF THE REQUIREMENT STATEMENT. CODE /D/ FOLLOWING THE KEYWORD MODIFIER STATEMENT AND THE REQUIREMENT STATEMENT INDICATES A REQUIREMENT IS NOT AUTHORIZED FOR USE IN FUTURE FIIG DEVELOPMENT.

0817 II-GDE — DLSC-SB — F — 6

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

ITEM IDENTIFICATION GUIDE

A DATA FIELD IN THE MASTER REQUIREMENT DIRECTORY RECORDED AGAINST A MASTER REQUIREMENT CODE WHICH IDENTIFIES THE ITEM IDENTIFICATION GUIDE (IIG) IN WHICH THE MASTER REQUIREMENT CODE WILL BE USED. ALSO APPEARS IN THE SYSTEM SUPPORT RECORD ITEM NAME SECTOR DENOTING THE GUIDE WHICH IS APPLICABLE TO AN ITEM NAME.

0818 MRD-DATA-GP-FMT-1 DLSC-SB V 80

MASTER REQUIREMENT DIRECTORY DATA GROUP FORMAT 1

AN INPUT GROUP OF DATA USED TO UPDATE THE MASTER REQUIREMENT DIRECTORY FILE FORMAT 1.

0819 MRD-DATA-EXTR-GP DLSC-SB V 80

MASTER REQUIREMENT DIRECTORY DATA EXTRACT GROUP

AN INPUT GROUP OF DATA USED TO EXTRACT DATA FROM THE MASTER REQUIREMENT DIRECTORY FILE.

0820 MRD-DATA-GP-FMT-3 DLSC-SB V 80

MASTER REQUIREMENT DIRECTORY DATA GROUP FORMAT 3

AN INPUT GROUP OF DATA USED TO UPDATE THE MASTER REQUIREMENT DIRECTORY FILE FORMAT 3.

0822 SRT-SUPRS DLSC-SC F 1

SORT SUPPRESS

AN INDICATOR WHICH, WHEN PRESENT, WILL CAUSE THE RECORDS PULLED INTO THE OFF-LINE FILE NOT TO BE SORTED.

0825 ISAC-LMTN-CD ISAC_LMTN_CD_0825 DLSC-SC F CHAR 2

ISAC LIMITATION CODE

A CODE THAT DESIGNATES VALID RANGE AND TABLE VALUES THAT APPLY TO A SPECIFIC MASTER REQUIREMENT CODE (MRC) FOR ISAC. VALID VALUES: R1, R2, R3, RA, RB, RC, T1, T2, T3.

0826 OPTNL-MAND-ISAC-IND-CD ISAC_IND_CD_0826 DLSC-SC F CHAR 1

OPTIONAL/MANDATORY ISAC INDICATOR CODE

A CODE THAT DESIGNATES IF IDENTIFIED SECONDARY ADDRESS CODING (ISAC) IS OPTIONAL, MANDATORY, OR NOT APPLICABLE FOR A SPECIFIC MASTER REQUIREMENT CODE (MRC) BY ITEM NAME CODE (INC). CODE P SIGNIFIES THAT ISAC IS OPTIONAL, CODE M SIGNIFIES THAT ISAC IS MANDATORY. CODE R SIGNIFIES RELATIONSHIP ONLY AND CODE W INDICATES WITHOUT. A BLANK SIGNIFIES NO CODE AND THAT ISAC IS NOT APPLICABLE.

0827 MGMT-CTL-DATA-AR-UNUSE DLSC-SB F 1

MANAGEMENT CONTROL DATA, ARMY (UNUSED POSITIONS)

A DATA ELEMENT CONTAINING ONE BLANK REQUIRED TO FILL THE UNUSED POSITION OF A MANAGEMENT CONTROL DATA CHAIN. THIS DATA RECORD NUMBER IS A COMPONENT OF DRN 8930 (MANAGEMENT CONTROL DATA, ARMY)

0831 INT-CD-PHY-SEC-PIL-DATA DLSC-VO F 4

INTERROGATION CODE PHYSICAL SECURITY/PILFERAGE DATA

A CODE SUBMITTED WITH AN INTERROGATION TRANSACTION TO INDICATE THAT THE SUBMITTER REQUIRES THE FOLLOWING DATA: MAJOR ORGANIZATIONAL ENTITY CODE (DRN 2833), DATE, EFFECTIVE, LOGISTICS ACTION (DRN 2128), AND SHELF LIFE CODE (DRN 2943).SEE VOLUME 10, TABLE 171 AND QUICK INFO ON-LINE.

0838 TRMNL-IDEN-CD DLSC-V F 3

TERMINAL IDENTIFIER CODE

A THREE POSITION CODE USED IN THE FLIS LOGISTICS REMOTE USERS NETWORK TO IDENTIFY THE PARTICULAR SERVICE/AGENCY TERMINAL AND USER SUBMITTING A CATEGORY 1 TRANSACTION FOR INTERROGATION OR SEARCH OF THE FLIS DATA BASE. THIS CODE WILL BE CONTAINED IN THE SUBMITTER IDENTIFICATION NUMBER (DRN 0839) FIELD.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

0839 LOLA-SUBMR-ID — DLSC-V — V VARCHAR 40

LOLA SUBMITTER IDENTIFICATION FIELD

A VARIABLE LENGTH FIELD WITH A MAXIMUM OF 40 CHARACTERS. ENTRIES MAY BE ALPHA, NUMERIC, AND OR CHARACTERS. THIS FIELD IS DISPLAYED ON THE LOGISTICS REMOTE USERS NETWORK (LOGRUN) LOLA OUTPUT (LOLOUT) AND LOLA MULTIPLE NIIN INPUT (LOLMUL) SCREENS. THE PURPOSE OF THIS FIELD IS TO IDENTIFY OUTPUT PRODUCTS BY THE SUBMITTER. IF THIS FIELD IS NOT ENTERED BY THE SUBMITTER, THE FIELD VALUE WILL DEFAULT TO THE LOGRUN LOGON ID OF THE SUBMITTER.

0840 TRMNL-SER-NBR — DLSC-V — F 7

TERMINAL SERIAL NUMBER

A SEVEN POSITION CODE ASSIGNED BY THE SERVICE/AGENCY USER TO IDENTIFY, AT DESK LEVEL, A CATEGORY I TRANSACTION INPUT TO THE DIDS REMOTE TERMINAL SYSTEM. THIS CODE WILL BE CONTAINED IN THE SUBMITTER IDENTIFICATION NUMBER (DRN 0839) FIELD.

0841 REMOT-OP-FMT-CD — DLSC-V — F 1

REMOTE OUTPUT FORMAT CODE

A ONE POSITION CODE USED TO IDENTIFY FORMAT OF DATA OUTPUT FOR CATEGORY I TRANSACTIONS UNDER THE FLIS LOGISTICS REMOTE USERS NETWORK. DATA MAY BE OUTPUT AS RAW (WITHOUT HEADERS) OR AS FORMATTED DATA WITH HEADERS. A CODE OF R OR M INDICATES RAW DATA OUTPUT. F OR N INDICATES THAT A FORMATTED DATA OUTPUT IS DESIRED.

0845 COMN-NBRING-SYS-IND — CNBR_SYS_I_0845 — DLSC-SC — F CHAR 1

COMMON NUMBERING SYSTEM INDICATOR

A CODE WHICH DESIGNATES WHETHER OR NOT A COMMON PART NUMBERING SYSTEM EXISTS BETWEEN TWO OR MORE COMPANIES WITHIN A DESIGNATED CORPORATE STRUCTURE. VALID VALUES: Y = YES - THERE IS COMMONALITY, N = NO - THERE IS NOT COMMONALITY, U = UNKNOWN, BLANK = NOT REQUIRED.

0847 MRC-USG-DESI — MRC_USG_DESI_0847 — DLSC-SC — F CHAR 1

MASTER REQUIREMENT CODE USAGE DESIGNATOR

AN INDICATOR (*) THAT IDENTIFIES IF THE MASTER REQUIREMENT CODE (MRC) IS IN A U.S. FEDERAL ITEM IDENTIFICATION GUIDE (FIIG). A BLANK SPACE WILL INDICATE THAT THE MRC IS INACTIVE OR RECORDED FOR NORTH ATLANTIC TREATY ORGANIZATION (NATO) USE.

0848 MRC-TBL-CT — DLSC-SC — F 1

MASTER REQUIREMENT CODE TABLE COUNT

A NUMBER (0 THRU 8) THAT INDICATES THE QUANTITY OF TABLES RELATING TO THE MASTER REQUIREMENT CODE (MRC).

0849 REMOT-OP-DEVIC-CD — DLSC-V — F 1

REMOTE OUTPUT DEVICE CODE

A CODE USED IN THE REMOTE TERMINAL SYSTEM TO DESIGNATE THE MEDIA BY WHICH THE OUTPUT DATA IS TO BE RETURNED. A "P" INDICATES THE OUTPUT DATA IS TO BE RETURNED VIA PRINTER AND A "C" INDICATES THE OUTPUT DATA IS TO BE RETURNED VIA CATHODE RAY TUBE (CRT).

0853 RPLM-NSN-ACPT-CD — DLSC-SBA — F 1

REPLACEMENT NATIONAL STOCK NUMBER ACCEPTANCE CODE

CODE U INDICATES THAT A REPLACEMENT NATIONAL STOCK NUMBER (NSN) IS NOT AN ACCEPTABLE RESPONSE TO A DEFENSE AUTOMATIC ADDRESSING SYSTEM (DAAS) PART NUMBER SCREENING (LSD) TRANSACTION. THE ABSENCE OF THE CODE WILL INDICATE THAT A REPLACEMENT NSN IS ACCEPTABLE.

0854 TRAN-STAT-CD — TRN_STATUS_CD_0854 — DLSC-SBA — F CHAR 2

TRANSACTION STATUS CODE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

FOR NORTH ATLANTIC TREATY ORGANIZATION (NATO) USE ONLY. USED IN THE RESULTANT OUTPUTS OF NATO FOLLOW-UP INTERROGATIONS TO IDENTIFY THE CURRENT STATUS OF A PREVIOUSLY SUBMITTED TRANSACTION FOR WHICH OUTPUT HAD NOT BEEN RECEIVED BY THE SUBMITTER. SEE VOLUME 10, TABLE 175 AND QUICK INFO ON-LINE.

0857 CRYPTO-IND-CD — CRYPTO_IND_CD_0857 — DLSC-SBA — F CHAR 1

CRYPTOLOGICAL INDICATOR CODE

A CODE ASSIGNED TO SPECIFIC MAJOR ORGANIZATIONAL ENTITY (MOE) RULES WHICH HAVE THE AUTHORITY TO CATALOG CRYPTOLOGIC ITEMS MANAGED BY DEPARTMENT OF DEFENSE (DOD) ACTIVITIES WITH PRIMARY INVENTORY CONTROL ACTIVITY (PICA) RESPONSIBILITY FOR ITEMS OF SUPPLY UNDER FEDERAL SUPPLY CODE FOR MANUFACTURERS FSCM 98230 WITH REFERENCE NUMBER CATEGORY CODE (RNCC) 1 OR 3 (DESIGN CODE). SEE VOLUME 10, TABLES 156 AND 174 AND QUICK INFO ON-LINE. VALID VALUES ARE: BLANK - NOT CRYPTOGRAPHIC, X - IT IS CRYPTOGRAPHIC.

0858 PR-VLDTN-CD-AF — PVC_AF_0858 — DLSC-SBA — F CHAR 1

PRICE VALIDATION CODE, AIR FORCE

A CODE USED BY THE AIR FORCE TO INDICATE THE VALIDITY OF THE RECORDED UNIT PRICE. SEE VOLUME 10, TABLE 177 AND QUICK INFO ON-LINE.

0861 NMFC-SUB-ITM-NBR — SUB_ITM_NBR_0861 — DLSC-SBA — F CHAR 1

NATIONAL MOTOR FREIGHT CLASSIFICATION (NMFC) SUB-ITEM NUMBER

A CODE TO INDICATE THE SUB OF A NMFC ITEM NUMBER. CODES A-W WILL CORRESPOND WITH THE SUB-NUMBER SHOWN IN THE NMFC. EXAMPLE: SUB-ITEMS 1, 2 AND 3 WILL BE SHOWN AS A, B AND C. A CODE X WILL INDICATE THAT THERE IS NO SUB-NUMBER AND A CODE Z WILL INDICATE THAT A NMFC ITEM CONTAINS SUBS, BUT THE PROPER SUB CANNOT BE DETERMINED. THE LETTERS I, O AND Y WILL BE INVALID CODES.

0862 FMR-NMFC-SUB-ITEM-NBR — FMR_NMFC_SUB_0862 — DLSC-SBA — F CHAR 1

FORMER NMFC SUB-ITEM NUMBER

THE FORMER NATIONAL MOTOR FREIGHT CLASSIFICATION SUB-ITEM NUMBER PREVIOUSLY RECORDED BUT WHICH HAS EITHER BEEN DELETED OR HAS BEEN REPLACED WITH A NEW SUB-ITEM NUMBER.

0863 FRT-CLAS-DATA — DLSC-SBA — F 48

FREIGHT CLASSIFICATION DATA (FCD)

FREIGHT CLASSIFICATION DATA (FCD) IS THAT PORTION OF VALID TRANSPORTATION DATA (VTD) CONSISTING OF THE NATIONAL MOTOR FREIGHT CLASSIFICATION (NMFC) CODE, THE NMFC SUB-ITEM NUMBER, THE UNIFORM FREIGHT CLASSIFICATION (UFC) CODE (MODIFIED), THE LESS THAN TRUCKLOAD RATING CODE, AND THE FREIGHT DESCRIPTION.

0864 INTGTY-CD — INTGTY_CD_0864 — DLSC-SBA — F CHAR 1

INTEGRITY CODE

A CODE WHICH INDICATES THAT A NSN HAS BEEN SELECTED AND REVIEWED BY MILITARY TRAFFIC MANAGEMENT COMMAND (MTMC) TO ENSURE THAT THE FREIGHT CLASSIFICATION DATA IS CORRECT. THE INTEGRITY CODE CAN ONLY BE SUBMITTED BY MTMC. SEE VOLUME 10, TABLE 176 AND QUICK INFO ON-LINE.

0865 HZRD-MAT-IND-CD — HMIC_0865 — DLSC-SBA — F CHAR 1

HAZARDOUS CHARACTERISTICS GROUP ABBREVIATED DEFINITION

THE TEXT OF GROUP ABBREVIATED DEFINITION OF HZRD-CHAR-CD (DRN 2579).

0866 DBRD-BDR-STAT-CD — DBRD_STAT_CD_0866 — DLSC-SC — F CHAR 1

DEBARRED BIDDER STATUS CODE

A CODE THAT WILL INDICATE A CONTACTOR HAS BEEN DEBARRED (CODE D), PROPOSED FOR DEBARMENT (CODE P) OR SUSPENDED (S) FROM RECEIVING FEDERAL CONTRACTS.

0867 DBRD-CONTR-END-DT — DBRD_END_DT_0867 — DLSC-SC — F INTEGER 6

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	--------FORMAT-------- FV--------TYPE--------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

DEBARRED CONTRACTOR'S END DATE
THE TERMINATION DATE OF THE DEBARMENT OR SUSPENSION ACTION IMPOSED BY A DOC COMPONENT AGAINST A CONTRACTOR.

0868 DOD-DBRMT-PPSL-INITR-SYM DBR_PRO_I_SYM_0868 DLSC-SBB F CHAR 5
DOD DEBARMENT PROPOSAL INITIATOR'S SYMBOL
A SYMBOL DESIGNATING THE MILITARY SERVICE, AGENCY OR OTHER DOD AUTHORITY THAT INITIATED THE PROPOSAL FOR THE DEBARMENT OR SUSPENSION OF THE CONTRACTORS FROM RECEIVING FEDERAL CONTRACTS. SEE VOLUME 10, TABLE 183 AND QUICK INFO ON-LINE.

0870 RCDED-SUSP-FILE-ENTR-DT SUSP_ENTR_DT_0870 DLSC-SD F INTEGER 5
RECORDED SUSPENSE FILE ENTRY DATE
A CODE THAT IDENTIFIES THE DATE A TRANSACTION THAT IS IN PROCESS WAS ADDED TO THE NATO/FG MASTER SUSPENSE FILE. THIS CODE WILL APPLY ONLY WHEN AN INPUT TRANSACTION IS MATCHED BY DIC LFN INPUT AND IS STILL IN PROCESS (I.E., TSC NB). DB2 FORM IS CCYYDDD. OUTPUT FORM IS YYDDD.

0872 SURCHG-PRCSG-IND-CD SUR_PRC_ID_CD_0872 DLSC-S F CHAR 1
SURCHARGE PROCESSING INDICATOR CODE
A CODE WHICH INDICATES THE ITEM HAS A SURCHARGE UNIT PRICE IN THE FUTURE. SPECIAL PROCESSING IS APPLIED TO OVERLAY ANY PRICE SUBMITTED WITH THE SURCHARGE PRICE WHILE THIS CODE IS PRESENT. THE VALID VALUES ARE: U - SURCHARGE, N - NAVY BY-PASS, BLANK - NO SURCHARGE.

0874 DT-ESB-PSMAT-RD DT_ESB_PSMT_R_0874 DLSC-SB F INTEGER 5
DATE ESTABLISHED, PSMAT RECORD
A YEAR AND JULIAN DAY USED TO IDENTIFY WHEN A RECORD WAS ESTABLISHED IN THE PRVSNG SCRNG MASTER ADDR FILE.

0875 DT-LST-ACCSD-PSMAT-RD DT_LST_ACC_PS_0875 DLSC-SB F INTEGER 5
DATE LAST ACCESSED, PSMAT RECORD
A YEAR AND JULIAN DAY USED TO IDENTIFY THE LAST DATE A RECORD IN THE PRVSNG SCRNG MASTER ADDR FILE WAS UPDATED OR USED IN THE PRVSNG SCRNG PROCESS.

0876 TOT-NBR-ADRS-PSMAT DLSC-SB F 5
TOTAL NUMBER OF ADDRESSES, PSMAT
TOTAL NUMBER OF PRVSNG SCRNG RCVR ADRS (DRN 0232) IN THE PRVSNG SCRNG MASTER ADDR FILE.

0877 SVC-CONTR-IDEN-CD-1-TOT DLSC-SB F 5
SERVICE/CONTRACTOR IDENTIFICATION CODE 1 TOTAL
TOTAL NUMBER OF SERVICE/CONTRACTOR IDENTIFICATION CODE (DRN 0744) CODED 1 (CONTRACTORS) IN THE PRVSNG SCRNG MASTER ADDR FILE.

0878 SVC-CONTR-IDEN-CD-2-TOT DLSC-SB F 5
SERVICE/CONTRACTOR IDENTIFICATION CODE 2 TOTAL
TOTAL NUMBER OF SERVICE/CONTRACTOR IDENTIFICATION CODE (DRN 0744) CODED 2 (GOVT W/CONTRACTORS) IN THE PRVSNG SCRNG MASTER ADDR FILE.

0879 SVC-CONTR-IDEN-CD-3-TOT DLSC-SB F 5
SERVICE/CONTRACTOR IDENTIFICATION CODE 3 TOTAL
TOTAL NUMBER OF SERVICE/CONTRACTOR IDENTIFICATION CODE (DRN 0744) CODED 3 (GOVT) IN THE PRVSNG SCRNG MASTER ADDR FILE.

0880 FTS-NBR DLSC-VO F 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

FEDERAL TELECOMMUNICATIONS SYSTEM NUMBER
A TELEPHONE NUMBER WITHIN THE FEDERAL COMMUNICATIONS NETWORK FOR A WIDE RANGE OF SERVICES AT COSTS BELOW COMMERCIAL RATES.

0881 TIC — DLSC-VO — F — 2
TYPE INQUIRY CODE
A CODE INDICATING THE KIND OF INQUIRY TO BE PROCESSED.

0882 RPTY-NAME — RPTY_NAME_0882 — DLSC-VO — V VARCHAR — 60
REPOSITORY NAME
THE NAME OF AN ORGANIZATION IN POSSESSION OF TECHNICAL DATA ASSETS.

0883 RPTY-ST-ADRS — RPTY_ST_ADRS_0883 — DLSC-V — F CHAR — 60
REPOSITORY STREET ADDRESS
THE STREET NAME AND ASSOCIATED NUMBER PORTION A REPOSITORYs ADDRESS.

0884 RPTY-CITY — RPTY_CITY_0884 — DLSC-V — F CHAR — 60
REPOSITORY CITY
THAT PART OF AN ADDRESS REFLECTING THE CITY OF A REPOSITORY.

0886 OFC-EXT — DLSC-VO — V — 5
OFFICE EXTENSION
AN EXTENSION OF A TELEPHONE NUMBER GIVEN TO A SPECIFIC OFFICE.

0887 AUTOVON-NBR — DLSC-VO — F — 8
AUTOMATIC VOICE NETWORK NUMBER
TELEPHONE NUMBER WITHIN THE DEFENSE COMMUNICATIONS SYSTEM THAT PROVIDES DIRECT DIALING SERVICE WORLDWIDE BETWEEN GOVERNMENT OWNED AND LEASED AUTOMATIC SWITCHING FACILITIES.

0888 OFC-SYM — OFC_SYM_0888 — DLSC-VO — F VARCHAR — 60
OFFICE SYMBOL
OFFICE SYMBOL OR OTHER ATENTION INFORMATION SUCH AS THE BUILDING NUMBER.

0889 RPTY-CLR-TXT1 — RPTY_CLR_TXT1_0889 — DLSC-VO — V VARCHAR — 60
REPOSITORY CLEAR TEXT - 1
THE FIRST OF UP TO FOUR LINES OF CLEAR TEXT DATA.

0890 NBR-CPY — NBR_CPY_0890 — DLSC-VO — F INTEGER — 2
NUMBER OF COPIES
A TWO DIGIT NUMERIC (01-99) INDICATING HOW MANY COPIES ARE REQUESTED.

0892 PSO-ACT-CD — PSO_ACT_CD_0892 — DLSC-S — V VARCHAR — 3
PSEUDO ACTIVITY CODE
AN INTERNAL TWO OR THREE POSITION ALPHANUMERIC CODE USED TO CROSS-REFERENCE THE ACTIVITY CODE TO A COMMUNICATIONS ROUTING INDICATOR (COMRI).

0893 CONTR-LABEL-CD-PSMAT — CONTR_LBL_CD_0893 — DLSC-SB — F CHAR — 1
CONTRACTOR LABEL CODE, PSMAT

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A ONE POSITION NUMERIC CODE THAT INDICATES WHICH PROVISIONING SCREENING RECEIVER ADDRESS (DRN 0232) IN THE PROVISIONING SCREENING MASTER ADDRESS TABLE (PSMAT) WILL BE USED FOR PRINTING MAILING LABELS.

0894 RPLY-CTS — DLSC-SCA — F — 6
REPLY COUNTS
A NUMERIC COUNT REPRESENTING THE NUMBER OF REPLIES RECORDED AGAINST A PARTICULAR MRC.

0895 MRC-CTS — DLSC-SCA — F — 6
MRC COUNTS
A NUMERIC COUNT REPRESENTING THE NUMBER OF TIMES AN MRC IS RECORDED AGAINST A GROUP OF NIINS.

0896 MTCHD-NIIN-CT — DLSC-SCA — F — 6
MATCHED NIIN COUNT
A NUMERIC COUNT REPRESENTING THE NUMBER OF NIINS THAT WERE MATCHED BY CHARACTERISTICS.

0897 STAT-DEPARTMENT — STAT_DEPT_0897 — DLSC-SBA — F — CHAR — 2
STATISTICS DEPARTMENT
THE CODES FOR MANAGEMENT STATISTICS USED TO REPRESENT MILITARY SERVICE/AGENCIES.

0898 STAT-ACTIVITY — STAT_ACTIVITY_0898 — DLSC-SBA — F — CHAR — 2
STATISTICS ACTIVITY
THE SPECIFIC ACTIVITIES THAT MANAGEMENT STATISTICS COLLECTS DATA ON.

0899 STATS-REQUEST-DATE — STAT_REQ_DATE_0899 — DLSC-SBA — F — CHAR — 6
STATISTICS REQUEST DATE
THE REQUEST DATE FOR MANAGEMENT STATISTICS, CONSISTING OF ANY MONTH AND YEAR, ANY QUARTER AND YEAR OR ANY YEAR. VALID VALUES FOR MONTH: 01-12, QUARTER: Q1-Q4, YEAR: CCYY

0900 QUEUE-ID — QUEUE_ID_0900 — DLSC-SBA — F — CHAR — 8
QUEUE IDENTIFICATION
THE STORAGE DEVICE THAT TRANSACTION MANAGEMENT USES TO PROCESS TRANSACTION FOR STATISTICAL COUNTING AND DATA BASE MAINTENANCE.

0901 MGR-AAC-OUTPUT-ACCESS — DLSC-SBA — F — 8
MANAGER ACQUISITION ADVICE CODE OUTPUT ACCESS
THE NUMBER OF USERS ACCESS FOR ACQUISITION ADVICE CODE STATS.

0902 MGR-AMC-OUTPUT-ACCESS — DLSC-SBA — F — 8
MANAGER ACQUISTION METHOD CODE OUTPUT ACCESS
THE NUMBER OF USER ACCESS FOR ACQUISTION METHOD CODE STATS.

0903 DSOR — DSOR_0903 — DLSC-SBA — F — CHAR — 2
DEPOT SOURCE OF REPAIR CODE
AN ORGANIC OR CONTRACT ACTIVITY DESIGNATED AS THE SOURCE TO PROVIDE DEPOT MAINTENANCE OF EQUIPMENT. ONLY EACH SERVICE'S MAINTENANCE INTERSERVICE SUPPORT MANAGEMENT OFFICE (MISMO) ASSIGNS DSOR CODES THROUGH PICA SERVICE CATALOGING FUNCTION. SEE VOLUME 10, TABLES 117 AND 126 AND QUICK INFO ON-LINE.

0904 FMR-DSOR — FMR_DSOR_0904 — DLSC-SBA — F — CHAR — 2
FORMER DEPOT SOURCE OF REPAIR (DSOR) CODE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A CODE IDENTIFYING THE DEPOT SOURCE OF REPAIR FORMERLY DESIGNATED AS THE SOURCE TO PROVIDE DEPOT MAINTENANCE OF EQUIPMENT. SEE VOLUME 10, TABLES 117 AND 126 AND QUICK INFO ON-LINE.

0905 CTGY-CD CTGY_CD_0905 DLSC-SBA F CHAR 1
CATEGORY CODE
THE CATEGORY THAT IS ASSIGNED TO THAT ACTIVITY.

0906 STAT-DP-ACT-ESTABLISHED DLSC-V F 8
STAT DEPARTMENT ACTIVITY DATE ESTABLISHED
THE DATE THE ACTIVITY AND DEPARTMENT CODE WAS ESTABLISHED FOR THE MANAGEMENT STATISTICS FUNCTIONS. MM/DD/YY

0907 TYPE-OF-STAT TYPE_OF_STAT_0907 DLSC-SBA F CHAR 12
TYPE OF STATISTICS
TYPE OF STAT IS PART OF THE CUT OFF DATE TABLE USED BY THE PROGRAM MANAGER. ITS VALUES CAN BE ISC, AAC, AMSC, REP ETC.

0908 STAT-DEPT-ACTY-CHANGED STAT_ACTY_CH_0908 DLSC-SBA F DATE 7
STAT DEPARTMENT ACTIVITY DATE CHANGED
THE LAST DATE THE ACTIVITY AND/OR DEPARTMENT CODE WAS UPDATED.

0909 MGR-AMSC-OUTPUT-ACCESS DLSC-SBA F 8
MANAGER ACQUISITION METHOD SUFFIX OUTPUT ACCESS
THE NUMBER OF USER ACCESSES FOR ACQUISITION METHOD SUFFIX CODE STATISTICS.

0910 STATS-REASON-CD-CATEGORY DLSC-SBA F 8
STATISTICS REASON CODE
THE CLEAR STATISTICAL CATEGORY FOR REASON CODES IN THE SYSTEM.

0911 REPORTING-PERIOD RPT_PERIOD_0911 DLSC-SBA F DATE 6
REPORTING PERIOD
THIS IS THE ACTUAL MONTH AND YEAR THAT THE MANAGEMENT STATISTICS IS BEING COUNTED. FORMAT IS MMYYYY.

0912 BEGINNING-DATE BEG_DATE_0912 DLSC-SBA F DATE 5
BEGINNING DATE
THE JULIAN DATE THAT SHOWS THE ACTUAL STARTING DATE FOR ACCUMULATING THAT STATISTIC.

0913 ENDING-DATE ENDING_DATE_0913 DLSC-SBA F INTEGER 7
ENDING DATE
THIS IS THE JULIAN DATE THAT IS THE LAST DATE FOR ACCUMULATING STATISTICS FOR THAT REPORTING PERIOD.

0914 DATE-REPORTED-THRU DATE_RPT_THRU_0914 DLSC-SBA F DATE 5
DATE REPORTED THRU
THE JULIAN DATE THAT THE STATISTICS HAS BEEN COLLECTED THRU.

0915 Q-C-VALIDATE Q_C_VALIDATE_0915 DLSC-SBA F CHAR 3
QUALITY CONTROL VALIDATE
THE VALUE IS YES OR NO OF WHETHER OR NOT THE PROGRAM MANAGER VALIDATED THE STATISTIC.

0916 RLSE RLSE_0916 DLSC-SBA F CHAR 3

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

RELEASE
THIS DATA ELEMENT CAN HAVE THE VALUE YES OR NO IN IT TO REFLECT THE PROGRAM MANAGER APPROVAL OF THE MOST RECENT UPDATE TO THE STATISTICS DATA STORE.

0918 DLSC-DWG-LST DLSC_DWG_LST_0918 DLSC-SB F CHAR 14
DLSC DRAWING LIST
THIS REPRESENTS THE DWG-IDEN-NBR LINE DRAWINGS THAT DLSC WILL BE RESPONSIBLE FOR PRODUCING. THE 14 CHARACTER NBR MAY OCCUR UP TO 1200 TIMES ON ONE LIST.

0919 DWG-AT-MFR-CTR DLSC-SB F 10
DRAWING AT THE MANUFACTURER COUNTER
A COUNTER USED TO COUNT THE NUMBER OF DRAWINGS THAT HAVE BEEN SENT TO A MANUFACTURER FOR THE PRODUCTION OF LINE DRAWINGS.

0920 DWG-AT-DLSC DLSC-SB F 14
DRAWING AT DLSC
DRAWINGS THAT DLSC WILL BE RESPONSIBLE FOR TURNING INTO A LINE DRAWING.

0921 DWG-AT-DLSC-CTR DLSC-SB F 10
DRAWING AT DLSC COUNTER
THIS COUNTS HOW MANY LINE DRAWINGS DLSC HAS BEEN ASSIGNED TO PRODUCE.

0922 FIGREP-TO-DWG-IDEN-LST DLSC-SB F 159
FIGREP TO DRAWING IDENTIFICATION LIST
ALPHANUMERIC LIST OF FIGREP STYLE/REPLY IDENTIFICATION NUMBERS THAT CROSS REFERENCE TO FIGREP-IDEN-NBR-DWG-CR, DGTZD-DWG-ITM-NM-DSCRPTN, AND CR-INC.

0923 DWG-TO-B-DGTZD-CTR DLSC-SB F 10
DRAWINGS TO BE DIGITIZED COUNTER
THE ACCUMULATED AMOUNT OF DRAWINGS THAT ARE WAITING TO BE DIGITIZED.

0924 DWG-TYP-2-CTR DLSC-SB F 10
DRAWING TYPE 2 COUNTER
A COUNTER USED TO COUNT THE NUMBER OF DRAWINGS THAT ARE ASSIGNED TO NIIN-IDEN-NBR-DWG-CR TYPE 2 NIINs.

0925 MFR-DWG-LST MFR_DWG_LST_0925 DLSC-V F CHAR 14
MANUFACTURES DRAWING LIST
THIS REPRESENTS THE DWG-IDEN-NBR LINE DRAWINGS THAT THE MANUFACTURE WILL BE RESPONSIBLE FOR PRODUCING. THE 14 CHARACTER NUMBER MAY OCCUR UP TO 1200 TIMES ON ONE LIST.

0926 DWG-TO-B-SNT-TO-MFR-CTR DLSC-SB F 10
DRAWINGS TO BE SENT TO THE MANUFACTURER COUNTER
ACCUMULATIVE COUNT OF DWG-TO-B-SNT-MFR.

0927 FIGREP-DWG-CTR DLSC-SB F 10
FIGREP DRAWINGS COUNTER
A COUNT OF FIGREP-IDEN-NBR-DWG-CR DRAWINGS USED IN FIGREP DRAWING APPLICATION.

0928 NIIN-TO-DWG-IDEN-LST DLSC-SB F 159

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

NIIN TO DRAWING IDENTIFICATION LIST
LIST OF ALL ASGND NIINS ASSOCIATED WITH NIIN-IDEN-NBR-DWG-CR.

0929 LMTD-RGHTS-DWG LMT_RTD_DWG_0929 DLSC-V F CHAR 1
LIMITED RIGHTS DRAWING
DRAWINGS THAT REFERENCE NIINs THAT HAVE LIMITED RIGHTS ASSIGNED TO THEM IN SEGMENT C OR AN MRC.

0930 NIIN-BY-FSC DLSC-S F 14
NIIN BY FEDERAL SUPPLY CLASS
USED TO IDENTIFY THE NIINs ASSIGNED TO A PARTICULAR FSC THAT HAVE A DIGITIZED DRAWING ON FILE FOR EITHER FIGREP OR NIIN DRAWINGS.

0931 NIIN-BY-FSC-CTR DLSC-V F 10
NIIN BY FEDERAL SUPPLY CLASS COUNTER
TOTAL COUNT OF NIINs ASSIGNED TO A PARTICULAR FSC WITH A DIGITIZED DRAWING.

0933 DWG-TO-B-SNT-TO-MFR DLSC-SB F 10
DRAWINGS TO BE SENT TO MANUFACTURER
THIS DISPLAYS THE ACCUMULATIVE AMOUNT OF DWG-IDEN-NBRs THAT WILL BE SENT TO THE MANUFACTURER FOR LINE DRAWING PRODUCTION.

0934 TOT-NBR-DWG-IN-FL-CTR DLSC-SB F 10
TOTAL NUMBER OF DRAWING IN FILE COUNTER
THE TOTAL COUNT OF FIGREP OR NIIN DRAWINGS ASSIGNED.

0935 TOT-NBR-NSNS-ASGND DLSC-V F 10
TOTAL NUMBER OF NIINs ASSIGNED
TOTAL NUMBER OF NATIONAL STOCK NUMBERS ASSIGNED TO DRAWINGS IN THE DIGITIZED DRAWING RECORD.

0936 NBR-OF-DWG-VWS-CTR DLSC-SB F 1
NUMBER OF DRAWING VIEWS COUNTER
THE COUNT OF DRAWING VIEWS ASSIGNED TO A NIIN.

0938 DWG-IN-FILE DWG_IN_FILE_0938 DLSC-SB F CHAR 1
DRAWING IN FILE
THE STATUS AS TO WHETHER THE DRAWING HAS BEEN DIGITIZED OR NOT.

0939 DGTZD-DWG-NBR-LST DLSC-SB F 14
DIGITIZED DRAWING NUMBER LIST
ALPHANUMERIC LISTING OF ALL DRAWING IDENTIFICATION NUMBERS FOR NIIN-IDEN-NBR OR FIGREP-IDEN-NBR. THE CHARACTER NUMBER MAY OCCUR UP TO 1200 TIMES. 14

0940 DWG-TO-B-DGTZD DLSC-SB F 10
DRAWING TO BE DIGITIZED
ACTUAL COUNT OF DRAWINGS WAITING TO BE DIGITIZED AFTER LINE DRAWINGS HAVE BEEN PRODUCED.

0941 TBL-VRBL-INDCTR-CD TBL_V_IN_CT_C_0941 DLSC-VPE F CHAR 1
TABLE/VARIABLE INDICATOR CODE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A CODE THAT DESCRIBES WHERE THE FIGREP DRAWING OR DRAWING INFORMATION IS LOCATED IN THE FIIG. 1 = INFORMATION TAKEN FROM A TABLE IN APPENDIX A. X = A VARIABLE STYLE TAKEN FROM A RDG.

0943 DWG-AT-MFR — DLSC-SB — F — 14
DRAWING AT MANUFACTURER
DRAWINGS THAT A MANUFACTURER WILL BE RESPONSIBLE FOR TURNING INTO A LINE DRAWING.

0944 DWG-FNSH-DT — DWG_FNSH_DT_0944 — DLSC-SB — F DATE — 4
DRAWING FINISH DATE
THE JULIAN DATE USED BY THE TECHNICIAN TO SHOW WHERE THE LIST OF DRAWING IDENTIFICATION NUMBERS STOP BEING EXTRACTED FOR THE PRODUCTION OF A DRAWING MANUFACTURERS LIST OR DRAWING DLSC LIST.

0945 DWG-STRT-DT — DWG_STRT_DT_0945 — DLSC-SB — F DATE — 4
DRAWING START DATE
THE JULIAN DATE USED BY THE TECHNICIAN TO START THE PRODUCTION OF A LIST OF DWG-IDEN-NBRS TO BE SENT TO THE MANUFACTURER OR DLSC FOR LINE DRAWINGS.

0946 DWG-TXT-DTL — DWG_TXT_DTL_0946 — DLSC-SB — V CHAR — 140
DRAWING TEXT DETAIL
THE DRAWING TEXT INFORMATION THAT GOES ALONG WITH THE FIGREP DRAWINGS.

0947 TOT-NBR-DWG-IN-FILE — DLSC-SB — F — 10
TOTAL NUMBER DRAWINGS IN FILE
TOTAL NUMBER OF DRAWING IDENTIFICATION NUMBERS.

0949 SBTTL-RCVG-SPCFC-DLN-QTY — DLSC-SB — F — 6
SUBTOTAL ADDRESSES RECEIVING SPECIFIC DLN QUANTITY
TOTAL AAs RECEIVING A DLN WITHIN A SPECIFIC MLNG-PIC.

0950 DATA-REC-NBR — DRN_0950 — DLSC-VO — F CHAR — 4
DATA RECORD NUMBER
FOUR NUMERIC CHARACTERS ASSIGNED TO IDENTIFY AND CONTROL A FUNCTIONALLY ORIENTED DATA ELEMENT USED IN THE DEFENSE LOGISTICS INFORMATION SYSTEM. THESE DATA ELEMENTS ARE INPUT TO AND/OR FROM SERVICES/AGENCIES AND DEFENSE LOGISTICS SERVICES CENTER (DLSC)/DEFENSE REUTILIZATION AND MARKETING SERVICE (DRMS) PROGRAM MANAGER PERSONNEL. SEE VOLUME 10, TABLES 28, 34 AND 35 AND QUICK INFO ON-LINE.

0951 SBTTL-DLN-PRDCTS-ISSD — DLSC-SB — F — 7
SUBTOTAL DLN PRODUCTS ISSUED
THE TOTAL NUMBER OF COPIES OF AN INDIVIDUAL PRODUCT (DLN) SENT TO ALL AAs WITHIN A SPECIFIC MLNG-PIC.

0952 LMTD-RGHTS-DWG-CTR — DLSC-V — F — 10
LIMITED RIGHTS DRAWING COUNTER
A COUNT OF LIMITED RIGHTS DRAWINGS USED IN THE NIIN AND FIGREP DRAWING XREF APPLICATIONS.

0953 DLN-QTY — DLSC-V — F — 7
DLN QUANTITY
IDENTIFIES DLN PRODUCT QUANTITY BY MLNG-PIC.

0954 DWG-BY-FIIG — DLSC-S — F — 6

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

DRAWING BY FEDERAL ITEM IDENTIFICATION GUIDE
ALL DRAWINGS THAT ARE FOUND IN A PARTICULAR FIIG.

0955 NBR-OF-DWG-VWS NBR_DWG_VWS_0955 DLSC-SB F SMALLINT 1
NUMBER OF DRAWINGS VIEWS
THE NUMBER OF DRAWING VIEWS USED TO DESCRIBE THE ITEM IDENTIFIED BY THE NIIN DRAWING CROSS REFERENCE IDENTIFICATION NUMBER.

0956 DWG-BY-INC DLSC-S F 5
DRAWING BY ITEM NAME CODE
A PARTICULAR DRAWING USED IN THE FIIGs THAT REPRESENT A PARTICULAR INC.

0957 TOT-NBR-OF-DWGS DLSC-S F 10
TOTAL NUMBER OF DRAWINGS
TOTAL NUMBER OF FIIG/LNDG DRAWINGS IN THE DIGITIZED DRAWING FILE.

0958 USER-OPTN DLSC-S F 1
USER OPTION
THIS ALLOWS THE USER DIFFERENT OPTION COMBINATIONS FOR DISPLAY ON THE SCREEN.

0961 APPNDX DLSC-S F 1
APPENDIX
USED TO ACCESS APPENDIX B AND APPENDIX C.

0964 RDG-TI RDG_TI_0964 DLSC-S V VARCHAR 160
REFERENCE DRAWING GROUP TITLE
THE TITLE USED TO IDENTIFY THE RDG IN THE FIIGS.

0965 STYL-TI DLSC-S F 80
STYLE TITLE
THE BASIC STYLE INFORMATION USED TO DESCRIBE A FIIG/LNDG DRAWING STYLE.

0966 F-DWG-DTL DLSC-S V 7966
FIIG DRAWING DETAL
DIGITIZED DRAWINGS USED IN THE FIIG/LNDG APPLICATION.

0970 TOT-NBR-NSNS-ASGND-CTR DLSC-SB F 10
TOTAL NUMBER OF NATIONAL SOCK NUMBERS ASSIGNED COUNTER
AN ACCUMULATIVE COUNT OF NSNs ASSIGNED THAT ARE USED IN XREF.

0971 LRN-C-NIIN-CAN-WKLY DLSC-SB F 2
LOGRUN CAGE NIIN INQ CUSTOMER ACCOUNT NBR WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CAGE TO NIIN INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

0972 GRND-TTL-ADRS-DLN-DSTRBN DLSC-SB F 11
GRAND TOTAL ADDRESS DLN DISTRIBUTION
GRAND TOTAL OF ASSOCIATED ADDRESSES (AA) RECEIVING A DLN.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					

0973 RQST-CD — DLSC-SB — F — 1
REQUEST CODE
IT TELLS THE SYSTEM IF THE USER REQUIRES A TAILORED LIST, LABELS ONLY OR BOTH, FOR OUTPUT PRODUCT.

0974 GRND-TTL-PRDCTS-ISSD — DLSC-SB — F — 11
GRAND TOTAL PRODUCTS ISSUED
GRAND TOTAL OF A DLN PRODUCT ISSUED.

0975 TTL-ADRS-PER-DLN — DLSC-SB — F — 6
TOTAL ADDRESSES FOR DISTRIBUTION LIST NUMBER
TOTAL NUMBER OF ADDRESSES FOR A GIVEN DLN PRODUCT.

0976 TTL-RCVG-SPCFC-DLN-QTY — DLSC-SB — F — 6
TOTAL ADDRESSES RECEIVING SPECIFIC DLN QUANTITY
THE NUMBER OF AAs RECEIVING A PRODUCT QUANTITY WITHIN A SPECIFIC MLNG-PIC.

0977 TTL-DLN-PRDCT-ISSD — DLSC-SB — F — 6
TOTAL DLN PRODUCT ISSUED
TOTAL NUMBER OF DLN COPIES OF ALL AAs WITH A SPECIFIC DLN QUANTITY AND SPECIFIC MLNG-PIC.

0978 TTL-DLN-PRDCT-PER-ADRS — TOT_PRD_ADRS_0978 — DLSC-SB — F — INTEGER — 6
TOTAL DISTRIBUTION LIST NUMBER PRODUCT PER ADDRESS
A SIX POSITION NUMBER THAT INDICATES THE TOTAL NUMBER OF COPIES OF A DLN SENT TO A CERTAIN ADDRESS WITHIN THE AMLS.

0979 AA — AA_0979 — DLSC-SB — F — CHAR — 7
ASSOCIATED ADDRESS CODE
A SEVEN POSITION ALPHA NUMERIC CODE THAT IDENTIFIES A SPECIFIC PRODUCT ADDRESS WITHIN A SPECIFIC ORGANIZATION. THERE ARE NO SPECIAL CHARACTERS OR BLANKS ALLOWED. THE LAST CHARACTER IN THE CODE CAN BE AN *. IF THERE IS A MASTER ADDRESS MA CODE ASSOCIATED WITH THIS ADDRESS THE FIRST SIX CHARACTERS WILL BE THE MA CODE.

0980 MA — DLSC-SB — F — 6
MASTER ADDRESS CODE
A SIX POSITION ALPHA NUMERIC CODE THAT IDENTIFIES A PARTICULAR ORGANIZATION, BUT NOT THE UNITS WITHIN THE ORGANIZATION. THERE ARE NO SPECIAL CHARACTERS OR BLANKS ALLOWED.

0981 SCREEN-ID-CODE — SCRN_ID_0981 — DLSC-SB — F — CHAR — 6
SCREEN IDENTIFICATION CODE
A 6 CHARACTER ELEMENT WHICH CORRESPONDS TO THE SCREEN IDENTIFICATION MNEMONIC ELEMENT NAME.

0982 PRDCT-TI — PRDCT_TI_0982 — DLSC-SB — F — CHAR — 20
PRODUCT TITLE
A TWENTY POSITION ALPHA NUMERIC CODE THAT DESIGNATES THE CLEAR TEXT TITLE OF A PRODUCT. THE PRODUCT TITLE IS PRINTED ON STANDARD LABELS AND ON VARIOUS REPORTS.

0983 MSG — MSG_0983 — DLSC-SB — F — CHAR — 66
MESSAGE
A RESPONSE TO ANY SYSTEM REQUEST THAT REQUIRES AN ANSWER, SUCH AS IMPROPER FORMAT, FORMAT NOT FOUND, DO YOU REALLY WANT TO DELETE Y/N ()?, SYSTEM UPDATED, ETC.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

0984 DWG-TYP-2 DLSC-SB F 1
DRAWING TYPE 2
TYPE 2 NIINS THAT HAVE A DIGITIZED DRAWING ASSIGNED IN THE NIIN-IDEN-NBR-DWG-CR FILE.

0985 MLNG-PIC MLNG_PIC_0985 DLSC-SB F CHAR 3
MAILING PRIORITY INDICATOR CODE
A THREE-POSITION CODE THAT ESTABLISHES THE SEQUENCE OF THE ADDRESSES FOR A GIVEN LABEL ID. EACH SERVICE ENTITY IS RESPONSIBLE FOR ASSIGNING THE VALUES. VALID VALUES ARE ANY COMBINATION OF A-Z AND 0-9.

0986 LRN-CHS-HLP-DP-SN-TIC-QT DLSC-SCA F 8
LOGRUN CHARACTERISTIC HELP DEPARTMENT STATION NAME TIC QT
THE NUMBER OF TIMES LOGRUN IS ACCESSED FOR CHARACTERISTIC SEARCH HELP BROKEN OUT BY DEPARTMENT FOR STATION NAME BY TERMINAL IDENTIFICATION CODE.

0987 LRN-PROC-PRD-SVC-CAN-D DLSC-SB F 6
LOGRUN PROCEDURES DLSC PROD SVC CUSTOMER ACCT NUMBER DAILY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR DLSC PRODUCTS AND SERVICES BY CUSTOMER ACCOUNT NUMBER.

0988 LRN-PROC-PRD-SVC-CAN-W DLSC-SB F 6
LOGRUN PROCEDURES DLSC PROD SVC CUSTOMER ACCT NUMBER WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR DLSC PRODUCTS AND SERVICES BY CUSTOMER ACCOUNT NUMBER.

0989 LRN-PROC-PRD-SVC-CAN-M DLSC-SB F 6
LOGRUN PROCEDURES DLSC PROD SVC CUSTOMER ACCT NUMBER MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR DLSC PRODUCT AND SERVICES BY CUSTOMER ACCOUNT NUMBER.

0990 LRN-PROC-PRD-SVC-CAN-Q DLSC-SB F 6
LOGRUN PROCEDURES DLSC PROD SVC CUSTOMER ACCT NUMBER QRTLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR DLSC PRODUCTS AND SERVICES BY CUSTOMER ACCOUNT NUMBER.

0991 LRN-PROC-PRD-SVC-CAN-Y DLSC-SB F 6
LOGRUN PROCEDURES DLSC PROD SVC CUSTOMER ACCT NUMBER YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR DLSC PRODUCTS AND SERVICES BY CUSTOMER ACCOUNT NUMBER.

0992 LRN-PROC-PRD-SVC-ACTY-D LRN_STAT_CNT_0992 DLSC-V F INTEGER 6
LOGRUN PROCEDURES DLSC PROD SVC ACTIVITY DAILY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR DLSC RPODUCTS AND SERVICES BY ACTIVITY.

0993 LRN-PROC-CHG-UPDT-CAN-W DLSC-SB F 6
LOGRUN PROCEDURES CHANGE UPDATE CUSTOMER ACCNT NMBR DAILY
THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR TO THE PROCEDURES BULLETIN BOARD BY CUSTPMER ACCOUNT NUMBER ON A WEEKLY BASIS.

0994 LRN-PROC-ADD-UPDT-CAN-W DLSC-SB F 6

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

LOGRUN PROCEDURES ADD UPDATE CUSTOMER ACCOUNT NUMBER WEEKLY
THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A WEEKLY BASIS.

0995 LRN-PROC-DEL-UPDT-CAN-W — DLSC-SB — F — 6
LOGRUN PROCEDURE DELETE UPDATE CUSTOMER ACCNT NMBR WEEKLY
THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR PROCEDURES BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A WEEKLY BASIS.

0996 LRN-PROC-PRD-SVC-ACTY-W — DLSC-SB — F — 6
LOGRUN PROCEDURES DLSC PROD SVC ACTIVITY WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR DLSC PRODUCTS AND SERVICES BY ACTIVITY.

0997 BRNCH-CD — BRNCH_CD_0997 — DLSC-SD — F — CHAR — 1
BRANCH CODE
A CODE DESIGNATING WHICH BRANCH INCOMING TRANSACTIONS SHOULD BE ASSIGNED TO, BASED ON THE SUBMITTED CAGE CODE.

0998 BTCH-CTL-NBR — BTCH_CTL_NBR_0998 — DLSC-SD — F — CHAR — 10
BATCH NUMBER TO BATCH CONTROL NUMBER
A NUMBER ASSIGNED TO A GROUPING OF INPUT CATALOGING TRANSACTIONS THAT ARE RECEIVED FROM FOREIGN GOVERNMENTS. THIS NUMBER IS MANUALLY OR MECHANICALLY GENERATED. THE FIRST TWO POSITIONS REPRESENT THE SUBMITTING COUNTRY. THE NEXT FIVE POSITIONS ARE THE JULIAN DATE OF INPUT. THE LAST THREE POSITIONS CONSIST OF A DASH AND THE OCCURRENCE OF INPUT FOR THAT COUNTRY FOR THAT DAY.

0999 CONTL-TXT — CONTL_TXT_0999 — DLSC-V — V — VARCHAR — 1280
CONTINUAL TEXT
THIS DRN CONTAINS TEXTUAL DATA FROM DIDS PROCEDURES SYSTEM. THIS INFORMATION WILL BE PROVIDED ON ONE SCREEN.

1000 DOC-CTL-SER-NBR — DCSN_1000 — DLSC-SB — F — CHAR — 7
DOCUMENT CONTROL SERIAL NUMBER
AN ALPHA NUMERIC NUMBER (DESKCODE) ASSIGNED TO EACH INPUT, OUTPUT AND SUSPENDED TRANSACTION FOR CONTROL PURPOSES. USED INTERNALLY BY THE DEFENSE LOGISTICS SERVICES CENTER AND EXTERNALLY BY FIELD ACTIVITIES.

1001 OE-LI-SEG-NBR — OE_LI_SEG_NBR_1001 — DLSC-SBB — F — CHAR — 2
ORGANIZATIONAL ENTITY LINE SEGMENT NUMBER
A CODE THAT IDENTIFIES THE TYPE OF LINE SEGMENT, IN THE CLEAR TEXT, COMPRISING AN ORGANIZATIONAL ENTITY RECORD. USED FOR SEQUENCING TEXT IN PROPER CHRONOLOGICAL ORDER. NUMERIC RANGE 01-59. SEE VOLUME 10, TABLE 89 AND QUICK INFO ON-LINE.

1002 RTC-CD — RTC_CD_1002 — DLSC-SD — F — CHAR — 3
RETURN TO COUNTRY CODE
A THREE POSITION CODE THAT DESIGNATES THE REASON THAT A DIC LSA TRANSACTION (REQUEST FOR NSN ASSIGNMENT) IS BEING RETURNED TO THE ORIGINATING COUNTRY. THIS CODE IS INPUT BY DLSC-FD.

1006 DT-OUT-TO-MFR — DT_OUT_TO_MFR_1006 — DLSC-SD — F — INTEGER — 9
DATE OUT TO MANUFACTURER
JULIAN YEAR AND DAY THAT A REQUEST IS BEING SENT TO A MANUFACTURER FOR DATA.

1007 DT-TECH-DATA-RCVD — DT_TEC_DAT_RC_1007 — DLSC-SD — F — INTEGER — 9

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

DATE TECHNICAL DATA RECEIVED
JULIAN YEAR AND DAY ENTERED WHEN A REPLY HAS BEEN RECEIVED BY DLSC-FD FROM THE MANUFACTURER OR OBTAINED FROM AN ALTERNATE SOURCE.

1008 DT-PRIM-OP — DT_PRIM_OP_1008 — DLSC-SD — F INTEGER 9
DATE PRIMARY OUTPUT
JULIAN YEAR AND DAY MECHANICALLY GENERATED WHEN THE PRIMARY OUTPUT (RESULTING FROM LSA INPUT) IS PROCESSED THROUGH THE NATO TRACKING FILE.

1009 DT-SECD-IP — DT_SECD_IP_1009 — DLSC-SD — F INTEGER 9
DATE SECONDARY INPUT
JULIAN YEAR AND DAY MECHANICALLY GENERATED WHEN THE SECONDARY INPUT IS PROCESSED THROUGH THE NATO MASTER TRACKING FILE.

1011 DT-SECD-OP — DT_SECD_OP_1011 — DLSC-SD — F INTEGER 9
DATE SECONDARY OUTPUT
JULIAN YEAR AND DAY MECHANICALLY GENERATED WHEN THE SECONDARY OUTPUT IS PROCESSED THROUGH THE NATO MASTER TRACKING FILE.

1012 AC-NO-7 — DLSC-SD — V 9000
NATO AC 135 NO7 DATA
A GROUP OF DATA SUBMITTED IN SUPPORT OF A CODIFICATION REQUEST FROM A NATO/FG TO THE U.S. IT CONSISTS OF INFORMATION THAT WILL AID IN CATALOGING, SUCH AS, THE CONTRACT NUMBER OR END ITEM APPLICATION.

1013 DT-TRAN-DSK-CD-CHNG — DT_DSK_CD_CHG_1013 — DLSC-SD — F INTEGER 9
DATE TRANSACTION DESK CODE CHANGE
JULIAN YEAR AND DAY WHEN THE DESK CODE IS CHANGED IN THE NATO MASTER TRACKING FILE.

1015 DOC-CTL-NBR — DOC_CTL_NBR_1015 — DLSC-SB — F CHAR 16
DOCUMENT CONTROL NUMBER
A DATA CHAIN GENERATED FOR INPUT AND PERPETUATED IN OUTPUT PACKAGES. THE COMPONENTS OF THIS CHAIN ARE DRNs 4210, 3720, 2310 AND 1000. THIS COMBINATION WILL CREATE A UNIQUE IDENTIFYING NUMBER FOR IMMEDIATE IDENTIFICATION OF EACH TRANSACTION PACKAGE. THE DOCUMENT CONTROL NBR REMAINS THE SAME FOR A SINGLE PACKAGE AND SHALL NOT BE CHANGED BY THE SUBMITTING ACTIVITY WHEN THE SUBMITTER IS OTHER THAN THE ORIGINATOR. THE DOCUMENT CONTROL NBR ALWAYS REMAINS THE SAME AND STAYS WITH THE ITEM UNTIL COMPLETED.

1016 DT-RTC — DT_RTC_1016 — DLSC-SD — F INTEGER 9
DATE RETURN TO COUNTRY
JULIAN YEAR AND DAY MECHANICALLY GENERATED WHEN THE RETURN TO COUNTRY CODE IS INPUT TO THE NATO MASTER TRACKING FILE.

1017 OUT-TO-MFR-CD — OUT_TO_MFR_CD_1017 — DLSC-V — F CHAR 1
OUT TO MANUFACTURER CODE
A CODE TO INDICATE THE STATUS OF THE ITEM. AN X INDICATES THAT ITEM WAS SENT TO MANUFACTURER. A BLANK INDICATES ITEM WAS NOT SENT TO MANUFACTURER.

1019 DT-TRAN-RD — DLSC-SD — F 5
DATE TRANSACTION READ
JULIAN DATE MECHANICALL GENERATED WHEN A LSA TRANSACTION IS READ INTO THE NATO MASTER TRACKING FILE.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	FORMAT FV	TYPE	LG
CLEAR TEXT HOST/COBOL NAME						
DRN DEFINITION						

1024 NATO-FGN-GOVT-TRANS-PR NATO_FG_TR_P_1024 DLSC-SD F DECIMAL 7
NATO FOREIGN GOVERNMENT TRANSACTION PRICE
THE DOLLAR AMOUNT CHARGED BASED ON THE TYPE OF CATALOGING TRANSACTION PROCESSED.

1026 WRKLD-CNT WRKLD_CNT_1026 DLSC-SD V INTEGER 5
WORKLOAD COUNT
A COUNT OF THE QUANTITY OF TRANSACTIONS TO WORK CURRENTLY ASSIGNED TO A BRANCH, TEAM, OR TECHNICIAN.

1027 CNTRL-NBR-FMS DLSC-SD F 8
CONTROL NUMBER FOREIGN MILITARY SALES
A UNIQUE IDENTIFYING NUMBER USED FOR CONTROL PURPOSES.

1028 SUPLMNTRY-DIC-IP SUPL_DIC_IP_1028 DLSC-SD F CHAR 3
SUPPLEMENTARY DOCUMENT IDENTIFIER CODE INPUT
THE DOCUMENT IDENTIFIER CODE SUBMITTED TO THE DEFENSE LOGISTICS SERVICES CENTER AS A RESULT OF A PREVIOUSLY SUBMITTED CATALOGING TRANSACTION.

1029 SUPLMNTRY-DIC-OP SUPL_DIC_OP_1029 DLSC-SD F CHAR 3
SUPPLEMENTARY DOCUMENT IDENTIFIER CODE OUTPUT
THE DOCUMENT IDENTIFIER CODE OUTPUT BY THE DEFENSE LOGISTICS SERVICES CENTER AS A RESULT OF A PREVIOUSLY SUBMITTED SUPPLEMENTARY DOCUMENT IDENTIFIER CODE INPUT.

1031 DT-PRCSD DT_PRCSD_1031 DLSC-SD F INTEGER 9
DATE PROCESSED
THE YEAR AND JULIAN DAY DENOTING THE DATE THAT PROCESSING WAS PERFORMED FOR A SPECIFIC CATALOGING TRANSACTION.

1035 MODE-TYP DLSC-SB F 1
MODE TYPE
A CODE IN ADP GUIDE WHICH REFLECT THE IDENTIFICATION LIST (IL) PRINT POSITION OF THE REQUIREMENTS PERMISSIBLE MODE CODE VARIABLE REPLY PORTION, WHEN THE REPLY CONSTITUTES MULTIPLE DATA ELEMENTS COMPRISING A DATA CHAIN FOR MODE CODE "J" ONLY. THE ABSENCE OF THIS CODE INDICATES THAT THE VARIABLE REPLY PORTION WILL NOT BE PRINTED IN THE IL.

1036 DT-FLGD-FOR-BLNG DT_FOR_BLNG_1036 DLSC-SD F INTEGER 9
DATE FLAGGED FOR BILLING
THE YEAR AND JULIAN DAY DENOTING THE DATE THAT A CATALOGING TRANSACTION HAS BEEN COMPLETED AND SCHEDULED TO BE INCLUDED ON THE NEXT BILLING LISTING.

1041 DT-BILD DT_BILD_1041 DLSC-SD F INTEGER 9
DATE BILLED
THE YEAR AND JULIAN DAY DENOTING THE DATE THAT A CATALOGING TRANSACTION WAS INCLUDED IN A BILLING LISTING.

1042 DT-FLGD-FOR-PURGE DT_FOR_PRG_1042 DLSC-SD F INTEGER 9
DATE FLAGGED FOR PURGE
JULIAN YEAR AND DAY THAT A CATALOGING TRANSACTION HAS BEEN COMPLETED, BILLED AND SCHEDULED TO BE DELETED FROM THE CONTROL FILE.

1043 DT-DELNQNT DT_DELNQNT_1043 DLSC-SD F INTEGER 9
DATE DELINQUENT

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE LAST NUMERIC OF THE YEAR AND THE JULIAN DAY DENOTING THE DATE THAT A CATALOGING TRANSACTION WILL BECOME DELINQUENT.

1044 DT-FLGD-FOR-RTC DT_FOR_RTC_1044 DLSC-SD F INTEGER 9
DATE FLAGGED FOR RETURN TO COUNTRY
JULIAN YEAR AND DAY A CATALOGING TRANSACTION WAS RETURNED TO THE SUBMITTING COUNTRY AND SCHEDULED FOR INCLUSION ON THE NEXT BILLING LISTING.

1045 ITM-NBR DLSC-V F 2
ITEM NUMBER
A NUMERICAL DESIGNATION ASSIGNED TO EACH ITEM ON A PUBLICATION PAGE.

1047 SCRNG-KEY-CODE SCR_KEY_CD_1047 DLSC-SC F CHAR 1
SCREENING SEARCH KEY CODE
A LETTER OR NUMBER THAT IDENTIFIES CHARACTERISTICS WHICH WILL BE USED IN GENERATING A SCREENING KEY.

1051 DT-PURGED DT_PURGED_1051 DLSC-SD F INTEGER 9
DATE PURGED
JULIAN YEAR AND DAY THAT A CATALOGING TRANSACTION WAS DELETED FROM THE CONTROL FILE.

1052 DIC-OP DIC_OP_1052 DLSC-SD F CHAR 3
DOCUMENT IDENTIFIER CODE OUTPUT
THE DOCUMENT IDENTIFIER CODE OUTPUT BY THE DEFENSE LOGISTICS SERVICES CENTER AS A RESULT OF A CATALOGING TRANSACTION.

1058 DT-INTO-SYS DT_INTO_SYS_1058 DLSC-S F DATE 5
DATE INTO SYSTEM
THE YEAR AND JULIAN DATE THAT THIS ACTION ENTERED THE SYSTEM.

1061 VAR-DATA-CHAR-CTR DLSC-V F 4
VARIABLE DATA CHARACTER COUNTER
A FOUR POSITION COUNTER USED TO HOLD COUNT OF NUMBER OF CHARACTERS IN A VARIABLE FIELD OF DATA IN A GIVEN DATA RECORD.

1062 H2-H3-PUBS-ID DLSC-V F 3
H2-H3 PUBLICATIONS IDENTIFIER
THIS FIELD IS USED BY THE H2-H3 MICROFICHE FORMAT PROGRAM TO DETERMINE WHICH PUBLICATION FORMAT IS TO BE USED.

1063 AMMO-GNC-DESC-CTR DLSC-V F 4
AMMUNITION GENERIC DESCRIPTION COUNTER
A COUNT OF THE NUMBER OF CHARACTERS REFLECTED IN THE COMPLETE AMMUNITION GENERIC CHARACTER COUNTER. IT IS USED AS A CONTROL IN FORMATTING THE H3 ALPHABETIC AND H3 NUMERIC SECTION DATA FOR MICROFICHE.

1064 H3-SRTD-NMC-DATA DLSC-V F 2005
H3 SORTED NUMERIC DATA
THIS IS A RECORD CONTAINING FORMATTED H3 NUMERIC DATA SORTED IN FSC-AMMO CODE SEQUENCE.

1065 H3-ALPHA-EXTR DLSC-V V 2004
ALPHABETIC EXTRACT

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THIS IS A RECORD CONTAINING DATA EXTRACTED FROM THE H2/H3 DATA FILE FOR THE ALPHABETIC SECTION OF THE H3 PUBLICATION.

1066 H3-NMC-EXTR — DLSC-V — V — 2004

H3 NUMERIC EXTRACT

THIS IS A RECORD CONTAINING DATA EXTRACTED FROM THE H2/H3 DATA FILE FOR THE NUMERIC SECTION OF THE H3 PUBLICATION.

1067 SRT-CTL-DATA — DLSC-V — V — 200

SORT CONTROL DATA

A DATA FIELD APPENDED TO A TRANSITORY RECORD OR MASTER FILE RECORD FOR PURPOSE OF SORT CONTROL. THIS 200 POSITION DATA ELEMENT IS FURTHER QUALIFIED BY USE OF SORT CONTROL CHARACTER OCCURRING 200 TIMES. REFERENCE PDRN 031A.

1068 TYPCL-NM-CHAR-CTR — DLSC-V — F — 4

TYPICAL NAME CHARACTER COUNTER

A COUNT OF THE NUMBER OF CHARACTERS REFLECTED IN THE COMPLETE TYPICAL NAME AND IS USED AS A CONTROL IN FORMATTING THE H2-2 AND H2-3 DATA FOR MICROFICHE.

1070 PKG-SEQ-NBR — PKG_SEQ_NBR_1070 — DLSC-SC — F — CHAR — 3

PACKAGE SEQUENCE NUMBER (PSN)

A CONTROL NUMBER USED TO SEQUENCE AND INDICATE THE NUMBER OF RECORDS IN A DIDS INPUT OR OUTPUT PACKAGE.

1071 LST-KWN-SOS — LST_KWN_SOS_1071 — DLSC-SBA — F — CHAR — 3

LAST KNOWN SOURCE OF SUPPLY

A CODE WHICH IDENTIFIES THE LAST KNOWN SOURCE OF SUPPLY FOR A CANCELLED INACTIVE, OR NO USER ITEM. IT WILL CONSIST OF EITHER A SOURCE OF SUPPLY CODE OR A PSEUDO SOURCE OF SUPPLY CODE.

1076 PAS-IDEN-CD — DLSC-V — F — 4

PASSTHROUGH IDENTIFICATION CODE

A FOUR (4) POSITION CODE THAT IDENTIFIES A TRANSACTION AS A PASSTHROUGH INFORMATION REQUEST. THE CODE WILL ALWAYS BE PAS_ WITH A BLANK IN THE LAS POSITION.

1077 PG-NBR — DLSC-S — F — 5

PAGE NUMBER

A NUMERICAL DESIGNATION USED TO NUMBER PUBLICATION PAGES.

1078 TBL-COL-NBR — TBL_COL_NBR_1078 — DLSC-S — V — CHAR — 8

TABLE COLUMN NUMBER

NUMBER FOR EACH COLUMN IN A TABLE.

1079 TBL-ELE-IDEN — TBL_ELE_IDEN_1079 — DLSC-S — V — CHAR — 24

TABLE ELEMENT IDENTIFICATION

IDENTIFIES EACH ELEMENT CONTAINED IN A COLUMN OR TABLE. LINKS TABLE DEFINITION TO LOGICAL ENTITIES WHERE DATA RESIDES AND LINKS THE ELEMENTS TO THE DATA DICTIONARY.

1081 ADRS-CD — ADRS_CD_1081 — DLSC-VO — F — CHAR — 9

ADDRESS CODE

KEY FOR ADDRESS ENTITY: FIRST 4 POSITIONS: DERIVED FROM OFFICE SYMBOL NEXT 2 POSITIONS: DERIVED FROM STREET ADDRESS NEXT 2 POSITIONS: DERIVED FROM ZIP CODE LAST POSITION: USED TO ASSURE UNIQUENESS

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1082 ST-ADRS-1 ST_ADRS_1_1082 DLSC-V F CHAR 36
STREET ADDRESS LINE 1
FIRST LINE OF CLEAR TEXT STREET ADDRESS OR POST OFFICE BOX.

1083 ST-ADRS-2 ST_ADRS_2_1083 DLSC-V F CHAR 36
STREET ADDRESS LINE 2
SECOND LINE OF CLEAR TEXT STREET ADDRESS.

1084 CITY CITY_1084 DLSC-V F CHAR 36
CITY
CITY PORTION OF AN ADDRESS.

1085 CNTRY CNTRY_1085 DLSC-V F CHAR 36
COUNTRY
COUNTRY PORTION OF AN ADDRESS. ONLY NECESSARY FOR FOREIGN ADDRESSES.

1086 ADRS-NM-CLR-TXT ADRS_NM_C_TXT_1086 DLSC-V F CHAR 36
CLEAR TEXT NAME LINE
USED FOR INPUT OF CLEAR TEXT ADDRESS RECIPIENT NAME INFORMATION. USED IN COMBINATION WITH ADRS-NM-LN-N0.

1087 ADRS-NM-LN-NO ADRS_NM_LN_NO_1087 DLSC-V F CHAR 2
LINE NUMBER FOR CLEAR TEXT NAME INFORMATION
USED FOR NUMBERING THE LINES USED AS CLEAR TEXT NAME INFORMATION FOR ADDRESSES. USED IN COMBINATION WITH ADRS-NM-CLR-TXT.

1088 TEL-NBR-TYP-CD TEL_NBR_TYP_1088 DLSC-V F CHAR 1
TYPE OF PHONE NUMBER CODE
THIS CODE WILL BE USED TO IDENTIFY THE TYPE OF TELEPHONE NUMBER IDENTIFIED IN THE TEL-NBR ELEMENT (DRN 1359). SEE VOLUME 10, TABLE 205 AND QUICK INFO ON-LINE.

1089 EDT-IND-KEY EDT_IND_KEY_1089 DLSC-SB V CHAR 9
EDIT INDICATOR KEY
A DETERMINER THAT INDICATES IF AN INPUT DATA RECORD NUMBER IS TO BE EDITED.

1092 F-OR-V-KEY F_OR_V_KEY_1092 DLSC-SB V CHAR 8
FIXED OR VARIABLE KEY
A DETERMINER THAT INDICATES IF AN INPUT TRANSACTION IS IN A FIXED OR VARIABLE MODE.

1093 TM-TRAN-STD-PROC TM_STD_PROC_1093 DLSC-SB F DATE 17
TIME TRANSACTION STARTED PROCESSING
THE TIME (TO HUNDREDTHS OF A SECOND) AT WHICH AN INPUT TRANSACTION IS RECOGNIZABLE AS EXISTING BY TRANSACTION MANAGEMENT.

1094 TM-TRAN-RLS-APPL TM_RLS_APPL_1094 DLSC-SB F DATE 17
TIME TRANSACTION RELEASED TO APPLICATION
THE TIME (TO HUNDREDTHS OF A SECOND) AT WHICH AN INPUT TRANSACTION IS RELEASED TO THE TRANSACTION DATA STORE.

1095 TM-APPL-COMP-TRAN TM_APPL_COMP_1095 DLSC-SB F DATE 17

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

TIME APPLICATION COMPLETED TRANSACTION
THE TIME (TO HUNDREDTHS OF A SECOND) AT WHICH A TRANSACTION HAS COMPLETED APPLICATION PROCESSING AND IS AVAILABLE FOR TRANSACTION MANAGEMENT OUTPUT PROCESSING.

1096 TM-TRAN-COMP-PROC TM_COMP_PROC_1096 DLSC-SB F DATE 17
TIME TRANSACTION COMPLETED PROCESSING
THE TIME (TO HUNDREDTHS OF A SECOND) AT WHICH A TRANSACTION HAS COMPLETED PROCESSING IN TRANSACTION MANAGEMENT AND IS OUTPUT FROM PROCESSING.

1097 DATA-ELE-START-POS DE_START_POS_1097 DLSC-SB F CHAR 4
DATA ELEMENT START POSITION
START POSITION OF A DATA ELEMENT WITHIN A SEGMENT OF A TRANSACTION.

1101 USR-CD USR_CD_1101 DLSC-V F CHAR 8
USER CODE
A CODE USED FOR THE PURPOSE OF IDENTIFYING AN INDIVIDUAL AND DETERMINING WHAT THAT INDIVIDUAL CAN ACCESS IN THE ONLINE ENVIRONMENT.

1102 REMOT-OTPT-DATA-REQ-CD DLSC-V F 12
REMOTE OUTPUT DATA REQUEST CODE
THIS FIELD IS USED ON INPUT TO DETERMINE WHAT INFORMATION A PARTICULAR ONLINE APPLICATION IS ASKING FOR. AN X WILL INDICATE A REQUEST FOR A PARTICULAR "SEGMENT(S)". ANY OTHER TYPE OF CHARACTER WILL INDICATE A REQUEST FOR DATA OTHER THAN THE "SEGMENTS".

1103 RESP-CD DLSC-V F 2
PASSTHROUGH RESPONSE CODE
A CODE USED IN PASSTHROUGH THAT INDICATES TO THE FIELD COMPUTER WHAT TYPE OF DATA IS COMING BACK FROM DLSC.

1104 TYP-OF-INQ-CD DLSC-V F 1
TYPE OF INQUIRY CODE
A CODE USED IN PASSTHROUGH THAT THE FIELD DATA BASE SUBMITS THAT INDICATES WHAT TYPE OF INQUIRY THAT THEY WANT TO PERFORM. N = NIIN INQUIRY, C - CAGE CODE/PART NUMBER INQUIRY, D = CAGE CODE/PARTIAL PART NUMBER INQUIRY, P = PART NUMBER INQUIRY, AND S = PARTIAL PART NUMBER INQUIRY.

1105 MSG-CD MSG_CD_1105 DLSC-S F CHAR 4
MESSAGE CODE
A CODE WHICH REFERS TO A CLEARTEXT MESSAGE SENT TO THE USER OF A SYSTEM. THE CLEARTEXT IS MESSAGE (MSG) DRN 0983.

1107 BATCH-STAT-CNTR BTCH_STAT_CTR_1107 DLSC-SB F 9
BATCH-STATISTICS-COUNTER
THIS COUNTER IS USED FOR COUNTING REJECTS, NIINS MATCHED, OR OUTPUT DICS FOR LTI, LSN, LSR, LSF AND DAAS TRANSACTIONS.

1108 PGM-ID PGM_ID_1108 DLSC-S F CHAR 8
PROGRAM IDENTIFIER
A CODE USED TO IDENTIFY AND NAME LIBRARY AND SOFTWARE SYSTEMS. IT SPECIFIES THE PROGRAM AREA, SYSTEM, SUBSYSTEM, APPLICATION, PROGRAM AND MODULE.

1109 MOE-CUR-ADD-CT MOE_CR_ADD_CT_1109 DLSC-SBA F INTEGER 5
MORE CURREND ADD COUNT

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

TIS THE DATA ELEMENT WHICH REPRESENTS THE NUMBER OF NEW MOE RULE RECORDS ADDED TO THE MOE RULE MASTER FILE AS A RESULT OF IMMEDIATED ADD ACTION, FOR A PARTICULAR TIME FRAME.

1116 MOE-CUR-ADD-ERR-CT MOE_CR_ADD_ER_1116 DLSC-SBA F INTEGER 5
MOE CURRENT ADD ERROR COUNT
THIS IS THE DATA ELEMENT WHICH REPRESENTS THE NUMBER OF ERRORS ENCOUNTERED IN THE PROCESS OF ADDING MOE RULE RECORDS TO THE MASTER FILE AS A RESULT OF AN IMMEDIATE ACTION FOR A PARTICULAR TIME FRAME.

1117 MOE-CUR-CHG-CT MOE_CR_CHG_CT_1117 DLSC-SBA F INTEGER 5
MOE CURRENT CHANGE COUNT
THIS IS THE DATA ELEMENT WHICH REPRESENTS THE NUMBER OF MOE RULE RECORDS CHANGED ON THE MOE RULE MASTER FILE AS A RESULT OF IMMEDIATE CHANGE PROCESSING ACTION FOR A PARTICULAR TIME FRAME.

1118 MOE-CUR-CHG-ERR-CT MOE_CR_CHG_ER_1118 DLSC-SBA F INTEGER 5
MOE CURRENT CHANGE ERROR COUNT
THIS IS THE DATA ELEMENT WHICH REPRESENTS THE NUMBER OF ERRORS ENCOUNTERED IN THE PROCESS OF CHANGING MOE RULE RECORDS ON THE MOE RULE MASTER FILE AS A RESULT OF AN IMMEDIATE ACTION, FOR A PARTICULAR TIME FRAME.

1119 MOE-CUR-DEL-CT MOE_CR_DEL_CT_1119 DLSC-SBA F INTEGER 5
MOE CURRENT DELETE COUNT
THIS IS THE DATA ELEMENT WHICH REPRESENTS THE NUMBER OF MOE RULE RECORDS DELETED FROM THE MOE RULE MASTER FILE AS A RESULT OF IMMEDIATE DELETE PROCESSING ACTION, FOR A PARTICULAR TIME FRAME.

1120 SUBMR-CTL-NBR SUBMR_CTL_NBR_1120 DLSC-SB F CHAR 17
SUBMITTER CONTROL NUMBER
A NUMBER PECULIAR TO PROVISIONING AND OTHER PREPROCUREMENT SCREENING REQUESTS WHICH IS USED TO CONTROL AND SEQUENCE TRANSACTIONS IN A SCREENING INPUT/OUTPUT SUBMITTAL PACKAGE. THE LETTERS Y OR Z MAY NOT BE USED IN THE FIRST POSITION OF THE SUBMITTERS CONTROL NUMBER.

1121 LRN-NIIN-INQ-DLY-TOT LRN_STAT_CNT_1121 DLSC-V F INTEGER 8
LOGRUN NIIN INQUIRY DAILY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR NIIN INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1122 LRN-NIIN-INQ-WKLY-TOT DLSC-V F 8
LOGRUN NIIN INQUIRY WEEKLY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR NIIN INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1123 LRN-NIIN-INQ-MTHLY-TOT DLSC-V F 8
LOGRUN NIIN INQUIRY MONTHLY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR NIIN INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1124 LRN-NIIN-INQ-QTRLY-TOT DLSC-V F 8
LOGRUN NIIN INQUIRY QUARTERLY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR NIIN INQUIRIES BY DEPARTMENT, ACTIVITY, AND CUSTOMER ACCOUNT NUMBER.

1125 LRN-NIIN-INQ-YRLY-TOT DLSC-V F 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

LOGRUN NIIN INQUIRY YEARLY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR NIIN INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1126 LRN-PROC-CAN-DLY DLSC-SB F 6
LOGRUN PROCEDURES APPLICATION CUSTOMER ACCOUNT NUMBER DAILY
THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED DAILY BY SPECIFIC APPLICATION AND CUSTOMER ACCOUNT NUMBER.

1127 LRN-RNL-CAN-DLY DLSC-V F 8
LOGRUN REF NBR LOG INQ CUSTOMER ACCOUNT NBR DAILY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1128 LRN-FSG-FSC-ITM-NM-CAN-D DLSC-V F 8
LOGRUN FSG FSC ITEM NAME INQUIRY CUSTOMER ACCOUNT NBR DAILY
THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC-ITEM NAME IS ACCESSED DAILY BY CUSTOMER ACCOUNT NUMBER.

1129 LRN-RNL-CAN-MTHLY DLSC-V F 8
LOGRUN REF NBR LOG INQ CUSTOMER ACOUNT NBR MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1130 LRN-RNL-CAN-QTRLY DLSC-V F 8
LOGRUN REF NBR LOG INQ CUSTOMER ACCOUNT NBR QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1131 LRN-RNL-CAN-YRLY DLSC-V F 8
LOGRUN REF NBR LOG INQ CUSTOMER ACCOUNT NBR YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1132 LRN-RNL-ACTY-DLY LRN_STAT_CNT_1132 DLSC-V F INTEGER 8
LOGRUN REF NBR LOG INQ ACTIVITY DAILY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR REFEERENCE NUMBER LOGISTICS INQUIRIES BY ACTIVITY.

1133 LRN-RNL-ACTY-WKLY DLSC-V F 8
LOGRUN REF NBR LOG INQ ACTIVITY WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR REFERENCE NUMBER LOGISTICS INQUIRIES BY ACTIVITY.

1134 LRN-RNL-ACTY-MTHLY DLSC-V F 8
LOGRUN REF NBR LOG INQ ACTIVITY MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR REFERENCE NUMBER LOGISTICS INQUIRIES BY ACTIVITY.

1135 LRN-RNL-ACTY-QTRLY DLSC-V F 8
LOGRUN REF NBR LOG INQ ACTIVITY QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR REFERENCE NUMBER LOGISTICS INQUIRIES BY ACTIVITY.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1136 LRN-RNL-ACTY-YRLY — DLSC-V — F — 8
LOGRUN REF NBR LOG INQ ACTIVITY YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR REFERENCE NUMBER LOGISTICS INQUIRY BY ACTIVITY.

1137 LRN-RNL-DEPT-DLY — LRN_STAT_CNT_1137 — DLSC-V — F — INTEGER — 8
LOGRUN REF NBR LOG INQ DEPARTMENT DAILY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

1138 LRN-RNL-DEPT-WKLY — DLSC-V — F — 8
LOGRUN REF NBR LOG INQ DEPARTMENT WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

1139 LRN-RNL-DEPT-MTHLY — DLSC-V — F — 8
LOGRUN REF NBR LOG INQ DEPARTMENT MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

1140 LRN-RNL-DEPT-QTRLY — DLSC-V — F — 8
LOGRUN REF NBR LOG INQ DEPARTMENT QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

1141 LRN-RNL-DEPT-YRLY — DLSC-V — F — 8
LOGRUN REF NBR LOG INQ INQ DEPARTMENT YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

1142 LRN-RNL-DLY-TOT — LRN_STAT_CNT_1142 — DLSC-V — F — INTEGER — 8
LOGRUN REF NBR LOG INQ DAILY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR REFERENCE NUMBER LOGISTICS INQUIRIES BY DE3PARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1143 LRN-RNL-WKLY-TOT — DLSC-V — F — 8
LOGRUN REF NBR LOG INQ WEEKLY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1144 LRN-RNL-MTHLY-TOT — DLSC-V — F — 8
LOGRUN REF NBR LOG INQ MONTHLY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1145 LRN-RNL-QTRLY-TOT — DLSC-V — F — 8
LOGRUN REF NBR LOG INQ QUARTERLY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1146 LRN-RNL-YRLY-TOT — DLSC-V — F — 8
LOGRUN REF NBR LOG INQ YEARLY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1147 LRN-PROC-CAN-WKLY — DLSC-SB — F — 6
LOGRUN PROCEDURES APPLICATION CUSTOMER ACCOUNT NUMBER WEEKLY
THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED WEEKLY BY SPECIFIC APPLICATION AND CUSTOMER ACCOUNT NUMBER.

1148 LRN-P-RNL-CAN-DLY — DLSC-V — F — 8
LOGRUN PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR DAILY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1149 LRN-P-RNL-CAN-WKLY — DLSC-V — F — 8
LOGRUN PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIIES BY CUSTOMER ACCOUNT NUMBER.

1150 LRN-P-RNL-CAN-MTHLY — DLSC-V — F — 8
LOGRUN PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1151 LRN-P-RNL-CAN-QTRLY — DLSC-V — F — 8
LOGRUN PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1152 LRN-P-RNL-CAN-YRLY — DLSC-V — F — 8
LOGRUN PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1153 LRN-P-RNL-ACTY-DLY — LRN_STAT_CNT_1153 — DLSC-V — F — INTEGER — 8
LOGRUN PTL REF NBR LOG INQ ACTIVITY DAILY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY ACTIVITY.

1154 LRN-P-RNL-ACTY-WKLY — DLSC-V — F — 8
LOGRUN PTL REF NBR LOG INQ ACTIVITY WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR PARTIAL REFERENCE NUMBER LOGISTICS BY ACTIVITY.

1155 LRN-P-RNL-ACTY-MTHLY — DLSC-V — F — 8
LOGRUN PTL REF NBR LOG INQ ACTIVITY MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY ACTIVITY.

1156 LRN-P-RNL-ACTY-QTRLY — DLSC-V — F — 8
LOGRUN PTL REF NBR LOG INQ ACTIVITY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY ACTIVITY.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1157 LRN-P-RNL-ACTY-YRLY DLSC-V F 8
LOGRUN PTL REF NBR LOG INQ ACTIVITY YEARLY
THE NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY ACTIVITY.

1158 LRN-P-RNL-DEPT-DLY LRN_STAT_CNT_1158 DLSC-V F INTEGER 8
LOGRUN PTL REF NBR LOG INQ DEPARTMENT DAILY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

1159 LRN-P-RNL-DEPT-WKLY DLSC-V F 8
LOGRUN PTL REF NBR LOG INQ DEPARTMENT WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

1160 LRN-P-RNL-DEPT-MTHLY DLSC-V F 8
LOGRUN PTL REF NBR LOG INQ DEPARTMENT MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

1161 LRN-P-RNL-DEPT-QTRLY DLSC-V F 8
LOGRUN PTL REF NBR LOG INQ DEPARTMENT QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

1162 LRN-P-RNL-DEPT-YRLY DLSC-V F 8
LOGRUN PTL REF NBR LOG INQ DEPARTMENT YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

1163 LRN-P-RNL-DLY-TOT LRN_STAT_CNT_1163 DLSC-V F INTEGER 8
LOGRUN PTL REF NBR LOG INQ DAILY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1164 LRN-P-RNL-WKLY-TOT DLSC-V F 8
LOGRUN PTL REF NBR LOG INQ WEEKLY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1165 LRN-P-RNL-MTHLY-TOT DLSC-V F 8
LOGRUN PTL REF NBR LOG INQ MONTHLY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1166 LRN-P-RNL-QTRLY-TOT DLSC-V F 8
LOGRUN PTL REF NBR LOG INQ QUARTERLY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1167 LRN-P-RNL-YRLY-TOT DLSC-V F 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

LOGRUN PTL REF NBR LOG INQ YEARLY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1168 LRN-NM-NIIN-CAN-DLY DLSC-V F 8
LOGRUN NAME TO NIIN INQ CUSTOMER ACCOUNT NBR DAILY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR NAME TO NIIN INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1169 LRN-NM-NIIN-CAN-WKLY DLSC-V F 8
LOGRUN NAME TO NIIN INQ CUSTOMER ACCOUNT NBR WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR NAME TO NIIN INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1170 LRN-NM-NIIN-CAN-MTHLY DLSC-V F 8
LOGRUN NAME TO NIIN INQ CUSTOMER ACCOUNT NBR MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR NAME TO NIIN INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1171 LRN-NM-NIIN-CAN-QTRLY DLSC-V F 8
LOGRUN NAME TO NIIN INQ CUSTOMER ACCOUNT NBR QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR NAME TO NIIN INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1172 LRN-NM-NIIN-CAN-YRLY DLSC-V F 8
LOGRUN NAME TO NIIN INQ CUSTOMER ACCOUNT NBR YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR NAME TO NIIN INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1173 LRN-NM-NIIN-ACTY-DLY LRN_STAT_CNT_1173 DLSC-V F INTEGER 8
LOGRUN NAME TO NIIN INQ ACTIVITY DAILY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR NAME TO NIIN INQUIRIES BY ACTIVITY.

1174 LRN-NM-NIIN-ACTY-WKLY DLSC-V F 8
LOGRUN NAME TO NIIN INQ ACTIVITY WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR NAME TO NIIN INQUIRIES BY ACTIVITY.

1175 LRN-NM-NIIN-ACTY-MTHLY DLSC-V F 8
LOGRUN NAME TO NIIN INQ ACTIVITY MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR NAME TO NIIN INQUIRIES BY ACTIVITY.

1176 LRN-NM-NIIN-ACTY-QTRLY DLSC-V F 8
LOGRUN NAME TO NIIN ING ACTIVITY QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR NAME TO NIIN INQUIRIES BY ACTIVITY.

1177 LRN-NM-NIIN-ACTY-YRLY DLSC-V F 8
LOGRUN NAME TO NIIN INQ ACTIVITY YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR NAME TO NIIN INQUIRIES BY ACTIVITY.

1178 LRN-NM-NIIN-DEPT-DLY LRN_STAT_CNT_1178 DLSC-V F INTEGER 8
LOGRUN NAME TO NIIN INQ DEPARTMENT DAILY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR NAME TO NIIN INQUIRIES BY DEPARTMENT.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1179 LRN-NM-NIIN-DEPT-WKLY DLSC-V F 8
LOGRUN NAME TO NIIN INQ DEPARTMENT WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR NAME TO NIIN INQUIRIES BY DEPARTMENT.

1180 LRN-NM-NIIN-DEPT-MTHLY DLSC-V F 8
LOGRUN NAME TO NIIN INQ DEPARTMENT MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR NAME TO NIIN INQUIRIES BY DEPARTMENT.

1181 LRN-NM-NIIN-DEPT-QTRLY DLSC-V F 8
LOGRUN NAME TO NIIN INQ DEPARTMENT QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR NAME T0 NIIN INQUIRIES BY DEPARTMENT.

1182 LRN-NM-NIIN-DEPT-YRLY DLSC-V F 8
LOGRUN NAME TO NIIN INQ DEPARTMENT YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR NAME TO NIIN INQUIRIES BY DEPARTMENT.

1183 LRN-NM-NIIN-DLY-TOT LRN_STAT_CNT_1183 DLSC-V F INTEGER 8
LOGRUN NAME TO NIIN INQ DAILY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR NAME TO NIIN INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1184 LRN-NM-NIIN-WKLY-TOT DLSC-V F 8
LOGRUN NAME TO NIIN INQ WEEKLY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR NAME TO NIIN INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1185 LRN-NM-NIIN-MTHLY-TOT DLSC-V F 8
LOGRUN NAME TO NIIN INQ MONTHLY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR NAME TO NIIN INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1186 LRN-NM-NIIN-QTRLY-TOT DLSC-V F 8
LOGRUN NAME TO NIIN INQ QUARTERLY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR NAME TO NIIN INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1187 LRN-NM-NIIN-YRLY-TOT DLSC-V F 8
LOGRUN NAME TO NIIN INQ YEARLY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR NAME TO NIIN INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1188 LRN-CHS-CAN-DLY DLSC-SC F 8
LOGRUN CHARACTERISTIC INQUIRY CUSTOMER ACCOUNT NUMBER DAILY
THE NUMBER OF TIMES LOGRUN IS ACCESSES DAILY FOR CHARACTERISTICS DATA BY CUSTOMER ACCOUNT NUMBER.

1189 LRN-CHS-CAN-WKLY DLSC-SC F 8
LOGRUN CHARACTERISTIC INQUIRY CUSTOMER ACCOUNT NUMBER WEEKLY
THE NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CHARACTERISTICS DATA BY CUSTOMER ACCOUNT NUMBER.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1190 LRN-CHS-CAN-MTHLY DLSC-SC F 8
LOGRUN CHARACTERISTIC INQUIRY CUSTOMER ACCOUNT NUMBER MONTH
THE NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CHARACTERISTICS DATA BY CUSTOMER ACCOUNT NUMBER.

1191 LRN-CHS-CAN-QTRLY DLSC-SC F 8
LOGRUN CHARACTERISTIC INQUIRY CUSTOMER ACCOUNT NO. QUARTERLY
THE NUMBER OT TIMES LOGRUN IS ACCESSED QUARTERLY FOR CHARACTERISTICS DATA BY CUSTOMER ACCOUNT NUMBER.

1192 LRN-CHS-CAN-YRLY DLSC-SC F 8
LOGRUN CHARACTERISTIC INQUIRY CUSTOMER ACCOUNT NUMBER YEARLY
THE NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR CHARACTERICS DATA BY CUSTOMER ACCOUNT NUMBER.

1193 LRN-CHS-ACTY-DLY LRN_STAT_CNT_1193 DLSC-SC F INTEGER 8
LOGRUN CHARACTERISTIC INQUIRY ACTIVITY DAILY
THE NUMERB OF TIMES LOGRUN IS ACCESSED DAILY FOR CHARACTERISTICS DATA BY ACTIVITY.

1194 LRN-CHS-ACTY-WKLY DLSC-SC F 8
LOGRUN CHARACTERISTIC INQUIRY ACTIVITY WEEKLY
THE NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CHARACTERISTICS DATA BY ACTIVITY.

1195 LRN-CHS-ACTY-MTHLY DLSC-SC F 8
LOGRUN CHARACTERISTIC INQUIRY ACTIVITY MONTHLY
THE NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CHARACTERISTICS DATA BY ACTIVITY.

1196 LRN-CHS-ACTY-QTRLY DLSC-SC F 8
LOGRUN CHARACTERISTIC INQUIRY ACTIVITY QUARTERLY
THE NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR CHARACTERISTICS DATA BY ACTIVITY.

1197 LRN-CHS-ACTY-YRLY DLSC-SC F 8
LOGRUN CHARACTERISTIC INQUIRY ACTIVITY YEARLY
THE NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR CHARACTERISTICS DATA BY ACTIVITY.

1198 LRN-CHS-DEPT-DLY LRN_STAT_CNT_1198 DLSC-SC F INTEGER 8
LOGRUN CHARACTERISTIC INQUIRY DEPARTMENT DAILY
THE NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR CHARACTERISTICS DATA BY DEPARTMENT.

1199 LRN-CHS-DEPT-WKLY DLSC-SC F 8
LOGRUN CHARACTERISTIC INQUIRY DEPARTMENT WEEKLY
THE NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CHARACTERISTICS DATA BY DEPARTMENT.

1200 LRN-CHS-DEPT-MTHLY DLSC-SC F 8
LOGRUN CHARACTERISTIC INQUIRY DEPARMENT MONTHLY
THE NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CHARACTERISITCS DATA BY DEPARTMENT.

1201 LRN-CHS-DEPT-QTRLY DLSC-SC F 8
LOGRUN CHARACTERISTIC INQUIRY DEPARTMENT QUARTERLY
THE NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR CHARACTERISTICS DATA BY DEPARTMENT.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1202 LRN-CHS-DEPT-YRLY DLSC-SC F 8
LOGRUN CHARACTERISTIC INQUIRY DEPARTMENT YEARLY
THE NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR CHARACTERISTICS DATA BY DEPARTMENT.

1203 LRN-CHS-TOT-DLY LRN_STAT_CNT_1203 DLSC-SC F INTEGER 8
LOGRUN CHARACTERISTIC INQUIRY TOTAL DAILY
THE NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR CHARACTERISTICS DATA BY DEPARTMENT, BY ACTIVITY AND BY CUSTOMER ACCOUNT NUMBER.

1204 LRN-CHS-TOT-WKLY DLSC-SC F 8
LOGRUN CHARACTERISTIC INQUIRY TOTAL WEEKLY
THE NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CHARACTERISTICS DATA BY DEPARTMENT, BY ACTIVITY AND BY CUSTOMER ACCOUNT NUMBER.

1205 LRN-CHS-TOT-MTHLY DLSC-SC F 8
LOGRUN CHARACTERISTIC INQUIRY TOTAL MONTHLY
THE NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CHARACTERISTICS DATA BY DEPARTMENT, BY ACTIVITY AND BY CUSTOMER ACCOUNT NUMBER.

1206 LRN-CHS-TOT-QTRLY DLSC-SC F 8
LOGRUN CHARACTERISTIC INQUIRY TOTAL QUARTERLY
THE NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR CHARACTERISTICS DATA BY DEPARTMENT, BY ACTIVITY AND BY CUSTOMER ACCOUNT NUMBER.

1207 LRN-CHS-TOT-YRLY DLSC-SC F 8
LOGRUN CHARACTERISTIC INQUIRY TOTAL YEARLY
THE NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR CHARACTERISTICS DATA BY DEPARTMENT, BY ACTIVITY AND BY CUSTOMER ACCOUNT NUMBER.

1208 LRN-CHS-H-CAN-DLY DLSC-SC F 8
LOGRUN CHARACTERISTIC HELP CUSTOMER ACCT NBR DAILY
THE NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR CHARACTERISTICS DATA FOR HELP BY CUSTOMER ACCOUNT NUMBER.

1209 LRN-CHS-H-CAN-WKLY DLSC-SC F 8
LOGRUN CHARACTERISTIC HELP CUSTOMER ACCT NBR WEEKLY
THE NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CHARACTERISTICS DATA FOR HELP BY CUSTOMER ACCOUNT NUMBER.

1210 LRN-CHS-H-CAN-MTHLY DLSC-SC F 8
LOGRUN CHARACTERISTIC HELP CUSTOMER ACCT NBR MONTHLY
THE NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CHARACTERISTICS DATA FOR HELP BY CUSTOMER ACCOUNT NUMBER.

1211 LRN-CHS-H-CAN-QTRLY DLSC-SB F 8
LOGRUN CHARACTERISTIC HELP CUSTOMER ACCT NBR QUARTERLY
THE NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR CHARACERTISTICS DATA FOR HELP BY CUSTOMER ACCOUNT NUMBER.

1212 LRN-CHS-H-CAN-YRLY DLSC-SC F 8
LOGRUN CHARACTERISTIC HELP CUSTOMER ACCT NBR YEARLY

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR CHARACTERISTICS DATA FOR HELP BY CUSTOMER ACCOUNT NUMBER.

1213 LRN-CHS-H-ACTY-DLY LRN_STAT_CNT_1213 DLSC-SC F INTEGER 8
LOGRUN CHARACTERISTIC HELP ACTIVITY DAILY
THE NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR CHARACTERISTICS DATA FOR HELP BY ACTIVITY.

1214 LRN-CHS-H-ACTY-WKLY DLSC-SC F 8
LOGRUN CHARACTERISTIC HELP ACTIVITY WEEKLY
THE NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CHARACTERISTICS DATA FOR HELP BY ACTIVITY.

1215 LRN-CHS-H-ACTY-MTHLY DLSC-SC F 8
LOGRUN CHARACTERISTIC HELP ACTIVITY MONTHLY
THE NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CHARACTERISTICS DATA FOR HELP BY ACTIVITY.

1216 LRN-CHS-H-ACTY-QTRLY DLSC-SC F 8
LOGRUN CHARACTERISTIC HELP ACTIVITY QUARTERLY
THE NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR CHARACTERISTICS DATA FOR HELP BY ACTIVITY.

1217 LRN-CHS-H-ACTY-YRLY DLSC-SC F 8
LOGRUN CHARACTERISTIC HELP ACTIVITY YEARLY
THE NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR CHARACTERISTICS DATA FOR HELP BY ACTIVITY.

1218 LRN-CHS-H-DEPT-DLY DLSC-SC F 8
LOGRUN CHARACTERISTIC HELP DEPARTMENT DAILY
THE NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR CHARACTERISTICS DATA FOR HELP BY DEPARTMNET.

1219 LRN-CHS-H-DEPT-WKLY DLSC-SC F 8
LOGRUN CHARACTERISTIC HELP DEPARTMENT WEEKLY
THE NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CHARACTERISTICS DATA FOR HELP BY DEPARTMENT.

1220 LRN-CHS-H-DEPT-MTHLY DLSC-SC F 8
LOGRUN CHARACTERISTIC HELP DEPARTMENT MONTHLY
THE NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CHARACTERISTICS DATA FOR HELP BY DEPARTMENT.

1221 LRN-CHS-H-DEPT-QTRLY DLSC-SC F 8
LOGRUN CHARACTERISTIC HELP DEPARTMENT QUARTERLY
THE NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR CHARACTERISTICS DATA FOR HELP BY DEPARTMENT.

1222 LRN-CHS-H-DEPT-YRLY DLSC-SC F 8
LOGRUN CHARACTERISTIC HELP DEPARTMENT YEARLY
THE NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR CHARACTERISTICS DATA FOR HELP BY DEPARTMENT.

1223 LRN-CHS-H-TOT-DLY DLSC-SC F 8
LOGRUN CHARACTERISTIC HELP TOTAL DAILY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR CHARACTERISTICS DATA FOR HELP BY DEPARTMENT, BY ACTIVITY AND BY CUSTOMER ACCOUNT NUMBER.

1224 LRN-CHS-H-TOT-WKLY DLSC-SC F 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

LOGRUN CHARACTERISTICS HELP TOTAL WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CHARACTERISTICS DATA FOR HELP BY DEPARTMENT, BY ACTIVITY AND BY CUSTOMER ACCOUNT NUMBER.

1225 LRN-CHS-H-TOT-MTHLY DLSC-SC F 8
LOGRUN CHARACTERISTIC HELP TOTAL MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CHARACTERISTICS DATA FOR HELP BY DEPARTMENT, BY ACTIVITY AND BY CUSTOMER ACCOUNT NUMBER.

1226 LRN-CHS-H-TOT-QTRLY DLSC-SC F 8
LOGRUN CHARACTERISTIC HELP TOTAL QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR CHARACTERISTICS DATA FOR HELP BY DEPARTMENT, BY ACTIVITY AND BY CUSTOMER ACCOUNT NUMBER.

1227 LRN-CHS-H-TOT-YRLY DLSC-SC F 8
LOGRUN CHARACTERISTIC HELP TOTAL YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR CHARACTERISITICS DATA FOR HELP BY DEPARTMENT, BY ACTIVITY AND BY CUSTOMER ACCOUNT NUMBER.

1228 TYPE-II-1A-B33 DLSC-SBA F 8
TYPE ITEM IDENTIFICATION 1A-B33
TYPE II 1A FOR DRN 1226, QUANTITY NSNS FSC DEPARTMENT ACTIVITY TYPE II-B33.

1229 LRN-FSG-FSC-ITM-NM-CAN-W DLSC-SC F 8
LOGRUN FSG FSC ITEM NAME INQUIRY CUSTOMER ACCOUNT NBR WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED WEEKLY BY CUSTOMER ACCOUNT NUMBER.

1230 LRN-FSG-FSC-ITM-NM-CAN-M DLSC-SC F 8
LOGRUN FSG FSC ITEM NAME INQUIRY CUSTOMER ACCT NBR MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED MONTHLY BY CUSTOMER ACCOUNT NUMBER.

1231 LRN-FSG-FSC-ITM-NM-CAN-Q DLSC-SC F 8
LOGRUN FSG FSC ITEM NAME INQUIRY CUSTOMER ACCOUNT NBR QTR
THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED QUARTERLY BY CUSTOMER ACCOUNT NUMBER.

1232 LRN-FSG-FSC-ITM-NM-CAN-Y DLSC-SC F 8
LOGRUN FSG FSC ITEM NAME INQUIRY CUSTOMER ACCT NBR YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED YEARLY BY CUSTOMER ACCOUNT NUMBER.

1233 LRN-FSG-FSC-ITM-NM-ACT-D LRN_STAT_CNT_1233 DLSC-SC F INTEGER 8
LOGRUN FSG FSC ITEM NAME INQUIRY ACTIVITY DAILY
THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED DAILY BY ACTIVITY.

1236 MSTR-IDEN-NBR-DWG-CR DLSC-V F 14
MASTER IDENTIFICATION NUMBER DRAWING CROSS REFERENCE
THE NUMBER THAT HAS BEEN ASSIGNED TO A DRAWING. THE NATIONAL STOCK NUMBER IS A PART OF THIS NUMBER.

1237 MSTR-FSC-DWG-CR DLSC-V F 5
MASTER FEDERAL SUPPLY CLASS DRAWING CROSS REFERENCE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE FEDERAL SUPPLY CLASS IS THE CODE USED FOR CLASSIFYING AND GROUPING RELATED ITEMS OF SUPPLY WHICH IS PART OF THE DRAWING IDENTIFICATION NUMBER.

1238 MSTR-IDEN-CT-DWG-CR DLSC-V F 1
MASTER IDENTIFICATION COUNT, DRAWING CROSS-REFERENCE
THE VARIABLE QUANTITY OF DRAWING ILLUSTRATING THE ITEM IDENTIFIED BY THE MASTER IDENTIFICATION NUMBER.

1239 MSTR-NIIN-DWG-CR DLSC-V F 9
MASTER NIIN DRAWING CROSS REFERENCE
THE NATIONAL ITEM IDENTIFICATION NUMBER IS THE UNIQUE NUMBER THAT IS USED WITH A DRAWING IDENTIFICATION NUMBER TO ESTABLISH IT TO THE FILE.

1240 SEQ-NBR-DWG-CR DLSC-V F 2
SEQUENCE NUMBER, DRAWING CROSS REFERENCE
A TWO DIGIT NUMBER INDICATING THE NUMBER OF DRAWINGS THAT ARE APPLICABLE TO A NIIN.

1241 RPLM-IDEN-NBR-DWG-CR DLSC-V F 14
REPLACEMENT IDENTIFICATION NUMBER, DRAWING CROSS-REFERENCE
THIS IS THE IDENTIFICATION NUMBER THAT HAS BEEN ASSIGNED TO A DRAWING.

1242 DWG-DTL DLSC-SB V 7966
DRAWING DETAIL
THE REPRESENTATION OF A LINE DRAWING IN DIGITIZED FORM.

1243 IDEN-NBR-PRFX-DWG-CR DLSC-V F 1
IDENTIFICATION NUMBER PREFIX DRAWING CROSS-REFERENCE
DDR-NIIN-XREF-MASTER-FILE CONTAINS NIIN DRAWINGS AND FIIG DRAWINGS. THIS FIELD INDICATES THE TYPE OF DRAWING.

1244 MAINT-CD-DWG-CR DLSC-V F 1
MAINTENANCE CODE, DRAWING CROSS-REFERENCE
THIS CODE IDENTIFIES THE TYPE OF MAINTENANCE ACTION BEING DONE. E=ESTABLISHMENT OF DRAWING ON CROSS-REFERENCE FILE. D=DELETION OF DRAWING ON CROSS-REFERENCE FILE. C=CHANGE ON DRAWING FILE. R=REPLACEMENT OF DRAWING ID NUMBER. L=DELETION ON DRAWING FILE.

1245 REPT-TITLE-TRANS-QTY DLSC-SBA F 8
REPOSITORY TITLE TRANSACTION QUANTITY
THE NUMBER OF MAINTENANCE ACTION TITLE TRANSACTIONS BROKEN OUT BY REPOSITORY.

1246 REPT-TITLE-ERR-TRANS-QTY DLSC-SBA F 8
REPOSITORY TITLE ERROR TRANSACTION QUANTITY
THE NUMBER OF REPOSITORY TITLE TRANSACTIONS THAT REJECTED AS ERRORS BROKEN OUT BY REPOSITORY.

1247 REPT-TITLE-ADD-TRANS-QTY DLSC-SBA F 8
REPOSITORY TITLE ADD TRANSACTIONS QUANTITY
THE NUMBER OF TITLE ADD TRANSACTIONS BROKEN OUT BY REPOSITORY.

1248 REPT-TITLE-DEL-TRANS-QTY DLSC-SBA F 8
REPOSITORY TITLE DELETE TRANSACTION QUANTITY
THE NUMBER OF TITLE DELETE TRANSACTIONS BROKEN OUT BY REPOSITORY.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1249 REPT-TITLE-PREV-QTY DLSC-SBA F 8
REPOSITORY TITLE PREVIOUS QUANTITY
THE NUMBER OF TITLES PRESENT IN THE FILE AS OF THE PREVIOUS REPORTING DATE BROKEN OUT BY REPOSITORY.

1250 REPT-TITLE-CUR-QTY DLSC-SBA F 8
REPOSITORY TITLE CURRENT QUANTITY
THE NUMBER OF TITLES THAT RESIDE IN THE FILE TO DATE BROKEN OUT BY REPOSITORY.

1251 REPT-TITLE-PCT-OF-CHG DLSC-SBA F 8
REPOSITORY TITLE PERCENT OF CHANGE
THE PERCENT OF CHANGE IS THE PERCENT DIFFERENCE BETWEEN THE CURRENT TITLE COUNT VERSUS THE PREVIOUS COUNT. THESE COUNTS ARE BROKEN OUT BY REPOSITORY.

1252 REPT-UNDEFN-MAINT-QTY DLSC-SBA F 8
REPOSITORY UNDEFINED MAINTENANCE TRANSACTION QUANTITY
THE TOTAL NUMBER OF MAINTENANCE TRANSACTIONS THAT FALL IN CATEGORIES OTHER THAN THOSE NAMED: DATA ASSETS, PART NUMBER, NIIN AND TITLE. THESE TRANSACTION COUNTS ARE BROKEN OUT BY REPOSITORY.

1258 MDLS-REP-DA-COUNT MDLS_R_DA_CT_1258 DLSC-VP F INTEGER 9
MEDALS REPOSITORY DATA ASSET COUNT
THE TOTAL NUMBER OF DATA ASSETS RECORDED ON THE MEDALS DATA BASE FOR A PARTICULAR REPOSITORY.

1259 MDLS-REP-PN-COUNT MDLS_R_PN_CT_1259 DLSC-VP F INTEGER 9
MEDALS REPOSITORY PART NUMBER COUNT
THE TOTAL NUMBER OF PART NUMBERS RECORDED ON THE MEDALS DATA BASE FOR A PARTICULAR REPOSITORY.

1260 MDLS-REP-NIIN-COUNT MDLS_R_NIINCT_1260 DLSC-VP F INTEGER 9
MEDALS REPOSITORY NIIN COUNT
THE TOTAL NUMBER OF NIINS RECORDED ON THE MEDALS DATA BASE FOR A PARTICULAR REPOSITORY.

1261 MDLS-REP-TITLE-COUNT MDLS_R_TITLCT_1261 DLSC-VP F INTEGER 9
MEDALS REPOSITORY TITLE COUNT
THE TOTAL NUMBER OF TITLES RECORDED ON THE MEDALS DATA BASE FOR A PARTICULAR REPOSITORY.

1262 MEDALS-AVG-IQY-RETM DLSC-SBA F 8
MEDALS AVERAGE INQUIRY RESPONSE TIME
THE AVERAGE RESPONSE TIME FOR AN INQUIRY TO MEDALS.

1265 TIME-RANGE-1-10-2 DLSC-SBA F 8
TIME RANGE 1 TO 10 SECONDS 2
THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 1264, TOTAL SERVICE/AGENCY INQUIRY RESPONSE TIME.

1266 TIME-RANGE-11-30-2 DLSC-SBA F 8
TIME RANGE 11 TO 30 SECONDS 2
THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 1264, TOTAL REPOSITORY INQUIRY RESPONSE TIME.

1267 TIME-RANGE-OVER-30-2 DLSC-SBA F 8
TIME RANGE OVER 30 SECONDS 2

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TIME RANGE FROM OVER 30 SECONDS FOR DRN 1264, TOTAL REPOSITORY INQUIRY RESPONSE TIME.

1268 SA-AVG-IQY-RETM DLSC-SBA F 8
SERVICE/AGENCY AVERAGE INQUIRY RESPONSE TIME
THE AVERAGE RESPONSE TIME FOR AN INQUIRY BY SERVICE/AGENCY.

1271 TIME-RANGE-1-10-3 DLSC-SBA F 8
TIME RANGE 1 TO 10 SECONDS 3
THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 1270, TOTAL REPOSITORY INQUIRY RESPONSE TIME.

1272 TIME-RANGE-11-30-3 DLSC-SBA F 8
TIME RANGE 11 TO 30 SECONDS 3
THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 1270, TOTAL SERVICE/AGENCY INQUIRY RESPONSE TIME.

1273 TIME-RANGE-OVER-30-3 DLSC-SBA F 8
TIME RANGE OVER 30 SECONDS 3
THE TIME RANGE FROM OVER 30 SECONDS FOR DRN 1270, TOTAL SERVICE/AGENCY INQUIRY RESPONSE TIME.

1274 REPT-AVG-IQY-RETM DLSC-SBA F 8
REPOSITORY AVERAGE INQUIRY RESPONSE TIME
THE TOTAL AVERAGE RESPONSE TIME FOR AN INQUIRY BROKEN OUT BY REPOSITORY.

1276 T-TERMINAL-IQY-RETM DLSC-SBA F 8
TOTAL TERMINAL INQUIRY RESPONSE TIME
THE TOTAL NUMBER OF INQUIRIES THAT FALL WITHIN A SPECIFIC RESPONSE TIME RANGE BROKEN OUT BY TERMINAL. RANGES CAN BE 1 TO 10 SECONDS, 11 TO 30 SECONDS AND OVER 30 SECONDS.

1277 TIME-RANGE-1-10-4 DLSC-SBA F 8
TIME RANGE 1 TO 10 SECONDS 4
THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 1276, TOTAL TERMINAL INQUIRY RESPONSE TIME.

1278 TIME-RANGE-11-30-4 DLSC-SBA F 8
TIME RANGE 11 TO 30 SECONDS 4
THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 1276, TOTAL TERMINAL INQUIRY RESPONSE TIME.

1279 TIME-RANGE-OVER-30-4 DLSC-SBA F 8
TIME RANGE OVER 30 SECONDS 4
THE TIME RANGE FROM OVER 30 SECONDS FOR DRN 1276, TOTAL TERMINAL INQUIRY RESPONSE TIME.

1280 TRML-AVG-IQY-RETM DLSC-SBA F 8
TERMINAL AVERAGE INQUIRY RESPONSE TIME
THE AVERAGE RESPONSE TIME FOR AN INQUIRY BROKEN OUT BY TERMINAL.

1281 T-TRML-INQUIRIES DLSC-SBA F 8
TOTAL TERMINAL INQUIRIES
THE TOTAL NUMBER OF INQUIRIES BROKEN OUT BY TERMINAL.

1282 IN-THE-CLR-MLNG-ADRS CLR_MLNG_ADRS_1282 DLSC-V F VARCHAR 48

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

IN THE CLEAR MAILING ADDRESS

A CLEAR TEXT ADDRESS OF AN AMLS USER THAT RECEIVES DLSC PRODUCTS. AT LEAST TWO LINES OF ADDRESS MUST BE ENTERED INTO THE AMLS. A MAXIMUM OF 40 CHARACTERS PER LINE AND EIGHT LINES OF ADDRESS MAY BE ENTERED IN THIS AREA.

1283 DLN DLN_1283 DLSC-V F CHAR 10

DISTRIBUTION LIST NUMBER

A TEN POSITION ALPHA NUMERIC IDENTIFIER THAT REPRESENTS THE NUMBER ASSIGNED TO A PRODUCT.

1286 ORG-TI DLSC-SB F 48

OGANIZATIONAL TITLE

FIRST LINE OF IN-THE-CLEAR-MAILING-ADDRESS. NAME OF ORGANIZATION RECEIVING PRODUCTS.

1288 DIDS-NOTE-NBR DIDS_NOTE_NBR_1288 DLSC-V F INTEGER 8

DIDS NOTE NUMBER

A DESIGNATION ASSIGNED TO THE TABLE NUMBER AND TABLE NAME IN THE RESTRICTED TABLE ACCESS DATA FILE. THIS RESTRICTS ON-LINE USER INQUIRY ACCESS ONLY TO SPECIFIC TABLES, OR CATEGORIES OF TABLES, IN THE MASTER TABLE REPOSITORY.

1290 TBL-ACCS-CT-BY-USR-ID TBL_STAT_CNT_1290 DLSC-V F INTEGER 8

TABLE ACCESS COUNT BY USER IDENTIFICATION

THE NUMBER OF TIMES EACH TABLE IN THE MASTER TABLE REPOSITORY IS ACCESSED BY EACH ON-LINE MTR INQUIRY SUBMITTER OR USER (ALSO SEE TABLE ACCESS DATE).

1291 TBL-ACCS-DT TBL_ACCS_DT_1291 DLSC-V F DATE 5

TABLE ACCESS DATE

THE YEAR AND JULIAN DAY (E.G., 88018) OF TABLE ACCESS COUNT BY PROGRAM ID OR BY USER ID MADE TO EACH TABLE IN THE MASTER TABLE REPOSITORY.

1292 TBL-COL-HDRS TBL_COL_HDRS_1292 DLSC-V V VARCHAR 660

TABLE COLUMN HEADERS

THE TITLES OR NAMES THAT IDENTIFY THE DATA IN THE COLUMNS OF A TABLE. TABLE COLUMN HEADERS MAY BE STACKED, I.E., MORE THAT ONE LINE OF HEADING ABOVE THE DATA IN A COLUMN.

1293 TBL-ENTR DLSC-V F 5000

TABLE ENTRY

A TABLE ENTRY CONTAINS A TABLE ARGUMENT AND ONE OR MORE TABLE FUNCTIONS. ALSO MAY BE A LINE OR PORTION OF A TABLE.

1294 TBL-ENTR-DT TBL_EN_DT_1294 DLSC-V F DATE 5

TABLE ENTRY DATE

THE YEAR AND JULIAN DAY (E.G., 88018) A TABLE-ENTRY WAS ORIGINALLY ENTERED, ADDED, CHANGED AND DELETED IN A GIVEN TABLE. THIS PROVIDES AN AUDIT TRAIL OF ALL CHANGES TO EACH TABLE ENTRY.

1295 TBL-ENTR-EFF-DT TBL_EN_EFF_DT_1295 DLSC-V F DATE 5

TABLE ENTRY EFFECTIVE DATE

THE YEAR AND JULIAN DAY (E.G., 88078) ON OR AFTER WHICH A TABLE ENTRY IS AUTHORIZED FOR USE (ALSO SEE TABLE ENTRY DATE). THE EFFECTIVE DATE BEGINS AT 2400:00 HOURS (MIDNIGHT) AND CONTINUES TO 2359:59 HOURS ON THE SPECIFIED JULIAN DAY.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	FORMAT FV	FORMAT TYPE	FORMAT LG
CLEAR TEXT HOST/COBOL NAME						
DRN DEFINITION						
1296	TBL-FMT-PARM	TBL_FMT_PARM_1296	DLSC-V	V	VARCHAR	500
TABLE FORMAT PARAMETERS						
LAYOUT PICTURE FOR TABLES. USED TO EDIT ELEMENTS OR PARTS OF TABLES BEFORE INPUT TO MASTER TABLE REPOSITORY.						
1298	TBL-NBR	TBL_NBR_1298	DLSC-V	F	INTEGER	5
TABLE NUMBER						
THE DESIGNATOR ASSIGNED TO A TABLE NAME.						
1300	DIDS-NOTE-NAR	DIDS_NOTE_NAR_1300	DLSC-V	V	VARCHAR	1200
DIDS NOTE NARRATIVE						
ONE OR MORE STATEMENTS PLACED AFTER THE LAST TABLE ENTRY OR TEXT OF A TABLE. MAY INCLUDE EXPLANATIONS, FOOTNOTES, ASTERISK NOTES, ETC. (ALSO SEE TABLE INTRODUCTION.)						
1301	TBL-COL-WDTH	TBL_COL_WDTH_1301	DLSC-V	V	CHAR	3
TABLE COLUMN WIDTH						
MAXIMUM WIDTH OF EACH COLUMN IN A TABLE.						
1302	TBL-ROW-CT		DLSC-V	V		8
TABLE ROW COUNT						
QUANTITY OF ROWS IN A TABLE OR ARRAY.						
1303	TBL-VLDTY-CRITE-DATA	TBL_VLD_CRITE_1303	DLSC-V	V	VARCHAR	100
TABLE VALIDITY CRITERIA DATA						
USED IN CONJUNCTION WITH LENGTH OF COLUMN ENTRY AND VALIDITY DESCRIPTION TYPE CODE TO DETERMINE THE VALIDITY OF AN ENTRY WHEN UPDATING. LENGTH WILL BE DETERMINED BY THE AFOREMENTIONED FIELDS.						
1304	TBL-VLDTY-DESC-TYP-CD		DLSC-V	F		2
TABLE VALIDITY DESCRIPTION TYPE CODE						
A CODE UTILIZED TO IDENTIFY THE TYPE OF VALIDITY CHECKS REQUIRED.						
1348	DM-MAINT-SUP-CST-ORGC-FD		DLSC-SB	F		8
MAINTENANCE SUPPORT COSTS ORGANIC FUNDED						
A DEPOT MAINTENANCE CODE. MAINTENANCE SUPPORT COSTS ORGANIC FUNDED. FIELD N0 43, PART OF LABOR HOUR AND COST DATA.						
1349	DM-MANT-SP-CST-ORGC-UNFD		DLSC-SB	F		8
MAINTENANCE SUPPORT COSTS ORGANIC UNFUNDED						
A DEPOT MAINTENANCE CODE. MAINTENANCE SUPPORT COSTS ORGANIC UNFUNDED. FIELD N0. 44, PART OF LABOR HOUR AND COST DATA.						
1355	CTY-STA-LOC		DLSC-SC	F		36
CITY AND STATE LOCATION						
THE CITY AND STATE LOCATION OF A COMMERCIAL AND GOVERNMENT ENTITY.						
1356	MASS-CHNG-IND		DLSC-SC	F		1
MASS CHANGE INDICATOR						
AN INDICATOR USED TO DENOTE CAGE RECORDS THAT HAVE BEEN CANCELLED OR REPLACED, HAVING REFERENCE NUMBERS/NIINS UNDERGOING MASS CHANGE PROCESS.						

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	FORMAT FV	TYPE	LG
CLEAR TEXT HOST/COBOL NAME						
DRN DEFINITION						

1357 AUTHZD-USR-NM — AUTHZD_USR_NM_1357 — DLSC-SC — F — CHAR — 30
AUTHORIZED USER NAME
THE NAME OF AN AUTHORIZED USER OF THE DEFENSE INTEGRATED DATA SYSTEM OR ONE OF ITS SUBSYSTEMS.

1358 CO-NM — CO_NM_1358 — DLSC-SC — F — CHAR — 36
COMPANY NAME
THE NAME OF A COMMERICAL AND GOVERNMENT ENTITY THAT PROVIDES A SERVICE OR PRODUCT TO THE U.S. GOVERNMENT, NATO MEMBER NATIONS AND/OR FOREIGN GOVERNMENTS.

1359 TEL-NBR — TEL_NBR_1359 — DLSC-SC — F — CHAR — 20
TELEPHONE NUMBER
THE TELEPHONE NUMBER OF COMMERICAL AND GOVERNMENT ENTITY. THIS ALSO INCLUDES THE AREA CODE.

1361 POBOX — POBOX_1361 — DLSC-SC — F — CHAR — 36
POST OFFICE BOX
THE POST OFFICE BOX OF A COMMERCIAL AND GOVERNMENT ENTITY.

1362 FRST-FMR-NM-LOC — DLSC-SC — F — 36
FIRST FORMER NAME OR LOCATION
THE FIRST FORMER NAME OR LOCATION OF A COMMERCIAL OR GOVERNMENT ENTITY.

1363 SECN-FMR-NM-LOC — DLSC-SC — F — 36
SECOND FORMER NAME OR LOCATION
THE SECOND FORMER NAME OR LOCATION OF A COMMERCIAL AND GOVERNMENT ENTITY.

1364 SZ-OF-BUS-CD — SZ_OF_BUS_CD_1364 — DLSC-SC — F — CHAR — 1
SIZE OF BUSINESS CODE
THE CODE RECORDED IN THE CAGE MASTER FILE WHICH INDICATES THE NUMBER OF EMPLOYEES OF A PARTICULAR BUSINESS OR CORPORATE COMPLEX. SEE VOLUME 10, TABLE 199 AND QUICK INFO ON-LINE.

1365 PRIM-BUS-CTGY-CD — PR_BUS_CAT_CD_1365 — DLSC-SC — F — CHAR — 1
PRIMARY BUSINESS CATEGORY CODE
A CODE RECORDED IN THE CAGE MASTER FILES DENOTING THE PRIME BUSINESS CATEGORY OF A PARTICULAR BUSINESS OR CORPORATION. SEE VOLUME 10, TABLE 200 AND QUICK INFO ON-LINE.

1366 TYP-OF-BUS-CD — TYP_BUS_CD_1366 — DLSC-SC — F — CHAR — 1
TYPE OF BUSINESS CODE
A CODE IN THE CAGE MASTER FILE THAT DEFINES THE DISADVANTAGED STATUS OF A BUSINESS. SEE VOLUME 10, TABLE 201 AND QUICK INFO ON-LINE.

1367 WMN-OWND-BUS-CD — WMN_OWND_BUS_1367 — DLSC-SC — F — CHAR — 1
WOMAN OWNED BUSINESS CODE
A CODE THAT DENOTES WHETHER A BUSINESS IS WOMAN OWNED OR NOT. VALID VALUES ARE: Y - WOMAN-OWNED BUSINESS, N - NOT WOMAN-OWNED BUSINESS

1369 FIPS-CTY-CD — FIPS_CTY_CD_1369 — DLSC-SC — F — CHAR — 5
FEDERAL INFORMATION PROCESSING STANDARD (FIPS) CITY CODE
A CODE THAT NUMERICALLY REPRESENTS A CITY.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	FORMAT FV	FORMAT TYPE	FORMAT LG
CLEAR TEXT HOST/COBOL NAME						
DRN DEFINITION						
1370	FIPS-STA-CD	FIPS_STA_CD_1370	DLSC-SC	F	CHAR	2
FEDERAL INFORMATION PROCESSING STANDARD (FIPS) STATE CODE A CODE THAT NUMERICALLY REPRESENTS A STATE.						
1371	FIPS-CNTY-CD	FIPS_CNTY_CD_1371	DLSC-SC	F	CHAR	3
FEDERAL INFORMATION PROCESSING STANDARD (FIPS) COUNTY CODE A CODE THAT NUMERICALLY REPRESENTS A COUNTY.						
1372	CANC-CAGE-CD-SUSP-DT	CAGE_SUSP_DT_1372	DLSC-SC	F	INTEGER	5
CANCELLED CAGE CODE SUSPENSE DATE THE JULIAN DATE A CANCELLED/REPLACED CAGE CODE IS SUBMITTED OR RESUBMITTED FOR MASS CHANGE PROCESSING.						
1373	CANC-CAGE-CD-CLRD-DT		DLSC-SC	F		5
CANCELLED CAGE CODE CLEARED DATE THE JULIAN DATE A CANCELLED CAGE CODE NO LONGER HAS REFERENCE NUMBERS/NIINS CATALOGED AGAINST IT.						
1374	DT-DBRD-BDR-RCD-ESTB	DT_DBR_REC_ES_1374	DLSC-SC	F	INTEGER	5
DATE DEBARRED BIDDER RECORD ESTABLISHED THE JULIAN DATE A DEBARRED BIDDER RECORD IS ESTABLISHED FOR A COMMERCIAL AND GOVERNMENT ENTITY RECORDED IN THE CAGE MASTER FILE.						
1375	DT-DBRD-BDR-RCD-CHNGD	DT_DBR_REC_CH_1375	DLSC-SC	F	INTEGER	5
DATE DEBARRED BIDDER RECORD CHANGED THE JULIAN DATE A DEBARRED BIDDER RECORD WAS LAST CHANGED.						
1376	DATA-ELE-IMG-BEF-CHNG	DE_IMG_BEF_CG_1376	DLSC-SC	V	CHAR	36
DATE ELEMENT IMAGE BEFORE CHANGE THE IMAGE OF A DATA ELEMENT BEFORE IT WAS CHANGED BY AN UPDATE TRANSACTION.						
1377	DATA-ELE-IMG-AFT-CHNG	DE_IMG_AFT_CG_1377	DLSC-SC	V	CHAR	36
DATA ELEMENT IMAGE AFTER CHANGE THE IMAGE OF A DATA ELEMENT AFTER IT WAS CHANGED BY AN UPDATE TRANSACTION.						
1378	TRAN-AUD-DT	TRAN_AUD_DT_1378	DLSC-SC	F	DATE	5
TRANSACTION AUDIT DATE THE JULIAN DATE AN AUDIT RECORD WAS CREATED FOR A TRANSACTION.						
1379	TRAN-AUD-TME	TRAN_AUD_TME_1379	DLSC-SC	F	INTEGER	4
TRANSACTION AUDIT TIME THE TIME AN AUDIT RECORD WAS CREATED FOR A TRANSACTION						
1380	DBRMT-PPSL-INITR-SYM-MNG	DBRMT_SYM_MNG_1380	DLSC-SC	F	CHAR	30
DEBARRMENT PROPOSAL INITIATORS SYMBOL MEANING THE CLEAR TEXT MEANING OF A DOD-DBRMT-PPSL-INITR-SYM. EX. THE MEANING FOR (DLA) WOULD BE DEFENSE LOGISTICS AGENCY. SEE DRN 0868, ALSO.						
1381	USR-ACCS-LVL	USR_ACCS_LVL_1381	DLSC-SC	F	CHAR	1
USER ACCESS LEVEL						

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A CODE THAT DETERMINES WHAT FUNCTIONS A USER CAN PERFORM ONCE HE/SHE HAS GAINED ACCESS TO THE COMMERCIAL AND GOVERNMENT ENTITY SYSTEM.

1382 CAGE-EXTR-QTY DLSC-SC F 5
CAGE EXTRACT QUANTITY
THE NUMBER OF COMMERCIAL AND GOVERNMENT ENTITY PACKAGES TO BE EXTRACTED FROM THE CAGE MASTER FILE FOR THE CONTRACTOR VERIFICATION PROCESS.

1383 TOT-CAGE-TYP-CD DLSC-SC F 9
TOTAL NUMBER OF CAGE RECORDS BY TYPE CODE
THE TOTAL NUMBER OF CAGE RECORDS WITH A PARTICULAR TYPE CODE.

1384 TOT-CAGE-FOR-DOM-CD DLSC-SC F 9
TOTAL NUMBER OF CAGE RECORDS BY FOREIGN DOMESTIC CODE
THE TOTAL NUMBER OF CAGE RECORDS WITH A PARTICULAR FOREIGN DOMESTIC CODE.

1385 TOT-CAGE-MINM-ADRS-CD DLSC-SC F 9
TOTAL NUMBER OF CAGE RECORDS WITH A MINIMUM ADDRESS CODE
THE TOTAL NUMBER OF CAGE RECORDS WITH A MINIMUM ADDRESS CODE PRESENT.

1386 TOT-CAGE-DATA-PROT-CD DLSC-SC F 9
TOTAL NUMBER OF CAGE RECORDS WITH A DATA PROTECT CODE
THE TOTAL NUMBER OF CAGE RECORDS WITH A DATA PROTECT CODE PRESENT.

1387 TOT-CAGE-DESI-CD DLSC-SC F 9
TOTAL NUMBER OF CAGE RECORDS BY DESIGNATOR CODE
THE TOTAL NUMBER OF CAGE RECORDS WITH A PARTICULAR DESIGNATOR CODE.

1388 TOT-CAGE-ASSOC-CD DLSC-SC F 9
TOTAL NUMBER CAGE RECORDS WITH ASSOCIATION CODE
THE TOTAL NUMBER OF CAGE RECORDS WITH AN ASSOCIATION CODE.

1389 TOT-CAGE-MASS-CHNG DLSC-SC F 9
TOTAL NUMBER CAGE RECORDS IN PROCESS OF MASS CHANGE
THE TOTAL NUMBER OF CAGE RECORDS THAT HAVE BEEN CANCELLED/REPLACED HAVING REFERENCE NUMBERS/NIINS UNDERGOING MASS CHANGE PROCESS.

1390 TOT-CAGE-STAT-CD DLSC-SC F 9
TOTAL NUMBER OF CAGE RECORDS BY STATUS CODE
THE TOTAL NUMBER OF CAGE RECORDS WITH A PARTICULAR STATUS CODE.

1391 TOT-CAGE-RCDS-ADD DLSC-SC F 9
TOTAL NUMBER OF CAGE RECORDS ADDED
THE TOTAL NUMBER OF CAGE RECORDS ADDED DURING A PARTICULAR PERIOD OF TIME.

1392 TOT-CAGE-RCDS-CHNGD DLSC-SC F 9
TOTAL NUMBER OF CAGE RECORDS CHANGED
THE TOTAL NUMBER OF CAGE RECORDS CHANGED DURING A PARTICULAR PERIOD OF TIME.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	FORMAT FV	TYPE	LG
CLEAR TEXT HOST/COBOL NAME						
DRN DEFINITION						

1393 CONTR-CRTFN-ADD-COUNT CON_CRT_ADD_1393 DLSC-SC F INTEGER 5
CONTRACTOR CERTIFICATION ADD COUNT
USED TO ACCUMULATE DAILY COUNT OF ADD TRANSACTIONS.

1394 CONTR-CRTFN-CHG-COUNT CON_CRT_CHG_1394 DLSC-SC F INTEGER 5
CONTRACTOR CERTIFICATION CHANGE COUNT
USED TO ACCUMULATE DAILY COUNT OF CHANE TRANSACTIONS.

1395 CONTR-CRTFN-DEL-COUNT CON_CRT_DEL_1395 DLSC-SC F INTEGER 5
CONTRACTOR CERTIFICATION DELETE COUNT
USED TO ACCUMULATE DAILY COUNT OF DELETE TRANSACTIONS.

1396 REJT-MSG DLSC-V V 43
REJECT MESSAGE
A ONE LINE NARRATIVE STATING THE REASON FOR REJECTING THE TRANSACTION.

1397 TST-PROD-MODE-IND-CD DLSC-V F 1
TEST/PRODUCTION MODE IDENTIFICATION CODE
AN INPUT CODE WHICH INDICATES IF THE INFORMATION DISSEMINATION PROCESSING SYSTEM IS TO BE IN THE TEST OR PRODUCTION MODE.

1398 REEL-SEQ DLSC-V F 3
REEL SEQUENCE
THE SEQUENCE OF REELS SUCH AS 1 = FIRST REEL, 2 = SECOND REEL, ETC.

1399 REEL-SER-NBR DLSC-V F 6
REEL SERIAL NUMBER
THE SERIAL NUMBER ASSIGNED TO EACH REEL OF MAGNETIC TAPE OUTPUT FOR EACH INFORMATION DISSEMINATION.

1400 REEL-LST-NIIN DLSC-V F 9
REEL LAST NIIN
THE LAST NATIONAL ITEM IDENTIFICATION NUMBER (NIIN) OF EACH REEL OF MAGNETIC TAPE OUTPUT FOR PREPARATION OF MICROFICHE MASTERS FOR EACH INFORMATION DISSEMINATION.

1401 REEL-NSN-CT DLSC-V F 6
REEL NATIONAL STOCK NUMBER (NSN) COUNT
A TOTAL COUNT OF NATIONAL STOCK NUMBERS RELATED TO THE RECORD NATIONAL STOCK NUMBER (NSN) BY MEANS OF A MANAGEMENT DATA PHRASE CODE. IF THE MANAGEMENT DATA LIST PHRASE CODE IS E, F, U, OR 3, THE MASTER NSN MUST HAVE I & S ORDER OF USE RECORDED FOR THIS NSN.

1402 REEL-FRST-NIIN DLSC-V F 9
REEL FIRST NIIN
THE FIRST NATIONAL ITEM IDENTIFICATION NUMBER ON EACH REEL OF MAGNETIC TAPE OUTPUT FOR PREPARATION OF MICROFICHE MASTERS FOR EACH INFORMATION DISSEMINATION.

1403 REEL-LST-CRTFN-NBR DLSC-V F 7
REEL LAST CERTIFICATION NUMBER
THE LAST CERTIFIED CONTRACTOR NUMBER (CODE) ON EACH REEL OF MAGNETIC TAPE USED TO PRODUCE MICROFICHE MASTERS OF THE CERTIFIED CONTRACTOR ACCESS LIST (CCAL).

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1404 REEL-CT — DLSC-V — F — 4
REEL COUNT
THE QUANTITY OF MAGNETIC TAPE REELS USED TO PRODUCE THE APPLICABLE INFORMATION DISSEMINATION.

1405 REEL-FRST-CRTFN-NBR — DLSC-V — F — 7
REEL FIRST CERTIFICATION NUMBER
THE FIRST CERTIFIED CONTRACTOR NUMBER (CODE) ON EACH REEL OF MAGNETIC TAPE USED TO PREPARE MICROFICHE MASTERS FOR THE CERTIFIED CONTRACTOR ACCESS LIST (CCAL).

1406 RCD-DELD-CT-PER-ACTY-FSC — DLSC-V — F — 4
RECORDS DELETED COUNT PER ACTIVITY/FSC
THE TOTAL NUMBER OF DELETED RECORDS PER ACTIVITY IN EACH INDIVIDUAL FEDERAL SUPPLY CLASS (FSC).

1407 RCD-IMG — DLSC-V — F — 80
RECORD IMAGE
AN INTERNAL DLSC DOCUMENT IDENTIFIER CODE IMAGE CONSISTING OF 15 DIFFERENT ELEMENTS. IT IS A PICTURE OF A TRANSACTION WHICH HAS PROVED TO BE INVALID, WHICH HAS NOT PASSED ONE OR MORE EDITS.

1408 RCD-CT-PER-ACTY — DLSC-V — F — 6
RECORD COUNT PER ACTIVITY
THE NUMBER OF RECORDS BY ACTIVITY.

1409 RCD-CT-PER-DOC-NBR — DLSC-V — F — 6
RECORD COUNT PER DOCUMENT NUMBER
THE NUMBER OF RECORDS BY DOCUMENT NUMBER.

1410 RCD-ADD-CT-PER-ACTY-FSC — DLSC-V — F — 4
RECORDS ADDED COUNT PER ACTIVITY/FSC
THE TOTAL NUMBER OF NEW RECORDS PER ACTIVITY IN EACH INDIVIDUAL FEDERAL SUPPLY CLASS (FSC).

1411 RCD-CHNG-CT-PER-ACTY-FSC — DLSC-V — F — 4
RECORDS CHANGED COUNT PER ACTIVITY/FSC
THE TOTAL NUMBER OF CHANGED RECORDS PER ACTIVITY IN EACH INDIVIDUAL FEDERAL SUPPLY CLASS (FSC).

1412 PRPRTY-NIIN-EXCL-CT — DLSC-V — F — 8
PROPRIETARY NIINs EXCLUDED COUNT
THE QUANTITY OF NATIONAL ITEM IDENTIFICATION NUMBERS (NIINs) WITH PROPRIETARY (LIMITED RIGHTS) DESIGNATION THAT WERE EXCLUDED FROM EACH INFORMATION DISSEMINATION, AS APPLICABLE.

1413 PUB-UNIT-CT — DLSC-V — F — 3
PUBLICATION UNITS COUNT
THE QUANTITY OF UNIT NUMBERS UNIQUELY ASSIGNED TO EACH PUBLICATION.

1414 PHRS — DLSC-V — V — 20
PHRASE
AN EXPRESSION USED IN THE MANAGEMENT DATA LIST TO DENOTE CHANGES AND/ORR RELATIONSHIPS BETWEEN NATIONAL STOCK NUMBERS AND REFERENCE DATA (E.G., TECHNICAL DOCUMENT NUMBER, QUANTITATIVE EXPRESSION, ETC.)

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1415 PRCSG-TIM-PER-MACH — DLSC-V — F — 6

PROCESSING TIME PER MACHINE

THE QUANTITY OF TIME (HOURS:MINUTES:SECONDS) USED BY EACH MACHINE INVOLVED IN THE PREPARATION OF MAGNETIC TAPES FOR EACH INFORMATION DISSEMINATION.

1416 PCT-DATA-CHNG — DLSC-V — F — 5

PERCENT DATA CHANGE

THE PERCENT OF CHANGE FOR DATA COMPRISING A SPECIFIC INFORMATION DISSEMINATION OUTPUT PRODUCT ON OR AFTER THE DATA CHANGE DATE.

1417 PCT-NIIN-CHNG — DLSC-V — F — 6

PERCENT NIIN CHANGE

THE QUANTITY OF NATIONAL ITEM IDENTIFICATION NUMBERS (NIINs) ADDED, CHANGED, AND DELETED COMPARED TO THE TOTAL QUANTITY OF NIINs IN EACH INFORMATION DISSEMINATION.

1418 OP-RCD-CT — DLSC-V — F — 9

OUTPUT RECORD COUNT

THE QUANTITY OF RECORDS OUTPUT IN AN INFORMATION DISSEMINATION.

1419 PCT-CRTFN-NBR-CHNG — DLSC-V — F — 5

PERCENT CERTIFICATION NUMBER CHANGE

THE PERCENT OF CHANGE IN THE TOTAL CERTIFIED CONTRACTOR NUMBERS (CODES) COUNT IN THE LATEST ISSUE COMPARED TO THE PREVIOUS ISSUE OF THE CERTIFIED CONTRACTOR ACCESS LIST (CCAL).

1420 NONMFR-CD-CT — DLSC-V — F — 6

NONMANUFACTURES CODE COUNT

THE TOTAL NUMBER OF NONMANUFACTURES CODE APPEARING IN THIS RUN.

1421 NSN-CT — DLSC-V — F — 9

NATIONAL STOCK NUMBER (NSN) COUNT

THE TOTAL NUMBER OF EXTRACTED NATIONAL STOCK NUMBERS (NSNs).

1422 NON-PRCR-ITM-CANC-CT-FSC — DLSC-V — F — 4

NON-PROCURED ITEMS CANCELLED COUNT PER FSC

THE NUMBER OF NON-PROCURED CANCELLED ITEMS WITHIN A FEDERAL SUPPLY CLASS (FSC).

1423 NON-PRCRD-ITM-CT-PER-FSC — DLSC-V — F — 4

NON PROCURED ITEM COUNT PER FSC

THE NUMBER OF NON-PROCURED ITEMS WITHIN A FEDERAL SUPPLY CLASS (FSC).

1424 NIIN-DELD-CT — DLSC-V — F — 6

NIINS DELETED COUNT

THE QUANTITY OF NATIONAL ITEM IDENTIFICATION NUMBERS (NIINs) DELETED SINCE THE LAST INFORMATION DISSEMINATION WAS PRODUCED.

1425 NIIN-DWG-CT — DLSC-V — F — 6

NIIN DRAWING COUNT

THE QUANTITY OF NATIONAL ITEM IDENTIFICATION NUMBER (NIIN) TYPE DRAWINGS THAT APPEAR IN EACH INFORMATION DISSEMINATION, IF APPLICABLE.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1426 NIIN-CT — DLSC-V — F — 8
NIIN COUNT
THE QUANTITY OF NATIONAL ITEM IDENTIFICATION NUMBERS (NIINs) IN EACH INFORMATION DISSEMINATION, IF APPLICABLE.

1427 NIIN-CT-PER-TRAN — DLSC-V — F — 6
NIIN COUNT PER TRANSACTION
THE NUMBER OF NATIONAL ITEM IDENTIFICATION NUMBERS (NIINs) PER TRANSACTION.

1428 NIIN-ADD-CT — DLSC-V — F — 6
NIINS ADDED COUNT
THE QUANTITY OF NATIONAL ITEM IDENTIFICATION NUMBERS (NIINs) ADDED SINCE THE LAST INFORMATION DISSEMINATION WAS PROVIDED.

1429 NIIN-CHNGD-CT — DLSC-V — F — 6
NIINS CHANGED COUNT
THE QUANTITY OF NATIONAL ITEM IDENTIFICATION NUMBERS (NIINs) WITH CHANGES SINCE THE LAST INFORMATION DISSEMINATION WAS PROVIDED.

1430 MO-DWG-CT — DLSC-SB — F — 6
MONTHLY DRAWING COUNT
A MONTHLY ACCOUNT OF HOW MANY TIMES A DRAWING OCCURRED.

1431 MSTR-NSN-CT — DLSC-V — F — 7
MASTER NATIONAL STOCK NUMBER (NSN) COUNT
A TOTAL COUNT OF THE NATIONAL STOCK NUMBERS (NSNs) DETERMINED BY THE RESEARCH TO BE THE MOST DESIRABLE AND/OR SATISFACTORY IN MEETING A SPECIFIC REQUIREMENT. IT IS PROCURABLE, AUTHORIZED FOR PURCHASE, AND SUITABLE FOR USE IN LIEU OF ANY OTHER ITEM WITHIN ITS INTERCHANGEABILITY AND SUBSTITUTABILITY (I&S) FAMILY.

1432 MCFCH-FRME-CT-PER-FSC — DLSC-V — F — 7
MICROFICHE FRAME COUNT PER FSC
THE NUMBER OF MICROFICHE FRAMES PER FEDERAL SUPPLY CLASS (FSC).

1433 MFR-CD-CT — DLSC-V — F — 7
MANUFACTURERS CODE COUNT
THE NUMBER OF MANUFACTURERS CODES IN THE FILE.

1434 LMT-RGHT-DWG-CT — DLSC-V — F — 6
LIMITED RIGHTS DRAWING COUNT
THE QUANTITY OF LIMITED RIGHTS DRAWINGS IN THE MASTER DRAWING FILE.

1435 MCFCH-CT-PER-FSC — DLSC-V — F — 6
MICROFICHE COUNT PER FSC
THE NUMBER OF MICROFICHE PER FEDERAL SUPPLY CLASS (FSC).

1436 ITM-CT-PER-FSC — DLSC-V — F — 6
ITEM COUNT PER FSC
THE TOTAL NUMBER OF ITEMS PER FEDERAL SUPPLY CLASS (FSC). THE ADDING OF WHITE, GREEN, AND YELLOW ITEMS.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1437 LBL-NM — DLSC-V — F — 13
LABEL NAME
A FILE LABEL MADE UP OF THREE ELEMENTS (FILE NAME, LTM, AND ACTIVITY OR MODE/MEDIA CODE).

1438 ITM-CHNGD-CT — DLSC-V — F — 6
ITEMS CHANGED COUNT
THE NUMBER OF CHANGED ITEMS.

1439 ITM-CT — DLSC-V — F — 6
ITEM COUNT
THE NUMBER OF ITEMS ON A MICROFICHE.

1440 ITM-AVG-PER-MCFCH-FRME — DLSC-V — F — 6
ITEM AVERAGE PER MICROFICHE FRAME
THE AVERAGE NUMBER OF ITEMS IN 2 DECIMAL PLACES PER MICROFICHE FRAME IN EACH FEDERAL SUPPLY CLASS.

1441 ITM-CANC-DELD-CT — DLSC-V — F — 6
ITEMS CANCELLED/DELETED COUNT
THE NUMBER OF CANCELLED AND/OR DELETED ITEMS.

1442 INVLD-TYP-DATA-CD-CT — DLSC-V — F — 6
INVALID TYPE DATS CODE COUNT
THE QUANTITY OF ERREOS IN THE DATA TYPE.

1443 ITM-ADD-CT — DLSC-V — F — 6
ITEMS ADDED COUNT
THE NUMBER OF NEW ITEMS.

1444 INC-ERR-CT — DLSC-V — F — 6
ITEM NAME CODE ERROR COUNT
THE QUANTITY OF TIMES INCOMPATIBILITIES BETWEEN THE ITEM NAME CODE (INC) AND THE FEDERAL ITEM IDENTIFICATION GUIDE (FIIG) ARE DETECTED, AND THE INC IS IN ERROR, IN AN INFORMATION DISSEMINATION. ALSO SEE FIIG-ERR-CT.

1445 INVLD-PHRS-CD — DLSC-V — F — 1
INVALID PHRASE CODE
A CODE THAT DOES NOT MATCH THE CODE ASSIGNED TO A PHRASE USED IN THE MANAGEMENT DATA LIST TO DENOTE CHANGES AND RELATIONSHIPS BETWEEN NATIONAL STOCK NUMBERS AND REFERENCE DATA (E.G., TECHNICAL DOCUMENT, NUMBER, QUANTITATIVE EXPRESSION, ETC.).

1446 FMT-ERR-CT — DLSC-V — F — 6
FORMAT ERROR COUNT
THE QUANTITY OF TIMES THE LENGTH OF A REPLY EXCEEDS THE ESTABLISHED OR ALLOWED SPACES FOR EACH INFORMATION DISSEMINATION. THE ALLOWED REPLY LENGTH MAY VARY DEPENDING ON THE MASTER REQUIREMENT CODE (MRC).

1447 FSN — DLSC-V — F — 13
FEDERAL SUPPLY NUMBER
THE NUMBER USED TO IDENTIFY THE FIRST AND LAST RECORD ON A MICROFICHE.

1448 FIIG-DWG-CT — DLSC-V — F — 6

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	--------FORMAT-------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

FIIG DRAWING COUNT

THE QUANTITY OF FIIG TYPE DRAWINGS THAT APPEAR IN EACH INFORMATION DISSEMINATION PRODUCT. IF APPLICABLE, A FIIG TYPE DRAWING INCLUDES A STYLE NUMBER. ALSO SEE NIIN-DWG-CT.

1449 FIIG-ERR-CT — DLSC-V — F — 6

FIIG ERROR COUNT

THE QUANTITY OF TIMES INCOMPATIBILITIES BETWEEN FEDERAL ITEM IDENTIFICATION GUIDE (FIIG) AND THE ITEM NAME CODE (INC) ARE DETECTED, AND THE FIIG IS IN ERROR, IN AN INFORMATION DISSEMINATION. ALSO SEE INC-ERR-CT.

1450 DRIVE-NM — DLSC-V — F — 4

DRIVE NAME

THE NAME OF THE TAPE DRIVE ON WHICH THE REEL WAS PROCESSED.

1451 DWG-CT — DLSC-V — F — 7

DRAWING COUNT

QUANTITY OF ALL DRAWING OR ILLUSTRATIONS (FIIG, NIIN, TYPE 2, ETC.) THAT APPEAR IN EACH INFORMATION DISSEMINATION PRODUCT.

1452 CRTFN-NBR-DELD-CT — DLSC-V — F — 5

CERTIFICATION NUMBERS DELETED COUNT

THE QUANTITY OF DISQUALIFIED/REVOKED AND INACTIVE/EXPIRED CERTIFIED CONTRACTOR NUMBERS (CODES) DELETED FROM THE LATEST ISSUE OF THE CERTIFIED CONTRACTOR LIST (CCAL).

1453 DCOD-ERR-CT — DLSC-V — F — 6

DECODE ERROR COUNT

THE QUANTITY OF TIMES AN INVALID, INCOMPLETE TABLE, TABLE REPLY APPEARS IN AN INFORMATION DISSEMINATION.

1454 CRTFN-NBR-ADD-CT — DLSC-V — F — 5

CERTIFICATION NUMBERS ADDED COUNT

THE QUALITY OF NEW CERTIFIED CONTRACTOR NUMBERS (CODES) ADDED IN THE LATEST ISSUE OF THE CERTIFIED CONTRACTOR ACCESS LIST (CCAL).

1455 CRTFN-NBR-CT — DLSC-V — F — 5

CERTIFICATION NUMBER COUNT

THE QUANTITY OF CERTIFIED CONTRACTOR NUMBERS (CODES) IN THE LATEST ISSUE OF THE CERTIFIED CONTRACTOR ACCESS LIST (CCAL).

1456 ASGND-NATO-CD-CT — DLSC-V — F — 7

ASSIGNED NATO CODE COUNT

THE NUMBER OF CODES ASSIGNED TO THE NORTH ATLANTIC TREATY ORGANIZATION (NATO).

1457 CAGE-PARNT-CO-CT — DLSC-V — F — 6

CAGE PARENT COMPANY COUNT

THE TOTAL NUMBER OF COMMERCIAL AND GOVERNMENT ENTITY (CAGE) PARENT COMPANY NAMES IN THE FILE.

1458 APRVD-ITM-NM-CT-PER-FSG — DLSC-V — F — 4

APPROVED ITEM NAME (AIN) COUNT PER FSG

THE NUMBER OF APPROVED ITEM NAMES (AINs) WITHIN A FEDERAL SUPPLY GROUP (FSG).

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1459 ASGND-CAGE-CD-CT — DLSC-V — F — 4

ASSIGNED CAGE CODE COUNT

THE NUMBER OF NEW ASSIGNED COMMERCIAL AND GOVERNMENT ENTITY (CAGE) CODES IN THE JOB RUN.

1460 AFF-CAGE-CD-CT — DLSC-V — F — 4

AFFILIATE CAGE CODE COUNT

THE NUMBER OF AFFILIATE COMMERCIAL AND GOVERNMENT ENTITY (CAGE) CODES APPEARING IN THE FILE.

1461 APRVD-ITM-NM-CT-PER-FSC — DLSC-V — F — 4

APPROVED ITEM NAME (AIN) COUNT PER FSC

THE NUMBER OF APPROVED ITEM NAMES (AINs) WITHIN A FEDERAL SUPPLY CLASS (FSC).

1462 TYPE-2-DWG-CT — DLSC-V — F — 6

TYPE 2 DRAWING COUNT

THE QUANTITY OF DRAWINGS FOR TYPE 2 NSNs THAT APPEAR IN EACH INFORMATION DISSEMINATION IF APPLICABLE.

1463 MOVMT-PRI-DESI — DLSC-V — F — 2

MOVEMENT PRIORITY DESIGNATOR

A TWO (2) POSITION CODE THAT INDICATES THE PRIORITY TO BE USED FOR RETURNING UNSERVICEABLE REPAIRABLE MATERIAL.

1464 NIIN-NICN-ACFT-ENG-NBR — DLSC-V — F — 13

NIIN/NAVY ITEM CONTROL NUMBER/AIRCRAFT ENGINE MODEL NUMBER

A THIRTEEN DIGIT NUMBER ASSIGNED TO AN ITEM OF SUPPLY. IT CONSISTS OF THE FOUR DIGIT FEDERAL SUPPLY CLASSIFICATION (FSC) AND THE NINE DIGIT NIIN. NAVY ITEM CONTROL NUMBER (NICN) IS A THIRTEEN DIGIT NUMBER, WHICH CONTAINS ALPHA CHARACTERS WITHIN THE FINAL NINE DIGITS. IT'S USED TO IDENTIFY AN ITEM OF SUPPLY THAT HAS NOT YET BEEN ASSIGNED A NSN/NIIN. MODEL CONSISTS OF ALPHANUMERIC CHARACTERS ASSIGNED TO AIRCRAFT ENGINES.

1465 REP-MAINT-CD — DLSC-V — F — 1

REPAIR MAINTENANCE CODE

THIS CODE INDICATES THE LOWEST MAINTENANCE ECHELON POTENTIALLY CAPABLE OF REPAIRING AN ITEM AND IS PROVIDED TO ASSIST MAINTENANCE AND SUPPLY PERSONNEL IN MAKING DECISIONS ABOUT WHETHER TO ATTEMPT REPAIR AT THE LEVEL PRIOR TO RETURNING THE ITEM TO THE OVERHAUL POINT.

1466 SCHS-RMVL-CMPNT-CRD-CD — DLSC-V — F — 1

SCHEDULES REMOVAL COMPONENT CARD CODE COUNT

BLANK IN THIS POSITION INDICATES NO SRC CARD REQUIRED. A "Y" IN THIS POSITION INDICATES AN SRC CARD IS REQUIRED FOR AVIATION REPAIRABLE, SELECTED COMPONENT RECORD (SRC) CARD REQUIRED FOR SHIP REPAIRABLE.

1467 LNG-SUP-CRED-IND — DLSC-V — F — 1

LONG SUPPLY/CREDIT INDICATOR

PRESENCE OF AN ASTERISK (*) IN THIS POSITION INDICATES THAT RFI LONG SUPPLY ASSETS EXIST FOR THAT NIIN AND AN RFI REPLACEMENT SHOULD BE REQUISITIONED VICE LOCAL REPAIR. THE PRESENCE OF THIS INDICATOR DOES NOT PRECLUDE LOCAL REPAIR IF A RFI REPLACEMENT IS NEEDED FOR INSTALLATION AND IS NOT AVAILABLE LOCALLY. NORMAL RETROGRADE SHIPMENT FOR NON-RFI COMPONENTS TO THE ACTIVITY INDICATED IS REQUIRED FOR LONG SUPPLY REPAIRABLES. DISPOSAL IS NOT AUTHORIZED UNLESS OTHERWISE INDICATED.

1468 ADDNL-IDEN — DLSC-V — F — 4

ADDITIONAL IDENTIFICATION

A FOUR (4) POSITION FIELD IS COMPOSED OF TWO SEPARATE CODES, THE DEPARTMENT OF DEFENSE IDENTIFICATION CODE (DODIC) AND THE SUBSISTENCE USAGE MANAGEMENT CODE (SUMC).

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1469 AUTO-RTN-ITM-CD — DLSC-V — F — 1

AUTOMATIC RETURN ITEM CODE

A ONE (1) POSITION ALPHABETIC CODE THAT INDICATES ITEMS IN A CRITICAL STOCK POSITION THAT MAY BE RETURNED TO CONUS DEPOTS WITHOUT DISPOSITION INSTRUCTIONS. THE ARI CODE IS AUTHORIZED BY AR 710-1, CHAPTER 3.

1470 AIR-ELGBL-CTGY-CD — DLSC-V — F — 1

AIR ELIGIBLE CATEGORY CODE

A ONE (1) POSITION NUMERIC CODE THAT IDENTIFIES ITEMS ELIGIBLE FOR SHIPMENT BY AIR AND THOSE THAT MUST BE SHIPPED BY AIR. THE AEC CODE MUST BE APPLIED TO SHIPMENTS OF CLASS 9 MATERIEL TO EUROPE AND KOREA. USE OF THE AEC FOR OTHER DESTINATIONS OR CLASSES IS OPTIONAL. THE AEC IS AUTHORIZED BY AR 708-1, TABLE 7-3, AIR ELIGIBLE CATEGORY CODE.

1471 LI-ITM-NBR — DLSC-V — F — 6

LINE ITEM NUMBER

A LINE ITEM NUMBER CONSISTS OF ONE ALPHA CHARACTER FOLLOWED BY FIVE NUMERIC CHARACTERS (E.G. E94536). LINs ARE ASSIGNED TO A SPECIFIC NAME (GENERIC NOMENCLATURE) OF AN ITEM WHICH IS NOT CONSUMED OR DESTROYED WHEN USED. THEY ARE USED FOR ACCOUNTING PURPOSES AND ALL ACTIVE LINs ARE LISTED IN THE SEMI-ANNUAL SB 700-20 PUBLICATION.

1472 SUB-USG-MGMT-CD — DLSC-V — F — 1

SUBSISTENCE USAGE MANAGEMENT CODE (SUMC)

A ONE (1) POSITION ALPHABETIC CODE THAT INDICATES TO WHOM AND UNDER WHAT CONDITIONS A SUBSISTENCE ITEM WILL BE ISSUED. THE SUMC APPLIES ONLY TO ITEMS IN FSG 89. THERE CAN BE AS MANY AS FOUR SUMC CODES ASSIGNED TO A SINGLE CODE, ALL OF WHICH WILL BE DISPLAYED IN THE DODIC/SUMC FIELD. THE SUMC IS AUTHORIZED BY AR 708-1, TABLE 7-8.

1473 E-ITM-CD — DLSC-V — F — 3

END ITEM CODE

A THREE (3) POSITION ALPHANUMERIC CODE THAT USES THE FULL ENGLISH ALPHABET AND NUMBERS 2-9 TO IDENTIFY A REQUEST FOR REPAIR PARTS TO A SPECIFIC END ITEM. THE EIC REPLACES THE W/ESDC AND IS TO BE PLACED IN CC 54-56 OR BLOCK 18 OF ALL REQUESTS FOR ISSUE INITIATED AT THE UNIT LEVEL.

1474 ESNTL-CD — DLSC-V — F — 1

ESSENTIALITY CODE

A ONE (1) POSITION ALPHABETIC CODE THAT INDICATES IF AN ITEM IS ESSENTIAL. THE ESS CODE IS AUTHORIZED BY AR 708-1, TABLE 7-9, ESSENTIALITY CODE.

1475 INV-CTGY-CD — DLSC-V — F — 1

INVENTORY CATEGORY CODE

A ONE (1) POSITION NUMERIC CODE USED TO GROUP ITEMS OF SUPPLY FOR INVENTORY AND RESEARCH PURPOSES. ACCOUNTABLE AND STORAGE ACTIVITIES SHOULD STORE THESE CODES FOR PLANNING AND SCHEDULING OF INVENTORY ACTIONS. THE ICC IS AUTHORIZED BY AR 740-26, APPENDIX A, INVENTORY CATEGORY CODES.

1476 LOG-CTR-CD — DLSC-V — F — 1

LOGISTICS CONTROL CODE

A ONE (1) POSITION CODE ASSIGNED TO ARMY ADOPTED ITEMS AND OTHER ITEMS AUTHORIZED BY LIN TO PROVIDE A BASIS FOR LOGISTIC SUPPORT DECISIONS. THESE DECISIONS INVOLVE PROCUREMENT, OVERHAUL, REPAIR PARTS PROVISIONING, REQUISITIONING, DISTRIBUTION, ETC.

1477 MEAS-QTY — DLSC-V — F — 7

MEASUREMENT QUANTITY

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

IS THE QUANTITY (WHOLE NUMBER OR DECIMAL FRACTION) OF THE UNIT OF MEASURE (UM) THAT WILL BE SUPPLIED FOR THE UNIT OF ISSUE (UI). USE THE DEC LOC TO DETERMINE THE LOCATION OF THE DECIMAL POINT. THE MEASUREMENT QUANTITY IS AUTHORIZED BY 708-1, PARA 7-15.C, UNIT MEASUREMENT QUANTITY.

1478 MAINT-REP-CD — DLSC-V — F — 1

MAINTENANCE REPAIR CODE

A ONE (1) POSITION ALPHABETIC CODE THAT INDICATES WHETHER THE ITEM IS TO BE REPAIRED AND IDENTIFIES THE LOWEST MAINTENANCE LEVEL WITH THE CAPABILITY TO PERFORM COMPLETE REPAIR (I.E., ALL AUTHORIZED MAINTENANCE FUNCTIONS). THE DECISION TO CODE THE SUPPORT ITEM FOR REPAIR AT THE INDICATED MAINTENANCE LEVELS REQUIRE THAT ALL MAINTENANCE CAPABILITY (REMOVE, REPLACE, REPAIR, ASSEMBLE, AND TEST) FOR THE SUPPORT ITEMS TO BE PROVIDED TO THAT LEVEL. THIS DOES NOT PRECLUDE SOME REPAIR WHICH MAY BE ACCOMPLISHED AT A LOWER LEVEL OF MAINTENANCE.

1479 RPTL-ITM-CTL-CD — DLSC-V — F — 1

REPORTABLE ITEM CONTROL CODE

A ONE (1) POSITION NUMERIC CODE ASSIGNED TO THOSE ITEMS OF EQUIPMENT SELECTED AS REPORTABLE AND IDENTIFIED BY AR 708-1 (CHAP 9), SB 700-20, OR AR 710-1 (CHAP 3), RICC O, REPORTABLE ITEM CONTROL CODE FOR "NOT REPORTABLE."

1480 SP-CTL-ITM-CD — DLSC-V — F — 1

SPECIAL CONTROL ITEM CODE

A ONE (1) POSITION ALPHANUMERIC CODE THAT IDENTIFIES ITEMS REQUIRING SPECIAL CONTROLS. THE SCI CODE IS AUTHORIZED BY AR 708-1, TABLE 7-24, SPECIAL CONTROL ITEM CODE.

1481 SUP-CTGY-MAT-CD — DLSC-V — F — 2

SUPPLY CATEGORIES OF MATERIEL CODE

A TWO (2) POSITION ALPHANUMERIC CODE. THE FIRST POSITION DIVIDES SUPPLIES AND EQUIPMENT INTO 10 CLASSES OF SUPPLY, AS AUTHORIZED BY AR 700-9, APPENDIX B, CLASSES OF SUPPLY. THE SECOND POSITION PROVIDES THE MEANS OF IDENTIFYING ITEMS BY COMMODITY OR WEAPONS SYSTEMS, AS AUTHORIZED BY FM 704-28, FIGURE 2-2, SUBCLASSIFICATIONS OF SUPPLY LEGEND.

1482 RM-IN-PL-IND — DLSC-V — F — 1

REMAIN IN PLACE INDICATOR

A ONE (1) POSITION CODE THAT IDENTIFIES AN ITEM FOR WHICH AN UNSERVICEABLE UNIT WILL BE TURNED-IN ON AN EXCHANGE BASIS AFTER RECEIPT OF A SERVICEABLE UNIT.

1483 SUPMTL-SRC-CD — DLSC-V — F — 1

SUPPLEMENTAL SOURCE CODE

A ONE (1) POSITION ALPHANUMERIC CODE THAT EQUATES TO THE NAVY DATA ELEMENT NUMBER (DEN) 012A. THIS CODE IS USED TO CLARIFY AND/OR MODIFY THE MAINTENANCE AND RECOVERABILITY CODES. THESE CODES ARE ASSIGNED BY HSC/PMs AND COORDINATED FOR PUBLICATION BY NAVSUP TO PREVENT CONFLICTS OR REDUNDANCIES AMONG THE HSCs. NOTE: SEE NAVSUPINST 4423.14B.

1484 NOTES — DLSC-V — F — 1

NOTES

THIS COLUMN CONTAINS VARIOUS MISCELLANEOUS INFORMATION, SUCH AS THE NIIN OF APPLICABLE SHIPPING CONTAINER, TO FACILITATE PREPARATION AND SHIPMENT OF TURN-INS.

1485 SHLF-LIF-ACTN-CDS — DLSC-V — F — 2

SHELF LIFE ACTION CODES

A TWO (2) POSITION CODE DENOTING THE ACTION TO BE TAKEN FOR AN ITEM AT THE EXPIRATION OF THE SHELF LIFE PERIOD INDICATED BY THE SHELF LIFE CODE.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1486 RL-CD — DLSC-V — F — 1

RELATIONSHIP CODE

A SINGLE POSITION ALPHANUMERIC CODE, APPLICABLE TO THE D043 X-FILE ONLY ARE USED BY THE I&S TECHNICIAN TO INDICATE THE RELATIONSHIP CONDITION BETWEEN THE II (ITEM IDENTIFIER) AND RI (RELATED ITEM) ITEMS.

1487 INCMPAT-CDS — DLSC-V — F — 1

INCOMPATIBILITY CODES

A SINGLE POSITION NUMERIC CODE, APPLICABLE TO THE D043 X-FILE ONLY ARE USED BY THE I&S TECHNICIAN TO INDICATE THE INCOMPATIBLE CONDITION BETWEEN THE II (ITEM IDENTIFIER) AND RI (RELATED ITEMS) ITEMS.

1488 NMC-PTS-PREF-CDS — DLSC-V — F — 1

NUMERIC PARTS PREFERENCE CODES

EACH ITEM WITHIN A SUBGROUP IS ASSIGNED A PARTS PREFERENCE CODE. SUITABLE ITEMS ARE ASSIGNED A SINGLE POSITION ALPHABETICAL CODE TO INDICATE THE ORDER OF PREFERENCE WITHIN THE SUBGROUP. UNSUITABLE ITEMS ARE ASSIGNED A NUMERICAL PARTS PREFERENCE CODE BASED UPON THE CONDITION THAT CAUSED THE ITEM TO BE MADE UNSUITABLE.

1489 PRM-NSN-MCN — DLSC-V — F — 13

PRIME NSN MCN

THE NSN/MCN OF AN ITEM IN A I&S FAMILY WHICH IS COMMONLY REGARDED BY THE MANAGING AND USING SERVICE/AGENCY AS A SUITABLE SUBSTITUTE FOR ALL OTHER ITEMS IN THE FAMILY AND AS THE PREFERRED (PRIME) ITEM FOR ACQUISITION PURPOSES. WITHIN A FAMILY HEADED BY A GENERIC SUBGROUP, THE GENERIC NSN/MCN IS ALWAYS DESIGNATED AS THE MASTER (PRIME) NSN/MCN.

1490 FD-CD-ARMY — DLSC-V — F — 1

FUND CODE ARMY

A ONE (1) POSITION NUMERIC CODE THAT PROVIDES DATA FOR SUPPLY AND FINANCIAL MANAGEMENT. THE FUND CODE IS AUTHORIZED BY AR 708-1, TABLE 7-11, FUND CODE. NOTE: FUND CODE VALUES ARE VALID ONLY FOR ITEMS MANAGED BY THE USA TROSCOM, USA SUPPORT ACTIVITY (ASA), PHILADELPHIA. THESE ITEMS ARE IDENTIFIED BY A FIRST POSITION MATERIEL CATEGORY STRUCTURE CODE OF F AND S. DELETION OF THE FUND CODE FOR ALL OTHER ITEMS WILL BE COMPLETED BY MARCH 1988. IF THE CODE IS OUTPUT ON ANY ITEM OTHER THAN ASAP ITEMS, IT SHOULD BE IGNORED.

1492 MOE-CUR-DEL-ERR-CT — MOE_CR_DEL_ER_1492 — DLSC-SBA — F — INTEGER — 5

MOE CURRENT DELETE ERROR COUNT

THIS IS THE DATA ELEMENT WHICH REPRESENTS THE NUMBER OF ERRORS ENCOUNTERED IN THE PROCESS OF DELETING MOE RULE RECORDS FROM THE MOE RULE MASTER FILE AS A RESULT OF AN IMMEDIATE ACTION, FOR A PARTICULAR TIME FRAME.

1493 MOE-EFF-DT-ADD-CT — MOE_ED_ADD_CT_1493 — DLSC-SBA — F — INTEGER — 5

MOE EFFECTIVE DATE ADD COUNT

THIS IS THE DATA ELEMENT WHICH REPRESENTS THE NUMBER OF EFFECTIVE DATED ADD MOE RULE MASTER RECORDS ADDED TO THE EFFECTIVE DATE MOE RULE FILE, FOR A PARTICULAR TIME FRAME.

1494 MOE-EFF-DT-ADD-ERR-CT — MOE_ED_ADD_ER_1494 — DLSC-SBA — F — DATE — 5

MOE EFFECTIVE DATE ADD ERROR COUNT

THIS IS THE DATA ELEMENT WHICH REPRESENTS THE NUMBER OF ERRORS ENCOUNTERED IN THE PROCESS OF ADDING EFFECTIVE DATED ADD MOE RULE MASTER RECORDS TO THE EFFECTIVE DATE MOE RULE FILE, FOR A PARTICULAR TIME FRAME

1495 MOE-EFF-DT-CHG-CT — MOE_ED_CHG_CT_1495 — DLSC-SBA — F — INTEGER — 5

MOE EFFECTIVE DATE CHANGE COUNT

THIS IS THE DATA ELEMENT WHICH REPRESENTS THE NUMBER OF EFFECTIVE DATED CHANGE MOE RULE MASTER RECORDS ADDED TO THE EFFECTIVE DATE MOE RULE FILE FOR A PARTICULAR TIME FRAME.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1496 MOE-EFF-DT-CHG-ERR-CT MOE_ED_CHG_ER_1496 DLSC-SBA F DATE 5
MOE EFFECTIVE DATE CHANGE ERROR COUNT
THIS IS THE DATA ELEMENT WHICH REPRESENTS THE NUMBER OF ERRORS ENCOUNTERED IN THE PROCESS OF ADDING EFFECTIVE DATED CHANGE MOE RULE MASTER RECORDS TO THE EFFECTIVE DATE MOE RULE FILE, FOR A PARTICULAR TIME FRAME.

1497 MOE-EFF-DT-DEL-CT MOE_ED_DEL_CT_1497 DLSC-SBA F INTEGER 5
MOE EFFECTIVE DATE DELETE COUNT
THIS IS THE DATA ELEMENT WHICH REPRESENTS THE NUMBER OF EFFECTIVE DATED DELETE MOE RULE MASTER RECORDS ADDED TO THE EFFECTIVE DATE MOE RULE FILE FOR A PARTICULAR TIME FRAME.

1498 MOE-EFF-DT-DEL-ERR-CT MOE_ED_DEL_ER_1498 DLSC-SBA F DATE 5
MOE EFFECTIVE DATE DELETE ERROR COUNT
THIS IS THE DATA ELEMENT WHICH REPRESENTS THE NUMBER OF ERRORS ENCOUNTERED IN THE PROCESS OF ADDING EFFECTIVE DATED DELETE MOE RULE MASTER RECORDS TO THE EFFECTIVE DATE MOE RULE FILE, FOR A PARTICULAR TIME FRAME.

1499 MOE-MOE-MSTR-INQ-CT MOE_MST_INQ_C_1499 DLSC-SBA F INTEGER 5
MOE MOE MASTER INQUIRY COUNT
THIS IS THE DATA ELEMENT WHICH REPRESENTS THE NUMBER OF MOE RULE MASTER RECORD INQUIRIES DURING A SPECIFIED TIME FRAME.

1501 GC-PICA-LAR-CNT GC_PICA_LAR_1501 DLSC-SD F INTEGER 6
GIRDER PICA LAR COUNT
COUNT OF LAR TRANSACTIONS WITHIN A GIRDER CODE BY MANAGING ACTIVITY.

1502 GC-PICA-LCR-CNT GC_PICA_LCR_1502 DLSC-SD F INTEGER 6
PICA LCR COUNT
COUNT OF LCR TRANSACTIONS WITHIN A GIRDER CODE BY MANAGING ACTIVITY.

1503 GC-LAR-TRANS-SUBTOTAL DLSC-SD F 7
GIRDER LAR SUBTOTAL
COUNT OF ALL LAR TRANSACTIONS WITHIN A GIRDER CODE.

1504 GC-LCR-TRANS-SUBTOTAL DLSC-SD F 7
GIRDER LCR SUBTOTAL
COUNT OF ALL LCR TRANSACTIONS WITHIN A GIRDER CODE.

1505 GC-PICA-TRANS-TOTAL DLSC-V F 7
GIRDER PICA TRANS TOTAL
TOTAL OF LAR AND LCR TRANSACTIONS BY A MANAGING ACTIVITY WITHIN A GIRDER CODE.

1506 GIRDER-TRANS-SUBTOTAL DLSC-SD F 8
GIRDER-TRANS-SUBTOTAL
TOTALOF ALL LCR AND LAR TRANSACTIONS WITHIN A GIRDER CODE.

1507 GIRDER-LAR-TRANS-TOTAL DLSC-SD F 9
GIRDER LAR TRANS TOTAL
TOTAL OF ALL THE LAR TRANSACTIONS FOR ALL GIRDER CODES.

1508 GIRDER-LCR-TRANS-TOTAL DLSC-SD F 9

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

GIRDER LCR TRANS TOTAL
TOTAL OF ALL THE LCR TRANSACTIONS FOR ALL GIRDER CODES.

1509 GIRDER-TRANS-GRAND-TOTAL — DLSC-SD — F — 10
GIRDER TRANS GRAND TOTAL
TOTAL OF ALL LCR AND LAR TRANSACTIONS FOR ALL THE GIRDER CODES.

1511 TOT-NBR-ADRS-PSMAT-CNT — DLSC-SD — F — 6
TOTAL ADDRESSES ON PSMAT COUNTER
COUNT OF ADDRESSES ON THE PSMAT FILE.

1512 SVC-CONTR-IDEN-CD-1-CNT — DLSC-SD — F — 5
COUNT OF CONTRACTOR CODE 1
COUNT OF ADDRESSES BY CONTRACTOR SERVICE CODE 1.

1513 SVC-CONTR-IDEN-CD-2-CNT — DLSC-SD — F — 5
COUNT OF CONTRACTOR CODE 2
COUNT OF ADDRESSES BY CONTRACTOR SERVICE CODE 2.

1514 SVC-CONTR-IDEN-CD-3-CNT — DLSC-SD — F — 5
COUNT OF CONTRACTOR CODE 3
COUNT OF ADDRESSES BY CONTRACTOR SERVICE CODE 3.

1515 FILE-MAINT-SEQ-NBR — FMSN_1515 — DLSC-SB — F — CHAR — 3
FILE MAINTENANCE SEQUENCE NUMBER
A COMPUTER GENERATED COUNT ASSIGNED TO EACH OCCURRENCE OF A FILE MAINTENANCE ACTION IN ITEM IDENTIFICATION OR SUPPLY MANAGEMENT AGAINST INDIVIDUAL NATIONAL ITEM IDENTIFICATION NUMBER/NIIN/RECORD THAT RESULTS IN THE DISTRIBUTION OF OUTPUT TO MAINTAIN FIELD FILES. THIS DATA ELEMENT WILL SIGNIFY THE SEQUENCE IN WHICH MAINTENANCE ACTIONS OCCURRED IN THE TOTAL ITEM RECORD AND IN WHICH SEQUENCE THE FIELD FILES MUST BE MAINTAINED.

1516 NATO-FILE-MAINT-SEQ-NBR — NATO_FMSN_1516 — DLSC-SB — F — CHAR — 3
NATO FILE MAINT SEQUENCE NUMBER
A COMPUTER GENERATED COUNT ASSIGNED TO EACH OCCURRENCE OF A FILE MAINTENANCE ACTION TRANSMITTED TO A NORTH ATLANTIC TREATY ORGANIZATION (NATO) RECIPIENT OR RECEIVED FROM A NATO COUNTRY AS A PART OF FILE MAINTENANCE PACKAGES ON NATO STOCK NUMBER ASSIGNED BY A NATO COUNTRY.

1517 FRT-MSTR-ADD-ER-CT — FR_MST_ADD_ER_1517 — DLSC-SBA — F — INTEGER — 5
FREIGHT MASTER ADD ERROR COUNT
THIS COUNT IS USED TO RECORD ANY ERRORS DURING THE ADD ROUTINE.

1523 FRT-MSTR-INQ-CT — DLSC-SBA — F — 5
FREIGHT MASTER INQUIRY COUNT
THIS COUNT REPRESENTS THE TIMES THAT INQUIRIES ARE MADE TO THE FRIEGHT MASTER FILE.

1524 FRT-MSTR-ADD-CT — FR_MST_ADD_CT_1524 — DLSC-SBA — F — INTEGER — 5
FREIGHT MASTER ADD COUNT
THIS COUNT REPRESENTS THE NUMBER OF TIMES A FREIGHT IS ADDED TO THE MASTER FREIGHT FILE.

1528 FRT-MSTR-TIME-FRAME — FR_MST_TI_FRM_1528 — DLSC-SBA — F — INTEGER — 5

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

FREIGHT MASTER TIME FRAME
THIS IS THE TIME FRAME DURING WHICH THE MASTER FREIGHT FILE CAN BE UPDATED.

1532 FRT-EXTND-DESC-CHG-ER-CT FR_EXD_CHG_ER_1532 DLSC-SBA F INTEGER 5
FREIGHT EXTENDED DESCRIPTION CHANGE ERROR COUNT
THIS COUNT IS USED TO RECORD ANY ERRORS DURING THE EXTENDED DESCRIPTION CHANGE ROUTINE.

1533 FRT-MSTR-DEL-ER-CT FR_MST_DEL_ER_1533 DLSC-SBA F INTEGER 5
FREIGHT MASTER DELETE ERROR COUNT
THIS COUNT REPRESENTS THE NUMBER OF TIMES AN ERROR IS ENCOUNTERED DURING AN ADD ACTION TO THE MASTER FREIGHT FILE.

1534 MOE-MOE-MSTR-INQ-ERR-CT MOE_MST_INQ_E_1534 DLSC-SBA F INTEGER 5
MOE MOE MASTER INQUIRY ERROR COUNT
THIS IS THE DATA ELEMENT WHICH REPRESENTS THE NUMBER OF TIMES AN INCORRECT MOE RULE NUMBER WAS ENTERED FOR A MOE RULE MASTER RECORD INQUIRY, DURING A SPECIFIED TIME FRAME.

1535 MOE-MSTR-INQ-DATE MOE_MST_INQ_D_1535 DLSC-SBA F DATE 5
MOE MASTER INQUIRY DATE
THIS IS THE DATA ELEMENT WHICH REPRESENTS THE DATE USED TO ACCESS THE PROGRAM END COUNTS FOR THE MOE RULE APPLICATION. COUNTS CAN BE ACCESSED BY THE CURRENT MONTH/YEAR OR BY ANY OF THE PREVIOUS 11 MONTHS.

1536 STAT-MOE-MSTR-INQ-CT STAT_MM_IN_CT_1536 DLSC-SBA F INTEGER 5
STATISTICAL MOE MASTER INQUIRY COUNT
THIS IS THE DATA ELEMENT WHICH REPRESENTS THE NUMBER OF STATISTICAL INQUIRIES DURING A SPECIFIED TIME FRAME.

1537 STAT-MOE-MSTR-INQ-ERR-CT STAT_MM_ER_CT_1537 DLSC-SBA F INTEGER 5
STATISTICAL MOE MASTER INQUIRY ERROR COUNT
THIS IS THE DATA ELEMENT WHICH REPRESENTS THE NUMBER OF TIMES AN INCORRECT TRANSACTION DATE WAS ENTERED FOR A STATISTICAL INQUIRY, DURING A SPECIFIED TIME FRAME.

1538 APRVD-ITM-NM-DICT-WRD DLSC-SCB V 50
APPROVED ITEM-NAME DICTIONARY WORD
A WORD THAT IS APPROVED FOR THE NAME MASTER DICTIONARY.

1539 ENGLISH-LANG-DICT-WRD DLSC-SCB V 50
ENGLISH LANGUAGE DICTIONARY WORD
A WORD THAT IS FOUND IN THE ENGLISH LANGUAGE DICTIONARY.

1541 NM-MSTR-DICT-SRCH DLSC-SCB V 250
NAME MASTER DICTIONARY SEARCH
THIS WILL BE USED TO SEARCH THE NAME MASTER DICTIONARY BY SPECIFIC NAME, LIST ALL NAMES OR KEY WORD.

1543 FSC-DELD-CT DLSC-SCB F 6
FEDERAL SUPPLY CLASS DELETED COUNTS
THE QUANTITY OF FSCs DELETED FROM THE NAME MASTER LOGISTICS DATA STORE.

1544 FSC-ADD-CT DLSC-SCB F 6
FEDERAL SUPPLY CLASS ADD COUNTS

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE QUANTITY OF FSCs ADDED TO THE NAME MASTER LOGISTICS DATA STORE.

1545 FSC-CHNGD-CT — DLSC-SCB — F — 6
FEDERAL SUPPLY CLASS CHANGED COUNTS
THE QUANTITY OF FSCs CHANGED IN THE NAME MASTER LOGISTICS DATA STORE.

1546 FSG-DELD-CT — DLSC-SCB — F — 6
FEDERAL SUPPLY GROUP DELETED COUNTS
THE QUANTITY OF FEDERAL SUPPLY GROUPS DELETED FROM THE NAME MASTER LOGISTICS DATA STORE.

1547 FSC-TOT-RCD-CT — DLSC-SCB — F — 6
FEDERAL SUPPLY CLASS TOTAL RECORDS COUNT
THE TOTAL COUNT OF FSC RECORDS RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.

1548 FSG-ADD-CT — DLSC-SCB — F — 6
FEDERAL SUPPLY GROUP ADD COUNT
THE QUANTITY OF FEDERAL SUPPLY GROUPS ADDED TO THE NAME MASTER LOGISTICS DATA STORE.

1549 FSG-CHNGD-CT — DLSC-SCB — F — 6
FEDERAL SUPPLY GROUP CHANGED COUNTS
THE QUANTITY OF FEDERAL SUPPLY GROUPS CHANGED IN THE NAME MASTER LOGISTICS DATA STORE.

1551 FSC-ACT-RCD-CT — DLSC-SCB — F — 6
FEDERAL SUPPLY CLASS ACTIVE RECORDS COUNT
THE QUANTITY OF ACTIVE FSC RECORDS RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.

1552 FSC-DELD-RCD-CT — DLSC-SCB — F — 6
FEDERAL SUPPLY CLASS DELETED RECORDS COUNT
THE QUANTITY OF FSC RECORDS DELETED FROM THE NAME MASTER LOGISTICS DATA STORE.

1553 CIMM-ACTY-FSC-CT — DLSC-SBA — F — 4
COMMODITY INTEGRATED MATERIEL MANAGER ACTIVITY AND FSC COUNT
THE QUANTITY OF CIMM-ACTY-FSC RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.

1554 WIMM-FSC-CT — DLSC-SBA — F — 4
WEAPONS INTEGRATED MATERIEL MANAGER FSC COUNT
THE QUANTITY OF WIMM-FSC RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.

1555 WIMM-ACTY-FSC-CT — DLSC-SBA — F — 4
WEAPONS INTEGRATED MATERIEL MANAGER ACTIVITY AND FSC COUNT
THE QUANTITY OF WIMM-ACTY-FSC RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.

1556 SIN-SUBM-FSC-CT — DLSC-SBA — F — 4
SINGLE SUBMITTER FEDERAL SUPPLY CLASS COUNT
THE QUANTITY OF SIN-SUBM-FSC RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.

1557 SIN-SUBM-ACTY-FSC-CT — DLSC-SBA — F — 4
SINGLE SUBMITTER ACTIVITY AND FEDERAL SUPPLY CLASS COUNT

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE QUANTITY OF SIN-SUBM-ACTY-FSCs RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.

1558 STDZN-FSC-CT — DLSC-SBA — F — 4

STANDARDIZATION FEDERAL SUPPLY CLASS COUNT

THE QUANTITY OF STDZN-FSCs RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.

1559 MGMT-FSC-ADD-CT — DLSC-SBA — F — 4

MANAGEMENT FEDERAL SUPPLY CLASS ADD COUNT

THE QUANTITY OF MGMT-FSCs ADDED TO THE NAME MASTER LOGISTICS DATA STORE.

1561 TRFR-ODP-T1-4-NSN — TRFR_STAT_CNT_1561 — DLSC-SBA — F — INTEGER — 8

TRANSFER ORIGINATING DEPARTMENT TYPE 1 TO 4 NSN

THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM FULL DESCRIPTIVE TO PARTIAL DESCRIPTIVE BY ORIGINATING DEPARTMENT.

1562 TRFR-ODP-T2-1-NSN — TRFR_STAT_CNT_1562 — DLSC-SBA — F — INTEGER — 8

TRANSFER ORIGINATING DEPARTMENT TYPE 2 TO 1 NSN

THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM REFERENCE METHOD TO FULL DESCRIPTIVE BY ORIGINATING DEPARTMENT.

1563 TRFR-ODP-T2-4-NSN — TRFR_STAT_CNT_1563 — DLSC-SBA — F — INTEGER — 8

TRANSFER ORIGINATING DEPARTMENT TYPE 2 TO 4 NSN

THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM REFERENCE METHOD TO PARTIAL DESCRIPTIVE BY ORIGINATING DEPARTMENT.

1564 TRFR-ODP-T4-1-NSN — TRFR_STAT_CNT_1564 — DLSC-SBA — F — INTEGER — 8

TRANSFER ORIGINATING DEPARTMENT TYPE 4 TO 1 NSN

THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM PARTIAL DESCRIPTIVE TO FULL DESCRIPTIVE BY ORIGINATING DEPARTMENT.

1565 TRFR-ODP-T4-2-NSN — TRFR_STAT_CNT_1565 — DLSC-SBA — F — INTEGER — 8

TRANDFER ORIGINATING DEPARTMENT TYPE 4 TO 2 NSN

THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM PARTIAL DESCRIPTIVE TO REFERENCE METHOD BY ORIGINATING DEPARTMENT.

1566 TRFR-ODP-TRFR-TOT-NSN — TRFR_STAT_CNT_1566 — DLSC-SBA — F — INTEGER — 8

TRANSFER ORIGINATING DEPARTMENT TRANSFER TOTAL NSN

THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT TRANSFERRED FROM ONE TYPE ITEM IDENTIFICATION TO ANOTHER TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT.

1567 TRFR-OAC-T1-2-NSN — TRFR_STAT_CNT_1567 — DLSC-SBA — F — INTEGER — 8

TRANSFER ORIGINATING ACTIVITY TYPE 1 TO 2 NSN

THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM FULL DESCRIPTIVE TO REFERENCE METHOD BY ORIGINATING DEPARTMENT/ACTIVITY.

1568 TRFR-OAC-T1-4-NSN — TRFR_STAT_CNT_1568 — DLSC-SBA — F — INTEGER — 8

TRANSFER ORIGINATING ACTIVITY TYPE 1 TO 4 NSN

THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM FULL DESCRIPTIVE TO PARTIAL DESCRIPTIVE BY ORIGINATING DEPARTMENT/ACTIVITY.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1569 TRFR-OAC-T2-1-NSN TRFR_STAT_CNT_1569 DLSC-SBA F INTEGER 8
TRANSFER ORIGINATING ACTIVITY TYPE 2 TO 1 NSN
THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM REFERENCE METHOD TO FULL DESCRIPTIVE BY ORIGINATING DEPARTMENT/ACTIVITY.

1570 TRFR-OAC-T2-4-NSN TRFR_STAT_CNT_1570 DLSC-SBA F INTEGER 8
TRANSFER ORIGINATING ACTIVITY TYPE 2 TO 4 NSN
THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM REFERENCE METHOD TO PARTIAL DESCRIPTIVE BY ORIGINATING DEPARTMENT/ACTIVITY.

1571 TRFR-OAC-T4-1-NSN TRFR_STAT_CNT_1571 DLSC-SBA F INTEGER 8
TRANSFER ORIGINATING ACTIVITY TYPE 4 TO 1 NSN
THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM PARTIAL DESCRIPTIVE TO FULL DESCRIPTIVE BY ORIGINATING DEPARTMENT/ACTIVITY.

1572 TRFR-OAC-T4-2-NSN TRFR_STAT_CNT_1572 DLSC-SBA F INTEGER 8
TRANSFER ORIGINATING ACTIVITY TYPE 4 TO 2 NSN
THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM PARTIAL DESCRIPTIVE TO REFERENCE METHOD BY ORIGINATING DEPARTMENT/ACTIVITY.

1573 TRFR-OAC-TRFR-TOT-NSN TRFR_STAT_CNT_1573 DLSC-SBA F INTEGER 8
TRANSFER ORIGINATING ACTIVITY TRANSFER TOTAL NSN
THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT TRANSFERRED FROM ONE TYPE ITEM IDENTIFICATION TO ANOTHER TYPE ITEM IDENTIFICATION BY DEPARTMENT/ACTIVITY.

1574 TRFR-OAC-FYD-T1-2-NSN TRFR_STAT_CNT_1574 DLSC-SBA F INTEGER 8
TRANSFER ORIGINATING ACT FISCAL YR TO DATE TYPE 1 TO 2 NSN
THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM FULL DESCRIPTIVE TO REFERENCE METHOD BY ORIGINATING DEPARTMENT/ACTIVITY.

1575 TRFR-OAC-FYD-T1-4-NSN TRFR_STAT_CNT_1575 DLSC-SBA F INTEGER 8
TRANSFER OTIGINATING ACT FISCAL YR TO DATE TYPE 1 TO 4 NSN
THE FISCAL YEARTO DATE QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM FULL DESCRIPTIVE TO PARTIAL DESCRIPTIVE BY ORIGINATING DEPARTMENT/ACTIVITY.

1576 TRFR-OAC-FYD-T2-1-NSN TRFR_STAT_CNT_1576 DLSC-SBA F INTEGER 8
TRANSFER ORIGINATING ACT FISCAL YR TO DATE TYPE 2 TO 1 NSN
THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM REFERENCE METHOD TO FULL DESCRIPTIVE BY ORIGINATING DEPARTMENT/ACTIVITY.

1577 TRFR-OAC-FYD-T2-4-NSN TRFR_STAT_CNT_1577 DLSC-SBA F INTEGER 8
TRANSFER ORIGINATING ACT FISCAL YR TO DATE TYPE 2 TO 4 NSN
THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM REFERENCE METHOD TO PARTIAL DESCRIPTIVE BY ORIGINATING DEPARTMENT/ACTIVITY.

1578 TRFR-OAC-FYD-T4-1-NSN TRFR_STAT_CNT_1578 DLSC-SBA F INTEGER 8
TRANSFER ORIGINATING ACT FISCAL YR TO DATE TYPE 4 TO 1 NSN
THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM PARTIAL DESCRIPTIVE TO FULL DESCRIPTIVE BY ORIGINATING DEPARTMENT/ACTIVITY.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	FORMAT FV	TYPE	LG
CLEAR TEXT HOST/COBOL NAME						
DRN DEFINITION						

1579 TRFR-OAC-FYD-T4-2-NSN TRFR_STAT_CNT_1579 DLSC-SBA F INTEGER 8
TRANSFER ORIGINATING ACT FISCAL YR TO DATE TYPE 4 TO 2 NSN
THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM PARTIAL DESCRIPTIVE TO REFERENCE METHOD BY ORIGINATING DEPARTMENT/ACTIVITY.

1580 TRFR-OAC-FYD-TRFR-T-NSN TRFR_STAT_CNT_1580 DLSC-SBA F INTEGER 8
TRANSFER ORIGINATING ACT FISCAL YR TO DATE TRFR TOTAL NSN
THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT TRANSFERRED FROM ONE TYPE ITEM IDENTIFICATION TO ANOTHER TYPE ITEM IDENTIFICATION BY DEPARTMENT/ACTIVITY.

1581 TRFR-ODP-FYD-T1-2-NSN TRFR_STAT_CNT_1581 DLSC-SBA F INTEGER 8
TRANSFER ORIGINATING DEPT FISCAL YR TO DATE TYPE 1 TO 2 NSN
THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM FULL DESCRIPTIVE TO REFERENCE METHOD BY ORIGINATING DEPARTMENT.

1582 TRFR-ODP-FYD-T1-4-NSN TRFR_STAT_CNT_1582 DLSC-SBA F INTEGER 8
TRANSFER ORIGINATING DEPARTMENT FYD TYPE 1 TO 4 NSN
THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM FULL DESCRIPTIVE TO PARTIAL DESCRIPTIVE BY ORIGINATING DEPARTMENT.

1583 TRFR-ODP-FYD-T2-1-NSN TRFR_STAT_CNT_1583 DLSC-SBA F INTEGER 8
TRANSFER ORIGINATING DEPT FISCAL YR TO DATE TYPE 2 TO 1 NSN
THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM REFERENCE METHOD TO FULL DESCRIPTIVE BY ORIGINATING DEPARTMENT.

1584 TRFR-ODP-FYD-T2-4-NSN TRFR_STAT_CNT_1584 DLSC-SBA F INTEGER 8
TRANSFER ORIGINATING DEPT FISCAL YR TO DATE TYPE 2 TO 4 NSN
THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM REFERENCE METHOD TO PARTIAL DESCRIPTIVE BY ORIGINATING DEPARTMENT.

1585 TRFR-ODP-FYD-T4-1-NSN TRFR_STAT_CNT_1585 DLSC-SBA F INTEGER 8
TRANSFER ORIGINATING DEPT FISCAL YR TO DATE TYPE 4 TO 1 NSN
THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM PARTIAL DESCRIPTIVE TO FULL DESCRIPTIVE BY ORIGINATING DEPARTMENT.

1586 TRFR-ODP-FYD-T4-2-NSN TRFR_STAT_CNT_1586 DLSC-SBA F INTEGER 8
TRANSFER ORIGINATING DEPT FISCAL YR TO DATE TYPE 4 TO 2 NSN
THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM PARTIAL DESCRIPTIVE TO REFERENCE METHOD BY ORIGINATING DEPARTMENT.

1587 TRFR-ODP-FYD-TRFR-T-NSN TRFR_STAT_CNT_1587 DLSC-SBA F INTEGER 8
TRANSFER ORIGINATING DEPT FISCAL YR TO DATE TRFR TOTAL NSN
THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT TRANSFERRED FROM ONE TYPE ITEM IDENTIFICATION TO ANOTHER TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT.

1588 M3AC-D-MG M3AC_STAT_CNT_1588 DLSC-SBA F INTEGER 8
M3AC DEPARTMENT MANAGED
THE DEPARTMENT TOTAL NSN COUNT. ONLY POCA LOAS ARE INCLUDES IN THIS COUNT. FIIG A239 ITEMS INC 77777 ARE EXCLUDED.

1589 M3AC-D-DM M3AC_STAT_CNT_1589 DLSC-SBA F INTEGER 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

M3AC DEPARTMENT DESCRIPTIVE METHOD
THE DEPARTMENT TOTAL NSN COUNT WITH DESCRIPTIVE METHOD ITEM IDENTIFICATION. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIG A239 ITEMS WITH INC 77777 ARE EXCLUDED.

1590 M3AC-D-DM-G M3AC_STAT_CNT_1590 DLSC-SBA F 8
M3AC DEPARTMENT DESCRIPTIVE METHOD GOAL
THE ESTABLISHED GOAL PERCENTAGE FOR DESCRIPTIVE METHOD NSNS FOR THE DEPARTMENT.

1591 M3AC-D-DM-P DLSC-SBA F 8
M3AC DEPARTMENT DESCRIPTIVE METHOD PERCENT
THE PERCENTAGE OF DESCRIPTIVE METHOD NSNS FOR THE DEPARTMENT.

1592 M3AC-D-DM-DIF DLSC-SBA F 8
M3AC DEPARTMENT DESCRIPTIVE METHOD DIFFERENCE
THE DIFFERENCE BETWEEN THE DESCRIPTIVE METHOD GOAL PERCENT AND THE ACTUAL PERCENTAGE OF DESCRIPTIVE METHOD NSNS FOR THE DEPARTMENT.

1593 M3AC-D-AIN M3AC_STAT_CNT_1593 DLSC-SBA F INTEGER 8
M3AC DEPARTMENT APPROVED ITEM NAME
THE DEPARTMENT TOTAL ACCOUNT OF NSNS WITH APPROVED ITEM NAMES. ONLY PICA LOAS ARE INCLUDED IN THIE COUNT. FIIG A239 ITEMS WITH INC 77777 ARE EXCLUDED.

1594 M3AC-D-AIN-G M3AC_STAT_CNT_1594 DLSC-SBA F 8
M3AC DEPARTMENT APPROVED ITEM NAME GOAL
THE ESTABLISHED GOAL PERCENTAGE FOR NSNS WITH APPROVED ITEM NAMES FOR THE DEPARTMENT.

1595 M3AC-D-AIN-P DLSC-SBA F 8
M3AC DEPARTMENT APPROVED ITEM NAME PERCENT
THE PERCENTAGE OF NSNS WITH APPROVED ITEM NAMES FOR THE DEPARTMENT.

1596 M3AC-D-AIN-DIF DLSC-SBA F 8
M3AC DEPARTMENT APPROVED ITEM NAME DIFFERENCE
THE DIFFERENCE BETWEEN THE APPROVED ITEM NAME GOAL PERCENT AND THE ACTUAL PERCENTAGE OF APPROVED ITEM NAMES FOR THE DEPARTMENTS.

1597 M3AC-D-RN M3AC_STAT_CNT_1597 DLSC-SBA F INTEGER 8
M3AC DEPARTMENT REFERENCE NUMBER
THE DEPARTMENT TOTAL COUNT OF REFERENCE NUMBERS AGAINS NSNS. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIG A239 ITEMS WITH INC 77777 ARE EXCLUDED.

1598 M3AC-D-RN-G M3AC_STAT_CNT_1598 DLSC-SBA F 8
M3AC DEPARTMENT REFERENCE NUMBER GOAL
THE ESTABLISHED GOAL PERCENT FOR REFERENCE NUMBERS PER NSN FOR THE DEPARTMENT.

1599 M3AC-D-RN-R DLSC-SBA F 8
M3AC DEPARTMENT REFERENCE NUMBER RATIO
THE ACTUAL REFERENCE NUMBER TO NSN RATIO FOR THE DEPARTMENT.

1600 M3A-D-RN-DIF DLSC-SBA F 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

M3A DEPARTMENT REFERENCE NUMBER DIFFERENCE
THE DIFFERENCE BETWEEN THE REFERENCE NUMBER GOAL RATIO AND THE ACTUAL REFERENCE NUMBER TO NSN RATIO FOR THE DEPARTMENT.

1601 M3A-D-LOA-MG M3A_STAT_CNT_1601 DLSC-SBA F INTEGER 8
M3A DEPARTMENT LOA MANAGED
THE DEPARTMENT TOTAL NSN COUNT BY LOA. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIG A239 ITEMS WITH INC 77777 ARE EXCLUDED.

1602 M3A-D-LOA-DM M3A_STAT_CNT_1602 DLSC-SBA F INTEGER 8
M3A DEPARTMENT LOA DESCRIPTIVE METHOD
THE DEPARTMENT TOTAL NSN COUNT WITH DESCRIPTIVE METHOD ITEM IDENTIFICATION BY LOA. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIG A239 ITEMS WITH INC 77777 ARE EXCLUDED.

1603 M3A-D-LOA-DM-G M3A_STAT_CNT_1603 DLSC-SBA F 8
M3A DEPARTMENT LOA DESCRIPTIVE METHOD GOAL
THE ESTABLISHED GOAL PERCENT FOR DESCRIPTIVE METHOD NSNS BY LOA FOR THE DEPARTMENT.

1604 M3A-D-LOA-DM-P DLSC-SBA F 8
M3A DEPARTMENT LOA DESCRIPTIVE METHOD PERCENT
THE PERCENT OF DESCRIPTIVE METHOD NSNS BY LOA FOR THE DEPARTMENT.

1605 M3A-D-LOA-DM-DIF DLSC-SBA F 8
M3A DEPARTMENT LOA DESCRIPTIVE METHOD DIFFERENCE
THE DIFFERENCE BETWEEN THE DESCRIPTIVE METHOD GOAL PERCENT AND THE ACTUAL PERCENTAGE OF DESCRIPTIVE METHOD NSNS BY LOA FOR THE DEPARTMENT.

1606 M3A-D-LOA-AIN M3A_STAT_CNT_1606 DLSC-SBA F INTEGER 8
M3A DEPARTMENT LOA APPROVED ITEM NAME
THE DEPARTMENT TOTAL COUNT OF NSNS WITH APPROVED ITEM NAMES BY LOA. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIG A239 ITEMS WITH INC 77777 ARE EXCLUDED.

1607 M3A-D-LOA-AIN-G M3A_STAT_CNT_1607 DLSC-SBA F 8
M3A DEPARTMENT LOA APPROVED ITEM NAME GOAL
THE ESTABLISHED GOAL PERCENTAGE FOR NSNS WITH APPROVED ITEM NAMES BY LOA FOR THE DEPARTMENT.

1608 M3A-D-LOA-AIN-P DLSC-SBA F 8
M3A DEPARTMENT LOA APPROVED ITEM NAME PERCENT
THE PERCENTAGE OF NSNS WITH APPROVED ITEM NAMES BY LOA FOR THE DEPARTMENT.

1609 M3A-D-LOA-AIN-DIF DLSC-SBA F 8
M3A DEPARTMENT LOA APPROVED ITEM NAME DIFFERENCE
THE DIFFERENCE BETWEEN THE APPROVED ITEM NAME GOAL PERCENT AND THE ACTUAL PERCENTAGE OF APPROVED ITEM NAMES BY LOA FOR THE DEPARTMENT.

1610 M3A-D-LOA-RN M3A_STAT_CNT_1610 DLSC-SBA F INTEGER 8
M3A DEPARTMENT LEVEL OF AUTHORITY REFERENCE NUMBER
THE DEPARTMENT TOTAL COUNT OF REFERENCE NUMBERS AGAINST NSNS BY LOA. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIG A239 ITEMS WITH INC 77777 ARE EXCLUDED.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1611 M3A-D-LOA-RN-G M3A_STAT_CNT_1611 DLSC-SBA F 8
M3A DEPARTMENT LOA REFERENCE NUMBER GOAL
THE ESTABLISHED GOAL PERCENT FOR REFERENCE NUMBERS PER NSN BY LOA FOR THE DEPARTMENT.

1612 M3A-D-LOA-RN-R DLSC-SBA F 8
M3A DEPARTMENT LOA REFERENCE NUMBER RATIO
THE ACTUAL REFERENCE NUMBER TO NSN RATIO BY LOA FOR THE DEPARTMENT.

1613 M3A-D-LOA-RN-DIF DLSC-SBA F 8
M3A DEPARTMENT LOA REFERENCE NUMBER DIFFERENCE
THE DIFFERENCE BETWEEN THE REFERENCE NUMBER GOAL RATIO AND THE ACTUAL REFERENCE NUMBER TO NSN RATIO BY LOA FOR THE DEPARTMENT.

1614 M3BC-FSC-D-MG M3BC_STAT_CNT_1614 DLSC-SBA F INTEGER 8
MCBC FSC DEPARTMENT MANAGED
THE DEPARTMENT TOTAL NSN COUNT FOR THE FSC. ONLY PICA LOAS ARE INCLUDES IN THIS COUNT. FIIG A239 ITEMS WITH INC 77777 ARE EXCLUDED.

1615 M3BC-FSC-D-DM M3BC_STAT_CNT_1615 DLSC-SBA F INTEGER 8
M3BC FSC DEPARTMENT DESCRIPTIVE METHOD
THE DEPARTMENT TOTAL NSN COUNT WITH DESCRIPTIVE METHOD ITEM IDENTIFICATION FOR AN FSC. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIG A239 ITEMS WITH INC 77777 ARE EXCLUDED.

1616 M3BC-FSC-D-DM-G M3BC_STAT_CNT_1616 DLSC-SBA F 8
M3BC FSC DEPARTMENT DESCRIPTIVE METHOD GOAL
THE ESTABLISHED GOAL PERCENTAGE FOR DESCRIPTIVE METHOD NSNS FOR A DEPARTMENT WITHIN AN FSC.

1617 M3BC-FSC-D-DM-P DLSC-SBA F 8
M3BC FSC DEPARTMENT DESCRIPTIVE METHOD PERCENT
THE PERCENTAGE OF DESCRIPTIVE METHOD NSNS FOR A SEPARTMENT WITHIN AN FSC.

1618 M3BC-FSC-D-AIN M3BC_STAT_CNT_1618 DLSC-SBA F INTEGER 8
M3BC FSC DEPARTMENT APPROVED ITEM NAME
THE DEPARTMENT TOTAL COUNT OF NSNS WITH APPROVED ITEM NAMES WITHIN AN FSC. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIG A239 ITEMS WITH INC 77777 ARE EXCLUDED.

1619 M3BC-FSC-D-AIN-G M3BC_STAT_CNT_1619 DLSC-SBA F 8
M3BC FSC DEPARTMENT APPROVED ITEM NAME GOAL
THE ESTABLISHED GOAL PERCENTAGE FOR NSNS WITH APPROVED ITEM NAMES FOR A DEPARTMENT WITHIN AN FSC.

1620 M3BC-FSC-D-AIN-P DLSC-SBA F 8
M3BC FSC-DEPARTMENT APPROVED ITEM NAME PERCENT
THE PERCENTAGE OF NSNS WITH APPROVED ITEM NAMES FOR A DEPARTMENT WITHIN AN FSC. SUBMITTING DEPARTMENT.

1621 M3BC-FSC-D-RN M3BC_STAT_CNT_1621 DLSC-SBA F INTEGER 8
M3BC FSC DEPARTMENT REFERENCE NUMBER
THE DEPARTMENT TOTAL COUNT OF REFERENCE NUMBER AGAINST NSNS WITHIN AN FSC. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIG A239 ITEMS WITH INC 77777 ARE EXCLUDED.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1622 M3BC-FSC-D-RN-G M3BC_STAT_CNT_1622 DLSC-SBA F 8
M3BC FSC DEPARTMENT REFERENCE NUMBER GOAL
THE ESTABLISHED GOAL PERCENT FOR REFERENCE NUMBER PER NSN FOR A DEPARTMENT WITHIN AN FSC.

1623 M3BC-FSC-D-RN-R DLSC-SBA F 8
M3BC FSC DEPARTMENT REFERENCE NUMBER RATIO
THE ACTUAL REFERENCE NUMBER TO NSN RATIO FOR A DEPARTMENT WITHIN AN FSC.

1624 M3B-FSC-D-LOA-MG M3B_STAT_CNT_1624 DLSC-SBA F INTEGER 8
M3B FSC DEPARTMENT LOA MANAGED
THE DEPARTMENT TOTAL NSN COUNT FOR AN FSC BY LOA. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIG A239 ITEMS WITH INC 77777 ARE EXCLUDED.

1625 M3B-FSC-D-LOA-DM M3B_STAT_CNT_1625 DLSC-SBA F INTEGER 8
M3B FSC DEPARTMENT LOA DESCRIPTIVE METHOD
THE DEPARTMENT TOTAL NSN COUNT WITH DESCRIPTIVE METHOD ITEM IDENTIFICATION WITHIN AN FSC BY LOA. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIG A239 ITEMS WITH INC 77777 ARE EXCLUDED.

1626 M3B-FSC-D-LOA-DM-G M3B_STAT_CNT_1626 DLSC-SBA F 8
M3B FSC DEPARTMENT DESCRIPTIVE METHOD GOAL
THE ESTABLISHED GOAL PERCENT FOR DESCRIPTIVE METHOD NSNS FOR A DEPARTMENT WITHIN AN FSC BY LOA.

1627 M3B-FSC-D-LOA-DM-P DLSC-SBA F 8
M3B FSC DEPARTMENT LOA DESCRIPTIVE METHOD PERCENT
THE PERCENT OF DESCRIPTIVE METHOD NSNS FOR A DEPARTMENT WITHIN AN FSC BY LOA.

1628 M3B-FSC-D-LOA-AIN M3B_STAT_CNT_1628 DLSC-SBA F INTEGER 8
M3B FSC DEPARTMENT LOA APPROVED ITEM NAME
THE DEPARTMENT TOTAL COUNT OF NSNS WITH APPROVED ITEM NAMES WITHIN AN FSC BY LOA. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIG A239 ITEMS WITH INC 77777 ARE EXCLUDED.

1629 M3B-FSC-D-LOA-AIN-G M3B_STAT_CNT_1629 DLSC-SBA F 8
M3B FSC DEPARTMENT LOA APPROVED ITEM NAME GOAL
THE ESTABLISHED GOAL PERCENTAGE FOR NSNS WITH APPROVED ITEM NAMES FOR A DEPARTMENT WITHIN AN FSC BY LOA.

1630 M3B-FSC-D-LOA-AIN-P DLSC-SBA F 8
M3B FSC DEPARTMENT LOA APPROVED ITEM NAME PERCENT
THE PERCENTAGE OF NSNS WITH APPROVED ITEM NAMES FOR A DEPARTMENT WITHIN AN FSC BY LOA.

1631 M3B-FSC-D-LOA-RN M3B_STAT_CNT_1631 DLSC-SBA F INTEGER 8
M3B FSC DEPARTMENT LOA REFERENCE NUMBER
THE DEPARTMENT TOTAL COUNT OF REFERENCE NUMBERS AGAINST NSNS FOR A DEPARTMENT WITHIN AN FSC BY LOA. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIG A239 ITEMS WITH INC 77777 ARE EXCLUDED.

1632 M3B-FSC-D-LOA-RN-G M3B_STAT_CNT_1632 DLSC-SBA F 8
M3B FSC DEPARTMENT LOA REFERENCE NUMBER GOAL
THE ESTABLISHED GOAL PERCENT FOR REFERENCE NUMBERS PER NSN FOR A DEPARTMENT WITHIN AN FSC BY LOA.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1633 M3B-FSC-D-LOA-RN-R — DLSC-SBA — F — 8

M3B FSC DEPARTMENT LOA REFERENCE NUMBER RATIO

THE ACTUAL REFERENCE NUMBER TO NSN RATIO FOR A DEPARTMENT WITHIN AN FSC BY LOA.

1634 M3C1-D-AT-MG — M3C1_STAT_CNT_1634 — DLSC-SBA — F — INTEGER — 8

M3C1 DEPARTMENT ACTIVITY MANAGED

THE ACTIVITY TOTAL NSN COUNT WITHIN A DEPARTMENT. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIF A239 ITEMS WITH INC 77777 ARE EXCLUDED. REFERENCE METHOD BY SUBMITTING DEPARTMENT.

1635 M3C1-D-AT-DM — M3C1_STAT_CNT_1635 — DLSC-SBA — F — INTEGER — 8

M3C1 DEPARTMENT ACTIVITY DESCRIPTIVE METHOD

THE ACTIVITY TOTAL NSN COUNT WITH DESCRIPTIVE METHOD ITEM IDENTIFICATION WITHIN A DEPARTMENT. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIG A239 ITEMS WITH INC 77777 ARE INCLUDED.

1636 M3C1-D-AT-DM-G — M3C1_STAT_CNT_1636 — DLSC-SBA — F — 8

M3C1 DEPARTMENT ACTIVITY DESCRIPTIVE METHOD GOAL

THE ESTABLISHED GOAL PERCENTAGE FOR DESCRIPTIVE METHOD NSNS FOR AN ACTIVITY WITHIN A DEPARTMENT.

1637 M3C1-D-AT-DM-P — DLSC-SBA — F — 8

M3C1 DEPARTMENT ACTIVITY DESCRIPTIVE METHOD PERCENT

THE PERCENTAGE OF DESCRIPTIVE METHOD NSNS FOR AN ACTIVITY WITHIN A DEPARTMENT.

1638 M3C1-D-AT-AIN — M3C1_STAT_CNT_1638 — DLSC-SBA — F — INTEGER — 8

M3C1 DEPARTMENT ACTIVITY AIN

THE ACTIVITY TOTAL COUNT OF NSNS WITH APPROVED ITEM NAMES WITHIN A DEPARTMENT. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIG A239 ITEMS WITH INC 77777 ARE EXCLUDED.

1639 M3C1-D-AT-AIN-G — M3C1_STAT_CNT_1639 — DLSC-SBA — F — 8

M3C1 DEPARTMENT ACTIVITY AIN GOAL

THE ESTABLISHED GOAL PERCENTAGE FOR NSNS WITH APPROVED ITEM NAMES FOR AN ACTIVITY WITHIN A DEPARTMENT.

1640 M3C1-D-AT-AIN-P — DLSC-SBA — F — 8

M3C1 DEPARTMENT ACTIVITY AIN PERCENT

THE PERCENT OF NSNS WITH APPROVED ITEM NAMES FOR AN ACTIVITY WITHIN A DEPARTMENT.

1641 M3C1-D-AT-RN — M3C1_STAT_CNT_1641 — DLSC-SBA — F — INTEGER — 8

M3C1 DEPARTMENT ACTIVITY REFERENCE NUMBER

THE ACTIVITY TOTAL COUNT OF REFERENCE NUMBERS AGAINST NSNS WITHIN A DEPARTMENT. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIG A239 ITEMS WITH INC 77777 ARE EXCLUDED.

1642 M3C1-D-AT-RN-G — M3C1_STAT_CNT_1642 — DLSC-SBA — F — 8

M3C1 DEPARTMENT ACTIVITY REFERENCE NUMBER GOAL

THE ESTABLISHED GOAL PERCENT FOR REFERENCE NUMBERS PER NSN FOR AN ACTIVITY WITHIN A DEPARTMENT.

1643 M3C1-D-AT-RN-R — DLSC-SBA — F — 8

M3C1 DEPARTMENT ACTIVITY REFERENCE NUMBER RATIO

THE ACTUAL REFERENCE NUMBER TO NSN RATIO FOR AN ACTIVITY WITHIN A DEPARTMENT.

1644 M3C2-FSC-D-AT-MG — M3C2_STAT_CNT_1644 — DLSC-SBA — F — INTEGER — 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

M3C2 FSC DEPARTMENT ACTIVITY MANAGED
THE ACTIVITY TOTAL NSN COUNT WITHIN A DEPARTMENT, WITHIN AN FSC. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIG A239 ITEMS WITH INC 77777 ARE EXCLUDED.

1645 M3C2-FSC-D-AT-DM M3C2_STAT_CNT_1645 DLSC-SBA F INTEGER 8
M3C2 FSC DEPARTMENT ACTIVITY DESCRIPTIVE METHOD
THE ACTIVITY TOTAL NSN TOTAL COUNT WITH DESCRIPTIVE METHOD ITEM IDENTIFICATION WITHIN A DEPARTMENT, WITHIN AN FSC. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIG A239 ITEMS INC 77777 ARE EXCLUDED.

1646 M3C2-FSC-D-AT-DM-G M3C2_STAT_CNT_1646 DLSC-SBA F 8
M3C2 FSC DEPARTMENT ACTIVITY DESCRIPTIVE METHOD GOAL
THE ESTABLISHED GOAL PERCENTAGE FOR DESCRIPTIVE METHOD NSNS FOR AN ACTIVITY WITHIN A DEPARTMENT, WITHIN AN FSC.

1647 M3C2-FSC-D-AT-DM-P DLSC-SBA F 8
M3C2 FSC DEPARTMENT ACTIVITY DESCRIPTIVE METHOD PERCENT
THE PERCENTAGE OF DESCRIPTIVE METHOD NSNS FOR AN ACTIVITY WITHIN A DEPARTMENT, WITHIN AN FSC.

1648 M3C2-FSC-D-AT-AIN M3C2_STAT_CNT_1648 DLSC-SBA F INTEGER 8
M3C2 FSC DEPARTMENT ACTIVITY AIN
THE ACTIVITY TOTAL COUNT OF NSNS WITH APPROVED ITEM NAMES WITHIN A DEPARTMENT, WITHIN AN FSC. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIG A239 ITEMS WITH INC 77777 ARE EXCLUDED.

1649 M3C2-FSC-D-AT-AIN-G M3C2_STAT_CNT_1649 DLSC-SBA F 8
M3C2 FSC DEPARTMENT ACTIVITY AIN GOAL
THE ESTABLISHED GOAL PERCENTAGE FOR NSNS WITH APPROVED ITEM NAMES FOR AN ACTIVITY WITH A DEPARTMENT, WITHIN AN FSC.

1650 REP-ACTY-LOA-NSN REP_STAT_CNT_1650 DLSC-SB F INTEGER 8
REPARABILITY ACTIVITY LOA NSN
THE QUANTITY OF NSNS WITH A REPARABILITY CODE BY REPARABILITY CODE BY DEPARTMENT BY ACTIVITY BY LOA.

1651 REP-ACTY-NSN REP_STAT_CNT_1651 DLSC-SBA F INTEGER 8
REPARABILITY ACTIVITY NSN
THE QUANTITY OF NSNS WITH A REPARABILITY CODE BY REPARABILITY CODE BY DEPARTMENT BY ACTIVITY.

1652 REP-DEPT-LOA-NSN REP_STAT_CNT_1652 DLSC-SBA F INTEGER 8
REPARABILITY DEPARTMENT LOA NSN
THE QUANTITY OF NSNS WITH A REPARABILITY CODE BY REPARABILITY CODE BY DEPARTMENT BY LOA.

1653 REP-DEPT-NSN REP_STAT_CNT_1653 DLSC-SBA F INTEGER 8
REPARABILITY DEPARTMENT NSN
THE QUANTITY OF NSNS WITH A REPARABILITY CODE BY REPARABILITY CODE BY BY DEPARTMENT.

1654 LRN-C-P-RNL-DEPT-MTHLY DLSC-V F 8
LOGRUN CAGE PTL REF NBR LOG INQ DEPARTMENT MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CAGE/PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1655 LRN-C-P-RNL-DEPT-QTRLY DLSC-V F 8
LOGRUN CAGE PTL REF NBR LOG INQ DEPARTMENT QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR CAGE/PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

1656 LRN-C-P-RNL-DEPT-YRLY DLSC-V F 8
LOGRUN CAGE PTL REF NBR LOG INQ DEPARTMENT YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR CAGE/PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

1657 LRN-C-P-RNL-DLY-TOT LRN_STAT_CNT_1657 DLSC-V F INTEGER 8
LOGRUN CAGE PTL REF NBR LOG INQ DAILY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR CAGE/PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1658 LRN-C-P-RNL-WKLY-TOT DLSC-V F 8
LOGRUN CAGE PTL REF NBR LOG INQ WEEKLY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CAGE/PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1659 LRN-C-P-RNL-MTHLY-TOT DLSC-V F 8
LOGRUN CAGE PTL REF NBR LOG INQ MONTHLY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CAGE/PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1660 LRN-C-P-RNL-QTRLY-TOT DLSC-V F 8
LOGRUN CAGE PTL REF NBR LOG INQ QUARTERLY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR CAGE/PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1661 LRN-C-P-RNL-YRLY-TOT DLSC-V F 8
LOGRUN CAGE PTL REF NBR LOG INQ YEARLY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR CAGE/PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1662 LRN-NIIN-INQ-CAN-DLY DLSC-V F 8
LOGRUN NIIN INQUIRY CUSTOMER ACCOUNT NUMBER
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR NIIN INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1663 LRN-NIIN-INQ-CAN-WKLY DLSC-V F 8
LOGRUN NIIN INQUIRY CUSTOMER ACCOUNT NUMBER WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR NIIN INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1664 LRN-NIIN-INQ-CAN-MTHLY DLSC-V F 8
LOGRUN NIIN INQUIRY CUSTOMER ACCOUNT NUMBER MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR NIIN INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1665 LRN-NIIN-INQ-CAN-QTRLY DLSC-V F 8
LOGRUN NIIN INQUIRY CUSTOMER ACCOUNT NUMBER QUARTERLY

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR NIIN INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1666 LRN-NIIN-INQ-CAN-YRLY DLSC-V F 8
LOGRUN NIIN INQUIRY CUSTOMER ACCOUNT NUMBER YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR NIIN INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1667 LRN-NIIN-INQ-ACTY-DLY LRN_STAT_CNT_1667 DLSC-V F INTEGER 8
LOGRUN NIIN INQUIRY ACTIVITY DAILY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR NIIN INQUIRIES BY ACTIVITY.

1668 LRN-NIIN-INQ-ACTY-WKLY DLSC-V F 8
LOGRUN NIIN INQUIRY ACTIVITY WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR NIIN INQUIRIES BY ACTIVITY.

1669 LRN-NIIN-INQ-ACTY-MTHLY DLSC-V F 8
LOGRUN NIIN INQUIRY ACTIVITY MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR NIIN INQUIRIES BY ACTIVITY.

1670 LRN-NIIN-INQ-ACTY-QTRLY DLSC-V F 8
LOGRUN NIIN INQUIRY ACTIVITY QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR INQUIRIES BY ACTIVITY.

1671 LRN-NIIN-INQ-ACTY-YRLY DLSC-V F 8
LOGRUN NIIN INQUIRY ACTIVITY YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR NIIN INQUIRIES BY ACTIVITY.

1672 LRN-NIIN-INQ-DEPT-DLY LRN_STAT_CNT_1672 DLSC-V F INTEGER 8
LOGRUN NIIN INQUIRY DEPARTMENT DAILY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR NIIN INQUIRIES BY DEPARTMENT.

1673 PC-NSN-REF-II-NACL DLSC-V F 8
PERCENT NSNS REFERENCE TYPE II NON-ASSIGNED CLASSES
PERCENT OF NSNS THAT ARE REFERENCE METHOD TYPE II IN NON-ASSIGNED CLASSES.

1674 LRN-NIIN-INQ-DEPT-MTHLY DLSC-V F 8
LOGRUN NIIN INQUIRY DEPARTMENT MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR NIIN INQUIRIES BY DEPARTMENT.

1675 LRN-NIIN-INQ-DEPT-QTRLY DLSC-V F 8
LOGRUN NIIN INQUIRY DEPARTMENT QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR NIIN INQUIRIES BY DEPARTMENT.

1676 LRN-NIIN-INQ-DEPT-YRLY DLSC-V F 8
LOGRUN NIIN INQUIRY DEPARTMENT YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR NIIN INQUIRIES BY DEPARTMENT.

1677 QLTY-CTL-CMPTN-DT DLSC-V F 9
QUALITY CONTROL COMPLETION DATE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE DAY, MONTH, AND YEAR (E.G., 8 JAN 88) BY WHICH THE MASTER FOR AN INFORMATION DISSEMINATION MUST BE PRODUCED AND READY FOR QUALITY REVIEW.

1678 EDIT-PROD-CMPTN-DT DLSC-V F 9
EDIT PRODUCTION COMPLETION DATE
THE DAY, MONTH, AND YEAR (e.g., 18 JAN 88) BY WHICH THE MASTER FOR AN INFORMATION DISSEMINATION MUST BE PRODUCED AND READY FOR QUALITY REVIEW.

1680 SCR-NM DLSC-V V 6
SCREEN NAME
AN ABBREVIATED NAME PERTAINING TO SPECIFIC SCREENS. THOSE NAMES ARE USED IN CALLING/RETRIEVING THOSE SCREENS FROM STORAGE AND BRINGING THEM TO THE CRT FOR VIEWER USE.

1682 FUNC-CD DLSC-SB F 2
FUNCTION CODE
IDENTIFIES THE EDIT FUNCTIONS PERFORMED IN ON-LINE PROCESSING.

1696 DP-ACTY-CC-END-BAL DLSC-SBA F 8
DEPARTMENT ACTIVITY COMMODITY CATEGORY CODE ENDING BALANCE
THE NUMBER OF NSNS AT THE ENDING POINT OF TIME BY AMC WITHIN COMMODITY CATEGORY CODE BY ACTIVITY WITHIN DEPARTMENT.

1697 PRCSG-CMPTN-DT DLSC-V F 9
PROCESSING COMPLETION DATE
THE DAY, MONTH, AND YEAR (e.g., 18 JAN 88) BY WHICH PROCESSING MUST BE COMPLETED.

1698 DP-ORIG-NSN-TOTAL-7 DLSC-SBA F 8
DEPARTMENT ORIGINAL NSN TOTAL 7
THE NUMBER OF ORIGINAL NSNS (AN ITEM IDENTIFICATION APPROVED BY DLSC AND ASSIGNED A NSN WHICH HAS NOT BEEN REVISED, TRANSFERRED, OR CANCELLED) FOR UNITED STATES GOVERNMENT DEPARTMENTS. TOTALS ARE BROKEN OUT FOR THE FOLLOWING TYPES OF ITEM IDENTIFICATION: FULL DESCRIPTIVE 1, 1A, 1B. PARTIAL DESCRIPTIVE 4, 4A, 4B AND REFERENCE 2.

1699 FULL-DESCRIPTIVE-MTHD-7 DLSC-SBA F 8
FULL DESCRIPTIVE METHOD 7
FULL DESCRIPTIVE METHOD TOTAL FOR DRN 1698, DEPARTMENT ORIGINAL NSN TOTAL.

1700 PARTIAL-DESCRIPTIVE-7 DLSC-SBA F 8
PARTIAL DESCRIPTIVE 7
PARTIAL DESCRIPTIVE METHOD FOR DRN 1698, DEPARTMENT ORIGINAL NSN TOTAL.

1701 REFERENCE-METHOD-7 DLSC-SBA F 8
REFERENCE METHOD 7
REFERENCE METHOD FOR DRN 1698, DEPARTMENT ORIGINAL NSN TOTAL.

1702 LRN-C-NIIN-CAN-DLY DLSC-V F 8
LOGRUN CAGE NIIN INQ CUSTOMER ACCOUNT NBR DAILY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR CAGE TO NIIN INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

1703 INFO-DISEM-NM DLSC-V F 80

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

INFORMATION DISSEMINATION NAMES
THE NAME OF A SPECIFIC INFORMATION DISSEMINATION SYSTEM OUTPUT PRODUCT. THE NUMBER OF LINES IS VARIABLE.

1704 DATA-ELE-NM DE_NM_1704 DLSC-V F CHAR 60
DATA ELEMENT NAMES
THE NAME OF A DATA ELEMENT.

1706 EXTRN-PARM DLSC-V F 80
EXTRACTION PARAMETERS
DATA/INFORMATION ENTERED OR SELECTED FROM A MENU OF OPTIONS DISPLAYED ON AN ON-LINE PERSONAL COMPUTER NECESSARY FOR THE CREATION OF EXTRACTION INSTRUCTIONS/DATA FOR THE INFORMATION DISSEMINATION SYSTEM. THE LENGTH OF DATA ON EACH LINE IS 1 TO 80 CHARACTERS FOR SCREEN DISPLAYS. THE NUMBER OF LINES IS VARIABLE.

1707 FMT-PARM DLSC-V F 80
FORMAT PARAMETERS
DATA/INFORMATION ENTERED OR SELECTED FROM A MENU OF OPTIONS DISPLAYED ON AN ON-LINE PERSONAL COMPUTER NECESSARY FOR THE CREATION OF FORMAT INSTRUCTIONS/DATA FOR THE INFORMATION DISSEMINATION SYSTEM. THE LENGTH OF DATA ON EACH LINE IS 1 TO 80 CHARACTERS FOR SCREEN DISPLAYS. THE NUMBER OF LINES IS VARIABLE.

1708 INFO-DISEM-NAR-DATA DLSC-V F 132
INFORMATION DISSEMINATION NARRATIVE DATA
DATA IN THE FORM OF NARRATIVES USED AS INPUT TO THE INFORMATION DISSEMINATION SYSTEM. THE LENGTH OF DATA ON EACH LINE IS 1 TO 132 CHARACTERS. THE NUMBER OF LINES IS VARIABLE.

1709 NAR-IDEN-NBR DLSC-V F 9
NARRATIVE IDENTIFICATION NUMBER
A NUMBER IDENTIFYING SPECIFIC INFORMATION DISSEMINATION NARRATIVE DATA.

1710 INFO-DISEM-DT DLSC-V F 9
INFORMATION DISSEMINATION DATE
THE DAY, MONTH, AND YEAR (E.G., 18 JAN 88) FOR WHICH THE INFORMATION DISSEMINATION IS EFFECTIVE.

1711 RPRODTN-CMPTN-DT DLSC-V F 9
REPRODUCTION COMPLETION DATE
THE DAY, MONTH, AND YEAR (E.G., 18 JAN 88) BY WHICH THE INFORMATION DISSEMINATION MASTERS MUST BE REPRODUCED AND SENT TO THE CUSTOMERS.

1712 CTOF-DT DLSC-V F 9
CUT-OFF DATE
THE DAY, MONTH, AND YEAR (E.G., 18 JAN 88) AFTER WHICH CHANGES TO DATA WILL NOT BE ACCEPTED AS INPUT FOR INFORMATION DISSEMINATION SYSTEM PROCESSING.

1713 DATA-CHNG-DT DLSC-V F 9
DATA CHANGE DATE
THE DAY, MONTH, AND YEAR (E.G., 18 JAN 88) INDICATING THE BEGINNING OF THE TIME PERIOD FOR WHICH DATA CHANGES (INCLUDING ADDITIONS AND DELETIONS) ARE REFLECTED IN INFORMATION DISSEMINATION SYSTEM CHANGE BULLETINS, PAGE SUBSTITUTIONS, ADVANCE CHANGE NOTICES, AND PERCENT DATA CHANGE CALCULATIONS.

1714 KEY-DATA-ELE-NM DLSC-V F 60
KEY DATA ELEMENT NAME

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE NAME OF A DATA ELEMENT ASSOCIATED TO ONE OR MORE OTHER DATA ELEMENTS FOR PURPOSES OF DATA EXTRACTION.

1715 DATA-STR-NM — DLSC-V — F — 60
DATA STORE NAME
THE NAME OF A FILE OR DATA BASE IN WHICH DATA IS STORED.

1716 EXTRN-DESC — DLSC-V — F — 80
EXTRACTION DESCRIPTION
A DESCRIPTION OF THE REQUIREMENTS FOR THE EXTRACTION OF DATA PROCESSED BY THE INFORMATION DISSEMINATION SYSTEM FOR A SPECIFIED OUTPUT. THE LENGTH OF DATA ON EACH LINE IS 1 TO 80 CHARACTERS FOR SCREEN DISPLAYS AND 1 TO 132 CHARACTERS FOR HARDCOPY. THE NUMBER OF LINES IS VARIABLE.

1717 FMT-DESC — DLSC-V — F — 80
FORMAT DESCRIPTION
A DESCRIPTION OF THE REQUIREMENTS FOR THE FORMATING OF DATA PROCESSED BY THE INFORMATION DISSEMINATION SYSTEM FOR A SPECIFIED OUTPUT. THE LENGTH OF DATA ON EACH LINE IS 1 TO 80 CHARACTERS FOR SCREEN DISPLAYS AND 1 TO 132 CHARACTERS FOR HARDCOPY. THE NUMBER OF LINES IS VARIABLE.

1718 DCOD-PARM — DLSC-V — F — 80
DECODE PARAMETERS
DATA/INFORMATION ENTERED OR SELECTED FROM A MENU OF OPTIONS DISPLAYED ON AN ON-LINE PERSONAL COMPUTER NECESSARY FOR THE CREATION OF DECODE INSTRUCTIONS/DATA FOR THE INFORMATION DISSEMINATION SYSTEM. THE LENGTH OF DATA ON EACH LINE IS 1 TO 80 CHARACTERS FOR SCREEN DISPLAYS. THE NUMBER OF LINES IS VARIABLE.

1719 DCOD-DESC — DLSC-V — F — 80
DECODE DESCRIPTION
A DESCRIPTION OF THE REQUIREMENTS FOR THE DECODING OF DATA PROCESSED BY THE INFORMATION DISSEMINATION SYSTEM FOR A SPECIFIED OUTPUT. THE LENGTH OF DATA ON EACH LINE IS 1 TO 80 CHARACTERS FOR SCREEN DISPLAYS AND 1 TO 132 CHARACTERS FOR HARDCOPY. THE NUMBER OF LINES IS VARIABLE.

1720 INFO-DISEM-IDEN-NBR — INFO_DISEM_ID_1720 — DLSC-V — F — INTEGER — 10
INFORMATION DISSEMINATION IDENTIFICATION NUMBER
A NUMBER IDENTIFYING A SPECIFIC INFORMATION DISSEMINATION SYSTEM OUTPUT PRODUCT.

1721 CRTFD-CONTR-ZIP-CD — DLSC-SC — F — 10
CERTIFIED CONTRACTOR ZONE IMPROVEMENT PROGRAM CODE
THE ZONE IMPROVEMENT PROGRAM (ZIP) CODE PORTION OF THE CERTIFIED CONTRACTOR ADDRESS.

1722 CRTFD-CONTR-ST-ADRS-TX — CRTFD_ST_ADRS_1722 — DLSC-SB — F — CHAR — 36
CERTIFIED CONTRACTOR STREET ADDRESS TEXT
A FIELD CONTAINING THE COMPANY STREET ADDRESS OF THE CERTIFIED CONTRACTOR. VALID VALUES ARE LETTERS, NUMBERS, BLANKS, AND PUNCTUATION.

1723 CRTFD-CONTR-PO-BOX — CRTFD_POBOX_1723 — DLSC-SC — F — CHAR — 36
CERTIFIED CONTRACTOR POST OFFICE BOX
THE POST OFFICE BOX PORTION OF THE CERTIFIED CONTRACTOR ADDRESS.

1724 CRTFD-CONTR-CTY-STA — DLSC-SC — V — 36
CERTIFIED CONTRACTOR CITY/STATE
THE CITY AND STATE PORTION OF THE CERTIFIED CONTRACTOR ADDRESS.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1725 CRTFD-CONTR-CAGE-CD DLSC-SC F 5
CERTIFIED CONTRACTOR COMMERCIAL AND GOVERNMENT ENTITY CODE
THE COMMERCIAL AND GOVERNMENT ENTITY (CAGE) CODE ASSIGNED TO CERTAIN MANUFACTURERS AND NON-MANUFACTURERS WHO HAVE DONE BUSINESS WITH THE GOVERNMENT.

1726 CON-DPT-OTH-DIC-TOT-NSN DLSC-SBA F 8
CONSUMABLE DEPARTMENT OTHER DIC NSN TOTAL
THE TOTAL NUMBER OF TRANSACTIONS (OTHER THAN DIC LVA) SENT TO DLSC AS A RESULT OF INVENTORY CONTROL POINT REVIEW BY DEPARTMENT.

1727 LRN-COMB-CAN-QTRLY DLSC-V F 8
LOGRUN COMBINATION CUSTOMER ACCOUNT NUMBER QUARTERLY
ANY COMBINATION OF CAGE CODE, REFERENCE NUMBER LOGISTICS, PARTIAL REFERENCE NUMBER LOGISTICS OR ITEM NAME DONE THROUGH LOGRUN ON A QUARTERLY BASIS BY CUSTOMER ACCOUNT NUMBER.

1728 LRN-COMB-CAN-YRLY DLSC-V F 8
LOGRUN COMBINATION CUSTOMER ACCOUNT NUMBER YEARLY
ANY COMBINATION OF CAGE CODE, REFERENCE NUMBER LOGISTICS, PARTIAL REFERENCE NUMBER LOGISTICS OR ITEM NAME DONE THROUGH LOGRUN ON A YEARLY BASIS BY CUSTOMER ACCOUNT NUMBER.

1729 LRN-COMB-ACTY-DLY LRN_STAT_CNT_1729 DLSC-V F INTEGER 8
LOGRUN COMBINATION ACTIVITY DAILY
ANY COMBINATION OF CAGE CODE, REFERENCE NUMBER LOGISTICS, PARTIAL REFERENCE NUMBER LOGISTICS OR ITEM NAME DONE THROUGH LOGRUN ON A DAILY BASIS BY ACTIVITY.

1730 LRN-COMB-ACTY-WKLY DLSC-V F 8
LOGRUN COMBINATION ACTIVITY WEEKLY
ANY COMBINATION OF CAGE CODE, REFERENCE NUMBER LOGISTICS, PARTIAL REFERENCE NUMBER LOGISTICS OR ITEM NAME DONE THROUGH LOGRUN ON A WEEKLY BASIS BY ACTIVITY.

1731 LRN-COMB-ACTY-MTHLY DLSC-V F 8
LOGRUN COMBINATION ACTIVITY MONTHLY
ANY COMBINATION OF CAGE CODE, REFERENCE NUMBER LOGISTICS, PARTIAL REFERENCE NUMBER LOGISTICS OR ITEM NAME DONE THROUGH LOGRUN ON A MONTHLY BASIS BY ACTIVITY.

1732 LRN-COMB-ACTY-QTRLY DLSC-V F 8
LOGRUN COMBINATION ACTIVITY QUARTERLY
ANY COMBINATION OF CAGE CODE, REFERENCE NUMBER LOGISTICS, PARTIAL REFERENCE NUMBER LOGISTICS OR ITEM NAME DONE THROUGH LOGRUN ON A QUARTERLY BASIS BY ACTIVITY.

1733 LRN-COMB-ACTY-YRLY DLSC-V F 8
LOGRUN COMBINATION ACTIVITY YEARLY
ANY COMBINATION OF CAGE CODE, REFERENCE NUMBER LOGISTICS, PARTIAL REFERENCE NUMBER LOGISTICS OR ITEM NAME DONE THROUGH LOGRUN ON A YEARLY BASIS BY ACTIVITY.

1734 LRN-COMB-DEPT-DLY LRN_STAT_CNT_1734 DLSC-V F INTEGER 8
LOGRUN COMBINATION DEPARTMENT DAILY
ANY COMBINATION OF CAGE CODE, REFERENCE NUMBER LOGISTICS, PARTIAL REFERENCE NUMBER LOGISTICS OR ITEM NAME DONE THROUGH LOGRUN ON A DAILY BASIS BY DEPARTMENT.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1735 LRN-COMB-DEPT-WKLY — DLSC-V — F — 8

LOGRUN COMBINATION DEPARTMENT WEEKLY

ANY COMBINATION OF CAGE CODE, REFERENCE NUMBER LOGISTICS, PARTIAL REFERENCE NUMBER OR ITEM NAME DONE THROUGH LOGRUN ON A WEEKLY BASIS BY DEPARTMENT.

1736 LRN-COMB-DEPT-MTHLY — DLSC-V — F — 8

LOGRUN COMBINATION DEPARTMENT MONTHLY

ANY COMBINATION OF CAGE CODE, REFERENCE NUMBER LOGISTICS, PARTIAL REFERENCE NUMBER LOGISTICS OR ITEM NAME DONE THROUGH LOGRUN ON A MONTHLY BASIS BY DEPARTMENT.

1737 LRN-COMB-DEPT-QTRLY — DLSC-V — F — 8

LOGRUN COMBINATION DEPARTMENT QUARTERLY

ANY COMBINATATION OF CAGE CODE, REFERENCE NUMBER LOGISTICS, PARTIAL REFERENCE NUMBER LOGISTICS OR ITEM NAME DONE THROUGH LOGRUN ON A QUARTERLY BASIS BY DEPARTMENT.

1738 LRN-COMB-DEPT-YRLY — DLSC-V — F — 8

LOGRUN COMBINATION DEPARTMENT YEARLY

ANY COMBINATION OF CAGE CODE, REFERENCE NUMBER LOGISTICS, PARTIAL REFERENCE NUMBER LOGISTICS OR ITEM NAME DONE THROUGH LOGRUN ON A YEARLY BASIS BY DEPARTMENT.

1739 LRN-COMB-TOT-DLY — LRN_STAT_CNT_1739 — DLSC-V — F — INTEGER — 8

LOGRUN COMBINATION TOTAL DAILY

ANY COMBINATION OF CAGE CODE, REFERENCE NUMBER LOGISTICS, PARTIAL REFERENCE NUMBER LOGISTICS OR ITEM NAME DONE THROUGH LOGRUN ON A DAILY BASIS BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1740 LRN-COMB-TOT-WKLY — DLSC-V — F — 8

LOGRUN COMBINATION TOTAL WEEKLY

ANY COMBINATION OF CAGE CODE, REFERENCE NUMBER LOGISTICS, PARTIAL REFERENCE NUMBER LOGISTICS OR ITEM NAME DONE THROUGH LOGRUN ON A WEEKLY BASIS BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1741 CON-OTH-DIC-TOT-NSN — DLSC-SB — F — 8

CONSUMABLE OTHER DIC NSN TOTAL

THE TOTAL QUANTITY OF TRANSACTIONS (OTHERS THAN DIC LVA) SENT TO DLSC AS A RESULT OF INVENTORY CONTROL POINT REVIEW FOR DEPARTMENT FOR ACTIVITY.

1742 LRN-COMB-TOT-QTRLY — DLSC-V — F — 8

LOGRUN COMBINATION TOTAL QUARTERLY

ANY COMBINATION OF CAGE CODE, REFERENCE NUMBER LOGISTICS, PARTIAL REFERENCE NUMBER LOGISTICS OR ITEM NAME DONE THROUGH LOGRUN ON A QUARTERLY BASIS BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1743 LRN-COMB-TOT-YRLY — DLSC-V — F — 8

LOGRUN COMBINATION TOTAL YEARLY

ANY COMBINATION OF CAGE CODE, REFERENCE NUMBER LOGISTICS, PARTIAL REFERENCE NUMBER LOGISITICS OR ITEM NAME DONE THROUGH LOGRUN ON A YEARLY BASIS BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1744 LRN-PROC-QCK-INFO-CAN-D — DLSC-SB — F — 6

LOGRUN PROCEDURES QUICK INFO CUSTOMER ACCOUNT NUMBER DAILY

THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR QUICK INFORMATION BY CUSTOMER ACCOUNT NUMBER.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1745 LRN-PROC-QCK-INFO-CAN-W DLSC-SB F 6
LOGRUN PROCEDURES QUICK INFO CUSTOMER ACCOUNT NUMBER WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR QUICK INFORMATION BY CUSTOMER ACCOUNT NUMBER.

1746 LRN-PROC-QCK-INFO-CAN-M DLSC-SB F 6
LOGRUN PROCEDURES QUICK INFO CUSTOMER ACCOUNT NUMBER MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR QUICK INFORMATION BY CUSTOMER ACCOUNT NUMBER.

1747 LRN-PROC-QCK-INFO-CAN-Q DLSC-SB F 6
LOGRUN PROCEDURES QUICK INFO CUSTOMER ACCOUNT NUMBER QUARTER
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR QUICK INFORMATION BY CUSTOMER ACCOUNT NUMBER.

1748 LRN-PROC-QCK-INFO-CAN-Y DLSC-SB F 6
LOGRUN PROCEDURES QUICJ INFO CUSTOMER ACCOUNT NUMBER YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR QUICK INFORMATION BY CUSTOMER ACCOUNT NUMBER.

1749 LRN-PROC-QCK-INFO-ACTY-D LRN_STAT_CNT_1749 DLSC-SB F INTEGER 6
LOGRUN PROCEDURES QUICK INFO ACTIVITY DAILY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR QUICK INFORMATION BY ACTIVITY.

1750 LRN-PROC-QCK-INFO-ACTY-W DLSC-SB F 6
LOGRUN PROCEDURES QUICK INFO ACTIVITY WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR QUICK INFORMATION BY ACTIVITY.

1751 LRN-PROC-QCK-INFO-ACTY-M DLSC-SB F 6
LOGRUN PROCEDURES QUICK INFO ACTIVTY MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR QUICK INFORMATION BY ACTIVITY.

1752 LRN-PROC-QCK-INFO-ACTY-Q DLSC-SB F 6
LOGRUN PROCEDURES QUICK INFO ACTIVITY QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR QUICK INFORMATION BY ACTIVITY.

1753 LRN-PROC-QCK-INFO-ACTY-Y DLSC-SB F 6
LOGRUN PROCEDURES QUICK INFO ACTIVITY YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR QUICK INFORMATION BY ACTIVITY.

1754 LRN-PROC-QCK-INFO-DEPT-D DLSC-SB F 6
LOGRUN PROCEDURES QUICK INFO DEPARTMENT DAILY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR QUICK INFORMATION BY DEPARTMENT.

1755 LRN-PROC-QCK-INFO-DEPT-W DLSC-SB F 6
LOGRUN PROCEDURES QUICK INFO DEPARTMENT WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR QUICK INFORMATION BY DEPARTMENT.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1756 LRN-PROC-QCK-INFO-DEPT-M — DLSC-SB — F — 6
LOGRUN PROCEDURES QUICK INFO DEPARTMENT MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR QUICK INFORMATION BY DEPARTMENT.

1757 LRN-PROC-QCK-INFO-DEPT-Q — DLSC-SB — F — 6
LOGRUN PROCEDURES QUICK INFO DEPARTMENT QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR QUICK INFORMATION BY DEPARTMENT.

1758 LRN-PROC-QCK-INFO-DEPT-Y — DLSC-SB — F — 6
LOGRUN PROCEDURES QUICK INFO DEPARTMENT YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR QUICK INFORMATION BY DEPARTMENT.

1759 LRN-PROC-QCK-INFO-TOT-D — DLSC-SB — F — 6
LOGRUN PROCEDURES QUICK INFO TOTAL DAILY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR QUICK INFORMATION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1760 LRN-PROC-QCK-INFO-TOT-W — DLSC-SB — F — 6
LOGRUN PROCEDURES QUICK INFO TOTAL WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR QUICK INFORMATION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1761 LRN-PROC-QCK-INFO-TOT-M — DLSC-SB — F — 6
LOGRUN PROCEDURES QUICK INFO TOTAL MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR QUICK INFORMATION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1762 LRN-PROC-QCK-INFO-TOT-Q — DLSC-SB — F — 6
LOGRUN PROCEDURES QUICK INFO TOTAL QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR QUICK INFORMATION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1763 LRN-PROC-QCK-INFO-TOT-Y — DLSC-SB — F — 6
LOGRUN PROCEDURES QUICK INFO TOTAL YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR QUICK INFORMATION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1764 LRN-PROC-CAI-CAN-D — DLSC-SB — F — 6
LOGRUN PROCEDURES CAI CUSTOMER ACCOUNT NUMBER DAILY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR COMPUTER ASSISTED INSTRUCTION BY CUSTOMER ACCOUNT NUMBER.

1765 LRN-PROC-CAI-CAN-W — DLSC-SB — F — 6
LOGRUN PROCEDURES CAI CUSTOMER ACCOUNT NUMBER WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR COMPUTER ASSISTED INSTRUCTION BY CUSTOMER ACCOUNT NUMBER.

1766 LRN-PROC-CAI-CAN-M — DLSC-SB — F — 6
LOGRUN PROCEDURES CAI CUSTOMER ACCOUNT NUMBER MONTHLY

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR COMPUTER ASSISTED INSTRUCTION BY CUSTOMER ACCOUNT NUMBER.

1767 LRN-PROC-CAI-CAN-Q DLSC-SB F 6
LOGRUN PROCEDURES CAI CUSTOMER ACCOUNT NUMBER QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR COMPUTER ASSISTED INSTRUCTION BY CUSTOMER ACCOUNT NUMBER.

1768 LRN-PROC-CAI-CAN-Y DLSC-SB F 6
LOGRUN PROCEDURES CAI CUSTOMER ACCOUNT NUMBER YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR COMPUTER ASSISTED INSTRIUCTION BY CUSTOMER ACCOUNT NUMBER.

1769 LRN-PROC-CAI-ACTY-D LRN_STAT_CNT_1769 DLSC-SB F INTEGER 6
LOGRUN PROCEDURES CAI ACTIVITY DAILY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR COMPUTER ASSISTED INSTRUCTION BY ACTIVITY.

1770 LRN-PROC-CAI-ACTY-W DLSC-SB F 6
LOGRUN PROCEDURES CAI ACTIVITY WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR COMPUTER ASSISTED INSTRUCTION BY ACTIVITY.

1771 LRN-PROC-CAI-ACTY-M DLSC-SB F 6
LOGRUN PROCEDURES CAI ACTIVITY MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR COMPUTER ASSISTED INSTRUCTION BY ACTIVITY.

1772 LRN-PROC-CAI-ACTY-Q DLSC-SB F 6
LOGRUN PROCEDURES CAI ACTIVITY QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR COMPUTER ASSISTED INSTRUCTION BY ACTIVITY.

1773 LRN-PROC-CAI-ACTY-Y DLSC-SB F 6
LOGRUN PROCEDURES CAI ACTIVITY YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR COMPUTER ASSISTED INSTRUCTION BY ACTIVITY.

1774 LRN-PROC-CAI-DEPT-D DLSC-SB F 6
LOGRUN PROCEDURES CAI DEPARTMENT DAILY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR COMPUTER ASSISTED INSTRUCTION BY DEPARTMENT.

1775 LRN-PROC-CAI-DEPT-W DLSC-SB F 6
LOGRUN PROCEDURES CAI DEPARTMENT WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR COMPUTER ASSISTED INFORMATION BY DEPARTMENT.

1776 LRN-PROC-CAI-DEPT-M DLSC-SB F 6
LOGRUN PROCEDURES CAI DEPARTMENT MONTHLY

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR COMPUTER ASSISTED INSTRUCTION BY DEPARTMENT.

1777 LRN-PROC-CAI-DEPT-Q DLSC-SB F 6
LOGRUN PROCEDURES CAI DEPARTMENT QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR COMPUTER ASSISTED INSTRUCTION BY DEPARTMENT.

1778 LRN-PROC-CAI-DEPT-Y DLSC-SB F 6
LOGRUN PROCEDURES CAI DEPARTMENT YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR COMPUTER ASSISTED INSTRUCTION BY DEPARTMENT.

1779 LRN-PROC-CAI-TOT-D DLSC-SB F 6
LOGRUN PROCEDURES CAI TOTAL DAILY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR COMPUTER ASSISTED INSTRUCTION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1780 LRN-PROC-CAI-TOT-W DLSC-SB F 6
LOGRUN PROCEDURES CAI TOTAL WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR COMPUTER ASSISTED INFORMATION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1781 LRN-PROC-CAI-TOT-M DLSC-SB F 6
LOGRUN PROCEDURES CAI TOTAL MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR COMPUTER ASSISTED INSTRUCTION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1782 LRN-PROC-CAI-TOT-Q DLSC-SB F 6
LOGRUN PROCEDURES CAI TOTAL QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR COMPUTER ASSISTED INSTRUCTION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1783 LRN-PROC-CAI-TOT-Y DLSC-SB F 6
LOGRUN PROCEDURES CAI TOTAL YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR COMPUTER ASSISTED INSTRUCTION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1784 LRN-PROC-ADMN-CAN-D DLSC-SB F 6
LOGRUN PROCEDURES ADMINISTRATION CUSTOMER ACCOUNT NMBR DAILY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR ADMINISTRATION BY CUSTOMER ACCOUNT NUMBER.

1785 LRN-PROC-ADMN-CAN-W DLSC-SB F 6
LOGRUN PROCEDURES ADMINISTRATION CUSTOMER ACCOUNT NMBR WKLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR ADMINISTRATION BY CUSTOMER ACCOUNT NUMBER.

1786 LRN-PROC-ADMN-CAN-M DLSC-SB F 6
LOGRUN PROCEDURES ADMINISTRATION CUSTOMER ACCOUNT NMBR MTHLY

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR ADMINISTRATION BY CUSTOMER ACCOUNT NUMBER.

1787 LRN-PROC-ADMN-CAN-Q DLSC-SB F 6
LOGRUN PROCEDURES ADMINISTRATION CUSTOMER ACCOUNT NMBR QRTLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR ADMINISTRATION BY CUSTOMER ACCOUNT NUMBER.

1788 LRN-PROC-ADMN-CAN-Y DLSC-SB F 6
LOGRUN PROCEDURES ADMINISTRATION CUSTOMER ACCOUNT NMBR YRLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR ADMINISTRATION BY CUSTOMER ACCOUNT NUMBER.

1789 LRN-PROC-ADMN-ACTY-D LRN_STAT_CNT_1789 DLSC-SB F INTEGER 6
LOGRUN PROCEDURES ADMINISTRATION ACTIVITY DAILY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR ADMINISTRATION BY ACTIVITY.

1790 LRN-PROC-ADMN-ACTY-W DLSC-SB F 6
LOGRUN PROCEDURES ADMINISTRATION ACTIVITY WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR ADMINISTRATION BY ACTIVITY.

1791 LRN-PROC-ADMN-ACTY-M DLSC-SB F 6
LOGRUN PROCEDURES ADMINISTRATION ACTIVITY MONTHLY
THE TOTAL NUMBER OF TIMES LOGTUN PROCEDURES ARE ACCESSED MONTHLY FOR ADMINISTRATION BY ACTIVITY.

1792 LRN-PROC-ADMN-ACTY-Q DLSC-SB F 6
LOGRUN PROCEDURES ADMINISTRATION ACTIVITY QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR ADMINISTRATION BY ACTIVITY.

1793 LRN-PROC-ADMN-ACTY-Y DLSC-SB F 6
LOGRUN PROCEDURES ADMINISTRATION ACTIVITY YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR ADMINISTRATION BY ACTIVITY.

1794 LRN-PROC-ADMN-DEPT-D DLSC-SB F 6
LOGRUN PROCEDURES ADMINISTRATION DEPARTMENT DAILY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR ADMINISTRATION BY DEPARTMENT.

1795 LRN-PROC-ADMN-DEPT-W DLSC-SB F 6
LOGRUN PROCEDURES ADMINISTRATION DEPARTMENT WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR ADMINISTRATION BY DEPARTMENT.

1796 LRN-PROC-ADMN-DEPT-M DLSC-SB F 6
LOGRUN PROCEDURES ADMINISTRATION DEPARTMENT MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR ADMINISTRATION BY DEPARTMENT.

1797 LRN-PROC-ADMN-DEPT-Q DLSC-SB F 6
LOGRUN PROCEDURES ADMINISTRATION DEPARTMENT QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR ADMINISTRATION BY DEPARTMENT.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1798 LRN-PROC-ADMN-DEPT-Y — DLSC-SB — F — 6
LOGRUN PROCEDURES ADMINISTRATION DEPARTMENT YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR ADMINISTRATION BY DEPARTMENT.

1799 LRN-PROC-ADMN-TOT-D — DLSC-SB — F — 6
LOGRUN PROCEDURES ADMINISTRATION TOTAL DAILY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR ADMINISTRATION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1800 LRN-PROC-ADMN-TOT-W — DLSC-SB — F — 6
LOGRUN PROCEDURES ADMINISTRATION TOTAL WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR ADMINISTRATION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1801 LRN-PROC-ADMN-TOT-M — DLSC-SB — F — 6
LOGRUN PROCEDURES ADMINISTRATION TOTAL MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR ADMINISTRATION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1802 LRN-PROC-ADMN-TOT-Q — DLSC-SB — F — 6
LOGRUN PROCEDURES ADMINISTRATION TOTAL QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR ADMINISTRATION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMEBR.

1803 LRN-PROC-ADMN-TOT-Y — DLSC-SB — F — 6
LOGRUN PROCEDURES ADMINISTRATION TOTAL YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR ADMINISTRATION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

1804 LRN-PROC-TRN-PRCS-CAN-D — DLSC-SB — F — 6
LOGRUN PROCEDURES TRANS PROCESS CUSTOMER ACCOUNT NMBR DAILY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR TRANSACTION PROCESSING BY CUSTOMER ACCOUNT NUMBER.

1805 LRN-PROC-TRN-PRCS-CAN-W — DLSC-SB — F — 6
LOGRUN PROCEDURES TRANS PROCESS CUSTOMER ACCOUNT NMBR WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR TRANSACTION PROCESSING BY CUSTOMER ACCOUNT NUMBER.

1831 ACT-AMMO-CD-TOT-CT — DLSC-SCA — F — 6
ACTIVE AMMO CODE TOTAL COUNT
THE TOTAL QUANTITY OF ACTIVE AMMO CODES RECORDED IN THE NAME MASTER LOGISTIC DATA STORE.

1832 ACT-APRVD-ITM-NM-TOT-CT — DLSC-SCA — F — 6
ACTIVE APPROVED ITEM NAME TOTAL COUNT
THE TOTAL QUANTITY OF ACTIVE APPROVED ITEM NAMES RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.

1833 ACT-BSC-NM-TOT-CT — DLSC-SCA — F — 6
ACTIVE BASIC NAME TOTAL COUNT

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL QUANTITY OF ACTIVE BASIC NAMES RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.

1834 ACT-COLLOQ-NM-TOT-CT — DLSC-SCA — F — 6
ACTIVE COLLOQUIAL NAME TOTAL COUNT
THE TOTAL QUANTITY OF ACTIVE COLLOQUIAL NAMES RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.

1835 ACT-FSC-TOT-CT — DLSC-SCA — F — 6
ACTIVE FSC TOTAL COUNT
THE TOTAL QUANTITY OF ACTIVE FSCs RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.

1836 ACT-FSC-MOD-TOT-CT — DLSC-SCA — F — 6
ACTIVE FSC MODIFIER TOTAL COUNT
THE TOTAL QUANTITY OF ACTIVE FSC MODIFIERS RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.

1837 ACT-INDX-ENTRY-TOT-CT — DLSC-SCA — F — 6
ACTIVE INDEX ENTRY TOTAL COUNT
THE TOTAL QUANTITY OF ACTIVE INDEX ENTRIES RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.

1838 AMMO-CD-ADD-CT — DLSC-SCA — F — 6
AMMO CODE ADD COUNT
THE QUANTITY OF AMMO CODES ADDED TO THE NAME MASTER LOGISTICS DATA STORE AND THE STATISTICS DATA STORE.

1839 AMMO-CD-DELD-CT — DLSC-SCA — F — 6
AMMO CODE DELETED COUNT
THE QUANTITY OF AMMO CODES DELETED FROM THE NAME MASTER LOGISTICS DATA STORE.

1840 AMMO-CD-CHNGD-CT — DLSC-SCA — F — 6
AMMO CODE CHANGED COUNT
THE QUANTITY OF AMMO CODES CHANGED IN THE NAME MASTER LOGISTICS DATA STORE.

1841 AMMO-CD-NIIN-QTY — DLSC-SCA — F — 6
AMMO-CODE NIIN QUANTITY
THE QUANTITY OF NIINs THAT THE SPECIFIC AMMO CODE IS RECORDED AGAINST IN THE LOGISTICS DATA STORE.

1842 APPLB-KEY-CD-FIIG-TOT-CT — DLSC-SCA — F — 6
APPLICABILITY KEY CODE FIIG TOTAL COUNT
THE TOTAL QUANTITY OF APPLICABILITY KEYS RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.

1843 CLAS-ASST-MOD-H3-TOT-CT — DLSC-SCA — F — 6
CLASSIFICATION ASSISTANCE MODIFIER H3 TOTAL COUNT
THE TOTAL QUANTITY OF H3 MODIFIER RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.

1844 DELD-AMMO-CD-TOT-CT — DLSC-SCA — F — 6
DELETED AMMO CODE TOTAL COUNT
THE TOTAL QUANTITY OF AMMO CODES WHICH WERE DELETED FROM THE NAME MASTER DATA BASE.

1845 DELD-APRVD-ITM-NM-TOT-CT — DLSC-SCA — F — 6
DELETED APPROVED ITEM NAME TOTAL COUNT

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL QUANTITY OF APPROVED ITEM NAMES WHICH WERE DELETED FROM THE NAME MASTER LOGISTIC DATA STORE.

1846 DELD-BSC-NM-TOT-CT — DLSC-SCA — F — 6
DELETED BASIC NAME TOTAL COUNT
THE TOTAL QUANTITY OF BASIC NAMES WHICH WERE DELETED FROM THE NAME MASTER LOGISTIC DATA STORE.

1847 DELD-COLLOQ-NM-TOT-CT — DLSC-SCA — F — 6
DELETED COLLOQUIAL NAME TOTAL COUNT
THE TOTAL QUANTITY OF COLLOQUIAL NAMES WHICH WERE DELETED FROM THE NAME MASTER LOGISTICS DATA STORE.

1848 DELD-INDX-ENTRY-TOT-CT — DLSC-SCA — F — 6
DELETED ITEM ENTRY TOTAL COUNT
THE TOTAL QUANTITY OF INDEX ENTRIES WHICH WERE DELETED FROM THE NAME MASTER LOGISTICS DATA STORE.

1849 ITM-NM-DEF-DLIM-TOT-CT — DLSC-SCA — F — 6
ITEM NAME DEFINITION DELIMITATION TOTAL COUNT
THE TOTAL QUANTITY OF NAME DEFINITIONS RECORDED IN THE NAME MASTER LOGISTIC DATA STORE.

1850 MGMT-FSC-TOT-CT — DLSC-SCA — F — 6
MANAGEMENT FSC TOTAL COUNT
THE TOTAL COUNT OF MANAGEMENT FSC RECORDS RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.

1869 STOP-TIME — DLSC-S — F — 13
STOP TIME
A POINT IN TIME MARKING THE END OF AN EVENT OR PROCESS, OR A SERIES OF EVENTS OR PROCESSES. ITS FORMAT IS YYDDDHHMMSSTT WHERE Y = YEAR, D = DAY, H = HOUR, M = MINUTE, S = SECOND, T = HUNDREDTH-SECOND.

1870 START-TIME — DLSC-S — F — 13
START TIME
A POINT IN TIME MARKING THE BEGINNING OF AN EVENT OR PROCESS, OR A SERIES OF EVENTS OR PROCESSES. ITS FORMAT IS YYDDDHHMMSSTT WHERE Y = YEAR, D = DAY, H = HOUR, M = MINUTE, S = SECOND, T = HUNDREDTH-SECOND.

1871 SIX-DIGIT-TIME — SIX_DIGIT_TIM_1871 — DLSC-S — F — INTEGER — 6
SIX DIGIT TIME
AN EXPRESSION OF TIME IN THE FORM HHMMSS WHERE H = HOURS, M = MINUTES AND S = SECONDS.

1872 FIVE-DIGIT-SERIAL-NUMBER — FIV_DIG_S_NBR_1872 — DLSC-S — F — CHAR — 5
FIVE DIGIT SERIAL NUMBER
A SERIAL NUMBER USED IN THE IDENTIFICATION OF A SPECIFIC TRANSACTION. IT IS ASSIGNED BY TRANSACTION MANAGEMENT.

1873 RECOVERY-CODE — RECOVERY_CODE_1873 — DLSC-S — F — CHAR — 1
RECOVERY CODE
A CODE INDICATING THAT A TRANSACTION HAS BEEN RECOVERED FOR REPROCESSING.

1874 REPROCESSING-ENTRY-POINT — DLSC-S — F — 1
REPROCESSING ENTRY POINT
A CODE INDICATING AT WHAT POINT RECOVERED TRANSACTIONS ARE TO BE RE-INTRODUCED INTO THE PROCESSING FLOW.

1875 ABR — DLSC-S — V — 24

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	FORMAT FV	FORMAT TYPE	FORMAT LG
CLEAR TEXT HOST/COBOL NAME						
DRN DEFINITION						

ABBREVIATION
DATA ELEMENT NAME ABBREVIATED.

1876 ALI — DLSC-S — V — 60
ALIAS
A NAME ATTRIBUTED TO A DATA ELEMENT OTHER THAN THE PRIMARY OR PREFERRED NAME.

1877 DATA-CHN — DLSC-S — F — 4
DATA CHAIN
COMPONENT DRNs WHICH MAKE UP A CHAIN.

1878 DATA-DEF — DLSC-S — V — 571
DATA DEFINITION
CLEAR TEXT INFORMATION WHICH DESCRIBES THE DATA ELEMENT.

1879 DATA-LNK — DLSC-S — F — 4
DATA LINK
DATA ELEMENT CODES THAT THIS DATA ELEMENT IS A PART OF.

1880 FXD-VAR — DLSC-S — F — 1
FIXED/VARIABLE
SPECIFIES F FOR FIXED OR V FOR VARIABLE FIELD LENGTH.

1881 HOMON — DLSC-S — V — 60
HOMONYM
THE SAME NAME TO LABEL DISTINCTLY DIFFERENT DATA ELEMENTS.

1882 DATA-ELE-LGTH — DE_LENGTH_1882 — DLSC-S — F — SMALLINT — 4
DATA ELEMENT LENGTH
DEFINES THE LENGTH (NUMBER OF CHARACTERS) OF THE DATA ELEMENT.

1883 REF — DLSC-S — F — 23
REFERENCE
CLEAR TEXT DATA WHICH DEFINES OR STATES THE AUTHORITATIVE MANUAL OR HANDBOOK FOR THE SPECIFIC DATA ELEMENT.

1885 VAL-SRC — DLSC-S — V — 64
VALUE SOURCE
CLEAR TEXT REFERENCE INDICATING WHERE THE PERMISSIBLE DATA CODE VALUES ARE LISTED AND EXPLAINED.

1886 DT-DE-WAS-CRTD-OR-MODF — DLSC-S — F — 5
DATE DE WAS CREATED/MODIFIED
A YEAR AND JULIAN DAY USED TO IDENTIFY WHEN A DATA ELEMENT WAS CREATED OR MODIFIED.

1887 ID-OF-PER-WHO-CRTD-DE — DLSC-SB — V — 26
IDEN OF PERSON WHO CREATED DE
CLEAR TEST NAME OF THE PERSON WHO CREATED THE DATA ELEMENT.

1888 ID-OF-PE-WHO-LST-MOD-DE — DLSC-S — V — 26

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

IDEN OF PER WHO LAST MODIF DE
CLEAR TEXT NAME OF PERSON WHO LAST MODIFIED THE DATA ELEMENT.

1889 TOT-NBR-OF-MODF-TO-DE — DLSC-S — F — 8
TOAL NUMBER OF MODIF TO DE
THE TOTAL NUMBER OF MODIFICATIONS TO A DATA ELEMENT.

1890 TOT-NBR-OF-ACT-DE — DLSC-S — F — 8
TOTAL NUMBER OF ACTIVE DATA EL
THE TOTAL NUMBER OF ACTIVE DATA ELEMENTS.

1891 TOT-NBR-OF-ADD-TRAN — DLSC-S — F — 8
TOTAL NUMBER OF ADD TRAN
THE TOTAL NUMBER OF ADD TRANSACTIONS PROCESSED.

1892 TOT-NBR-OF-CANC-DE — DLSC-S — F — 8
TOTAL NUMBER OF CANCELLED DE
THE TOTAL NUMBER OF CANCELLED DATA ELEMENTS.

1893 TOT-NBR-OF-CHNG-TRAN — DLSC-S — F — 8
TOTAL NUMBER OF CHANGE TRAN
THE TOTAL NUMBER OF CHANGE TRANSACTIONS PROCESSED.

1894 TOT-NBR-OF-DEL-TRAN — DLSC-S — F — 8
TOTAL NUMBER OF DELETE TRAN
THE TOTAL NUMBER OF DELETE TRANSACTIONS PROCESSED.

1895 TOT-NBR-OF-IP-TRAN — DLSC-S — F — 8
TOTAL NUMBER OF INPUT TRAN
THE TOTAL NUMBER OF INPUT TRANSACTION PROCESSED.

1896 RPT-RQST-CD — DLSC-S — F — 3
REPORT REQUEST CODE
A CODE TO INDICATE WHAT TYPE OF REPORT THE SUBMITTER REQUIRES.

1898 MGMT-FSC-CHNGD-CT — DLSC-SBA — F — 4
MANAGEMENT FEDERAL SUPPLY CLASS CHANGED COUNT
THE QUANTITY OF MGMT-FSCs CHANGED IN THE NAME MASTER LOGISTICS DATA STORE.

1899 DOD-MMC-FSC-EA-CD-CT — DLSC-SBA — F — 4
DOD MATERIEL MANAGEMENT CODE FSC AND EACH CODE COUNT
THE QUANTITY OF DOD-MMC-FSC AND EACH CODE RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.

1900 MGMT-FSC-DELD-CT — DLSC-SBA — F — 4
MANAGEMENT FEDERAL SUPPLY CLASS DELETED COUNT
THE QUANTITY OF MGMT-FSCs DELETED FROM THE NAME MASTER LOGISTICS DATA STORE.

1902 H-DLR-BRKOT-FSC-EA-CD-CT — DLSC-SBA — F — 4

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

HI-DOLLAR BREAKOUT FEDERAL SUPPLY CLASS AND EACH CODE COUNT
THE QUANTITY OF HI-DLR-BRKOT-FSC AND EACH CODE RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.

1903 CIMM-FSC-CT — DLSC-SBA — F — 4
COMMODITY INTEGRATED MATERIEL MANAGER FSC COUNT
THE QUANTITY OF CIMM-FSCs COUNTS RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.

1905 LRN-PROC-BB-UPDT-CAN-W — DLSC-SB — F — 6
LOGRUN PROCEDURE BULLETIN BRD UPDATE CUSTOMER ACCT NMBR WKLY
THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A WEEKLY BASIS.

1906 PSN-ZONE-OR-DECIMAL — PSN_ZONE_DEC_1906 — DLSC-S — F — CHAR — 1
PSN ZONE OR DECIMAL
A DATA ELEMENT INDICATING WHETHER ONE OF THE LAST TWO POSITIONS OF PKG-SEQ-NBR IS TO BE CONVERTED TO AN ALPHA CHARACTER.

1907 DRN-POSITION-OUT — DLSC-S — F — 3
DRN POSITION OUT
A DATA ELEMENT THAT GIVES THE LOCATION IN AN OUTPUT FORMAT OF A DATA RECORD NUMBER.

1908 IMAGE-NUMBER — DLSC-S — F — 1
IMAGE NUMBER
A COMPONENT OF AUDIT-REQUEST WHICH SPECIFIES WHICH IMAGE(S) ARE TO BE EXTRACTED FOR REVIEW.

1909 GENERATE-LTI-INDICATOR — DLSC-S — F — 1
GENERATTE LTI INDICATOR
AN INDICATOR USED BY TRANSACTION MANAGEMENT WHEN PROCESSING LFU TRANSACTIONS TO INDICATE THAT AN LTI INPUT TRANSACTION IS TO BE GENERATED.

1911 MOE-USER-RQST — DLSC-SBA — F — 1
MOE USER REQUEST
THIS IS THE DATA ELEMENT WHICH REPRESENTS THE USER'S REQUEST FOR THE EFFECTIVE DATED ACTIONS ON THE EFFECTIVE DATE MOE RULE FILE TO BE PROCESSED.

1912 GDE-NBR-FIIG-SRCH — DLSC-SCB — F — 6
GUIDE NUMBER FIIG SEARCH
THE FIIG NUMBER WILL BE USED TO SEARCH FOR ALL ITEM NAMES WITHIN THE SPECIFIED FIIG (I.E. A003A0)

1913 ITM-NM-CD-SRCH — DLSC-SCB — F — 5
ITEM NAME CODE SEARCH
THE ITEM NAME CODE WILL BE USED TO SEARCH DATA BEGINNING WITH THE SPECIFIED INC (I.E. 18257).

1914 ITM-NM-KEYWRD-SRCH — DLSC-SCB — V — 250
ITEM NAME KEY WORD SEARCH
A SIGNIFICANT WORD OF AN ITEM NAME WHICH WILL BE USED TO SEARCH ALL ITEM NAMES THAT CONTAIN THE KEY WORD (I.E. CRANK)

1915 NM-MSTR-DT-RNG-SRCH — DLSC-SCB — V — 17

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

NAME MASTER DATE RANGE SEARCH
THE DATE RANGE THAT WILL BE USED TO SEARCH FOR ALL ACTIONS FROM A BEGINNING DATE TO AN END DATE THE DATES WILL BE INPUT MONTH, DAY AND YEAR (I.E. 10-05-89-11-05-89)

1916 ITM-NM-FSC-FIND-SRCH — DLSC-SCB — V — 250
ITEM NAME INC FEDERAL ITEM NAME DIRECTORY SEARCH
THE ITEM NAME OR ITEM NAME CODE WILL BE USED TO SEARCH FOR THE SPECIFIED NAME OR INC AS SHOWN IN THE FEDERAL ITEM NAME DIRECTORY (H6 SECTION A) (I.E. SCREW DRIVE OR 15762)

1917 ITM-NM-CHNGD-CT — DLSC-SCB — F — 6
ITEM NAME CHANGED COUNT
THE QUANTITY OF ITEM NAMES CHANGED IN THE NAME MASTER LOGISTICS DATA STORE AND THE STATISTICS DATA STORE.

1918 ITM-NM-ADD-CT — DLSC-SCB — F — 6
ITEM NAME ADD COUNT
THE QUANTITY OF ITEM NAMES ADDED TO THE NAME MASTER LOGISTICS DATA STORE AND THE STATISTICS DATA STORE.

1919 ITM-NM-DELD-CT — DLSC-SCB — F — 6
ITEM NAME DELETED COUNT
THE QUANTITY OF ITEM NAMES DELETED FROM THE NAME MASTER LOGISTICS DATA STORE AND THE STATISTICS DATA STORE.

1920 NM-DEF-DLIM-ADD-CT — DLSC-SBA — F — 6
NAME DEFINITION DELIMINATION ADD COUNT
THE QUANTITY OF NAME DEFINITION DELIMINATIONS ADDED TO THE NAME MASTER LOGISTICS DATA STORE AND THE STATISTICS DATA STORE.

1921 NM-DEF-DLIM-CHNGD-CT — DLSC-SCB — F — 6
NAME DEFINITION DELIMINATION CHANGED COUNT
THE QUANTITY OF NAME DEFINITION DELIMINATIONS CHANGED IN THE NAME MASTER LOGISTICS DATA STORE AND THE STATISTICS DATA STORE.

1922 NM-DEF-DLIM-DELD-CT — DLSC-SCB — F — 6
NAME DEFINITION DELIMINATION DELETED COUNT
THE QUANTITY OF NAME DEFINITION DELIMINATIONS DELETED FROM THE NAME MASTER LOGISTICS DATA STORE AND THE STATISTICS DATA STORE.

1923 EFF-DTD-FSC-MOD-DELD-CT — DLSC-SCB — F — 6
EFFECTIVE DATED FEDERAL SUPPLY CLASS MODIFIER DELETED COUNT
THE QUANTITY OF EFFECTIVE DATED FEDERAL SUPPLY CLASS MODIFIERS DELETED FROM THE NAME MASTER LOGISTICS DATA STORE AND THE STATISTICS DATA STORE.

1924 ITM-NM-DEF-ADD-CT — DLSC-SCB — F — 6
ITEM NAME DEFINITION ADD COUNT
THE QUANTITY OF ITEM NAME DEFINITIONS ADDED TO THE NAME MASTER LOGISTICS DATA STORE AND THE STATISTICS DATA STORE.

1925 ITM-NM-DEF-CHNGD-CT — DLSC-SCB — F — 6
ITEM NAME DEFINITION CHANGED COUNT
THE QUANTITY OF ITEM NAME DEFINITIONS CHANGED IN THE NAME MASTER LOGISTICS DATA STORE AND THE STATISTICS DATA STORE.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1926 ITM-NM-DEF-DELD-CT — DLSC-SCB — F — 6
ITEM NAME DEFINITION DELETED COUNT
THE QUANTITY OF ITEM NAME DEFINITIONS DELETED FROM THE NAME MASTER LOGISTICS DATA STORE AND THE STATISTICS DATA STORE.

1927 DELD-AMMO-CD-CT — DLSC-SCB — F — 6
DELETED AMMUNITION CODE COUNT
THE QUANTITY OF AMMUNITION CODES DELETED FROM THE NAME MASTER LOGISTICS DATA STORE AND THE STATISTICS DATA STORE.

1928 FSC-DEL-EFF-DT-CT — DLSC-SCB — F — 6
FEDERAL SUPPLY CLASS DELETE EFFECTIVE DATE COUNT
THE QUANTITY OF EFFECTIVE DATED FEDERAL SUPPLY CLASS DELETES IN THE NAME MASTER LOGISTICS DATA STORE AND THE STATISTICS DATA STORE.

1929 DELD-FSC-MOD-CT — DLSC-SCB — F — 6
DELETED FEDERAL SUPPLY CLASS MODIFIER COUNT
THE QUANTITY OF FEDERAL SUPPLY CLASS MODIFIERS DELETED FROM THE NAME MASTER LOGISTICS DATA STORE AND THE STATISTICS DATA STORE.

1930 EFF-DTD-FSC-MOD-CHG-CT — DLSC-SB — F — 6
EFFECTIVE DATED FEDERAL SUPPLY CLASS MODIFIER CHANGE COUNT
THE QUANTITY OF EFFECTIVE DATED FEDERAL SUPPLY CLASS MODIFIERS CHANGED IN THE NAME MASTER LOGISTICS DATA STORE AND THE STATISTICS DATA STORE.

1931 MGMT-FSC-OP-CT — DLSC-SCB — F — 6
MANAGEMENT FEDERAL SUPPLY CLASS OUTPUT COUNT
THE QUANTITY OF MGMT-FSC OUTPUT TRANSACTIONS WHICH WERE PROCESSED THROUGH THE NAME MASTER PROCESSES.

1932 ITM-NM-NIIN-CT — DLSC-SCB — F — 6
ITEM NAME NATIONAL ITEM IDENTIFICATION NUMBER COUNT
THE QUANTITY OF NIINS THAT THE SPECIFIC ITEM NAME IS RECORDED AGAINST IN THE LOGISTICS DATASTORE.

1933 FSC-ESTB-EFF-DT-CT — DLSC-SCB — F — 6
FEDERAL SUPPLY CLASS ESTABLISHED EFFECTIVE DATE COUNT
THE QUANTITY OF FSCs ADDED TO THE NAME MASTER LOGISTICS DATA STORE THAT WERE EFFECTIVE DATED.

1934 ITM-NM-IP-CT — DLSC-SCB — F — 6
ITEM NAME INPUT COUNT
THE QUANTITY OF ITEM NAME INPUT TRANSACTIONS WHICH WERE INPUT TO THE NAME MASTER PROCESSES

1935 ITM-NM-OP-CT — DLSC-SCB — F — 6
ITEM NAME OUTPUT COUNT
THE QUANTITY OF ITEM NAME TRANSACTIONS OUTPUT FROM THE NAME MASTER PROCESSES.

1936 MGMT-FSC-IP-CT — DLSC-SCB — F — 6
MANAGEMENT FEDERAL SUPPLY CLASS INPUT COUNT
THE QUANTITY OF MGMT-FSC INPUT TRANSACTIONS WHICH WERE INPUT TO THE NAME MASTER PROCESSES.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1937 NIIN-FSC-CT DLSC-SCB F 6
NATIONAL ITEM IDENTIFICATION NUMBER FSC COUNT
THE QUANTITY OF NIINS THAT THE SPECIFIC FSC IS RECORDED AGAINST IN THE LOGISTICS DATA BASE.

1938 ITM-NM-MSTR-TOT-RCD-CT DLSC-SCB F 6
ITEM NAME MASTER TOTAL RECORD COUNT
THE TOTAL COUNT OF ITEM NAME RECORDS IN THE NAME MASTER LOGISTICS DATA BASE.

1939 FSG-TI-SRCH DLSC-SCB F 2
FEDERAL SUPPLY GROUP TITLES SEARCH
THIS SEARCH WILL DISPLAY THE FSG AND TITLES AS SHOWN IN THE INDEX OF CATALOGING HANDBOOK H2-2.

1940 ALPHA-ITM-NM-SRCH DLSC-SCB V 250
ALPHABETIC ITEM NAME SEARCH
AN ITEM NAME WHICH WILL BE USED TO APLPABETICALLY SEARCH ALL ITEM NAMES FOR THE ITEM NAME ENTERED (I.E., CRANK).

1941 FSG-FSC-DESC-SRCH DLSC-SCB F 4
FSG FSC DESCRIPTION SEARCH
THE GROUP OR CLASSIFICATION WILL BE USED TO SEARCH FOR THE DESCRIPTION OF THE FSG OR FSC ENTERED (I.E. 59 OR 5910).

1942 FSG-TOT-RCD-CT DLSC-SCB F 6
FSG TOTAL RECORD COUNT
THE TOTAL COUNT OF FSG RECORDS RECORDED IN THE NAME MASTER LOGISTICS DATA STORE.

1943 FSC-ALPH-ACT-ITM-NM-SRCH DLSC-SCB F 5
FSC ALPHA ACTIVE ITEM NAME SEARCH
THE FSC AND AN ALPHA WILL BE USED TO SEARCH FOR ALL ITEM NAMES THAT START WITH THE ALPHA UNDER THE SPECIFIED FSC (I.E., 5315 S).

1944 FSC-CANC-ITM-NM-SRCH DLSC-SCB F 4
FSC CANCELED ITEM NAME SEARCH
THE FSC WILL BE USED TO SEARCH FOR ALL ITEM NAMES CANCELED UNDER THE SPECIFIED FSC (I.E., 5315).

1945 PRIM-FUNCL-AREA DLSC-S F 1
PRIMARY FUNCTIONAL AREA
IDENTIFIES THE FUNCTIONAL AREA WHICH HAS PRIMARY INTERST IN THE DATA ELEMENT.

1946 INTRD-FUNCL-AREA DLSC-S F 1
INTERESTED FUNCTIONAL AREA
IDENTIFIES THE FUNCTIONAL AREA WHICH HAS ASSOCIATED INTEREST IN THE DATA ELEMENT.

1947 CANC-REIN-CD DLSC-S F 1
CANCEL REINSTATE CODE
A CODE USED TO INDICATE THE REASON A DATA ELEMENT WAS CANCELLED OR REINSTATED.

1948 PRM-DRN DLSC-S F 4
PRIME DRN

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

REFERENCES THE DRN AND ABBREVIATION OF THE DATA ELEMENT OR DATA USER IDENTIFIER.

1949 DMS-TRAN-CD — DLSC-S — F — 1
DMS TRANSACTION CODE
A CODE USED TO INDICATE THE TYPE OF TRANSACTION BEING SUBMITTED (U FOR UPDATE, I FOR INQUIRIES, AND R FOR REPORTS).

1950 FRT-DCODED-LST-DATE — FRT_DCD_DT_L_1950 — DLSC-SBA — F — INTEGER — 5
FREIGHT DECODED LAST DATE
THIS DATE REFLECTS THE LAST CHANGE TO THE CODED DESCRIPTIVE FREIGHT SEGMENT.

1952 FRT-MSTR-INQ-DATE — FR_MST_INQ_DT_1952 — DLSC-SBA — F — DATE — 5
FREIGHT MASTER INQUIRY DATE
THIS DATE IS THE KEY THAT WILL BE USED TO ACCESS THE FREIGHT STAT FILE.

1954 FRT-MSTR-DELETE-CT — FR_MST_DEL_CT_1954 — DLSC-SBA — F — INTEGER — 5
FREIGHT MASTER DELETE COUNT
THIS COUNT IS USED TO RECORD ANY ERRORS DURING THE DELETE ROUTINE.

1955 FRT-EXTND-DESC-ADD-ER-CT — FR_EXD_ADD_ER_1955 — DLSC-SBA — F — INTEGER — 5
FREIGHT EXTENDED DESCRIPTION ADD ERROR COUNT
THIS COUNT IS USED TO RECORD ANY ERRORS DURING THE EXTENDED DESCRIPTION ADD ROUTINE.

1957 FRT-EXTND-DESC-DEL-ER-CT — FR_EXD_DEL_ER_1957 — DLSC-SBA — F — INTEGER — 5
FREIGHT EXTENDED DESCRIPTION DELETE ERROR COUNT
THIS COUND IS USED TO RECORD ANY ERRORS DURING THE EXTENDED DESCRIPTION DELETE ROUTINE.

1959 FRT-MSTR-CHG-CT — FR_MST_CHG_CT_1959 — DLSC-SBA — F — INTEGER — 5
FREIGHT MASTER CHANGE COUNT
THIS COUNT IS USED TO RECORD ADD ACTIONS.

1960 FRT-EXTND-DESC-ADD-CT — FR_EXD_ADD_CT_1960 — DLSC-SBA — F — INTEGER — 5
FREIGHT EXTENDED DESCRIPTION ADD COUNT
THIS COUNT IS USED TO RECORD EXTENDED DESCRIPTION ADD ACTIONS

1961 FRT-EXTND-DESC-CHG-CT — FR_EXD_CHG_CT_1961 — DLSC-SBA — F — INTEGER — 5
FREIGHT EXTENDED DESCRIPTION CHANGE COUNT
THIS COUNT IS USED TO RECORD EXTENDED DESCRIPTION CHANGE ACTIONS.

1962 FRT-EXTND-DESC-DEL-CT — FR_EXD_DEL_CT_1962 — DLSC-SBA — F — INTEGER — 5
FREIGHT EXTENDED DESCRIPTION DELETE COUNT
THIS COUNT IS USED TO RECORD EXTENDED DESCRIPTION DELETE ACTIONS.

1963 LSA-GRND-T — DLSC-SD — V — 6
LSA GRAND TOTAL
TOTAL NUMBER OF TRANSACTIONS ASSIGNED FOR REPORTING DATE.

1964 NBR-OF-DAYS — DLSC-SD — V — 4
NUMBER OF DAYS

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

TOTAL NUMBER OF DAYS A LSA TRANSACTION WAS COMPLETED IN, OR RETURNED TO COUNTRY.

1965 BR-LSA-T — DLSC-SD — V — 6
BRANCH LSA TOTAL
TOTAL NUMBER OF TRANSACTION ASSIGNED TO BRANCH FOR REPORTING DATE.

1966 CNTRY-NM — CNTRY_NM_1966 — DLSC-SD — V — CHAR — 26
COUNTRY NAME
A NATO/FG COUNTRY NAME

1967 DT-PR-EFF — DT_PR_EFF_1967 — DLSC-SD — F — INTEGER — 9
DATE PRICE EFFECTIVE
DATE THAT ANY TRANSACTIONS SUBMITTED BY NATO AND FOREIGN GOVERNMENTS ARE CHARGED A DIFFERENT PRICE, OR NEW PRICE.

1968 KNA-PCT — DLSC-SD — V — 3
KNA PERCENT
PERCENTAGE OF TRANSACTIONS COMPLETED FOR A SPECIFIC PERIOD OF TIME.

1969 KNA-PCT-T — DLSC-SD — F — 3
KNA PERCENT TOTAL
TOTAL PERCENTAGE OF TRANSACTIONS COMPLETED FOR REPORTING PERIOD

1970 KNA-QTY — DLSC-SD — V — 4
KNA QUANTITY
QUANTITY OF TRANSACTIONS COMPLETED FOR A SPECIFIC PERIOD OF TIME.

1971 KNA-QTY-T — KNA_QTY_T_1971 — DLSC-SD — F — CHAR — 6
KNA QUANTITY TOTAL
TOTAL NUMBER OF TRANSACTIONS COMPLETED FOR REPORTING PERIOD.

1972 NATO-FG-OLD-TRAN-PR — NATO_O_TR_PR_1972 — DLSC-SD — F — DECIMAL — 7
NATO FOREIGN GOVERNMENTS OLD TRANSACTION PRICE
THE PRICE CHARGE TO TRANSACTIONS WHEN THERE IS A PRICE CHANGE. THIS PRICE IS EFFECTIVE UNTIL A DATE IS PASSED.

1973 NATO-TRAN-PR-CD — NATO_TRAN_PR_1973 — DLSC-SD — F — CHAR — 2
NATO-FOREIGN GOVERNMENT TRANSACTION PRICE CODE
A CODE USED TO PRICE AND COST NATO AND FOREIGN GOVERNMENT TRANSACTIONS SUBMITTED TO DLSC FOR ADDITION TO THE TIR. A "DS" DIRECT SUBMITTED IS A TRANSACTION THAT IS POCESSED AUTOMATICALLY. AN "II" SUBMITTAL IS A TRANSACTION THAT HAS TO BE WORKED MANUALLY. A "RI" IS A RESUBMITTAL TRANSACTION WORKED MANUALLY.

1974 RTN-TO-CTRY-PCT — DLSC-SD — V — 3
RETURN TO COUNTRY PERCENT
PERCENTAGE OF TRANSACTIONS THAT WERE RETURNED TO COUNTRY FOR A SPECIFIC PERIOD OF TIME.

1975 RTN-TO-CTRY-PCT-T — DLSC-SD — V — 3
RETURN TO COUNTRY PERCENT TOTAL
TOTAL PERCENTAGES OF TRANSACTIONS THAT WERE RETURNED TO COUNTRY FOR THE REPORTING PERIOD.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	FORMAT FV	FORMAT TYPE	FORMAT LG
CLEAR TEXT HOST/COBOL NAME						
DRN DEFINITION						
1976	RTN-TO-CTRY-QTY		DLSC-SD	V		6
RETURN TO COUNTRY QUANTITY QUANTITY OF TRANSACTIONS RETURNED TO COUNTRY FOR A SPECIFIC PERIOD OF TIME.						
1977	RTN-TO-CTRY-QTY-T		DLSC-SD	V		6
RETURN TO COUNTRY QUANTITY TOTAL TOTAL NUMBER OF TRANSACTIONS THAT WERE RETURNED TO COUNTRY FOR THE REPORTING PERIOD.						
1978	PCT-KNA-N-RTN-TO-CTRY		DLSC-SD	V		2
PERCENT KNA AND RETURN TO COUNTRY PERCENTAGE OF TRANSACTIONS THAT WERE COMPLETED OR WERE RETURNED TO COUNTRY FOR A SPECIFIC PERIOD OF TIME.						
1979	KNA-N-RTN-TO-CTRY-PCT-T		DLSC-SD	V		3
KNA AND RETURN TO COUNTRY PERCENT TOTAL TOTAL PERCENTAGE OF TRANSACTIONS COMPLETED AND RETURNED TO COUNTRY FOR A REPORTING PERIOD.						
1980	UNK-LSA-T		DLSC-SD	V		6
UNKNOWN LSA TOTAL TOTAL NUMBER OF TRANSACTIONS ASSIGNED TO A CODE NOT ASSOCIATED WITH A SPECIFIC TECHNICIAN FOR A REPORTING DATE.						
1982	NBR-RCVD-IN-BCH		DLSC-SD	F		6
NUMBER RECEIVED IN BATCH THE NUMBER OF TRANSACTIONS RECEIVED IN A SPECIFIED BATCH CONTROL NUMBER.						
1983	NBR-PURG-FROM-BCH		DLSC-SD	F		6
NUMBER PURGED FROM BATCH THE NUMBER OF TRANSACTIONS PURGED FROM A SPECIFIED BATCH CONTROL NUMBER.						
1984	NBR-PRCSD-BLD-IN-BCH		DLSC-SD	F		6
NUMBER PROCESSED BILLED IN BATCH THE NUMBER OF TRANSACTIONS PROCESSED AND BILLED IN A SPECIFIED BATCH CONTROL NUMBER.						
1985	NBR-IN-PRCS-IN-BCH		DLSC-SD	F		6
NUMBER IN PROCESS IN BATCH THE NUMBER OF TRANSACTIONS IN PROCESS IN A SPECIFIED BATCH CONTROL NUMBER.						
1986	MFR-IND		DLSC-SD	F		3
MANUFACTURER INDICATOR A CODE THAT INDICATES THAT MANUFACTURERS DATA FOLLOWS.						
1987	TM-CD	TM_CD_1987	DLSC-SD	F	CHAR	1
TEAM CODE A CODE USED TO ASSOCIATE A PAST OR PRESENT TRANSACTION WORKLOAD WITH A TEAM.						
1990	T-IN-PRCS-IN-BCH		DLSC-SD	F		6
TOTAL IN PROCESS IN BATCH THE TOTAL NUMBER OF TRANSACTIONS IN PROCESS WITHIN A SPECIFIED BATCH CONTROL NUMBER.						

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	--------FORMAT-------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

1991 GT-RCVD-IN-BCH — DLSC-SD — F — 6
GRAND TOTAL RECEIVED IN BATCH
THE GRAND TOTAL OF TRANSACTIONS RECEIVED IN A SPECIFIED BATCH CONTROL NUMBER.

1992 GT-PURG-FROM-BCH — DLSC-SD — F — 6
GRAND TOTAL PURGED FROM BATCH
THE GRAND TOTAL OF TRANSACTIONS PURGED FROM A SPECIFIED BATCH CONTROL NUMBER.

1993 GT-PRCSD-BLD-IN-BCH — DLSC-SD — F — 6
GRAND TOTAL PROCESSED BILLED IN BATCH
THE GRAND TOTAL OF TRANSACTIONS PROCESSED AND BILLED IN A SPECIFIED BATCH CONTROL NUMBER.

1994 GT-IN-PRCS-IN-BCH — DLSC-SD — F — 6
GRAND TOTAL IN PROCESS IN BATCH
THE GRAND TOTAL OF TRANSACTIONS PROCESSED IN A SPECIFED BATCH CONTROL NUMBER.

1995 RPTG-PER — DLSC-SD — F — 14
REPORTING PERIOD
THE PERIOD OF TIME COVERED BY THE INFORMATION IN A REPORT OR STATISTIC.

1996 RPTG-DT — DLSC-SD — F — 5
REPORTING DATE
THE SPECIFIC DATE COVERED BY THE INFORMATION CONTAINED IN A REPORT OR STATISTIC.

1997 DOC-ID-CD-CT — DOC_ID_CD_CT_1997 — DLSC-SD — F — INTEGER — 5
DOCUMENT IDENTIFIER CODE COUNT
THE NUMERIC REPRESENTATION OF THE DOCUMENT IDENTIFIER CODES AS SHOWN ON A REPORT OR STATISITIC.

1998 RTN-CD-CT — RTN_CD_CT_1998 — DLSC-SD — F — CHAR — 3
RETURN CODE COUNT
A COUNT THAT INDICATES THE NUMBER OF DATA ELEMENTS/RECORDS RETURNED TO THE SUBMITTER.

1999 RTN-TO-CTRY-T — RTN_TO_CTRY_T_1999 — DLSC-SD — F — INTEGER — 5
RETURN TO COUNTRY TOTAL
THE TOTAL NUMBER OF TRANSACTIONS RETURNED TO COUNTRY AS UNPROCESSED.

2001 L-DOC-ID-CD-T — DLSC-SD — F — 5
L DOCUMENT IDENTIFIER CODE TOTAL
THE TOTAL NUMBER OF L DOCUMENT IDENTIFIER CODES PROCESSED WITHIN THE REPORTING PERIOD.

2002 DOC-ID-CD-T — DLSC-SD — F — 5
DOCUMENT IDENTIFIER CODE TOTAL
THE TOTAL NUMBER OF DOCUMENT IDENTIFIER CODES PROCESSED WITHIN THE REPORTING PERIOD.

2003 DOC-ID-CD-HORIZ-T — DLSC-SD — F — 5
DOCUMENT IDENTIFIER CODE HORIZONTAL TOTAL
THE NUMBER OF TRANSACTIONS REPRESENTED ON A REPORT OR STATISTIC AS A HORIZONTAL TOTAL.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

2004 MO — DLSC-SD — F — 3
MONTH
THE MONTH REPRESENTED ON THE REPORT OR STATISTIC IN WHICH AN INDICATED ACTION TOOK PLACE.

2005 DOC-ID-CD-VERT-T — DLSC-SD — F — 5
DOCUMENT IDENTIFIER CODE VERTICAL TOTAL
THE NUMBER OF TRANSACTIONS REPRESENTED ON A REPORT OR STATISTIC AS A VERTICAL TOTAL.

2006 DOC-ID-CD-VERT-GRND-T — DLSC-SD — F — 5
DOCUMDNT IDENTIFIER CODE VERTICAL GRAND TOTAL
THE NUMBER OF TRANSACTIONS REPRESENTED ON A REPORT OR STATISTIC AS A VERTICAL GRAND TOTAL.

2007 DOC-ID-CD-MO-T — DLSC-SD — F — 5
DOCUMENT IDENTIFIER CODE MONTH TOTAL
THE NUMBER OF DOCUMENT IDENTIFIER CODES PROCESSED FOR THE INDICATED MONTH.

2008 L-DIC-N-RTN-YR-T — DLSC-SD — F — 5
L DIC AND RETURN TO COUNTRY YEAR TO DATE TOTAL
THE TOTAL NUMBER OF TRANSACTIONS PROCESSED PLUS THOSE RETURNED TO COUNTRY AS UNPROCESSED FROM BEGINNING OF CALENDAR YEAR TO REPORTING DATE.

2009 DOC-CTL-NBR-T — DLSC-SD — F — 5
DOCUMENT CONTROL NUUMBER TOTAL
THE TOTAL NUMBER OF DOCUMENT CONTROL NUMBERS PROCESSED WITHIN THE INDICATED REPORTING PERIOD.

2011 AVE-NBR-DAY-IN-NATO-B-BR — DLSC-SD — F — 3
AVERAGE NUMBER OF DAYS IN NATO B BRANCH
THE AVERAGE NUMBER OF DAYS REQUIRED BY NATO B BRANCH TO PROCESS LSA TRANSACTIONS COVERED BY THE REPORT OR STATISTIC REPORTING PERIOD.

2012 AVE-NBR-DAY-IN-NATO-C-BR — DLSC-SD — F — 3
AVERAGE NUMBER OF DAYS IN NATO C BRANCH
THE AVERAGE NUMBER OF DAYS REQUIRED BY NATO C BRANCH TO PROCESS LSA TRANSACTIONS COVERED BY THE REPORT OR STATISTIC REPORTING PERIOD.

2013 AVE-NBR-DAYS-IN-NATO-T — DLSC-SD — F — 3
AVERAGE NUMBER OF DAYS IN NATO TOTAL
THE AVERAGE NUMBER OF DAYS REQUIRED BY BOTH NATO BRANCEHES TO PROCESS LSA TRANSACTIONS COVERED BY THE REPORT OR STATISTIC REPORTING PERIOD.

2014 DOC-ID-CD-GRND-T — DLSC-SD — F — 6
DOCUMENT IDENTIFIER CODE GRAND TOTAL
THE GRAND TOTAL OF DOCUMENT IDENTIFIER CODES DISPLAYED ON A REPORT OR STATISITIC.

2015 TECH-DOC-CTL-NBR-T — DLSC-SD — F — 6
TECHNICAN DOCUMENT CONTROL NUMBER TOTAL
THE NUMBER OF TRANSACTIONS CONTAINED IN A BATCH CONTROL NUMBER AND ASSIGNED A TECHNICIAN THAT HAVE NOT BEEN PROCESSED.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

2016 BCH-DOC-CTL-NBR — DLSC-SD — F — 6
BATCH DOCUMENT CONTROL NUMBER TOTAL
THE NUMBER OF TRANSACTIONS CONTAINED IN A BATCH CONTROL NUMBER THAT HAVE NOT BEEN PROCESSED.

2017 BCH-DOC-CTL-NBR-GRND-T — DLSC-SD — F — 6
BATCH DOCUMENT CONTROL NUMBER TOTAL
THE NUMBER OF TRANSACTIONS CONTAINED IN BATCH CONTROL NUMBERS THAT HAVE NOT BEEN PROCESSED

2018 BCH-PRCSG-STATUS-NEG-MSG — DLSC-SD — F — 52
BATCH PROCESSING STAUS NEGATIVE MESSAGE
THE NEGATIVE MESSAGE CITES A BATCH CONTROL NUMBER AND STATES THAT NO RECORDS FOUND FOR THE CITED BATCH CONTROL NUMBER E.G., NO RECORDS FOUND FOR BATCH CONTROL NUMBER ZK89103-03.

2019 TRANS-STATUS-DT — DLSC-SD — F — 5
TRANSACTION STATUS DATE
THE DATE ASSOCIATED WITH THE LATEST STATUS OF A TRANSACTION CONTAINED IN A REPORT.

2021 ERR-LSTG-NEG-MSG — DLSC-SD — F — 27
ERROR LISTING NEGATIVE MESSAGE
THE NEGATIVE MESSAGE THAT APPEARS ON THE UNKNOWN BRANCH TEAM ERROR LISTING THAT READS AS FOLLOWS: NO ACTION KNE, KNI, KNU TRANS.

2022 REF-NBR-T-OTM — DLSC-SD — F — 5
REFERENCE NUMBER TOTAL OUT TO MANUFACTURER
THE TOTAL NUMBER OF REFERENCE NUMBERS ASSOCIATED WITH A TECHNICIAN THAT HAVE BEEN OUT TO MANUFACTURE WITH A REQUEST FOR TECH DATA FOR OVER 30 DAYS.

2023 REF-NBR-GRND-T-OTM — DLSC-SD — F — 6
REFERENCE NUMBER GRAND TOTAL OUT TO MANUFACTURER
THE TOTAL NUMBER OF REFERENCE NUMBERS ASSOCIATED WITH ALL TECHNICIANS THAT HAVE BEEN OUT TO MANUFACTURER WITH A REQUEST FOR TECH DATA OVER 30 DAYS.

2024 WRKLD-LOCK-OT-CD — WRKLD_LOCK_OT_2024 — DLSC-SD — F CHAR — 1
WORK LOAD LOCK OUT CODE
A CODE USED TO DENY FURTHER ASSIGNMENT OF TRANSACTIONS TO A TEAM OR TECHNICAN, I.E. (ASTERISK).

2026 T-DIC-DOLLAR-AMT — DLSC-SD — F — 12
TOTAL DIC DOLLAR AMOUNT
THE DOLLAR AMOUNT ARRIVED AT BY MULTIPLYING THE NATO FOREIGN GOVERNMENT TRANSACTION PRICE TIME THE NUMBER OF TRANSACTIONS PROCESSED FOR THE GOVERNMENT.

2027 DOLLAR-AMT-GRND-T-CNTRY — DLSC-SD — F — 12
DOLLAR AMOUNT GRAND TOTAL COUNTRY
THE DOLLAR AMOUNT ARRIVED AT BY MULTIPLYING THE NATO FOREIGN GOVERNMENT TRANSACTION PRICE TIMES THE NUMBER OF TRANSACTIONS PROCESSED FOR THE GOVERNMENT AND THEN ADDING THE SUMS TO PRODUCE A COUNTRY TOTAL.

2028 DOC-CTL-NBR-GRND-T — DLSC-SD — F — 6
DOCUMENT CONTROL NUMBER GRAND TOTAL

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL NUMBER OF DOCUMENT CONTROL NUMBERS PROCESSED BY ALL TECHNICIANS WITHIN THE INDICATED REPORTING PERIOD.

2029 FRT-MSTR-CHG-ER-CT FR_MST_CHG_ER_2029 DLSC-SBA F INTEGER 5
FREIGHT MASTER CHANGE ERROR COUNT
THIS COUNT REPRESENTS THE NUMBER OF TIMES AN ERROR IS ENCOUNTERED DURING A CHANGE ACTION TO THE MASTER FREIGHT FILE.

2031 ITM-NM-DATA-EFF-DT DLSC-SCA F 5
ITEM NAME DATA EFFECTIVE DATE
A JULIAN DATE USED ON ALL ADDITIONS, CHANGES, OR DELETIONS OF ITEM NAME RELATED DATA TRANSACTIONS, TO SHOW EITHER PRESENT OR FUTURE EFFECTIVE DATES.

2032 FSG-FSC-DATA-EFF-DT DLSC-SCA F 5
FEDERAL SUPPLY GROUP, FEDERAL SUPPLY CLASS DATA EFF DATE
A JULIAN DATE USED ON ALL ADDITIONS, CHANGES, OR DELETIONS OF FSG/FSC RELATED DATA TRANSACTIONS, TO SHOW EITHER PRESENT OR FUTURE EFFECTIVE DATES.

2033 KEYWRD-MODIFIER-STMT KEYWRD_MOD_ST_2033 DLSC-SCA V VARCHAR 108
KEYWORD MODIFIER STATEMENT
CONSISTS OF THE REQUIREMENT STATEMENT FOR AN ASSIGNED MASTER REQUIREMENT CODE (MRC) ARRANGED IN AN INVERTED SEQUENCE BY THE KEYWORD OF THE STATEMENT FOLLOWED BY MODIFIER(S). IT IS CONTAINED IN THE MASTER REQUIREMENT DIRECTORY (MRD) AND WILL BE USED TO ESTABLISH AN INDEX FROM THE REQUIREMENT STATEMENT TO THE MRC.

2034 KEYWRD-GRP-CD KEYWRD_GRP_CD_2034 DLSC-SCA F CHAR 2
KEYWORD GROUP CODE
THE NUMBER WHICH IDENTIFIES THE GROUP THE KEYWORD REQUIREMENT STATEMENT USES.

2035 DCOD-DTA-FILE-ID DLSC-SCA F 1
DECODE DATA FILE IDENTIFIER
THIS DRN WOULD BE USED IN THE DECODE GUIDE UPDATE SYSTEM TO IDENTIFY THE DIFFERENCE BETWEEN THE "LGR" ISAC DATA AND THE FORMAT 3 REPLY DATA.

2036 INT-DRN-POSITION INT_DRN_PSTN_2036 DLSC-S F CHAR 5
INTERNAL DRN POSITION
A DATA ELEMENT INDICATING THE POSITION ON ANY OTHER INTERNAL DATA ELEMENT.

2037 OUT-DRN-POSITION DLSC-S F 5
OUTPUT DRN POSITION
A DATA ELEMENT INDICATING THE POSITION OF ANY OTHER OUTPUT DATA ELEMENT.

2039 FRT-MSTR-NIIN-CT DLSC-SBA F 7
FREIGHT MASTER NIIN COUNT
A COUNT THAT IINDICATES THE NUMBER OF RECORDS FOR THE FREIGHT CODE (KEY) THAT ARE STILL RECORDED ON THAT NUMBER OF NIINS.

2041 DEC-RPLY-ZERO-SUPPRSN DLSC-VO V 6
DECIMAL REPLY ZERO SUPPRESSION
THIS SIGNIFIES THE SUPPRESSION OF NONSIGNIFICANT ZEROES WHICH ARE NOT CONSIDERED TO BE USEFUL INFORMATION IN THE PUBLICATIONS.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

2042 NUC-HARDND-CRIT-ITM — DLSC-V — F — 1

NUCLEAR HARDENED CRITICAL ITEM (NHCI)

A CODE THAT INDICATES WHAT FEATURE(S) THE ITEM HAS IN REGARDS TO NUCLEAR HARDNESS OR OTHER CRITICAL FEATURES SUCH AS TOLERANCE, FIT RESTRICTIONS, OR APPLICATIONS. SEE VOLUME 10, TABLE 181.

2043 ESD-EMI-CD — ESD_EMI_CD_2043 — DLSC-S — F CHAR — 1

ELECTROSTATIC DISCHARGE/ELECTROMAGNETIC INTERFERENCE CODE

A ONE POSITION CODE USED TO INDICATE WHETHER AN ITEM IS SUSCEPTIBLE TO ELECTROSTATIC DISCHARGE OR ELECTROMAGNETIC INTERFERENCE DAMAGE. ELECTROSTATIC DISCHARGE DAMAGE OCCURS WHEN AN ACCUMULATION OF STATIC ELECTRICITY GENERATED BY THE RELATIVE MOTION OR SEPARATION OF MATERIALS IS RELEASED TO ANOTHER ITEM BY DIRECT CONTACT. ELECTROMAGNETIC INTERFERENCE DAMAGE OCCURS WHEN AN ITEM COMES INTO PROXIMITY WITH AN ELECTROSTATIC OR MAGNETIC FIELD. SEE VOLUME 10, TABLE 189 AND QUICK INFO ON-LINE.

2044 IL-GDE-TBL-NBR — DLSC-SB — F — 1

IL GUIDE TABLE NUMBER

THE NUMBER OF A TABLE ENTRY ON A SPECIFIC LINE OF AN IL GUIDE. UP TO EIGHT SEPARATE TABLES MAY BE USED IN THE DESCRIPTION OF A CHARACTERISTIC THIS TABLE NUMBER IS USED DURING FORMATTING THE DISPLAY TO ARRANGE THE DECODED INFORMATION.

2046 ACTY-CD — ACTY_CD_2046 — DLSC-V — F CHAR — 6

ACTIVITY CODE

CORPORATE ACTIVITY CODE FOR USE WITHIN DLSC. IT IS VARIABLE FROM TWO TO SIX CHARACTERS. AN ACTIVITY CODE IS ASSIGNED TO EACH ACTIVITY WITHIN THE LOGISTICS MANAGEMENT FUNCTION. THIS DATA ELEMENT HAS MULTIPLE ALIASES BECAUSE OF VARIED USAGE THROUGHOUT THE DLSC AUTOMATED SYSTEM.

2047 LRN-DEPT-QTR-3-TOT — DLSC-SB — F — 6

LOGRUN DEPARTMENT QUARTER 3 TOTAL

THE SUM OF ALL TRANSACTIONS SUBMITTED BY A DEPARTMENT FOR THE MONTHS OF JULY, AUGUST AND SEPTEMBER.

2048 LRN-GRD-TOT-WKLY-TOT — DLSC-SB — F — 6

LOGRUN GRAND TOTAL WEEKLY TOTAL

THE GRAND TOTAL OF ALL LOGRUN TRANSACTIONS SUBMITTED FOR A WEEK.

2049 LRN-GRD-TOT-QTR-4-TOT — DLSC-SB — F — 6

LOGRUN GRAND TOTAL QUARTER 4 TOTAL

THE GRAND TOTAL OF ALL TRANSACTIONS SUBMITTED FOR THE MONTHS OF OCTOBER, NOVEMBER AND DECEMBER. GRAND TOTAL FISCAL QUARTER 1 IS EQUAL TO LRN-GRD-TOT-QTR-4-TOT OF THE PREVIOUS YEAR.

2050 DT-LST-CHNG-RCD-DIDS — DLSC-SC — F — 5

DATE, LAST CHANGE TO RECORD, DIDS

THE YEAR AND JULIAN DAY OF THE LAST CHANGE TO A SPECIFIC RECORD SUCH AS SURPLUS SALES BIDDER, ADDRESS, NAME, ETC., E.G. 71007.

2051 KRT-IND-CD — KRT_IND_2051 — DLSC-SD — F CHAR — 1

KRT INDICATOR CODE

THE CODE THAT INDICATES WHETHER A COUNTRY USES THE DIC KRT PROCESS.

2052 DIC-I-O-TYPE — DIC_I_O_TYPE_2052 — DLSC-V — F CHAR — 1

DIC INPUT OUTPUT TYPE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A CODE TO INDICATE IF A DIC IS INPUT OR OUTPUT.

2053 LMD-COMB-NBR LMD_COMB_NBR_2053 DLSC-V F CHAR 3

LMD COMBINATION NUMBER

A DATA ELEMENT USED TO DISTINGUISH DISTINCT GROUPS OF AUTHORIZED DOCUMENT IDENTIFIER CODES AUTHORIZED FOR A PARTICULAR SUBMITTING ACTIVITY CODE.

2054 LMD-COMB-TYPE LMD_COMB_TYPE_2054 DLSC-V F CHAR 3

LMD COMBINATION TYPE

A DATA ELEMENT USED IN CONJUNCTION WITH LMD-COMB-NBR TO DISTINGUISH DISTINCT GROUPS OF AUTHORIZED DOCUMENT IDENTIFIER CODES WHEN A LMD TRANSACTION IS A SUBORDINATE PART OF OR NOT A SUBORDINATE PART OF ANOTHER DOCUMENT IDENTIFIER CODE (E.G. LMX).

2055 LMX-COMB-NBR LMX_COMB_NBR_2055 DLSC-V F CHAR 3

LMX COMBINATION NUMBER

A DATA ELEMENT USED TO DISTINGUISH DISTINCT GROUPS OF AUTHORIZED DOCUMENT IDENTIFIER CODES AUTHORIZED FOR A PARTICULAR SUBMITTING ACTIVITY CODE.

2056 TRML-BCH-DNCG-OFRD-QTY DLSC-SBA F 8

TERMINAL BATCH DOCUMENT NUMBER/CAGE TOTAL OFFERED QUANTITY

THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM BATCH INQUIRIES AGAINST THE DOCUMENT NUMBER/CAGE.

2057 TRANS-TI TRANS_TI_2057 DLSC-V V VARCHAR 270

TRANSACTION TITLE

A DESCRIPTION OF A TRANSACTION (DIC) TITLE.

2061 EQPT-MGMT-CD DLSC-V F 1

ENVIRONMENTAL DATA CHAIN

A CHAIN OF ENVIRONMENTAL ATTRIBUTE CODE (DRN 3025) USED FOR OUTPUT PURPOSES. (NOTE: WHEN FOUR OR MORE CODES ARE USED THE LAST CODE WILL BE REPLACED WITH THE CHARACTER 'Z'.)

2062 STK-FD-CRED-IND DLSC-V F 1

STOCK FUND CREDIT INDICATOR

A ONE (1) POSITION CODE THAT IDENTIFIES THE DEGREE OF STOCK FUND CREDIT AUTHORIZED FOR ASSET TURN-IN.

2063 PRCMT-SRC-CD DLSC-V F 1

PROCUREMENT SOURCE CODE

A ONE (1) POSITION CODE THAT DESIGNATES AN ITEM'S PROCUREMENT SOURCE.

2064 ARLFT-CD DLSC-V F 1

AIRLIFT CODE

A ONE (1) POSITION CODE THAT IDENTIFIES THE PREMIUM TRANSPORTATION (AIRLIFT) FOR AN ITEM OF SUPPLY.

2066 PREV-UI DLSC-V F 2

PREVIOUS UNIT OF ISSUE

A PREVIOUS CODE INDICATIONG THE PHYSICAL MEASUREMENT, THE COUNT OR WHEN NEITHER IS APPLICABLE, THE CONTAINER, OR SHAPE OF AN ITEM FOR PURPOSE OF REQUISITIONING BY, AND ISSUE TO, THE END USER, AND IS THAT ELEMENT OF MANAGEMENT DATA TO WHICH THE UNIT PRICED IS ASCRIBED.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

2067 CRIT-ITM-CD-EFF-DT — DLSC-V — F — 5
CRITICAL ITEM CODE EFFECTIVE DATE
THE JULIAN EFFECTIVE DATE OF THE CRITICAL ITEM CODE.

2068 CRIT-ITM-CD — DLSC-V — F — 1
CRITICAL ITEM CODE
A ONE (1) POSITION CODE IDENTIFYING AN ITEM AS CRITICAL IN THE SUPPLY SYSTEM.

2069 TRNSP-DATA-EFF-DT — DLSC-V — F — 5
TRANSPORTATION DATA EFFECTIVE DATE
THE JULIAN EFFECTIVE DATE OF THE APPLICABLE TRANSPORTATION DATA.

2072 TRANS-TYP-CGO-CD — DLSC-V — F — 2
TRANSPORTATION TYPE CARGO CODE
A TWO (2) POSITION CODE THAT IDENTIFIES TRANSPORTATION CHARACTERISTICS OF STOCK ITEMS AND DENOTES ANY SPECIAL HANDLING AND MARKINGS REQUIRED.

2073 AIR-LOG-CTR-PRM-SITE — DLSC-V — F — 1
AIR LOGISTICS CENTER PRIME SITE
AIR LOGISTICS CENTER PRIME SITE CODE.

2074 SP-PK-INST-DT — DLSC-V — F — 5
SPECIAL PACKING INSTRUCTION DATE
THE JULIAN DATE OF A SPECIAL PACKAGING INSTRUCTION.

2076 SP-PK-INST-IND — DLSC-V — F — 1
SPECIAL PACKING INSTRUCTION INDICATOR
A ONE (1) POSITION CODE THAT INDICATES ANY SPECIAL PACKAGING INSTRUCTION FOR A PARTICULAR ITEM OF SUPPLY.

2078 DT-CUR-PRCSG-PRFM — DLSC-SB — F — 5
DATE, CURRENT PROCESSING PERFORMANCE
THE YEAR AND JULIAN DAY THAT PROCESSING IS PERFORMED, E.G., 70328. APPLIES SPECIFICALLY TO THE DATE OF THE INPUT OR OUTPUT.

2081 SP-PK-INST-NBR — DLSC-V — F — 9
SPEICAL PACKING INSTRUCTION NUMBER
FORMERLY KNOW AS TRANSPORTATION PACKAGING ORDER (TPO). THE SPI PROVIDES DETAILED INSTRUCTIONS FOR CONSTRUCTION OF A PACKAGE FOR AN ITEM THAT REQUIRES MAXIMUM PROTECTION. IT USUALLY CONSISTS OF A DRAWING THAT DETAILS THE CUSHIONING, BLOCKING, BRACING, SOCK MOUNTS, TIE-DOWN DEVICES ETC., THIS IS REFERRED TO AS DISCRETE SPI. A SPI MAY ALSO DESCRIBE THE REQUIRED PACKAGING WITH WRITTEN INSTRUCTIONS AND SPECIFICATION NUMBERS ONLY. THIS IS REFERRED TO AS A NARRATIVE SPI.

2082 RECOV-RIMCS-EFF-DT — DLSC-V — F — 5
RECOVERABLE ITEM MOVEMENT CONTROL SYSTEM DATA (RIMCS) EFF DT
CURRENT JULIAN DATE USED TO REFLECT DATE OF LAST RIMCS ACTION TAKEN.

2083 CTL-CD — DLSC-SB — F — 1
CONTROL CODE
A ONE (1) POSITION APLHA CODE SELECTED BY THE MANAGING ALC PROVIDING DISPOSITION INSTRUCTIONS.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

2084 PRI-DESI — DLSC-V — F — 2

PRIORITY DESIGNATOR

A TWO (2) POSITION NUMERIC SUPPLY PRIORITY PRESCRIBED BY UMMIPS EXPRESSING THE PROPER TRANSPORTATION MOVEMENT OF MATERIAL.

2085 MNTRG-INV-MGR-SYS-MGR — DLSC-V — F — 3

MONITORING INVENTORY MANAGER/SYSTEM MANAGER

A THREE (3) POSITION ROUTING IDENTIFIER CODE OF THE PRIME ACTIVITY WHICH FILE MAINTAINS RIMCS DATA.

2086 SHP-STK-RCD-ACCT-NBR — DLSC-V — F — 6

SHIP TO STOCK RECORD ACCOUNT NUMBER

A SIX (6) POSITION ALPHANUMERIC CODE USED TO INDICATE THE OVERHAUL STORAGE SITE WHERE THE ITEM IS TO SHIPPED FOR REPAIR/STORAGE.

2087 MRK-FOR — DLSC-V — F — 7

MARK FOR

A SEVEN (7) POSITION ALPHANUMERIC CODE USED TO IDENTIFY SUPPLEMENTAL INFORMATION SUCH AS CONTRACT LINE ITEM NUMBER WHEN SHIPPING TO A CONTRACTOR SITE.

2088 PROJ-CD — DLSC-V — F — 3

PROJECT CODE

A THREE (3) POSITION ALPHANUMERIC CODE USED TO IDENTIFY MATERIAL TO A PROJECT OR TO AIR FORCE.

2089 OWN-CD — DLSC-V — F — 1

OWNERSHIP CODE

A ONE (1) POSITION ALPHANUMERIC CODE USED TO IDENTIFY ASSET WHEN

2090 FRT-CD-STAT-CD — FRT_CD_STAT_2090 — DLSC-SBA — F — CHAR — 1

FREIGHT CODE STATUS CODE

THIS CODE INDICATES THE STATUS OF THE FREIGHT CODE (I.E. NMFC/SUB/UFC) COMBINATION TO WHICH IT IS ASSIGNED. A STATUS CODE WHICH IS "BLANK" INDICATES THAT THE FREIGHT CODE IS ACTIVE IN THE SYSTEM, WHILE A STATUS CODE OF "C" INDICATES THAT THE FREIGHT CODE TO WHICH IT IS ASSIGNED IS CANCELLED.

2091 FRT-RT-CD — DLSC-V — F — 1

FREIGHT RATE CODE

A ONE (1) POSITION CODE THAT IS DETERMINED FROM TH E NMFC DESCRIPTION APPLIED TO THE ITEM . IT DENOTES THE PERCENTAGE OF THE FIRST CLASS RATE APPLICABLE FOR THE MOVEMENT OF THE ITEM BY MOTOR CARRIER.

2093 TIR-OP-MED-CD — TIR_OP_MED_CD_2093 — DLSC-SB — F — CHAR — 1

TIR OUTPUT MEDIA CODE

THE PRIMARY MEDIA DESIRED BY DLSC CUSTOMERS FOR ALL DATA EXCEPT SYSTEM SUPPORT RECORD (SSR), SIMPLIFIED FILE MAINTENANCE (SFM), MONTHLY CUMULATIVE AND SEMI-ANNUAL BASIC.

2094 CT-OP-MED-CD — SSR_OP_MED_CD_2094 — DLSC-SB — F — CHAR — 2

CATALOG TOOLS OUTPUT MEDIA CODE

THE PRIMARY MEDIA DESIRED BY DLSC CUSTOMERS FOR CATALOG TOOLS OUTPUT.

2096 OP-DESTN — OP_DESTN_2096 — DLSC-SB — V — CHAR — 15

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

OUTPUT DESTINATION
THE DATA RECIPIENTS OF CATALOG MANAGEMENT DATA OUTPUT.

2097 ROLL-UP-DIC ROLL_UP_DIC_2097 DLSC-SB F CHAR 3
ROLL-UP DOCUMENT IDENTIFIER CODE
THE CATALOG MANAGEMENT DATA OUTPUT FORTY-FIVE (45) DAYS PRIOR TO THE EFFECTIVE DATE.

2098 ROLL-UP-DIC-DESTN RL_UP_DIC_DES_2098 DLSC-SB V CHAR 15
ROLL-UP DOCUMENT IDENTIFIER CODE DESTINATION
THE DATA RECIPIENTS OF CATALOG MANAGEMENT DATA OUTPUT (45) FORTY-FIVE DAYS PRIOR TO THE EFFECTIVE DATE.

2099 ED-DIC ED_DIC_2099 DLSC-SB F CHAR 3
EFFECTIVE DATE DOCUMENT IDENTIFIER CODE
THE CATALOG MANAGEMENT DATA OUTPUT ON THE EFFECTIVE DATE.

2101 CAT-MGMT-IP-OP-NOTE-IND CM_NOTE_IND_2101 DLSC-SB F CHAR 2
CATALOG MANAGEMENT INPUT OUTPUT NOTE INDICATOR
AN INDICATION OF NOTES FOR CERTAIN CATALOG MANAGEMENT DATA INPUTS AND OUTPUTS.

2102 ED-DIC-DESTN ED_DIC_DESTN_2102 DLSC-SB V CHAR 15
EFFECTIVE DAE DOCUMENT IDENTIFIER CODE DESTINATION
THE DATA RECIPIENTS OF CATALOG MANAGEMENT DATA OUTPUT ON THE EFFECTIVE DATE.

2103 OP-SCHD OP_SCHD_2103 DLSC-SB F CHAR 30
OUTPUT SCHEDULE
A DESIGNATION OF WHEN OUTPUT IS SENT OUT FOR CONCURRENT SUBMITTAL INPUTS.

2104 OP-RECP OP_RECP_2104 DLSC-SB V CHAR 30
OUTPUT RECIPIENT
THE DATA RECIPIENTS OF OUTPUT SENT OUT FOR CONCURRENT SUBMITTAL INPUTS

2105 DLSC-ACTN-OP-COND ACTN_OP_COND_2105 DLSC-SB V VARCHAR 150
DLSC ACTION OUTPUT CONDITION
AN EXPLANATION OF DLSC ACTION FOR CERTAIN OUTPUT CONDITIONS ON CONCURRENT SUBMITTAL INPUT.

2109 REC-COL REC_COL_2109 DLSC-V V CHAR 7
RECORD COLUMN
THE POSITION OF A DATA ELEMENT WITHIN A CERTAIN DOCUMENT IDENTIFIER CODE (FORMERLY REFERRED TO AS CARD COLUMN).

2111 DIC-DRN-NOTE DIC_DRN_NOTE_2111 DLSC-V V CHAR 30
DIC DRN NOTES
SERIES OF 2 POSITION NOTE NUMBERS ASSOCIATED WITH DRN'S WITHIN A CERTAIN DIC.

2113 DIC-DRN-NOTE-DEF DIC_DRN_N_DEF_2113 DLSC-V V VARCHAR 1500
DIC DRN NOTE DEFINITION
A CLEAR TEXT EXPLANATION OF A DIC/DRN NOTE. DIC-DRN-NOTE-NBR 2112 DIC_DRN_N_NBR_2112DIC DRN NOTE NUMBER 2X CHAR L F DLSC-V DIC-DRN-NOTE-NBR X(2) THE NUMBER OF THE DIC/DRN NOTE.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	FORMAT FV	FORMAT TYPE	FORMAT LG
CLEAR TEXT HOST/COBOL NAME						
DRN DEFINITION						
2117	DATE-LAST-CHG-DICTRY	DT_LST_CHG_DD_2117	DLSC-V	F	DATE	5
DATE LAST CHANGE DICTIONARY						
THE JULIAN DATE OF THE LAST CHANGE TO A CERTAIN DRN IN THE DICTIONARY.						
2127	TRANS-DEF	TRANS_DEF_2127	DLSC-V	V	VARCHAR	1000
TRANSACTION DEFINITION						
CLEAR TEXT EXPLANATION OF THE DOC-ID-CD (DRN 3920)						
2128	EFF-DT	EFF_DT_2128	DLSC-SBA	F	INTEGER	7
DATE, EFFECTIVE, LOGISTICS ACTION						
THE YEAR AND JULIAN DAY DENOTING THE DATE THAT A PREDETERMINED LOGISTICS ACTION BECOMES EFFECTIVE IN THE DEFENSE LOGISTICS SYSTEM. THIS DATE WILL ALWAYS BE THE FIRST DAY OF MONTH, E.G., 74213. STORED FIELD ALLOWS FOR THE CENTURY IN THE FORM CCYYDDD AND MAY BE IGNORED FOR INPUT/OUTPUT. SEE VOLUME 10, TABLES 99, 112 AND 145 AND QUICK INFO ON-LINE.						
2131	TRANS-INST	TRANS_INST_2131	DLSC-V	V	VARCHAR	1500
TRANSACTION INSTRUCTION						
CLEAR TEXT INSTRUCTIONS OF THE DOC-ID-CD (DRN 3920).						
2132	GLOS-TERM	GLOS_TERM_2132	DLSC-V	F	CHAR	90
GLOSSARY TERM						
CLEAR TEXT TERM.						
2133	GLOS-TERM-DEF	GLOS_TERM_DEF_2133	DLSC-V	V	VARCHAR	1200
GLOSSARY TERM DEFINITION						
CLEAR TEXT EXPLANATION OF THE GLOSSARY TERM.						
2134	GLOS-TERM-VOL-REF	GLS_TRM_VL_RF_2134	DLSC-V	V	CHAR	30
GLOSSARY TERM VOLUME REFERENCE						
THE VOLUME(S) IN WHICH THE GLOSSARY TERM OR ACRONYM CAN BE FOUND.						
2135	GLOS-ACRNM	GLOS_ACRNM_2135	DLSC-V	V	CHAR	20
GLOSSARY ACRONYM						
ACRONYM.						
2136	GLOS-ACRNM-TI	GLOS_ACRNM_TI_2136	DLSC-V	F	CHAR	90
GLOSSARY ACRONYM TITLE						
CLEAR TEXT OF ACRONYM.						
2137	ADRS-TYP-CD	ADRS_TYP_CD_2137	DLSC-V	F	CHAR	1
ADDRESS TYPE CODE						
CODE THAT INDICATES TYPE OF ADDRESS: BLANK OR SPACE=PRESENT ADDRESS 1=FIRST FORMER ADDRESS 2=SECOND FORMER ADDRESS 3=TEMPORARY ADDRESS						
2138	USR-PASSWORD	USR_PASSWORD_2138	DLSC-V	F	CHAR	8
USER PASSWORD						
AN ACCESS CODE THAT IS USED IN CONJUCTION WITH A USERCODE TO GAIN ACCESS TO THE FEDERAL LOGISTICS INFORMATION SYSTEM OR ONE OF ITS SUBSYSTEMS. SEE USERCODE ALSO.						

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	FORMAT FV	FORMAT TYPE	FORMAT LG
CLEAR TEXT HOST/COBOL NAME						
DRN DEFINITION						

2139 PASSTHRU-ACTY-ID PSTHRU_ACT_ID_2139 DLSC-V F CHAR 4
PASSTHROUGH ACTIVITY IDENTIFIER
THE IDENTIFIER THAT REPRESENTS THE TRANSACTIONS OF THE S/A. IT IS BUILT INTO THE CURRENT SUBMITTERS ID FIELD IN THE INPUT PASSTHROUGH TRANSACTION.

2140 PASSTHRU-ACTY-NM PSTHRU_ACT_NM_2140 DLSC-V F CHAR 9
PASSTHROUGH ACTIVITY NAME
THE ABBREVIATED CLEAR TEXT NAME OF THE PASSTHROUGH ACTIVITY IDENTIFIER.

2141 SICA-ACT-IND DLSC-V F 1
SICA ACTIVITY INDICATIOR
A CODE TO INDICATE IF THE ACTIVITY IS A SICA.

2142 PICA-ACT-IND DLSC-V F 1
PICA ACTIVITY INDICATIOR
A CODE TO INDICATE IF THE ACTIVITY IS A PICA.

2143 SUBMR-ACT-IND SUBMR_ACT_IND_2143 DLSC-V F CHAR 1
SUBMITTER ACTIVITY INDICATOR
A CODE TO INDICATE IF THE ACTIVITY A SUBMITTER.

2144 COLLAB-ACT-IND DLSC-V F 1
COLLABORATOR ACTIVITY INDICATOR
A CODE TO INDICATE IF THE ACTIVITY IS A COLLABORATOR.

2145 RCVR-ACT-IND DLSC-V F 1
RECEIVER ACTIVITY INDICATOR
A CODE TO INDICATE IF THE ACTIVITY IS A RECEIVER.

2146 TRFR-SAC-T2-4-NSN TRFR_STAT_CNT_2146 DLSC-SBA F INTEGER 8
TRANSFER SUBMITTING ACTIVITY TYPE 2 TO 4 NSN
THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM REFERENCE METHOD TO PARTIAL DESCRIPTIVE BY SUBMITTING DEPARTMENT/ACTIVITY.

2147 TRFR-SAC-T2-1-NSN TRFR_STAT_CNT_2147 DLSC-SBA F INTEGER 8
TRANSFER SUBMITTING ACTIVITY TYPE 2 TO 1 NSN
THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM REFERENCE METHOD TO FULL DESCRIPTIVE BY SUBMITTING DEPARTMENT/ACTIVITY.

2149 E-MAIL-MSG DLSC-V F 80
ELECTRONIC MAIL MESSAGE
THIS PROVIDES E-MAIL MESSAGES TO THE USER THROUGH THE ONLINE PROCEDURES SYSTEM BULLETIN BOARD.

2151 E-MAIL-ADRS E_M_ADRS_2151 DLSC-SB F CHAR 30
E MAIL ADDRESS
THE ELECTRONIC ADDRESS OF THE USERS OF THE PROCEDURES E MAIL SYSTEM.

2152 E-MAIL-MSG-TTL E_M_MSG_TTL_2152 DLSC-SB F CHAR 30
E MAIL MESSAGE TITLE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TITLE OF THE MESSAGE BEING SENT AS DEFINED BY SENDER.

2153 E-MAIL-MSG-IND-CD E_M_MSG_IN_CD_2153 DLSC-SB F CHAR 3
E MAIL MESSAGE INDICATOR CODE
A CODE THAT INDICATES WHAT IS TO BE DONE WITH A PARTICULAR MESSAGE, I.E., RETURN RECEIPT, SENT, FORWARDING, ECT.

2154 E-MAIL-MSG-LN E_M_MSG_LN_2154 DLSC-SB V VARCHAR 70
E MAIL MESSAGE LINE
ONE LINE OF AN E MAIL MESSAGE. ITERATIONS OF THE E-MAIL-MSG-LN WILL BE THE E MAIL MESSAGE.

2155 E-MAIL-MSG-LN-NBR E_M_MSG_LN_NO_2155 DLSC-SB V CHAR 6
E MAIL MESSAGE LINE NUMBER
A NUMBER ASSIGNED TO AN E-MAIL-MSG-LN

2156 E-MAIL-FNCTNL-DT-TM-STMP E_M_FNC_DT_ST_2156 DLSC-SB F TIMESTMP 12
E MAIL FUNCTIONAL DATE TIME STAMP
THE DATE AND TIME THAT A SPECIFIC E MAIL TRANSACTION TOOK PLACE. CONSISTS OF YYMMDD AND HH:MM:SS.

2157 CONTL-TXT-ID CONTL_TXT_ID_2157 DLSC-SB V CHAR 10
CONTINUAL TEST IDENTIFIER
A CODE THAT WILL IDENTIFY A SPECIFIC LINE OF TEXT WITHIN THE PROCEDURES.

2158 E-MAIL-USR-IND-STAT-CD E_M_USER_STAT_2158 DLSC-SB F CHAR 3
E MAIL USER INDICATOR STAT CD
A CODE THAT INDICATES THAT A FUNCTION OF E MAIL HAS BEEN PERFORMED. I.E., IF A RETURN RECEIPT HAS BEEN SENT.

2161 AR-MCC-DESCP-USE-CD AR_MCC_USE_CD_2161 DLSC-V F CHAR 1
ARMY MATERIEL CATEGORY DESCRIPTION AND USAGE CODE
A NUMERIC CODE THAT DESIGNATES A DESCRIPTION AND USE CODE. POSITION 3

2162 AR-MCC-DESCP-USE-TXT AR_MCC_USE_TX_2162 DLSC-V F VARCHAR 600
ARMY MATERIAL CATEGORY DESCRIPTION AND USE TEXT
A TEXT FIELD THAT DESCRIBES THE DESCRIPTION AND USE CODE.

2163 AR-MCC-APPROP-SUBGRP AR_MCC_AP_SUB_2163 DLSC-V F CHAR 1
ARMY MATERIAL CATEGORY APPROPRIATION AND SUBGROUP CODE
AN ALPHANUMERIC CODE DESIGNATING APPROPRIATION AND SUBGROUPING. POSITION 2

2164 AR-MCC-APPROP-SUBGRP-TXT AR_MCC_AP_TXT_2164 DLSC-V F VARCHAR 100
ARMY MATERIEL CATEGORY APPROPRIATION AND SUBGROUP TEXT
A TEXT FIELD THAT DESCRIBES THE APPROPIATION AND SUBGROUP CODE.

2165 AR-MCC-SUB-GRP-CD AR_MCC_SG_CD_2165 DLSC-V F CHAR 1
ARMY MATERIEL CATEGORY SUBGROUP CODE
A ALPHANUMERIC CODE THAT DESIGNATES A SUBGROUP. POSITION 4

2166 AR-MCC-SUB-GRP-TXT AR_MCC_SG_TX_2166 DLSC-V F CHAR 80
ARMY MATERIEL CATEGORY SUBGROUP

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A TEXT FIELD THAT DESCRIBES SUBGROUP POSITION 4

2167 AR-MCC-SUB-GRP-CD1 AR_MCC_SG_CD1_2167 DLSC-V F CHAR 2
ARMY MATERIEL CATEGORY SUBGROUP CODE ONE
AN ALPHANUMERIC CODE THAT DESIGNATES A SUBGROUP. POSITIONS 4 AND 5.

2168 AR-MCC-SUB-GRP-TXT1 AR_MCC_SG_TX1_2168 DLSC-V F VARCHAR 210
ARMY MATERIEL CATEGORY SUBGROUP TEXT ONE
A TEXT FIELD THAT DESCRIBES SUBGROUP POSITIONS 4 AND 5.

2169 SCRNG-KEY-INDS DLSC-S F 1
SCREENING KEY INDICATORS
INDICATES WHETHER THE UNIQUE NIIN IDENTIFIER WAS DERIVED FROM 2-STEP, PARAMETRIC OR NON-PARAMETRIC SCREENING.

2171 LRN-COMB-CAN-MTHLY DLSC-V F 8
LOGRUN COMBINATION CUSTOMER ACCOUNT NUMBER MONTHLY
ANY COMBINATION OF CAGE CODE, REFERENCE NUMBER LOGISTICS, PARTIAL REFERENCE NUMBER LOGISTICS OR ITEM NAME DONE THROUGH LOGRUN ON A MONTHLY BASIS BY CUSTOMER ACCOUNT NUMBER.

2172 LRN-COMB-TOT-MTHLY DLSC-V F 8
LOGRUN COMBINATION TOTAL MONTHLY
ANY COMBINATION OF CAGE CODE, REFERENCE NUMBER LOGISTICS, PARTIAL REFERENCE NUMBER LOGISTICS OR ITEM NAME DONE THROUGH LOGRUN ON A MONTHLY BASIS BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

2173 LRN-NIIN-INQ-DEPT-WKLY DLSC-V F 8
LOGRUN NIIN INQUIRY DEPARTMENT WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR NIIN INQUIRIES BY DEPARTMENT.

2174 MUL-BCH-DOC-NBR-GRND-T DLSC-SD F 6
MULTIPLE BATCH DOCUMENT CONTROL NUMBER GRAND TOTAL
THE NUMBER OF TRANSACTIONS CONTAINED IN MULTIPLE BATCH CONTROL NUMBER THAT HAVE NOT BEEN PROCESSED.

2175 BCH-DOC-CTL-NBR-T DLSC-SD F 6
BATCH DOCUMENT CONTROL NUMBER TOTAL
THE NUMBER OF TRANSACTIONS CONTAINED IN A BATCH CONTROL NUMBER THAT HAVE NOT BEEN PROCESSED.

2176 QDIC-ALL-OAC-RECVD DLSC-SB F 8
QUARTERLY DIC ALL ORIGINATING ACTIVITY CODE RECEIVED
THE QUARTERLY COUNT OF ALL TRANSACTIONS RECEIVED BY ORIGINATING ACTIVITY

2177 ITM-NM-NON-APRVD-RMDR NAIN_RMDR_2177 DLSC-SC V VARCHAR 971
ITEM NAME NON APPROVED REMAINDER
A FULL CLEAR TEXT NAME FOR INC 77777, GIVEN AS A REPLY WHEN DRN 3445-MRC="NAME". THIS FULL CLEAR TEXT NAME DOES NOT MEET THE CRITERIA FOR AN APPROVED ITEM NAME. LESS THE FIRST NINETEEN (19) CHARACTERS (WHICH IS CONTAINED IN NON-APRVD-ITM-NM (DRN 2301)).

2179 RQST-CDFN-RGSN-USER-CD DLSC-SD F 3
REQUEST FOR CODIFICATION AND REGISTRATION OF USER CODE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

FOR NORTH ATLANTIC TREATY ORGANIZATION (NATO) USE ONLY. A THREE POSITION NUMERIC CODE INDICATING A SPECIFIC QUESTION AND THE PERTAINING REPLY NEEDED AS COMPLEMENTARY INFORMATION TO BE SENT TOGETHER WITH ONE OR A GROUP OF LOGICALLY RELATED REQUESTS FOR CODIFICATION AND REGISTRATION OF USER (LSA) UNDER DIC L07 INPUT TRANSACTION.

2180 DT-NIIN-PSCN-ASGMT DT_NIIN_ASGMT_2180 DLSC-SB F INTEGER 7
DATE, NIIN/PSCN ASSIGNMENT
THE YEAR AND JULIAN DAY WHEN A NATIONAL ITEM IDENTIFICATION NUMBER /NIIN/ OR PERMANENT SYSTEM CONTROL NUMBER /PSCN/ WAS ASSIGNED, E.G., 71237. STORED FIELD ALLOWS FOR THE CENTURY IN THE FORM CCYYDDD AND MAY BE IGNORED FOR INPUT/OUTPUT.

2181 ID-MLC-CUM-CHG ID_STAT_CNT_2181 DLSC-S F INTEGER 8
INFO DISSEM MANAGEMENT LIST CONSOLIDATED CUM CHG QUANTITY
THIS DATA ELEMENT REFLECTS THE CUMULATIVE NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE MANAGEMENT LIST CONSOLIDATED.

2182 ID-MLC-CUR-CHG ID_STAT_CNT_2182 DLSC-S F INTEGER 8
INFO DISSEM MANAGEMENT LIST CONSOLIDATED CUR CHG QUANTITY
THIS DATA ELEMENT REFLECTS THE CURRENT NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR MANAGEMENT LIST CONSOLIDATED.

2183 ID-MLC-PCT-CHG DLSC-S F 8
INFO DISSEM MANAGEMENT LIST CONSOLIDATED PERCENT CHANGE
THIS DATA ELEMENT REFLECTS THE PERCENTAGE CHANE IN THE NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE MANAGEMENT LIST CONSOLIDATED FROM THE LAST ACCUMULATION TO CURRENT TIME PERIOD.

2184 ID-MLN-CUM-CHG ID_STAT_CNT_2184 DLSC-S F INTEGER 8
INFO DISSEM MANAGEMENT LIST NAVY CUM CHG QUANTITY
THIS DATA ELEMENT REFLECTS THE CUMULATIVE NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE MANAGEMENT LIST NAVY.

2185 ID-MLN-CUR-CHG ID_STAT_CNT_2185 DLSC-S F INTEGER 8
INFO DISSEM MANAGEMENT LIST NAVY CUR CHG QUANTITY
THIS DATA ELEMENT REFLECTS THE CURRENT NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE MANAGEMENT LIST NAVY.

2186 ID-MLN-PCT-CHG DLSC-S F 8
INFO DISSEM MANAGEMENT LIST NAVY PERCENT CHANGE
THIS DATA ELEMENT REFLECTS THE PERCENTAGE CHANGE IN THE NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE MANAGEMENT LIST NAVY.

2187 ID-MCRL-CUM-CHG ID_STAT_CNT_2187 DLSC-S F INTEGER 8
INFO DISSEM MASTER CROSS REFERENCE LIST CUM CHG QUANTITY
THIS DATE ELEMENT REFLECTS THE CUMULATIVE NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE MASTER CROSS REFERENCE LIST.

2188 ID-MCRL-CUR-CHG ID_STAT_CNT_2188 DLSC-S F INTEGER 8
INFO DISSEM MASTER CROSS REFERENCE LIST CUR CHG QUANTITY
THIS DATA ELEMENT REFLECTS THE CURRENT NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE MASTER CROSS REFERENCE LIST.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

2189 ID-MCRL-PCT-CHG — DLSC-S — F — 8

INFO DISSEM AMSTER CROSS REFERENCE LIST PERCENT CHANGE

THIS DATA ELEMENT REFLECTS THE PERCENTAGE CHANGE IN THE NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE MASTER CROSS REFERENCE LIST FROM THE LAST ACCUMULATION TO CURRENT TIME PERIOD.

2193 CHAR-EXCP-IND — CHAR_EXCP_IND_2193 — DLSC-S — F — CHAR — 1

CHARACTERISTICS EXCEPTION INDICATOR

IDENTIFIES TYPE OF MATCH FOR THE ITEM AND IS BASED UPON THE PRESENCE OF PROPRIETARY DATA, E MODE CODE(S), AND EXCEPTION REQUIREMENTS WITHIN THE CHARACTERISTICS.

2195 ID-MLMC-CUM-CHG — ID_STAT_CNT_2195 — DLSC-S — F — INTEGER — 8

INFO DISSEM MANAGEMENT LIST MARINE CORPS CUM CHG QUANTITY

THIS DATA ELEMENT REFLECTS THE CUMULATIVE NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE MANAGEMENT LIST MARINE CORPS.

2196 ID-MLMC-CUR-CHG — ID_STAT_CNT_2196 — DLSC-S — F — INTEGER — 8

INFO DISSEM MANAGEMENT LIST MC CUR CHG QUANTITY

THIS DATA ELEMENT REFLECTS THE CURRENT NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE MANAGEMENT LIST MARINE CORPS.

2197 ID-MLMC-PCT-CHG — DLSC-S — F — 8

INFO DISSEM MANAGEMENT LIST MC PERCENT CHANGE

THIS DATA ELEMENT REFLECTS THE PERCENTAGE CHANGE IN THE NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE MANAGEMENT LIST MARINE CORPS, FROM THE LAST ACCUMULATION TO CURRENT TIME PERIOD.

2198 LWST-DOC-CTL-NBR-SEQ-NBR — LWST_DCSN_SEQ_2198 — DLSC-SD — F — CHAR — 4

SEQUENCE NUMBER, LOWEST DOCUMENT CONTROL NUMBER

FOR NORTH ATLANTIC TREATY ORGANIZATION (NATO) USE ONLY. THE LAST FOUR CHARACTERS OF THE DOCUMENT CONTROL SERIAL NUMBER (DRN 1000) OF THE LOWEST DOCUMENT CONTROL NUMBER (DRN (1015) IN A GROUP OF RELATED DOCUMENT IDENTIFIER CODE LSA TRANSACTIONS COVERED BY A SINGLE DOCUMENT IDENTIFIER CODE L07 TRANSACTION.

2199 HGST-DOC-CTL-NBR-SEQ-NBR — HI_DCSN_SEQ_2199 — DLSC-SD — F — CHAR — 4

SEQUENCE NUMBER, HIGHEST DOCUMENT CONTROL NUMBER

FOR NORTH ATLANTIC TREATY ORGANIZATION (NATO) USE ONLY. THE LAST FOUR CHARACTERS OF THE DOCUMENT CONTROL SERIAL NUMBER (DRN 1000) OF THE HIGHEST DOCUMENT CONTROL NUMBER (DRN 1015) IN A GROUP OF RELATED DOCUMENT IDENTIFIER CODE LSA TRANSACTIONS COVERED BY A SINGLE DOCUMENT IDENTIFIER CODE L07 TRANSACTION.

2201 REPBL-CD-NWS — DLSC-SB — F — 1

NATIONAL WEATHER SERVICE REPAIRABILITY CODE

A DATA CHAIN OF MANAGEMENT CODES USED BY THE NATIONAL WEATHER SERVICE TO DESIGNATE CONTROLS WHICH ARE ESSENTIAL TO THE SUCCESSFUL OPERATIONS OF NWS-PECULIAR SYSTEMS.

2202 REPBL-CD-FAA — DLSC-SB — F — 1

FEDERAL AVIATION ADMINISTRATION REPARIABILITY CODE

A DATA CHAIN OF MANAGEMENT CODES USED BY THE FEDERAL AVIATION ADMINISTRATION TO DESIGNATE CONTROLS WHICH ARE ESSENTIAL TO THE SUCCESSFUL OPERATIONS OF FAA-PECULIAR SYSTEMS.

2203 MGMT-CTL-DATA-FAA — DLSC-SB — F — 7

FEDERAL AVIATION ADMINISTRATION MANAGEMENT CONTROL DATA

A FIELD CONTAINING SPACES TO ENSURE BLANK FAA MANAGEMENT CONTROL DATA IN SEGMENT H.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

2204 MGT-CTL-DATA-NWS — DLSC-SB — F — 7
NATIONAL WEATHER SERVICE MANAGEMENT CONTROL DATA
A FIELD CONTAINING SPACES TO ENSURE BLANK NWS MANAGEMENT CONTROL DATA IN SEGMENT H.

2211 DIC-REF — DIC_REF_2211 — DLSC-V — F — CHAR — 15
DIC REFERENCE
FIELD CONTAINS A MANUAL REFERENCE WHERE A PARTICULAR DIC IS DISCUSSED IN DETAIL.

2212 DIC-RLTD-FNCTNL-DSCPTN — DIC_TO_FD_2212 — DLSC-V — F — CHAR — 5
DIC RELATED FUNCTIONAL DESCRIPTION
FIELD CONTAINS A UNIQUE 5 CHARACTER NUMBER FOR A FUNCTIONAL DESCRIPTION THAT IS RELATED TO A PARTICULAR DIC.

2213 DIC-CSTDN-ALT — DIC_CSTDN_ALT_2213 — DLSC-V — F — CHAR — 15
DIC CUSTODIAN ALTERNATE
FIELD CONTAINS THE NAME OF THE PERSON WHO IS THE SECONDARY CUSTODIAN FOR A DIC. USUALLY LAST NAME AND FIRST INITIAL.

2214 DIC-CSTDN — DIC_CSTDN_2214 — DLSC-V — F — CHAR — 15
DIC CUSTODIAN
FIELD CONTAINS THE NAME OF THE PERSON WHO IS THE PRIMARY CUSTODIAN FOR A DIC. USUALLY LAST NAME AND FIRST INITIAL.

2219 INCR-NBR — INCR_NBR_2219 — DLSC-SBA — F — CHAR — 2
INCREMENT NUMBER
THIS FIELD CONTAINS A TWO POSITION NUMBER WHICH IS ASSIGNED TO A GROUP OF NIINS WHICH ARE TENTATIVELY GOING TO BE TRANSFERRED FROM A MILITARY SERVICE ACTIVITY TO A DLA/GSA ITEM MANAGER. BECAUSE OF THE LARGE VOLUMEOF NIINS INVOLVED IN THE TOTAL ITEM TRANSFER, THE NIINS WILL BE INCREMENTALLY PROCESSED IN GROUPS, BY MILITARY SERVICE ACTIVITY.

2221 RNAAC-IND — RNAAC_IND_2221 — DLSC-SBA — F — CHAR — 1
RNAAC INDICATOR
THIS DATA ELEMENT IS USED TO INDICATE IF AN ACTIVITY CAN BE REFERENCE NUMBER ACTION ACTIVITY (Y=YES AND N=NO).

2222 ORG-ACT-IND — ORG_ACT_IND_2222 — DLSC-SBA — F — CHAR — 1
ORIGINATING ACTIVITY INDICATOR
THIS DATA ELEMENT IS USED TO INDICATE IF AN ACTIVITY CAN BE AN ORIGINATING ACTIVITY (Y=YES AND N=NO).

2223 DROP-INDX-CD-MAINT — DROP_IN_MAINT_2223 — DLSC-SBA — F — CHAR — 2
DROP INDEX CODE MAINTENANCE
FILE MAINTENANCE DISTRIBUTION DROP INDEX CODE ASSOCIATED WITH AN ACTIVITY. THIS FIELD IS FILLED ONLY AS REQUIRED.

2224 DROP-INDX-CD-NOTIF — DROP_IN_NOTIF_2224 — DLSC-SBA — F — CHAR — 2
DROP INDEX CODE NOTIFICATION
NOTIFICATION DISTIRBUTION DROP INDEX CODE ASSOCIATED WITH ACTIVITY. THIS FIELD IS FILLED ONLY AS REQUIRED.

2225 DROP-INDX-CD — DROP_INDX_CD_2225 — DLSC-SBA — F — CHAR — 2
DROP INDEX CODE
DROP INDEX CODE FIELD TO INDICATE DISTRIBUTION FOR MAINTENANCE OR NOTIFICATION.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

2226 DROP-INDX-CD-TYP DROP_IN_TYP_2226 DLSC-SBA F CHAR 1
DROP INDEX CODE TYPE
THIS FIELD INDICATES TYPE ACTION USAGE FOR DROP CODE (M=MAINTENANCE AND N=NOTIFICATION).

2227 CTGY-CD-ACT-EXPLN CTGY_CD_ACT_X_2227 DLSC-SBA V VARCHAR 120
CATEGORY CODE ACTIVITY EXPLANATION
CLEAR TEXT EXPLANATION FOR THE CATEGORY CODE CONTAINED IN FIELD NAMED "CTGY-CD" (DRN 0905).

2228 IN-DP-AT-NSN DLSC-SB F 8
ITEM NAME DEPARTMENT ACTIVITY NSN
THE TOTAL QUANTITY OF NSNS ON FILE HAVING AN APPROVED OR NON-APPROVED ITEM NAME BROKEN OUT BY SUBMITTING ACTIVITY.

2229 IN-DP-NSN DLSC-SB F 8
ITEM NAME DEPARTMENT NSN
THE TOTAL QUANTITY OF NSNS ON FILE HAVING AN APPROVED OR NON-APPROVED ITEM NAME BROKEN OUT BY SUBMITTING DEPARTMENT.

2231 TBL-CSTDN-ALT TBL_CSTDN_ALT_2231 DLSC-V F CHAR 15
TABLE CUSTODIAN ALTERNATE
FIELD CONTAINS THE NAME OF THE PERSON WHO IS THE ALTERNATE CUSTODIAN FOR A TABLE. USUALLY LAST NAME AND FIRST INITIAL.

2232 TBL-CSTDN TBL_CSTDN_2232 DLSC-V F CHAR 15
TABLE CUSTODIAN
FIELD CONTAINS THE NAME OF THE PERSON WHO IS THE PRIMARY CUSTODIAN FOR A TABLE. USUALLY LAST NAME AND FIRST INITIAL.

2233 TBL-RSPNSBL-DRCTRT TBL_RSP_DIR_2233 DLSC-V F CHAR 6
TABLE RESPONSIBLE DIRECTORATE
FIELD CONTAINS DIRECTORATE OFFICE SYMBOL RESPONSIBLE FOR CONTENTS OF A TABLE. MORE THAN ONE DIRECTORATE MAY BE RESPONSIBLE FOR THE CONTENTS OF A TABLE.

2234 IANDS-FAMILY-SIZE IANS_SIZE_2234 DLSC-SB F INTEGER 4
INTERCHANGEABILITY SUBSTITUTABILITY FAMILY SIZE
THIS REPRESENTS THE GROUPING FOR EACH I AND S FAMILY SIZE THAT IS USED IN STATISTICS.

2235 LBL-ID LBL_ID_2235 DLSC-V F CHAR 2
LABEL IDENTIFICATION
A TWO POSITION ALPHABETIC CODE THAT DESIGNATES THE SERVICE ENTITY WHO OWNS THE DATA. ONLY THE AMLS PROGRAM MANAGER IS AUTHORIZED TO ADD NEW USERS.

2237 CHARAS-A-MODE-RPLY DLSC-SCA V 990
CHARACTERISTICS A MODE REPLY
THE RESPONSE TO AN A MODE CODE OR A J MODE CODE WITH AN A MODE VARIABLE MASTER REQUIREMENT CODE (MRC). THE VARIABLE REPLY IS CLEAR TEXT CONSISTING OF ANY COMBINATION OF WORDS, NUMERALS AND/OR SYMBOLS.

2238 CHARAS-B-MODE-RPLY DLSC-SCA V 11

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

CHARACTERISTICS B MODE REPLY
THE RESPONSE TO A B MODE CODE OR A J MODE CODE WITH A B MODE VARIABLE MASTER REQUIREMENT CODE (MRC). THE VARIABLE REPLY IS IN NUMERIC DECIMAL FORM WITH A MINIMUM OF ONE DIGIT PRECEDING AND SUCCEEDING THE DECIMAL. NEGATIVE VALUES WILL BE PRECEDED BY AN "M".

2239 CHARAS-F-MODE-RPLY DLSC-SCA V 23
CHARACTERISTICS F MODE REPLY
THE RESPONSE TO A F MODE CODE OR A J MODE CODE WITH A F MODE VARIABLE MASTER REQUIREMENT CODE (MRC). THE VARIABLE REPLY IS A RANGE SHOWN IN NUMERIC DECIMAL FORM WITH A MINIMUM OF ONE DIGIT PRECEDING AND SUCCEEDING THE DECIMAL WITH A SLASH MARK SEPARATING THE RANGE VALUES. EACH VALUE IS PRECEDED BY EITHER AN "M" OR "P".

2240 DT-CANC-NIIN DLSC-SB F 5
DATE, CANCELLATION, NATIONAL ITEM IDENTIFICATION NUMBER
THE YEAR AND JULIAN DAY THAT A NATIONAL ITEM IDENTIFICATION NUMBER WAS CANCELLED, E.G. 71011

2241 GEN-INFO-NBR DLSC-SC V 2
GENERAL INFORMATION NUMBER
THE NUMBER CONTAINED IN A FILE WHICH IDENTIFIES THE SPECIFIC GENERAL INFORMATION INTRODUCTION NECESSARY FOR PROCESSING THE FEDERAL ITEM IDENTIFICATION GUIDE (FIIG) AND THE LOGISTICS NAME DESCRIPTIVE GUIDE (LNDG).

2242 RPLY-INST DLSC-SC V 9999
REPLY INSTRUCTION
A NARRATIVE WHICH CONTAINS THE INSTRUCTIONS REQUIRED TO STRUCTURE AND FORMAT THE MILITARY STANDARD ITEM CHARACTERISTICS CODING STRUCTURE (MILSTICCS) ENCODED DATA FOR THE FEDERAL ITEM IDENTIFICATION GUIDE (FIIG) AND THE LOGISTICS NAME DESCRIPTIVE GUIDE (LNDG).

2243 TECH-DATA-TBL-NBR DLSC-SC V 2
TECHNICAL DATA TABLE NUMBER
THE NUMBER CONTAINED IN A FILE WHICH IDENTIFIES THE SPECIFIC TECHNICAL DATA TABLE NECESSARY FOR PROCESSING THE FEDERAL ITEM IDENTIFICATION GUIDE (FIIG) AND THE LOGISTICS NAME DESCRIPTIVE GUIDE (LNDG).

2244 ENG-NBR DLSC-SC F 13
ENGINE NUMBER
A UNIQUE IDENTIFIER FOR NAVY AIRCRAFT ENGINES.

2245 SUPLR-NM DLSC-V F 32
SUPPLIER NAME
THE NAME OF ESTABLISHMENTS WHICH EITHER FABRICATES ITEMS OF PRODUCTION AND/OR HAVE DESIGN CONTROL OF ITEMS PROCURED BY THE FEDERAL GOVERNMENT.

2246 INQ-NBR DLSC-V F 3
INQUIRY NUMBER
THE NUMBER IDENTIFYING A SPECIFIC FEDERAL LOGISTICS BATCH INQUIRY.

2247 SVC-AGCY DLSC-V F 9
SERVICE AGENCY
THE NAME OF THE SERVICE OR AGENCY.

2248 BTCH-NM DLSC-V F 11
BATCH NAME

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE NAME ASSIGNED BY THE REQUESTER FOR A FEDERAL LOGISTICS BATCH INQUIRY.

2249 SHPG-CD — DLSC-V — F — 6
SHIPPING CODE
A CODE THAT UNIQUELY IDENTIFIES THE ACTIVITY TO WHICH A REPAIRABLE ITEM SHOULD BE SHIPPED.

2254 COCO-NBR — COCO_NBR_2254 — DLSC-SB — F — SMALLINT — 3
CONVERSION CONSTANT NUMBER
THE COCO-NBR IS AN ASSIGNED VALUE USED TO RETRIEVE THE CONVERSION CONSTANT (COCO) WHICH IS THE NUMERIC VALUE USED TO CONVERT THE NUMERIC PORTION OF A UNIT OF MEASUREMENT'S REPLY BY MATHEMATICAL COMPUTATIONS.

2257 RNG-MAT-CRITE — DLSC-SCA — V — 9999
RANGE AND MATERIAL CRITERIA
THIS DATA IS USED BY THE SECTION II APPLICATION IN ITS DECISION PROCESS TO IDENTIFY LIKE ITEMS WITHIN THE FLIS SYSTEM CHARACTERISTICALLY. MAX LENGTH IS 63,000 CHARACTERS.

2259 MDLS-PN — MDLS_PN_2259 — DLSC-V — V — CHAR — 32
PART NUMBER FOR MEDALS
AN IDENTIFYING NUMBER ASSIGNED BY AN ORIGINAL DESIGN ACTIVITY OR PREPARING ACTIVITY TO AN ITEM WHOSE ENGINEERING DATA DOCUMENT IS ENTERED INTO MEDALS. (NOTE: THIS NUMBER MAY OR MAY NOT HAVE A RELATIONSHIP TO AN "ITEM OF SUPPLY" OR "ITEM OF PRODUCTION", AS THE PART NUMBER MAY NOT NECESSARILY BE STOCKLISTED OR ASSOCIATED IN ANY WAY WITH A STOCK NUMBER.)

2260 DT-LST-MOE-RULE-NBR-WTHD — DT_LST_MRN_2260 — DLSC-SB — F — INTEGER — 7
DATE, LAST MAJOR ORGANIZATIONAL ENTITY RULE NUMBER WITHDRAWN
THE YEAR AND JULIAN DAY THAT THE LAST MAJOR ORGANIZATIONAL ENTITY /MOE/ RULE NUMBER WAS WITHDRAWN FROM AN ITEM ETC., E.G. 65234. REQUIRED FOR REPORTING AND SUSPENSE FILE PURGE ACTIONS. STORED FIELD ALLOWS FOR THE CENTURY IN THE FORM CCYYDDD AND MAY BE IGNORED FOR INPUT/OUTPUT.

2262 DT-OE-RCD-ESTB — DT_OE_RCD_EST_2262 — DLSC-SC — F — INTEGER — 7
DATE, ORGANIZATIONAL ENTITY RECORD ESTABLISHED
THE YEAR AND JULIAN DAY THAT THE ORGANIZATIONAL ENTITY RECORD WAS ESTABLISHED IN THE SYSTEM SUPPORT RECORD, E.G., 71011. THIS DATE IS PERMANENTLY RETAINED IN THE FILE. STORED FIELD ALLOWS FOR THE CENTURY IN THE FORM CCYYDDD AND MAY BE IGNORED FOR INPUT/OUTPUT.

2272 MDLS-CAGE-CD — MDLS_CAGE_CD_2272 — DLSC-V — F — CHAR — 5
CAGE CODE FOR MEDALS
A FIVE POSITION ALPHA/NUMERIC CODE ISSUED BY THE FEDERAL GOVERNMENT TO IDENTIFY AN ENTITY, AND WHICH IS PERMANENTLY ASSIGNED BY AN ORIGINAL DESIGN ACTIVITY OR PREPARING ACTIVITY TO A DOCUMENT THAT IS INPUT TO MEDALS. IT IS USED WITH A MEDALS-DOC-NBR TO FORM A TWO PART COMBINATION OF NUMBERS THAT ESTABLISHED A UNIQUE, PERMANENT DRAWING OR DOCUMENT IDENTIFICATION IAW MIL-STD-100 AND INDUSTRY STANDARDS. IN CASE OF CONFLICT WITH A CAGE SHOWN IN THE STOCKLIST, THE ASSIGNED DOCUMENT OR DRAWING CAGE CODE SHALL PREVAIL FOR IDENTIFICATION.

2274 MDLS-ASGND-NIIN — MDLS_ASG_NIIN_2274 — DLSC-V — F — CHAR — 9
ASSIGNED NIIN FOR MEDALS
A NINE DIGIT NUMBER ASSIGNED TO EACH APPROVED ITEM, WHICH MAY OR MAY NOT BE IDENTICAL TO THE NUMBER ASSIGNED UNDER THE FEDERAL CATALOGING PROGRAM, INPUT TO MEDALS TO AID IN LOCATING DATA ASSETS.

2279 MOE-BATCH-DEL-ERR-CT — DLSC-S — F — 5
MOE BATCH DELETE ERROR COUNT

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THIS IS THE DATA ELEMENT WHICH REPRESENTS THE MOE RULE FROM THE MOE RULE MSTR FILE AS A RESULT OF EFFECTIVE DATED DELETE PROCESSING ACTION, FOR A PARTICULAR TIME FRAME.

2281 SUBSTUT-INC — DLSC-SB — F — 5
SUBSTITUTE ITEM NAME CODE
THIS DATA IS USED IN THE GUIDE UPDATE SYSTEM TO IDENTIFY ALL ITEM NAME CODES WITH JUST ONE VALUE.

2282 SEQ-INSRT-CD — DLSC-SB — F — 1
SEQUENCING INSERT CODE
THIS ALPHA CODE IS USED IN CONJUNCTION WITH THE CARD-SEQUENCE-CODE. THIS CODE ALLOWS UP TO 24 ADDITIONAL LINES OF DATA TO BE INSERTED BETWEEN CARD-SEQUENCE-CODES CURRENTLY RESIDING ON THE SECTION II GUIDE.

2283 MAJ-MCC-AR-EXPLN — MAJ_MCC_AR_EX_2283 — DLSC-SB — V — VARCHAR — 200
MAJOR MATERIEL CATEGORY CODE, ARMY
A CLRTXT DEFINITION OF THE MAJOR MATERIEL CATEGORY CODE, ARMY (DRN 9256)

2284 SHPG-CTNR-CU — DLSC-VO — F — 4
SHIPPING CONTAINER CUBE
THE VOLUME (IN CUBIC FEET) OF THE SHIPPING/STORAGE CONTAINER AND ITS CONTENTS TO THE NEAREST TENTH OF A CUBIC FOOT.

2286 RPTY-ID-TI — RPTY_ID_TI_2286 — DLSC-V — F — CHAR — 3
REPOSITORY IDENTIFIER FOR TITLE
A CODE INDICATING THE REPOSITORY RECORDED ON A MEDALS TITLE OF A DATA ASSET IDENTIFIER. THERE CAN BE ONLY ONE TITLE RECORDED ON A DATA ASSET IDENTIFIER.

2287 MDLS-CAGE-CD-PN — MDLS_CAGE_PN_2287 — DLSC-V — F — CHAR — 5
MEDALS CAGE CODE FOR PART NUMBER
THE CAGE CODE PERMANENTLY ASSIGNED BY THE ORIGINAL DESIGN ACTIVITY OR PREPARING ACTIVITY TO A PART OR ITEM. THIS NUMBER MUST AGREE WITH THE "CAGE CODE FOR MEDALS" ASSIGNED TO DOCUMENTS IAW WITH MIL-STD-100C, MIL-STD-100E, MIL-STD-1915, AND ASMEY14.100.

2288 MDLS-PREF-MED-CD — MDLS_PRF_MD_C_2288 — DLSC-V — F — CHAR — 2
MEDALS PREFERRED MEDIA CODE
A CODE USED TO IDENTIFY THE PREFERRED MODE/MEDIA OF DATA ASSET OUTPUT AVAILABLE AT THE REPOSITORY FOR MEDALS USERS.

2289 MDLS-MED-CD — MDLS_MED_CD_2289 — DLSC-V — F — CHAR — 2
MEDALS MEDIA CODE
A CODE INDICATING THE FORMS OF MEDIA PREFERRED BY THE TECHNICAL DATA REPOSITORY PROVIDING DRAWING REPRINTS. ONLY TWO CODES ARE USED IN THE MEDALS, "AC" FOR APERTURE CARD AND "HC" FOR HARDCOPY.

2291 FIIG-INC-INPUT-WK — FIIG_STAT_CNT_2291 — DLSC-SBA — F — INTEGER — 8
FIIG INC INPUT WEEKLY
WEEKLY QUANTITY OF TRANSACTIONS RECEIVED BY FIIG AND INC COMBINATION FOR NIIN ASSIGNMENT, REINSTATEMENT OR CHANGE.

2292 FIIG-INC-P-MTCH-WK — FIIG_STAT_CNT_2292 — DLSC-SBA — F — INTEGER — 8
FIIG INC POSSIBLE MATCH WEEK

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

WEEKLY QUANTITY OF REQUESTS FOR NIIN ASSIGNMENT, REINSTATEMENT OF FII, REVISION OF FII, REVISION (ADJUSTMENT) OF AN FII, TRANSFER OF FII OR ADDITION, DELETION OR CHANGE OF REFERENCE NUMBER(S) AND RELATED DATA, OR AN ATTEMPT TO TRANSFER A REFERENCE NUMBER AS A RESULT OF YOUR CANCEL-DUPLICATION ACTION, REVEALED DURING PROCESSING TO BE A DUPLICATE OF AN EXISTING FII BY FIIG AND INC COMBINATION.

2293 FIIG-INC-A-MTCH-WK FIIG_STAT_CNT_2293 DLSC-SBA F INTEGER 8
FIIG INC ACTUAL MATCH WEEK
WEEKLY QUANTITY OF REQUESTS FOR NIIN ASSIGNMENT, REINSTATEMENT OF FII, REVISION OF FII, REVISION (ADJUSTMENT) OF AN FII, TO TRANSFER FII OR ADDITION, DELETION OR CHANGE OF REFERENCE NUMBER(S) AND RELATED DATA, OR AN ATTEMPT TO TRANSFER A REFERENCE NUMBER AS A RESULT OF YOUR CANCEL-DUPLICATION ACTION, REVEALED DURING PROCESSING TO BE AN ACTUAL DUPLICATE OF AN EXISTING FII BY FIIG AND INC COMBINATION.

2294 FIIG-INC-MTCH-WK DLSC-SBA F 8
FIIG INC MATCH WORK
TOTAL QUANTITY OF ACTUAL AND POSSIBLE MATCHES BY FIIG FOR A WEEK.

2295 FIIG-INC-NEW-INPUT-WK FIIG_STAT_CNT_2295 DLSC-SBA F INTEGER 8
FIIG INC NEW INPUT WEEK
WEEKLY QUANTITY OF REQUESTS FOR NEW NIIN ASSIGNMENT BY FIIG AND INC COMBINATION.

2296 FIIG-INC-NEW-MTCH-WK FIIG_STAT_CNT_2296 DLSC-SBA F INTEGER 8
FIIG INC NEW MATCH WEEK
WEEKLY QUANTITY OF REQUESTS FOR A NEW NIIN ASSIGNMENT THAT HAVE ACTUAL OR POSSIBLE MATCHES BY FIIG AND INC COMBINATION.

2297 FIIG-INC-MAINT-INPUT-WK FIIG_STAT_CNT_2297 DLSC-SBA F INTEGER 8
FIIG INC MAINTENANCE INPUT WEEK
WEEKLY QUANTITY OF MAINTENANCE INPUT TRANSACTIONS FOR AN INC BY FIIG AND INC COMBINATION.

2298 FIIG-INC-MAINT-MTCH-WK FIIG_STAT_CNT_2298 DLSC-SBA F INTEGER 8
FIIG INC MAINTENANCE MATCH WEEK
WEEKLY QUANTITY OF MATCHES OF MAINTENANCE INPUT TRANSACTIONS FOR AN INC BY FIIG AND INC COMBINATION.

2299 FIIG-INC-9001-USAGE-WK FIIG_STAT_CNT_2299 DLSC-SBA F INTEGER 8
FIIG INC 9001 USAGE WEEK
WEEKLY QUANTITY OF PAC 9001 (OVERRIDE) ACTIONS RECEIVED ON TRANSACTIONS SUBMITTED BY FIIG AND INC COMBINATION.

2300 DT-STDZN-DEC DT_STDZN_DEC_2300 DLSC-SB F INTEGER 7
DATE, STANDARDIZATION DECISION
THE LAST RECORDED YEAR AND JULIAN DAY WHEN STANDARDIZATION WAS APPLIED TO AN ITEM UNDER THE DEPARTMENT OF DEFENSE STANDARDIZATION PROGRAM, E.G., 71019. STORED FIELD ALLOWS FOR THE CENTURY IN THE FORM CCYYDDD AND MAY BE IGNORED FOR INPUT/OUTPUT.

2301 SHRT-NM SHRT_NM_2301 DLSC-SB F CHAR 19
SHORT NAME
A SHORTENED VERSION OF APPROVED, COLLOQUIAL, NON-APPROVED NAME USED FOR COMPARISON PURPOSES.

2303 NM-CD NM_CD_2303 DLSC-SB F CHAR 5
NAME CODE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

GENERIC CODE FOR APPROVED, COLLOQUIAL, BASIC OR INDEX ENTRY NAMES. ITM-NM-TYP-CD WILL BE USED TO DIFFERENTIATE NAMES.

2304 NM-FLD — DLSC-SB — V — 1762

NAME FIELD

A GENERIC FIELD USED TO DESCRIBE APPROVED, COLLOQUIAL, BASIC OR INDEX ENTRY NAMES.

2308 DCODD-ISAC-RPLY-STMT — DCOD_ISAC_RPY_2308 — DLSC-SC — V — VARCHAR — 379

DECODED ISAC REPLY STATEMENT

A DATA FIELD IN THE MRD/DECODE WHICH REFLECTS THE DECODED REPLY STATEMENT FOR A PARTICULAR IDENTIFIED SECONDARY ADDRESS CODE (ISAC) REPLY CODE. USED TO PRINT REPLY CODES FOR ISAC IN CLEAR TEXT FORM IN A DD FORM 146, M SEGMENT, A COMMERCIAL ITEM DESCRIPTION AND AN IDENTIFICATION LIST DESCRIPTION.

2309 DCODD-STYL-RPLY-STMT — DCOD_STYL_RPY_2309 — DLSC-SC — V — VARCHAR — 379

DECODED STYLE REPLY STATEMENT

A DATA FIELD IN THE MRD/DECODE WHICH REFLECTS THE DECODED REPLY STATEMENT FOR A PARTICULAR STYLE REPLY CODE. USED TO PRINT REPLY CODES FOR STYLES IN CLEAR TEXT FORM IN A DD FORM 146, M SEGMENT, A COMMERCIAL ITEM DESCRIPTION AND AN IDENTIFICATION LIST DESCRIPTION.

2310 DT-TRAN — DT_TRAN_2310 — DLSC-SB — F — INTEGER — 7

DATE, TRANSACTION

THE YEAR AND JULIAN DAY AN ORGANIZATIONAL ENTITY (OE) GENERATES A TRANSACTION TO THE FEDERAL LOGISTICS INFORMATION SYSTEM DATA BANK OR TO ANOTHER OE, E.G. 71019. THIS DATE MAY DIFFER FROM THE DATE THE TRANSACTION IS FORWARDED TO OR RECEIVED BY A COMMUNICATIONS SYSTEM OR ACTUALLY TRANSMITTED. STORED FIELD ALLOWS FOR THE CENTURY IN THE FORM CCYYDDD AND MAY BE IGNORED FOR INPUT/OUTPUT.

2311 CLBRTN-MKR — DLSC-SD — F — 1

CALIBRATION MARKER

A ONE ALPHANUMERIC CODE IDENTIFYING WHERE AN ITEM REQUIRED TO BE CALIBRATED (SEE SUB-SECTION 553, PAGE V-238Z101). FOR NATO USE.

2312 CTGY-MAT — DLSC-SD — F — 1

CATEGORY OF MATERIAL

A ONE NUMERIC CODE IDENTIFYING STANDARD HARDWARE ITEMS, CONSUMABLES OR RAW AND SEMI-FABRICATED MATERIALS (SEE SUB-SECTION 553, PAGE V-238Z102). FOR NATO USE.

2313 WT-PKG-UNIT — DLSC-SD — F — 7

WEIGHT OF PACKAGED UNIT

A 7 ALPHANUMERIC CODE SHOWING THE WEIGHT UNIT AND GROSS WEIGHT OF AN ITEM WITH PACKAGING (SEE SUB-SECTION 553, PAGE V-238Z103). FIRST 2 POSITIONS - WEIGHT UNIT USED. NEXT 5 POSITIONS - GROSS WEIGHT (RIGHT JUSTIFIED). FOR NATO USE.

2314 WT-UNPKG-UNIT — DLSC-SD — F — 7

WEIGHT OF UNPACKAGED UNIT

A 7 ALPHANUMERIC CODE SHOWING THE WEIGHT UNIT AND GROSS WEIGHT OF AN ITEM WITHOUT PACKAGING (SEE SUB-SECTION 553, PAGE V-238Z104). FIRST 2 POSITIONS - WEIGHT UNIT USED. NEXT 5 POSITIONS - GROSS WEIGHT (RIGHT JUSTIFIED). FOR NATO USE.

2315 INIT-PRCSG-DT — DLSC-V — F — 8

INITIAL PROCESSING DATE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THIS DATE REPRESENTS THE SCHEDULED PROCESSING DAY OF AN IL PUBLICATION. IT IS CONTROLLED BY THE PROGRAM MANAGER THROUGH THE UTILIZATION OF DIC LGH AND APPEARS IN FILENAME LDLASCHD. THIS INFORMATION IS ALSO DISPLAYED ON THE MICROFICHE EYE READABLE HEADER PORTION OF AN IL PUBLICATION.

2316 BSC-OR-CHNG-BULTN-IND — DLSC-V — F — 3
BASIC OR CHANGE BULLETIN INDICATOR
THE FIRST TWO POSITIONS INDICATE THE TYPE OF IL PUBLICATION BEING PRODUCED, BASIC (BA) OR CHANGE BULLETIN (CB). THE LAST POSITION TELLS THE NUMBER OF BA OR CB WHICH HAVE BEEN PRODUCED DURING A PUBLICATION CYCLE. IT IS CONTROLLED BY THE PROGRAM MANAGER THROUGH THE UTILIZATION OF DIC LGH AND APPEARS IN FILENAME LDLASCHD. THIS INFORMATION IS ALSO DISPLAYED ON THE MICROFICHE EYE READABLE HEADER PORTION OF AN IL PUBLICATION.

2317 EDIT-NARRATIVE-DATA — DLSC-V — V — 113
EDIT NARRATIVE DATA
THE EDIT NARRATIVE DATA IS CONTAINED WITHIN DOCUMENT IDENTIFIER CODE LGZ, FILENAME LDOLILDF (IDENTIFICATION LIST GUIDES). THIS DRN CAN CONTAIN ALPHAS, NUMERICS, SPECIAL CHARACTERS, AND DRN 0510 (REPLY TABLE DECODE SEQUENCE NUMBER). THE PURPOSE OF THIS DRN IS TO PRODUCE A CLEAR TEXT NARRATIVE STATEMENT DURING DECODE PROCESSING.

2318 CONV-GD-SKLTN-BDY — CONV_SLTN_BDY_2318 — DLSC-S — F — VARCHAR — 57
CONVERSION GUIDE SKELETON BODY
THIS DATA IS THE MAIN PORTION OF THE STANDARD FORMULAS USED BY THE SECTION II APPLICATION TO CONVERT ENCODED DATA.

2319 SKELETON-CODE — SKEL_CODE_2319 — DLSC-S — F — CHAR — 2
SKELETON CODE
THIS DATA IS USED AS THE ACCESS KEY TO THE CONVERSION GUIDE SKELETONS.

2322 SHPG-CTNR-LGTH — DLSC-VO — F — 6
SHIPPING CONTAINER LENGTH
THE OVERALL LENGTH (IN INCHES) OF THE SHIPPING/STORAGE CONTAINER AND ITS CONTENTS TO THE NEAREST HUNDREDTH OF OF AN INCH.

2344 MDLS-TI — MDLS_TI_2344 — DLSC-V — V — CHAR — 19
MEDALS TITLE
A CLEAR TEXT WORD OR PHRASE THAT DESCRIBES A DATA ASSET IDENTIFIER (DAI). ONLY ONE TITLE IS ALLOWED PER DAI ON THE MEDALS DATA BASE AND THE REPOSITORY IDENTIFIER RECORDED AGAINST THE MDLS-TI IS THE ONLY ONE THAT CAN MAKE CHANGES TO THE MDLS-TI.

2345 RPTY-ID-CAGE-PN — RPTY_ID_CG_PN_2345 — DLSC-V — F — CHAR — 3
REPOSITORY IDENTIFIER FOR CAGE CODE AND PART NUMBER
A CODE INDICATING THE REPOSITORY RECORDED ON A MDLS-CAGE-CD-PN NUMBER OF A DATA ASSET IDENTIFIER. A REPOSITORY MUST BE RECORDED ON A MDLS-CAGE-CD-PN ASSOCIATED WITH A DAI IN ORDER TO MAKE ANY CHANGES TO THAT MDLS-CAGE-CD-PN.

2346 RPTY-ID-NIIN — RPTY_ID_NIIN_2346 — DLSC-V — F — CHAR — 3
REPOSITORY IDENTIFIER FOR NIIN
A CODE INDICATING A REPOSITORY RECORDED ON A MDLS-ASGND-NIIN OF A DATA ASSET IDENTIFIER (DAI). A REPOSITORY MUST BE RECORDED ON A MDLS-ASGND-NIIN ASSOCIATED WITH A DAI IN ORDER TO MAKE ANY CHANGES TO THAT MDLS-ASGND-NIIN.

2347 UNIT-MEAS-TRM — UNIT_MEAS_TRM_2347 — DLSC-SB — F — CHAR — 20
UNIT MEASURE TERM
CLEAR TEXT WORD REPRESENTED BY UNIT-MEAS-CD (DRN 0107) AS USED IN VOL 10 TABLE 81.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	FORMAT FV	TYPE	LG
CLEAR TEXT HOST/COBOL NAME						
DRN DEFINITION						

2348 ISAC-PRES-CD — ISAC_PRES_CD_2348 — DLSC-SC — F — CHAR — 1

ISAC PRESENCE CODE

A CODE WHICH DESIGNATES THE MANDATORY USAGE OF ISAC. IT FORCES COMPATIBILITY BETWEEN RELATIONSHIP MRC(S) AND MUST BE PRESENT MRC(S). THE VALID VALUES ARE I = ISAC IS PRESENT, BLANK = ISAC IS NOT PRESENT.

2349 MMC-GSA — MMC_GSA_2349 — DLSC-SBA — F — CHAR — 2

MATERIEL MANAGEMENT CODE FOR GSA

A GSA CODE USED TO CLASSIFY ITEMS INTO CATEGORY(S) BY MATERIEL COMMODITY CODE FOR GSA MANAGEMENT PURPOSES. A TWO POSITION ALPHABETIC CODE USED AS A MATERIEL MANAGEMENT CODE FOR GSA. CODES IDENTIFY MANAGERS OF SPECIFIC ITEMS AND NATIONAL STOCK NUMBERS, AND APPLY TO SYSTEMS, PROGRAMS, AGGREGATION OF RELATED EQUIPMENT, AND SELECTED FEDERAL SUPPLY CLASSES.

2385 ITM-PER-PLT — DLSC-VO — F — 7

ITEMS PER PALLET

THE TOTAL NUMBER OF ITEMS ON/IN THE PALLETIZED OR UNITIZED LOAD.

2386 UN-ORG-SER-NBR — DLSC-VO — F — 4

UNITED NATIONS ORGANIZATION SERIAL NUMBER

A CODE, INTERNATIONALLY RECOGNIZED, ASSIGNED WITHIN THE UNITED NATIONS ORGANIZATION RECOMMENDATIONS TO DESIGNATE THE ITEM. (CFR-49, PART 172-101)

2387 DOT-CL — DLSC-VO — F — 1

DEPARTMENT OF TRANSPORTATION CLASS

A SINGLE POSITION PSEUDO CODE THAT CORRELATES TO THE DOT CLASS ASSIGNED IN ACCORDANCE WITH THE HAZARDOUS MATERIALS REGULATION OF THE DOT. TWO CLASS MAY APPLY TO A SINGLE ITEM.

2388 DOT-LBL — DLSC-VO — F — 1

DEPARTMENT OF TRANSPORTATION LABEL

A SINGLE POSITION PSEUDO CODE THAT CORRELATES TO THE DOT LABEL APPEARING ON THE SHIPPING CONTAINER AS REQUIRED BY THE DOT. MORE THAN ONE LABEL MAY APPLY TO A SINGLE ITEM.

2389 DOT-MKG — DLSC-VO — F — 2

DEPARTMENT OF TRANSPORTATION MARKING

A TWO POSITION PSEUDO CODE THAT CORRELATES TO THE REQUIRED DOT MARKING AND PROPER SHIPPING NAME ASSIGNED TO A SPECIFIC ITEM.

2390 SHPG-CTNR-PER-PLT — DLSC-VO — F — 2

SHIPPING CONTAINERS PER PALLET

THE TOTAL NUMBER OF SHIPPING/STORAGE CONTAINERS ON/IN THE PALLETIZED OR UNITIZED LOAD.

2391 PLT-WT — DLSC-VO — F — 5

PALLET WEIGHT

THE TOTAL WEIGHT (IN POUNDS) OF THE PALLETIZED OR UNITIZED LOAD TO THE NEAREST POUND.

2392 PLT-LGTH — DLSC-VO — F — 6

PALLET LENGTH

THE OVERALL LENGTH (IN INCHES) OF THE PALLET AND ITS CONTENTS TO THE NEAREST HUNDREDTH OF AN INCH.

2393 PLT-WDTH — DLSC-VO — F — 6

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

PALLET WIDTH
THE OVERALL WIDTH (IN INCHES) OF THE PALLET AND ITS CONTENTS TO THE NEAREST HUNDREDTH OF AN INCH.

2394 PLT-HT — DLSC-VO — F — 6
PALLET HEIGHT
THE OVERALL HEIGHT (IN INCHES) OF THE PALLET AND ITS CONTENTS TO THE NEAREST HUNDREDTH OF AN INCH.

2395 PLT-CU — DLSC-VO — F — 4
PALLET CUBE
THE VOLUME (IN CUBIC FEET) OF THE PALLET AND ITS CONTENTS TO THE NEAREST TENTH OF A CUBIC FEET.

2398 CG-CL — DLSC-VO — F — 4
COAST GUARD CLASS
A FOUR POSITION CODE ASSIGNED FOR WATER TRANSPORTATION OF MILITARY EXPLOSIVE OR HAZARDOUS MUNITION ITEMS (SEE CFR 46, PART 146, RULES AND REGULATIONS FOR MILITARY EXPLOSIVES AND HAZARDOUS MATERIALS).

2399 LD-STWG-CD — DLSC-VO — F — 2
LOAD STOWAGE CODE
A TWO POSITION CODE INDICATING THE STOWAGE COMPATIBILITY OF HAZARDOUS MATERIALS FOR AIR SHIPMENT.

2401 KYWD — KYWD_2401 — DLSC-V — F — VARCHAR — 80
KEYWORD SEARCH
THIS PROVIDES TEXTUAL DATA FROM THE DIDS PROCEDURES SYSTEM BASED UPON KEYWORD SEARCH. OCCURRENCE MAY BE FROM ONE TO AN INDEFINITE NUMBER OF TIMES, AS REQUIRED, IN A REPLY TO A USER'S REQUEST.

2402 LRN-GRD-TOT-YRLY-TOT — DLSC-SB — F — 6
LOGRUN GRAND TOTAL YEARLY TOTAL
THE GRAND TOTAL OF ALL TRANSACTIONS SUBMITTED FOR A GIVEN YEAR. GRAND TOTAL FISCAL YEAR TOTAL IS THE GRAND TOTAL OF ALL TRANSACTIONS SUBMITTED IN A FISCAL YEAR.

2403 E-MAIL-MSG-ID — E_M_MSG_ID_2403 — DLSC-SB — F — CHAR — 3
E MAIL MESSAGE IDENTIFIER
A CODE THAT WILL IDENTIFY A PARTICULAR MESSAGE.

2405 RECORD-ID — RECORD_ID_2405 — DLSC-V — F — CHAR — 3
RECORD IDENTIFIER
TEXTUAL DATA FROM A PARTAICULAR TABLE, SEGMENT, ETC., FOR A TRANSACTION DONE THROUGH THE ON-LINE PROCEDURES SYSTEM. OCCURRENCE MAY BE FROM ONE TO AN INDEFINITE NUMBER OF TIMES, AS REQUIRED, IN A REPLY TO A USER'S REQUEST. ALL INFORMATION CONTAINED IN THE CURRENT DOD 4100.39-M, VOL 8, 9, 10, 11, AND 16 WILL BE CODED.

2408 LRN-DEPT-QTR-4-TOT — DLSC-SB — F — 6
LOGRUN DEPARTMENT QUARTER 4 TOTAL
THE SUM OF ALL TRANSACTIONS SUBMITTED BY A DEPARTMENT FOR THE MONTHS OF OCTOBER, NOVEMBER AND DECEMBER. DEPARTMENT FISCAL QUARTER 1 IS EQUAL TO LRN-DEPT-QTR-4-TOT OF THE PREVIOUS YEAR.

2409 LRN-DEPT-YRLY-TOT — DLSC-SB — F — 6
LOGRUN DEPARTMENT YEARLY TOTAL
THE SUM OF ALL TRANSACTIONS SUBMITTED BY A DEPARTMENT FOR A GIVEN YEAR. DEPARTMENT FISCAL YEAR TOTAL IS THE SUM OF ALL TRANSACTIONS SUBMITTED BY A DEPARTMENT IN A FISCAL YEAR.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	FORMAT FV	FORMAT TYPE	FORMAT LG
	CLEAR TEXT HOST/COBOL NAME					
	DRN DEFINITION					
2410	LRN-ACT-DLY-TOT	LRN_STAT_CNT_2410	DLSC-SB	F	INTEGER	6
	LOGRUN ACTIVITY DAILY TOTAL					
	THE SUM OF ALL LOGRUN TRANSACTIONS SUBMITTED BY AN ACTIVITY EACH DAY.					
2411	LRN-ACT-WKLY-TOT		DLSC-SB	F		6
	LOGRUN ACTIVITY WEEKLY TOTAL					
	THE SUM OF ALL LOGRUN TRANSACTIONS SUBMITTED BY AN ACTIVITY FOR A WEEK.					
2412	LRN-ACT-QTR-2-TOT		DLSC-SB	F		6
	LOGRUN ACTIVITY QUARTER 2 TOTAL					
	THE SUM OF ALL TRANSACTIONS SUBMITTED BY AN ACTIVITY FOR THE MONTHS OF APRIL, MAY AND JUNE.					
2413	LRN-ACT-MTHLY-TOT		DLSC-SB	F		6
	LOGRUN ACTIVITY MONTHLY TOTAL					
	THE SUM OF ALL LOGRUN TRANSACTIONS SUBMITTED BY AN ACTIVITY FOR A MONTH.					
2414	LRN-ACT-QTR-1-TOT		DLSC-SB	F		6
	LOGRUN ACTIVITY QUARTER 1 TOTAL					
	THE SUM OF ALL TRANSACTIONS SUBMITTED BY AN ACTIVITY FOR THE MONTHS OF JANUARY, FEBRUARY AND MARCH.					
2416	APPL-CD	APPL_CD_2416	DLSC-V	F	CHAR	3
	APPLICATION CODE					
	THIS PROVIDES TEXTUAL DATA FROM THE FLIS PROCEDURES SYSTEM BASED UPON SPECIFIC APPLICATION. OCCURRENCE MAY BE FROM ONE TO AN INDEFINITE NUMBER OF TIMES, AS REQUIRED, IN A REPLY TO A USER'S REQUEST.					
2422	LRN-GRD-TOT-DLY-TOT	LRN_STAT_CNT_2422	DLSC-SB	F	INTEGER	6
	LOGRUN GRAND TOTAL DAILY TOTAL					
	THE GRAND TOTAL OF ALL LOGRUN TRANSACTIONS SUBMITTED EACH DAY.					
2423	DLSC-PRD-SVC-CD	PRD_SVC_CD_2423	DLSC-V	F	CHAR	3
	DLSC PRODUCTS AND SERVICES CODE					
	THIS IDENTIFIES THE VARIOUS TYPES OF PRODUCTS AND SERVICES PROVIDED BY DLSC AND CAN BE ACCESSED FROM THE LOGRUN ON-LINE PROCEDURES MENU. OCCURRENCE MAY BE FROM ONE TO AN INDEFINITE NUMBER OF TIMES, AS REQUIRED IN A REPLY TO USER'S REQUEST.					
2424	LRN-GRD-TOT-MTHLY-TOT		DLSC-SB	F		6
	LOGRUN GRAND TOTAL MONTHLY TOTAL					
	THE GRAND TOTAL OF ALL LOGRUN TRANSACTIONS SUBMITTED FOR A MONTH.					
2425	LRN-GRD-TOT-QTR-1-TOT		DLSC-SB	F		6
	LOGRUN GRAND TOTAL QUARTER 1 TOTAL					
	THE GRAND TOTAL OF ALL TRANSACTIONS SUBMITTED FOR THE MONTHS OF JANUARY, FEBRUARY AND MARCH.					
2426	LRN-GRD-TOT-QTR-2-TOT		DLSC-SB	F		6
	LOGRUN GRAND TOTAL QUARTER 2 TOTAL					
	THE GRAND TOTAL OF ALL TRANSACTIONS SUBMITTED FOR THE MONTHS OF APRIL, MAY AND JUNE.					
2427	LRN-GRD-TOT-QTR-3-TOT		DLSC-SB	F		6

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

LOGRUN GRAND TOTAL QUARTER 3 TOTAL
THE GRAND TOTAL OF ALL TRANSACTIONS SUBMITTED FOR THE MONTHS OF JULY, AUGUST AND SEPTEMBER.

2429 LRN-DEPT-DLY-TOT LRN_STAT_CNT_2429 DLSC-SB F INTEGER 6
LOGRUN DEPARTMENT DAILY TOTAL
THE SUM OF ALL LOGRUN TRANSACTIONS SUBMITTED BY A DEPARTMENT EACH DAY.

2430 LRN-ACT-QTR-3-TOT DLSC-SB F 6
LOGRUN ACTIVITY QUARTER 3 TOTAL
THE SUM OF ALL TRANSACTIONS SUBMITTED BY AN ACTIVITY FOR THE MONTHS OF JULY, AUGUST AND SEPTEMBER.

2431 LRN-ACT-YRLY-TOT DLSC-SB F 6
LOGRUN ACTIVITY YEARLY TOTAL
THE SUM OF ALL TRANSACTIONS SUBMITTED BY AN ACTIVITY FOR A GIVEN YEAR. ACTIVITY FISCAL YEAR TOTAL IS THE SUM OF ALL TRANSACTIONS SUBMITTED BY AN ACTIVITY IN A FISCAL YEAR.

2432 LRN-ACT-QTR-4-TOT DLSC-SB F 6
LOGRUN ACTIVITY QUARTER 4 TOTAL
THE SUM OF ALL TRANSACTIONS SUBMITTED BY AN ACTIVITY FOR THE MONTHS OF OCTOBER, NOVEMBER AND DECEMBER. ACTIVITY FISCAL QUARTER 1 IS EQUAL TO LRN-ACT-QTR-4-TOT OF THE PREVIOUS YEAR.

2433 LRN-DEPT-WKLY-TOT DLSC-SB F 6
LOFRUN DEPARTMENT WEEKLY TOTAL
THE SUM OF ALL LOGRUN TRANSACTIONS SUBMITTED BY A DEPARTMENT FOR A WEEK.

2434 LRN-DEPT-MTHLY-TOT DLSC-SB F 6
LOGRUN DEPARTMENT MONTHLY TOTAL
THE SUM OFF ALL LOGRUN TRANSACTIONS SUBMITTED BY A DEPARTMENT FOR A MONTH.

2435 LRN-DEPT-QTR-1-TOT DLSC-SB F 6
LOGRUN DEPARTMENT QUARTER 1 TOTAL
THE SUM OF ALL TRANSACTIONS SUBMITTED BY A DEPARTMENT FOR THE MONTHS OF JANUARY, FEBRUARY AND MARCH.

2436 LRN-DEPT-QTR-2-TOT DLSC-SB F 6
LOGRUN DEPARTMENT QUARTER 2 TOTAL
THE SUM OF ALL TRANSACTIONS SUBMITTED BY A DEPARTMENT FOR THE MONTHS OF APRIL, MAY AND JUNE.

2437 FIRFT-GP DLSC-VO F 4
FIREFIGHTING GROUP
A CODE INDICATING THE COMMODITY GROUP TO WHICH THE ITEM IS ASSIGNED FOR FIREFIGHTING PURPOSES.

2438 PRRTD-WT-LBS DLSC-VO F 9
PRORATED WEIGHT (POUNDS)
THE WEIGHT (IN POUNDS) OF AN ITEM WITH ITS PACKAGING AND/OR PRORATED SHARE OF THE TOTAL PACKAGING/PALLET, TO THE NEAREST THOUSANDTH OF A POUND (PALLETIZED WEIGHT/ITEMS PER PALLET).

2439 PRRTD-CU-FT DLSC-VO F 7
PRORATED CUBE (FEET)

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE VOLUME (IN CUBIC FEET) OF AN ITEM WITH ITS PACKAGING AND/OR PRORATED SHARE OF THE TOTAL PACKAGING/PALLET TO THE NEAREST THOUSANDTH OF A CUBIC FOOT. (PALLETIZED CUBE/ITEMS PER PALLET)

2440 DODIC — DLSC-VO — F — 4

DEPARTMENT OF DEFENSE (DOD) IDENTIFICATION CODE

A FOUR POSITION CODE CONSISTING OF A ONE OR TWO POSITION ALPHA FOLLOWED BY NUMERICS, ASSIGNED TO THE ITEMS COVERED BY THE GENERIC DESCRIPTIONS.

2441 NALC — DLSC-VO — F — 4

NAVY AMMUNITION LOGISTICS CODE

A FOUR POSITION NAVY ASSIGNED CODE USED IN PLACE OF A DODIC.

2442 ITM-NET-EXPL-WT — DLSC-VO — F — 8

ITEM NET EXPLOSIVE WEIGHT

TRANSPORTATION (TRANS) - THE TOTAL WEIGHT OF EXPLOSIVES (IN POUNDS) IN ONE ROUND OF THE ITEM LISTED REGARDLESS OF THE TYPE OF CONTAINER AND NUMBER OF ROUNDS CONTAINED THEREIN. STORAGE - THE WEIGHT (IN POUNDS) TO BE USED BY THE NAVY WHEN CALCULATING NEW'S INVOLVED IN EXPLOSIVE STORAGE. WATERFRONT - SHIPYARD (W/F-S/B) - THE WEIGHT (IN POUNDS) TO BE USED BY THE NAVY WHEN CALCULATING NEW'S INVOLVED IN WATERFRONT AND SHIPBOARD OPERATIONS.

2443 QTY-PER-SHPG-CTNR — DLSC-VO — F — 5

QUANTITY PER SHIPPING CONTAINER

THE NUMBER OF ITEMS PACKAGED IN EACH SHIPPING/STORAGE CONTAINER. FOR AMMUNITION AND EXPLOSIVES, IT IS THE QUANTITY APPROVED FOR PLACEMENT IN THE EXTERIOR CONTAINER FOR THAT NSN. THE APPROVED EXTERIOR CONTAINER IS USED FOR BOTH SHIPPING AND STORAGE.

2444 DOT-EXMPN-NBR — DLSC-VO — F — 9

DEPARTMENT OF TRANSPORTATION EXEMPTION NUMBER

A NUMBER THAT REPRESENTS AUTHORITY GRANTED BY THE DEPARTMENT OF TRANSPORTATION TO TRANSPORT HAZARDOUS MATERIALS NOT COVERED BY EXISTING REGULATION. (NAVY EXEMPTION NUMBER LISTED IN NAVSEA OP2165 VOL. 1)

2446 LOCLY-ASGND-RPTG-CD-AF — DLSC-VO — F — 4

LOCALLY ASSIGNED REPORTING CODE (AIR FORCE)

A FOUR POSITION, AIR FORCE ASSIGNED CODE USED IN PLACE OF A DODIC.

2447 PKG-REF-NBR — DLSC-VO — F — 9

PACKAGING REFERENCE NUMBER

A NINE POSITION ALPHA/NUMERIC CODE IDENTIFYING THE DRAWING/SCHEMATIC THAT DETAILS THE PACKAGING OF SHIPPING CONTAINES.

2448 SHPG-CTNR-HT — DLSC-VO — F — 6

SHIPPING CONTAINER HEIGHT

THE OVERALL HEIGHT (IN INCHES) OF THE SHIPPING/STORAGE CONTAINER AND ITS CONTENTS TO THE NEAREST HUNDREDTH OF AN INCH.

2449 SHPG-CTNR-DIAM — DLSC-VO — F — 6

SHIPPING CONTAINER DIAMETER

THE OVERALL DIAMETER (IN INCHES) OF THE SHIPPING/STORAGE CONTAINER AND ITS CONTENTS TO THE NEAREST HUNDREDTH OF AN INCH.

2450 SHPG-CTNR-WT — DLSC-VO — F — 6

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

SHIPPING CONTAINER WEIGHT
THE TOTAL WEIGHT (IN POUNDS) OF THE SHIPPING/STORAGE CONTAINER AND ITS CONTENTS TO THE NEAREST TENTH OF A POUND.

2451 TRFR-SAC-CUR-T2-NSN TRFR_STAT_CNT_2451 DLSC-SBA F INTEGER 8
TRANSFER SUBMITTING ACTIVITY CURRENT TYPE 2 NSN
THE TOTAL QUANTITY OF NEWLY ASSIGNED NSNS WITHIN THE CURRENT REPORTING PERIOD WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT/ACTIVITY.

2452 TRFR-SAC-CUR-T1-NSN TRFR_STAT_CNT_2452 DLSC-SBA F INTEGER 8
TRANSFER SUBMITTING ACTIVITY CURRENT TYPE 1 NSN
THE TOTAL QUANTITY OF NEWLY ASSIGNED NSNS WITHIN THE CURRENT REPORTING PERIOD WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT/ACTIVITY.

2453 TRFR-SAC-CUR-T4-NSN TRFR_STAT_CNT_2453 DLSC-SBA F INTEGER 8
TRANSFER SUBMITTING ACTIVITY CURRENT TYPE 4 NSN
THE TOTAL QUANTITY OF NEWLY ASSIGNED NSNS WITHIN THE CURRENT REPORTING PERIOD WITH PARTIAL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT/ACTIVITY.

2454 TRFR-SAC-CUR-TOT-NSN TRFR_STAT_CNT_2454 DLSC-SBA F INTEGER 8
TRANSFER SUBMITTING ACTIVITY CURRENT TOTAL NSN
THE TOTAL QUANTITY OF NEWLY ASSIGNED NSNSN WITHIN THE CURRENT REPORTING PERIOD BY SUBMITTING DEPARTMENT/ACTIVITY.

2455 TRFR-SAC-FYD-T2-NSN TRFR_STAT_CNT_2455 DLSC-SBA F INTEGER 8
TRANSFER SUBMITTING ACTIVITY FISCAL YEAR TO DATE TYPE 2 NSN
THE FISCAL YEAR TO DATE QUANTITY OF NEWLY ASSIGNED NSNS WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT/ACTIVITY.

2456 TRFR-SAC-FYD-T1-NSN TRFR_STAT_CNT_2456 DLSC-SBA F INTEGER 8
TRANSFER SUBMITTING ACTIVITY FISCAL YEAR TO DATE TYPE 1 NSN
THE FISCAL YEAR TO DATE QUANTITIY OF NEWLY ASSIGNED NSNS WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT/ACTIVITY.

2457 TRFR-SAC-FYD-T4-NSN TRFR_STAT_CNT_2457 DLSC-SBA F INTEGER 8
TRANSFER SUBMITTING ACTIVITY FISCAL YEAR TO DATE
THE FISCAL YEAR TO DATE QUANTITY OF NEWLY ASSIGNED NSNS WITH PARTIAL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT/ACTIVITY.

2458 TRFR-SAC-FYD-DM-PCT TRFR_STAT_CNT_2458 DLSC-SBA F INTEGER 8
TRANSFER SUBMITTING ACTIVITY FISCAL YTDJ DESCRIPTIVE MTHD PT
THE FISCAL YEAR TO DATE PERCENT OF NEWLY ASSIGNED NSNS WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT/ACTIVITY.

2459 TRFR-SDP-CUR-T2-NSN TRFR_STAT_CNT_2459 DLSC-SBA F INTEGER 8
TRANSFER SUBMITTING DEPARTMENT CURRENT TYPE 2 NSN
THE TOTAL QUANTITY OF NEWLY ASSIGNED NSNS WITHIN THE CURRENT REPORTING PERIOD WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT.

2460 TRFR-SDP-CUR-T1-NSN TRFR_STAT_CNT_2460 DLSC-SBA F INTEGER 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

TRANSFER SUBMITTING DEPARTMENT CURRENT TYPE 1 NSN
THE TOTAL QUANTITY OF NEWLY ASSIGNED NSNS WITHIN THE CURRENT REPORTING PERIOD WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT.

2461 TRFR-SDP-T1-2-NSN TRFR_STAT_CNT_2461 DLSC-SBA F INTEGER 8
TRANSFER SUBMITTING DEPARTMENT TYPE 1 TO 2 NSN
THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT THE TYPE IDENTIFICATION WAS CHANGED FROM FULL DESCRIPTIVE TO REFERENCE METHOD BY SUBMITTING DEPARTMENT.

2462 TRFR-SDP-T1-4-NSN TRFR_STAT_CNT_2462 DLSC-SBA F INTEGER 8
TRANSFER SUBMITTING DEPARTMENT TYPE 1 TO 4 NSN
THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPROTING PERIOD THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM FULL DESCRIPTIVE TO PARTIAL DESCRIPTIVE BY SUBMITTING DEPARTMENT.

2463 TRFR-SDP-T2-1-NSN TRFR_STAT_CNT_2463 DLSC-SBA F INTEGER 8
TRANSFER SUBMITTING DEPARTMENT TYPE 2 TO 1 NSN
THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM REFERENCE METHOD TO FULL DESCRIPTIVE BY SUBMITTING DEPARTMENT.

2464 TRFR-SDP-T4-2-NSN TRFR_STAT_CNT_2464 DLSC-SBA F INTEGER 8
TRANSFER SUBMITTING DEPARTMENT TYPE 4 TO 2 NSN
THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM PARTIAL DESCRIPTIVE TO REFERENCE METHOD BY SUBMITTING DEPARTMENT.

2465 TRFR-SDP-TRFR-TOT-NSN TRFR_STAT_CNT_2465 DLSC-SBA F INTEGER 8
TRANSFER SUBMITTING DEPARTMENT TRANSFER TOTAL NSN
THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT TRANSFERRED FROM ONE TYPE ITEM IDENTIFICATION TO ANOTHER TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT.

2466 TRFR-SAC-FYD-T1-2-NSN TRFR_STAT_CNT_2466 DLSC-SBA F INTEGER 8
TRANSFER SUBMITTING ACTIVITY FISCAL YEAR TO DATE TYPE 1 TO 2
THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM FULL DESCRIPTIVE TO REFERENCE METHOD BY SUBMITTING DEPARTMENT/ACTIVITY.

2467 TRFR-SAC-FYD-T1-4-NSN TRFR_STAT_CNT_2467 DLSC-SBA F INTEGER 8
TRANSFER SUBMITTING ACTIVITY FISCAL YEAR TO DATE TYPE 1 TO 4
THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM FULL DESCRIPTIVE TO PARTIAL DESCRIPTIVE BY SUBMITTING DEPARTMENT/ACTIVITY.

2468 TRFR-SAC-FYD-T2-1-NSN TRFR_STAT_CNT_2468 DLSC-SBA F INTEGER 8
TRANSFER SUBMITTING ACTIVITY FISCAL YEAR TO DATE TYPE 2 TO 1
THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM REFERENCE METHOD TO FULL DESCRIPTIVE BY SUBMITTING DEPARTMENT/ACTIVITY.

2469 TRFR-SAC-FYD-T2-4-NSN TRFR_STAT_CNT_2469 DLSC-SBA F INTEGER 8
TRANSFER SUBMITTING ACTIVITY FISCAL YEAR TO DATE TYPE 2 TO 4
THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM REFERENCE METHOD TO PARTIAL DESCRIPTIVE BY SUBMITTING DEPARTMENT/ACTIVITY.

2470 TRFR-SAC-FYD-T4-1-NSN TRFR_STAT_CNT_2470 DLSC-SBA F INTEGER 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

TRANSFER SUBMITTING ACTIVITY FISCAL YEAR TO DATE TYPE 4 TO 1
THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM PARTIAL DESCRIPTIVE TO FULL DESCRIPTIVE BY SUBMITTING DEPARTMENT/ACTIVITY.

2471 TBL-ALLOC TBL_ALLOC_2471 DLSC-SBA F CHAR 4
TABLE ALLOCATION
THIS FIELD STORES THE PROGRAMS INITIAL SPACE ALLOCATION FOR EACH TABLE.

2472 DB2-ARCH-GROUP DB2_ARCH_GP_2742 DLSC-SBA F CHAR 4
DB2 ARCHIVE GROUP
THIS FIELD STORES THE ARCHIVE TABLE GROUP NUMBER NEEDED WHEN INITIALIZING THE TABLES.

2472 TRFR-SAC-FYD-TRFR-T-NSN TRFR_STAT_CNT_2472 DLSC-SBA F INTEGER 8
TRANSFER SUBMITTING ACTY FISCAL YTD TRANSFER TOTAL NSN
THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT TRANSFERRED FROM ONE TYPE ITEM IDENTIFICATION TO ANOTHER TYPE ITEM IDENTIFICATION BY DEPARTMENT/ACTIVITY.

2473 TBL-VOLUME TBL_VOLUME_2473 DLSC-SBA F CHAR 6
TABLE VOLUME
THIS FIELD STORES THE VOLUME EACH TABLE IS STORED ON FOR INITIALIZING THE TABLES.

2474 TRFR-SDP-FYD-T1-4-NSN TRFR_STAT_CNT_2474 DLSC-SB F INTEGER 8
TRANSFER SUBMITTING DEPARTMENT FYD TYPE 1 TO 4 NSN
THE FISCAL YEAR-TO-DATE QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM FULL DESCRIPTIVE TO PARTIAL DESCRIPTIVE BY SUBMITTING ACTIVITY.

2475 TRFR-SDP-FYD-T2-1-NSN TRFR_STAT_CNT_2475 DLSC-SBA F INTEGER 8
TRANSFER SUBMITTING DEPARTMENT FISCAL YTD TYPE 2 TO 1 NSN
THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM REFERENCE METHOD TO FULL DESCRIPTIVE BY SUBMITTING DEPARTMENT.

2476 TRFR-SDP-FYD-T2-4-NSN TRFR_STAT_CNT_2476 DLSC-SBA F INTEGER 8
TRANSFER SUBMITTING DEPARTMENT FISCAL YTD TYPE 2 TO 4 NSN
THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM REFERENCE METHOD TO PARTIAL DESCRIPTIVE BY SUBMITTING DEPARTMENT.

2477 TRFR-SDP-FYD-T4-1-NSN TRFR_STAT_CNT_2477 DLSC-SBA F INTEGER 8
TRANSFER SUBMITTING DEPARTMENT FISCAL YTD TYPE 4 TO 1 NSN
THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM PARTIAL DESCRIPTIVE TO FULL DESCRIPTIVE BY SUBMITTING DEPARTMENT.

2478 TRFR-SDP-FYD-T4-2-NSN TRFR_STAT_CNT_2478 DLSC-SBA F INTEGER 8
TRANSFER SUBMITTING DEPARTMENT FISCAL YTD TYPE 4 TO 2 NSN
THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM PARTIAL DESCRIPTIVE TO REFERENCE METHOD BY SUBMITTING DEPARTMENT.

2479 TRFR-SDP-FYD-TRFR-T-NSN TRFR_STAT_CNT_2479 DLSC-SBA F INTEGER 8
TRANSFER SUBMITTING DEPARTMENT FISCAL YTD TRANSFER TOTAL NSN
THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT TRANSFERRED FROM ONE TYPE ITEM IDENTIFICATION TO ANOTHER TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

2480 SACC-HTY-UC-AC — DLSC-SBA — F — 8
STAT ACCESS HISTORY USER CODE ACTIVITY
THE NUMBER OF TIMES HISTORY DATA FOR A SPECIFIC STAT IS ACCESSED BY A SPECIFIC USER CODE WITHIN AN ACTIVITY AND DEPARTMENT BY STAT.

2481 SACC-CUR-UC-AC — DLSC-SBA — F — 8
STAT ACCESS CURRENT USER CODE ACTIVITY
THE NUMBER OF TIMES CURRENT DATA FOR A SPECIFIC STAT IS ACCESSED BY A SPECIFIC USER CODE WITHIN AN ACTIVITY AND DEPARTMENT BY STAT.

2482 SACC-TOT-UC-AC — DLSC-SBA — F — 8
STAT ACCESS TOTAL USER CODE ACTIVITY
THE TOTAL NUMBER OF TIMES DATA FOR A SPECIFIC STAT IS ACCESSED BY A SPECIFIC USER CODE WITHIN AN ACTIVITY AND DEPARTMENT BY STAT.

2483 SACC-HTY-AC-DP — DLSC-SBA — F — 8
STAT ACCESS HISTORY ACTIVITY DEPARTMENT
THE NUMBER OF TIMES HISTORY DATA FOR A SPECIFIC STAT IS ACCESSED BY A SPECIFIC ACTIVITY WITHIN A DEPARTMENT BY STAT.

2484 SACC-CUR-AC-DP — DLSC-SBA — F — 8
STAT ACCESS CURRENT ACTIVITY DEPARTMENT
THE NUMBER OF TIMES CURRENT DATA FOR A SPECIFIC STAT IS ACCESSED BY A SPECIFIC ACTIVITY WITHIN A DEPARTMENT BY STAT.

2485 SACC-TOT-AC-DP — DLSC-SBA — F — 8
STAT ACCESS TOTAL ACTIVITY DEPARTMENT
THE TOTAL NUMBER OF TIMES DATA FOR A SPECIFIC STAT IS ACCESSED BY A SPECIFIC ACTIVITY WITHIN A DEPARTMENT BY STAT.

2486 SACC-HTY-DP-ST — DLSC-SBA — F — 8
STAT ACCESS HISTORY DEPARTMENT STAT
THE NUMBER OF TIMES HISTORY DATA FOR A SPECIFIC STAT IS ACCESSED BY A SPECIFIC DEPARTMENT BY STAT.

2487 SACC-TOT-DP-ST — DLSC-SBA — F — 8
STAT ACCESS TOTAL DEPARTMENT STAT
THE TOTAL NUMBER OF TIMES DATA FOR A SPECIFIC STAT IS ACCESSED BY A SPECIFIC DEPARTMENT BY STAT.

2488 SACC-HTY-ST — DLSC-SBA — F — 8
STAT ACCESS HISTORY STAT
TOTAL NUMBER OF ACCESSES TO HISTORY DATA BY STAT.

2489 SACC-CUR-ST — DLSC-SBA — F — 8
STAT ACCESS CURRENT STAT CODE ACTIVITY
TOTAL NUMBER OF ACCESSES TO CURRENT DATA BY STAT.

2490 SACC-TOT-ST — DLSC-SBA — F — 8
STAT ACCESS TOTAL STAT
TOTAL NUMBER OF ACCESSES TO STAT DATA BY STAT.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	FORMAT FV	FORMAT TYPE	FORMAT LG
CLEAR TEXT HOST/COBOL NAME						
DRN DEFINITION						
2491	SACC-GTOT-HTY		DLSC-SBA	F		8
STAT ACCESS GRAND TOTAL HISTORY						
GRAND TOTAL ACCESSES TO ALL STAT HISTORY DATA.						
2492	SACC-GTOT-CUR		DLSC-SBA	F		8
STAT ACCESS GRAND TOTAL CURRENT						
GRAND TOTAL ACCESSES TO STAT ALL HISTORY DATA.						
2493	SACC-GTOT-TOT		DLSC-SBA	F		8
STAT ACCESS GRAND TOTAL						
GRAND TOTAL ACCESSES TO ALL STAT DATA.						
2495	CIIC-CLS-CD-TI	CIIC_CLS_TI_2495	DLSC-SBA	V	CHAR	24
CONTROLLED INVENTORY ITEM CODE CATEGORY CODE TITLE						
TITLE OF THE CODE (DRN 5255) CLASSIFICATION.						
2496	CIIC-CLS-CD-TI-EX	CIIC_CLS_EX_2496	DLSC-SBA	V	VARCHAR	320
CONTROLLED INVENTORY ITEM CODE CATEGORY CODE TITLE EXPLANATN						
EXPANDED DEFINITION OF THE TITLE OF THE CODE (DRN 5255) CLASSIFICATION.						
2497	AIR-CMDTY-CD	AIR_CMDTY_CD_2497	DLSC-SB	F	CHAR	1
AIR COMMODITY CODE						
AIR COMMODITY CODE AS IDENTIFIED IN THE FIRST PART OF TABLE 85 IN FLIS PROCEDURES VOL 10.						
2498	RPLY-STAT-IND	RPLY_STAT_IND_2498	DLSC-SCA	F	CHAR	1
REPLY TABLE STATUS INDICATOR						
A CODE USED IN THE MRD TO INDICATE THE STATUS OF THE REPLY STATEMENT. CODE /D/ FOLLOWING THE REPLY STATEMENT CONTAINED IN A REPLY TABLE INDICATES A REPLY IS NOT AUTHORIZED FOR USE IN FUTURE FIIG DEVELOPMENT.						
2499	LKD-LKU-RPLM-IND	LKD_LKU_RPLM_2499	DLSC-SBA	F	CHAR	5
CANCEL-DUPE CANCEL-USE REPLACEMENT INDICATOR						
A CODE WHICH INDICATES THAT THIS NSN IS THE REPLACEMENT NSN IN A CANCEL-DUPLICATE OR CANCEL-USE RELATIONSHIP FOR AN NSN WHICH IS BEING CANCELLED, BUT THE EFFECTIVE DATE OF THE CANCELLATION HAS NOT BEEN REACHED. THE VALUE OF THIS CODE WILL BE EQUAL TO THE JULIAN DATE THAT THE CANCELLATION IS EFFECTIVE.						
2501	MASS-CHG-CRITL-CHG		DLSC-SC	F		1
MASS CHANGE CRITICALITY CHANGE						
USED TO INDICATE IF CRITICALITY CODE HAS CHANGED FOR ITEM DURING MASS CHANGE.						
2502	MASS-CHG-ITM-SEG		DLSC-SC	V		9999
MASS CHANGE ITEM SEGMENT						
CONTAINS THE ITEM IDENTIFICATION AND CODED CHARACTERISTICS FOR AN ITEM CURRENTLY UNDERGOING REVISION DUE TO A MASS CHANGE/GUIDE REVISION OR PAGE CHANGE.						
2503	MASS-CHG-GDE-NBR		DLSC-SC	F		22
MASS CHANGE GUIDE NUMBER						
CONTAINS THE CURRENT AND REVISED GDE-NBR-FIIG AND INC WHICH WILL BE USED IN RETRIEVING MASS CHANGE ITEM SEGMENTS. THIS FIELD WILL BE USED TO MINIMIZE USER INTERFACE REQUIREMENTS.						

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	FORMAT FV	FORMAT TYPE	FORMAT LG
CLEAR TEXT HOST/COBOL NAME						
DRN DEFINITION						
2504	MASS-CHG-TYP-CHG		DLSC-SC	F		1
MASS CHANGE TYPE CHANGE WILL BE USED TO INDICATE IF TYPE OF ITEM DESCRIPTION HAS CHANGED FOR ITEM DURING MASS CHANGE ACTIVITY.						
2506	STAT-MANAGER	STAT_MANAGER_2506	DLSC-S	F	CHAR	7
STATISTICS MANAGER STAT-MANAGER IS A TERM DEVELOPED TO FACILITATE THE MANAGEMENT STATS SYSTEM WHICH IS SYNONYMOUS WITH THE TERM INTEGRATED MATERIAL MANAGER. IT IS THE MATERIAL MANAGER RESPONSIBLE FOR THE EXECUTION OF ASSIGNED MATERIAL MANAGEMENT FUNCTIONS FOR SELECTED ITEMS OR SELECTED FEDERAL SUPPLY CLASS. THIS FIELD CONTAINS THE ABBREVIATED CENTER NAME AND OR ACTIVITY ASSIGNED TO THAT CENTER.						
2507	ACQ-AD-CD	AAC_2507	DLSC-SBA	F	CHAR	1
ACQUISITION ADVICE CODE (AAC) A CODE DENOTING HOW, AS DISTINGUISHED FROM WHERE, AND UNDER WHAT RESTRICTIONS AN ITEM WILL BE ACQUIRED. SHORT TITLE, AAC. SEE VOLUME 10, TABLES 58, 97, 113 AND 143 AND QUICK INFO ON-LINE.						
2508	ESD-EMI-CD-EX	ESD_EMI_CD_EX_2508	DLSC-SB	F	VARCHAR	125
ELECTROSTATIC DISCHARGE ELECTROMAGNETIC INTERFACE CD EXPLA THIS FIELD CONTAINS THE EXPLANATION FOR A MATCHING ESD-EMI-CD (DRN 2043). THIS DATA ELEMENT TOGETHER WITH ESD-EMI-CD (DRN 2043) FORM LINE ENTRIES FOR THE ELECTROSTATIC DISCHARGE CODE TABLE WHICH WILL APPEAR IN DIDS PROCEDURES VOL 10 AFTER IMPLEMENTATION OF SCR OF2657 (REVISED).						
2509	FSC-REQ-ESD-CD	FSC_RQ_ESD_CD_2509	DLSC-SB	F	CHAR	4
FSC REQUIRING ELECTROSTATIC DISCHARGE CODE THIS FIELD CONTAINS A FEDERAL SUPPLY CLASS THAT REQUIRES AN ELECTROSTATIC DISCHARGE CODE BE ASSOCIATED WITH ANY ITEM OF SUPPLY WITHIN THE FSC SPECIFIED. THIS DATA ELEMENT FORMS THE BASIS FOR ENTRIES TO THE FSCs REQUIRING ESD CODES WHICH WILL APPEAR IN FLIS PROCEDURES VOL 10 AFTER IMPLEMENTATION OF SCR OF2657 (REVISED).						
2511	UNIT-MEAS		DLSC-S	V		75
UNIT OF MEASURE THE NARRATIVE INDICATING THE RECOGNIZABLE PHYSICAL MEASUREMENTS USED IN THE APPLICATION OF CONVERSION CRITERIA.						
2512	TAIL-CHAR-IND	TAIL_CHAR_IND_2512	DLSC-S	F	CHAR	2
TAILORED CHAR INDICATOR A CODE WHICH DENOTES WHETHER TAILORED CHARACTERISTIC DATA WILL BE OUTPUT TO CENTERS. THE LETTER "A-O" WILL BE USED FOR THIS PURPOSE. ALL OTHERS WILL CONTAIN AN "X" OR " ".						
2513	TAIL-ACT-CD	TAIL_ACT_CD_2513	DLSC-S	F	CHAR	2
TAILORED ACT CODE A TWO POSITION CODE WHICH DENOTES THE CENTER WHICH IS TO RECEIVE TAILORED CHARACTERISTIC OUTPUT.						
2514	PROP-CHAR-CD	PROP_CHAR_CD_2514	DLSC-SC	F	CHAR	1
PROPORTION CHAR CD USED TO VALIDATE SPECIAL CHARACTERS THAT ARE USED SPECIFICALLY TO APPLY A PROPORTION EDIT. VALID VALUES ARE + = PERPETUATION - PACS ARE THE SAME IN ALL CASES. % = PERCENT OF, ? = THEN, [<] = LESS THAN, [>] = GREATER THAN, / = RATIO OF, $ = DATA RETRIEVAL, : = MUST HAVE.						
2516	NM-PREFIX	NM_PREFIX_2516	DLSC-SD	V	CHAR	10
NAME PREFIX						

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE NAME "PREFIX" PRECEDES THE NOUN PORTION OF THE ITEM NAME. IT IS OFTEN ASSOCIATED WITH CARBON COMPOUNDS AND/OR MEDICAL NAMES. IT'S SCIENTIFIC SEQUENCING SCROLLING PROCEDURES.

2517 NM-ROOT-RMDR NM_ROOT_RMDR_2517 DLSC-SD V VARCHAR 1743
NAME ROOT REMAINDER
THE NAME "ROOT" MUST ALWAYS BE PRESENT IN THE NM-FLD AND IS ALWAYS USED IN THE PUBLICATION OF THE ITEM NAME FILE. LESS THE FIRST NINETEEN (19) CHARACTERS (WHICH IS CONTAINED IN SHRT-NM (DRN 2301)).

2521 SEG-X-NATO-ITM-APP-DATA DLSC-SD F 120
SEGMENT X - NATO ITEM APPLICATION DATA
NATO USE ONLY. NOT TO BE USED IN DLSC. THIS SEGMENT, USED AS INPUT TO NCBs/NAMSA AND OUTPUT FROM NCBs, CONSISTS OF THE DRNs 2524 (RELATED END ITEM/WEAPON SYSTEM) AND/OR 2522 (RELATED ASSEMBLY) OR 2523 (RELATED SKO) AND THEIR VALUES IDENTIFIED BY THE NSNs OF THE END ITEMS/WEAPON SYSTEMS, ASSEMBLIES OR SKOs TO WHICH THE ITEM OF SUPPLY IS RELATED.

2522 REL-ASBLY DLSC-SD F 13
RELATED ASSEMBLY
NATO USE ONLY. NOT TO BE USED IN DLSC. THIS DATA ELEMENT IDENTIFIES THE NSN OF AN ASSEMBLY TO WHICH THE ITEM OF SUPPLY IS RELATED.

2523 REL-SKO DLSC-SD F 13
RELATED SKO
NATO USE ONLY. NOT TO BE USED IN DLSC. THIS DATA ELEMENT IDENTIFIES THE NSN OF A SET, KIT OR OUTFIT (SKO) TO WHICH THE ITEM OF SUPPLY IS RELATED.

2524 REL-END-ITM-WPN-SYS DLSC-SD F 13
RELATED END ITEM WEAPON SYSTEM
NATO USE ONLY. NOT TO BE USED IN DLSC. THIS DATA ELEMENT IDENTIFIES THE NSN OF AN END ITEM/WEAPON SYSTEM TO WHICH THE ITEM OF SUPPLY IS RELATED.

2525 INT-CD-SEG-A-X DLSC-SD F 4
INTERROGATION CODE SEGMENT A AND X
NATO USE ONLY. NOT TO BE USED IN DLSC. A CODE SUBMITTED WITH AN INTERROGATION TRANSACTION TO INDICATE THAT THE SUBMITTER REQUIRES A COMBINATION OF SEGMENTS A (DRN 9100) AND X (DRN 2521) DATA (SEE SUB-SECTION 533 TABLE 03).

2526 RPLM-MOE-RULE-NBR2 RPLM_M_RL_NBR_2526 DLSC-SB F CHAR 4
REPLACEMENT MAJOR ORGANIZATIONAL ENTITY RULE NUMBER - 2
THIS DATA RECORD NUMBER IDENTIFIES THE NEW MAJOR ORGANIZATIONAL ENTITY RULE NUMBER THAT IS A REPLACEMENT FOR A MAJOR ORGANIZATIONAL ENTITY RULE NUMBER ON THE SYSTEM SUPPORT RECORD FILE THAT IS BEING CANCELLED. THIS SECOND OPTIONAL DATA ELEMENT IDENTIFIES THE NEW MAJOR ORGANIZATIONAL ENTITY (MOE) RULE NUMBER WHICH IS TO REPLACE AN EXISTING MOE RULE NUMBER THAT IS TO BE CANCELLED. THIS IS THE SECOND OF ONE TO FIVE REPLACEMENT MOE RULE NUMBERS FOR ANY ONE MOE RULE NUMBER. SEE DATA ELEMENTS RPLM-MOE-RULE-NBR1, RPLM-MOE-RULE-NBR3, ETC.

2527 RPLM-MOE-RULE-NBR3 RPLM_M_RL_NBR_2527 DLSC-SB F CHAR 4
REPLACEMENT MAJOR ORGANIZATIONAL ENTITY RULE NUMBER - 3
THIS DATA RECORD NUMBER IDENTIFIES THE NEW MAJOR ORGANIZATIONAL ENTITY RULE NUMBER THAT IS A REPLACEMENT FOR A MAJOR ORGANIZATIONAL ENTITY RULE NUMBER ON THE SYSTEM SUPPORT RECORD FILE THAT IS BEING CANCELLED. THIS THIRD OPTIONAL DATA ELEMENT IDENTIFIES THE NEW MAJOR ORGANIZATIONAL ENTITY (MOE) RULE NUMBER WHICH IS TO REPLACE AN EXISTING MOE RULE NUMBER THAT IS TO BE CANCELLED. THIS IS THE THIRD OF ONE TO FIVE REPLACEMENT MOE RULE NUMBERS FOR ANY ONE MOE RULE NUMBER. SEE DATA ELEMENTS RPLM-MOE-RULE-NBR1, RPLM-MOE-RULE-NBR2, ETC.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					

2528 RPLM-MOE-RULE-NBR4 RPLM_M_RL_NBR_2528 DLSC-SB F CHAR 4

REPLACEMENT MAJOR ORGANIZATIONAL ENTITY RULE NUMBER - 4

THIS DATA RECORD NUMBER IDENTIFIES THE NEW MAJOR ORGANIZATIONAL ENTITY RULE NUMBER THAT IS A REPLACEMENT FOR A MAJOR ORGANIZATIONAL ENTITY RULE NUMBER ON THE SYSTEM SUPPORT RECORD FILE THAT IS BEING CANCELLED. THIS FOURTH OPTIONAL DATA ELEMENT IDENTIFIES THE NEW MAJOR ORGANIZATIONAL ENTITY (MOE) RULE NUMBER WHICH IS TO REPLACE AN EXISTING MOE RULE NUMBER THAT IS TO BE CANCELLED. THIS IS THE FOURTH OF ONE TO FIVE REPLACEMENT MOE RULE NUMBERS FOR ANY ONE MOE RULE NUMBER. SEE DATA ELEMENTS RPLM-MOE-RULE-NBR1, RPLM-MOE-RULE-NBR2, ETC.

2529 RPLM-MOE-RULE-NBR5 RPLM_M_RL_NBR_2529 DLSC-SB F CHAR 4

REPLACEMENT MAJOR ORGANIZATIONAL ENTITY RULE NUMBER - 5

THIS DATA RECORD NUMBER IDENTIFIES THE NEW MAJOR ORGANIZATIONAL ENTITY RULE NUMBER THAT IS A REPLACEMENT FOR A MAJOR ORGANIZATIONAL ENTITY RULE NUMBER ON THE SYSTEM SUPPORT RECORD FILE THAT IS BEING CANCELLED. THIS FIFTH OPTIONAL DATA ELEMENT IDENTIFIES THE NEW MAJOR ORGANIZATIONAL ENTITY (MOE) RULE NUMBER WHICH IS TO REPLACE AN EXISTING MOE RULE NUMBER THAT IS TO BE CANCELLED. THIS IS THE FIFTH OF ONE TO FIVE REPLACEMENT MOE RULE NUMBERS FOR ANY ONE MOE RULE NUMBER. SEE DATA ELEMENTS RPLM-MOE-RULE-NBR1, RPLM-MOE-RULE-NBR2, ETC.

2531 AUTHZD-II-DATA-COLLBR-CD AUTH_II_COLBR_2531 DLSC-SBA F CHAR 2

AUTHORIZED ITEM IDENTIFICATION DATA COLLABORATOR CODE

AN ACTIVITY DESIGNATED TO COLLABORATE ON PROPOSED REVISIONS TO ITEM IDENTIFICATION DATA FOR ALL NATIONAL ITEM IDENTIFICATION NUMBERS WITH A MOE RULE ON WHICH THE ACTIVITY IS RECORDED.

2532 AUTHZD-II-DATA-RCVR-CD AUTH_II_RCVR_2532 DLSC-SBA F CHAR 2

AUTHORIZED ITEM IDENTIFICATION DATA RECEIVER CODE

AN ACTIVITY DESIGNATED TO RECEIVE DISTRIBUTION OF ITEM IDENTIFICATION FILE MAINTENANCE DATA FOR ALL NATIONAL ITEM IDENTIFICATION NUMBERS WITH A MOE RULE ON WHICH THE ACTIVITY IS RECORDED.

2533 SUPPLM-COLLBR SUPPLM_COLLBR_2533 DLSC-SB F CHAR 2

SUPPLEMENTARY COLLABORATOR

AN ACTIVITY DESIGNATED TO COLLABORATE ON PROPOSED REVISIONS TO THE ITEM IDENTIFICATION DATA OF A SPECIFIC NATIONAL ITEM IDENTIFICATION NUMBER ON WHICH IT IS RECORDED.

2534 SUPPLM-RCVR SUPPLM_RCVR_2534 DLSC-SB F CHAR 2

SUPPLEMENTARY RECEIVER

AN ACTIVITY DESIGNATED TO RECEIVE DISTRIBUTION OF ITEM IDENTIFICATION FILE MAINTENANCE DATA FOR A SPECIFIC NATIONAL ITEM IDENTIFICATION NUMBER ON WHICH IT IS RECORDED.

2535 AUTHZD-II-DATA-SUBMR-CD AUTH_II_SUBMR_2535 DLSC-SB F CHAR 2

AUTHORIZED ITEM IDENTIFICATION DATA SUBMITTER CODE

A CODE IDENTIFYING THE SINGLE ACTIVITY AUTHORIZED TO SUBMIT ITEM IDENTIFICATION DATA FOR A SPECIFIC ITEM OF SUPPLY TO THE DEFENSE LOGISTICS SERVICE CENTER.

2538 FRST-MNTH-JUL FRST_MNTH_JUL_2538 DLSC-SBA F CHAR 3

FIRST OF THE MONTH JULIAN

A NUMERIC INDICATION OF THE JULIAN NUMBER THAT CORRELATES TO THE FIRST DAY OF A PARTICULAR MONTH. THE NUMBER IS ESTABLISHED FOR ONLY NON-LEAP YEARS.

2539 NUMERIC-MONTH NUMERIC_MONTH_2539 DLSC-SBA F CHAR 2

NUMERIC MONTH

A NUMERIC INDICATION OF THE MONTH. FOR EXAMPLE, 01 FOR JANUARY, 02 FOR FEBRUARY.

2541 L07-TRANS-SENT-QTY L07_TRAN_SENT_2541 DLSC-SD F INTEGER 9

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

L07 TRANSACTIONS SENT QUANTITY
NUMBER OF L07 TRANSACTIONS SENT BY THE SUBMITTING COUNTRY.

2542 L07-TRANS-RCVD-QTY L07_TRAN_RCVD_2542 DLSC-SD F INTEGER 9
L07 TRANSACTIONS RECEIVED QUANTITY
NUMBER OF L07 TRANSACTIONS RECEIVED FROM THE SUBMITTING COUNTRY.

2544 CASE-NBR CASE_NBR_2544 DLSC-SD F CHAR 2
CASE NUMBER
CASE NUMBER IS A TWO CHARACTER ID OF A REPORT FOR THE NATO CODIFICATION SYSTEM.

2546 NATO-BTCH-CTL-DT N_BTCH_CTL_DT_2546 DLSC-SD F INTEGER 9
NATO BATCH CONTROL DATE
NATO BATCH JULIAN DATE IN (CCYYDDD) FORMAT.

2549 POS-ZONE POS_ZONE_2549 DLSC-SB F CHAR 10
POSTAL ZONE
AN OPTIONAL CODE USED BY FOREIGN COUNTRIES IN PLACE OF A ZIP CODE.

2551 IMC-NW-D-AT-IMC-CIC-FY DLSC-SBA F INTEGER 8
ITEM MANAGEMENT CODE NEW DEPT ACT IMC CARD ID CODE FYD
FISCAL YEAR TO DATE QUANTITY OF ITEM MANAGEMENT CODES ASSIGNED TO NEW NSNS FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) BY ITEM MANAGEMENT CODING ACTIVITY.

2552 IMC-NW-D-AT-IMC-FY-T DLSC-SBA F 8
ITEM MANAGEMENT CODE NEW DEPT ACT IMC FYD TOTAL
FISCAL YEAR TO DATE TOTAL QUANTITY OF CARD IDENTIFICATION CODES (CIC) ASSOCIATED WITH A SPECIFIC ITEM MANAGEMENT CODE ASSIGNED TO NEW NSNS BY ITEM MANAGEMENT CODING ACTIVITY.

2553 IMC-NW-D-AT-CIC-FY-T DLSC-SBA F 8
ITEM MANAGEMENT CODE NEW DEPT ACT CARD ID CODE FYD TOTAL
FISCAL YEAR TO DATE QUANTITY OF ITEM MANAGEMENT CODES ASSIGNED TO NEW NSNS FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) BY ITEM MANAGEMENT CODING ACTIVITY (IMCA).

2554 IMC-NW-D-AT-IMC-CIC-FY-T DLSC-SBA F 8
ITEM MANAGEMENT CODE NEW DEPT ACT IMC CARD ID CODE FYD TOTAL
FISCAL YEAR TO DATE TOTAL QUANTITY OF CARD IDENTIFICATION CODES (CIC) ASSIGNED TO NEW NSNS BY ITEM MANAGEMENT CODING ACTIVITY (IMCA).

2555 IMC-NW-D-IMC-CIC-FY DLSC-SBA F 8
ITEM MANAGEMENT CODE NEW DEPT IMC CARD ID CODE FYD
FISCAL YEAR TO DATE QUANTITY OF ITEM MANAGEMENT CODES ASSIGNED TO NEW NSNS FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) FOR DEPARTMENT.

2556 IMC-NW-D-IMC-FY-T DLSC-SBA F 8
ITEM MANAGEMENT CODE NEW DEPT IMC FYD TOTAL
FISCAL YEAR TO DATE TOTAL QUANTITY OF CARD IDENTIFICATION CODES (CIC) ASSOCIATED WITH A SPECIFIC ITEM MANAGEMENT CODE ASSIGNED TO NEW NSNS FOR DEPARTMENT.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					

2557 IMC-NW-D-CIC-FY-T — DLSC-SBA — F — 8

ITEM MANAGEMENT CODE NEW DEPT CARD ID CODE FYD TOTAL

FISCAL YEAR TO DATE TOTAL QUANTITY OF ITEM MANAGEMENT CODES ASSIGNED TO NEW NSNS FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) FOR ALL ITEM MANAGEMENT CODING ACTIVITIES (IMCA) WITHIN THE DEPARTMENT.

2558 IMC-NW-D-IMC-CIC-FY-T — DLSC-SBA — F — 8

ITEM MANAGEMENT CODE NEW DEPT IMC CARD ID CODE FYD TOTAL

FISCAL YEAR TO DATE TOTAL QUANTITY OF CARD IDENTIFICATION CODES (CIC) ASSIGNED TO NEW NSNS FOR ALL ITEM MANAGEMENT CODING ACTIVITIES (IMCA) WITHIN THE DEPARTMENT.

2559 IMC-NW-C-IMC-CIC-FY — DLSC-SBA — F — 8

ITEM MANAGEMENT CODE NEW CLASS MANAGED IMC CARD ID CODE FYD

FISCAL YEAR TO DATE QUANTITY OF ITEM MANAGEMENT CODES ASSIGNED TO NEW NSNS FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) FOR CLASS MANAGER.

2561 REF-NBR-DEC-CTGY-CD — RN_DEC_CAT_CD_2561 — DLSC-SBA — F — CHAR — 1

REFERENCE NUMBER DECISION CATEGORY CODE

A CODE THAT FURTHER DEFINES A DEGREE OF MATCH THRU THE PRIORITIZATION OF THE INPUT TRANSACTIONS AND FLIS DATABASE RNCC, RNVC COMBINATIONS. IT IS USED IN THE REFERENCE NUMBER DUPLICATION DECISION PROCESS AND PROVISIONING SCREENING.

2564 DFLT-OP-FMT — DFLT_OP_FMT_2564 — DLSC-SBA — F — CHAR — 1

DEFAULT OUTPUT FORMAT

CODE USED BY TRANSACTION MANAGEMENT TO IDENTIFY ACTIVITIES DEFAULT FORMAT WHEN AN ACTIVITY SELECTS USER-DEFINED FORMAT AS THEIR PRIMARY OUTPUT FORMAT AND DIC IS NOT IDENTIFIED ON THE USER_OUTPUT_FORMAT TABLE. CODE F WILL IDENTIFY DEFAULT FORMAT AS FIXED AND CODE V WILL IDENTIFY DEFAULT FORMAT AS VARIABLE.

2568 MGT-STAT-ARCH-PGM-NM — ARCH_PGM_2568 — DLSC-SBA — F — CHAR — 8

MANAGEMENT STATISTICS ARCHIVE PROGRAM NAME

THE PROGRAM NAME THAT ARCHIVES THE DB2 GROUP NUMBER (DRN 4457) INTO DB2 GROUP NUMBER (DRN 2746).

2569 MGT-STAT-ROLL-OVR-PGM-NM — ROLL_OVR_PGM_2569 — DLSC-SBA — F — CHAR — 8

MANAGEMENT STATISTICS ROLL OVER PROGRAM NAME

PROGRAM NAME THAT ACCUMULATES THE DB2 GROUP NUMBER DATA (DRN 4457) INTO QUARTERLY DATA.

2571 RPTY-T-NBR-TP — RPTY_T_NBR_TP_2571 — DLSC-V — F — CHAR — 1

REPOSITORY TYPE OF PHONE NUMBER CODE

THIS CODE WILL BE USED TO IDENTIFY THE REPOSITORY TYPE OF TELEPHONE NUMBER IDENTIFIED IN THE RPTY-TEL-NBR ELEMENT (DRN 2572). C = COMMERCIAL, A = AUTOVON, F = FTS, X = FAX, E = EXTENSION

2572 RPTY-TEL-NBR — RPTY_TEL_NBR_2572 — DLSC-V — F — CHAR — 12

REPOSITORY TELEPHONE NUMBER

THE REPOSITORY TELEPHONE NUMBER OF COMMERCIAL AND GOVERNMENT ENTITY. THIS ALSO INCLUDES THE AREA CODE.

2574 RPTY-TEL-EXT — RPTY_TEL_EXT_2574 — DLSC-V — F — CHAR — 5

REPOSITORY TELEPHONE EXTENSION

THE REPOSITORY TELEPHONE EXTENSION OF COMMERCIAL AND GOVERNMENT ENTITY.

2576 FTP-STAT-IND-CD — FTP_STAT_IND_2576 — DLSC-SBA — F — CHAR — 1

FILE TRANSFER PROTOCOL STATUS INDICATOR CODE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

AN INDICATION OF RECEIVE STATUS OF THE FILE TRANSFER PROTOCOL (FTP) CUSTOMER. "A" = ACTIVE RECEIVING TRANSMISSION, AND "I" = INACTIVE NOT RECEIVING.

2577 NULL-MSG-IND-CD NULL_MSG_IND_2577 DLSC-SBA F CHAR 1

NULL MESSAGE INDICATOR CODE

AN INDICATOR THAT ALLOWS THE CUSTOMER OR PROGRAM MANAGER TO CONTROL THE RECEIPT OF NULL MESSAGES. "Y" = YES TO RECEIVE, "N" = NO NOT TO RECEIVE.

2578 TM-TRNSMT-TS TM_TRNSMT_TS_2578 DLSC-SBA F TIMESTMP 26

TRANSACTION MGMT TRANSMIT TIMESTAMP

THE TIMESTAMP TAKEN TO INDICATE THE SUCCESSFUL COMPLETION OF THE TRANSMISSION OR OUTPUT FROM TRANSACTION MANAGEMENT.

2579 HZRD-CHAR-CD HCC_2579 DLSC-SBA F CHAR 2

HAZARDOUS CHARACTERISTICS CODE

A TWO-DIGIT ALPHANUMERIC CODE DEVELOPED PRIMARILY FOR STORAGE PURPOSES TO ASSURE THAT INCOMPATIBLE HAZARDS ARE NOT STORED NEXT TO ONE ANOTHER. THE HCC THAT IS VISIBLE IN FLIS ONLY PERTAINS TO THE LATEST FORMULATION FOR THIS CAGE/PART NUMBER. USER NEEDS TO BE AWARE THAT ADDITIONAL INFORMATION MAY RESIDE IN THE HAZARDOUS MATERIAL INFORMATION SYSTEM (HMIS) FOR A DIFFERENT FORMULATION OF THE SAME CAGE/PART NUMBER. THE TECHNICAL DEFINITIONS ARE PROVIDED IN THE AGENCY AND SERVICES STORAGE MANUALS (DLAM 4145.11, ARMY TM 38-410, NAVSUP PUB 573, AFR 69-9, AND MCO 4450-12. THESE MANUALS ARE BEING REPLACED BY DOD 4145.19-R-2). SEE VOLUME 10, TABLE 214 AND QUICK INFO ON-LINE.

2581 IMC-NW-C-IMC-FY-T DLSC-SBA F 8

ITEM MANAGEMENT CODE NEW CLASS MANAGER IMC FYD TOTAL

FISCAL YEAR TO DATE TOTAL QUANTITY OF CARD IDENTIFICATION CODES (CIC) ASSOCIATED WITH A SPECIFIC ITEM MANAGEMENT CODE ASSIGNED TO NEW NSNS FOR CLASS MANAGER.

2582 IMC-NW-CM-CIC-FY-T DLSC-SBA F 8

ITEM MANAGEMENT CODE NEW CLASS MANAGER CARD ID CODE FYD TOTL

FISCAL YEAR TO DATE TOTAL QUANTITY OF ITEM MANAGEMENT CODES ASSIGNED TO NEW NSNS FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) FOR CLASS MANAGER.

2583 IMC-NW-CM-IMC-CIC-FY-T DLSC-SBA F 8

ITEM MGMT CODE NEW CLASS MANAGER IMC CARD ID CODE FYD TOTL

FISCAL YEAR TO DATE TOTAL QUANTITY OF ITEM MANAGEMENT CODES ASSIGNED TO NEW NSNS FOR ALL CARD IDENTIFICATION CODES (CIC) FOR CLASS MANAGERS.

2584 IMC-AL-D-AT-IMC-CIC-FY IMC_STAT_CNT_2584 DLSC-SBA F INTEGER 8

ITEM MANAGEMENT CODE ALL DEPT ACT IMC CARD ID CODE FYD

FISCAL YEAR TO DATE QUANTITY OF ALL CHANGED AND NEWLY ASSIGNED ITEM MANAGEMENT CODES FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) BY ITEM MANAGEMENT CODING ACTIVITY (IMCA).

2585 IMC-AL-D-AT-IMC-FY-T DLSC-SBA F 8

ITEM MANAGEMENT CODE ALL DEPT ACT IMC FYD TOTAL

FISCAL YEAR TO DATE TOTAL QUANTITY OF ALL CHANGED AND NEWLY ASSIGNED SPECIFIC ITEM MANAGEMENT CODES FOR ALL CARD IDENTIFICATION CODES (CIC) ASSIGNED BY ITEM MANAGEMENT CODING ACTIVITY (IMCA).

2586 IMC-AL-D-AT-CIC-FY-T DLSC-SBA F 8

ITEM MANAGEMENT CODE ALL DEPT ACT CARD ID CODE FYD TOTAL

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

FISCAL YEAR TO DATE QUANTITY OF ALL CHANGED AND NEWLY ASSIGNED ITEM MANAGEMENT CODES FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) BY ITEM MANAGEMENT CODING ACTIVITY (IMCA).

2587 IMC-AL-D-AT-IMC-CIC-FY-T — DLSC-SBA — F — 8
ITEM MANAGEMENT CODE ALL DEPT ACT IMC CIC FYD TOTAL
FISCAL YEAR TO DATE TOTAL QUANTITY OF CARD IDENTIFICATION CODES (CIC) FOR ALL CHANGED AND NEWLY ASSIGNED ITEM MANAGEMENT CODES BY ITEM MANAGEMENT CODING ACTIVITY (IMCA).

2588 IMC-AL-D-IMC-CIC-FY — DLSC-SBA — F — 8
ITEM MANAGEMENT CODE ALL DEPT CARD ID CODE FYD
FISCAL YEAR TO DATE QUANTITY OF ALL CHANGED AND NEWLY ASSIGNED ITEM MANAGEMENT CODES FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) FOR DEPARTMENT.

2589 IMC-AL-D-IMC-FY-T — DLSC-SBA — F — 8
ITEM MANAGEMENT CODE ALL DEPT IMC FYD TOTAL
FISCAL YEAR TO DATE TOTAL QUANTITY OF CARD IDENTIFICATION CODES (CIC) FOR ALL CHANGED AND NEWLY ASSIGNED ITEM MANAGEMENT CODES FOR DEPARTMENT.

2591 IMC-AL-D-CIC-FY-T — DLSC-SBA — F — 8
ITEM MANAGEMENT CODE ALL DEPT CARD ID CODE FYD TOTAL
FISCAL YEAR TO DATE TOTAL QUANTITY OF ALL CHANGED AND NEWLY ASSIGNED ITEM MANAGEMENT CODES FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) FOR ALL ITEM MANAGEMENT CODING ACTIVITIES (IMCA) FOR THE DEPARTMENT.

2592 IMC-AL-D-IMC-CIC-FY-T — DLSC-SBA — F — 8
ITEM MANAGEMENT CODE ALL DEPT IMC CARD ID CODE FY TOTAL
FISCAL YEAR TO DATE TOTAL QUANTITY OF ALL CHANGED AND NEWLY ASSIGNED CARD IDENTIFICATION CODES (CIC) ASSIGNED TO NEW NSNS FOR ALL ITEM MANAGEMENT CODING ACTIVITIES (IMCA) WITHIN THE DEPARTMENT.

2593 IMC-AL-CM-IMC-CIC-FY — DLSC-SBA — F — 8
ITEM MANAGEMENT CODE ALL CLASS MANAGER IMC CARD ID CODE FYD
FISCAL YEAR TO DATE QUANTITY OF ALL CHANGED AND NEWLY ASSIGNED ITEM MANAGEMENT CODES FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) FOR CLASS MANAGER.

2594 IMC-AL-CM-IMC-FY-T — DLSC-SBA — F — 8
ITEM MANAGEMENT CODE ALL CLASS MANAGER IMC FYD TOTAL
FISCAL YEAR TO DATE TOTAL QUANTITY OF CARD IDENTIFICATION CODES (CIC) FOR ALL CHANGED AND NEWLY ASSIGNED SPECIFIC ITEM MANAGEMENT CODES FOR CLASS MANAGER.

2595 IMC-AL-CM-CIC-FY-T — DLSC-SBA — F — 8
ITEM MANAGEMENT CODE ALL CLASS MANAGER CIC FYD TOTAL
FISCAL YEAR TO DATE TOTAL QUANTITY OF ALL CHANGED AND NEWLY ASSIGNED ITEM MANAGEMENT CODES FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) FOR CLASS MANAGER.

2596 IMC-AL-CM-IMC-CIC-FY-T — DLSC-SBA — F — 8
ITEM MGMT CODE ALL CLASS MANAGER IMC CARD ID CODE FYD TOTAL
FISCAL YEAR TO DATE TOTAL QUANTITY OF ALL CHANGED AND NEWLY ASSIGNED ITEM MANAGEMENT CODES FOR ALL CARD IDENTIFICATION CODE (CIC) FOR CLASS MANAGER.

2597 SURCHG-PRCSG-YR — SUR_PRC_YR_2597 — DLSC-S — F — SMALLINT — 2
SURCHARGE PROCESSING YEAR

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	--------FORMAT-------- FV---------TYPE--------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THIS REPRESENTS THE YEAR THAT THE SURCHARGE PRICE WAS APPLIED AGAINST THE ITEM.

2598 SURCHG-ERR-IND — DLSC-S — F CHAR 1

SURCHARGE ERROR INDICATOR

A CODE APPLIED BY THE DEFENSE LOGISTICS SERVICES CENTER TO INDICATE THE REASON WHY THE SUBMITTED SURCHARGE RECORD WAS RETURNED TO THE SUBMITTER.

2599 SURCHG-PRCSG-UNIT-PR — SUR_PRC_UN_PR_2599 — DLSC-S — F CHAR 9

SURCHARGE PROCESSING UNIT PRICE

THE SURCHARGE PRICE IS ESTABLISHED BY THE MANAGING ACTIVITY. THIS PRICE IS USED TO MASS CHANGE THE UNIT PRICE ON ALL USERS OF THE ITEM. THIS SURCHARGE PRICE IS USED TO OVERLAY THE SUBMITTED PRICE DURING SURCHARGE SPECIAL PROCESSING.

2601 LNG-NM — LNG_NM_2601 — DLSC-SCB — F CHAR 50

ITEM LONG NAME

THE FIRST 50 CHARACTERS OF AN APPCOURD, COLLOQUIAL, OR BASIC ENTRY USED TO CHECK FOR POSSIBLE DUPLICATION DURING 'NAME' ASSIGNMENT. FOR KEYING (INDEX) PURPOSES ALL CHARACTERS WILL BE UPPER CASE.

2602 BTCH-FMT-PARM — BTCH_FMT_PARM_2602 — DLSC-SBB — F CHAR 50

BATCH FORMAT PARAMETERS

CONTAINS THE INFORMATION SPECIFYING THE FORMAT OF THE BATCH JOBS RUN UNDER MVS. THE SPECIFIC FORMATS CAN BE FOUND IN THE SUBSYSTEM SPECIFICATIONS FOR CAGE BATCH PROCESS (UPDATE) - LQLNC.

2604 STAT-BTCH-TIM — STAT_BTCH_TIM_2604 — DLSC-S — F CHAR 1

BATCH TRANSACTION STATISTICAL TIME FRAME CODE

THIS FIELD CONTAINS A CODED VALUE OF 1 THRU 8 WHICH SPECIFIES THE LAPSEDTIME RANGE IN HOURS FOR A BATCH TRANSACTION. VALID CODES ARE 1 = 0 - 3.999 HOURS, 2 = 4 - 11.999 HOURS, 3 = 12 - 47.999 HOURS, 4 = 48 - 71.999 HOURS, 5 = 72 - 95.999 HOURS, 6 = 96 - 119.999 HOURS, 7 = 120 - 143.999 HOURS, 8 = 144 + HOURS.

2607 FSC-COND-CD — FSC_COND_CD_2607 — DLSC-SC — F CHAR 1

FEDERAL SUPPLY CLASSIFICATION CONDITION CODE

THE FOLLOWING CODES ARE UTILIZED IN THE H2 SERIES CATALOG HANDBOOKS TO DENOTE THE RESTRICTIONS FOR CLASSIFYING APPROVED ITEM NAMES (AIN). FOR CODE 1, THE AIN MAY BE CLASSIFIED IN ONLY ONE SPECIFIC FSC. FOR CODE 2, THE AIN MAY BE CLASSIFIED IN TWO OR MORE SPECIFIC FEDERAL SUPPLY CLASSIFICATIONS. FOR CODE 3, THE AIN MAY BE CLASSIFIED IN ONE OR MORE LOGICAL FSC BY VIRTUE OF MULTI-APPLICATION OR SPECIAL DESIGN (NO LONGER USED FOR NEW ASSIGNMENTS).

2608 COG-CD-NVY — COG_CD_NVY_2608 — DLSC-SBA — F CHAR 2

COGNIZANCE CODE, NAVY

A CODE EMPLOYED BY THE U.S. NAVY TO CLASSIFY ITEMS BY TECHNICAL PROGRAM, TYPE OF FUND, AND TO INDICATE THE COGNIZANT INVENTORY CONTROL POINT /ICP/ AND TECHNICALLY RESPONSIBLE COMMAND. SEE VOLUME 10, TABLES 62 AND 129 AND QUICK INFO ON-LINE.

2611 CMDTY-MAT-MGMT-CD-DOD — CMDTY_MMC_DOD_2611 — DLSC-SBA — F CHAR 1

COMMODITY MATERIEL MANAGEMENT CATEGORY CODE, DOD

A CODE EMPLOYED TO CLASSIFY ITEMS INTO CATEGORIES BY MATERIEL COMMODITY FOR MANAGEMENT INFORMATION PURPOSES. SEE VOLUME 10, TABLE 48 AND QUICK INFO ON-LINE.

2620 CAGE-NSCM-DESI-CD — CAGE_NSCM_DES_2620 — DLSC-SBA — F CHAR 1

CAGE/NSCM DESIGNATOR CODE

A CODE WHICH SPECIFIES THAT ONE OR MORE CONDITIONS APPLY TO AN ORGANIZATION OR CORPORATE COMPLEX STRUCTURE. SEE VOLUME 10, TABLE 88, AND QUICK INFO ON-LINE.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

2621 RPTY-OFC-SYM RPTY_OFC_SYM_2621 DLSC-V F CHAR 60
REPOSITORY OFFICE SYMBOL
REPOSITORY OFFICE SYMBOL OR OTHER ATTENTION INFORMATION SUCH AS THE BUILDING NUMBER.

2622 RPTY-STA-US-POS-ABR RPTY_ST_US_AB_2622 DLSC-V F CHAR 2
REPOSITORY STATE/U.S. POSSESSION ABBREVIATION
A TWO POSITION ALPHA ABBREVIATION DESIGNATED BY THE U.S. POSTAL SERVICE TO IDENTIFY EACH STATE AND U.S. POSSESSION OF A REPOSITORY.

2623 RPTY-ZIP-CD RPTY_ZIP_CD_2623 DLSC-V F CHAR 9
REPOSITORY ZIP CODE
FOR A REPOSITORY, A POST OFFICE ASSIGNED CODE WHICH IS USED FOR ADRESSING MAIL TO ADDRESSES IN A SPECIFIC REGION, STATE, CITY OR PORTION THEREOF. THE CODE IS ALSO USED FOR FORMATTING ADDRESS LABELS IN ZIP CODE SEQUENCE.

2624 RPTY-E-MAIL-ADRS RPTY_E_ML_ADR_2624 DLSC-V F CHAR 30
REPOSITORY E MAIL ADDRESS
THE ELECTRONIC ADDRESS OF THE USERS OF THE PROCEDURES E MAIL SYSTEM OF A REPOSITORY.

2625 RPTY-CLR-TXT2 RPTY_CLR_TXT2_2625 DLSC-V V VARCHAR 60
REPOSITORY CLEAR TEXT - 2
SECOND OF UP TO FOUR LINES OF CLEAR TEXT DATA.

2626 RPTY-CLR-TXT3 RPTY_CLR_TXT3_2626 DLSC-V V VARCHAR 60
REPOSITORY CLEAR TEXT - 3
THE THIRD OF UP TO FOUR LINES OF CLEAR TEXT DATA.

2627 RPTY-CLR-TXT4 RPTY_CLR_TXT4_2627 DLSC-V V VARCHAR 60
REPOSITORY CLEAR TEXT - 4
THE FOURTH OF UP TO FOUR LINES OF CLEAR TEXT DATA.

2628 TM-TRANS-OP-ADRS-ID TM_OP_ADRS_ID_2628 DLSC-VP F CHAR 3
TM TRANSACTION OUTPUT ADDRESS IDENTIFIER
THE UNIQUE IDENTIFIER THAT DENOTES A TM TRANSACTION OUTPUT ADDRESS FOR PROVISIONING OR MAINTENANCE/NOTIFICATION.

2629 TRNSMTL-TYP-DESI-CD TRNSMTL_TYP_2629 DLSC-VP F CHAR 1
TRANSMITTAL TYPE DESIGNATOR CODE
THE CODE THAT DESIGNATES THE TYPE OF TRANSMITTAL.

2631 DAI DLSC-V V 25
DATA ASSET IDENTIFIER
AN ELEMENT IN THE MEDALS DATABASE CONSISTING OF DOCUMENT NUMBER, CAGE CODE, DOCUMENT TYPE AND REVISION LEVEL THAT UNIQUELY IDENTIFIES A SPECIFIC ENGINEERING DRAWING.

2632 MEDALS-DOC-NBR MDLS_DOC_NBR_2632 DLSC-V F CHAR 32
MEDALS DOCUMENT NUMBER
A NUMBER ASSIGNED BY THE ORIGINAL DESIGN ACTIVITY OR PREPARING ACTIVITY OF A DOCUMENT TO IDENTIFY THAT DOCUMENT.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

2633 DOC-TYP DOC_TYP_2633 DLSC-V F CHAR 2
DOCUMENT TYPE
A CODE ASSIGNED TO ENGINEERING DRAWINGS IAW MIL-STD-100 INDICATING THE TYPE OF DRAWING IT IS. SEE MIL-STD-804 FOR DEFINITION OR CONTACT THE TECHNICAL DATA REPOSITORY WHERE THE ENGINEERING DRAWING IS MAINTAINED.

2634 DRC DRC_2634 DLSC-V F CHAR 1
DATA RIGHTS CODE
A CODE ASSIGNED BY TECHNICAL DATA REPOSITORIES INDICATING THE DISTRIBUTION CONTROLS OF AN ENGINEERING DRAWING FOR WHICH IT IS RESPONSIBLE FOR. "U" FOR UNLIMITED AND "L" FOR LIMITED.

2636 ERR-MSG-1 DLSC-V V 78
ERROR MESSAGE 1
A CLEAR TEXT MESSAGE TO DESCRIBE A REASON FOR NOT PROCESSING.

2637 RCD-TYP DLSC-V F 1
RECORD TYPE
MUST HAVE A NUMERIC VALUE OF 1, 2, 3, 4 . THIS IS MANDATORY FOR DOCUMENT IDENTIFICATION CODE (DIC) MEC.

2638 RPTY-ID RPTY_ID_2638 DLSC-V F CHAR 5
REPOSITORY IDENTIFIER
A DEPT OF DEFENSE ACTIVITY ADDRESS CODE (DODAAC) INDICATING THE TECHNICAL DATA REPOSITORY WHO PROVIDES DATA TO MEDALS.

2639 LOC-SHRT-TI LOC_SHRT_TI_2639 DLSC-V V CHAR 20
LOCATION SHORT TITLE
AN ABBREVIATED TITLE OF A DATA REPOSITORY.

2640 DAC DAC_2640 DLSC-SBA F CHAR 1
DOCUMENT AVAILABILITY CODE (DAC)
A CODE WHICH ESTABLISHES THE TYPE AND AVAILABILITY OF TECHNICAL DOCUMENTATION. NUMERIC CODES INDICATE TYPE AND AVAILABILITY OF THE DOCUMENTS TO ORIGINATOR AT TIME OF SUBMISSION OF REFERENCE NUMBER AND ITEM IDENTIFICATION CATALOGING TRANSACTIONS. ALPHA CODES INDICATE THE SAME DOCUMENT IS AVAILABLE AND WILL BE FURNISHED BY AN ACTIVITY IDENTIFIED BY THE REFERENCE NUMBER ACTION ACTIVITY CODE /RNAAC-DRN 2900/ THROUGH CROSS-SERVICE AGREEMENT. SEE VOLUME 10, TABLES 5 AND 15 AND QUICK INFO ON-LINE.

2642 TI DLSC-V V 19
TITLE
A CLEAR TEXT WORD OR PHRASE THAT DESCRIBES A DATA ASSET.

2644 REV-LVL REV_LVL_2644 DLSC-V F CHAR 3
REVISION LEVEL
A CODE, NOT TO EXCEED TWO CHARACTERS, INDICATING A CHANGE RECORDED TO AN ENGINEERING DRAWING. SEE DOD-STD-100 FOR MORE INFORMATION.

2645 MINM-ADRS-CD MINM_ADRS_CD_2645 DLSC-SC F CHAR 1
MINIMUM ADDRESS CODE
A CODE WHICH DENOTES A MINIMUM ADDRESS REQUIREMENT. THE CAGE/NSCM RECORD IS NOT SUBJECT TO STREET ADDRESS, CITY, STATE, ZIP CODE REQUIREMENTS, E.G., LAMP INDUSTRY. SEE VOLUME 10, TABLE 36 AND QUICK INFO ON-LINE.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	FORMAT FV	FORMAT TYPE	FORMAT LG
CLEAR TEXT HOST/COBOL NAME						
DRN DEFINITION						

2646 RPLD-INC — RPLD_INC_2646 — DLSC-SCA — F — CHAR — 5

REPLACED ITEM NAME CODE

THIS FIELD CONTAINS THE CANCELLED REPLACED INC.

2647 RPLD-FSC — RPLD_FSC_2647 — DLSC-SCA — F — CHAR — 4

REPLACED FEDERAL SUPPLY CLASS CODE

THIS FIELD CONTAINS THE CANCELLED REPLACED FSC.

2648 RQMT-RPLY-INST — RQMT_RPY_INST_2648 — DLSC-SC — V — CHAR — 20

REQUIREMENT REPLY INSTRUCTION

A STATEMENT WHICH PROVIDES THE REQUIRED SEQUENCE AND CONTRUCTION OF THE REPLY FIELD RELATIVE TO A SPECIFIC MASTER REQUIREMENT CODE (MRC). IT IS STORED IN THE MASTER REQUIREMENTS DIRECTORY AND IS USED AS GUIDANCE FOR THE PREPARATION OF REQUIREMENTS FOR FEDERAL ITEM IDENTIFICATION GUIDES (FIIGS).

2650 ITM-STDZN-CD — ISC_2650 — DLSC-SBA — F — CHAR — 1

ITEM STANDARDIZATION CODE (ISC)

THE CODED REPRESENTATION OF THE ITEM STANDARDIZATION DECISION ON INDIVIDUAL ITEMS. DECISIONS ARE BASED ON THE RULES AND PROCEDURES ESTABLISHED IN THE DEPARTMENT OF DEFENSE STANDARDIZATION MANUAL 4120.3. SEE VOLUME 10, TABLES 91 AND 92 AND QUICK INFO ON-LINE.

2655 ERRC-CD-AF — ERRC_CD_AF_2655 — DLSC-SBA — F — CHAR — 1

EXPENDABILITY-RECOVERABILITY-REPARABILITY CATEGORY CODE-A

A CODE DENOTING THE EXPENDABILITY, RECOVERABILITY, REPARABILITY CATEGORY EMPLOYED IN MANAGEMENT OF AN ITEM OF SUPPLY WITHIN THE AIR FORCE. SEE VOLUME 10, TABLE 69 AND QUICK INFO ON-LINE.

2665 ACCTG-RQMTS-CD-AR — ACTG_RQMT_AR_2665 — DLSC-SBA — F — CHAR — 1

ACCOUNTING REQUIREMENTS CODE, ARMY

A CODE EMPLOYED BY THE U.S. ARMY TO INDICATE THE ACCOUNTABILITY OF AN ITEM OF SUPPLY. SEE VOLUME 10, TABLE 64 AND QUICK INFO ON-LINE.

2670 NIIN-PSCN-STAT-CD — NIIN_STAT_CD_2670 — DLSC-SBA — F — CHAR — 1

NIIN/PSCN STATUS CODE

A CODE WHICH DENOTES THE CURRENT STATUS OF A NATIONAL ITEM IDENTIFICATION NUMBER /NIIN/ OR PERMANENT SYSTEM CONTROL NUMBER /PSCN/. SEE VOLUME 10, TABLE 18 AND QUICK INFO ON-LINE.

2671 RNDM-SMPL-IND-CD — RNDM_SMPL_IND_2671 — DLSC-VPM — F — CHAR — 1

RANDOM SAMPLE INDICATOR CODE

INDICATES WHETHER OR NOT A RANDOM SAMPLE IS REQUIRED. Y = YES, A RANDOM SAMPLE IS REQUIRED. N = NO, A RANDOM SAMPLE IS NOT REQUIRED.

2672 OP-PROD-EXTR-QY — OP_PROD_EXTR_2672 — DLSC-VPM — F — INTEGER — 6

OUTPUT PRODUCT EXTRACT QUANTITY

THE NUMBER OF RECORDS EXTRACTED FROM THE SOURCE FILE(S)/DATABASE(S) FOR A PARTICULAR OUTPUT PRODUCT. OP-PROD-EXTR-QTY WAS DELETED 08/01/94 FOR OP-PROD-EXTR-QY (DRN 2672). DELETED FOR RENAME DATA ELEMENT NAME.

2673 CNFDNC-LVL-RT — CNFDNC_LVL_RT_2673 — DLSC-VPM — F — CHAR — 2

CONFIDENCE LEVEL RATE

THE MEASURE OF THE RELIABILITY OF THE SAMPLE, AND THE RISK THAT THE TRUE POPULATION CHARACTERISTIC VALUE LIES OUTSIDE THE PRECISION INTERVAL OF THE SAMPLE. EXPRESSED AS A PERCENTAGE.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	FORMAT FV	FORMAT TYPE	FORMAT LG
CLEAR TEXT HOST/COBOL NAME						
DRN DEFINITION						
2674	ERR-RT	ERR_RT_2674	DLSC-VPM	F	CHAR	2
ERROR RATE						
THE ANTICIPATED SAMPLING ERROR FOR A PARTICULAR SAMPLE SIZE. EXPRESSED AS A PERCENTAGE.						
2675	SMPL-SZ-QY	SMPL_SZ_QY_2675	DLSC-VPM	F	SMALLINT	4
SAMPLE SIZE QUANTITY						
NUMBER OF RANDOM SAMPLE ITEMS THAT WILL BE OUTPUT FOR QUALITY CONTROL.						
2680	MCC-AR		DLSC-SBA	F		5
MATERIEL CATEGORY CODE, ARMY						
INDICATES THE MATERIAL CLASSIFICATION UNDER WHICH MATERIAL MISSIONS ARE ASSIGNED WITHIN THE ARMY. INDICATES CONTINENTAL UNITED STATES INVENTORY CONTROL POINT RESPONSIBLE FOR SUCH MISSION. INDICATES THE APPROPRIATION ACCOUNT TITLE AND SUBTITLE, AND TYPE OF FUND. SEE VOLUME 10, TABLE 65 AND QUICK INFO ON-LINE.						
2694	CAGE-NSCM-STAT-CD	CAGE_STAT_CD_2694	DLSC-SBB	F	CHAR	1
CAGE/NSCM STATUS CODE						
A CODE WHICH DESIGNATES A SPECIFIC STATUS CONDITION RELATING TO A CAGE/NSCM CODE. SEE VOLUME 10, TABLE 19 AND QUICK INFO ON-LINE.						
2695	FD-CD-AF	FUND_CD_AF_2695	DLSC-SBA	F	CHAR	2
FUND CODE, AIR FORCE						
A CODE EMPLOYED BY THE AIR FORCE TO CLASSIFY ITEMS INTO CATEGORIES BY TYPE OF FUNDS EMPLOYED. SEE VOLUME 10, TABLE 68 AND QUICK INFO ON-LINE.						
2720	HMC	HMC_2720	DLSC-SBA	F	CHAR	2
HAZARDOUS MATERIEL CODE						
A CODE DENOTING MATERIAL WHICH REQUIRES SPECIAL HANDLING. IT IS USED AS A QUALIFIER FOLLOWING THE NATIONAL MOTOR FREIGHT CLASSIFICATION AND THE UNIFORM FREIGHT CLASSIFICATION NUMBER. VALID VALUES ARE % - CAGE CODE IS ASSIGNED TO THE PARENT ORGANIZATION OF A CORPORATE COMPLEX, G - CAGE CODE IS ASSIGNED TO A GOVERNMENT ORGANIZATION, AND 5 - REVISED COMBINATION OF CODE % AND CODE G. NOTE: SEE VOLUME 12, DATA RECORD NUMBER (DRN) FOR FORMAT. SEE VOLUME 10, TABLE 49 AND QUICK INFO ON-LINE.						
2736	ID-COL-HDR-DATA		DLSC-V	V		424
IDENTIFICATION LIST COLUMN HEADER DATA						
A DATA FIELD IN THE ADP FEDERAL ITEM IDENTIFICATION GUIDE (FIIG) WHICH REFLECTS THE WORDS/SYMBOLS WHICH WILL BE PRINTED IN THE IDENTIFICATION LIST FOR EACH COLUMN HEADING E.G., RESISTANCE/WATTS/NR/SECT/TERM DATA/ ETC.						
2738	MDLS-FTP-TRNSMTG-ACTN-CD	FTP_TRN_ACTN_2738	DLSC-VP	F	CHAR	1
MEDALS FTP TRANSMITTING ACTION CODE						
A CODE THAT DENOTES THE TYPE OF ACTION BEING TRANSMITTED VIA FTP TO OR FROM THE MEDALS SYSTEM. USED IN CONJUNCTION WITH MDLS-TRNSMTG-ACTY-ID (DRN 2739). THE CODE MAY BE: O = REPOSITORY ORDERS, U = REPOSITORY UPDATE INPUT, R = REPOSITORY UPDATE OUTPUT, OR I = BATCH INQUIRY OUTPUT.						
2739	MDLS-TRNSMTG-ACTY-ID	TRNSMTG_ACTY_2739	DLSC-VP	F	CHAR	5
MEDALS TRANSMITTING ACTIVITY IDENTIFIER						
AN IDENTIFIER THAT REPRESENTS ACTIVITIES TRANSMITTING DATA TO OR FROM THE MEDALS. USED IN CONJUNCTION WITH MDLS-FTP-TRNSMTG-ACTN-CD (DRN 2738). THE IDENTIFIER MAY CONSIST OF: 1. AN ACTIVITY CODE, 2. A REPOSITORY CODE, OR 3. A UIC CODE.						
2741	TRFR-SAC-FYD-T4-2-NSN	TRFR_STAT_CNT_2741	DLSC-SBA	F	INTEGER	8
TRANSFER SUBMITTING ACTIVITY FISCAL YEAR TO DATE TYPE 4 T						

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM PARTIAL DESCRIPTIVE TO REFERENCE METHOD BY SUBMITTING DEPARTMENT/ACTIVITY.

2743 TRFR-SDP-FYD-T1-2-NSN TRFR_STAT_CNT_2743 DLSC-SBA F INTEGER 8

TRANSFER SUBMITTING DEPARTMENT FISCAL YTD TYPE 1 TO 2 NSN

THE FISCAL YEAR TO DATE QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM FULL DESCRIPTIVE TO REFERENCE METHOD BY SUBMITTING DEPARTMENT.

2744 IMC IMC_2744 DLSC-SBA F CHAR 1

ITEM MANAGEMENT CODE (IMC)

A CODE DENOTING WHETHER ITEMS OF SUPPLY SHALL BE SUBJECTED TO INTEGRATED MANAGEMENT UNDER THE DEFENSE SUPPLY AGENCY OR RETAINED BY THE INDIVIDUAL MILITARY SERVICE OR OTHER DEPARTMENT OF DEFENSE COMPONENTS FOR THEIR MANAGEMENT. ASSIGNED BY THE ACTIVITY RESPONSIBLE FOR ITEM MANAGEMENT CODING. SEE VOLUME 10, TABLES 77 AND 143 AND QUICK INFO ON-LINE.

2745 REPBL-CD REPBL_CD_2745 DLSC-SBA F CHAR 1

REPARABILITY CODE

THIS FIELD CONTAINS THE REPARABILITY CODE FOR A GIVEN DEPARTMENT (DRN 0897).

2746 DB2-ARCH-GRP-NBR DB2_ARC_GP_NO_2746 DLSC-SBA F CHAR 4

DB2 ARCHIVE GROUP NUMBER

THIS FIELD CONTAINS THE ARBITRARY GROUP NUMBER ASSOCIATED WITH EACH DB2 ARCHIVE TABLE.

2747 INVLD-IMC-IND INVLD_IMC_IND_2747 DLSC-SBA F CHAR 1

INVALID ITEM MANAGEMENT CODE INDICATOR

THIS FIELD IS USED TO INDICATE THAT A GIVEN IMC IS INVALID. THE INDICATOR IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10 CHAPTER 4 TABLE 77. X = INVALID BLANK = VALID

2748 IMC-ACTY IMC_ACTY_2748 DLSC-SB F CHAR 2

ITEM MANAGEMENT CODING ACTIVITY (IMCA)

THE MILITARY SERVICE INVENTORY CONTROL POINT /ICP/ OR OTHER DEPARTMENT OF DEFENSE COMPONENT PERFORMING ITEM MANAGEMENT CODING.

2750 RNJC RNJC_2750 DLSC-SBA F CHAR 1

REFERENCE NUMBER JUSTIFICATION CODE

A CODE USED TO RECORD THE DEGREE OF RESEARCH CONDUCTED AND THE JUSTIFICATION FOR ADDING A REFERENCE NUMBER, REINSTATEMENT OF AN ITEM IDENTIFICATION, OR ASSIGNMENT OF A NEW NATIONAL ITEM IDENTIFICATION NUMBER DESPITE A RECOGNIZED CONDITION OF POSSIBLE DUPLICATION WITH AN EXISTING ITEM. SEE VOLUME 10, TABLE 4 AND QUICK INFO ON-LINE.

2755 TBL-ENTRY-KEY DLSC-SB F 10

TABLE ENTRY KEY

A KEY THAT IDENTIFIES AND ADDRESSES AN ENTRY IN A LOCK-UP TABLE. WHEN USED IN CONJUNCTION WITH THE LOOK-UP TABLE NUMBER, IT ALLOWS THE TABLE USER TO ADDRESS A SMALLER PART OF THE TABLE THAN THE WHOLE.

2760 LS-THN-CRLD-RTNG-CD LCL_CD_2760 DLSC-SBA F CHAR 1

LESS THAN CARLOAD RATING CODE

A CODE DENOTING THE LESS THAN CARLOAD RATING APPLICABLE TO THE RECORDED ITEM OF SUPPLY UNDER UNIFORM FREIGHT CLASSIFICATION. SEE VOLUME 10, TABLE 86 AND QUICK INFO ON-LINE.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	FORMAT FV	FORMAT TYPE	FORMAT LG
CLEAR TEXT HOST/COBOL NAME						
DRN DEFINITION						

2770 LS-THN-TL-RTNG-CD LST_TL_CD_2770 DLSC-SBA F CHAR 1

LESS THAN TRUCKLOAD RATING CODE

A CODE DENOTING THE LESS THAN TRUCK LOAD RATING APPLICABLE TO THE RECORDED ITEM OF SUPPLY UNDER NATIONAL MOTOR FREIGHT CLASSIFICATION SYSTEM. SEE VOLUME 10, TABLE 86 AND QUICK INFO ON-LINE.

2790 MGMT-ECH-CD-MC DLSC-SBA F 2

MANAGEMENT ECHELON CODE, MARINE CORPS

A CODE EMPLOYED BY THE MARINE CORPS IN CLASSIFYING ITEMS INTO CATEGORIES BY MATERIAL CATEGORY AND PROCUREMENT ECHELON. SEE VOLUME 10, TABLE 54 AND QUICK INFO ON-LINE.

2795 MRC-DCOD-TBL-PRT-SEQ MRC_DCOD_SEQ_2795 DLSC-SC F CHAR 5

MRC DECODE TABLE AND PRINT SEQUENCE

A CODE CONSISTING OF ONE NUMBER FOLLOWED BY 4 ALPHANUMERICS. THE FIRST NUMBER DESIGNATES THE SEQUENCE THAT THE TABLE WILL BE PRINTED OR INTERPRETED AND PRINTED. THE NEXT FOUR CHARACTERS ARE THE IDENTIFYING DESIGNATION SAME AS DRN 3845 FOR THE TABLE IN WHICH THE REPLY CODE FOR THE MRC WILL BE DECODED TO A CLEAR TEXT STATEMENT. THIS CODE WILL BE STORED IN THE MRD GUIDE AND WILL BE USED IN THE MRD PUBLICATION AND IN DECODING DATA GROUPS IN PRINTING DD146/S AND OTHER PUBLICATIONS.

2832 MAT-CTL-CD-NAVY MAT_CTL_NVY_2832 DLSC-SBA F CHAR 1

MATERIAL CONTROL CODE, NAVY

CODE DENOTING THE EXPENDABILITY, REPAIRABILITY, RECOVERABILITY, AND COST CATEGORY EMPLOYED IN THE MANAGEMENT OF AN ITEM OF SUPPLY WITHIN THE NAVY. SEE VOLUME 10, TABLE 63 AND QUICK INFO ON-LINE.

2833 MOE-CD MOE_CD_2833 DLSC-SBA F CHAR 2

MAJOR ORGANIZATIONAL ENTITY (MOE) CODE

A CODE REPRESENTING THE SUBDIVISION OF A U.S. GOVERNMENTAL ORGANIZATION OR AN AGENCY OF THE NORTH ATLANTIC TREATY ORGANIZATION NATIONS, OTHER FRIENDLY GOVERNMENTS AND INTERNATIONAL ORGANIZATIONS PARTICIPATING IN THE FEDERAL CATALOG PROGRAM. SEE VOLUME 10, TABLES 51 AND 174 AND QUICK INFO ON-LINE.

2834 SP-MAT-IDEN-CD SMIC_NVY_2834 DLSC-SBA F CHAR 2

SPECIAL MATERIAL IDENTIFICATION CODE

A CODE EMPLOYED BY THE NAVY TO CLASSIFY ITEMS INTO CATEGORIES BY SYSTEMS OR COMPONENTS OF SYSTEMS. SEE VOLUME 10, TABLE 60 AND QUICK INFO ON-LINE.

2835 COND-CD-FED DLSC-SBA F 2

CONDITION CODE, FEDERAL

A CODE THAT INDICATES THE CURRENT PHYSICAL CONDITION OF THE SPECIFIC PROPERTY BEING REPORTED FOR SCREENING. SEE VOLUME 10, TABLE 151 AND QUICK INFO ON-LINE.

2836 MAT-MGMT-AG-CD-AF MMAC_AF_2836 DLSC-SBA F CHAR 2

MATERIEL MANAGEMENT AGGREGATION CODE (MMAC), AIR FORCE

A TWO POSITION ALPHABETIC CODE /AA THROUGH ZZ/ AUTHORIZED TO IDENTIFY SPECIFIC ITEMS /NATIONAL STOCK NUMBER/ TO BE MANAGED BY A SPECIFIC MANAGER. THESE CODES APPLY TO /1/ SYSTEMS /2/ PROGRAMS /3/ AGGREGATION OF RELATED EQUIPMENT AND /4/ SELECTED FEDERAL SUPPLY CLASSES. SEE VOLUME 10, TABLE 66 AND QUICK INFO ON-LINE.

2841 ERRC-CNDM-LV-AF ERRC_CNDM_LV_2841 DLSC-SB F CHAR 15

EXPEND RECOVER REPAR CATEGORY CONDEMN LVL AIR FORCE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

REPRESENTS THE LOWEST MAINTENANCE LEVEL AT WHICH CONDEMNATION IS NORMALLY ACCOMPLISHED. DOES NOT PRECLUDE CONDEMNATION AT A LOWER LEVEL WHEN THE ITEM MEETS THE CONDITION CONDEMNED CRITERIA. THE LOWEST CONDEMNATION LEVEL WILL ALSO REPRESENT THE HIGHEST MAINTENANCE LEVEL AT WHICH REPAIR IS NORMALLY ACCOMPLISHED. POSSIBLE CONDEMNATION LEVELS ARE DEPOT, INTERMEDIATE, AND USER. EMPLOYED BY THE AIR FORCE TO CATEGORIZE AF INVENTORY INTO VARIOUS MANAGEMENT GROUPINGS.

2842 ERRC-DSG-AF ERRC_DSG_AF_2842 DLSC-SB F CHAR 3

EXPEND RECOVER REPAR CATEGORY DESIGNATOR AIR FORCE

A THREE-POSITION ERRC DESIGNATOR, COMPLETELY INTERCHANGEABLE WITH A ONE-POSITION ERRC CODE ERRC-CD-AF (DRN 2655), GENERALLY USED IN CORRESPONDENCE AND PUBLICATIONS. THE FIRST POSITION, N (NONEXPENDABLE) OR X (EXPENDABLE), HAS A SPECIAL MEANING AND REFERENCE MUST BE SECURED FROM THE REGULATION. THE SECOND POSITION IDENTIFIES RECOVERABLE ITEMS THROUGH REPAIRS AND THE LOWEST MAINTENANCE REPAIR LEVEL TO CONDEMNING AN ITEM. THE THIRD POSITION, EXCEPT FOR CATEGORY 1 (SCARS), IS MEANINGFUL ONLY WHEN USED WITH THE FIRST TWO POSITIONS.

2843 ERRC-EXP-Y-N-AF ERRC_EXP_Y_N_2843 DLSC-SB F CHAR 3

EXPEND RECOVER REPAR CATEGORY EPEND YES OR NO AIR FORCE

THIS IS A SPECIAL AF TERM DEALING WITH MATERIEL ACCOUNTABILITY. (SEE AFM 67-1, VOL. 1, PART FOUR, ATTACHMENT 27.) POSSIBLE EXPENDALE ENTRIES ARE YES AND NO. EMPLOYED BY THE AIR FORCE TO CATEGORIZE AF INVENTORY INTO VARIOUS MANAGEMENT GROUPINGS.

2844 ERRC-REP-Y-N-AF ERRC_REP_Y_N_2844 DLSC-SB F CHAR 3

EXPEND RECOVER REPAR CATEGORY REPBL AIR FORCE

THIS IS A SPECIAL AF TERM DENOTING THE REPARABILITY CATEGORY EMPLOYED IN MANAGEMENT OF AN ITEM OF SUPPLY WITHIN THE AIR FORCE. POSSIBLE REPARABLE ENTRIES ARE YES AND NO. EMPLOYED BY THE AIR FORCE TO CATEGORIZE AF INVENTORY INTO VARIOUS MANAGEMENT GROUPINGS.

2850 NMFC-CD NMFC_2850 DLSC-SB F CHAR 6

NATIONAL MOTOR FREIGHT CLASSIFICATION (NMFC) CODE

A CODE DIVIDING ARTICLES INTO GROUPS OR CLASSES ACCORDING TO PHYSICAL CHARACTERISTICS. FIRST STEP IN ESTABLISHING CHARGES FOR THE MOVEMENT OF MATERIAL BETWEEN SPECIFIED POINTS. THE CLASSIFICATION IS BASED ON TRUCKLOAD VS LESS THAN TRUCKLOAD. THE NATIONAL MOTOR FREIGHT CLASSIFICATION PUBLISHES RATINGS FROM CLASS 35 TO 500, 5 TIMES FIRST CLASS. IT IS THE PRIMARY CLASSIFICATION FOR THE MOTOR INDUSTRY.

2862 PHRS-CD-MDL PHRS_CD_2862 DLSC-SBA F CHAR 1

PHRASE CODE-MANAGEMENT DATA LIST

A CODE ASSIGNED TO A PHRASE USED IN THE MANAGEMENT DATA LIST TO DENOTE CHANGES AND/OR RELATIONSHIPS BETWEEN NATIONAL STOCK NUMBERS AND REFERENCE DATA, E.G., TECHNICAL DOCUMENT NUMBER, QUANTITATIVE EXPRESSION, ETC. SEE VOLUME 10, TABLES 52, 96, 100 AND 108 AND QUICK INFO ON-LINE.

2863 CIIC CIIC_2863 DLSC-SBA F CHAR 1

CONTROLLED INVEN 'ORY ITEM CODE (CIIC)

A CODE INDICATING THE SECURITY CLASSIFICATION AND/OR SECURITY RISK OR PILFERAGE CONTROLS FOR STORAGE AND TRANSPORTATION OF DOD ASSETS. SEE VOLUME 10, TABLE 61 AND QUICK INFO ON-LINE.

2866 PICA PICA_2866 DLSC-SB F CHAR 2

PRIMARY INVENTORY CONTROL ACTIVITY (PICA)

A CODE INDICATING THE PRINCIPAL SUPPLY CONTROL ACTIVITY RESPONSIBLE FOR ESTABLISHING STOCKAGE OBJECTIVES, CONTROLLING STOCKAGE OBJECTIVES AND MAINTAINING ITEM ACCOUNTABILITY FOR AN ITEM OF SUPPLY. SHORT TITLE- PICA. FORMERLY-WHOLESALE INVENTORY MANAGER.

2867 PRI-IND-CD PRI_IND_CD_2867 DLSC-SBA F CHAR 1

PRIORITY INDICATOR CODE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A CODE USED TO INDICATE THE RELATIVE IMPORTANCE OF A SPECIFIC FUNCTION, MISSION, PROJECT OR PROGRAM WHICH REQUIRES ITEM DATA SUPPORT. THE PRIORITY INDICATOR CODE WILL BE THE PRINCIPAL FACTOR IN DETERMINING THE PRECEDENCE AND RESPONSE TIME ALLOWED FOR TRANSACTION PROCESSING TO ENSURE EMPLOYMENT OF UNIFORM STANDARDS AND DISCIPLINES. SEE VOLUME 10, TABLE 24 AND QUICK INFO ON-LINE.

2871 ACQ-MTHD-CD AMC_2871 DLSC-SBA F CHAR 1

ACQUISITION METHOD CODE

A CODE REFLECTING THE DECISION OF THE PRIMARY INVENTORY CONTROL ACTIVITY /PICA/ AS TO TECHNIQUE OF PURCHASING TO BE EMPLOYED FROM A PLANNED PROCUREMENT REVIEW. MUST BE USED IN COMBINATION WITH DRN 2876. SEE VOLUME 10, TABLES 70 AND 71 AND QUICK INFO ON-LINE.

2876 ACQ-MTHD-SUF-CD AMSC_2876 DLSC-SBA F CHAR 1

ACQUISITION METHOD SUFFIX CODE (AMSC)

A SUPPLEMENTARY CODE TO INDICATE THE PRIMARY REASON WHY THE NUMERIC CODE/PROCUREMENT METHOD CODE/WAS ASSIGNED FOR PROCUREMENT. E.G. ITEM REQUIRES SPECIAL TESTING, RIGHTS TO PROCUREMENT NOT LEGALLY AVAILABLE, ETC. MUST BE USED IN COMBINATION WITH DRN 2871. SEE VOLUME 10, TABLES 70 AND 71 AND QUICK INFO ON-LINE.

2891 RECOV-CD-MC RECOV_CD_MC_2891 DLSC-SBA F CHAR 1

RECOVERABILITY CODE, MARINE CORPS

A CODE TO PROVIDE INFORMATION ON EACH MARINE CORPS ITEM RELATIVE TO WHETHER THE ITEM IS CONSIDERED REPARABLE, CONSUMABLE OR SALVAGEABLE. SEE VOLUME 10, TABLE 57 AND QUICK INFO ON-LINE.

2892 RECOV-CD-AR RECOV_CD_AR_2892 DLSC-SB F CHAR 1

RECOVERABILITY CODE, ARMY

A CODE EMPLOYED WITHIN THE U.S. ARMY DENOTING THE RECOVERABILITY CATEGORY UNDER WHICH AN ITEM OF SUPPLY IS MANAGED. SEE VOLUME 10, TABLE 87 AND QUICK INFO ON-LINE.

2893 TECH-DOC-NBR TECH_DOC_NBR_2893 DLSC-SB F CHAR 20

TECHNICAL DOCUMENT NUMBER

A VARIABLE LENGTH ALPHANUMERIC NUMBER OF A TECHNICAL DOCUMENT RELATED OR APPLIED TO A NATIONAL STOCK NUMBER AS SPECIFIED THROUGH THE PHRASE CODE.

2895 REL-NSN REL_NSN_2895 DLSC-SB F CHAR 13

RELATED NATIONAL STOCK NUMBER

A NATIONAL STOCK NUMBER RELATED TO THE RECORD NATIONAL STOCK NUMBER BY MEANS OF A MANAGEMENT DATA PHRASE CODE. IF THE MANAGEMENT DATA LIST PHRASE CODE IS E, F, U, OR 3 THE MASTER NSN MUST HAVE I&S ORDER OF USE RECORDED FOR THIS NSN.

2900 RNAAC RNAAC_2900 DLSC-SBA F CHAR 2

REFERENCE NUMBER ACTION ACTIVITY CODE (RNAAC)

A CODE DESIGNATING THE ACTIVITY WHICH HAS ACKNOWLEDGED THE POSSESSION OR NON-POSSESSION OF A DRAWING OR TECHNICAL DOCUMENTATION. SUCH ACKNOWLEDGEMENT IS REFLECTED IN THE DOCUMENT AVAILABILITY CODE. DRAWINGS COULD BE MADE AVAILABLE TO OTHERS HAVING INTEREST IN THE ITEM. SEE VOLUME 10, TABLES 5 AND 104 AND QUICK INFO ON-LINE.

2910 RNCC RNCC_2910 DLSC-SBA F CHAR 1

REFERENCE NUMBER CATEGORY CODE (RNCC)

A CODE DESIGNATING THE RELATIONSHIP OF THE REFERENCE NUMBER TO THE ITEM OF SUPPLY. SEE VOLUME 10, TABLES 6, 15, 31 AND 40 AND QUICK INFO ON-LINE.

2920 REF-NBR-FMT-CD RNFC_2920 DLSC-SBA F CHAR 1

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

REFERENCE NUMBER FORMAT CODE (RNFC)

A CODE WHICH IDENTIFIES THE FORMAT MODE OF A LOGISTICS REFERENCE NUMBER USED IN BOTH ENGINEERING AND LOGISTICS DATA SYSTEMS. SEE VOLUME 10, TABLE 1 AND QUICK INFO ON-LINE.

2923 REF-NBR-STAT-CD RNSC_2923 DLSC-SBA F CHAR 1

REFERENCE NUMBER STATUS CODE

A CODE DESIGNATING WHETHER A MANUFACTURER IS A SOURCE OF PROCUREMENT AND WHETHER THE REFERENCE NUMBER IS REQUIRED FOR IDENTIFICATION IN THE PROCUREMENT INVITATION FOR BID. SEE VOLUME 10, TABLE 17 AND QUICK INFO ON-LINE

2926 REL-INC REL_INC_2926 DLSC-SC F CHAR 5

RELATED ITEM NAME CODE

A CODE RECORDED AGAINST OTHER ITEM NAME CODES/ITEM NAMES TO INDICATE RELATIONSHIPS BETWEEN DIFFERENT ITEM NAMES, E.G., COLLOQUIAL NAME CROSS REFERENCED TO APPLICABLE APPROVED ITEM NAME.

2930 REIMB-CD REIMB_CD_2930 DLSC-SBA F CHAR 1

REIMBURSEMENT CODE

A ONE POSITION NUMERIC CODE TO DENOTE THAT AN ITEM IS REIMBURSABLE OR NON-REIMBURSABLE. SEE VOLUME 10, TABLE 153 AND QUICK INFO ON-LINE.

2931 FMR-SUPPLM-COLLBR DLSC-SBA F 2

FORMER SUPPLEMENTARY COLLABORATOR

AN ACTIVITY FORMERLY DESIGNATED TO COLLABORATE ON PROPOSED REVISIONS TO THE ITEM IDENTIFICATION OF A SPECIFIC NATIONAL ITEM IDENTIFICATION NUMBER ON WHICH IT IS RECORDED.

2933 REPBL-CD-AR REPBL_CD_AR_2933 DLSC-SBA F CHAR 1

REPARABILITY CODE ARMY

A CODE DENOTING WHETHER OR NOT THE ITEM IS REPARABLE AND THE ARMY ECHELON AT WHICH SUCH MAINTENANCE REPAIR IS ACCOMPLISHED. THE CODE IS POSITION 3 OF THE MATERIEL CATEGORY CODE-ARMY (DRN 2680). SEE VOLUME 10, TABLE 65 AND QUICK INFO ON-LINE.

2934 REPBL-CHAR-IND-CD-DLA REP_CD_DLA_2934 DLSC-SBA F CHAR 1

REPARABLE CHARACTERISTICS INDICATOR CODE, DLA

A CODE INDICATING WHETHER OR NOT THE ITEM HAS REPARABLE CHARACTERISTICS AND WHETHER OR NOT THE ITEM HAS BEEN SUBJECTED TO REPARABLE CHARACTERISTICS REVIEW. THIS CODE IS APPLICABLE TO DLA MANAGED ITEMS ONLY. NOTE: ITEMS IN THIS CODE CATEGORY ARE NOT "REPARABLE" AS DEFINED IN DOD 4100.26-M, VOLUME 1, WHICH WOULD QUALIFY THEM FOR SERVICE RETENTION RATHER THAN COMMODITY INTEGRATED MATERIEL MANAGEMENT, BUT THEY ARE SYNONYMOUS WITH THE DEFINITION OF "RECOVERABLE" AS CONTAINED IN PARAGRAPH 1-3W OF DLAM 4151.1. SEE VOLUME 10, TABLE 130 AND QUICK INFO ON-LINE.

2936 FMR-SUPPLM-RCVR DLSC-SBA F 2

FORMER SUPPLEMENTARY RECEIVER

AN ACTIVITY FORMERLY DESIGNATED TO RECEIVE DISTRIBUTION OF ITEM IDENTIFICATION FILE MAINTENANCE DATA FOR A SPECIFIC NATIONAL ITEM IDENTIFICATION NUMBER ON WHICH IT IS RECORDED.

2938 SICA-CD SICA_2938 DLSC-SB F CHAR 2

SECONDARY INVENTORY CONTROL ACTIVITY (SICA)

A CODE THAT IDENTIFIES A SUPPLY CONTROL ACTIVITY RESPONSIBLE FOR CONTROLLING STOCK LEVELS AND MAINTAINING ITEM ACCOUNTABILITY WHEN SUPPLY SUPPORT IS FURNISHED BY A DIFFERENT SERVICE OR AGENCY OR, IN THE CASE OF DEFENSE SUPPLY CENTERS, RESPONSIBLE FOR RESIDUAL SUPPLY MANAGEMENT ACTIONS NOT TRANSFERRED TO THE GENERAL SERVICES ADMINISTRATION /GSA/. SHORT TITLE-SICA. FORMERLY-THE RETAIL MANAGER.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	FORMAT FV	TYPE	LG
CLEAR TEXT HOST/COBOL NAME						
DRN DEFINITION						

2943 SHLF-LIF-CD SLC_2943 DLSC-SBA F CHAR 1
SHELF LIFE CODE
A CODE INDICATING THE STORAGE TIME PERIOD OR PERISHABILITY OF AN ITEM. *THIS DATA IS CODIFIED BY ONE CHARACTER WHICH MAY BE AN ALPHA, NUMERIC OR A SYMBOL. SEE VOLUME 10, TABLES 50 AND 143 AND QUICK INFO ON-LINE.

2948 SOS-MOD-CD SOSM_CD_2948 DLSC-SBA F CHAR 3
SOURCE OF SUPPLY MODIFIER (SOSM) CODE
A CODE DENOTING ROUTING INFORMATION FOR REQUISITIONS WHICH CANNOT BE ADDRESSED TO A SINGLE MILSTRIP /MILITARY STANDARD REQUISITIONING AND ISSUE PROCEDURES/ ROUTING IDENTIFIER OR WHEN A SINGLE ROUTING IDENTIFIER CANNOT BE ASSIGNED. SHORT TITLE - SOSM. SEE VOLUME 10, TABLES 59 AND 113 AND QUICK INFO ON-LINE.

2959 STRS-ACCT-MC STRS_ACT_MC_2959 DLSC-SBA F CHAR 1
STORES ACCOUNT-MARINE CORPS
A CODE USED TO INDICATE THE TYPE OF FUNDS EMPLOYED WITHIN THE MARINE CORPS IN SUPPLY SUPPORT OPERATIONS.SEE VOLUME 10, TABLE 55 AND QUICK INFO ON-LINE.

2980 TECH-DATA-SPT-CD DLSC-SB F 1
TECHNICAL DATA SUPPORT CODE
AN INTERNAL CODE DERIVED FROM THE DOCUMENT AVAILABILITY CODE DENOTING WHAT DOCUMENTATION WAS AVAILABLE AT THE TIME A NATIONAL ITEM IDENTIFICATION NUMBER WAS ASSIGNED.

3010 ENVRNMTL-ATTR-DEF-TX ENV_ATTR_DEF_3010 DLSC-SBA F CHAR 250
ENVIRONMENTAL ATTRIBUTE DEFINITION TEXT
THE CLEAR TEXT DEFINITION OF ENVRNMTL-ATTR-CD (DRN 3025). SEE VOLUME 10, TABLE XXX.

3011 HCC-DP-NSN-ALL HCC_STAT_CNT_3011 DLSC-SBA F INTEGER 4
HCC DEPARTMENT NSN ALL
A TOTAL COUNT OF ALL HCC-NSNs BROKEN OUT BY DEPARTMENT.

3012 HCC-DP-HCC-NSN-TOT HCC_STAT_CNT_3012 DLSC-SBA F INTEGER 4
HCC DEPARTMENT HCC NSN TOTAL
A TOTAL COUNT OF NSNs WITHIN A DEPARTMENT BROKEN OUT BY INDIVIDUAL HCC.

3013 HCC-DP-AT-ALL HCC_STAT_CNT_3013 DLSC-SBA F INTEGER 4
HCC DEPARTMENT ACTIVITY ALL
A TOTAL COUNT OF ALL HCC-NSNs BROKEN OUT BY ACTIVITY.

3014 HCC-DP-AT-HCC-NSN-T HCC_STAT_CNT_3014 DLSC-SBA F INTEGER 4
HCC DEPARTMENT ACTIVITY HCC NSN TOTAL
A TOTAL COUNT OF NSNs WITHIN AN ACTIVITY BROKEN OUT BY INDIVIDUAL HCC.

3015 HCC-DP-AT-LOA-NSN-TOT HCC_STAT_CNT_3015 DLSC-SBA F INTEGER 4
HCC DEPARTMENT ACTIVITY LOA NSN TOTAL
A TOTAL COUNT OF HCC-NSNs WITHIN AN ACTIVITY BROKEN OUT BY LOA.

3016 HCC-D-A-HCC-LOA-NSN-T HCC_STAT_CNT_3016 DLSC-SBA F INTEGER 4
HCC DEPARTMENT ACTIVITY LOA HCC NSN TOTAL
A COUNT OF NSNs WITHIN AN ACTIVITY LOA BROKEN OUT BY INDIVIDUAL HCC.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	--------FORMAT-------- FV--------TYPE--------LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					

3017 HCC-FSC-NSN-ALL HCC_STAT_CNT_3017 DLSC-SBA F INTEGER 4
HCC FEDERAL SUPPLY CLASS NSN ALL
A TOTAL COUNT OF ALL HCC-NSNs BROKEN OUT BY FEDERAL SUPPLY CLASS.

3018 HCC-FSC-HCC-NSN-TOT HCC_STAT_CNT_3018 DLSC-SBA F INTEGER 4
HCC FSC HCC NSN TOTAL
A TOTAL COUNT OF NSNs WITHIN AN FSC BROKEN OUT BY INDIVIDUAL HCC.

3019 HCC-FSC-DP-ALL HCC_STAT_CNT_3019 DLSC-SBA F INTEGER 4
HCC FSC DEPARTMENT ALL
A TOTAL COUNT OF ALL HCC-NSNs BROKEN OUT BY DEPARTMENT.

3020 HCC-FSC-DP-HCC-TOT HCC_STAT_CNT_3020 DLSC-SBA F INTEGER 4
HCC FSC DEPARTMENT HCC TOTAL
A COUNT OF NSNs FOR A DEPARTMENT WITHIN AN FSC, BROKEN OUT BY INDIVIDUAL HCC.

3021 HCC-FSC-DEPT-ACTY-ALL HCC_STAT_CNT_3021 DLSC-SBA F INTEGER 4
HCC FSC DEPT ACTIVITY ALL
A TOTAL COUNT OF HCC-NSNs WITHIN AN FSC BROKEN OUT BY ACTIVITY.

3022 HCC-FSC-DP-AT-HCC-ALL-T HCC_STAT_CNT_3022 DLSC-SBA F INTEGER 4
HCC FSC DEPT ACTY HCC ALL TOTAL
A TOTAL COUNT OF NSNs FOR AN ACTIVITY WITHIN AN FSC BROKEN OUT BY INDIVIDUAL HCC.

3023 HCC-FSC-D-A-LOA-NSN-T HCC_STAT_CNT_3023 DLSC-SBA F INTEGER 4
HCC FSC DEPARTMENT ACTIVITY LOA NSN TOTAL
A TOTAL COUNT OF FSC HCC-NSNs WITHIN AN ACTIVITY BROKEN OUT BY LOA.

3024 HCC-FSC-DP-AT-HCC-LOA-T HCC_STAT_CNT_3024 DLSC-SBA F INTEGER 4
HCC FSC DEPT ACTY LOA HCC TOTAL
A TOTAL COUNT OF FSC NSNs WITHIN AN ACTIVITY LOA BROKEN OUT BY INDIVIDUAL HCC.

3025 ENVRNMTL-ATTR-CD ENAC_3025 DLSC-SBA F CHAR 1
ENVIRONMENTAL ATTRIBUTE CODE
A CODE THAT IS USED TO PROVIDE A MEANS OF IDENTIFYING ITEMS OF SUPPLY THAT HAVE ENVIRONMENTAL CHARACTERISTICS.

3026 HCC-N-US-DP-NSN-ALL HCC_STAT_CNT_3026 DLSC-SBA F INTEGER 4
HCC NON US DEPARTMENT NSN ALL
A TOTAL COUNT OF ALL NON-US HCC-NSNs BROKEN OUT BY DEPARTMENT.

3027 HCC-N-US-DP-HCC-NSN-T HCC_STAT_CNT_3027 DLSC-SBA F INTEGER 4
HCC NON US DEPARTMENT HCC NSN TOTAL
A COUNT OF NON-US-NSNs WITHIN A DEPARTMENT BROKEN OUT BY INDIVIDUAL HCC.

3028 HCC-N-US-DP-AT-ALL HCC_STAT_CNT_3028 DLSC-SBA F INTEGER 4
HCC NON US DEPARTMENT ACTIVITY ALL
A TOTAL COUNT OF ALL NON-US HCC-NSNs BROKEN OUT BY ACTIVITY.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	--------FORMAT-------- FV---------TYPE---------LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					

3029 HCC-N-US-DP-AT-HCC-NSN-T HCC_STAT_CNT_3029 DLSC-SBA F INTEGER 4
HCC NON US DEPARTMENT ACTIVITY HCC NSN TOTAL
A TOTAL COUNT OF NON-US NSNs WITHIN AN ACTIVITY BROKEN OUT BY HCC.

3030 HCC-N-US-DP-AT-LOA-NSN-TOT HCC_STAT_CNT_3030 DLSC-SBA F INTEGER 4
HCC NON US DEPARTMENT ACTIVITY LOA NSN TOTAL
A COUNT OF NON-US HCC-NSNs WITHIN AN ACTIVITY BROKEN OUT BY LOA.

3031 HCC-N-US-DP-AT-HCC-LOA-T HCC_STAT_CNT_3031 DLSC-SBA F INTEGER 4
HCC NON US DEPT ACTY LOA HCC TOTAL
A COUNT OF NON-US NSNs WITHIN AN ACTIVITY LOA BROKEN OUT BY INDIVIDUAL HCC.

3032 HCC-NON-US-FSC-NSN-ALL HCC_STAT_CNT_3032 DLSC-SBA F INTEGER 4
HCC NON US FEDERAL SUPPLY CLASS NSN ALL
A TOTAL COUNT OF NON-US HCC-NSNs WITHIN A FEDERAL SUPPLY CLASS.

3033 HCC-N-US-FSC-HCC-NSN-TOT HCC_STAT_CNT_3033 DLSC-SBA F INTEGER 4
HCC NON US FSC HCC NSN TOTAL
A COUNT OF NON-US NSNs WITHIN A FEDERAL SUPPLY CLASS BROKEN OUT BY INDIVIDUAL HCC.

3034 HCC-N-US-FSC-DP-ALL HCC_STAT_CNT_3034 DLSC-SBA F INTEGER 4
HCC NON US FSC DEPARTMENT ALL
A COUNT OF ALL NON-US HCC-NSNs WITHIN AN FSC BROKEN OUT BY DEPARTMENT.

3035 HCC-N-US-FSC-DP-HCC-TOT HCC_STAT_CNT_3035 DLSC-SBA F INTEGER 4
HCC NON US FSC DEPARTMENT HCC TOTAL
A COUNT OF NON-US NSNs FOR AN FSC WITHIN A DEPARTMENT, BROKEN OUT BY INDIVIDUAL HCC.

3036 HCC-N-US-FSC-D-A-ALL HCC_STAT_CNT_3036 DLSC-SBA F INTEGER 4
HCC NON US FSC DEPT ACTIVITY ALL
A TOTAL COUNT OF ALL NON-US HCC-NSNs WITHIN AN FSC, BROKEN OUT BY ACTIVITY.

3037 HCC-N-US-FSC-DP-AT-HCC-T HCC_STAT_CNT_3037 DLSC-SBA F INTEGER 4
HCC NON US FSC DEPT ACTY HCC TOTAL
A TOTAL COUNT OF NON US NSNs FOR AN ACTIVITY WITHIN AN FSC BROKEN OUT BY INDIVIDUAL HCC.

3038 HCC-NON-US-FSC-D-A-LOA-T HCC_STAT_CNT_3038 DLSC-SBA F INTEGER 4
HCC NON US FSC DEPARTMENT ACTIVITY LOA NSN TOTAL
A TOTAL COUNT OF NON-US HCC-NSNs FOR AN ACTIVITY WITHIN AN FSC BROKEN OUT BY LOA.

3039 HCC-N-US-FSC-D-A-HCC-LOA-T HCC_STAT_CNT_3039 DLSC-SBA F INTEGER 4
HCC NON US FSC DEPT ACTY LOA HCC TOTAL
A TOTAL COUNT OF NON-US NSNs FOR AN ACTIVITY LOA WITHIN AN FSC, BROKEN OUT BY INDIVIDUAL HCC.

3040 UFC-CD-MODF UFC_CD_MODF_3040 DLSC-SBA F CHAR 5
UNIFORM FREIGHT CLASSIFICATION (UFC) CODE (MODIFIED)

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A CODE THAT DIVIDES ARTICLES INTO GROUPS OR CLASSES ACCORDING TO PHYSICAL CHARACTERISTICS. FIRST STEP IN ESTABLISHING CHARGES FOR THE MOVEMENT OF MATERIAL BETWEEN SPECIFIED POINTS. THE CLASSIFICATION IS BASED ON CARLOAD VERSUS LESS THAN CARLOAD. THE UNIFORM FREIGHT CLASSIFICATION PUBLISHES RATINGS FROM CLASS 13 TO 400 /4 TIMES FIRST CLASS/. USED EXTENSIVELY BY THE RAIL CARRIERS AND BY SOME MOTOR CARRIERS.

3041 OLD-UI-CD — OLD_UI_CD_3041 — DLSC-SB — F CHAR 2

OLD UNIT OF ISSUE CODE

THIS FIELD CONTAINS THE OLD UNIT OF ISSUE CODE. THIS FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 079.

3042 NEW-UI-CD — NEW_UI_CD_3042 — DLSC-SB — F CHAR 2

NEW UNIT OF ISSUE CODE

THIS FIELD CONTAINS THE NEW UNIT OF ISSUE CODE. THIS FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 179.

3043 SEQ-KEY — SEQ_KEY_3043 — DLSC-SB — F CHAR 1

SEQUENCE KEY

THIS FIELD CONTAINS A SINGLE ALPHABETIC SEQUENCE (STARTING WITH A) CHARACTER WHICH ALLOWS FOR SUBCATEGORIES UNDER UNIT OF ISSUE. THIS FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 79.

3044 OLD-QUANT-EXP — OLD_QUANT_EXP_3044 — DLSC-SB — F CHAR 13

OLD QUANTITATIVE EXPRESSION

THIS FIELD CONTAINS THE OLD QUANTITATIVE EXPRESSION (USED IN COMPUTATIONS). THIS FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 79.

3045 NEW-QUANT-EXP — NEW_QUANT_EXP_3045 — DLSC-SB — F CHAR 13

NEW QUANTITATIVE EXPRESSION

THIS FIELD CONTAINS THE NEW QUANTITATIVE EXPRESSION (USED IN COMPUTATIONS). THIS FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 79.

3046 OLD-UI-TEXT — OLD_UI_TEXT_3046 — DLSC-SB — V VARCHAR 50

OLD UNIT OF ISSUE TEXT

THIS FIELD CONTAINS THE OLD UNIT OF ISSUE TEXT. THIS FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 79.

3047 NEW-UI-TEXT — NEW_UI_TEXT_3047 — DLSC-SB — V VARCHAR 50

NEW UNIT OF ISSUE TEXT

THIS FIELD CONTAINS THE NEW UNIT OF ISSUE TEXT. THIS FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 79.

3048 FRST-PHRS-CD — FRST_PHRS_CD_3048 — DLSC-SB — F CHAR 1

FIRST PHRASE CODE

THIS FIELD CONTAINS A PHRASE CODE (DRN 2862) WHICH IS BEING MATCHED WITH A SECOND PHRASE CODE (DRN 3049) IN THE PHRASE CODE PACKAGE COMBINATION TABLE, FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 96.

3049 SCND-PHRS-CD — SCND_PHRS_CD_3049 — DLSC-SB — F CHAR 1

SECOND PHRASE CODE

THIS FIELD CONTAINS A PHRASE CODE (DRN 2862) WHICH IS BEING MATCHED WITH A FIRST PHRASE CODE (DRN 3048) IN THE PHRASE CODE PACKAGE COMBINATION TABLE, FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 96.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

3050 UI — UI_3050 — DLSC-SBA — F CHAR 2
UNIT OF ISSUE
A CODE INDICATING THE PHYSICAL MEASUREMENT, THE COUNT OR WHEN NEITHER IS APPLICABLE, THE CONTAINER, OR SHAPE OF AN ITEM FOR PURPOSES OR REQUISITIONING BY, AND ISSUE TO, THE END-USER, AND IS THAT ELEMENT OF MANAGEMENT DATA TO WHICH THE UNIT PRICE IS ASCRIBED. SEE VOLUME 10, TABLES 53, 79 AND 143 AND QUICK INFO ON-LINE.

3051 PHRS-CD-COMB-NT-IND — PH_CD_NT_IND_3051 — DLSC-SB — F CHAR 1
PHRASE CODE COMBINATION NOTE INDICATOR
THIS FIELD CONTAINS THE SINGLE CHARACTER NOTE CODE REFERENCE TO THE NOTES FOR THE PHRASE CODE PACKAGE COMBINATION TABLE, FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 96.

3053 UI-CONV-FAC — UI_CONV_FAC_3053 — DLSC-SBA — F CHAR 5
UNIT OF ISSUE CONVERSION FACTOR
THE QUANTITATIVE VALUE BY WHICH THE PROPER QUANTITY PER UNIT OF ISSUE MUST BE MULTIPLIED TO ARRIVE AT AN EQUAL QUANTITY OF THE NEW UNIT OF ISSUE. SEE VOLUME 10, TABLE 79 AND QUICK INFO ON-LINE.

3054 SNA-REMOT-SYS-ID — SNA_REMOT_ID_3054 — DLSC-SBA — F CHAR 4
SNA REMOTE SYSTEM IDENTIFIER
THE IDENTIFIER THAT REPRESENTS THE REMOTE SYSTEM CONNECTED TO IN A SNA LU6.2 CONNECTION.

3058 MRC-NUM-VALUE — DLSC-SB — F 2
MRC NUMERIC VALUE
COUNT OF MRCs WITH A OR B REPLYs.

3059 TMSTMP — TMSTMP_3059 — DLSC-SB — F TIMESTMP 26
TIME STAMP
TIME STAMP USED FOR EFFECTIVE DATE YYYY - YEAR YYYY-MM-DD-HH.MM.SS.NNNNNN MM - MONTH EXAMPLE: 1990-10-27-03.30.00 DD - DAY HH - HOUR MM - MINUTES SS - SECONDS NN - MICROSECONDS

3060 AND-OR-IND — AND_OR_IND_3060 — DLSC-SB — F CHAR 1
AND OR INDICATOR
USED TO INDICATE WHETHER TO USE 'AND' OR 'OR' AS THE CONNECTOR OF TEXT FROM 'CODED/CLEAR REPLY'.

3063 TEXT-KEYWORD — DLSC-SB — F 35
TEXT KEYWORD
TEXT FOR A KEYWORD SEARCH OF BYWORDS OF A SET OF TEXT DATA USED BY CHARACTERISTIC SEARCH.

3065 STAT-LVL-AUTH-CD1 — STAT_LOA1_3065 — DLSC-SBA — F CHAR 2
STATISTICS LEVEL OF AUTHORITY CODE1
PART OF 6-VALUE ARRAY USED IN COMMONALITY DATA TABLES.

3066 STAT-LVL-AUTH-CD — STAT_LOA_3066 — DLSC-SBA — F CHAR 2
STATISTICS LEVEL OF AUTHORITY CODE
A CODE THAT INCLUDES BOTH PRIMARY INVENTORY CONTROL ACTIVITY (PICA) (DRN 3505) OR SECONDARY INVENTORY CONTROL ACTIVITY (SICA) (DRN 9547) FOR STATISTICAL USE ONLY.

3067 STAT-LVL-AUTH-CD2 — STAT_LOA2_3067 — DLSC-SBA — F CHAR 2
STATISTICS LEVEL OF AUTHORITY CODE2
PART OF 6-VALUE ARRAY USED IN COMMONALITY DATA TABLES.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	FORMAT FV	FORMAT TYPE	FORMAT LG
CLEAR TEXT HOST/COBOL NAME						
DRN DEFINITION						
3068	STAT-LVL-AUTH-CD3	STAT_LOA3_3068	DLSC-SBA	F	CHAR	2
STATISTICS LEVEL OF AUTHORITY CODE3 PART OF 6-VALUE ARRAY USED IN COMMONALITY DATA TABLES.						
3069	STAT-LVL-AUTH-CD4	STAT_LOA4_3069	DLSC-SBA	F	CHAR	2
STATISTICS LEVEL OF AUTHORITY CODE4 PART OF 6-VALUE ARRAY USED IN COMMONALITY DATA TABLES.						
3070	STAT-LVL-AUTH-CD5	STAT_LOA5_3070	DLSC-SBA	F	CHAR	2
STATISTICS LEVEL OF AUTHORITY CODE5 PART OF 6-VALUE ARRAY USED IN COMMONALITY DATA TABLES.						
3071	STAT-LVL-AUTH-CD6	STAT_LOA6_3071	DLSC-SBA	F	CHAR	2
STATISTICS LEVEL OF AUTHORITY CODE6 PART OF 6-VALUE ARRAY USED IN COMMONALITY DATA TABLES.						
3073	J-TBL-REPLY	J_TBL_REPLY_3073	DLSC-SC	F	CHAR	12
J TABLE REPLY THE REPLY CODE PORTION(S) FOR A J MODE CODE MRC.						
3074	MRC-VALUE-MAX		DLSC-SC	F		4
MRC VALUE MAXIMUM MAXIMUM VALUE OF AN MRC IN CHARACTERISTIC SEARCH.						
3075	MRC-VALUE-MIN		DLSC-SC	F		4
MRC VALUE MINIMUM MINIMUM MRC FOR CHARACTERISTIC SEARCH.						
3076	MRC-VALUE-NOM		DLSC-SC	F		4
MRC VALUE NOMINAL NOMINAL VALUE OF AN MRC IN CHARACTERISTIC SEARCH.						
3077	H-TBL-VALUE	H_TBL_VALUE_3077	DLSC-SC	F	VARCHAR	48
H TABLE VALUE VALUE OF AN H MODE REPLY.						
3078	F-MIN-VALUE	F_MIN_VALUE_3078	DLSC-SC	F	DECIMAL	15
F MINIMUM VALUE MINIMUM VALUE OF AN F MODE REPLY.						
3079	F-NOM-VALUE	F_NOM_VALUE_3079	DLSC-SC	F	INTEGER	15
F NOMINAL VALUE NOMINAL VALUE OF AN F MODE REPLY.						
3084	PINC	PINC_3084	DLSC-SC	F	CHAR	7
PSEUDO INC ITEM NAME CODE						

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

PSEUDO ITEM NAME CODE USED TO IDENTIFY EITHER AN APPROVED ITEM NAME (SEE INC, DRN 4080) OR A NON-APPROVED ITEM NAME (SEE NAIN-CD, DRN 3237).

3085 ACQ-MTHD-CD-TO — AMC_TO_3085 — DLSC-SBA — F CHAR 1
ACQUISITION METHOD CODE TO

3086 ACQ-MTHD-CD-FROM — AMC_FROM_3086 — DLSC-SBA — F CHAR 1
ACQUISITION METHOD CODE FROM

3087 PC-DN-LD-LINE — PC_DN_LD_LINE_3087 — DLSC-SB — F VARCHAR 80
PC DOWNLOAD LINE
A LINE OF TEXT DOWNLOADED FROM SCREEN DISPLAYS IN LOLA TO A PC.

3088 CLRTXT-KEY — CLRTXT_KEY_3088 — DLSC-SB — F CHAR 14
CLEAR TEXT REPLY
FIRST 14 CHARACTERS OF A CLEAR TEXT REPLY.

3090 STAT-LVL-AUTH-COMB — STAT_LOA_COMB_3090 — DLSC-SB — F CHAR 12
STATISTICS LEVEL OF AUTHORITY COMBINATION
THIS ELEMENT IS A CONCATENATION OF DRNs 3065, 3067, 3068, 3069, 3070, 3071.

3101 REF-SCRN-IND — REF_SCRN_IND_3101 — DLSC-V — V CHAR 8
REFERENCE SCREENING INDICATOR
A CODE USED TO ESTABLISH THE TYPE OF MATCH CODE RESULTING ON CONDITIONS REVEALED BY REFERENCE NUMBER SCREENING FOR NATIONAL ITEM IDENTIFICATION NUMBER/PERMANENT SYSTEM CONTROL NUMBER (NIIN/PSCN) ASSIGNMENT.

3102 CHAR-SCRN-IND — CHAR_SCRN_IND_3102 — DLSC-V — V CHAR 8
CHARACTERISTIC SCREENING INDICATOR
A CODE USED TO ESTABLISH THE TYPE OF MATCH CODE RESULTING ON CONDITIONS REVEALED BY CHARACTERISTIC SCREENING FOR NATIONAL ITEM IDENTIFICATION NUMBER/PERMANENT SYSTEM CONTROL NUMBER (NIIN/PSCN) ASSIGNMENT.

3103 TYP-MATCH — TYP_MATCH_3103 — DLSC-V — V CHAR 8
TYPE MATCH
THE TYPE OF MATCH RESULTS BASED ON CONDITIONS REVEALED BY REFERENCE NUMBER AND/OR CHARACTERISTICS SCREENING FOR NATIONAL ITEM IDENTIFICATION NUMBER/PERMANENT SYSTEM CONTROL NUMBER (NIIN/PSCN).

3104 RESULT-ACTN — RESULT_ACTN_3104 — DLSC-V — V CHAR 30
RESULT ACTION
THE RESULTING ACTION BASED ON CONDITIONS REVEALED BY REFERENCE NUMBER AND/OR CHARACTERISTIC SCREENING FOR NATIONAL ITEM IDENTIFICATION NUMBER/PERMANENT SYSTEM CONTROL NUMBER (NIIN/PSCN) ASSIGNMENT.

3105 RNCC-MUST-HAVE-RNG — RNCC_MS_H_RNG_3105 — DLSC-V — F CHAR 1
REFERENCE NUMBER CATEGORY CODE MUST HAVE RANGE
THE ACCEPTABLE MUST HAVE RANGE FOR RNCC FOR EACH TYPE OF ITEM IDENTIFICATION.

3106 RNVC-MUST-HAVE-RNG — RNVC_MS_H_RNG_3106 — DLSC-V — F CHAR 1
REFERENCE NUMBER VARIATION CODE MUST HAVE RANGE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE ACCEPTABLE MUST HAVE RANGE FOR RNVC FOR EACH TYPE OF ITEM IDENTIFICATION.

3107 DAC-MUST-HAVE-RNG DAC_MUST_RNG_3107 DLSC-V F CHAR 1
DOCUMENT AVAILABILITY CODE MUST HAVE RANGE
THE ACCEPTABLE MUST RANGE FOR DAC FOR EACH TYPE OF ITEM IDENTIFICATION.

3108 VLD-REF-MST-HV-NOTE-IND VLD_REF_MST_3108 DLSC-V F CHAR 1
VALID REFERENCE MUST HAVE NOTE INDICATOR
ONE ASTERISK TO INDICATE THAT THIS COMBINATION MUST ALWAYS HAVE ONE ADDITIONAL REFERENCE NUMBER CODED RNCC 3.

3109 RNCC-MAY-HAVE-RNG RNCC_MA_H_RNG_3109 DLSC-V F CHAR 1
REFERENCE NUMBER CATEGORY CODE MAY HAVE RANGE
THE ACCEPTABLE MAY HAVE RANGE FOR RNCC FOR EACH TYPE OF ITEM IDENTIFICATION.

3110 RNVC-MAY-HAVE-RNG RNVC_MA_H_RNG_3110 DLSC-V F CHAR 1
REFERENCE NUMBER VARIATION CODE MAY HAVE RANGE
THE ACCEPTABLE MAY HAVE RANGE FOR RNVC FOR EACH TYPE OF ITEM IDENTIFICATION.

3111 DAC-MAY-HAVE-RNG DAC_MAY_RNG_3111 DLSC-V F CHAR 1
DOCUMENT AVAILABILITY CODE MAY HAVE RANGE
THE ACCEPTABLE MAY HAVE RANGE FOR DAC FOR EACH TYPE OF ITEM IDENTIFICATION.

3112 VLD-REF-MAY-HV-NOTE-IND VLD_REF_MAY_3112 DLSC-V V CHAR 10
VALID REFERENCE MAY HAVE NOTE INDICATOR
TWO OR THREE ASTERISKS TO INDICATE NOTES APPLICABLE TO THESE COMBINATIONS.

3113 FMT-REF-NBR-GOVT-CAGE FMT_R_NBR_CAG_3113 DLSC-V V CHAR 15
FORMAT REFERENCE NUMBER GOVT COMMERCIAL AND GOVT ENTITY
THE ACCEPTABLE FORMAT REQUIRED FOR A SPECIFIC GOVERNMENT COMMERCIAL AND GOVERNMENT ENTITY CODE REFERENCE NUMBER.

3114 FMT-EXAMPLE FMT_EXAMPLE_3114 DLSC-V V CHAR 11
FORMAT EXAMPLE
AN EXAMPLE OF THE ACCEPTABLE FORMAT REQUIRED FOR A SPECIFIC GOVERNMENT COMMERCIAL AND GOVERNMENT ENTITY CODE REFERENCE NUMBER.

3115 SCRN-RNCC SCRN_RNCC_3115 DLSC-V F CHAR 1
SCREENING REFERENCE NUMBER CATEGORY CODE
THE ACCEPTABLE REFERENCE NUMBER CATEGORY CODE COMBINATION FOR ITEM OF SUPPLY CONCEPT TYPE OF SCREENING, CODE P REFERENCE NUMBER SEARCH PROCESS.

3116 SCRN-RNVC SCRN_RNVC_3116 DLSC-V F CHAR 1
SCREENING REFERENCE NUMBER VARIATION CODE
THE ACCEPTABLE REFERENCE NUMBER VARIATION CODE COMBINATION FOR ITEM-OF-SUPPLY CONCEPT, TYPE OF SCREENING CODE P REFERENCE NUMBER SEARCH PROCESS.

3117 REF-NBR-DUP-DEC-IND R_N_DUP_DEC_I_3117 DLSC-V V CHAR 4
REFERENCE NUMBER DUPLICATION DECISION NOTE INDICATOR

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

ONE OR MORE ASTERISKS TO INDICATE THAT A NOTE FURTHER DEFINES THIS DUPLICATION DECISION.

3118 OP-MODE-MED-CD-DESC OP_MOD_MED_EX_3118 DLSC-V F VARCHAR 94
OUTPUT MODE/MEDIA CODE DESCRIPTION
DESCRIPTION OF CODES TO IDENTIFY THE MODE/MEDIA OF DEFENSE INTEGRATED DATA SYSTEM OUTPUT.

3119 FIXED-VAR-LEN-MED-IND F_V_LEN_IND_3119 DLSC-V F CHAR 2
FIXED VARIABLE LENGTH MEDIA INDICATOR
A CODE USED TO IDENTIFY THE MODE/MEDIA OF DIDS OUTPUT AS TO VARIABLE LENGTH OR FIXED (80-COLUMN).

3120 EAM-CARD-INTERP-IND EAM_CRD_INTRP_3120 DLSC-V F CHAR 2
ELECTRICAL ACCOUNTING MACHINE (EAM) CARD INTERPRETED INDIC
A CODE USED TO IDENTIFY THE MODE/MEDIA OF DEFENSE INTEGRATED DATA SYSTEM OUTPUT OF EAM CARDS.

3121 LISTIN-PART-PAPER-IND LST_PRT_P_IND_3121 DLSC-V F CHAR 2
LISTING PART PAPER INDICATOR
A CODE USED TO IDENTIFY THE MODE/MEDIA OF DEFENSE INTEGRATED DATA SYSTEM AS TO THE NUMBER OF PART PAPER USED.

3122 MAG-TAPE-TRCKS-ENCOD-IND MT_TRC_ENCD_I_3122 DLSC-V V VARCHAR 90
MAGNETIC TAPE TRACKS ENCODED INDICATOR
A CODE USED TO IDENTIFY THE MODE/MEDIA OF FEDERAL LOGISTICS INFORMATION SYSTEM AS TO THE NUMBER TRACKS ON THE MAGNETIC TAPE.

3123 MAG-TAPE-USAGE-NOTE MT_USG_NOTE_3123 DLSC-V V VARCHAR 90
MAGNETIC TAPE USAGE NOTE
A NOTE USED TO EXPLAIN THE ACCEPTABLE USAGE FOR MAGNETIC TAPES.

3124 MAG-TAPE-DENSITY-IND MT_DNSTY_IND_3124 DLSC-V V CHAR 4
MAGNETIC TAPE DENSITY INDICATOR
A NUMBER INDICATING THE DENSITY OF A MAGNETIC TAPE IN BITS PER INCH.

3125 MAG-TAPE-PARITY-IND MT_PRTY_IND_3125 DLSC-V V CHAR 4
MAGNETIC TAPE PARITY INDICATOR
A CODE USED TO DESCRIBE IF THE PARITY OF THE MAGNETIC TAPE IS EVEN OR ODD.

3126 MAG-TAPE-BLCKNG-FAC-IND MT_BLCK_FAC_3126 DLSC-V V CHAR 24
MAGNETIC TAPE BLOCKING FACTOR INDICATOR
A NUMBER USED TO IDENTIFY THE BLOCKING FACTOR FOR MAGNETIC TAPES.

3127 MAG-TAPE-LAB-IND MT_LAB_IND_3127 DLSC-V V CHAR 8
MAGNETIC TAPE LABEL INDICATOR
A CODE USED TO IDENTIFY IF A MAGNETIC TAPE IS STANDARD LABEL OR NO LABEL PRESENT.

3128 RNCC-IN RNCC_IN_3128 DLSC-V F CHAR 1
REFERENCE NUMBER CATEGORY CODE RNCC INCOMING
AN INCOMING CODE (RNCC) DESIGNATING THE RELATIONSHIP OF THE REFERENCE NUMBER TO THE ITEM OF SUPPLY TO DETERMINE A REFERENCE NUMBER DUPLICATION

3129 RNVC-IN RNVC_IN_3129 DLSC-V F CHAR 1

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

REFERENCE NUMBER VARIATION CODE RNVC INCOMING
AN INCOMING CODE (RNVC) INDICATING THAT A CITED REFERENCE NUMBER IS OR IS NOT ITEM IDENTIFYING , OR IS FOR INFORMATION ONLY TO DETERMINE A REFERENCE NUMBER DUPLICATION.

3130 RNCC-DB RNCC_DB_3130 DLSC-V F CHAR 1
REFERENCE NUMBER CATEGORY CODE (RNCC) DATA BASE
THE CODE IN THE DATA BASE THAT IS CHECKED AGAINST THE INCOMING RNCC CODE TO DETERMINE A REFERENCE NUMBER DUPLICATION.

3131 RNVC-DB RNVC_DB_3131 DLSC-V F CHAR 1
REFERENCE NUMBER VARIATION CODE (RNVC) DATA BASE
THE CODE IN THE DATABASE THAT IS CHECKED AGAINST THE INCOMING RNVC CODE TO DETERMINE A REFERENCE NUMBER DUPLICATION.

3132 UNMATCHED-RNCC UNMTCH_RNCC_3132 DLSC-V V CHAR 12
UNMATCHED REFERENCE NUMBER CATEGORY CODE
THE CODE IN THE DATABASE OF AN ADDITIONAL REFERENCE NUMBER WHICH DOES NOT MATCH THE INCOMING REFERENCE NUMBER.

3133 REF-NBR-DUP-DEC R_N_DUP_DEC_3133 DLSC-V F CHAR 8
REFERENCE NUMBER DUPLICATION DECISION
THE DUPLICATION DECISION AS TO AN ACTUAL OR POSSIBLE MATCH FOR REFERENCE NUMBER CATEGORY CODE 2ND REFERENCE NUMBER VARIATION CODE.

3134 CIIM-RTN-ACTN-CD CIIM_RTN_CD_3134 DLSC-V F CHAR 2
COMMODITY INTEGRATED MATERIEL MGR RETURN ACTION CODE
A RETURN CODE USED TP INDICATE THE REASON ITEM MANAGEMENT CODING DATA WAS RETURNED TO THE SUBMITTER.

3135 OP-DIC DLSC-SB F 3
DIC OUTPUT
FIELD CONTAINS DIC GENERATED BY INPUT DIC. AN INPUT DIC MAY GENERATE ONE OR MORE OUTPUT DIC'S.

3136 NO-Q8-RTN-CD-ED NO_Q8_ED_3136 DLSC-SC F CHAR 1
NO Q8 RETURN CODE EDIT
FIELD THAT WILL INDICATE WHETHER OR NOT QB EDIT IS TO BE PERFORMED. BLANK MEANS DO EDIT, ANYTHING ELSE MEANS DON'T EDIT.

3137 CIIM-RTN-ACTN-CD-DEF-INS CIIM_RTN_DEF_3137 DLSC-V V VARCHAR 450
COMMODITY INTEGRATED MATERIAL MGR RETURN ACTION CODE
THE DEFINITION OF 2 RETURN CODE AS TO WHY ITEM MANAGEMENT CODING DATA WAS RETURNED TO THE SUBMITTER.

3138 CIIM-INPUT-FILE-IND CIIM_IN_IND_3138 DLSC-V V CHAR 15
COMMODITY INTEGRATED MATERIEL MANAGER INPUT FILE INDICATOR
CLEAR TEXT EXPRESSION INDICATING TYPE OF DATA: EITHER "FILE DATA" OR "INPUT DATA".

3139 CIIM-ACTN-RTN-TO CIIM_RTN_TO_3139 DLSC-V V CHAR 15
COMMODITY INTEGRATED MATERIEL MANAGER ACTION RETURN TO
THE PERSON TO WHOM THE RETURN CODE IS SENT FOR ITEM MANAGEMENT CODING DATA THAT REJECTED.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					

3140 RTN-CD-DEF-INST RTN_DEF_INST_3140 DLSC-V V VARCHAR 1400
RETURN CODE DEFINITION AND INSTRUCTION
THE DEFINITION OF A RETURN ACTION CODE DESCRIBING WHY A TRANSACTION WAS RETURNED.

3141 FU-STAT-CD-DEF FU_STAT_DEF_3141 DLSC-V V VARCHAR 125
FOLLOW-UP STATUS CODE DEFINITION
FOLLOW-UP STATUS CODE DEFINITIØN (TEXT).

3142 FU-STAT-CD-INST FU_STAT_INST_3142 DLSC-V V VARCHAR 125
FOLLOW-UP STATUS CODE INSTRUCTION
FOLLOW-UP STATUS CODE INSTRUCTION (TEXT)

3143 SEG-R-WITH-OP-DIC SGR_W_OP_DIC_3143 DLSC-V F CHAR 1
SEGMENT R WITH OUTPUT DOCUMENT IDENTIFIER CODE
INDICATES WHETHER SEGMENT R IS WITH OUTPUT

3144 SEG-R-W-O-OP-DIC SGR_WO_OP_DIC_3144 DLSC-V F CHAR 1
SEGMENT R WITHOUT OUTPUT DOCUMENT IDENTIFIER CODE
INDICATES SEGMENT R WITHOUT ANY OUTPUT DIC'S.

3145 CURR-TIR-SEG CURR_TIR_SEG_3145 DLSC-V F CHAR 1
CURRENT TOTAL ITEM RECORD SEGMENTS
INDICATOR FOR CURRENT TIR SEGMENTS.

3146 ADDNTL-R-P-Q-SEG ADD_R_P_Q_SEG_3146 DLSC-V F CHAR 1
ADDITIONAL R P Q SEGMENTS
INDICATES WHICH ADDITIONAL SEGMETNS ARE PROVIDED.

3147 USI-SVC-CD-EXPLN USI_SVC_CD_X_3147 DLSC-SB V VARCHAR 80
USING SERVICE CODE EXPLANATION
EXPLANATION OF VALID USING SERVICE CODES (TEXT)

3148 MAT-CAT-MC MAT_CAT_MC_3148 DLSC-SB V VARCHAR 80
MATERIEL CATEGORY MARINE CORPS
THE MATERIAL DESIGNATED BY THE MATERIEL MANAGEMENT CODE, MARINE CORPS.

3149 MGMT-AGNCY-GRP-OR-CLS-MC MGT_AG_G_C_MC_3149 DLSC-SB V VARCHAR 400
MANAGEMENT AGENCY GROUP OR CLASS MARINE CORPS
THE MANAGEMENT AGENCY RESPONSIBLE FOR THE ALPHA MATERIEL MANAGEMENT CODE MARINE CORPS OR THE FEDERAL SUPPLY GROUP OR CLASS RESPONSIBLE FOR THE NUMERIC MATERIEL MANAGEMENT CODE.

3150 ECH-CD-MC ECH_CD_MC_3150 DLSC-SB F CHAR 1
ECHELON CODE MARINE CORPS
A CODE WHICH FURTHER DEFINES THE MATERIEL MANAGEMENT CODE MARINE CORPS.

3151 ECH-ACQ-STK-MC EC_ACQ_STK_MC_3151 DLSC-SB V CHAR 40
ECHELON ACQUIRING STOCK MARINE CORPS
THE ECHELON ACQUIRING STOCK DESIGNATED BY THE ECHELON CODE MARINE CORPS.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

3152 ECH-REM-MC ECH_REM_MC_3152 DLSC-SB V VARCHAR 350
ECHELON REMARKS MARINE CORPS
A REMARK WHICH FURTHER DEFINES THE ECHELON ACQUIRING STOCK MARINE CORPS.

3153 STRS-ACCT-EXPLN-MC STRS_ACT_MC_X_3153 DLSC-SB V CHAR 80
STORES ACCOUNT EXPLANATION MARINE CORPS
EXPLANATION OF VALID STORES ACCOUNT CODES (TEXT).

3154 RECOV-CD-EXPLN-MC RECOV_EX_MC_3154 DLSC-SB V VARCHAR 320
RECOVERABILITY CODE EXPLANATION MARINE CORPS
EXPLANATION OF VALID RECOVERABILITY CODES MARINE CORPS (TEXT).

3155 SP-MAT-APL-ITEM-OR-KIT SP_MAT_APL_IK_3155 DLSC-SB V VARCHAR 560
SPECIAL MATERIAL APPLICATION ITEM OR KIT
THE PREDOMINENT QPPLICATION IDENTIFIED BY THE SPECIAL MATERIEL IDENTIFICATION CODE.

3156 MAT-CTL-CD-DEF-NVY MCC_NVY_EX_3156 DLSC-SB V VARCHAR 300
MATERIEL CONTROL CODE DEFINITION NAVY
THE DEFINITION OF VALID MATERIEL CONTROL CODES, NAVY.

3157 ACCTG-RQMTS-CD-EXPLN-AR ACT_RQM_BR_EX_3157 DLSC-SB V VARCHAR 400
ACCOUNTING REQUIREMENTS CODE EXPLANATION ARMY
EXPLANATION OF VALID ACCOUNTING REQUIREMENTS CODES, ARMY (TEXT).

3158 MAT-MGMT-AG-CD-DEF-AF MMAC_DEF_AF_3158 DLSC-SB V VARCHAR 640
MATERIAL MANAGEMENT AGGREGATION CODE DEFINITION AIR FORCE
THE DEFINITION OF VALID MATERIAL MANAGEMENT AGGRECATION CODES, AIR FORCE

3159 AF-BDGT-PGM AF_BDGT_PGM_3159 DLSC-SB V CHAR 3
AIR FORCE BUDGET PROGRAM
THE BUDGET PROGRAM IDENTIFIED BY THE AIR FORCE BUDGET CODE.

3160 AF-BDGT-APPRP AF_BDGT_APPRP_3160 DLSC-SB F CHAR 7
AIR FORCE BUDGET APPROPRIATION
THE APPROPRIATION IDENTIFIED BY THE AIR FORCE BUDGET CODE.

3161 AF-BDGT-CD-MDL-DEF BDGT_CD_AF_EX_3161 DLSC-SB V VARCHAR 280
AIR FORCE BUDGET CODE MANAGEMENT DATA LIST DEFINITION
THE DEFINITION OF VALID AIR FORCE BUDGET CODES.

3162 AF-BDGT-STK-FD-DIV AF_BGT_STK_FD_3162 DLSC-SB V CHAR 18
AIR FORCE BUDGET STOCK FUND DIVISION
THE RESPONSIBLE STOCK FUND DIVISION FOR CERTAIN AIR FORCE BUDGET CODES.

3163 FD-CD-DEF-AF FD_CD_DEF_AF_3163 DLSC-SB V VARCHAR 240
FUND CODE DEFINITION AIR FORCE
THE DEFINITION OF VALID AIR FORCE FUND CODES.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	FORMAT FV	TYPE	LG
CLEAR TEXT HOST/COBOL NAME						
DRN DEFINITION						

3164 ERRC-CD-EXPLN-AF ERRC_EX_AF_3164 DLSC-SB V VARCHAR 80
EXPEND RECOVER REPAR CATEGORY CODE EXPLANATION AIR FORCE
EXPLANATION OF VALID EXPENDABILITY-RECOVERABILITY-REPARABILITY-CATEGORY CODES, AIR FORCE (TEXT).

3165 CMBT-ESNTL-CD-EXPLN-MC CMBT_MC_EXP_3165 DLSC-SB V VARCHAR 320
COMBAT ESSENTIALITY CODE EXPLANATION MARINE CORPS
EXPLANATION OF VALID COMBAT ESSENTIALITY CODES, MARINE CORPS.

3166 MAT-IDEN-CD-EXPLN MAT_ID_MC_EX_3166 DLSC-SB V VARCHAR 80
MATERIAL IDENTIFICATION CODE EXPLANATION
EXPLANATION OF VALID MATERIAL IDENTIFICATION CODES.

3167 MAT-IDEN-CD-NOTE-IND MAT_ID_MC_NOT_3167 DLSC-SB F CHAR 1
MATERIAL IDENTIFICATION CODE NOTE INDICATOR
AN INDICATION OF A NOTE EXCLUSIVE TO A PARTICULAR MATERIAL IDENTIFICATION CODE.

3168 SP-HDLG-CD-EXPLN SP_HDLG_CD_EX_3168 DLSC-SB V VARCHAR 80
SPECIAL HANDLING CODE EXPLANATION
EXPLANATION OF VALID SPECIAL HANDLING CODES (TEXT).

3169 AIR-SP-HDLG-CD AIR_S_HDLG_3169 DLSC-SB F CHAR 1
AIR SPECIAL HANDLING CODE
A CODE DENOTING AIR CARGO REQUIRING SPECIAL HANDLING OR REPORTING.

3170 AIR-SP-HDLG-CD-EXPLN AIR_S_HDLG_EX_3170 DLSC-SB V VARCHAR 500
AIR SPECIAL HANDLING CODE EXPLANATION
EXPLANATION OF VALID AIR SPECIAL HANDLING CODES (TEXT).

3171 TYP-OF-OE-CD-EXPLN TYP_OE_CD_EXP_3171 DLSC-SC V VARCHAR 80
TYPE OF ORGANIZATIONAL ENTITY CODE EXPLANATION
EXPLANATION OF VALID TYPE OF ORGANIZATIONAL ENTITY CODES (TEXT).

3172 SP-MAT-CONT-CD-EXPLN SP_MAT_CON_EX_3172 DLSC-SB V VARCHAR 120
SPECIAL MATERIAL CONTENT CODE EXPLANATION
EXPLANATION OF VALID SPECIAL MATERIAL CONTENT CODES.

3173 FILE-MAINT-ACTN-CD-EXPLN FILE_MAINT_EX_3173 DLSC-V V VARCHAR 250
FILE MAINTENANCE ACTION CODES EXPLANATION
EXPLANATION OF THE VALID FILE MAINTENANCE ACTION CODES (TEXT).

3174 SEG-CD-SUPMTL-EXPLN SEG_CD_SUP_EX_3174 DLSC-V V VARCHAR 80
SEGMENT CODE SUPPLEMENTAL EXPLANATION
EXPLANATION OF THE VALID CODES (TEXT).

3175 DIDS-SEG-CD-EXPLN DIDS_SEG_EX_3175 DLSC-V F VARCHAR 80
DEFENSE INTEGERATED DATA SYSTEM SEGMENT CODE EXPLANATION
EXPLANATION OF THE VALID SEGMENT CODES (TEXT).

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	FORMAT FV	FORMAT TYPE	FORMAT LG
CLEAR TEXT HOST/COBOL NAME						
DRN DEFINITION						

3176 OPRTNL-TST-CD-EXPLN OPRTL_T_MC_EX_3176 DLSC-V V VARCHAR 700
OPERATIONAL TEST CODE EXPLANATION
EXPLANATION OF THE VALID TEST CODES (TEXT).

3177 PHY-CTGY-CD-EXPLN PHY_CTGY_MC_X_3177 DLSC-V V VARCHAR 60
PHYSICAL CATEGORY CODE EXPLANATION
EXPLANATION OF VALID PHYSICAL CATEGORY CODES (TEXT).

3178 TYP-OF-SP-PRCSG-IND-CD-E TYP_SP_PRC_E_3178 DLSC-V V VARCHAR 360
TYPE OF SPECIAL PROCESSING INDICATOR CODE EXPLANATION
EXPLANATION OF VALID SPECIAL PROCESSING INDICATOR CODES (TEXT).

3179 INV-ACCT-CD-CG-EXPLN INV_ACT_CG_EX_3179 DLSC-V V VARCHAR 270
INVENTORY ACCOUNTING CODE COAST GUARD EXPLANATION
EXPLANATION OF COAST GUARD INVENTORY ACCOUNT CODES (TEXT).

3180 REPBL-CD-CG-EXPLN REP_CD_CG_EX_3180 DLSC-V V VARCHAR 180
REPARABILITY CODE COAST GUARD EXPLANATION
EXPLANATION OF VALID REPARABILITY CODES.

3181 NO-Q8-RTN-CD-ED-NVY NO_Q8_ED_NVY_3181 DLSC-V F CHAR 1
NO Q8 RETURN CODE EDIT NAVY
FIELD THAT WILL INDICATE WHETHER OR NOT Q8 EDIT IS TO BE PERFORMED. BLANK MEANS DO EDIT, ANYTHING ELSE MEANS DON'T EDIT.

3182 SER-NBR-CTL-CD-CG-EXPLN SRN_CTL_CG_EX_3182 DLSC-SB V VARCHAR 80
SERIAL NUMBER CONTRO CODE EXPLANATION
EXPLANATION OF VALID CODES FOR SERIAL NUMBER CONTROL (TEXT).

3183 COND-CD-FED1-TI CON_CD_FD1_TI_3183 DLSC-SB F CHAR 50
CONDITION CODE FEDERAL 1 TITLE
CLEAR TEXT TITLE ASSOCIATED WITH THE FIRST POSITION OF THE FEDERAL CONDITION CODE AS DEFINED IN FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 151 PART 1 SUPPLY CONDITION CODES.

3184 COND-CD-FED1-DF CON_CD_FD1_3184 DLSC-SB V VARCHAR 600
CONDITION CODE FEDERAL 1 DEFINITION
THIS FIELD CONTAINS THE CLEAR TEXT DEFINITION ASSOCIATED WITH THE FIRST POSITION OF THE FEDERAL CONDITION CODE AS DEFINED IN FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 151 PART 1 SUPPLY CONDITION CODES.

3185 REIMB-CD-EXPLN REIMB_CD_EX_3185 DLSC-SB V VARCHAR 125
REIMBURSEMENT CODE EXPLANATION
CLEAR TEXT EXPLANATION OF REIMBURSEMENT CODE (2930).

3186 TRAN-STAT-CD-DEF TRAN_STAT_DEF_3186 DLSC-SBA V VARCHAR 150
TRANSACTION STATUS CODES
CLEAR TEXT DISPOSITION OF THE TRANSACTION.

3187 TRAN-STAT-CD-INST TRAN_STAT_INS_3187 DLSC-SBA V VARCHAR 150

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

TRANSACTION STATUS CODES INSTRUCTIONS
INSTRUCT THE SUBMITTER ON WHAT ACTIONS ARE TO BE INITIATED.

3188 TRAN-STAT-CD-OP TRAN_STAT_OP_3188 DLSC-SBA V VARCHAR 150
TRANSACTION STATUS CODE OUTPUT
A LISTING OF OUTPUT DIC RESULTING FROM NATO FOLLOW-UP INTERROGATION.

3189 TRAN-STAT-CD-NOTE-IND TRAN_STAT_NOT_3189 DLSC-SBA F CHAR 1
TRANSACTION STATUS CODES TSC NOTE INDICATOR
INSTRUCTION TO THE SUBMITTER UNDER WHAT CONDITION A PARTICULAR OUTPUT DIC WILL BE GENERATED.

3190 PUB-TERM-ABBREV PUB_TRM_ABR_3190 DLSC-V V CHAR 15
PUBLICATIONS TERM ABBREVIATION
A TABLE OF ABBREVIATION REFERENCE TO TERMS USED FOR CLEAR TEXT REPLIES.

3191 PR-VLDTN-CD-AF-DEF PVC_AF_DEF_3191 DLSC-SB V VARCHAR 1200
PRICE VALIDATION CODE AIR FORCE DEFINITION
CLEAR TEXT DEFINITION OF PROCE VALIDATION CODE , AIR FORCE (0858)

3192 PUB-TERM PUB_TERM_3192 DLSC-V V VARCHAR 120
PUBLICATION TERM
CLEAR TEXT TERM USED IN PUBLICATIONS RELATED TO A SPECIFIC PUBLICATION TERM ABBREVIATION.

3193 DOD-DBRMT-PPSL-INITR DBR_PRO_INIT_3193 DLSC-SC V VARCHAR 90
DOD DEBARMENT PROPOSAL INITIATORS
A TABLE OF MILITARY SERVICE, AGENCY, OR OTHER DOD AUTHORIZED TO INITIATE PROPOSAL.

3194 MA-AA-ROW MA_AA_ROW_3194 DLSC-S F SMALLINT 2
MASTER ADDRESS/ASSOCIATED ADDRESS ROW
THE RELATIVE ROW WITHIN A SET OF ADDRESS LINES ON A LABEL FOR THE MA/AA.

3195 MA-AA-SEQ MA_AA_SEQ_3195 DLSC-S F CHAR 1
MASTER ADDRESS/ASSOCIATED ADDRESS SORT SEQUENCE
THE SORT SEQUENCE PRIORITY FOR THE MA/AA. PRIORITY IS 1 THRU 7 (1 = HIGHEST PRIORITY, 7 = LOWEST PRIORITY).

3196 ADRS-OFFSET-INCH ADRS_OFST_IN_3196 DLSC-S F DECIMAL 5
ADDRESS OFFSET IN INCHES
THE OFFSET FROM THE LEFT MARGIN FOR THE ADDRESS CLEAR TEXT.

3197 ADRS-WIDTH-INCH ADRS_WIDTH_IN_3197 DLSC-S F DECIMAL 5
ADDRESS WIDTH IN INCHES
THE WIDTH OF THE PRINT AREA FOR THE ADDRESS PORTION OF THE LABEL. THE ADDRESS WIDTH IN INCHES MUST BE LESS THAN OR EQUAL TO THE LABEL WIDTH ININCHES MINUS THE ADDRESS OFFSET FROM LEFT MARGIN.

3198 DLN-SEQ DLN_SEQ_3198 DLSC-S F CHAR 1
DISTRIBUTION LIST NUMBER SORT SEQUENCE
THE SORT SEQUENCE PRIORITY FOR THE DISTRIBUTION LIST NUMBER. PRIORITY IS 1 THRU 7 (1 = HIGHEST PRIORITY, 7 = LOWEST PRIORITY).

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	FORMAT FV	FORMAT TYPE	FORMAT LG
CLEAR TEXT HOST/COBOL NAME						
DRN DEFINITION						
3199	PRDCT-TI-ROW	PRDCT_TI_ROW_3199	DLSC-S	F	SMALLINT	2
PRODUCT TITLE RELATIVE ROW						
THE RELATIVE ROW WITHIN A SET OF ADDRESS LINES ON A LABEL FOR THE PRODUCT TITLE.						
3200	SOURCE-OF-RQST	SRC_OF_RQST_3200	DLSC-S	F	CHAR	2
SOURCE OF REQUEST						
INTERFACE SOURCE OF THE AMLS REQUEST.						
3201	PARM-INFO	PARM_INFO_3201	DLSC-S	V	VARCHAR	560
PARAMETER INFORMATION						
VARIABLE PARAMETERS BASED ON THE SOURCE OF THE REQUEST.						
3202	AMLS-RUN-ID	AMLS_RUN_ID_3202	DLSC-S	F	CHAR	7
AUTOMATED MAILING LABEL SYSTEM RUN IDENTIFIER						
REQUEST IDENTIFIER (CONTROL NUMBER) FOR REQUEST TO PRINT A REPORT OR LABELS THROUGH AMLS.						
3203	AMLS-RUN-ID-SEQ-NBR	AMLS_RI_SEQ_3203	DLSC-S	F	CHAR	5
AUTOMATED MAILING LABEL SYSTEM RUN IDENTIFIER SEQUENCE NBR						
SEQUENCE NUMBER OF PHYSICAL ROWS WITHIN A RUN ID.						
3204	AMLS-TARGET-PGM	AMLS_TRGT_PGM_3204	DLSC-S	F	CHAR	8
AUTOMATED MAILING LABEL SYSTEM TARGET PROGRAM						
PROGRAM THAT IS INVOKED WITHIN AMLS TO PRODUCE REPORTS OR LABELS WITHIN AMLS.						
3205	SUBMTR-USERID	SUBMTR_USERID_3205	DLSC-S	F	CHAR	8
SUBMITTER RACF USERID						
RACF USERID OF PERSON WHO MADE THE AMLS REQUEST.						
3206	ADRS-1-ROW	ADRS_1_ROW_3206	DLSC-S	F	SMALLINT	2
ADDRESS LINE 1 RELATIVE ROW						
THE RELATIVE ROW WITHIN A SET OF ADDRESS LINES ON A LABEL FOR THE FIRST LINE OF THE CLEAR TEXT ADDRESS.						
3207	LBL-ID-ROW	LBL_ID_ROW_3207	DLSC-S	F	SMALLINT	2
LABEL IDENTIFIER RELATIVE ROW						
THE RELATIVE ROW WITHIN A SET OF ADDRESS LINES OR A LABEL FOR THE LABEL IDENTIFIER.						
3208	ADRS-2-ROW	ADRS_2_ROW_3208	DLSC-S	F	SMALLINT	2
ADDRESS LINE 2 RELATIVE ROW						
THE RELATIVE ROW WITHIN A SET OF ADDRESS LINES ON A LABEL FOR THE SECOND LINE OF THE CLEAR TEXT ADDRESS.						
3209	ADRS-3-ROW	ADRS_3_ROW_3209	DLSC-S	F	SMALLINT	2
ADDRESS LINE 3 RELATIVE ROW						
THE RELATIVE ROW WITHIN A SET OF ADDRESS LINES ON A LABEL FOR THE THIRD LINE OF THE CLEAR TEXT ADDRESS.						
3210	ADRS-4-ROW	ADRS_4_ROW_3210	DLSC-S	F	SMALLINT	2
ADDRESS LINE 4 RELATIVE ROW						
THE RELATIVE ROW WITHIN A SET OF ADDRESS LINES ON A LABEL FOR THE FOURTH LINE OF THE CLEAR TEXT ADDRESS.						

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	FORMAT FV	FORMAT TYPE	FORMAT LG
CLEAR TEXT HOST/COBOL NAME						
DRN DEFINITION						
3211	ADRS-5-ROW	ADRS_5_ROW_3211	DLSC-S	F	SMALLINT	2
ADDRESS LINE 5 RELATIVE ROW						
THE RELATIVE ROW WITHIN A SET OF ADDRESS LINES ON A LABEL FOR THE FIFTH LINE OF THE CLEAR TEXT ADDRESS.						
3212	ADRS-6-ROW	ADRS_6_ROW_3212	DLSC-S	F	SMALLINT	2
ADDRESS LINE 6 RELATIVE ROW						
THE RELATIVE ROW WITHIN A SET OF ADDRESS LINES ON A LABEL FOR THE SIXTH LINE OF THE CLEAR TEXT ADDRESS.						
3213	ADRS-7-ROW	ADRS_7_ROW_3213	DLSC-S	F	SMALLINT	2
ADDRESS LINE 7 RELATIVE ROW						
THE RELATIVE ROW WITHIN A SET OF ADDRESS LINES ON A LABEL FOR THE SEVENTH LINE OF THE CLEAR TEXT ADDRESS.						
3214	ADRS-8-ROW	ADRS_8_ROW_3214	DLSC-S	F	SMALLINT	2
ADDRESS LINE 8 RELATIVE ROW						
THE RELATIVE ROW WITHIN A SET OF ADDRESS LINES ON A LABEL FOR THE EIGHTH LINE OF THE CLEAR TEXT ADDRESS.						
3216	ZIP-CD-SEQ	ZIP_CD_SEQ_3216	DLSC-S	F	CHAR	1
ZIP CODE SORT SEQUENCE						
THE SORT SEQUENCE PRIORITY FOR THE ZIP CODE. PRIORITY IS 1 THRU 7 (1 = HIGHEST PRIORITY, 7 = LOWEST PRIORITY).						
3218	NBR-COPIES-SEQ	NBR_COPY_SEQ_3218	DLSC-S	F	CHAR	1
NUMBER OF COPIES SORT SEQUENCE						
THE SORT SEQUENCE PRIORITY FOR THE TOTAL DLN PRODUCT PER ADDRESS. PRIORITY IS 1 THRU 7 (1 BEING HIGHEST PRIORITY AND 7 LOWEST PRIORITY).						
3219	ZIP-CD-ROW	ZIP_CD_ROW_3219	DLSC-S	F	SMALLINT	2
ZIP CODE RELATIVE ROW						
THE RELATIVE ROW WITHIN A SET OF ADDRESS LINES ON A LABEL FOR THE ZIP CODE.						
3220	NBR-ADRS-PRCSD	NBR_ADRS_PRCD_3220	DLSC-S	F	DECIMAL	11
NUMBER OF ADDRESSES PROCESSED						
COUNT OF ADDRESSES SATISFYING THE AMLS REQUEST BY THE AMLS-RUN-ID.						
3221	DELETER-USERID	DELETER_USRID_3221	DLSC-S	F	CHAR	8
DELETER RACF USERID						
RACF USERID OF PERSON WHO DELETED THE AMLS REQUEST.						
3222	PRDCT-TI-SEQ	PRDCT_TI_SEQ_3222	DLSC-S	F	CHAR	1
PRODUCT TITLE SORT SEQUENCE						
THE SORT SEQUENCE PRIORITY FOR THE PRODUCT TITLE. PRIORITY IS 1 THRU 7 (1 = HIGHEST PRIORITY, 7 = LOWEST PRIORITY).						
3223	NBR-COPIES-ROW	NBR_COPY_ROW_3223	DLSC-S	F	SMALLINT	2
NUMBER OF COPIES RELATIVE ROW						
THE RELATIVE ROW WITHIN A SET OF ADDRESS LINES ON A LABEL FOR THE TOTAL DLN PRODUCT PER ADDRESS.						
3224	NBR-LBL-ACROSS	NBR_LBL_ACRS_3224	DLSC-S	F	CHAR	1
NUMBER OF LABELS ACROSS						
THE NUMBER OF LABELS IN A ROW ON THE LABEL FORM.						

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

3225 CHAR-IN-ADRS-LI — CHAR_ADRS_LI_3225 — DLSC-S — F — SMALLINT — 2
CHARACTERS IN THE ADDRESS LINE
THE NUMBER OF CHARACTERS TO BE PRINTED IN THE ADDRESS CLEAR TEXT LINE.

3226 WIDTH-INCH — WIDTH_INCH_3226 — DLSC-S — F — DECIMAL — 5
LABEL WIDTH IN INCHES
WIDTH OF A SINGLE LABEL ON THE LABEL FORM.

3227 LENGTH-INCH — LENGTH_INCH_3227 — DLSC-S — F — DECIMAL — 5
LABEL LENGTH IN INCHES
LENGTH OF A SINGLE LABEL ON THE LABEL FORM.

3228 LBL-FORMAT — LBL_FORMAT_3228 — DLSC-S — F — CHAR — 2
LABEL FORMAT IDENTIFIER
IDENTIFIER FOR THE PHYSICAL DESCRIPTION OF THE LABEL FORM, REQUIRED ENTRY, FULL FIELD.

3229 OPR-MSG — OPER_MSG_3229 — DLSC-S — F — CHAR — 80
OPERATOR MESSAGE
MESSAGE TO COMPUTER OPERATOR TO MOUNT THE LABEL FORMS, REQUIRED ENTRY.

3230 LBL-ID-SEQ — LBL_ID_SEQ_3230 — DLSC-S — F — CHAR — 1
LABEL IDENTIFIER SORT SEQUENCE
THE SORT SEQUENCE PRIORITY FOR THE LABEL IDENTIFIER. PRIORITY IS 1 THRU 7 (1 = HIGHEST PRIORITY, 7 = LOWEST PRIORITY).

3231 MLNG-PIC-ROW — MLNG_PIC_ROW_3231 — DLSC-S — F — SMALLINT — 2
MAILING PRIORITY INDICATOR CODE RELATIVE ROW
THE RELATIVE ROW WITHIN A SET OF ADDRESS LINES ON A LABEL FOR THE MAILING PRIORITY INDICATOR CODE.

3232 MLNG-PIC-SEQ — MLNG_PIC_SEQ_3232 — DLSC-S — F — CHAR — 1
MAILING PRIORITY INDICATOR CODE SORT SEQUENCE
THE SORT SEQUENCE PRIORITY FOR THE MAILING PRIORITY INDICATOR CODE. PRIORITY IS 1 THROUGH 7 (1 = HIGHEST PRIORITY, 7 = LOWEST PRIORITY).

3233 DLN-ROW — DLN_ROW_3233 — DLSC-S — F — SMALLINT — 2
DISTRIBUTION LIST NUMBER RELATIVE ROW
THE RELATIVE ROW WITHIN A SET OF ADDRESS LINES ON A LABEL FOR THE DISTRIBUTION LIST NUMBER.

3234 LINES-PER-INCH — LINES_INCH_3234 — DLSC-S — F — SMALLINT — 2
LINES PER INCH
NUMBER OF LINES PER INCH ON THE LABEL FORM.

3235 CHAR-PER-INCH — CHAR_PER_INCH_3235 — DLSC-S — F — SMALLINT — 2
CHARACTERS PER INCH
NUMBER OF CHARACTERS PER INCH ON THE LABEL FORM.

3236 FCP-DP-PICA-MGD-FD-NN — DLSC-S — F — INTEGER — 8
FCP DEPT PICA MANAGED FULL DESCRIPTIVE NET NSNs

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE NET QUANTITY OF NSNs THAT ARE FULLY DESCRIBED AND ARE PICA MANAGED BY A SPECIFIC DEPARTMENT.

3237	NAIN-CD	NAIN_CD_3237	DLSC-S	F	CHAR	7

NON-APPROVED ITEM NAME CODE
A CODE USED TO UNIQUELY IDENTIFY A NON-APPROVED ITEM NAME.

3238	ACTY-NM-LINE1	ACTY_NM_LINE1_3238	DLSC-SBA	V	VARCHAR	60

ACTIVITY NAME LINE - 1
THE FIRST OF UP TO FIVE LINES OF ACTIVITY NAME LINE DATA.

3239	ACTY-NM-LINE2	ACTY_NM_LINE2_3239	DLSC-SBA	V	VARCHAR	60

ACTIVITY NAME LINE - 2
THE SECOND OF UP TO FIVE LINES OF ACTIVITY NAME LINE DATA.

3240	ACTY-NM-LINE3	ACTY_NM_LINE3_3240	DLSC-SBA	V	VARCHAR	60

ACTIVITY NAME LINE - 3
THE THIRD OF UP TO FIVE LINES OF ACTIVITY NAME LINE DATA.

3241	ACTY-NM-LINE4	ACTY_NM_LINE4_3241	DLSC-SBA	V	VARCHAR	60

ACTIVITY NAME LINE - 4
THE FOURTH OF UP TO FIVE LINES OF ACTIVITY NAME LINE DATA.

3242	ACTY-NM-LINE5	ACTY_NM_LINE5_3242	DLSC-SBA	V	VARCHAR	60

ACTIVITY NAME LINE - 5
THE FIFTH OF UP TO FIVE LINES OF ACTIVITY NAME LINE DATA.

3243	ACTY-OFC-SYM	ACTY_OFC_SYM_3243	DLSC-SBA	V	VARCHAR	60

ACTIVITY OFFICE SYMBOL
ACTIVITY OFFICE SYMBOL OR OTHER ATTENTION INFORMATION SUCH AS THE BUILDING NUMBER.

3244	ACTY-ST-ADRS1	ACTY_ST_ADRS1_3244	DLSC-SBA	V	VARCHAR	60

ACTIVITY STREET ADDRESS - 1
THE FIRST OF UP TO TWO LINES OF THE STREET NAME AND ASSOCIATED NUMBER PORTION OF AN ACTIVITYs ADDRESS.

3245	ACTY-ST-ADRS2	ACTY_ST_ADRS2_3245	DLSC-SBA	V	VARCHAR	60

ACTIVITY STREET ADDRESS - 2
THE SECOND OF UP TO TWO LINES OF THE STREET NAME AND ASSOCIATED NUMBER PORTION OF AN ACTIVITYs ADDRESS.

3246	ACTY-CITY	ACTY_CITY_3246	DLSC-SBA	V	VARCHAR	60

ACTIVITY CITY
THAT PART OF AN ADDRESS REFLECTING THE CITY OF AN ACTIVITY.

3247	ACTY-STA-US-POS-ABR	ACTY_ST_US_AB_3247	DLSC-SBA	F	CHAR	2

ACTIVITY STATE/U.S. POSSESSION ABBREVIATION
A TWO POSITION ALPHA ABBREVIATION DESIGNATED BY THE U.S. POSTAL SERVICE TO IDENTIFY EACH STATE AND U.S. POSSESSION OF AN ACTIVITY.

3248	ACTY-ZIP-CD	ACTY_ZIP_CD_3248	DLSC-SBA	F	CHAR	9

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

ACTIVITY ZIP CODE

FOR AN ACTIVITY, A POST OFFICE ASSIGNED CODE WHICH IS USED FOR ADDRESSING MAIL TO ADDRESSES IN A SPECIFIC REGION, STATE, CITY OR PORTION THEREOF. THE CODE IS ALSO USED FOR FORMATTING ADDRESS LABELS IN ZIP CODE SEQUENCE.

3251 TRFR-FSC-OAC-M-T1-2-NSN TRFR_STAT_CNT_3251 DLSC-SBA F INTEGER 8

TRANSFER FSC ORIGINATING ACTIVITY MONTHLY TYPE 1 TO 2 NSN

THE MONTHLY QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM FULL DESCRIPTION TO REFERENCE METHOD BY FSC BY ORIGINATING ACTIVITY.

3252 TRFR-FSC-OAC-M-T1-4-NSN TRFR_STAT_CNT_3252 DLSC-SBA F INTEGER 8

TRANSFER FSC ORIGINATING ACTIVITY MONTHLY TYPE 1 TO 4 NSN

THE MONTHLY QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM FULL DESCRIPTIVE TO PARTIAL DESCRIPTIVE BY FSC BY ORIGINATING ACTIVITY.

3253 TRFR-FSC-OAC-M-T2-1-NSN TRFR_STAT_CNT_3253 DLSC-SBA F INTEGER 8

TRANSFER FSC ORIGINATING ACTIVITY MONTHLY TYPE 2 TO 1 NSN

THE MONTHLY QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM REFERENCE METHOD TO FULL DESCRIPTIVE BY FSC BY ORIGINATING ACTIVITY.

3254 TRFR-FSC-OAC-M-T2-4-NSN TRFR_STAT_CNT_3254 DLSC-SBA F INTEGER 8

TRANSFER FSC ORIGINATING ACTIVITY MONTHLY TYPE 2 TO 4 NSN

THE MONTHLY QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM REFERENCE METHOD TO PARTIAL DESCRIPTIVE BY FSC BY ORIGINATING ACTIVITY.

3255 TRFR-FSC-OAC-M-T4-1-NSN TRFR_STAT_CNT_3255 DLSC-SBA F INTEGER 8

TRANSFER FSC ORIGINATING ACTIVITY MONTHLY TYPE 4 TO 1 NSN

THE MONTHLY QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM PARTIAL DESCRIPTIVE TO FULL DESCRIPTIVE BY FSC BY ORIGINATING ACTIVITY.

3256 TRFR-FSC-OAC-M-T4-2-NSN TRFR_STAT_CNT_3256 DLSC-SBA F INTEGER 8

TRANSFER FSC ORIGINATING ACTIVITY MONTHLY TYPE 4 TO 2 NSN

THE MONTHLY QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM PARTIAL DESCRIPTIVE TO REFERENCE METHOD BY FSC BY ORIGINATING ACTIVITY.

3257 TRFR-FSC-SAC-M-T1-2-NSN TRFR_STAT_CNT_3257 DLSC-SBA F INTEGER 8

TRANSFER FSC SUBMITTING ACTIVITY MONTHLY TYPE 1 TO 2 NSN

THE MONTHLY QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM FULL DESCRIPTIVE TO PARTIAL DESCRIPTIVE BY FSC BY SUBMITTING ACTIVITY.

3258 TRFR-FSC-SAC-M-T1-4-NSN TRFR_STAT_CNT_3258 DLSC-SBA F INTEGER 8

TRANSFER FSC SUBMITTING ACTIVITY MONTHLY TYPE 1 TO 4 NSN

THE MONTHLY QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM FULL DESCRIPTIVE TO PARTIAL DESCRIPTIVE BY FSC BY SUBMITTING ACTIVITY.

3259 TRFR-FSC-SAC-M-T2-1-NSN TRFR_STAT_CNT_3259 DLSC-SBA F INTEGER 8

TRANSFER FSC SUBMITTING ACTIVITY MONTHLY TYPE 2 TO 1 NSN

THE MONTHLY QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM REFERENCE METHOD TO FULL DESCRIPTIVE BY FSC BY SUBMITTING ACTIVITY.

3260 TRFR-FSC-SAC-M-T2-4-NSN TRFR_STAT_CNT_3260 DLSC-SBA F INTEGER 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

TRANSFER FSC SUBMITTING ACTIVITY MONTHLY TYPE 2 TO 4 NSN
THE MONTHLY QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM REFERENCE METHOD TO PARTIAL DESCRIPTIVE BY FSC BY SUBMITTING ACTIVITY.

3261 TRFR-FSC-SAC-M-T4-1-NSN TRFR_STAT_CNT_3261 DLSC-SBA F INTEGER 8
TRANSFER FSC SUBMITTING ACTIVITY MONTHLY TYPE 4 TO 1 NSN
THE MONTHLY QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM PARTIAL DESCRIPTIVE TO FULL DESCRIPTIVE BY FSC BY SUBMITTING ACTIVITY.

3262 TRFR-FSC-SAC-M-T4-2-NSN TRFR_STAT_CNT_3262 DLSC-SBA F INTEGER 8
TRANSFER FSC SUBMITTING ACTIVITY MONTHLY TYPE 4 TO 2 NSN
THE MONTHLY QUANTITY OF NSNS THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM PARTIAL DESCRIPTIVE TO REFERENCE METHOD BY FSC BY SUBMITTING ACTIVITY.

3263 TRFR-FSC-SAC-MTH-T2-NSN TRFR_STAT_CNT_3263 DLSC-SBA F INTEGER 8
TRANSFER FSC SUBMITTING ACTIVITY MONTHLY TYPE 2 NSN
THE MONTHLY QUANTITY OF NEWLY ASSIGNED NSNS WITHIN AN FSC WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION BY SUBMITTING ACTIVITY.

3264 TRFR-FSC-SAC-MTH-T1-NSN TRFR_STAT_CNT_3264 DLSC-SBA F INTEGER 8
TRANSFER FSC SUBMITTING ACTIVITY MONTHLY TYPE 1 NSN
THE MONTHLY QUANTITY OF NEWLY ASSIGNED NSNS WITHIN AN FSC WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY SUBMITTING ACTIVITY.

3265 TRFR-FSC-SAC-MTH-T4-NSN TRFR_STAT_CNT_3265 DLSC-SBA F INTEGER 8
TRANSFER FSC SUBMITTING ACTIVITY MONTHLY TYPE 4 NSN
THE MONTHLY QUANTITY OF NEWLY ASSIGNED NSNS WITHIN AN FSC WITH PARTIAL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY SUBMITTING ACTIVITY.

3266 TRFR-FSC-OAC-MTH-T2-NSN TRFR_STAT_CNT_3266 DLSC-SBA F INTEGER 8
TRANSFER FSC ORIGINATING ACTIVITY MONTHLY TYPE 2 NSN
THE MONTHLY QUANTITY OF NEWLY ASSIGNED NSNS WITHIN AN FSC WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION BY ORIGINATING ACTIVITY.

3267 TRFR-FSC-OAC-MTH-T1-NSN TRFR_STAT_CNT_3267 DLSC-SBA F INTEGER 8
TRANSFER FSC ORIGINATING ACTIVITY MONTHLY TYPE 1 NSN
THE MONTHLY QUANTITY OF NEWLY ASSIGNED NSNS WITHIN AN FSC WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY ORIGINATING ACTIVITY.

3268 TRFR-FSC-OAC-MTH-T4-NSN TRFR_STAT_CNT_3268 DLSC-SBA F INTEGER 8
TRANSFER FSC ORIGINATING ACTIVITY MONTHLY TYPE 4 NSN
THE MONTHLY QUANTITY OF NEWLY ASSIGNED NSNS WITHIN AN FSC WITH PARTIAL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY ORIGINATING ACTIVITY.

3271 MDLS-ALWD-ERR-PCT-RT MDLS_ERR_PCT_3271 DLSC-VP F CHAR 2
MEDALS ALLOWED ERROR PERCENT RATE
A two digit numeric rate to represent the level of error percent allowed for submission into either a batch or update process run for MEDALS. The maximum range of digits will be 00-99.

3272 MDLS-REPT-PULL-DAY-CD MDLS_PULL_DAY_3272 DLSC-VP F CHAR 2

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

MEDALS REPOSITORY PULL DAY CODE
A TWO DIGIT NUMERIC CODE REPRESENTING THE DAY OF THE MONTH AN INDIVIDUAL REPOSITORY WILL HAVE DATA PULLED FROM THAT PARTICULAR REPOSITORY. THE MAXIMUM RANGE OF DIGITS WILL BE 01-28.

3273 MDLS-PRIM-MED-CD MDLS_PRIM_MED_3273 DLSC-VP F CHAR 1
MEDALS PRIMARY MEDIA CODE
A ONE DIGIT ALPHABETIC CODE REPRESENTING THE PRIMARY OUTPUT MEDIA FROM DLSC TO THE REPOSITORY CONSISTING OF REPORTS, INQUIRY RESULTS, AND STATISTICS. THE CODES WILL BE: F FTP ON-LINE, C TAPE CARTRIDGE, T MAGNETIC TAPE, AND P HARDCOPY PAPER OUTPUT.

3274 MDLS-ALT-MED-CD MDLS_ALT_MED_3274 DLSC-VP F 1
MEDALS ALTERNATE MEDIA CODE
A ONE DIGIT ALPHABETIC CODE REPRESENTING THE ALTERNATE OUTPUT MEDIA FROM DLSC TO THE REPOSITORY CONSISTING OF REPORTS, INQUIRY RESULTS, AND STATISTICS. THE CODES WILL BE: F FTP ON-LINE, C TAPE CARTRIDGE, T MAGNETIC TAPE, AND P HARDCOPY PAPER OUTPUT.

3281 LBL-ID-TEXT LBL_ID_TEXT_3281 DLSC-V F CHAR 20
LABEL IDENTIFIER TEXT
CLEAR TEXT FOR A VALID LABEL IDENTIFIER (SERVICE ENTITY).

3282 LBL-ID-MA-IND LBL_ID_MA_IND_3282 DLSC-V F CHAR 1
LABEL IDENTIFIER MASTER ADDRESS INDICATOR
FLAG TO INDICATE WHETHER THE LABEL IDENTIFIER (SERVICE ENTITY) PROCESSING MAKES USE OF THE MASTER ADDRESS TO ASSOCIATED ADDRESS RELATIONSHIP. T = USES MAs F = DOES NOT USE MAs.

3283 LBL-ID-DLN-IND LBL_ID_DLN_3283 DLSC-V F CHAR 1
LABEL IDENTIFIER DISTRIBUTION LIST NUMBER INDICATOR
FLAG TO INDICATE WHETHER THE LABEL IDENTIFIER (SERVICE ENTITY) PROCESSING MAKES USE OF THE DLN PRODUCT DISTRIBUTION FUNCTIONS. T = USES DLNS F = DOES NOT USE DLNS.

3284 AMLS-SUBMIT-DATE AMLS_SUB_DT_3284 DLSC-V F DATE 10
AUTOMATED MAILING LABELS SUBMIT DATE
DATE STAMP FOR WHEN AN AD HOC REQUEST FOR MAILING LABELS OR FOR REPORTS WAS SUBMITTED.

3285 AMLS-SUBMIT-TIME AMLS_SUB_TM_3285 DLSC-V F TIME 8
AUTOMATED MAILING LABELS SUBMIT TIME
TIME STAMP FOR WHEN AN AD HOC REQUEST FOR MAILING LABELS OR FOR REPORTS WAS SUBMITTED.

3286 AMLS-PROCESS-DATE AMLS_PROC_DT_3286 DLSC-V F DATE 10
AUTOMATED MAILING LABELS PROCESS DATE
DATE STAMP FOR WHEN AN AD HOC REQUEST FOR MAILING LABELS OR FOR REPORTS WAS PROCESSED.

3287 AMLS-PROCESS-TIME AMLS_PROC_TM_3287 DLSC-V F TIME 8
AUTOMATED MAILING LABELS PROCESS TIME
TIME STAMP FOR WHEN AN AD HOC REQUEST FOR MAILING LABELS OR FOR REPORTS WAS PROCESSED.

3288 LBL-FORM-CD LBL_FORM_CD_3288 DLSC-V F CHAR 1
LABEL FORM CODE
CODE USED TO INDICATE THE TYPE OF PAPER STOCK (FORM) ON WHICH TO PRINT MAILING LABELS. L = LABEL STOCK, H = HARD COPY (ON SYSTEM PRINTER), B = BOTH.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

3289 LBL-SET-QTY LBL_SET_QTY_3289 DLSC-V F SMALLINT 2
LABEL SET QUANTITY
NUMBER OF SETS OF MAILING LABELS TO BE PRODUCED BY AMLS.

3290 AMLS-LST-CNTL-ID AMLS_LST_CNTL_3290 DLSC-V F INTEGER 5
AUTOMATED MAILING LABEL SYSTEM LAST CONTROL IDENTIFIER
LAST (CONTROL IDENTIFIER) NUMBER FOR SETS OF MAILING LABELS OR REPORTS TO BE PRODUCED BY THE AUTOMATED MAILING LABEL SYSTEM (AMLS).

3291 AMLS-LBL-ID AMLS_LBL_ID_3291 DLSC-VOL F CHAR 2
AMLS LABEL IDENTIFICATION
A TWO POSITION ALPHABETIC CODE THAT DESIGNATES THE SERVICE ENTITY WHICH OWNS THE DATA. ONLY THE AMLS PROGRAM MANAGER CAN ADD NEW USERS.

3292 AAT-LBL-ID AAT_LBL_ID_3292 DLSC-VOL F CHAR 2
AAT LABEL IDENTIFICATION CODE
A TWO POSITION ALPHABETIC CODE THAT DESIGNATES THE SERVICE ENTITY WHICH OWNS THE DATA. ONLY THE AMLS PROGRAM MANAGER CAN ADD NEW USERS.

3293 AAT-USERID AAT_USERID_3293 DLSC-VOL F CHAR 8
AAT USER IDENTIFICATION
AN EIGHT POSITION ALPHABETIC CODE THAT DESIGNATES THE USER WHO OWNS THE DATA. ONLY THE AMLS PROGRAM MANAGER CAN ADD NEW USERS.

3306 LOLA-REQUEST-DATE LOLA_REQ_DATE_3306 DLSC-SBA F DATE 8
LOLA REQUEST DATE
DATE FIELD USED TO IDENTIFY STORED LOLA REQUESTS. PART OF TABLE LOLA_INQ_STATS KEY. FORMAT OF DATE IS MMDDCCYY.

3307 LOLA-STATS-SCOPE LOLA_STAT_SC_3307 DLSC-SBA F CHAR 1
LOLA STATS SCOPE
WILL IDENTIFY THE SCOPE OF A LOLA_INQ_STATS TABLE ROW. VALID SCOPES ARE DAILY, WEEKLY, MONTHLY, YEARLY.

3308 ITM-NM-TYP-CD ITM_NM_TYP_CD_3308 DLSC-SC F CHAR 1
ITEM NAME TYPE CODE
THE FOLLOWING CODES ARE ASSIGNED TO ITEM NAMES AS APPLICABLE. CODE 0, ITEM NAME, APPROVED, SEE DRN 5000. CODE 1, BASIC CONCEPT NAME, SEE DRN 9561. CODE 2, ALL EXCEPT USA (NATO USE ONLY). CODE 3, CANADIAN USE (APPROVED ITEM NAME). CODE 4, COLLOQUIAL NAME, SEE DRN 4955. CODE 5, INDEX ENTRY, SEE DRN 0094.

3309 STAT-USER-RQST-DT USER_RQST_DT_3309 DLSC-SBA F TIMESTMP 26
STATISTICS USER REQUEST DATE
THE DATE THE USER REQUESTED AN ARCHIVE.

3311 CMBT-ESNTL-CD-MC CMBT_ESTL_MC_3311 DLSC-SBA F CHAR 1
COMBAT ESSENTIALITY CODE, MARINE CORPS

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A CODE EMPLOYED BY THE MARINE CORPS TO ESTABLISH THAT AN END ITEM IS ESSENTIAL TO THE OPERATIONAL READINESS OF A WEAPON SYSTEM OR THE CONDUCT OF A MILITARY MISSION: OR THAT A FUNCTIONAL PART CONTRIBUTES TO THE TACTICAL AND ESSENTIAL OPERATIONS OF AN END ITEM COMPONENT OR ASSEMBLY, AND ITS FAILURE WOULD RENDER THE END ITEM INOPERABLE OR INCAPABLE OF FULFILLING ITS MISSION: OR THAT A REPAIR OR SECONDARY DEPOT REPARABLE COMPONENT IS REQUIRED FOR THE SAFETY AND HEALTH OF PERSONNEL, OR IS REQUIRED BY STATE OR LOCAL LAWS. SEE VOLUME 10, TABLE 72 AND QUICK INFO ON-LINE.

3313 LOLA-UPDT-TRAN-HDR-TXT UPDT_TRAN_HDR_3313 DLSC-VOA F CHAR 66

LOLA UPDATE TRANSACTION HEADER TEXT

THE TRANSACTION HEADER DATA INPUT BY AN ONLINE USER. THE DATA IS STORED TO USE FOR LOLA UPDATE RECOVERY AND STATISTICAL PURPOSES.

3314 LOLA-UPDT-COMM-TXT UPDT_COMM_3314 DLSC-VOA V VARCHAR 1400

LOLA UPDATE COMMUNICATIONS TEXT

THE VARIABLE DATA OF THE COMMUNICATIONS AREA NEEDED BY THE LOLA UPDATE SYSTEM TO RECOVER AND RE-DISPLAY A TRANSACTION INPUT BY AN ONLINE USER.

3317 CHARAS-DATA-GP DLSC-SC V 1000

CHARACTERISTICS DATA GROUP

A GROUP OF DATA REPRESENTING AN ENCODED DATA CHARACTERISTIC IN A CHARACTERISTIC DESCRIPTION OF AN ITEM. IT CONSISTS OF THE MASTER REQUIREMENT CODE, MODE CODE AND THE REPLY FIELD IN CODED AND/OR CLEAR TEXT AS DESIGNATED BY THE MODE CODE. IT MAY INCLUDE THE SECONDARY ADDRESS CODE AND THE SECONDARY ADDRESS CODE INDICATOR WHEN THERE IS MORE THAN ONE REPLY WITHIN A MASTER REQUIREMENT CODE AND MAY INCLUDE EITHER OF THE AND/OR SYMBOLS. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPENDICES OF THE FLIS PROCEDURES MANUAL.

3323 LOLA-UPDT-PRCSD-TIME UPDT_PRC_TIME_3323 DLSC-VOA F CHAR 6

LOLA UPDATE PROCESSED TIME

THE TIME OF DAY THAT A TRANSACTION WAS PROCESSED THROUGH LOLA ON_LINE UPDATE. FORMAT: HHMMSS.

3324 LOLA-UPDT-DIC-CT-NBR UPDT_DIC_CT_3324 DLSC-VOA F CHAR 8

LOLA UPDATE DIC COUNT NUMBER

THE COUNT OF OCCURRENCES OF THE DIC FOR A GIVEN MONTH BY USER_CD_1101.

3339 STAT-LOG-DT LOG_DT_3339 DLSC-SBA F TIMESTMP 26

STATISTICS LOG DATE

THE DATE THAT THE ARCHIVE WAS DONE.

3341 EX-RPT-DT-SER-NBR DLSC-SB F 8

EXCESS REPORT DATE AND SERIAL NUMBER

THE JULIAN DATE AND SERIAL NUMBER OF A PROPERTY DISPOSAL OFFICE DECLARED EXCESS DOCUMENT NUMBER.

3342 RI-CD-DPDO RI_CD_DPDO_3342 DLSC-SB F CHAR 3

ROUTING IDENTIFIER CODE, DEFENSE PROPERTY DISPOSAL OFFICE

A CODE WHICH IDENTIFIES THE PROPERTY DISPOSAL OFFICE/HOLDING ACTIVITY WHICH REPORTS DEPARTMENT OF DEFENSE EXCESS/SURPLUS PROPERTY FOR UTILIZATION SCREENING/DISPOSAL.

3351 OFC-NM-LI-TX OFC_NM_LI_3351 DLSC-VOA F CHAR 50

OFFICE NAME LINE TEXT

THE FIRST LINE OF AN ADDRESS MEETING POSTAL STANDARDS. IT MAY BE BLANK. CONTAINS THE OFFICE NAME. ALL ALPHAS WILL BE CONVERTED TO UPPER CASE. VALID VALUES: ANY ALPHA/NUMERIC CHARACTER.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

3352 OPTNL-NM-LI-TX OPTNL_NM_LI_3352 DLSC-VOA F CHAR 50
OPTIONAL NAME LINE TEXT
THE SECOND LINE OF AN ADDRESS MEETING POSTAL STANDARDS. IT MAY BE BLANK. IT IS AN EXTENSION OF THE FIRST LINE. ALL ALPHAS WILL BE CONVERTED TOUPPER CASE. VALID VALUES: ANY ALPHA/NUMERIC CHARACTER.

3353 ACTY-NM-LI-TX ACTY_NM_LI_3353 DLSC-VOA F CHAR 50
ACTIVITY NAME LINE TEXT
THE THIRD LINE OF AN ADDRESS MEETING POSTAL STANDARDS. IT MAY BE BLANK. CONTAINS THE NAME OF THE ACTIVITY. ALL ALPHAS WILL BE CONVERTED TO UPPER CASE. VALID VALUES: ANY ALPHA/NUMERIC CHARACTER.

3354 DLVR-ADRS-LI-TX DLVR_ADRS_LI_3354 DLSC-VOA F CHAR 50
DELIVERY ADDRESS LINE TEXT
THE FOURTH LINE OF AN ADDRESS MEETING POSTAL STANDARDS. IT IS A REQUIRED FIELD. IT CONTAINS STREET ADDRESS, SUITE AND/OR PO BOX. ALL ALPHAS WILL BE CONVERTED TO UPPER CASE. VALID VALUES: ANY ALPHA/NUMERIC CHARACTER WITH EXCEPTION OF SPECIAL CHARACTERS.

3355 DLVR-PNT-BARCODE-ID DPBC_3355 DLSC-VOA F CHAR 2
DELIVERY POINT BARCODE IDENTIFIER
CONFORMS TO POSTAL REQUIREMENTS FOR THE DELIVERY POINT BARCODE (DPBC). IT IS PART OF THE EXTENDED ZIP CODE BUT IT IS NOT NORMALLY VISIBLE ON AN ENVELOP. IT DEFINES THE CARRIER ROUTE AND IS REFLECTED IN THE BAR CODE. MAY NOT CONTAIN A VALUE IF THE LAST 4 CHARACTERS OF POSTAL_ZONE_2549 IS BLANK.

3366 TYPE-CAGE-NSCM-AFFL-CD-DEF CAGE_AFFL_DEF_3366 DLSC-SB F CHAR 50
TYPE OF CAGE/NSCM AFFILIATION CODE DEFINITION
DEFINITION OF TYPE-CAGE-NSCM-AFFL-CD (DRN 0250).

3367 SZ-OF-BUS-CD-DEF SZ_OF_BUS_DEF_3367 DLSC-SB F CHAR 50
SIZE OF BUSINESS CODE DEFINITION
DEFINITION OF SZ-OF-BUS-CD (DRN 1364).

3368 PRIM-BUS-CAT-DEF BUS_CAT_DEF_3368 DLSC-SB F CHAR 50
PRIMARY BUSINESS CATEGORY DEFINITION
DEFINITION OF PRIM-BUS-CTGY-CD (DRN 1365).

3369 TYP-OF-BUS-DEF TYP_BUS_DEF_3369 DLSC-SB F CHAR 50
TYPE OF BUSINESS DEFINITION
DEFINITION OF TYP-OF-BUS-CD (DRN 1366).

3370 CAGE-RQST-RSN-DEF CAGE_RSN_DEF_3370 DLSC-SB F CHAR 100
CAGE REQUEST REASON DEFINITION
DEFINITION OF CAGE-RQST-RSN-CD (DRN 3407).

3371 TAXPYR-ID-EXMPN-DEF TPYR_EXMP_DEF_3371 DLSC-SB F CHAR 50
TAXPAYER IDENTIFIER EXEMPTION DEFINITION
DEFINITION OF TAXPYR-ID-EXMPN-CD (DRN 3402).

3372 BUS-FM-CD-DEF BUS_FM_CD_DEF_3372 DLSC-SB F CHAR 100
BUSINESS FORM CODE DEFINITION

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	FORMAT FV	FORMAT TYPE	FORMAT LG
CLEAR TEXT HOST/COBOL NAME						
DRN DEFINITION						

DEFINITION OF BUS-FM-CD (DRN 3406).

3373 VND-RGSTR-RNWL-DT | RGSTR_RNWL_DT_3373 | DLSC-SBB | F | INTEGER | 7

VENDOR REGISTRATION RENEWAL DATE

THIS ELEMENT WILL CONTAIN THE DATE OF RENEWAL REQUIRED BY THE CCR. THIS DATE WILL BE THE EXPIRATION OF THE VENDOR REGISTRATION.

3374 CAGE-PNT-OF-CNTCT-NM | CNTCT_NM_3374 | DLSC-SBB | F | CHAR | 35

CAGE POINT OF CONTACT NAME

THIS ELEMENT WILL CONTAIN THE POINT OF CONTACT NAME WITHIN A CORPORATION. THIS IS THE NAME OF THE PERSON TO CALL WITH ANY QUESTIONS PERTAINING TO THE CAGE ADDRESS FILE.

3375 EMAIL-ADRS-TX | EMAIL_ADRS_3375 | DLSC-SBB | F | CHAR | 80

EMAIL ADDRESS TEXT

THIS ELEMENT WILL CONTAIN AN E-MAIL ADDRESS FOR THE COMPANY. THIS WILL PROVIDE FOR AN ELECTRONIC METHOD OF COMMUNICATION.

3381 USR-ACCS-LVL-SUBSYS-CD | USR_ACCS_SUB_3381 | DLSC-B | F | CHAR | 1

USER ACCESS LEVEL SUBSYSTEM CODE

THE CODE THAT DENOTES THE SUBSYSTEM THAT REQUIRES OF ON-LINE USER ACCESS LEVEL CONTROL. VALID VALUES ARE: C - CAGE, M - MEDALS.

3401 TAXPYR-ID | TAX_PYR_ID_3401 | DLSC-SB | F | CHAR | 9

TAXPAYER IDENTIFIER

A UNIQUE ID CODE ASSIGNED BY THE TREASURY DEPARTMENT TO ALL BUSINESSES. THIS IS AN OPTIONAL FIELD.

3402 TAXPYR-ID-EXMPN-CD | TAX_PYR_EXMPN_3402 | DLSC-SB | F | CHAR | 1

TAXPAYER IDENTIFIER EXEMPTION CODE

A CODE DENOTING THE REASON WHY A TAXPAYER IDENTIFIER IS NOT REQUIRED FOR A CONTRACTOR. VALID VALUES: CODE A - FOREIGN CONCERN/ENTITY, CODE B - FOREIGN GOVERNMENT ENTITY, CODE C - FEDERAL, STATE OR LOCAL GOVERNMENT ENTITY.

3403 PARNT-TAXPYR-ID | PARNT_TAXPYR_3403 | DLSC-SB | F | CHAR | 9

PARENT TAXPAYER IDENTIFIER

THE TAXPAYER IDENTIFIER BELONGING TO THE PARENT TAXPAYING ORGANIZATION.

3404 CONTR-ESTBMT-CD | CONTR_ESTBMT_3404 | DLSC-SB | F | CHAR | 9

CONTRACTOR ESTABLISHMENT CODE

THE GOVERNMENT-OWNED CODE WHICH REPRESENTS A BASIC BUSINESS ORGANIZATION (FIRST 8 DIGITS). THE LAST (9TH) DIGIT IS A CHECK DIGIT. THIS IS AN OPTIONAL FIELD.

3405 DUNS | DUNS_3405 | DLSC-SB | F | CHAR | 9

DATA UNIVERSAL NUMBERING SYSTEM

A PROPRIETARY CODE WHICH REPRESENTS A BASIC BUSINESS ORGANIZATION (INCLUDES A CHECK DIGIT).

3406 BUS-FM-CD | BUS_FM_CD_3406 | DLSC-SBB | F | CHAR | 1

BUSINESS FORM CODE

A CODE WHICH REPRESENTS THE TYPE OF BUSINESS STRUCTURE OF A PROSPECTIVE CONTRACTOR. VALID VALUES AS FOLLOWS: C - CORPORATION, E - TAX EXEMPT HOSPITAL/EXTENDED CARE FACILITY UNDER 26 CFR 501(A) AND 501(3), P - PARTNERSHIP, S - SOLE PROPRIETOR/INDIVIDUAL, N - NOT CODED. VOLUME 10 TABLE 203.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

3407 CAGE-RQST-RSN-CD CAGE_RQST_RSN_3407 DLSC-SB F CHAR 1
CAGE REQUEST REASON CODE
A CODE WHICH REPRESENTS THE TYPE OF BUSINESS STRUCTURE OF A PROSPECTIVE CONTRACTOR. THIS IS A MANDATORY FIELD . VALID VALUES: A - COMPANY IS PRIMARILY A MANUFACTURING WEAPONS SYSTEMS. B - COMPANY IS PRIMARILY A SUBCONTRACTOR INVOLVED IN THE MANUFACTURING OF WEAPONS SYSTEMS. C - COMPANY IS PRIMARILY A SUPPLIER OF PRODUCTS AND SERVICES, D - COMPANY IS PRIMARILY A SUBTIER SUPPLIER OF PRODUCTS AND SERVICES, N - NOT CODED. VOL 10 TABLE

3408 CNTRY-CD CNTRY_CD_3408 DLSC-SB F CHAR 3
COUNTRY CODE
A CODE WHICH REPRESENTS A FOREIGN COUNTRY.

3409 CNTY-NM CNTY_NM_3409 DLSC-SB F CHAR 21
COUNTY-NM
THE NAME OF A COUNTY. THIS IS AN OPTIONAL FIELD.

3410 CNGRSL-DSTRCT-CD CNGRSL_DSTRCT_3410 DLSC-SB F CHAR 3
CONGRESSIONAL DISTRICT CODE
A CODE WHICH REPRESENTS A CONGRESSIONAL DISTRICT. THIS IS AN OPTIIONAL FIELD.

3411 CONTR-PLND-PRDCR-CD PLND_PRDCR_CD_3411 DLSC-SB F CHAR 1
CONTRACTOR PLANNED PRODUCER CODE
INDICATOR OF WHETHER A CONTRACTOR HAS SIGNED A PRODUCTION PLANNING SCHEDULE AGREEMENT OR HAS A CONTRACT WITH A LARGE OPTION CLAUSE TO PRODUCE CRITICAL MILITARY ITEMS. THIS IS A MANDATORY FIELD. VALID VALUES ARE Y =YES N = NO.

3412 CONTR-ID-CHNG-CD CONTR_ID_CHNG_3412 DLSC-SB F CHAR 1
CONTRACTOR IDENTITY CHANGE CODE
A CODE WHICH DENOTES WHETHER OR NOT THE CONTRACTOR IS UNDERGOING UNSPECIFIED CHANGES IN THE ORGANIZATION. VALID VALUES: Y-UNDOCUMENTED CHANGES UNDERWAY, OR N-NO CHANGE IN PROCESS.

3413 TEL-NBR-TYP-CD-DEF TEL_TYP_DEF_3413 DLSC-SB F CHAR 20
PHONE NUMBER TYPE CODE DEFINITION
DEFINITION OF THE TYPE OF PHONE NUMBER CODE (DRN 1088), SEE VOLUME 10.

3414 FRM-ZIP-CD FRM_ZIP_CD_3414 DLSC-SB F CHAR 10
FROM ZIP CODE
THE BEGINNING OF THE ZIP CODE RANGE UTILIZED TO AUTOMATICALLY GENERATE THE AUTOMATIC DATA PROCESSING POINT (ADP) CODE AND CONTRACT ADMINISTRATION OFFICE (CAO) CODE WHENEVER THE ZIP CODE IS INPUT/RECORDED IN THE CAGE MASTER FILE.

3415 TO-ZIP-CD TO_ZIP_CD_3415 DLSC-SB F CHAR 10
TO ZIP CODE
THE END OF THE ZIP CODE RANGE UTILIZED TO AUTOMATICALLY GENERATE THE AUTOMATIC DATA PROCESSING POINT (ADP) CODE AND CONTRACT ADMINISTRATION OFFICE (CAO) CODE WHENEVER THE ZIP CODE IS INPUT/RECORDED IN THE CAGE MASTER FILE.

3417 EC-EDI-CPBLTY-IND-CD EC_EDI_CPBLTY_3417 DLSC-SB F CHAR 1
ELECTRONIC COMMERCE / DATA INTERCHANGE CAPABILITY IND CD

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

INDICATES WHETHER A CONTRACTOR HAS THE CAPABILITY OF DOING BUSINESS ELECTRONICALLY (ELECTRONIC COMMERCE - EC) USING THE TRADING PARTNER PROFILE TRANSACTION SET (838) WITHIN THE CONTEXT OF AN ELECTRONIC DATA INTERCHANGE (EDI) ENVIRONMENT. THIS IS AN OPTIONAL FIELD. VALID VALUES ARE: Y = YES AND N = NO.

3418 MDLS-FTP-CMMD-CPBLTY-CD CMMD_CPBLTY_3418 DLSC-VP F CHAR 1

MEDALS FTP COMMAND CAPABILITY CODE

A CODE TO DETERMINE AS TO WHETHER A REPOSITORY HAS "FTP SITE COMMAND" CAPABILITY. THE CODES WILL BE "Y" = YES, "N" = NO.

3421 STAT-RQST-TYP-ID STAT_RQST_TYP_3421 DLSC-SBA F CHAR 6

STATISTICS REQUEST TYPE IDENTIFIER

THE TYPE OF ON-LINE STATISTICS A USER VIEWS. THIS DRN IS USED IN CONCERT WITH VALID-DEPT TO PROVIDE THE USER A CROSS REFERENCE OF VALID DEPARTMENTS TO TYPE OF STATISTICS. VALID VALUES ARE ON-LINE SCREEN IDS.

3422 STAT-VLD-DEPT-ID STAT_VLD_DEPT_3422 DLSC-SBA F CHAR 40

STATISTICS VALID DEPARTMENT IDENTIFIER

THE VALID DEPARTMENTS FOR THE TYPE OF ON-LINE STATISTICS THAT CAN BE DISPLAYED TO A USER. VALID VALUES ARE A STRING OF UP TO 20 OCCURRENCES OF STAT_DEPT_0897.

3424 STAT-EXCP-DPT-ID STAT_EXCP_DPT_3424 DLSC-SBA F CHAR 40

STATISTIC EXCEPTION DEPARTMENT IDENTIFIER

AN ELEMENT DEFINING TO THE STATISTICS SYSTEM THOSE DEPARTMENTS THAT HAVE NO DETAIL DATA TO SUPPORT THEIR TOTALS. USED WITH STAT_RQST_TYP_3421 TO GIVE THE USER AND PROGRAMMER THE VALID VALUES OF DEPARTMENTS. REFERENCE DB2 TABLE STAT_DEPT_NME_CD (GP 698) FOR VALID VALUES.

3428 HI-DLR-BRKOT-CMDTY-CTG H_D_BRK_CMDTY_3428 DLSC-SBA F CHAR 1

HI-DOLLAR BREAKOUT COMMODITY CATEGORY

A CODE USED BY DEPARTMENT OF DEFENSE ACTIVITIES TO IDENTIFY THE COMMODITY CATEGORY OF PARTS. INCLUDES COMPONENTS AND RELATED SPARES/ PROCUREMENT BY HI-DOLLAR BREAKOUT COMMODITY CATEGORY. SEE VOLUME 10, TABLE 78 AND QUICK INFO ON-LINE.

3445 MRC MRC_3445 DLSC-SC F CHAR 4

MASTER REQUIREMENT CODE

A CODE ASSIGNED TO EACH DIFFERENT APPROVED FEDERAL ITEM IDENTIFICATION GUIDE/FIIG REQUIREMENT. THE MRC SERVES TO IDENTIFY THE ITEM CHARACTERISTIC DEFINED BY THE REQUIREMENT.

3447 PRICE-NOTE PRICE_NOTE_3447 DLSC-V F CHAR 25

PRICE NOTE

THIS FIELD CONTAINS THE CLEARTEXT NOTE REFERENCE FOR COMPATABILITY BETWEEN A SICA WITHIN A PARTICULAR SERVICE AND THE DOLLAR VALUE UNIT PRICE (DRN 7075). THE FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 186.

3448 QE-NOTE QE_NOTE_3448 DLSC-V F CHAR 25

QE NOTE

THIS FIELD CONTAINS THE CLEARTEXT NOTE REFERENCE FOR COMPATABILITY BETWEEN A SICA WITHIN A PARTICULAR SERVICE AND THE QUANTITATIVE EXPRESSION (DRN 8575). THE FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 186.

3449 SVC-CD-P-S-EX SVC_CD_P_S_EX_3449 DLSC-V F CHAR 75

SERVICE CODE P S EXPLANATION

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THIS FIELD CONTAINS THE CLEARTEXT FOR THE PROVISIONING SCREENING SERVICE CODE (DRN 0264). THE FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 42.

3450 PHRS-CD-SVC-X PHRS_CD_SVC_X_3450 DLSC-V F CHAR 50
PHRASE CODE SERVICE EXPLANATION
THIS FIELD CONTAINS A SERVICE SPECIFIC CLEARTEXT EXPLANATION OF THE PHRASE CODE. THE FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 52 FOR SERVICE PECULIAR PHRASE CODE.

3451 NATO-ONLY-IND NATO_ONLY_IND_3451 DLSC-V F CHAR 1
NATO ONLY INDICATOR
THIS FIELD CONTAINS A SINGLE CHARACTER INDICATOR TO IDENTIFY ALL OR PART OF THE DATA IN THE ROW OF A DB2 TABLE. X = NATO ONLY. OTHERWISE, THE FIELD WILL BE BLANK.

3452 DLIS-PROC-CHP-NBR DLIS_CHP_NBR_3452 DLSC-V F SMALLINT 4
DLIS PROCEDURES CHAPTER NUMBER
THIS FIELD CONTAINS THE CHAPTER NUMBER THAT IS ASSOCIATED WITH PUBLISHED VERSION OF PROCEDURES. (EG. DLIS PROCEDURES)

3453 TXT-TAB-HDR-IND TX_TB_HDR_IND_3453 DLSC-V F CHAR 1
TEXT TABLE HEADER INDICATOR
THIS FIELD INDICATES THAT THE DATA IN THE ROW IS HEADER INFORMATION. VALUE X INDICATES HEADER DATA. BLANK INDICATES NON HEADER DATA.

3454 MIL-VOL-IND MIL_VOL_IND_3454 DLSC-V F CHAR 1
MILITARY VOLUNTARY INDICATOR
AN INDICATION THAT THE STANDARD REPRESENTED BY THE COMMERCIAL AND GOVERNMENT ENTITY IS EITHER FEDERAL MILITARY = BLANK OR VOLUNTARY = V.

3455 SIN-MULT-OP-EX SIN_MLT_OP_EX_3455 DLSC-V V VARCHAR 500
SINGLE MULTIPLE OUTPUT CODE EXPLANATION
THIS FIELD CONTAINS THE CLEARTEXT EXPLANATION OF A SPECIFIC SINGLE MULTIPLE OUTPUT CODE CONTAINED IN FIELD NAME SIN-MULT-OP-CD (DRN 4535). THE FIELD IS USED PRIMARILY IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4.

3456 SYM-IND SYM_IND_3456 DLSC-V F CHAR 1
SYMBOL INDICATOR
THIS FIELD CONTAINS A SPECIAL CHARACTER SUCH AS ASTERISK * OR POUND-SIGN#. THE FIELD IS USED IN SUPPORT OF MULTIPLE DLIS PROCEDURES TABLES CONTAINED IN DOD 4100.39-M. THE USAGE OF THE SPECIAL CHARACTER IS DEFINED BY THE SPECIFIC PROCEDURE TABLE FOR WHICH IT IS BEING USED.

3457 CONTR-LBL-CD-EX-PSMAT CNTR_LBL_CD_X_3457 DLSC-SB F CHAR 42
CONTRACTOR LABEL CODE EXPLANATION PSMAT
THIS FIELD CONTAINS A CLEAR TEXT EXPLANATION OF THE CONTRACTOR LABEL CODE PSMAT (DRN 0893).

3458 CMD-AUTH-CD-X CMD_AUTH_CD_X_3458 DLSC-SB F CHAR 14
CATALOG MANAGEMENT DATA AUTHORIZATION CODE EXPLANATION
THIS FIELD CONTAINS THE CLEAR TEXT EXPLANATION FOR THE CODE CONTAINED INTHE FIELD CMD-AUTHZN-CD (DRN 0759).

3459 REEL-NBR REEL_NBR_3459 DLSC-S F CHAR 9
REEL NUMBER

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE NUMBER OF THE TAPE, REEL, OR CARTRIDGE ON WHICH THE DATA IS STORED.

3460 MRD-AUD-RQMT-STAT-IND AUD_RQMT_STAT_3460 DLSC-SCA F CHAR 1

MRD AUDIT REQUIREMENT STATUS INDICATOR

THIS WILL BE USED TO KEEP TRACK OF THE STATUS OF MRD REQUIREMENT AUDIT DATA. VALID VALUES B = BEFORE CHANGE C = AFTER CHANGE D = DELETED REQUIREMENT A = ADDED NEW REQUIREMENT

3461 MRD-AUD-RPLY-STAT-IND AUD_RPLY_STAT_3461 DLSC-SCA F CHAR 1

MRD AUDIT REPLY STATUS INDICATOR

THIS WILL BE USED TO KEEP TRACK OF THE STATUS OF MRD REPLY AUDIT DATA. VALID VALUES B = BEFORE CHANGE C = AFTER CHANGE D = DELETED REPLY A = ADDED NEW REPLY

3462 MRC-ASGND-STAT-IND MRC_ASGN_STAT_3462 DLSC-SCA F CHAR 1

MRC ASSIGNED STATUS INDICATOR

THIS WILL BE USED TO KEEP TRACK OF THE STATUS OF MRCS ON THE ASSIGN MRC TABLE. VALID VALUES D = DELETED MRC H = HOLD MRC A = ASSIGNED MRC U = UNASSIGNED MRC

3463 RPLY-TBL-CD-STATUS-IND RPLY_TBL_STAT_3463 DLSC-SCA F CHAR 1

REPLY TABLE CODES STATUS INDICATOR

THIS WILL BE USED TO KEEP TRACK OF THE STATUS OF REPLY TABLE CODES ON THE ASSIGN REPLY TABLE. VALID VALUES D = DELETED REPLY H = HOLD REPLY A = ASSIGNED REPLY U = UNASSIGNED REPLY

3464 UP-QTY-EXPL UP_QTY_EXPL_3464 DLSC-SBA V VARCHAR 120

UNIT PACK QUANTITY EXPLANATION

EXPLANATION OF VALUE CONTAINED IN FIELD UP-QTY (DRN 5321).

3465 CDD-RPLY CDD_RPLY_3465 DLSC-SC V CHAR 6

CODED REPLY

A DATA FIELD OF ONE TO SIX ALPHA AND/OR NUMERIC POSITIONS IN A MASTER REQUIREMENTS DIRECORY REPLY TABLE WHICH IDENTIFIES THE CONTENT OF A REPLY TO A MASTER REQUIREMENT CODE (MRC) IN CODED FORM. THIS CODE MUST BE DECODED INTO CLEAR TEXT PRIOR TO PRINTING A DD FORM 146, COMMERCIAL ITEM DESCRIPTION OR IDENTIFICATION LIST DESCRIPTION.

3466 HMIC-EXPLN HMIC_EXPLN_3466 DLSC-SBA V VARCHAR 250

HAZARDOUS MATERIAL INDICATOR EXPLANATION

THIS FIELD CONTAINS A CLEAR TEXT EXPLANATION OF A HAZARDOUS MATERIAL INDICATOR CODE (HMIC) (DRN 0865). THIS DATA ELEMENT IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOLUME 10 CHAP 4 TABLE 179.

3467 CRITL-CD-FIIG-EXPLN CRT_CD_FIG_EX_3467 DLSC-SBA V VARCHAR 250

CRITICALITY CODE FIIG EXPLANATION

THIS FIELD CONTAINS A CLEAR TEXT EXPLANATION OF A CRITICALITY CODE FIIG (DRN 3843). THIS DATA ELEMENT IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOLUME 10 CHAP 4 TABLE 181.

3475 COND-CD-FED1 CON_CD_FED1_3475 DLSC-SB F CHAR 1

CONDITION CODE FEDERAL 1

THIS FIELD CONTAINS THE FIRST POSITION OF THE TWO (2) POSITION FEDERAL CONDITION CODES AS DEFINED IN FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 151 PART 1 SUPPLY CONDITION CODES.

3476 COND-CD-FED2 CON_CD_FED2_3476 DLSC-SB F CHAR 1

CONDITION CODE FEDERAL 2

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THIS FIELD CONTAINS THE SECOND POSITION OF THE TWO (2) POSITION FEDERAL CONDITION CODE AS DEFINED IN FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 151 PART 2 DISPOSAL CONDITION CODES.

3477 COND-CD-FED2-TI CON_CD_FD2_TI_3477 DLSC-SB F CHAR 50

CONDITION CODE FEDERAL 2 TITLE

CLEAR TEXT TITLE ASSOCIATED WITH THE SECOND POSITION OF THE FEDERAL CONDITION CODE AS DEFINED IN FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 151 PART 2 DISPOSAL CONDITION CODES.

3478 COND-CD-FED2-EXP-DF CON_CD_FD2_XD_3478 DLSC-SB V VARCHAR 500

CONDITION CODE FEDERAL 2 BRIEF DEFINITION

CLEAR TEXT BRIEF DEFINITION ASSOCIATED WITH THE SECOND POSITION OF THE FEDERAL CONDITION CODE AS DEFINED IN FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 151 PART 2 DISPOSAL CONDITION CODES. DELETED FOR RENAME DATA ELEMENT NAME.

3479 SVC-NM SVC_NM_3479 DLSC-V F CHAR 13

SERVICE NAME

THIS FIELD WILL CONTAIN A CLEARTEXT SERVICE NAME. THIS FIELD IS USED PRIMARILY IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 117, PART 2.

3480 NM-LINE-1 NM_LINE1_3480 DLSC-V F CHAR 60

NAME LINE 1

THIS FIELD WILL CONTAIN THE CLEARTEXT FIRST NAME LINE OF AN ADDRESS. THIS FIELD IS USED PRIMARILY IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 117, PART 2.

3481 NM-LINE-2 NM_LINE2_3481 DLSC-V F CHAR 60

NAME LINE 2

THIS FIELD WILL CONTAIN THE CLEARTEXT SECOND NAME LINE OF AN ADDRESS, IF REQUIRED. THE FIELD WILL BE BLANK (SPACE FILLED) IF NOT REQUIRED. THE FIELD IS USED PRIMARILY IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 117, PART 2.

3482 ATTN-LINE ATTN_LINE_3482 DLSC-V F CHAR 36

ATTENTION LINE

THIS FIELD WILL CONTAIN THE CLEARTEXT ATTENTION LINE OR OFFICE SYMBOL FOR AN ADDRESS WHEN REQUIRED. THE FIELD WILL BE BLANK (SPACE FILLED) WHEN NOT REQUIRED. THE FIELD IS USED PRIMARILY IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 117, PART 2.

3483 DSOR-ACTY-NM DSOR_ACTY_NM_3483 DLSC-V F CHAR 150

DEPOT SOURCE OF REPAIR ACTIVITY NAME

THIS FIELD WILL CONTAIN THE CLEARTEXT DEPOT SOURCE OF REPAIR ACTIVITY NAME. THE FIELD IS USED PRIMARILY IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 117, PART 1.

3484 DSOR-STMT DSOR_STMT_3484 DLSC-V F CHAR 10

DEPOT SOURCE OF REPAIR STATEMENT

THIS FIELD WILL CONTAIN THE CLEARTEXT COMPATABILITY INDICATION FOR DEPOT SOURCE OF REPAIR FOR A GIVEN SERVICE AND A GIVEN NIMSC (NONCONSUMABLE ITEM MANAGEMENT SUPPORT CODE). THE FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 126.

3485 INC-FIIG-CORL INC_FIIG_CORL_3485 DLSC-V F CHAR 50

ITEM NAME TO FIIG CORRELATION CONDITION

THIS FIELD CONTAINS THE CLEARTEXT DESCRIPTION OF THE CORRELATION CONDITION BETWEEN THE ITEM NAME AND A FIIG. THE FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 185.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

3486 TYP-II-2 TYPE_II_2_3486 DLSC-V F CHAR 20

TYPE ITEM IDENTIFICATION 2

THIS FIELD CONTAINS A STRING OF RPDMRCs (REFERENCE OR PARTIAL DESCRIPTIVE METHOD REASON CODE) WHICH ARE VALID FOR TYPE 2 ITEM IDENTIFICATION AND A GIVEN ITEM NAME TO FIIG CORRELATION. THE FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 185.

3487 TYP-II-4 TYP_II_4_3487 DLSC-V F CHAR 20

TYPE ITEM IDENTIFICATION 4

THIS FIELD CONTAINS A STRING OF RPDMRCs (REFERENCE OR PARTIAL DESCRIPTIVE METHOD REASON CODE) WHICH ARE VALID FOR TYPE 4 ITEM IDENTIFICATION AND A GIVEN ITEM NAME TO FIIG CORRELATION. THE FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 185.

3488 TYP-II-M TYP_II_M_3488 DLSC-V F CHAR 20

TYPE ITEM IDENTIFICATION M

THIS FIELD CONTAINS A STRING OF RPDMRCs (REFERENCE OR PARTIAL DESCRIPTIVE METHOD REASON CODE) WHICH ARE VALID FOR TYPE M ITEM IDENTIFICATION AND A GIVEN ITEM NAME TO FIIG CORRELATION. THE FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 185.

3489 TYP-II-N TYP_II_N_3489 DLSC-V F CHAR 20

TYPE ITEM IDENTIFICATION N

THIS FIELD CONTAINS A STRING OF RPDMRCs (REFERENCE OR PARTIAL DESCRIPTIVE METHOD REASON CODE) WHICH ARE VALID FOR TYPE N ITEM IDENTIFICATION AND A GIVEN ITEM NAME TO FIIG CORRELATION. THE FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 185.

3490 TYP-II-1 TYP_II_1_3490 DLSC-V F CHAR 20

TYPE ITEM IDENTIFICATION 1

THIS FIELD CONTAINS A STRING OF RPDMRCS (REFERENCE OR PARTIAL DESCRIPTIVE METHOD REASON CODE) WHICH ARE VALID FOR TYPE 1 ITEM IDENTIFICATION AND A GIVEN ITEM NAME TO FIIG CORRELATION. THE FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 185.

3491 TYP-II-K TYP_II_K_3491 DLSC-V F CHAR 20

TYPE ITEM IDENTIFICATION K

THIS FIELD CONTAINS A STRING OF RPDMRCs (REFERENCE OR PARTIAL DESCRIPTIVE METHOD REASON CODE) WHICH ARE VALID FOR TYPE K ITEM IDENTIFICATION AND A GIVEN ITEM NAME TO FIIG CORRELATION. THE FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 185.

3492 TYP-II-L TYP_II_L_3492 DLSC-V F CHAR 20

TYPE ITEM IDENTIFICATION L

THIS FIELD CONTAINS A STRING OF RPDMRCs (REFERENCE OR PARTIAL DESCRIPTIVE METHOD REASON CODE) WHICH ARE VALID FOR TYPE L ITEM IDENTIFICATION AND A GIVEN ITEM NAME TO FIIG CORRELATION. THE FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 185.

3493 SVC-SICA SVC_SICA_3493 DLSC-V F CHAR 20

SERVICE SICA

THIS FIELD CONTAINS THE CLEARTEXT PARENT SERVICE NAME FOR A SICA. THE FIELD IS USED PRIMARILY IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 186.

3494 CIIC-NOTE CIIC_NOTE_3494 DLSC-V F CHAR 25

CIIC NOTE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THIS FIELD CONTAINS THE CLEARTEXT NOTE REFERENCE FOR COMPATABILITY BETWEEN A SICA WITHIN A PARTICULAR SERVICE AND THE CONTROLLED INVENTORY ITEM CODE (DRN 2863). THE FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 186.

3495 SLC-NOTE SLC_NOTE_3495 DLSC-V F CHAR 25
SLC NOTE
THIS FIELD CONTAINS THE CLEARTEXT NOTE REFERENCE FOR COMPATABILITY BETWEEN A SICA WITHIN A PARTICULAR SERVICE AND THE SHELF LIFE CODE (DRN 2943). THE FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 186.

3496 SOSM-NOTE SOSM_NOTE_3496 DLSC-V F CHAR 25
SOSM NOTE
THIS FIELD CONTAINS THE CLEARTEXT NOTE REFERENCE FOR COMPATABILITY BETWEEN A SICA WITHIN A PARTICULAR SERVICE AND THE SOURCE OF SUPPLY MODIFIER CODE (DRN 2948). THE FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 186.

3497 UI-NOTE UI_NOTE_3497 DLSC-V F CHAR 25
UI NOTE
THIS FIELD CONTAINS THE CLEARTEXT NOTE REFERENCE FOR COMPATABILITY BETWEEN A SICA WITHIN A PARTICULAR SERVICE AND THE UNIT OF ISSUE (DRN 3050). THE FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 186.

3498 SOS-NOTE SOS_NOTE_3498 DLSC-V F CHAR 25
SOS NOTE
THIS FIELD CONTAINS THE CLEARTEXT NOTE REFERENCE FOR COMPATABILITY BETWEEN A SICA WITHIN A PARTICULAR SERVICE AND THE SOURCE OF SUPPLY CODE (DRN 3690). THE FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 186.

3499 QUP-NOTE QUP_NOTE_3499 DLSC-V F CHAR 25
QUP NOTE
THIS FIELD CONTAINS THE CLEARTEXT NOTE REFERENCE FOR COMPATABILITY BETWEEN A SICA WITHIN A PARTICULAR SERVICE AND THE QUANTITY PER UNIT PACK CODE (DRN 6106). THE FIELD IS USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10, CHAPTER 4, TABLE 186.

3505 PICA-LVL-AUTH-CD PICA_LOA_3505 DLSC-SBA F CHAR 2
PRIMARY INVENTORY CONTROL ACTY LEVEL OF AUTHORITY (PICA L
A CODE THAT IDENTIFIES THE LEVELS OF AUTHORITY OF A PRIMARY INVENTORY CONTROL ACTIVITY /PICA/. THE CODE INDICATES /1/ LOGISTICS MATERIEL MANAGEMENT, /2/ LEVEL OF RESPONSIBILITY AND /3/ BASIS OF CATEGORIZATION. THE CODES WILL BE USED INTERNALLY WITHIN THE SYSTEM FOR STATISTICS AND GENERAL MANAGEMENT DATA BASED ON MATERIEL MANAGEMENT RESPONSIBILITIES ASSIGNED BY SERVICES/AGENCIES DIRECTIVES. SEE VOLUME 10, TABLE 74 AND QUICK INFO ON-LINE.

3561 ASGN-ISAC-RPLY-STAT-IND ASGN_ISAC_RPY_3561 DLSC-S F CHAR 1
ASSIGN ISAC REPLY STATUS INDICATOR
THIS WILL BE USED TO KEEP TRACK OF THE STATUS OF ISAC REPLY TABLE ON THEASSIGN_ISAC_RPLY TABLE.

3562 AUD-ISAC-RPLY-STAT-IND AUD_ISAC_RPY_3562 DLSC-S F CHAR 1
AUDIT ISAC REPLY STATUS INDICATOR
THIS WILL BE USED TO KEEP TRACK OF THE STATUS OF ISAC REPLY AUDIT DATA.

3563 AUD-STYL-RPLY-STAT-IND AUD_STYL_RPY_3563 DLSC-S F CHAR 1
AUDIT STYLE REPLY STATUS INDICATOR

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THIS WILL BE USED TO KEEP TRACK OF THE STATUS OF STYLE REPLY AUDIT DATA.

3565 REF-DWG-GP-DES REF_DWG_GP_DS_3565 DLSC-SC V CHAR 2

REFERENCE DRAWING GROUP DESIGNATION

A REFERENCE DRAWING GROUP CONSISTS OF ONE OR MORE REFERENCE DRAWINGS. WHEN APPROPRIATE, A REFERENCE DRAWING GROUP IS SUBDIVIDED INTO SECTIONS. A REFERENCE DRAWING GROUP OR SECTION IS SUBDIVIDED INTO STYLES. THEREFORE, AN EXAMPLE OF A REFERENCE DRAWING GROUP WHICH IS SUBDIVIDED INTO SECTIONS WOULD BE CITED AS REFERENCE DRAWING GROUP A, SECTION AC, STYLE NUMBER 19A.

3570 REF-NBR-LOG REF_NBR_3570 DLSC-SBA F CHAR 32

REFERENCE NUMBER, LOGISTICS

A NUMBER, OTHER THAN AN ACTIVITY STOCK NUMBER, USED TO IDENTIFY AN ITEM OF PRODUCTION OR, EITHER BY ITSELF OR IN CONJUNCTION WITH OTHER REFERENCE NUMBERS, TO IDENTIFY AN ITEM OF SUPPLY. INCLUDES MANUFACTURERS PART, DRAWING, MODEL, TYPE, SOURCE-CONTROLLING NUMBERS, SPECIFICATION-CONTROLLING NUMBERS, THE MANUFACTURERS TRADE NAME WHEN THE MANUFACTURER IDENTIFIES THE ITEM BY TRADE NAME ONLY, NATO STOCK NUMBERS, SPECIFICATION OR STANDARD PART, DRAWING, OR TYPE NUMBERS. SEE VOLUME 10, TABLE 21 AND QUICK INFO ON-LINE.

3571 CONV-REF-NBR CONV_REF_NBR_3571 DLSC-SBA F CHAR 32

CONVERTED REFERENCE NUMBER

THE VALUE OF REFERENCE NUMBER, LOGISTICS AFTER IT HAS BEEN SUBJECTED TO THE REFERENCE NUMBER FORMAT CONVERSION CRITERIA. THIS VALUE IS USED IN ALL REFERENCE NUMBER SCREENING, INCLUDING NEW ITEMS, MAINTENANCE TRANSACTIONS, AND PROVISIONING SCREENING. THE CONVERTED REFERENCE NUMBER VALUE MAY OR MAY NOT BE EQUAL TO THE "IN-THE-CLEAR" REFERENCE NUMBER, LOGISTICS VALUE.

3572 PMIC-CDD-REPLY PMIC_CDD_RPLY_3572 DLSC-SBA F CHAR 6

PRECIOUS METAL INDICATOR CODE CODED REPLY

ONE TO SIX ALPHA AND OR NUMERIC CHARACTERS WHICH IDENTIFY THE CONTENT OFA PRECIOUS METAL REPLY TO A PRECIOUS METAL MRC IN CODED FORM.

3573 PMIC-MRC PMIC_MRC_3573 DLSC-SBA F CHAR 4

PRECIOUS METAL INDICATOR CODE MRC

AN MRC USED TO DESCRIBE PRECIOUS METAL CONTAINED IN AN ITEM OF SUPPLY.

3574 PMIC-TBL-TYPE PMIC_TBL_TYPE_3574 DLSC-SBA F CHAR 1

PRECIOUS METAL INDICATOR CODE TABLE TYPE

A ONE POSITION CODE ASSIGNED TO AN MRC CONTAINING PRECIOUS METAL. VALIDTABLE TYPE CODES ARE A, B, C, D, E, F, AND G.

3595 RPLM-CAGE-CD RPLM_CAGE_CD_3595 DLSC-SC F CHAR 5

REPLACEMENT COMMERCIAL AND GOVERNMENT ENTITY CODE

A COMMERCIAL AND GOVERNMENT ENTITY CODE (CAGEC) WHICH REPLACES A CANCELLED CAGE CODE OR A NATO SUPPLY CODE FOR MANUFACTURERS (NSCM)

3596 SOS-SOS-MOD-ID SOS_SOSM_3596 DLSC-VO F CHAR 3

SOURCE OF SUPPLY SOURCE OF SUPPLY MODIFIER IDENTIFIER

THE CODE IDENTIFYING A SPECIFIC SUPPLY AND DISTRIBUTION ORGANIZATION OR REQUISITION PROCESSING POINT. IT COULD ALTERNATELY CONTAIN A CODE WHICH DENOTES ROUTING INFO FOR REQUISITIONS WITHOUT AN ASSIGNED IDENTIFIER.

3597 SOS-SOS-MOD-EXPLN-TX SOS_SOSM_EX_3597 DLSC-VO V VARCHAR 500

SOURCE OF SUPPLY SOURCE OF SUPPLY MODIFIER EXPLANATION TX

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

AN ADDRESS USED FOR ROUTING SUPPLY OR REQUISITION DATA, OR A DESCRIPTION OF THE ROUTING REQUIREMENTS FOR A SUPPLY SOURCE.

3612 RPLY-DATA-DESCR-COL-IL — DLSC-V — V — 16

REPLY DATA DESCRIPTIVE COLUMNAR IDENTIFICATION LIST

A DATA FIELD IN THE MASTER REQUIREMENT AND REPLY DIRECTORY WHICH CONTAINS, BY MASTER REQUIREMENT CODE, PRINTING CRITERIA FOR COLUMNAR IDENTIFICATION LIST FOR CLEAR TEXT OR CODED REPLIES AFTER THE CODED REPLIES ARE DECODED THROUGH THE USE OF THE MASTER REPLY DECODE TABLE. FOR ADDITIONAL INFORMATION REFER TO HSI 4100.2 .

3613 ABBRE-RQMT-STMT — ABRV_RQM_STMT_3613 — DLSC-SCA — V — VARCHAR — 65

ABBREVIATED REQUIREMENT STATEMENT

A VARIABLE LENGTH DATA FIELD WHICH GIVES THE ABBREVIATED REQUIREMENT STATEMENT FOR AN ASSIGNED MASTER REQUIREMENT CODE (MRC). IT IS CONTAINED IN THE MASTER REQUIREMENTS DIRECTORY. IT IS USED TO PRINT THEABBREVIATED CLEAR TEXT REQUIREMENT STATEMENT IN AN IDENTIFICATION LIST.

3614 RQMT-STMT — RQMT_STMT_3614 — DLSC-SC — V — VARCHAR — 110

REQUIREMENT STATEMENT

A DATA FIELD WHICH GIVES THE REQUIREMENT STATEMENT IN STRAIGHT FORWARD SEQUENCE FOR AN ASSIGNED MASTER REQUIREMENT CODE (MRC). IT WILL BE STORED IN THE MASTER REQUIREMENTS DIRECTORY AND WILL BE USED IN THE DECODING AND PRINTING OF DATA GROUPS ON A DD FORM 146 (FILDR) AND MAY BE USED IN OTHER PUBLICATIONS AS REQUIRED.

3615 ABBRE-RPLY-STMT — ABRV_RPY_STMT_3615 — DLSC-SCA — V — VARCHAR — 133

ABBREVIATED REPLY STATEMENT

A DATA FIELD WHICH REFLECTS THE DECODED ABBREVIATED REPLY STATEMENT FOR A PARTICULAR REPLY CODE. IT IS CONTAINED IN THE MASTER REQUIREMENTS DIRECTORY. IT IS USED TO PRINT THE ABBREVIATED CLEAR TEXT REPLY STATEMENT IN AN IDENTIFICATION LIST.

3616 REPLY-DATA-DESCR-PARA-IL — DLSC-V — V — 50

REPLY DATA DESCRIPTIVE PARAGRAPH IDENTIFICATION LIST

A DATA FIELD IN THE MASTER REQUIREMENT AND REPLY DIRECTORY WHICH CONTAINS, BY MASTER REQUIREMENTS CODE, THE FIXED OR CONSTANT PORTION OF THE REPLY WHICH WILL BE PRINTED IN A PARAGRAPHIC TYPE IDENTIFICATION LIST. IN ADDITION, IT CONTAINS PRINTING CRITERIA FOR CLEAR AND/OR CODED REPLIES AFTER THE CODED REPLIES ARE DECODED. IF THE DD146 OR COMMERCIAL ITEM DESCRIPTION EXPRESSION IS ADEQUATE FOR THE IL AN INDICATION OF THIS CONDITION WILL BE FOUND IN THIS FIELD. FOR ADDITIONAL INFORMATION SEE HSI 4100.2 .

3631 MASS-CHG-DEL-CDG-CD — MC_DEL_CDG_3631 — DLSC-SBC — F — CHAR — 1

MASS CHANGE DELETED CDG CODE

THE PURPOSE OF THIS DRN IS TO DETERMINE IF A CDG IN AN ITEM IS VALID OR INVALID. THE VALUES A "I" OR " ". "I" = INVALID CDG. " " = VALID CDG.

3661 FIIG-TI-DATA-SEG — DLSC-SC — F — CHAR — 110

FEDERAL ITEM IDENTIFICATION GUIDE TITLE DATA SEGMENT

A GROUP OF INPUT DATA USED TO ESTABLISH AND MAINTAIN THE FEDERAL ITEM IDENTIFICATION GUIDE (FIIG) TITLE IN THE SYSTEM SUPPORT RECORD SECTOR. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPENDICES OF THE FLIS PROCEDURES MANUAL.

3662 NM-INC-FIIG-EFF-DT-DATA — DLSC-SB — V — 2004

NAME/INC/FIIG/EFFECTIVE DATE DATA

A GROUP OF DATA USED BY THE PROGRAM MANAGER TO INPUT ITEM NAME CODES, NAMES AND RELATED DATA INTO THE SYSTEM SUPPORT RECORD. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

3663 INC-NM-DEF-EFF-DT-DATA — DLSC-SB — V — 2004

INC/NAME DEFINITION/EFFECTIVE DATE DATA

A GROUP OF DATA USED BY THE PROGRAM MANAGER TO INPUT ITEM NAME DEFINITION/DELIMITATION INTO THE SYSTEM SUPPORT RECORD. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

3664 INC-REL-INC-EFF-DT-DATA — DLSC-SB — V — 2004

INC/RELATED INC/EFFECTIVE DATE DATA

A GROUP OF DATA USED BY THE PROGRAM MANAGER TO INPUT THE RELATED ITEM NAME CODE INTO THE SYSTEM SUPPORT RECORD. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

3665 INC-FSC-MOD-EFF-DT-DATA — INC_FSC_MOD_D_3665 — DLSC-SC — V — VARCHAR — 2004

INC/FSC/MODIFIER/EFFECTIVE DATE DATA

A GROUP OF DATA USED BY THE PROGRAM MANAGER TO INPUT THE NAME MODIFIER AND RESPECTIVE FEDERAL SUPPLY CLASS(ES) INTO THE SYSTEM SUPPORT RECORD. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

3666 FMT-EDIT-DATA-GP — DLSC-SC — F — 80

FORMAT EDIT DATA GROUP

A GROUP OF DATA USED TO ENTER THE FEDERAL ITEM IDENTIFICATION GUIDE (FIIG) FORMAT EDIT DATA, APPLICABLE TO A GIVEN ITEM NAME CODE FOR A GIVEN FIIG, INTO THE SYSTEM SUPPORT RECORD (SSR) SECTOR. ALSO USED TO ENTER THE DUPLICATION SCREENING KEY INDICATOR INTO THE SSR SECTOR. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

3668 TECH-EDIT-DATA-GP — DLSC-SC — V — 9999

TECHNICAL EDIT DATA GROUP

AN INPUT GROUP OF DATA USED TO ENTER THE FEDERAL ITEM IDENTIFICATION GUIDE (FIIG) TECHNICAL EDIT DATA, APPLICABLE TO A GIVEN FIIG, INTO THE SYSTEM SUPPORT RECORD SECTOR, A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

3673 RL-EDIT-DATA-GP — DLSC-SC — V — 9999

RELATIONSHIP EDIT DATA GROUP

AN INPUT GROUP OF DATA USED TO ENTER THE FEDERAL ITEM IDENTIFICATION GUIDE (FIIG) RELATIONSHIP EDIT DATA, APPLICABLE TO A GIVEN FIIG, INTO THE SYSTEM SUPPORT RECORD SECTOR. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

3680 SIN-MGR-ACTY-CD — DLSC-SB — F — 2

SINGLE MANAGER ACTIVITY CODE

AN ACTIVITY DESIGNATED TO BE RESPONSIBLE FOR MANAGEMENT OF SPECIFIED COMMODITIES OR COMMON SERVICE ACTIVITIES ON A DEPARTMENT OF DEFENSE-WIDE BASIS.

3690 SOS-CD — SOS_CD_3690 — DLSC-SBA — F — CHAR — 3

SOURCE OF SUPPLY (SOS) CODE

A CODE /MILITARY STANDARD REQUISITIONING AND ISSUE PROCEDURES (MILSTRIP) ROUTING IDENTIFIER CODE/ WHICH IDENTIFIES THE ACTIVITY AS A POTENTIAL SOURCE OF SUPPLY USED IN THE AUTOMATIC DIGITAL NETWORK TO AUTOMATICALLY ROUTE MILSTRIP REQUISITIONS. THE FIELD IS REFLECTED IN 3 PARTS OF THE RECORD, FOR THE ARMY, NAVY AND AIR FORCE. SEE VOLUME 10, TABLES 103 AND 113 AND QUICK INFO ON-LINE.

3708 STATL-IND-CD — STATL_IND_CD_3708 — DLSC-SBA — F — CHAR — 1

STATISTICAL INDICATOR CODE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A CODE USED TO DIFFERENTIATE BETWEEN AND TO IDENTIFY THE TYPES OF SCREENING BEING REQUESTED. SEE VOLUME 10, TABLE 37 AND QUICK INFO ON-LINE.

3720 SUBMG-ACTY-CD SUBMG_ACTY_CD_3720 DLSC-SBA F CHAR 2
SUBMITTING ACTIVITY CODE
ANY PARTICIPATING ACTIVITY WHICH SUBMITS PROPOSED DATA DIRECTLY TO THE DEFENSE LOGISTICS SERVICES CENTER (DLSC) FOR APPROVAL. THE SUBMITTING ACTIVITY MAY BE THE ACTIVITY WHICH ORIGINATES THE DATA, OR AN INTERMEDIATE MONITORING ACTIVITY, E.G., DEFENSE SUPPLY CENTER, DEFENSE ATOMIC SUPPORT AGENCY, THROUGH WHICH THE ORIGINATING ACTIVITY IS REQUIRED TO SUBMIT ITS PROPOSALS TO DLSC. SEE VOLUME 10, TABLE 104 AND QUICK INFO ON-LINE.

3735 SCN DLSC-SB F CHAR 9
SYSTEM CONTROL NUMBER (SCN)
NUMBER FOR CONTROL PURPOSES TO RECORD ERROR CONDITIONS LOCATED DURING PROCESSING. THE NUMBER WILL BE CONSTRUCTED AS FOLLOWS - NNAAANNNN. THE LEFTMOST TWO POSITIONS WILL CONTAIN THE NATIONAL CODIFICATION BUREAU CODE FOR THE UNITED STATES. AN /S/ IN THE THIRD POSITION SIGNIFIES THAT IT IS A SYSTEM CONTROL NUMBER /SCN/ OF A TERMPORARY NATURE.

3738 CATLG-ACTY-CD CATLG_ACTY_CD_3738 DLSC-SB F CHAR 2
CATALOGING ACTIVITY CODE
A CODE IDENTIFYING A CATALOGING ACTIVITY IN ANY SERVICE, BUREAU, COMMAND, CIVIL ESTABLISHMENT, OR ANY SUBDIVISION THEREOF, ENGAGED IN CATALOGING UNDER THE FEDERAL CATALOGING PROGRAM.

3740 OP-MODE-MED-CD OP_MOD_MED_CD_3740 DLSC-SBA F CHAR 2
OUTPUT MODE/MEDIA CODE
IDENTIFIES THE MODE/MEDIA OF DEFENSE INTEGRATED DATA SYSTEM OUTPUT. SEE VOLUME 10, TABLE 10 AND QUICK INFO ON-LINE.

3741 LRN-APPL-HELP-ACTY-DLY LRN_STAT_CNT_3741 DLSC-SBA F INTEGER 4
LOGRUN APPLICATION HELP ACTIVITY DAILY
TOTAL OF APPLICATION HELP QUERIES BY ACTIVITY.

3742 LRN-APPL-HELP-DEPT-DLY LRN_STAT_CNT_3742 DLSC-SBA F INTEGER 4
LOGRUN APPLICATION HELP DEPARTMENT DAILY
TOTAL OF APPLICATION HELP QUERIES BY DEPARTMENT.

3743 LRN-APPL-HELP-TOT-DLY LRN_STAT_CNT_3743 DLSC-SBA F INTEGER 4
LOGRUN APPLICATION HELP TOTAL DAILY
GRAND TOTAL OF APPLICATION HELP QUERIES.

3765 AF-BDGT-CD-MDL BDGT_CD_AF_3765 DLSC-SBA F CHAR 1
AIR FORCE BUDGET CODE-MANAGEMENT DATA LIST
A CODE EMPLOYED BY THE AIR FORCE TO CLASSIFY ITEMS INTO CATEGORIES BY BUDGET ACCOUNT FOR MANAGEMENT INFORMATION PURPOSES. SEE VOLUME 10, TABLE 67 AND QUICK INFO ON-LINE.

3767 DODAC DLSC-SC F 9
DEPARTMENT OF DEFENSE AMMUNITION CODE
THE DEPARTMENT OF DEFENSE AMMUNITION CODE IS A NINE CHARACTER SEMISIGNIFICANT NUMBER. THE FIRST FOUR POSITIONS ARE NUMERIC AND REPRESENT THE FSC ASSIGNED TO THE APPROVED ITEM NAME. THE FIFTH POSITION IS A HYPHEN. THE LAST FOUR POSITIONS MAY BE ONE OR TWO POSITION ALPHA FOLLOWED BY NUMERICS AND REPRESENT THE AMMUNITION CODE ASSIGNED TO THE ITEMS COVERED BY GENERIC DESCRIPTIONS.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	FORMAT FV	TYPE	LG
CLEAR TEXT HOST/COBOL NAME						
DRN DEFINITION						

3769 AMMO-GNC-DESC — DLSC-SC — V — 1975

AMMUNITION GENERIC DESCRIPTION

EACH DIFFERENT GENERIC DESCRIPTION MUST CONSIST OF AN APPROVED ITEM NAME WHICH IS REFERENCED TO A DESCRIPTION PATTERN, PLUS THE COMMON CHARACTERISTICS OF SEVERAL SPECIFIC ITEMS OF SUPPLY WHICH ARE FUNCTIONALLY INTERCHANGEABLE AND THEREFORE TREATED COLLECTIVELY IN NORMAL SUPPLY OPERATIONS IN FEDERAL SUPPLY GROUP 13, E.G., PROJECTILE, 155 MILLIMETER-HOWITZER, SMOKE, GREEN - HOWITZER, SMOKE, HC, ETC.

3790 CANC-NSN — DLSC-SB — F — 13

CANCELED NATIONAL STOCK NUMBER

A NATIONAL STOCK NUMBER WHICH IS NO LONGER AUTHORIZED FOR USE TO IDENTIFY AN ITEM OF SUPPLY.

3843 CRITL-CD-FIIG — CRITL_CD_FIIG_3843 — DLSC-SC — F — CHAR — 1

CRITICALITY CODE, FEDERAL ITEM IDENTIFICATION GUIDE

A CODE WHICH INDICATES WHEN AN ITEM IS TECHNICALLY CRITICAL, BY REASON OF TOLERANCE, FIT, APPLICATION OR OTHER CHARACTERISTIC WHICH AFFECTS IDENTIFICATION OF THE ITEM. SEE VOLUME 10, TABLE 181 AND QUICK INFO ON-LINE.

3844 STATS-SVC-AGCY-PREF-CD — STATS_SA_PREF_3844 — DLSC-SBA — F — SMALLINT — 4

STATISTICS SERVICE AGENCY PREFERENCE CODE

THE LEVEL OF PREFERENCE FOR A SERVICE/AGENCY FOR DEMIL. THE FOLLOWING ARE THE VALID VALUES: 1 = DLA, 2 = MIL, 3 = NSA, 4 = DNA, 5 = GSA, 6 = VA, 7 = FAA, 8 = NATO, 99 = OTHER.

3845 RPLY-TBL-CD-FIIG-DCOD-GD — RPLY_TBL_DCOD_3845 — DLSC-SC — F — CHAR — 4

REPLY TABLE CODE, FIIG DECODE GUIDES

A CODE ASSIGNED TO EACH REPLY TABLE FOR IDENTIFICATION PURPOSES IN THE FEDERAL ITEM IDENTIFICATION GUIDE (FIIG) DECODE GUIDES. EACH TABLE CONTAINS THE REPLY CODES AND THE ASSOCIATED CLEAR TEXT REPLIES THAT HAVE BEEN APPROVED AND AUTHORIZED FOR USE WITH REQUIREMENTS COVERED BY THE TABLE.

3860 DCODD-CHARAS-DATA — DLSC-SC — V — 5000

DECODED CHARACTERISTICS DATA

A DATA FIELD WHICH REFLECTS THE CLEAR TEXT COMPUTER DECODED OUTPUT OF THE DATA GROUP /DRN 3317/. IT INCLUDES THE MASTER REQUIREMENTS CODE /DRN 3445/, THE REQUIREMENT STATEMENT /DRN 3614/, THE REPLY FIELD, AND WHEN APPLICABLE THE ASSOCIATED STORED TEXT IN CLEAR TEXT FOR THE PRINTING OF DD FORMS 146 AND OTHER PUBLICATIONS.

3864 DCODD-RPLY-STMT — DCOD_RPLY_ST_3864 — DLSC-SC — V — VARCHAR — 379

DECODED REPLY STATEMENT

A DATA FIELD IN THE MRD/DECODE WHICH REFLECTS THE DECODED REPLY STATEMENT FOR A PARTICULAR REPLY CODE. USED TO PRINT REPLY CODES IN CLEAR TEXT FORM IN A FORM 146, M SEGMENT, A COMMERCIAL ITEM DESCRIPTION M SEGMENT, A COMMERCIAL ITEM DESCRIPTION AND AN IDENTIFICATION LIST DESCRIPTION.

3870 DSK-CD-CATLG — DSK_CD_CATLG_3870 — DLSC-S — F — CHAR — 1

DESK CODE, CATALOGING

A CODE WHICH IDENTIFIES THE LOCATION OF THE TECHNICIAN RESPONSIBLE FOR MANUALLY PROCESSING CATALOGING ITEM IDENTIFICATIONS. USED AS A KEY TO COMPUTER SORT DD146 DESCRIPTIONS AND GROUP THEM BY DESK CODE TO PRECLUDE HANDSORTING.

3880 DEST-ACTY-CD-OP — DEST_ACTY_OP_3880 — DLSC-SB — F — 2

DESTINATION ACTIVITY CODE, OUTPUT

A CODE USED TO IDENTIFY AN ACTIVITY AND MAILING ADDRESS FOR PURPOSES OF IDENTIFYING THE ACTIVITY TO WHICH OUTGOING DATA IS FORWARDED. EXCLUDES PROVISIONING SCREENING DATA.

3881 WPN-SYS-ID — WPN_SYS_ID_3881 — DLSC-SBA — F — CHAR — 2

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

WEAPON SYSTEM IDENTIFIER

A NONSIGNIFICANT IDENTIFIER ASSIGNED BY DLA TO DIFFERENTIATE WEAPON SYSTEMS AND WEAPON SUPPORT SYSTEMS USED BY A MILITARY SERVICE. SEE WPN-SYS-SVC-CD (DRN 3882) AND WPN-SYS-DESI (DRN 3888). VALID VALUES: ANY ALPHANUMERIC CHARACTER.

3882 WPN-SYS-SVC-CD WPN_SYS_SVC_3882 DLSC-SBA F CHAR 1

WEAPON SYSTEM SERVICE CODE

THE CODE ASSIGNED BY DLA TO THE MILITARY SERVICE THAT MANAGES THE WEAPON SYSTEM OR WEAPON SUPPORT SYSTEM. SEE WPN-SYS-ID (DRN 3881) AND WPN-SYS-DESI (DRN 3888). VALID VALUES ARE: A = ARMY, F = AIR FORCE, N = NAVY, M = MARINE CORPS.

3883 WPN-SYS-IND-CD WPN_SYS_IND_3883 DLSC-SBA F CHAR 1

WEAPON SYSTEM INDICATOR CODE

A ONE POSITION CODE THAT INDICATES THE COMBINATION OF WPN-SYS-ESNTL-CD (DRN 3885) AND WPN-SYS-CRIT-GP-CD (DRN 3884). VALID VALUES ARE (WPN-SYS-CRIT-GP-CD/WPN-SYS-ESNTL-CD): F = (A/1), G = (A/5), H = (A/6), J = (A/7), K = (A/3), L = (B/1), M = (B/5), P = (B/6), R = (B/7), S = (B/3), T = (C/1), W = (C/5), X = (C/6), Y = (C/7), Z = (C/3).

3885 WPN-SYS-ESNTL-CD WPN_SYS_ESNTL_3885 DLSC-SBA F CHAR 1

WEAPON SYSTEM CRITICAL GROUP CODE

THE CODE THAT REPRESENTS THE GROUPING OF WEAPON SYSTEM DETERMINED BY HOW CRITICAL THEY ARE TO THE MILITARY SERVICES MISSIONS. THE VALID VALUES: A = MOST CRITICAL, B = CRITICAL, C = LEAST CRITICAL

3886 DLA-CTR-CD DLA_CTR_CD_3886 DLSC-SBA F CHAR 1

DLA CENTER CODE

A ONE POSITION ALPHA CODE INDICATING THE DLA CENTER THAT MANAGES THE ITEM. THE FOLLOWING ARE VALID CODES: G = DGSC OR DEFENSE SUPPLY CENTER, RICHMOND, I = DISC, DEFENSE INDUSTRIAL SUPPLY CENTER, C = DCSC OR DEFENSE SUPPLY CENTER, COLUMBUS, E = DESC OR DEFENSE SUPPLY CENTER, COLUMBUS.

3887 WPN-SYS-NM WPN_SYS_NM_3887 DLSC-SBA F CHAR 75

WEAPON SYSTEM NAME

THE IDENTIFICATION, LABEL, TITLE, OR TYPE DESIGNATOR OF A SPECIFIC WEAPON SYSTEM, SUPPORT SYSTEM, OR END ITEM. IT DOES NOT OFFICIALLY DESCRIBE PHYSICAL OR PERFORMANCE CHARACTERISTICS OF THE SYSTEM. ALL ALPHANUMERIC CHARACTERS ARE VALID.

3889 WPN-SYS-GP-CD WPN_SYS_GP_CD_3889 DLSC-SBA F CHAR 1

WEAPON SYSTEM GROUP CODE

THE CODE THAT IS DETERMINED BY THE MILITARY SERVICES/AUTHORIZED PARTICIPATING ACTIVITIES. IT EXPRESSES THE CRITICALITY OF A SPECIFIC WEAPON SYSTEM TO THAT PARTICULAR SERVICE. AS DETERMINED FROM AMONG, AND IN COMPARISON TO, ALL OTHER WEAPON SYSTEMS FOR THAT SERVICE/AGENCY. HQ DLA THEN ASSIGNS/AUTHORIZED IT FOR USE IN THE WEAPON SYSTEM SUPPORT PROGRAM (WSSP) DATA BASE FOR THE RESPECTIVE SERVICE. IT IS A VITAL COMPONENT IN DETERMINING WPN-SYS-IND-CD (DRN 3883) OF THE VARIOUS AND INDIVIDUAL NSN APPLICATION RECORDS. THE VALID VALUES ARE: CODE A = MOST CRITICAL, CODE B = CRITICAL, AND CODE C = LEAST CRITICAL.

3890 DEST-CD-SCRNG DEST_CD_SCRNG_3890 DLSC-SBA F CHAR 5

DESTINATION CODE, SCREENING

A FIVE POSITION CODE USED IN THE PROVISIONING SCREENING RESULTS DESTINATION TABLE TO IDENTIFY RECIPIENTS AND ADDRESSES TO WHICH RESULTS OF PROVISIONING SCREENING ARE TO BE FURNISHED. CODE MAY BE ANY COMBINATION OF ALPHANUMERICS AS DESIGNATED BY SUBMITTER. AT LEAST TWO ALPHA CHARACTERS ARE MANDATORY FOR GOVERNMENT ACTIVITIES/AGENCIES TO PRECLUDE DUPLICATION OF A VALID CAGEC. A NONGOVERNMENT ACTIVITY (CONTRACTOR) MAY USE BUT IS NOT RESTRICTED TO THEIR ASSIGNED CAGEC. SEE VOLUME 10, TABLE 23 AND QUICK INFO ON-LINE.

3891 DLAC DLAC_3891 DLSC-SBA F CHAR 2

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

DEFENSE LOGISTICS AGENCY CENTER ACTIVITY CODE
AN ACTIVITY CODE CORRESPONDING TO THE VALUE OF THE IMCA SUBMITTED IN A DIC LVA TRANSACTION FOR THE CONSUMABLE ITEM TRANSFER. THIS WILL BE THE DLA CENTER WHO IS DESIGNATED TO RECEIVE THE DIC KIR OUTPUT RESULTS FROM THE LVA. USED ON THE KVI SUSPENSE FILE.

3892 LMD-ODIC LMD_ODIC_3892 DLSC-SBA F CHAR 3
LMD OUTPUT DOCUMENT IDENTIFIER CODE
A DIC FIELD CONTAINING THE VALUE OF THE OUTPUT DIC WHICH GIVES THE PROCESSING RESULTS OF AN LMD TRANSACTION FOR THE CONSUMABLE ITEM TRANSFER. WHEN AN LMD IS PROCESSED AND APPROVED, THE VALUE WILL BE KNA.WHEN AN LMD IS PROCESSED AND REJECTS WITH OUTPUT DIC KRE, THE VALUE WILLBE KRE. USED ON THE KVI SUSPENSE FILE.

3893 LVA-ODIC LVA_ODIC_3893 DLSC-SBA F CHAR 3
LVA OUTPUT DOCUMENT IDENTIFIER CODE
A DIC FIELD CONTAINING THE VALUE OF THE OUTPUT DIC WHICH GIVES THE PROCESSING RESULTS OF AN LVA TRANSACTION FOR THE CONSUMABLE ITEM TRANSFER. WHEN AN LVA IS PROCESSED AND APPROVED, THE VALUE WILL BE KNA.WHEN AN LVA IS PROCESSED AND REJECTS WITH OUTPUT DIC KRE, THE VALUE WILLBE KRE. USED ON THE KVI SUSPENSE FILE.

3910 DIST-ACTY-CD-DD146 DLSC-SB F 3
DISTRIBUTION ACTIVITY CODE (DD FORM 146)
A CODE IDENTIFIER USED TO IDENTIFY AN ACTIVITY AND ITS MAILING ADDRESS FOR PURPOSES OF DISTRIBUTING DOCUMENT PRINTER GENERATED FEDERAL ITEM LOGISTICS DATA RECORDS/DD FORM 146/ ON A FEDERAL CLASSIFICATION /FSC/ DISTRIBUTION BASIS AND FOR BILLING OF THE ACTIVITY.

3920 DOC-ID-CD DIC_3920 DLSC-SBA F CHAR 3
DOCUMENT IDENTIFIER CODE (DIC)
IDENTIFIES A TRANSACTION TO THE SYSTEM TO WHICH IT PERTAINS, AND ITS INTENDED USAGE. SEE VOLUME 10, TABLE 105 AND QUICK INFO ON-LINE.

3921 DIC-IP DIC_IP_3921 DLSC-V F CHAR 3
DOCUMENT IDENTIFIER CODE, INPUT
THE DOCUMENT IDENTIFIER CODE SUBMITTED TO THE DEFENSE LOGISTICS SERVICES CENTER WHICH IS PERPETUATED IN RESULTANT OUTPUTS TO IDENTIFY THE INPUT TRANSACTION.

3922 DIC-ORIG-IP DLSC-V F 3
DOCUMENT IDENTIFIER CODE, ORIGINAL INPUT
THE SUBMITTED DOCUMENT IDENTIFIER CODE USED TO INDICATE THE SPECIFIC TYPE OF ACTION WHICH CAUSED THE DATA ELEMENT(S) TO BE EFFECTIVE DATED.

3930 DOC-NBR DLSC-SB 14
DOCUMENT NUMBER

3960 ASGND-NSN NSN_3960 DLSC-SB F CHAR 13
ASSIGNED NATIONAL STOCK NUMBER (NSN)
A NUMBER ASSIGNED UNDER THE FEDERAL CATALOGING PROGRAM TO EACH APPROVED UNITED STATES FEDERAL ITEM IDENTIFICATION. IT CONSISTS OF THE FOUR DIGIT FEDERAL SUPPLY CLASSIFICATION (FSC) AND THE NINE DIGIT ASSIGNED NATIONAL ITEM IDENTIFICATION NUMBER (NIIN).

3970 FSC-APPL DLSC-SC F 4
FEDERAL SUPPLY CLASSES APPLICABLE
THE FEDERAL SUPPLY CLASSES APPLICABLE TO A SPECIFIC ITEM NAME CODE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

3981 REL-FSC DLSC-SB F 4

RELATED FEDERAL SUPPLY CLASS

THE FEDERAL SUPPLY CLASS OF THE RELATED NATIONAL STOCK NUMBER (DRN 2895)

3990 ASGND-FSC FSC_3990 DLSC-SC F CHAR 4

ASSIGNED FEDERAL SUPPLY CLASS (FSC)

A CODE WHICH IDENTIFIES THE SUPPLY CLASSIFICATION OF AN ITEM OF SUPPLY IDENTIFIED UNDER THE FEDERAL CATALOGING PROGRAM, AN ITEM OF PRODUCTION AND/OR A HOMOGENEOUS AREA OF COMMODITIES IN RESPECT TO THEIR PHYSICAL OR PERFORMANCE CHARACTERISTICS. THE FIRST TWO DIGITS IDENTIFY THE FEDERAL SUPPLY GROUP AND THE LAST TWO DIGITS IDENTIFY THE SPECIFIC CLASS WITHIN THE SPECIFIED GROUP. THE COMBINATION OF THESE FOUR DIGITS CONSTITUTE THE FEDERAL SUPPLY CLASSIFICATION.

3994 ASGND-FSG FSG_3994 DLSC-SC F CHAR 2

ASSIGNED FEDERAL SUPPLY GROUP (FSG)

THE FEDERAL SUPPLY CLASSIFICATION ALLOWS 99 SEGMENTS CALLED GROUPS. EACH OF THESE GROUPS IS ASSIGNED A TWO DIGIT CODE, E.G., GROUP 10-WEAPONS, GROUP 13-AMMUNITION AND EXPLOSIVES.

3995 STAT-CMDTY-CTGY STAT_CCTGY_3995 DLSC-SBA F CHAR 2

STATISTICS COMMODITY CATEGORY

A CODE USED TO GROUP LIKE FSCS TOGETHER FOR STATISTICAL REPORTING ON ACQUISITION METHOD CODE / ACQUISITION METHOD SUFFIX CODES STATS.

3996 ASGND-FSC-WI-FSG FSC_WI_FSG_3996 DLSC-SCA F CHAR 2

ASSIGNED FEDERAL SUPPLY CLASS WITHIN FEDERAL SUPPLY GROUP

THE FEDERAL SUPPLY CLASSIFICATION ALLOWS THE FEDERAL SUPPLY GROUP TO BE SUBDIVIDED INTO 99 CLASSES. THE CLASSES WITHIN ANY GROUP ARE CONSIDERED TO BE CLOSELY RELATED. THE COMBINATION OF THE FEDERAL SUPPLY GROUP AND THE SPECIFIC CLASS WITHIN THE SPECIFIED GROUP CONSTITUTE THE FOUR DIGIT FEDERAL SUPPLY CLASSIFICATION. THIS ELEMENT IS INPUT WITH ITS ASSOCIATED FSG, BUT MAY BE USED AS A SORT KEY WITHIN THE SYSTEM BY DESIGN.

4000 ASGND-NIIN NIIN_4000 DLSC-SB F CHAR 9

ASSIGNED NATIONAL ITEM IDENTIFICATION NUMBER (NIIN)

A NUMBER ASSIGNED TO EACH APPROVED ITEM IDENTIFICATION UNDER THE FEDERAL CATALOGING PROGRAM. IT CONSISTS OF NINE NUMERIC CHARACTERS, THE FIRST TWO OF WHICH ARE THE NATIONAL CODIFICATION BUREAU /NCB/ CODE. THE REMAINING POSITIONS CONSIST OF A SEVEN DIGIT NONSIGNIFICANT NUMBER.

4020 FRT-DESC FRT_DESC_4020 DLSC-SBA V CHAR 35

FREIGHT DESCRIPTION

A BRIEF STANDARDIZED DESCRIPTION ASSIGNED TO A RECORDED ITEM UNDER WHICH INDIVIDUAL ITEMS ARE GROUPED FOR THE PURPOSE OF ASSESSING CLASS AND COMMODITY RATES.

4061 ILL-RTN-DT ILL_RTN_DT_4061 DLSC-V F CHAR 5

ILLUSTRATION RETURN DATE

THE DATE THE ILLUSTRATION WAS RETURNED AS A COMPLETED PHOTO MECHANICAL TRANSFER. THE DRAWING IS NOW READY FOR DIGITIZATION AND UPLOADING TO MAINFRAME.

4062 ILL-START-DT ILL_START_DT_4062 DLSC-V F CHAR 5

ILLUSTRATION START DATE

THE DATE THE ILLUSTRATION IS SENT FOR PREPARATION AS A PHOTO MECHANICAL TRANSFER.

4063 ILL-ACPT-IND ILL_ACPT_IND_4063 DLSC-V F CHAR 1

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

ILLUSTRATION ACCEPTANCE INDICATOR
AN INDICATOR CODE THAT TELLS WHETHER THE DRAWING IS ACCEPTABLE OR NOT. VALID VALUES - Y OR N.

4064 DWG-FIIG-INITR-ID DWG_FIIG_INIT_4064 DLSC-V F CHAR 4
DRAWING FIIG INITIATOR IDENTIFIER
IDENTIFIES WHAT ACTIVITY HAS INITIATED THE FIIG.

4065 GDE-NBR-FIIG FIIG_4065 DLSC-SC F CHAR 6
GUIDE NUMBER, FEDERAL ITEM IDENTIFICATION GUIDE (FIIG)
A DATA FIELD IN THE MASTER REQUIREMENT DIRECTORY RECORDED AGAINST A MASTER REQUIREMENT CODE WHICH IDENTIFIES THE FEDERAL ITEM IDENTIFICATION GUIDE /FIIG/ IN WHICH THE MASTER REQUIREMENT CODE WILL BE USED. ALSO APPEARS IN THE SYSTEM SUPPORT RECORD ITEM NAME SECTOR DENOTING THE GUIDE WHICH IS APPLICABLE TO AN ITEM NAME.

4066 ILL-ID ILL_ID_4066 DLSC-V F CHAR 10
ILLUSTRATION IDENTIFIER
IDENTIFIES THE COMPANY INDIVIDUAL CONTRACTED TO PROVIDE THE PHOTO MECHANICAL TRANSFER. THE DRAWINGS ARE DIGITIZED FROM THESE TRANSFERS.

4069 DWG-FIIG DWG_FIIG_4069 DLSC-V F CHAR 5
DRAWING FEDERAL ITEM IDENTIFICATION GUIDE (FIIG)
A 5 POSITION FIIG USED FOR IDENTIFICATION PURPOSES FOR DRAWING CROSS REFERENCE DIGITIZED DRAWINGS.

4075 IMCA IMCA_4075 DLSC-SB F CHAR 2
ITEM MANAGEMENT CLASSIFICATION ACTIVITY (IMCA)
THE APPROPRIATE DEFENSE SUPPLY CENTER, OR THE GENERAL SERVICES ADMINISTRATION, RESPONSIBLE FOR DETERMINING THE DEPARTMENT OF DEFENSE MANAGEMENT METHOD FOR EACH ITEM IN FEDERAL SUPPLY CLASSES ASSIGNED FOR INTEGRATED MANAGEMENT. RESPONSIBILITIES ARE DEFINED IN DOD 4140.26-M, VOLUME 1.

4080 INC INC_4080 DLSC-SC F CHAR 5
ITEM NAME CODE
A FIVE DIGIT NUMBER, ASSIGNED BY THE DEFENSE LOGISTICS SERVICES CENTER (DLSC), TO EACH APPROVED ITEM NAME. NAMES OTHER THAN APPROVED ITEM NAMES ARE ASSIGNED ITEM NAME CODE 77777. ITEM NAME CODE 77777 WILL BE INCLUDED IN OUTPUT FROM DLSC WHEN THE ITEM NAME IS OTHER THAN AN APPROVED ITEM NAME. SEE VOLUME 10, TABLE 20 AND QUICK INFO ON-LINE.

4115 MFR-PT-NBR-EDIT-IDEN DLSC-SC F 1
MANUFACTURER PART NUMBER EDIT IDENTIFICATION
A CODE WHICH INDICATES THAT ALL INCOMING ITEM IDENTIFICATION REFERENCE NUMBERS BEARING THE TYPE A O.E. CODE SHOWN IN THE OUTPUT TRANSACTION ARE SUBJECT TO EDIT/VALIDATION SCREENING IN CONFORMANCE WITH THE SPECIFICATIONS CITED IN CATALOGING HANDBOOK H7. SEE VOLUME 10, TABLE 21 AND QUICK INFO ON-LINE.

4120 MTCHD-NSN DLSC-SB F 13
MATCHED NATIONAL STOCK NUMBER
THE EXISTING NATIONAL STOCK NUMBER /NSN/ WHICH IS FOUND TO BE AN ACTUAL OR POSSIBLE DUPLICATE OF A SUBMITTED PROPOSAL WHEN A MATCH IS REVEALED CHARACTERISTICALLY OR BY REFERENCE NUMBER. THE SUBMITTER IS NOTIFIED OF THIS MATCH THROUGH THE USE OF THIS NSN AND APPROPRIATE OUTPUT CODE NOTIFICATION.

4126 MAT-IDEN-CD MAT_IDEN_MC_4126 DLSC-SBA F CHAR 1
MATERIEL IDENTIFICATION CODE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A CODE EMPLOYED BY THE MARINE CORPS TO IDENTIFY THE METHOD OF ACCOUNTING, DEGREE AND TYPE CONTROL TO BE MAINTAINED FOR THE ITEM UNDER THE SUPPORTED ACTIVITIES SUPPLY SYSTEM AND TO IDENTIFY MATERIEL BY SPECIFIC PURPOSE, TYPE OR CLASSIFICATION FOR THE WAR RESERVE SUB SYSTEM. SEE VOLUME 10, TABLE 73 AND QUICK INFO ON-LINE.

4128 CDD-CLR-RPLY — CDD_CLR_RPLY_4128 — DLSC-SCA — V VARCHAR 990

CODED AND OR CLEAR TEXT REPLY

THE REPLY FIELD REPRESENTS A CODED AND/OR CLEAR TEXT DESCRIPTION AS DESIGNATED BY THE MODE CODE. THE REPLY FIELD WILL BEGIN IN THE POSITION FOLLOWING THE MODE CODE, FOR EACH MASTER REQUIREMENT CODE, AND WILL CONTINUE UNTIL A DATA ELEMENT TERMINATOR (*) IS ENCOUNTERED. IT INCLUDES THE SECONDARY ADDRESS CODE AND THE SECONDARY ADDRESS CODE INDICATOR WHEN THERE IS MORE THAN ONE REPLY WITHIN A MASTER REQUIREMENT CODE AND MAY INCLUDE EITHER OF THE AND/OR SYMBOLS.

4129 EDIT-CRITE-STMT — ED_CRITE_STMT_4129 — DLSC-SCA — V VARCHAR 14750

EDIT CRITERIA STATEMENT

A FIELD USED TO ENTER THE VALID REPLY TO THE RELATED MASTER REQUIREMENTS CODE (MRC). THE REPLY WILL CONSIST OF EITHER PROPORTION, TECHNICAL OR RELATIONSHIP EDIT CRITERIA STATEMENT SYMBOLOGY USED TO EDIT THE STRUCTURE OF THE MRCs CODED REPLIES. REFERENCE THE LENGTH FIELD, THE ACTUAL VALUE IS 14750.

4130 NCB-CD — NCB_CD_4130 — DLSC-SD — F CHAR 2

NATIONAL CODIFICATION BUREAU CODE

A TWO-DIGIT CODE NUMBER INDICATING THE COUNTRY WHICH ORIGINALLY CATALOGED THE ITEM. SEE VOLUME 10, TABLE 9 AND QUICK INFO ON-LINE.

4131 I-I-NBR — I_I_NBR_4131 — DLSC-SBA — F CHAR 7

ITEM IDENTIFICATION NUMBER

THE LAST SEVEN POSITIONS OF THE ASSIGNED-NIIN

4140 NATO-NSCM-CD — NSCM_4140 — DLSC-SBB — F 5

NATO SUPPLY CODE FOR MANUFACTURERS

A FIVE-POSITION ALPHANUMERIC CODE WITH AN ALPHA CHARACTER IN THE FIRST OR LAST POSITION ASSIGNED BY A NATO COUNTRY OR NAMSA (NATO MAINTENANCE AND SUPPLY AGENCY). NSCM CODES ARE ASSIGNED TO ORGANIZATIONS LOCATED IN NORTH ATLANTIC TREATY ORGANIZATION (NATO) MEMBER NATIONS (EXCLUDING U.S.) AND OTHER FOREIGN COUNTRIES WHICH MANUFACTURE AND/OR CONTROL THE DESIGN OF ITEMS SUPPLIED TO A GOVERNMENT MILITARY ACTIVITY OR CIVIL AGENCY. THE FIRST AND LAST CHARACTER, WHICH IS ALPHABETIC, REPRESENTS THE COUNTRY ORIGINATING THE CODE. SEE VOLUME 10, TABLE 131 AND QUICK INFO ON-LINE.

4150 NATO-SN — DLSC-SD — F 13

NORTH ATLANTIC TREATY ORGANIZATION STOCK NUMBER

A NUMBER ASSIGNED BY A NATO COUNTRY PARTICIPATING IN THE FCS UNDER STANDARDIZATION AGREEMENTS (STANAG) 3150 AND 3151 TO EACH ITEM OF SUPPLY. IT CONSISTS OF THE FOUR DIGIT FEDERAL SUPPLY CLASSIFICATION, THE TWO DIGIT NATIONAL CODIFICATION BUREAU CODE AND A SEVEN DIGIT NON-SIGNIFICANT NUMBER ASSIGNED BY EACH NATO COUNTRY. THE SAME SEVEN DIGIT NUMBER MAY BE ASSIGNED BY MORE THAN ONE NATO COUNTRY. THE NATIONAL CODIFICATION BUREAU CODE WILL MAKE THE NATO STOCK NUMBER UNIQUE.

4151 IDS-EXTN-FILE-NM — EXTN_FILE_NM_4151 — DLSC-VPE — F CHAR 8

IDS EXTERNAL FILE NAME

THE WORDS THAT EXPRESS THE DESIGNATION OF THE EXTERNAL FILE NAME REQUIRED DURING THE CREATION OF AN IDS PRODUCT. THIS NAME REPRESENTS THE THIRD LEVEL OF QUALIFICATION AS FOLLOWS: 1 = DEFAULT TO LPDV, 2 = DEFAULT TO DATAFILE, 3 = THE SPECIFIED FILENAME.

4152 IDS-EXTN-FILE-OFST-NBR — FILE_OFST_NBR_4152 — DLSC-VPE — F INTEGER 5

IDS EXTERNAL FILE OFFSET NUMBER

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE UNIQUE VALUE OF THE STARTING POSITION (RELATIVE TO ZERO) OF A FIELD WITHIN AN EXTERNAL FILE THAT IS BEING INPUT TO THE IDS INTERFACE (REFER TO IDS EXTERNAL FILE NAME). VALID ENTRIES: 00000 - 00999.

4153 IDS-PARM-STNG-TXT PARM_STNG_TXT_4153 DLSC-VPE F CHAR 40

IDS PARAMETER STRING TEXT

AN OPTIONAL PARAMETER STRING PASSED FROM CALLING TO CALLED PROGRAM USED TO MODIFY THE INTERFACE SERVICE ROUTINES.

4154 IDS-PRDCT-PT-NBR PRDCT_PT_NBR_4154 DLSC-VPE F SMALLINT 3

IDS PRODUCT PART NUMBER

THE UNIQUE VALUE THAT REPRESENTS THE PART OF A IDS PRODUCT THAT A GIVEN RECORD TYPE IS ASSOCIATED WITH. VALID VALUES ARE 000 - 999. DEFAULT IS ZERO.

4155 IDS-EDIT-MBR-TXT EDIT_MBR_TXT_4155 DLSC-VPE F CHAR 17

IDS EDIT MEMBER TEXT

THE PDS MEMBER NAME(S) OF THE EDIT ROUTINE THAT PERFORMS FINAL EDITS ON DATA, E.G., HYPHENS IN THE NSN, IN THE OUTPUT FILE. UP TO TWO 8 CHARACTER NAMES MAY BE SPECIFIED SEPARATED BY A COMMA.

4156 IDS-MARKUP-TXT MARKUP_TXT_4156 DLSC-VPE V VARCHAR 79

IDS MARKUP TEXT

THE SGML MARKUP ASSOCIATED WITH EACH DATA ELEMENT EXTRACTED FOR USE IN IDS PRODUCT.

4157 IDS-DCOD-SVC-IND DCOD_SVC_IND_4157 DLSC-VPE F CHAR 1

IDS DECODE SERVICE INDICATOR

A CHARACTER SPECIFYING WHETHER ALL MRCS OR A SPECIFIED SET OF MRCS ARE TO BE PROCESSED. VALID INPUT VALUES ARE: A = ALL, S = SPECIFIED.

4158 IDS-EXTN-FILE-LGTH-NBR EX_FILE_LGTH_4158 DLSC-VPE F INTEGER 5

IDS EXTERNAL FILE LENGTH NUMBER

THE UNIQUE VALUE THAT IDENTIFIES THE LENGTH OF A FILE COMPONENT BEING SPECIFIED FOR EXTERNAL FILES. VALID ENTRIES: 00001 - 01000.

4159 IDS-XFILE-RPETD-DATA-NBR XFILE_RPETD_4159 DLSC-VPE F SMALLINT 3

IDS EXTERNAL FILE REPEATED DATA NUMBER

THE UNIQUE VALUE FOR THE NUMBER OF TIMES A DATA FIELD IS REPEATED ON AN EXTERNAL FILE.VALID VALUES ARE 001 - 999. DEFAULT IS 001.

4160 IDS-CMPNT-NBR IDS_CMPNT_NBR_4160 DLSC-VPE F SMALLINT 2

IDS COMPONENT NUMBER

THE UNIQUE VALUE FOR THE ORDER OF THE DB2 COLUMNS OR FILE FIELDS IN A GIVEN IDS PRODUCT. VALID VALUES ARE 01 - 50. DEFAULT IS 01.

4161 IDS-DB2-CMPNT-ELE-NM CMPNT_ELE_NM_4161 DLSC-VPE F CHAR 18

IDS DB2 COMPONENT ELEMENT NUMBER

THE WORD THAT EXPRESSES THE DESIGNATION OF THE DB2 TABLE COLUMNS.

4162 IDS-ACCS-CMPNT-BLN-IND CMPNT_BLN_4162 DLSC-VPE F CHAR 1

IDS ACCESS COMPONENT BLANK INDICATOR

A VALUE THAT DETERMINES WHETHER OR NOT TO PUT SGML MARKUP INTO THE DATA STREAM EVEN IF DATA IS NOT FOUND. VALID VALUES ARE Y = YES, N = NO (DEFAULT).

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

4163 IDS-ACCS-CMPNT-OMIT-IND CMPNT_OMIT_4163 DLSC-VPE F CHAR 1

IDS ACCESS COMPONENT OMIT INDICATOR

A VALUE THAT DETERMINES WHETHER OR NOT TO LEAVE OUT SGML MARKUP IF DATA IS NOT FOUND. VALID VALUES ARE Y = YES, N = NO (DEFAULT).

4164 IDS-ACCS-CMPNT-FAIL-IND CMPNT_FAIL_4164 DLSC-VPE F CHAR 1

IDS ACCESS COMPONENT FAIL INDICATOR

A VALUE THAT DETERMINES WHETHER OR NOT, IF ANY PART OF A RECORD TYPE IS NOT FOUND THEN ALL DATA FOR THE RECORD TYPE IS OMITTED. VALID VALUES: Y = YES, N = NO (DEFAULT).

4165 IDS-ACCS-CMPNT-MANY-IND CMPNT_MANY_4165 DLSC-VPE F CHAR 1

IDS ACCESS COMPONENT MANY INDICATOR

A VALUE THAT DETERMINES WHETHER OR NOT MANY ROWS ARE EXPECTED FROM A PARTICULAR ACCESS. VALID VALUES ARE: Y=YES, N=NO.

4166 IDS-EXTR-RCD-TYP-SEQ-NBR EXTR_TYP_SEQ_4166 DLSC-VPE F SMALLINT 2

IDS EXTRACT RECORD TYPE SEQUENCE NUMBER

THE UNIQUE VALUE THAT DETERMINES THE ORDER IN WHICH THE RECORD TYPES THE IDS 3090 INTERFACE ARE TO BE INCLUDED IN A IDS PRODUCT. VALID VALUES: 03 - 99.

4167 IDS-SRT-SEQ-TXT SRT_SEQ_TXT_4167 DLSC-VPE F CHAR 110

IDS SORT SEQUENCE TEXT

THE SORT SEQUENCE FOR EACH PART OF THE IDS PRODUCTS. THE FORMAT IS RNN,ANN,CNN,S,RNN,ANN,CNN,S... WHERE R = RECORD TYPE, A = ACCESS NUMBER, C = COMPONENT NUMBER, AND S = SPECIFIER (A = ASCENDING AND D = DESCENDING).

4168 IDS-ACCS-CMPNT-FILE-NM CMPNT_FILE_NM_4168 DLSC-VPE F CHAR 8

IDS ACCESS COMPONENT FILE NAME

THE NAME OF A USER SPECIFIED IBM FILE NAME. THIS FILE NAME SPECIFIES AN OUTPUT FILE DURING PROCESSING FOR THE STORAGE OF PARTICULAR PRODUCTS.

4169 IDS-RCD-TYP-ORDR-NBR RCD_TYP_ORDR_4169 DLSC-VPE F SMALLINT 2

IDS RECORD TYPE ORDER NUMBER

THE UNIQUE VALUES THAT DETERMINE THE POSITION OF THE RECORD TYPES IN A IDS PRODUCT IN RELATION TO THE OTHER RECORD TYPES. VALID VALUES: 01 - 99.

4171 IDS-ACCS-CMPNT-DSCRD-IND CMPNT_DSCRD_4171 DLSC-VPE F CHAR 1

IDS ACCESS COMPONENT DISCARD INDICATOR

THE UNIQUE VALUE THAT DETERMINES WHETHER THE COMPONENT IS TO BE KEPT FOR FINAL OUTPUT PROCESSING OR IS TO BE DISCARDED. VALID VALUES ARE Y=YES, N=NO.

4172 IDS-ACCS-CMPNT-SEQ-NBR CMPNT_SEQ_4172 DLSC-VPE F SMALLINT 2

IDS ACCESS COMPONENT SEQUENCE NUMBER

THE UNIQUE VALUE THAT DETERMINES THE SEQUENCE OF THE COMPONENTS. VALID VALUES ARE: 01 - 50.

4173 IDS-ACCS-CMPNT-CATNT-IND CMPNT_CATNT_4173 DLSC-VPE F CHAR 1

IDS ACCESS COMPONENT CATENATE INDICATOR

DETERMINES IF THE COMPONENT IS TO BE CATENATED WITH THE PREVIOUS COMPONENT. VALID VALUES ARE: Y=YES, N=NO (DEFAULT).

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

4174 IDS-ACCS-CMPNT-LGTH-NBR CMPNT_LGTH_4174 DLSC-VPE F SMALLINT 5
IDS ACCESS COMPONENT LENGTH NUMBER
THE WIDTH OF THE FIELD WHICH IS TO CONTAIN THE DATA FOR THIS COMPONENT. A POSITIVE INTEGER IS ALLOWED.

4175 IDS-ACCS-CMPNT-TYP-NBR CMPNT_TYP_4175 DLSC-VPE F SMALLINT 3
IDS ACCESS COMPONENT TYPE NUMBER
A UNIQUE VALUE THAT SPECIFIES THE COLUMN DATA TYPE (FOR A DB2 TABLE) OR THE NUMBER OF OCCURRENCES OF THE DATA ELEMENT (FOR FILES). VALID VALUES ARE 001 - 999.

4176 IDS-DATA-STRM-BRK-IND DATA_STRM_BRK_4176 DLSC-VPE F CHAR 1
IDS DATA STREAM BREAK INDICATOR
A VALUE THAT DETERMINES WHETHER DUPLICATE COMPONENT FIELDS ARE TO BE DISPLAYED IN OUTPUT OR NOT. VALID VALUES ARE Y = YES, N = NO (DEFAULT).

4177 IDS-A-CMPNT-SRT-ORDR-IND CMPNT_SRT_4177 DLSC-VPE F CHAR 1
IDS ACCESS COMPONENT SORT ORDER INDICATOR
A VALUE THAT SPECIFIES THE ORDER OF THE ACCESS COMPONENT. VALID VALUES ARE: A = ASCENDING, D = DESCENDING.

4178 IDS-ACCS-CMPNT-MRKP-TXT CMPNT_MRKP_4178 DLSC-VPE F CHAR 40
IDS ACCESS COMPONENT MARKUP TEXT
THE SGML MARKUP THAT IS TO BE INSERTED IN THE DATA STREAMS.

4179 IDS-MRKP-DSRPTR-FLD-NBR MRKP_DSRPTR_4179 DLSC-VPE F SMALLINT 3
IDS MARKUP DESCRIPTOR FIELD NUMBER
A UNIQUE NUMBER VALUE USED TO SET THE INDEX OF THE PROCESSING ARRAY FOR THE COMPONENTS OF THE RECORD TYPE. VALID VALUES ARE: 000 - 999.

4180 NSCM-CDFN-BUR NSCM_CDFN_BUR_4180 DLSC-SBB F CHAR 1
NATIONAL SUPPLY CD FOR MANUFACTURERS CODIFICATION BUREAU
THIS CODE PREFIXES THE FOUR NON-SIGNIFICANT DIGITS ASSIGNED TO A NORTH ATLANTIC TREATY ORGANIZATION (NATO) CODE BY A RESPECTIVE CODIFICATION BUREAU. SEE VOLUME 10, TABLE 131 AND QUICK INFO ON-LINE.

4181 NSN-MRKP-HPHN-IND MRKP_HPHN_4181 DLSC-VPE F CHAR 1
NSN MARKUP HYPHEN INDICATOR
A VALUE THAT DETERMINES IF A HYPHEN IS TO BE PLACED FOLLOWING THE THIRD DIGIT OF THE I_I_NBR_4131. VALID VALUES: BLANK = DO NOT INSERT HYPHEN, H = INSERT HYPHEN.

4182 IDS-MRKP-CPTLZTN-IND MRKP_CPTLZTN_4182 DLSC-VPE F CHAR 1
IDS MARKUP CAPITALIZATION INDICATOR
A VALUE THAT DETERMINES THE CAPITALIZATION REQUIREMENTS. VALID VALUES: M = MIXED, U = UPPER CASE, L = LOWER CASE.

4183 IDS-CLBL-ACCS-SUBRTN-NM ACCS_SUBRTN_4183 DLSC-VPE F CHAR 8
IDS CALLABLE ACCESS SUBROUTINE NAME
THE WORD THAT EXPRESSES THE IBM PDS MEMBER NAME OF A COBOL COMPILED SUBROUTINE.

4184 IDS-C-ACCS-PASD-PARM-TXT PASD_PARM_4184 DLSC-VPE F CHAR 160
IDS CALLABLE ACCESS PASSED PARAMETER TEXT
THE NARRATIVE THAT DESCRIBES THE PARAMETERS TO BE PASSED TO THE CALLABLE ACCESS, DELIMITED BY COMMAS.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	FORMAT FV	FORMAT TYPE	FORMAT LG
CLEAR TEXT HOST/COBOL NAME						
DRN DEFINITION						
4185	IDS-CLBL-ACCS-PARM-TXT	ACCS_PARM_4185	DLSC-VPE	F	CHAR	160
IDS CALLABLE ACCESS PARAMETER TEXT THE NARRATIVE THAT DESCRIBES THE PARAMETERS THAT ALLOW THE CALLABLE ACCESS TO ACCESS THE CORRECT RECORD TYPE, ACCESS NUMBER, AND COMPONENT NUMBER, DELIMITED BY COMMAS.						
4186	IDS-ACCS-CMPNT-LTH-NBR	CMPNT_LTH_4186	DLSC-VPE	F	SMALLINT	5
IDS ACCESS COMPONENT LENGTH NUMBER THE UNIQUE VALUE THAT SPECIFIES THE COMPONENT LENGTH THAT WILL BE PASSED TO THE SQLDA.						
4187	IDS-ACCS-CMPNT-OFST-NBR	CMPNT_OFST_4187	DLSC-VPE	F	SMALLINT	5
IDS ACCESS COMPONENT OFFSET NUMBER THE UNIQUE VALUE THAT SPECIFIES THE OFFSET FROM WHICH THE COMPONENT STARTS.						
4188	IDS-NXT-PUB-DT	NXT_PUB_DT_4188	DLSC-VPE	F	CHAR	9
IDS NEXT PUBLICATION DATE THIS IS A REQUIRED FIELD THAT SPECIFIES THE EFFECTIVE DATE OF THE DATA TO BE INCLUDED IN A PUBLICATION. VALID VALUES: VALID JULIAN DATE.						
4189	IDS-LST-PUB-UPDT-DT	LST_UPDT_DT_4189	DLSC-VPE	F	CHAR	9
IDS LAST PUBLICATION UPDATE DATE THE SPECIFIC PERIOD OF TIME THAT IS OBTAINED FROM THE IBM 3090 WHEN A ID PRODUCT DEFINITION IS UPDATED THROUGH THE LPDV100U CICS ON-LINE INTERACTIVE PROGRAM. VALID VALUES: IBM DATE IN FORM DD-MMM-YY.						
4191	IDS-LST-PUB-DT	LST_PUB_DT_4191	DLSC-VPE	F	CHAR	9
IDS LAST PUBLISHED DATE THIS IS THE LAST EFFECTIVE DATE THAT WAS UTILIZED FOR THE GENERATION OF THE LAST PUBLICATION. VALID VALUES: VALID JULIAN DATE.						
4192	IDS-PRDCT-DEF-ESTB-DT	DEF_ESTB_DT_4192	DLSC-VPE	F	CHAR	9
IDS PRODUCT DEFINITION THE SPECIFIC PERIOD OF TIME WHEN THE IDS PRODUCT DEFINITION IS ADDED THROUGH THE INTERACTIVE PROGRAM. VALID VALUES: SYSTEM SUPPLIED DATE OF THE FORM DD-MMM-YY.						
4193	IDS-DEF-STAT-CD	DEF_STAT_CD_4193	DLSC-VPE	F	CHAR	1
IDS DEFINITION STATUS CODE THE SPECIFIC VALUE THAT DENOTES THE CURRENT STATUS OF THE ID PRODUCT DEFINITION BEING PROCESSED. VALID INPUT VALUES ARE: B=BUILD, M=MODIFY. OTHER VALID VALUES: C=DECODE PROCESSING, F=BUILD FAILURE.						
4194	IDS-PUB-CYCL-TM	PUB_CYCL_TM_4194	DLSC-VPE	F	CHAR	13
IDS PUBLICATION (OR PRODUCT) CYCLE TIME THE SPECIFIC CHRONOLOGICAL POINT IN TIME THAT DESIGNATES THE OCCURRENCE OF THE PRODUCTION OF IDS PRODUCTS.						
4195	IDS-FUNC-MNEM-NM	FUNC_MNEM_NM_4195	DLSC-VPE	F	CHAR	6
IDS FUNCTION MNEMONIC NAME THE WORD THAT REPRESENTS THE FUNCTION MNEMONIC FOR ANY OF THE VALID IDS 3090 INTERFACE ON-LINE PROGRAMS THAT AN IDS 3090 INTERFACE USER LAST USED.						
4196	IDS-ACT-USR-IND	ACT_USR_IND_4196	DLSC-VPE	F	CHAR	1
IDS ACTIVE USER INDICATOR						

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE SPECIFIC VALUE THAT SHOWS WHETHER OR NOT A PARTICULAR IPS PRODUCT IS ASSIGNED TO A PARTICULAR USER.

4197 IDS-REC-TYP-CD REC_TYP_CD_4197 DLSC-VPE F SMALLINT 2

IDS RECORD TYPE CODE

THE SPECIFIC VALUES THAT REPRESENT WHICH ITEMS ARE TO BE INCLUDED OR NOT INCLUDED IN A IDS PRODUCT. VALID VALUES ARE: 01 ALWAYS REPRESENTS THE ITEM ITSELF. 02 REPRESENTS THE CONDITIONS IN WHICH THE ITEM IS NOT TO BE INCLUDED IN THE CATALOG. 03-99 REPRESENT INFORMATION ABOUT THE ITEM THAT IS TO BE INCLUDED IN THE CATALOG.

4198 IDS-ACCS-TYP-CD ACCS_TYP_CD_4198 DLSC-VPE F CHAR 1

IDS ACCESS TYPE CODE

A SPECIFIC VALUE THAT DENOTES THE TYPE OF ACCESS BEING REQUESTED FOR AN ITEM WITHIN THE IDS PRODUCT DEFINITION. VALID VALUES: T=TABLE, F=FILE, C=CALLABLE, D=DECODE.

4199 IDS-ACCS-REC-SEQ-NBR ACCS_SEQ_NBR_4199 DLSC-VPE F SMALLINT 2

IDS ACCESS RECORD SEQUENCE NUMBER

SET OF CHARACTERS ASSIGNED TO REPRESENT THE SEQUENTIAL RANKING OF IDS PRODUCT DESCRIPTION DATA REQUESTS FROM EITHER A DB2 TABLE, AN EXTERNAL FILE, A PRE-WRITTEN CALLABLE ROUTINE OR A CALL TO DECODE. VALID VALUES ARE: 01 - 20 INCLUSIVE.

4200 OLD-FSC OLD_FSC_4200 DLSC-SCA F CHAR 4

OLD FEDERAL SUPPLY CLASSIFICATION

THE FEDERAL SUPPLY CLASSIFICATION /FSC/ WHICH WAS ORIGINALLY ASSIGNED TO AN ITEM IDENTIFICATION AND THEN CANCELLED IN PREFERENCE TO A DIFFERENT FEDERAL SUPPLY CLASSIFICATION.

4201 IDS-ITM-PRCSG-QTY ITM_PRCSG_QTY_4201 DLSC-VPE F SMALLINT 4

IDS ITEMS TO PROCESS QUANTITY

A UNIT REPRESENTING THE COUNT OF THE NUMBER OF ITEMS TO BE OUTPUT FOR A IDS PRODUCT. USED TO LIMIT THE OUTPUT FOR A TEST USER OF A IDS PRODUCT. VALID VALUES: 0001 - 9999. DEFAULT IS 9999 = OUTPUT ALL ITEMS.

4202 IDS-EXTR-OP-FL-QTY EXTR_OP_FL_4202 DLSC-VPE F INTEGER 7

IDS EXTRACT OUTPUT FILE QUANTITY

THE NON-MONETARY UNIT REPRESENTING THE COUNT OF THE MAXIMUM NUMBER OF ITEMS TO BE INCLUDED IN EACH IDS EXTRACT OUTPUT FILE AS SUPPLIED BY THE USER. VALID VALUES ARE 000000001 - 999999999.

4203 IDS-SQL-COND-MBR-STNG-TX MBR_STNG_TX_4203 DLSC-VPE F CHAR 17

IDS SQL CONDITIONAL MEMBER STRING TEXT

THE 8 CHARACTER PDS MEMBER NAMES THAT REPRESENT PRE-WRITTEN SQL CONDITIONAL STATEMENTS THAT ARE USED TO FURTHER QUALIFY THE CONDITION STATEMENT SPECIFIED ON THE IDS 3090 INTERFACE TABLE ACCESS SCREEN. UP TO TWO ARE ALLOWED SEPARATED BY A COMMA.

4204 IDS-PRCSG-ACTN-TXT PRCSG_ACTN_4204 DLSC-VPE F CHAR 18

IDS PROCESSING ACTION TEXT

INSTRUCTIONS TO THE LPDV930B BUILD PROGRAM SPECIFYING HOW TO TREAT THE RESULTS OF AN ACCESS.

4205 ROW-IND ROW_IND_4205 DLSC-VPE F CHAR 1

ROW INDICATOR

THE SPECIFIC VALUE THAT REPRESENTS WHETHER OR NOT A GIVEN ACCESS MAY RETURN MORE THAN ONE ROW. VALID VALUES ARE: O = ONE, M = MANY.

4206 IDS-COND-TXT COND_TXT_4206 DLSC-VPE V VARCHAR 1120

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

IDS CONDITION TEXT
USER INPUT CONDITIONS THAT LIMIT THE VALUES RETURNED BY A TABLE ACCESS WITHIN THE IDS 3090 INTERFACE.

4207 IDS-TBL-QRY-STNG-TXT TBL_QRY_STNG_4207 DLSC-VPE V VARCHAR 2048
IDS TABLE QUERY STRING TEXT
AN SQL QUERY FOR A TABLE ACCESS OR THE NAME OF A FILE FOR A FILE ACCESS OR THE DECODE SERVICE FOR A DECODE ACCESS.

4208 IDS-LINK-PARM-STNG-TXT LINK_PARM_4208 DLSC-VPE V VARCHAR 160
IDS LINK PARAMETER STRING TEXT
PARAMETER STRINGS THAT SPECIFY RECORD TYPE, ACCESS NUMBER, AND COMPONENT NUMBER. EACH PARAMETER STRING RT[1-2]A[ ]C[ ] IS DELIMITED FROM OTHER STRINGS BY COMMAS. THIS FIELD LINKS THE ACCESS DESCRIPTOR TABLE TO THE CORRECT COMPONENTS SPECIFIED IN THE ACCESS RECORD DESCRIPTOR TABLE.

4209 IDS-EXTR-DATA-ITM-QY EXTR_ITM_QY_4209 DLSC-VPE F INTEGER 8
IDS EXTRACT DATA ITEM QUANTITY
THE TOTAL NUMBER OF ITEMS FOR WHICH DATA HAS BEEN EXTRACTED FOR AN IDS PRODUCT. VALID VALUES ARE 0-99,999,999.

4210 ORIG-ACTY-CD ORIG_ACTY_CD_4210 DLSC-SBA F CHAR 2
ORIGINATING ACTIVITY CODE
A CODE WHICH IDENTIFIES AN ACTIVITY AUTHORIZED TO INPUT LOGISTICAL TOOLS AND/OR DATA DIRECTLY OR INDIRECTLY TO THE DEFENSE LOGISTICS SERVICES CENTER. SEE VOLUME 10, TABLE 104 AND QUICK INFO ON-LINE.

4211 KVI-DECR-CTR KVI_DECR_CTR_4211 DLSC-SBA V VARCHAR 11
KVI DECREMENT COUNTER
THIS FIELD CONTAINS A WORKLOAD BALANCING COUNTER ESTABLISHED FOR EACH MILITARY SERVICE ACTIVITY PARTICIPATING IN THE ITEM TRANSFER. THE DECREMENT COUNTER VALUE FOR EACH ACTIVITY IS INITIALLY ESTABLISHED BY THE DLSC PROGRAM MANAGER FOR ITEM TRANSFER. IT IS SUBSEQUENTLY UPDATED (DECREMENTED) BY LVA TRANSACTIONS WHICH ARE PROCESSED MORE THAN 65 DAYS BEYOND THE ESTABLISHED DATE FOR THE NIIN IN THE KVI SUSPENSE FILE. IT IS ALSO AUTOMATICALLY RESET TO EQUAL THE ORIGINAL COUNTER VALUE FOR THE ACTIVITY ON THE 6TH DAY OF EVERY MONTH.

4212 KVI-ORIG-CTR KVI_ORIG_CTR_4212 DLSC-SBA V VARCHAR 11
KVI ORIGINAL COUNTER
THIS FIELD CONTAINS A WORKLOAD BALANCING COUNTER ESTABLISHED FOR EACH MILITARY SERVICE ACTIVITY PARTICIPATING IN THE ITEM TRANSFER. THE ORIGINAL COUNTER VALUE FOR EACH ACTIVITY IS ESTABLISHED AND MAINTAINED BY THE DLSC PROGRAM MANAGER FOR ITEM TRANSFER.

4213 ITM-TRNSFR-RJCT-CD DLSC-SBA F CHAR 1
ITEM TRANSFER REJECT CODE
THIS FIELD CONTAINS A ONE POSITION ERROR CODE WHICH IDENTIFIES THE SPECIFIC ERROR CONDITION FOUND WITH A CANDIDATE NSN SUBMITTED AS PART OFTHE ITEM TRANSFER.

4214 KVI-SUSPNS-ESTB-DT KVI_SPNS_E_DT_4214 DLSC-SBA F CHAR 5
KVI SUSPENSE ESTABLISHED DATE
THIS FIELD CONTAINS THE JULIAN DATE THAT A KVI SUSPENSE RECORD IS INITIALLY GENERATED AND ADDED TO THE KVI SUSPENSE FILE.

4215 OTH-DIC OTHER_DIC_4215 DLSC-SBA F CHAR 3
OTHER DIC
THIS FIELD CONTAINS THE LITERAL VALUE OF A DIC OR TRANSACTION OTHER THANLVA OR LMD, WHICH WILL RESULT IN AN UPDATE TO THIS FIELD IN THE KVI SUSPENSE FILE WHEN PROCESSED AND APPROVED.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					

4216 OTH-DIC-DATE — OTHR_DIC_DATE_4216 — DLSC-SBA — F — CHAR — 5

OTHER DIC DATE

THIS FIELD CONTAINS THE JULIAN DATE THAT A DIC OTHER THAN LVA OR LMD IS PROCESSED AND APPROVED FOR AN ITEM TRANSFER NIIN.

4217 LVA-DATE — LVA_DATE_4217 — DLSC-SBA — F — CHAR — 5

LVA DATE

THIS FIELD CONTAINS THE JULIAN DATE THAT AN LVA TRANSACTION IS PROCESSEDAND APPROVED FOR AN ITEM TRANSFER NIIN.

4218 LMD-DATE — LMD_DATE_4218 — DLSC-SBA — F — CHAR — 5

LMD DATE

THIS FIELD CONTAINS THE JULIAN DATE THAT AN LMD TRANSACTION IS PROCESSEDAND APPROVED FOR AN ITEM TRANSFER NIIN.

4219 DSOR-CTR — DLSC-SBA — F — CHAR — 1

DSOR COUNTER

CONTAINS NUMBER OF DEPOT SOURCE OF REPAIR CODES SUBMITTED IN VARIABLE LENGTH RECORD FORMAT.

4234 PUBS-UNIT-IL — PUBS_UNIT_IL_4234 — DLSC-SB — F — CHAR — 3

PUBLICATIONS UNIT IDENTIFICATION LIST

AN IDENTIFIER USED FOR EACH MICROFICHE PUBLICATION OF THE IDENTIFICATION LIST (IL). THE PUBLICATION MAY ENCOMPASS MORE THAN ONE FEDERAL SUPPLY CLASS (FSC). IT MAY BE A CONSOLIDATED BASIC ISSUE OR A CONSOLIDATED CHANGE BULLETIN. THIS DATA ELEMENT WILL CONSTITUTE A UNIQUE IDENTIFICATION TO AID IN SCHEDULING, MONITORING AND MEASURING IL PRODUCTION.

4235 FOR-DOM-DESI-CD — FRN_DOM_CD_4235 — DLSC-SBA — F — CHAR — 1

FOREIGN/DOMESTIC DESIGNATOR CODE

A CODE WHICH DESIGNATES THE LOCATION OF AN ORGANIZATIONAL ENTITY. SEE VOLUME 10, TABLE 29 AND QUICK INFO ON-LINE.

4238 CAGE-NSCM-TYP-CD — CAGE_TYP_CD_4238 — DLSC-SBA — F — CHAR — 1

CAGE/NSCM-TYPE CODE

A CODE IDENTIFYING THE APPLICABLE TYPE OF ORGANIZATIONAL ENTITY. SEE VOLUME 10, TABLE 90 AND QUICK INFO ON-LINE.

4250 PSCN — DLSC-SB — F — 9

PERMANENT SYSTEM CONTROL NUMBER (PSCN)

ASSIGNED FOR CONTROL PURPOSES TO IDENTIFY ITEMS ESTABLISHED IN THE TOTAL ITEM RECORD PRIOR TO NATIONAL ITEM IDENTIFICATION NUMBER ASSIGNMENT. THE NUMBER WILL BE CONSTRUCTED AS FOLLOWS-NNAAANNNN. THE FIRST TWO POSITIONS WILL CONTAIN THE NATIONAL CODIFICATION CODE. THE THIRD POSITION WILL CONTAIN A "P" AND THE FOURTH AND FIFTH POSITIONS WILL BE ALPHA. THE SIXTH THRU NINTH POSITIONS WILL CONSIST OF A SEQUENTIALLY ASSIGNED SERIAL NUMBER "0000" THRU "9999."

4251 IDS-USER-PAD-CHAR — USER_PAD_CHAR_4251 — DLSC-VPE — F — SMALLINT — 4

IDS USER PAD CHARACTER

THE CHARACTER TO BE USED FOR FILLER TO PAD FIELDS TO A FIXED WIDTH AND TO REPLACE MISSING DATA IN A PUBLICATION EXTRACT.

4252 IDS-SRT-RPL-IND — SRT_RPL_4252 — DLSC-VPE — F — CHAR — 1

IDS SORT REPLACE INDICATOR

A FLAG TO INDICATE THAT A SORT KEY FOR THE CURRENT PUBLICATION MAY BE BUILT USING SPACES TO REPLACE MISSING KEY FIELDS. VALID VALUES INCLUDE: 'Y', YES AND 'N', NO.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

4253 IDS-PRPY-DCOD-IND PRPY_DCOD_4253 DLSC-VPE F CHAR 1

IDS PROPRIETARY DECODE INDICATOR

A FLAG TO INDICATE WHICH OF SEVERAL PROCESSING OPTIONS ARE TO BE APPLIED TO THE CURRENT PUBLICATION WHEN PROPRIETARY CHARACTERISTICS DATA IS ENCOUNTERED. VALID VALUES: 'S', SUPPRESS PROPRIETARY CHARACTERISTICS DATA, 'X', EXCLUDE AN ITEM WHICH HAS PROPRIETARY CHARACTERISTICS DATA FROM THE PUBLICATION, 'I', IGNORE THE PROPRIETARY NATURE OF CHARACTERISTICS DATA, AND 'P', PROVIDE ONLY PROPRIETARY CHARACTERISTICS DATA IN THE EXTRACT FOR THIS PUBLICATION.

4254 IDS-PRPY-NOTC-IND PRPY_NOTC_4254 DLSC-VPE F CHAR 1

IDS PROPRIETARY NOTICE INDICATOR

THE FLAG TO INDICATE THAT A NOTICE SHOULD BE RETURNED IN PLACE OF OR IN ADDITION TO PROPRIETARY CHARACTERISTICS DATA. VALID VALUES ARE: 'Y', YES AND 'N', NO.

4255 IDS-DATA-RPL-IND DATA_RPL_4255 DLSC-VPE F CHAR 1

IDS DATA REPLACE INDICATOR

THE FLAG TO INDICATE THAT MISSING DATA IS TO BE REPLACED TO THE DEFINED FIELD WIDTH WITH THE PUBLICATION'S FILLER CHARACTER. VALID VALUES ARE: 'Y', YES AND 'N', NO.

4256 IDS-ACCS-RPET-CT-QTY ACCS_RPET_CT_4256 DLSC-VPE F SMALLINT 4

IDS ACCESS REPEAT COUNT QUANTITY

THE NUMBER OF TIMES AN ACCESS IS TO BE REPEATED. A POSITIVE INTEGER IS ALLOWED.

4257 IDS-FLD-JUST FLD_JUST_4257 DLSC-VPE F CHAR 1

IDS FIELD JUSTIFICATION

THIS ELEMENT INDICATES WHETHER DATA WITHIN A FIXED WIDTH FIELD IS TO BE JUSTIFIED LEFT OR RIGHT. VALID VALUES ARE: 'L', LEFT AND 'R', RIGHT.

4258 IDS-POST-MRKP-TXT POST_MRKP_4258 DLSC-VPE V VARCHAR 79

IDS POST MARKUP TEXT

THE MARKUP TEXT TO BE APPENDED TO AN SGML ELEMENT.

4259 IDS-PRE-DELIM PRE_DELIM_4259 DLSC-VPE F SMALLINT 4

IDS PREPENDED DELIMITER

THIS ELEMENT REPRESENTS A SINGLE CHARACTER DELIMITER TO BE PREPENDED TO A DATA ELEMENT OF A VARIABLE LENGTH RECORD.

4260 IDS-POST-DELIM POST_DELIM_4260 DLSC-VPE F SMALLINT 4

IDS APPENDED DELIMITER

THIS ELEMENT REPRESENTS A SINGLE CHARACTER DELIMITER TO BE APPENDED TO A DATA ELEMENT OF A VARIABLE LENGTH RECORD.

4273 MCFCH-NBR DLSC-V F 5

MICROFICHE NUMBER

A NUMBER LOCATED IN THE UPPER RIGHT HAND CORNER OF A MICROFICHE TO BE A REPLACEMENT FOR ANOTHER EXISTING NATIONAL ITEM IDENTIFICATION NUMBER.

4300 RPLM-NIIN DLSC-SB F 9

REPLACEMENT NATIONAL ITEM IDENTIFICATION NUMBER

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

AN EXISTING NATIONAL ITEM IDENTIFICATION NUMBER THAT HAS BEEN DETERMINED TO BE A REPLACEMENT FOR ANOTHER EXISTING NATIONAL ITEM IDENTIFICATION NUMBER.

4307 FYD — DLSC-SBA — F CHAR 1

FISCAL YEAR TO DATE

FISCAL YEAR TO DATE REPRESENTS A PERIOD OF TIME BEGINNING OCTOBER 1 OF AGIVEN CALENDER YEAR AND RUNNING TO A SPECIFIC DATE OR END OF A REPORTINGPERIOD PRIOR TO 30 SEPTEMBER OF THE FOLLOWING CALENDER YEAR. THIS FIELDIS USED TO SELECT FISCAL YEAR TO DATE.

4311 IDS-JOB-JCL-ID — JOB_JCL_4311 — DLSC-VPE — F CHAR 7

IDS JOB JCL IDENTIFIER

JOB IDENTIFICATION USED IN JCL. VALID ENTRIES INCLUDE LPDV902, LPDV910, LPDV930, LPDV950, LPDV955.

4312 IDS-STEP-JCL-ID — STEP_JCL_4312 — DLSC-VPE — F CHAR 1

IDS STEP JCL IDENTIFIER

CODE INDICATING JOB STEP. VALID ENTRIES INCLUDE A THROUGH Z & BLANK.

4313 IDS-JCL-TYP-CD — JCL_TYP_4313 — DLSC-VPE — F CHAR 1

IDS JCL TYPE CODE

TYPE OF JCL INFORMATION. VALID VALUES FOR OBJECT TYPE INCLUDE: 0 - //* (COMMENT LINE), 1 - JOB INFO (JOB CARD, INFORMATION SUCH AS JOB NAME, MESSAGE CLASS, NOTIFY INFORMATION, ETC), 2 - PROC INFO (NAME OF PROCEDURE TO RUN, SYMBOLICS TO PASS TO THE PROC, ETC), 3 - DD OVERRIDES (OVERRIDES OF DD STATEMENTS IN THE PROC), 4 - DSN (DSN UTILITY TO RUN A DB2 PROGRAM), 5 - IDCAMS (AN IBM UTILITY TO PERFORM VARIOUS TASKS SUCH AS GDG DEFINITIONS AND MEMBER DELETIONS), 6 - CICS TRAN (TX0049P -- A UTILITY PROGRAM THAT LAUNCHES A CICS TRANSACTION), 7 - LPDV999 LRECL (A FIXED RECORD LENGTH SUPPORTED BY PROGRAM LPDV999B.

4314 IDS-STEP-SEQ-ID — STEP_SEQ_4314 — DLSC-VPE — F SMALLINT 4

IDS STEP SEQUENCE IDENTIFIER

A SEQUENCE NUMBER WITHIN OBJECT TYPE. VALID ENTRIES INCLUDE NUMERICS 1 - 10.

4315 IDS-JCL-TX — JCL_TX_4315 — DLSC-VPE — F CHAR 72

IDS JCL TEXT

TEXT OF JCL STATEMENT.

4316 IDS-FILE-TYP-CD — FILE_TYP_4316 — DLSC-VPE — F CHAR 1

IDS FILE TYPE CODE

INDICATES TYPE OF FILE. VALID FILE TYPE CODES INCLUDE I - ITEM LIST, D - DATA FILE, S - SORTED DATA, F - FORMATTED DATA, O - CUSTOMER OUTPUT, R - REFORMATTED DATA FROM CUSTOMER OUTPUT, M - MASTER FILE.

4317 IDS-PRIM-SPC-ALOC-QY — PRIM_SPC_ALOC_4317 — DLSC-VPE — F CHAR 3

IDS PRIMARY SPACE ALLOCATION QUANTITY

PRIMARY SPACE ALLOCATION. VALID VALUES ARE 1-999 CYLINDERS FOR PRIMARY ALLOCATION OF DASD.

4318 IDS-SECD-SPC-ALOC-QY — SECD_SPC_ALOC_4318 — DLSC-VPE — F CHAR 3

IDS SECONDARY SPACE ALLOCATION QUANTITY

SECONDARY SPACE ALLOCATION. VALID VALUES ARE 1-999 CYLINDERS FOR SECONDARY ALLOCATION OF DASD.

4319 IDS-PRIM-WS-ALOC-QY — PRIM_WS_ALOC_4319 — DLSC-VPE — F CHAR 3

IDS PRIMARY SORT WORK SPACE ALLOCATION QUANTITY

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

PRIMARY SORT WORK SPACE ALLOCATION. VALID VALUES ARE 1-999 CYLINDERS FOR PRIMARY ALLOCATION OF DFSORT WORK AREA.

4320 IDS-SECD-WS-ALOC-QY SECD_WS_ALOC_4320 DLSC-VPE F CHAR 3
IDS SECONDARY SORT WORK SPACE ALLOCATION QUANTITY
SECONDARY SORT WORK SPACE ALLOCATION. VALID VALUES ARE 1-999 CYLINDERS FOR SECONDARY ALLOCATION OF DFSORT WORK AREA.

4321 IDS-STOR-UNIT-TYP-TX STOR_UNIT_TYP_4321 DLSC-VPE F CHAR 5
IDS STORAGE UNIT TYPE TEXT
TYPE OF STORAGE (DISK, TAPE, CART). VALID VALUES ARE SYSDA, CART, MANL (MANUALLY MOUNTED CARTRIDGES), TP8MM, TAPE.

4322 IDS-FILE-RET-TIME-QY FILE_RET_TIME_4322 DLSC-VPE F CHAR 3
IDS FILE RETENTION TIME QUANTITY
LENGTH OF TIME TO RETAIN FILE IN DAYS. VALID ENTRIES ARE 0 - 365.

4323 IDS-FXD-OP-LRECL-QY FXD_LRECL_4323 DLSC-VPE F CHAR 5
IDS FIXED OUTPUT LOGICAL RECORD LENGTH QUANTITY
RECORD LENGTH FOR FIXED OUTPUT. VALID VALUES ARE 18 - 32764.

4324 IDS-FXD-OP-BLCKSZ-QY FXD_BLCKSZ_4324 DLSC-VPE F CHAR 5
IDS FIXED OUTPUT BLOCK SIZE QUANTITY
BLOCKSIZE FOR FIXED OUTPUT. VALID VALUES ARE 0 - 32768.

4325 IDS-ASCII-IND-CD ASCII_IND_4325 DLSC-VPE F CHAR 1
IDS ASCII INDICATOR CODE
AN INDICATOR IF OUTPUT IS TO BE IN ASCII FORMAT (Y/N).

4326 IDS-PRFL-PRFX-TX PRFL_PRFX_TX_4326 DLSC-VPE F CHAR 8
IDS PROFILE PREFIX TEXT
DB2 HLQ. VALID ENTRIES ARE ANY DB2 PROFILE PREFIX, I.E. DLCDBAP, DLCITX, ETC.

4327 IDS-PRFX-JCL-MBR-NM PRFX_JCL_MBR_4327 DLSC-VPE F CHAR 6
IDS PREFIX JCL MEMBER NAME
PREFIX OF JCL MEMBER NAMES. VALID ENTRIES MUST BEGIN WITH AN ALPHA CHARACTER AND INCLUDE ONLY CHARACTERS ALLOWED FOR MEMBER NAMES BY MVS.

4328 IDS-FILEAID-MBR-NM FILEAID_MBR_4328 DLSC-VPE F CHAR 8
IDS FILEAID MEMBER NAME
THE NAME OF PARMLIB MEMBER WHICH CONTAINS USER-DEVELOPED FILEAID CONTROL STATEMENTS.

4329 IDS-CANC-ITM-IND-CD CANC_ITM_IND_4329 DLSC-VPE F CHAR 1
IDS CANCELLED ITEM INDICATOR CODE
CODE WHICH CONSISTS OF VALUES "Y" OR "N" AND INDICATES WHETHER CANCELLED ITEMS SHOULD BE INCLUDED IN A PUBLICATION UPDATE AND MASTER FILE.

4356 KHN-ACTY-IND KHN_ACTY_IND_4356 DLSC-SBA F CHAR 1
KHN ACTIVITY INDICATOR

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

TO IDENTIFY RECIPIENTS OF CAGE/NATO KHN OUTPUT. KHN ACTIVITY INDICATOR VALUES ARE AS FOLLOWS: D=DLA SERVICE CENTER FORMAT, N=NATO KHN FORMAT, A=ALL SPECIFIED FORMATS.

4361 CCR-DUNS-PLUS4-ID DUNS_PLUS4_4361 DLSC-SBC F CHAR 4
CENTRAL CONTRACTOR REGISTRATION DUNS PLUS4 IDENTIFIER
THE IDENTIFIER THAT REPRESENTS AN ADDITIONAL BREAKOUT, SUCH AS A SUBDIVISION OF A COMPANY THAT HAS AN ASSIGNED DUNS.

4363 CCR-INCORP-CTRY-ABR-CD INCORP_CTRY_4363 DLSC-SBC F CHAR 3
CENTRAL CONTRACTOR REGISTRATION INCORPORATION COUNTRY ABBREVIATION CODE
THE COUNTRY IN WHICH THE COMPANY WAS INCORPORATED.

4364 CCR-AVG-NBR-EMPL-QY AVG_NBR_EMPL_4364 DLSC-SBC F INTEGER 10
CENTRAL CONTRACTOR REGISTRATION AVERAGE NUMBER EMPLOYEES QUANTITY
THE AVERAGE NUMBER OF EMPLOYEES FOR THE PREVIOUS YEAR.

4365 CCR-CO-RVNU-AM CO_RVNU_4365 DLSC-SBC F INTEGER 13
CENTRAL CONTRACTOR REGISTRATION COMPANY REVENUE AMOUNT
THE AVERAGE ANNUAL REVENUES FOR THE PRECEDING 3 YEARS IN U.S. DOLLARS.

4367 CCR-CO-FSCL-END-DT CO_FSCL_END_4367 DLSC-SBC F CHAR 8
CENTRAL CONTRACTOR REGISTRATION COMPANY FISCAL END DATE
THE ACCOUNTING PERIOD CLOSE DATE, IN THE FORM OF MM/DD/YY.

4369 CCR-PREV-GOVT-ISS-ID PREV_GOVT_ISS_4369 DLSC-SBC F CHAR 45
CENTRAL CONTRACTOR REGISTRATION PREVIOUS GOVERNMENT ISSUE IDENTIFIER
THE GOVERNMENT ISSUING DEPARTMENT OR AGENCY HAVING ASSIGNED A PRIOR FEDERAL ID NUMBER.

4372 CCR-SEC-LVL-NM SEC_LVL_4372 DLSC-SBC F CHAR 15
CENTRAL CONTRACTOR REGISTRATION SECURITY LEVEL NAME
THE HIGHEST SECURITY LEVEL OF THE FACILITY.

4376 CCR-CRED-CRD-BUS-CD CRED_CRD_BUS_4376 DLSC-SBC F CHAR 1
CENTRAL CONTRACTOR REGISTRATION GOVERNMENT CREDIT CARD BUSINESS CODE
A CODE THAT INDICATES WHETHER THIS COMPANY CAN DO BUSINESS USING GOVERNMENT CREDIT CARD. VALID VALUES: Y=YES N=NO

4377 CCR-ST-ADRS-TX CCR_ST_ADRS_4377 DLSC-SBC F CHAR 35
CENTRAL CONTRACTOR REGISTRATION STREET ADDRESS TEXT
THE STREET ADDRESS OF THE REGISTERING PARTY.

4380 EDI-TRAN-SET-NBR-ID EDI_TRAN_NBR_4380 DLSC-SBC F CHAR 3
CENTRAL CONTRACTOR REGISTRATION EDI TRANSACTION SET NUMBER IDENTIFIER
A 3 POSITION NUMBER ASSIGNED TO AN ELECTRONIC DATA INTERCHANGE (EDI) TRANSACTION SET BY THE AMERICAN NATIONAL STANDARD INSTITUTE (ANSI), USING X12. VALID VALUES: 001-999

4383 CCR-DOING-BUS-AS-NM DBA_NM_4383 DLSC-SBC F CHAR 35
CENTRAL CONTRACTOR REGISTRATION DOING BUSINESS AS NAME
A NAME USED BY THE REGISTERING PARTY OTHER THAN THE INCORPORATED OR REGISTERED NAME.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

4386 CCR-CO-PMT-MTHD-ID CO_PMT_MTHD_4386 DLSC-SBC F CHAR 7
CENTRAL CONTRACTOR REGISTRATION COMPANY PAYMENT METHOD IDENTIFIER
AN IDENTIFIER THAT DESCRIBES THE METHOD OF PAYMENT(S) ALLOWED BY THE COMPANY.

4388 CCR-CO-NM-SEQ-NBR-ID CO_NM_SEQ_NBR_4388 DLSC-SBC F INTEGER 1
CENTRAL CONTRACTOR REGISTRATION COMPANY NAME SEQUENTIAL NUMBER IDENTIFIER
THE IDENTIFIER THAT REPRESENTS A SEQUENTIAL NUMBER ASSIGNED TO A COMPANY NAME. THIS NUMBER IS USED TO KEEP THE ORDER OF THE COMPANY NAME (3 LINES OF NAME).

4389 CCR-DUNS-LST-ACTN-CD DUNS_LST_ACTN_4389 DLSC-SBC F CHAR 1
CENTRAL CONTRACTOR REGISTRATION DUNS LAST ACTION CODE
AN INTERNAL CODE USED TO DISPLAY THE TYPE OF ACTION LAST DONE TO A DUNS NUMBER RECORD. VALID VALUES: A=ADD, U=UPDATE, R=REPLACED, C=CANCELLED

4391 CCR-TYP-BUS-DEF-TX CCR_TYP_DEF_4391 DLSC-SBC F CHAR 50
CENTRAL CONTRACTOR REGISTRATION TYPE BUSINESS DEFINITION TEXT
THE CLEAR TEXT DEFINITION OF CCR-TYP-BUS-ID (DRN 4375).

4398 ZIP-ADD-ON-CD ZIP_ADD_ON_4398 DLSC-SB F CHAR 4
ZIP ADD-ON CODE
A POST OFFICE ASSIGNED CODE WHICH FURTHER SUBDIVIDES THE ZIP CODE. THIS CODE FOLLOWS THE ZIP CODE.

4399 ZIP-PLUS-FOUR-CD ZIP_PLUS_FOUR_4399 DLSC=SB F CHAR 10
ZIP PLUS FOUR CODE
A POST OFFICE ASSIGNED CODE WHICH IDENTIFIES A SMALL GEOGRAPHIC DELIVERY AREA THAT IS SERVICEABLE BY A SINGLE CARRIER. IT IS A COMBINATION OF ZIP CODE AND ZIP PLUS FOUR CODE SEPARATED BY A DASH.

4400 ZIP-CD ZIP_CD_4400 DLSC=SB F CHAR 5
ZIP CODE
A POST OFFICE ASSIGNED CODE WHICH IS USED FOR ADDRESSING MAIL TO A SPECIFIC REGION, STATE, CITY OR PORTION THEREOF.

4401 ITEM-NAME-KEYWORD ITEM_NM_KY_WD_4401 DLSC-SB CHAR 35
ITEM NAME KEY WORD

4402 TMSTMP2 TMSTMP2_4402 DLSC-SB F TIMESTMP 26
TIME STAMP 2
TIME STAMP FOR A DLSC EFFECTIVE DATED ITEM.

4403 TAIL-SEQ-NO TAIL_SEQ_NO_4403 DLSC-SB F SMALLINT 4
TAIL SEQUENCE NUMBER
SEQUENCE IN WHICH THE MRCS ARE TO BE OUTPUT FOR TAILORED CHARACTERISTICS

4404 GDE-NBR-FIIG-SEQ-NO FIIG_SEQ_NO_4404 DLSC-SB F SMALLINT 4
FIIG SEQUENCE NUMBER
DESIGNATES THE SEQUENCE OF MRCS ON THE EDIT GUIDE AS DETERMINED BY THE FIIG

4405 INC-APPLIC-IND INC_APPL_IND_4405 DLSC-SB F CHAR 1

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

INC APPLICATION INDICATOR
DETERMINES IF A PROGRAM HAS TO ACCESS AN INDIVIDUAL FORMAT GUIDE FOR A PARTICULAR INC OR 5 BALLER INC. A '5 BALLER' MEANS THAT ALL THE MRCS ARE THE SAME FOR ALL OF THE INCS UNDER A PARTICULAR FIIG. VALID VALUES: 'Y' - ACCESS THE 5 BALLER INC OF '00000', 'N' - ACCESS THE INDIVIDUAL INC.

4407 MRC-SEQ-NBR MRC_SEQ_NBR_4407 DLSC-S F SMALLINT 4
MASTER REQUIREMENT CODE SEQUENCE NUMBER
A SEQUENTIAL NUMBER INDICATING THE OUTPUT SEQUENCE OF MASTER REQUIREMENTCODES (MRCS). THIS DRN WILL APPEAR IN TABLES 115 AND 116.

4408 RPLY-SEQ-NBR RPLY_SEQ_NBR_4408 DLSC-S F SMALLINT 4
REPLY SEQUENCE NUMBER
A SEQUENTIAL NUMBER INDICATING THE OUTPUT SEQUENCE OF A REPLY CODE FOR APARTICULAR MASTER REQUIREMENT CODE (MRC). THIS DRN WILL APPEAR IN TABLES 115 AND 116.

4409 PRPY-IND PRPY_IND_4409 DLSC-S F CHAR 1
PROPRIETARY INDICATOR
AN INDICATOR CODE THAT DESIGNATES IF A MASTER REQUIREMENT CODE (MRC) IS PROPRIETARY. CODE Y INDICATES THE MRC IS PROPRIETARY, CODE N INDICATES THE MRC IS NOT PROPRIETARY.

4410 AND-OR AND_OR_4410 DLSC-SCA F CHAR 2
AND OR
USED TO INDICATE WHETHER TO USE AND OR OR AS THE CONNECTOR OF TEXT FROM CODED CLEAR REPLY.

4411 UNIT-MEAS-DES UNIT_MEAS_DES_4411 DLSC-SCA V VARCHAR 2000
UNIT OF MEASURE DESIGNATION
THE NARRATIVE INDICATING THE RECOGNIZABLE PHYSICAL MEASUREMENTS USED IN THE APPLICATION OF CONVERSION CRITERIA.

4412 SKIP-COUNT SKIP_CNT_4412 DLSC-SC F CHAR 1
SKIP COUNT
INDICATES THE NUMBER OF POSITIONS TO BE SKIPPED BEFORE THE UNIT OF MEASURE COMPUTATION IS REACHED.

4413 CHNG-RPLY-FRM CHNG_RPLY_FRM_4413 DLSC-SC V CHAR 6
CHANGE REPLY FROM
THE UNIT OF MEASURE THAT IS CHANGED (E.G., MILLIMETERS CHANGED TO INCHES).

4414 CHNG-RPLY-TO CHNG_RPLY_TO_4414 DLSC-SB V CHAR 6
CHANGE REPLY TO
THE UNIT OF MEASURE THAT IS CHANGED TO (E.G., MILLIMETERS CHANGED FROM INCHES).

4415 COCO-CONV-TYPE COCO_CONV_TYP_4415 DLSC-SC F CHAR 1
CONVERSION CONSTANT CONVERSION TYPE
INDICATES THE TYPE OF MATHEMATICAL COMPUTATION TO BE MADE (E.G., ADD, SUBTRACT, MULTIPLY, FAHRENHEIT, KELVIN OR NOTHING).

4416 CNV-FRM-LEFT CNV_FRM_LEFT_4416 DLSC-SC V DECIMAL 15
DATA CONVERSION FORMULA FROM LEFT
THE NUMBER OF INTEGER POSITIONS LEFT OF THE DECIMAL POINT IN A CONVERSION FORMULA.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

4417 CNV-FRM-RIGHT CNV_FRM_RIGHT_4417 DLSC-SC V DECIMAL 7
DATA CONVERSION FORMULA FROM RIGHT
THE NUMBER OF INTEGER POSITIONS RIGHT OF THE DECIMAL POINT IN A CONVERSION FORMULA.

4418 DL-REPLY DL_REPLY_4418 DLSC-SB F CHAR 6
DL REPLY
THE REPLY CODE FOR A D OR L MODE CODE MRC.

4419 AB-VALUE AB_VALUE_4419 DLSC-SB F DECIMAL 15
AB VALUE
THE NUMERIC VALUE FOR AN A OR B MODE CODE MRC.

4420 J-MIN-L-VALUE J_MIN_L_VAL_4420 DLSC-SB F DECIMAL 15
J MIN L VALUE

4421 STORE-TYPE STORE_TYPE_4421 DLSC-SC F CHAR 1
STORE TYPE
FLAG INDICATING NOMINAL, MINIMUM OR MAXIMUM OF J-MODE REPLY. INDICATES THE TYPE OF MATHEMATICAL COMPUTATION THAT HAS BEEN MADE (E.G., ADD, SUBTRACT, MULTIPLY, FAHRENHEIT, KELVIN, OR BLANK)

4422 J-MAX-L-VALUE J_MAX_L_VAL_4422 DLSC-SB F DECIMAL 15
J MAX L VALUE

4423 J-MIN-R-VALUE J_MIN_R_VAL_4423 DLSC-SB F DECIMAL 0
J MIN R VALUE

4424 STORE-M-J-TBL STORE_M_J_TBL_4424 DLSC-SB F CHAR 12
STORE M J TABLE
THE UNCONVERTED REPLY CODE FOR A J MODE CODE MRC.

4425 STORE-M-MIN STORE_M_MIN_4425 DLSC-SB V VARCHAR 23
STORE M MINIMUM
THE UNCONVERTED MINIMUM/NOMINAL NUMERIC VALUE FOR A J MODE CODE MRC.

4426 STORE-M-MAX STORE_M_MAX_4426 DLSC-SB V VARCHAR 23
STORE M MAXIMUM
THE UNCONVERTED MAXIMUM NUMERIC VALUE FOR A J MODE CODE MRC.

4427 J-MAX-R-VALUE J_MAX_R_VAL_4427 DLSC-SB F DECIMAL 7
J MAX R VALUE
INDICATES THE DECIMAL PORTION OF THE MAXIMUM NUMERIC VALUE OF A J MODE CODE MRC.

4428 F-MAX-VALUE F_MAX_VALUE_4428 DLSC-SC F DECIMAL 15
F MAXIMUM VALUE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

MAXIMUM VALUE OF AN F MODE REPLY.

4429 H-TAB1-VALUE — H_TAB1_VAL_4429 — DLSC-SB — F CHAR 6
H TAB1 VALUE
THE REPLY CODE FOR THE 1ST TABLE IN AN H MODE CODE MRC.

4430 H-TAB2-VALUE — H_TAB2_VAL_4430 — DLSC-SB — F CHAR 6
H TAB2 VALUE
THE REPLY CODE FOR THE 2ND TABLE IN AN H MODE CODE MRC.

4431 H-TAB3-VALUE — H_TAB3_VAL_4431 — DLSC-SB — F CHAR 6
H TAB3 VALUE
THE REPLY CODE FOR THE 3RD TABLE IN AN H MODE CODE MRC.

4432 H-TAB4-VALUE — H_TAB4_VAL_4432 — DLSC-SB — F CHAR 6
H TAB4 VALUE
THE REPLY CODE FOR THE 4TH TABLE IN AN H MODE CODE MRC.

4433 H-TAB5-VALUE — H_TAB5_VAL_4433 — DLSC-SB — F CHAR 6
H TAB5 VALUE
THE REPLY CODE FOR THE 5TH TABLE IN AN H MODE CODE MRC.

4434 H-TAB6-VALUE — H_TAB6_VAL_4434 — DLSC-SB — F CHAR 6
H TAB6 VALUE
THE REPLY CODE FOR THE 6TH TABLE IN AN H MODE CODE MRC.

4435 H-TAB7-VALUE — H_TAB7_VAL_4435 — DLSC-SB — F CHAR 6
H TAB7 VALUE
THE REPLY CODE FOR THE 7TH TABLE IN AN H MODE CODE MRC.

4436 H-TAB8-VALUE — H_TAB8_VAL_4436 — DLSC-SB — F CHAR 6
H TAB8 VALUE
THE REPLY CODE FOR THE 8TH TABLE IN AN H MODE CODE MRC.

4437 H-J-TEXT — H_J_TEXT_4437 — DLSC-SB — V VARCHAR 990
H J TEXT
THE CLEAR TEXT REPLY PORTION OF A J MODE CODE MRC, STORED IN THE H-J TEXT TABLE.

4439 MRC-VALUE-COUNT — MRC_COUNT_4439 — DLSC-SC — F INTEGER 7
MASTER REQUIREMENT CODE VALUE COUNT
COUNT OF MRCs FOR CHARACTERISTIC SEARCH.

4443 TMSTMP3 — TMSTMP3_4443 — DLSC-SB — TIMESTMP 26
TIME STAMP 3

4444 NBR-OF-TBLS — NBR_OF_TBLS_4444 — DLSC-SB — INTEGER 4
NUMBER OF TABLES

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

4445 PRT-SKLTN-1 PRT_SKLTN_1_4445 DLSC-SC F CHAR 1

PRINT SKELTON CODE 1

THIS DATA ELEMENT IS ONE OF THREE USED IN THE MODE CODE EDIT FOR THE ASSIGNMENT/MAINTENANCE OF MASTER REQUIREMENT CODES (MRCS) IN THE MASTER REQUIREMENTS DIRECTORY APPLICATION. BASED UPON THE MODE CODE AND ITS APPLICABLE REQUIREMENT REPLY INSTRUCTION, THERE ARE UP TO THREE CHOICES TO SELECT FROM FOR THE REQUIRED PRINT SKELTON CODE. FROM THIS CHOICE OF THREE, THE CORRECT ONE SELECTED IS THEN PROGRAMMATICALLY INPUTTED FOR THE MRC. (OTHER DRNS ARE 4446 AND 4447.)

4446 PRT-SKLTN-2 PRT_SKLTN_2_4446 DLSC-SC F CHAR 1

PRINT SKELTON CODE 2

THIS DATA ELEMENT IS ONE OF THREE USED IN THE MODE CODE EDIT FOR THE ASSIGNMENT/MAINTENANCE OF MASTER REQUIREMENT CODES (MRCS) IN THE MASTER REQUIREMENTS DIRECTORY APPLICATION. BASED UPON THE MODE CODE AND ITS APPLICABLE REQUIREMENT REPLY INSTRUCTION, THERE ARE UP TO THREE CHOICES TO SELECT FROM FOR THE REQUIRED PRINT SKELTON CODE. FROM THIS CHOICE OF THREE, THE CORRECT ONE SELECTED IS THEN PROGRAMMATICALLY INPUTTED FOR THE MRC. (OTHER DRNS ARE 4445 AND 4447.)

4447 PRT-SKLTN-3 PRT_SKLTN_3_4447 DLSC-SC F CHAR 1

PRINT SKELTON CODE 3

THIS DATA ELEMENT IS ONE OF THREE USED IN THE MODE CODE EDIT FOR THE ASSIGNMENT/MAINTENANCE OF MASTER REQUIREMENT CODES (MRCS) IN THE MASTER REQUIREMENTS DIRECTORY APPLICATION. BASED UPON THE MODE CODE AND ITS APPLICABLE REQUIREMENT REPLY INSTRUCTION, THERE ARE UP TO THREE CHOICES TO SELECT FROM FOR THE REQUIRED PRINT SKELTON CODE. FROM THIS CHOICE OF THREE, THE CORRECT ONE SELECTED IS THEN PROGRAMMATICALLY INPUTTED FOR THE MRC. (OTHER DRNS ARE 4445 AND 4446.)

4448 KEY-GRP-DESC KEY_GRP_DESC_4448 DLSC-SB CHAR 20

KEY GROUP DESCRIPTION

4449 TABL-NAME-REM TABL_NAME_REM_4449 DLSC-V V CHAR 200

TABLE NAME REMAINDER

THIS FIELD CONTAINS THE REMAINDER OF A TABLE NAME IF THE FIELD DLIS-TBL-NAME (DRN 4466) IS UNABLE TO HOLD THE COMPLETE NAME.

4450 DIDS-SUB-SEC DIDS_SUB_SEC_4450 DLSC-SB F CHAR 3

DIDS SUB-SECTION

THE IDENTIFIER USED TO DISTINGUISH PARTS OR SECTIONS OF FLIS PROCEDURES VOLUME 10, CHAPTER 4.

4453 HEAD-NARRTV HEAD_NARRTV_4453 DLSC-V F CHAR 79

HEAD NARRATIVE

THIS FIELD CONTAINS COLUMN HEADING DATA. THIS FIELD IS USED PRIMARILY IN SUPPORT OF FLIS PROCEDURES VOLUME 10 CHAPTER 4, VOLUME 8 CHAPTER 3, AND VOLUME 9 CHAPTER 3.

4454 TRAIL-NARRATV TRAIL_NARRATV_4454 DLSC-SB VARCHAR 800

TRAILING NARRATIVE

4455 DB2-QTBL-NME DB2_QTL_NME_4455 DLSC-SB F CHAR 27

FULLY QUALIFIED DB2 TABLE NAME

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

REPRESENTS THE FULLY QUALIFIED DB2 TABLE NAME FOR THE MTR TABLES NEEDED BY THE TUTOR GT HELP SOFTWARE TO PRESENT MTR TABLE DATA (TYPICALLY CODES AND DESCRIPTION) WITHIN THE LOWER SEGMENT OF THE CRT HELP WINDOW. THIS IS DERIVED AND CREATED BY A COMMON MODULE.

4463 STOP-WORD-CDM — STOP_WORD_CDM_4463 — DLSC-SB — CHAR — 35

STOP WORD CDM

THIS FIELD CONTAINS THE WORDS THAT ARE EXCLUDED FROM ANY CLEAR TEXT KEYWORD SEARCH TABLES.

4465 DB2-TBL-NAME — DB2_TBL_NAME_4465 — DLSC-V — F — CHAR — 18

DB2 TABLE NAME

THIS FIELD CONTAINS THE NAME OF AN IBM DB2 TABLE.

4467 FLIS-SUB-PART — DIDS_SUB_PART_4467 — DLSC-V — F — CHAR — 3

FLIS SUBSECTION PART

THIS FIELD CONTAINS THE SUBSECTION NUMBER IF A TABLE CONTAINS MORE THAN ONE SECTION. USED PRIMARILY IN SUPPORT OF FLIS PROCEDURES VOLUME 10.

4469 DRN-FULL-VALUE — DRN_FULL_VAL_4469 — DLSC-SBA — V — VARCHAR — 1978

DRN FULL VALUE

THE CONTENTS OF THE SPECIFIED DRN INPUT TO THE CATALOGING TOOLS APPLICATION WITHIN A GIVEN TRANSACTION. USED IN THE CATALOG TOOLS EFFECTIVE DATED PROCESSES.

4470 HISTORY-DATE — HISTORY_DT_4470 — DLSC-SB — F — INTEGER — 5

HISTORY DATE

THE DATE THE ROW WAS ADDED TO THE HISTORY TABLE. IT WILL BE USED TO PURGE OLD ROWS FROM THE HISTORY FILE.

4471 CAGE-KEYWORD — CAGE_KEYWORD_4471 — DLSC-S — F — CHAR — 25

CAGE KEY WORD

IT IS A KEYWORD THAT IS CREATED FOR EACH WORD IN A CAGE NAME THAT IS NOTIN THE STOP-WORD TABLE. IN NEW GROUP ALSO CAGE-CD AND ADRS_TYP_CD_2137.

4472 TMSTMP4 — TMSTMP4_4472 — DLSC-SB — TIMESTMP — 26

TIME STAMP 4

4473 TMSTMP5 — TMSTMP5_4473 — DLSC-SB — TIMESTMP — 26

TIME STAMP 5

4474 TMSTMP6 — TMSTMP6_4474 — DLSC-SB — TIMESTMP — 26

TIME STAMP 6

4475 REF-BACK-MRC — REF_MRC_4475 — DLSC-SCA — F — CHAR — 4

REFERENCE BACK MASTER REQUIREMENT CODE

WHEN A MASTER REQUIREMENT CODE (MRC) IN THE CHARACTERISTICS EDIT GUIDE PROCESS CONTAINS THE SAME MODE CODE AND EDIT CRITERIA AS A PREVIOUSLY DEFINED MRC. THIS REFER-BACK MRC IS USED TO REFERENCE (OR POINT TO) THE PREVIOUSLY DEFINED MRC. THIS INSURES EFFICIENT STORAGE OF THE EDIT CRITERIA STATEMENTS AND EASIER MAINTENANCE CAPABILITIES.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

4476 QUERY-TYPE — QUERY_TYPE_4476 — DLSC-SB — F CHAR 2
TYPE OF INQUIRY CODE
A 2 CHARACTER FIELD THAT IS UPDATED RELATED TO THE TYPE OF SEARCH USER PERFORMS. THIS ELEMENT WILL BE USED BY MANAGEMENT STATS TO COMPUTE STATISTICS BY TYPE OF INQUIRY CODE FOR LOLA.

4477 INQ-OUT-VIEW — INQ_OUT_VIEW_4477 — DLSC-SB — F CHAR 20
INQUIRY OUT VIEW
THIS IS A 20 CHARACTER FIELD THAT IS MATRIXED TO RECORD THE TYPE OF VIEWS THAT WERE SELECTED BY USER FOR INQUIRY OUTPUT. AN X IS USED TO DENOTE EACH VIEW SELECTED.

4486 DB2-KEY-LENGTH — DB2_KEY_LEN_4486 — DLSC-SB — F DECIMAL 3
DB2 TABLE PRIMARY KEY LENGTH
REPRESENTS THE LENGTH OF THE PRIMARY KEY FOR THOSE DB2 MTR TABLES NECESSARY TO SUPPORT THE TUTOR GT HELP PRODUCT IN PARSING THE MTR TABLE DATA THAT WILL BE PRESENTED IN THE LOWER SEGMENT OF THE KEY FROM THE ASSOCIATED DATA SO THAT IT WILL BE MORE READABLE. THIS IS DERIVED AND CREATED BY A COMMON MODULE.

4488 CONCEPT-NBR — CONCEPT_NBR_4488 — DLSC-SB — F CHAR 1
CONCEPT NUMBER
CONCEPT NUMBER IS USED TO DIFFERENTIATE HOW A PARTICULAR ITEM NAME SHOULD BE USED.

4489 ROW-OBS-DT — ROW_OBS_DT_4489 — DLSC-SB — F INTEGER 7
ROW OBSOLETE DATE
THE DATE A DATABASE DB2 RECORD WILL BECOME OBSOLETE AND NO LONGER VALID AS CURRENT DATA.

4490 STATE-NAME — STATE_NAME_4490 — DLSC-V — F CHAR 20
STATE NAME
FULL, CLEAR TEXT NAME OF STATE.

4491 HLP-PRC-PGMNM — HLP_PRC_PGMNM_4491 — DLSC-V — F CHAR 8
HELP PROCEDURE PROGRAM NAME
AN 8 CHARACTER ELEMENT THAT IDENTIFIES THE PROGRAM WHICH WOULD PROCESS THIS TABLE NUMBER WITHIN THE PROCEDURES APPLICATION OF LOLA.

4492 DB2-GRP-NUM — DB2_GRP_NUM_4492 — DLSC-V — F CHAR 3
DB2 GROUP NUMBER
THE DB2 GROUP NUMBER IS AN ARBITRARY NUMBER ASSOCIATED WITH EACH DB2 TABLE.

4495 FST-POS-MR — FST_POS_MR_4495 — DLSC-SBA — F CHAR 1
FIRST POSITION MOE RULE
THE FIRST POSITION OF THE MOE RULE IS VALIDATED AGAINST THE MOE_CD_2833.

4496 NSCM-CTRY-ABBRV — DLSC-SC — F 3
NSCM COUNTRY ABBREVIATION
THIS IS A THREE POSITION ALPHABETIC ABBREVIATION FOR A COUNTRY HAVING NSCM CODES ON DLSC FILES.

4497 INCL-EXCL-CD — INCL_EXCL_CD_4497 — DLSC-SBA — F CHAR 1
INCLUSIVE EXCLUSIVE CODE
A CODE SHOWING WHETHER A FSC OR FSG IS TO BE INCLUDED OR EXCLUDED FROM A MOE RULE NUMBER. I = INCLUSIVE E = EXCLUSIVE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

4499 AUTH-INPUT-DIC — DLSC-V — V VARCHAR 200
AUTHORIZED INPUT DIC
CLEAR TEXT VALUES OF AUTHORIZED INPUT DICs IN A STRING USED IN DLIS VOL 10.4.104, PART 2.

4503 DOD-CAT-ACT-SGL-SUB — CAT_SGL_SUB_4503 — DLSC-V — F CHAR 30
DOD CATALOG ACTION SINGER SUBMITTER
THIS FIELD CONTAINS ONE (1) OR MORE ACTIVITY CODE (S) IN A STRING IN FLIS PROCEDURES (DOD 4100.39) VOL 10 TABLE 26. THIS FIELD MAY ALSO BE USED FOR COMMENTS SUCH AS SEE NOTE #.

4504 FSC-MOE-RL-CHG-IND-CD-TI — FSC_M_RL_C_TI_4504 — DLSC-V — F CHAR 9
FSC MOE RULE CHANGE INDICATOR CODE TITLE
THIS FIELD CONTAINS THE SINGLE WORD TITLE FOR THE FSC-MOE-RULE-CHNG-IND (DRN 0122) IN FLIS PROCEDURES (DOD 4100.39) VOL 10 TABLE 166.

4505 DRP-NOTIF-OR-MAINT-IND — DRP_N_OR_M_4505 — DLSC-V — F CHAR 1
DROP NOTIFICATION OR MAINTENANCE INDICATOR
THIS FIELD CONTAINS A SINGLE CHARACTER INDICATOR N FOR NOTIFICATION M FOR MAINTENANCE AND SUPPORT FLIS PROCEDURES (DOD 4100.39) VOL 10 TABLE 104 PART 3.

4506 AUTH-INTEROG-SUB — AUTH_INT_SUB_4506 — DLSC-V — F CHAR 30
AUTHORIZED INTERROGATION SUBMITTER
THIS FIELD CONTAINS ONE (1) OR MORE ACTIVITY CODE (S) IN A STRING IN FLIS PROCEDURES (DOD 4100.39) VOL 10 TABLE 26. THE FIELD MAY ALSO BE USED FOR COMMENTS SUCH AS SEE NOTE #.

4507 AUTH-FL-UPDT-RCVRS — AUTH_UPD_RCVR_4507 — DLSC-V — F CHAR 30
AUTHORIZED FILE UPDATE RECEIVERS
THIS FIELD CONTAINS ONE (1) OR MORE ACTIVITY CODE (S) IN A STRING IN DLIS PROCEDURES (DOD 4100.39) VOL 10 TABLE 20. THIS FIELD MAY ALSO BE USED FOR COMMENTS SUCH AS SEE NOTE #.

4508 SEG-IP-TRAN — SEG_IP_TRAN_4508 — DLSC-SBA — F CHAR 80
SEGMENT INPUT TRANSACTIONS
SEGMENT-RELATED INPUT TRANSACTION FORMATTED AS EXTERNAL INPUT.

4511 FMT-REMARKS — FMT_REMARKS_4511 — DLSC-V — V VARCHAR 200
FORMAT REMARKS
REFERENCE NUMBER FORMAT CRITERIA FOR SPECIFIC CAGEs (DLIS VOL 10.4.21) REMARKS.

4513 AAT-LBL-ID-ACCESS — AAT_LID_ACES_4513 — DLSC-VOL — F CHAR 1
AMLS ACCESS TABLE LABEL ID ACCESS CODE
AUTOMATED MAILING LABEL SYSTEM USERS LABEL ID ACCESS CODE. IF VALUE = I USER CAN ONLY PERFORM INQUIRIES ON THE CORRESPONDING LABEL ID DATA. IF VALUE = U, USER CAN PERFORM INQUIRIES AND UPDATES.

4514 AMLS-LBL-ID-ACCESS — AMLS_LID_ACES_4514 — DLSC-V — F CHAR 1
AUTOMATED MAILING LABEL SYSTEM LABEL ID ACCESS CODE
ACCESS TYPE CODE FOR MAILING LABEL SYSTEM USERS BASE LABEL DATA. IF CODE = I USER CAN INQUIRE ON DATA. IF CODE = U USER CAN INQUIRE AND UPDATE DATA.

4518 ROW-NBR — ROW_NBR_4518 — DLSC-V — F INTEGER 5

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

ROW NUMBER

THIS FIELD CONTAINS A NUMBER WHICH IS USED TO ORDER THE ROWS OR LINES OF TEXTUAL DATA FROM TEXT TABLE.

4519 TEXT-LINE TEXT_LINE_4519 DLSC-V F CHAR 78

TEXTUAL LINE

THIS FIELD CONTAINS A FORMATTED LINE OF TEXT FROM A TEXT TABLE.

4521 AIR-SP-HDLG-PT-1 AIR_S_HDLG_P1_4521 DLSC-S F CHAR 1

AIR SPECIAL HANDLING PART 1

THIS FIELD CONTAINS ONE OF THE SECOND POSITIONS (AIR SPECIAL HANDLING CODE) AUTHORIZED IN PART 1 OF TABLE 85 (FLIS PROCEDURES VOL 10).

4522 AIR-SP-HDLG-SUB-1 AIR_S_HDLG_S1_4522 DLSC-S F CHAR 1

AIR SPECIAL HANDLING SUB 1

THIS FIELD CONTAINS THE KEY CODE FOR THE FIRST SUBGROUP OF PART 1 (SECOND POSITION AIR SPECIAL HANDLING CODES).

4523 AIR-SP-HDLG-SUB-2 AIR_S_HDLG_S2_4523 DLSC-S F CHAR 1

AIR SPECIAL HANDLING SUB 2

THIS FIELD CONTAINS THE KEY CODE FOR THE SECOND SUBGROUP OF PART 1 (SECOND POSITION AIR SPECIAL HANDLING CODES).

4524 AIR-SP-HDLG-PT-2 AIR_S_HDLG_P2_4524 DLSC-S F CHAR 1

AIR SPECIAL HANDLING PART 2

THIS FIELD CONTAINS ONE OF THE SECOND POSITIONS (AIR SPECIAL HANDLING CODE) AUTHORIZED IN PART 2 OF TABLE 85 (FLIS PRCEDURES VOL 10).

4528 DLIS-SEG-NOTE1 SEG_NOTE_NBR1_4528 DLSC-V F SMALLINT 4

DLIS SEGMENT NOTE NUMBER1

THIS FIELD CONTAINS A PRIMARY NOTE NUMBER REFERENCE TO NOTE AT THE BOTTOM OF THE PRINTED TABLE IN FLIS PROCEDURES (DOD 4100.39) VOL 8 AND 9.

4529 DLIS-SEG-NOTE2 SEG_NOTE_NBR2_4529 DLSC-V F SMALLINT 4

DLIS SEGMENT NOTE NUMBER2

THIS FIELD CONTAINS A SECONDARY NOTE NUMBER REFERENCE TO A NOTE AT THE BOTTOM OF THE PRINTED TABLE IN FLIS PROCEDURES (DOD 4100.39) VOL 8 AND 9.

4531 RPDMRC-KFP-FU-IND RPDMRC_FU_IND_4531 DLSC-SBA F CHAR 1

RPDMRC KFP FOLLOW UP INDICATOR

THIS IS A NUMERIC 1 POSITION INDICATOR. IT IS USED TO TELL THE PROGRAM LOGIC WHEN THE 2ND, AND FINAL, KFP IS GOING OUT. WITHOUT THIS INDICATOR THE PROGRAM LOGIC WILL NOT KNOW WHEN IF TO PROCESS THE 2ND, AND FINAL, RPDMRC KFP. THIS IS AN ADDITION THAT PERTAINS TO THE RPDMRC FOLLOW UP TABLE. FOR THE 1ST KFP IT MAY CONTAIN A VALUE OF 0 OR 1. FOR THE 2ND KFP IT MAY CONTAIN ONLY A VALUE OF 2.

4532 RPDMRC-KFP-FU-DT RPDMRC_FU_DT_4532 DLSC-SBA F DATE 7

RPDMRC KFP FOLLOW UP DATE

THIS IS A NUMERIC 7 POSITION JULIAN DATE. IT IS USED IN CONJUNCTION WITH A NIIN (NCB_CD_4130 AND I_I_NBR_4131) TO ESTABLISH A SPECIFIC DATE WHEN A KFP NEEDS TO BE SENT TO THE MANAGER OF THE NIIN. IT IS ESTABLISHED WHEN A FLIS INPUT TRANSACTION REQUESTS THE ASSIGNMENT OF A NEW NIIN WITH A RPDMRC CODE (DRN 4765) OF 5, AND A NIIN IS ASSIGNED. THE TABLE CONTAINING THIS DATA ELEMENT MUST BE LOADED BY THE PROGRAM LOGIC THAT PROCESSES AND APPROVES REQUESTS FOR NEW NIINS. NOTE: IF YOU WANT TO SWITCH THE ABRV NAME AND THE ALIAS IT IS OK.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	FORMAT FV	FORMAT TYPE	FORMAT LG
CLEAR TEXT HOST/COBOL NAME						
DRN DEFINITION						
4535	SIN-MULT-OP-CD	SIN_MLT_OP_CD_4535	DLSC-SBA	F	CHAR	1
SINGLE/MULTIPLE OUTPUT CODE						
A CODE TO INDICATE THAT NOTIFICATION OF NATIONAL STOCK NUMBER FOUND THROUGH PROVISIONING SCREENING OR ASSIGNED TO NEW ITEM IDENTIFICATION IS TO BE FURNISHED TO ONE/SINGLE OUTPUT/OR MORE THAN ONE/MULTIPLE OUTPUT/ACTIVITY. INCLUDES GOVERNMENT AND CONTRACTOR ACTIVITIES. SEE VOLUME 10, TABLE 11 AND QUICK INFO ON-LINE.						
4538	DATA-OVRD-CD	DATA_OVRD_CD_4538	DLSC-SC	F	CHAR	1
DATA OVERRIDE CODE						
A CODE UTILIZED IN A DELETE TRANSACTION TO PERMIT DELETION OF A COMPLETE ORGANIZATIONAL ENTITY RECORD FROM THE SYSTEM SUPPORT RECORD WHEN THE DATA IS PROTECTED BY A DATA PROTECT CODE /DRN 4539/.						
4539	DATA-PROT-CD	DATA_PROT_CD_4539	DLSC-SC	F	CHAR	1
DATA PROTECT CODE						
A CODE USED TO INDICATE THAT AN ORGANIZATIONAL ENTITY RECORD CANNOT BE DELETED WITHOUT THE PRESENCE OF A DATA-OVER-RIDE CODE /DRN 4538/ IN THE INPUT TRANSACTION. VALID VALUES: P = PROTECTED, BLANK = NOT PROTECTED.						
4540	DELT-RSN-CD	DELT_RSN_CD_4540	DLSC-SBA	F	CHAR	1
DELETION REASON CODE						
A CODE IDENTIFYING THE PROGRAM OR FUNCTION TO BE CREDITED FOR DELETION OF A MOE RULE AND CANCELLATION TYPE ACTION. SEE VOLUME 10, TABLE 25 AND QUICK INFO ON-LINE.						
4541	GIRDER-CD-NEW-1	GRDR_CD_NW_1_4541	DLSC-SBA	F	CHAR	2
GIRDER CODE NEW NUMBER 1						
A GIRDER CODE SUPPLIED BY THE MANUFACTURER TO DENOTE THE PROCESSING REQUIRED FOR THE ITEM. ONE OF TWO CODES USED IN COMBINATION.						
4542	GIRDER-CD-NEW-2	GRDR_CD_NW_2_4542	DLSC-SBA	F	CHAR	2
GIRDER CODE NEW NUMBER 2						
A GIRDER CODE SUPPLIED BY THE MANUFACTURER TO DENOTE THE PROCESSING REQUIRED FOR THE ITEM. SECOND OF TWO CODES USED IN COMBINATION.						
4543	GIRDER-SEQ-NBR	GRDR_SEQ_NBR_4543	DLSC-SBA	F	INTEGER	7
GIRDER RECORD SEQUENCE NUMBER						
DATA RETRIEVAL, GIRDER PROCESS SEQUENTIAL NUMBER USED TO MAINTAIN THE SEQUENCE OF RECORDS WITHIN THE TABLE.						
4544	GIRDER-NEW-CAGE-CD	GRDR_NW_CG_CD_4544	DLSC-SBA	F	CHAR	5
GIRDER NEW CAGE CODE						
A CAGE CODE SUPPLIED BY THE MANUFACTURER TO CHANGE THE EXISTING CAGE FOR AN ITEM IN THE GIRDER PROCESS.						
4545	GIRDER-NEW-REF-NBR-LOG	GRDR_NW_RN_LG_4545	DLSC-SBA	F	CHAR	32
GIRDER NEW REFERENCE NUMBER LOGISTICS						
A REFERENCE NUMBER SUPPLIED BY THE MANUFACTURER TO BE USED IN THE TRANSACTIONS CREATED FOR THE SUBMITTED ITEM.						
4546	GIRDER-MFR-DATA	GRDR_MFR_DATA_4546	DLSC-SBA	F	VARCHAR	100
GIRDER MANUFACTURER SUPPLIED DATA						
DATA SUPPLIED BY THE MANUFACTURER TO BE USED IN THE GIRDER PROCESS.						
4547	GIRDER-DUP-PROTECTED	GRDR_DUP_PROT_4547	DLSC-SBA	F	CHAR	83
GIRDER DUPLICATE COPY PROTECTED DATA						

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

DATA USED IN THE GIRDER PROCESS THAT EXISTS ON THE DUPLICATE COPY FILE AND MAY NOT HAVE ANY CHANGES IN THE GIRDER-MFR-PROTECTED AREA.

4548 GIRDER-MFR-PROTECTED GRDR_MFR_PROT_4548 DLSC-SBA F CHAR 83
GIRDER MANUFACTURER PROTECTED DATA
RECORD IDENTIFICATION DATA USED IN THE GIRDER PROCESS. THE DATA MAY NOT BE ALTERED BY THE MANUFACTURER. GIRDER-DUP-PROTECTED IS USED TO VERIFY THAT NO CHANGES HAVE BEEN MADE.

4549 PRIM-DIC PRIM_DIC_4549 DLSC-SBA F CHAR 3
PRIMARY DOCUMENT IDENTIFIER CODE
IDENTIFIES A PRIMARY INPUT TRANSACTION TO THE SYSTEM WHEN MULTIPLE TRANSACTIONS ARE SUBMITTED UNDER THE SAME DOCUMENT NUMBER.

4551 BUL-BRD-GEN-DT BB_GEN_DT_4551 DLSC-V F INTEGER 9
BULLETIN BOARD GENERATED DATE
DATE THE PROCEDURES INQUIRY BULLETIN IS GENERATED.

4552 BUL-BRD-SEQ-NBR BB_SEQ_NBR_4552 DLSC-V F CHAR 2
BULLETIN BOARD SEQUENCE NUMBER
SEQUENCE NUMBER TO UNIQUELY IDENTIFY THE PROCEDURES INQUIRY BULLETIN IF MORE THAN ONE TEXT OF BULLETIN BOARD IS NEEDED.

4553 BUL-BRD-AREA-TO-ID BB_AREA_TO_ID_4553 DLSC-V F CHAR 10
BULLETIN BOARD AREA TO IDENTIFICATION
AREA THE PROCEDURES INQUIRY BULLETIN PERTAINS TO.

4554 BUL-BRD-AREA-FRM-ID BB_AREA_FM_ID_4554 DLSC-V F CHAR 10
BULLETIN BOARD AREA FROM IDENTIFICATION
AREA THE PROCEDURES INQUIRY BULLETIN IS COMING FROM.

4555 BUL-BRD-SUBJ-NM BB_SUBJ_NM_4555 DLSC-V V VARCHAR 70
BULLETIN BOARD SUBJECT NAME
SUBJECT OF THE PROCEDURES INQUIRY BULLETIN.

4556 BUL-BRD-TXT BB_TXT_4556 DLSC-V V VARCHAR 4004
BULLETIN BOARD TEXT
THE TEXT OF THE PROCEDURES INQUIRY BULLETIN.

4557 RTN-CD-DRN-CMNT RTN_CD_DRN_CM_4557 DLSC-V F CHAR 11
RETURN CODE DRN COMMENT
THIS FIELD IS USED FOR SPECIAL DRN COMMENTS WHICH DEPEND ON RETURN CODE FOR FLIS PROCEDURES (DOD 4100.39) VOL 10, TABLE 10.2.

4558 COG-CD-CMNT-NVY COG_CD_NV_CM_4558 DLSC-V F CHAR 50
COGNIZANCE CODE COMMENT NAVY
THIS FIELD IS USED FOR SPECIAL COMMENTS RELATING TO A NAVY COGNIZANCE CODE IN FLIS PROCEDURES (DOD 4100.39) VOL 10, TABLE 111.

4559 RTN-CD-CMNT RTN_CD_CMMT_4559 DLSC-V F CHAR 1

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

RETURN CODE COMMENT
THIS FIELD IS USED TO IDENTIFY WHICH SPECIAL COMMENT IS APPLICABLE FROM FLIS PROCEDURES (DOD 4100.39) VOL 10, TABLE 10.2.

4562 OLD-DAI — DLSC-V — F — 25
OLD DATA ASSET IDENTIFIER
THIS DATA ELEMENT IS USED IN AN UPDATE MEDALS TRANSACTION TO CHANGE THE DAI. IT IDENTIFIES THE DATA ASSET IDENTIFIER (DRN 2631) WHICH IS TO BE CHANGED.

4564 TMSTMP1 — TMSTMP1_4564 — DLSC-V — F — TIMESTMP — 26
TIME STAMP 1
TIME STAMP USED AS PART KEY TO DIFFERENTIATE YYYY - YEAR IDENTICAL ROWS IN A DB2 TABLE. MM - MONTH YYYY-MM-DD-HH.MM.SS.NNNNNN DD - DAY EXAMPLE: 1990-10-27-03.30.00 HH - HOUR MM - MINUTES SS - SECONDS NN - MICROSECONDS

4571 MASS-CHNG-INC — MC_INC_4571 — DLSC-SC — F — CHAR — 5
MASS CHANGE DATABASE ITEM NAME CODE
A DATA FIELD UNIQUE UNTO THE FIIG REVISION MASS CHANGE APPLICATION THAT IS USED AS A CONVEYANCE TO UPDATE THE PROGRESSION OF AN ITEM NAME CODE. THE PROGRESSION MAY BE CAUSED EITHER BY BEING A REPLACEMENT FOR AN ALREADY EXISTING ITEM NAME CODE OR MIGRATING FROM ONE FIIG TO ANOTHER.

4572 MASS-CHNG-CHAR-TMSTMP — MC_CDG_TMSTMP_4572 — DLSC-SC — F — DATE — 10
MASS CHANGE TIME CHARACTERISTICS DATA GROUP
A DATA FIELD UNIQUE UNTO THE FIIG REVISION MASS CHANGE APPLICATION THAT IS USED AS A KEY TO ALLOW ACCESS AND UPDATE OF A REPLY AND OTHER ASSOCIATED DATA ELEMENTS TO A PARTICULAR NIIN. THIS IS AN IBM TIMESTAMP FIELD.

4573 MASS-CHNG-LGG-TMSTMP — MC_LGG_TMSTMP_4573 — DLSC-SC — F — DATE — 10
MASS CHANGE DEFENSE LOGISTICS TIME LOG
A DATA FIELD UNIQUE UNTO THE FIIG REVISION MASS CHANGE APPLICATION THAT IS USED FOR RESTORATION AND BROWSE PURPOSES. THIS DATA FIELD IS THE KEY ELEMENT THAT ALLOWS THE USER TO BROWSE A PAST MASS CHANGE CRITERIA STATEMENT APPLIED TO A PARTICULAR NIIN. ADDITIONALLY, THIS ELEMENT IS THE KEY TO RESTORING ANY LGG TRANSACTION THAT FALLS WITHIN THE PREDEFINED RESTORATION TIMEFRAME. THIS IS AN IBM TIMESTAMP FIELD.

4574 MASS-CHNG-GDE-NBR-FIIG — MC_FIIG_4574 — DLSC-SC — F — CHAR — 6
MASS CHANGE GUIDE NUMBER FEDERAL ITEM IDENTIFICATION GUID
A DATA FIELD UNIQUE UNTO THE FIIG REVISION MASS CHANGE APPLICATION THAT IS USED AS A CONVEYANCE TO UPDATE THE PROGRESSION OF A FIIG FROM TEST (A T FIIG) TO PRODUCTION (AN A FIIG) OR THE ESTABLISHMENT OF AN ENTIRELY NEW FIIG DUE TO GROWTH DEMANDS THAT NECESSITATES ITS SUBDIVISION. THE COMPLETE DESCRIPTION OF THE (MOTHER) FIIG IS DEFINED IN DRN 4065.

4575 MASS-CHNG-CDG — MC_CDG_4575 — DLSC-SC — V — VARCHAR — 1005
MASS CHANGE CHARACTERISTICS DATA GROUP
A DATA FIELD UNIQUE UNTO THE FIIG REVISION MASS CHANGE APPLICATION THAT IS USED AS A REPOSITORY FOR INFORMATION AS IT AFFECTS A PARTICULAR NIIN. COMPONENTS OF THIS ELEMENT INCLUDE SECONDARY ADDRESS INDICATOR (DRN 9485), SECONDARY ADDRESS CODE (DRN 8990), MODE CODE (DRN 4735), AND REPLY (DRN 4128).

4581 INTRNL-EXTRNL-IND — IN_EX_IND_4581 — DLSC-V — F — CHAR — 1
INTERNAL EXTERNAL INDICATOR
THIS FIELD CONTAINS A SINGLE CHARACTER INDICATOR. I FOR INTERNAL E FOR EXTERNAL THE PRIMARY USE OF THIS FIELD IS WITH THE DIC INFORMATION TABLES TO INDICATE INTERNAL AND EXTERNAL IN FLIS PROCEDURES (DOD 4100.39) VOL 11.

4582 BSC-CMB-IMM-IND — BSC_CM_IM_IND_4582 — DLSC-V — F — CHAR — 1

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

BASIC COMBINATION OR INTEGRATED MATERIAL MANAGER INDICATO

THIS FIELD WILL CONTAIN A SINGLE CHARACTER INDICATOR. B FOR BASIC C FOR COMBINATION I FOR IMM OR INTEGRATED MATERIAL MANAGER THE PRIMARY USE OF THIS FIELD IS WITH THE DIC INFORMATION TABLE TO INDICATE BASIC OR COMBINATION IN FLIS PROCEDURES (DOD 4100.39) VOL 11.

4583 EDT-VAL-CRIT-EXPL ED_VAL_CRI_EX_4583 DLSC-V V VARCHAR 1400

EDIT VALIDATION CRITERIA EXPLANATION

THIS FIELD CONTAINS A VARIABLE LENGTH NARRATIVE OF THE EDIT VALIDATION CRITERIA FOR A GIVEN DRN AND RETURN CODE AS DISCUSSED IN FLIS PROCEDURES (DOD 4100.39) VOL 11.

4584 FILE-VAL-IND FILE_VAL_IND_4584 DLSC-V F CHAR 1

FILE VALIDATION INDICATOR

THIS FIELD MAY BE BLANK OR CONTAIN AN F. THE PRESENCE OF AN F INDICATES THAT THE INPUT DATA ELEMENT FIELD IDENTIFIED BY THE DRN IS VALIDATED AGAINST THE DATA ELEMENT FIELD STORED IN THE DATA BASE AS DEFINED IN FLIS PROCEDURES (DOD 4100.39) VOL 11.

4591 IN-OR-OUT-IND I_OR_O_IND_4591 DLSC-V F CHAR 3

INPUT OR OUTPUT INDICATOR

USED TO INDICATE INPUT (WITH I) OR OUTPUT (WITH O).

4592 MIN-LGTH MIN_LGTH_4592 DLSC-V F SMALLINT 4

MINIMUM LENGTH

THIS FIELD CONTAINS A NUMBER AND WILL BE KNOWN AS THE MINIMUM NUMBER OF CHARACTERS FOR A FIELD (DATA ELEMENT, SEGMENT, DIC). THIS FIELD SUPPORTS FLIS PROCEDURES (DOD 4100.39) VOL 9 CHAPTER 4.

4593 MAX-LGTH MAX_LGTH_4593 DLSC-V F SMALLINT 4

MAXIMUM LENGTH

THIS FIELD CONTAINS A NUMBER AND WILL BE KNOWN AS THE MAXIMUM NUMBER OF CHARACTERS FOR A FIELD (DATA ELEMENT, SEGMENT, DIC). THIS FIELD SUPPORTS FLIS PROCEDURES (DOD 4100.39) VOL 9 CHAPTER 4.

4594 REPT-SEG-IND REPT_SEG_IND_4594 DLSC-V F CHAR 1

REPEATING SEGMENT INDICATOR

THIS FIELD INDICATES WHETHER MULTIPLES OF THE SAME SEGMENT MAY BE PRESENT (WITH Y FOR YES AND N FOR NO). THIS FIELD SUPPORTS FLIS PROCEDURES (DOD 4100.39) VOL 9 CHAPTER 4.

4595 MAX-OCUR MAX_OCURS_4595 DLSC-V F SMALLINT 4

MAXIMUM OCCURRENCES

THIS FIELD CONTAINS A NUMBER AND WILL BE KNOWN AS THE MAXIMUM NUMBER OF TIMES THAT PARTICULAR FIELD (DATA ELEMENT, SEGMENT, DIC) MAY BE REPEATED. THIS FIELD SUPPORTS FLIS PROCEDURES (DOD 4100.39) VOL 9 CHAPTER 4.

4596 TOT-MAX-LGTH TOT_MAX_LGTH_4596 DLSC-V F INTEGER 7

TOTAL MAXIMUM LENGTH

THIS FIELD CONTAINS A NUMBER AND WILL BE THE TOTAL MAXIMUM NUMBER OF CHARACTERS FOR A FIELD (DATA ELEMENT, SEGMENT, DIC) WITH REPEATING SUBFIELDS. THIS FIELD SUPPORTS FLIS PROCEDURES (DOD 4100.39) VOL 9 CHAPTER 4.

4605 I-S-IND-AR DLSC-V F 1

I & S INDICATOR CODE ARMY

A CODE EMPLOYED BY THE ARMY TO INDICATE THAT AN ADDITIONAL ITEM RELATIONSHIP FOR AN ITEM LISTED IN AN ARMY MANAGEMENT DATA LIST (MDL). PUBLICATION IS CONTAINED IN THE ARMY MASTER DATA FILE (AMDF).

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

4621 DLSC-ONLY-IND — DLSC_ONLY_IND_4621 — DLSC-V — F CHAR 1

DLSC ONLY INDICATOR

THIS FIELD CONTAINS AN INDICATOR X = DLSC. ONLY THE FIELD WILL CONTAIN ONLY AN X OR A BLANK USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 105.

4622 I-I-DATA-IND — I_I_DATA_IND_4622 — DLSC-V — F CHAR 1

ITEM IDENTIFICATION DATA INDICATOR

THIS FIELD CONTAINS AN INDICATOR X = ITEM IDENTIFICATION DATA AS DISTINGUISHED FROM SUPPORT DATA. THIS FIELD WILL CONTAIN ONLY AN X OR BLANK USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 105.

4623 SUPT-DATA-IND — SUPT_DATA_IND_4623 — DLSC-V — F CHAR 1

SUPPORT DATA INDICATOR

THIS FIELD CONTAINS AN INDICATOR X = SUPPORT DATA AS DISTINGUISHED FROM ITEM IDENTIFICATION DATA THIS FIELD WILL CONTAIN ONLY AN X OR BLANK USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 105.

4624 MAND-SEG-STNG — MAND_SEG_STNG_4624 — DLSC-V — F CHAR 30

MANDITORY SEGMENT STRING

THIS FIELD CONTAINS A STRING OF SEGMENT IDENTIFIERS WHICH ARE CONSIDERED MANDATORY USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 105.

4625 OPTNL-SEG-STNG — OPTL_SEG_STNG_4625 — DLSC-V — F CHAR 30

OPTIONAL SEGMENT STRING

THIS FIELD CONTAINS A STRING OF SEGMENT IDENTIFIERS WHICH ARE CONSIDERED OPTIONAL USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 105.

4626 CTGY-DIC-CMNT — CTGY_DIC_CMNT_4626 — DLSC-SBA — V VARCHAR 50

CATEGORY DIC COMMENT

COMMENT PERTAINING TO A PARTICULAR COMBINATION OF CATEGORY AND DIC USED IN SUPPORT OF FLIS PROCEDURES (DOD 4100.39-M) VOL 10 TABLE 104 PART 2.

4645 LMT-DIST-CD — LMT_DIST_CD_4645 — DLSC-SBA — F CHAR 1

LIMITED DISTRIBUTION CODE

A ONE DIGIT CODE WHICH CONTROLS THE DISTRIBUTION OF FILE DATA TO ACTIVITIES AUTHORIZED TO RECEIVE THE DATA BASED ON SPECIAL CONDITIONS INVOLVING PARTICULAR FILE DATA FOR WHICH DISTRIBUTION RESTRICTIONS ARE APPLICABLE. SEE VOLUME 10, TABLE 26 AND QUICK INFO ON-LINE.

4672 SVC-AGCY-DESI-CD — SADC_4672 — DLSC-SB — F CHAR 2

SERVICE/AGENCY DESIGNATOR CODE (SADC)

A CODE DESIGNATING THE MILITARY SERVICE OR AGENCY THAT MADE A DECISION TO RELATE A LOGISTICS REFERENCE NUMBER TO A NATIONAL STOCK NUMBER EVEN THOUGH THERE IS NO DIRECT RELATIONSHIP OF THE REFERENCE NUMBER TO THE NSN OTHER THAN A CROSS-REFERENCE THAT THE NSN WAS ACCEPTED AS A SUBSTITUTE FOR THE ITEM IDENTIFIED BY THE REFERENCE NUMBER. SEE VOLUME 10, TABLE 154 AND QUICK INFO ON-LINE.

4675 MCFCH-FRME-NBR — DLSC-V — F 3

MICROFICHE FRAME NUMBER

AN ALPHANUMERIC NUMBER PROVIDED ON EACH FRAME OF A MICROFICHE FOR SEQUENCING AND CONTROL PURPOSES, E.G., A01, A02.

4690 OP-DATA-RQST-CD — ODRC_4690 — DLSC-SBA — F CHAR 4

OUTPUT DATA REQUEST CODE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A CODE SUBMITTED WITH A TRANSACTION TO INDICATE WHAT TYPE OF DATA THE SUBMITTER, ORIGINATOR OR THE USER REQUIRES, E.G. REFERENCE DATA, MANAGEMENT DATA, DESCRIPTIVE DATA, ETC. SEE VOLUME 10, TABLES 28 AND 30 AND QUICK INFO ON-LINE.

4691 FRST-LOLA-OVERNIGHT-ODRC FIRST_ODRC_4691 DLSC-VOA F CHAR 4
FIRST LOLA OVERNIGHT OUTPUT DATA REQUEST CODE
THE FIRST POSSIBLE ODRC IDENTIFIED THAT EQUALS THE CLOSEST MATCH TO THE SEGMENT SELECTIONS MADE BY THE LOLA USER.

4692 SECN-LOLA-OVERNIGHT-ODRC SECOND_ODRC_4692 DLSC-VOA F CHAR 4
SECOND LOLA OVERNIGHT OUTPUT DATA REQUEST CODE
THE SECOND POSSIBLE ODRC IDENTIFIED THAT EQUALS THE CLOSEST MATCH TO THE SEGMENT SELECTIONS MADE BY THE LOLA USER. THE SELECTIONS WILL ACCEPT UP TO 3 ODRCS.

4693 THRD-LOLA-OVERNIGHT-ODRC THIRD_ODRC_4693 DLSC-VOA F CHAR 4
THIRD LOLA OVERNIGHT OUTPUT DATA REQUEST CODE
THE THIRD POSSIBLE ODRC IDENTIFIED THAT EQUALS THE CLOSEST MATCH TO THE SEGMENT SELECTIONS MADE BY THE LOLA USER. THE SELECTIONS WILL ALLOW UP TO 3 ODRCS.

4694 LOLA-OVERNIGHT-SEG-VAL SEG_VALUES_4694 DLSC-VOA F CHAR 15
LOLA OVERNIGHT DLIS SEGMENT VALUES IDENTIFIER
THE POSSIBLE COMBINATIIONS OF DLIS SEGMENTS A LOLA USER COULD INPUT.

4695 LOLA-OVERNIGHT-TRAN-DT TRANS_DT_4695 DLSC-VOA F DATE 7
LOLA OVERNIGHT TRANSACTION DATE
THE SPECIFIC DAY ON WHICH THE LOLA OVERNIGHT TRANSACTIONS ARE SENT TO DATA RETRIEVAL FOR PROCESSING. FORMAT IS CCYYDDD.

4696 LOLA-OVERNIGHT-LSN-LTI LSN_LTI_RMDR_4696 DLSC-VOA F CHAR 57
LOLA OVERNIGHT LSN LTI REMAINDER
THE REMAINDER OF THE LSN OR LTI TRANSACTION THE LOLA OVERNIGHT PROCESS SENDS TO TM FOR PROCESSING BY DATA RETRIEVAL.

4720 ASTS-AVLB-CD DLSC-SB F 1
ASSETS AVAILABILITY CODE
A CODE REFLECTED IN THE PROVISIONING SCREENING OUTPUT DATA INDICATING WHETHER OR NOT ASSETS WERE REVEALED. A CODE OF 1 INDICATES ASSETS ARE AVAILABLE. A CODE OF 2 INDICATES THAT ASSETS ARE NOT AVAILABLE.

4735 MODE-CD MODE_CD_4735 DLSC-SC F CHAR 1
MODE CODE
A DATA FIELD IN THE MASTER REQUIREMENT DIRECTORY (MRD) WHICH REFLECTS THE PERMISSIBLE MODE CODE FOR A SPECIFIC MASTER REQUIREMENT CODE (MRC). THIS CODE INDICATES THE TYPE AND FORMAT OF A REPLY TO BE GIVEN TO THE MRC. VALID MODE CODES ARE A, B, D, F, G, H, J AND L.

4760 RAIL-VARI-CD RAIL_VARI_CD_4760 DLSC-SB F CHAR 1
RAIL VARIATION CODE
A CODE /NUMERIC 1/ TO INDICATE THAT A VARIANCE EXISTS BETWEEN THE NATIONAL MOTOR FREIGHT CLASSIFICATION CODE AND THE UNIFORM FREIGHT CLASSIFICATION CODE DESCRIPTIONS, REQUIRING THE ACTIVITY TO MAKE A DETERMINATION AS TO WHICH DESCRIPTION APPLIES.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	FORMAT FV	TYPE	LG
CLEAR TEXT HOST/COBOL NAME						
DRN DEFINITION						

4765 RPDMRC RPDMRC_4765 DLSC-SBA F CHAR 1
REFERENCE/PARTIAL DESCRIPTIVE METHOD REASON CODE (RPDMRC)
THE REFERENCE OR PARTIAL DESCRIPTIVE METHOD REASON CODE /RPDMRC/ IS USED TO JUSTIFY A REFERENCE TYPE OR PARTIAL DESCRIPTIVE TYPE ITEM IDENTIFICATION SUBMITTAL FOR NATIONAL ITEM IDENTIFICATION NUMBER /NIIN/ ASSIGNMENT OR REINSTATEMENT OF A NIIN. SEE VOLUME 10, TABLE 3 AND QUICK INFO ON-LINE.

4780 RNVC RNVC_4780 DLSC-SBA F CHAR 1
REFERENCE NUMBER VARIATION CODE (RNVC)
A CODE INDICATING THAT A CITED REFERENCE NUMBER IS OR IS NOT ITEM IDENTIFYING, OR IS FOR INFORMATION ONLY. SEE VOLUME 10, TABLES 7, 31 AND 75 AND QUICK INFO ON-LINE.

4792 CCR-EDI-TRAN-CPBLTY-NM EDI_TRAN_4792 DLSC-SBC F CHAR 20
CENTRAL CONTRACTOR REGISTRATION EDI TRANSACTION CAPABILITY NAME
THE NAME OF THE TYPE OF CAPABILITIES AVAILABLE WHILE USING A SPECIFIC EDI TRANSACTION.

4794 CCR-EDI-CPBLTY-EFF-TM EDI_CPBLTY_TM_4794 DLSC-SBC F CHAR 5
CENTRAL CONTRACTOR REGISTRATION EDI CAPABILITY EFFECTIVE TIME
THE TIME THAT AN EDI CAPABILITY BECAME EFFECTIVE.

4795 CCR-ABA-ROUT-TNST-NBR-ID ABA_ROUT_TNST_4795 DLSC-SBC F CHAR 9
CENTRAL CONTRACTOR REGISTRATION AMERICAN BANKING ASSOCIATION
THE IDENTIFICATION NUMBER THAT REPRESENTS AMERICAN BANKING ASSOCIATION (ABA) ROUTING TRANSIT.

4797 CCR-EFT-ACCT-BNKG-NBR-ID EFT_ACCT_NBR_4797 DLSC-SBC F CHAR 20
CENTRAL CONTRACTOR REGISTRATION EFT ACCOUNT BANKING NUMBER IDENTIFIER
THE IDENTIFIER THAT REPRESENTS THE BANKING NUMBER OF THE ELECTRONIC FUNDS TRANSFER ACCOUNT USED FOR TRANSFERS.

4798 CCR-EFT-TRAN-BNK-ACCT-NM EFT_TRAN_ACCT_4798 DLSC-SBC F CHAR 30
CENTRAL CONTRACTOR REGISTRATION EFT TRANSACTION BANK ACCOUNT NAME
THE NAME OF THE BANK ACCOUNT BEING USED FOR ELECTRONIC FUNDS TRANSFER TRANSACTIONS.

4800 CCR-CNTCT-TYP-CD CCR_CNTCT_TYP_4800 DLSC-SBC F CHAR 2
CENTRAL CONTRACTOR REGISTRATION CONTACT TYPE CODE
A CODE THAT REPRESENTS THE TYPE OF AUTHORITY OF AN ADDITIONAL CONTACT POINT. VALID VALUES ARE: A1 = AUTH FIN CONTACT, A2 = AUTH SIGN, A3 = CERTIFIER, A4 = EDI COORD, A5 = INFO CNTCT, A6 = OWNER, A7 = ACH COORD.

4802 CCR-SM-BUS-AUTH-OFC-NM SM_BUS_OFC_4802 DLSC-SBC F CHAR 50
CENTRAL CONTRACTOR REGISTRATION SMALL BUSINESS AUTHORITY OFFICE NAME
THE NAME OF THE SMALL BUSINESS AUTHORITY OFFICE.

4803 CCR-MIL-SPEC-NBR-ID CCR_SPEC_NBR_4803 DLSC-SBC F CHAR 30
CENTRAL CONTRACTOR REGISTRATION MILITARY SPECIFICATION NUMBER IDENTIFIER
THE IDENTIFIER THAT REPRESENTS MILITARY SPECIFICATION NUMBERS.

4806 CCR-POC-TEL-NBR-ID CCR_POC_TEL_4806 DLSC-SBC F CHAR 30
CENTRAL CONTRACTOR REGISTRATION POINT OF CONTACT TELEPHONE NUMBER IDENTIFIER
THE IDENTIFIER THAT REPRESENTS THE PHONE NUMBER OF THE POINT OF CONTACT FOR CCR REGISTRATION ISSUES.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	FORMAT FV	FORMAT TYPE	FORMAT LG
CLEAR TEXT HOST/COBOL NAME						
DRN DEFINITION						

4807 CCR-POC-NM POC_4807 DLSC-SB F CHAR 35
CENTRAL CONTRACTOR REGISTRATION POINT OF CONTACT NAME
THE NAME OF AN INDIVIDUAL TO WHICH ALL REFERENCES MUST BE MADE FOR A SPECIFIC TYPE OF REQUEST FOR THE REGISTERED PARTY.

4809 CCR-POC-CTY-NM CCR_POC_CTY_4809 DLSC-SBC F CHAR 35
CENTRAL CONTRACTOR REGISTRATION POINT OF CONTACT CITY NAME
THE NAME OF THE CITY OF THE POINT OF CONTACT.

4811 CCR-PSTL-ID CCR_PSTL_4811 DLSC-SBC F CHAR 35
CENTRAL CONTRACTOR REGISTRATION POSTAL IDENTIFIER
THE INTERNATIONAL POSTAL CODE OR, FOR U.S. ADDRESSES, THE 5 OR 9 CHARACTER ZIP CODE.

4813 CCR-CUR-RGSN-STAT-CD CUR_RGSN_STAT_4813 DLSC-SBC F CHAR 1
CENTRAL CONTRACTOR REGISTRATION CURRENT REGISTRATION STATUS CODE
A CODE EXPLAINING THE CURRENT STATUS OF THE REGISTRATION OF A COMPANY. THE VALID VALUES ARE: A=ACTIVE, C=CANCELLED. I=IN-PROCESS.

4820 TYP-OF-II-CD TYP_II_4820 DLSC-SBA F CHAR 1
TYPE OF ITEM IDENTIFICATION CODE
A DESCRIPTION CODE WHICH INDICATES THE TYPE OF FEDERAL ITEM IDENTIFICATION. SEE VOLUME 10, TABLE 2 AND QUICK INFO ON-LINE.

4822 CCR-POC-FAX-NBR-ID POC_FAX_NBR_4822 DLSC-SBC F CHAR 30
CENTRAL CONTRACTOR REGISTRATION POINT OF CONTACT FAX NUMBER IDENTIFIER
THE IDENTIFIER THAT REPRESENTS THE FAX NUMBER OF THE POINT OF CONTACT FOR CCR REGISTRATION ISSUES.

4824 EDI-TRAN-MEDIA-CPBLTY-ID EDI_MEDIA_4824 DLSC-SB CHAR 2
CENTRAL CONTRACTOR REGISTRATION EDI TRANSACTION MEDIA CAPABILITY IDENTIFIER
THE IDENTIFIER THAT REPRESENTS THE EDI SYSTEMS MEDIA CAPABILITY OF THE REGISTERING PARTY FOR GENERATING EDI TRANSACTIONS.

4827 CCR-EDI-SFTWR-VRSN-NM EDI_SFTWR_4827 DLSC-SBC F CHAR 35
CENTRAL CONTRACTOR REGISTRATION EDI SOFTWARE VERSION NAME
THE NAME OF THE EDI SOFTWARE AND VERSION OF THE REGISTERING PARTY.

4829 STD-INDUST-CLAS-SECD-CD SIC_SECD_4829 DLSC-SB F CHAR 4
STANDARD INDUSTRIAL CLASSIFICATION SECONDARY CODE
THE CODE THAT REPRESENTS A FURTHER EXPLANATION OF THE SIC CODE DESCRIPTION.

4833 CCR-RQST-CMPLTD-DT CCR_RQST_CMP_4833 DLSC-SB F CHAR 8
CENTRAL CONTRACTOR REGISTRATION REQUEST COMPLETED DATE
THE DATE A CCR REQUEST WAS COMPLETED BY DLSC AND THE CCR PROCESS. THIS DATE WILL BE USED TO RETURN INFORMATION BACK TO THE OUT-REACH SITES. THE FORMAT IS IN THE FORM OF MM/DD/YY.

4834 CCR-SITE-RQST-STAT-CD RQST_STAT_CD_4834 DLSC-SBC F CHAR 1
CENTRAL CONTRACTOR REGISTRATION SITE REQUEST STATUS CODE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE CODE THAT REPRESENTS THE CURRENT STATUS OF A TRANSACTION REQUEST AFTER BEING INITIATED BY THE OUT-REACH SITE. VALID VALUES: A=REQUEST FOR NEW CAGE, B=UPDATE INFO TO AN EXISTING CAGE, C=CANCEL OF AN EXISTING CAGE CODE, D=VENDOR DEBARRED FROM DOING BUSINESS, E=NEW ASSIGNMENT COMPLETED, F=REQUEST REJECTED(SEE COMMENTS), I=INPROCESS.

4836 CCR-ORG-TYP-CD-DEF-TX CCR_ORG_DEF_4836 DLSC-SB F CHAR 50
CENTRAL CONTRACTOR REGISTRATION ORGANIZATION TYPE CODE DEFINITION TEXT
THE TEXT DEFINING CCR-ORG-TYP-CD (DRN 4374).

4837 CCR-PROD-SVC-TI-TX PROD_SVC_TI_4837 DLSC-SB F CHAR 100
CENTRAL CONTRACTOR REGISTRATION PRODUCT SERVICE TITLE TEXT
THE TEXT OF THE TITLE OF A PRODUCT AND OR SERVICE.

4838 STD-INDUST-CD-TI-TX SIC_TI_4838 DLSC-SB F CHAR 100
STANDARD INDUSTRIAL CODE TITLE TEXT
THE TEXT OF THE TITLE OF A STANDARD INDUSTRIAL CODE.

4840 CCR-FSC-TI-TX CCR_FSC_TI_4840 DLSC-SB F CHAR 100
CENTRAL CONTRACTOR REGISTRATION FEDERAL SUPPLY CLASSIFICATION TITLE TEXT
THE TEXT OF A TITLE WHICH REPRESENTS A FEDERAL SUPPLY CLASSIFICATION (FSC) OF ITEMS WITHIN A FEDERAL SUPPLY GROUP. THIS TITLE IS A TRUNCATED VERSION OF THE FSC_TI_4970 TITLE.

4955 COLLOQ-NM DLSC-SC V 1762
COLLOQUIAL NAME
A COLLOQUIAL NAME IS ANY NAME, OTHER THAN THE APPROVED ITEM NAME, THAT HAS BEEN USED FOR AN ITEM OF SUPPLY FOR WHICH AN APPROVED ITEM NAME HAS BEEN DEVELOPED.

4962 FSC-NOTE FSC_NOTE_4962 DLSC-SC V VARCHAR 1978
FEDERAL SUPPLY CLASSIFICATION NOTE
A CONDENSED OR INFORMAL COMMENT OR EXPLANATION DEFINING THE CONTENT OF A FEDERAL SUPPLY CLASSIFICATION(FSC), AND SPECIFYING WHAT PARTICULAR ITEMS ARE EITHER INCLUDED OR EXCLUDED FROM THE FSC TO ASSIST IN IDENTIFYING AND CLASSIFYING NEW ITEMS OF SUPPLY.

4965 FSG-NOTE FSG_NOTE_4965 DLSC-SC V VARCHAR 1978
FEDERAL SUPPLY GROUP NOTE
A CONDENSED OR INFORMAL COMMENT OR EXPLANATION DEFINING THE CONTENT OF A FEDERAL SUPPLY GROUP /FSG/, AND IDENTIFYING SIMILAR ITEMS WHICH ARE INCLUDED OR EXCLUDED FROM THE FSG TO ASSIST IN IDENTIFYING AND CLASSIFYING NEW ITEMS OF SUPPLY.

4968 FSC-INCL-DIRCT-DATA DLSC-SB V 2004
FEDERAL SUPPLY CLASS INCLUSION DIRECTIVE DATA
A GROUP OF DATA ELEMENTS USED BY THE PROGRAM MANAGER TO INPUT FEDERAL SUPPLY CLASS INCLUSION DIRECTIVE DATA INTO THE SYSTEM SUPPORT RECORD. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

4970 FSC-TI FSC_TI_4970 DLSC-SC V VARCHAR 1978
FEDERAL SUPPLY CLASSIFICATION TITLE
A TITLE WHICH REPRESENTS A NARROW FEDERAL SUPPLY CLASSIFICATION /FSC/ OF ITEMS WITHIN A FEDERAL SUPPLY GROUP /FSG/, E.G. FSG 51 WOULD ENCOMPASS FSC 5110-HAND TOOLS, EDGED, NON-POWERED, FSC 5120-HAND TOOLS, NON-EDGED, NON-POWERED, FSC 5130-HAND TOOLS, POWER DRIVEN, ETC.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

4972 FSG-TI FSG_TI_4972 DLSC-SC V VARCHAR 1978

FEDERAL SUPPLY GROUP TITLE

A TITLE WHICH REPRESENTS A FEDERAL SUPPLY GROUP /FSG/ OF RELATED ITEMS, E.G. FSG 10-WEAPONS, FSG 39-MATERIALS HANDLING EQUIPMENT, FSG 53- HARDWARE AND ABRASIVES, ETC.

4975 KEYWRD-RQMT-STMT DLSC-SC V 110

KEYWORD REQUIREMENT STATEMENT

A VARIABLE LENGTH RECORD WHICH GIVES THE REQUIREMENT STATEMENT /FOR AN ASSIGNED MASTER REQUIREMENT CODE/ ARRANGED IN AN INVERTED MANNER BY THE KEYWORD OF THE STATEMENT. IT WILL BE STORED IN THE MASTER REQUIREMENT DIRECTORY /MRD/ GUIDE AND WILL BE USED IN THE PUBLICATION OF SECTION I OF THE MRD TO ESTABLISH A KWIC INDEX FROM THE KEY WORD OF THE REQUIREMENT STATEMENT TO THE ASSIGNED MASTER REQUIREMENT CODE /MRC/.

4981 DR-ODRC-REC-CD DR_ODRC_REC_4981 DLSC-SBA F CHAR 1

DATA RETRIEVAL ODRC CODE

A CODE USED IN CONJUNCTION WITH THE DIC (DRN 3920) AND OP-DATA-RQST-CD (DRN 4690) TO FORM A UNIQUE KEY TO A TABLE USED TO VALIDATE DATA REQUESTS WITHIN THE DATA RETRIEVAL PROCESS AND SPECIFY SEGMENT OUTPUT REQUIRED FOR THE REQUEST.

4982 DR-SEG-A-CD DR_SEG_A_4982 DLSC-SBA F CHAR 1

DATA RETRIEVAL SEGMENT A CODE

A CODE USED TO DENOTE SEGMENT OUTPUT REQUIRED FOR A REQUESTED OP-DATA-RQST-CD (DRN 4690) AND DIC (DRN 3920) WITHIN THE DATA RETRIEVAL PROCESS.

4983 DR-SEG-B-CD DR_SEG_B_4983 DLSC-SBA F CHAR 1

DATA RETRIEVAL SEGMENT B CODE

A CODE USED TO DENOTE SEGMENT OUTPUT REQUIRED FOR A REQUESTED DIC (DRN 3920) AND OP-DATA-RQST-CD (DRN 4690) WITHIN THE DATA RETRIEVAL PROCESS.

4984 DR-SEG-C-CD DR_SEG_C_4984 DLSC-SBA F CHAR 1

DATA RETRIEVAL SEGMENT C CODE

A CODE USED TO DENOTE SEGMENT OUTPUT REQUIRED FOR A REQUESTED DIC (DRN 3920) AND OP-DATA-RQST-CD (DRN 4690) WITHIN THE DATA RETRIEVAL PROCESS.

4985 DR-SEG-E-CD DR_SEG_E_4985 DLSC-SBA F CHAR 1

DATA RETRIEVAL SEGMENT E CODE

A CODE USED TO DENOTE SEGMENT OUTPUT REQUIRED FOR A REQUESTED DIC (DRN 3920) AND OP-DATA-RQST-CD (DRN 4690) WITHIN THE DATA RETRIEVAL PROCESS.

4986 DR-SEG-F-CD DR_SEG_F_4986 DLSC-SBA F CHAR 1

DATA RETRIEVAL SEGMENT F CODE

A CODE USED TO DENOTE SEGMENT OUTPUT REQUIRED FOR A REQUESTED DIC (DRN 3920) AND OP-DATA-RQST-CD (DRN 4690) WITHIN THE DATA RETRIEVAL PROCESS.

4987 DR-SEG-G-CD DR_SEG_G_4987 DLSC-SBA F CHAR 1

DATA RETRIEVAL SEGMENT G CODE

A CODE USED TO DENOTE SEGMENT OUTPUT REQUIRED FOR A REQUESTED DIC (DRN 3920) AND OP-DATA-RQST-CD (DRN 4690) WITHIN THE DATA RETRIEVAL PROCESS.

4988 DR-SEG-H-CD DR_SEG_H_4988 DLSC-SBA F CHAR 1

DATA RETRIEVAL SEGMENT H CODE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A CODE USED TO DENOTE SEGMENT OUTPUT REQUIRED FOR A REQUESTED DIC (DRN 3920) AND OP-DATA-RQST-CD (DRN 4690) WITHIN THE DATA RETRIEVAL PROCESS.

4989 DR-SEG-M-CD DR_SEG_M_4989 DLSC-SBA F CHAR 1

DATA RETRIEVAL SEGMENT M CODE

A CODE USED TO DENOTE SEGMENT OUTPUT REQUIRED FOR A REQUESTED DIC (DRN 3920) AND OP-DATA-RQST-CD (DRN 4690) WITHIN THE DATA RETRIEVAL PROCESS.

4990 DR-SEG-N-CD DR_SEG_N_4990 DLSC-SBA F CHAR 1

DATA RETRIEVAL SEGMENT N CODE

A CODE USED TO DENOTE SEGMENT OUTPUT REQUIRED FOR A REQUESTED DIC (DRN 3920) AND OP-DATA-RQST-CD (DRN 4690) WITHIN THE DATA RETRIEVAL PROCESS.

4991 DR-SEG-V-CD DR_SEG_V_4991 DLSC-SBA F CHAR 1

DATA RETRIEVAL SEGMENT V CODE

A CODE USED TO DENOTE SEGMENT OUTPUT REQUIRED FOR A REQUESTED DIC (DRN 3920) AND OP-DATA-RQST-CD (DRN 4690) WITHIN THE DATA RETRIEVAL PROCESS.

4992 DR-SEG-Z-CD DR_SEG_Z_4992 DLSC-SBA F CHAR 1

DATA RETRIEVAL SEGMENT Z CODE

A CODE USED TO DENOTE SEGMENT OUTPUT REQUIRED FOR A REQUESTED DIC (DRN 3920) AND OP-DATA-RQST-CD (DRN 4690) WITHIN THE DATA RETRIEVAL PROCESS.

4993 DR-CONTR-LBL-CD-1 DR_CONTR_LBL1_4993 DLSC-SBA F CHAR 1

DATA RETRIEVAL CONTRACTOR TO LABEL CODE 1

A CODE USED WITHIN A TABLE TO DENOTE A SVC-CONTR-IDEN-CD (DRN 0744) THAT WILL RECEIVE MAILING LABELS BASED UPON THE REQUESTED CONTR-LABEL-CD (DRN 0893).

4994 DR-CONTR-LBL-CD-2 DR_CONTR_LBL2_4994 DLSC-SBA F CHAR 1

DATA RETRIEVAL CONTRACTOR TO LABEL CODE 2

A CODE USED WITHIN A TABLE TO DENOTE A SVC-CONTR-IDEN-CD (DRN 0744) THAT WILL RECEIVE MAILING LABELS BASED UPON THE REQUESTED CONTR-LABEL-CD (DRN 0893).

4995 DR-CONTR-LBL-CD-3 DR_CONTR_LBL3_4995 DLSC-SBA F CHAR 1

DATA RETRIEVAL CONTRACTOR TO LABEL CODE 3

A CODE USED WITHIN A TABLE TO DENOTE A SVC-CONTR-IDEN-CD (DRN 0744) THAT WILL RECEIVE MAILING LABELS BASED UPON THE REQUESTED CONTR-LABEL-CD (DRN 0893).

4996 DR-SEG-W-CD DR_SEG_W_4996 DLSC-SBA F CHAR 1

DATA RETRIEVAL SEGMENT W CODE

A CODE USED TO DENOTE SEGMENT OUTPUT REQUIRED FOR A REQUESTED DIC (DRN 3920) AND OP-DATA-RQST-CD (DRN 4690) WITHIN THE DATA RETRIEVAL PROCESS.

5000 ITM-NM DLSC-SC V CHAR 1762

ITEM NAME

A NAME WHICH HAS BEEN SELECTED AND DELIMITED WHERE NECESSARY, TO ESTABLISH A BASIC CONCEPT OF THE ITEM OF SUPPLY TO WHICH THE ITEM BELONGS. IT MAY BE A BASIC NOUN, OR NOUN-PHRASE, FOLLOWED BY THOSE MODIFIERS NECESSARY TO DIFFERENTIATE BETWEEN ITEM CONCEPTS FOR ITEMS HAVING THE SAME BASIC NOUN. (SEE DRN 3308-ITEM NAME TYPE CODE 0).

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5010 APRVD-ITM-NM — DLSC-SC — F — 19

APPROVED ITEM NAME (AIN)

THE FIRST NINETEEN POSITIONS OF THE ITEM NAME WHICH IS INPUT OR OUTPUT IN REQUIRED DD FORM 635 CARD FORMAT. THE BASIC NAME SHALL BE SEPARATED FROM MODIFIERS BY A COMMA. A SPACE SHALL SEPARATE THE WORDS IN A BASIC NOUN PHRASE. HYPHENS SHALL BE REFLECTED BY THE USE OF A DASH /11 PUNCH/.

5015 ITM-NM-DEF-DLIM — ITM_NM_DEF_5015 — DLSC-SC — V — VARCHAR — 1762

ITEM NAME DEFINITION/DELIMITATION

AN ITEM NAME DEFINITION CLEARLY EXPLAINS THE CHARACTERISTICS INVOLVED IN THE ITEM CONCEPT TO WHICH IT APPLIES, AND SERVES TO DISTINGUISH THE ITEM CONCEPT FROM OTHER SIMILAR OR CLOSELY RELATED CONCEPTS. A DELIMITATION IS THE DEMARCATION OF ITEM CONCEPTS INHERENT IN BASIC NAMES AND ITEM NAMES IN ORDER TO DISTINGUISH BETWEEN DIFFERENT ITEM CONCEPTS IN THE SAME NAME OR BETWEEN SIMILAR ITEM CONCEPTS IN DIFFERENT NAMES.

5020 NON-APRVD-ITM-NM — NAIN_5020 — DLSC-SC — F — CHAR — 19

NON-APPROVED ITEM NAME (NAIN)

A NAME APPLIED TO A PROPOSED NEW FEDERAL ITEM IDENTIFICATION OR TO AN ITEM OUTSIDE THE SCOPE OF THE FEDERAL CATALOG PROGRAM WHICH DOES NOT MEET THE CRITERIA FOR AN APPROVED ITEM NAME.

5027 RQMT-STMT-DEF — RQMT_STMT_DEF_5027 — DLSC-SC — V — VARCHAR — 500

REQUIREMENT STATEMENT DEFINITION

A CLEAR TEXT EXPLANATION OF THE MEANING OF THE REQUIREMENT STATEMENT.

5028 SP-NOTA — DLSC-SC — V — 99

SPECIAL NOTATIONS

SPECIAL NOTATIONS INCLUDE VARIOUS TYPES OF DATA, USUALLY IN REVISED ITEM IDENTIFICATIONS, TO INDICATE PREVIOUS STATUS OF DATA WHICH MAY BE HELPFUL TO DD FORM 146 USERS WHEN THE REVISED DD FORM 146 CONTAINS A CHANGE OF ITEM NAME, GUIDE NUMBER, DESCRIPTION PATTERN NUMBER, OR FEDERAL SUPPLY CLASS, OR INDICATES A CHANGE FROM A DIFFERENT TYPE OF ITEM IDENTIFICATION. SUCH INFORMATION IS INCLUDED TO SIMPLIFY LOCATION OF PREVIOUS CARDS OR OTHER RECORDS TO BRING THE FILE OF THE RECEIVING ACTIVITY UP TO DATE.

5037 PHYS-DWG-ID — PHYS_DWG_ID_5037 — DLSC-V — F — CHAR — 8

PHYSICAL DRAWING IDENTIFIER

THE FIELD IN MASTER_DRAW_FILE (816) THAT POINTS TO THE IBM FLAT FILE CONTAINING A PARTICULAR DRAWING. ALSO IN MASTER_DRW_WRK_FLE (817).

5038 NIIN-PSCN-IND — NIIN_PSCN_IND_5038 — DLSC-SB — F — CHAR — 1

NIIN PSCN INDICATOR

INDICATES WHETHER I_I_NBR_4131 IS A NIIN OR PSCN.

5039 DRN-SEQ-NBR — DRN_SEQ_NBR_5039 — DLSC-SB — F — CHAR — 2

DATA RECORD NUMBER SEQUENCE NUMBER

A NUMBER THAT REPRESENTS THE PROPER SEQUENCE FOR A DATA RECORD NUMBER (DRN) WITHIN A SEGMENT OR TRANSACTION.

5060 TYP-NM — DLSC-SC — V — 1762

TYPICAL NAME

A NAME WHICH REPRESENTS A COMMODITY THAT IS INCLUDED IN CATALOGING HANDBOOK H2-2 AS A GUIDE TO PERMIT CLASSIFICATION OF AN ITEM OF SUPPLY. IT MAY BE AN APPROVED ITEM NAME, A BASIC NAME, A COLLOQUIAL NAME, OR MAY BE A GENERIC NAME, AN INVERTED NAME, OR AN APPROVED ITEM NAME WITH MODIFIERS OR OTHER ENTRIES ADDED TO IT TO DELIMIT IT SO THAT CLASSIFICATION BY A FEDERAL SUPPLY CLASSIFICATION (FSC) CAN BE ACCOMPLISHED.

5061 FIIG-DWG-SEQ — FIIG_DWG_SEQ_5061 — DLSC-S — F — SMALLINT — 4

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	FORMAT FV	TYPE	LG
CLEAR TEXT HOST/COBOL NAME						
DRN DEFINITION						

FIIG DRAWING SEQUENCE NUMBER
THIS IS THE SEQUENCE NUMBER FOR A DRAWING AS PLACED IN A FIIG. IT RESIDES IN THE FIIG_DRAWING_DATA TABLE.

5062 FIIG-DWG-TI	FIIG_DWG_TI_5062	DLSC-VPE	V	VARCHAR	120

FIIG DRAWING TITLE TEXT
THIS IS A TITLE FOR A DRAWING WITHIN A FIIG PUBLICATION.

5063 DWG-TYP	DWG_TYP_5063	DLSC-S	F	CHAR	1

DRAWING TYPE
THE DRAWING TYPE INDICATES THE FORMAT THE DRAWING WAS DIGITIZED AS - V BIT OR TIFF.

5064 FIIG-DWG-NOTE	FIIG_DWG_NOTE_5064	DLSC-S	V	VARCHAR	320

FIIG DRAWING NOTE TEXT
NOTATION ABOUT A DRAWING. IT RESIDES IN THE DRAWING_NOTE_DATA.

5065 PUB-FIIG-DATE	PUB_FIIG_DATE_5065	DLSC-S	F	INTEGER	7

PUBLICATION FIIG DATE
THIS IS THE PUBLICATION DATE OF A FIIG. IT RESIDES IN THE FIIG_DRAWING_DATA TABLE.

5066 PRPRTY-IND	PRPRTY_IND_5066	DLSC-S	F	CHAR	1

PROPRIETARY INDICATOR
INDICATES THAT THE DATA IS PROPRIETARY. IT RESIDES IN BOTH THE FIIG_DRAWING_DATA TABLE AND THE NSN_MED TABLE.

5068 FIIG-SB-SC-TI	FIIG_SB_SC_TI_5068	DLSC-S	V	VARCHAR	120

FIIG SUB SECTION TITLE TEXT
THIS IS THE SUB SECTION TITLE OF A FIIG. IT RESIDES IN THE FIIG_DRAWING_DATA TABLE.

5069 FIIG-SCTN-ID	FIIG_SCTN_ID_5069	DLSC-S	F	CHAR	1

FIIG SECTION IDENTIFIER
THIS IS A SECTION OF A FIIG. IT RESIDES IN THE FIIG_DRAWING_DATA TABLE.

5070 FIIG-SEC-TI	FIIG_SEC_TI_5070	DLSC-S	V	VARCHAR	120

FIIG SECTION TITLE TEXT
THIS IS THE TITLE OF A SECTION OF A FIIG. IT RESIDES IN THE FIIG_DRAWING_DATA TABLE.

5071 FIIG-SB-SC-ID	FIIG_SB_SC_ID_5071	DLSC-S	F	CHAR	2

FIIG SUB SECTION IDENTIFIER
THIS IS THE SUB SECTION OF A FIIG. IT RESIDES IN THE FIIG_DRAWING_DATA TABLE.

5072 DWG-STAT-IND	DWG_STAT_IND_5072	DLSC-S	F	CHAR	1

DRAWING STATUS INDICATOR
THIS CODE INDICATES THE STATUS OF A DRAWING. N = NEW DRAWING C = CANCELLED DRAWING R = REPLACEMENT DRAWING BLANK =

5073 DWG-STAT-DT	DWG_STAT_DT_5073	DLSC-S	F	INTEGER	5

DRAWING STATUS DATE
INDICATES THE DATE A CHANGE WAS MADE TO A DRAWING. FORMAT IS CCYYDDD.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	FORMAT FV	TYPE	LG
CLEAR TEXT HOST/COBOL NAME						
DRN DEFINITION						

5074 PHYS-TYP-IND PHYS_TYP_IND_5074 DLSC-S F CHAR 1

PHYSICAL TYPE INDICATOR

THE TYPE OF GRAPHIC. IT RESIDES IN BOTH THE MASTER_DRAW_FILE AND THE MASTER_DRAW_WORK_FILE.

5099 PICA-SICA-IND-CD PICA_SICA_IND_5099 DLSC-SBA F CHAR 1

PRIMARY/SECONDARY INVENTORY CONTROL ACTIVITY CODE

A CODE THAT IDENTIFIES WHICH LEVEL OF INVENTORY CONTROL IS RESPONSIBLE FOR THE OVERALL PACKAGING DATA REQUIREMENTS ASSIGNED A SPECIFIC NSN.

5100 GIRDER-CD-EXPLN GIRDER_CD_EX_5100 DLSC-SD V VARCHAR 1000

GIRDER CODE EXPLANATION

AN EXPLANATION OF AN ACTION CODE *DRN 0808* FURNISHED BY THE MANUFACTURER IN ACCORDANCE WITH CHAPTER 19, VOLUME 4, DOD 4100.39-M.

5101 NATL-CDFN-BUR-CD-CTRY NCB_CD_CTRY_5101 DLSC-SD F CHAR 20

NATIONAL CODIFICATION BUREAU CODE COUNTRY

A LIST IDENTIFYING THE NAME OF NORTH ATLANTIC TREATY ORGANIZATION (NATO) OR OTHER COUNTRIES ASSOCIATED WITH THE VARIOUS VALUES OF NATIONAL CODIFICATION BUREAU CODE (DRN 4130). SEE VOLUME 10, TABLE 9 AND QUICK INFO ON-LINE.

5102 NATL-CDFN-BUR-CD-NOTE NCB_CD_NOTE_5102 DLSC-SD F CHAR 1

NATIONAL CODIFICATION BUREAU CODE NOTE

A SET OF ONE OR TWO DIGIT NUMERIC CODE INDICATING IF THE COUNTRY CATALOGING AN ITEM IS A NORTH ATLANTIC TREATY ORGANIZATION (NATO) COUNTRY OR IF THE CODE IS ACCEPTED INTERNATIONALLY AS A STANDARD ITEM. SEE VOLUME 10, TABLE 9 AND QUICK INFO ON-LINE.

5104 FLW-UP-COND-CD-DEF FU_COND_DEF_5104 DLSC-SBA V VARCHAR 500

FOLLOW-UP CONDITION CODE DEFINITION

NARRATIVE DESCRIPTION OF THE VARIOUS VALUES OF THE FOLLOW-UP CONDITION CODE (DRN 0155). IT INDICATES THE FOLLOW-UP ACTION REQUIRED BY THE SUBMITTING SERVICE/AGENCY.

5105 FLW-UP-COND-CD-INST FU_COND_INST_5105 DLSC-SBA V VARCHAR 300

FOLLOW-UP CONDITION CODE INSTRUCTION

THE INSTRUCTIONS FOR THE FOLLOW-UP CONDITION CODE (DRN 0155) INDICATES WHAT ACTION IS REQUIRED BY THE RECIPIENT OF THE FOLLOW-UP.

5106 LMT-DIST-CD-EXPLN LMT_DIST_EX_5106 DLSC-SBA V VARCHAR 1200

LIMITED DISTRIBUTION CODE EXPLANATION

AN EXPLANATION FOR A CODE (DRN 4645) WHICH CONTROLS THE DISTRIBUTION OF FILE DATA TO ACTIVITIES AUTHORIZED TO RECEIVE THE DATA BASED ON SPECIAL CONDITIONS INVOLVING PARTICULAR FILE DATA FOR WHICH DISTRIBUTION RESTRICTIONS ARE APPLICABLE. SEE VOLUME 10, TABLE 26 AND QUICK INFO ON-LINE.

5107 LMT-DIST-CD-NOTE LMT_DIST_NOTE_5107 DLSC-SBA V VARCHAR 1200

LIMITED DISTRIBUTION CODE NOTE

A COMMENT AND/OR EXPLANATION WHICH FURTHER DEFINES A LIMITED DISTRIBUTION CODE (DRN 4645). SEE VOLUME 10, TABLE 26 AND QUICK INFO ON-LINE.

5108 SVC-ACTY-AND-ADRS-SOS-CD SA_ADD_SOS_CD_5108 DLSC-SBA V VARCHAR 500

SERVICE/ACTIVITY & ADDRESS, SOURCE OF SUPPLY CODE

THE SERVICE/ACTIVITY AND ADDRESS IDENTIFIED BY A DESIGNATED SOURCE OF SUPPLY CODE (DRN 3690). SEE VOLUME 10, TABLE 103 AND QUICK INFO ON-LINE.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5109 SOS-CD-CONDL-NOTE — DLSC-SBA — V — 9999

SOURCE OF SUPPLY CODE CONDITIONAL NOTE

A COMMENT AND /OR EXPLANATION USED IN UNIQUE CIRCUMSTANCES TO FURTHER DEFINE THE SOURCE OF SUPPLY CODE (DRN 3690). SEE VOLUME 10, TABLE 103 AND QUICK INFO ON-LINE.

5110 CONF-NOTI-CD-EXPLN — CONF_NOTI_EX_5110 — DLSC-SBA — V — VARCHAR — 9999

CONFLICT NOTIFICATION CODE EXPLANATION

AN EXPLANATION FOR A CODE (DRN 0095) WHICH IS USED TO IDENTIFY A SPECIFIC CONFLICT CONDITION RECORDED AGAINST AND ASSOCIATED WITH AN APPROVED FILE MAINTENANCE ACTION. SEE VOLUME 10, TABLE 109 AND QUICK INFO ON-LINE.

5111 CONF-NOTI-CD-RMK — CONF_NOT_CDRK_5111 — DLSC-SBA — V — VARCHAR — 9999

CONFLICT NOTIFICATION CODE REMARK

A REMARK WHICH FURTHER DEFINES THE CONFLICT NOTIFICATION CODE EXPLANATION (DRN 5110). SEE VOLUME 10, TABLE 109 AND QUICK INFO ON-LINE.

5112 CONF-NOTI-CD-NOTE — DLSC-SBA — V — 9999

CONFLICT NOTIFICATION CODE NOTE

A COMMENT AND/OR EXPLANATION FURTHER DEFINING THE CONFLICT NOTIFICATION CODE (DRN 0095). SEE VOLUME 10, TABLE 109 AND QUICK INFO ON-LINE.

5113 PSDO-SOS-CD-DESC — PSDO_SOS_DESC_5113 — DLSC-SBA — V — VARCHAR — 1000

PSEUDO SOURCE OF SUPPLY CODE DESCRIPTION

AN EXPLANATION FOR A CODE (DRN 0133) USED TO REFLECT WHETHER THE SOURCE OF SUPPLY (SOS) IS EITHER CENTRALIZED OR DECENTRALIZED. SEE VOLUME 10, TABLE 110 AND QUICK INFO ON-LINE.

5114 REF-NBR-FMT-CD-EXPLN — RNFC_EX_5114 — DLSC-SBA — V — VARCHAR — 200

REFERENCE NUMBER FORMAT CODE EXPLANATION

NARRATIVE DESCRIPTION OF VARIOUS VALUES OF THE REFERENCE NUMBER FORMAT CODE (DRN 2920). SEE VOLUME 10, TABLE 1 AND QUICK INFO ON-LINE.

5115 REF-NBR-FMT-CD-NOTE — DLSC-SBA — V — 9999

REFERENCE NUMBER FORMAT CODE NOTE

A COMMENT AND/OR EXPLANATION FURTHER DEFINING THE CONTENTS OF THE REFERENCE NUMBER FORMAT CODE (DRN 2920) AND THE CONDITIONS APPLICABLE TO THE USE OF THIS CODE. SEE VOLUME 10, TABLE 1 AND QUICK INFO ON-LINE.

5116 TYP-OF-II-CD-TYP — TYP_II_CD_TYP_5116 — DLSC-SBA — F — CHAR — 2

TYPE OF ITEM IDENTIFICATION CODE TYPE

A SET OF ONE DIGIT NUMERIC OR TWO DIGIT ALPHANUMERIC CODES USED IN CONJUNCTION WITH TYPE OF ITEM IDENTIFICATION CODE (DRN 4820) TO SPECIFICALLY IDENTIFY AN ITEM OF SUPPLY.

5117 TYP-OF-II-CD-EXPLN — TYP_II_CD_EXP_5117 — DLSC-SBA — V — VARCHAR — 100

TYPE OF ITEM IDENTIFICATION CODE EXPLANATION

NARRATIVE DESCRIPTION OF THE VARIOUS VALUES OF TYPE OF ITEM IDENTIFICATION CODE (DRN 4820). SEE VOLUME 10, TABLE 2 AND QUICK INFO ON-LINE.

5118 TYP-OF-II-CD-NOTE — DLSC-SBA — V — 9999

TYPE OF ITEM IDENTIFICATION CODE NOTE

A COMMENT REFERENCING THE SOURCE OF FURTHER INFORMATION ON ITEM IDENTIFICATION. SEE VOLUME 10, TABLE 2 AND QUICK INFO ON-LINE.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5119 RPDMRC-EXP RPDMRC_EXP_5119 DLSC-SBA V VARCHAR 1000

REFERENCE OR PARTIAL DESCRIPTIVE METHOD REASON CODE EXPLN

A NARRATIVE DESCRIPTION OF THE VARIOUS VALUES OF REFERENCE/PARTIAL DESCRIPTIVE METHOD REASON CODE (DRN 4765) EXPLAINING THE REASON A REFERENCE TYPE, REFERENCE DESCRIPTIVE TYPE OR PARTIAL DESCRIPTIVE TYPE ITEM IDENTIFICATION WAS SUBMITTED. SEE VOLUME 10, TABLE 3 AND QUICK INFO ON-LINE.

5120 REF-PTL-DES-MTD-RS-CD-NT DLSC-SBA V 9999

REFERENCE OR PARTIAL DESCRIPTIVE METHOD REASON CODE NOTE

A COMMENT EXPLAINING THE CONDITIONS UNDER WHICH DLSC EDITS PERMIT CHANGES BETWEEN VARIOUS VALUES OF REFERENCE/PARTIAL DESCRIPTIVE METHOD REASON CODE (DRN 4765). SEE VOLUME 10, TABLE 3 AND QUICK INFO ON-LINE.

5121 REF-NBR-JUST-CD-EXPLN RNJC_EX_5121 DLSC-SBA V VARCHAR 1000

REFERENCE NUMBER JUSTIFICATION CODE EXPLANATION

A NARRATIVE DESCRIPTION OF THE VARIOUS VALUES OF REFERENCE NUMBERS JUSTIFICATION CODE (DRN 2750). IT RECORDS THE DEGREE OF RESEARCH CONDUCTED AND JUSTIFICATION FOR THE CREATION OF A NEW ITEM IDENTIFICATION DESPITE A RECOGNIZED CONDITION OF POSSIBLE DUPLICATION WITH AN EXISTING ITEM. SEE VOLUME 10, TABLE 4 AND QUICK INFO ON-LINE.

5122 REF-NBR-JUST-CD-NOTE DLSC-SBA V 9999

REFERENCE NUMBER JUSTIFICATION CODE NOTE

A COMMENT EXPLAINING THE CONDITIONS UNDER WHICH THE REFERENCE NUMBER JUSTIFICATION CODE (DRN 2750) SHOULD BE USED AND THE INSTRUCTIONS FOR USING IT. SEE VOLUME 10, TABLE 4 AND QUICK INFO ON-LINE.

5123 DOC-AVLB-CD-EXPLN DAC_EX_5123 DLSC-SBA V VARCHAR 9999

DOCUMENT AVAILABILITY CODE EXPLANATION

A NARRATIVE DESCRIPTION OF THE VARIOUS VALUES OF DOCUMENT AVAILABILITY CODE (DRN 2640). IT IDENTIFIES THE ACTIVITY BY REFERENCE MUMBER ACTION ACTIVITY CODE (RNAAC) (DRN 2900) FROM WHERE THE DOCUMENTATION IS AVAILABLE. SEE VOLUME 10, TABLE 5 AND QUICK INFO ON-LINE.

5124 DOC-AVLB-CD-NOTE DLSC-SBA V 9999

DOCUMENT AVAILABILITY CODE NOTE

A COMMENT FURTHER EXPLAINING THE CONDITIONING AND THE USE OF DOCUMENT AVAILABILITY CODE (DRN 2640). SEE VOLUME 10, TABLE 5 AND QUICK INFO ON-LINE.

5125 REF-NBR-CTGY-CD-EXPLN RNCC_EX_5125 DLSC-SBA V VARCHAR 1000

REFERENCE NUMBER CATEGORY CODE EXPLANATION

A NARRATIVE DESCRIPTION OF THE VARIOUS VALUES OF REFERENCE NUMBER CATEGORY CODE (DRN 2910). IT EXPLAINS THE RELATIONSHIP OF A REFERENCE NUMBER TO THE ITEM OF SUPPLY. SEE VOLUME 10, TABLE 6 AND QUICK INFO ON-LINE.

5126 REF-NBR-CTGY-CD-NOTE DLSC-SBA V 9999

REFERENCE NUMBER CATEGORY CODE NOTE

A COMMENT FURTHER EXPLAINING THE CONDITIONS FOR THE USE OF REFERENCE NUMBER CATEGORY CODE (DRN 2910). SEE VOLUME 10, TABLE 6 AND QUICK INFO ON-LINE.

5127 REF-NBR-VARI-CD-EXPLN RNVC_EX_5127 DLSC-SBA V VARCHAR 1000

REFERENCE NUMBER VARIATION CODE EXPLANATION

A NARRATIVE DESCRIPTION OF THE VARIOUS VALUES OF REFERENCE NUMBER VARIATION CODE (DRN 4780). IT INDICATES IF A CITED REFERENCE NUMBER IS ITEM IDENTIFYING AS IS, OR IF SOME ADDITIONAL INFORMATION IS NEEDED FOR IDENTIFICATION PURPOSES. SEE VOLUME 10, TABLE 7 AND QUICK INFO ON-LINE.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5128 REF-NBR-VARI-CD-NOTE — DLSC-SBA — V — 9999

REFERENCE NUMBER VARIATION CODE NOTE

A SET OF INSTRUCTIONS INDICATING THE PROPER USE OF REFERENCE NUMBER VARIATION CODE (DRN 4780). SEE VOLUME 10, TABLE 7 AND QUICK INFO ON-LINE.

5129 TECH-DTA-SPT-CD-COMP-DAC — DLSC-SB — V — 9999

TECHNICAL DATA SUPPORT CODE COMPUTATION DAC

A SET OF INSTRUCTIONS INDICATING THE COMBINATIONS OF DOCUMENT AVAILABILITY CODE (DAC) (DRN 2640) TO BE USED IN THE COMPUTATION OF TECHNICAL DATA SUPPORT CODE (DRN 2980).

5130 TEC-DTA-SPT-CD-COMP-NOTE — DLSC-SBA — V — 9999

TECHNICAL DATA SUPPORT CODE COMPUTATION NOTE

COMMENTS FURTHER EXPLAINING THE CONDITIONS UNDER WHICH DAC SHOULD BE USED AND RETAINED IN THE TOTAL ITEM RECORD (TIR).

5131 REF-NBR-STAT-CD-EXPLN — R_N_STAT_EX_5131 — DLSC-SBA — V — VARCHAR — 1000

REFERENCE NUMBER STATUS CODE EXPLANATION

A NARRATIVE DESCRIPTION OF THE VARIOUS VALUES OF REFERENCE NUMBER STATUS CODE (DRN 2923). SEE VOLUME 10, TABLE 17 AND QUICK INFO ON-LINE.

5132 DELT-RSN-CD-EXPLN — DELT_RSN_EX_5132 — DLSC-SBA — V — VARCHAR — 9999

DELETION REASON CODE EXPLANATION

AN EXPLANATION FOR A CODE (DRN 4540) IDENTIFYING THE PROGRAM OR FUNCTION TO BE CREDITED FOR DELETION OF A MOE RULE AND CANCELLATION ACTION. SEE VOLUME 10, TABLE 25 AND QUICK INFO ON-LINE.

5133 STATL-IND-CD-EXPLN — STATL_I_CD_EX_5133 — DLSC-SBA — V — VARCHAR — 100

STATISTICAL INDICATOR CODE EXPLANATION

AN EXPLANATION FOR A CODE DRN 3708 USED TO DIFFERENTIATE BETWEEN AND TO IDENTIFY THE TYPES OF SCREENING BEING REQUESTED. SEE VOLUME 10, TABLE 37 AND QUICK INFO ON-LINE.

5134 ITM-STDZN-CD-EXPLN — ITM_STDZN_EX_5134 — DLSC-SBA — V — VARCHAR — 1000

ITEM STANDARDIZATION CODE EXPLANATION

AN EXPLANATION FOR A CODE DRN 2650 REPRESENTING THE ITEM STANDARDIZATION DECISION ON INDIVIDUAL ITEMS. SEE VOLUME 10, TABLE 91 AND QUICK INFO ON-LINE.

5135 DATA-TRNSMSN-CTL-CD-EXPL — D_TRN_CTL_EX_5135 — DLSC-SBA — V — VARCHAR — 250

DATA TRANSMISSION CONTROL CODE EXPLANATION

AN EXPLANATION FOR A CODE DRN 0756 USED TO PROVIDE SERVICE/AGENCIES OPTIONS TO INFORM DLSC OF THEIR INTEREST IN RECEIVING KWA NOTIFICATIONS TO VERIFY RECEIPT OF ALL DLIS DATA TRANSMITTED VIA AUTODIN. SEE VOLUME 10, TABLE 101 AND QUICK INFO ON-LINE.

5136 DEMIL-CD-EXPLN — DEMIL_CD_EX_5136 — DLSC-SBA — V — VARCHAR — 9999

DEMILITARIZATION CODE EXPLANATION

AN EXPLANATION FOR A CODE DRN 0167 USED TO IDENTIFY EACH ITEM REQUIRING DEMILITARIZATION AND THE TYPE OF DEMILITARIZATION REQUIRED. SEE VOLUME 10, TABLE 38 AND QUICK INFO ON-LINE.

5137 DEMIL-CD-NOTE — DLSC-SBA — V — 9999

DEMILITARIZATION CODE NOTE

A COMMENT AND/OR EXPLANATION WHICH FURTHER DEFINES AN APPLICABLE DEMILITARIZATION CODE 0167. SEE VOLUME 10, TABLE 38 AND QUICK INFO ON-LINE.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5138 ITM-STDZN-CD-RPLD-NSN — DLSC-SBA — F CHAR 1

ITEM STANDARDIZATION CODE REPLACED NATIONAL STOCK NUMBER

THE CODED REPRESENTATION OF THE ITEM STANDARDIZATION DECISION ON INDIVIDUAL ITEMS NOT AUTHORIZED FOR FUTURE PROCUREMENT. SEE VOLUME 10, TABLES 91 AND 92 AND QUICK INFO ON-LINE.

5149 PKG-REF — DLSC-SBA — F 10

PACKAGING REFERENCE

A DATA FIELD THAT INDICATES THE APPLICABLE TYPE OF PACKAGING REFERENCE, PACKAGING DATA SHEETS, SPECIAL PACKAGING INSTRUCTIONS (SPI) APERTURE CARD, PACKAGING STANDARDS, MASTER PACKAGING SHEETS, FEDERAL AND MILITARY SPECIFICATIONS, PURCHASE DESCRIPTIONS AND DRAWINGS.

5150 DT-EFF-LOG-ACTN-CANC — DLSC-SCA — F 5

DATE, EFFECTIVE, LOGISTICS ACTION CANCELLED

THE YEAR AND JULIAN DAY DENOTING THE DATE THAT A PREDETERMINED LOGISTICS CANCELLATION BECOMES EFFECTIVE IN THE DEFENSE LOGISTICS SYSTEM. THIS DATE WILL ALWAYS BE THE FIRST DAY OF THE MONTH. USED IN CONJUNCTION WITH DRN 4000 AND DRN 3790.

5151 LVL-PROTN-CD — LOP_CD_5151 — DLSC-SBA — F CHAR 1

LEVEL OF PROTECTION CODE

A CODE THAT INDICATES THE LEVEL OF PROTECTION WHICH THE PACKAGE REQUIREMENT PROVIDES THE ITEM DURING SHIPMENT, HANDLING AND STORAGE.

5152 INTMED-CTNR-QTY — INTMD_CTN_QTY_5152 — DLSC-SBA — F CHAR 3

INTERMEDIATE CONTAINER QUANTITY

A DATA FIELD INDICATING THE QUANTITY OF UNIT PACKS CONTAINED IN THE INTERMEDIATE CONTAINER.

5153 UP-WT — UP_WT_5153 — DLSC-SBA — F CHAR 5

UNIT PACK WEIGHT

DATA FIELD INDICATING THE MAXIMUM GROSS WEIGHT OF THE UNIT PACK.

5154 UP-SZ — UP_SZ_5154 — DLSC-SBA — F CHAR 12

UNIT PACK SIZE

DATA FIELD INDICATING THE MAXIMUM OUTSIDE LENGTH, WIDTH AND DEPTH OF THE UNIT PACK.

5155 UP-CU — UP_CU_5155 — DLSC-SBA — F INTEGER 7

UNIT PACK CUBE

A DATA FIELD INDICATING THE MAXIMUM CUBE OF THE UNIT PACK.

5156 ITM-TYP-STOR-CD — ITM_TYP_STOR_5156 — DLSC-SBA — F CHAR 1

ITEM TYPE STORAGE CODE

A CODE THAT INDICATES THE TYPE OF STORAGE SPACE AND ENVIRONMENT CONDITIONS TO BE MAINTAINED FOR AN ITEM DURING STAORAGE AND SHIPMENT.

5157 UNPKG-ITM-WT — UNPKG_ITM_WT_5157 — DLSC-SBA — F INTEGER 5

UNPACKAGED ITEM WEIGHT

A DATA FIELD INDICATING THE ACTUAL WEIGHT OF THE NUMBER (MULTIPLES) OF BARE (UNPACKAGED) ITEMS TO BE CONTAINED IN THE UNIT PACK.

5158 UNPKG-ITM-DIM — UNPKG_ITM_DIM_5158 — DLSC-SBA — F CHAR 12

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

UNPACKAGED ITEM DIMENSIONS
A DATA FIELD INDICATING THE LENGTH, WIDTH AND DEPTH OF THE NUMBER (MULTIPLE) OF BARE (UNPACKAGED) ITEMS TO BE CONTAINED IN THE PACK.

5159 PKG-CTGY-CD PKG_CTGY_CD_5159 DLSC-SBA F CHAR 4
PACKAGING CATEGORY CODE
A CODE USED TO GROUP ITEMS (CLASSIFIED INTO THREE TYPES OF ITEMS, NAMELY, COMMON ITEMS, SELECTIVE ITEMS OR SPECIAL ITEMS), BY PHYSICAL AND CHEMICAL CHARACTERISTICS, WEIGHT/FRAGILITY, AND PRESERVATIVE GROUP.

5160 MTHD-PRES-CD MTHD_PRSRV_CD_5160 DLSC-SBA F CHAR 2
METHOD OF PRESERVATION CODE
A CODE THAT DEFINES THE PREVENTIVE MEASURES TO FORESTALL DETERIORATION RESULTING FROM EXPOSURE TO ATMOSPHERIC CONDITIONS DURING STORAGE AND SHIPMENT.

5161 CLNG-DRYNG-PRO-CD CLNG_DRY_PRC_5161 DLSC-SBA F CHAR 1
CLEANING AND DRYING PROCEDURE CODE
A CODE THAT DEFINES THE PROCEDURE FOR REMOVING SOIL/FOREIGN MATTER FROM PARTS, AND THE PROCEDURES TO ACCOMPLISH THE SUBSEQUENT DRYING OF THE CLEANED PART ITEM.

5162 PRES-CD PRSRV_MAT_CD_5162 DLSC-SBA F CHAR 2
PRESERVATION MATERIAL CODE
A CODE THAT IDENTIFIES THE MATERIAL USED TO PREVENT OR INHIBIT CORROSION OR DETERIORATION OF AN ITEM.

5163 WRAP-MAT-CD WRAP_MAT_CD_5163 DLSC-SBA F CHAR 2
WRAPPING MATERIAL CODE
A CODE USED TO IDENTIFY THE TYPE OF WRAPPING MATERIAL TO BE USED ON AN ITEM.

5164 CUSH-DUN-MAT-CD CUSH_DUN_MAT_5164 DLSC-SBA F CHAR 2
CUSHIONING AND DUNNAGE MATERIAL CODE
A CODE USED TO IDENTIFY RESILIENT MATERIAL OR DEVICES USED TO ABSORB AND DISSIPATE ENERGY FROM SHOCK AND VIBRATION TO ADEQUATELY PROTECT THE CONTENTS AND PACKAGING COMPONENTS FROM PHYSICAL DAMAGE DURING HANDLING SHIPMENT AND STORAGE.

5165 THK-CUSH-DUN-CD THK_CUSH_DUN_5165 DLSC-SBA F CHAR 1
THICKNESS OF CUSHIONING OR DUNNAGE CODE
A CODE THAT IDENTIFIES THE MINIMUM THICKNESS OF MATERIAL USED TO CUSHION THE ITEM.

5166 UNIT-CTNR-CD UNIT_CTNR_CD_5166 DLSC-SBA F CHAR 2
UNIT CONTAINER CODE
A CODE THAT IDENTIFIES THE CONTAINER USED TO HOLD THE QUANTITY UNIT PACK

5167 INTMED-CTNR-CD INTMD_CTNR_CD_5167 DLSC-SBA F CHAR 2
INTERMEDIATE CONTAINER CODE
A CODE THAT INDICATES A CONTAINER WHICH HOLDS TWO OR MORE UNIT PACKS OF IDENTICAL ITEMS.

5168 UNIT-CTNR-LVL-CD UNIT_CTNR_LVL_5168 DLSC-SBA F CHAR 1
UNIT CONTAINER LEVEL CODE
A CODE THAT INDICATES IF THE UNIT CONTAINER IS AN ACCEPTABLE SHIPPING CONTAINER AND IF SO, THE HIGEST LEVEL OF PACKING PROTECTION PROVIDED BY THE CONTAINER.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5169 SP-MKG-CD SP_MKG_CD_5169 DLSC-SBA F CHAR 2
SPECIAL MARKING CODE
A CODE USED TO IDENTIFY THE SPECIAL MARKINGS APPLIED TO THE CONTAINER ACCORDING TO MIL-STD-129 THAT ARE REQUIRED AS AN INTEGRAL PART OF THE TOTAL PACK TO PROTECT THE CONTAINED ITEM DURING PRESERVATION, PACKING, STORAGE, TRANSIT AND REMOVAL FROM THE PACK.

5170 LVL-A-PKG-RQMT-CD LVL_A_PKG_CD_5170 DLSC-SBA F CHAR 1
LEVEL A PACKING REQUIREMENT CODE
A CODE THAT INDICATES THE TYPE OF SHIPPING CONTAINER REQUIRED FOR LEVEL A MAXIMUM PACKING PROTECTION.

5171 LVL-B-PKG-RQMT-CD LVL_B_PKG_CD_5171 DLSC-SBA F CHAR 1
LEVEL B PACKING REQUIREMENT CODE
A CODE THAT INDICATES THE TYPE OF SHIPPING CONTAINER REQUIRED FOR LEVEL B INTERMEDIATE PACKING PROTECTION.

5172 LVL-C-PKG-RQMT-CD LVL_C_PKG_CD_5172 DLSC-SBA F CHAR 1
LEVEL C PACKING REQUIREMENT CODE
A CODE THAT INDICATES THE TYPE OF SHIPPING CONTAINER REQUIRED FOR LEVEL C MINIMUM PACKING PROTECTION.

5173 OPTNL-PRO-IND-CD OPTNL_PRO_IND_5173 DLSC-SBA F CHAR 1
OPTIONAL PROCEDURE INDICATOR CODE
A CODE THAT INDICATES ALLOWABLE DEVIATIONS FROM PRESCRIBED REQUIREMENTS.

5174 SUPMTL-INST SUPMTL_INST_5174 DLSC-SBA F VARCHAR 59
SUPPLEMENTAL INSTRUCTIONS
A DATA FIELD THAT PROVIDES ADDITIONAL, IN-THE-CLEAR, PACKAGING INSTRUCTIONS, RECORDED IN A NARRATIVE FORM, IN ADDITION TO THAT SHOWN IN THE PRESERVATION AND PACKING DATA AREA.

5175 SPI-NBR SPI_NBR_5175 DLSC-SBA F CHAR 10
SPECIAL PACKAGING INSTRUCTION (SPI) NUMBER
A NUMBER, PROVIDED BY THE PACKAGING DESIGN ACTIVITY, THAT IDENTIFIES A SPECIFIC SPECIAL PACKAGING INSTRUCTION (SPI).

5176 SPI-REV SPI_REV_5176 DLSC-SBA F CHAR 1
SPECIAL PACKAGING INSTRUCTION (SPI) REVISION
A CODE (BEGINNING WITH AN 'A' FOR THE FIRST REVISION, THEN PROCEEDING THROUGH THE ALPHABET FOR EACH SUCCEEDING REVISION) THAT IDENTIFIES THE VERSION OF THE SPECIAL PACKAGING INSTRUCTION (SPI).

5177 SPI-DT SPI_DT_5177 DLSC-SBA F DATE 5
SPECIAL PACKAGING INSTRUCTION (SPI) DATE
A DATA FIELD (TWO POSITION ORDINAL DATE AND THREE POSITION DAY) THAT INDICATES THE DATE OF THE SPECIAL PACKAGING INSTRUCTION (SPI).

5178 CTNR-NSN CTNR_NSN_5178 DLSC-SBA F CHAR 13
CONTAINER NATIONAL STOCK NUMBER (NSN)
A DATA FIELD THAT IDENTIFIES THE NATIONAL STOCK NUMBER (NSN) ASSIGNED TO A LONG-LIFE REUSABLE CONTAINER.

5179 PKG-DSGN-ACTY-CD PKG_DSGN_ACTY_5179 DLSC-SBA F CHAR 5
PACKAGING DESIGN ACTIVITY CODE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A CODE (THE 5-DIGIT NUMERICAL CAGE CODE ASSIGNED IN CONFORMANCE WITH CATALOGING HANDBOOK H4/8) THAT IDENTIFIES THE PACKAGING DESIGN ACTIVITY.

5180 NAPRD-CLAS-ASST-MOD-H2 DLSC-SCA V 1762

NON-APPROVED CLASSIFICATION ASSISTANCE MODIFIER, H2

A MODIFYING WORD OR PHRASE USED TO QUALIFY A NON-APPROVED ITEM NAME AS TO THE APPLICABLE/AUTHORIZED FEDEAL SUPPLY CLASS(ES) TO BE REFLECTED IN CATALOGING HANDBOOK H2.

5181 NAPRD-DT-ETB-CAN-RD-DIDS DLSC-SCA F 5

NON-APPROVED DATE ESTABLISHED, CANCELLED RECORD DIDS

A YEAR AND JULIAN DAY USED TO IDENTIFY WHEN A RECORD WAS ESTABLISHED OR CANCELLED IN THE NON-APPROVED ITEM NAME/FEDERAL SUPPLY CLASS FILES. THE DATE IS USED FOR CONTROL IN PUBLICATION AND MAINTENANCE OF THESE FILES.

5182 FSC-DT-ESB-CANC-RCD-DIDS FSC_DT_E_C_RC_5182 DLSC-SCA F INTEGER 7

FSC DATE ESTABLISHED, CANCELLED RECORD DIDS

A YEAR AND JULIAN DAY USED TO IDENTIFY WHEN A RECORD WAS ESTABLISHED OR CANCELLED IN THE FEDERAL SUPPLY CLASS. THE DATE IS USED FOR CONTROL IN PUBLICATION AND MAINTENANCE OF THESE FILES. STORED FIELD ALLOWS FOR THE CENTURY IN THE FORM CCYYDDD AND MAY BE IGNORED FOR INPUT/OUTPUT.

5183 FSG-DT-ESB-CANC-RCD-DIDS FSG_DT_E_C_RC_5183 DLSC-SCA F INTEGER 7

FSG DATE ESTABLISHED, CANCELLED RECORD DIDS

A YEAR AND JULIAN DAY USED TO IDENTIFY WHEN A RECORD WAS ESTABLISHED OR CANCELLED IN THE FEDERAL SUPPLY CLASS FILES. THE DATE IS USED FOR CONTROL IN PUBLICATION AND MAINTENANCE OF THESE FILES. STORED FIELD ALLOWS FOR THE CENTURY IN THE FORM CCYYDDD AND MAY BE IGNORED FOR INPUT/OUTPUT.

5184 NON-APRVD-ITM-NM-DEF-DLI DLSC-SCA V 1762

NON-APPROVED ITEM NAME DEFINITION DELIMITATION

A NON-APPROVED ITEM NAME DEFINITION CLEARLY EXPLAINS THE CHARACTERISTICS INVOLVED IN THE ITEM CONCEPT TO WHICH IT APPLIES, AND SERVES TO DISTINGUISH THE ITEM CONCEPT FROM OTHER SIMILAR OR CLOSELY RELATED CONCEPTS. A DELIMITATION IS THE DEMARCATION OF ITEM CONCEPTS INHERENT IN NON-APPROVED BASIC NAMES AND NON-APPROVED ITEM NAMES IN ORDER TO DISTINGUISH BETWEEN DIFFERENT ITEM CONCEPTS IN THE SAME NAME OR BETWEEN SIMILAR ITEM CONCEPTS IN DIFFERENT NAMES.

5185 CDD-RPLY-STMT DLSC-SCA V 379

CODED REPLY STATEMENT

A DATA FIELD IN THE MASTER REPLY MRD/DECODE TABLE WHICH REFLECTS THE REPLY CODE FOR A PARTICULAR DECODED REPLY STATEMENT.

5186 NON-APRVD-BSC-NM DLSC-SCA V 1762

NON-APPROVED BASIC NAME

A BASIC NOUN WORD/PHRASE THAT ESTABLISHES A BASIC CONCEPT OF A NON-APPROVED ITEM OF SUPPLY AS ESTABLISHED/DEFINED IN CATALOGING HANDBOOK H6-1 AND FEDERAL MANUAL FOR SUPPLY CATALOGING M1-2.

5187 NON-APRVD-FSC-COND-CD DLSC-SCA F 1

NON-APPROVED FSC CONDITION CODE

THE FOLLOWING CODES ARE UTILIZED IN THE H2 SERIES CATALOGING HANDBOOKS TO DENOTED THE RESTRICTIONS FOR CLASSIFYING NON-APPROVED ITEM NAMES (NAIN). FOR CODE '1', THE NAIN MAY BE CLASSIFIED IN ONLY ONE SPECIFIC FSC, FOR CODE '2' THE NAIN MAY BE CLASSIFIED IN TWO OR MORE SPECIFIC FSC'S, AND FOR CODE '3' THE NAIN MAY BE CLASSIFIED IN ANY LOGICAL FSC BY VIRTUE OF MULTI-APPLICATION OR SPECIAL DESIGN.

5189 NON-APRVD-OLD-FSC DLSC-SCA F 4

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

NON-APPROVED OLD FEDERAL SUPPLY CLASSIFICATION

THE FEDERAL SUPPLY CLASSIFICATION (FSC) WHICH WAS ORIGINALLY ASSIGNED TO A NON-APPROVED ITEM IDENTIFICATION AND THEN CANCELLED IN PREFERENCE TO A DIFFERENT FEDERAL SUPPLY CLASSIFICATION.

5190 NON-APRVD-COLLOQ-NM DLSC-SCA V 1762

NON-APPROVED COLLOQUIAL NAME

A COLLOQUIAL NAME IS ANY NAME, OTHER THAN THE NON-APPROVED ITEM NAME, THAT HAS BEEN USED FOR AN ITEM OF SUPPLY FOR WHICH A NON-APPROVED ITEM NAME HAS BEEN DEVELOPED.

5191 NON-APRVD-ITEM-NM-DLI DLSC-SCA V 1762

NON-APPROVED ITEM NAME DELIMITER

A NAME WHICH HAS BEEN SELECTED AND DELIMITED WHERE NECESSARY TO ESTABLISH A BASIC CONCEPT OF THE NON-APPROVED ITEM OF SUPPLY TO WHICH THE ITEM BELONGS. IT MAY BE A BASIC NOUN, OR NOUN-PHRASE, FOLLOWED BY THOSE MODIFIERS NECESSARY TO DIFFERENTIATE BETWEEN ITEM CONCEPTS FOR ITEMS HAVING THE SAME BASIC NOUN. (SEE DRN 3308-ITEM NAME TYPE CODE 0).

5192 NON-APRVD-INDX-ENTR DLSC-SCA F 1762

NON-APPROVED INDEX ENTRY

NAMES OF NON-APPROVED ITEMS OF PERSONAL PROPERTY NOT CURRENTLY LISTED IN THE FEDERAL ITEM NAME DICTIONARY FOR SUPPLY CATALOGING, INCLUDING STANDARDIZED NAMES, PART NAMES, NAMES OF COMMODITIES NOT CARRIED AS ITEMS OF SUPPLY IN THE FEDERAL GOVERNMENT, AND NAMES ENTERED IN STRAIGHT FORWARD SEQUENCE.

5193 MRC-RQMT-STMT-DEF DLSC-SCA F 5

MRC REQUIREMENT STATEMENT DEFINITION

A CLEAR TEXT EXPLANATION OF THE MEANING OF THE REQUIREMENT STATEMENT. USED IN CONJUNCTION WITH DRN 3445.

5194 ASSOC-CD-NATO-SUP-CD-MFR DLSC-SC F 5

ASSOCIATION CODE NATO SUPPLY CODE FOR MANUFACTURERS

A SEMI-SIGNIFICANT CODE WHICH IDENTIFIES MANUFACTURERS LOCATED IN THE NORTH ATLANTIC TREATY ORGANIZATION (NATO) AND OTHER FRIENDLY COUNTRIES. CODES ARE ASSIGNED BY THE CENTRAL CATALOGING OFFICES OF THE RESPECTIVE COUNTRIES. THE SIGNIFICANT PORTION OF THE CODE IS THE FIRST CHARACTER WHICH IS ALPHABETIC AND REPRESENTS THE COUNTRY ORIGINATING THE CODE (DRN 4180). THE REMAINING POSITIONS ARE NUMERIC. USED IN CONJUNCTION WITH DRN 8855.

5196 EFF-DT-MOE-RULE-TRAN DLSC-SBA F 5

EFFECTIVE DATE, MOE RULE TRANSACTIONS

THIS IS THE DATE THAT THE MOE RULE WAS ESTABLISHED ON THIS ITEM.

5201 NIIN-PSCN-ST-CD-DEF-INST N_PSCN_ST_DEF_5201 DLSC-SBA V VARCHAR 100

NIIN/PSCN STATUS CODE DEFINITION AND INSTRUCTIONS

A NARRATIVE PROVIDING THE DEFINITION OF THE VARIOUS VALUES OF NIIN/PSCN STATUS CODE (DRN 2670) AND THE INSTRUCTIONS FOR THE USE OF THIS CODE. SEE VOLUME 10, TABLE 18 AND QUICK INFO ON-LINE.

5202 NIIN-PSCN-ST-CD-NOTE DLSC-SBA V 9999

NIIN/PSCN STATUS CODE NOTE

COMMENTS FURTHER EXPLAINING THE CONDITIONS FOR THE USE OF NIIN/PSCN STATUS CODE (DRN 2670). SEE VOLUME 10, TABLE 18 AND QUICK INFO ON-LINE.

5203 NIIN-PSCN-ST-CD-CON-NOTE N_PSCN_ST_NOT_5203 DLSC-SBA V VARCHAR 1000

NIIN/PSCN STATUS CODE CONDITIONAL NOTE

A COMMENT AND/OR EXPLANATION USED IN UNIQUE CIRCUMSTANCES TO FURTHER DEFINE THE NIIN/PSCN STATUS CODES (DRN 2670). SEE VOLUME 10, TABLE 18 AND QUICK INFO ON-LINE.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5204 ACQ-MTHD-CD-EXP AMC_EX_5204 DLSC-SBA V VARCHAR 9999
ACQUISITION METHOD CODE EXPLANATION
AN EXPLANATION FOR A CODE (DRN 2871) REFLECTING THE DECISION OF THE PRIMARY INVENTORY CONTROL ACTIVITY (PICA) AS TO TECHNIQUE OF PURCHASING TO BE EMPLOYED FROM A PLANNED PROCUREMENT REVIEW. SEE VOLUME 10, TABLE 71 AND QUICK INFO ON-LINE.

5205 ACQ-MTHD-SUF-CD-EXPLN AMSC_EX_5205 DLSC-SBA V VARCHAR 9999
ACQUISITION METHOD SUFFIX CODE EXPLANATION
AN EXPLANATION FOR A CODE (DRN 2876) USED TO INDICATE THE PRIMARY REASON WHY THE NUMERIC CODE (ACQUISITION METHOD CODE) WAS ASSIGNED FOR PROCUREMENT. SEE VOLUME 10, TABLE 71 AND QUICK INFO ON-LINE.

5206 ACQ-MTHD-CD-NOTE DLSC-SBA V 9999
ACQUISITION METHOD CODE NOTE
A COMMENT AND/OR EXPLANATION FURTHER DEFINING THE ACQUISTION METHOD CODE (DRN 2871). SEE VOLUME 10, TABLE 71 AND QUICK INFO ON-LINE.

5207 ACQ-MTHD-SUF-CD-NOTE DLSC-SBA V 9999
ACQUISITION METHOD SUFFIX CODE NOTE
A COMMENT AND/OR EXPLANATION FURTHER DEFINING THE ACQUISTION METHOD SUFFIX CODE (DRN 2876). SEE VOLUME 10, TABLE 71 AND QUICK INFO ON-LINE.

5208 IMC-TI IMC_TI_5208 DLSC-SBA V VARCHAR 100
ITEM MANAGEMENT CODE TITLE
A TITLE FOR A CODE (DRN 2744). SEE VOLUME 10, TABLE 77 AND QUICK INFO ON-LINE.

5209 IMC-DEF IMC_DEF_5209 DLSC-SBA V VARCHAR 1000
ITEM MANAGEMENT CODE DEFINITION
AN EXPLANATION FOR A CODE (DRN 2744) DENOTING WHETHER ITEMS OF SUPPLY SHALL BE SUBJECT TO INTEGRATED MANAGEMENT UNDER THE DEFENSE SUPPLY AGENCY OR RETAINED BY THE INDIVIDUAL MILITARY SERVICE OR OTHER DEPARTMENT OF DEFENSE COMPONENTS FOR THEIR MANAGEMENT. SEE VOLUME 10, TABLE 77 AND QUICK INFO ON-LINE.

5210 NIMSC-EXPLN NIMSC_EXPLN_5210 DLSC-SBA V VARCHAR 200
NONCONSUMABLE ITEM MATERIAL SUPPORT CODE EXPLANATION
AN EXPLANATION FOR A CODE (DRN 0076) DESIGNATING THE DEGREE OF SUPPORT RECEIVED BY AN INDIVIDUAL SECONDARY INVENTORY CONTROL ACTIVITY OR TO IDENTIFY THE SERVICE(S) PERFORMING DEPOT MAINTENANCE FOR A LEAD SERVICE. SEE VOLUME 10, TABLE 107 AND QUICK INFO ON-LINE.

5211 CRD-IDEN-CD-TI CRD_ID_CD_TI_5211 DLSC-SBA V VARCHAR 9999
CARD IDENTIFICATION CODE TITLE
A TITLE FOR A CODE (DRN 0099) WHICH DELINEATES THE SPECIFIC TYPE OF ITEM MANAGEMENT CODING ACTION INVOLVED. SEE VOLUME 10, TABLE 137 AND QUICK INFO ON-LINE.

5212 CRD-IDEN-CD-EXPLN CRD_ID_CD_EX_5212 DLSC-SBA V VARCHAR 600
CARD IDENTIFICATION CODE EXPLANATION
AN EXPLANATION FOR A CODE (DRN 0099) WHICH DELINEATES THE SPECIFIC TYPE OF ITEM MANAGEMENT CODING ACTION INVOLVED. SEE VOLUME 10, TABLE 137 AND QUICK INFO ON-LINE.

5213 NORM-SRC-PRCMT-CD-TI NRM_SRC_PR_TI_5213 DLSC-SBA V VARCHAR 100
NORMAL SOURCE OF PROCUREMENT CODE TITLE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A TITLE FOR A CODE (DRN 0721) INDICATING THE PROCUREMENT SOURCE NORMALLY EMPLOYED IN ACQUIRING STOCKS OF AN ITEM. SEE VOLUME 10, TABLE 138 AND QUICK INFO ON-LINE.

5214 NOR-SRC-PRCMT-CD-EXPLN NRM_SRC_PR_EX_5214 DLSC-SBA V VARCHAR 500
NORMAL SOURCE OF PROCUREMENT CODE EXPLANATION
A TITLE FOR A CODE (DRN 0721) INDICATING THE PROCUREMENT SOURCE NORMALLY EMPLOYED IN ACQUIRING STOCKS OF AN ITEM. SEE VOLUME 10, TABLE 138 AND QUICK INFO ON-LINE.

5215 TYP-MBLZTN-RSV-RQT-CD-EX TYP_MBL_RSV_X_5215 DLSC-SBA V VARCHAR 100
TYPE OF MOBILIZATION RESERVE REQUIREMENT CODE EXPLANATION
AN EXPLANATION FOR A CODE (DRN 0723) INDICATING THE TYPE OF MOBILIZATION REQUIREMENT. SEE VOLUME 10, TABLE 139 AND QUICK INFO ON-LINE.

5216 SP-PKG-RQMT-CD-EXPLN S_PKG_RQM_EX_5216 DLSC-SBA V VARCHAR 100
SPECIAL PACKAGING REQUIREMENT CODE EXPLANATION
AN EXPLANATION FOR A CODE (DRN 0725) INDICATING WHETHER SPECIAL PACKAGING IS REQUIRED WHICH IS BEYOND NORMAL PRACTICE AND WHICH CANNOT BE OBTAINED THROUGH LOCAL PURCHASE. SEE VOLUME 10, TABLE 140 AND QUICK INFO ON-LINE.

5217 DMD-IND-CD-EXPLN DMD_IND_EX_5217 DLSC-SBA V VARCHAR 200
DEMAND INDICATOR CODE EXPLANATION
AN EXPLANATION FOR A CODE (0728) INDICATING THE BASIS FOR THE FORECAST OF ESTIMATED DEMAND. SEE VOLUME 10, TABLE 141 AND QUICK INFO ON-LINE.

5218 TYP-FINCL-MGT-CTL-CD-EXP TYP_FIN_MGT_X_5218 DLSC-SBA V VARCHAR 100
TYPES OF FINANCIAL MANAGEMENT CONTROL CODE EXPLANATION
AN EXPLANATION FOR A CODE (DRN 0729) INDICATING THE TYPE OF FINANCIAL MANAGEMENT CONTROL OVER AN ITEM. SEE VOLUME 10, TABLE 142 AND QUICK INFO ON-LINE.

5219 EST-ACT-PR-CD-EXPLN EST_ACT_PR_EX_5219 DLSC-SBA F VARCHAR 90
ESTIMATED OR ACTUAL PRICE CODE EXPLANATION
AN EXPLANATION FOR A CODE (DRN 0731) INDICATING THE BASIS FOR THE STANDARD UNIT PRICE OF AN ITEM. SEE VOLUME 10, TABLE 144 AND QUICK INFO ON-LINE.

5220 INTGTY-CD-DEF INTGTY_CD_DEF_5220 DLSC-SBA V VARCHAR 1000
INTEGRITY CODE DEFINITION
A DEFINITION OF A CODE (DRN 0864) THAT INDICATES THAT A NATIONAL STOCK NUMBER (NSN) HAS BEEN SELECTED AND REVIEWED BY MILITARY TRAFFIC MANAGEMENT COMMAND (MTMC) TO ENSURE THAT THE FREIGHT CLASSIFICATION DATA IS CORRECT. SEE VOLUME 10, TABLE 176 AND QUICK INFO ON-LINE.

5221 LVL-PROTN-CD-DEF DLSC-SB V 9999
LEVEL OF PROTECTION CODE DEFINITION
A DEFINITION FOR A CODE (DRN 5151) THAT DEFINES THE LEVEL OF PRESERVATION OR PACKING REQUIRED FOR THE PROTECTION OF MATERIAL UNDER KNOWN FAVORABLE CONDITIONS OR AGAINST THE MOST SEVERE CONDITIONS KNOWN OR ANTICIPATED TO BE ENCOUNTERED DURING SHIPMENT, HANDLING AND STORAGE.

5222 HMC-EXPLN HMC_EXPLN_5222 DLSC-SBA V VARCHAR 1000
HAZARDOUS MATERIAL CODE EXPLANATION
AN EXPLANATION FOR A CODE (DRN 2720) DENOTING THE MATERIAL WHICH REQUIRES SPECIAL HANDLING. SEE VOLUME 10, TABLE 49 AND QUICK INFO ON-LINE.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					

5223 HMC-COND-NOTE — DLSC-SBA — V — 9999

HAZARDOUS MATERIAL CODE CONDITIONAL NOTE

A COMMENT AND/OR EXPLANATION USED IN UNIQUE CIRCUNSTANCES TO FURTHER DEFINE THE HAZARDOUS MATERIAL CODES, (DRN 2720). SEE VOLUME 10, TABLE 49 AND QUICK INFO ON-LINE.

5224 TYP-CGO-CD-EXPLN — TYP_CGO_EXP_5224 — DLSC-SBA — V — VARCHAR — 1000

TYPE OF CARGO CODE EXPLANATION

AN EXPLANATION FOR A CODE (DRN 9260) USED FOR ALL SHIPMENTS VIA WATER, TO IDENTIFY THE TYPE OF CARGO INCLUDED WITHIN THE SHIPMENT UNIT. SEE VOLUME 10, TABLE 82 AND QUICK INFO ON-LINE.

5225 TYP-SP-HDLG-CGO — DLSC-SBA — V — 9999

TYPE OF SPECIAL HANDLING CARGO

A CODE USE TO IDENTIFY THE TYPE OF CARGO REQUIRING SPECIAL HANDLING WITHIN THE SHIPMENT UNIT. SEE VOLUME 10, TABLE 83 AND QUICK INFO ON-LINE.

5226 SIN-HDLG-COND-CD — DLSC-SBA — V — 9999

SINGLE HANDLING CONDITION CODE

A CODE USED FOR ALL SHIPMENTS VIA WATER, TO IDENTIFY SINGLE HANDLING REQUIRED FOR CARGO INCLUDED WITHIN THE SHIPMENT. SEE VOLUME 10, TABLE 83 AND QUICK INFO ON-LINE.

5227 HVY-LIFT-HDLG-RQMT-CD — DLSC-SBA — V — 9999

HEAVY LIFT HANDLING REQUIREMENT CODE

A CODE USED FOR ALL SHIPMENTS VIA WATER TO IDENTIFY HEAVY LIFT HANDLING REQUIRED FOR CARGO INCLUDED WITHIN THE SHIPMENT. SEE VOLUME 10, TABLE 83 AND QUICK INFO ON-LINE.

5228 OTSZD-DIM-HDLG-RQMT-CD — DLSC-SBA — V — 9999

OUTSIZED DIMENSIONS HANDLING REQUIREMENT CODE

A CODE USED FOR ALL SHIPMENTS VIA WATER TO IDENTIFY OUTSIZED DIMENSIONS HANDLING REQUIRED FOR CARGO INCLUDED WITHIN THE SHIPMENT. SEE VOLUME 10, TABLE 83 AND QUICK INFO ON-LINE.

5229 HL-OTSZD-DIM-HDLG-RQM-CD — DLSC-SBA — V — 9999

HEAVY LIFT & OUTSIZED DIMENSIONS HANDLING REQUIREMENTS CO

A CODE USED FOR ALL SHIPMENTS VIA WATER, TO IDENTIFY HEAVY LIFT AND OUTSIZED DIMENSIONS HANDLING REQUIRED FOR CARGO INCLUDED WITHIN THE SHIPMENT. SEE VOLUME 10, TABLE 83 AND QUICK INFO ON-LINE.

5230 SP-HDLG-CD-COND-NOTE — DLSC-SBA — V — 9999

SPECIAL HANDLING CODE CONDITIONAL NOTE

A COMMENT AND/OR EXPLANATION USED IN UNIQUE CIRCUMSTANCES TO FURTHER DEFINE THE SPECIAL HANDLING CODE, DRN 9240. SEE VOLUME 10, TABLE 83 AND QUICK INFO ON-LINE.

5231 AIR-DIM-CD-EXPLN — AIR_DIM_CD_EX_5231 — DLSC-SBA — V — VARCHAR — 9999

AIR DIMENSION CODE EXPLANATION

AN EXPLANATION FOR A CODE (DRN 9220) THAT IDENTIFIES DIMENSIONAL CHARACTERISTICS OF AIR SHIPMENTS BY RELATING THE DIMENSIONS OF THE LARGEST PIECE TO THE MINIMUM SIZE CARGO DOOR OPENING OF AN AIRCRAFT. SEE VOLUME 10, TABLE 84 AND QUICK INFO ON-LINE.

5232 AIR-CMDTY-CD-EXPLN — AIR_CMTY_EX_5232 — DLSC-SBA — V — VARCHAR — 350

AIR COMMODITY CODE EXPLANATION

EXPLANATION OF VALID AIR COMMODITY CODES (TEXT). SEE VOLUME 10, TABLE 85 AND QUICK INFO ON-LINE.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	FORMAT FV	FORMAT TYPE	FORMAT LG
CLEAR TEXT HOST/COBOL NAME						
DRN DEFINITION						
5233	LS-THN-CRLD-RTNG-CD-EXPL	LCL_EX_5233	DLSC-SBA	F	CHAR	20
LESS THAN CARLOAD RATING CODE EXPLANATION						
AN EXPLANATION FOR A CODE (DRN 2760) DENOTING THE LESS THAN CARLOAD RATING APPLICABLE TO THE RECORDED ITEM OF SUPPLY UNDER UNIFORM FREIGHT CLASSIFICATION. SEE VOLUME 10, TABLE 86 AND QUICK AND INFO ON-LINE.						
5234	LS-THN-TL-RTNG-CD-EXPLN	LST_TL_EX_5234	DLSC-SBA	F	CHAR	20
LESS THAN TRUCKLOAD RATING CODE EXPLANATION						
AN EXPLANATION FOR A CODE (DRN 2770) DENOTING THE LESS THAN TRUCKLOAD RATING APPLICABLE TO THE RECORDED ITEM OF SUPPLY UNDER NATIONAL MOTOR FREIGHT CLASSIFICATION SYSTEM. SEE VOLUME 10, TABLE 86 AND QUICK INFO ON-LINE.						
5235	REP-NET-PR	REP_NET_PR_5235	DLSC-SBA	F	INTEGER	9
REPAIR NET PRICE						
A CODE WHICH INDICATES THAT AN ITEM MUST BE REQUISITIONED WITH END USE FUNDS AT THE 'NET PRICE'.						
5236	SVC-CONTR-IDEN-CD-EXPLN	SVC_CNTR_CD_X_5236	DLSC-SBA	F	CHAR	42
SERVICE/CONTRACTOR IDENTIFICATION CODE EXPLANATION						
AN EXPLANATION FOR A CODE (DRN 0745) USED TO DIFFERENTIATE BETWEEN SERVICE, INTEGRATED MATERIAL MANAGER, LEAD SERVICE AND CIVIL AGENCY CATALOG MANAGEMENT DATA. SEE VOLUME 10, TABLE 39 AND QUICK INFO ON-LINE.						
5237	STR-TM-PED	STR_TM_PED_5237	DLSC-SBA	V	VARCHAR	200
STORAGE TIME PERIOD						
THE SHELF LIFE STORAGE TIME PERIOD ASSOCIATED WITH A GIVEN SHELF LIFE CODE (DRN 2943). SEE VOLUME 10, TABLE 50 AND QUICK INFO ON-LINE.						
5238	TYP-SHLF-LIF-CD-NOTE		DLSC-SBA	V		9999
TYPE OF SHELF LIFE CODE NOTE						
A DEFINITION WHICH IS USED TO FURTHER EXPLAIN THE DIFFERENCES BETWEEN TYPE I AND TYPE II SHELF LIFE CODES. SEE VOLUME 10, TABLE 50 AND QUICK INFO ON-LINE.						
5239	SHLF-LIF-CD-NOTE		DLSC-SBA	V		9999
SHELF LIFE CODE NOTE						
A COMMENT AND/OR EXPLANATION WHICH FURTHER DEFINES THE APPLICABLE SHELF LIFE CODE, DRN 2943. SEE VOLUME 10, TABLE 50 AND QUICK INFO ON-LINE.						
5240	PHRS-CD-PHRS	PHRS_CD_PHRS_5240	DLSC-SBA	F	CHAR	100
PHRASE CODE PHRASE						
THE PHRASE ASSIGNED TO A GIVEN PHRASE CODE, DRN 2862. SEE VOLUME 10, TABLE 52 AND QUICK INFO ON-LINE.						
5241	PHRS-CD-EXPLN	PHRS_CD_EXPLN_5241	DLSC-SBA	V	VARCHAR	1000
PHRASE CODE EXPLANATION						
AN EXPLANATION FOR A CODE (DRN 2862) ASSIGNED TO A PHRASE USED IN THE MANAGEMENT DATA LIST TO DENOTE CHANGES AND/OR RELATIONSHIPS BETWEEN NATIONAL STOCK NUMBERS (NSN) AND REFERENCE DATA. SEE VOLUME 10, TABLE 52 AND QUICK INFO ON-LINE.						
5242	UI-TRM	UI_TRM_5242	DLSC-SBA	F	CHAR	20
UNIT OF ISSUE TERM						
THE TERM WHICH APPLIES TO A GIVEN UNIT OF ISSUE, DRN 3050. SEE VOLUME 10, TABLE 53 AND QUICK INFO ON-LINE.						
5243	UI-DEF	UI_DEF_5243	DLSC-SBA	V	VARCHAR	1000
UNIT OF ISSUE DEFINITION						

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

AN EXPLANATION FOR A CODE (DRN 3050) INDICATING THE PHYSICAL MEASUREMENT, THE COUNT OR WHEN NEITHER IS APPLICABLE, THE CONTAINER, OR SHAPE OF AN ITEM FOR PURPOSES OF REQUISITIONING BY, AND ISSUE TO, THE END-USER, AND IS THAT ELEMENT OF MANAGEMENT DATA TO WHICH THE UNIT PRICE IS ASCRIBED. SEE VOLUME 10, TABLE 53 AND QUICK INFO ON-LINE.

5244 UI-CONDL-NOTE — DLSC-SBA — V — 9999

UNIT OF ISSUE CONDITIONAL NOTE

A COMMENT AND/OR EXPLANATION USED IN UNIQUE CIRCUMSTANCES TO FURTHER DEFINE THE UNIT OF ISSUE, DRN 3050. SEE VOLUME 10, TABLE 53 AND QUICK INFO ON-LINE.

5245 FMR-UI-TRM — DLSC-SBA — V — 9999

FORMER UNIT OF ISSUE TERM

THE TERM WHICH APPLIES TO A GIVEN FORMER UNIT OF ISSUE, DRN 8472. SEE VOLUME 10, TABLE 53 AND QUICK INFO ON-LINE.

5246 FMR-UI-DEF — DLSC-SBA — V — 9999

FORMER UNIT OF ISSUE DEFINITION

AN EXPLANATION FOR A UNIT OF ISSUE CODE (DRN 8472) THAT FORMERLY APPLIED TO AN ITEM OF SUPPLY. SEE VOLUME 10, TABLE 53 AND QUICK INFO ON-LINE.

5247 FMR-UI-CONDL-NOTE — DLSC-SBA — V — 9999

FORMER UNIT OF ISSUE CONDITIONAL NOTE

A COMMENT AND/OR EXPLANATION USED IN UNIQUE CURCUMSTANCES TO FURTHER DEFINE THE FORMER UNIT OF ISSUE, DRN 8472. SEE VOLUME 10, TABLE 53 AND QUICK INFO ON-LINE.

5248 QUP-CD-QTY — QUP_CD_QTY_5248 — DLSC-SBA — V — VARCHAR — 200

QUANTITY PER UNIT PACK CODE QUANTITY

THE QUANTITY EXPRESSION ASSIGNED TO A CODE (DRN 6106) INDICATING THE NUMBER OF UNITS OF ISSUE IN THE UNIT PACKAGE AS ESTABLISHED BY THE MANAGING ACTIVITY. SEE VOLUME 10, TABLE 56 AND QUICK INFO ON-LINE.

5249 QUP-CD-NOTE — DLSC-SBA — V — 9999

QUANTITY PER UNIT PACK CODE NOTE

A COMMENT AND/OR EXPLANATION FURTHER DEFINING THE QUANTITY PER UNIT PACK CODE, DRN 6106. SEE VOLUME 10, TABLE 56 AND QUICK INFO ON-LINE.

5250 AAC-EXPLN — AAC_EXPLN_5250 — DLSC-SBA — V — VARCHAR — 9999

ACQUISITION ADVICE CODE EXPLANATION

AN EXPLANATION FOR A CODE (DRN 2507) DENOTING HOW (AS DISTINGUISHED FROM WHERE) AND UNDER WHAT RESTRICTIONS AN ITEM WILL BE ACQUIRED. SEE VOLUME 10, TABLE 58 AND QUICK INFO ON-LINE.

5251 AAC-NOTE — DLSC-SBA — V — 9999

ACQUISITION ADVICE CODE NOTE

A COMMENT AND/OR EXPLANATION FURTHER DEFINING THE ACQUISITION ADVICE CODE DRN 2507. SEE VOLUME 10, TABLE 58 AND QUICK INFO ON-LINE.

5252 SOS-MOD-CD-EXPLN — SOSM_CD_EX_5252 — DLSC-SBA — V — VARCHAR — 200

SOURCE OF SUPPLY MODIFIER CODE EXPLANATION

AN EXPLANATION FOR A CODE (DRN 2948) DENOTING ROUTING INFORMATION FOR REQUISITIONS WHICH CANNOT BE ADDRESSED TO A SINGLE MILSTRIP ROUTING IDENTIFIER OR WHEN A SINGLE ROUTING INDENTIFIER CANNOT BE ASSIGNED. SEE VOLUME 10, TABLE 59 AND QUICK INFO ON-LINE.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	FORMAT FV	TYPE	LG
CLEAR TEXT HOST/COBOL NAME						
DRN DEFINITION						

5253 SOS-MOD-CD-NOTE — DLSC-SBA — V — 9999

SOURCE OF SUPPLY MODIFIER CODE NOTE

A COMMENT AND/OR EXPLANATION FURTHER DEFINING THE SOURCE OF SUPPLY MODIFIER CODE, DRN 2948. SEE VOLUME 10, TABLE 59 AND QUICK INFO ON-LINE.

5254 CTLD-INV-ITM-CD-EXPLN — CII_CTGY_EX_5254 — DLSC-SBA — V — VARCHAR — 9999

CONTROLLED INVENTORY ITEM CODE EXPLANATION

AN EXPLANATION OF A CODE (DRN 2863) INDICATING THE SECURITY RISK OR PILFERAGE CONTROLS FOR STORAGE AND TRANSPORTATION OF DEPARTMENT OF DEFENSE ASSETS. SEE VOLUME 10, TABLE 61 AND QUICK INFO ON-LINE.

5255 CIIC-CLS-CD — CIIC_CLS_CD_5255 — DLSC-SBA — V — CHAR — 1

CONTROLLED INVENTORY ITEM CODE CATEGORY CODE

THE APPLICABLE CATEGORY FOR A GIVEN CONTROLLED INVENTORY ITEM CODE (DRN 2863). SEE VOLUME 10, TABLE 61 AND QUICK INFO ON-LINE.

5256 COG-CD-NVY-DEF — COG_CD_NVY_EX_5256 — DLSC-SBA — V — VARCHAR — 9999

COGNIZANCE CODE, NAVY DEFINITION

AN EXPLANATION FOR A CODE (DRN 2608) EMPLOYED BY THE UNITED STATES NAVY TO CLASSIFY ITEMS BY TECHNICAL PROGRAM, TYPE OF FUND, AND TO INDICATE THE COGNIZANT INVENTORY CONTROL POINT (ICP) AND TECHNICALLY RESPONSIBLE COMMAND. SEE VOLUME 10, TABLE 62 AND QUICK INFO ON-LINE.

5257 COG-CD-INV-MGR-RETL-OFC — COG_RETL_OFC_5257 — DLSC-SBA — V — VARCHAR — 9999

COGNIZANCE CODE INVENTORY MANAGER OR RETAIL OFFICE

THE INVENTORY MANAGER OR RETAIL OFFICE TECHNICALLY RESPONSIBLE FOR THE APPLICABLE COGNIZANT INVENTORY ITEMS. SEE VOLUME 10, TABLE 62 AND QUICK INFO ON-LINE.

5258 QNTV-EXPRSN-TRM — DLSC-SBA — V — 9999

QUANTITATIVE EXPRESSION TERM

THE TERM FOR AN EXPRESSION WHICH SPECIFIES THE CONTENT OF THE NONDEFINITIVE UNIT OF ISSUE ASSIGNED TO AN ITEM OF SUPPLY.

5259 RECOV-CD-EXPLN-AR — RECOV_EX_AR_5259 — DLSC-SBA — V — VARCHAR — 250

RECOVERABILITY CODE EXPLANATION, ARMY

AN EXPLANATION FOR A CODE (DRN 2892) EMPLOYED WITHIN THE UNITED STATES ARMY DENOTING THE RECOVERABILITY CATEGORY UNDER WHICH AN ITEM OF SUPPLY IS MANAGED. SEE VOLUME 10, TABLE 87 AND QUICK INFO ON LINE.

5260 ISS-REP-RQNG-RSTRN-CD-DE — IRRC_NVY_DEF_5260 — DLSC-SBA — V — VARCHAR — 200

ISSUE, REPAIR AND/OR REQUISITIONING RESTRICTION CODE DEF

AN EXPLANATION FOR A CODE (DRN 0132) THAT INDICATES RESTRICTIONS ON ISSUING OR INSTRUCTIONS FOR REQUISITIONING, ITEM REPAIR/OVERHAUL, TURN-IN, EXCHANGE OR DISPOSAL. SEE VOLUME 10, TABLE 95 AND QUICK INFO ON-LINE.

5261 REPBL-CHAR-IND-CD-DLA-DE — REP_CD_DLA_EX_5261 — DLSC-SBA — V — VARCHAR — 1000

REPARABLE CHARACTERISTICS INDICATOR CODE, DLA DEFINITION

A DEFINITION FOR A CODE (DRN 2934) INDICATING WHETHER OR NOT THE ITEM HAS BEEN SUBJECTED TO REPARABLE CHARACTERISTICS. SEE VOLUME 10, TABLE 130 AND QUICK INFO ON-LINE.

5262 ADPE-IDEN-CD-DEF — ADPEC_DEF_5262 — DLSC-SBA — V — VARCHAR — 9999

ADPE IDENTIFICATION CODE DEFINITION

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE DEFINITION OF A CODE (DRN 0801) USED TO INDICATE AN ITEM OF AUTOMATIC DATA PROCESSING EQUIPMENT (ADPE) OR CONTAINING ADPE REGARDLESS OF ASSIGNED FEDERAL SUPPLY CLASS TO PROVIDE VISIBILITY FOR COMPLIANCE WITH UNIQUE MANAGER REQUIREMENTS ESTABLISHED FOR ADPE BY PUBLIC LAW 89-306. SEE VOLUME 10, TABLE 159 AND QUICK INFO ON-LINE.

5263 TYP-PREC-MTL TYP_PREC_MTL_5263 DLSC-SBA V VARCHAR 100

TYPE OF PRECIOUS METAL

THE TYPE OF PRECIOUS METAL INDICATED BY THE PRECIOUS METAL INDICATOR CODE (DRN 0802). SEE VOLUME 10, TABLE 160 AND QUICK INFO ON-LINE.

5264 PREC-MTL-IND-CD-NOTE PRC_MTL_I_NOT_5264 DLSC-SBA V CHAR 50

PRECIOUS METAL INDICATOR CODE NOTE

A COMMENT AND/OR EXPLANATION FURTHER DEFINING THE CONTENTS OF THE PRECIOUS METAL INDICATOR CODE (DRN 0802). SEE VOLUME 10, TABLE 160 AND QUICK INFO ON-LINE.

5265 NSCM-SUF-CDFN-BUR-CD-NOT NSCM_S_CD_B_N_5265 DLSC-SBB F CHAR 1

NSCM SUFFIX CODIFICATION BUREAU CODE NOTE

A COMMENT AND/OR EXPLANATION FURTHER DEFINING THE CONTENTS OF THE NSCM SUFFIX CODIFICATION BUREAU CODE. SEE VOLUME 10, TABLE 131 AND QUICK INFO ON-LINE.

5266 NSCM-SUF-CDFN-BUR-CD-EXP NSCM_S_CD_B_X_5266 DLSC-SBB V CHAR 25

NSCM SUFFIX CODIFICATION BUREAU CODE EXPLANATION

AN EXPLANATION FOR A CODE (DRN 5267) WHICH SUFFIXES THE FOUR NON-SIGNIFICANT DIGITS ASSIGNED TO A NATO SUPPLY CODE FOR MANUFACTURERS BY EACH RESPECTIVE CODIFICATION BUREAU. SEE VOLUME 10, TABLE 131 AND QUICK INFO ON-LINE.

5267 NSCM-SUF-CDFN-BUR-CD NSCM_S_CD_BR_5267 DLSC-SD F CHAR 1

NSCM SUFFIX CODIFICATION BUREAU CODE

A CODE WHICH SUFFIXES THE FOUR NON-SIGNIFICANT DIGITS ASSIGNED TO A NATO SUPPLY CODE FOR MANUFACTURERS BY EACH RESPECTIVE CODIFICATION BUREAU. SEE VOLUME 10, TABLE 131 AND QUICK INFO ON-LINE.

5268 NSCM-PRFX-CDFN-BUR-CD-NT NSCM_CD_BUR_N_5268 DLSC-SBB F CHAR 1

NSCM PREFIX CODIFICATION BUREAU CODE NOTE

A COMMENT AND/OR EXPLANATION FURTHER DEFINING THE CONTENTS OF THE NSCM PREFIX CODIFICATION BUREAU CODE. SEE VOLUME 10, TABLE 131 AND QUICK INFO ON-LINE.

5270 CAO-ADP-EXCP-PRCSG-CD-EX CAO_EX_PR_EX_5270 DLSC-SBA V VARCHAR 130

CAO/ADP EXCEPTION PROCESSING CODE EXPLANATION

AN EXPLANATION FOR A CODE (DRN 8868) WHICH SIGNIFIES AN EXCEPTION TO THE NORMAL PROCEDURE AND RULE FOR RELATING CONTRACT ADMINISTRATION OFFICE (CAO) CODES AND AUTOMATIC DATA PROCESSING (ADP) POINT CODES TO ADD/CHANGE OE TRANSACTIONS AFFECTING THE MANUFACTURERS/NONMANUFACTURERS ORGANIZATIONAL ENTITY RECORDS. SEE VOLUME 10, TABLE 132 AND QUICK INFO ON-LINE.

5271 COMN-NBRG-SYS-IND-EXPLN CNBR_SYS_I_EX_5271 DLSC-SC V VARCHAR 150

COMMON NUMBERING SYSTEM INDICATOR EXPLANATION

AN EXPLANATION FOR A CODE (DRN 0845) WHICH DESIGNATES WHETHER OR NOT A COMMON PART NUMBERING SYSTEM EXISTS BETWEEN TWO OR MORE COMPANIES WITHIN A DESIGNATED CORPORATE STRUCTURE.

5272 NSCM-PRFX-CDFN-BUR-CD-EX NSCM_CD_BUR_X_5272 DLSC-SBB V CHAR 30

NSCM PREFIX CODIFICATION BUREAU CODE EXPLANATION

AN EXPLANATION FOR A CODE (DRN 4180) WHICH PREFIXES THE FOUR NON-SIGNIFICANT DIGITS ASSIGNED TO A NATO SUPPLY CODE FOR MANUFACTURERS BY EACH RESPECTIVE CODIFICATION BUREAU. SEE VOLUME 10, TABLE 131 AND QUICK INFO ON-LINE.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	FORMAT FV	FORMAT TYPE	FORMAT LG
CLEAR TEXT HOST/COBOL NAME						
DRN DEFINITION						

5273 CRTFD-CONTR-NM | CRTFD_CNTR_NM_5273 | DLSC-SB | F | CHAR | 72

CERTIFIED CONTRACTOR NAME

THE NAME OF A PRIVATE INDIVIDUAL OR ENTERPRISE THAT PROVIDED SELF-CERTIFICATION IN ACCORDANCE WITH DOD DIRECTIVE D-5230.25 AS A CONDITION FOR OBTAINING ACCESS TO EXPORT CONTROLLED TECHNICAL DATA. CERTAIN DATA ELEMENTS ARE EXTRACTED FROM THE DLSC CERTIFICATION MASTER FILE AND PUBLISHED IN THE CERTIFIED CONTRACTOR ACCESS LIST (CCAL).

5274 SUBSDY-DIV-NM | SUBSDY_DIV_NM_5274 | DLSC-SC | V | VARCHAR | 72

SUBSIDIARY DIVISION NAME

THE NAME OF THE AFFILIATE ORGANIZATION OF A CORPORATION/COMPANY WHO IS CERTIFIED AS A QUALIFIED CONTRACTOR.

5275 CRTFD-CONTR-ADRS | DLSC-SC | V | 118

CERTIFIED CONTRACTOR ADDRESS

THE ADDRESS OF A CERTIFIED CONTRACTOR WHICH INCLUDES THE P.O. BOX IF REQUIRED, STREET AND NUMBER, STATE, AND ZIP CODE.

5276 CRTFD-CONTR-PHN-NBR | CRTFD_PHN_NBR_5276 | DLSC-SB | F | CHAR | 10

CERTIFIED CONTRACTOR PHONE NUMBER

THE TELEPHONE NUMBER (INCLUDING AREA CODE) OF A CERTIFIED CONTRACTOR.

5277 DATA-RECI-NM | DATA_RECI_NM_5277 | DLSC-SC | F | CHAR | 36

DATA RECIPIENT NAME

THE NAME OF A SPECIFIC INDIVIDUAL WITHIN A CORPORATION OR OTHER ORGANIZATION DESIGNATED TO RECEIVE AND CONTROL MILITARY CRITICAL TECHNICAL INFORMATION.

5278 DATA-RECI-TI | DATA_RECI_TI_5278 | DLSC-SC | F | CHAR | 36

DATA RECIPIENT TITLE

THE POSITION TITLE OF THE DATA RECIPIENT.

5279 DATA-RECI-ADRS | DLSC-SCA | F | 118

DATA RECIPIENT ADDRESS

THE ADDRESS FOR A DATA RECIPIENT WHICH INCLUDES THE P.O. BOX IF REQUIRED, STREET AND NUMBER, CITY, STATE AND ZIP CODE.

5280 DATA-RECI-ST | DLSC-SC | F | 36

DATA RECIPIENT STREET

THE STREET NAME AND ASSOCIATED NUMBER PORTION OF THE DATA RECIPIENT ADDRESS (DRN 5279).

5281 DATA-RECI-PO-BOX | DLSC-SC | F | 36

DATA RECIPIENT POST OFFICE BOX

THE POST OFFICE BOX PORTION OF THE DATA RECIPIENT ADDRESS.

5282 DATA-RECI-CTY-STA | DLSC-SC | F | 36

DATA RECIPIENT CITY/STATE

THE CITY AND STATE PORTION OF THE DATA RECIPIENT ADDRESS (DRN 5279).

5283 DESC-RELVT-BUS-ACTY | D_REL_BUS_ACT_5283 | DLSC-SC | F | VARCHAR | 1392

DESCRIPTION OF RELEVANT BUSINESS ACTIVITY

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

BRIEF STATEMENT(S) DESCRIBING THE BUSINESS ACTIVITY OF THE FIRM TO BE CERTIFIED JUSTIFYING EITHER THE NEED TO BE CERTIFIED OR THE REQUEST FOR MILITARY CRITICAL TECHNICAL DATA.

5284 DATA-RECI-ZIP-CD — DLSC-SC — F — 10
DATA RECIPIENT ZIP CODE
THE ZONE IMPROVEMENT PROGRAM (ZIP) CODE PORTION OF THE DATA RECIPIENT ADDRESS.

5285 DATA-RECI-PHN-NBR — DLSC-SC — F — 12
DATA RECIPIENT PHONE NUMBER
THE TELEPHONE NUMBER (INCLUDING THE AREA CODE) OF A DATA RECIPIENT.

5286 OE-DESI-CD-EXPLN-NOTE — DLSC-SBA — V — 99
ORGANIZATIONAL ENTITY DESIGNATOR CODE EXPLANATION NOTE
A COMMENT AND/OR EXPLANATION FURTHER DEFINING THE ORGANIZATIONAL ENTITY DESIGNATOR CODE (DRN 2620). SEE VOLUME 10, TABLE 88 AND QUICK INFO ON-LINE.

5287 OE-DESI-CD-EXPLN — OE_DESI_EX_5287 — DLSC-SBB — V — VARCHAR — 50
ORGANIZATIONAL ENTITY DESIGNATOR CODE EXPLANATION
AN EXPLANATION FOR A CODE (DRN 2620) WHICH SPECIFIES THAT ONE OR MORE CONDITIONS APPLY TO AN ORGANIZATIONAL ENTITY. SEE VOLUME 10, TABLE 88 AND QUICK INFO ON-LINE.

5288 MINM-ADRS-CD-EXPLN — MINM_ADRS_EX_5288 — DLSC-SBA — V — VARCHAR — 100
MINIMUM ADDRESS CODE EXPLANATION
AN EXPLANATION FOR A CODE (DRN 2645) WHICH DENOTES A MINIMUM ADDRESS REQUIREMENT. SEE VOLUME 10, TABLE 36 AND QUICK INFO ON-LINE.

5289 FOR-DOM-DESI-CD-EXPLN — FRN_DOM_EX_5289 — DLSC-SBA — V — VARCHAR — 100
FOREIGN/DOMESTIC DESIGNATOR CODE EXPLANATION
AN EXPLANATION FOR A CODE (DRN 4235) WHICH DESIGNATES THE LOCATION OF AN ORGANIZATIONAL ENTITY. SEE VOLUME 10, TABLE 29 AND QUICK INFO ON-LINE.

5290 CRTFN-EXPR-DT — CRTFN_EXPR_DT_5290 — DLSC-SC — F — DATE — 6
CERTIFICATION EXPIRATION DATE
THE DATE AT THE END OF THE PUBLICATION QUARTER IN WHICH THE FIVE (5) YEAR ANNIVERSARY OF THE CERTIFICATION WAS ESTABLISHED. BASED ON THE FIVE YEAR EXPIRATION DATE, THERE SHALL BE AN AUTOMATIC GENERATION OF A RENEWAL NOTICE AT THE CUTOFF DATE FOR THE PUBLICATION WHICH WILL BE VALID UNTIL THE DATE OF EXPIRATION.

5291 DT-CRTFN-NBR-RVCTN — DT_CRT_NBR_RV_5291 — DLSC-SC — F — DATE — 6
DATE OF CERTIFICATION NUMBER REVOCATION
THE DATE UPON WHICH A CERTIFICATION NUMBER WAS REVOKED.

5292 ACTN-OFC — ACTN_OFC_5292 — DLSC-SC — F — CHAR — 1
ACTION OFFICE
THE OFFICE RESPONSIBLE FOR ESTABLISHING A CERTIFICATION NUMBER. THE ACTION OFFICE MAY BE EITHER DLSC OR HQ DLA.

5293 CAGE-STAT-CD-USER-INTPTN — CAGE_USR_INTP_5293 — DLSC-SBA — V — VARCHAR — 1000
CAGE STATUS CODE USER INTERPRETATION
A NARRATIVE INDICATING THE STATUS OF AN ORGANIZATIONAL ENTITY (OE) IDENTIFIED BY THE COMMERCIAL AND GOVERNMENT ENTITY STATUS CODE (DRN 2694). SEE VOLUME 10, TABLE 19 AND QUICK INFO ON-LINE.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	FORMAT FV	FORMAT TYPE	FORMAT LG
CLEAR TEXT HOST/COBOL NAME						
DRN DEFINITION						
5294	CAGE-STAT-CD-APPL-OE		DLSC-SBB	V		20
CAGE STATUS CODE APPLICABLE ORGANIZATIONAL ENTITY						
IDENTIFICATION OF THE ORGANIZATIONAL ENTITY (OE) CAGE/NSCM RELATED TO THE VARIOUS VALUES OF COMMERCIAL AND GOVERNMENT ENTITY STATUS CODE (DRN 2694). SEE VOLUME 10, TABLE 19 AND QUICK INFO ON-LINE.						
5295	CRTFN-NBR	CRTFN_NBR_5295	DLSC-SB	F	CHAR	7
CERTIFICATION NUMBER						
A SEVEN DIGIT NUMERIC IDENTIFICATION CODE ASSIGNED BY DLSC TO IDENTIFY A VALID CERTIFIED CONTRACTOR NAME.						
5296	CRTFN-DT-ESTB	CRTFN_DT_ESTB_5296	DLSC-SC	F	DATE	6
CERTIFICATION DATE ESTABLISHED						
THE DATE ON WHICH A CERTIFICATION NUMBER WAS ESTABLISHED.						
5297	CRTFD-CONTR-STAT-CD	CRTFN_STAT_CD_5297	DLSC-SB	F	CHAR	1
CERTIFIED CONTRACTOR CERTIFICATION STATUS CODE						
A CODE INDICATING THE STATUS OF THE CERTIFICATION NUMBER ASSIGNED TO A CERTIFIED CONTRACTOR. VALID VALUES ARE A=ACTIVE, B=DEBARRED, C=INACTIVE, AND BLANK=AVAILABLE.						
5298	MOE-CD-NOTE		DLSC-SBA	V		9999
MAJOR ORGANIZATIONAL ENTITY CODE NOTE						
A COMMENT AND/OR EXPLANATION USED TO FURTHER DEFINE THE MAJOR ORGANIZATIONAL ENTITY CODE (DRN 2833). SEE VOLUME 10, TABLE 51 AND QUICK INFO ON-LINE.						
5299	MOE-CD-IDEN	MOE_CD_IDEN_5299	DLSC-SBA	V	VARCHAR	100
MAJOR ORGANIZATIONAL ENTITY CODE IDENTIFICATION						
AN EXPLANATION FOR A CODE (DRN 2833) REPRESENTING THE SUBDIVISION OF A U.S. GOVERNMENT AND THE INTERNATIONAL ORGANIZATIONS PARTICIPATING IN THE FEDERAL CATALOG PROGRAM. SEE VOLUME 10, TABLE 51 AND QUICK INFO ON-LINE.						
5300	CMDTY-CTGY-NOTE-FSC		DLSC-SBA	V	VARCHAR	9999
COMMODITY CATEGORY NOTE - FSC						
A COMMENT AND/OR EXPLANATION FURTHER DEFINING THE COMMODITY CATEGORY CODE (DRN 3428) FOR A GIVEN FEDERAL SUPPLY CLASS (FSC). SEE VOLUME 10, TABLE 78.						
5301	CMDTY-CTGY-EXPLN	CMDTY_CT_EXP_5301	DLSC-SBA	V	VARCHAR	9999
COMMODITY CATEGORY EXPLANATION						
AN EXPLANATION FOR A CODE (DRN 3428) AND A GIVEN ASSIGNED FEDERAL SUPPLY CLASS CODE (DRN 3990) WHICH TOGETHER ARE USED BY THE DEPARTMENT OF DEFENSE (DOD) ACTIVITIES TO IDENTIFY THE COMMODITY CATEGORY OF PARTS FOR A GIVEN FSC. SEE VOLUME 10, TABLE 78 AND QUICK INFO ON-LINE.						
5302	SICA-LVL-AUTH-CD-DEF	SICA_LOA_DEF_5302	DLSC-SBA	V	VARCHAR	1300
SICA LEVEL OF AUTHORITY CODE DEFINITION						
AN EXPLANATION FOR A CODE (DRN 9547) THAT IDENTIFIES THE LEVELS OF AUTHORITY OF A SECONDARY INVENTORY CONTROL ACTIVITY (SICA). SEE VOLUME 10, TABLE 74 AND QUICK INFO ON-LINE.						
5303	PICA-LVL-AUTH-CD-DEF	PICA_LOA_DEF_5303	DLSC-SBA	V	VARCHAR	1300
PICA LEVEL OF AUTHORITY CODE DEFINITION						
AN EXPLANATION FOR A CODE (DRN 3505) THAT IDENTIFIES THE LEVELS OF AUTHORITY OF A PRIMARY INVENTORY CONTROL ACTIVITY (PICA). SEE VOLUME 10, TABLE 74 AND QUICK INFO ON-LINE.						
5305	FSC-MOE-IND-CD-EXPLN	FSC_M_RL_C_EX_5305	DLSC-SBA	V	VARCHAR	1000

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

FSC/MOE RULE INDICATOR CODE EXPLANATION

AN EXPLANATION FOR A CODE (DRN 0122) WHICH IS COMPUTER GENERATED AS THE RESULT OF AN INPUT TRANSACTION CHANGING ANY PORTION OF A FEDERAL SUPPLY CLASS/MAJOR ORGANIZATIONAL ENTITY (FSC/MOE) RULE RECORD.

5306 FUT-CT-MOE-RL-ST-CD-DEF FUT_M_RL_ST_D_5306 DLSC-SBA V VARCHAR 100

FUTURE CATALOG TOOLS MOE RULE STATUS CODE DEFINITION

AN EXPLANATION FOR A CODE (DRN 0297) ENTERED AGAINST A CATALOG TOOLS MAJOR ORGANIZATIONAL ENTITY (MOE) RULE RECORD WHICH REFLECTS THE FORTHCOMING STATUS CODE TO BE ASSIGNED BASED ON A PENDING FUTURE EFFECTIVE DATED CATALOG TOOLS MOE RULE ACTION. SEE VOLUME 10, TABLE 116 AND QUICK INFO ON-LINE.

5307 MOE-RU-STAT-CD-DEF M_RL_STAT_EX_5307 DLSC-SBA V VARCHAR 100

MOE RULE STATUS CODE DEFINITION

AN EXPLANATION FOR A CODE (DRN 8458) DESIGNATING THE STATUS OF A MOE RULE. SEE VOLUME 10, TABLE 116 AND QUICK INFO ON-LINE.

5308 CMDTY-MAT-MGMT-CD-DOD-ID CMDTY_MMC_ID_5308 DLSC-SBA V VARCHAR 100

COMMODITY MATERIAL MANAGEMENT CATEGORY CD DOD IDENTIFICAT

AN EXPLANATION FOR A CODE (DRN 2611) EMPLOYED TO CLASSIFY ITEMS INTO CATEGORIES BY MATERIAL COMMODITY FOR MANAGEMENT INFORMATION PURPOSES. SEE VOLUME 10, TABLE 48 AND QUICK INFO ON-LINE.

5309 CMDTY-MAT-MGMT-CD-DOD-NT DLSC-SBA V 9999

COMMODITY MATERIAL MANAGEMENT CODE DOD NOTE

A COMMENT AND/OR EXPLANATION WHICH IS USED TO FURTHER DEFINE APPLICABLE COMMODITY MATERIAL MANAGEMENT CATEGORY CODE (DRN 2611). SEE VOLUME 10, TABLE 48 AND QUICK INFO ON-LINE.

5310 CMDTY-CTGY-FSG DLSC-SBA V 9999

COMMODITY CATEGORY FSC

AN EXPLANATION FOR A CODE (DRN 3428) AND A GIVEN ASSIGNED FEDERAL SUPPLY GROUP (DRN 3994) WHICH TOGETHER ARE USED BY THE DEPARTMENT OF DEFENSE (DOD) ACTIVITIES TO IDENTIFY THE COMMODITY CATEGORY OF PARTS FOR A GIVEN FSC. SEE VOLUME 10, TABLE 78 AND QUICK INFO ON-LINE.

5311 ASGND-CTL-NM-MCRL-SA-DES DLSC-SB V 9999

ASSIGNED CONTROL NUMBER MCRL SERVICE AGENCY DESIGNATOR

AN ALPHABETIC CHARACTER CODE DELINEATING THE SERVICE/AGENCY THAT MADE THE DECISION TO RELATE A PARTICULAR NATIONAL STOCK NUMBER TO A LOGISTICS REFERENCE NUMBER. GENERATED FROM DECODING DATA RECORD NUMBER (DRN) 4672 (SERVICE/AGENCY DESIGNATOR CODE) IN SEGMENT C. USED IN CONJUNCTION WITH PERMANENT SYSTEM CONTROL NUMBER (PSCN).

5312 NIIN-MCRL-SVC-AGCY-DESI DLSC-SB V 9999

NIIN MCRL SERVICE AGENCY DESIGNATOR

AN ALPHABETIC CHARACTER CODE DELINEATING THE SERVICE/AGENCY THAT MADE THE DECISION TO RELATE A PARTICULAR NATIONAL STOCK NUMBER TO A LOGISTICS REFERENCE NUMBER. GENERATED FROM DECODING DATA RECORD NUMBER (DRN) 4672 (SERVICE/AGENCY DESIGNATOR) IN SEGMENT C. USED IN CONJUCTION WITH NATIONAL ITEM IDENTIFICATION NUMBER (NIIN) AND DRN 4140.

5313 PSCN-MCRL-SVC-AGCY-DESI DLSC-VO V 9999

PSCN MCRL SERVICE AGENCY DESIGNATOR

AN ALPHA CHARACTER CODE DELINEATING THE SERVICE/AGENCY THAT MADE THE DECISION TO RELATE A PARTICULAR NATIONAL STOCK NUMBER TO A LOGISTICS REFERENCE NUMBER. GENERATED FROM DECODING DATA RECORD NUMBER (DRN 4672) (SERVICE/AGENCY DESIGNATOR CODE) IN SEGMENT C. USED IN CONJUNCTION WITH PERMANENT SYSTEM CONTROL NUMBER (PSCN) AND DRN 9250.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5314 DGTZD-DT-EFF-LOG-ACTN — DLSC-VO — F — 5

DIGITIZED DATE EFFECTIVE LOGISTICS ACTION

THE YEAR AND JULIAN DAY DENOTING THE DATE THAT A PREDETERMINED LOGISTICS ACTION BECOMES EFFECTIVE IN THE DEFENSE LOGISTICS. THIS DATE WILL ALWAYS BE THE FIRST DAY OF THE MONTH, E.G. 74213. USED IN CONJUNCTION WITH THE DATA RECORD NUMBER (DRN 0772).

5315 DRMS-CHL-IND-CD — DRMS_CHAL_CD_5315 — DLSC-VO — F — CHAR — 1

DRMS CHALLENGE INDICATOR CODE

A CODE WHICH APPEARS IN THE DEMIL PUBLICATION TO INDICATE A DEMIL CODE (DML) WHICH IS THE RESULT OF A DEFENSE REUTILIZATION AND MARKETING SERVICE CHALLENGE.

5318 CMDTY-CTGY-NOTE-FSG — DLSC-SBA — V — 9999

COMMODITY CATEGORY NOTE FSG

A COMMENT AND/OR EXPLANATION FURTHER DEFINING THE COMMODITY CATEGORY CODE FOR A GIVEN FEDERAL SUPPLY GROUP (FSG). SEE VOLUME 10, TABLE 78 AND QUICK INFO ON-LINE.

5319 SVC-AGCY-DESI-CD-DEF — SA_DESI_CD_X_5319 — DLSC-SBA — F — CHAR — 20

SERVICE AGENCY DESIGNATOR CODE DEFINITION

THE DEFINITION OF A CODE (DRN 4672) WHICH DESIGNATES THE MILITARY OR SERVICE OR AGENCY THAT MADE A DECISION TO RELATE A LOGISTICS REFERENCE NUMBER TO A NATIONAL STOCK NUMBER EVEN THOUGH THERE IS NO DIRECT RELATIONSHIP OF THE REFERENCE NUMBER TO THE NSN OTHER THAN A CROSS REFERENCE THAT THE NSN WAS ACCEPTED AS A SUBSTITUTE FOR THE ITEM IDENTIFIED BY THE REFERENCE NUMBER. SEE VOLUME 10, TABLE 154 AND QUICK INFO ON-LINE.

5321 UP-QTY — UP_QTY_5321 — DLSC-SBA — F — CHAR — 3

UNIT PACK QUANTITY

A DATA FIELD INDICATING THE NUMBER OF UNITS OF ISSUE IN THE UNIT PACK AS ESTABLISHED BY THE MANAGING ACTIVITY.

5322 UP-CD-QTY — DLSC-SBA — V — 9999

UNIT PACK CODE QUANTITY

THE SPECIFIED QUANTITY FOR A GIVEN UNIT PACK QUANTITY CODE (DRN 5321).

5323 AAC-FSC-ACTY-LOA-NSN — DLSC-SBA — F — 8

ACQUISITION ADVICE CODE FSC ACTIVITY LOA NSN

TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY BY LOA WITHIN AN FSC WITH AN ACQUISITION ADVICE CODE.

5324 AAC-FSC-ACTY-LOA-GP-NSN — DLSC-SBA — F — 8

ACQUISITION ADVICE CODE FSC ACTIVITY LOA GROUP NSN

TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY BY LOA WITHIN AN FSC WITH A SPECIFIC ACQUISITION ADVICE CODE THAT IS PART OF A GROUP OF AACS.

5325 DIC-SAC-DEPT-TOT-NIINST — DIC_STAT_CNT_5325 — DLSC-SBA — F — INTEGER — 8

DIC SUBMITTING ACTIVITY CODE DEPARTMENT TOTAL NIIN STATUS

THE COUNT OF TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION FOR A SPECIFIED INPUT DIC FOR DEPARTMENT BY SUBMITTING ACTIVITY.

5326 DIC-SAC-GTOT-RECVD — DLSC-SBA — F — 8

DIC SAC GRAND TOTAL RECEIVED

THE GRAND TOTAL OF TRANSACTIONS RECEIVED FOR SPECIFIED INPUT DIC BY SUBMITTING ACTIVITY.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					

5327 DIC-SAC-GTOT-PRCSD DLSC-SBA F 8
DIC SAC GRAND TOTAL PROCESSED
THE GRAND TOTAL OF TRANSACTIONS PROCESSED FOR SPECIFIED INPUT DIC BY SUBMITTING ACTIVITY.

5328 DIC-SAC-GTOT-APRVD DLSC-SBA F 8
DIC SAC GRAND TOTAL APPROVED
THE GRAND TOTAL OF TRANSACTIONS APPROVED FOR SPECIFIED INPUT DIC BY SUBMITTING ACTIVITY.

5329 DIC-SAC-GTOT-RETRND DLSC-SBA F 8
DIC SAC GRAND TOTAL RETURNED
THE GRAND TOTAL OF TRANSACTIONS RETURNED FOR SPECIFIED INPUT DIC BY SUBMITING ACTIVITY.

5330 DIC-SAC-GTOT-ADUPS DLSC-SBA F 8
DIC SAC GRAND TOTAL ACTUAL DUPLICATES
THE GRAND TOTAL OF TRANSACTIONS RETURNED AS ACTUAL DUPLICATES FOR SPECIFIED INPUT DIC BY SUBMITTING ACTIVITY.

5331 DIC-SAC-GTOT-PDUPS DLSC-SBA F 8
DIC SAC GRAND TOTAL POSSIBLE DUPLICATES
THE GRAND TOTAL OF TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES FOR SPECIFIED INPUT DIC BY SUBMITTING ACTIVITY.

5332 DIC-SAC-GTOT-CLRCL DLSC-SBA F 8
DIC SAC GRAND TOTAL CLERICAL
THE GRAND TOTAL OF TRANSACTIONS RETURNED FOR CLERICAL ERRORS FOR SPECIFIED INPUT DIC BY SUBMITTING ACTIVITY.

5333 DIC-SAC-GTOT-RULES DLSC-SBA F 8
DIC SAC GRAND TOTAL RULES
THE GRAND TOTAL OF TRANSACTIONS RETURNED FOR RULES ERRORS FOR SPECIFIED INPUT DIC BY SUBMITTING ACTIVITY.

5334 DIC-SAC-GTOT-NIINST DLSC-SBA F 8
DIC SAC GRAND TOTAL NIIN STATUS
THE GRAND TOTAL OF TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION FOR SPECIFIED INPUT DIC BY SUBMITTING ACTIVITY.

5335 DIC-ALL-OAC-DEPT-RECVD DIC_STAT_CNT_5335 DLSC-SBA F INTEGER 8
DIC ALL ORIGINATING ACTIVITY CODE DEPARTMENT RECEIVED
THE COUNT OF ALL TRANSACTIONS RECEIVED BY ORIGINATING ACTIVITY FOR DEPARTMENT.

5336 DIC-ALL-OAC-DEPT-PRCSD DLSC-SBA F 8
DIC ALL ORIGINATING ACTIVITY CODE DEPARTMENT PROCESSED
THE COUNT OF ALL TRANSACTIONS PROCESSED BY ORIGINATING ACTIVITY FOR DEPARTMENT.

5337 DIC-ALL-OAC-DEPT-APRVD DIC_STAT_CNT_5337 DLSC-SBA F INTEGER 8
DIC ALL ORIGINATING ACTIVITY CODE DEPARTMENT APPROVED
THE COUNT OF ALL TRANSACTIONS APPROVED BY ORIGINATING ACTIVITY FOR DEPARTMENT.

5338 DIC-ALL-OAC-DEPT-RETRND DLSC-SBA F 8
DIC ALL ORIGINATING ACTIVITY CODE DEPARTMENT RETURNED
THE COUNT OF ALL TRANSACTIONS RETURNED BY ORIGINATING ACTIVITY FOR DEPARTMENT.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	--------FORMAT-------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5339 DIC-ALL-OAC-DEPT-ADUPS DIC_STAT_CNT_5339 DLSC-SBA F INTEGER 8
DIC ALL ORIGINATING ACTIVITY CODE DEPT ACTUAL DUPLICATES
THE COUNT OF TRANSACTIONS RETURNED AS ACTUAL DUPLICATES BY ORIGINATING ACTIVITY FOR DEPARTMENT.

5340 DIC-ALL-OAC-DEPT-PDUPS DIC_STAT_CNT_5340 DLSC-SBA F INTEGER 8
DIC ALL ORIGINATING ACTIVITY CODE DEPT POSSIBLE DUPLICATE
THE COUNT OF ALL TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES BY ORIGINATING ACTIVITY FOR DEPARTMENT.

5341 DIC-ALL-OAC-DEPT-CLRCL DIC_STAT_CNT_5341 DLSC-SBA F INTEGER 8
DIC ALL ORIGINATING ACTIVITY CODE DEPARTMENT CLERICAL
THE COUNT OF TRANSACTIONS RETURNED FOR CLERICAL ERRORS BY ORIGINATING ACTIVITY FOR DEPARTMENT.

5342 DIC-ALL-OAC-DEPT-RULES DIC_STAT_CNT_5342 DLSC-SBA F INTEGER 8
DIC ALL ORIGINATING ACTIVITY CODE DEPARTMENT RULES
THE COUNT OF TRANSACTIONS RETURNED FOR RULES ERRORS BY ORIGINATING ACTIVITY FOR DEPARTMENT.

5343 DIC-ALL-OAC-DEPT-NIINST DIC_STAT_CNT_5343 DLSC-SBA F INTEGER 8
DIC ALL ORIGINATING ACTIVITY CODE DEPARTMENT NIIN STATUS
THE COUNT OF ALL TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION BY ORIGINATING ACTIVITY FOR DEPARTMENT.

5344 DIC-ALL-OAC-GTOT-RECVD DLSC-SBA F 8
DIC ALL OAC GRAND TOTAL RECEIVED
THE GRAND TOTAL OF ALL TRANSACTIONS RECEIVED BY ORIGINATING ACTIVITY

5345 DIC-ALL-OAC-GTOT-PRCSD DLSC-SBA F 8
DIC ALL OAC GRAND TOTAL PROCESSED
THE GRAND TOTAL OF ALL TRANSACTIONS PROCESSED BY ORIGINATING ACTIVITY.

5346 DIC-ALL-OAC-GTOT-APRVD DLSC-SBA F 8
DIC ALL OAC GRAND TOTAL APPROVED
THE GRAND TOTAL OF ALL TRANSACTIONS APPROVED BY ORIGINATING ACTIVITY.

5347 DIC-ALL-OAC-GTOT-RETRND DLSC-SBA F 8
DIC ALL OAC GRAND TOTAL RETURNED
THE GRAND TOTAL OF ALL TRANSACTIONS RETURNED BY ORIGINATING ACTIVITY.

5348 AAC-Y-1 DLSC-SBA F 8
ACQUISITION ADVICE CODE Y 1
ACQUISITION ADVICE CODE Y FOR DRN 5323, DEPARTMENT TOTAL ACQUISITION ADVICE CODE NSN QUANTITY 1.

5349 AAC-FSC-ACTY-LOA-AAC-NSN AAC_STAT_CNT_5349 DLSC-SBA F INTEGER 8
ACQUISITION ADVICE CODE FSC ACTIVITY LOA AAC NSN
TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY BY LOA WITHIN AN FSC WITH A SPECIFIC ACQUISITION ADVICE CODE.

5350 AAC-FSC-ACTY-NSN DLSC-SBA F 8
ACQUISITION ADVICE CODE FSC ACTIVITY NSN

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITHIN AN FSC WITH AN ACQUISITION ADVICE CODE.

5351 DIC-ALL-OAC-GTOT-PDUPS DLSC-SBA F 8
DIC ALL OAC GRAND TOTAL POSSIBLE DUPLICATES
THE GRAND TOTAL OF ALL TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES BY ORIGINATING ACTIVITY.

5352 DIC-ALL-OAC-GTOT-CLRCL DLSC-SBA F 8
DIC ALL OAC GRAND TOTAL CLERICAL
THE GRAND TOTAL OF ALL TRANSACTIONS RETURNED FOR CLERICAL ERRORS BY ORIGINATING ACTIVITY.

5353 DIC-ALL-OAC-GTOT-RULES DLSC-SBA F 8
DIC ALL OAC GRAND TOTAL RULES
THE GRAND TOTAL OF ALL TRANSACTIONS RETURNED FOR RULES ERRORS BY ORIGINATING ACTIVITY.

5354 DIC-ALL-OAC-GTOT-NIINST DLSC-SBA F 8
DIC ALL OAC GRAND TOTAL NIIN STATUS
THE GRAND TOTAL OF ALL TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION BY ORIGINATING ACTIVITY.

5355 DIC-OAC-DEPT-TOT-RECVD DIC_STAT_CNT_5355 DLSC-SBA F INTEGER 8
DIC OAC DEPARTMENT TOTAL RECEIVED
THE COUNT OF TRANSACTIONS RECEIVED FOR A SPECIFIED INPUT DIC FOR DEPARTMENT BY ORIGINATING ACTIVITY.

5356 DIC-OAC-DEPT-TOT-PRCSD DLSC-SBA F 8
DIC OAC DEPARTMENT TOTAL PROCESSED
THE COUNT OF TRANSACTIONS PROCESSED FOR A SPECIFIED INPUT DIC FOR DEPARTMENT BY ORIGINATING ACTIVITY.

5357 DIC-OAC-DEPT-TOT-APRVD DIC_STAT_CNT_5357 DLSC-SBA F INTEGER 8
DIC OAC DEPARTMENT TOTAL APPROVED
THE COUNT TRANSACTIONS APPROVED FOR A SPECIFIED INPUT DIC FOR DEPARTMENT BY ORIGINATING ACTIVITY.

5358 DIC-OAC-DEPT-TOT-RETRND DLSC-SBA F 8
DIC OAC DEPARTMENT TOTAL RETURNED
THE COUNT OF TRANSACTIONS RETURNED FOR A SPECIFIED INPUT DIC FOR DEPARTMENT BY ACTIVITY.

5359 DIC-OAC-DEPT-TOT-ADUPS DIC_STAT_CNT_5359 DLSC-SBA F INTEGER 8
DIC OAC DEPARTMENT TOTAL ACTUAL DUPLICATES
THE COUNT OF TRANSACTIONS RETURNED AS ACTUAL DUPLICATES FOR A SPECIFIED INPUT DIC DEPARTMENT BY ORIGINATING ACTIVITY.

5360 DIC-OAC-DEPT-TOT-PDUPS DIC_STAT_CNT_5360 DLSC-SBA F INTEGER 8
DIC OAC DEPARTMENT TOTAL POSSIBLE DUPLICATES
THE COUNT OF TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES FOR A SPECIFIED INPUT DIC FOR DEPARTMENT BY ORIGINATING ACTIVITY.

5361 DIC-OAC-DEPT-TOT-CLRCL DIC_STAT_CNT_5361 DLSC-SBA F INTEGER 8
DIC OAC DEPARTMENT TOTAL CLERICAL
THE COUNT OF TRANSACTIONS RETURNED FOR CLERICAL ERRORS FOR A SPECIFIED INPUT DIC FOR DEPARTMENT BY ORIGINATING ACTIVITY.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5362 DIC-OAC-DEPT-TOT-RULES DIC_STAT_CNT_5362 DLSC-SBA F INTEGER 8
DIC OAC DEPARTMENT TOTAL RULES
THE COUNT OF TRANSACTIONS RETURNED FOR RULES ERRORS FOR A SPECIFIED INPUT DIC FOR DEPARTMENT BY ORIGINATING ACTIVITY.

5363 DIC-OAC-DEPT-TOT-NIINST DIC_STAT_CNT_5363 DLSC-SBA F INTEGER 8
DIC OAC DEPARTMENT TOTAL NIIN STATUS
THE COUNT OF TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION FOR A SPECIFIED INPUT DIC FOR DEPARTMENT BY ORIGINATING ACTIVITY.

5364 DIC-OAC-GTOT-RECVD DLSC-SBA F 8
DIC OAC GRAND TOTAL RECEIVED
THE GRAND TOTAL OF TRANSACTIONS RECEIVED FOR SPECIFIED INPUT DIC BY ORIGINATING ACTIVITY.

5365 DIC-OAC-GTOT-PRCSD DLSC-SBA F 8
DIC OAC GRAND TOTAL PROCESSED
THE GRAND TOTAL OF TRANSACTIONS PROCESSED FOR SPECIFIED INPUT DIC BY ORIGINATING ACTIVITY.

5366 DIC-OAC-GTOT-APRVD DLSC-SBA F 8
DIC OAC GRAND TOTAL APPROVED
THE GRAND TOTAL OF TRANSACTIONS APPROVED FOR A SPECIFIED INPUT DIC BY ORIGINATING ACTIVITY.

5367 DIC-OAC-GTOT-RETRND DLSC-SBA F 8
DIC OAC GRAND TOTAL RETURNED
THE GRAND TOTAL OF TRANSACTIONS RETURNED FOR SPECIFIED INPUT DIC BY ORIGINATING ACTIVITY.

5368 DIC-OAC-GTOT-ADUPS DLSC-SBA F 8
DIC OAC GRAND TOTAL ACTUAL DUPLICATES
THE GRAND TOTAL OF TRANSACTIONS RETURNED AS ACTUAL DUPLICATES FOR A SPECIFIED INPUT DIC BY ORIGINATING ACTIVITY.

5369 DIC-OAC-GTOT-PDUPS DLSC-SBA F 8
DIC OAC GRAND TOTAL POSSIBLE DUPLICATES
THE GRAND TOTAL OF TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES FOR A SPEICIFIED INPUT DIC BY ORIGINATING ACTIVITY.

5370 DIC-OAC-GTOT-CLRCL DLSC-SBA F 8
DIC OAC GRAND TOTAL CLERICAL
THE GRAND TOTAL TRANSACTIONS RETURNED FOR CLERICAL ERRORS FOR A SPECIFIED INPUT DIC BY ORIGINATING ACTIVITY.

5371 DIC-OAC-GTOT-RULES DLSC-SBA F 8
DIC OAC GRAND TOTAL RULES
THE GRAND TOTAL OF TRANSACTIONS RETURNED FOR RULES ERRORS FOR A SPECIFIED INPUT DIC BY ORIGINATING ACTIVITY.

5372 DIC-OAC-GTOT-NIINST DLSC-SBA F 8
DIC OAC GRAND TOTAL NIIN STATUS
THE GRAND TOTAL OF TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION FOR A SPECIFIED INPUT DIC BY ORIGINATING ACTIVITY.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5373 QDIC-ALL-SAC-RECVD — DLSC-SBA — F — 8
QUARTERLY DIC ALL SAC RECEIVED
THE QUARTERLY COUNT OF ALL TRANSACTIONS RECEIVED BY SUBMITTING ACTIVITY

5374 QDIC-ALL-SAC-PRCSD — DLSC-SBA — F — 8
QUARTERLY DIC ALL SAC PROCESSED
THE QUARTERLY COUNT OF ALL TRANSACTIONS PROCESSED BY SUBMITTING ACTIVITY

5375 QDIC-ALL-SAC-APRVD — DLSC-SBA — F — 8
QUARTERLY DIC ALL SAC APPROVED
THE QUARTERLY COUNT OF ALL TRANSACTIONS APPROVED BY SUBMITTING ACTIVITY.

5376 QDIC-ALL-SAC-RETRND — DLSC-SBA — F — 8
QUARTERLY DIC ALL SAC RETURNED
THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED BY SUBMITTING ACTIVITY.

5377 AAC-FSC-ACTY-GP-NSN — DLSC-SBA — F — 8
ACQUISITION ADVICE CODE FSC ACTIVITY GROUP NSN
TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITHIN AN FSC WITH A SPECIFIC ACQUISITION ADVICE CODE THAT IS PART OF A GROUP OF AACS.

5378 AAC-FSC-ACTY-AAC-NSN — AAC_STAT_CNT_5378 — DLSC-SBA — F — INTEGER — 8
ACQUISITION ADVICE CODE FSC ACTIVITY AAC NSN
TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITHIN AN FSC WITH A SPECIFIC ACQUISITION ADVICE CODE.

5379 QDIC-ALL-SAC-ADUPS — DLSC-SBA — F — 8
QUATERLY DIC ALL SAC ACTUAL DUPLICATES
THE QUARTERLY COUNT OF ALL TRANSACTION RETURNED AS ACTUAL DUPLICATES BY SUBMITTING ACTIVITY.

5380 QDIC-ALL-SAC-PDUPS — DLSC-SBA — F — 8
QUARTERLY DIC ALL SAC POSSIBLE DUPLICATES
THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES BY SUBMITTING ACTIVITY.

5381 QDIC-ALL-SAC-CLRCL — DLSC-SBA — F — 8
QUATERLY DIC ALL SAC CLERICAL
THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED FOR CLERICAL ERRORS BY SUBMITTING ACTIVITY.

5382 QDIC-ALL-SAC-RULES — DLSC-SBA — F — 8
QUARTELY DIC ALL SAC RULES
THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED FOR RULES ERRORS BY SUBMITTING ACTIVITY.

5383 QDIC-ALL-SAC-NIINST — DLSC-SBA — F — 8
QUARTERLY DIC ALL SAC NIIN STATUS
THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION BY SUBMITTING ACTIVITY.

5384 QDIC-ALL-SAC-DEPT-RECVD — QDIC_STAT_CNT_5384 — DLSC-SBA — F — INTEGER — 8
QUARTERLY DIC ALL SAC DEPARTMENT RECEIVED

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE QUARTERLY COUNT OF ALL TRANSACTIONS RECEIVED BY SUBMITTING ACTIVITY FOR DEPARTMENT.

5385 QDIC-ALL-SAC-DEPT-PRCSD DLSC-SBA F 8
QUARTERLY DIC ALL SAC DEPARTMENT PROCESSED
THE QUARTERLY COUNT OF ALL TRANSACTIONS PROCESSED BY SUBMITTING ACTIVITY FOR DEPARTMENT.

5386 QDIC-ALL-SAC-DEPT-APRVD QDIC_STAT_CNT_5386 DLSC-SBA F INTEGER 8
QUARTERLY DIC ALL SAC DEPARTMENT APPROVED
THE QUARTERLY COUNT OF ALL TRANSACTIONS APPROVED BY SUBMITTING ACTIVITY FOR DEPARTMENT.

5387 QDIC-ALL-SAC-DEPT-RETRND DLSC-SBA F 8
QUARTERLY DIC ALL SAC DEPARTMENT RETURNED
THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED BY SUBMITTING ACTIVITY FOR DEPARTMENT.

5388 QDIC-ALL-SAC-DEPT-ADUPS QDIC_STAT_CNT_5388 DLSC-SBA F INTEGER 8
QUARTERLY DIC ALL SAC DEPARTMENT ACTUAL DUPLICATES
THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED AS ACTUAL DUPLICATES BY SUBMITTING ACTIVITY FOR DEPARTMENT.

5389 QDIC-ALL-SAC-DEPT-PDUPS QDIC_STAT_CNT_5389 DLSC-SBA F INTEGER 8
QUARTERLY DIC ALL SAC DEPARTMENT POSSIBLE DUPLICATES
THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES BY SUBMITTING ACTIVITY FOR DEPARTMENT.

5390 QDIC-ALL-SAC-DEPT-CLRCL QDIC_STAT_CNT_5390 DLSC-SBA F INTEGER 8
QUARTERLY DIC ALL SAC DEPARTMENT CLERICAL
THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED FOR CLERICAL ERRORS BY SUBMITTING ACTIVITY FOR DEPARTMENT.

5391 QDIC-ALL-SAC-DEPT-RULES QDIC_STAT_CNT_5391 DLSC-SBA F INTEGER 8
QUARTERLY DIC ALL SAC DEPARTMENT RULES
THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED FOR RULES ERRORS BY SUBMITTING ACTIVITY FOR DEPARTMENT.

5392 QDIC-ALL-SAC-DEPT-NIINST QDIC_STAT_CNT_5392 DLSC-SB F INTEGER 8
QUARTERLY DIC ALL SAC DEPARTMENT NIIN STATUS
THE QUARTERLY COUNT FOR ALL TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION BY SUBMITTING ACTIVITY FOR DEPARTMENT.

5393 QDIC-ALL-SAC-GTOT-RECVD DLSC-SBA F 8
QUARTERLY DIC ALL SAC GRAND TOTAL RECEIVED
THE QUARTERLY GRAND TOTAL OF ALL TRANSACTIONS RECEIVED BY SUBMITTING ACTIVITY.

5394 QDIC-ALL-SAC-GTOT-PRCSD DLSC-SBA F 8
QUARTERLY DIC ALL SAC GRAND TOTAL PROCESSED
THE QUARTERLY GRAND TOTAL OF ALL TRANSACTIONS PROCESSED BY SUBMITTING ACTIVITY.

5395 QDIC-ALL-SAC-GTOT-APRVD DLSC-SBA F 8
QUARTERLY DIC ALL SAC GRAND TOTAL APPROVED
THE QUARTERLY GRAND TOTAL OF ALL TRANSACTIONS APPROVED BY SUBMITTING ACTIVITY.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5396 QDIC-ALL-SAC-GTOT-RETRND — DLSC-SBA — F — 8
QUARTERLY DIC ALL SAC GRAND TOTAL RETURNED
THE QUARTERLY GRAND TOTAL OF ALL TRANSACTIONS RETURNED BY SUBMITTING ACTIVITY.

5397 QDIC-ALL-SAC-GTOT-ADUPS — DLSC-SBA — F — 8
QUARTERLY DILC ALL SAC GRAND TOTAL ACTUAL DUPLICATES
THE QUARTERLY GRAND TOTAL OF ALL TRANSACTIONS RETURNED AS ACTUAL DUPLICATES BY SUBMITTING ACTIVITY.

5398 QDIC-ALL-SAC-GTOT-PDUPS — DLSC-SBA — F — 8
QUARTERLY DIC ALL SAC GRAND TOTAL POSSIBLE DUPLICATES
THE QUARTERLY GRAND TOTAL OF ALL TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES BY SUBMITTING ACTIVITY.

5399 QDIC-ALL-SAC-GTOT-CLRCL — DLSC-SBA — F — 8
QUARTERLY DIC ALL SAC GRAND TOTAL CLERICAL
THE QUARTERLY GRAND TOTAL OF ALL TRANSACTIONS RETURNED FOR CLERICAL ERRORS BY SUBMITTING ACTIVITY.

5400 QDIC-ALL-SAC-GTOT-RULES — DLSC-SBA — F — 8
QUARTERLY DIC ALL SAC GRAND TOTAL RULES
THE QUARTERLY GRAND TOTAL OF ALL TRANSACTIONS RETURNED FOR RULES ERRORS BY SUBMITTING ACTIVITY.

5401 QDIC-ALL-SAC-GTOT-NIINST — DLSC-SBA — F — 8
QUARTERLY ALL SAC GRAND TOTAL NIIN STATUS
THE QUARTERLY GRAND TOTAL OF ALL TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION BY SUBMITTING ACTIVITY.

5402 QDIC-SAC-TOT-RECVD — QDIC_STAT_CNT_5402 — DLSC-SBA — F — INTEGER — 8
QUARTERLY DIC SAC TOTAL RECEIVED
THE QUARTERLY TOTAL QUANTITY OF TRANSACTIONS RECEIVED.

5403 AAC-FSC-DEPT-LOA-NSN — DLSC-SBA — F — 8
ACQUISITION ADVICE CODE FSC DEPARTMENT LOA NSN
TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT BY LOA WITHIN AN FSC WITH AN ACQUISITION ADVICE CODE.

5404 AAC-FSC-DEPT-LOA-GP-NSN — DLSC-SBA — F — 8
ACQUISITION ADVICE CODE FSC DEPARTMENT LOA GROUP NSN
TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT BY LOA WITHIN AN FSC WITH A SPECIFIC ACQUISITION ADVICE CODE THAT IS PART OF A GROUP OF AACS.

5405 QDIC-SAC-TOT-PRCSD — DLSC-SBA — F — 8
QUARTERLY DIC SAC TOTAL PROCESSED
THE QUARTERLY TOTAL QUANTITY OF TRANSACTIONS PROCESSED.

5406 QDIC-SAC-TOT-APRVD — QDIC_STAT_CNT_5406 — DLSC-SBA — F — INTEGER — 8
QUARTERLY DIC SAC TOTAL APPROVED
THE QUARTERLY TOTAL QUANTITY OF TRANSACTIONS APPROVED.

5407 QDIC-SAC-TOT-RETRND — DLSC-SBA — F — 8
QUATERLY DIC SAC TOTAL RETURNED
THE QUARTERLY TOTAL QUANTITY OF TRANSACTIONS RETURNED.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5408 QDIC-SAC-TOT-ADUPS QDIC_STAT_CNT_5408 DLSC-SBA F INTEGER 8
QUARTERLY DIC SAC TOTAL ACTUAL DUPLICATES
THE QUARTERLY TOTAL QUANTITY OF TRANSACTIONS RETURNED AS ACTUAL DUPLICATES.

5409 QDIC-SAC-TOT-PDUPS QDIC_STAT_CNT_5409 DLSC-SBA F INTEGER 8
QUARTERLY DIC SAC TOTAL POSSIBLE DUPLICATES
THE QUARTERLY TOTAL QUANTITY OF TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES.

5410 QDIC-SAC-TOT-CLRCL QDIC_STAT_CNT_5410 DLSC-SBA F INTEGER 8
QUARTERLY DIC SAC TOTAL CLERICAL
THE QUARTERLY TOTAL QUANTITY OF TRANSACTIONS RETURNED FOR CLERICAL ERRORS.

5411 QDIC-SAC-TOT-RULES QDIC_STAT_CNT_5411 DLSC-SBA F INTEGER 8
QUARTERLY DIC SAC TOTAL RULES
THE QUARTERLY TOTAL QUANTITY OF TRANSACTIONS RETURNED FOR RULES ERRORS.

5412 QDIC-SAC-TOT-NIINST QDIC_STAT_CNT_5412 DLSC-SBA F INTEGER 8
QUARTERLY DIC SAC TOTAL NIIN STATUS
THE QUARTERLY TOTAL QUANTITY OF TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION.

5413 AAC-I-4 DLSC-SBA F 8
ACQUISITION ADVICE CODE I4
ACQUISITION ADVICE CODE I FOR DRN 5404, IM DEPARTMENT LOA ACQUISITION ADVICE CODE QUANTITY 4.

5414 QDIC-ALL-OAC-PRCSD DLSC-SBA F 8
QUARTERLY DIC ALL ORIGINATING ACTIVITY CODE PROCESSED
THE QUARTERLY COUNT OF ALL TRANSACTIONS PROCESSED BY ORIGINATING ACTIVITY.

5415 QDIC-ALL-OAC-APRVD DLSC-SBA F 8
QUARTERLY DIC ALL ORIGINATING ACTIVITY CODE APPROVED
THE QUARTERLY COUNT OF ALL TRANSACTIONS APPROVED BY ORIGINATING ACTIVITY.

5416 QDIC-ALL-OAC-RETRND DLSC-SBA F 8
QUARTERLY DIC ALL ORIGINATING ACTIVITY CODE RETURNED
THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED BY ORIGINATING ACTIVITY.

5417 QDIC-ALL-OAC-ADUPS DLSC-SBA F 8
QUARTERLY DIC ALL ORIGINATING ACTIVITY CODE ACTUAL DUPLICATE
THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED AS ACTUAL DUPLICATES BY ORIGINATING ACTIVITY.

5418 QDIC-ALL-OAC-PDUPS DLSC-SB F 8
QUARTERLY DIC ALL ORIGINATING ACTIVITY CODE POSSIBLE DUPLIC
THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES BY ORIGINATING ACTIVITY.

5419 QDIC-ALL-OAC-CLRCL DLSC-SBA F 8
QUARTERLY DIC ALL ORIGINATING ACTIVITY CODE CLERICAL

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED FOR CLERICAL ERRORS BY ORIGINATING ACTIVITY.

5420 QDIC-ALL-OAC-RULES DLSC-SBA F 8
QUARTERLY DIC ALL ORIGINATING ACTIVITY CODE RULES
THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED FOR RULES ERRORS BY ORIGINATING ACTIVITY.

5421 QDIC-ALL-OAC-NIINST DLSC-SBA F 8
QUARTERLY DIC ALL ORIGINATING ACTIVITY CODE NIIN STATUS
THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION BY ORIGINATING ACTIVITY.

5422 QDIC-ALL-OAC-DEPT-RECVD QDIC_STAT_CNT_5422 DLSC-SBA F INTEGER 8
QUARTERLY DIC ALL OAC DEPARTMENT RECEIVED
THE QUARTERLY COUNT OF ALL TRANSACTIONS RECEIVED BY ORIGINATING ACTIVITY FOR DEPARTMENT.

5423 QDIC-ALL-OAC-DEPT-PRCSD DLSC-SBA F 8
QUARTERLY DIC ALL OAC DEPARTMENT PROCESSED
THE QUARTERLY COUNT OF ALL TRANSACTIONS PROCESSED BY ORIGINATING ACTIVITY FOR DEPARTMENT.

5424 QDIC-ALL-OAC-DEPT-APRVD QDIC_STAT_CNT_5424 DLSC-SBA F INTEGER 8
QUARTERLY DIC ALL OAC DEPARTMENT APPROVED
THE QUARTERLY COUNT OF ALL TRANSACTIONS APPROVED BY ORIGINATING ACTIVITY FOR DEPARTMENT.

5425 QDIC-ALL-OAC-DEPT-RETRND DLSC-SBA F 8
QUARTERLY DIC ALL OAC DEPARTMENT RETURNED
THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED BY ORIGINATING ACTIVITY FOR DEPARTMENT.

5426 QDIC-ALL-OAC-DEPT-ADUPS QDIC_STAT_CNT_5426 DLSC-SBA F INTEGER 8
QUARTERLY DIC ALL OAC DEPARTMENT ACTUAL
THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED AS ACTUAL DUPLICATES BY ORIGINATING ACTIVITY FOR DEPARTMENT.

5427 QDIC-ALL-OAC-DEPT-PDUPS QDIC_STAT_CNT_5427 DLSC-SBA F INTEGER 8
QUARTERLY DIC ALL OAC DEPARTMENT POSSIBLE DUPLICATES
THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES BY ORIGINATING ACTIVITY FOR DEPARTMENT.

5428 QDIC-ALL-OAC-DEPT-CLRCL QDIC_STAT_CNT_5428 DLSC-SBA F INTEGER 8
QUARTERLY DIC ALL OAC DEPARTMENT CLERICAL
THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED WITH CLERICAL ERRORS BY ORIGINATING ACTIVITY FOR DEPARTMENT.

5429 QDIC-ALL-OAC-DEPT-RULES QDIC_STAT_CNT_5429 DLSC-SBA F INTEGER 8
QUARTERLY DIC ALL OAC DEPARTMENT RULES
THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED FOR RULES ERRORS BY ORIGINATING ACTIVITY FOR DEPARTMENT.

5430 QDIC-ALL-OAC-DEPT-NIINST QDIC_STAT_CNT_5430 DLSC-SBA F INTEGER 8
QUARTERLY DIC ALL OAC DEPARTMENT NIIN STATUS

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE QUARTERLY COUNT OF ALL TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION BY ORIGINATING ACTIVITY FOR DEPARTMENT.

5431 AAC-FSC-DEPT-LOA-AAC-NSN AAC_STAT_CNT_5431 DLSC-SBA F INTEGER 8
ACQUISITION ADVICE CODE FSC DEPARTMENT LOA AAC NSN
TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT BY LOA WITHIN AN FSC WITH A SPECIFIC ACQUISITION ADVICE CODE.

5432 AAC-FSC-DEPT-NSN DLSC-SBA F 8
ACQUISITION ADVICE CODE FSC DEPARTMENT NSN
TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT WITHIN AN FSC WITH AN ACQUISITION ADVICE CODE.

5433 QDIC-ALL-OAC-GTOT-RECVD DLSC-SBA F 8
QUARTERLY DIC ALL OAC GRAND TOTAL RECEIVED
THE QUARTERLY GRAND TOTAL OF ALL TRANSACTIONS RECEIVED BY ORIGINATING ACTIVITY.

5434 QDIC-ALL-OAC-GTOT-PRCSD DLSC-SBA F 8
QUARTERLY DIC ALL OAC GRAND TOTAL PROCESSED
THE QUARTERLY GRAND TOTAL OF ALL TRANSACTIONS PROCESSED BY ORIGINATING ACTIVITY.

5435 QDIC-ALL-OAC-GTOT-APRVD DLSC-SBA F 8
QUARTERLY DIC ALL OAC GRAND TOTAL APPROVED
THE QUARTERLY GRAND TOTAL OF ALL TRANSACTIONS APPROVED BY ORIGINATING ACTIVITY.

5436 QDIC-ALL-OAC-GTOT-RETRND DLSC-SBA F 8
QUARTERLY DIC ALL OAC GRAND TOTAL RETURNED
THE QUARTERLY GRAND TOTAL OF ALL TRANSACTIONS RETURNED BY ORIGINATING ACTIVITY.

5437 QDIC-ALL-OAC-GTOT-ADUPS DLSC-SBA F 8
QUARTERLY DIC ALL OAC GRAND TOTAL ACTUAL DUPLICATES
THE QUARTERLY GRAND TOTAL OF ALL TRANSACTIONS RETURNED AS ACTUAL DUPLICATES BY ORIGINATING ACTIVITY.

5438 QDIC-ALL-OAC-GTOT-PDUPS DLSC-SBA F 8
QUARTERLY DIC ALL OAC GRAND TOTAL POSSIBLE DUPLICATES
THE QUARTERLY GRAND TOTAL OF ALL TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES BY ORIGINATING ACTIVITY.

5439 QDIC-ALL-OAC-GTOT-CLRCL DLSC-SBA F 8
QUARTERLY DIC ALL OAC GRAND TOTAL CLERICAL
THE QUARTERLY GRAND TOTAL OF ALL TRANSACTIONS RETURNED FOR CLERICAL ERRORS BY ORIGINATING ACTIVITY.

5440 QDIC-ALL-OAC-GTOT-RULES DLSC-SBA F 8
QUARTERLY DIC ALL OAC GRAND TOTAL RULES
THE QUARTERLY GRAND TOTAL OF ALL TRANSACTIONS RETURNED FOR RULES ERRORS BY ORIGINATING ACTIVITY.

5441 QDIC-ALL-OAC-GTOT-NIINST DLSC-SBA F 8
QUARTERLY DIC ALL OAC GRAND TOTAL NIIN STATUS
THE QUARTERLY GRAND TOTAL OF ALL TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION BY ORIGINATING ACTIVITY.

5442 QDIC-OAC-TOT-RECVD QDIC_STAT_CNT_5442 DLSC-SBA F INTEGER 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

QUARTERLY DIC OAC TOTAL RECEIVED
THE QUARTERLY TOTAL QUANTITY OF TRANSACTIONS RECEIVED.

5443 QDIC-OAC-TOT-PRCSD — DLSC-SBA — F — 8
QUARTERLY DIC OAC TOTAL PROCESSED
THE QUARTERLY TOTAL OF TRANSACTIONS PROCESSED.

5444 QDIC-OAC-TOT-APRVD — QDIC_STAT_CNT_5444 — DLSC-SBA — F INTEGER — 8
QUARTERLY DIC OAC TOTAL APPROVED
THE QUARTERLY TOTAL OF TRANSACTIONS APPROVED.

5445 QDIC-OAC-TOT-RETRND — DLSC-SBA — F — 8
QUARTERLY DIC OAC TOTAL RETURNED
THE QUARTERLY TOTAL OF TRANSACTIONS RETURNED.

5446 QDIC-OAC-TOT-ADUPS — QDIC_STAT_CNT_5446 — DLSC-SBA — F INTEGER — 8
QUARTERLY DIC OAC ACTUAL DUPLICATES
THE QUARTERLY TOTAL OF TRANSACTIONS RETURNED AS ACTUAL DUPLICATES.

5447 QDIC-OAC-TOT-PDUPS — QDIC_STAT_CNT_5447 — DLSC-SBA — F INTEGER — 8
QUARTERLY DIC OAC TOTAL POSSIBLE DUPLICATES
THE QUARTERLY TOTAL OF TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES.

5448 QDIC-OAC-TOT-CLRCL — QDIC_STAT_CNT_5448 — DLSC-SBA — F INTEGER — 8
QUARTERLY DIC OAC TOTAL CLERICAL
THE QUARTERLY TOTAL OF TRANSACTIONS RETURNED FOR CLERICAL ERRORS.

5449 QDIC-OAC-TOT-RULES — QDIC_STAT_CNT_5449 — DLSC-SBA — F INTEGER — 8
QUARTERLY DIC OAC TOTAL RULES
THE QUARTERLY TOTAL OF TRANSACTIONS RETURNED FOR RULES ERRORS.

5450 QDIC-OAC-TOT-NIINST — QDIC_STAT_CNT_5450 — DLSC-SBA — F INTEGER — 8
QUARTERLY DIC OAC TOTAL NIIN STATUS
THE QUARTERLY TOTAL OF TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION.

5451 SCN-PRE-REF-DP-CUR-MTH — PRER_STAT_CNT_5451 — DLSC-SBA — F INTEGER — 8
SCREENING PREPROCUREMENT REFERENCE DEPT CURRENT MATCH
THE CURRENT QUANTITY OF NSNS MATCHED THROUGH THE PREPROCUREMENT SCREENING BY REFERENCE NUMBER PROCESS FOR DEPARTMENT.

5452 SCN-PRE-REF-DP-CUR-NMTH — PRER_STAT_CNT_5452 — DLSC-SBA — F INTEGER — 8
SCREENING PREPROCUREMENT REFERENCE DEPT CURRENT NOT MATCHED
THE CURRENT QUANTITY OF NSNS THAT DID NOT MATCH THROUGH THE PREPROCUREMENT SCREENING BY REFERENCE NUMBER PROCESS FOR DEPARTMENT.

5453 SCN-PRE-REF-DP-CUR-REJ — PRER_STAT_CNT_5453 — DLSC-SBA — F INTEGER — 8
SCREENING PREPROCUREMENT REFERENCE DEPT CURRENT REJECTS
THE QUANTITY OF PREPROCUREMENT SCREENING BY REFERENCE NUMBER TRANSACTIONS THAT REJECTED FOR DEPARTMENT.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5454 SCN-PRE-REF-DP-CUR-RECVD DLSC-SBA F 8
SCREENING PREPROCUREMENT REFERENCE DEPT CURRENT RECEIVED
THE CURRENT QUANTITY OF PREPROCUREMENT SCREENING BY REFERENCE NUMBER RECEIVED FOR DEPARTMENT.

5455 SCN-PRE-REF-DP-YTD-MTH DLSC-SBA F 8
SCREENING PREPROCUREMENT REFERENCE DEPT YEAR TO DATE MATCHED
THE PREVIOUS YEAR TO DATE OF NSNS THAT MATCHED IN THE PREPROCUREMENT SCREENING BY REFERENCE NUMBER PROCESS FOR DEPARTMENT.

5456 SCN-PRE-REF-DP-YTD-NMTH DLSC-SBA F 8
SCREENING PREPROCUREMENT REFERENCE DEPT YR TO DATE NOT MATCH
THE YEAR-TO-DATE QUANTITY OF NSNS THAT DID NOT MATCH THROUGH THE PREPROCUREMENT SCREENING BY REFERENCE NUMBER PROCESS FOR DEPARTMENT.

5457 AAC-FSC-DEPT-GP-NSN DLSC-SBA F 8
ACQUISITION ADVICE CODE FSC DEPARTMENT GROUP NSN
TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT WITHIN AN FSC WITH A SPECIFIC ACQUISITION ADVICE CODE THAT IS PART OF A GROUP OF AACS.

5458 AAC-FSC-DEPT-AAC-NSN AAC_STAT_CNT_5458 DLSC-SBA F INTEGER 8
ACQUISITION ADVICE CODE FSC DEPARTMENT AAC NSN
TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT WITHIN AN FSC WITH A SPECIFIC ACQUISITION ADVICE CODE.

5459 SCN-PRE-REF-DP-YTD-REJ DLSC-SBA F 8
SCREENING PREPROCUREMENT REFERENCE DEPT YEAR TO DATE REJECT
THE YEAR-TO-DATE QUANTITY OF PREPROCUREMENT SCREENING BY REFERENCE NUMBER TRANSACTIONS THAT REJECTED FOR DEPARTMENT.

5460 SCN-PRE-REF-DP-YTD-RECVD DLSC-SBA F 8
SCREENING PREPROCUREMENT REFERENCE DEPT YEAR TO DATE RECVD
THE YEAR-TO-DATE QUANTITY OF NIINS RECEIVED FOR PREPROCUREMENT SCREENING FOR DEPARTMENT.

5461 SCN-PRE-REF-DP-PYD-MTH DLSC-SBA F 8
SCREENING PREPROCUREMENT REF DEPT PREV YR TO DATE MATCHED
THE PREVIOUS YEAR-TO-DATE QUANTITY OF NSNS THAT MATCHED THROUGH THE PREPROCUREMENT SCREENING BY REFERENCE NUMBER PROCESS FOR DEPARTMENT.

5462 SCN-PRE-REF-DP-PYD-NMTH DLSC-SBA F 8
SCREENING PREPROCUREMENT REF DEPT PREV YR TO DATE NOT MATCH
THE PREVIOUS YEAR-TO-DATE QUANTITY OF NSNS THAT DID NOT MATCH THROUGH PREPROCUREMENT SCREENING BY REFERENCE NUMBER FOR DEPARTMENT.

5463 SCN-PRE-REF-DP-PYD-REJ DLSC-SBA F 8
SCREENING PREPROCUREMENT REF DEPT PREV YR TO DATE REJECTED
THE QUANTITY OF PREVIOUS YEAR-TO-DATE PREPROCUREMENT SCREENING BY REFERENCE NUMBER TRANSACTIONS THAT REJECTED FOR DEPARTMENT.

5464 SCN-PRE-REF-DP-PYD-RECVD DLSC-SBA F 8
SCREENING PREPROCUREMENT REF DEPT PREV YR TO DATE RECEIVED

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE PREVIOUS YEAR-TO-DATE QUANTITY OF PREPROCUREMENT NIINS RECEIVED FOR REFERENCE NUMBER PROCESS FOR DEPARTMENT.

5465 SCN-PRE-REF-TOT-MTH DLSC-SBA F 8
SCREENING PREPROCUREMENT REFERENCE TOTAL MATCHED
THE TOTAL QUANTITY OF NSNS MATCHED THROUGH THE PREPROCUREMENT SCREENING BY REFERENCE NUMBER PROCESS.

5466 SCN-PRE-REF-TOT-NMTH DLSC-SBA F 8
SCREENING PREPROCUREMENT REFERENCE TOTAL NOT MATCHED
THE TOTAL QUANTITY OF NSNS THAT DID NOT MATCH IN THE PREPROCUREMENT SCREENING BY REFERENCE NUMBER PROCESS. THIS DATA ELEMENT WILL ALSO ACCOMMODATE COUNTS FOR PREVIOUS YEAR-TO-DATE, CURRENT MONTH AND YEAR-TO-DATE TOTALS.

5467 SCN-PRE-REF-TOT-REJ DLSC-SBA F 8
SCREENING PREPROCUREMENT REFERENCE TOTAL REJECTED
THE TOTAL QUANTITY OF PREPROCUREMENT SCREENING BY REFERENCE NUMBER TRANSACTIONS THAT REJECTED.

5468 SCN-PRE-REF-TOT-RECVD DLSC-SBA F 8
SCREENING PREPROCUREMENT REFERENCE TOTAL RECEIVED
THE TOTAL QUANTITY OF PREPROCUREMENT SCREENING BY REFERENCE NUMBER TRANSACTIONS RECEIVED.

5469 SCN-LSN-NSN-DP-CUR-MTH LSND_STAT_CNT_5469 DLSC-SBA F INTEGER 8
SCREENING LSN NSN DEPARTMENT CURRENT MATCHED
THE CURRENT QUANTITY OF NSNS MATCHED THROUGH THE PROCESS OF SEARCH BY REFERENCE NUMBER FOR OTHER THAN PROVISIONING AND PREPROCUREMENT.

5470 SCN-LSN-NSN-DP-CUR-NMTH LSND_STAT_CNT_5470 DLSC-SBA F INTEGER 8
SCREENING LSN NSN DEPARTMENT CURRENT NSNS NOT MATCHED
THE CURRENT QUANTITY OF NSNS THAT DID NOT MATCH THROUGH THE PROCESS OF SEARCH BY REFERENCE NUMBER FOR OTHER THAN PROVISIONING AND PREPROCUREMENT.

5471 SCN-LSN-NSN-DP-CUR-REJ LSND_STAT_CNT_5471 DLSC-SBA F INTEGER 8
SCREENING LSN NSN DEPARTMENT CURRENT REJECTS
THE CURRENT QUANTITY OF TRANSACTIONS THAT REJECTED THROUGH THE PROCESS OF SEARCH BY REFERENCE NUMBER FOR OTHER THAN PROVISIONING AND PREPROCUREMENT.

5472 SCN-LSN-NSN-DP-CUR-RECVD DLSC-SBA F 8
SCREENING LSN NSN DEPARTMENT CURRENT RECEIVED QUANTITY
THE CURRENT QUANTITY OF NIINS RECEIVED THROUGH THE PROCESS OF SEARCH BY REFERENCE NUMBER FOR OTHER THAN PROVISIONING AND PREPROCUREMENT.

5473 SCN-LSN-NSN-DP-YTD-MTH DLSC-SBA F 8
SCREENING LSN NSN DEPARTMENT YEAR TO DATE MATCHED
THE PREVIOUS YEAR-TO-DATE QUANTITY OF NSNS THAT MATCHED THROUGH THE PROCESS OF SEARCH BY REFERENCE NUMBER FOR OTHER THAN PROVISIONING AND PREPROCUREMENT.

5474 SCN-LSN-NSN-DP-YTD-NMTH DLSC-SBA F 8
SCREENING LSN NSN DEPARTMENT YEAR TO DATE NOT MATCHED
THE YEAR-TO-DATE QUANTITY OF NSNS THAT DID NOT MATCH THROUGH THE PROCESS OF SEARCH BY REFERENCE NUMBER FOR OTHER THAN PROVISIONING AND PREPROCUREMENT.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5475 SCN-LSN-NSN-DP-YTD-REJ DLSC-SBA F 8

SCREENING LSN NSN DEPARTMENT YEAR TO DATE REJECT

THE YEAR-TO-DATE QUANTITY OF NSNS REJECTED THROUGH THE PROCESS OF SEARCH BY REFERENCE NUMBER FOR OTHER THAN PROVISIONING AND PREPROCUREMENT.

5476 SCN-LSN-NSN-DP-YTD-RECVD DLSC-SBA F 8

SCREENING LSN NSN DEPARTMENT YEAR TO DATE RECEIVED

THE YEAR-TO-DATE QUANTITY OF NIINS RECEIVED THROUGH THE PROCESS OF SEARCH BY REFERENCE NUMBER FOR OTHER THAN PROVISIONING AND PREPROCUREMENT.

5477 SCN-LSN-NSN-DP-PYD-MTH DLSC-SBA F 8

SCREENING LSN NSN DEPARTMENT PREVIOUS YEAR TO DATE MATCHED

THE PREVIOUS YEAR TO DATE QUANTITY OF NSNS THAT MATCHED THOURGH THE PROCESS OF SEARCH BY REFERENCE NUMBER FOR OTHER THAN PROVISIONING AND PREPROCUREMENT.

5478 SCN-LSN-NSN-DP-PYD-NMTH DLSC-SBA F 8

SCREENING LSN NSN DEPT PREVIOUS YEAR TO DATE NOT MATCHED

THE PREVIOUS YEAR-TO-DATE QUANTITY OF NSNS THAT DID NOT MATCH THROUGH THE PROCESS OF SEARCH BY REFERENCE NUMBER FOR OTHER THAN PROVISIONING AND PREPROCUREMENT.

5479 SCN-LSN-NSN-DP-PYD-REJ DLSC-SBA F 8

SCREENING LSN NSN DEPARTMENT PREVIOUS YEAR TO DATE REJECTS

THE QUANTITY OF PREVIOUS YEAR-TO-DATE TRANSACTIONS THAT REJECTED THROUGH THE PROCESS OF SEARCH BY REFERENCE NUMBER FOR OTHER THAN PROVISIONING AND PREPROCUREMENT.

5480 SCN-LSN-NSN-DP-PYD-RECVD DLSC-SBA F 8

SCREENING LSN NSN DEPARTMENT PREVIOUS YEAR TO DATE RECEIVED

THE PREVIOUS YEAR TO DATE QUANTITY OF NIINS RECEIVED THROUGH THE PROCESS OF SEARCH BY REFERENCE NUMBER FOR OTHER THAN PROVISIONING AND PREPROCUREMENT.

5481 SCN-LSN-NSN-TOT-MTH DLSC-SBA F 8

SCREENING LSN NSN TOTAL MATCHED

THE TOTAL QUANTITY OF NSNS MATCHED THROUGH THE PROCESS OF SEARCH BY REFERENCE NUMBER FOR OTHER THAN PROVISIONING AND PREPROCUREMENT.

5482 SCN-LSN-NSN-TOT-NMTH DLSC-SBA F 8

SCREENING LSN NSN TOTAL NOT MATCHED

THE TOTAL QUANTITY OF NSNS THAT DID NOT MATCH THROUGH THE PROCESS OF SEARCH BY REFERENCE NUMBER FOR OTHER THAN PROVISIONING AND PREPROCUREMENT.

5483 SCN-LSN-NSN-TOT-REJ DLSC-SBA F 8

SCREENING LSN NSN TOTAL REJECT

THE TOTAL QUANTITY OF NSNS REJECTED THROUGH THE PROCESS OF SEARCH BY REFERENCE NUMBER FOR OTHER THAN PROVISIONING AND PREPROCUREMENT.

5484 SCN-LSN-NSN-TOT-RECVD DLSC-SBA F 8

SCREENING LSN NSN TOTAL RECEIVED

THE TOTAL QUANTITY OF NSNS RECEIVED THROUGH THE PROCESS OF SEARCH BY REFERENCE NUMBER FOR OTHER THAN PROVISIONING AND PREPROCUREMENT.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5485 AAC-ACTY-LOA-NSN — DLSC-SBA — F — 8
ACQUISITION ADVICE CODE ACTIVITY LOA NSN
TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY BY LOA WITH AN ACQUISITION ADVICE CODE.

5486 AAC-ACTY-LOA-GP-NSN — DLSC-SBA — F — 8
ACQUISITION ADVICE CODE ACTIVITY LOA GROUP NSN
TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY BY LOA WITH A SPECIFIC ACQUISITION ADVICE CODE THAT IS PART OF A GROUP OF AACS.

5487 M8A1-DP-LOA-BB-NSN — M8A1_STAT_CNT_5487 — DLSC-SBA — F — INTEGER — 8
M8A1 DEPARTMENT LOA BEGINNING BALANCE NSN
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE BEGINNING OF A REPORTING PERIOD BY DEPARTMENT BY LOA.

5488 M8A1-DP-LOA-ADD-NSN — M8A1_STAT_CNT_5488 — DLSC-SBA — F — INTEGER — 8
M8A1 DEPARTMENT LOA ADD NSN
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS ADDED TO AS A MANAGER BY DEPARTMENT BY LOA.

5489 M8A1-DP-LOA-DLT-NSN — M8A1_STAT_CNT_5489 — DLSC-SBA — F — INTEGER — 8
M8A1 DEPARTMENT LOA DELETE NSN
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS DELETED FROM AS A MANAGER BY DEPARTMENT BY LOA.

5490 M8A1-DP-LOA-EB-NSN — M8A1_STAT_CNT_5490 — DLSC-SBA — F — INTEGER — 8
M8A1 DEPARTMENT LOA ENDING BALANCE NSN
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE END OF A REPORTING PERIOD BY DEPARTMENT BY LOA.

5491 M8A1-DP-LOA-NET-CHG — DLSC-SBA — F — 8
M8A1 DEPARTMENT LOA NET CHANGE
THE NET QUANTITY OF ADDITIONS AND DELETIONS OF NSNS FOR THE REPORTING PERIOD BY DEPARTMENT BY LOA.

5492 M8A1-DP-LOA-PCT — DLSC-SBA — F — 8
M8A1 DEPARTMENT LOA PERCENT
THE PERCENT OF NET CHANGE BETWEEN THE BEGINNING AND ENDING NSN BALANCE FOR A REPORTING PERIOD BY DEPARTMENT BY LOA.

5493 M8A1-DP-BB-NSN — M8A1_STAT_CNT_5493 — DLSC-SBA — F — INTEGER — 8
M8A1 DEPARTMENT BEGINNING BALANCE NSN
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE BEGINNING OF A REPORTING PERIOD BY DEPARTMENT.

5494 M8A1-DP-ADD-NSN — M8A1_STAT_CNT_5494 — DLSC-SBA — F — INTEGER — 8
M8A1 DEPARTMENT ADD NSN
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS ADDED TO AS A MANAGER BY DEPARTMENT.

5495 M8A1-DP-DLT-NSN — M8A1_STAT_CNT_5495 — DLSC-SBA — F — INTEGER — 8
M8A1 DEPARTMENT DELETE NSN
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS DELETED FROM AS A MANAGER BY DEPARTMENT.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5496 M8A1-DP-EB-NSN M8A1_STAT_CNT_5496 DLSC-SBA F INTEGER 8
M8A1 DEPARTMENT ENDING BALANCE NSN
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE END OF THE REPORTING PERIOD BY DEPARTMENT.

5497 M8A1-DP-NET-CHG DLSC-SBA F 8
M8A1 DEPARTMENT NET CHANGE
THE NET QUANTITY OF ADDITIONS AND DELETIONS OF NSNS FOR THE REPORTING PERIOD BY DEPARTMENT.

5498 M8A1-DP-PCT DLSC-SBA F 8
M8A1 DEPARTMENT PERCENT
THE PERCENT OF NET CHANGE BETWEEN THE BEGINNING AND ENDING NSN BALANCE FOR A REPORTING PERIOD BY DEPARTMENT.

5499 M8C1-DP-AT-LOA-BB-NSN M8C1_STAT_CNT_5499 DLSC-SBA F INTEGER 8
M8C1 DEPARTMENT ACTIVITY LOA BEGINNING BALANCE NSN
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE BEGINNING OF A REPORTING PERIOD BY DEPARTMENT BY ACTIVITY BY LOA.

5500 M8C1-DP-AT-LOA-ADD-NSN M8C1_STAT_CNT_5500 DLSC-SBA F INTEGER 8
M8C1 DEPARTMENT ACTIVITY LOA ADD NSN
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS ADDED TO AS A MANAGER BY DEPARTMENT BY ACTIVITY BY LOA.

5501 M8C1-DP-AT-LOA-DLT-NSN M8C1_STAT_CNT_5501 DLSC-SBA F INTEGER 8
M8C1 DEPARTMENT ACTIVITY LOA DELETE NSN
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS DELETED FROM AS A MANAGER BY DEPARTMENT BY ACTIVITY BY LOA.

5502 M8C1-DP-AT-LOA-EB-NSN M8C1_STAT_CNT_5502 DLSC-SBA F INTEGER 8
M8C1 DEPARTMENT ACTIVITY LOA ENDING BALANCE NSN
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE END OF A REPORTING PERIOD BY DEPARTMENT BY ACTIVITY BY LOA.

5503 M8C1-DP-AT-LOA-NET-CHG DLSC-SBA F 8
M8C1 DEPARTMENT ACTIVITY LOA NET CHANGE
THE NET QUANTITY OF ADDITIONS AND DELETIONS OF NSNS FOR THE REPORTING PERIOD BY DEPARTMENT BY ACTIVITY BY LOA.

5504 M8C1-DP-AT-LOA-PCT DLSC-SBA F 8
M8C1 DEPARTMENT ACTIVITY LOA PERCENT
THE PERCENT OF NET CHANGE BETWEEN THE BEGINNING AND ENDING NSN BALANCE FOR A REPORTING PERIOD BY DEPARTMENT BY ACTIVITY BY LOA.

5505 M8C1-DP-AT-BB-NSN M8C1_STAT_CNT_5505 DLSC-SBA F INTEGER 8
M8C1 DEPARTMENT ACTIVITY BEGINNING BALANCE NSN
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE BEGINNING OF A REPORTING PERIOD BY DEPARTMENT BY ACTIVITY.

5506 M8C1-DP-AT-ADD-NSN M8C1_STAT_CNT_5506 DLSC-SBA F INTEGER 8
M8C1 DEPARTMENT ACTIVITY ADD NSN
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS ADDED TO AS A MANAGER BY DEPARTMENT BY ACTIVITY.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5507 M8C1-DP-AT-DLT-NSN M8C1_STAT_CNT_5507 DLSC-SBA F INTEGER 8
M8C1 DEPARTMENT ACTIVITY DELETE NSN
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS DELETED FROM AS A MANAGER BY DEPARTMENT BY ACTIVITY.

5508 M8C1-DP-AT-EB-NSN M8C1_STAT_CNT_5508 DLSC-SBA F INTEGER 8
M8C1 DEPARTMENT ACTIVITY ENDING BALANCE NSN
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE END OF A REPORTING PERIOD BY DEPARTMENT BY ACTIVITY.

5509 M8C1-DP-AT-NET-CHG DLSC-SBA F 8
M8C1 DEPARTMENT ACTIVITY NET CHANGE
THE NET QUANTITY OF ADDITIONS AND DELETIONS OF NSNS FOR THE REPORTING PERIOD BY DEPARTMENT BY ACTIVITY.

5510 M8C1-DP-AT-PCT DLSC-SBA F 8
M8C1 DEPARTMENT ACTIVITY PERCENT
THE PERCENT OF NET CHANGE BETWEEN THE BEGINNING AND ENDING NSN BALANCE FOR A REPORTING PERIOD BY DEPARTMENT BY ACTIVITY.

5511 AAC-ACTY-LOA-AAC-NSN AAC_STAT_CNT_5511 DLSC-SBA F INTEGER 8
ACQUISITION ADVICE CODE ACTIVITY LOA AAC NSN
TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY BY LOA WITH A SPECIFIC ACQUISITION ADVICE CODE.

5512 AAC-ACTY-NSN DLSC-SBA F 8
ACQUISITION ADVICE CODE ACTIVITY NSN
TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITH AN ACQUISITION ADVICE CODE.

5513 M8B1-IM-DP-LOA-BB-NSN M8B1_STAT_CNT_5513 DLSC-SBA F INTEGER 8
M8B1 INTEGRATED MANAGER DEPARTMENT LOA BEGINNING
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE BEGINNING OF A REPORTING PERIOD IN ASSIGNED CLASSED BY DEPARTMENT BY LOA.

5514 M8B1-IM-DP-LOA-ADD-NSN M8B1_STAT_CNT_5514 DLSC-SBA F INTEGER 8
M8B1 INTEGRATED MANAGER DEPARTMET LOA ADD NSN
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS ADDED TO AS A MANAGER IN ASSIGNED CLASSES BY DEPARTMENT BY LOA.

5515 M8B1-IM-DP-LOA-DLT-NSN M8B1_STAT_CNT_5515 DLSC-SBA F INTEGER 8
M8B1 INTEGRATED MANAGER DEPARTMENT LOA DELETE NSN
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS DELETED FROM AS A MANAGER IN ASSIGNED CLASSES BY DEPARTMENT BY LOA.

5516 M8B1-IM-DP-LOA-EB-NSN M8B1_STAT_CNT_5516 DLSC-SBA F INTEGER 8
M8B1 INTEGRATED MANAGER DEPARTMENT LOA ENDING BALANCE NSN
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE END OF A REPORTING PERIOD IN ASSIGNED CLASSES BY DEPARTMENT BY LOA.

5517 M8B1-IM-DP-LOA-NET-CHG DLSC-SBA F 8
M8B1 INTEGRATED MANAGER DEPARTMENT LOA NET CHANGE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE NET QUANTITY OF ADDITIONS AND DELETIONS OF NSNS FOR THE REPORTING PERIOD IN ASSIGNED CLASSES BY DEPARTMENT BY LOA.

5518 M8B1-IM-DP-LOA-PCT DLSC-SBA F 8

M8B1 INTEGRATED MANAGER DEPARTMENT LOA PERCENT

THE PERCENT OF NET CHANGE BETWEEN THE BEGINNING AND ENDING NSN BALANCE FOR A REPORTING PERIOD IN ASSIGNED CLASSES BY DEPARTMENT BY LOA.

5519 M8B1-IM-DP-BB-NSN M8B1_STAT_CNT_5519 DLSC-SBA F INTEGER 8

M8B1 INTEGRATED MANAGER DEPARTMENT BEGINNING BALANCE NSN

THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE BEGINNING OF A REPORTING PERIOD IN ASSIGNED CLASSES BY DEPARTMENT.

5520 M8B1-IM-DP-ADD-NSN M8B1_STAT_CNT_5520 DLSC-SBA F INTEGER 8

M8B1 INTEGRATED MANAGER DEPARTMENT ADD NSN

THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS ADDED TO AS A MANAGER IN ASSIGNED CLASSES BY DEPARTMENT.

5521 M8B1-IM-DP-DLT-NSN M8B1_STAT_CNT_5521 DLSC-SBA F INTEGER 8

M8B1 INTEGRATED MANAGER DEPARTMENT DELETE NSN

THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS DELETED FROM AS A MANAGER IN ASSIGNED CLASSES BY DEPARTMENT.

5522 M8B1-IM-DP-EB-NSN M8B1_STAT_CNT_5522 DLSC-SBA F INTEGER 8

M8B1 INTEGRATED MANAGER DEPARTMENT ENDING BALANCE NSN

THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE END OF A REPORTING PERIOD IN ASSIGNED CLASSES BY DEPARTMENT.

5523 M8B1-IM-DP-NET-CHG DLSC-SBA F 8

M8B1 INTEGRATED MANAGER DEPARTMENT NET CHANGE

THE NET QUANTITY OF ADDITIONS AND DELETIONS ON NSNS FOR THE REPORTING PERIOD IN ASSIGNED CLASSES BY DEPARTMENT.

5524 M8B1-IM-DP-PCT DLSC-SBA F 8

M8B1 INTEGRATED MANAGER DEPARTMENT PERCENT

THE PERCENT OF NET CHANGE BETWEEN THE BEGINNING AND ENDING NSN BALANCE FOR A REPORTING PERIOD IN ASSIGNED CLASSES BY DEPARTMENT.

5525 M8B2-IM-AT-LOA-BB-NSN M8B2_STAT_CNT_5525 DLSC-SBA F INTEGER 8

M8B2 INTEGRATED MANAGER ACTIVITY LOA BEGINNING BALANCE NSN

THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE BEGINNING OF A REPORTING PERIOD IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY BY LOA.

5526 M8B2-IM-AT-LOA-ADD-NSN M8B2_STAT_CNT_5526 DLSC-SBA F INTEGER 8

M8B2 INTEGRATED MANAGER ACTIVITY LOA ADD NSN

THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS ADDED TO AS A MANAGER IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY BY LOA.

5527 M8B2-IM-AT-LOA-DLT-NSN M8B2_STAT_CNT_5527 DLSC-SBA F INTEGER 8

M8B2 INTEGRATED MANAGER ACTIVITY LOA DELETE NSN

THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS DELETED FROM AS A MANAGER IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY BY LOA.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5528 M8B2-IM-AT-LOA-EB-NSN M8B2_STAT_CNT_5528 DLSC-SBA F INTEGER 8
M8B2 INTEGRATED MANAGER ACTIVITY LOA ENDING BALANCE NSN
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE END OF A REPORTING PERIOD IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY BY LOA.

5529 M8B2-IM-AT-LOA-NET-CHG DLSC-SBA F 8
M8B2 INTEGRATED MANAGER ACTIVITY LOA NET CHANGE
THE NET QUANTITY OF ADDITIONS AND DELETIONS OF NSNS FOR THE REPORTING PERIOD IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY BY LOA.

5530 M8B2-IM-AT-LOA-PCT DLSC-SBA F 8
M8B2 INTEGRATED MANAGER ACTIVITY LOA PERCENT
THE PERCENT OF NET CHANGE BETWEEN THE BEGINNING AND ENDING NSN BALANCE FOR A REPORTING PERIOD IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY BY LOA.

5531 M8B2-IM-AT-BB-NSN M8B2_STAT_CNT_5531 DLSC-SBA F INTEGER 8
M8B2 INTEGRATED MANAGER ACTIVITY BEGINNING BALANCE NSN
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE BEGINNING OF A REPORTING PERIOD IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY.

5532 M8B2-IM-AT-ADD-NSN M8B2_STAT_CNT_5532 DLSC-SBA F INTEGER 8
M8B2 INTEGRATED MANAGER ACTIVITY ADD NSN
THE NET QUANTITY OF NSNS THAT DEPARTMENT IS ADDED TO AS A MANAGER IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY.

5533 M8B2-IM-AT-DLT-NSN M8B2_STAT_CNT_5533 DLSC-SBA F INTEGER 8
M8B2 INTEGRATED MANAGER ACTIVITY DELETE NSN
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IN DELETED FROM AS MANAGER IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY.

5534 M8B2-IM-AT-EB-NSN M8B2_STAT_CNT_5534 DLSC-SBA F INTEGER 8
M8B2 INTEGRATED MANAGER ACTIVITY ENDING BALANCE NSN
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE END OF A REPORTING PERIOD IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY.

5535 M8B2-IM-AT-NET-CHG DLSC-SBA F 8
M8B2 INTEGRATED MANAGER ACTIVITY NET CHANGE
THE NET QUANTITY OF ADDITIONS AND DELETIONS OF NSNS FOR THE REPORTING PERIOD IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY.

5536 M8B2-IM-AT-PCT DLSC-SBA F 8
M8B2 INTEGRATED MANAGER ACTIVITY PERCENT
THE PERCENT OF NET CHANGE BETWEEN THE BEGINNING AND ENDING NSN BALANCE FOR A REPORTING PERIOD IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY.

5537 M8B3-CLM-DP-LOA-BB-NSN M8B3_STAT_CNT_5537 DLSC-SBA F INTEGER 8
M8B3 CLASS MANAGER DEPARTMENT LOA BEGINNING BALANCE NSN
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE BEGINNING OF A REPORTING PERIOD BY CLASS MANAGER BY DEPARTMENT BY LOA.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5538 M8B3-CLM-DP-LOA-ADD-NSN M8B3_STAT_CNT_5538 DLSC-SBA F INTEGER 8
M8B3 CLASS MANAGER DEPARTMENT LOA ADD NSN
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS ADDED TO AS A MANAGER BY CLASS MANAGER BY DEPARTMENT BY LOA.

5539 AAC-ACTY-GP-NSN DLSC-SBA F 8
ACQUISITION ADVICE CODE ACTIVITY GROUP NSN
TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITH A SPECIFIC ACQUISITION ADVICE CODE THAT IS PART OF A GROUP OF AAC'S

5540 AAC-ACTY-AAC-NSN AAC_STAT_CNT_5540 DLSC-SBA F INTEGER 8
ACQUISITION ADVICE CODE ACTIVITY AAC NSN
TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITH A SPECIFIC ACQUISITION ADVICE CODE.

5541 M8B3-CLM-DP-LOA-DLT-NSN M8B3_STAT_CNT_5541 DLSC-SBA F INTEGER 8
M8B3 CLASS MANAGER DEPARTMENT LOA DELETE NSN
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS DELETED FROM AS A MANAGER BY CLASS MANAGER BY DEPARTMENT BY LOA.

5542 M8B3-CLM-DP-LOA-EB-NSN M8B3_STAT_CNT_5542 DLSC-SBA F INTEGER 8
M8B3 CLASS MANAGER DEPARTMENT LOA ENDING BALANCE NSN
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE END OF A REPORTING PERIOD BY CLASS MANAGER BY DEPARTMENT BY LOA.

5543 M8B3-CLM-DP-LOA-NET-CHG DLSC-SBA F 8
M8B3 CLASS MANAGER DEPARTMENT LOA NET CHANGE
THE NET QUANTITY OF ADDITIONS AND DELETIONS OF NSNS FOR THE REPORTING PERIOD BY CLASS MANAGER BY DEPARTMENT BY LOA.

5544 M8B3-CLM-DP-LOA-PCT DLSC-SBA F 8
M8B3 CLASS MANAGER DEPARTMENT LOA PERCENT
THE PERCENT OF NET CHANGE BETWEEN THE BEGINNING AND ENDING NSN BALANCE FOR A REPORTING PERIOD BY CLASS MANAGER BY DEPARTMENT.

5545 M8B3-CLM-DP-BB-NSN M8B3_STAT_CNT_5545 DLSC-SBA F INTEGER 8
M8B3 CLASS MANAGER DEPARTMENT BEGINNING BALANCE NSN
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE BEGINNING OF A REPORTING PERIOD BY CLASS MANAGER BY DEPARTMENT.

5546 M8B3-CLM-DP-ADD-NSN M8B3_STAT_CNT_5546 DLSC-SBA F INTEGER 8
M8B3 CLASS MANAGER DEPARTMENT ADD NSN
THE NET QUANTITY OF NSNS THAT A DEPARMENT IS ADDED TO AS A MANAGER BY CLASS MANAGER BY DEPARTMENT.

5547 M8B3-CLM-DP-DLT-NSN M8B3_STAT_CNT_5547 DLSC-SBA F INTEGER 8
M8B3 CLASS MANAGER DEPARTMENT DELETE NSN
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS DELETED FROM AS A MANAGER BY CLASS MANAGER BY DEPARTMENT.

5548 M8B3-CLM-DP-EB-NSN M8B3_STAT_CNT_5548 DLSC-SBA F INTEGER 8
M8B3 CLASS MANAGER DEPARTMENT ENDING BALANCE NSN

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE END OF A REPORTING PERIOD BY CLASS MANAGER BY DEPARTMENT.

5549 M8B3-CLM-DP-NET-CHG DLSC-SBA F 8
M8B3 CLASS MANAGER DEPARTMENT NET CHANGE
THE NET QUANTITY OF ADDITIONS AND DELETIONS OF NSNS FOR THE REPORTING PERIOD BY CLASS BY DEPARTMENT.

5550 M8B3-CLM-DP-PCT DLSC-SBA F 8
M8B3 CLASS MANAGER DEPARTMENT PERCENT
THE PERCENT OF NET CHANGE BETWEEN THE BEGINNING AND ENDING NSN BALANCE FOR A REPORTING PERIOD BY CLASS MANAGER BY DEPARTMENT.

5551 M8B4-CLM-AT-LOA-BB-NSN M8B4_STAT_CNT_5551 DLSC-SBA F INTEGER 8
M8B4 CLASS MANAGER ACTIVITY LOA BEGINNING BALANCE
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE BEGINNING OF A REPORTING PERIOD BY CLASS MANAGER BY DEPARTMENT BY ACTIVITY BY LOA.

5552 M8B4-CLM-AT-LOA-ADD-NSN M8B4_STAT_CNT_5552 DLSC-SBA F INTEGER 8
M8B4 CLASS MANAGER ACTIVITY LOA ADD NSN
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS ADDED TO AS A MANAGER BY CLASS MANAGER BY DEPARTMENT BY ACTIVITY BY LOA.

5553 M8B4-CLM-AT-LOA-DLT-NSN M8B4_STAT_CNT_5553 DLSC-SBA F INTEGER 8
M8B4 CLASS MANAGER ACTIVITY LOA DELETE NSN
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS DELETED FROM AS A MANAGER BY CLASS MANAGER BY DEPARTMENT BY ACTIVITY BY LOA.

5554 M8B4-CLM-AT-LOA-EB-NSN M8B4_STAT_CNT_5554 DLSC-SBA F INTEGER 8
M8B4 CLASS MANAGER ACTIVITY LOA ENDING BALANCE NSN
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE END OF A REPORTING PERIOD BY CLASS MANAGER BY DEPARTMENT BY ACTIVITY BY LOA.

5555 M8B4-CLM-AT-LOA-NET-CHG DLSC-SBA F 8
M8B4 CLASS MANAGER ACTIVITY LOA NET CHANGE
THE NET QUANTITY OF ADDITIONS AND DELETIONS OF NSNS FOR THE REPORTING PERIOD BY CLASS MANAGER BY DEPARTMENT BY ACTIVITY BY LOA.

5556 M8B4-CLM-AT-LOA-PCT DLSC-SBA F 8
M8B4 CLASS MANAGER ACTIVITY LOA PERCENT
THE PERCENT OF NET CHANGE BETWEEN THE BEGINNING AND ENDING NSN BALANCE FOR A REPORTING PERIOD BY CLASS MANAGER BY DEPARTMENT BY ACTIVITY BY LOA.

5557 M8B4-CLM-AT-BB-NSN M8B4_STAT_CNT_5557 DLSC-SBA F INTEGER 8
M8B4 CLASS MANAGER ACTIVITY BEGINNING BALANCE NSN
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE BEGINNING OF A REPORTING PERIOD BY CLASS MANAGER BY DEPARTMENT BY ACTIVITY.

5558 M8B4-CLM-AT-ADD-NSN M8B4_STAT_CNT_5558 DLSC-SBA F INTEGER 8
M8B4 CLASS MANAGER ACTIVITY ADD NSN

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS ADDED TO AS A MANAGER BY CLASS MANAGER BY DEPARTMENT BY ACTIVITY.

5559 M8B4-CLM-AT-DLT-NSN M8B4_STAT_CNT_5559 DLSC-SBA F INTEGER 8
M8B4 CLASS MANAGER ACTIVITY DELETE NSN
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS DELETED FROM AS A MANAGER BY CLASS MANAGER BY DEPARTMENT BY ACTIVITY.

5560 M8B4-CLM-AT-EB-NSN M8B4_STAT_CNT_5560 DLSC-SBA F INTEGER 8
M8B4 CLASS MANAGER ACTIVITY ENDING BALANCE NSN
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE END OF A REPORTING PERIOD BY CLASS MANAGER BY DEPARTMENT BY ACTIVITY.

5561 M8B4-CLM-AT-NET-CHG DLSC-SBA F 8
M8B4 CLASS MANAGER ACTIVITY NET CHANGE
THE NET QUANTITY OF ADDITIONS AND DELETIONS OF NSNS FOR THE REPORTING BY CLASS MANAGER BY DEPARTMENT BY ACTIVITY.

5562 M8B4-CLM-AT-PCT DLSC-SBA F 8
M8B4 CLASS MANAGER ACTIVITY PERCENT
THE PERCENT OF NET CHANGE BETWEEN THE BEGINNING AND ENDING NSN BALANCE FOR A REPORTING PERIOD BY CLASS MANAGER BY DEPARTMENT BY ACTIVITY.

5563 M8B5-FSC-DP-LOA-BB-NSN M8B5_STAT_CNT_5563 DLSC-SBA F INTEGER 8
M8B5 FSC DEPARTMENT LOA BEGINNING BALANCE NSN
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE BEGINNING OF A REPORTING PERIOD BY FSC BY DEPARTMENT BY LOA.

5564 M8B5-FSC-DP-LOA-ADD-NSN M8B5_STAT_CNT_5564 DLSC-SBA F INTEGER 8
M8B5 FSC DEPARTMENT LOA ADD NSN
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS ADDED TO AS A MANAGER BY FSC BY DEPARTMENT BY LOA.

5565 AAC-DEPT-LOA-NSN DLSC-SBA F 8
ACQUISITION ADVICE CODE DEPARTMENT LOA NSN
TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT BY LOA WITH AN ACQUISITION ADVICE CODE.

5566 AAC-DEPT-LOA-GP-NSN DLSC-SBA F 8
ACQUISITION ADVICE CODE DEPARTMENT LOA GROUP NSN
TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT BY LOA WITH A SPECIFIC ACQUISITION ADVICE CODE THAT IS A PART OF A GROUP OF AACS.

5567 M8B5-FSC-DP-LOA-DLT-NSN M8B5_STAT_CNT_5567 DLSC-SBA F INTEGER 8
M8B5 FSC DEPARTMENT LOA DELETE NSN
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS DELETED FROM AS A MANAGER BY FSC BY DEPARTMENT BY LOA.

5568 M8B5-FSC-DP-LOA-EB-NSN M8B5_STAT_CNT_5568 DLSC-SBA F INTEGER 8
M8B5 FSC DEPARTMENT LOA ENDING BALANCE NSN
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE END OF A REPORTING PERIOD BY FSC BY DEPARTMENT BY LOA.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5569 M8B5-FSC-DP-LOA-NET-CHG DLSC-SBA F 8
M8B5 FSC DEPARTMENT LOA NET CHANGE
THE NET QUANTITY OF ADDITIONS AND DELETIONS OF NSNS FOR THE REPORTING PERIOD BY FSC BY DEPARTMENT BY LOA.

5570 M8B5-FSC-DP-LOA-PCT DLSC-SBA F 8
M8B5 FSC DEPARTMENT LOA PERCENT
THE PERCENT OF NET CHANGE BETWEEN THE BEGINNING AND ENDING NSN BALANCE FOR A REPORTDING PERIOD BY FSC BY DEPARTMENT BY LOA.

5571 M8B5-FSC-DP-BB-NSN M8B5_STAT_CNT_5571 DLSC-SBA F INTEGER 8
M8B5 FSC DEPARTMENT BEGINNING BALANCE NSN
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE BEGINNING OF A REPORTING PERIOD BY FSC BY DEPARTMENT.

5572 M8B5-FSC-DP-ADD-NSN M8B5_STAT_CNT_5572 DLSC-SBA F INTEGER 8
M8B5 FSC DEPARTMENT ADD NSN
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS ADDED TO AS A MANAGER BY FSC BY DEPARTMENT.

5573 M8B5-FSC-DP-DLT-NSN M8B5_STAT_CNT_5573 DLSC-SBA F INTEGER 8
M8B5 FSC DEPARTMENT DELETE NSN
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS DELETED FROM AS A MANAGER BY FSC BY DEPARTMENT.

5574 M8B5-FSC-DP-EB-NSN M8B5_STAT_CNT_5574 DLSC-SBA F INTEGER 8
M8B5 FSC DEPARTMENT ENDING BALANCE NSN
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE END OF A REPORTING PERIOD BY FSC BY DEPARTMENT.

5575 M8B5-FSC-DP-NET-CHG M8B5_STAT_CHG_5575 DLSC-SBA F INTEGER 8
M8B5 FSC DEPARTMENT NET CHANGE
THE NET QUANTITY OF ADDITIONS AND DELETIONS OF NSNS FOR THE REPORTING PERIOD BY FSC BY DEPARTMENT.

5576 M8B5-FSC-DP-PCT M8B5_STAT_PCT_5576 DLSC-SBA F INTEGER 8
M8B5 FSC DEPARTMENT PERCENT
THE PERCENT OF NET CHANGE BETWEEN THE BEGINNING AND ENDING NSN BALANCE FOR A REPORTING PERIOD BY FSC BY DEPARTMENT.

5577 M8B6-FSC-AT-LOA-BB-NSN M8B6_STAT_CNT_5577 DLSC-SBA F INTEGER 8
M8B6 FSC ACTIVITY LOA BEGINNING BALANCE NSN
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE BEGINNING OF A REPORTING PERIOD BY FSC BY DEPARTMENT BY ACTIVITY BY LOA.

5578 M8B6-FSC-AT-LOA-ADD-NSN M8B6_STAT_CNT_5578 DLSC-SBA F INTEGER 8
M8B6 FSC ACTIVITY LOA ADD NSN
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS ADDED TO AS A MANAGER BY FSC BY DEPARTMENT BY ACTIVITY BY LOA.

5579 M8B6-FSC-AT-LOA-DLT-NSN M8B6_STAT_CNT_5579 DLSC-SBA F INTEGER 8
M8B6 FSC ACTIVITY LOA DELETE NSN
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS DELETED FROM AS A MANAGER BY FSC BY DEPARTMENT BY ACTIVITY BY LOA.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5580 AAC-N-10 DLSC-SBA F 8
ACQUISITION ADVICE CODE N 10
ACQUISITION ADVICE CODE N FOR DRN 5566, TOTAL NON-ASSIGNED FSC DEPARTMENT ACTIVITY LOA AAC QUANTITY 10.

5581 M8B6-FSC-AT-LOA-NET-CHG DLSC-SBA F 8
M8B6 FSC ACTIVITY LOA NET CHANGE
THE NET QUANTITY OF ADDITIONS AND DELETIONS OF NSNS FOR THE REPORTING PERIOD BY FSC BY DEPARTMENT BY ACTIVITY BY LOA.

5582 M8B6-FSC-AT-LOA-PCT DLSC-SBA F 8
M8B6 FSC ACTIVITY LOA PERCENT
THE PERCENT OF NET CHANGE BETWEEN THE BEGINNING AND ENDING NSN BALANCE FOR A REPORTING PERIOD BY FSC BY DEPARTMENT BY ACTIVITY BY LOA.

5583 M8B6-FSC-AT-BB-NSN M8B6_STAT_CNT_5583 DLSC-SBA F INTEGER 8
M8B6 FSC ACTIVITY BEGINNING BALANCE NSN
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE BEGINNING OF A REPORTING PERIOD BY FSC BY DEPARTMENT BY ACTIVITY.

5584 M8B6-FSC-AT-ADD-NSN M8B6_STAT_CNT_5584 DLSC-SBA F INTEGER 8
M8B6 FSC ACTIVITY ADD NSN
THE NET QUANTITY OF NSNS THAT A DEPARTMENT IS ADDED TO AS A MANAGER BY FSC BY DEPARTMENT BY ACTIVITY.

5585 M8B6-FSC-AT-DLT-NSN M8B6_STAT_CNT_5585 DLSC-SBA F INTEGER 8
M8B6 FSC ACTIVITY DELETE NSN
THE QUANTITY OF NSNS THAT A DEPARTMENT IS DELETED FROM AS A MANAGER BY FSC BY DEPARTMENT BY ACTIVITY.

5586 M8B6-FSC-AT-EB-NSN M8B6_STAT_CNT_5586 DLSC-SBA F INTEGER 8
M8B6 FSC ACTIVITY ENDING BALANCE NSN
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE END OF A REPORTING PERIOD BY FSC BY DEPARTMENT BY ACTIVITY.

5587 M8B6-FSC-AT-NET-CHG DLSC-SBA F 8
M8B6 FSC ACTIVITY NET CHANGE
THE NET QUANTITY OF ADDITIONS AND DELETIONS OF NSNS FOR THE REPORTING PERIOD BY FSC BY DEPARTMENT BY ACTIVITY.

5588 M8B6-FSC-AT-PCT DLSC-SBA F 8
M8B6 FSC ACTIVITY PERCENT
THE PERCENT OF NET CHANGE BETWEEN THE BEGINNING AND ENDING NSN BALANCE FOR A REPORTING PERIOD BY FSC BY DEPARTMENT BY ACTIVITY.

5589 POP-FSC-AAIN-MG-FU POP_STAT_CNT_5589 DLSC-SBA F INTEGER 8
POPULATION FSC ALL APPROVED ITEM NAME MANAGED FULL
THE QUANTITY OF FULL DESCRIPTIVE MANAGED NSNS ACROSS ALL APPROVED ITEM NAME CODES WITHIN AN FSC.

5590 POP-FSC-AAIN-MG-PA POP_STAT_CNT_5590 DLSC-SBA F INTEGER 8
POPULATION FSC ALL APPROVED ITEM NAME MANAGED PARTIAL
THE QUANTITY OF PARTIAL DESCRIPTIVE MANAGED NSNS ACROSS ALL APPROVED ITEM NAME CODES WITHIN AN FSC.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5591 POP-FSC-AAIN-MG-RE POP_STAT_CNT_5591 DLSC-SBA F INTEGER 8
POPULATION FSC ALL APPROVED ITEM NAME MANAGED REFERENCE
THE QUANTITY OF REFERENCE METHOD MANAGED NSNS ACROSS ALL APPROVED ITEM NAME CODES WITHIN AN FSC.

5592 POP-FSC-AAIN-MG-AC POP_STAT_CNT_5592 DLSC-SBA F INTEGER 8
POPULATION FSC ALL APPROVED ITEM NAME MANAGED ACTIVITY
THE QUANTITY OF NSNS MANAGED BY AN ACTIVITY ACROSS ALL APPROVED ITEM NAME CODES WITHIN A FIIG.

5593 AAC-DEPT-LOA-AAC-NSN AAC_STAT_CNT_5593 DLSC-SBA F INTEGER 8
ACQUISITION ADVICE CODE DEPARTMENT LOA AAC NSN
TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT BY LOA WITH A SPECIFIC ACQUISITION ADVICE CODE.

5594 AAC-DEPT-NSN DLSC-SBA F 8
ACQUISITION ADVICE CODE DEPARTMENT NSN
TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT WITH AN ACQUISITION ADVICE CODE.

5595 POP-FSC-FIIG-AAIN-MG POP_STAT_CNT_5595 DLSC-SBA F INTEGER 8
POPULATION FSC FIIG ALL APPROVED ITEM NAME MANAGED
THE QUANTITY OF NSNS MANAGED ACROSS ALL APPROVED ITEM NAME CODES WITHIN A FIIG FOR AN FSC.

5596 POP-FSC-FIIG-AAIN-MG-FU POP_STAT_CNT_5596 DLSC-SBA F INTEGER 8
POPULATION FSC FIIG ALL APPROVED ITEM NAME MANAGED FULL
THE QUANTITY OF FULL DESCRIPTIVE MANAGED NSNS ACROSS ALL APPROVED ITEM NAME CODES WITHIN A FIIG FOR AN FSC.

5597 POP-FSC-FIIG-AAIN-MG-PA POP_STAT_CNT_5597 DLSC-SBA F INTEGER 8
POPULATION FSC FIIG ALL APPROVED ITEM NAME MANAGED PARTIAL
THE QUANTITY OF PARTIAL DESCRIPTIVE MANAGED NSNS ACROSS ALL APPROVED ITEM NAME CODES WITHIN A FIIG FOR AN FSC.

5598 POP-FSC-FIIG-AAIN-MG-RE POP_STAT_CNT_5598 DLSC-SBA F INTEGER 8
POPULATION FSC FIIG ALL APPROVED ITEM NAME MANAGED REFERENCE
THE QUANTITY OF REFERENCE METHOD MANAGED NSNS ACROSS ALL APPROVED ITEM NAME CODES WITHIN A FIIG FOR AN FSC.

5599 POP-FSC-FIIG-AAIN-MG-AC POP_STAT_CNT_5599 DLSC-SBA F INTEGER 8
POPULATION FSC FIIG ALL APPROVED ITEM NAME MANAGED ACTIVITY
THE QUANTITY OF NSNS MANAGED BY AN ACTIVITY ACROSS ALL APPROVED ITEM NAME CODES WITHIN A FIIG FOR AN FSC.

5600 POP-FSC-FIIG-AIN-MG DLSC-SBA F 8
POPULATION FSC FIIG APPROVED ITEM NAME MANAGED
THE QUANTITY OF NSNS MANAGED AGAINST AN APPROVED ITEM NAME CODE WITHIN A FIIG FOR AN FSC.

5601 POP-FSC-FIIG-AIN-MG-FU POP_STAT_CNT_5601 DLSC-SBA F INTEGER 8
POPULATION FSC FIIG APPROVED ITEM NAME MANAGED FULL
THE QUANTITY OF FULL DESCRIPTIVE MANAGED NSNS AGAINST AN APPROVED ITEM NAME CODE WITHIN A FIIG FOR AN FSC.

5602 POP-FSC-FIIG-AIN-MG-RE POP_STAT_CNT_5602 DLSC-SBA F INTEGER 8
POPULATION FSC FIIG APPROVED ITEM NAME MANAGED REFERENCE
THE QUANTITY OF REFERENCE METHOD MANAGED NSNS AGAINST AN APPROVED ITEM NAME CODE WITHIN A FIIG FOR AN FSC.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5603 POP-FSC-FIIG-AIN-MG-AC POP_STAT_CNT_5603 DLSC-SBA F INTEGER 8
POPULATION FSC FIIG APPROVED ITEM NAME MANAGED ACTIVITY
THE QUANTITY OF NSNS MANAGED BY AN ACTIVITY AGAINST AN APPROVED ITEM NAME CODE WITHIN A FIIG FOR AN FSC.

5604 POP-FSC-AAIN-NMG POP_STAT_CNT_5604 DLSC-SBA F INTEGER 8
POPULATION FSC ALL APPROVED ITEM NAME NONMANAGED
THE NONMANAGED NSN QUANTITY ACROSS ALL APPROVED ITEM CODES WITHIN AN FSC.

5605 POP-FSC-AAIN-NMG-FU POP_STAT_CNT_5605 DLSC-SBA F INTEGER 8
POPULATION FSC ALL APPROVED ITEM NAME NONMANAGED FULL
THE QUANTITY OF FULL DESCRIPTIVE NONMANAGED NSNS ACROSS ALL APPROVED ITEM NAME CODES WITHIN AN FSC.

5606 POP-FSC-AAIN-NMG-PA POP_STAT_CNT_5606 DLSC-SBA F INTEGER 8
POPULATION FSC ALL APPROVED ITEM NAME NONMANAGED PARTIAL
THE QUANTITY OF PARTIAL DESCRIPTIVE NONMANAGED NSNS ACROSS ALL APPROVED ITEM NAME CODES WITHIN AN FSC.

5607 POP-FSC-AAIN-NMG-RE POP_STAT_CNT_5607 DLSC-SBA F INTEGER 8
POPULATION FSC ALL APPROVED ITEM NAME NONMANAGED REFERENCE
THE QUANTITY OF REFERENCE METHOD NONMANAGED NSNS ACROSS ALL APPROVED ITEM NAME CODES WITHIN AN FSC.

5608 POP-FSC-FIIG-AAIN-NMG POP_STAT_CNT_5608 DLSC-SBA F INTEGER 8
POPULATION FSC FIIG ALL APPROVED ITEM NAME NONMANAGED
THE QUANTITY OF NSNS NONMANAGED ACROSS ALL APPROVED ITEM NAME CODES WITHIN A FIIG FOR AN FSC.

5609 POP-FSC-FIIG-AAIN-NMG-FU POP_STAT_CNT_5609 DLSC-SBA F INTEGER 8
POPULATION FSC FIIG ALL APPROVED ITEM NAME NONMANAGED
THE QUANTITY OF FULL DESCRIPTIVE NONMANAGED NSNS ACROSS ALL APPROVED ITEM NAME CODES WITHIN A FIIG FOR AN FSC.

5610 POP-FSC-FIIG-AAIN-NMG-PA POP_STAT_CNT_5610 DLSC-SBA F INTEGER 8
POPULATION FSC FIIG ALL APPROVED ITEM NAME NONMANGED PARTIAL
THE QUANTITY OF PARTIAL DESCRIPTIVE NONMANAGED NSNS ACROSS ALL APPROVED ITEM NAME CODES WITHIN A FIIG FOR AN FSC.

5611 POP-FSC-FIIG-AAIN-NMG-RE POP_STAT_CNT_5611 DLSC-SBA F INTEGER 8
POPULATION FSC FIIG ALL APPROVED ITEM NAME NONMANAGED REFER
THE QUANTITY OF REFERENCE METHOD NONMANAGED NSNS ACROSS ALL APPROVED ITEM NAME CODES WITHIN A FIIG FOR AN FSC.

5612 POP-FSC-FIIG-AIN-NMG DLSC-SBA F 8
POPULATION FSC FIIG APPROVED ITEM NAME NONMANAGED
THE QUANTITY OF NONMANAGED NSNS AGAINST AN APPROVED ITEM NAME CODE WITHIN A FIIG FOR AN FSC.

5613 POP-FSC-FIIG-AIN-NMG-FU POP_STAT_CNT_5613 DLSC-SBA F INTEGER 8
POPULATION FSC FIIG APPROVED ITEM NAME NONMANAGED FULL
THE QUANTITY OF FULL DESCRIPTIVE NONMANAGED NSNS AGAINST AN APPROVED ITEM NAME CODE WITHIN A FIIG FOR AN FSC.

5614 POP-FSC-FIIG-AIN-NMG-PA POP_STAT_CNT_5614 DLSC-SBA F INTEGER 8
POPULATION FSC FIIG APPROVED ITEM NAME NONMANAGED PARTIAL

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE QUANTITY OF PARTIAL DESCRIPTIVE NONMANAGED NSNS AGAINST AN APPROVED ITEM NAME CODE WITHIN A FIIG FOR AN FSC.

5615 POP-FSC-FIIG-AIN-NMG-RE POP_STAT_CNT_5615 DLSC-SBA F INTEGER 8
POPULATION FSC FIIG APPROVED ITEM NAME NONMANAGED REFERENCE
THE QUANTITY OF REFERENCE METHOD NONMANAGED NSNS AGAINST AN APPROVED ITEM NAME CODE WITHIN A FIIG FOR AN FSC.

5617 POP-FSC-FIIG-AIN-MG-PA POP_STAT_CNT_5617 DLSC-SBA F INTEGER 8
POPULATION FSC FIIG APPROVED ITEM NAME MANAGED PARTIAL
THE QUANTITY OF PARTIAL DESCRIPTIVE MANAGED NSNS AGAINST AN APPROVED ITEM NAME CODE WITHIN A FIIG FOR AN FSC.

5618 NAIN-TOTAL-RCVD-ACTY-NSN DLSC-SBA F 8
NONAPPROVED ITEM NAME TOTAL RECEIVED ACTITIVY NSN
THE TOTAL AMOUNT OF NEW ITEMS ASSIGNED WITH A NON-APPROVED ITEM NAME BY ACTIVITY.

5619 NAIN-ACTY-CAGE-NSN NAIN_STAT_CNT_5619 DLSC-SBA F INTEGER 8
NONAPPROVED ITEM NAME ACTIVITY CAGE NSN
THE TOTAL QUANTITY OF NEW ITEMS ASSIGNED WITH A NON-APPROVED ITEM NAME BROKEN OUT BY ACTIVITY AND CAGE CODE.

5620 AAC-DEPT-GP-NSN DLSC-SBA F 8
ACQUISITION ADVICE CODE DEPARTMENT GROUP NSN
TOTAL QUANTITY OF NSNS MANAGED BY DEPARTMENT WITH A SPECIFIC ACQUISITION ADVICE CODE THAT IS PART OF A GROUP OF AACS.

5621 AAC-DEPT-AAC-NSN AAC_STAT_CNT_5621 DLSC-SBA F INTEGER 8
ACQUISITION ADVICE CODE DEPARTMENT AAC NSN
TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT WITH A SPECIFIC ACQUISITION ADVICE CODE.

5622 NAIN-ACTY-CAGE-PCT DLSC-SBA F 8
NONAPPROVED ITEM NAME ACTIVITY CAGE PERCENT
THE PERCENTAGE OF NEW ITEMS ASSIGNED HAVING A NON-APPROVED ITEM NAME BROKEN OUT BY ACTIVITY AND CAGE CODE.

5623 NAIN-ACTY-FSC-NSN NAIN_STAT_CNT_5623 DLSC-SBA F INTEGER 8
NONAPPROVED ITEM NAME ACTIVITY FSC NSN
THE TOTAL QUANTITY OF NEW ITEMS ASSIGNED WITH NON-APPROVED ITEM NAME BROKEN OUT BY ACTIVITY AND FSC.

5624 NAIN-ACTY-FSC-PCT DLSC-SBA F 8
NONAPPROVED ITEM NAME ACTIVITY FSC PERCENT
THE PERCENTAGE OF NEW ITEMS ASSIGNED HAVING A NON-APPROVED ITEM NAME BROKEN OUT BY ACTIVITY AND FSC.

5625 NAIN-ACTY-RPDMRC-NSN NAIN_STAT_CNT_5625 DLSC-SBA F INTEGER 8
NONAPPROVED ITEM NAME ACTIVITY RPDMRC NSN
THE TOTAL QUANTITY OF NEW ITEMS ASSIGNED WITH NON-APPROVED ITEM NAME BROKEN OUT BY ACTIVITY AND RPDMRC.

5626 NAIN-ACTY-RPDMRC-PCT DLSC-SBA F 8
NONAPPROVED ITEM NAME ACTIVITY RPDMRC PERCENT
THE PERCENTAGE OF NEW ITEMS ASSIGNED HAVING A NON-APPROVED ITEM NAME BROKEN OUT BY ACTIVITY AND RPDMRC.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5627 DAC-DEPT-TYPE-II-QTY — DLSC-SBA — F — 8
DOCUMENT AVAILABILITY CODE DEPARTMENT TYPE II QUANTITY
THE QUANTITY OF NSNS WITH LIMITED RIGHTS DOCUMENT AVAILABILITY CODE BROKEN OUT BY TYPE ITEM IDENTIFICATION FOR DEPARTMENT.

5628 DAC-DEPT-NSN-TOT — DLSC-SBA — F — 8
DOCUMENT AVAILABILITY CODE DEPARTMENT NSN TOTAL
THE TOTAL QUANTITY OF NSNS WITH LIMITED RIGHTS DOCUMENT AVAILABILITY CODE FOR ALL TYPES ITEM IDENTIFICATION FOR DEPARTMENT.

5629 DAC-TYPE-II-1-TOT — DAC_STAT_CNT_5629 — DLSC-SBA — F — INTEGER — 8
DOCUMENT AVAILABILITY CODE TYPE II 1 TOTAL
THE TOTAL QUANTITY OF NSNS WITH LIMITED RIGHTS DOCUMENT AVAILABILTY CODE FOR TYPE 1 ITEM IDENTIFICATION.

5630 DAC-TYPE-II-1A-TOT — DAC_STAT_CNT_5630 — DLSC-SBA — F — INTEGER — 8
DOCUMENT AVAILABILITY CODE TYPE II 1A TOTAL
THE TOTAL QUANTITY OF NSNS WITH LIMITED RIGHTS DOCUMENT AVAILABILITY CODE FOR TYPE 1A ITEM IDENTIFICATION.

5631 DAC-TYPE-II-1B-TOT — DAC_STAT_CNT_5631 — DLSC-SBA — F — INTEGER — 8
DOCUMENT AVAILABILITY CODE TYPE II 1B TOTAL
THE TOTAL QUANTITY OF NSNS WITH LIMITED RIGHTS DOCUMENT AVAILABILITY CODE FOR TYPE 1B ITEM IDENTIFICATION.

5632 DAC-TYPE-II-4-TOT — DAC_STAT_CNT_5632 — DLSC-SBA — F — INTEGER — 8
DOCUMENT AVAILABILITY CODE TYPE II 4 TOTAL
THE TOTAL QUANTITY OF NSNS WITH LIMITED RIGHTS DOCUMENT AVAILABILITY CODE FOR TYPE 4 ITEM IDENTIFICATION.

5633 DAC-TYPE-II-4A-TOT — DAC_STAT_CNT_5633 — DLSC-SBA — F — INTEGER — 8
DOCUMENT AVAILABILITY CODE TYPE II 4A TOTAL
THE TOTAL QUANTITY OF NSNS WITH LIMITED RIGHTS DOCUMENT AVAILABILITY CODE FOR TYPE 4A ITEM IDENTIFICATION.

5634 DAC-TYPE-II-4B-TOT — DAC_STAT_CNT_5634 — DLSC-SB — F — INTEGER — 8
DOCUMENT AVAILABILITY CODE TYPE II 4B TOTAL
THE TOTAL QUANTITY OF NSNS WITH LIMITED RIGHTS DOCUMENT AVAILABILITY CODE FOR TYPE 4B ITEM IDENTIFICATION.

5635 DAC-TYPE-II-2-TOT — DAC_STAT_CNT_5635 — DLSC-SBA — F — INTEGER — 8
DOCUMENT AVAILABILITY CODE TYPE II 2 TOTAL
THE TOTAL QUANTITY OF NSNS WITH LIMITED RIGHTS DOCUMENT AVAILABILITY FOR TYPE 2 ITEM IDENTIFICATION.

5636 DAC-NSN-TOT — DLSC-SBA — F — 8
DOCUMENT AVAILABILITY CODE NSN TOTAL
THE TOTAL QUANTITY OF NSNS WITH LIMITED RIGHTS DOCUMENT AVAILABILITY CODES.

5637 DAC-DEPT-REF-QTY — DAC_STAT_CNT_5637 — DLSC-SBA — F — INTEGER — 8
DOCUMENT AVAILABILITY CODE DEPARTMENT REFERENCE QUANTITY
THE QUANTITY OF REFERENCE NUMBERS ON NSNS WITH A SPECIFIC LIMITED RIGHTS DOCUMENT AVAILABILITY CODE FOR DEPARTMENT.

5638 DAC-REF-TOT — DLSC-SBA — F — 8
DOCUMENT AVAILABILITY CODE REFERENCE TOTAL

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL QUANTITY OF REFERENCE NUMBERS ON NSNS WITH A LIMITED RIGHTS DOCUMENT AVAILABILITY CODE.

5639 IMC-NW-DP-AT-IMC-CIC IMC_STAT_CNT_5639 DLSC-SBA F INTEGER 8
ITEM MANAGEMENT CODE NEW DEPT ACTIVITY IMC CARD ID CODE
THE QUANTITY OF ITEM MANAGEMENT CODES ASSIGNED TO NEW NSNS FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) BY ITEM MANAGEMENT CODING ACTIVITY.

5640 IMC-NW-DP-AT-IMC-TOT DLSC-SBA F 8
ITEM MANAGEMENT CODE NEW DEPARTMENT ACTIVITY IMC TOTAL
THE TOTAL QUANTITY OF CARD IDENTIFICATION CODES (CIC) ASSOCIATED WITH A SPECIFIC ITEM MANAGEMENT CODE ASSIGNED TO NEW NSNS BY ITEM MANAGEMENT CODING ACTIVITY.

5641 IMC-NW-DP-AT-CIC-TOT DLSC-SBA F 8
ITEM MANAGEMENT CODE NEW DEPT ACTIVITY CARD ID CODE TOTAL
THE QUANTITY OF ITEM MANAGEMENT CODES ASSIGNED TO NEW NSNS FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) BY ITEM MANAGEMENT CODING ACTIVITY (IMCA).

5642 IMC-NW-DP-AT-IMC-CIC-TOT DLSC-SBA F 8
ITEM MANAGEMENT CODE NEW DEPT ACTIVITY IMC CARD ID CODE TOTL
THE TOTAL QUANTITY OF CARD IDENTIFICATION CODES (CIC) ASSIGNED TO NEW NSNS BY ITEM MANAGEMENT CODING ACTIVITY (IMCA).

5643 IMC-NW-DP-IMC-CIC DLSC-SBA F 8
ITEM MANAGEMENT CODE NEW DEPT IMC CARD ID CODE
THE QUANTITY OF ITEM MANAGEMENT CODES ASSIGNED TO NEW NSNS FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) FOR DEPARTMENT.

5644 IMC-NW-DP-IMC-TOT DLSC-SBA F 8
ITEM MANAGEMENT CODE NEW DEPARTMENT IMC TOTAL
THE TOTAL QUANTITIY OF CARD IDENTIFICATION CODES (CIC) ASSOCIATED WITH A SPECIFIC ITEM MANAGEMENT CODE ASSIGNED TO NEW NSNS FOR DEPARTMENT.

5645 IMC-NW-DP-CIC-TOT DLSC-SBA F 8
ITEM MANAGEMENT CODE NEW DEPT CARD ID CODE TOTAL
THE TOTAL QUANTITY OF ITEM MANAGEMENT CODES ASSIGNED TO NEW NSNS FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) FOR ALL ITEM MANAGEMENT CODING ACTIVITIES (IMCA) WITHIN THE DEPARTMENT.

5646 IMC-NW-DP-IMC-CIC-TOT DLSC-SBA F 8
ITEM MANAGEMENT CODE NEW DEPARTMENT IMC CARD ID CODE TOTAL
THE TOTAL QUANTITY OF CARD IDENTIFICATION CODES (CIC) ASSIGNED TO NEW NSNS FOR ALL ITEM MANAGEMENT CODING ACTIVITIES (IMCA) WITHIN THE DEPARTMENT.

5647 IMC-NW-CLM-IMC-CIC DLSC-SBA F 8
ITEM MANAGEMENT CODE NEW CLASS MANAGED IMC CARD ID CODE
THE QUANTITY OF ITEM MANAGEMENT CODES ASSIGNED TO NEW NSNS FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) FOR CLASS MANAGER.

5648 AAC-IM-ACTY-LOA-NSN DLSC-SBA F 8
ACQUISITION ADVICE CODE INTEGRATED MANAGER ACTIVITY LOA NSN

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY BY LOA WITH AN ACQUISITION ADVICE CODE WITHIN INTEGRATED MANAGER ASSIGNED CLASSES.

5649 AAC-IM-ACTY-LOA-GP-NSN DLSC-SBA F 8
ACQUISITION ADVICE CODE INTEGRATED MANAGER ACTY LOA GP NSN
TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY BY LOA WITH A SPECIFIC ACQUISITION ADVICE CODE THAT IS PART OF A GROUP OF AACS WITHIN INTEGRATED MANAGER ASSIGNED CLASSES.

5650 IMC-NW-CLM-IMC-TOT DLSC-SBA F 8
ITEM MANAGEMENT CODE NEW CLASS MANAGER IMC TOTAL
THE TOTAL QUANTITY OF CARD IDENTIFICATION CODES (CIC) ASSOCIATED WITH A SPECIFIC ITEM MANAGEMENT CODE ASSIGNED TO NEW NSNS FOR CLASS MANAGER.

5651 IMC-NW-CLM-CIC-TOT DLSC-SBA F 8
ITEM MANAGEMENT CODE NEW CLASS MANAGER CARD ID CODE TOTAL
THE TOTAL QUANTITY OF ITEM MANAGEMENT CODES ASSIGNED TO NEW NSNS FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) FOR CLASS MANAGER.

5652 IMC-NW-CLM-IMC-CIC-TOT DLSC-SBA F 8
ITEM MANAGEMENT CODE NEW CLASS MANAGER IMC CARD ID CODE TOTL
THE TOTAL QUANTITY OF ITEM MANAGEMENT CODES ASSIGNED TO NEW NSNS FOR ALL CARD IDENTIFICATION CODES (CIC) FOR CLASS MANAGERS.

5653 IMC-AL-DP-AT-IMC-CIC IMC_STAT_CNT_5653 DLSC-SBA F INTEGER 8
ITEM MANAGEMENT CODE ALL DEPT ACTIVITY IMC CARD ID CODE
THE QUANTITY OF ALL CHANGED AND NEWLY ASSIGNED ITEM MANAGEMENT CODES FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) BY ITEM MANAGEMENT CODING ACITIVITY (IMCA).

5654 IMC-AL-DP-AT-IMC-TOT DLSC-SBA F 8
ITEM MANAGEMENT CODE ALL DEPT ACTIVITY IMC TOTAL
THE TOTAL QUANTITY OF ALL CHANGED AND NEWLY ASSIGNED SPECIFIC ITEM MANAGEMENT CODES FOR ALL CARD IDENTIFICATION CODES (CIC) ASSSIGNED BY ITEM MANAGEMENT CODING ACTIVITY (IMCA).

5655 IMC-AL-DP-AT-CIC-TOT DLSC-SBA F 8
ITEM MANAGEMENT CODE ALL DEPT ACTIVITY CARD ID CODE TOTAL
THE QUANTITY OF ALL CHANGED AND NEWLY ASSIGNED ITEM MANAGEMENT CODES FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) BY ITEM MANAGEMENT CODING ACTIVITY (IMCA).

5656 IMC-AL-DP-AT-IMC-CIC-TOT DLSC-SBA F 8
ITEM MANAGEMENT CODE ALL DEPT ACTIVITY IMC CIC TOTAL
THE TOTAL QUANTITY OF CARD IDENTIFICATION CODES (CIC) FOR ALL CHANGED AND NEWLY ASSIGNED ITEM MANAGEMENT CODES BY ITEM MANAGEMENT CODING ACTIVITY (IMCA).

5657 IMC-AL-DP-IMC-CIC DLSC-SBA F 8
ITEM MANAGEMENT CODE ALL DEPT CARD IDENTIFICATION CODE
THE QUANTITY OF ALL CHANGED AND NEWLY ITEM MANAGEMENT CODES FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) FOR DEPARTMENT.

5658 IMC-AL-DP-IMC-TOT DLSC-SBA F 8
ITEM MANAGEMENT CODE ALL DEPT IMC TOTAL

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL QUANTITY OF CARD IDENTIFICATION CODES (CIC) FOR ALL CHANGED AND NEWLY ASSIGNED ITEM MANAGEMENT CODES FOR DEPARTMENT.

5659 IMC-AL-DP-CIC-TOT — DLSC-SBA — F — 8
ITEM MANAGEMENT CODE ALL DEPT CARD ID CODE TOTAL
THE TOTAL QUANTITY OF ALL CHANGED AND NEWLY ASSIGNED ITEM MANAGEMENT CODES FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) FOR ALL ITEM MANAGEMENT CODING ACTIVITIES (IMCA) WITH THE DEPARTMENT.

5660 IMC-AL-DP-IMC-CIC-TOT — DLSC-SBA — F — 8
ITEM MANAGEMENT CODE ALL DEPT IMC CARD ID CODE TOTAL
ACQUISITION ADVICE CODE L FOR DRN 5648, DEPARTMENT ACTIVITY LOA AAC NSN QUANTITY 13.

5661 IMC-AL-CLM-IMC-CIC — DLSC-SBA — F — 8
ITEM MANAGEMENT CODE ALL CLASS MANAGER IMC CARD ID CODE
THE QUANTITY OF ALL CHANGED AND NEWLY ASSIGNED ITEM MANAGEMENT CODES FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) FOR CLASS MANAGER.

5662 IMC-AL-CLM-IMC-TOT — DLSC-SBA — F — 8
ITEM MANAGEMENT CODE ALL CLASS MANAGER IMC TOTAL
THE TOTAL QUANTITY OF CARD IDENTIFICATION CODES (CIC) FOR ALL CHANGED AND NEWLY ASSIGNED SPECIFIC ITEM MANAGEMENT CODES FOR CLASS MANAGER.

5663 IMC-AL-CLM-CIC-TOT — DLSC-SBA — F — 8
ITEM MANAGEMENT CODE ALL CLASS MANAGER CIC TOTAL
THE TOTAL QUANTITY OF ALL CHANGED AND NEWLY ASSIGNED ITEM MANAGEMENT CODES FOR A SPECIFIC CARD IDENTIFICATION CODE (CIC) FOR CLASS MANAGER.

5664 IMC-AL-CLM-IMC-CIC-TOT — DLSC-SBA — F — 8
ITEM MANAGEMENT CODE ALL CLASS MANAGER CARD ID CODE TOTAL
THE TOTAL QUANTITY OF ALL CHANGED AND NEWLY ASSIGNED ITEM MANAGEMENT CODES FOR ALL CARD IDENTIFICATION CODES (CIC) FOR CLASS MANAGER.

5665 AAC-Q-13 — DLSC-SBA — F — 8
ACQUISITION ADVICE CODE Q13
ACQUISITION ADVICE CODE Q FOR DRN 5648, DEPARTMENT ACTIVITY LOA AAC NSN QUANTITY 13.

5666 STAT-RETURN-CATEGORY — STAT_RETN_CAT_5666 — DLSC-SBA — F — CHAR — 2
STATISTICS RETURN CATEGORY
A CATEGORY WHICH REPRESENTS A GROUP OF LIKE RETURN REASON CODES.

5667 AAC-S-13 — DLSC-SBA — F — 8
ACQUISITION ADVICE CODE S13
ACQUISITION ADVICE CODE S FOR DRN 5648, DEPARTMENT ACTIVITY LOA AAC NSN QUANTITY 13.

5668 STAT-NAME — DLSC-SBA — F — 50
STATISTICS NAME
A TITLE WHICH REPRESENTS A GROUP OF STATISTICAL COUNTS.

5669 PRI-IND-CD-TM-FRAME — DLSC-SBA — F — 4

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

PRIORITY INDICATOR CODE TIME FRAME
THE MAXIMUM TIME FRAME ALLOWED FOR A PRIORITY INDICATOR CODE TO PROCESS, IN MINUTES.

5670 LRN-PROC-BB-UPDT-CAN-D DLSC-SB F 6
LOGRUN PROCEDURES BULLETIN BRD UPDT CUSTOMER ACCNT NMBR DAIL
THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A DAILY BASIS.

5671 LRN-PROC-CHG-UPDT-CAN-D DLSC-SB F 6
LOGRUN PROCEDURES CHANGE UPDATE CUSTOMER ACCNT NMBR DAILY
THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A DAILY BASIS.

5672 LRN-PROC-ADD-UPDT-CAN-D DLSC-SB F 6
LOGRUN PROCEDURES ADD UPDATE CUSTOMER ACCNT NMBR DAILY
THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A DAILY BASIS.

5673 LRN-PROC-DEL-UPDT-CAN-D DLSC-SB F 6
LOGRUN PROCEDURES DELETE UPDATE CUSTOMER ACCNT NMBR DAILY
THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A DAILY BASIS.

5674 AAC-IM-ACTY-LOA-AAC-NSN AAC_STAT_CNT_5674 DLSC-SBA F INTEGER 8
ACQUISITION ADVICE CODE INTEGRATED MANAGED ACTY LOA AAC NSN
TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY BY LOA WITH A SPECIFIC ACQUISITION ADVICE CODE WITHIN INTEGRATED MANAGER ASSIGNED CLASSES.

5675 AAC-IM-ACTY-NSN DLSC-SBA F 8
ACQUISITION ADVICE CODE INTEGRATED MANAGER ACTIVITY NSN
TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITH AN ACQUISITION ADVICE CODE WITHIN INTEGRATED MANAGER ASSIGNED CLASSES.

5676 LRN-PROC-BB-UPDT-DEPT-D DLSC-SB F 6
LOGRUN PROCEDURES BULLETIN UPDATE DEPARTMENT DAILY
THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY DEPARTMENT ON A DAILY BASIS.

5677 LRN-PROC-CHG-UPDT-DEPT-D DLSC-SB F 6
LOGRUN PROCEDURES CHANGE UPDATE DEPARTMENT DAILY
THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY DEPARTMENT ON A DAILY BASIS.

5678 LRN-PROC-ADD-UPDT-DEPT-D DLSC-SB F 6
LOGRUN PROCEDURES ADD UPDATE DEPARTMENT DAILY
THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY DEPARTMENT ON A DAILY BASIS.

5679 LRN-PROC-DEL-UPDT-DEPT-D DLSC-SB F 6
LOGRUN PROCEDURES DELETE UPDATE DEPARTMENT DAILY
THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR PROCEDURES BULLETIN BOARD BY DEPARTMENT ON A DAILY BASIS.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5680 LRN-PROC-BB-UPDT-ACTY-D LRN_STAT_CNT_5680 DLSC-SB F INTEGER 6
LOGRUN PROCEDURES BULLETIN BOARD UPDATE ACTIVITY DAILY
THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY ACTIVITY ON A DAILY BASIS.

5681 LRN-PROC-CHG-UPDT-ACTY-D LRN_STAT_CNT_5681 DLSC-SB F INTEGER 6
LOGRUN PROCEDURES CHANGE UPDATE ACTIVITY DAILY
THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY ACTIVITY ON A DAILY BASIS.

5682 LRN-PROC-ADD-UPDT-ACTY-D LRN_STAT_CNT_5682 DLSC-SB F INTEGER 6
LOGRUN PROCEDURES ADD UPDATE ACTIVITY DAILY
THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY ACTIVITY ON A DAILY BASIS.

5683 LRN-PROC-DEL-UPDT-ACTY-D LRN_STAT_CNT_5683 DLSC-SB F INTEGER 6
LOGRUN PROCEDURES DELETE UPDATE ACTIVITY DAILY
THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEST OR PROCEDURES BULLETIN BOARD BY ACTIVITY ON A DAILY BASIS.

5684 LRN-PROC-BB-UPDT-TOT-D DLSC-SB F 6
LOGRUN PROCEDURES BULLETIN BOARD UPDATE TOTAL DAILY
THE TOTAL NUMBER OF UPDATE MADE TO THE PROCEDURES BULLETIN BOARD BY DEPARTMENT, ACTIVITY, AND CUSTOMER ACCOUNT NUMBER ON A YEARLY BASIS.

5685 LRN-PROC-CHG-UPDT-TOT-D DLSC-SB F 6
LOGRUN PROCEDURES CHANGE UPDATE TOTAL DAILY
THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY DEPARTMENT, ACTIVITY, AND CUSTOMER ACCOUNT NUMBER ON A DAILY BASIS.

5686 LRN-PROC-ADD-UPDT-TOT-D DLSC-SB F 6
LOGRUN PROCEDURES ADD UPDATE TOTAL DAILY
THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY ACTIVITY, DEPARTMENT, AND CUSTOMER ACCOUNT NUMBER ON A DAILY BASIS.

5687 LRN-PROC-DEL-UPDT-TOT-D DLSC-SB F 6
LOGRUN PROCEDURES DELETE UPDATE TOTAL DAILY
THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR PROCEDURES BULLETIN BOARD BY ACTIVITY, DEPARTMENT, AND CUSTOMER ACCOUNT NUMBER ON A DAILY BASIS.

5688 LRN-PROC-BB-UPDT-ACTY-W DLSC-SB F 6
LOGRUN PROCEDURES BULLETIN BOARD UPDATE ACTIVITY WEEKLY
THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY ACTIVITY ON A WEEKLY BASIS.

5689 LRN-PROC-CHG-UPDT-ACTY-W DLSC-SB F 6
LOGRUN PROCEDURES CHANGE UPDATE ACTIVITY WEEKLY
THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY ACTIVITY ON A WEEKLY BASIS.

5690 LRN-PROC-ADD-UPDT-ACTY-W DLSC-SB F 6

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

LOGRUN PROCEDURES ADD UPDATE ACTIVITY WEEKLY
THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY ACTIVITY ON A WEEKLY BASIS.

5691 LRN-PROC-DEL-UPDT-ACTY-W DLSC-SB F 6
LOGRUN PROCEDURES DELETE UPDATE ACTIVITY WEEKLY
THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR PROCEDURES BULLETIN BOARD BY ACTIVITY ON A WEEKLY BASIS.

5692 LRN-PROC-BB-UPDT-DEPT-W DLSC-SB F 6
LOGRUN PROCEDURES BULLETIN BOARD UPDATE DEPARTMENT WEEKLY
THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY DEPARTMENT ON A WEEKLY BASIS.

5693 LRN-PROC-CHG-UPDT-DEPT-W DLSC-SB F 6
LOGRUN PROCEDURES CHANGE UPDATE DEPARTMENT WEEKLY
THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY DEPARTMENT ON A WEEKLY BASIS.

5694 LRN-PROC-ADD-UPDT-DEPT-W DLSC-SB F 6
LOGRUN PROCEDURES ADD UPDATE DEPARTMENT WEEKLY
THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY DEPARTMENT ON A WEEKLY BASIS.

5695 LRN-PROC-DEL-UPDT-DEPT-W DLSC-SB F 6
LOGRUN PROCEDURES DELETE UPDATE DEPARTMENT NUMBER WEEKLY
THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR PROCEDURES BULLETIN BOARD BY DEPARTMENT ON A WEEKLY BASIS.

5696 LRN-PROC-BB-UPDT-TOT-W DLSC-SB F 6
LOGRUN PROCEDURES BULLETIN BOARD UPDATE TOTAL WEEKLY
THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY ACTIVITY, DEPARTMENT, AND CUSTOMER ACCOUNT NUMBER ON A WEEKLY BASIS.

5697 LRN-PROC-CHG-UPDT-TOT-W DLSC-SB F 6
LOGRUN PROCEDURES CHANGE UPDATE TOTAL WEEKLY
THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY DEPARTMENT, ACTIVITY, AND CUSTOMER ACCOUNT NUMBER ON A WEEKLY BASIS.

5698 LRN-PROC-ADD-UPDT-TOT-W DLSC-SB F 6
LOGRUN PROCEDURES ADD UPDATE TOTAL WEEKLY
THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY ACTIVITY, DEPARTMENT, AND CUSTOMER ACCOUNT NUMBER ON A WEEKLY BASIS.

5699 LRN-PROC-DEL-UPDT-TOT-W DLSC-SB F 6
LOGRUN PROCEDURES DELETE UPDATE TOTAL WEEKLY
THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR PROCEDURES BULLETIN BOARD BY ACTIVITY, DEPARTMENT, AND CUSTOMER ACCOUNT NUMBER ON A WEEKLY BASIS.

5700 LRN-PROC-BB-UPDT-CAN-M DLSC-SB F 6
LOGRUN PROCEDURES BLLTN BOARD UPDATE CSTMR ACCNT NMBR MTHLY
THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A MONTHLY BASIS.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5701 LRN-PROC-CHG-UPDT-CAN-M — DLSC-SB — F — 6
LOGRUN PROCEDURES CHANGE UPDATE CUSTOMER ACCNT NMBR MONTHLY
THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A MONTHLY BASIS.

5702 AAC-IM-ACTY-GP-NSN — DLSC-SBA — F — 8
ACQUISITION ADVICE CODE INTEGRATED MANAGER ACTY GROUP NSN
TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITH A SPECIFIC ACQUISITION ADVICE CODE THAT IS PART OF A GROUP OF AACS WITHIN INTEGRATED MANAGER ASSIGNED CLASSES.

5703 AAC-IM-ACTY-AAC-NSN — AAC_STAT_CNT_5703 — DLSC-SBA — F — INTEGER — 8
ACQUISITION ADVICE CODE INTEGRATED MANAGER ACTIVITY AAC NSN
TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITH A SPECIFIC ACQUISITION ADVICE CODE WITHIN INTEGRATED MANAGER ASSIGNED CLASSES.

5704 LRN-PROC-ADD-UPDT-CAN-M — DLSC-SB — F — 6
LOGRUN PROCEDURES AND UPDATE CUSTOMER ACCT NUMBER MONTHLY
THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A MONTHLY BASIS.

5705 LRN-PROC-DEL-UPDT-CAN-M — DLSC-SB — F — 6
LOGRUN PROCEDURES DELETE UPDATE CUSTOMER ACCT NMBR MONTHLY
THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR PROCEDURES BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A MONTHLY BASIS.

5706 LRN-PROC-BB-UPDT-ACTY-M — DLSC-SB — F — 6
LOGRUN PROCEDURES BULLETIN BOARD UPDATE ACTIVITY MONTHLY
THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY ACTIVITY ON A MONTHLY BASIS.

5707 LRN-PROC-CHG-UPDT-ACTY-M — DLSC-SB — F — 6
LOGRUN PROCEDURES CHANGE UPDATE ACTIVITY MONTHLY
THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY ACTIVITY ON A MONTHLY BASIS.

5708 LRN-PROC-ADD-UPDT-ACTY-M — DLSC-SB — F — 6
LOGRUN PROCEDURES ADD UPDATE ACTIVITY MONTHLY
THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY ACTIVITY ON A MONTHLY BASIS.

5709 LRN-PROC-DEL-UPDT-ACTY-M — DLSC-SB — F — 6
LOGRUN PROCEDURES DELETE UPDATE ACTIVITY MONTHLY
THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR PROCEDURES BULLETIN BOARD BY ACTIVITY ON A MONTHLY BASIS.

5710 LRN-PROC-BB-UPDT-DEPT-M — DLSC-SB — F — 6
LOGRUN PROCEDURES BULLETIN BOARD UPDATE DEPARTMENT MONTHLY
THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY DEPARTMENT ON A MONTHLY BASIS.

5711 LRN-PROC-CHG-UPDT-DEPT-M — DLSC-SB — F — 6

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

LOGRUN PROCEDURES CHANGE UPDATE DEPARTMENT MONTHLY
THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY DEPARTMENT ON A MONTHLY BASIS.

5712 LRN-PROC-ADD-UPDT-DEPT-M DLSC-SB F 6
LOGRUN PROCEDURES ADD UPDATE DEPARTMENT MONTHLY
THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY DEPARTMENT ON A MONTHLY BASIS.

5713 LRN-PROC-DEL-UPDT-DEPT-M DLSC-SB F 6
LOGRUN PROCEDURES DELETE UPDATE DEPARTMENT MONTHLY
THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR PROCEDURES BULLETIN BOARD BY DEPARTMENT ON A MONTHLY BASIS.

5714 LRN-PROC-BB-UPDT-TOT-M DLSC-SB F 6
LOGRUN PROCEDURES BULLETIN BOARD UPDATE TOTAL MONTHLY
THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY ACTIVITY, DEPARTMENT, AND CUSTOMER ACCOUNT NUMBER ON A MONTHLY BASIS.

5715 LRN-PROC-CHG-UPDT-TOT-M DLSC-SB F 6
LOGRUN PROCEDURES CHANGE UPDATE TOTAL MONTHLY
THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY ACTIVITY, DEPARTMENT, AND CUSTOMER ACCOUNT NUMBER ON A MONTHLY BASIS.

5716 LRN-PROC-ADD-UPDT-TOT-M DLSC-SB F 6
LOGRUN PROCEDURES ADD UPDATE TOTAL MONTHLY
THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY ACTIVITY, DEPARTMENT, AND CUSTOMER ACCOUNT NUMBER ON A MONTHLY BASIS

5717 LRN-PROC-DEL-UPDT-TOT-M DLSC-SB F 6
LOGRUN PROCEDURES DELETE UPDATE TOTAL MONTHLY
THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR PROCEDURES BULLETIN BOARD BY ACTIVITY, DEPARTMENT, AND CUSTOMER ACCOUNT NUMBER ON A MONTHLY BASIS.

5718 LRN-PROC-BB-UPDT-CAN-Q DLSC-SB F 6
LOGRUN PROCEDURES BLLTN BOARD UPDATE CUSTOMER ACCT NMBR QRTL
THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A QUARTERLY BASIS.

5719 LRN-PROC-CHG-UPDT-CAN-Q DLSC-SB F 6
LOGRUN PROCEDURES CHANGE UPDATE CUSTOMER ACCNT NMBR QTRLY
THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A QUARTERLY BASIS.

5720 LRN-PROC-ADD-UPDT-CAN-Q DLSC-SB F 6
LOGRUN PROCEDURES ADD UPDATE CUSTOMER ACCT NMBR QUARTERLY
THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A QUARTERLY BASIS.

5721 LRN-PROC-DEL-UPDT-CAN-Q DLSC-SB F 6

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

LOGRUN PROCEDURES DELETE UPDATE CUSTOMER ACCT NMBR QUARTERLY
THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR PROCEDURES BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A QUARTERLY BASIS.

5722 LRN-PROC-BB-UPDT-ACTY-Q DLSC-SB F 6
LOGRUN PROCEDURES BULLETIN BOARD UPDATE ACTIVITY QUARTERLY
THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY ACTIVITY ON A QUARTERLY BASIS.

5723 LRN-PROC-CHG-UPDT-ACT-Q DLSC-SB F 6
LOGRUN PROCEDURES CHANGE UPDATE ACTIVITY QUARTERLY
THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY ACTIVITY ON A QUARTERLY BASIS.

5724 LRN-PROC-ADD-UPDT-ACTY-Q DLSC-SB F 6
LOGRUN PROCEDURES ADD UPDATE ACTIVITY QUARTERLY
THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY ACTIVITY ON A QUARTERLY BASIS.

5725 LRN-PROC-DEL-UPDT-ACTY-Q DLSC-SB F 6
LOGRUN PROCEDURES DELETE UPDATE ACTIVITY QUARTERLY
THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR PROCEDURES BULLETIN BOARD BY ACTIVITY ON A QUARTERLY BASIS.

5726 LRN-PROC-BB-UPDT-DEPT-Q DLSC-SB F 6
LOGRUN PROCEDURES BULLETIN BOARD UPDATE DEPARTMENT QRTLY
THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY DEPARTMENT ON A QUARTERLY BASIS.

5727 LRN-PROC-CHG-UPDT-DEPT-Q DLSC-SB F 6
LOGRUN PROCEDURES CHANGE UPDATE DEPARTMENT QUARTERLY
THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY DEPARTMENT ON A QUARTERLY BASIS.

5728 AAC-IM-DEPT-LOA-NSN DLSC-SBA F 8
ACQUISITION ADVICE CODE INTEGRATED MANAGER DEPT LOA NSN
TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT BY LOA WITH AN ACQUISITION ADVICE CODE WITHIN INTEGRATED MANAGER ASSIGNED CLASSES.

5729 AAC-IM-DEPT-LOA-GP-NSN DLSC-SBA F 8
ACQUISITION ADVICE CODE IM DEPARTMENT LOA GROUP NSN
TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT BY LOA WITH A SPECIFIC ACQUISITION ADVICE CODE THAT IS PART OF A GROUP OF AAC'S WITHIN INTEGRATED MANAGER ASSIGNED CLASSES.

5730 ISC-NSN DLSC-SBA F 8
ITEM STANDARDIZATION CODE NSN
QUANTITY OF NSNS WITH AND WITHOUT A MANAGER IN THE SYSTEM WITH A SPECIFIC ITEM STANDARDIZATION CODE.

5731 ISC-WMGR-NSN DLSC-SBA F 8
ITEM STANDARDIZATION CODE WITH MANAGER NSN
QUANTITY OF NSNS WITH A MANAGER IN THE SYSTEM WITH A SPECIFIC ITEM STANDARDIZATION CODE.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5732 ISC-USGOVT-NSN — DLSC-SBA — F — 8
ITEM STANDARDIZATION CODE US GOVERNMENT NSN
QUANTITY OF NSNS MANAGED BY THE US GOVERNMENT IN THE SYSTEM WITH A SPECIFIC ITEM STANDARDIZATION CODE.

5733 ISC-DOD-NSN — DLSC-SBA — F — 8
ITEM STANDARDIZATION CODE DOD NSN
QUANTITY OF NSNS MANAGED BY DOD IN THE SYSTEM WITH A SPECIFIC ITEM STANDARDIZATION CODE.

5734 ISC-WOMGR-NSN — DLSC-SBA — F — 8
ITEM STANDARDIZATION CODE WITHOUT MANAGER NSN
QUANTITY OF NSNS WITHOUT MANAGER IN THE SYSTEM WITH A SPECIFIC ITEM STANDARDIZATION CODE.

5735 ISC-FSG-NSN-TOT — DLSC-SBA — F — 8
ITEM STANDARDIZATION CODE FSG NSN TOTAL
TOTAL QUANTITY OF NSNS IN A FEDERAL SUPPLY GROUP WITH AND WITHOUT A MANAGER IN THE SYSTEM WITH AN ITEM STANDARDIZATION CODE.

5736 ISC-FSG-WMGR-NSN-TOT — DLSC-SBA — F — 8
ITEM STANDARDIZATION CODE FSG WITH MANAGER NSN TOTAL
TOTAL QUANTITY OF NSNS IN A FEDERAL SUPPLY GROUP WITH A MANAGER IN THE SYSTEM WITH AN ITEM STANDARDIZATION CODE.

5737 ISC-FSG-USGOVT-NSN-TOT — DLSC-SBA — F — 8
ITEM STANDARDIZATION CODE FSG US GOVERNMENT NSN TOTAL
TOTAL QUANTITY OF NSNS IN A FEDERAL SUPPLY GROUP MANAGED BY THE US GOVERNMENT IN THE SYSTEM WITH AN ITEM STANDARDIZATION CODE.

5738 ISC-FSG-DOD-NSN-TOT — DLSC-SBA — F — 8
ITEM STANDARDIZATION CODE FSG DOD NSN TOTAL
TOTAL QUANTITY OF NSNS IN A FEDERAL SUPPLY GROUP MANAGED BY DOD IN THE SYSTEM WITH AN ITEM STANDARDIZATION.

5739 ISC-FSG-WOMGR-NSN-TOT — DLSC-SBA — F — 8
ITEM STANDARDIZATION CODE FSG WITHOUT MANAGER NSN TOTAL
TOTAL QUANTITY OF NSNS IN A FEDERAL SUPPLY GROUP WITHOUT A MANAGER IN THE SYSTEM WITH AN ITEM STANDARDIZATION CODE.

5740 ISC-FSG-NSN — ISC_STAT_CNT_5740 — DLSC-SBA — F — INTEGER — 8
ITEM STANDARDIZATION CODE FSG NSN
QUANTITY OF NSNS IN A FEDERAL SUPPLY GROUP WITH AND WITHOUT A MANAGER IN THE SYSTEM WITH A SPECIFIC ITEM STANDARDIZATION CODE.

5741 ISC-FSG-WMGR-NSN — DLSC-SBA — F — 8
ITEM STANDARDIZATION CODE FSG WITH MANAGER NSN
QUANTITY OF NSNS IN A FEDERAL SUPPLY GROUP WITH A MANAGER IN THE SYSTEM WITH A SPECIFIC ITEM STANDARDIZATION CODE.

5742 ISC-FSG-USGOVT-NSN — DLSC-SBA — F — 8
ITEM STANDARDIZATION CODE FSG US GOVERNMENT NSN

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

QUANTITY OF NSNS IN A FEDERAL SUPPLY GROUP MANAGED BY THE US GOVERNMENT IN THE SYSTEM WITH A SPECIFIC ITEM STANDARDIZATION.

5743 ISC-FSG-DOD-NSN DLSC-SBA F 8
ITEM STANDARDIZATION CODE FSG DOD NSN
QUANTITY OF NSNS IN A FEDERAL SUPPLY GROUP MANAGED BY DOD IN THE SYSTEM WITH A SPECIFIC ITEM STANDARDIZATION CODE.

5744 ISC-FSG-WOMGR-NSN DLSC-SBA F 8
ITEM STANDARDIZATION CODE FSG WITHOUT MANAGER
QUANTITY OF NSNS IN A FEDERAL SUPPLY GROUP WITHOUT A MANAGER IN THE SYSTEM WITH A SPECIFIC ITEM STANDARDIZATION CODE.

5745 ISC-FSC-NSN DLSC-SBA F 8
ITEM STANDARDIZATION CODE FSC NSN
QUANTITY OF NSNS IN A FEDERAL SUPPLY CLASS WITH AND WITHOUT A MANAGER IN THE SYSTEM WITH A SPECIFIC ITEM STANDARDIZATION.

5746 ISC-FSC-WMGR-NSN ISC_STAT_CNT_5746 DLSC-SBA F INTEGER 8
ITEM STANDARDIZATION CODE FSC WITH MANAGER NSN
QUANTITY OF NSNS IN A FEDERAL SUPPLY CLASS WITH A MANAGER IN THE SYSTEM WITH A SPECIFIC ITEM STANDARDIZATION CODE.

5747 ISC-FSC-USGOVT-NSN ISC_STAT_CNT_5747 DLSC-SBA F INTEGER 8
ITEM STANDARDIZATION CODE FSC US GOVERNMENT NSN
QUANTITY OF NSNS IN A FEDERAL SUPPLY CLASS MANAGED BY THE US GOVERNMENT IN THE SYSTEM WITH A SPECIFIC ITEM STANDARDIZATION CODE.

5748 ISC-FSC-DOD-NSN ISC_STAT_CNT_5748 DLSC-SBA F INTEGER 8
ITEM STANDARDIZATION CODE FSC DOD NSN
QUANTITY OF NSNS IN A FEDERAL SUPPLY CLASS MANAGED BY DOD IN THE SYSTEM WITH A SPECIFIC ITEM STANDARDIZATION CODES.

5749 ISC-FSC-WOMGR-NSN ISC_STAT_CNT_5749 DLSC-SBA F INTEGER 8
ITEM STANDARDIZATION CODE FSC WITHOUT MANAGER NSN
QUANTITY OF NSNS IN A FEDERAL SUPPLY CLASS WITHOUT A MANAGER IN THE SYSTEM WITH A SPECIFIC ITEM STANDARDIZATION CODE.

5750 INC-NSN INC_STAT_CNT_5750 DLSC-SBA F INTEGER 8
ITEM NAME CODE NSN
THE NUMBER OF NSNS ASSOCIATED WITH A SPECIFIC ITEM NAME CODE.

5751 FSC-INC-NSN FSC_INC_NSN_5751 DLSC-SBA F INTEGER 8
FEDERAL SUPPLY CLASS ITEM NAME CODE NSN
THE NUMBER OF NSNS ASSOCIATED WITH A SPECIFIC ITEM NAME CODE BROKEN OUT BY FSC.

5752 FSC-NSN FSC_STAT_CNT_5752 DLSC-SBA F INTEGER 8
FEDERAL SUPPLY CLASS NSN
THE NUMBER OF NSNS WITHIN A SPECIFIC FSC.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	FORMAT FV	FORMAT TYPE	FORMAT LG
CLEAR TEXT HOST/COBOL NAME						
DRN DEFINITION						
5753	MOE-FSG-NSN	MOE_STAT_CNT_5753	DLSC-SBA	F	INTEGER	8
MOE FEDERAL SUPPLY GROUP NSN						
THE NUMBER OF NSNS WITHIN A SPECIFIC FSC FOR A SPECIFIC MOE CODE.						
5754	MOE-FSC-NSN	MOE_STAT_CNT_5754	DLSC-SBA	F	INTEGER	8
MOE FEDERAL SUPPLY CLASS NSN						
THE NUMBER OF NSNS WITHIN A SPECIFIC FSC FOR A SPECIFIC MOE CODE.						
5755	ICWS-ALL-MNGD-MM	ICWS_STAT_CNT_5755	DLSC-SBA	F	INTEGER	8
ICWS ALL MANAGED MULTI MANAGED						
THE TOTAL NUMBER OF MANAGER NSNS THAT HAVE MULTIPLE MANAGERS.						
5756	ICWS-ALL-MNGD-MMPC		DLSC-SBA	F		8
ICWS ALL MANAGED MULTI-MANAGED PERCENT						
THE PERCENTAGE OF MANAGED NSNS THAT HAVE MULTIPLE MANAGERS.						
5757	ICWS-ALL-DOD-MM	ICWS_STAT_CNT_5757	DLSC-SBA	F	INTEGER	8
ICWS ALL DEPARTMENT OF DEFENSE MULTI-MANAGER						
THE TOTAL NUMBER OF DOD MANAGED NSNS THAT HAVE MULTIPLE MANAGERS.						
5758	ICWS-ALL-DOD-MMPC		DLSC-SBA	F		8
ICWS ALL DEPARTMENT OF DEFENSE MULTI-MANAGER PERCENT						
THE PERCENTAGE OF DOD MANAGED NSNS THAT HAVE MULTIPLE MANAGERS.						
5759	ICWS-ALL-CI-MM	ICWS_STAT_CNT_5759	DLSC-SBA	F	INTEGER	8
ICWS ALL CIVIL MULTI-MANAGED						
THE TOTAL NUMBER OF CIVIL MANAGED NSNS THAT HAVE MULTIPLE MANAGERS.						
5760	ICWS-ALL-CI-MMPC		DLSC-SBA	F		8
ICWS ALL CIVIL MULTI-MANAGED PERCENT						
THE PERCENTAGE OF CIVIL MANAGED NSNS THAT HAVE MULTIPLE MANAGERS.						
5761	ICWS-ALL-OGOV-MM	ICWS_STAT_CNT_5761	DLSC-SBA	F	INTEGER	8
ICWS ALL OTHER GOVERNMENT MULTI-MANAGED						
THE TOTAL NUMBER OF NSNS MANAGED BY OTHER GOVERNMENTS THAT HAVE MULTIPLE MANAGERS.						
5762	ICWS-ALL-OGOV-MMPC		DLSC-SBA	F		8
ICWS ALL OTHER GOVERNMENT MULTI-MANAGER PERCENT						
THE PERCENTAGE OF NSNS MANAGED BY OTHER GOVERNMENTS THAT HAVE MULTIPLE MANAGERS.						
5763	ICWS-IM-ALL-MNGD-MM	ICWS_STAT_CNT_5763	DLSC-SBA	F	INTEGER	8
ICWS INTEGRATED MANAGER ALL MANAGED MULTI-MANAGED						
THE TOTAL NUMBER OF NSNS WITHIN ASSIGNED CLASSES THAT HAVE MULTIPLE MANAGERS.						
5764	ICWS-IM-ALL-MNGD-MMPC		DLSC-SBA	F		8
ICES INTEGRATED MANAGER ALL MANAGED MULTI-MANAGED PERCENT						
THE PERCENTAGE OF NSNS WITHIN ASSIGNED CLASSES THAT HAVE MULTIPLE MANAGERS.						

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	FORMAT FV	FORMAT TYPE	FORMAT LG
CLEAR TEXT HOST/COBOL NAME						
DRN DEFINITION						
5765	ICWS-IM-ALL-DOD-MM	ICWS_STAT_CNT_5765	DLSC-SBA	F	INTEGER	8
ICWS INTEGRATED MANAGER ALL DOD MULTI-MANAGED						
THE TOTAL NUMBER OF DOD MANADEG NSNS WITHIN ASSIGNED CLASSES THAT HAVE MULTIPLE MANAGERS.						
5766	ICWS-IM-ALL-DOD-MMPC		DLSC-SBA	F		8
ICWS INTEGRATED MANAGER ALL DOD MULTI-MANAGER PERCENT						
THE PERCENTAGE OF DOD MANAGED NSNS WITHIN ASSIGNED CLASSES THAT HAVE MULTIPLE MANAGERS.						
5767	ICWS-IM-ALL-CI-MM	ICWS_STAT_CNT_5767	DLSC-SBA	F	INTEGER	8
ICWS INTEGRATED MANAGERS ALL CIVIL MULTI-MANAGED						
THE TOTAL NUMBER OF CIVIL MANAGED NSNS WITHIN ASSIGNED CLASSES THAT HAVE MULTIPLE MANAGERS.						
5768	ICWS-IM-ALL-CI-MMPC		DLSC-SBA	F		8
ICWS INTEGRATED MANAGER ALL CIVIL MULTI-MANAGER PERCENT						
THE PERCENTAGE OF CIVIL MANAGED NSNS WITHIN ASSIGNED CLASSES THAT HAVE MULTIPLE MANAGERS.						
5769	ICWS-IM-ALL-OGOV-MM	ICWS_STAT_CNT_5769	DLSC-SBA	F	INTEGER	8
ICWS INTEGRATED MANAGERS ALL OTHER GOVERNMENT						
THE TOTAL NUMBER OF NSNS MANAGED BY OTHER GOVERNMENTS WITHIN ASSIGNED CLASSES THAT HAVE MULTIPLE MANAGERS.						
5770	ICWS-IM-ALL-OGOV-MMPC		DLSC-SBA	F		8
ICWS INTEGRATED MANAGER ALL OTHER GOVERNMENT MULTI-MANAGED P						
THE PERCENTAGE OF OTHER GOVERNMENT MANAGED NSNS WITHIN ASSIGNED CLASSES THAT HAVE MULTIPLE MANAGERS.						
5771	ICWS-LA-ALL-MNGD-MM	ICWS_STAT_CNT_5771	DLSC-SBA	F	INTEGER	8
ICWS LOGISTICS ASSIGNMENT ALL MANAGED MULTI-MANAGED						
THE TOTAL NUMBER OF MANAGED NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT (ASSIGNED/NONASSIGNED), THAT HAS MULTIPLE MANAGERS.						
5772	ICWS-LA-ALL-MNGD-MMPC		DLSC-SBA	F		8
ICWS LOGISTICS ASSIGNMENT ALL MANAGED MULTI-MANAGED PERCENT						
THE PERCENTAGE OF MANAGED NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT THAT HAS MULTIPLE MANAGERS.						
5773	ICWS-LA-ALL-DOD-MM	ICWS_STAT_CNT_5773	DLSC-SBA	F	INTEGER	8
ICWS LOGISTICS ASSIGNMENT ALL DOD MULTI-MANAGED						
THE TOTAL NUMBER OF ALL DOD MANAGED NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT (ASSIGNED/NONASSIGNED), THAT HAS MULTIPLE MANAGERS. B, C, E.						
5774	ICWS-LA-ALL-DOD-MMPC		DLSC-SBA	F		8
ICWS LOGISTICS ASSIGNMENT ALL DOD MULTI-MANAGED PERCENT						
THE PERCENTAGE OF ALL DOD MANAGED NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT THAT HAS MULTIPLE MANAGERS.						
5775	ICWS-LA-ALL-CI-MM	ICWS_STAT_CNT_5775	DLSC-SBA	F	INTEGER	8
ICWS LOGISTICS ASSIGNMENT ALL CIVIL MULTI-MANAGED						
THE TOTAL NUMBER OF ALL CIVIL MANAGED NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT (ASSIGNED/NONASSIGNED), THAT HAS MULTIPLE MANAGERS.						
5776	ICWS-LA-ALL-CI-MMPC		DLSC-SBA	F		8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

ICWS LOGISTICS ASSIGNMENT ALL CIVIL MULTI-MANAGED PERCENT
THE PERCENTAGE OF ALL CIVIL MANAGED NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT THAT HAS MULTIPLE MANAGERS.

5777 ICWS-LA-ALL-OGOV-MM ICWS_STAT_CNT_5777 DLSC-SBA F INTEGER 8
ICWS LOGISTICS ASSIGNMENT ALL OTHER GOVERNMENT MULTI-MANAGED
THE TOTAL NUMBER OF OTHER GOVERNMENT MANAGED NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT (ASSIGNED/NONASSIGNED), THAT HAS MULTIPLE MANAGERS.

5778 ICWS-LA-ALL-OGOV-MMPC DLSC-SBA F 8
ICWS LOGISTICS ASSIGNMENT ALL OTHER GOVERNMENT MULTI-MNGD PC
THE PERCENTAGE OF OTHER GOVERNMENT MANAGED NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT THAT HAS MULTIPLE MANAGERS.

5779 ICWD-ALL-DOD-CI-OGOV ICWD_STAT_CNT_5779 DLSC-SBA F INTEGER 8
ICWD ALL DOD CIVIL OTHER GOVERNMENT
THE TOTAL NUMBER OF NSNS THAT SHARE MANAGEMENT BETWEEN DOD, CIVIL AND OTHER GOVERNMENT

5780 ICWD-ALL-DOD-CI ICWD_STAT_CNT_5780 DLSC-SBA F INTEGER 8
ICWD ALL DOD CIVIL
THE TOTAL NUMBER OF NSNS THAT SHARE MANAGEMENT BETWEEN DOD AND CIVIL.

5781 ICWD-ALL-DOD-OGOV ICWD_STAT_CNT_5781 DLSC-SBA F INTEGER 8
ICWD ALL DOD OTHER GOVERNMENT
THE TOTAL NUMBER OF NSNS THAT SHARE MANAGEMENT BETWEEN DOD AND OTHER GOVERNMENTS.

5782 ICWD-ALL-DOD ICWD_STAT_CNT_5782 DLSC-SBA F INTEGER 8
ICWD ALL DEPARTMENT OF DEFENSE
THE TOTAL NUMBER OF NSNS MANAGED BY DOD ONLY.

5783 ICWD-ALL-CI-OGOV ICWD_STAT_CNT_5783 DLSC-SBA F INTEGER 8
ICWD ALL CIVIL OTHER GOVERNMENT
THE TOTAL NUMBER OF NSNS THAT SHARE MANAGEMENT BETWEEN CIVIL AND OTHER GOVERNMENT.

5784 ICWD-ALL-CI ICWD_STAT_CNT_5784 DLSC-SBA F INTEGER 8
ICWD ALL CIVIL
THE TOTAL NUMBER OF NSNS MANAGED BY CIVIL ONLY.

5785 ICWD-ALL-OGOV ICWD_STAT_CNT_5785 DLSC-SBA F INTEGER 8
ICWD ALL OTHER GOVERNMENT
THE TOTAL NUMBER OF NSNS MANAGED BY OTHER GOVERNMENT ONLY.

5786 ICWD-IM-ALL-DOD-CI-OGOV ICWD_STAT_CNT_5786 DLSC-SBA F INTEGER 8
ICWD INTEGRATED MANAGER ALL DOD CIVIL OTHER GOVERNMENT
THE TOTAL NUMBER OF NSNS WITHIN ASSIGNED CLASSES THAT SHARE MANAGEMENT BETWEEN DOD, CIVIL AND OTHER GOVERNMENT.

5787 ICWD-IM-ALL-DOD-CI ICWD_STAT_CNT_5787 DLSC-SBA F INTEGER 8
ICWD INTEGRATED MANAGER ALL DOD CIVIL
THE TOTAL NUMBER OF NSNS WITHIN ASSIGNED CLASSES THAT SHARE MANAGEMENT BETWEEN DOD AND CIVIL.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5788 ICWD-IM-ALL-DOD-OGOV ICWD_STAT_CNT_5788 DLSC-SBA F INTEGER 8
ICWD INTEGRATED MANAGER ALL DOD OTHER GOVERNMENT
THE TOTAL NUMBER OF NSNS WITHIN ASSIGNED CLASSES THAT SHARE MANAGEMENT BETWEEN DOD AND OTHER GOVERNMENT.

5789 ICWD-IM-ALL-DOD ICWD_STAT_CNT_5789 DLSC-SBA F INTEGER 8
ICWD INTEGRATED MANAGER ALL DOD
THE TOTAL NUMBER OF NSNS WITHIN ASSIGNED CLASSES MANAGED BY DOD ONLY.

5790 ICWD-IM-ALL-CI-OGOV ICWD_STAT_CNT_5790 DLSC-SBA F INTEGER 8
ICWD INTEGRATED MANAGER ALL CIVIL OTHER GOVERNMENT
THE TOTAL NUMBER OF NSNS WITHIN ASSIGNED CLASSES THAT SHARE MANAGEMENT BETWEEN CIVIL AND OTHER GOVERNMENT.

5791 ICWD-IM-ALL-CI ICWD_STAT_CNT_5791 DLSC-SBA F INTEGER 8
ICWD INTEGRATED MANAGER ALL CIVIL
THE TOTAL NUMBER OF NSNS WITHIN ASSIGNED CLASSES MANAGED BY CIVIL ONLY.

5792 ICWD-IM-ALL-OGOV ICWD_STAT_CNT_5792 DLSC-SBA F INTEGER 8
ICWD INTEGRATED MANAGER ALL OTHER GOVERNMENT
THE TOTAL NUMBER OF NSNS WITHIN ASSIGNED CLASSES MANAGED BY OTHER GOVERNMENT ONLY.

5793 ICWD-LA-ALL-DOD-CI-OGOV ICWD_STAT_CNT_5793 DLSC-SBA F INTEGER 8
ICWD LOGISTICS ASSIGNMENT ALL DOD CIVIL OTHER GOVERNMENT
THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT (ASSIGNED/NONASSIGNED) THAT SHARE MANAGEMENT BETWEEN DOD, CIVIL AND OTHER GOVERNMENT.

5794 ICWD-LA-ALL-DOD-CI ICWD_STAT_CNT_5794 DLSC-SBA F INTEGER 8
ICWD LOGISTICS ASSIGNMENT ALL DOD CIVIL
THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT (ASSIGNED/NONASSIGNED) THST SHARE MANAGEMENT BETWEEN DOD AND CIVIL.

5795 ICWD-LA-ALL-DOD-OGOV ICWD_STAT_CNT_5795 DLSC-SBA F INTEGER 8
ICWD LOGISTICS ASSIGNMENT ALL DOD OTHER GOVERNMENT
THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT (ASSIGNED/NONASSIGNED) THAT SHARE MANAGEMENT BETWEEN DOD AND OTHER GOVERNMENT.

5796 ICWD-LA-ALL-DOD ICWD_STAT_CNT_5796 DLSC-SBA F INTEGER 8
ICWD LOGISTICS ASSIGNMENT ALL DOD
THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT MANAGED BY DOD ONLY.

5797 ICWD-LA-ALL-CI-OGOV ICWD_STAT_CNT_5797 DLSC-SBA F INTEGER 8
ICWD LOGISTICS ASSIGNMENT ALL CIVIL OTHER GOVERNMENT
THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT (ASSIGNED/NONASSIGNED) THAT SHARE MANAGEMENT BETWEEN CIVIL AND OTHER GOVERNMENT.

5798 ICWD-LA-ALL-CI ICWD_STAT_CNT_5798 DLSC-SBA F INTEGER 8
ICWD LOGISTICS ASSIGNMENT ALL CIVIL
THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT MANAGED BY CIVIL ONLY.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5799 ICWD-LA-ALL-OGOV ICWD_STAT_CNT_5799 DLSC-SBA F INTEGER 8
ICWD LOGISTICS ASSIGNMENT ALL OTHER GOVERNMENT
THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT MANAGED BY OTHER GOVERNMENT ONLY.

5800 ICWD-LA-FSC-DOD-CI-OGOV ICWD_STAT_CNT_5800 DLSC-SBA F INTEGER 8
ICWD LOGISTICS ASSIGNMENT FSC DOD CIVIL OTHER GOVERNMENT
THE NUMBER OF NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT (ASSIGNED/ NONASSIGNED), BY FSC THAT SHARE MANAGEMENT BETWEEN DOD, CIVIL AND OTHER GOVERNMENT.

5801 ICWD-LA-FSC-DOD-CI ICWD_STAT_CNT_5801 DLSC-SBA F INTEGER 8
ICWD LOGISTICS ASSIGNMENT FSC DOD CIVIL
THE NUMBER OF NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT (ASSIGNED/ NONASSIGNED), BY FSC THAT SHARE MANAGEMENT BETWEEN DOD AND CIVIL.

5802 ICWD-LA-FSC-DOD-OGOV ICWD_STAT_CNT_5802 DLSC-SBA F INTEGER 8
ICWD LOGISTICS ASSIGNMENT FSC DOD OTHER GOVERNMENT
THE NUMBER OF NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT (ASSIGNED/ NONASSIGNED), BY FSC THAT SHARE MANAGEMENT BETWEEN DOD AND OTHER GOVERNMENT.

5803 ICWD-LA-FSC-DOD ICWD_STAT_CNT_5803 DLSC-SBA F INTEGER 8
ICWD LOGISTICS ASSIGNMENT FSC DOD
THE NUMBER OF NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT BY FSC MANAGED BY DOD ONLY.

5804 ICWD-LA-FSC-CI-OGOV ICWD_STAT_CNT_5804 DLSC-SBA F INTEGER 8
ICWD LOGISTICS ASSIGNMENT FSC CIVIL OTHER GOVERNMENT
THE NUMBER OF NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT (ASSIGNED/ NONASSIGNED), BY FSC THAT SHARE MANAGEMENT BETWEEN CIVIL AND OTHER GOVERNMENT.

5805 ICWD-LA-FSC-CI ICWD_STAT_CNT_5805 DLSC-SBA F INTEGER 8
ICWD LOGISTICS ASSIGNMENT FSC CIVIL
THE NUMBER OF NSNS WITHIN A SPECIFIED LOGISTIC ASSIGNMENT BY FSC MANAGED BY CIVIL ONLY.

5806 ICWD-LA-FSC-OGOV ICWD_STAT_CNT_5806 DLSC-SBA F INTEGER 8
ICWD LOGISTICS ASSIGNMENT FSC OTHER GOVERNMENT
THE NUMBER OF NSNS WITHIN A SPECIFIED LOGISTIC ASSIGNMENT BY FSC MANAGED BY OTHER GOVERNMENT ONLY.

5807 ICWS-LA-FSC-MNGD-MM ICWS_STAT_CNT_5807 DLSC-SBA F INTEGER 8
ICWS LOGISTICS ASSIGNMENT FSC MANAGED
THE NUMBER OF MANAGED NSN WITHIN A SPECIFIED LOGISTICS ASSIGNMENT BY FSC THAT HAVE MULTIPLE MANAGERS.

5808 ICWS-LA-FSC-MNGD-MMPC DLSC-SBA F 8
ICWS LOGISTICS ASSIGNMENT FSC MANAGED
THE PERCENTAGE OF MANAGED NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT BY FSC THAT HAVE MULTIPLE MANAGERS.

5809 ICWS-LA-FSC-DOD-MM ICWS_STAT_CNT_5809 DLSC-SBA F INTEGER 8
ICWS LOGISTICS ASSIGNMENT FSC DOD MULTI-MANAGED
THE NUMBER OF DOD MULTI-MANAGED NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT BY FSC.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5810 ICWS-LA-FSC-DOD-MMPC — DLSC-SBA — F — 8
ICWS LOGISTICS ASSIGNMENT FSC DOD MULTI-MANAGED
THE PERCENTAGE OF DOD MULTI-MANAGED NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT BY FSC.

5811 ICWS-LA-FSC-CI-MM — ICWS_STAT_CNT_5811 — DLSC-SBA — F INTEGER — 8
ICWS LOGISTICS ASSIGNMENT FSC CIVIL MULTI-MANAGED
THE NUMBER OF CIVIL MULTI-MANAGED NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT BY FSC.

5812 ICWS-LA-FSC-CI-MMPC — DLSC-SBA — F — 8
ICWS LOGISTICS ASSIGNMENT FSC CIVIL MULTI-MANAGED PERCENT
THE PERCENTAGE OF CIVIL MULTI-MANAGED NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT BY FSC.

5813 ICWS-LA-FSC-OGOV-MM — ICWS_STAT_CNT_5813 — DLSC-SBA — F INTEGER — 8
ICWS LOGISTICS ASSIGNMENT FSC OTHER GOVERNMENT MULTI-MANAGED
THE TOTAL NUMBER OF OTHER GOVERNMENT MULTI-MANAGED NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT BY FSC.

5814 ICWS-LA-FSC-OGOV-MMPC — DLSC-SB — F — 8
ICWS LOGISTICS ASSIGNMENT FSC OTHER GOVT MULTI-MGD PERCENT
THE PERCENTAGE OF OTHER GOVERNMENT MULTI-MANAGED NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT BY FSC.

5815 PIC-ACTY-DIC-PRICD-ZER — PIC_STAT_CNT_5815 — DLSC-SB — F INTEGER — 8
PRIORITY INDICATOR CODE ACTIVITY DIC PIC ZERO
THE QUANTITY OF PRIORITY INDICATOR CODE ZERO TRANSACTIONS RECEIVED FOR A SPECIFIC ACTIVITY AND DIC.

5816 PIC-ACTY-DIC-STD-PCT-ZER — DLSC-SBA — F — 8
PRIORITY INDICATOR CODE ACTIVITY DIC STANDARD
THE ESTABLISHED STANDARD PERCENT FOR PIC 1 TRANSACTIONS ALLOWED FOR A SPECIFIC DIC FOR A SPECIFIC ACTIVITY

5817 PIC-ACTY-DIC-ACL-PCT-ZER — DLSC-SB — F — 8
PRIORITY INDICATOR CODE ACTIVITY DIC ACTUAL PERCENT ZERO
THE ACTUAL PERCENT OF PIC O TRANSACTIONS RECEIVED FOR A SPECIFIC DIC FOR A SPECIFIC ACTIVITY.

5818 PIC-ACTY-DIC-DEV-PCT-ZER — DLSC-SB — F — 8
PRIORITY INDICATOR CODE ACTIVITY DIC DEVIATION PERCENT ZERO
THE PERCENT OF DEVIATION FROM THE ESTABLISHED PIC O STANDARD FOR A SPECIFIC DIC FOR A SPECIFIC ACTIVITY.

5819 PIC-ACTY-PRICD-ZER — PIC_STAT_CNT_5819 — DLSC-SBA — F INTEGER — 8
PRIORITY INDICATOR CODE ACTIVITY PIC CODE ZERO
THE TOTAL QUANTITY OF TRANSACTIONS RECEIVED WITH A PRIORITY CODE OF ZERO FOR A SPECIFIC ACTIVITY.

5820 PIC-ACTY-STD-PCT-ZER — DLSC-SBA — F — 8
PRIORITY INDICATOR CODE ACTIVITY STANDARD PERCENT ZERO
THE ESTABLISHED STANDARD PERCENTAGE FOR PRIORITY INDICATOR CODE ZERO USAGE FOR TRANSACTIONS RECEIVED FOR A SPECIFIC ACTIVITY.

5821 PIC-ACTY-ACL-PCT-ZER — DLSC-SBA — F — 8
PRIORITY INDICATOR CODE ACTIVITY ACTUAL PERCENT ZERO
THE ACTUAL PERCENTAGE OF TRANSACTIONS RECEIVED WITH A PRIORITY INDICATOR CODE OF ZERO FOR A SPECIFIC ACTIVITY.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5822 PIC-ACTY-DEV-PCT-ZER DLSC-SBA F 8
PRIORITY INDICATOR CODE ACTIVITY DEVIATION PERCENT ZERO
THE PERCENTAGE OF DEVIATION OF PRIORITY INDICATOR CODE ZERO USAGE FROM THE ESTABLISHED STANDARD FOR A SPECIFIC ACTIVITY.

5823 PIC-DEPT-PRICD-ZER PIC_STAT_CNT_5823 DLSC-SBA F INTEGER 8
PRIORITY INDICATOR CODE DEPARTMENT PIC CODE ZERO
THE QUANTITY OF PRIORITY INDICATOR CODE ZERO TRANSACTIONS RECEIVED FOR A DEPARTMENT.

5824 PIC-DEPT-STD-PCT-ZER PIC_STAT_CNT_5824 DLSC-SBA F INTEGER 8
PRIORITY INDICATOR CODE DEPARTMENT STANDARD PERCENT ZERO
THE ESTABLISHED STANDARD PERCENTAGE FOR PRIORITY INDICATOR CODE ZERO USAGE FOR TRANSACTIONS RECEIVED FOR A SPECIFIC ACTIVITY FOR DEPARTMENT.

5825 PIC-DEPT-ACL-PCT-ZER DLSC-SBA F 8
PRIORITY INDICATOR CODE DEPARTMENT ACTUAL PERCENT ZERO
THE ACTUAL PERCENTAGE OF TRANSACTIONS RECEIVED WITH A PRIORITY INDICATOR CODE OF ZERO FOR A SPECIFIC ACTIVITY FOR DEPARTMENT.

5826 PIC-DEPT-DEV-PCT-ZER DLSC-SBA F 8
PRIORITY INDICATOR CODE DEPARTMENT DEVIATION PERCENT ZERO
THE PERCENTAGE OF DEVIATION OF PRIORITY INDICATOR CODE ZERO USAGE FROM THE ESTABLISHED STANDARD FOR A SPECIFIC ACTIVITY FOR DEPARTMENT.

5827 ICDS-FSC-ALL-DOD-MM ICDS_STAT_CNT_5827 DLSC-SBA F INTEGER 8
ICDS FSC ALL DOD MULTI-MANAGED
THE TOTAL NUMBER OF DOD MULTIPLE MANAGED NSNS.

5828 ICDS-FSC-ALL-DOD-MMPC DLSC-SBA F 8
ICDS FSC ALL DOD MULTI-MANAGED PERCENT
THE PERCENT OF DOD MULTIPLE MANAGED NSNS.

5829 ICDS-FSC-ALL-MS-MM ICDS_STAT_CNT_5829 DLSC-SBA F INTEGER 8
ICDS FSC ALL MILITARY SERVICE MULTI-MANAGED
THE TOTAL NUMBER OF MILITARY MANAGED NSNS THAT ARE MULTIPLE MANAGED WITHIN DOD.

5830 ICDS-FSC-ALL-MS-MMPC DLSC-SBA F 8
ICDS FSC ALL MILITARY SERVICE MULTI-MANAGED PERCENT
THE PERCENT OF MILITARY MANAGED NSNS THAT ARE MULTIPLE MANAGED WITHIN DOD.

5831 ICDS-FSC-ALL-IM-MM ICDS_STAT_CNT_5831 DLSC-SBA F INTEGER 8
ICDS FSC ALL INTEGRATED MANAGER MULTI-MANAGED
THE TOTAL NUMBER OF INTEGRATED MANAGER NSNS THAT ARE MULTIPLE MANAGED WITHIN DOD.

5832 ICDS-FSC-ALL-IM-MMPC DLSC-SBA F 8
ICDS FSC ALL INTEGRATED MANAGED MULTI-MANAGED
THE PERCENT OF INTEGRATED MANAGER NSNS THAT ARE MULTIPLE MANAGED WITHIN DOD.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5833 ICDS-FSC-ALL-OD-MM ICDS_STAT_CNT_5833 DLSC-SBA F INTEGER 8
ICDS FSC ALL OTHER DOD MULTI-MANAGED
THE TOTAL NUMBER OF OTHER DOD MANAGED NSNS THAT ARE MULTIPLE MANAGED WITHIN DOD.

5834 ICDS-FSC-ALL-OD-MMPC DLSC-SBA F 8
ICDS FSC ALL OTHER DOD MULTI-MANAGED PERCENT
THE PERCENT OF OTHER DOD MANAGED NSNS THAT ARE MULTIPLE MANAGED WITHIN DOD.

5835 ICDS-FSC-ALL-LC-DOD-MM ICDS_STAT_CNT_5835 DLSC-SBA F INTEGER 8
ICDS FSC ALL LEVEL OF AUTHORITY COMBINATION DOD MULTI-MGD
THE TOTAL NSN COUNT FOR EACH UNIQUE LOA CODE COMBINATION OF DOD MULTIPLE MANAGED NSNS.

5836 ICDS-FSC-ALL-LC-DOD-MMPC DLSC-SBA F 8
ICDS FSC ALL LEVEL OF AUTH COMBINATION DOD MULTI-MGD PERCENT
THE PERCENT OF DOD MULTIPLE MANAGED NSNS AT EACH UNIQUE LOA CODE COMBINATION.

5837 ICDS-FSC-ALL-LC-MS-MM ICDS_STAT_CNT_5837 DLSC-SBA F INTEGER 8
ICDS FSC ALL LEVEL OF AUTH COMB MILITARY SERV MULTI-MANAGED
THE TOTAL NSN COUNT FOR EACH UNIQUE LOA CODE COMBINATION OF MILITARY MULTIPLE MANAGED NSNS.

5838 ICDS-FSC-ALL-LC-MS-MMPC DLSC-SBA F 8
ICDS FSC ALL LEVEL OF AUTH COMB MILITARY SERV MULTI-MGD PCT
THE PERCENT OF MILITARY MULTIPLE MANAGED NSNS AT EACH UNIQUE LOA CODE COMBINATION.

5839 ICDS-FSC-ALL-LC-IM-MM ICDS_STAT_CNT_5839 DLSC-SBA F INTEGER 8
ICDS FSC ALL LEVEL OF AUTH COMB INTEGRATED MGR MULTI-MANAGED
THE TOTAL NSN COUNT FOR EACH UNIQUE LOA CODE COMBINATION OF INTEGRATED MANAGER MULTIPLE MANAGED NSNS.

5840 ICDS-FSC-ALL-LC-IM-MMPC DLSC-SBA F 8
ICDS FSC ALL LEVEL OF AUTH COMB INTEGRATED MGR MULTI-MGD PCT
THE PERCENT OF INTEGRATED MANAGER MULTIPLE MANAGED NSNS AT EACH UNIQUE LOA CODE COMBINATION.

5841 ICDS-FSC-ALL-LC-OD-MM ICDS_STAT_CNT_5841 DLSC-SBA F INTEGER 8
ICDS FSC ALL LEVEL OF AUTHORITY COMB OTHER DOD MULTI-MANAGED
THE TOTAL NSN COUNT FOR EACH UNIQUE LOA CODE COMBINATION OF OTHER DOD MULTI-MANAGED NSNS.

5842 ICDS-FSC-ALL-LC-OD-MMPC DLSC-SBA F 8
ICDS FSC ALL LEVEL OF AUTH COMB OTHER DOD MULTI-MGD PERCENT
THE PERCENT OF OTHER DOD MULTIPLE MANAGED NSNS AT EACH UNIQUE LOA CODE COMBINATION.

5843 ICDS-IM-ALL-DOD-MM ICDS_STAT_CNT_5843 DLSC-SBA F INTEGER 8
ICDS INTEGRATED MANAGER ALL DOD MULTI-MANAGED
THE TOTAL NUMBER OF DOD MULTIPLE MANAGED NSNS WITHIN ASSIGNED CLASSES.

5844 ISC-FSC-NSN-QTY-12 DLSC-SBA F 8
ITEM STANDARDIZATION CODE FSC NSN QUANTITY 12
THE NUMBER OF NSNS WITH ITEM STANDARDIZATION CODES FOR ALL FEDERAL SUPPLY CLASSES BROKEN OUT BY ITEMS WITHOUT MANAGERS, ITEMS WITH MANAGERS U.S. GOVERNMENT, AND DOD.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5845 ITEMS-W-O-MANAGERS-12 DLSC-SBA F 8

ITEMS WITHOUT MANAGERS 12

THE NUMBER OF NSNS WITH ITEM STANDARDIZATION CODES FOR ALL FEDERAL SUPPLY CLASSES WITHOUT MANAGERS FOR DRN 5844, ITEM STANDARDIZATION CODES FSC NSN QUANTITY 12.

5846 ITEMS-WITH-MANAGERS-12 DLSC-SBA F 8

ITEMS WITH MANAGERS 12

THE NUMBER OF NSNS WITH ITEM STANDARDIZATION CODES FOR ALL FEDERAL SUPPLY CLASSES WITH MANAGERS FOR DRN 5844, ITEM STANDARDIZATON CODES FSC NSN QUANTITY 12.

5847 US-GOVERNMENT-12 DLSC-SBA F 8

UNITED STATES GOVERNMENT 12

THE NUMBER OF NSNS WITH ITEM STANDARDIZATION CODES FOR ALL FEDERAL SUPPLY CLASSES FOR U.S. GOVERNMENT FOR DRN 5844, ITEM STANDARDIZATON CODES FSC NSN QUANTITY 12.

5848 DOD-12 DLSC-SBA F 8

DEPARTMENT OF DEFENSE 12

THE NUMBER OF NSNS WITH ITEM STANDARDIZATION CODES FOR ALL FEDERAL SUPPLY CLASSES FOR DEPARTMENT OF DEFENSE FOR DRN 5844, ITEM STANDARDIZATION CODES FSC NSN QUANTITY 12.

5849 ICMD-LA-ALL-LC-ANM ICMD_STAT_CNT_5849 DLSC-SBA F INTEGER 8

ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY NAVY MC

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY ARMY, NAVY AND MARINE CORPS BROKEN OUT BY LOA CODE COMBINATION.

5850 ICMD-LA-ALL-LC-AN ICMD_STAT_CNT_5850 DLSC-SBA F INTEGER 8

ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY NAVY

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY ARMY AND NAVY BROKEN OUT BY LOA CODE COMBINATION.

5851 ICMD-LA-ALL-LC-AFM ICMD_STAT_CNT_5851 DLSC-SBA F INTEGER 8

ICMD LOGISTICS ASIGNMENT ALL LOA COMBONATION ARMY AF MC

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY ARMY, AIR FORCE AND MARINE CORPS BROKEN OUT BY LOA CODE COMBINATION.

5852 ICMD-LA-ALL-LC-AF ICMD_STAT_CNT_5852 DLSC-SBA F INTEGER 8

ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY AIR FORCE

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY ARMY AND AIR FORCE BROKEN OUT BY LOA CODE COMBINATION.

5853 ICMD-LA-ALL-LC-AM ICMD_STAT_CNT_5853 DLSC-SBA F INTEGER 8

ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY MARINE CO

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY ARMY AND MARINE CORPS BROKEN OUT BY LOA CODE COMBINATION.

5854 ICMD-LA-ALL-LC-A ICMD_STAT_CNT_5854 DLSC-SBA F INTEGER 8

ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MANAGED BY ARMY ONLY BROKEN OUT BY LOA CODE COMBINATIONS.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5855 ICMD-LA-ALL-LC-NFM ICMD_STAT_CNT_5855 DLSC-SBA F INTEGER 8
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION NAVY AF MC
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY NAVY, AIR FORCE AND MARINE CORPS BROKEN OUT BY LOA CODE COMBINATION.

5856 ICMD-LA-ALL-LC-NF ICMD_STAT_CNT_5856 DLSC-SBA F INTEGER 8
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION NAVY AF
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY NAVY AND AIR FORCE BROKEN OUT BY LOA CODE COMBINATION.

5857 ICMD-LA-ALL-LC-NM ICMD_STAT_CNT_5857 DLSC-SBA F INTEGER 8
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION NAVY MARINE CO
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY NAVY AND MARINE CORPS BROKEN OUT BY LOA CODE COMBINATION.

5858 ICMD-LA-ALL-LC-N ICMD_STAT_CNT_5858 DLSC-SBA F INTEGER 8
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION NAVY
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MANAGED BY NAVY ONLY BROKEN OUT BY LOA CODE COMBINATION.

5859 ICDS-IM-ALL-DOD-MMPC DLSC-SBA F 8
ICDS INTEGRATED MANAGER ALL DOD MULTI-MANAGED PERCENT
THE PERCENT OF DOD MULTIPLE MANAGED NSNS WITHIN ASSIGNED CLASSES.

5860 ICDS-IM-ALL-MS-MM ICDS_STAT_CNT_5860 DLSC-SBA F INTEGER 8
ICDS INTEGRATED MANAGER ALL MILITARY SERVICE MULTI-MANAGED
THE TOTAL NUMBER OF MILITARY MANAGED NSNS THAT ARE MULTIPLE MANAGED WITHIN DOD WITHIN ASSIGNED CLASSES.

5861 ICMD-LA-ALL-LC-FM ICMD_STAT_CNT_5861 DLSC-SBA F INTEGER 8
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION AIR FORCE MC
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY AIR FORCE AND MARINE CORPS BROKEN OUT BY LOA CODE COMBINATION.

5862 ICMD-LA-ALL-LC-F ICMD_STAT_CNT_5862 DLSC-SBA F INTEGER 8
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION AIR FORCE
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MANAGED BY AIR FORCE ONLY BROKEN OUT BY LOA CODE COMBINATION.

5863 ICMD-LA-ALL-LC-M ICMD_STAT_CNT_5863 DLSC-SBA F INTEGER 8
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION MARINE CORPS
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MANAGED BY MARINE CORPS ONLY BROKEN OUT BY LOA CODE COMBINATION.

5864 ICMD-LA-FSC-ALL-ANFM ICMD_STAT_CNT_5864 DLSC-SBA F INTEGER 8
ICMD LOGISTICS ASSIGNMENT FSC ALL ARMY NAVY AF MC
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE MANAGED BY ARMY, NAVY, AIR FORCE AND MARINE CORPS.

5865 ICMD-LA-FSC-ALL-ANF ICMD_STAT_CNT_5865 DLSC-SBA F INTEGER 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

ICMD LOGISTICS ASSIGNMENT FSC ALL ARMY NAVY AIR FORCE
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE MANAGED BY ARMY, NAVY AND AIR FORCE.

5866 ICMD-LA-FSC-ALL-ANM ICMD_STAT_CNT_5866 DLSC-SBA F INTEGER 8
ICMD LOGISTICS ASSIGNMENT FSC ALL ARMY NAVY MARINE CORPS
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE MANAGED BY ARMY, NAVY AND MARINE CORPS.

5867 ICMD-LA-FSC-ALL-AN ICMD_STAT_CNT_5867 DLSC-SBA F INTEGER 8
ICMD LOGISTICS ASSIGNMENT FSC ALL ARMY NAVY
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE MANAGED BY ARMY AND NAVY.

5869 ICMD-LA-FSC-ALL-AFM ICMD_STAT_CNT_5869 DLSC-SBA F INTEGER 8
ICMD LOGISTICS ASGMT FSC ALL ARMY AIR FORCE MARINE CORP
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE MANAGED BY ARMY, AIR FORCE AND MARINE CORPS.

5870 ICMD-LA-FSC-ALL-AF ICMD_STAT_CNT_5870 DLSC-SBA F INTEGER 8
ICMD LOGISTICS ASSIGNMENT FSC ALL ARMY AIR FORCE
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE MANAGED BY ARMY AND AIR FORCE.

5871 ICMD-LA-FSC-ALL-AM ICMD_STAT_CNT_5871 DLSC-SBA F INTEGER 8
ICMD LOGISTICS ASSIGNMENT FSC ALL ARMY MARINE CORPS
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE MANAGED BY ARMY AND MARINE CORPS.

5872 ICMD-LA-FSC-ALL-A ICMD_STAT_CNT_5872 DLSC-SBA F INTEGER 8
ICMD LOGISTICS ASSIGNMENT FSC ALL ARMY
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MANAGED BY ARMY ONLY.

5873 ICMD-LA-FSC-ALL-NFM ICMD_STAT_CNT_5873 DLSC-SBA F INTEGER 8
ICMD LOGISTICS ASSIGNMENT FSC ALL NAVY AIRFORCE MARINE C
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE MANAGED BY NAVY, AIR FORCE AND MARINE CORPS.

5874 ICMD-LA-FSC-ALL-NF ICMD_STAT_CNT_5874 DLSC-SBA F INTEGER 8
ICMD LOGISTICS ASSIGNMENT FSC ALL NAVY AIR FORCE
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE MANAGED BY NAVY AND AIR FORCE.

5875 ICMD-LA-FSC-ALL-NM ICMD_STAT_CNT_5875 DLSC-SBA F INTEGER 8
ICMD LOGISTICS ASSIGNMENT FSC ALL NAVY MARINE CORPS
THE TOTAL NUMBER ON MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE MANAGED BY NAVY AND MARINE CORPS.

5876 ICMD-LA-FSC-ALL-N ICMD_STAT_CNT_5876 DLSC-SBA F INTEGER 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

ICMD LOGISTICS ASSIGNMENT FSC ALL NAVY
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MANAGED BY NAVY.

5877 ICMD-LA-FSC-ALL-FM ICMD_STAT_CNT_5877 DLSC-SBA F INTEGER 8
ICMD LOGISTICS ASSIGNMENT FSC ALL AIR FORCE MARINE CORPS
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE MANAGED BY AIR FORCE AND MARINE CORPS.

5878 ICMD-LA-FSC-ALL-F ICMD_STAT_CNT_5878 DLSC-SBA F INTEGER 8
ICMD LOGISTICS ASSIGNMENT FSC ALL AIR FORCE
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MANAGED BY AIR FORCE.

5879 ICMD-LA-FSC-ALL-M ICMD_STAT_CNT_5879 DLSC-SBA F INTEGER 8
ICMD LOGISTICS ASSIGNMENT FSC ALL MARINE CORPS
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MANAGED BY MARINE CORPS.

5880 ICMD-LA-FSC-LC-ANFM ICMD_STAT_CNT_5880 DLSC-SBA F INTEGER 8
ICMD LOGISTICS ASIGNMENT FSC LOA COMBINATION ARMY NVY AF MC
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE MANAGED BY ARMY, NAVY, AIR FORCE AND MARINE CORPS BROKEN OUT BY LOA CODE COMBINATION.

5881 ICMD-LA-FSC-LC-ANF ICMD_STAT_CNT_5881 DLSC-SBA F INTEGER 8
ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION ARMY NAVY AF
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE MANAGED BY ARMY, NAVY AND AIR FORCE BROKEN OUT BY LOA CODE COMBINATION.

5882 ICMD-LA-FSC-LC-ANM ICMD_STAT_CNT_5882 DLSC-SBA F INTEGER 8
ICMD LOGISTICS ASSIGNMENT FSC LOA COMBIANTION ARMY NAVY MC
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE MANAGED BY ARMY, NAVY AND MARINE CORPS BROKEN OUT BY LOA CODE COMBINATION.

5883 ICMD-LA-FSC-LC-AN ICMD_STAT_CNT_5883 DLSC-SBA F INTEGER 8
ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION ARMY NAVY
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE MANAGED BY ARMY AND NAVY BROKEN OUT BY LOA CODE COMBINATION.

5884 ICMD-LA-FSC-LC-AFM ICMD_STAT_CNT_5884 DLSC-SBA F INTEGER 8
ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION ARMY AF MC
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE MANAGED BY ARMY, AIR FORCE AND MARINE CORPS BROKEN OUT BY LOA CODE COMBINATION.

5885 ICMD-LA-FSC-LC-AF ICMD_STAT_CNT_5885 DLSC-SBA F INTEGER 8
ICMD LOGISTICS ASGMT FSC LOA COMBINATION ARMY AIR FORCE
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE MANAGED BY ARMY AND AIR FORCE BROKEN OUT BY LOA CODE COMBINATION.

5886 ICMD-LA-FSC-LC-AM ICMD_STAT_CNT_5886 DLSC-SBA F INTEGER 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION ARMY MARINE CO

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE MANAGED BY ARMY AND MARINE CORPS BROKEN OUT BY LOA CODE COMBINATION.

5887 ICMD-LA-FSC-LC-A ICMD_STAT_CNT_5887 DLSC-SBA F INTEGER 8

ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION ARMY

THE TOTAL NUMBER ON MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MANAGED BY ARMY ONLY BROKEN OUT BY LOA CODE COMBINATION.

5888 ICMD-LA-FSC-LC-NFM ICMD_STAT_CNT_5888 DLSC-SBA F INTEGER 8

ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION NAVY AF MC

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE MANAGED BY NAVY AIR FORCE AND MARINE CORPS BROKEN OUT BY LOA CODE COMBINATION.

5889 ICMD-LA-FSC-LC-NF ICMD_STAT_CNT_5889 DLSC-SBA F INTEGER 8

ICMD LOGISTICS ASGMT FSC LOA COMBINATION NAVY AIR FORCE

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE MANAGED BY NAVY AND AIR FORCE BROKEN OUT BY LOA CODE COMBINATION.

5890 ICMD-LA-FSC-LC-NM ICMD_STAT_CNT_5890 DLSC-SBA F INTEGER 8

ICMD LOGISTICS ASSIGNMENT FSC LOA CONBIANTION NAVY MARINE CO

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MANAGED BY NAVY AND MARINE CORPS BROKEN OUT BY LOA CODE COMBINATION.

5891 ICMD-LA-FSC-LC-N ICMD_STAT_CNT_5891 DLSC-SBA F INTEGER 8

ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION NAVY

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MANAGED BY NAVY ONLY BROKEN OUT BY LOA CODE COMBINATION.

5892 ICMD-LA-FSC-LC-FM ICMD_STAT_CNT_5892 DLSC-SBA F INTEGER 8

ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION AIR FORCE MC

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MULTIPLE MANAGED BY AIR FORCE AND MARINE CORPS BROKEN OUT BY LOA CODE COMBINATION.

5893 ICMD-LA-FSC-LC-F ICMD_STAT_CNT_5893 DLSC-SBA F INTEGER 8

ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION AIR FORCE

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MANAGED BY AIR FORCE ONLY BROKEN OUT BY LOA CODE COMBINATION.

5894 ICMD-LA-FSC-LC-M ICMD_STAT_CNT_5894 DLSC-SBA F INTEGER 8

ICMD LOGISTICS ASSIGNMENT FSC LOA CONBINATION MARINE CORPS

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT, WITHIN A SPECIFIC FSC, THAT ARE MANAGED BY MARINE CORPS ONLY BROKEN OUT BY LOA CODE COMBINATION.

5895 ICFS-FAA-ALL-MNGD-TOT ICFS_STAT_CNT_5895 DLSC-SBA F INTEGER 8

ICFS FEDERAL AVIATION ADMINISTRATION ALL MULTI-MANAGED

THE TOTAL NUMBER OF NSNS MANAGED BY FEDERAL AVIATION ADMINISTRATION.

5896 ICFS-FAA-ALL-MNGD-MM ICFS_STAT_CNT_5896 DLSC-SBA F INTEGER 8

ICFS FAA ALL MANAGED MULTI-MANAGED

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL NUMBER OF NSNS THAT FEDERAL AVIATION ADMINISTRATION MANAGES IN COMMON WITH DEFENSE LOGISTICS AGENCY, DEPARTMENT OF DEFENSE AND GENERAL SERVICES ADMINISTRATION.

5897 ICFS-FAA-ALL-MNGD-MMPC DLSC-SB F 8
ICFS FAA ALL MANAGED MULTI-MANAGED PERCENT
THE PERCENTAGE OF NSNS THAT FEDERAL AVIATION ADMINISTRATION MANAGES IN COMMON WITH DEFENSE LOGISTICS AGENCY, DEPARTMENT OF DEFENSE AND GENERAL SERVICES ADMINISTRATION.

5898 ICFS-DLA-ALL-MM ICFS_STAT_CNT_5898 DLSC-SBA F INTEGER 8
ICFS DEFENSE LOGISTICS AGENCY ALL MULTI-MANAGED
THE TOTAL NUMBER OF NSNS THAT DEFENSE LOGISTICS AGENCY MANAGES IN COMMON WITH FEDERAL AVIATION ADMINISTRATION.

5899 ICFS-DLA-ALL-MMPC DLSC-SBA F 8
ICFS DEFENSE LOGISTICS AGENCY ALL MULTI-MANAGED PERCENT
THE PERCENT OF NSNS THAT DEFENSE LOGISTICS AGENCY MANAGES IN COMMON WITH FEDERAL AVIATION ADMINISTRATION.

5900 DOD-A2C DLSC-SBA F 8
DOD A2C
DOD TOTAL FOR DRN 5896, NON ASSIGNED FSC MULTI MANAGED DEPARTMENT NSN QUANTITY A2C.

5901 ICFS-DOD-ALL-MM ICFS_STAT_CNT_5901 DLSC-SBA F INTEGER 8
ICFS DEPARTMENT OF DEFENSE ALL MULTI-MANAGED
THE TOTAL NUMBER OF NSNS THAT DEPARTMENT OF DEFENSE MANAGES IN COMMON WITH FEDERAL AVIATION ADMINISTRATION.

5902 ICFS-DOD-ALL-MMPC DLSC-SBA F 8
ICFS DEPARTMENT OF DEFENSE ALL MULTI-MANAGED PERCENT
THE PERCENT OF NSNS THAT DEPARTMENT OF DEFENSE MANAGES IN COMMON WITH FEDERAL AVIATION ADMINISTRATION.

5903 ICFS-GSA-ALL-TOTAL DLSC-SBA F 8
ICFS GENERAL SERVICES ADMINISTRATION ALL TOTAL
THE TOTAL NUMBER OF NSNS THAT GENERAL SERVICES ADMINISTRATION MANAGES IN COMMON WITH FEDERAL AVIATION ADMINISTRATION.

5904 ICDS-IM-ALL-MS-MMPC DLSC-SBA F 8
ICDS INTEGRATED MANAGER ALL MILITARY SERVICE MULTI-MGD PCT
THE PERCENT OF MILITARY MANAGED NSNS THAT ARE MULTIPLE MANAGED WITHIN DOD WITHIN ASSIGNED CLASSES.

5905 ICDS-IM-ALL-IM-MM ICDS_STAT_CNT_5905 DLSC-SBA F INTEGER 8
ICDS INTEGRATED MANAGER ALL INTEGRATED MANAGER MULTI-MANAGED
THE TOTAL NUMBER OF INTEGRATED MANAGER NSNS THAT ARE MULTIPLE MANAGED WITHIN DOD WITHIN ASSIGNED CLASSES.

5906 ICDS-IM-ALL-IM-MMPC DLSC-SBA F 8
ICDS INTEGRATED MANAGER ALL INTEGRATED MGR MULTI-MGD PERCENT
THE PERCENT OF INTEGRATED MANAGER NSNS THAT ARE MULTIPLE MANAGED WITHIN DOD WITHIN ASSIGNED CLASSES.

5907 ICDS-IM-ALL-OD-MM ICDS_STAT_CNT_5907 DLSC-SBA F INTEGER 8
ICDS INTEGRATED MANAGER ALL OTHER DOD MULTI-MANAGED
THE TOTAL NUMBER OF OTHER DOD NSNS THAT ARE MULTIPLE MANAGED WITHIN DOD WITHIN ASSIGNED CLASSES.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5908 ICDS-IM-ALL-OD-MMPC DLSC-SBA F 8
ICDS INTEGRATED MANAGER ALL OTHER DOD MULTI-MANAGED PERCENT
THE PERCENT OF OTHER DOD NSNS THAT ARE MULTIPLE MANAGED WITHIN DOD WITHIN ASSIGNED CLASSES.

5909 ICDS-IM-ALL-LC-DOD-MM ICDS_STAT_CNT_5909 DLSC-SBA F INTEGER 8
ICDS INTEGRATED MGR ALL LEVEL OF AUTH COMB DOD MULTI-MANAGED
THE TOTAL NSN COUNT FOR EACH UNIQUE LOA CODE COMBINATION OF DOD MULTIPLE MANAGED NSNS WITHIN ASSIGNED CLASSES.

5910 ICDS-IM-ALL-LC-DOD-MMPC DLSC-SBA F 8
ICDS INTEGRATED MGR ALL LEVEL OF AUTH COMB DOD MULTI-MGD PCT
THE PERCENT OF DOD MULTIPLE MANAGED NSNS AT EACH UNIQUE LOA CODE COMBINATION WITHIN ASSIGNED CLASSES.

5911 ICDS-IM-ALL-LC-MS-MM ICDS_STAT_CNT_5911 DLSC-SBA F INTEGER 8
ICDS INTEGRATED MGR ALL LEVEL OF AUTH COMB MIL SVC MULTI-MGD
THE TOTAL NSN COUNT FOR EACH UNIQUE LOA CODE COMBINATION OF MILITARY MULTIPLE MANAGED NSNS WITHIN ASSIGNED CLASSES.

5912 ICDS-IM-ALL-LC-MS-MMPC DLSC-SB F 8
ICDS INTEGRATED MGR ALL LOA COMB MILITARY SVC MULTI-MGD PCT
THE PERCENT OF MILITARY MULTIPLE MANAGED NSNS AT EACH UNIQUE LOA CODE COMBINATION WITHIN ASSIGNED CLASSES.

5913 ICDS-IM-ALL-LC-IM-MM ICDS_STAT_CNT_5913 DLSC-SBA F INTEGER 8
ICDS INTEGRATED MGR ALL LOA COMB INTEGRATED MGR MULTI-MGD
THE TOTAL NSN COUNT FOR EACH UNIQUE LOA CODE COMBINATION OF INTEGRATED MANAGER MULTIPLE MANAGED NSNS WITHIN ASSIGNED CLASSES.

5914 ICDS-IM-ALL-LC-IM-MMPC DLSC-SBA F 8
ICDS INTEGRATED MGR ALL LOA COMB INTEGRATED MGR MULTI-MGD PT
THE PERCENT OF INTEGRATED MANAGER MULTIPLE MANAGED NSNS AT EACH UNIQUE LOA CODE COMBINATION WITHIN ASSIGNED CLASSES.

5915 ICDS-IM-ALL-LC-OD-MM ICDS_STAT_CNT_5915 DLSC-SBA F INTEGER 8
ICDS IM ALL LOA COMBINATION OTHER DOD MULTI-MANAGED
THE TOTAL NSN COUNT FOR EACH UNIQUE LOA CODE COMBINATION OF OTHER DOD MANAGED NSNS WITHIN ASSIGNED CLASSES.

5916 ICDS-IM-ALL-LC-OD-MMPC DLSC-SBA F 8
ICDS IM ALL LOA COMBINATION OTH DOD MULTI-MANAGED PERCENT
THE PERCENT OF OTHER DOD MULTIPLE MANAGED NSNS OF EACH UNIQUE LOA CODE COMBINATION WITHIN ASSIGNED CLASSES.

5917 ICDS-LA-ALL-DOD-MM ICDS_STAT_CNT_5917 DLSC-SBA F INTEGER 8
ICDS LOGISTICS ASSIGNMENT ALL DOD MULTI-MANAGED
TOTAL NUMBER OF DOD MULTIPLE MANAGED NSNS FOR A SPECIFIED LOGISTICS ASSIGNMENT.

5918 ICDS-LA-ALL-DOD-MMPC DLSC-SBA F 8
ICDS LOGISTICS ASSIGNMENT ALL DOD MULTI-MANAGED PERCENT
THE PERCENT OF DOD MULTIPLE MANAGED NSNS FOR A SPECIFIED LOGISTICS ASSIGNMENT.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5919 ICDS-LA-ALL-MS-MM ICDS_STAT_CNT_5919 DLSC-SBA F INTEGER 8
ICDS LOGISTICS ASSIGNMENT ALL MILITARY SERVICE MULTI-MANAGED
THE TOTAL NUMBER OF MILITARY MULTIPLE MANAGED NSNS FOR A SPECIFIED LOGISTICS ASSIGNMENT.

5920 ICDS-LA-ALL-MS-MMPC DLSC-SBA F 8
ICDS LOGISTICS ASSIGNMENT ALL MIL SVC MULTI-MANAGED PERCENT
THE PERCENT OF MILITARY MULTIPLE MANAGED NSNS FOR A SPECIFIED LOGISTICS ASSIGNMENT.

5921 ICDS-LA-ALL-IM-MM ICDS_STAT_CNT_5921 DLSC-SBA F INTEGER 8
ICDS LOGISTICS ASSIGNMENT ALL INTEGRATED MGR MULTI-MANAGED
THE TOTAL NUMBER OF INTEGRATED MANAGER MULTIPLE MANAGED NSNS FOR A SPECIFIED LOGISTICS ASSIGNMENT.

5922 ICDS-LA-ALL-IM-MMPC DLSC-SBA F 8
ICDS LOGISTICS ASSIGNMENT ALL INTEGRATED MGR MULTI-MGND PCT
THE PERCENT OF INTEGRATED MANAGER MULTIPLE MANAGED NSNS FOR A SPECIFIED LOGISTICS ASSIGNMENT.

5923 ICDS-LA-ALL-OD-MM ICDS_STAT_CNT_5923 DLSC-SBA F INTEGER 8
ICDS LOGISTICS ASSIGNMENT ALL OTHER DOD MULTI-MANAGED
THE TOTAL NUMBER OF OTHER DOD MULTIPLE MANAGED NSNS FOR A SPECIFIED LOGISTICS ASSIGNMENT.

5924 ICDS-LA-ALL-OD-MMPC DLSC-SBA F 8
ICDS LOGISTICS ASSIGNMENT ALL OTHER DOD MULTI-MGD PERCENT
THE PERCENT OF OTHER DOD MULTIPLE NSNS FOR A SPECIFIED LOGISTICS ASSIGNMENT.

5925 ICDS-LA-ALL-LC-DOD-MM ICDS_STAT_CNT_5925 DLSC-SBA F INTEGER 8
ICDS LOG ASSIGN ALL LEVEL OF AUTH COMB DOD MULTI-MANAGED
THE TOTAL NUMBER OF DOD MULTIPLE MANAGED NSNS WITH A UNIQUE LOA CODE COMBINATION FOR A SPECIFIC LOGISTICS ASSIGNMENT.

5926 ICDS-LA-ALL-LC-DOD-MMPC DLSC-SBA F 8
ICDS LOG ASSIGN ALL LEVEL OF AUTH COMB DOD MULTI-MGD PERCENT
THE PERCENT OF DOD MULTIPLE MANAGED NSNS, WITH A UNIQUE LOA CODE COMBINATION FOR A SPECIFIC LOGISTICS ASSIGNMENT.

5927 ICDS-LA-ALL-LC-MS-MM ICDS_STAT_CNT_5927 DLSC-SBA F INTEGER 8
ICDS LOG ASSIGN ALL LEVEL OF AUTH COMB MIL SVC MULTI-MANAGED
THE TOTAL NUMBER OF MILITARY MULTIPLE MANAGED NSNS WITH A UNIQUE LOA CODE COMBINATION FOR A SPECIFIC LOGISTICS ASSIGNMENT.

5928 ICDS-LA-ALL-LC-MS-MMPC DLSC-SBA F 8
ICDS LOG ASSIGN ALL LEVEL OF AUTH COMB MIL SVC MULTI-MGD PCT
THE PERCENT OF MILITARY MULTIPLE MANAGED NSNS, WITH A UNIQUE LOA CODE COMBINATION FOR A SPECIFIC LOGISTICS ASSIGNMENT.

5929 ICDS-LA-ALL-LC-IM-MM ICDS_STAT_CNT_5929 DLSC-SBA F INTEGER 8
ICDS LOG ASSIGN ALL LEVEL OF AUTH COMB INTEGRTD MGR MULTI-MG
THE TOTAL NUMBER OF INTEGRATED MANAGER MULTIPLE MANAGED NSNS WITH A UNIQUE LOA CODE COMBINATION FOR A SPECIFIC LOGISTICS ASSIGNMENT.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5930 ICDS-LA-ALL-LC-IM-MMPC DLSC-SBA F 8
ICDS LOG ASSIGN ALL LEVEL OF AUTH COMB INTG MGR MM PERCENT
THE PERCENT OF INTEGRATED MANAGER MULTIPLE MANAGED NSNS WITH A UNIQUE LOA CODE COMBINATION FOR A SPECIFIC LOGISTICS ASSIGNMENT.

5931 ICDS-LA-ALL-LC-OD-MM ICDS_STAT_CNT_5931 DLSC-SBA F INTEGER 8
ICDS LOG ASSIGN ALL LEVEL OF AUTH COMB OTHER DOD MULTI-MGD
THE TOTAL NUMBER OF OTHER DOD MULTIPLE MANAGED NSNS WITH A UNIQUE LOA CODE COMBINATION FOR A SPECIFIC LOGISTICS ASSIGNMENT.

5932 ICDS-LA-ALL-LC-OD-MMPC DLSC-SBA F 8
ICDS-LOG ASSIGN ALL LEVEL OF AUTH COMB OTH DOD MULTI-MGD PCT
THE PERCENT OF OTHER DOD MULTIPLE MANAGED NSNS WITH A UNIQUE LOA CODE COMBINATION FOR A SPECIFIC LOGISTICS ASSIGNMENT.

5933 ICDS-LA-FSC-ALL-DOD-MM ICDS_STAT_CNT_5933 DLSC-SBA F INTEGER 8
ICDS LOGISTICS ASSIGNMENT FSC ALL DOD MULTI-MANAGED
THE TOTAL NUMBER OF DOD MULTIPLE MANAGED NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT.

5934 ICDS-LA-FSC-ALL-DOD-MMPC DLSC-SBA F 8
ICDS LOGISTICS ASSIGNMENT FSC ALL DOD MULTI-MANAGED PERCENT
THE TOTAL NUMBER OF DOD MULTIPLE NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT.

5935 ICDS-LA-FSC-ALL-MS-MM ICDS_STAT_CNT_5935 DLSC-SBA F INTEGER 8
ICDS LOG ASSIGN FSC ALL MILITARY SERVICE MULTI-MANAGED
THE TOTAL NUMBER OF MILITARY MULTIPLE MANAGED NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT.

5936 ICDS-LA-FSC-ALL-MS-MMPC DLSC-SBA F 8
ICDS LOG ASSIGN FSC ALL MIL SVC MULTI-MANAGED PERCENT
THE PERCENT OF MILITARY MULTIPLE MANAGED NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT.

5937 ICDS-LA-FSC-ALL-IM-MM ICDS_STAT_CNT_5937 DLSC-SBA F INTEGER 8
ICDS LOGISTICS ASSIGNMENT FSC ALL INTEGRATED MGR MULTI-MGD
THE TOTAL NUMBER OF INTEGRATED MANAGER MULTIPLE MANAGED NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT.

5938 ICDS-LA-FSC-ALL-IM-MMPC DLSC-SBA F 8
ICDS LOGISTICS ASSIGN FSC ALL INTEGRATED MGR MULTI-MGD PCT
THE PERCENT OF INTEGRATED MANAGER MULTIPLE MANAGED NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT.

5939 ICDS-LA-FSC-ALL-OD-MM ICDS_STAT_CNT_5939 DLSC-SBA F INTEGER 8
ICDS LOGISTICS ASSIGNMENT FSC ALL OTHER DOD MULTI-MANAGED
THE TOTAL NUMBER OF OTHER DOD MULTIPLE MANAGED NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT.

5940 ICDS-LA-FSC-ALL-OD-MMPC DLSC-SB F 8
ICDS LOGISTICS ASSIGNMENT FSC ALL OTHER DOD MULTI-MGD PCT
THE PERCENT OF OTHER DOD MULTIPLE MANAGED NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5941 ICDS-LA-FSC-LC-DOD-MM ICDS_STAT_CNT_5941 DLSC-SBA F INTEGER 8
ICDS LOGISTICS ASSIGNMENT FSC LEVEL OF AUTH COMB DOD MM
THE TOTAL NUMBER OF DOD MULTIPLE MANAGED NSNS WITH A UNIQUE LOA CODE COMBINATION, WITHIN A SPECIFIC FSC, WITHIN A SPECIFIC LOGISTICS ASSIGNMENT.

5942 ICDS-LA-FSC-LC-DOD-MMPC DLSC-SBA F 8
ICDS LOG ASSIGN FSC LEVEL OF AUTH COMB DOD MULTI-MGD PCT
THE PERCENT OF DOD MULTIPLE MANAGED NSNS WITH A UNIQUE LOA CODE COMBINATION, WITHIN A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT.

5943 ICDS-LA-FSC-LC-MS-MM ICDS_STAT_CNT_5943 DLSC-SBA F INTEGER 8
ICDS LOG ASSIGN FSC LEVEL OF AUTH COMB MIL SVC MULTI-MGD
THE TOTAL NUMBER OF MILITARY MULTIPLE MANAGED NSNS WITH A UNIQUE LOA CODE COMBINATION WITHIN A SPECIFIC FSC, WITHIN A SPECIFIC LOGISTICS ASSIGNMENT.

5944 ICDS-LA-FSC-LC-MS-MMPC DLSC-SBA F 8
ICDS LOG ASSIGN FSC LEVEL OF AUTH COMB MIL SVC MULTI-MGD PCT
THE PERCENT OF MILITARY MULTIPLE MANAGED NSNS WITH A UNIQUE LOA CODE COMBINATION, WITHIN A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT.

5945 ICDS-LA-FSC-LC-IM-MM ICDS_STAT_CNT_5945 DLSC-SBA F INTEGER 8
ICDS LOG ASSIGN FSC LEVEL OF AUTH COMB INTGRD MGR MULTI-MGD
THE TOTAL NUMBER OF INTEGRATED MANAGER MULTIPLE MANAGED NSNS WITH A UNIQUE LOA CODE COMBINATION, WITHIN A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT.

5946 ICDS-LA-FSC-LC-IM-MMPC DLSC-SBA F 8
ICDS LOG ASSIGN FSC LOA INTEGRATED MGR MULTI-MGD PERCENT
THE PERCENT OF INTEGRATED MANAGER MULTIPLE MANAGED NSNS WITH A UNIQUE LOA CODE COMBINATION WITHIN A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT.

5947 ICDS-LA-FSC-LC-OD-MM ICDS_STAT_CNT_5947 DLSC-SBA F INTEGER 8
ICDS LOG ASSIGN FSC LEVEL OF AUTH COMB OTHER DOD MULTI-MGD
THE TOTAL NUMBER OF OTHER DOD MULTIPLE MANAGED NSNS WITH A UNIQUE LOA CODE COMBINATION, WITHIN A SPECIFIC FSC, WITHIN A SPECIFIC LOGISTICS ASSIGNMENT.

5948 ICDS-LA-FSC-LC-OD-MMPC DLSC-SBA F 8
ICDS LOG ASSIGN FSC LOA COMB OTHER DOD MULTI-MGD PERCENT
THE PERCENT OF OTHER DOD MULTIPLE MANAGED NSNS WITH A UNIQUE LOA CODE COMBINATION, WITHIN A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT.

5949 ICDD-FSC-ALL-MS-IM-OD ICDD_STAT_CNT_5949 DLSC-SBA F INTEGER 8
ICDD FSC ALL MILITARY SERVICE INTEGRATED MANAGER OTHER DOD
THE TOTAL NUMBER OF DOD NSNS THAT ARE COMMONLY MANAGED BY MILITARY, INTEGRATED MANAGER AND OTHER DOD.

5950 ICDD-FSC-ALL-MS-IM ICDD_STAT_CNT_5950 DLSC-SBA F INTEGER 8
ICDD FSC ALL MILITARY SERVICE INTEGRATED MANAGER
THE TOTAL NUMBER OF DOD NSNS THAT ARE COMMONLY MANAGED BY MILITARY AND INTEGRATED MANAGER.

5951 ICDD-FSC-ALL-MS-OD ICDD_STAT_CNT_5951 DLSC-SBA F INTEGER 8
ICDD FSC ALL MILITARY SERVICE OTHER DOD

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL NUMBER OF DOD NSNS THAT ARE COMMONLY MANAGED BY MILITARY AND OTHER DOD.

5952 ICDD-FSC-ALL-MS ICDD_STAT_CNT_5952 DLSC-SBA F INTEGER 8
ICDD FSC ALL MILITARY SERVICE
THE TOTAL NUMBER DOD NSNS MANAGED BY THE MILITARY ONLY.

5953 ICDD-FSC-ALL-IM-OD ICDD_STAT_CNT_5953 DLSC-SBA F INTEGER 8
ICDD FSC ALL INTEGRATED MANAGER OTHER DOD
THE TOTAL NUMBER OF DOD NSNS THAT ARE COMMONLY MANAGED BY INTEGRATED MANAGER AND OTHER DOD.

5954 ICDD-FSC-ALL-IM ICDD_STAT_CNT_5954 DLSC-SBA F INTEGER 8
ICDD FSC ALL INTEGRATED MANAGER
THE TOTAL NUMBER OF DOD NSNS THAT ARE MANAGED BY THE INTEGRATED MANAGER ONLY.

5955 ICDD-FSC-ALL-OD ICDD_STAT_CNT_5955 DLSC-SBA F INTEGER 8
ICDD FSC ALL OTHER DOD
THE TOTAL NUMBER OF DOD NSNS THAT ARE MANAGED BY OTHER DOD ONLY.

5956 ICDD-FSC-ALL-LC-MS-IM-OD ICDD_STAT_CNT_5956 DLSC-SBA F INTEGER 8
ICDD FSC ALL LOA COMB MIL SVC INTEGRATED MGR OTHER DOD
THE TOTAL NUMBER OF DOD NSNS WITH A LOA CODE COMBINATION THAT REFLECTS MULTIPLE MANAGEMENT OF MILITARY, INTEGRATED MANAGER AND OTHER DOD.

5957 ICDD-FSC-ALL-LC-MS-IM ICDD_STAT_CNT_5957 DLSC-SBA F INTEGER 8
ICDD FSC ALL LOA COMBINATION MILITARY SERVICE INTEGRATED MGR
THE TOTAL NUMBER OF DOD NSNS WITH LOA CODE COMBINATION THAT REFLECTS MULTIPLE MANAGEMENT BY MILITARY AND INTEGRATED MANAGER.

5958 ICDD-FSC-ALL-LC-MS-OD ICDD_STAT_CNT_5958 DLSC-SBA F INTEGER 8
ICDD FSC ALL LOA COMBINATION MILITARY SERVICE OTHER DOD
THE TOTAL NUMBER OF DOD NSNS WITH LOA CODE COMBINATION THAT REFLECTS MULTIPLE MANAGEMENT BY MILITARY AND OTHER DOD.

5959 ICDD-FSC-ALL-LC-MS ICDD_STAT_CNT_5959 DLSC-SBA F INTEGER 8
ICDD FSC ALL LOA COMBINATION MILITARY SERVICE
THE TOTAL NUMBER OF DOD NSNS WITH A LOA CODE COMBINATION THAT REFLECTS MANAGEMENT BY THE MILITARY SERVICES ONLY.

5960 ICDD-FSC-ALL-LC-IM-OD ICDD_STAT_CNT_5960 DLSC-SBA F INTEGER 8
ICDD-FSC ALL LOA COMBINATION INTEGRATED MANAGER OTHER DOD
THE TOTAL NUMBER OF DOD NSNS WITH LOA CODE COMBINATION THAT REFLECTS MULTIPLE MANAGEMENT BY INTEGRATED MANAGER AND OTHER DOD.

5961 ICDD-FSC-ALL-LC-IM ICDD_STAT_CNT_5961 DLSC-SBA F INTEGER 8
ICDD FSC ALL LOA COMBINATION INTEGRATED MANAGER
THE TOTAL NUMBER OF DOD NSNS WITH LOA CODE COMBINATION THAT REFLECTS MANAGEMENT BY INTEGRATED MANAGER ONLY.

5962 ICDD-FSC-ALL-LC-OD ICDD_STAT_CNT_5962 DLSC-SBA F INTEGER 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

ICDD FSC ALL LOA COMBINATION OTHER DOD
THE TOTAL NUMBER OF DOD NSNS WITH A LOA CODE COMBINATION THAT REFLECTS MANAGEMENT BY OTHER DOD ONLY.

5963 ICDD-IM-ALL-MS-IM-OD ICDD_STAT_CNT_5963 DLSC-SBA F INTEGER 8
ICDD INTEGRATED MANAGER ALL MIL SVC INTEGRATED MGR OTHER DOD
THE TTOAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY MILITARY SERVICES, INTEGRATED MANAGER AND OTHER DOD.

5964 ICDD-IM-ALL-MS-IM ICDD_STAT_CNT_5964 DLSC-SBA F INTEGER 8
ICDD INTEGRATED MANAGER ALL MILITARY SVCS INTEGRATED MGR
THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY MILITARY SERVICES AND INTEGRATED MANAGER.

5965 ICDD-IM-ALL-MS-OD ICDD_STAT_CNT_5965 DLSC-SBA F INTEGER 8
ICDD INTEGRATED MANAGER ALL MILITARY SERVICES OTHER DOD
THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY MILITARY SERVICES AND OTHER DOD.

5966 ICDD-IM-ALL-MS ICDD_STAT_CNT_5966 DLSC-SBA F INTEGER 8
ICDD INTEGRATED MANAGER ALL MILITARY SERVICES
THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES THAT ARE MANAGED BY MILITARY SERVICES ONLY.

5967 ICDD-IM-ALL-IM-OD ICDD_STAT_CNT_5967 DLSC-SBA F INTEGER 8
ICDD INTEGRATED MANAGER ALL INTEGRATED MANAGER OTHER DOD
THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY INTEGRATED MANAGER AND OTHER DOD.

5968 ICDD-IM-ALL-IM ICDD_STAT_CNT_5968 DLSC-SBA F INTEGER 8
ICDD INTEGRATED MANAGER ALL INTEGRATED MANAGER
THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES THAT ARE MANAGED BY THE INTEGRATED MANAGER ONLY.

5969 ICDD-IM-ALL-OD ICDD_STAT_CNT_5969 DLSC-SBA F INTEGER 8
ICDD INTEGRATED MANAGER ALL OTHER DOD
THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES THAT ARE MANAGED BY OTHER DOD ONLY.

5970 LGRN-INQRY-DEPT-QTY DLSC-SBA F 8
LOGRUN INQUIRY DEPARTMENT QUANTITY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED FOR INQUIRIES FOR DEPARTMENT.

5971 LGRN-INQRY-DEPT-PCT DLSC-V F 8
LOGRUN INQUIRY DEPARTMENT PERCENT
THE PERCENT OF LOGRUN INQUIRIES FOR DEPARTMENT.

5972 LRN-C-NIIN-CAN-MTHLY DLSC-V F 8
LOGRUN CAGE NIIN INQ CUSTOMER ACCOUNT NBR MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CAGE TO NIIN INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

5973 LRN-C-NIIN-CAN-QTRLY DLSC-V F 8
LOGRUN CAGE NIIN INQ CUSTOMER ACCOUNT NBR QUARTERLY

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR CAGE TO NIIN INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

5974 LRN-C-NIIN-CAN-YRLY DLSC-V F 8
LOGRUN CAGE NIIN INQ CUSTOMER ACCOUNT NBR YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR CAGE TO NIIN INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

5975 LRN-C-NIIN-ACTY-DLY LRN_STAT_CNT_5975 DLSC-V F INTEGER 8
LOGRUN CAGE NIIN INQ ACTIVITY DAILY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR CAGE TO NIIN INQUIRIES BY ACTIVITY.

5976 LRN-C-NIIN-ACTY-WKLY DLSC-V F 8
LOGRUN CAGE NIIN INQ ACTIVITY WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CAGE TO NIIN INQUIRIES BY ACTIVITY.

5977 LGRN-CAGE-OL-INQRY-DP-QT DLSC-SBA F 8
LOGRUN CAGE ON LINE INQUIRY DEPARTMENT QUANTITY
THE NUMBER OF TIMES THE LOGRUN HAS BEEN ACCESSED FOR CAGE CODES INQUIRIES FOR DEPARTMENT.

5978 LRN-C-NIIN-ACTY-MTHLY DLSC-V F 8
LOGRUN CAGE NIIN INQ ACTIVITY MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CAGE TO NIIN INQUIRIES BY ACTIVITY.

5979 LRN-C-NIIN-ACTY-QTRLY DLSC-V F 8
LOGRUN CAGE NIIN INQ ACTIVITY QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR CAGE TO NIIN INQUIRIES BY ACTIVITY.

5980 LGRN-CHAR-UPDT-DEPT-QTY DLSC-SBA F 8
LOGRUN CHARACTERISTICS UPDATE DEPARTMENT QUANTITY
THE NUMBER OF TIMES LOGRUN IS ACCESSED FOR CHARACTERISTICS DATA INQUIRIES FOR DEPARTMENT.

5981 LGRN-CHS-INQRY-DEPT-QTY DLSC-V F 8
LOGRUN CHARACTERISTICS INQUIRY DEPARTMENT QUANTITY
THE NUMBER OF TIMES LOGRUN IS ACCESSED FOR CHARACTERISTICS SEARCH INQUIRIES WITH LESS THAN 100 NIINS RETURNED FOR DEPARTMENT FOR ACTIVITY.

5982 LGRN-CST-INQRY-DEPT-QTY DLSC-SBA F 8
LOGRUN CHARACTERISTIC INQUIRY DEPARTMENT QUANTITY
THE NUMBER OF TIMES LOGRUN IS ACCESSED FOR CHARACTERISTICS SEARCH INQUIRIES WITH OVER 100 NIINS RETURNED FOR DEPARTMENT FOR ACTIVITY.

5983 LRN-C-NIIN-DEPT-DLY LRN_STAT_CNT_5983 DLSC-V F INTEGER 8
LOGRUN CAGE NIIN INQ DEPARTMENT DAILY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR CAGE TO NIIN INQUIRIES BY DEPARTMENT.

5984 LRN-C-NIIN-DEPT-WKLY DLSC-V F 8
LOGRUN CAGE NIIN DEPARTMENT WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CAGE TO NIIN INQUIRIES BY DEPARTMENT.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					

5985 LGRN-TEST-ACCESS-DEPT-QT — DLSC-SBA — F — 8
LOGRUN TEST ACCESS DEPARTMENT QUANTITY
THE NUMBER OF TIMES THE TEST DATA BASE IS ACCESSED THROUGH LOGRUN FOR DEPARTMENT FOR ACTIVITY.

5986 LRN-C-NIIN-DEPT-MTHLY — DLSC-V — F — 8
LOGRUN CAGE NIIN INQ DEPARTMENT MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CAGE TO NIIN INQUIRIES BY DEPARTMENT.

5987 LRN-C-NIIN-DEPT-QTRLY — DLSC-V — F — 8
LOGRUN CAGE NIIN INQ DEPARTMENT QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR CAGE TO NIIN INQUIRIES BY DEPARTMENT.

5988 LRN-C-NIIN-DEPT-YRLY — DLSC-V — F — 8
LOGRUN CAGE NIIN INQ DEPARTMENT YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR CAGE TO NIIN INQUIRIES BY DEPARTMENT.

5989 LRN-C-NIIN-DLY-TOT — LRN_STAT_CNT_5989 — DLSC-V — F — INTEGER — 8
LOGRUN CAGE NIIN INQ DAILY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR CAGE TO NIIN INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

5990 LRN-C-NIIN-WKLY-TOT — DLSC-SBA — F — 8
LOGRUN CAGE NIIN INQ WEEKLY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CAGE TO NIIN INQUIRIES BY DEPARTMENT, ACTIVITIES AND CUSTOMER ACCOUNT NUMBER.

5991 LRN-C-NIIN-MTHLY-TOT — DLSC-V — F — 8
LOGRUN CAGE NIIN INQ MONTHLY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CAGE TO NIIN INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

5992 LRN-C-NIIN-QTRLY-TOT — DLSC-V — F — 8
LOGRUN CAGE NIIN INQ QUARTERLY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR CAGE TO NIIN INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

5993 LRN-C-NIIN-YRLY-TOT — DLSC-V — F — 8
LOGRUN CAGE NIIN INQ YEARLY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR CAGE TO NIIN INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

5994 L-CAGE-OL-IQY-DP-ACT-QTY — DLSC-SBA — F — 8
LOGRUN CAGE ON LINE INQUIRY DEPARTMENT ACTIVITY QUANTITY
THE NUMBER OF TIMES LOGRUN IS ACCESSED FOR CAGE CODES FOR DEPARTMENT FOR ACTIVITY.

5995 LRN-PROC-CAN-MTHLY — DLSC-SB — F — 6
LOGRUN PROCEDURES APPLICATION CUSTOMER ACCOUNT NUMBER MNTHLY
THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED MONTHLY BY SPECIFIC APPLICATION AND CUSTOMER ACCOUNT NUMBER.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

5996 LRN-C-RNL-CAN-DLY — DLSC-V — F — 8
LOGRUN CAGE REF NBR LOG INQ CUSTOMER ACCOUNT NBR DAILY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

5997 LRN-C-RNL-CAN-WKLY — DLSC-SBA — F — 8
LOGRUN CAGE REF NBR LOG INQ CUSTOMER ACCOUNT NBR WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

5998 LRN-C-RNL-CAN-MTHLY — DLSC-V — F — 8
LOGRUN CAGE REF NBR LOG INQ CUSTOMER ACCOUNT NBR MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

5999 LRN-C-RNL-CAN-QTRLY — DLSC-V — F — 8
LOGRUN CAGE REF NBR LOG INQ CUSTOMER ACCOUNT NBR QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

6060 QTY-ASTS-RPTD — DLSC-SB — F — 5
QUANTITY, ASSETS REPORTED
THE QUANTITY OF AN ITEM REPORTED AS EXCESS TO THE REQUIREMENT OF THE REPORTING ACTIVITY WHO MANAGES OR CONTROLS THE ITEM.

6088 IANDS-ACTY-NSN-FAMILIES — IANS_STAT_CNT_6088 — DLSC-SBA — F — INTEGER — 8
I & S ACTIVITY NSN FAMILY COUNT
THE NUMBER OF FAMILIES FOR A SPECIFIC ACTIVITY FOR A SPECIFIC NSN GROUPING.

6089 IANDS-DEPT-NSN-FAMILIES — IANS_STAT_CNT_6089 — DLSC-SBA — F — INTEGER — 8
I & S DEPT NSN FAMILY COUNT
THE NUMBER OF FAMILIES FOR A SPECIFIC DEPARTMENT FOR A SPECIFIC NSN GROUPING.

6099 IANDS-GTOT-NSN-FAMILIES — IANS_STAT_CNT_6099 — DLSC-SBA — F — INTEGER — 8
I & S GRAND TOTAL NSN FAMILY COUNT
THE TOTAL OF I & S NSN FAMILIES FOR THE ENTIRE FEDERAL CATALOGING SYSTEM.

6106 QUP-CD — QUP_6106 — DLSC-SB — F — CHAR — 1
QUANTITY PER UNIT PACK (QUP) CODE
A CODE INDICATING THE NUMBER OF UNITS OF ISSUE IN THE UNIT PACKAGE AS ESTABLISHED BY THE MANAGING ACTIVITY. SHORT TITLE, QUP. SEE VOLUME 10, TABLE 56 AND QUICK INFO ON-LINE.

6137 ID-MCRL-NSN — ID_STAT_CNT_6137 — DLSC-SB — F — INTEGER — 8
INFO DISSEM MCRL NSN COUNT
THE NUMBER OF NSNS FOR THE INFORMATION DISSEMINATION MCRL.

6154 ID-MLMC-NSN — ID_STAT_CNT_6154 — DLSC-SBA — F — INTEGER — 8
INFO DISSEM ML MARINE CORP NSN COUNT

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE NUMBER OF NSNS FOR THE INFORMATION DISSEMINATION ML MARINE CORP CATALOG.

6159 ID-MLC-NSN ID_STAT_CNT_6159 DLSC-SBA F INTEGER 8
INFO DISSEM ML CONSOLIDATED NSN COUNT
THE NUMBER OF NSNS FOR THE INFORMATION DISSEMINATION ML CONSOLIDATED CATALOG.

6161 ID-MLN-NSN ID_STAT_CNT_6161 DLSC-SBA F INTEGER 8
INFO DISSEM ML NAVY NSN COUNT
THE NUMBER OF NSNS FOR THE INFORMATION DISSEMINATION ML FOR THE NAVY.

6162 ID-PIIL-NSN ID_STAT_CNT_6162 DLSC-SBA F INTEGER 8
INFO DISSEM PIIL CATALOG NSN COUNT
THE NUMBER OF NSNS FOR THE INFORMATION DISSEMINATION PIIL CATALOG.

6164 ID-CG-NSN ID_STAT_CNT_6164 DLSC-SBA F INTEGER 8
INFO DISSEM COAST GUARD CATALOG NSN COUNT
THE NUMBER OF NSNS FOR THE INFORMATION DISSEMINATION COAST GUARD CATALOG.

6166 ID-FAA-NSN ID_STAT_CNT_6166 DLSC-SBA F INTEGER 8
INFO DISSEM FAA CATALOG NSN COUNT
THE NUMBER OF NSNS FOR THE INFORMATION DISSEMINATION FAA CATALOG.

6168 ID-IL-NSN ID_STAT_CNT_6168 DLSC-SBA F INTEGER 8
INFO DISSEM IL NSN COUNT
THE NUMBER OF NSNS FOR THE INFORMATION DISSEMINATION IL's.

6169 ID-AMMO-NSN ID_STAT_CNT_6169 DLSC-SBA F INTEGER 8
INFO DISSEM AMMO NSN COUNT
THE NUMBER OF NSNS FOR THE INFORMATION DISSEMINATION AMMO CATALOG.

6171 ID-CAC-NSN ID_STAT_CNT_6171 DLSC-SBA F INTEGER 8
INFO DISSEM CIVIL AGENCY CATALOG NSN COUNT
TNE NUMBER OF NSNS FOR THE INFORMATION DISSEMINATION CIVIL AGENCY CATALOG.

6172 ID-MED-NSN ID_STAT_CNT_6172 DLSC-SBA F INTEGER 8
INFO DISSEM MEDICAL CATALOG NSN COUNT
THE NUMBER OF NSNS FOR THE INFORMATION DISSEMINATION MEDICAL CATALOG.

6174 L-PN-INQY-DEPT-ACT-QTY DLSC-SB F 8
LOGRUN PART NUMBER INQUIRY DEPARTMENT ACTIVITY QUANTITY
THE NUMBER OF TIMES LOGRUN IS ACCESSED FOR PART NO. INQUIRIES FOR DEPARTMENT FOR ACTIVITY.

6175 L-FSC-INQRY-DEPT-ACT-QTY DLSC-SBA F 8
LOGRUN FSC INQUIRY DEPARTMENT ACTIVITY QUANTITY
THE NUMBER OF TIMES LOGRUN IS ACCESSED FOR FSC INQUIRIES FOR DEPARTMENT FOR ACTIVITY.

6176 L-TEST-ACCESS-DP-ACT-QTY DLSC-SBA F 8
LOGRUN TEST ACCESS DEPARTMENT ACTIVITY QUANTITY

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE NUMBER OF TIMES THE TEST DATA BASE IS ACCESSED THROUGH LOGRUN FOR DEPARTMENT FOR ACTIVITY.

6177 LRN-C-RNL-CAN-YRLY DLSC-V F 8
LOGRUN CAGE REF NBR LOG INQ CUSTOMER ACCOUNT NBR YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

6178 LRN-C-RNL-ACTY-DLY LRN_STAT_CNT_6178 DLSC-V F INTEGER 8
LOGRUN CAGE REF NBR LOG INQ ACTIVITY DAILY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY ACTIVITY.

6179 LRN-C-RNL-ACT-WKLY DLSC-V F 8
LOGRUN CAGE REF NBR LOG INQ ACTIVITY WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY ACTIVITY.

6180 LRN-C-RNL-ACTY-MTHLY DLSC-V F 8
LOGRUN CAGE REF NBR LOG INQ ACTIVITY MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY ACTIVITY.

6181 LRN-C-RNL-ACTY-QTRLY DLSC-V F 8
LOGRUN CAGE REF NBR LOG INQ ACTIVITY QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY ACTIVITY.

6182 LRN-C-RNL-ACTY-YRLY DLSC-V F 8
LOGRUN CAGE REF NBR LOG INQ ACTIVITY YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY ACTIVITY.

6183 LRN-C-RNL-DEPT-DLY LRN_STAT_CNT_6183 DLSC-V F INTEGER 8
LOGRUN CAGE REF NBR LOG INQ DEPARTMENT DAILY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

6184 CAGE-ON-LINE-1 DLSC-SBA F 8
CAGE ON LINE 1
CAGE-ON-LINE FOR DRN 6178, LOGRUN INQUIRY QUANTITY 1.

6185 LRN-C-RNL-DEPT-WKLY DLSC-V F 8
LOGRUN CAGE REF NBR LOG INQ DEDPARTMENT WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

6186 LRN-C-RNL-DEPT-MTHLY DLSC-V F 8
LOGRUN CAGE REF NBR LOG INQ DEPARTMENT MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

6187 LRN-C-RNL-DEPT-QTRLY DLSC-V F 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

LOGRUN CAGE REF NBR LOG INQ DEPARTMENT QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

6188 LRN-C-RNL-DEPT-YRLY DLSC-V F 8
LOGRUN CAGE REF NBR LOG INQ DEPARTMENT YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

6189 LRN-C-RNL-DLY-TOT LRN_STAT_CNT_6189 DLSC-V F INTEGER 8
LOGRUN CAGE REF NBR LOG INQ DAILY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

6190 LRN-C-RNL-WKLY-TOT DLSC-V F 8
LOGRUN CAGE REF NBR LOG INQ WEEKLY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

6192 LRN-C-RNL-MTHLY-TOT DLSC-V F 8
LOGRUN CAGE REF NBR LOG INQ MONTHLY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

6193 LRN-C-RNL-QTRLY-TOT DLSC-V F 8
LOGRUN CAGE REF NBR LOG INQ QUARTERLY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

6194 LRN-C-RNL-YRLY-TOT DLSC-V F 8
LOGRUN CAGE REF NBR LOG INQ YEARLY TOTAL
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR CAGE/REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

6195 LRN-PROC-CAN-QTRLY DLSC-SB F 6
LOGRUN PROCEDURES APPLICATION CUSTOMER ACCOUNT NUMBER QTRLY
THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED QUARTERLY BY SPECIFIC APPLICATION AND CUSTOMER ACCOUNT NUMBER.

6196 LRN-C-P-RNL-CAN-DLY DLSC-V F 8
LOGRUN CAGE PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR DAILY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR CAGE/PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

6197 LRN-C-P-RNL-CAN-WKLY DLSC-V F 8
LOGRUN CAGE PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CAGE/PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

6198 LRN-C-P-RNL-CAN-MTHLY DLSC-V F 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

LOGRUN CAGE PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CAGE/PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

6199 LRN-C-P-RNL-CAN-QTRLY DLSC-V F 8
LOGRUN CAGE PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR QUARTER
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR CAGE/PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

6200 LRN-C-P-RNL-CAN-YRLY DLSC-V F 8
LOGRUN CAGE PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR CAGE/PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY CUSTOMER ACCOUNT NUMBER.

6201 LRN-TES-IQY-DP-SN-TIC-QT DLSC-SBA F 8
LOGRUN TEST INQUIRY DEPARTMENT STATION NAME TERM IN CODE QTY
THE NUMBER OF TIMES LOGRUN IS ACCESSED FOR TEST DATA BASE INQUIRY BROKEN OUT BY DEPARTMENT FOR STATION NAME BY TERMINAL IDENTIFICATION CODE.

6202 LRN-C-P-RNL-ACTY-DLY LRN_STAT_CNT_6202 DLSC-V F INTEGER 8
LOGRUN CAGE PTL REF NBR LOG INQ ACTIVITY DAILY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR CAGE/PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY ACTIVITY.

6203 LRN-C-P-RNL-ACTY-WKLY DLSC-V F 8
LOGRUN CAGE PTL REF NBR LOG INQ ACTIVITY WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CAGE/PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY ACTIVITY.

6204 LRN-C-P-RNL-ACTY-MTHLY DLSC-V F 8
LOGRUN CAGE PTL REF NBR LOG INQ ACTIVITY MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED MONTHLY FOR CAGE/PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY ACTIVITY.

6205 LRN-C-P-RNL-ACTY-QTRLY DLSC-V F 8
LOGRUN CAGE PTL REF NBR LOG INQ ACTIVITY QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED QUARTERLY FOR CAGE/PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY ACTIVITY.

6206 LRN-C-P-RNL-ACTY-YRLY DLSC-V F 8
LOGRUN CAGE PTL REF NBR LOG INQ ACTIVITY YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED YEARLY FOR CAGE/PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY ACTIVITY.

6207 LRN-C-P-RNL-DEPT-DLY LRN_STAT_CNT_6207 DLSC-V F INTEGER 8
LOGRUN CAGE PTL REF NBR LOG INQ DEPARTMENT DAILY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED DAILY FOR CAGE/PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

6208 LRN-C-P-RNL-DEPT-WKLY DLSC-V F 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

LOGRUN CAGE PTL REF NBR LOG INQ DEPARTMENT WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN IS ACCESSED WEEKLY FOR CAGE/PARTIAL REFERENCE NUMBER LOGISTICS INQUIRIES BY DEPARTMENT.

6209 SCN-PRO-NSN-DP-CUR-MTH PRON_STAT_CNT_6209 DLSC-SBA F INTEGER 8
SCREENING PROVISIONING NSN DEPARTMENT CURRENT MATCHED
THE CURRENT QUANTITY OF NSNS MATCHED THROUGH THE PROVISIONING SCREENING BY NIIN PROCESS FOR DEPARTMENT.

6210 SCN-PRO-NSN-DP-CUR-NMTH PRON_STAT_CNT_6210 DLSC-SBA F INTEGER 8
SCREENING PROVISIONING NSN DEPARTMENT CURRENT NSNS NOT MATCH
THE CURRENT QUANTITY OF NSNS THAT DID NOT MATCH THROUGH THE PROVISIONING SCREENING BY NIIN PROCESS FOR DEPARTMENT.

6211 SCN-PRO-NSN-DP-CUR-REJ PRON_STAT_CNT_6211 DLSC-SBA F INTEGER 8
SCREENING PROVISIONING NSN DEPARTMENT CURRENT REJECTS
THE CURRENT QUANTITY OF PROVISIONING SCREENING BY NIIN TRANSACTIONS THAT REJECTED FOR DEPARTMENT.

6212 SCN-PRO-NSN-DP-CUR-RECVD DLSC-SBA F 8
SCREEN PROVISIONING NSN DEPARTMENT CURRENT RECEIVED QUANTITY
THE CURRENT QUANTITY OF NIINS RECEIVED FOR PROVISIONING SCREENING FOR DEPARTMENT.

6213 SCN-PRO-NSN-DP-YTD-MTH DLSC-SBA F 8
SCREENING PROVISIONING NSN DEPARTMENT YEAR TO DATE MATCHED
THE PREVIOUS YEAR-TO-DATE QUANTITY OF NSNS THAT MATCHED IN THE PROVISIONING SCREENING BY NIIN PROCESS FOR DEPARTMENT.

6214 SCN-PRO-NSN-DP-YTD-NMTH DLSC-SBA F 8
SCREENING PROVISIONING NSN DEPARTMENT YEAR TO DATE NOT MATCH
THE YEAR-TO-DATE QUANTITY OF NSNS THAT DID NOT MATCH THROUGH THE PROVISIONING SCREENING BY NIIN PROCESS FOR DEPARTMENT.

6215 SCN-PRO-NSN-DP-YTD-REJ DLSC-SBA F 8
SCREENING PROVISIONING NSN DEPARTMENT YEAR TO DATE REJECT
THE YEAR-TO-DATE QUANTITY OF PROVISIONING SCREENING BY NIIN TRANSACTIONS THAT REJECTED FOR DEPARTMENT.

6216 SCN-PRO-NSN-DP-YTD-RECVD DLSC-SBA F 8
SCREENING PROVISIONING NSN DEPARTMENT YEAR TO DATE RECEIVED
THE YEAR-TO-DATE QUANTITY OF NIINS RECEIVED FOR PROVISIONING SCREENING FOR DEPARTMENT.

6217 SCN-PRO-NSN-DP-PYD-MTH DLSC-SBA F 8
SCREENING PROVISIONING NSN DEPT PREV YEAR TO DATE MATCHED
THE PREVIOUS YEAR TO DATE QUANTITY OF NSNS THAT MATCHED THROUGH THE PROVISIONING SCREENING BY NIIN PROCESS FOR DEPARTMENT.

6218 SCN-PRO-NSN-DP-PYD-NMTH DLSC-SBA F 8
SCREENING PROVISIONING NSN DEPT PREV YEAR TO DATE NOT MATCH
THE PREVIOUS YEAR-TO-DATE QUANTITY OF NSNS THAT DID NOT MATCH THROUGH PROVISIONING SCREENING BY NIIN PROCESS FOR DEPARTMENT.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6219 SCN-PRO-NSN-DP-PYD-REJ DLSC-SBA F 8
SCREENING PROVISIONING NSN DEPT PREV YEAR TO DATE REJECTS
THE QUANTITY OF PREVIOUS YEAR-TO-DATE PROVISIONING SCREENING BY NIIN TRANSACTIONS THAT REJECTED FOR DEPARTMENT.

6220 SCN-PRO-NSN-DP-PYD-RECVD DLSC-SBA F 8
SCREENING PROVISIONING NSN DEPT PREV YEAR TO DATE RECEIVED
THE PREVIOUS YEAR TO DATE QUANTITY OF NIINS RECEIVED FOR PROVISIONING SCREENING FOR DEPARTMENT.

6221 SCN-PRO-NSN-TOT-MTH DLSC-SBA F 8
SCREENING PROVISIONING NSN TOTAL MATCHED
THE TOTAL QUANTITY OF NSNS MATCHED THROUGH THE PROVISIONING SCREENING BY NIIN PROCESS.

6222 SCN-PRO-NSN-TOT-NMTH DLSC-SBA F 8
SCREENING PROVISIONING NSN TOTAL NOT MATCHED
THE TOTAL QUANTITY OF NSNS THAT DID NOT MATCH IN THE PROVISIONING SCREENING BY NIIN PROCESS. THIS DATA ELEMENT WILL ALSO ACCOMMODATE COUNTS FOR PREVIOUS YEAR-TO-DATE, CURRENT MONTH AND YEAR-TO-DATE TOTALS.

6223 SCN-PRO-NSN-TOT-REJ DLSC-SBA F 8
SCREENING PROVISIONING NSN TOTAL REJECT
THE TOTAL QUANTITY OF PROVISIONING SCREENING BY NIIN TRANSACTIONS THAT REJECTED.

6224 SCN-PRO-NSN-TOT-RECVD DLSC-SBA F 8
SCREENING PROVISIONING NSN TOTAL RECEIVED
THE TOTAL QUANTITY OF PROVISIONING SCREENING TRANSACTIONS RECEIVED.

6225 SCN-PRO-REF-DP-CUR-MTH PROR_STAT_CNT_6225 DLSC-SBA F INTEGER 8
SCREENING PROVISIONING REFERENCE DEPARTMENT CURRENT MATCH
THE CURRENT QUANTITY OF NSNS MATCHED THROUGH THE PROVISIONING SCREENING BY REFERENCE NUMBER PROCESS FOR DEPARTMENT.

6226 SCN-PRO-REF-DP-CUR-NMTH PROR_STAT_CNT_6226 DLSC-SB F INTEGER 8
SCREENING PROVISIONING REFERENCE DEPT CURRENT NOT MATCHED
THE CURRENT QUANTITY OF NSNS THAT DID NOT MATCH THROUGH THE PROVISIONING SCREENING BY REFERENCE NUMBER PROCESS FOR DEPARTMENT.

6227 SCN-PRO-REF-DP-CUR-REJ PROR_STAT_CNT_6227 DLSC-SBA F INTEGER 8
SCREENING PROVISIONING REFERENCE DEPT CURRENT REJECTS
THE CURRENT QUANTITY OF PROVISIONING SCREENING BY REFERENCE NUMBER TRANSACTIONS THAT REJECTED FOR DEPARTMENT.

6228 SCN-PRO-REF-DP-CUR-RECVD DLSC-SBA F 8
SCREENING PROVISIONING REFERENCE DEPT CURRENT RECEIVED
THE CURRENT QUANTITY OF PROVISIONING SCREENING BY REFERENCE NUMBER FOR PROVISIONING SCREENING FOR DEPARTMENT.

6229 SCN-PRO-REF-DP-YTD-MTH DLSC-SBA F 8
SCREENING PROVISIONING REFERENCE DEPT YEAR TO DATE MATCHED

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE PREVIOUS YEAR TO DATE OF NSNS THAT MATCHED IN THE PROVISIONING SCREENING BY REFERENCE NUMBER PROCESS FOR DEPARTMENT.

6230 SCN-PRO-REF-DP-YTD-NMTH DLSC-SBA F 8
SCREENING PROVISIONING REF DEPT YEAR TO DATE NOT MATCHED
THE YEAR-TO-DATE QUANTITY OF NSNS THAT DID NOT MATCH THROUGH THE PROVISIONING SCREENING BY REFERENCE NUMBER PROCESS FOR DEPARTMENT.

6231 SCN-PRO-REF-DP-YTD-REJ DLSC-SBA F 8
SCREENING PROVISIONING REFERENCE DEPT YEAR TO DATE REJECTED
THE YEAR-TO-DATE QUANTITY OF PROVISIONING SCREENING BY REFERENCE NUMBER TRANSACTIONS THAT REJECTED FOR DEPARTMENT.

6232 SCN-PRO-REF-DP-YTD-RECVD DLSC-SB F 8
SCREENING PROVISIONING REFERENCE DEPT YEAR TO DATE RECEIVED
THE YEAR-TO-DATE QUANTITY OF NIINS RECEIVED FOR PROVISIONING SCREENING FOR DEPARTMENT.

6233 SCN-PRO-REF-DP-PYD-MTH DLSC-SBA F 8
SCREENING PROVISIONING REF DEPT PREV YEAR TO DATE MATCHED
THE PREVIOUS YEAR-TO-DATE QUANTITY OF NSNS THAT MATCHED THROUGH THE PROVISIONING SCREENING BY REFERENCE NUMBER PROCESS FOR DEPARTMENT.

6234 SCN-PRO-REF-DP-PYD-NMTH DLSC-SBA F 8
SCREENING PROVISIONING REF DEPT PREV YEAR TO DATE NOT MATCH
THE PREVIOUS YEAR-TO-DATE QUANTITY OF NSNS THAT DID NOT MATCH THROUGH PROVISIONING SCREENING BY REFERENCE NUMBER FOR DEPARTMENT.

6235 SCN-PRO-REF-DP-PYD-REJ DLSC-SBA F 8
SCREENING PROVISIONING REF DEPT PREV YEAR TO DATE REJECTED
THE QUANTITY OF PREVIOUS YEAR-TO-DATE PROVISIONING SCREENING BY REFERENCE NUMBER TRANSACTIONS THAT REJECTED FOR DEPARTMENT.

6236 SCN-PRO-REF-DP-PYD-RECVD DLSC-SBA F 8
SCREENING PROVISIONING REF DEPT PREV YEAR TO DATE RECEIVED
THE PREVIOUS YEAR-TO-DATE QUANTITY OF NIINS RECEIVED FOR REFERENCE NUMBER PROCESS FOR DEPARTMENT.

6237 SCN-PRO-REF-TOT-MTH DLSC-SBA F 8
SCREENING PROVISIONING REFERENCE TOTAL MATCHED
THE TOTAL QUANTITY OF NSNS MATCHED THROUGH THE PROVISIONING SCREENING BY REFERENCE NUMBER PROCESS.

6238 SCN-PRO-REF-TOT-NMTH DLSC-SBA F 8
SCREENING PROVISIONING REFERENCE TOTAL NOT MATCHED
THE TOTAL QUANTITY OF NSNS THAT DID NOT MATCH IN THE PROVISIONING SCREENING BY REFERENCE NUMBER PROCESS. THIS DATA ELEMENT WILL ALSO ACCOMMODATE COUNTS FOR PREVIOUS YEAR-TO-DATE, CURRENT MONTH AND YEAR-TO-DATE TOTALS.

6239 SCN-PRO-REF-TOT-REJ DLSC-SBA F 8
SCREENING PROVISIONING REFERENCE TOTAL REJECTED
THE TOTAL QUANTITY OF PROVISIONING SCREENING BY REFERENCE NUMBER TRANSACTIONS THAT REJECTED.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6240 SCN-PRO-REF-TOT-RECVD — DLSC-SBA — F — 8

SCREENING PROVISIONING REFERENCE TOTAL RECEIVED

THE TOTAL QUANTITY OF PROVISIONING SCREENING BY REFERENCE NUMBER TRANSACTIONS RECEIVED.

6241 SCN-PRE-NSN-DP-CUR-MTH — PREN_STAT_CNT_6241 — DLSC-SBA — F — INTEGER — 8

SCREENING PREPROCUREMENT NSN DEPARTMENT CURRENT MATCHED

THE CURRENT QUANTITY OF NSNS MATCHED THROUGH PREPROCUREMENT SCREENING BY NIIN PROCESS FOR DEPARTMENT.

6242 SCN-PRE-NSN-DP-CUR-NMTH — PREN_STAT_CNT_6242 — DLSC-SBA — F — INTEGER — 8

SCREENING PREPROCUREMENT NSN DEPT CURRENT NSNS NOT MATCHED

THE CURRENT QUANTITY OF NSNS THAT DID NOT MATCH THROUGH THE PREPROCUREMENT SCREENING BY NIIN PROCESS FOR DEPARTMENT.

6243 SCN-PRE-NSN-DP-CUR-REJ — PREN_STAT_CNT_6243 — DLSC-SBA — F — INTEGER — 8

SCREENING PREPROCUREMENT NSN DEPARTMENT CURRENT REJECTS

THE QUANTITY OF TRANSACTIONS REJECTED THROUGH THE PREPROCUREMENT SCREENING BY NIIN FOR DEPARTMENT.

6244 SCN-PRE-NSN-DP-CUR-RECVD — DLSC-SBA — F — 8

SCREENING PREPROCUREMENT NSN DEPARTMENT CURRENT RECEIVED

THE CURRENT QUANTITY OF NIINS RECEIVED FOR PREPROCUREMENT SCREENING FOR DEPARTMENT.

6245 SCN-PRE-NSN-DP-YTD-MTH — DLSC-SBA — F — 8

SCREENING PREPROCUREMENT NSN DEPT YEAR TO DATE MATCHED

THE PREVIOUS YEAR-TO-DATE QUANTITY OF NSNS THAT MATCHED IN THE PREPROCUREMENT SCREENING BY NIIN PROCESS FOR DEPARTMENT.

6246 SCN-PRE-NSN-DP-YTD-NMTH — DLSC-SBA — F — 8

SCREENING PREPROCUREMENT NSN DEPT YEAR TO DATE NOT MATCHED

THE YEAR-TO DATE QUANTITY OF NSNS THAT DID NOT MATCH THROUGH THE PREPROCUREMENT SCREENING BY NIIN PROCESS FOR DEPARTMENT.

6247 SCN-PRE-NSN-DP-YTD-REJ — DLSC-SBA — F — 8

SCREENING PREPROCUREMENT NSN DEPT YEAR TO DATE REJECT

THE YEAR-TO-DATE QUANTITY OF PREPROCUREMENT SCREENING BY NIIN TRANSACTIONS THAT REJECTED FOR DEPARTMENT.

6248 SCN-PRE-NSN-DP-YTD-RECVD — DLSC-SBA — F — 8

SCREENING PREPROCUREMENT NSN DEPT YEAR TO DATE RECEIVED

THE YEAR-TO-DATE QUANTITY OF NIINS RECEIVED FOR PREPROCUREMENT SCREENING FOR DEPARTMENT.

6249 SCN-PRE-NSN-DP-PYD-MTH — DLSC-SBA — F — 8

SCREENING PREPROCUREMENT NSN DEPT PREVIOUS YR TO DATE MATCH

THE PREVIOUS YEAR TO DATE QUANTITY OF NSNS THAT MATCHED THROUGH THE PREPROCUREMENT SCREENING BY NIIN PROCESS FOR DEPARTMENT.

6250 SCN-PRE-NSN-DP-PYD-NMTH — DLSC-SBA — F — 8

SCREENING PREPROCUREMENT NSN DEPT PREV YR TO DATE NOT MATCH

THE PREVIOUS YEAR-TO-DATE QUANTITY OF NSNS THAT DID NOT MATCH THROUGH PREPROCUREMENT SCREENING BY NIIN PROCESS FOR DEPARTMENT.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6251 SCN-PRE-NSN-DP-PYD-REJ — DLSC-SBA — F — 8

SCREENING PREPROCUREMENT NSN DEPT PREVIOUS YR TO DATE REJECT

THE QUANTITY OF PREVIOUS YEAR-TO-DATE PREPROCUREMENT SCREENING BY NIIN TRANSACTIONS THAT REJECTED FOR DEPARTMENT.

6252 SCN-PRE-NSN-DP-PYD-RECVD — DLSC-SBA — F — 8

SCREENING PREPROCUREMENT NSN DEPT PREV YR TO DATE RECEIVED

THE PREVIOUS YEAR TO DATE QUANTITY OF NIINS RECEIVED FOR PREPROCUREMENT SCREENING FOR DEPARTMENT.

6253 SCN-PRE-NSN-TOT-MTH — DLSC-SBA — F — 8

SCREENING PREPROCUREMENT NSN TOTAL MATCHED

THE TOTAL QUANTITY OF NSNS MATCHED THROUGH THE PREPROCUREMENT SCREENING BY NIIN PROCESS.

6254 SCN-PRE-NSN-TOT-NMTH — DLSC-SBA — F — 8

SCREENING PREPROCUREMENT NSN TOTAL NOT MATCHED

THE TOTAL QUANTITY OF NSNS THAT DID NOT MATCH IN THE PREPROCUREMENT SCREENING BY NIIN PROCESS. THIS DATA ELEMENT WILL ALSO ACCOMMODATE COUNTS FOR PREVIOUS YEAR-TO-DATE, CURRENT MONTH AND YEAR-TO-DATE TOTALS.

6255 SCN-PRE-NSN-TOT-REJ — DLSC-SBA — F — 8

SCREENING PREPROCUREMENT NSN TOTAL REJECT

THE TOTAL QUANTITY OF PREPROCUREMENT SCREENING BY NIIN TRANSACTIONS THAT REJECTED.

6256 SCN-PRE-NSN-TOT-RECVD — DLSC-SBA — F — 8

SCREENING PREPROCUREMENT NSN TOTAL RECEIVED

THE TOTAL QUANTITY OF PREPROCUREMENT SCREENING TRANSACTIONS RECEIVED.

6257 FIIG-TOT-INPUT — DLSC-SB — F — 8

FIIG TOTAL INPUT

TOTAL QUANTITY OF TRANSACTIONS RECEIVED BY FIIG FOR A NIIN ASSIGNMENT, REINSTATEMENT OR CHANGE FOR A MONTH.

6258 FIIG-TOT-MTCH — DLSC-SBA — F — 8

FIIG TOTAL MATCH

TOTAL QUANTITY OF ACTUAL OR POSSIBLE MATCHES BY FIIG FOR A WEEK.

6259 FIIG-TOT-P-MTCH — DLSC-SB — F — 8

FIIG TOTAL POSSIBLE MATCH

TOTAL QUANTITY OF REQUESTS FOR NIIN ASSIGNMENT, REINSTATEMENT OF FII, REVISION OF FII, REVISION (ADJUSTMENT) OR ADDITION, DELETION OR CHANGE OF REFERENCE NUMBER(S) AND RELATED DATA, OR AN ATTEMPT TO TRANSFER A REFERENCE NUMBER AS RESULT OF CANCEL-DUPLICATION ACTION, REVEALED DURING PROCESSING TO BE A DUPLICATE OF AN EXISTING FII BY FIIG FOR A MONTH.

6260 FIIG-TOT-A-MTCH — DLSC-SB — F — 8

FIIG TOTAL ACTUAL MATCH

TOTAL QUANTITY OF REQUESTS FOR NIIN ASSIGNMENT, REINSTATEMENT OF FII, REVISION OF FII, REVISION (ADJUSTMENT) OF AN FII, TO TRANSFER FII OR ADDITION, DELETION OR CHANGE OF REFERENCE NUMBER(S) AND RELATED DATA, OR AN ATTEMPT TO TRANSFER A REFERENCE NUMBER AS A RESULT OF CANCEL-DUPLICATION ACTION, REVEALED DURING PROCESSING TO BE AN ACTUAL DUPLICATE OF AN EXISTING FII BY FIIG FOR MONTH.

6261 FIIG-TOT-NEW-INPUT — DLSC-SB — F — 8

FIIG TOTAL NEW INPUT

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

TOTAL QUANTITY OF REQUESTS FOR NEW NIIN ASSIGNMENT BY FIIG FOR A MONTH.

6262 FIIG-TOT-NEW-MTCH DLSC-SB F 8
FIIG TOTAL NEW MATCH
TOTAL QUANTITY OF REQUESTS FOR NEW NIIN ASSIGNMENT THAT HAVE ACTUAL OR POSSIBLE MATCHES BY FIIG FOR A MONTH.

6263 FIIG-TOT-MAINT-INPUT DLSC-SB F 8
FIIG TOTAL MAINTENANCE INPUT
TOTAL QUANTITY OF MAINTENANCE INPUT TRANSACTIONS FOR AN INC BY FIIG FOR A MONTH.

6264 FIIG-TOT-MAINT-MTCH DLSC-SB F 8
FIIG TOTAL MAINTENANCE MATCH
TOTAL QUANTITY OF MATCHES OF MAINTENANCE INPUT TRANSACTIONS FOR AN INC BY FIIG FOR A MONTH.

6265 FIIG-TOT-9001-USAGE DLSC-SB F 8
FIIG TOTAL 9001 USAGE
TOTAL QUANTITY OF PAC 9001 (OVERRIDE) ACTIONS RECEIVED ON TRANSACTIONS SUBMITTED BY FIIG FOR A MONTH.

6266 PIR-ACTY-DIC-DEV-PCT-ONE DLSC-SB F 8
PRIORITY INDICATOR CODE ACTIVITY DIC DEVIATION PERCENT ONE
THE PERCENT OF DEVIATION FROM THE ESTABLISHED PIC 1 STANDARD FOR A SPECIFIC DIC FOR A SPECIFIC ACTIVITY.

6267 ID-CAC-CUM-CHG ID_STAT_CNT_6267 DLSC-SB F INTEGER 8
INFO DISSEM CIVIL AGENCY CATALOG CUM CHG QUANTITY
THIS DATA ELEMENT REFLECTS THE CUMULATIVE NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE CIVIL AGENCY CATALOG.

6268 ID-CAC-CUR-CHG ID_STAT_CNT_6268 DLSC-SB F INTEGER 8
INFO DISSEM CIVIL AGENCY CATALOG CUR CHG QUANTITY
THIS DATA ELEMENT REEFLECTS THE CURRENT NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE CIVIL AGNECY CATALOG.

6269 ID-CAC-PCT-CHG DLSC-SB F 8
INFO DISSEM CIVIL AGNECY CATALOG PERCENT CHANGE
THIS DATA ELEMENT REFLECTS THE PERCENTAGE CHANGE IN THE NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE CIVIL AGNECY CATALOG FROM THE LAST ACCUMULATION TO CURRENT TIME PERIOD.

6270 ID-MED-CUM-CHG ID_STAT_CNT_6270 DLSC-SB F INTEGER 8
INFO DISSEM MEDICAL CATALOG CUM CHG QUANTITY
THIS DATA ELEMENT REFLECTS THE CUMULATIVE NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE MEDICAL CATALOG.

6271 ID-MED-CUR-CHG ID_STAT_CNT_6271 DLSC-SB F INTEGER 8
INFO DISSEM MEDICAL CATALOG CUR CHG QUANTITY
THIS DATA ELEMENT REFLECTS THE CURRENT NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE MEDICAL CATALOG.

6272 ID-MED-PCT-CHG DLSC-SB F 8
INFO DISSEM MEDICAL CATALOG PERCENT CHANGE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THIS DATA ELEMENT REFLECTS THE PERCENTAGE CHANGE IN THE NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE MEDICAL CATALOG FROM THE LAST ACCUMULATION TO CURRENT TIME PERIOD.

6273 ID-AMMO-CUM-CHG ID_STAT_CNT_6273 DLSC-SB F INTEGER 8
INFO DISSEM AMMO CATALOG CUM CHG QUANTITY
THIS DATA ELEMENT REFLECTS THE CUMULATIVE NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE AMMO CATALOG.

6274 ID-AMMO-CUR-CHG ID_STAT_CNT_6274 DLSC-SB F INTEGER 8
INFO DISSEM AMMO CATALOG CUR CHG QUANTITY
THIS DATA ELEMENT REFLECTS THE CURRENT NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE AMMO AGENCEY CATALOG.

6275 ID-AMMO-PCT-CHG DLSC-SB F 8
INFO DISSEM AMMO CATALOG PERCENT CHANGE
THIS DATA ELEMENT REFLECTS THE PERCENTAGE CHANGE IN THE NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE AMMO CATALOG FROM THE LAST ACCUMULATION TO CURRENT TIME PERIOD.

6276 ID-IL-CUM-CHG ID_STAT_CNT_6276 DLSC-SB F INTEGER 8
INFO DISSEM IL CUM CHG QUANTITY
THIS DATA ELEMENT REFLECTS THE CUMULATIVE NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE ILS.

6277 ID-IL-CUR-CHG ID_STAT_CNT_6277 DLSC-SB F INTEGER 8
INFO DISSEM IL CUR CHG QUANTITY
THIS DATA ELEMENT REFLECTS THE CURRENT NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE ILS.

6278 ID-IL-PCT-CHG DLSC-SB F 8
INFO DISSEM IL PERCENT CHANGE
THIS DATA ELEMENT REFLECTS THE PERCENTAGE CHANGE IN THE NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR EACH IL FROM THE LAST ACCUMULATION TO CURRENT TIME PERIOD.

6279 ID-FAA-CUM-CHG ID_STAT_CNT_6279 DLSC-SB F INTEGER 8
INFO DISSEM FAA CATALOG CUM CHG QUANTITY
THIS DATA ELEMENT REFLECTS THE CUMULATIVE NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE FAA CATALOG.

6280 ID-FAA-CUR-CHG ID_STAT_CNT_6280 DLSC-SB F INTEGER 8
INFO DISSEM FAA CATALOG CUR CHG QUANTITY
THIS DATA ELEMENT REFLECTS THE CURRENT NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE FAA CATALOG.

6281 ID-FAA-PCT-CHG DLSC-SB F 8
INFO DISSEM FAA CATALOG PERCENT CHANGE
THIS DATA ELEMENT REFLECTS THE PERCENTAGE CHANGE IN THE NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE FAA CATALOG FROM THE LAST ACCUMULATION TO CURRENT TIME PERIOD.

6282 ID-CG-CUM-CHG ID_STAT_CNT_6282 DLSC-SB F INTEGER 8
INFO DISSEM COAST GUARD CATLAOG CUM CHG QUANTITY

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THIS DATA ELEMENT REFLECTS THE CUMULATIVE NUMBER OF DATA ELEMENT CHANGES THAT PERTAINS TO THE NSNS SELECTED FOR THE COAST GUARD CATALOG.

6283 ID-CG-CUR-CHG ID_STAT_CNT_6283 DLSC-SB F INTEGER 8
INFO DISSEM COAST GUARD CATALOG CUR CHG QUANTITY
THIS DATA ELEMENT REFLECTS THE CURRENT NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE COAST GUARD CATALOG.

6284 ID-CG-PCT-CHG DLSC-SB F 8
INFO DISSEM COAST GUARD CATALOG PERCENT CHANGE
THIS DATA ELEMENT REFLECTS THE PERCENTAGE CHANGE IN THE NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE COAST GUARD CATALOG FROM THE LAST ACCUMULATION TO CURRENT TIME PERIOD.

6285 ID-PIIL-CUM-CHG ID_STAT_CNT_6285 DLSC-SB F INTEGER 8
INFO DISSEM PIIL CUM CHG QUANTITY
THIS DATA ELEMENT REFLECTS THE CUMULATIVE NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE PROPRIETARY ITEM IDENTIFICATION LIST.

6286 ID-PIIL-CUR-CHG ID_STAT_CNT_6286 DLSC-SB F INTEGER 8
INFO DISSEM PIIL CATALOG CUR CHG QUANTITY
THIS DATA ELEMENT REFLECTS THE CURRENT NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE PROPRIETARY ITEM IDENTIFICATION LIST.

6287 ID-PIIL-PCT-CHG DLSC-SB F 8
INFO DISSEM PIIL CATALOG PERCENT CHANGE
THIS DATA ELEMENT REFLECTS THE PERCENTAGE CHANGE IN THE NUMBER OF DATA ELEMENT CHANGES THAT PERTAIN TO THE NSNS SELECTED FOR THE PROPRIETARY ITEM IDENTIFICATION LIST FROM THE LAST ACCUMULATION TO CURRENT TIME PERIOD.

6288 ID-UNIT-NBR DLSC-SB F 8
INFO DISSEM PUB UNIT NUMBER
THIS DATA ELEMENT REFLECTS PUBLICATION NUMBER ASSIGNED TO THAT FEDERAL SUPPLY GROUP OR FEDERAL SUPPLY CLASS(S).

6289 ID-INTRO-NBR ID_INTRO_NBR_6289 DLSC-SB F CHAR 8
INFO DISSEM PUB INTRODUCTION NUMBER
THIS DATA ELEMENT REFLECTS THE PUBLICATION INTRODUCTION NUMBER THAT IS ASSIGNED TO THAT PUBLICATION UNIT NUMBER AND PUBLICATION TITLE.

6290 ID-PUB-TITLE DLSC-SB F 8
INFO DISSEM PUBLICATION TITLE
THIS DATA ELEMENT REFLECTS THE PUBLICATION TITLE ASSIGNED TO THAT PUBLICATION UNIT NUMBER AND PUBLICATION INTRODUCTION NUMBER.

6291 M3C2-FSC-D-AT-AIN-P DLSC-SBA F 8
M3C2 FSC DEPARTMENT ACTIVITY AIN PERCENT
THE PERCENTAGE OF NSNS WITH APPROVED ITEM NAMES FOR AN ACTIVITY WITHIN A DEPARTMENT, WITH AN FSC.

6292 M3C2-FSC-D-AT-RN M3C2_STAT_CNT_6292 DLSC-SBA F INTEGER 8
M3C2 FSC DEPARTMENT ACTIVITY REFERENCE NUMBER

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE ACTIVITY TOTAL COUNT OF REFERENCE NUMBERS AGAINST NSNS WITHIN A DEPARTMENT, WITHIN AN FSC. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIG A239 ITEMS WITH INC 77777 ARE EXCLUDED.

6293 M3C2-FSC-D-AT-RN-G M3C2_STAT_CNT_6293 DLSC-SBA F 8
M3C2 FSC DEPARTMENT ACTIVITY REFERENCE NUMBER GOAL
THE ESTABLISHED GOAL PERCENT FOR REFERENCE NUMBERS PER NSN FOR AN ACTIVITY WITHIN A DEPARTMENT, WITHIN AN FSC.

6294 M3C2-FSC-D-AT-RN-R DLSC-SBA F 8
M3C2 FSC DEPARTMENT ACTIVITY REFERENCE NUMBER RATIO
THE ACTUAL REFERENCE NUMBER TO NSN RATIO FOR AN ACTIVITY WITHIN A DEPARTMENT, WITHIN AN FSC.

6295 M3C2-FSC-D-AT-LOA-MG M3C2_STAT_CNT_6295 DLSC-SBA F INTEGER 8
M3C2 FSC DEPARTMENT ACTIVITY LOA MANAGED
THE ACTIVITY LOA TOTAL NSN COUNT WITHIN A DEPARTMENT, WITHIN AN FSC. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIG A239 ITEMS WITH INC 77777 ARE EXCLUDED.

6296 M3C2-FSC-D-AT-LOA-DM-G M3C2_STAT_CNT_6296 DLSC-SBA F 8
M3C2 FSC DEPARTMENT ACTIVITY LOA DESCRIPTIVE METHOD GOAL
THE ESTABLISHED GOAL PERCENTAGE FOR DESCRIPTIVE METHOD NSNS FOR AN ACTIVITY LOA WITHIN A DEPARTMENT, WITHIN AN FSC.

6297 M3C2-FSC-D-AT-LOA-DM-P DLSC-SBA F 8
M3C2 FSC DEPARTMENT ACTIVITY LOA DESCRIPTIVE METHOD PERCENT
THE PERCENTAGE OF DESCRIPTIVE METHOD NSNS FOR AN ACTIVITY LOA WITHIN A DEPARTMENT, WITHIN AN FSC.

6298 M3C2-FSC-D-AT-LOA-AIN M3C2_STAT_CNT_6298 DLSC-SBA F INTEGER 8
M3C2 FSC DEPARTMENT ACTIVITY LOA AIN
THE ACTIVITY LOA TOTAL COUNT OF NSNS WITH APPROVED ITEM NAMES WITHIN A DEPARTMENT, WITHIN AN FSC. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIG A239 ITEMS WITH INC 77777 ARE EXCLUDED.

6299 M3C2-FSC-D-AT-LOA-AIN-G M3C2_STAT_CNT_6299 DLSC-SBA F 8
M3C2 FSC DEPARTMENT ACTIVITY LOA AIN GOAL
THE ESTABLISHED GOAL PERCENTAGE FOR NSNS WITH APPROVED ITEM NAMES FOR AN ACTIVITY LOA WITHIN A DEPARTMENT, WITHIN AN FSC.

6300 M3C2-FSC-D-AT-LOA-AIN-P DLSC-SBA F 8
M3C2 FSC DEPARTMENT ACTIVITY LOA AIN PERCENT
THE PERCENTAGE OF NSNS WITH APPROVED ITEM NAMES FOR AN ACTIVITY LOA WITHIN A DEPARTMENT, WITHIN AN FSC.

6301 M3C2-FSC-D-AT-LOA-RN M3C2_STAT_CNT_6301 DLSC-SBA F INTEGER 8
M3C2 FSC DEPARTMENT ACTIVITY LOA REFERENCE NUMBER
THE ACTIVITY LOA TOTAL COUNT OF REFERENCE NUMBERS AGAINST NSNS WITHIN A DEPARTMENT, WITHIN AN FSC. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIG A239 ITEMS WITH INC 77777 ARE EXCLUDED.

6302 M3C2-FSC-D-AT-LOA-RN-G M3C2_STAT_CNT_6302 DLSC-SBA F 8
M3C2 FSC DEPARTMENT ACTIVITY LOA REFERENCE NUMBER GOAL
THE ESTABLISHED GOAL PERCENT FOR REFERENCE NUMBER PER NSN FOR AN ACTIVITY LOA WITHIN A DEPARTMENT, WITHIN AN FSC.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6303 M3C2-FSC-D-AT-LOA-RN-R DLSC-SBA F 8
M3C2 FSC DEPARTMENT ACTIVITY LOA REFERENCE NUMBER RATIO
THE ACTUAL REFERENCE NUMBER TO NSN RATIO FOR AN ACTIVITY LOA WITHIN A DEPARTMENT, WITHIN AN FSC.

6304 M3D-D-MG M3D_STAT_CNT_6304 DLSC-SBA F INTEGER 8
M3D DEPARTMENT MANAGED
THE DEPARTMENT TOTAL PICS/SICA NSN COUNT. FIIG A239 ITEMS WITH INC 77777 ARE EXCLUDED.

6305 M3D-D-DM M3D_STAT_CNT_6305 DLSC-SBA F INTEGER 8
M3D DEPARTMENT DESCRIPTIVE METHOD
THE DEPARTMENT TOTAL PICA/SICA NSN COUNT WITH DESCRIPTIVE METHOD ITEM IDENTIFICATION. FIIG A239 ITEMS WITH INC 77777 ARE EXCLUDED.

6306 M3D-D-DM-G M3D_STAT_CNT_6306 DLSC-SBA F 8
M3D DEPARTMENT DESCRIPTIVE METHOD GOAL
THE ESTABLISHED GOAL PERCENTAGE FOR DESCRIPTIVE METHOD PICA/SICA NSNS FOR THE DEPARTMENT.

6307 M3D-D-DM-DIF DLSC-SBA F 8
M3D DEPARTMENT DESCRIPTIVE METHOD DIFFERENCE
THE DIFFERENCE BETWEEN THE DESCRIPTIVE METHOD GOAL PERCENT AND THE ACTUAL PERCENTAGE OF DESCRIPTIVE METHOD PICA/SICA NSNS FOR THE DEPARTMENT.

6308 M3D-D-AIN M3D_STAT_CNT_6308 DLSC-SBA F INTEGER 8
M3D DEPARTMENT AIN
THE DEPARTMENT TOTAL COUNT OF PICA/SICA NSNS WITH APPROVED ITEM NAMES. FIIG A239 ITEMS WITH INC 77777 ARE EXCLUDED.

6309 M3D-D-AIN-G M3D_STAT_CNT_6309 DLSC-SBA F 8
M3D DEPARTMENT AIN GOAL
THE ESTABLISHED GOAL PERCENTAGE FOR PICA/SICA NSNS WITH APPROVED ITEM NAMES FOR THE DEPARTMENT.

6310 M3D-D-AIN-P DLSC-SBA F 8
M3D DEPARTMENT AIN PERCENT
THE PERCENTAGE OF PICA/SICA NSNS WITH APPROVED ITEM NAMES FOR THE DEPARTMENT.

6311 M3D-D-AIN-DIF DLSC-SBA F 8
M3D DEPARTMENT AIN DIFFERENCE
THE DIFFERENCE BETWEEN THE APPROVED ITEM NAME GOAL PERCENT AND THE ACTUAL PERCENTAGE OF APPROVED ITEM NAMES FOR PICA/SICA NSNS FOR THE DEPARTMENT.

6312 M3D-D-RN M3D_STAT_CNT_6312 DLSC-SBA F INTEGER 8
M3D DEPARTMENT REFERENCE NUMBER
THE DEPARTMENT TOTAL COUNT OF REFERENCE NUMBERS AGAINST PICA/SICA NSNS. FIIG A239 ITEMS WITH INC 77777 ARE EXCLUDED.

6313 M3D-D-RN-G M3D_STAT_CNT_6313 DLSC-SBA F 8
M3D DEPARTMENT REFERENCE NUMBER GOAL
THE ESTABLISHED PICA/SICA GOAL PERCENT FOR REFERENCE NUMBERS PER NSN FOR THE DEPARTMENT.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6314 M3D-D-RN-R — DLSC-SBA — F — 8
M3D DEPARTMENT REFERENCE NUMBER RATIO
THE ACTUAL PICA/SICA REFERENCE NUMBER TO NSN RATIO FOR THE DEPARTMENT.

6315 M3D-D-RN-DIF — DLSC-SBA — F — 8
M3D DEPARTMENT REFERENCE NUMBER DIFFERENCE
THE DIFFERENCE BETWEEN THE PICA/SICA REFERENCE NUMBER GOAL RATIO AND THE ACTUAL REFERENCE NUMBER TO NSN RATIO FOR THE DEPARTMENT.

6316 M3D-D-FSC-MG — DLSC-SB — 8
M3D DEPARTMENT FSC MANAGED

6317 M3D-D-FSC-DM — DLSC-SB — 8
M3D DEPARTMENT FSC DESCRIPTIVE METHOD

6318 M3D-D-FSC-DM-G — M3D_STAT_CNT_6318 — DLSC-SBA — F — INTEGER — 8
M3D DEPARTMENT FSC DESCRIPTIVE METHOD GOAL
THE ESTABLISHED PICA/SICA GOAL PERCENTAGE FOR DESCRIPTIVE METHOD NSNS FOR AN FSC WITHIN A DEPARTMENT.

6319 M3D-D-FSC-DM-P — DLSC-SBA — F — 8
M3D DEPARTMENT FSC DESCRIPTIVE METHOD PERCENT
THE PERCENTAGE OF DESCRIPTIVE METHOD PICA/SICA NSNS FOR AN FSC WITHIN A DEPARTMENT.

6320 M3D-D-FSC-DM-DIF — DLSC-SBA — F — 8
M3D DEPARTMENT FSC DESCRIPTIVE METHOD DIFFERENCE
THE DIFFERENCE BETWEEN THE DESCRIPTIVE METHOD GOAL PERCENT AND THE ACTUAL PERCENTAGE OF DESCRIPTIVE METHOD PICA/SICA NSNS FOR AN FSC WITHIN A DEPARTMENT.

6321 M3D-D-FSC-AIN — DLSC-SB — 8
M3D DEPARTMENT FSC AIN

6322 M3D-D-FSC-AIN-G — M3D_STAT_CNT_6322 — DLSC-SBA — F — INTEGER — 8
M3D DEPARTMENT FSC AIN GOAL
THE FSC PICA/SICA ESTABLISHED GOAL PERCENTAGE FOR NSNS WITH APPROVED ITEM NAMES WITHIN A DEPARTMENT.

6323 M3D-D-FSC-AIN-P — DLSC-SBA — F — 8
M3D DEPARTMENT FSC AIN PERCENT
THE FSC PICA/SICA PERCENTAGE OF NSNS WITH APPROVED ITEM NAMES WITHIN A DEPARTMENT.

6324 M3D-D-FSC-AIN-DIF — DLSC-SBA — F — 8
M3D DEPARTMENT FSC AIN DIFFERENCE
THE FSC PICA/SICA DIFFERENCE BETWEEN THE APPROVED ITEM NAME GOAL PERCENT AND THE ACTUAL PERCENTAGE OF APPROVED ITEM NAMES FOR NSNS WITHIN THE DEPARTMENT.

6325 M3D-D-FSC-RN — DLSC-SB — 8
M3D DEPARTMENT FSC REFERENCE NUMBER

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6326 M3D-D-FSC-RN-G M3D_STAT_CNT_6326 DLSC-SBA F INTEGER 8
M3D DEPARTMENT FSC REFERENCE NUMBER GOAL
THE FSC PICA/SICA ESTABLISHED PERCENTAGE FOR REFERENCE NUMBERS PER NSN WITHIN A DEPARTMENT.

6327 M3D-D-FSC-RN-R DLSC-SBA F 8
M3D DEPARTMENT FSC REFERENCE NUMBER RATIO
THE FSC PICA/SICA ACTUAL REFERENCE NUMBER TO NSN RATIO FOR NSNS WITHIN A DEPARTMENT.

6328 M3D-D-FSC-RN-DIF DLSC-SBA F 8
M3D DEPARTMENT FSC REFERENCE NUMBER DIFFERENCE
THE FSC PICA/SICA DIFFERENCE BETWEEN THE REFERENCE NUMBER GOAL RATIO AND THE ACTUAL REFERENCE NUMBER TO NSN RATIO FOR NSNS WITHIN THE DEPARTMENT.

6329 M3D-D-FSC-AT-MG M3D_STAT_CNT_6329 DLSC-SBA F INTEGER 8
M3D DEPARTMENT FSC ACTIVITY MANAGED
THE FSC PICA/SICA ACTIVITY NSN COUNT WITHIN A DEPARTMENT. FIIG A239 ITEMS WITH INC 77777 ARE EXCLUDED.

6330 M3D-D-FSC-AT-DM M3D_STAT_CNT_6330 DLSC-SBA F INTEGER 8
M3D DEPARTMENT FSC ACTIVITY DESCRIPTIVE METHOD
THE FSC PICA/SICA ACTIVITY TOTAL NSN COUNT WITH DESCRIPTIVE METHOD ITEM IDENTIFICATION WITHIN A DEPARTMENT. FIIG A239 ITEMS WITH INC 77777 ARE EXCLUDED.

6331 M3D-D-FSC-AT-DM-G M3D_STAT_CNT_6331 DLSC-SBA F INTEGER 8
M3D DEPARTMENT FSC ACTIVITY DESCRIPTIVE METHOD GOAL
THE FSC PICA/SICA ESTABLISHED GOAL PERCENTAGE FOR DESCRIPTIVE METHOD NSNS WITHIN A DEPARTMENT.

6332 M3D-D-FSC-AT-DM-P DLSC-SBA F 8
M3D DEPARTMENT FSC ACTIVITY DESCRIPTIVE METHOD PERCENT
THE FSC PICA/SICA ACTIVITY PERCENTAGE OF DESCRIPTIVE METHOD NSNS WITHIN A DEPARTMENT.

6333 M3D-D-FSC-AT-DM-DIF DLSC-SBA F 8
M3D DEPARTMENT FSC ACTIVITY DESCRIPTIVE METHOD DIFFERENCE
THE FSC PICA/SICA ACTIVITY DIFFERENCE BETWEEN THE DESCRIPTIVE METHOD GOAL AND THE ACTUAL PERCENTAGE OF DESCRIPTIVE METHOD NSNS WITHIN THE DEPARTMENT.

6334 M3D-D-FSC-AT-AIN M3D_STAT_CNT_6334 DLSC-SBA F INTEGER 8
M3D DEPARTMENT FSC ACTIVITY AIN
THE FSC PICA/SICA ACTIVITY TOTAL COUNT OF NSNS WITH APPROVED ITEM NAMES WITHIN A DEPARTMENT. FIIG A239 ITEMS WITH INC 77777 ARE EXCLUDED.

6335 M3D-D-FSC-AT-AIN-G M3D_STAT_CNT_6335 DLSC-SBA F INTEGER 8
M3D DEPARTMENT FSC ACTIVITY AIN GOAL
THE FSC PICA/SICA ACTIVITY ESTABLISHED GOAL PERCENTAGE FOR NSNS WITHIN A DEPARTMENT.

6336 M3D-D-FSC-AT-AIN-P DLSC-SBA F 8
M3D DEPARTMENT FSC ACTIVITY AIN PERCENT
THE FSC PICA/SICA ACTIVITY PERCENTAGE OF NSNS WITH APPROVED ITEM NAMES WITHIN A DEPARTMENT.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6337 M3D-D-FSC-AT-AIN-DIF — DLSC-SBA — F — 8
M3D DEPARTMENT FSC ACTIVITY AIN DIFFERENCE
THE FSC PICA/SICA ACTIVITY DIFFERENCE BETWEEN THE APPROVED ITEM NAME GOAL PERCENT AND THE ACTUAL PERCENTAGE OF APPROVED ITEM NAMES WITHIN THE DEPARTMENT.

6338 M3D-D-FSC-AT-RN — M3D_STAT_CNT_6338 — DLSC-SBA — F — INTEGER — 8
M3D DEPARTMENT FSC ACTIVITY REFERENCE NUMBER
THE FSC PICA/SICA ACTIVITY TOTAL COUNT OF REFERENCE NUMBERS AGAINST NSNS WITHIN A DEPARTMENT. FIIG A239 ITEMS WITH INC 77777 ARE EXCLUDED.

6339 M3D-D-FSC-AT-RN-G — M3D_STAT_CNT_6339 — DLSC-SBA — F — 8
M3D DEPARTMENT FSC ACTIVITY REFERENCE NUMBER GOAL
THE FSC PICA/SICA ACTIVITY ESTABLISHED GOAL PERCENT FOR REFERENCE NUMBERS PER NSN FOR NSNS WITHIN A DEPARTMENT.

6340 M3D-D-FSC-AT-RN-R — DLSC-SBA — F — 8
M3D DEPARTMENT FSC ACTIVITY REFERENCE NUMBER RATIO
THE FSC PICA/SICA ACTIVITY ACTUAL REFERENCE NUMBER TO NSN RATIO FOR NSNS WITHIN A DEPARTMENT.

6341 M3D-D-FSC-AT-RN-DIF — DLSC-SBA — F — 8
M3D DEPARTMENT FSC ACTIVITY REFERENCE NUMBER DIFFERENCE
THE FSC PICA/SICA ACTIVITY DIFFERENCE BETWEEN THE REFERENCE NUMBER GOAL RATIO AND THE ACTUAL REFERENCE NUMBER TO NSN RATIO FOR NSNS WITHIN A DEPARTMENT.

6342 M3E-FSC-D-MG — M3E_STAT_CNT_6342 — DLSC-SBA — F — INTEGER — 8
M3E FSC DEPARTMENT MANAGED
THE DEPARTMENT PICA/SICA TOTAL NSN COUNT WITHIN AN FSC. FIIG A239 ITEMS WITH INC 77777 ARE EXCLUDED.

6343 M3E-FSC-D-DM — M3E_STAT_CNT_6343 — DLSC-SBA — F — INTEGER — 8
M3E FSC DEPARTMENT DESCRIPTIVE METHOD
THE DEPARTMENT PICA/SICA TOTAL NSN COUNT WITH DESCRIPTIVE METHOD ITEM IDENTIFICATION FOR NSNS WITHIN AN FSC. FIIG A239 ITEMS WITH INC 77777 ARE EXCLUDED.

6344 M3E-FSC-D-DM-G — M3E_STAT_CNT_6344 — DLSC-SBA — F — 8
M3E FSC DEPARTMENT DESCRIPTIVE METHOD GOAL
THE DEPARTMENT PICA/SICA ESTABLISHED GOAL PERCENTAGE FOR DESCRIPTIVE METHOD NSNS WITHIN AN FSC.

6345 M3E-FSC-D-DM-P — DLSC-SBA — F — 8
M3E FSC DEPARTMENT DESCRIPTIVE METHOD PERCENT
THE DEPARTMENT PICA/SICA PERCENTAGE OF DESCRIPTIVE METHOD NSNS WITHIN AN FSC.

6346 M3E-FSC-D-AIN — M3E_STAT_CNT_6346 — DLSC-SBA — F — INTEGER — 8
M3E FSC DEPARTMENT AIN
THE DEPARTMENT PICA/SICA TOTAL COUNT OF NSNS WITH APPROVED ITEM NAMES WITHIN AN FSC. FIIG A239 ITEMS WITH INC 77777 ARE EXCLUDED.

6347 M3E-FSC-D-AIN-G — M3E_STAT_CNT_6347 — DLSC-SBA — F — 8
M3E FSC DEPARTMENT AIN GOAL

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE DEPARTMENT PICA/SICA ESTABLISHED GOAL PERCENTAGE FOR NSNS WITH APPROVED ITEM NAMES WITHIN AN FSC.

6348 M3E-FSC-D-AIN-P DLSC-SBA F 8
M3D FSC DEPARTMENT AIN PERCENT
THE DEPARTMENT PICA/SICA PERCENTAGE OF NSNS WITH APPROVED ITEM NAMES WITHIN AN FSC.

6349 M3E-FSC-D-RN M3E_STAT_CNT_6349 DLSC-SBA F INTEGER 8
M3E FSC DEPARTMENT REFERENCE NUMBER
THE DEPARTMENT PICA/SICA TOTAL COUNT OF REFERENCE NUMBER AGAINST NSNS WITHIN AN FSC. FIIG A239 ITESM WITH INC 77777 ARE EXCLUDED.

6350 M3E-FSC-D-RN-G M3E_STAT_CNT_6350 DLSC-SBA F 8
M3E FSC DEPARTMENT REFERENCE NUMBER GOAL
THE DEPARTMENT PICA/SICA ESTABLISHED GOAL PERCENT FOR REFERENCE NUMBERS PER NSN WITHIN AN FSC.

6351 AMC-DP-ACC-MVMT-TOT-NSN DLSC-SBA F 8
AMC DEPARTMENT ALL COMMODITY CATEGORIES MOVEMENT TOT NSN
THE TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT WITHIN THE COMMODITY CATEGORIES THAT THE ACQUISITION METHOD CODE HAS BEEN CHANGED.

6352 AMC-DP-ACC-CD-TO-TOT-NSN DLSC-SBA F 8
AMC DEPARTMENT ALL COMMODITY CATEGORY CODE TO TOTAL NSN
THE TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT WITHIN THE COMMODITY CATEGORIES THAT THE ACQUISITION METHOD CODE HAS BEEN CHANGED.

6353 AMC-DP-ACC-MVMT-NSN DLSC-SBA F 8
AMC DEPARTMENT ALL COMMODITY CATEGORIES MOVEMENT NSN
THE QUANTITY OF NSNS MANAGED BY A DEPARTMENT WITHIN THE COMMODITY CATEGORIES THAT REPRESENTS WHAT ACQUISITION METHOD CODE THE NSN WAS CHANGED FROM AND WHAT IT WAS CHANGED TO.

6354 AMC-DP-CC-BBAL-TOT-NSN DLSC-SBA F 8
AMC DEPARTMENT COMMODITY CATEGORY BEGINNING BALANCE TOT NSN
THE TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT AT THE BEGINNING OF A REPORTING PERIOD WITHIN A SPECIFIC COMMODITY CATEGORY.

6355 AMC-DP-CC-BBAL-NSN AMC_STAT_CNT_6355 DLSC-SBA F INTEGER 8
AMC DEPARTMENT COMMODITY CATEGORY BEGINNING BALANCE NSN
THE TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT AT THE BEGINNING OF REPORTING PERIOD WITH A SPECIFIC COMMODITY CATEGORY WITH A SPECIFIC ACQUISITION METHOD CODE.

6356 AMC-DP-CC-ADDS-TOT-NSN DLSC-SBA F 8
AMC DEPARTMENT COMMODITY CATEGORY ADDS TOTAL NSN
THE TOTAL QUANTITY OF NEW OR TRANSFERRED IN NSNS MANAGED BY A DEPARTMENT WITHIN A SPECIFIC COMMODITY CATEGORY.

6357 AMC-DP-CC-ADDS-NSN AMC_STAT_CNT_6357 DLSC-SBA F INTEGER 8
AMC DEPARTMENT COMMODITY CATEGORY ADDS NSN
THE TOTAL QUANTITY OF NEW OR TRANSFERRED IN NSNS MANAGED BY A DEPARTMENT WITHIN A SPECIFIC COMMODITY CATEGORY WITH A SPECIFIC ACQUISITION METHOD CODE.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6358 AMC-DP-CC-DLTS-TOT-NSN DLSC-SBA F 8
AMC DEPARTMENT COMMODITY CATEGORY DELETES TOTAL NSN
THE TOTAL QUANTITY OF DELETIONS AND TRANSFERRED OUT NSNS MANAGED BY A DEPARTMENT WITHIN A SPECIFIC COMMODITY CATEGORY.

6359 AMC-DP-CC-DLTS-NSN AMC_STAT_CNT_6359 DLSC-SBA F INTEGER 8
AMC DEPARTMENT COMMODITY CATEGORY DELETES NSN
THE TOTAL QUANTITY OF DELETIONS AND TRANSFERRED OUT NSNS MANAGED BY A DEPARTMENT WITHIN A SPECIFIC COMMODITY CATEGORY WITH A SPECIFIC ACQUISITION METHOD CODE.

6360 AMC-DP-CC-MVMT-TOT-NSN DLSC-SBA F 8
AMC DEPARTMENT COMMODITY CATEGORY MOVEMENT TOTAL NSN
THE TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT WITHIN A SPECIFIC COMMODITY CATEGORY THAT THE ACQUISITION METHOD CODE HAS BEEN CHANGED.

6361 AMC-DP-CC-CD-TO-TOT-NSN DLSC-SBA F 8
AMC DEPARTMENT COMMODITY CATEGORY CODE TO TOTAL NSN
THE TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT WITHIN A SPECIFIC COMMODITY CATEGORY THAT THE ACQUISITION METHOD CODE HAS BEEN CHANGED TO.

6362 AMC-DP-CC-CD-FR-NSN DLSC-SBA F INTEGER 8
AMC DEPARTMENT COMMODITY CATEGORY CODE FROM NSN
THE TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT WITHIN A SPECIFIC COMMODITY CATEGORY THAT THE ACQUISITION METHOD CODE WAS CHANGED FROM.

6363 AMC-DP-CC-MVMT-NSN AMC_STAT_CNT_6363 DLSC-SBA F INTEGER 8
AMC DEPARTMENT COMMODITY CATEGORY MOVEMENT NSN
THE QUANTITY OF NSNS MANAGED BY A DEPARTMENT WITHIN A SPECIFIC COMMODITY CATEGORY THAT REPRESENTS WHAT ACQUISITION METHOD CODE THE NSN WAS CHANGED FROM AND WHAT IT WAS CHANGED TO.

6364 AMC-DP-CC-EBAL-TOT-NSN DLSC-SBA F 8
AMC DEPARTMENT COMMODITY CATEGORY ENDING BALANCE TOTAL NSN
THE TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT AT THE END OF A REPORTING PERIOD WITHIN A SPECIFIC COMMODITY CATEGORY.

6365 AMC-DP-CC-AMC-TOT-NSN AMSC_STAT_TOT_6365 DLSC-SBA F INTEGER 8
AMC DEPARTMENT COMMODITY CATEGORY AMC TOTAL NSN
THE TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT AT THE END OF A REPORTING PERIOD WITHIN A SPECIFIC COMMODITY CATEGORY WITH A SPECIFIC ACQUISITION METHOD CODE.

6366 AMC-DP-ACC-BBAL-TOT-NSN DLSC-SBA F 8
AMC DEPARTMENT ALL COMMODITY CATEGORIES BEGIN BALANCE TOT NS
THE TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT AT THE BEGINNING OF A REPORTING PERIOD WITHIN THE COMMODITY CATEGORIES.

6367 AMC-DP-ACC-BBAL-NSN AMSC_STAT_TOT_6367 DLSC-SBA F INTEGER 8
AMC DEPARTMENT ALL COMMODITY CATEGORIES BEGIN BALANCE NSN
THE TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT AT THE BEGINNING OF A REPORTING PERIOD WITHIN THE COMMODITY CATEGORIES WITH A SPECIFIC ACQUISITION METHOD CODE.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6368 AMC-AT-ACC-CD-TO-TOT-NSN DLSC-SBA F 8
AMC ACTIVITY ALL COMMODITY CATEGORY CODE TO TOTAL NSN
THE TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT WITHIN THE COMMODITY CATEGORIES THAT THE ACQUISITION METHOD CODE HAS BEEN CHANGED TO.

6369 AMC-AT-ACC-MVMT-NSN DLSC-SBA F 8
AMC ACTIVITY ALL COMMODITY CATEGORY CODE MOVEMENT NSN
THE QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT WITHIN THE COMMODITY CATEGORIES THAT REPRESENTS WHAT ACQUISITION METHOD CODE THE NSN WAS CHANGED FROM AND WHAT IT WAS CHANGED TO.

6370 AMC-AT-CC-BBAL-TOT-NSN DLSC-SBA F 8
AMC ACTIVITY COMMODITY CATEGORY BEGINNING BALANCE TOTAL NSN
THE TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT AT THE BEGINNING OF A REPORTING PERIOD WITHIN A SPECIFIC COMMODITY CATEGORY.

6371 AMC-AT-CC-BBAL-NSN AMC_STAT_CNT_6371 DLSC-SBA F INTEGER 8
AMC ACTIVITY COMMODITY CATEGORY BEGINNING BALANCE NSN
THE TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT AT THE BEGINNING OF REPORTING PERIOD WITH A SPECIFIC COMMODITY CATEGORY WITH A SPECIFIC ACQUISITION METHOD CODE.

6372 AMC-AT-CC-ADDS-TOT-NSN DLSC-SBA F 8
AMC ACTIVITY COMMODITY CATEGORY ADDS TOTAL NSN
THE TOTAL QUANTITY OF NEW OR TRANSFERRED IN NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT WITHIN A SPECIFIC COMMODITY CATEGORY.

6373 AMC-AT-CC-ADDS-NSN AMC_STAT_CNT_6373 DLSC-SBA F INTEGER 8
AMC ACTIVITY COMMODITY CATEGORY ADDS NSN
THE TOTAL QUANTITY OF NEW OR TRANSFERRED IN NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT WITHIN A SPECIFIC COMMODITY CATEGORY WITH A SPECIFIC ACQUISITION METHOD CODE.

6374 AMC-DP-ACC-ADDS-TOT-NSN DLSC-SBA F 8
AMC DEPARTMENT ALL COMMODITY CATEGORIES ADD TOTAL NSN
THE TOTAL QUANTITY OF NEW OR TRANSFERRED IN NSNS MANAGED BY A DEPARTMENT WITHIN THE COMMODITY CATEGORIES.

6375 AMC-DP-ACC-ADDS-NSN DLSC-SBA F 8
AMC DEPARTMENT ALL COMMODITY CATEGORIES ADDS NSN
THE TOTAL QUANTITY OF NEW OR TRANSFERRED IN NSNS MANAGED BY A DEPARTMENT WITHIN THE COMMODITY CATEGORIES WITH A SPECIFIC ACQUISITION METHOD CODE.

6376 AMC-AT-CC-DLTS-TOT-NSN DLSC-SBA F 8
AMC ACTIVITY COMMODITY CATEGORY DELETIONS TRANSFERS TOT NSN
THE TOTAL QUANTITY OF DELETIONS AND TRANSFERRED OUT NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT WITHIN A SPECIFIC COMMODITY CATEGORY.

6377 AMC-AT-CC-DLTS-NSN AMC_STAT_CNT_6377 DLSC-SBA F INTEGER 8
AMC ACTIVITY COMMODITY CATEGORY DELETIONS TRANSFERS NSN
THE TOTAL QUANTITY OF DELETIONS AND TRANSFERRED OUT NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT WITHIN A SPECIFIC COMMODITY CATEGORY WITH A SPECIFIC ACQUISITION METHOD CODE.

6378 AMC-AT-CC-MVMT-TOT-NSN DLSC-SBA F 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

AMC ACTIVITY COMMODITY CATEGORY MOVEMENT TOTAL NSN
THE TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT WITHIN A SPECIFIC COMMODITY CATEGORY THAT THE ACQUISITION METHOD CODE HAS BEEN CHANGED TO.

6379 AMC-AT-CC-CD-TO-TOT-NSN DLSC-SBA F 8
AMC ACTIVITY COMMODITY CATEGORY CODE TO TOTAL NSN
THE TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT WITHIN A SPECIFIC COMMODITY CATEGORY THAT THE ACQUISITION METHOD CODE HAS BEEN CHANGED.

6380 AMC-AT-CC-CD-FR-NSN DLSC-SBA F 8
AMC ACTIVITY COMMODITY CATEGORY CODE FROM NSN
THE TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT WITHIN A SPECIFIC COMMODITY CATEGORY THAT THE ACQUISITION METHOD CODE WAS CHANGED FROM.

6381 AMC-AT-CC-MVMT-NSN AMC_STAT_CNT_6381 DLSC-SBA F INTEGER 8
AMC ACTIVITY COMMODITY CATEGORY MOVEMENT NSN
THE QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT WITHIN A SPECIFIC COMMODITY CATEGORY THAT REPRESENTS WHAT ACQUISITION METHOD CODE THE NSN WAS CHANGED FROM AND WHAT IT WAS CHANGED TO.

6382 AMC-DP-ACC-DLTS-TOT-NSN DLSC-SBA F 8
AMC DEPARTMENT ALL COMMODITY CATEGORIES DELETES TOTAL NSN
THE TOTAL QUANTITY OF DELETIONS AND TRANSFERRED OUT NSNS MANAGED BY A DEPARTMENT WITHIN THE COMMODITY CATEGORIES.

6383 AMC-DP-ACC-DLTS-NSN DLSC-SBA F 8
AMC DEPARTMENT ALL COMMODITY CATEGORIES DELETES NSN
THE TOTAL QUANTITY OF DELETIONS AND TRANSFERRED OUT NSNS MANAGED BY A DEPARTMENT WITHIN THE COMMODITY CATEGORIES WITH A SPECIFIC ACQUISITION METHOD CODE.

6384 AMC-AT-CC-EBAL-TOT-NSN DLSC-SBA F 8
AMC ACTIVITY COMMODITY CATEGORY ENDING BALANCE TOTAL NSN
THE TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT AT THE END OF A REPORTING PERIOD WITHIN A SPECIFIC COMMODITY CATEGORY.

6385 AMC-AT-CC-AMC-TOT-NSN AMSC_STAT_TOT_6385 DLSC-SB F INTEGER 8
AMC ACTIVITY COMMODITY CATEGORY AMC TOTAL NSN
THE TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT AT THE END OF A REPORTING PERIOD WITHIN A SPECIFIC COMMODITY CATEGORY WITH A SPECIFIC ACQUISITION METHOD CODE.

6386 AMSC-DP-AT-AMSC-TOT DLSC-SBA F 8
AMSC DEPARTMENT ACTIVITY AMSC TOTAL
THE TOTAL QUANTITY OF MANAGED NSNS FOR A DEPARTMENT AND ACTIVITY THAT HAVE A COMBINATION OF ANY ACQUISITION METHOD CODE AND SPECIFIC ACQUISITION METHOD SUFFIX CODE.

6387 AMSC-DP-AT-AMC-NSN AMC_STAT_CNT_6387 DLSC-SBA F INTEGER 8
AMSC DEPARTMENT ACTIVITY AMC NSN
THE TOTAL QUANTITY MANAGED NSNS FOR A DEPARTMENT AND ACTIVITY THAT HAVE A COMBINATION OF SPECIFIC ACQUISITION METHOD CODE AND SPECIFIC ACQUISITION METHOD SUFFIX CODE.

6388 AMSC-DP-AT-AMC-TOT AMSC_STAT_TOT_6388 DLSC-SBA F CHAR 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

AMSC DEPARTMENT ACTIVITY AMC TOTAL
THE TOTAL QUANTITY OF MANAGED NSNS FOR A DEPARTMENT AND ACTIVITY THAT HAVE A COMBINATION OF SPECIFIC ACQUISITION METHOD CODE AND ANY ACQUISITION METHOD SUFFIX CODE.

6389 AMSC-DP-TOT-NSN DLSC-SBA F 8
AMSC DEPARTMENT TOTAL NSN
THE TOTAL QUANTITY OF MANAGED NSNS FOR A DEPARTMENT THAT HAVE A COMBINATION OF ANY ACQUISITION METHOD CODE AND ANY ACQUISITION METHOD SUFFIX CODES.

6390 DP-CC-CHG-FRM-AMC-4-Q-9 DLSC-SBA F 8
DEPARTMENT COMMODITY CATEGORY CD CHANGE FROM AMC 4 QTY 9
THE NUMBER OF ACQUISITION METHOD CODES CHANGED FROM AMC 4 BY COMMODITY CATEGORY CODE BY DEPARTMENT TO AMC 1, 2, 3 OR 5.

6391 FCS-SAC-NSN DLSC-SBA F 8
FCS SUBMITTING ACTIVITY CODE NSN
QUANTITY OF NSNS IN THE FILE BY THE SUBMITTING ACTIVITY WITH FULL, PARTIAL OR REFERENCE METHOD TYPE ITEM IDENTIFICATION.

6392 FCS-SAC-TII-1-NSN FCS_STAT_CNT_6392 DLSC-SBA F INTEGER 8
FCS SUBMITTING ACTIVITY CODE TYPE II 1 NSN
QUANTITY OF NSNS IN THE FILE BY THE SUBMITTING ACTIVITY WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6393 FCS-SAC-TII-2-NSN FCS_STAT_CNT_6393 DLSC-SBA F INTEGER 8
FCS SUBMITTING ACTIVITY CODE TYPE II 2 NSN
QUANTITY OF NSNS IN THE FILE BY THE SUBMITTING ACTIVITY WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION.

6394 FCS-SAC-TII-4-NSN FCS_STAT_CNT_6394 DLSC-SBA F INTEGER 8
FCS SUBMITTING ACTIVITY CODE TYPE II 4 NSN
QUANTITY OF NSNS IN THE FILE BY THE SUBMITTING ACTIVITY WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6395 FCS-SAC-TII-1-PCT DLSC-SBA F 8
FCS SUBMITTING ACTIVITY CODE TYPE II 1 PERCENT
PERCENT OF NSNS IN THE FILE BY THE SUBMITTING ACTIVITY WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6396 FCS-SAC-TII-2-PCT DLSC-SBA F 8
FCS SUBMITTING ACTIVITY CODE TYPE II 2 PERCENT
PERCENT OF NSNS IN THE FILE BY THE SUBMITTING ACTIVITY WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION.

6397 FCS-SAC-TII-4-PCT DLSC-SBA F 8
FCS SUBMITTING ACTIVITY CODE TYPE II 4 PERCENT
PERCENT OF NSNS IN THE FILE BY THE SUBMITTING ACTIVITY WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6398 AMC-DP-ACC-CD-FR-NSN DLSC-SBA F INTEGER 8
AMC DEPARTMENT ALL COMMODITY CATEGORY CODE FROM NSN
THE TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT WITHIN THE COMMODITY CATEGORIES THAT THE ACQUISITION METHOD CODE WAS CHANGED FROM.

6399 AMSC-DP-AMSC-TOT-NSN DLSC-SBA F 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

AMSC DEPARTMENT AMSC TOTAL NSN
THE TOTAL QUANTITY OF MANAGED NSNS FOR A DEPARTMENT THAT HAVE A COMBINATION OF ANY ACQUISITION METHOD CODE AND SPECIFIC ACQUISITION METHOD SUFFIX CODE.

6400 AMSC-DP-AMC-NSN AMC_STAT_CNT_6400 DLSC-SBA F INTEGER 8
AMSC DEPARTMENT AMC NSN
THE TOTAL QUANTITY OF MANAGED NSNS FOR A DEPARTMENT THAT HAVE A COMBINATION OF SPECIFIC ACQUISITION METHOD CODE AND SPECIFIC ACQUISITION METHOD SUFFIX CODE.

6401 AMSC-DP-AMC-TOT-NSN AMSC_STAT_TOT_6401 DLSC-SBA F CHAR 8
AMSC DEPARTMENT AMC TOTAL NSN
THE TOTAL QUANTITY OF MANAGED NSNS FOR A DEPARTMENT THAT HAVE A COMBINATION OF A SPECIFIC ACQUISITION METHOD CODE AND ANY ACQUISITION METHOD SUFFIX CODE.

6402 FCS-C-SAC-TII-1-NSN FCS_STAT_CNT_6402 DLSC-SBA F INTEGER 8
FCS CURRENT SUBMITTING ACTIVITY CODE TYPE II 1 NSN
QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD BY THE SUBMITTING ACTIVITY WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6403 FCS-C-SAC-TII-2-NSN FCS_STAT_CNT_6403 DLSC-SBA F INTEGER 8
FCS CURRENT SUBMITTING ACTIVITY CODE TYPE II 2 NSN
QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD BY THE SUBMITTING ACTIVITY WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION.

6404 FCS-C-SAC-TII-4-NSN FCS_STAT_CNT_6404 DLSC-SBA F INTEGER 8
FCS CURRENT SUBMITTING ACTIVITY CODE TYPE II 4
QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD BY THE SUBMITTING ACTIVITY WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM

6405 AMC-DP-ACC-EBAL-TOT-NSN DLSC-SBA F 8
AMC DEPARTMENT ALL COMMODITY CATEGORIES ENDING BAL TOTAL NSN
THE TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT AT THE END OF A REPORTING PERIOD WITHIN THE COMMODITY CATEGORIES.

6406 AMC-DP-ACC-AMC-TOT-NSN DLSC-SBA F 8
AMC DEPARTMENT ALL COMMODITY CATEGORIES AMC TOTAL NSN
THE TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT AT THE END OF A REPORTING PERIOD WITHIN THE COMMODITY CATEGORIES WITH A SPECIFIC ACQUISITION METHOD CODE.

6407 FCS-C-SAC-TII-2-PCT DLSC-SBA F 8
FCS CURRENT SUBMITTING ACTIVITY CODE TYPE II 2
PERCENT OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD BY THE SUBMITTING ACTIVITY WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION.

6408 FCS-C-SAC-TII-4-PCT DLSC-SBA F 8
FCS CURRENT SUBMITTING ACTIVITY CODE TYPE II 4
PERCENT OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD BY THE SUBMITTING ACTIVITY WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6409 FCS-SDP-NSN DLSC-SBA F INTEGER 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

FCS SUBMITTING DEPARTMENT NSN
QUANTITY OF NSNS IN THE FILE BY THE SUBMITTING DEPARTMENT WITH FULL, PARTIAL, OR REFERENCE METHOD TYPE ITEM IDENTIFICATION.

6410 FCS-SDP-TII-1-NSN FCS_STAT_CNT_6410 DLSC-SBA F INTEGER 8
FCS SUBMITTING DEPARTMENT TYPE II 1 NSN
QUANTITY OF NSNS IN THE FILE BY THE SUBMITTING DEPARTMENT WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6411 FCS-SDP-TII-2-NSN FCS_STAT_CNT_6411 DLSC-SBA F INTEGER 8
FCS SUBMITTING DEPARTMENT TYPE II 2 NSN
QUANTITY OF NSNS IN THE FILE BY THE SUBMITTING DEPARTMENT WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION.

6412 FCS-SDP-TII-4-NSN FCS_STAT_CNT_6412 DLSC-SBA F INTEGER 8
FCS SUBMITTING DEPARTMENT TYPE II 4 NSN
QUANTITY OF NSNS IN THE FILE BY THE SUBMITTING DEPARTMENT WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6413 AMC-AT-ACC-BBAL-TOT-NSN DLSC-SBA F 8
AMC ACTIVITY ALL COMMODITY CATEGORIES BEGIN BALANCE TOT NSN
THE TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT AT THE BEGINNING OF A REPORTING PERIOD WITHIN THE COMMODITY CATEGORIES.

6414 AMC-AT-ACC-BBAL-NSN AMSC_STAT_TOT_6414 DLSC-SBA F INTEGER 8
AMC ACTIVITY ALL COMMODITY CATEGORIES BEGINNING BALANCE N
THE TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT AT THE BEGINNING OF REPORTING PERIOD WITHIN THE COMMODITY CATEGORIES WITH A SPECIFIC ACQUISITION METHOD CODE.

6415 FCS-SDP-TII-1-PCT DLSC-SBA F 8
FCS SUBMITTING DEPARTMENT TYPE II 1 PERCENT
PERCENT OF NSNS IN THE FILE BY THE SUBMITTING DEPARTMENT WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6416 FCS-SDP-TII-2-PCT DLSC-SBA F 8
FCS SUBMITTING DEPARTMENT TYPE II 2 PERCENT
PERCENT OF NSNS IN THE FILE BY THE SUBMITTING DEPARTMENT WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION.

6417 FCS-SDP-TII-4-PCT DLSC-SBA F 8
FCS SUBMITTING DEPARTMENT TYPE II 4 PERCENT
PERCENT OF NSNS IN THE FILE BY THE SUBMITTING DEPARTMENT WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6418 FCS-C-SDP-NSN DLSC-SBA F INTEGER 8
FCS CURRENT SUBMITING DEPARTMENT NSN
QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD BY THE SUBMITTING DEPARTMENT WITH FULL, PARTIAL OR REFERENCE METHOD TYPE ITEM IDENTIFICATION.

6419 FCS-C-SDP-TII-1-NSN FCS_STAT_CNT_6419 DLSC-SBA F INTEGER 8
FCS CURRENT SUBMITTING DEPARTMENT TYPE II 1 NSN
QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD BY THE SUBMITTING DEPARTMENT WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6420 FCS-C-SDP-TII-2-NSN FCS_STAT_CNT_6420 DLSC-SBA F INTEGER 8
FCS CURRENT SUBMITTING DEPARTMENT TYPE II 2 NSN
QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD BY THE SUBMITTING DEPARTMENT WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION.

6421 AMC-AT-ACC-ADDS-TOT-NSN DLSC-SBA F 8
AMC ACTIVITY ALL COMMODITY CATEGORIES ADDS TOTAL NSN
THE TOTAL QUANTITY OF NEW OR TRANSFERRED IN NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT WITHIN THE COMMODITY CATEGORIES.

6422 AMC-AT-ACC-ADDS-NSN DLSC-SBA F 8
AMC ACTIVITY ALL COMMODITY CATEGORIES ADDS NSN
THE TOTAL QUANTITY OF NEW OR TRANSFERRED IN NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT WITHIN THE COMMODITY CATEGORIES WITH A SPECIFIC ACQUISITION METHOD CODE.

6423 FCS-C-SDP-TII-4-NSN FCS_STAT_CNT_6423 DLSC-SBA F INTEGER 8
FCS CURRENT SUBMITTING DEPARTMENT TYPE II 4 NSN
QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD BY THE SUBMITTING DEPARTMENT WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION

6424 FCS-C-SDP-TII-1-PCT DLSC-SBA F 8
FCS CURRENT SUBMITTING DEPARTMENT TYPE II 1 PERCENT
PERCENT OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD BY THE SUBMITTING DEPARTMENT WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION

6425 FCS-C-SDP-TII-2-PCT DLSC-SBA F 8
FCS CURRENT SUBMITTING DEPARTMENT TYPE II 2 PERCENT
PERCENT OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD BY THE SUBMITTING DEPARTMENT WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION.

6426 FCS-C-SDP-TII-4-PCT DLSC-SBA F 8
FCS CURRENT SUBMITTING DEPARTMENT TYPE II 4 PERCENT
PERCENT OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD BY THE SUBMITTING DEPARTMENT WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6427 AMC-4-19 DLSC-SBA F 8
ACQUISITION METHOD CODE 4
THE QUANTITY OF ACQUISITION METHOD CODE 4 FOR DRN 6422, DEPARTMENT ACTIVITY COMMODITY CATEGORY CODE AMC NEW NSN QUANTITY.

6428 FCS-AIN-SAC-TII-1-NSN FCS_STAT_CNT_6428 DLSC-SBA F INTEGER 8
FCS APPROVED ITEM NAME SUBMITTING ACTIVITY TYPE II 1 NSN
QUANTITY OF NSNS IN THE FILE WITH APPROVED ITEM NAME BY THE SUBMITTING ACTIVITY WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION

6429 AMC-AT-ACC-DLTS-TOT-NSN DLSC-SBA F 8
AMC ACTIVITY ALL COMMODITY CATEGORIES DELETES TOTAL NSN
THE TOTAL QUANTITY OF DELETIONS AND TRANSFERRED OUT NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT WITHIN THE COMMODITY CATEGORIES.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6430 AMC-AT-ACC-DLTS-NSN DLSC-SBA F 8

AMC ACTIVITY ALL COMMODITY CATEGORIES DELETES NSN

THE TOTAL QUANTITY OF DELETIONS AND TRANSFERRED OUT NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT WITHIN THE COMMODITY CATEGORIES WITH A SPECIFIC ACQUISITION METHOD CODE.

6431 FCS-AIN-SAC-TII-2-NSN FCS_STAT_CNT_6431 DLSC-SBA F INTEGER 8

FCS-APPROVED ITEM NAME SUBMITTING ACTIVITY TYPE II 2 NSN

QUANTITY OF NSNS IN THE FILE WITH APPROVED ITEM NAME BY THE SUBMITTING ACTIVITY WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION

6432 FCS-AIN-SAC-TII-4-NSN FCS_STAT_CNT_6432 DLSC-SBA F INTEGER 8

FCS APPROVED ITEM NAME SUBMITTING ACTIVITY TYPE

QUANTITY OF NSN IN THE FILE WITH APPROVED ITEM NAME BY THE SUBMITTING ACTIVITY WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION

6433 FCS-AIN-SAC-TII-1-PCT DLSC-SBA F 8

FCS APPROVED ITEM NAME SUBMITTING ACTIVITY TYPE II 1 PERCENT

PERCENT OF NSNS IN THE FILE WITH APPROVED ITEM NAME BY THE SUBMITTING ACTIVITY WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION

6434 FCS-AIN-SAC-TII-2-PCT DLSC-SBA F 8

FCS APPROVED ITEM NAME SUBMITTING ACTIVITY TYPE II 2 PERCENT

PERCENT OF NSNS IN THE FILE WITH APPROVED ITEM NAME BY THE SUBMITTING ACTIVITY WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION

6435 FCS-AIN-SAC-TII-4-PCT DLSC-SBA F 8

FCS APPROVED ITEM NAME SUBMITTING ACTY TYPE II 4 PERCENT

PERCENT OF NSNS IN THE FILE WITH APPROVED ITEM NAME BY THE SUBMITTING ACTIVITY WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION

6436 AMC-5-20 DLSC-SBA F 8

ACQUISITION METHOD CODE 5

THE QUANTITY OF ACQUISITION METHOD CODE 5 FOR DRN 6430, DEPARTMENT ACTIVITY COMMODITY CATEGORY CODE AMC DELETE QUANTITY.

6437 FCS-C-SAC-TII-1-PCT DLSC-SBA F 8

FCS CURRENT SUBMITTING ACTIVITY CODE TYPE II 1

PERCENT OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD BY THE SUBMITTING ACTIVITY WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICA- TION.

6438 FCS-C-AIN-SAC-TII-1-NSN FCS_STAT_CNT_6438 DLSC-SBA F INTEGER 8

FCS CURRENT APPROVED ITEM NAME SUB ACTIVITY TYPE II 1 NSN

QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH APPROVED ITEM NAME BY THE SUBMITTING ACTIVITY WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION

6439 FCS-C-AIN-SAC-TII-2-NSN FCS_STAT_CNT_6439 DLSC-SBA F INTEGER 8

FCS CURRENT APPROVED ITEM NAME SUB ACTIVITY TYPE II 2 NSN

QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH APPROVED ITEM NAME BY THE SUBMITTING ACTIVITY WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6440 FCS-C-AIN-SAC-TII-4-NSN FCS_STAT_CNT_6440 DLSC-SBA F INTEGER 8
FCS CURRENT APPROVED ITEM NAME SUB ACTIVITY TYPE II 4 NSN
QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH APPROVED ITEM NAME BY THE SUBMITTING ACTIVITY WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION

6441 FCS-C-AIN-SAC-TII-1-PCT DLSC-SBA F 8
FCS CURRENT APPROVED ITEM NAME SUB ACTIVITY TYPE II 1 PCT
PERCENT OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH APPROVED ITEM NAME BY THE SUBMITTING ACTIVITY WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION

6442 FCS-C-AIN-SAC-TII-2-PCT DLSC-SBA F 8
FCS CURRENT APPROVED ITEM NAME SUB ACTIVITY TYPE II 2 PCT
PERCENT OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH AN APPROVED ITEM NAME BY SUBMITTING ACTIVITY WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION.

6443 FCS-C-AIN-SAC-TII-4-PCT DLSC-SBA F 8
FCS CURRENT APPROVED ITEM NAME SUB ACTIVITY TYPE II 4 PCT
PERCENT OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH AN APPROVED ITEM NAME BY THE SUBMITTING ACTIVITY WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6444 TO-AMC-4-7 DLSC-SBA F 8
TO ACQUISITION METHOD CODE 4
TO AMC 4 FOR DRN 6441, DEPARTMENT COMMODITY CATEGORY CODE CHANGE FROM AMC 2 QUANTITY.

6445 FCS-AIN-SDP-TII-1-NSN FCS_STAT_CNT_6445 DLSC-SBA F INTEGER 8
FCS APPROVED ITEM NAME SUBMITTING DEPARTMENT TYPE II 1 NSN
QUANTITY OF NSNS IN THE FILE WITH APPROVED ITEM NAME BY THE SUBMITTING DEPARTMENT WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION

6446 FCS-AIN-SDP-TII-2-NSN FCS_STAT_CNT_6446 DLSC-SBA F INTEGER 8
FCS APPROVED ITEM NAME SUBMITTING DEPARTMENT TYPE II 2 NSN
QUANTITY OF NSNS IN THE FILE WITH APPROVED ITEM NAME BY THE SUBMITTING DEPARTMENT WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION

6447 FCS-AIN-SDP-TII-4-NSN FCS_STAT_CNT_6447 DLSC-SBA F INTEGER 8
FCS APPROVED ITEM NAME SUBMITTING DEPARTMENT TYPE II 4 NSN
QUANTITY OF NSNS IN THD FILE WITH APPROVED ITEM NAME BY THE SUBMITTING DEPARTMENT WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION

6448 FCS-AIN-SDP-TII-1-PCT DLSC-SBA F 8
FCS APPROVED ITEM NAME SUB DEPARTMENT TYPE II 1 PERCENT
PERCENT OF NSNS IN THE FILE WITH APPROVED ITEM NAME BY THE SUBMITTING DEPARTMENT WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION

6449 FCS-AIN-SDP-TII-2-PCT DLSC-SBA F 8
FCS APPROVED ITEM NAME SUB DEPARTMENT TYPE II 2 PERCENT
PERCENT OF NSNS IN THE FILE WITH APPROVED ITEM NAME BY THE SUBMITTING DEPARTMENT WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6450 FCS-AIN-SDP-TII-4-PCT DLSC-SBA F 8
FCS APPROVED ITEM NAME SUBMITTING DEPARTMENT TYPE
PERCENT OF NSNS IN THE FILE WITH APPROVED ITEM NAME BY THE SUBMITTING DEPARTMENT WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6451 AMC-AT-ACC-EBAL-TOT-NSN DLSC-SBA F 8
AMC ACTIVITY ALL COMMODITY CATEGORY ENDING
THE TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT AT THE END OF A REPORTING PERIOD WITHIN THE COMMODITY CATEGORIES.

6452 AMC-AT-ACC-AMC-TOT-NSN DLSC-SBA F 8
AMC ACTIVITY ALL COMMODITY CATEGORY AMC TOTAL NSN
THE TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT AT THE END OF A REPORTING PERIOD WITHIN THE COMMODITY CATEGORIES WITH A SPECIFIC ACQUISITION METHOD CODE.

6453 FCS-C-AIN-SDP-TII-1-NSN FCS_STAT_CNT_6453 DLSC-SBA F INTEGER 8
FSC CURRENT AIN SUBMITTING DEPARTMENT TYPE II 1 NSN
QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH APPROVED ITEM NAME BY THE SUBMITTING DEPARTMENT WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6454 FCS-C-AIN-SDP-TII-2-NSN FCS_STAT_CNT_6454 DLSC-SBA F INTEGER 8
FCS CURRENT AIN SUBMITTING DEPARTMENT TYPE II 2 NSN
QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH APPROVED ITEM NAME BY THE SUBMITTING DEPARTMENT WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION.

6455 FCS-C-AIN-SDP-TII-4-NSN FCS_STAT_CNT_6455 DLSC-SBA F INTEGER 8
FSC CURRENT AIN SUBMITTING DEPARTMENT TYPE II 4 NSN
QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH APPROVED ITEM NAME BY THE SUBMITTING DEPARTMENT WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6456 FCS-C-AIN-SDP-TII-1-PCT DLSC-SBA F 8
FCS CURRENT AIN SUBMITTING DEPARTMENT TYPE II 1 PERCENT
PERCENT OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH APPROVED ITEM NAME BY THE SUBMITTING DEPARTMENT WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6457 FCS-C-AIN-SDP-TII-2-PCT DLSC-SBA F 8
FCS CURRENT AIN SUBMITTING DEPARTMENT TYPE II 2 PERCENT
PERCENT OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH APPROVED ITEM NAME BY THE SUBMITTING DEPARTMENT WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION.

6458 FCS-C-AIN-SDP-TII-4-PCT DLSC-SBA F 8
FCS CURRENT AIN SUBMITTING DEPARTMENT TYPE II 4 PERCENT
PERCENT OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH APPROVED ITEM NAME BY THE SUBMITTING DEPARTMENT WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6459 MIM-FSC-LOA-D-MMNSN-QC1C DLSC-SBA F 8
MILSTRIP ROUTING INDICATOR

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A DATA CHAIN OF SOURCE OF SUPPLY CODES UTILIZED IN THE ROUTING OF MILITARY STANDARD REQUISITIONING AND ISSUE PROCEDURES (MILSTRIP) REQUISITIONS. POSITIONS 1-3 EQUALS INTEGRATED MATERIEL MANAGER SOURCE OF SUPPLY (SOS): 4 EQUALS ACTIVE OR INACTIVE: 5-7 EQUALS ARMY SOS: 8 EQUALS FILLER: 9-11 EQUALS AIR FORCE SOS: 12 FILLER: 13-15 EQUALS NAVY SOS: 16-17 EQUALS NAVY SPECIAL SOS: 18 FILLER. POSITION 4 WILL CONTAIN AN I IF THE SOS IS INACTIVE: BLANK INDICATES ACTIVE.

6460 ICDD-IM-ALL-LC-MS-IM-OD ICDD_STAT_CNT_6460 DLSC-SBA F INTEGER 8

ICDD INTEGRATED MGR ALL LOA COMB MIL SVC IM OTHER DOD

THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES WITH A LOA CODE COMBINATION THAT REFLECTS MULTIPLE MANAGEMENT BY MILITARY SERVICES, INTEGRATED MANAGER AND OTHER DOD.

6461 ICDD-IM-ALL-LC-MS-IM ICDD_STAT_CNT_6461 DLSC-SBA F INTEGER 8

ICDD INTEGRATED MANAGER ALL LOA COMBINATION MIL SVC IM

THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES WITH A LOA CODE COMBINATION THAT REFLECTS MULTIPLE MANAGEMENT BY MILITARY SERVICES, INTEGRATED MANAGER AND OTHER DOD.

6462 ICDD-IM-ALL-LC-MS-OD ICDD_STAT_CNT_6462 DLSC-SBA F INTEGER 8

ICDD INTEGRATED MGR ALL LOA COMBINATION MIL SVC OTHER DOD

THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES WITH A LOA CODE COMBINATION THAT REFLECTS MULTIPLE MANAGEMENT BY MILITARY SERVICES AND OTHER DOD.

6463 ICDD-IM-ALL-LC-MS ICDD_STAT_CNT_6463 DLSC-SBA F INTEGER 8

ICDD INTEGRATED MANAGER ALL LOA COMBINATION MILITARY SERVICE

THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES WITH A LOA CODE COMBINATION THAT REFLECTS MANAGEMENT BY THE MILITARY SERVICES ONLY.

6464 ICDD-IM-ALL-LC-IM-OD ICDD_STAT_CNT_6464 DLSC-SBA F INTEGER 8

ICDD INTEGRATED MANAGER ALL LOA COMBINATION IM OTHER DOD

THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES WITH A LOA CODE COMBINATION THAT REFLECTS MULTIPLE MANAGEMENT BY INTEGRATED MANAGER AND OTHER DOD.

6465 ICDD-IM-ALL-LC-IM ICDD_STAT_CNT_6465 DLSC-SBA F INTEGER 8

ICDD INTEGRATED MANAGER ALL LOA COMBINATION INTEGRATED MGR

THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES WITH A LOA CODE COMBINATION THAT REFLECTS MANAGEMENT BY THE INTEGRATED MANAGER ONLY.

6466 ICDD-IM-ALL-LC-OD ICDD_STAT_CNT_6466 DLSC-SBA F INTEGER 8

ICDD INTEGRATED MANAGER ALL LOA COMBINATION OTHER DOD

THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES WITH A LOA CODE COMBINATION THAT REFLECTS MANAGEMENT BY THE OTHER DOD.

6467 ICDD-LA-ALL-MS-IM-OD ICDD_STAT_CNT_6467 DLSC-SBA F INTEGER 8

ICDD LOG ASSIGN ALL MIL SVC INTEGRATED MANAGER OTHER DOD

THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES FOR A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY MILITARY, INTEGRATED MANAGER AND OTHER DOD.

6468 ICDD-LA-ALL-MS-IM ICDD_STAT_CNT_6468 DLSC-SBA F INTEGER 8

ICDD LOGISTICS ASSIGNMENT ALL MILITARY SVC INTEGRATED MGR

THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES FOR A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY MILITARY AND INTEGRATED MANAGER.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6469 ICDD-LA-ALL-MS-OD ICDD_STAT_CNT_6469 DLSC-SBA F INTEGER 8
ICDD LOGISTICS ASSIGNMENT ALL MILITARY SERVICE OTHER DOD
THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES FOR A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY MILITARY AND OTHER DOD.

6470 ICDD-LA-ALL-MS ICDD_STAT_CNT_6470 DLSC-SBA F INTEGER 8
ICDD LOGISTICS ASSIGNMENT ALL MILITARY SERVICE
THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES FOR A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MANAGED BY MILITARY SERVICES ONLY.

6471 ICDD-LA-ALL-IM-OD ICDD_STAT_CNT_6471 DLSC-SBA F INTEGER 8
ICDD LOGISTICS ASSIGNMENT ALL INTEGRATED MANAGER OTHER DOD
THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES FOR A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY INTEGRATED MANAGER AND OTHER DOD.

6472 ICDD-LA-ALL-IM ICDD_STAT_CNT_6472 DLSC-SBA F INTEGER 8
ICDD LOGISTICS ASSIGNMENT ALL INTEGRATED MANAGER
THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES FOR A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MANAGED BY INTEGRATED MANAGER ONLY.

6473 ICDD-LA-ALL-OD ICDD_STAT_CNT_6473 DLSC-SBA F INTEGER 8
ICDD LOGISTICS ASSIGNMENT ALL OTHER DOD
THE TOTAL NUMBER OF DOD NSNS WITHIN ASSIGNED CLASSES FOR A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MANAGED BY OTHER DOD ONLY.

6474 ICDD-LA-ALL-LC-MS-IM-OD ICDD_STAT_CNT_6474 DLSC-SBA F INTEGER 8
ICDD LOG ASSIGN ALL LOA COMB MIL SVC IM OTHER DOD
THE TOTAL NUMBER OF DOD NSN FOR A SPECIFIC LOGISTICS ASSIGNMENT, WITH A LOA CODE COMBINATION THAT REFLECTS COMMON MANAGEMENT BY MILITARY SERVICES, INTEGRATED MANAGER AND OTHER DOD.

6475 ICDD-LA-ALL-LC-MS-IM ICDD_STAT_CNT_6475 DLSC-SBA F INTEGER 8
ICDD LOG ASSIGN ALL LOA COMB MIL SVC INTEGRATED MANAGER
THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC LOGISTICS ASSIGNMENT, WITH A LOA CODE COMBINATION THAT REFLECTS COMMON MANAGEMENT BY MILITARY SERVICES, INTEGRATED MANAGER AND OTHER DOD.

6476 ICDD-LA-ALL-LC-MS-OD ICDD_STAT_CNT_6476 DLSC-SBA F INTEGER 8
ICDD LOGISTICS ASSIGNMENT ALL LOA COMB MIL SVC OTHER DOD
THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC LOGISTICS ASSIGNMENT, WITH A LOA CODE COMBINATION THAT REFLECTS COMMON MANAGEMENT BY MILITARY SERVICES, INTEGRATED MANAGER AND OTHER DOD.

6477 ICDD-LA-ALL-LC-MS ICDD_STAT_CNT_6477 DLSC-SBA F INTEGER 8
ICDD LOGISTICS ASSIGNMENT ALL LOA COMBINATION MILITARY SVC
THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC LOGISTICS ASSIGNMENT, WITH A LOA CODE COMBINATION THAT REFLECTS MANAGEMENT BY MILITARY SERVICES ONLY.

6478 ICDD-LA-ALL-LC-IM-OD ICDD_STAT_CNT_6478 DLSC-SBA F INTEGER 8
ICDD LOGISTICS ASSIGNMENT ALL LOA COMBINATION IM OTHER DOD
THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC LOGISTICS ASSIGNMENT, WITH A LOA CODE COMBINATION THAT REFLECTS COMMON MANAGEMENT BY INTEGRATED MANAGER AND OTHER DOD.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6479 ICDD-LA-ALL-LC-IM ICDD_STAT_CNT_6479 DLSC-SBA F INTEGER 8
ICDD LOGISTICS ASGMT ALL LOA COMBINATION INTEGRATED MGR
THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC LOGISTICS ASSIGNMENT, WITH A LOA CODE COMBINATION THAT REFLECTS MANAGEMENT BY INTEGRATED MANAGER ONLY.

6480 ICDD-LA-ALL-LC-OD ICDD_STAT_CNT_6480 DLSC-SBA F INTEGER 8
ICDD LOGISTICS ASSIGNMENT ALL LOA COMBINATION OTHER DOD
THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC LOGISTICS ASSIGNMENT, WITH A LOA CODE COMBINATION THAT REFELCTS MANAGEMENT BY INTEGRATED MANAGER ONLY.

6481 ICDD-LA-FSC-ALL-MS-IM-OD ICDD_STAT_CNT_6481 DLSC-SBA F INTEGER 8
ICDD LOG ASSIGN FSC ALL MILITARY SVC IM OTHER DOD
THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY MILITARY SERVICES, INTEGRATED MANAGER AND OTHER DOD.

6482 ICDD-LA-FSC-ALL-MS-IM ICDD_STAT_CNT_6482 DLSC-SBA F INTEGER 8
ICDD LOGISTICS ASSIGNMENT FSC ALL MILITARY SERVICE IM
THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY MILITARY SERVICES AND INTEGRATED MANAGER.

6483 ICDD-LA-FSC-ALL-MS-OD ICDD_STAT_CNT_6483 DLSC-SBA F INTEGER 8
ICDD LOGISTICS ASSIGNMENT FSC ALL MILITARY SERVICE OTHER DOD
THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY MILITARY SERVICE AND OTHER DOD.

6484 ICDD-LA-FSC-ALL-MS ICDD_STAT_CNT_6484 DLSC-SBA F INTEGER 8
ICDD LOGISTICS ASSIGNMENT FSC ALL MILITARY SERVICE
THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MANAGED BY MILITARY SERVICES ONLY.

6485 ICDD-LA-FSC-ALL-IM-OD ICDD_STAT_CNT_6485 DLSC-SBA F INTEGER 8
ICDD LOGISTICS ASSIGNMENT FSC ALL INTERGRATED MGR OTHER DOD
THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY INTEGRATED MANAGER AND OTHER DOD.

6486 ICDD-LA-FSC-ALL-IM ICDD_STAT_CNT_6486 DLSC-SBA F INTEGER 8
ICDD LOGISTICS ASSIGNMENT FSC ALL INTEGRATED MANAGER
THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MANAGED BY INTEGRATED MANAGER ONLY.

6487 ICDD-LA-FSC-ALL-OD ICDD_STAT_CNT_6487 DLSC-SBA F INTEGER 8
ICDD LOGISTISC ASSIGNMENT FSC ALL OTHER DOD
THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MANAGED BY OTHER DOD.

6488 ICDD-LA-FSC-LC-MS-IM-OD ICDD_STAT_CNT_6488 DLSC-SBA F INTEGER 8
ICDD LOG ASSIGN FSC LOA COMB MIL SVC IM OTHER DOD
THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT WITH A LOA CODE COMBINATION THAT REFLECTS MULTIPLE MANAGEMENT BY MILITARY SERVICES, INTEGRATED MANAGER AND OTHER DOD.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6489 ICDD-LA-FSC-LC-MS-IM ICDD_STAT_CNT_6489 DLSC-SBA F INTEGER 8
ICDD LOG ASSIGN FSC LOA COMB MIL SVC INTEGRATED MGR
THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT WITH A LOA CODE COMBINATION THAT REFLECTS MULTIPLE MANAGEMENT BY MILITARY SERVICES AND INTEGRATED MANAGER.

6490 ICDD-LA-FSC-LC-MS-OD ICDD_STAT_CNT_6490 DLSC-SBA F INTEGER 8
ICDD LOG ASSIGN FSC LOA COMBINATION MILITARY SVC OTHER DOD
THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT WITH A LOA CODE COMBINATION THAT REFLECTS MULTIPLE MANAGEMENT BY MILITARY SERVICES AND OTHER DOD.

6491 ICDD-LA-FSC-LC-MS ICDD_STAT_CNT_6491 DLSC-SBA F INTEGER 8
ICDD LOGISTICS ASSIGNMENT FSC LOA COMBINATION MILITARY SVC
THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT WITH A LOA CODE COMBINATION THAT REFLECTS MANAGEMENT BY MILITARY SERVICES ONLY.

6492 ICDD-LA-FSC-LC-IM-OD ICDD_STAT_CNT_6492 DLSC-SBA F INTEGER 8
ICDD LOGISTICS ASSIGNMENT FSC LOA COMB IM OTHER DOD
THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT WITH A LOA CODE COMBINATION THAT REFLECTS MULTIPLE MANAGEMENT BY INTEGRATED MANAGER AND OTHER DOD.

6493 ICDD-LA-FSC-LC-IM ICDD_STAT_CNT_6493 DLSC-SBA F INTEGER 8
ICDD LOGISTICS ASSIGNMENT FSC LOA COMBINATION INTEGRATED MGR
THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT WITH A LOA CODE COMBINATION THAT REFLECTS MANAGEMENT BY INTEGRATED MANAGER.

6494 ICDD-LA-FSC-LC-OD ICDD_STAT_CNT_6494 DLSC-SBA F INTEGER 8
ICDD LOGISTICS ASSIGNMENT FSC LOA COMBINATION OTHER DOD
THE TOTAL NUMBER OF DOD NSNS FOR A SPECIFIC FSC WITHIN A SPECIFIC LOGISTICS ASSIGNMENT WITH A LOA CODE COMBINATION THAT REFLECTS MANAGMENT BY OTHER DOD.

6495 ICMS-FSC-ALL-MS-MM ICMS_STAT_CNT_6495 DLSC-SBA F INTEGER 8
ICMS FSC ALL MILITARY SERVICE MULTI-MANAGED
THE TOTAL NUMBER OF NSNS THAT ARE MULTIPLE MANAGED AMONG MILITARY SERVICES.

6496 ICMS-FSC-ALL-MS-MMPC DLSC-SBA F 8
ICMS FSC ALL MILITARY SERVICE MULTI-MANAGED PERCENT
THE PERCENT OF NSNS THAT ARE MULTIPLE MANAGED AMONG MILITARY SERVICES.

6497 ICMS-FSC-ALL-AR-MM ICMS_STAT_CNT_6497 DLSC-SBA F INTEGER 8
ICMS FSC ALL ARMY MULTI-MANAGED
THE TOTAL NUMBER OF NSNS THE ARMY MANAGES IN COMMON WITH OTHER MILITARY SERVICES.

6498 ICMS-FSC-ALL-AR-MMPC DLSC-SBA F 8
ICMS FSC ALL ARMY MULTI-MANAGED PERCENT
THE PERCENT OF NSNS THE ARMY MANAGES IN COMMON WITH OTHER MILITARY SERVICES.

6499 ICMS-FSC-ALL-NA-MM ICMS_STAT_CNT_6499 DLSC-SBA F INTEGER 8
ICMS FSC ALL NAVY MULTI-MANAGED
THE TOTAL NUMBER OF NSNS THE NAVY MANAGES IN COMMON WITH OTHER MILITARY SERVICES.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6500 ICMS-FSC-ALL-NA-MMPC DLSC-SBA F 8
ICMS FSC ALL NAVY MULTI-MANAGED PERCENT
THE PERCENT OF NSNS THE NAVY MANAGES IN COMMON WITH OTHER MILITARY SERVICES.

6501 ICMS-FSC-ALL-AF-MM ICMS_STAT_CNT_6501 DLSC-SBA F INTEGER 8
ICMS FSC ALL AIR FORCE MULTI-MANAGED
THE TOTAL NUMBER OF NSNS THE AIR FORCE MANAGES IN COMMON WITH OTHER MILITARY SERVICES.

6502 ICMS-FSC-ALL-AF-MMPC DLSC-SBA F 8
ICMS FSC ALL AIR FORCE MULTI-MANAGED PERCENT
THE PERCENT OF NSNS THE AIR FORCE MANAGES IN COMMON WITH OTHER MILITARY SERVICES.

6503 ICMS-FSC-ALL-MC-MM ICMS_STAT_CNT_6503 DLSC-SBA F INTEGER 8
ICMS FSC ALL MARINE CORPS MULTI-MANAGED
THE TOTAL NUMBER OF NSNS THE MARINE CORPS MANAGES IN COMMON WITH OTHER MILITARY SERVICES.

6504 ICMS-FSC-ALL-MC-MMPC DLSC-SBA F 8
ICMS FSC ALL MARINE CORPS MULTI-MANAGED PERCENT
THE PERCENT OF NSNS THE MARINE CORPS MANAGES IN COMMON WITH OTHER MILITARY SERVICES.

6505 ICMS-FSC-ALL-LC-MS-MM ICMS_STAT_CNT_6505 DLSC-SBA F INTEGER 8
ICMS FSC ALL LOA COMBINATION MILITARY SERVICE MULTI-MANAGED
THE TOTAL NUMBER OF NSNS THAT ARE MULTIPLE MANAGED AMONG MILITARY SERVICES BY LOA CODE COMBINATION.

6506 ICMS-FSC-ALL-LC-MS-MMPC DLSC-SBA F 8
ICMS FSC ALL LOA COMBINATION MILITARY SERVICE MULTI-MGD PERC
THE PERCENT OF NSNS THAT ARE MULTIPLE MANAGED AMONG MILITARY SERVICES BY LOA CODE COMBINATION.

6507 ICMS-FSC-ALL-LC-AR-MM ICMS_STAT_CNT_6507 DLSC-SBA F INTEGER 8
ICMS FSC ALL LOA COMBINATION ARMY MULTI-MANAGED
THE TOTAL NUMBER OF NSNS THAT ARMY MANAGES IN COMMON WITH OTHER MILITARY SERVICES BY LOA CODE COMBINATION.

6508 ICMS-FSC-ALL-LC-AR-MMPC DLSC-SBA F 8
ICMS FSC ALL LOA COMBINATION ARMY MULTI-MANAGED PERCENT
THE PERCENT OF NSNS THAT ARMY MANAGES IN COMMON WITH OTHER MILITARY SERVICES BY LOA CODE COMBINATIONS.

6509 ICMS-FSC-ALL-LC-NA-MM ICMS_STAT_CNT_6509 DLSC-SBA F INTEGER 8
ICMS FSC ALL LOA COMBINATION NAVY MULTI-MANAGED
THE TOTAL NUMBER OF NSNS THAT NAVY MANAGES IN COMMON WITH OTHER MILITARY SERVICES BY LOA CODE COMBINATION.

6510 ICMS-FSC-ALL-LC-NA-MMPC DLSC-SBA F 8
ICMS FSC ALL LOA COMBINATION NAVY MULTI-MANAGED PERCENT
THE PERCENT OF NSNS THAT NAVY MANAGES IN COMMON WITH OTHER MILITARY SERVICES BY LOA CODE COMBINATION.

6511 ICMS-FSC-ALL-LC-AF-MM ICMS_STAT_CNT_6511 DLSC-SBA F INTEGER 8
ICMS FSC ALL LOA COMBINATION AIR FORCE MULTI-MANAGED

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL NUMBER OF NSNS THAT AIR FORCE MANAGES IN COMMON WITH OTHER MILITARY SERVICES BY LOA CODE COMBINATION.

6512 ICMS-FSC-ALL-LC-AF-MMPC DLSC-SBA F 8
ICMS FSC ALL LOA COMBINATION AIR FORCE MULTI-MANAGED PERCENT
THE PERCENT OF NSNS THAT AIR FORCE MANAGES IN COMMON WITH OTHER MILITARY SERVICES BY LOA CODE COMBINATION.

6513 ICMS-FSC-ALL-LC-MC-MM ICMS_STAT_CNT_6513 DLSC-SBA F INTEGER 8
ICMS FSC ALL LOA COMBINATION MARINE CORPS MULTI-MANAGED
THE TOTAL NUMBER OF NSNS THAT MARINE CORPS MANAGES IN COMMON WITH OTHER MILITARY SERVICES BY LOA CODE COMBINATION.

6514 ICMS-FSC-ALL-LC-MC-MMPC DLSC-SBA F 8
ICMS FSC ALL LOA COMBINATION MARINE CORPS MULTI-MANAGED PERC
THE PERCENT OF NSNS THAT MARINE CORPS MANAGES IN COMMON WITH OTHER MILITARY SERVICES BY LOA CODE COMBINATION.

6515 ICMS-IM-ALL-MS-MM ICMS_STAT_CNT_6515 DLSC-SBA F INTEGER 8
ICMS INTEGRATED MANAGER ALL MILITARY SERVICE MULTI-MANAGED
THE TOTAL NUMBER OF NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED AMONG MILITARY SERVICES.

6516 ICMS-IM-ALL-MS-MMPC DLSC-SBA F 8
ICMS INTEG MANAGER ALL MILITARY SVC MULTI-MANAGED PERCENT
THE PERCENT OF NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED AMONG MILITARY SERVICES.

6517 ICMS-IM-ALL-AR-MM ICMS_STAT_CNT_6517 DLSC-SBA F INTEGER 8
ICMS INTEGRATED MANAGER ALL ARMY MULTI-MANAGED
THE TOTAL NUMBER OF NSNS WITHIN ASSIGNED CLASSES THAT ARMY MANAGES IN COMMON WITH OTHER SERVICES.

6518 ICMS-IM-ALL-AR-MMPC DLSC-SBA F 8
ICMS INTEGRATED MANAGER ALL ARMY MULTI-MANAGED PERCENT
THE PERCENT OF NSNS WITHIN ASSIGNED CLASSES THAT ARMY MANAGES IN COMMON WITH OTHER SERVICES.

6519 ICMS-IM-ALL-NA-MM ICMS_STAT_CNT_6519 DLSC-SBA F INTEGER 8
ICMS INTEGRATED MANAGER ALL NAVY MULTI-MANAGED
THE TOTAL NUMBER OF NSNS WITHIN ASSIGNED CLASSES THAT NAVY MANAGES IN COMMON WITH OTHER SERVICES.

6520 ICMS-IM-ALL-NA-MMPC DLSC-SBA F 8
ICMS INTEGRATED MANAGER ALL NAVY MULTI-MANAGED PERCENT
THE PERCENT OF NSNS WITHIN ASSIGNED CLASSES THAT NAVY MANAGES IN COMMON WITH OTHER SERVICES.

6521 ICMS-IM-ALL-AF-MM ICMS_STAT_CNT_6521 DLSC-SBA F INTEGER 8
ICMS INTEGRATED MANAGER ALL AIR FORCE MULTI-MANAGED
THE TOTAL NUMBER OF NSNS WITHIN ASSIGNED CLASSES THAT AIR FORCE MANAGES IN COMMON WITH OTHER SERVICES.

6522 ICMS-IM-ALL-AF-MMPC DLSC-SBA F 8
ICMS INTEGRATED MANAGER ALL AIR FORCE MULTI-MANAGED PERCENT
THE PERCENT OF NSNS WITHIN ASSIGNED CLASSES THAT AIR FORCE MANAGES IN COMMON WITH OTHER SERVICES.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					

6523 ICMS-IM-ALL-MC-MM ICMS_STAT_CNT_6523 DLSC-SBA F INTEGER 8
ICMS INTEGRATED MANAGER ALL MARINE CORPS MULTI-MANAGED
THE TOTAL NUMBER OF NSNS WTIHIN ASSIGNED CLASSES THAT MARINE CORPS MANAGES IN COMMON WITH OTHER SERVICES.

6524 ICMS-IM-ALL-MC-MMPC DLSC-SBA F 8
ICMS INTEGRATED MANAGER ALL MARINE CORPS MULTI-MANAGED PERCE
THE PERCENT OF NSNS WITHIN ASSIGNED CLASSES THAT MARINE CORPS MANAGES IN COMMON WITH OTHER SERVICES.

6525 ICMS-IM-ALL-LC-MS-MM ICMS_STAT_CNT_6525 DLSC-SBA F INTEGER 8
ICMS INTEGRATED MANAGER ALL LOA COMBINATION MILITARY SVC MUL
THE TOTAL NUMBER OF NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED AMONG MILITARY SERVICES BY LOA CODE COMBINATION.

6526 ICMS-IM-ALL-LC-MS-MMPC DLSC-SBA F 8
ICMS INTEGRATED MANAGER ALL LOA COMBINATION MIL SVC MULT PER
THE PERCENT OF NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED AMONG MILITARY SERVICES BY LOA CODE COMBINATION.

6527 ICMS-IM-ALL-LC-AR-MM ICMS_STAT_CNT_6527 DLSC-SBA F INTEGER 8
ICMS INTEGRATED MANAGER ALL LOA COMBINATION ARMY MULTI-MANAG
THE TOTAL NUMBER OF NSNS WITHIN ASSIGNED CLASSES THAT THE ARMY MANAGES IN COMMON WITH OTHER SERVICES.

6528 ICMS-IM-ALL-LC-AR-MMPC DLSC-SBA F 8
ICMS INTEGRATED MANAGER ALL LOA COMBINATION ARMY MULT PERCT
THE PERCENT OF NSNS WITHIN ASSIGNED CLASSES THAT THE ARMY MANAGES IN COMMON WITH OTHER SERVICES.

6529 ICMS-IM-ALL-LC-NA-MM ICMS_STAT_CNT_6529 DLSC-SBA F INTEGER 8
ICMS INTEGRATED MANAGER ALL LOA COMBINATION NAVY MULTI-MANAG
THE TOTAL NUMBER OF NSNS WITHIN ASSIGNED CLASSES THAT THE NAVY MANAGES IN COMMON WITH OTHER SERVICES.

6530 ICMS-IM-ALL-LC-NA-MMPC DLSC-SBA F 8
ICMS INTEGRATED MANAGER ALL LOA COMBINATION NAVY MULTI PERCT
THE PERCENT OF NSNS WITHIN ASSIGNED CLASSES THAT THE NAVY MANAGES IN COMMON WITH OTHER SERVICES.

6531 ICMS-IM-ALL-LC-AF-MM ICMS_STAT_CNT_6531 DLSC-SBA F INTEGER 8
ICMS INTEGRATED MANAGER ALL LOA COMBINATION AIR FORCE MULTI
THE TOTAL NUMBER OF NSNS WITHIN ASSIGNED CLASSES THAT THE AIR FORCE MANAGES IN COMMON WITH OTHER SERVICES.

6532 ICMS-IM-ALL-LC-AF-MMPC DLSC-SBA F 8
ICMS INTEGRATED MGR ALL LOA COMB AIR FORCE MULT PERCENT
THE PERCENT OF NSNS WITHIN ASSIGNED CLASSES THAT THE AIR FORCE MANAGES IN COMMON WITH OTHER SERVICES.

6533 ICMS-IM-ALL-LC-MC-MM ICMS_STAT_CNT_6533 DLSC-SBA F INTEGER 8
ICMS INTEGRATED MANAGER ALL LOA COMBINATION MARINE CORPS MUL
THE TOTAL NUMBER OF NSNS WITHIN ASSIGNED CLASSES THAT THE MARINE CORPS MANAGES IN COMMON WITH OTHER SERVICES.

6534 ICMS-IM-ALL-LC-MC-MMPC DLSC-SBA F 8
ICMS INTEGRATED MANAGER ALL LOA COMBINATION MC MULTI PERCENT

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE PERCENT OF NSNS WITHIN ASSIGNED CLASSES THAT THE MARINE CORPS MANAGES IN COMMON WITH OTHER SERVICES.

6535 ICMS-LA-ALL-MS-MM ICMS_STAT_CNT_6535 DLSC-SBA F INTEGER 8
ICMS LOGISTICS ASSIGNMENT ALL MILITARY SERVICE MULTI-MANAGED
THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED AMONG MILITARY SERVICES.

6536 ICMS-LA-ALL-MS-MMPC DLSC-SBA F 8
ICMS LOGISTICS ASSIGNMENT ALL MILITARY SERVICE MULTI PERCENT
THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED AMONG MILITARY SERVICES.

6537 ICMS-LA-ALL-AR-MMPC DLSC-SBA F 8
ICMS LOGISTICS ASSIGNMENT ALL ARMY MULTI-MANAGED PERCENT
THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARMY MANAGES IN COMMON WITH OTHER MILITARY SERVICES.

6538 ICMS-LA-ALL-NA-MM ICMS_STAT_CNT_6538 DLSC-SBA F INTEGER 8
ICMS LOGISTICS ASSIGNMENT ALL NAVY MULTI-MANAGED
THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT NAVY MANAGES IN COMMON WITH OTHER MILITARY SERVICES.

6539 ICMS-LA-ALL-NA-MMPC DLSC-SBA F 8
ICMS LOGISTICS ASSIGNMENT ALL NAVY MULTI-MANAGED PERCENT
THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARMY MANAGES IN COMMON WITH OTHER MILITARY SERVICES.

6542 DEPARTMENT-ERRC DLSC-SBA F 8
DEPARTMENT EXPENDABILITY-RECOVERABILITY REPARABILITY CODE
THE NUMBER OF NSNS WITH EXPENDABILITY-RECOVERABILITY-REPARABILITY CODES ASSIGNED BROKEN OUT BY CODE FOR A DEPARTMENT.

6543 DEPT-ACTIVITY-ERRC DLSC-SBA F 8
DEPT ACTY EXPENDABILITY-RECOVERABILITY REPARABILITY CODE
THE NUMBER OF NSNS WITH EXPENDABILITY-RECOVERABILITY-REPARABILITY CODES ASSIGNED BROKEN OUT BY CODE FOR AN ACTIVITY WITHIN A DEPARTMENT.

6544 I-O-IDIC-ODIC-RTNCD DLSC-SBA F 8
I O INPUT DIC OUTPUT DIC RETURN CODE
THE QUANTITY OF TRANSACTIONS FOR A SPECIFIED INPUT DIC BROKEN OUT BY OUTPUT DIC AND RETURN CODE

6545 I-O-IDIC-TOT DLSC-SBA F 8
I O INPUT DIC TOTAL
THE TOTAL TRANSACTIONS PROCESSED FOR A SPECIFIED INPUT DIC.

6546 I-O-ACTY-IDIC-ODIC-RTNCD IO_STAT_CNT_6546 DLSC-SBA F INTEGER 8
I-O-ACTIVITY INPUT DIC OUTPUT DIC RETURN CODE
THE QUANTITY OF TRANSACTIONS FOR A SPECIFIED SUBMITTING ACTIVITY BROKEN OUT BY INPUT DIC AND RETURN CODE

6547 I-O-ACTY-IDIC-TOT DLSC-SBA F 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

I O ACTIVITY INPUT DIC TOTAL
THE TOTAL QUANTITY OF TRANSACTIONS PROCESSED FOR A SPECIFIED INPUT DIC FOR A SUBMITTING ACTIVITY

6548 I-O-ODIC-RTNCD-IDIC — DLSC-SBA — F — 8
I O OUTPUT DIC RETURN CODE INPUT DIC
THE QUANTITY OF TRANSACTIONS WITH A SPECIFIED OUTPUT CODE AND RETURN CODE TO INPUT CODE.

6549 I-O-ODIC-RTNCD-TOT — DLSC-SBA — F — 8
I O OUTPUT DIC RETURN CODE TOTAL
THE TOTAL QUANTITY OF TRANSACTIONS FOR A SPECIFIED OUTPUT DIC.

6589 NAIN-STRNG — NAIN_STRING_6589 — DLSC-SBA — V — VARCHAR — 19
NON APPROVED ITEM NAME STRING
THIS FIELD CONTAINS A CHARACTER STRING, USUALLY A WORD, WHICH IS ASSOCIATED WITH SPECIFIED FSG-FSC (FEDERAL SUPPLY GROUP AND FEDERAL SUPPLY CLASS) COMBINATIONS AND SUPPORTS EDITING FOR VALID COMBINATIONS. THIS WORD STRING WILL NORMALLY CONSIST OF ONLY A PORTION OF A TOTAL NON APPROVED ITEM NAME (NAIN), BUT IN SOME INSTANCES MAY EQUAL THE TOTAL NAIN.

6591 I-O-ACTY-ODIC-RTNCD-IDIC — DLSC-SBA — F — 8
I O ACTIVITY OUTPUT DIC RETURN CODE INPUT DIC
THE QUANTITY OF TRANSACTIONS FOR A SPECIFIED SUBMITTING ACTIVITY BROKEN OUT BY OUTPUT DIC AND RETURN CODE TO INPUT DIC.

6592 STAT-DAC-SA — STAT_DAC_SA_6592 — DLSC-SBA — F — CHAR — 7
STATISTICS DAC SERVICE ACTIVITY
THIS DATA ELEMENT REPRESENTS THE VARIOUS CENTERS, ACTIVITIES, AND DEPARTMENTS THAT ARE DEPICTED IN DOCUMENT AVAILABILITY STATISTICS.

6593 EFF-ADD-NIIN-MOERULE-QTY — DLSC-SBA — F — 8
EFFECTIVE ADD NIIN MOE RULE QUANTITY
THE NIIN COUNT OF EFFECTIVE DATED ITEMS THAT WILL BE ADDED BY MOE RULE.

6594 EFF-DEL-NIIN-MOERULE-QTY — DLSC-SBA — F — 8
EFFECTIVE DELETE NIIN MOE RULE QUANTITY
THE NIIN COUNT OF EFFECTIVE DATED ITEMS THAT WILL BE DELETED BY MOE RULE.

6595 ACT-NIIN-MOERULE-QTY — DLSC-SBA — F — 8
ACTIVE NIIN MOE RULE QUANTITY
THE COUNT OF NIINS/PSCNS FOR ACTIVE ITEMS BY MOE RULE.

6596 FSC-MOERULE-NIIN-QTY — DLSC-SBA — F — 8
FSC MOE RULE NIIN QUANTITY
THE TOTAL NIIN COUNT BY MOE RULE NUMBER BY SPECIFIC FSC.

6597 ALL-FSC-MOERULE-NIIN-QTY — DLSC-SBA — F — 8
ALL FSC MOE RULE NIIN QUANTITY
THE TOTAL NIIN COUNT BY ALL MOE RULE NUMBER BY FSC.

6598 MGR-CAGE-OUTPUT-ACCESS — DLSC-SBA — F — 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

MANAGER CAGE OUTPUT ACCESSES
THE NUMBER OF USER ACCESSES FOR CAGE CODE STATS.

6599 FREIGHT-INC-NSN FRGT_STAT_CNT_6599 DLSC-SBA F INTEGER 8
FREIGHT ITEM NAME CODE NSN
THE NUMBER OF NSNS WITH A SPECIFIC FREIGHT CLASSIFICATION CODE BROKEN OUT BY ITEM NAME CODE.

6600 FREIGHT-INC-TOT-NSN FRGT_STAT_CNT_6600 DLSC-SBA F INTEGER 8
FREIGHT ITEM NAME CODE TOTAL NSN
THE TOTAL NUMBER OF NSNS ASSOCIATED WITH A FREIGHT CLASSIFICATION CODE.

6601 NIIN-ALL-INC-FSC-QTY DLSC-SBA F 8
NIIN ALL ITEM NAME CODE FSC QUANTITY
THE AMOUNT OF TOTAL NIINS WITH A SPECIFIC FSC BY EACH ITEM NAME CODE.

6602 NIIN-INC-FSC-QTY DLSC-SBA F 8
NIIN ITEM NAME CODE FSC QUANTITY
THE AMOUNT OF TOTAL NIIN WITH A SPECIFIC FSC BY ITEM NAME CODE.

6603 TOT-NIIN-INC-QTY DLSC-SBA F 8
TOTAL NIINS ITEM NAME CODE QUANTITY
THE TOTAL AMOUNT OF NIINS BY ITEM NAME CODE.

6604 TOT-NIIN-MFRS-INC-QTY DLSC-SBA F 8
TOTAL NIIN MANUFACTURERS ITEM NAME CODE QUANTITY
THE TOTAL NUMBER OF NIINS BY MANUFACTURERS CODE BY ITEM NAME CODE.

6605 MGR-ACCESS-COUNT MGR_STAT_CNT_6605 DLSC-SBA F INTEGER 8
MANAGER FREIGHT OUTPUT ACCESSES
THE NUMBER OF USER ACCESS TO A FUNCTIONAL PRIMITIVE WITHIN THE MANAGEMENT STATISTICS SYSTEM.

6606 TOT-NIIN-FSG-QTY DLSC-SBA F 8
TOT-NIIN-FSG-QTY
THE TOTAL NUMBER OF NIINS FOR A SPECIFIC FEDERAL SUPPLY GROUP.

6607 TOT-NIIN-FSC-MOECD-QTY DLSC-SBA F 8
TOTAL NIINS FSC MOE CODE QUANTITY
THE TOTAL NUMBER OF NIINS BY FSC BY MOE CODE.

6608 TOT-NIIN-AFSC-MOECD-QTY DLSC-SBA F 8
TOTAL NIIN ALL FSC MOE CODE QUANTITY
THE TOTAL NUMBER OF NIINS FOR ALL FEDERAL SUPPLY CLASSES FOR A PARTICULAR MOE CODE.

6609 POP-FIIG-EFFDTD-ALL DLSC-SBA F 8
POPULATION FIIG EFFECTIVE DATED ALL
THE TOTAL NUMBER OF NSNS RELATED TO A SPECIFIC FIIG THAT HAVE EFFECTIVE DATED STATUS.

6610 POP-FIIG-ALL POP_STAT_CNT_6610 DLSC-SBA F INTEGER 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

POPULATION FIIG ALL
THE TOTAL NUMBER OF NSNS RELATED TO A SPECIFIC FIIG.

6611 POP-FIIG-EFFDTD-INC-NSN POP_STAT_CNT_6611 DLSC-SBA F INTEGER 8
POPULATION FIIG EFFECTIVE DATED ITEM NAME CODE
THE NUMBER OF NSNS WITHIN A SPECIFIC ITEM NAME CODE, WITHIN A SPECIFIC FIIG THAT HAVE EFFECTIVE DATED STATUS.

6612 POP-FIIG-INC-NSN POP_STAT_CNT_6612 DLSC-SBA F INTEGER 8
POPULATION FIIG ITEM NAME CODE NSN
THE NUMBER OF NSNS WITHIN A SPECIFIC ITEM NAME CODE WITHIN A SPECIFIC FIIG.

6613 TOT-NIIN-MFR-CD-QTY DLSC-SBA F 8
TOTAL NIIN MANUFACTURER CODE QUANTITY
THE TOTAL NUMBER OF NIINS BY MANUFACTURERS CODE.

6614 TOT-REF-NO-MFR-CD-QTY DLSC-SBA F 8
TOTAL REFERENCE NUMBER MANUFACTURERS CODE QUANTITY
THE TOTAL NUMBER OF REFERENCE NUMBERS BY MANUFACTURERS CODE.

6615 TOT-NIIN-ITEM-NAME-QTY DLSC-SBA F 8
TOTAL NIINS ITEM NAME QUANTITY
THE TOTAL AMOUNT OF NIINS BY ITEM NAME.

6616 TOT-NIINS-FSC-MFRS-CODE DLSC-SBA F 8
TOTAL NIINS FSC MANUFACTURERS CODE
THE TOTAL AMOUNT OF NIINS BY FSC BY MANUFACTURERS CODE.

6617 FIIG-INC-INPUT FIIG_STAT_CNT_6617 DLSC-SB F INTEGER 8
FIIG INC INPUT
QUANTITY OF TRANSACTIONS RECEIVED BY FIIG AND INC COMBINATION FOR NIIN ASSIGNMENT, REINSTATEMENT OR CHANGE FOR A MONTH.

6618 FIIG-INC-MTCH DLSC-SB F 8
FIIG INC MATCH
QUANTITY OF ACTUAL OR POSSIBLE MATCHES BY FIIG AND INC COMBINATION FOR A MONTH.

6619 FIIG-INC-P-MTCH FIIG_STAT_CNT_6619 DLSC-SB F INTEGER 8
FIIG INC POSSIBLE MATCH
QUANTITY OF REQUESTS FOR NIIN ASSIGNMENT, REINSTATEMENT OF FII, REVISION OF FII, REVISION (ADJUSTEMENT) OF AN FII, TRANSFER OF FII OR ADDITION, DELETION OR CHANGEOF REFERENCE NUMBER(S) AND RELATED DATA, OR AN ATTEMPT TO TRANSFER A REFERENCE NUMBER AS A RESULT OF CANCEL AND/OR DUPLICATION ACTION, REVEALED DURING PROCESSING TO BE A DUPLICATE OF AN EXSISTING FII BY FIIG AND INC COMBINATION FOR A MONTH.

6620 FIIG-INC-A-MTCH FIIG_STAT_CNT_6620 DLSC-SB F INTEGER 8
FIIG INC ACTUAL MATCH
QUANTITY OF REQUESTS FOR NIIN ASSIGNMENT, REINSTATEMENT OF FII, REVISION OF FII, REVISION (ADJUSTMENT) OF AN FII, TO TRANSFER FII OR ADDITION, DELETION OR CHANGE OF REFERENCE NUMBER(S) AND RELATED DATA, OR AN ATTEMPT TO TRANSFER A REFERENCE NUMBER AS A RESULT OF CANCEL-DUPLICATION ACTION, REVEALED DURING PROCESSING TO BE AN ACTUAL DUPLICATE OF AN EXISTING FII BY FIIG AND INC COMBINATION FOR A MONTH.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6621 FIIG-INC-NEW-INPUT FIIG_STAT_CNT_6621 DLSC-SB F INTEGER 8
FIIG INC NEW INPUT
QUANTITY OF REQUESTS FOR NEW NIIN ASSIGNMENT BY FIIG AND INC COMBINATION FOR A MONTH.

6622 FIIG-INC-NEW-MTCH FIIG_STAT_CNT_6622 DLSC-SB F INTEGER 8
FIIG INC NEW MATCH
QUANTITY OF REQUESTS FOR NEW NIIN ASSIGNMENT THAT HAVE ACTUAL OR POSSIBLE MATCHES BY FIIG AND INC COMBINATION FOR A MONTH.

6623 FIIG-INC-MAINT-INPUT FIIG_STAT_CNT_6623 DLSC-SB F INTEGER 8
FIIG INC MAINTENANCE INPUT
QUANTITY OF MAINTENANCE INPUT TRANSACTIONS FOR AN INC BY FIIG AND INC COMBINATION FOR A MONTH.

6624 FIIG-INC-MAINT-MTCH FIIG_STAT_CNT_6624 DLSC-SB F INTEGER 8
FIIG INC MAINTENANCE MATCH
QUANTITY OF MATCHES OF MAINTENANCE INPUT TRANSACTIONS FOR AN INC BY FIIG AND INC COMBINATION FOR A MONTH.

6625 FIIG-INC-9001-USAGE FIIG_STAT_CNT_6625 DLSC-SB F INTEGER 8
FIIG INC 9001 USAGE
QUANTITY OF PAC 9001 (OVERIVE) ACTIONS RECEIVED ON TRANSACTIONS SUBMITTED BYFIIG AND INC COMBINATION FOR A MONTH.

6626 FIIG-INC-MTCH-PC DLSC-SBA F 8
FIIG INC MATCH PERCENT
PERCENT OF INPUT TRANSACTIONS WITH MATCHES BY FIIG AND INC COMBINATION FOR A MONTH.

6627 FIIG-OVERALL-MTCH-PC DLSC-SB F 8
FIIG OVERALL MATCH PERCENT
TOTAL PERCENT OF INPUT TRANSACTIONS WITH MATCHES BY FIIG FOR A MONTH.

6628 FIIG-ALL-NEW-ITM-MTCH-PC DLSC-SB F 8
FIIG ALL NEW ITEM MATCH PERCENT
PERCENT OF THE FIIG NEW INPUTS WITH A MATCH BY FIIG FOR A MONTH.

6629 FIIG-ALL-MAINT-MTCH-PC DLSC-SB F 8
FIIG ALL MAINTENANCE MATCH PERCENT
PERCENT OF THE FIIG MAINTENANCE INPUTS WITH A MATCH BY FIIG FOR A MONTH.

6630 FIIG-ALL-9001-USAGE-PC DLSC-SB F 8
FIIG ALL 9001 USAGE PERCENT
PERCENT OF FIIG TOTAL INPUTS THAT PAC 9001 WAS USED ON BY FIIG FOR A MONTH.

6631 FIIG-INC-SCRN DLSC-SB F 8
FIIG INC SCREENING
QUANTITY OF INCS SCREENED WITHIN A FIIG BY FIIG AND INC FOR A MONTH.

6632 FIIG-RECORD-COUNT DLSC-SB F 8
FIIG RECORD COUNT

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THIS DATA ELEMENT REFLECTS THE TOTAL RECORD COUNT OF THE FIIG.

6633 FIIG-GTOT-INPUT DLSC-SB F 8
FIIG GRAND TOTAL INPUT
GRAND TOTAL QUANTITY OF TRANSACTIONS RECEIVED FRO ALL FIIGS FOR NIIN ASSIGNMENT, REINSTATEMENT OR CHANGE FOR A MONTH.

6634 FIIG-GTOT-MTCH DLSC-SB F 8
FIIG GRAND TOTAL MATCH
GRAND TOTAL QUANTITY OF ACTUAL OR POSSIBLE MATCHES FOR ALL FIIGS FOR A MONTH.

6635 FIIG-GTOT-P-MTCH DLSC-SB F 8
FIIG GRAND TOTAL POSSIBLE MATCH
GRAND TOTAL QUANTITY OF REQUESTS FOR NIIN ASSIGNMENT, REINSTATEMENT OF FII, REVISION OF FII, REVISION (ADJUSTMENT) OR ADDITION, DELETION OR CHANGE OR REFERENCE NUMBERS(S) AND RELATED DATA, OR AN ATTEMPT TO TRANSFER A REFERENCE NUMBER AS A RESULT OF CANCEL-DUPLICATION ACTION, REVEALED DUING PROCESSING TO BE A DUPLICATE OF AN EXISTING FII FOR ALL FIIGS FOR A MONTH.

6636 FIIG-GTOT-A-MTCH DLSC-SB F 8
FIIG GRAND TOTAL ACTUAL MATCH
GRAND TOTAL QUANTITY OF REQUESTS FOR NIIN ASSIGNMENT, REINSTATEMENT OF FII, REVISION OF FII, REVISION (ADJUSTMENT) OF AN FII, TO TRANSFER FII OR ADDITION , DELETION OR CHANGE OF REFERENCE NUMBER(S) AND RELATED DATA OR AN ATTEMPT TO TRANSFER A REFERENCE NUMBER AS AS RESULT OF CANCEL-DUPLICATION ACTION, REVEALED DURING PROCESSING TO BE AN ACTUAL DUPLICATE OF AN EXISTING FII FOR ALL FIIGS FOR A MONTH.

6637 FIIG-GTOT-NEW-INPUT DLSC-SB F 8
FIIG GRAND TOTAL NEW INPUT
GRAND TOTAL QUANTITY OF REQUESTS FOR NEW NIIN ASSIGNMENT FOR ALL FIIGS FOR A MONTH.

6638 FIIG-GTOT-NEW-MTCH DLSC-SB F 8
FIIG GRAND TOTAL NEW MATCH
GRAND TOTAL QUANTITY OF REQUESTS FOR NEW NIIN ASSINGMENT THAT HAVE ACTUAL OR POSSIBLE MATCHES FOR ALL FIIGS FOR A MONTH.

6639 FIIG-GTOT-MAINT-INPUT DLSC-SB F 8
FIIG GRAND TOTAL MAINTENANCE INPUT
GRAND TOTAL QUANTITY OF MAINTENANCE INPUT TRANSACTIONS FOR ALL INCS FOR FIIGS FOR A MONTH.

6640 FIIG-GTOT-MAINT-MTCH DLSC-SB F 8
FIIG GRAND TOTAL MAINTENANCE MATCH
GRAND TOTAL QUANTITY OF MATCHES OF MAINTENANCE INPUT TRANSACTIONS FOR ALL INCS FOR ALL FIIGS FOR A MONTH.

6641 FIIG-GTOT-9001-USAGE DLSC-SB F 8
FIIG GRAND TOTAL 9001 USAGE
GRAND TOTAL QUANTITY OF PAC 9001 (OVERRIDE) ACTIONS RECEIVED ON TRANSACTIONS SUBMITTED FOR ALL FIIGS FOR A MONTH.

6642 FIIG-GTOT-MTCH-PC DLSC-SB F 8
FIIG GRAND TOTAL MATCH PERCENT
GRAND TOTAL PERCENT OF INPUT TRANSACTIONS WITH MATCHES FOR ALL FIIGS FOR A MONTH.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6643 FIIG-GTOT-INC-SCRN DLSC-SB F 8
FIIG GRAND TOTAL INC SCREENING
GRAND TOTAL QUANTITY OF INCS SCREENED WITHIN ALL FIIGS FOR A MONTH.

6644 FIIG-GTOT-FIIG-SCRN DLSC-SB F 8
FIIG GRAND TOTAL FIIG SCREENING
GRAND TOTAL QUANTITY OF FIIGS SCREENED FOR A MONTH.

6645 DP-DM-PICA-NNSN-FY74-PCT DLSC-SBA F 8
DEPARTMENT DESCRIPTIVE METHOD PICA NEW NSN FY PERCENT
THE PERCENT OF FULL DESCRIPTIVE (TYPE 1) TYPE OF ITEM IDENTIFICATION APPROVED FOR NSN ASSIGNMENT FOR DEPARTMENT FOR THE ENDING QUARTER OF FY74.

6647 MOE-FSC-TOT-NSN DLSC-SBA F 8
MOE FSC TOTAL NSN
THE TOTAL NUMBER OF MOE RULE NUMBERS RECORDED FOR ALL FEDERAL SUPPLY CLASSES.

6648 M3D-D-DM-P DLSC-SBA F 8
M3D-DEPARTMENT DESCRIPTIVE METHOD PERCENT
THE PERCENTAGE OD DESCRIPTIVE METHOD PICA/SICA NSNS FOR THE DEPARTMENT.

6649 M3E-FSC-D-RN-R DLSC-SBA F 8
M3E FSC DEPARTMENT REFERENCE NUMBER RATIO
THE DEPARTMENT PICA/SICA ACTUAL REFERENCE NUMBER TO NSN RATIO FOR NSNS WITHIN AN FSC.

6650 M3C2-FSC-D-AT-LOA-DM M3C2_STAT_CNT_6650 DLSC-SBA F INTEGER 8
M3C2 FSC DEPARTMENT ACTIVITY LOAN DESCRIPTIVE METHOD
THE ACTIVITY LOA TOTAL NSN COUNT WITH DESCRIPTIVE METHOD ITEM IDENTIFICATION WITHIN A DEPARTMENT, WITHIN AN FSC. ONLY PICA LOAS ARE INCLUDED IN THIS COUNT. FIIG A239 ITEMS WITH INC 77777 ARE EXCLUDED.

6651 CAGE-ACTY-AAC-NSN CAGE_STAT_CNT_6651 DLSC-SBA F INTEGER 8
CAGE ACTIVITY ACQUISITION ADVICE CODE NSN
A COUNT OF NSNS CONTAINING ONLY GOVERNMENT CAGE CODES WITH SPECIFIC ACQUISITION ADVICE CODE.

6652 CAGE-ACTY-AAC-NSN-GRP DLSC-SBA F 8
CAGE ACTIVITY ACQUISITION ADVICE CODE NSN GROUP
A COUNT OF NSNS CONTAINING ONLY GOVERNMENT CAGE CODES WITH SPECIFIC GROUP OF ACQUISITION ADVICE CODES.

6653 CAGE-ACTY-AAC-NSN-TOT DLSC-SBA F 8
CAGE ACTIVITY ACQUISITION ADVICE CODE NSN TOTAL
TOTAL COUNT OF NSNS CONTAINING ONLY GOVERNMENT CAGE CODES WITH SPECIFIC AQUISITION ADVICE CODE(S).

6654 CAGE-NSN CAGE_STAT_CNT_6654 DLSC-SBA F INTEGER 8
CAGE NSN
A COUNT OF NSNS BY A SPECIFIC CAGE CODE.

6655 CAGE-REF CAGE_STAT_CNT_6655 DLSC-SBA F INTEGER 8
CAGE REFERENCE NUMBER

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	FORMAT FV	FORMAT TYPE	FORMAT LG
CLEAR TEXT HOST/COBOL NAME						
DRN DEFINITION						

A COUNT OF REFERENCE NUMBERS BY SPECIFIC CAGE CODE.

6656 CAGE-INC-NSN | CAGE_STAT_CNT_6656 | DLSC-SBA | F | INTEGER | 8
CAGE ITEM NAME CODE NSN
A COUNT OF NSNS BY SPECIFIC CAGE CODE AND ITEM NAME CODE.

6657 CAGE-FSC-NSN | CAGE_STAT_CNT_6657 | DLSC-SBA | F | INTEGER | 8
CAGE FSC NSN
A COUNT OF NSNS BY SPECIFIC CAGE CODE AND FEDERAL SUPPLY CODE.

6658 PCT-RETURNED-5 | DLSC-SBA | F | 8
PERCENT RETURNED 5
THE PERCENT RETURNED FOR DRN 6654, DEPARTMENT ACTIVITY NEW NSN DESCRIPTIVE METHOD 5.

6659 DEPT-TOTAL-5 | DLSC-SBA | F | 8
DEPARTMENT TOTAL 5
THE DEPARTMENT TOTAL FOR DRN 6654, DEPARTMENT ACTIVITY NEW NSN DESCRIPTIVE METHOD 5.

6660 DEPT-ACT-NEW-NSN-RM-6 | DLSC-SBA | F | 8
DEPARTMENT ACTIVITY NEW NSN REFERENCE METHOD 6
THE NUMBER OF ORIGINALS (AN ITEM IDENTIFICATION APPROVED, BY DLSC AND ASSIGNED A NSN WHICH HAS NOT BEEN REVISED, TRANSFERRED, OR CANCELLED) WITH REFERENCE METHOD FOR DEPARTMENT, FOR SUBMITTING ACTIVITY BROKEN OUT BY THE NUMBER PROCESSED, APPROVED, RETURNED, PERCENT RETURNED.

6661 PROCESSED-6 | DLSC-SBA | F | 8
PROCESSED 6
THE NUMBER PROCESSED FOR DRN 6660, DEPARTMENT ACTIVITY NEW NSN REFERENCE METHOD 6.

6662 APPROVED-6 | DLSC-SBA | F | 8
APPROVED 6
THE NUMBER APPROVED FOR DRN 6660, DEPARTMENT ACTIVITY NEW NSN REFERENCE METHOD 6.

6663 RETURNED-6 | DLSC-SBA | F | 8
RETURNED 6
THE NUMBER RETURNED FOR DRN 6660, DEPARTMENT ACTIVITY NEW NSN REFERENCE METHOD 6.

6664 PCT-RETURNED-6 | DLSC-SBA | F | 8
PERCENT RETURNED 6
THE PERCENT RETURNED FOR DRN 6660, DEPARTMENT ACTIVITY NEW NSN REFERENCE METHOD 6.

6665 DEPT-TOTAL-6 | DLSC-SBA | F | 8
DEPARTMENT TOTAL 6
THE DEPARTMENT TOTAL FOR DRN 6660, DEPARTMENT ACTIVITY NEW NSN REFERENCE METHOD 6.

6666 DP-DM-PICA-NSN-FY74-PCT | DLSC-SBA | F | 8
DEPARTMENT DESCRIPTIVE METHOD PICA NSN FY74 PERCENT
THE PERCENT OF FULL DESCRIPTIVE (TYPE 1) TYPE OF ITEM IDENTIFICATION NSNS FOR DEPARTMENT FOR THE ENDING QUARTER OF FY74.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6667 DP-DM-PICA-NSN-FPY-PCT — DLSC-SBA — F — 8

DEPARTMENT DESCRIPTIVE METHOD PICA NSN PREVIOUS YEAR PERCENT

THE PERCENT OF FULL DESCRIPTIVE (TYPE 1) TYPE OF ITEM IDENTIFICATION NSNS FOR DEPARTMENT FOR THE ENDING QUARTER OF PREVIOUS FY.

6668 DP-FD-PICA-NSN-FY-PCT-1 — DLSC-SBA — F — 8

DEPARTMENT FULL DESCRIPTIVE PICA NSN FISCAL YEAR PERCENT 1

THE PERCENT OF FULL DESCRIPTIVE TYPE OF ITEM IDENTIFICATION FOR PICA MANAGED NSNS FOR DEPARTMENT FOR EACH QUARTER OF THE FY.

6669 FRST-QTR-CUR-FY-1 — DLSC-SBA — F — 8

FIRST QUARTER CURRENT FISCAL YEAR 1

FIRST QUARTER OF THE CURRENT FISCAL YEAR FOR DRN 6668, DEPARTMENT FULL DESCRIPTIVE PICA NSN FISCAL YEAR PERCENT 1.

6670 SCND-QTR-CUR-FY-1 — DLSC-SBA — F — 8

SECOND QUARTER CURRENT FISCAL YEAR 1

SECOND QUARTER OF THE CURRENT FISCAL YEAR FOR DRN 6668, DEPARTMENT FULL DESCRIPTIVE PICA NSN FISCAL YEAR PERCENT 1.

6671 THRD-QTR-CUR-FY-1 — DLSC-SBA — F — 8

THIRD QUARTER CURRENT FISCAL YEAR 1

THIRD QUARTER OF THE CURRENT FISCAL YEAR FOR DRN 6668, DEPARTMENT FULL DESCRIPTIVE PICA NSN FISCAL YEAR PERCENT 1.

6672 FRTH-QTR-CUR-FY-1 — DLSC-SBA — F — 8

FOURTH QUARTER CURRENT FISCAL YEAR 1

FOURTH QUARTER OF THE CURRENT FISCAL YEAR FOR DRN 6668, DEPARTMENT FULL DESCRIPTIVE PICA NSN FISCAL YEAR PERCENT 1.

6673 DP-FD-PICA-NSN-GOAL-PCT — DLSC-SBA — F — 8

DEPARTMENT FULL DESCRIPTIVE PICA NSN GOAL PERCENT

THE PERCENT GOAL FOR FULL DESCRIPTIVE TYPE OF ITEM IDENTIFICATION NSNS FOR DEPARTMENT.

6674 DP-ORIG-NSN-PCT-2 — DLSC-SBA — F — 8

DEPARTMENT ORIGINAL NSN PERCENT 2

THE PERCENT OF ORIGINAL NSNS (AN ITEM ASSIGNED A NSN WHICH HAS NOT BEEN REVISED, TRANSFERRED, OR CANCELLED) FOR UNITED STATES GOVERNMENT DEPARTMENTS. TOTALS ARE ALSO BROKEN OUT FOR THE FOLLOWING TYPES OF ITEM IDENTIFICATION: FULL DESCRIPTIVE 1, 1A, 1B. PARTIAL DESCRIPTIVE 4, 4A, 4B AND REFERENCE 2.

6675 FULL-DESCRITIVE-METHOD-2 — DLSC-SBA — F — 8

FULL DESCRIPTIVE METHOD 2

FULL DESCRIPTIVE METHOD PERCENT FOR DRN 6674, DEPARTMENT ORIGINATING NSN PERCENT 2.

6676 PARTIAL-DESCRIPTIVE-2 — DLSC-SBA — F — 8

PARTIAL DESCRIPTIVE 2

PARTIAL DESCRIPTIVE METHOD FOR DRN 6674, DEPARTMENT ORIGINATING NSN PERCENT 2.

6677 REFERENCE-METHOD-2 — DLSC-SBA — F — 8

REFERENCE METHOD 2

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

REFERENCE METHOD FOR DRN 6674, DEPARTMENT ORIGINATING NSN PERCENT 2.

6678 DP-TRNSF-FULL-DESCR-FY74 DLSC-SBA F 8
DEPARTMENT TRANSFER FULL DESCRIPTIVE FISCAL YEAR 74
THE NUMBER OF NSNS TRANSFERRING FROM REFERENCE AND PARTIAL DESCRIPTIVE TYPE OF ITEM IDENTIFICATION TO FULL DESCRIPTIVE TYPE OF ITEM IDENTIFICATION FOR DEPARTMENT FOR FY 74.

6679 DP-TRNSF-FULL-DESCRP-PFY DLSC-SBA F 8
DEPARTMENT TRANSFER FULL DESCRIPTIVE PREVIOUS FISCAL YEAR
THE NUMBER OF NSNS TRANSFERRING FROM REFERENCE AND PARTIAL DESCRIPTIVE TYPE OF ITEM IDENTIFICATION TO FULL DESCRIPTIVE TYPE OF ITEM IDENTIFICATION FOR DEPARTMENT FOR THE PREVIOUS FISCAL YEAR.

6680 RAW-FIIG-INC-INPUT DLSC-SBA F 8
RAW FIIG INC INPUT
DAILY QUANTITY OF TRANSACTIONS RECEIVED BY FIIG AND INC COMBINATION FOR NIIN ASSIGNMENT, REINSTATEMENT OR CHANGE.

6681 RAW-FIIG-INC-P-MTCH DLSC-SBA F 8
RAW FIIG INC POSSIBLE MATCH
DAILY QUANTITY OF REQUESTS FOR NIIN ASSIGNMENT, REINSTATEMENT OF FII, REVISION OF FII, REVISION (ADJUSTMENT) OF A FII, TRANSFER OF FII OR ADDITION, DELETION OR CHANGE OF REFERENCE NUMBER(S) AND RELATED DATA, OR AN ATTEMPT TO TRANSFER A REFERENCE NUMBER AS A RESULT OF YOUR CANCEL-DUPLICATION ACTION, REVEALED DURING PROCESSING TO BE A DUPLICATE OF AN EXISTING FII BY FIIG AND INC COMBINATION.

6682 RAW-FIIG-INC-A-MTCH DLSC-SBA F 8
RAW FIIG INC ACTUAL MATCH
DAILY QUANTITY OF REQUESTS FOR NIIN ASSIGNMENT, REINSTATEMENT OF FII, REVISION OF FII, REVISION (ADJUSTMENT) OF AN FII, TO TRANSFER FII OR ADDITION, DELETION OR CHANGE OF REFERENCE NUMBER(S) AND RELATED DATA, OR AN ATTEMPT TO TRANSFER A REFERENCE NUMBER AS A RESULT OF YOUR CANCEL-DUPLICATION ACTION, REVEALED DURING PROCESSING TO BE AN ACTUAL DUPLICATE OF AN EXISTING FII BY FIIG AND INC COMBINATION.

6683 RAW-FIIG-INC-NEW-INPUT DLSC-SBA F 8
RAW FIIG INC NEW INPUT
DAILY QUANTITY OF REQUESTS FOR NEW NIIN ASSIGNMENT BY FIIG AND INC COMBINATION.

6684 RAW-FIIG-INC-NEW-MTCH DLSC-SBA F 8
RAW FIIG INC NEW MATCH
DAILY QUANTITY OF REQUESTS FOR A NEW NIIN ASSIGNMENT THAT HAVE ACTUAL OR POSSIBLE MATCHES BY FIIG AND INC COMBINATION.

6685 RAW-FIIG-INC-MAINT-INPUT DLSC-SBA F 8
RAW FIIG INC MAINTENANCE INPUT
DAILY QUANTITY OF MAINTENANCE INPUT TRANSACTIONS FOR AN INC BY FIIG AND INC COMBINATION.

6686 RAW-FIIG-INC-MAINT-MTCH DLSC-SBA F 8
RAW FIIG INC MAINTENANCE MATCH
DAILY QUANTITY OF MATCHES OF MAINTENANCE INPUT TRANSACTIONS FOR AN INC BY FIIG AND INC COMBINATION.

6687 RAW-FIIG-INC-9001-USAGE DLSC-SBA F 8
RAW FIIG INC 9001 USAGE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

DAILY QUANTITY OF PAC 9001 (OVERRIDE) ACTIONS RECEIVED ON TRANSACTIONS SUBMITTED BY FIIG AND INC COMBINATION.

6688 IN-DP-AT-AIN-NSN IN_STAT_CNT_6688 DLSC-SBA F INTEGER 8
ITEM NAME DEPARTMENT ACTIVITY APPROVED ITEM NAME
THE TOTAL NUMBER OF NSNS ON FILE HAVING AN APPROVED ITEM NAME FOR THE ACTIVITY.

6689 IN-DP-AT-NAIN-NSN IN_STAT_CNT_6689 DLSC-SBA F INTEGER 8
ITEM NAME DEPARTMENT ACTIVITY NONAPPROVED ITEM
THE NUMBER OF NSNS ON FILE HAVING A NONAPPROVED ITEM NAME FOR THE ACTIVITY.

6690 IN-DP-AT-NAIN-PCT DLSC-SBA F 8
ITEM NAME DEPARTMENT ACTIVITY NONAPPROVED ITEM NAME PERCENT
THE PERCENT OF NSNS ON FILE HAVING A NONAPPROVED ITEM NAME FOR THE ACTIVITY.

6691 IN-DP-AIN-NSN IN_STAT_CNT_6691 DLSC-SBA F INTEGER 8
ITEM NAME DEPARTMENT APPROVED ITEM NAME NSN
THE NUMBER OF NSNS ON FILE HAVING AN APPROVED ITEM NAME FOR THE DEPARTMENT.

6692 IN-DP-NAIN-NSN IN_STAT_CNT_6692 DLSC-SBA F INTEGER 8
ITEM NAME DEPARTMENT NONAPPROVED ITEM NAME NSN
THE NUMBER OF NSNS ON FILE HAVING A NONAPPROVED ITEM ANME FOR THE DEPARTMENT.

6693 IN-DP-NAIN-PCT DLSC-SBA F 8
ITEM NAME DEPARTMENT NONAPPROVED ITEM NAME PERCENT
THE PERCENT OF NSNS ON FILE HAVING A NONAPPROVED ITEM NAME FOR THE DEPARTMENT.

6694 IN-DP-AT-TOT-NR-NSN DLSC-SBA F 8
ITEM NAME DEPARTMENT ACTIVITY TOTAL NEW REINSTATED NSN
THE TOTAL NUMBER OF NSNS NEWLY ASSIGNED/REINSTATED DURING THE CURRENT MONTH FOR THE ACTIVITY.

6695 IN-DP-AT-AIN-NR-NSN IN_STAT_CNT_6695 DLSC-SBA F INTEGER 8
ITEM NAME DEPT ACTIVITY APPROVED ITEM NAME NEW REINSTD NSN
THE NUMBER OF NSNS NEWLY ASSIGNED/REINSTATED DURING THE CURRENT MONTH WITH AN APPROVED ITEM NAME FOR THE ACTIVITY.

6696 IN-DP-AT-NAIN-NR-NSN IN_STAT_CNT_6696 DLSC-SBA F INTEGER 8
ITEM NAME DEPT ACTIVITY NONAPPRVD ITEM NAME NEW REINSTD NSN
THE NUMBER OF NSNS NEWLY ASSIGNED/REINSTATED DURING THE CURRENT MONTH WITH A NONAPPROVED ITEM NAME FOR ACTIVITY.

6697 IN-DP-AT-NAIN-NR-PCT DLSC-SBA F 8
ITEM NAME DEPT ACTY NONAPPRVD ITEM NAME NEW REINSTATED PCT
THE PERCENT OF NEWLY ASSIGNED/REINSTATED NSNS WITH A NONAPPROVED ITEM NAME DURING THE CURRENT MONTH FOR THE ACTIVITY.

6698 IN-DP-TOT-NR-NSN DLSC-SBA F 8
ITEM NAME DEPARTMENT TOTAL NEW REINSTATED NSN
THE TOTAL NUMBER OF NSNS NEWLY ASSIGNED/REINSTATED DURING THE CURRENT MONTH FOR THE DEPARTMENT.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6699 IN-DP-AIN-NR-NSN IN_STAT_CNT_6699 DLSC-SBA F INTEGER 8
ITEM NAME DEPARTMENT APPROVED ITEM NAME NEW REINSTATED NSN
THE NUMBER OF NSNS NEWLY ASSIGNED/REINSTATED DURING THE CURRENT MONTH WITH AN APPROVED ITEM NAME FOR THE DEPARTMENT.

6700 IN-DP-NAIN-NR-NSN IN_STAT_CNT_6700 DLSC-SBA F INTEGER 8
ITEM NAME DEPARTMENT NONAPPROVED ITEM NAME NEW REINSTD NSN
THE NUMBER OF NSNS NEWLY ASSIGNED/REINSTATED DURING THE CURRENT MONTH WITH NONAPPROVED ITEM NAME FOR DEPARTMENT.

6701 IN-DP-NAIN-NR-PCT DLSC-SBA F 8
ITEM NAME DEPT NONAPPROVED ITEM NAME NEW REINSTD PERCENT
THE PERCENT OF NEWLY ASSIGNED/RESINSTATED NSNS WITH A NONAPPROVED ITEM NAME DURING THE CURRENT MONTH FOR THE DEPARTMENT.

6702 IN-DP-AT-YTD-NR-NSN DLSC-SBA F 8
ITEM NAME DEPT ACTIVITY YEAR TO DATE NEW REINSTATED NSN
THE NUMBER OF NSNS NEWLY ASSIGNED/REINSTATED FOR THE CURRENT YEAR TO DATE FOR THE ACTIVITY.

6703 IN-DP-AT-YTD-NAIN-NR-NSN DLSC-SBA F 8
ITEM NAME DEPT ACTY YTD NONAPPRD ITEM NAME NEW REINSTD NSN
THE NUMBER OF NSNS WEEKLY ASSIGNED/REINSTATED WITH A NONAPPROVED ITEM NAME FOR THE CURRENT YEAR TO DATE FOR THE ACTIVITY.

6704 IN-DP-AT-YTD-NAIN-NR-PCT DLSC-SBA F 8
ITEM NAME DEPT ACT YTD NONAPPRD ITEM NAME NEW REINSTD PCT
THE PERCENT OF NSNS NEWLY ASSIGNED/REINSTATED WITH A NONAPPROVED ITEM NAME FOR THE CURRENT YEAR TO DATE FOR THE ACTIVITY.

6705 IN-DP-YTD-NR-NSN DLSC-SBA F 8
ITEM NAME DEPARTMENT YEAR TO DATE NEW REINSTATED NSN
THE NUMBER OF NSNS NEWLY ASSIGNED/REINSTATED FOR THE CURRENT YEAR TO DATE FOR THE DEPARTMENT.

6706 IN-DP-YTD-NAIN-NR-NSN DLSC-SBA F 8
ITEM NAME DEPT YTD NONAPPRD ITEM NAME NEW REINSTD NSN
THE NUMBER OF NSNS NEWLY ASSIGNED/REINSTATED WITH A NONAPPROVED ITEM NAME FOR THE CURRENT YEAR-TO-DATE FOR THE DEPARTMENT.

6707 IN-DP-YTD-NAIN-NR-PCT DLSC-SBA F 8
ITEM NAME DEPT YTD NONAPPRD ITEM NAME NEW REINSTATED PERCENT
THE PERCENT OF NSNS NEWLY ASSIGNED/REINSTATED WITH A NONAPPROVED ITEM NAME FOR THE CURRENT YEAR-TO-DATE FOR THE DEPARTMENT.

6708 IN-DP-AT-NAIN-NR-PCT-1-Q DLSC-SBA F 8
ITEM NAME DEPT ACTY NONAPPD ITEM NAME NEW REINSTD PCT 1ST Q
THE PERCENT OF NEWLY ASSIGNED/REINSTATED NSNS WITH A NONAPPROVED ITEM NAME DURING THE FIRST QUARTER OF THE FISCAL YEAR FOR THE ACTIVITY.

6709 IN-DP-AT-NAIN-NR-PCT-2-Q DLSC-SBA F 8
ITEM NAME DEPT ACTY NONAPPRD NEW REINSTATED PERCENT 2ND Q

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE PERCENT OF NEWLY ASSIGNED/REINSTATED NSNS WITH A NONAPPROVED ITEM NAME DURING THE SECOND QUARTER OF THE FISCAL YEAR FOR THE ACTIVITY.

6710 IN-DP-AT-NAIN-NR-PCT-3-Q DLSC-SBA F 8
ITEM NAME DEPT ACTY NONAPPD ITEN NAME NEW REINSTD PCT 3RD Q
THE PERCENT OF NEWLY ASSIGNED/REINSTATED NSNS WITH A NONAPPROVED ITEM NAME DURING THE THIRD QUARTER OF THE FISCAL YEAR FOR THE ACTIVITY.

6711 IN-DP-AT-NAIN-NR-PCT-4-Q DLSC-SBA F 8
ITEM NAME DEPT ACTY NONAPPD ITEM NAME NEW REINSTD PCT 4TH Q
THE PERCENT OF NEWLY ASSIGNED/REINSTATED NSNS WITH A NONAPPROVED ITEM NAME DURING THE FOURTH QUARTER OF THE FISCAL YEAR FOR THE ACTIVITY.

6712 IN-DP-NAIN-NR-PCT-1-Q DLSC-SBA F 8
ITEM NAME DEPT NONAPPRD ITEM NAME NEW REINSTD PCT 1ST QTR
THE PERCENT OF NEWLY ASSIGNED/REINSTATED NSNS WITH A NONAPPROVED ITEM NAME DURING THE FIRST QUARTER OF THE FISCAL YEAR FOR THE DEPARTMENT.

6713 POP-FIIG-AAIN-MG POP_STAT_CNT_6713 DLSC-SBA F INTEGER 8
POPULATION FIIG ALL APPROVED ITEM NAME MANAGED
THE MANAGED NSN QUANTITY ACROSS ALL APPROVED ITEM NAME CODES WITHIN A FIIG.

6714 POP-FIIG-AAIN-MG-FU POP_STAT_CNT_6714 DLSC-SBA F INTEGER 8
POPULATION FIIG ALL APPROVED ITEM NAME MANAGED FULL
THE QUANTITY OF FULL DESCRIPTIVE MANAGED NSNS ACROSS ALL APPROVED ITEM NAME CODES WITHIN A FIIG.

6715 POP-FIIG-AAIN-MG-PA POP_STAT_CNT_6715 DLSC-SBA F INTEGER 8
POPULATION FIIG ALL APPROVED ITEM NAME MANAGED PARTIAL
THE QUANTITY OF PARTIAL DESCRIPTIVE MANAGED NSNS ACROSS ALL APPROVED ITEM NAME CODES WITHIN A FIIG.

6716 POP-FIIG-AAIN-MG-RE POP_STAT_CNT_6716 DLSC-SBA F INTEGER 8
POPULATION FIIG ALL APPROVED ITEM NAME MANAGED REFERENCE
THE QUANTITY OF REFERENCE METHOD MANAGED NSNS ACROSS ALL APPROVED ITEM NAME CODES WITHIN A FIIG.

6717 POP-FIIG-AAIN-MG-AC POP_STAT_CNT_6717 DLSC-SBA F INTEGER 8
POPULATION FIIG ALL APPROVED ITEM NAME MANAGED ACTIVITY
THE QUANTITY OF NSNS MANAGED BY AN ACTIVITY ACROSS ALL APPROVED ITEM NAME CODES WITHIN IN FIIG.

6718 POP-FIIG-AIN-ALL-MG POP_STAT_CNT_6718 DLSC-SBA F INTEGER 8
POPULATION FIIG APPROVED ITEM NAME ALL MANAGED
THE MANAGED NSN QUANTITY ACROSS AN APPROVED ITEM NAME CODE WITHIN A FIIG

6719 POP-FIIG-AIN-ALL-MG-FU POP_STAT_CNT_6719 DLSC-SBA F INTEGER 8
POPULATION FIIG APPROVED ITEM NAME ALL MANAGED FULL
THE QUANTITY OF FULL DESCRIPTIVE MANAGED NSNS ACROSS AN APPROVED ITEM NAME CODE WITHIN A FIIG.

6720 POP-FIIG-AIN-ALL-MG-PA POP_STAT_CNT_6720 DLSC-SBA F INTEGER 8
POPULATION FIIG APPROVED ITEM NAME ALL MANAGED PARTIAL
THE QUANTITY OF PARTIAL DESCRIPTIVE MANAGED NSNS ACROSS AN APPROVED ITEM NAME CODE WITHIN A FIIG.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6721 POP-FIIG-AIN-ALL-MG-RE POP_STAT_CNT_6721 DLSC-SBA F INTEGER 8
POPULATION FIIG APPROVED ITEM NAME ALL MANAGED REFERENCE
THE QUANTITY OF REFERENCE METHOD MANAGED NSNS ACROSS AN APPROVED ITEM NAME CODE WITHIN A FIIG.

6722 POP-FIIG-AIN-ALL-MG-AC POP_STAT_CNT_6722 DLSC-SBA F INTEGER 8
POPULATION FIIG APPROVED ITEM NAME ALL MANAGED ACTIVITY
THE QUANTITY OF NSNS MANAGED BY AN ACTIVITY ACROSS AN APPROVED ITEM NAME CODE WITHIN A FIIG.

6723 POP-FIIG-AIN-FSC-MG DLSC-SBA F 8
POPULATION FIIG APPROVED ITEM NAME FSC MANAGED
THE QUANTITY OF MANAGED NSNS FOR AN FSC ACROSS AN APPROVED ITEM NAME CODE WITHIN A FIIG.

6724 POP-FIIG-AIN-FSC-MG-FU POP_STAT_CNT_6724 DLSC-SBA F INTEGER 8
POPULATION FIIG APPROVED ITEM NAME FSC MANAGED FULL
THE QUANTITY OF FULL DESCRIPTIVE MANAGED NSNS FOR AN FSC ACROSS AN APPROVED ITEM NAME CODE WITHIN A FIIG.

6725 POP-FIIG-AIN-FSC-MG-PA POP_STAT_CNT_6725 DLSC-SBA F INTEGER 8
POPULATION FIIG APPROVED ITEM NAME FSC MANAGED PARTIAL
THE QUANTITY OF PARTIAL DESCRIPTIVE MANAGED NSNS FOR AN FSC ACROSS AN APPROVED ITEM NAME CODE WITHIN A FIIG.

6726 POP-FIIG-AIN-FSC-MG-AC POP_STAT_CNT_6726 DLSC-SBA F INTEGER 8
POPULATION FIIG APPROVED ITEM NAME FSC MANAGED ACTIVITY
THE QUASNTITY OF NSNS MANAGED BY AN ACTIVITY FOR AN FSC ACROSS AN APPROVED ITEM NAME CODE WITHIN A FIIG.

6727 POP-NAIN-ALL-FSC DLSC-SBA F 8
POPULATION NONAPPROVED ITEM NAME ALL FSC
THE QUANTITY OF NSNS WITH NONAPPROVED ITEM NAMES ACROSS ALL FSCS.

6728 POP-NAIN-FSC DLSC-SBA F 8
POPULATION NONAPPROVED ITEM NAME FSC
THE QUANTITY OF NSNS WITH NONAPPROVED ITEM NAMES ACROSS A SINGLE FSC.

6729 POP-NAIN-FSC-INAC POP_STAT_CNT_6729 DLSC-SBA F INTEGER 8
POPULATION NONAPPROVED ITEM NAME FSC INACTIVE
THE QUANTITY OF INACTIVE NSNS FOR A SINGLE FSC ACROSS A NONAPPROVED ITEM NAME.

6730 POP-NAIN-FSC-MG POP_STAT_CNT_6730 DLSC-SBA F INTEGER 8
POPULATION NONAPPROVED ITEM NAME FSC MANAGED
THE QUANTITY OF MANAGED NSNS FOR A SINGLE FSC ACROSS A NONAPPROVED ITEM NAME.

6731 POP-NAIN-FSC-AC POP_STAT_CNT_6731 DLSC-SBA F INTEGER 8
POPULATION NONAPPROVED ITEM NAME FSC ACTIVITY
THE QUANTITY OF NSNS MANAGED BY AN ACTIVITY FOR A SINGLE FSC ACROSS A NONAPPROVED ITEM NAME.

6732 POP-NAIN-FSC-ALL-INAC POP_STAT_CNT_6732 DLSC-SBA F INTEGER 8
POPULATION NONAPPROVED ITEM NAME FSC ALL INACTIVE
THE QUANTITY OF INACTIVE NSNS ACROSS ALL FSCS FOR A NONAPPROVED ITEM NAME.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6733 POP-NAIN-FSC-ALL-MG POP_STAT_CNT_6733 DLSC-SBA F INTEGER 8
POPULATION NONAPPROVED ITEM NAME FSC ALL MANAGED
THE QUANTITY OF MANAGED NSNS ACROSS ALL FSCS FOR A NONAPPROVED ITEM NAME.

6734 POP-NAIN-FSC-ALL-AC DLSC-SBA F 8
POPULATION NONAPPROVED ITEM NAME FSC ALL ACTIVITY
THE TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY FOR A NONAPPROVED ITEM NAME.

6735 POP-FIIG-AAIN-NMG POP_STAT_CNT_6735 DLSC-SBA F INTEGER 8
POPULATION FIIG ALL APPROVED ITEM NAME NONMANAGED
THE NONMANAGED NSN QUANTITY ACROSS ALL APPROVED ITEM NAME CODES WITHIN A FIIG.

6736 POP-FIIG-AAIN-NMG-FU POP_STAT_CNT_6736 DLSC-SBA F INTEGER 8
POPULATION FIIG ALL APPROVED ITEM NAME NONMANAGED FULL
THE QUANTITY OF FULL DESCRIPTIVE NONMANAGED NSNS ACROSS ALL APPROVED ITEM NAME CODES WITHIN A FIIG.

6737 POP-FIIG-AAIN-NMG-PA POP_STAT_CNT_6737 DLSC-SBA F INTEGER 8
POPULATION FIIG ALL APPROVED ITEM NAME NONMANAGED PARTIAL
THE QUANTITY OF PARTIAL DESCRIPTIVE NONMANAGED NSNS ACROSS ALL APPROVED ITEM NAME CODES WITHIN A FIIG.

6738 POP-FIIG-AAIN-NMG-RE POP_STAT_CNT_6738 DLSC-SBA F INTEGER 8
POPULATION FIIG ALL APPROVED ITEM NAME NONMANAGED RE
THE QUANTITY OF REFERENCE METHOD NONMANAGED NSNS ACROSS ALL APPROVED ITEM NAME CODES WITHIN A FIIG.

6739 POP-FIIG-AIN-ALL-NMG POP_STAT_CNT_6739 DLSC-SBA F INTEGER 8
POPULATION FIIG APPROVED ITEM NAME ALL NONMANAGED
THE NONMANAGED NSN QUANTITY ACROSS AN APPROVED ITEM NAME CODE WITHIN A FIIG.

6740 POP-FIIG-AIN-ALL-NMG-FU POP_STAT_CNT_6740 DLSC-SBA F INTEGER 8
POPULATION FIIG APPROVED ITEM NAME ALL NONMANAGED FULL
THE QUANTITY OF FULL DESCRIPTIVE NONMANAGED NSNS ACROSS AN APPROVED ITEM NAME CODE WITHIN A FIIG.

6741 POP-FIIG-AIN-ALL-NMG-PA POP_STAT_CNT_6741 DLSC-SBA F INTEGER 8
POPULATION FIIG APPROVED ITEM NAME ALL NONMANAGED PARTIAL
THE QUANTITY OF PARTIAL DESCRIPTIVE NONMANAGED NSNS ACROSS AN APPROVED ITEM NAME CODE WITHIN A FIIG.

6742 POP-FIIG-AIN-ALL-NMG-RE POP_STAT_CNT_6742 DLSC-SBA F INTEGER 8
POPULATION FIIG APPROVED ITEM NAME ALL NONMANAGED REFERENCE
THE QUANTITY OF REFERENCE METHOD NONMANAGED NSNS ACROSS AN APPROVED ITEM NAME CODE WITHIN A FIIG.

6743 POP-FIIG-AIN-FSC-NMG POP_STAT_CNT_6743 DLSC-SBA F INTEGER 8
POPULATION FIIG APPROVED ITEM NAME FSC NONMANAGED
THE QUANTITY OF NONMANAGED NSNS FOR AN FSC ACROSS AN APPROVED ITEM NAME CODE WITHIN A FIIG.

6744 TRFR-OAC-CUR-T2-NSN TRFR_STAT_CNT_6744 DLSC-SBA F INTEGER 8
TRANSFER ORIGINATING ACTIVITY CURRENT TYPE 2 NSN

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL QUANTITY OF NEWLY ASSIGNED NSNS WITHIN THE CURRENT REPORTING PERIOD WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT/ACTIVITY.

6745 TRFR-OAC-CUR-T1-NSN TRFR_STAT_CNT_6745 DLSC-SBA F INTEGER 8
TRANSFER ORIGINATING ACTIVITY CURRENT TYPE 1 NSN
THE TOTAL QUANTITY OF NEWLY ASSIGNED NSNS WITHIN THE CURRENT REPORTING PERIOD WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT/ACTIVITY.

6746 TRFR-OAC-CUR-T4-NSN TRFR_STAT_CNT_6746 DLSC-SBA F INTEGER 8
TRANSFER ORIGINATING ACTIVITY CURRENT TYPE 4 NSN
THE TOTAL QUANTITY OF NEWLY ASSIGNED NSNS WITHIN THE CURRENT REPORTING PERIOD WITH PARTIAL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT/ACTIVITY.

6747 TRFR-OAC-CUR-TOT-NSN TRFR_STAT_CNT_6747 DLSC-SBA F INTEGER 8
TRANSFER ORIGINATING ACTIVITY CURRENT TOTAL NSN
THE TOTAL QUANTITY OF NEWLY ASSIGNED NSNS WITHIN THE CURRENT REPORTING PERIOD BY ORIGINATING DEPARTMENT/ACTIVITY.

6748 TRFR-OAC-CUR-DM-PCT TRFR_STAT_CNT_6748 DLSC-SBA F INTEGER 8
TRANSFER ORIGINATING ACT CURRENT DESCRIPTIVE METHOD PERCENT
THE PERCENT OF NEWLY ASSIGNED NSNS WITHIN THE CURRENT REPORTING PERIOD WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT/ACTIVITY.

6749 TRFR-OAC-FYD-T2-NSN TRFR_STAT_CNT_6749 DLSC-SBA F INTEGER 8
TRANSFER ORIGINATING ACT FISCAL YR TO DATE TYPE 2 NSN
THE FISCAL YEAR TO DATE QUANTITY OF NEWLY ASSIGNED NSNS WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT/ACTIVITY.

6750 TRFR-OAC-FYD-T1-NSN TRFR_STAT_CNT_6750 DLSC-SBA F INTEGER 8
TRANSFER ORIGINATING ACT FISCAL YR TO DATE TYPE 1 NSN
THE FISCAL YEAR TO DATE QUANTITY OF NEWLY ASSIGNED NSNS WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT/ACTIVITY.

6751 TRFR-OAC-FYD-T4-NSN TRFR_STAT_CNT_6751 DLSC-SBA F INTEGER 8
TRANSFER ORIGINATING ACT FISCAL YR TO DATE TYPE 4 NSN
THE FISCAL YEAR TO DATE QUANTITY OF NEWLY ASSIGNED NSNS WITH PARTIAL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT ACTIVITY.

6752 TRFR-OAC-FYD-TOT-NSN TRFR_STAT_CNT_6752 DLSC-SBA F INTEGER 8
TRANSFER ORIGINATING ACT FISCAL YR TO DATE TOTAL NSN
THE FISCAL YEAR TO DATE TOTAL QUANTITY OF NEWLY ASSIGNED NSNS BY ORIGINATING DEPARTMENT/ACTIVITY.

6753 TRFR-OAC-FYD-DM-PCT TRFR_STAT_CNT_6753 DLSC-SBA F INTEGER 8
TRANSFER ORIGINATING ACT FISCAL YR TO DATE DESC METH PERCENT
THE FISCAL YEAR TO DATE PERCENT OF NEWLY ASSIGNED NSNS WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT ACTIVITY.

6754 TRFR-ODP-CUR-T2-NSN TRFR_STAT_CNT_6754 DLSC-SBA F INTEGER 8
TRANSFER ORIGINATING DEPT CURRENT TYPE 2 NSN

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL QUANTITY OF NEWLY ASSIGNED NSNS WITHIN THE CURRENT REPORTING PERIOD WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT.

6755 TRFR-ODP-CUR-T1-NSN TRFR_STAT_CNT_6755 DLSC-SBA F INTEGER 8
TRANSFER ORIGINATING DEPARTMENT CURRENT TYPE 1 NSN
THE TOTAL QUANTITY OF NEWLY ASSIGNED NSNS WITHIN THE CURRENT REPORTING PERIOD WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT.

6756 TRFR-ODP-CUR-T4-NSN TRFR_STAT_CNT_6756 DLSC-SBA F INTEGER 8
TRANSFER ORIGINATING DEPARTMENT CURRENT TYPE 4 NSN
THE TOTAL QUANTITY OF NEWLY ASSIGNED NSNS WITHIN THE CURRENT REPORTING PERIOD WITH PARTIAL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT.

6757 TRFR-ODP-CUR-TOT-NSN TRFR_STAT_CNT_6757 DLSC-SBA F INTEGER 8
TRANSFER ORIGINATING DEPARTMENT CURRENT TOTAL NSN
THE TOTAL QUANTITY OF NEWLY ASSIGNED NSNS WITHIN THE CURRENT REPORTING PERIOD BY ORIGINATING DEPARTMENT.

6758 TRFR-ODP-CUR-DM-PCT TRFR_STAT_CNT_6758 DLSC-SBA F INTEGER 8
TRANSFER ORIGINATING DEPT CURRENT DESCRIPTIVE METHOD PERCENT
PERCENT OF NEWLY ASSIGNED NSNS WITHIN THE CURRENT REPORTING PERIOD WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT.

6759 TRFR-ODP-FYD-T2-NSN TRFR_STAT_CNT_6759 DLSC-SBA F INTEGER 8
TRANSFER ORIGINATING DEPT FISCAL YR TO DATE TYPE 2 NSN
THE FISCAL YEAR TO DATE QUANTITY OF NEWLY ASSIGNED NSNS WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT.

6760 TRFR-ODP-FYD-T1-NSN TRFR_STAT_CNT_6760 DLSC-SBA F INTEGER 8
TRANSFER ORIGINATING DEPT FISCAL YR TO DATE TYPE 1 NSN
THE FISCAL YEAR TO DATE QUANTITY OF NEWLY ASSIGNED NSNS WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT.

6761 TRFR-ODP-FYD-T4-NSN TRFR_STAT_CNT_6761 DLSC-SBA F INTEGER 8
TRANSFER ORIGINATING DEPT FISCAL YR TO DATE TYPE 4 NSN
THE FISCAL YEAR TO DATE QUANTITY OF NEWLY ASSIGNED NSNS WITH PARTIAL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT.

6762 TRFR-ODP-FYD-TOT-NSN TRFR_STAT_CNT_6762 DLSC-SBA F INTEGER 8
TRANSFER ORIGINATING DEPT FISCAL YEAR TO DATE TOTAL NSN
THE FISCAL YEAR TO DATE QUANTITY OF NEWLY ASSIGNED NSNS BY ORIGINATING DEPARTMENT.

6763 TRFR-ODP-FYD-DM-PCT TRFR_STAT_CNT_6763 DLSC-SBA F INTEGER 8
TRANSFER ORIGINATING DEPT FISCAL YR TO DATE DESC MET PERCENT
THE FISCAL YEAR TO DATE PERCENT OF NEWLY ASSIGNED NSNS WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT.

6764 TRFR-FSC-OAC-FYD-T2-NSN TRFR_STAT_CNT_6764 DLSC-SBA F INTEGER 8
TRANSFER FSC ORIGINATING ACT FISCAL YR TO DATE TYPE 2 NSN
THE FISCAL YEAR TO DATE QUANTITY OF NEWLY ASSIGNED NSNS WITHIN AN FSC WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT/ACTIVITY.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6765 TRFR-FSC-OAC-FYD-T1-NSN TRFR_STAT_CNT_6765 DLSC-SBA F INTEGER 8
TRANSFER FSC ORIGINATING ACT FISCAL YR TO DATE TYPE 1 NSN
THE FISCAL YEAR TO DATE QUANTITY OF NEWLY ASSIGNED NSNS WITHIN AN FSC WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT/ACTIVITY.

6766 TRFR-FSC-OAC-FYD-T4-NSN TRFR_STAT_CNT_6766 DLSC-SBA F INTEGER 8
TRANSFER FSC ORIGINATING ACT FISCAL YR TO DATE TYPE 4 NSN
THE FISCAL YEAR TO DATE QUANTITY OF NEWLY ASSIGNED NSNS WITHIN AN FSC WITH PARTIL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT/ACTIVITY.

6767 TRFR-FSC-OAC-FYD-TOT-NSN TRFR_STAT_CNT_6767 DLSC-SBA F INTEGER 8
TRANSFER FSC ORIGINATING ACT FISCAL YR TO DATE TOTAL NSN
THE FISCAL YEAR TO DATE TOTAL QUANTITY OF NEWLY ASSIGNED NSNS WITHIN AN FSC BY ORIGINATING DEPARTMENT/ACTIVITY.

6768 TRFR-FSC-OAC-FYD-DM-PCT TRFR_STAT_CNT_6768 DLSC-SBA F INTEGER 8
TRANSFER FSC ORIGINATING ACT FISCAL YR TO DATE DESC METH PCT
THE FISCAL YEAR TO DATE PERCENT OF NEWLY ASSIGNED NSNS WITHIN AN FSC WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT/ACTIVITY.

6769 TRFR-FSC-OAC-FYD-GL-DIF TRFR_STAT_CNT_6769 DLSC-SBA F INTEGER 8
TRANDFER FSC ORIGINATING ACT FISCAL YR TO DATE GOAL DIFFER
THE FISCAL YEAR TO DATE DIFFERENCE BETWEEN THE ESTABLISHED GOAL AND ACTUAL PERCENT OBTAINED OF NEWLY ASSIGNED NSNS WITH DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT/ACTIVITY.

6770 TRFR-FSC-OAC-FYD-GOAL TRFR_STAT_CNT_6770 DLSC-SBA F INTEGER 8
TRANSFER FSC ORIGINATING ACT FISCAL YR TO DATE GOAL
THE FISCAL YEAR TO DATE ESTABLISHED GOAL FOR THE PERCENT OF NEWLY ASSIGNED NSNS WITH DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT/ACTIVITY.

6772 TRFR-FSC-ODP-FYD-T1-NSN TRFR_STAT_CNT_6772 DLSC-SBA F INTEGER 8
TRANSFER FSC ORIGINATING DEPT FISCAL YR TO DATE TYPE 1 NSN
THE FISCAL YEAR TO DATE QUANTITY OF NEWLY ASSIGNED NSNS WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT.

6774 TRFR-FSC-ODP-FYD-TOT-NSN TRFR_STAT_CNT_6774 DLSC-SBA F INTEGER 8
TRANSFER FSC ORIGINATING DEPT FISCAL YR TO DATE TOTAL NSN
THE FISCAL YEAR TO DATE TOTAL QUANTITY OF NEWLY ASSIGNED NSNS BY ORIGINATING DEPARTMENT.

6775 TRFR-FSC-ODP-FYD-DM-PCT TRFR_STAT_CNT_6775 DLSC-SBA F INTEGER 8
TRANSFER FSC ORIGINATING DEPT FY TO DATE DESC METH PERCENT
THE FISCAL YEAR TO DATE PERCENT OF NEWLY ASSIGNED NSNS WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT.

6776 TRFR-FSC-ODP-FYD-GL-DIF TRFR_STAT_CNT_6776 DLSC-SBA F INTEGER 8
TRANSFER FSC ORIGINATING DEPT FY TO DATE GOAL DIFFERENCE
THE FISCAL YEAR TO DATE DIFFERENCE BETWEEN THE ESTABLISHED GOAL AND ACTUAL PERCENT OBTAINED OF NEWLY ASSIGNED NSNS WITH DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT.

6777 TRFR-FSC-ODP-FYD-GOAL TRFR_STAT_CNT_6777 DLSC-SBA F INTEGER 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

TRANSFER FSC ORIGINATING DEPT FISCAL YR TO DATE GOAL
THE FISCAL YEAR TO DATE ESTABLISHED GOAL FOR THE PERCENT OF NEWLY ASSIGNED NSNS WITH DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT.

6778 TRFR-ODP-T1-2-NSN TRFR_STAT_CNT_6778 DLSC-SBA F INTEGER 8
TRANSFER ORIGINATING DEPARTMENT TYPE 1 TO 2 NSN
THE TOTAL QUANTITY OF NSNS IN THE CURENT REPORTING PERIOD THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM FULL DESCRIPTIVE TO REFERENCE METHOD BY ORIGINATING DEPARTMENT.

6779 DIC-SAC-NIINST DIC_STAT_CNT_6779 DLSC-SBA F INTEGER 8
DIC SUBMITTING ACTIVITY CODE NIIN STATUS
THE COUNT OF TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION FOR SUBMITTING ACTIVITY FOR DOCUMENT IDENTIFIER CODE.

6780 DIC-SAC-RULES DIC_STAT_CNT_6780 DLSC-SBA F INTEGER 8
DIC SUBMITTING ACTIVITY CODE RULES
THE COUNT OF TRANSACTIONS RETURNED FOR RULES ERRORS FOR SUBMITTING ACTIVITY FOR DOCUMENT IDENTIFIER CODE.

6781 DIC-SAC-CLRCL DIC_STAT_CNT_6781 DLSC-SBA F INTEGER 8
DIC SUBMITTING ACTIVITY CODE CLERICAL
THE COUNT OF TRANSACTIONS RETURNED FOR CLERICAL ERRORS FOR SUBMITTING ACTIVITY FOR DOCUMENT IDENTIFIER CODE.

6782 DIC-SAC-PDUPS DIC_STAT_CNT_6782 DLSC-SBA F INTEGER 8
DIC SUBMITTING ACTIVITY CODE POSSIBLE DUPLICATES
THE COUNT OF TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES FOR SUBMITTING ACTIVITY FOR DOCUMENT IDENTIFIER CODE.

6783 DIC-SAC-ADUPS DIC_STAT_CNT_6783 DLSC-SBA F INTEGER 8
DIC SUBMITTING ACTIVITY CODE ACTUAL DUPLICATES
THE COUNT OF TRANSACTIONS RETURNED AS AN ACTUAL DUPLICATE FOR SUBMITTING ACTIVITY FOR DOCUMENT IDENTIFIER CODE.

6784 DIC-SAC-RETRND DLSC-SBA F 8
DIC SUBMITTING ACTIVITY CODE RETURNED
THE COUNT OF TRANSACTIONS RETURNED BY SUBMITTING ACTIVITY BY DOCUMENT IDENTIFIER CODE.

6785 IDIC-DEPT-SAC-RETD-QTY-B DLSC-SBA F 8
INPUT DIC DEPARTMENT SUBMITTING ACTIVITY RETURNED QTY B
THE COUNT OF TRANSACTIONS FOR SUBMITTING ACTIVITIES WITHIN A DEPARTMENT THAT REJECT AND ARE RETURNED BROKEN OUT UNDER THE FOLLOWING CATEGORIES: TOTAL RETURNED, ACTUAL DUPLICATES, POSSIBLE DUPLICATES, CLERICAL ERRORS, RULES ERRORS AND NIIN STATUS.

6786 DIC-SAC-APRVD DIC_STAT_CNT_6786 DLSC-SBA F INTEGER 8
DIC SUBMITTING ACTIVITY CODE APPROVED
THE COUNT OF TRANSACTIONS APPROVED FOR SUBMITTING ACTIVITY FOR DOCUMENT IDENTIFIER CODE.

6787 DIC-SAC-PRCSD DLSC-SBA F 8
DIC SUBMITTING ACTIVITY CODE PROCESSED
THE COUNT OF TRANSACTIONS PROCESSED FOR SUBMITTING ACTIVITY FOR DOCUMENT IDENTIFIER CODE.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					

6788 DIC-SAC-RECVD DIC_STAT_CNT_6788 DLSC-SBA F INTEGER 8
DIC SUBMITTING ACTIVITY RECEIVED
THE COUNT OF TRANSACTIONS RECEIVED FOR SUBMITTING ACTIVITY FOR DOCUMENT IDENTIFIER CODE.

6789 DIC-ALL-SAC-NIINST DIC_STAT_CNT_6789 DLSC-SBA F INTEGER 8
DIC ALL SUBMITTING ACTIVITY CODE NIIN STATUS
THE NUMBER OF TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE IDENTIFICATION.

6790 DIC-ALL-SAC-RULES DIC_STAT_CNT_6790 DLSC-SBA F INTEGER 8
DIC ALL SUBMITTING ACTIVITY CODE RULES
THE NUMBER OF TRANSACTIONS RETURNED FOR RULES ERRORS.

6791 DIC-ALL-SAC-CLRCL DIC_STAT_CNT_6791 DLSC-SBA F INTEGER 8
DIC ALL SUBMITTING ACTIVITY CODE CLERICAL
THE NUMBER OF TRANSACTIONS RETURNED FOR CLERICAL ERRORS.

6792 DIC-ALL-SAC-PDUPS DIC_STAT_CNT_6792 DLSC-SBA F INTEGER 8
DIC ALL SUBMITTING ACTIVITY CODE POSSIBLE DUPLICATES
THE NUMBER OF TRANSACTIONS RETURNED THAT ARE POSSIBLE DUPLICATES.

6793 DIC-ALL-SAC-ADUPS DIC_STAT_CNT_6793 DLSC-SBA F INTEGER 8
DIC ALL SUBMITTING ACTIVITY CODE ACTUAL DUPLICATES
THE NUMBER OF TRANSACTIONS RETURNED THAT ARE ACTUAL DUPLICATES.

6794 DIC-ALL-SAC-RETRND DLSC-SBA F 8
DIC ALL SUBMITTING ACTIVITY CODE RETURNED
THE COUNT OF REJECTED TRANSACTIONS RETURNED.

6795 D-SAC-TRANS-RETRND-QTY-A DLSC-SBA F 8
DEPARTMENT SUBMITTING ACTIVITY TRANSACTONS RETURNED QTY A
THE COUNT OF REJECTED TRANSACTIONS RETURNED, BROKEN OUT UNDER THE FOLLOWING CATEGORIES: TOTAL RETURNED, ACTUAL DUPLICATES, POSSIBLE DUPLICATES, CLERICAL ERRORS, RULES ERRORS AND NIIN STATUS.

6796 DIC-ALL-SAC-APRVD DIC_STAT_CNT_6796 DLSC-SBA F INTEGER 8
DIC ALL SUBMITTING ACTIVITY CODE APPROVED
THE COUNT OF TRANSACTIONS APPROVED, BROKEN OUT BY DEPARTMENT AND SUBMITTING ACTIVITY WITHIN THE DEPARTMENT.

6797 DIC-ALL-SAC-PRCSD DIC_STAT_CNT_6797 DLSC-SBA F INTEGER 8
DIC ALL SUBMITTING ACTIVITY CODE PROCESSED
THE COUNT OF TRANSACTIONS PROCESSED BROKEN OUT BY DEPARTMENT AND SUBMITTING ACTIVITY WITHIN DEPARTMENT.

6798 DIC-ALL-SAC-RECVD DIC_STAT_CNT_6798 DLSC-SBA F INTEGER 8
DIC ALL SUBMITTING ACTIVITY CODE RECEIVED
THE COUNT OF TRANSACTIONS RECEIVED BROKEN OUT BY DEPARTMENT AND SUBMITTING ACTIVITY WITHIN THE DEPARTMENT.

6799 DIC-OAC-PDUPS DIC_STAT_CNT_6799 DLSC-SBA F INTEGER 8
DIC ORIGINATING ACTIVITY CODE POSSIBLE DUPLICATES

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE COUNT OF TRANSACTION RETURNED AS POSSIBLE DUPLICATES BY ORIGINATING ACTIVITY.

6800 DIC-OAC-ADUPS DIC_STAT_CNT_6800 DLSC-SBA F INTEGER 8
DIC ORIGINATING ACTIVITY CODE ACTUAL DUPLICATES
THE COUNT OF TRANSACTIONS RETURNED AS ACTUAL DUPLICATES BY ORIGINATING ACTIVITY.

6801 DIC-OAC-RETRND DLSC-SBA F 8
DIC ORIGINATING ACTIVITY CODE RETURNED
THE COUNT OF TRANSACTIONS RETURNED BY ORIGINATING ACTIVITY.

6802 IDIC-DEPT-OAC-RETD-QTY-D DLSC-SBA F 8
INPUT DIC DEPARTMENT ORIGINATING ACTIVITY RETURNED QTY D
THE COUNT OF TRANSACTIONS FOR ORIGINATING ACTIVITIES WITHIN DEPARTMENT THAT REJECT AND ARE RETURNED BROKEN OUT UNDER THE FOLLOWING CATEGORIES: TOTAL RETURNED, ACTUAL DUPLICATES, POSSIBLE DUPLICATES, CLERICAL ERRORS, RULES ERRORS AND NIIN STATUS.

6803 DIC-OAC-APRVD DIC_STAT_CNT_6803 DLSC-SBA F INTEGER 8
DIC ORIGINATING ACTIVITY CODE APPROVED
THE COUNT OF TRANSACTIONS APPROVED BY ORIGINATING ACTIVITY.

6804 DIC-OAC-PRCSD DLSC-SBA F 8
DIC ORIGINATING ACTIVITY CODE PROCESSED
THE COUNT OF ALL TRANSACTIONS PROCESSED BY ORIGINATING ACTIVITY.

6805 DIC-OAC-RECVD DIC_STAT_CNT_6805 DLSC-SBA F INTEGER 8
DIC ORIGINATING ACTIVITY CODE RECEIVED
THE COUNT OF ALL TRANSACTIONS RECEIVED BY ORIGINATING ACTIVITY.

6806 DIC-ALL-OAC-NIINST DIC_STAT_CNT_6806 DLSC-SBA F INTEGER 8
DIC ALL ORIGINATING ACTIVITY CODE NIIN STATUS
THE COUNT AF ALL TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION BY ORIGINATING ACTIVITY.

6807 DIC-ALL-OAC-RULES DIC_STAT_CNT_6807 DLSC-SBA F INTEGER 8
DIC ALL ORIGINATING ACTIVITY CODE RULES
THE COUNT OF ALL TRANSACTIONS RETURNED FOR RULES ERRORS BY ORIGINATING ACTIVITY.

6808 DIC-ALL-OAC-CLRCL DIC_STAT_CNT_6808 DLSC-SBA F INTEGER 8
DIC ALL ORIGINATING ACTIVITY CODE CLERICAL
THE COUNT OF ALL TRANSACTIONS RETURNED FOR CLERICAL ERRORS BY ORIGINATING ACTIVITY FOR DEPARTMENT.

6809 DIC-ALL-OAC-PDUPS DIC_STAT_CNT_6809 DLSC-SBA F INTEGER 8
DIC ALL ORIGINATING ACTIVITY CODE POSSIBLE DUPLICATES
THE COUNT OF ALL TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES BY ORIGINATING ACTIVITY.

6810 DIC-ALL-OAC-ADUPS DIC_STAT_CNT_6810 DLSC-SBA F INTEGER 8
DIC ALL ORIGINATING ACTIVITY CODE ACTUAL DUPLICATES
THE COUNT OF ALL TRANSACTIONS RETURNED AS ACTUAL DUPLICATES BY ORIGINATING ACTIVITY.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE--------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6811 DIC-ALL-OAC-RETRND — DLSC-SBA — F — 8
DIC ALL ORIGINATING ACTIVITY CODE RETURNED
THE COUNT OF ALL TRANSACTIONS RETURNED BY ORIGINATING ACTIVITY.

6812 D-OAC-TRANS-RETRND-QTY-C — DLSC-SBA — F — 8
DEPARTMENT ORIGINATING ACTIVITY TRANSACTIONS RETURNED QTY C
THE COUNT OF REJECTED TRANSACTIONS RETURNED BROKEN OUT UNDER THE FOLLOWING CATEGORIES: TOTAL RETURNED, ACTUAL DUPLICATES, POSSIBLE DUPLICATES, CLERICAL ERRORS, RULES ERRORS AND NIIN STATUS.

6813 DIC-ALL-OAC-APRVD — DIC_STAT_CNT_6813 — DLSC-SBA — F — INTEGER — 8
DIC ALL ORIGINATING ACTIVITY CODE APPROVED
THE COUNT OF ALL TRANSACTIONS APPROVED BY ORIGINATING ACTIVITY.

6814 DIC-ALL-OAC-PRCSD — DIC_STAT_CNT_6814 — DLSC-SBA — F — INTEGER — 8
DIC ALL ORIGINATING ACTIVITY CODE PROCESSED
THE COUNT OF ALL TRANSACTIONS PROCESSED BY ORIGINATING ACTIVITY.

6815 DIC-ALL-OAC-RECVD — DIC_STAT_CNT_6815 — DLSC-SBA — F — INTEGER — 8
DIC ALL ORIGINATING ACTIVITY CODE RECEIVED
THE COUNT OF ALL TRANSACTIONS RECEIVED BY ORIGINATING ACTIVITY.

6816 QDIC-OAC-DIC-NIINST — QDIC_STAT_CNT_6816 — DLSC-SBA — F — INTEGER — 8
QUARTERLY DIC OAC DIC NIIN STATUS
THE QUARTERLY COUNT OF TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION FOR A SPECIFIED ORIGINATING ACTIVITY.

6817 QDIC-OAC-DIC-RULES — QDIC_STAT_CNT_6817 — DLSC-SBA — F — INTEGER — 8
QUARTERLY DIC OAC DIC RULES
THE QUARTERLY COUNT OF TRANSACTIONS RETURNED FOR RULES ERRORS FOR A SPECIFIED ORIGINATING ACTIVITY.

6818 QDIC-OAC-DIC-CLRCL — QDIC_STAT_CNT_6818 — DLSC-SBA — F — INTEGER — 8
QUARTERLY DIC OAC DIC CLERICAL
THE QUARTERLY COUNT OF TRANSACTIONS RETURNED FOR CLERICAL ERRORS FOR A SPECIFIED ORIGINATING ACTIVITY.

6819 QDIC-OAC-DIC-PDUPS — QDIC_STAT_CNT_6819 — DLSC-SBA — F — INTEGER — 8
QUARTERLY DIC OAC DIC POSSIBLE DUPLICATES
THE QUARTERLY COUNT OF TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES FOR A SPECIFIED ORIGINATING ACTIVITY.

6820 QDIC-OAC-DIC-ADUPS — QDIC_STAT_CNT_6820 — DLSC-SBA — F — INTEGER — 8
QUARTERLY DIC OAC DIC ACTUAL DUPLICATES
THE QUARTERLY COUNT OF TRANSACTIONS RETURNED AS ACTUAL DUPLICATES FOR A SPECIFIED ORIGINATING ACTIVITY.

6821 QDIC-OAC-DIC-RETRND — DLSC-SBA — F — 8
QUARTERLY DIC OAC DIC RETURNED
THE QUARTERLY COUNT OF TRANSACTIONS RETURNED FOR A SPECIFIED ORIGINATING ACTIVITY.

6822 OAC-IP-DIC-RETRND-QTY-H — DLSC-SBA — F — 8
ORIGINATING ACTIVITY CODE INPUT DIC RETURNED QUANTITY H

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE COUNT OF TRANSACTIONS FOR ORIGINATING ACTIVITIES THAT REJECT AND ARE RETURNED BROKEN OUT AS FOLLOWS: TOTAL RETURNED, ACTUAL DUPLICATES, POSSIBLE DUPLICATES, CLERICAL ERRORS, RULES ERRORS AND NIIN STATUS.

6823 QDIC-OAC-DIC-APRVD QDIC_STAT_CNT_6823 DLSC-SBA F INTEGER 8
QUARTERLY DIC OAC DIC APPROVED
THE QUARTERLY COUNT OF TRANSACTIONS APPROVED FOR A SPECIFIED ORIGINATING ACTIVITY.

6824 QDIC-OAC-DIC-PRCSD DLSC-SBA F 8
QUARTERLY DIC OAC DIC PROCESSED
THE QUARTERLY COUNT OF TRANSACTIONS PROCESSED FOR A SPECIFIC ORIGINATING ACTIVITY.

6825 QDIC-OAC-DIC-RECVD QDIC_STAT_CNT_6825 DLSC-SBA F INTEGER 8
QUARTERLY DIC OAC DIC RECEIVED
THE QUARTERLY COUNT OF TRANSACTIONS RECEIVED FOR A SPECIFIC ORIGINATING ACTIVITY.

6826 QDIC-SAC-DIC-NIINST QDIC_STAT_CNT_6826 DLSC-SBA F INTEGER 8
QUARTERLY DIC SAC DIC NIIN STATUS
THE QUARTERLY COUNT OF TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION FOR A SPECIFIED SUBMITTING ACTIVITY.

6827 QDIC-SAC-DIC-RULES QDIC_STAT_CNT_6827 DLSC-SBA F INTEGER 8
QUARTERLY DIC SAC DIC RULES
THE QUARTERLY COUNT OF TRANSACTIONS RETURNED FOR RULES ERRORS FOR A SPECIFIED SUBMITTING ACTIVITY.

6828 QDIC-SAC-DIC-CLRCL QDIC_STAT_CNT_6828 DLSC-SBA F INTEGER 8
QUARTERLY DIC SAC DIC CLERICAL
THE QUARTERLY COUNT OF TRANSACTIONS RETURNED FOR CLERICAL ERRORS FOR A SPECIFIED SUBMITTING ACTIVITY.

6829 QDIC-SAC-DIC-PDUPS QDIC_STAT_CNT_6829 DLSC-SBA F INTEGER 8
QUARTERLY DIC SAC DIC POSSIBLE DUPLICATES
THE QUARTERLY COUNT OF TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES FOR A SPECIFIED SUBMITTING ACTIVITY.

6830 QDIC-SAC-DIC-ADUPS QDIC_STAT_CNT_6830 DLSC-SBA F INTEGER 8
QUARTERLY DIC SAC DIC ACTUAL DUPLICATES
THE QUARTERLY COUNT OF TRANSACTIONS RETURNED AS ACTUAL DUPLICATES FOR SUBMITTING ACTIVITY.

6831 QDIC-SAC-DIC-RETRND DLSC-SBA F 8
QUARTERLY DIC SAC DIC RETURNED
THE QUARTERLY COUNT OF TRANSACTIONS RETURNED FOR A SPECIFIED SUBMITTING ACTIVITY.

6832 SAC-INPUT-DIC-RTD-QTY-F DLSC-SBA F 8
SUBMITTING ACTIVITY CODE INPUT DIC RETURNED QUANTITY F
THE COUNT OF TRANSACTIONS FOR SUBMITTING ACTIVITIES THAT REJECT AND ARE RETURNED BROKEN OUT AS FOLLOWS: TOTAL RETURNED, ACTUAL DUPLICATES, POSSIBLE DUPLICATES, CLERICAL ERRORS, RULES ERRORS AND NIIN STATUS.

6833 QDIC-SAC-DIC-APRVD QDIC_STAT_CNT_6833 DLSC-SBA F INTEGER 8
QUARTERLY DIC SAC DIC APPROVED
THE QUARTERLY COUNT OF TRANSACTIONS APPROVED FOR A SPECIFIED SUBMITTING ACTIVITY.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6834 QDIC-SAC-DIC-PRCSD — DLSC-SBA — F — 8
QUARTERLY DIC SAC DIC PROCESSED
THE QUARTERLY COUNT OF TRANSACTIONS PROCESSED FOR A SPECIFIED SUBMITTING ACTIVITY.

6835 QDIC-SAC-DIC-RECVD — QDIC_STAT_CNT_6835 — DLSC-SBA — F — INTEGER — 8
QUARTERLY DIC SAC DIC RECEIVED
THE QUARTERLY COUNT OF TRANSACTIONS RECEIVED FOR A SPECIFIED SUBMITTING ACTIVITY.

6836 DIC-OAC-NIINST — DIC_STAT_CNT_6836 — DLSC-SBA — F — INTEGER — 8
DIC ORIGINATING ACTIVITY CODE NIIN STATUS
THE COUNT OF TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION BY ORIGINATING ACTIVITY.

6837 DIC-OAC-RULES — DIC_STAT_CNT_6837 — DLSC-SBA — F — INTEGER — 8
DIC ORIGINATING ACTIVITY CODE RULES
THE COUNT OF TRANSACTIONS RETURNED FOR RULES ERRORS BY ORIGINATING ACTIVITY.

6838 DIC-OAC-CLRCL — DIC_STAT_CNT_6838 — DLSC-SBA — F — INTEGER — 8
DIC ORIGINATING ACTIVITY CODE CLERICAL
THE COUNT OF TRANSACTIONS RETURNED FOR CLERICAL ERRORS BY ORIGINATING ACTIVITY.

6839 MGMTCHG-ACTY-GRS-ADD-NSN — DLSC-SBA — F — 8
MANAGEMENT CHANGE ACTIVITY GROSS ADDITION NSN
THE GROSS QUANTITY OF NEW NSNS, NEW MANAGERS, REINSTATEMENTS AND REACTIVATIONS BY DEPARTMENT BY ACTIVITY.

6840 MGMTCHG-ACTY-NEW-NSN — MCHG_STAT_CNT_6840 — DLSC-SBA — F — INTEGER — 8
MANAGEMENT CHANGE ACTIVITY NEW NSN
THE NET QUANTITY OF NEWLY ASSIGNED NSNS BY DEPARTMENT BY ACTIVITY.

6841 MGMTCHG-ACTY-NEW-MGR-NSN — MCHG_STAT_CNT_6841 — DLSC-SBA — F — INTEGER — 8
MANAGEMENT CHANGE ACTIVITY NEW MANAGER NSN
THE NEW QUANTITY OF EXISTING NSNS FOR WHICH AN ACTIVITY HAS BEEN ADDED TO AS A MANAGER BY DEPARTMENT ACTIVITY.

6842 MGMTCHG-ACTY-REIN-NSN — MCHG_STAT_CNT_6842 — DLSC-SBA — F — INTEGER — 8
MANAGEMENT CHANGE ACTIVITY REINSTATEMENT NSN
THE NET QUANTITY OF CANCELED NSNS WHICH HAVE BEEN REAUTHORIZED FOR USE BY DEPARTMENT BY ACTIVITY.

6843 MGMTCHG-ACTY-REACT-NSN — MCHG_STAT_CNT_6843 — DLSC-SBA — F — INTEGER — 8
MANAGEMENT CHANGE ACTIVITY REACTIVATION NSN
THE NET QUANTITY OF NSNS BY DEPARTMENT BY ACTIVITY FOR WHICH THE ACTIVITY HAD PREVIOUSLY WITHDRAWN ITS MANAGEMENT RESPONSIBILITY FROM AND IS REREGISTERING ON THAT NSN AS A MANAGER.

6844 MGMTCHG-ACTY-GRS-DLT-NSN — DLSC-SBA — F — 8
MANAGEMENT CHANGE ACTIVITY GROSS DELETE NSN
THE GROSS QUANTITY OF NSNS THAT AN ACTIVITY HAS WITHDRAWN ITS MANAGEMENT INTEREST FROM BY DEPARTMENT BY ACTIVITY.

6845 MGMTCHG-ACTY-DLT-RSN-NSN — MCHG_STAT_CNT_6845 — DLSC-SBA — F — INTEGER — 8
MANAGEMENT CHANGE ACTIVITY DELETE REASON NSN

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE QUANTITY OF NSNS BY DEPARTMENT BY ACTIVITY BY DELETION REASON CODE THAT AN ACTIVITY HAS WITHDRAWN ITS MANAGEMENT INTEREST FROM.

6846 MGMTCHG-ACTY-DLT-RSN-GRP DLSC-SBA F 8
MANAGEMENT CHANGE ACTIVITY DELETE REASON GROUP
THE QUANTITY OF NSN THAT AN ACTIVITY HAS WITHDRAWN ITS MANAGEMENT INTEREST FROM AND NO DELETION REASON CODE HAS BEEN PROVIDED BY DEPARTMENT BY ACTIVITY.

6847 MGMTCHG-DP-GRS-ADD-NSN DLSC-SBA F 8
MANAGEMENT CHANGE DEPARTMENT GROSS ADD NSN
THE GROSS QUANTITY OF NEW NSNS, NEW MANAGERS, REINSTATEMENTS AND REACTIVATIONS BY DEPARTMENT.

6848 MGMTCHG-DP-NEW-NSN MCHG_STAT_CNT_6848 DLSC-SBA F INTEGER 8
MANAGEMENT CHANGE DEPARTMENT NEW NSN
THE NET QUANTITY OF NEWLY ASSIGNED NSNS BY DEPARTMENT.

6849 MGMTCHG-DP-NEW-MGR-NSN MCHG_STAT_CNT_6849 DLSC-SBA F INTEGER 8
MANAGEMENT CHANGE DEPARTMENT NEW MANAGER NSN
THE NET QUANTITY OF EXISTING NSNS FRO WHICH A DEPARTMENT HAS BEEN ADDED TO AS A MANAGER BY DEPARTMENT.

6850 MGMTCHG-DP-REIN-NSN MCHG_STAT_CNT_6850 DLSC-SBA F INTEGER 8
MANAGEMENT CHANGE DEPARTMENT REINSTATEMENT NSN
THE NET QUANTITY OF CANCELED NSNS WHICH HAVE BEEN REAUTHORIZED FOR USE BY DEPARTMENT.

6851 MGMTCHG-DP-REACT-NSN MCHG_STAT_CNT_6851 DLSC-SBA F INTEGER 8
MANAGEMENT CHANGE DEPARTMENT REACTIVATION NSN
THE NET QUANTITY OF NSNS BY DEPARTMENT FOR WHICH THE DEPARTMENT HAD PREVIOUSLY WITHDRAWN ITS MANAGEMENT RESPONSIBILITY FROM AND IS REREGISTERING ON THAT NSN AS A MANAGER.

6852 MGMTCHG-DP-GRS-DLT-NSN DLSC-SBA F 8
MANAGEMENT CHANGE DEPARTMENT GROSS DELETE NSN
THE GROSS QUANTITY OF NSNS THAT A DEPARTMENT HAS WITHDRAWN ITS MANAGEMENT INTEREST FROM BY DEPARTMENT.

6853 MGMTCHG-DP-DLT-RSN-NSN MCHG_STAT_CNT_6853 DLSC-SBA F INTEGER 8
MANAGEMENT CHANGE DEPARTMENT DELETE REASON NSN
THE QUANTITY OF NSNS BY DEPARTMENT BY DELETION REASON CODE THAT A DEPARTMENT HAS WITHDRAWN ITS MANAGEMENT INTEREST FROM.

6854 MGMTCHG-DP-DLT-RSN-GRP MCHG_STAT_CNT_6854 DLSC-SBA F INTEGER 8
MANAGEMENT CHANGE DEPARTMENT DELETE REASON GROUP
THE QUANTITY OF NSNS THAT A DEPARTMENT HAS WITHDRAWN ITS MANAGEMENT INTEREST FROM AND NO DELETION REASON CODE HAS BEEN PROVIDED BY DEPARTMENT.

6855 LRN-FSG-FSC-ITM-NM-ACT-W DLSC-SC F 8
LOGRUN FSG FSC ITEM NAME INQUIRY ACTIVITY WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED WEEKLY BY ACTIVITY.

6856 LRN-FSG-FSC-ITM-NM-ACT-M DLSC-SC F 8
LOGRUN FSG FSC ITEM NAME INQUIRY ACTIVITY MONTHLY

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED MONTHLY BY ACTIVITY.

6857 LRN-FSG-FSC-ITM-NM-ACT-Q DLSC-SC F 8
LOGRUN FSG FSC ITEM NAME INQUIRY ACTIVITY QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED QUARTERLY BY ACTIVITY.

6858 LRN-FSG-FSC-ITM-NM-ACT-Y DLSC-SC F 8
LOGRUN FSG FSC ITEM NAME INQUIRY ACTIVITY YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED YEARLY BY ACTIVITY.

6860 LRN-FSG-FSC-ITM-NM-DPT-D LRN_STAT_CNT_6860 DLSC-SC F INTEGER 8
LOGRUN FSG FSC ITEM NAME INQUIRY DEPARTMENT DAILY
THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED DAILY BY DEPARTMENT.

6861 LRN-FSG-FSC-ITM-NM-DPT-W DLSC-SC F 8
LOGRUN FSG FSC ITEM NAME INQUIRY DEPARTMENT WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED WEEKLY BY DEPARTMENT.

6862 LRN-FSG-FSC-ITM-NM-DPT-M DLSC-SC F 8
LOGRUN FSG FSC ITEM NAME INQUIRY DEPARTMENT MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED MONTHLY BY DEPARTMENT.

6863 LRN-FSG-FSC-ITM-NM-DPT-Q DLSC-SC F 8
LOGRUN FSG FSC ITEM NAME INQUIRY DEPARTMENT QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED QUARTERLY BY DEPARTMENT.

6864 LRN-FSG-FSC-ITM-NM-DPT-Y DLSC-SC F 8
LOGRUN FSG FSC ITEM NAME INQUIRY DEPARTMENT YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED YEARLY BY DEPARTMENT.

6865 LRN-FSG-FSC-ITM-NM-TOT-D LRN_STAT_CNT_6865 DLSC-SC F INTEGER 8
LOGRUN FSG FSC ITEM NAME INQUIRY TOTAL DAILY
THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED DAILY BY DEPARTMENT, BY ACTIVITY AND BY CUSTOMER ACCOUNT NUMBER.

6866 LRN-FSG-FSC-ITM-NM-TOT-W DLSC-SC F 8
LOGRUN FSG GSC ITEM NAME INQUIRY TOTAL WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED WEEKLY BY DEPARTMENT, BY ACTIVITY AND BY CUSTOMER ACCOUNT NUMBER.

6867 LRN-FSG-FSC-ITM-NM-TOT-M DLSC-SC F 8
LOGRUN FSG FSC ITEM NAME INQUIRY TOTAL MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED MONTHLY BY DEPARTMENT, BY ACTIVITY AND BY CUSTOMER ACCOUNT NUMBER.

6868 LRN-FSG-FSC-ITM-NM-TOT-Q DLSC-SC F 8
LOGRUN FSG FSC ITEM NAME INQUIRY TOTAL QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED QUARTERLY BY DEPARTMENT, BY ACTIVITY AND BY CUSTOMER ACCOUNT NUMBER.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6869 LRN-FSG-FSC-ITM-NM-TOT-Y DLSC-SC F 8
LOGRUN FSG FSC ITEM NAME INQUIRY TOTAL YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN FSG/FSC/ITEM NAME IS ACCESSED YEARLY BY DEPARTMENT, BY ACTIVITY AND BY CUSTOMER ACCOUNT NUMBER.

6870 FCS-C-REF-SAC-TII-1-PCT DLSC-SBA F 8
FCS CURRENT REFERENCE SUBMITTING ACTIVITY TYPE II 1 PERCENT
PERCENT OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING ACTIVITY WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTICATION.

6871 IANDS-DEPT-MTR-P-S-FAM IANS_STAT_CNT_6871 DLSC-SBA F INTEGER 8
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT MASTER P/S F
THE TOTAL NUMBER OF I AND S FAMILIES A DEPARTMENT IS RECORDED ON AS EITHER A PICA OR A SICA.

6872 IANDS-DEPT-AVG-NSN DLSC-SBA F 8
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT AVERAGE NSN
THE AVERAGE NUMBER OF NSNS PER I AND S FAMILY FOR A DEPARTMENT.

6873 IANDS-DEPT-GRP-NSN DLSC-SBA F 8
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT GROUP NSN
THE QUANTITY OF NSNS IN AND S FAMILIES FOR DEPARTMENT BROKEN OUT BY: 2, 3, 4, 5, 6-10. 11.15, 16-25, AND 26-50 NSNS PER FAMILY.

6874 LRN-PROC-TRN-PRCS-TOT-D DLSC-SB F 6
LOGRUN PROCEDURES TRANS PROCESS TOTAL DAILY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR TRANSACTION PROCESSING BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

6875 LRN-PROC-TRN-PRCS-TOT-W DLSC-SB F 6
LOGRUN PROCEDURES TRANS PROCESS TOTAL WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR TRANSACTION PROCESSING BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

6876 LRN-PROC-TRN-PRCS-TOT-M DLSC-SB F 6
LOGRUN PROCEDURES TRANS PROCESS TOTAL MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR TRANSACTION PROCESSING BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

6877 LRN-PROC-TRN-PRCS-TOT-Q DLSC-SB F 6
LOGRUN PROCEDURES TRANS PROCESS TOTAL QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR TRANSACTION PROCESSING BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

6878 LRN-PROC-TRN-PRCS-TOT-Y DLSC-SB F 6
LOGRUN PROCEDURES TRANS PROCESS TOTAL YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR TRANSACTION PROCESSING BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

6879 LRN-PROC-PRD-SVC-ACTY-M DLSC-SB F 6

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

LOGRUN RPOCEDURES DLSC PROD SVC ACTIVITY MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR DLSC PRODUCTS AND SERVICES BY ACTIVITY.

6880 LRN-PROC-PRD-SVC-ACTY-Q DLSC-SB F 6
LOGRUN PROCEDURES DLSC PROD SVC ACTIVITY QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR DLSC PRODUCTS AND SERVICES BY ACTIVITY.

6881 LRN-PROC-PRD-SVC-ACTY-Y DLSC-SB F 6
LOGRUN PROCEDURES DLSC PROD SVC ACTIVITY YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR DLSC PRODUCTS AND SERVICES BY ACTIVITY.

6882 IANDS-DEPT-FSG-TOT-FAM IANS_STAT_CNT_6882 DLSC-SBA F INTEGER 8
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT FSG TOT FAMI
THE TOTAL NUMBER OF I AND S FAMILIES FOR DEPARTMENT FOR FSG.

6883 FCS-C-REF-SAC-TII-2-PCT DLSC-SBA F 8
FCS CURRENT REFERNCE SUBMITTING ACTIVITY TYPE II 2 PERCENT
PERCENT OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WIT MORE T HAN 1 REFERENCE NUMBER BY THE SUBMITTING ACTIVITY WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION.

6884 FCS-C-REF-SAC-TII-4-PCT DLSC-SBA F 8
FCS CURRENT REFERENCE SUBMITTING ACTIVITY TYPE II
PERCENT OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING ACTIVITY WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6885 IANDS-DEPT-FSG-MTR-PICA IANS_STAT_CNT_6885 DLSC-SBA F INTEGER 8
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT FSG MASTER P
THE TOTAL NUMBER OF MASTER NSNS A DEPARTMENT IS RECORDED ON AS A PICA BY FSG.

6886 FCS-REF-SDP-TII-1-NSN FCS_STAT_CNT_6886 DLSC-SBA F INTEGER 8
FCS REFERENCE SUBMITTING DEPARTMENT TYPE II NSN
QUANTITY OF NSNS IN THE FILE WITH MORE THAN 1 REFERENCE NUMBER BY THE SU BMITTING DEPARTMENT WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6887 FCS-REF-SDP-TII-2-NSN FCS_STAT_CNT_6887 DLSC-SBA F INTEGER 8
FCS REFERENCE SUBMITTING DEPARTMENT TYPE II 2 NSN
QUANTITY OF NSNS IN THE FILE WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING DEPARTMENT WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION.

6888 FCS-REF-SDP-TII-4-NSN FCS_STAT_CNT_6888 DLSC-SBA F INTEGER 8
FCS REFERENCE SUBMITTING DEPARTMENT TYPE II 4 NSN
QUANTITY OF NSNS IN THE FILE WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING DEPARTMENT WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFI CATION.

6889 FCS-REF-SDP-TII-1-PCT DLSC-SBA F 8
FCS REFERENCE SUBMITTING DEPARTMENT TYPE II 1 PERCENT
PERCENT OF NSNS IN THE FILE WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING DEPARTMENT WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6890 FCS-REF-SDP-TII-2-PCT DLSC-SBA F 8
FCS REFERENCE SUBMITTING DEPARTMENT TYPE II 2 PERCENT
PERCENT OF NSNS IN THE FILE WITH MORE THAN 1 REFERENCE NUMBER BY THE SUB MITTING DEPARTMENT WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION.

6891 FCS-REF-SDP-TII-4-PCT DLSC-SBA F 8
FSC REFERENCE SUBMITTING DEPARTMENT TYPE II 4 PERCENT
PERCENT OF NSNS IN THE FILE WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING DEPARTMENT WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

6892 TMG-PIC-DIC-TMFR TMG_STAT_CNT_6892 DLSC-SBA F INTEGER 8
TIMING PRIORITY INDICATOR CODE DIC TIMEFRAME
THE QUANTITY OF TRANSACTIONS BY DIC WITH A SPECIFIC PRIORITY INDICATOR CODE THAT WERE PROCESSED WITHIN A SPECIFIC TIMEFRAME.

6893 TMG-PIC-DIC-TMFR-AVG-TM TMG_STAT_CNT_6893 DLSC-SBA F INTEGER 8
TIMING PRIORITY INDICATOR CODE DIC TIMEFRAME AVERAGE TIME
THE AVERAGE PROCESSING TIME BY DIC FOR THOSE TRANSACTIONS WITH A SPECIFIC PRIORITY INDICATOR CODE THAT PROCESSED IN A SPECIFIC TIMEFRAME.

6894 TMG-PIC-DIC-TMFR-PCT DLSC-SBA F 8
TIMING PRIORITY INDICATOR CODE DIC TIMEFRAME PERCENT
THE PERCENT OF TRANSACTIONS PROCESSED WITHIN A SPECIFIC TIMEFRAME FOR A SPECIFIED DIC AND PRIORITY INDICATOR CODE.

6895 TMG-PIC-DIC DLSC-SBA F 8
TIMING PRIORITY INDICATOR CODE DIC
THE QUANTITY OF TRANSACTIONS PROCESSED WITH A SPECIFIC PRIORITY INDICATOR CODE FOR A SPECIFIED DIC.

6896 TMG-PIC-DIC-PCT DLSC-SBA F 8
TIMING PRIORITY INDICATOR CODE DIC PERCENT
THE PERCENT OF TRANSACTIONS FOR A SPECIFIC DIC THAT HAVE A SPECIFIC PRIORITY INDICATOR CODE.

6897 TMG-PIC-DIC-TOT DLSC-SBA F 8
TIMING PRIORITY INDICATOR CODE DIC TOTAL
THE TOTAL QUANTITY OF TRANSACTIONS PROCESSED WITH A SPECIFIC DIC.

6898 TMG-PIC-TOT-AVG-TIME DLSC-SBA F 8
TIMING PRIORITY INDICATOR CODE TOTAL AVERAGE TIME
THE AVERAGE PROCESSING TIME FOR A SPECIFIC DIC AND PRIORITY INDICATOR CODE.

6899 TMG-PIC-DIC-TOT-AVG-TIME DLSC-SBA F 8
TIMING PRIORITY INDICATOR CODE DIC TOTAL AVERAGE TIME
THE AVERAGE PROCESSING TIME FOR ALL PRIORITIES FOR A SPECIFIC DIC. INDICATOR CODE.

6900 TMG-PIC-DIC-TMFR-TOT DLSC-SBA F 8
TIMING PRIORITY INDICATOR CODE DIC TIMEFRAME TOTAL
THE TOTAL QUANTITY OF DICS THAT PROCESSED WITHIN A SPECFIED TIMEFRAME FOR A SPECIFIC PRIORITY INDICATOR CODE.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6901 TMG-PIC-DIC-TMFR-TOT-PCT — DLSC-SBA — F — 8
TIMING PRIORITY INDICATOR CODE DIC TIMEFRAME TOTAL PERCENT
THE PERCENT OF ALL DICS THAT PROCESSED WITHIN A SPECIFIC TIMEFRAME FOR A SPECIFIC PRIORITY INDICATOR CODE.

6902 TMG-PIC-TOT — DLSC-SBA — F — 8
TIMING PRIORITY INDICATOR CODE TOTAL
THE TOTAL QUANTITY OF DICS PROCESSED WITH A SPECIFIC PRIORITY INDICATOR CODE.

6903 TMG-PIC-TOT-PCT — DLSC-SBA — F — 8
TIMING PRIORITY INDICATOR CODE TOTAL PERCENT
THE PERCENT OF DICS PROCESSED WITH A SPECIFIC PRIORITY INDICATOR CODE.

6904 TMG-PIC-DIC-ALL — DLSC-S — F — 8
TIMING PRIORITY INDICATOR CODE DIC ALL
THE TOTAL QUANTITY OF DICS PROCESSED FOR ALL PRIORITY INDICATOR CODES.

6905 TMG-PIC-ALL-AVG-TIME — DLSC-S — F — 8
TIMING PRIORITY INDICATOR CODE ALL AVERAGE TIME
THE AVERAGE PROCESSING TIME FOR ALL DICS WITH A SPECIFIC PRIORITY INDICATOR CODE.

6906 TMG-PIC-DIC-ALL-AVG-TIME — DLSC-S — F — 8
TIMING PRIORITY INDICATOR CODE DIC ALL AVERAGE TIME
THE AVERAGE PROCESSING TIME FOR ALL PRIORITIES.

6907 TMG-DIC-TMFR-ALL — DLSC-S — F — 8
TIMING DIC TIMEFRAME ALL
THE TOTAL QUANTITY OF DICS PROCESSED WITHIN A SPECIFIC TIMEFRAME ACROSS ALL PRIORITIES.

6908 TMG-DIC-TMFR-ALL-PCT — DLSC-SBA — F — 8
TIMING DIC TIMEFRAME ALL PERCENT
THE PERCENT OF THE TOTAL TRANSACTIONS THAT PREOCESSED WITHIN A SPECIFIC TIMEFRAME ACROSS ALL PRIORITIES.

6909 TMG-PIC-QUEUE — DLSC-SBA — F — 8
TIMING PRIORITY INDICATOR CODE QUEUE
THE TOTAL QUANTITY OF TRANSACTIONS PROCESSED WITH SPECIFIC QUEUE IDENTIFICATION.

6910 TMG-PIC-QUEUE-AVG-TIME — DLSC-SBA — F — 8
TIMING PIC QUEUE AVERAGE TIME
THE AVERAGE TIME IN THE SYSTEM OF TRANSACTIONS WITH A SPECIFIC QUEUE IDENTIFICATION.

6911 TMG-PIC-TMFR-PRC — DLSC-SBA — F — 8
TIMING PRIORITY INDICATOR CODE TIMEFRAME PROCESSED
THE QUANTITY OF TRANSACTIONS BY DIC, RECEIVED AND PROCESSED WITHIN A SPECIFIC TIMEFRAME.

6912 TMG-PIC-TMFR-ONTIME — DLSC-SBA — F — 8
TIMING PRIORITY INDICATOR CODE TIMEFRAME ON TIME
THE QUANTITY OF TRANSACTIONS BY DIC THAT PROCESSED ON TIME BASED ON THE GOAL OF THE PRIORITY INDICATOR CODE.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6913 TMG-PIC-TMFR-ONTIME-PCT DLSC-SBA F 8
TIMING PRIORITY INDICATOR CODE TIMEFRAME ON TIME PERCENT
THE PERCENT OF TRANSACTIONS BY DIC THAT PROCESSED WITHIN THE TIMEFRMAE GOAL OF THE PRIORITY INDICATOR CODE.

6914 TMG-PIC-TMFR-NOT-ONTIME DLSC-SBA F 8
TIMING PRIORITY INDICATOR CODE TIMEFRAME NOT ON TIME
THE QUANITY OF TRANSACTIONS BY DIC THAT WERE NOT PROCESSED WITHIN THE TIMEFRAME OF THE PRIORITY INDICATOR CODE GOAL.

6915 12-48-HOURS-4 DLSC-SBA F 8
12-18 HOURS
12-48 HOURS FOR DRN 6912, SUMMARY PRIORITY INDICATOR CODE HOURS PROCESSED 4.

6916 48-72-HOURS-4 DLSC-SBA F 8
48-72 HOURS
48-72 HOURS FOR DRN 6912, SUMMARY PRIORITY INDICATOR CODE HOURS PROCESSED 4.

6917 72-96-HOURS-4 DLSC-SBA F 8
72-96 HOURS
72-96 HOURS FOR DRN 6912, SUMMARY PRIORITY INDICATOR CODE HOURS PROCESSED 4.

6918 96-120-HOURS-4 DLSC-SBA F 8
96-120 HOURS
96-120 HOURS FOR DRN 6912, SUMMARY PRIORITY INDICATOR CODE HOURS PROCESSED 4.

6919 120-144-HOURS-4 DLSC-SBA F 8
120-144 HOURS
120-144 HOURS FOR DRN 6912, SUMMARY PRIORITY INDICATOR CODE HOURS PROCESSED 4.

6920 OVER-144-HOURS-4 DLSC-SBA F 8
OVER 144 HOURS
OVER 144 HOURS FOR DRN 6912, SUMMARY PRIORITY INDICATOR CODE HOURS PROCESSED 4.

6921 PIC-TOT-PROCESSED-72-HRS DLSC-SBA F 8
PRIORITY INDICATOR CODE TOTAL PROCESSED 72 HOURS
THE SUMMARY OF TRANSACTIONS PROCESSED WITHIN 72 HOURS FOR A SPECIFIED PRIORITY INDICATOR CODE. PRIORITY INDICATOR CODES ARE 1, 2, 3 AND 4.

6922 PIC-PROCESSED-72-HRS-PCT DLSC-SBA F 8
PRIMARY INDICATOR CODE PROCESSED 72 HOURS PERCENT
THE PERCENT OF TRANSACTIONS PROCESSED WITHIN 72 HOURS FOR A SPECIFIED PRIORITY. PRIORITY INDICATOR CODESF ARE 1, 2, 3 AND 4.

6923 PIC-TOTAL-PROCESSED DLSC-SBA F 8
PRIORITY INDICATOR CODE TOTAL PROCESSED
THE TOTAL NUMBER OF TRANSACTIONS PROCESSED WITHIN A SPECIFIED PRIORITY, (PRIORITY INDICATOR CODE 1, 2, 3, 4).

6924 DAAS-DLSC-DISCREP DLSC-SBA F 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

DAAS/DLSC DISCREPANCIES QUANTITY
THE NUMBER OF REJECTS DISCOVERED WHEN COMPARING DAAS AND DLSC FILES.

6925 DAAS-DLSC-FILES-COMP — DLSC-SBA — F — 8
DAAS/DLSC FILES COMPATIBILITY
THE NUMBER OF DAAS/DLSC FILES COMPARED FOR COMPATIBILITY.

6926 DAAS-DLSC-DISCREP-PCT — DLSC-SBA — F — 8
DAAS/DLSC DISCREPANCIES PERCENT
THE PERCENT OF REJECTS DISCOVERED WHEN COMPARING DAAS AND DLSC FILES.

6927 ICMS-LA-ALL-LC-MS-MMPC — DLSC-SBA — F — 8
ICMS LOGISTICS ASSIGNMENT ALL LOA COMBINATION MILITARY SVC P
THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTIC ASSIGNMENT THAT ARE MULTIPLE MANAGED AMONG MILITARY SERVICES BY LOA CODE COMBINATION.

6928 ICMS-LA-ALL-LC-MS-MM — ICMS_STAT_CNT_6928 — DLSC-SBA — F — INTEGER — 8
ICMS LOGISTICS ASSIGNMENT ALL LOA COMBINATION MILITARY SVC M
THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTIC ASSIGNMENT THAT ARE MULTIPLE MANAGED AMONG MILITARY SERVICES BY LOA CODE COMBINATION.

6929 ICMS-LA-ALL-MC-MMPC — DLSC-SBA — F — 8
ICMS LOGISTICS ASSIGNMENT ALL MARINE CORPS MULTI-MANAGED PER
THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED AMONG MILITARY SERVICES.

6930 ICMS-LA-ALL-MC-MM — ICMS_STAT_CNT_6930 — DLSC-SBA — F — INTEGER — 8
ICMS LOGISTICS ASSIGNMENT ALL MARINE CORPS MULTI-MANAGED
THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT MARINE CORPS MANAGES IN COMMON WITH OTHER MILITARY SERVICES.

6931 ICMS-LA-ALL-AF-MMPC — DLSC-SBA — F — 8
ICMS LOGISTICS ASSIGNMENT ALL AIR FORCE MULTI-MANAGED PERCEN
THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT AIR FORCE MANAGED IN COMMON WITH OTHER MILITARY SERVICES.

6932 ICMS-LA-ALL-AF-MM — ICMS_STAT_CNT_6932 — DLSC-SBA — F — INTEGER — 8
ICMS LOGISTICS ASSIGNMENT ALL AIR FORCE MULTI-MANAGED
THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT AIR FORCE MANAGES IN COMMON WITH OTHER MILITARY SERVICES.

6933 FCS-DP-GLOA-TYII-PCT — DLSC-SBA — F — 8
FEDERAL CATALOG SYSTEM DEPARTMENT GROUP LOA TYPE II PERCENT
PERCENT OF NSN MANAGED BY A DEPARTMENT AT THE WHOLESALE (PICA) LEVEL BROKEN DOWN BY TYPE ITEM IDENTIFICATION.

6934 QDIC-GP-DP-TRNS-PRCSD — QDIC_STAT_CNT_6934 — DLSC-SBA — F — INTEGER — 8
QUANTITY DIC GROUP DEPARTMENT TRANSACTIONS PROCESSED
QUANTITY OF TRANSACTIONS REQUESTING (PROCESSED) NSN ASSIGNMENT BY TYPE ITEM IDENTIFICATION GROUP BROKEN OUT BY SUBMITTING DEPARTMENT.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6935 QDIC-GP-DP-TRNS-RTD-PCT QDIC_STAT_CNT_6935 DLSC-SBA F INTEGER 8
QUANTITY DIC GROUP DEPARTMENT TRANSACTIONS RETURNED PERCENT
PERCENT OF TRANSACTIONS REQUESTING (PROCESSED) NSN ASSIGNMENT BY TYPE ITEM IDENTIFICATION GROUP THAT WERE RETURNED (REJECTED) BROKEN OUT BY SUBMITTING DEPARTMENT.

6936 8-PART-NO-PCT-6 DLSC-SBA F 8
8 PART NUMBER PERCENT
8 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.

6937 9-PART-NO-PCT-6 DLSC-SBA F 8
9 PART NUMBER PERCENT
9 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.

6938 10-PART-NO-PCT-6 DLSC-SBA F 8
10 PART NUMBER PERCENT
10 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.

6939 11-20-PART-NO-PCT-6 DLSC-SBA F 8
11-20 PART NUMBER PERCENT
11-20 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.

6940 21-30-PART-NO-PCT-6 DLSC-SBA F 8
21-30 PART NUMBER PERCENT
21-30 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.

6941 31-40-PART-NO-PCT-6 DLSC-SBA F 8
31-40 PART NUMBER PERCENT
31-40 PART NUMBERS PRECENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.

6942 41-50-PART-NO-PCT-6 DLSC-SBA F 8
41-50 PART NUMBER PERCENT
41-50 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.

6943 51-60-PART-NO-PCT-6 DLSC-SBA F 8
51-60 PART NUMBER PERCENT
51-60 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.

6944 61-70-PART-NO-PCT-6 DLSC-SBA F 8
61-70 PART NUMBER PRCENT
61-70 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.

6945 71-80-PART-NO-PCT-6 DLSC-SBA F 8
71-80 PART NUMBER PERCENT
71-80 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.

6946 81-90-PART-NO-PCT-6 DLSC-SBA F 8
81-90 PART NUMBER PERCENT
81-90 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

6947 91-100-PART-NO-PCT-6 DLSC-SBA F 8
91-100 PART NUMBER PERCENT
91-100 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.

6948 101-200-PART-NO-PCT-6 DLSC-SBA F 8
101-200 PART NUMBER PERCENT
101-200 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.

6949 201-300-PART-NO-PCT-6 DLSC-SBA F 8
201-300 PART NUMBER PERCENT
201-300 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.

6950 301-400-PART-NO-PCT-6 DLSC-SBA F 8
301-400 PART NUMBER PERCENT
301-400 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.

6951 401-500-PART-NO-PCT-6 DLSC-SBA F 8
401-500 PART NUMBER PERCENT
401-500 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.

6952 501-600-PART-NO-PCT-6 DLSC-SBA F 8
501-600 PART NUMBER PERCENT
501-600 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.

6953 601-700-PART-NO-PCT-6 DLSC-SBA F 8
601-700 PART NUMBER PERCENT
601-700 PART NUMBER PERCENT FOR DRN 6927, DEPPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.

6954 701-800-PART-NO-PCT-6 DLSC-SBA F 8
701-800 PART NUMBER PERCENT
701-800 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.

6955 801-900-PART-NO-PCT-6 DLSC-SBA F 8
801-900 PART NUMBER PERCENT
801-900 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.

6956 901-1000-PART-NO-PCT-6 DLSC-SBA F 8
901-1000 PART NUMBER PERCENT
901-1000 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.

6957 1001-1500-PART-NO-PCT-6 DLSC-SBA F 8
1001-1500 PART NUMBER PERCENT
1001-1500 PART NUMBERS PERCENT FOR DRN 6927, DEPARTMENT ACTIVITY REFERENCE NUMBER NSN PERCENT 6.

6958 ICMS-LA-ALL-LC-AR-MM ICMS_STAT_CNT_6958 DLSC-SBA F INTEGER 8
ICMS LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY MULTI-MAN

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT THE ARMY MANAGES IN COMMON WITH OTHER SERVICES.

6959 ICMS-LA-ALL-LC-AR-MMPC DLSC-SBA F 8
ICMS LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY MULTI PER
THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT THE ARMY MANAGES IN COMMON WITH OTHER SERVICES.

6960 ICMS-LA-ALL-LC-NA-MM ICMS_STAT_CNT_6960 DLSC-SBA F INTEGER 8
ICMS LOGISTICS ASSIGNMETN ALL LOA COMBINATION NAVY MULTI-MAN
THE TOTAL NUMBER OF NSNS SITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT THE NAVY MANAGES IN COMMON WITH OTHER SERVICES.

6961 ICMS-LA-ALL-LC-NA-MMPC DLSC-SBA F 8
ICMS LOGISTICS ASSIGNMENT ALL LOA COMBINATION NAVY MULT PERC
THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT THE NAVY MANAGES IN COMMON WITH OTHER SERVICES.

6962 ICMS-LA-ALL-LC-AF-MM ICMS_STAT_CNT_6962 DLSC-SBA F INTEGER 8
ICMS LOGISTICS ASSIGNMENT ALL LOA COMBINATION AIR FORCE MULT
THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT THE AIR FORCE MANAGES IN COMMON WITH OTHER SERVICES.

6963 ICMS-LA-ALL-LC-AF-MMPC DLSC-SBA F 8
ICMS LOGISTICS ASSIGNMENT ALL LOA COMBINATION AIR FORCE M PE
THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT THE AIR FORCE MANAGES IN COMMON WITH OTHER SERVICES.

6964 ICMS-LA-ALL-LC-MC-MM ICMS_STAT_CNT_6964 DLSC-SBA F INTEGER 8
ICMS LOGISTICS ASSIGNMENT ALL LOA COMBINATION MARINE CORPS M
THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT THE MARINE CORPS MANAGES IN COMMON WITH OTHER SERVICES.

6965 ICMS-LA-ALL-LC-MC-MMPC DLSC-SBA F 8
ICMS LOGISTICS ASSIGNMENT ALL LOA COMBINATION MC MULTI PERCE
THE PERCENT OF NSNS WITHIN A SPECIFIED LOGISTICS ASSIGNMENT THAT THA MARINE CORPS MANAGES IN COMMON WITH OTHER SERVICES.

6966 ICMS-LA-FSC-ALL-MS-MM ICMS_STAT_CNT_6966 DLSC-SBA F INTEGER 8
ICMS LOGISTICS ASSIGNMENT FSC ALL MILITARY SERVICE MULTI-MAN
THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIFIC FSC THAT ARE MULTIPLE MANAGED AMONG MILITARY SERVICES.

6967 ICMS-LA-FSC-ALL-MS-MMPC DLSC-SBA F 8
ICMS LOGISTICS ASSIGNMENT FSC ALL MILITARY SERVICE MULT PERC
THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIFIC FSC THAT ARE MULTIPLE MANAGED AMONG MILITARY SERVICES.

6968 ICMS-LA-FSC-ALL-AR-MM ICMS_STAT_CNT_6968 DLSC-SBA F INTEGER 8
ICMS LOGISTICS ASSIGNMENT FSC ALL ARMY MULTI-MANAGED

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIFIC FSC THAT THE ARMY MANAGES IN COMMON WITH OTHER SERVICES.

6969 ICMS-LA-FSC-ALL-AR-MMPC DLSC-SBA F 8
ICMS LOGISTICS ASSIGNMENT FSC ALL ARMY MULTI-MANAGED PERCENT
THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIAL FSC THAT THE ARMY MANAGES IN COMMON WITH OTHER SERVICES.

6970 ICMS-LA-FSC-ALL-NA-MM ICMS_STAT_CNT_6970 DLSC-SBA F INTEGER 8
ICMS LOGISTICS ASSIGNMENT FSC ALL NAY MULTI-MANAGED
THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIFIC FSC THAT THE NAVY MANAGES IN COMMON WITH OTHER SERVICES.

6971 ICMS-LA-FSC-ALL-NA-MMPC DLSC-SBA F 8
ICMS LOGISTICS ASSIGNMENT FSC ALL NAVY MULTI-MANAGED PERCENT
THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIAL FSC THAT THE NAVY MANAGES IN COMMON WITH OTHER SERVICES.

6972 ICMS-LA-FSC-ALL-AF-MM ICMS_STAT_CNT_6972 DLSC-SBA F INTEGER 8
ICMS LOGISTICS ASSIGNMENT FSC ALL AIR FORCE MULTI-MANAGED
THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIFIC FSC THAT THE AIR FORCE MANAGES IN COMMON WITH OTHER SERVICES.

6973 ICMS-LA-FSC-ALL-AF-MMPC DLSC-SBA F 8
ICMS LOGISTICS ASSIGNMENT FSC ALL AIR FORCE MULTI-MANAGED PE
THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIAL FSC THAT THE AIR FORCE MANAGES IN COMMON WITH OTHER SERVICES.

6974 ICMS-LA-FSC-ALL-MC-MM ICMS_STAT_CNT_6974 DLSC-SBA F INTEGER 8
ICMS LOGISTICS ASSIGNMENT FSC ALL MARINE CORPS MULTI-MANAGED
THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMETN FOR A SPECIFIC FSC THAT THE MARINE CORPS MANAGES IN COMMON WITH OTHER SERVICES.

6975 ICMS-LA-FSC-ALL-MC-MMPC DLSC-SBA F 8
ICMS LOGISTICS ASSIGNMENT FSC ALL MARINE CORPS MULTI PERCENT
THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIAL FSC THAT THE MARINE CORPS MANAGES IN COMMON WITH OTHER SERVICES.

6976 ICMS-LA-FSC-LC-MS-MM ICMS_STAT_CNT_6976 DLSC-SBA F INTEGER 8
ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION MILITARY MULTI
THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIFIC FSC BY LOA CODE COMBINATION THAT ARE MULTIPLE MANAGED AMONG MILITARY SERVICE.

6977 ICMS-LA-FSC-LC-MS-MMPC DLSC-SBA F 8
ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION MIL SVC MULT P
THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIFIC FSC BY LOA CODE COMBINATION THAT ARE MULTIPLE MANAGED AMONG MILITARY SERVICES.

6978 ICMS-LA-FSC-LC-AR-MM ICMS_STAT_CNT_6978 DLSC-SBA F INTEGER 8
ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION ARMY MULTI-MAN

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIFIC FSC BY LOA CODE COMBINATION THAT ARMY MANAGES IN COMMON WITH OTHER SERVICES.

6979 ICMS-LA-FSC-LC-AR-MMPC DLSC-SBA F 8

ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION ARMY MULT PERC

THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIFIC FSC BY LOA CODE COMBINATION THAT ARMY MANAGES IN COMMON WITH OTHER SERVICES.

6998 NSN-CANC-PPSL-CD DLSC-SD F CHAR 1

NATIONAL STOCK NUMBER CANCELLATION PROPOSAL CODE

A CODE ASSIGNED TO NSN CANCELLATION PROPOSALS SUBMITTED ON L23 INPUT AND TO INDICATE THE REASON FOR NONCONCURRENCE TO A CANCELLATION PROPOSAL (FOR NATO USE ONLY).

6999 RPLY-CANC-PPSL-TX DLSC-SD V VARCHAR 9999

REPLY CANCELLATION PROPOSAL TEXT

A CLEAR TEXT EXPLANATION FOR PROPOSED CANCELLATION OF NATO STOCK NUMBER WHEN A CODE 'F' REPLY IS MADE TO DRN 6998 ON L23 AND FOR NONCONCURRENCE OF A CANCELLATION PROPOSAL WHEN A CODE 'Z' REPLY IS MADE TO DRN 6998 ON K23 (FOR NATO USE ONLY).

7075 DLR-VAL-UNIT-PR UNIT_PR_7075 DLSC-SBA F DECIMAL 9

DOLLAR VALUE, UNIT PRICE

THE STANDARD PRICE OF THE UNIT OF ISSUE AS ESTABLISHED BY THE MANAGING ACTIVITY. IT IS CONSTRUCTED AS FOLLOWS: A) FOR UNIT PRICES BELOW TEN MILLION DOLLARS, THE FIELD IS RIGHT JUSTIFIED AND ZERO FILLED. THE LAST TWO DIGITS ARE CENTS, NO DECIMAL POINT PROVIDED. B) FOR UNIT PRICES TEN MILLION DOLLARS AND ABOVE, A LETTER (D) IS INSERTED IN THE LOW ORDER (UNIT) POSITION: NO CENTS VALUE IS ENTERED. THE LETTER IS MACHINE CONVERTED TO TWO ZEROS FOR PRINTING IN ALL PUBLICATIONS, SHORT TITLE U.P. SEE VOLUME 10, TABLE 97 AND QUICK INFO ON-LINE.

7080 DLR-VAL-STD-UNIT-PR DLSC-SBA F 7

DOLLAR VALUE, STANDARD UNIT PRICE

THE DOLLAR AMOUNT OF EACH UNIT OF AN ITEM AS IT IS RECORDED IN THE FINANCIAL AND ACCOUNTING RECORDS OF THE HOLDING MILITARY SERVICE. SEE VOLUME 10, TABLE 143 AND QUICK INFO ON-LINE.

7081 ICMS-LA-FSC-LC-NA-MM ICMS_STAT_CNT_7081 DLSC-SBA F INTEGER 8

ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION NAVY MULTI-MAN

THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIFIC FSC BY LOA CODE COMBINATION THAT NAVY MANAGES IN COMMON WITH OTHER SERVICES.

7082 ICMS-LA-FSC-LC-NA-MMPC DLSC-SBA F 8

ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION NAVY MULT PERC

THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIFIC FSC BY LOA CODE COMBINATION THAT NAVY MANAGES IN COMMON WITH OTHER SERVICES.

7083 ICMS-LA-FSC-LC-AF-MM ICMS_STAT_CNT_7083 DLSC-SBA F INTEGER 8

ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION AIR FORCE MULT

THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIFIC FSC BY LOA CODE COMBINATION THAT AIR FORCE MANAGES IN COMMON WITH OTHER SERVICES.

7084 ICMS-LA-FSC-LC-AF-MMPC DLSC-SBA F 8

ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION AF MULTI PERCE

THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIFIC FSC BY LOA CODE COMBINATION THAT AIR FORCE MANAGES IN COMMON WITH OTHER SERVICES.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7085 ICMS-LA-FSC-LC-MC-MM ICMS_STAT_CNT_7085 DLSC-SBA F INTEGER 8
ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION MARINE CORPS M
THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIFIC FSC BY LOA CODE COMBINATION THAT MARINE CORPS MANAGES IN COMMON WITH OTHER SERVICES.

7086 ICMS-LA-FSC-LC-MC-MMPC DLSC-SBA F 8
ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION MC MULTI PERCE
THE PERCENT OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT FOR A SPECIFIC FSC BY LOA CODE COMBINATION THAT MARINE CORPS MANAGES IN COMMON WITH OTHER SERVICES.

7087 ICMD-FSC-ALL-ANFM ICMD_STAT_CNT_7087 DLSC-SBA F INTEGER 8
ICMD FSC ALL ARMY NAVY AIR FORCE MARINE CORPS
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY ARMY, NAVY, AIR FORCE AND MARINE CORPS.

7088 ICMD-FSC-ALL-ANF ICMD_STAT_CNT_7088 DLSC-SBA F INTEGER 8
ICMD FSC ALL ARMY NAVY AIR FORCE
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY ARMY, NAVY AND AIR FORCE.

7089 ICMD-FSC-ALL-ANM ICMD_STAT_CNT_7089 DLSC-SBA F INTEGER 8
ICMD FSC ALL ARMY NAVY MARINE CORPS
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY ARMY, NAVY AND MARINE CORPS.

7090 ICMD-FSC-ALL-AN ICMD_STAT_CNT_7090 DLSC-SBA F INTEGER 8
ICMD FSC ALL ARMY NAVY
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY ARMY AND NAVY.

7091 ICMD-FSC-ALL-AFM ICMD_STAT_CNT_7091 DLSC-SBA F INTEGER 8
ICMD FSC ALL ARMY AIR FORCE MARINE CORPS
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY ARMY, AIR FORCE AND MARINE CORPS.

7092 ICMD-FSC-ALL-AF ICMD_STAT_CNT_7092 DLSC-SBA F INTEGER 8
ICMD FSC ALL ARMY AIR FORCE
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY ARMY AND AIR FORCE.

7093 ICMD-FSC-ALL-AM ICMD_STAT_CNT_7093 DLSC-SBA F INTEGER 8
ICMD FSC ALL ARMY MARINE CORPS
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY ARMY AND MARINE CORPS.

7094 ICMD-FSC-ALL-A ICMD_STAT_CNT_7094 DLSC-SBA F INTEGER 8
ICMD FSC ALL ARMY
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MANAGED BY THE ARMY ONLY.

7095 ICMD-FSC-ALL-NFM ICMD_STAT_CNT_7095 DLSC-SBA F INTEGER 8
ICMD FSC ALL NAVY AIR FORCE MARINE CORPS
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY NAVY, AIR FORCE AND MARINE CORPS.

7096 ICMD-FSC-ALL-NF ICMD_STAT_CNT_7096 DLSC-SBA F INTEGER 8
ICMD FSC ALL NAVY AIR FORCE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY NAVY AND AIR FORCE.

7097 ICMD-FSC-ALL-NM ICMD_STAT_CNT_7097 DLSC-SB F INTEGER 8
ICMD FSC ALL NAVY MARINE CORPS
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY NAVY AND MARINE CORPS.

7098 ICMD-FSC-ALL-N ICMD_STAT_CNT_7098 DLSC-SB F INTEGER 8
ICMD FSC ALL NAVY
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MANAGED BY NAVY ONLY.

7099 ICMD-FSC-ALL-FM ICMD_STAT_CNT_7099 DLSC-SB F INTEGER 8
ICMD FSC ALL AIR FORCE MARINE CORPS
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY AIR FORCE AND MARINE CORPS.

7100 ICMD-FSC-ALL-F ICMD_STAT_CNT_7100 DLSC-SB F INTEGER 8
ICMD FSC ALL AIR FORCE
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MANAGED BY AIR FORCE ONLY.

7101 ICMD-FSC-ALL-M ICMD_STAT_CNT_7101 DLSC-SB F INTEGER 8
ICMD FSC ALL MARINE CORPS
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MANAGED BY MARINE CORPS ONLY.

7102 ICMD-FSC-ALL-LC-ANFM ICMD_STAT_CNT_7102 DLSC-SB F INTEGER 8
ICMD FSC ALL LOA COMBINATION ARMY NAVY AIR FORCE MARINE CORP
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY ARMY, NAVY, AIR FORCE AND MARINE CORPS BROKEN OUT BY LOA CODE COMBINATION.

7103 ICMD-FSC-ALL-LC-ANF ICMD_STAT_CNT_7103 DLSC-SB F INTEGER 8
ICMD FSC ALL LOA COMBINATION ARMY NAVY AIR FORCE
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY ARMY, NAVY AND AIR FORCE.

7104 ICMD-FSC-ALL-LC-ANM ICMD_STAT_CNT_7104 DLSC-SB F INTEGER 8
ICMD FSC ALL LOA COMBINATION ARMY NAVY MARINE CORPS
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY ARMY, NAVY AND MARINE CORPS.

7105 ICMD-FSC-ALL-LC-AN ICMD_STAT_CNT_7105 DLSC-SB F INTEGER 8
ICMD FSC ALL LOA COMBINATION ARMY NAVY
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY ARMY AND NAVY.

7106 ICMD-FSC-ALL-LC-AFM ICMD_STAT_CNT_7106 DLSC-SB F INTEGER 8
ICMD FSC ALL LOA COMBINATION ARMY AIR FORCE MARINE CORPS
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY ARMY, AIR FORCE AND MARINE CORPS.

7107 ICMD-FSC-ALL-LC-AF ICMD_STAT_CNT_7107 DLSC-SB F INTEGER 8
ICMD FSC ALL LOA COMBINATION ARMY AIR FORCE
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY ARMY AND AIR FORCE.

7108 ICMD-FSC-ALL-LC-AM ICMD_STAT_CNT_7108 DLSC-SB F INTEGER 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

ICMD FSC ALL LOA COMBINATION ARMY MARINE CORPS
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY ARMY AND MARINE CORPS.

7109 ICMD-FSC-ALL-LC-A ICMD_STAT_CNT_7109 DLSC-SB F INTEGER 8
ICMD FSC ALL LOA CONBINATION ARMY
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MANAGED BY ARMY ONLY.

7110 ICMD-FSC-ALL-LC-NFM ICMD_STAT_CNT_7110 DLSC-SB F INTEGER 8
ICMD FSC ALL LOA CONBINATION NAVY AIR FORCE MARINE CORPS
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY NAVY, AIR FORCE AND MARINE CORPS.

7111 ICMD-FSC-ALL-LC-NF ICMD_STAT_CNT_7111 DLSC-SB F INTEGER 8
ICMD FSC ALL LOA COMBINATION NAVY AIR FORCE
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY NAVY AND AIR FORCE.

7112 ICMD-FSC-ALL-LC-NM ICMD_STAT_CNT_7112 DLSC-SB F INTEGER 8
ICMD FSC ALL LOA COMBINATION NAVY MARINE CORPS
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY NAVY AND MARINE CORPS.

7113 ICMD-FSC-ALL-LC-N ICMD_STAT_CNT_7113 DLSC-SB F INTEGER 8
ICMD FSC ALL LOA COMBINATION NAVY
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MANAGED BY NAVY ONLY.

7114 ICMD-FSC-ALL-LC-FM ICMD_STAT_CNT_7114 DLSC-SB F INTEGER 8
ICMD FSC ALL LOA COMBINATION AIR FORCE MARINE CORPS
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MULTIPLE MANAGED BY AIR FORCE AND MARINE CORPS.

7115 ICMD-FSC-ALL-LC-F ICMD_STAT_CNT_7115 DLSC-SB F INTEGER 8
ICMD FSC ALL LOA COMBINATION AIR FORCE
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MANAGED BY AIR FORCE.

7116 ICMD-FSC-ALL-LC-M ICMD_STAT_CNT_7116 DLSC-SB F INTEGER 8
ICMD FSC ALL LOA COMBINATION MARINE CORPS
THE TOTAL NUMBER OF MILITARY NSNS THAT ARE MANAGED BY MARINE CORPS.

7117 ICMD-IM-ALL-ANFM ICMD_STAT_CNT_7117 DLSC-SB F INTEGER 8
ICMD INTEGRATED MANAGER ALL ARMY NAVY AIR FORCE MARINE CORPS
THE TOTAL NUMBER OF MILITARY NSNS, WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY ARMY, NAVY, AIR FORCE AND MARINE CORPS.

7118 ICMD-IM-ALL-ANF ICMD_STAT_CNT_7118 DLSC-SB F INTEGER 8
ICMD INTEGRATED MANAGER ALL ARMY NAVY AIR FORCE
THE TOTAL NUMBER OF MILITARY NSNS, WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY ARMY, NAVY AND AIR FORCE.

7119 ICMD-IM-ALL-ANM ICMD_STAT_CNT_7119 DLSC-SB F INTEGER 8
ICMD INTEGRATED MANAGER ALL ARMY NAVY MARINE CORPS
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY ARMY, NAVY AND MARINE CORPS.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7120 ICMD-IM-ALL-AN ICMD_STAT_CNT_7120 DLSC-SB F INTEGER 8
ICMD INTEGRATED MANAGER ALL ARMY NAVY
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES, THAT ARE MULTIPLE MANAGED BY ARMY AND NAVY.

7121 ICMD-IM-ALL-AFM ICMD_STAT_CNT_7121 DLSC-SB F INTEGER 8
ICMD INTEGRATED MANAGER ALL ARMY AIR FORCE MARINE CORPS
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY ARMY, AIR FORCE AND MARINE CORPS.

7122 ICMD-IM-ALL-AF ICMD_STAT_CNT_7122 DLSC-SB F INTEGER 8
ICMD INTEGRATED MANAGER ALL ARMY AIR FORCE
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY ARMY AND AIR FORCE.

7123 ICMD-IM-ALL-AM ICMD_STAT_CNT_7123 DLSC-SB F INTEGER 8
ICMD INTEGRATED MANAGER ALL ARMY MARINE CORPS
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY ARMY AND MARINE CORPS.

7124 ICMD-IM-ALL-A ICMD_STAT_CNT_7124 DLSC-SB F INTEGER 8
ICMD INTEGRATED MANAGER ALL ARMY
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MANAGED BY THE ARMY ONLY.

7125 ICMD-IM-ALL-NFM ICMD_STAT_CNT_7125 DLSC-SB F INTEGER 8
ICMD INTEGRATED MANAGER ALL NAVY AIR FORCE MARINE CORPS
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY THE NAVY, AIR FORCE AND MARINE CORPS.

7126 ICMD-IM-ALL-NF ICMD_STAT_CNT_7126 DLSC-SB F INTEGER 8
ICMD INTEGRATED MANAGER ALL NAVY AND AIR FORCE
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY THE NAVY AND AIR FORCE.

7127 ICMD-IM-ALL-NM ICMD_STAT_CNT_7127 DLSC-SB F INTEGER 8
ICMD INTEGRATED MANAGER ALL NAVY AND MARINE CORPS
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY THE NAVY AND MARINE CORPS.

7128 ICMD-IM-ALL-N ICMD_STAT_CNT_7128 DLSC-SB F INTEGER 8
ICMD INTEGRATED MANAGER ALL NAVY
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MANAGED BY THE NAVY ONLY.

7129 ICMD-IM-ALL-FM ICMD_STAT_CNT_7129 DLSC-SB F INTEGER 8
ICMD INTEGRATED MANAGER ALL AIR FORCE MARINE CORPS
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY THE AIR FORCE AND MARINE CORPS.

7130 ICMD-IM-ALL-F ICMD_STAT_CNT_7130 DLSC-SB F INTEGER 8
ICMD INTEGRATED MANAGER ALL AIR FORCE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MANAGED BY THE AIR FORCE

7131 ICMD-IM-ALL-M ICMD_STAT_CNT_7131 DLSC-SB F INTEGER 8
ICMD INTEGRATED MANAGER ALL MARINE CORPS
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MANAGED BY MARINE CORPS ONLY.

7132 ICMD-IM-ALL-LC-ANFM ICMD_STAT_CNT_7132 DLSC-SBA F INTEGER 8
ICMD INTEGRATED MANAGER ALL LOA COMBINATION ARMY NAVY AF MC
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY ARMY, NAVY, AIR FORCE AND MARINE CORPS BY LOA CODE COMBINATION.

7133 ICMD-IM-ALL-LC-ANF ICMD_STAT_CNT_7133 DLSC-SBA F INTEGER 8
ICMD INTEGRATED MANAGER ALL LOA COMBINATION ARMY NAVY AIR F
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY ARMY, NAVY AND AIR FORCE BY LOA CODE COMBINATION.

7134 ICMD-IM-ALL-LC-ANM ICMD_STAT_CNT_7134 DLSC-SBA F INTEGER 8
ICMD INTEGRATED MANAGER ALL LOA COMBINATION ARMY NAVY MARINE
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY ARMY, NAVY AND MARINE CORPS BY LOA CODE COMBINATION.

7135 ICMD-IM-ALL-LC-AN ICMD_STAT_CNT_7135 DLSC-SBA F INTEGER 8
ICMD INTEGRATED MANAGER ALL LOA COMBINATION ARMY NAVY
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY ARMY AND NAVY.

7136 ICMD-IM-ALL-LC-AFM ICMD_STAT_CNT_7136 DLSC-SBA F INTEGER 8
ICMD INTEGRATED MANAGER ALL LOA COMBINATION ARMY AF MC
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY ARMY, AIR FORCE AND MARINE CORPS.

7137 ICMD-IM-ALL-LC-AF ICMD_STAT_CNT_7137 DLSC-SBA F INTEGER 8
ICMD INTEGRATED MANAGER ALL LOA COMBINATION ARMY AIR FORCE
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY ARMY AND AIR FORCE BY LOA CODE COMBINATION.

7138 ICMD-IM-ALL-LC-AM ICMD_STAT_CNT_7138 DLSC-SBA F INTEGER 8
ICMD INTEGRATED MANAGER ALL LOA COMBINATION ARMY MARINE CORP
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY ARMY AND MARINE CORPS BY LOA CODE COMBINATION.

7139 ICMD-IM-ALL-LC-A ICMD_STAT_CNT_7139 DLSC-SBA F INTEGER 8
ICMD INTEGRATED MANAGER ALL LOA COMBINATION ARMY
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MANAGED BY ARMY BROKEN OUT BY LOA CODE COMBINATIONS.

7140 ICMD-IM-ALL-LC-NFM ICMD_STAT_CNT_7140 DLSC-SBA F INTEGER 8
ICMD INTEGRATED MANAGER ALL LOA COMBINATION NAVY AF MC
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY NAVY, AIR FORCE AND MARINE CORPS BY LOA CODE COMBINATION.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7141 ICMD-IM-ALL-LC-NF ICMD_STAT_CNT_7141 DLSC-SBA F INTEGER 8
ICMD INTEGRATED MANAGER ALL LOA COMBINATION NAVY AIR FORCE
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY NAVY AND AIR FORCE.

7142 ICMD-IM-ALL-LC-NM ICMD_STAT_CNT_7142 DLSC-SBA F INTEGER 8
ICMD INTEGRATED MANAGER ALL LOA COMBINATION NAVY MARINE CORP
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY NAVY AND MARINE CORPS BY LOA CODE COMBINATION.

7143 ICMD-IM-ALL-LC-N ICMD_STAT_CNT_7143 DLSC-SBA F INTEGER 8
ICMD INTEGRATED MANAGER ALL LOA COMBINATION NAVY
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MANAGED BY NAVY BROKEN OUT BY LOA CODE COMBINATION.

7144 ICMD-IM-ALL-LC-FM ICMD_STAT_CNT_7144 DLSC-SBA F INTEGER 8
ICMD INTEGRATED MANAGER ALL LOA CONBINATION AIR FORCE MC
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MULTIPLE MANAGED BY AIR FORCE AND MARINE CORPS.

7145 ICMD-IM-ALL-LC-F ICMD_STAT_CNT_7145 DLSC-SBA F INTEGER 8
ICMD INTEGRATED MANAGER ALL LOA COMBINATION AIR FORCE
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MANAGED BY AIR FORCE BROKEN OUT BY LOA CODE COMBINATION.

7146 ICMD-IM-ALL-LC-M ICMD_STAT_CNT_7146 DLSC-SBA F INTEGER 8
ICMD INTEGRATED MANAGER ALL LOA COMBINATION MARINE CORPS
THE TOTAL NUMBER OF MILITARY NSNS WITHIN ASSIGNED CLASSES THAT ARE MANAGED BY MARINE CORPS BROKEN OUT BY LOA CODE COMBINATION.

7147 ICMD-LA-ALL-ANFM ICMD_STAT_CNT_7147 DLSC-SBA F INTEGER 8
ICMD LOGISTICS ASSIGNMENT ALL ARMY NAVY AIR FORCE MARINE COR
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY ARMY, NAVY, AIR FORCE AND MARINE CORPS.

7148 ICMD-LA-ALL-ANF ICMD_STAT_CNT_7148 DLSC-SBA F INTEGER 8
ICMD LOGISTICS ASSIGNMENT ALL ARMY NAVY AIR FORCE
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY ARMY, NAVY AND AIR FORCE.

7149 ICMD-LA-ALL-ANM ICMD_STAT_CNT_7149 DLSC-SBA F INTEGER 8
ICMD LOGISTICS ASSIGNMENT ALL ARMY NAVY MARINE CORPS
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY ARMY, NAVY AND MARINE CORPS.

7150 ICMD-LA-ALL-AN ICMD_STAT_CNT_7150 DLSC-SBA F INTEGER 8
ICMD LOGISTICS ASSIGNMENT ALL ARMY NAVY
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY ARMY AND NAVY.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7151 ICMD-LA-ALL-AFM ICMD_STAT_CNT_7151 DLSC-SBA F INTEGER 8
ICMD LOGISTICS ASSIGNMENT ALL ARMY AIR FORCE MARINE CORPS
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY ARMY, AIR FORCE AND MARINE CORPS.

7152 ICMD-LA-ALL-AF ICMD_STAT_CNT_7152 DLSC-SBA F INTEGER 8
ICMD LOGISTICS ASSIGNMENT ALL ARMY AIR FORCE
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY ARMY AND AIR FORCE.

7153 ICMD-LA-ALL-AM ICMD_STAT_CNT_7153 DLSC-SBA F INTEGER 8
ICMD LOGISTICS ASSIGNMENT ALL ARMY MARINE CORPS
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY ARMY AND MARINE CORPS.

7154 ICMD-LA-ALL-A ICMD_STAT_CNT_7154 DLSC-SBA F INTEGER 8
ICMD LOGISTICS ASSIGNMENT ALL ARMY
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MANAGED BY ARMY ONLY.

7155 ICMD-LA-ALL-NFM ICMD_STAT_CNT_7155 DLSC-SBA F INTEGER 8
ICMD LOGISTICS ASSIGNMENT ALL NAVY AIR FORCE MARINE CORPS
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY NAVY, AIR FORCE AND MARINE CORPS.

7156 ICMD-LA-ALL-NF ICMD_STAT_CNT_7156 DLSC-SBA F INTEGER 8
ICMD LOGISTICS ASSIGNMENT ALL NAVY AIR FORCE
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY NAVY AND AIR FORCE.

7157 ICMD-LA-ALL-NM ICMD_STAT_CNT_7157 DLSC-SBA F INTEGER 8
ICMD LOGISTICS ASSIGNMENT ALL NAVY MARINE CORPS
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY NAVY AND MARINE CORPS.

7158 ICMD-LA-ALL-N ICMD_STAT_CNT_7158 DLSC-SBA F INTEGER 8
ICMD LOGISTICS ASSIGNMENT ALL NAVY
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MANAGED BY NAVY ONLY.

7159 ICMD-LA-ALL-FM ICMD_STAT_CNT_7159 DLSC-SBA F INTEGER 8
ICMD LOGISTICS ASSIGNMENTS ALL AIR FORCE MARINE CORPS
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY AIR FORCE AND MARINE CORPS.

7160 ICMD-LA-ALL-F ICMD_STAT_CNT_7160 DLSC-SBA F INTEGER 8
ICMD LOGISTICS ASSIGNMENTS ALL AIR FORCE
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MANAGED BY AIR FORCE ONLY.

7161 ICMD-LA-ALL-M ICMD_STAT_CNT_7161 DLSC-SBA F INTEGER 8
ICMD LOGISTICS ASSIGNMENTS ALL MARINE CORPS

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MANAGED BY MARINE CORPS ONLY.

7162 ICMD-LA-ALL-LC-ANFM ICMD_STAT_CNT_7162 DLSC-SBA F INTEGER 8
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY NVY AF MC
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASIGNMENT THAT ARE MULTIPLE MANAGED BY ARMY, NAVY, AIR FORCE AND MARINE CORPS BROKEN OUT BY LOA CODE COMBINATION.

7163 ICMD-LA-ALL-LC-ANF ICMD_STAT_CNT_7163 DLSC-SBA F INTEGER 8
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY NAVY AF
THE TOTAL NUMBER OF MILITARY NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARE MULTIPLE MANAGED BY ARMY, NAVY AND AIR FORCE BROKEN OUT BY LOA CODE COMBINATION.

7164 IN-DP-AT-TOT-NR-CQ-NSN DLSC-SBA F 8
ITEM NAME DEPT ACTIVITY TOTAL NEW REINSTD CURRENT QTR NSN
THE TOTAL NUMBER OF NSNS NEWLY ASSIGNED/REINSTATED DURING THE CURRENT FISCAL QUARTER FOR THE ACTIVITY.

7165 IN-DP-AT-NAIN-NR-CQ-NSN DLSC-SBA F 8
ITEM NAME DEPT ACTY NONAPPVD ITEM NAME REINSTD CUR QTR NSN
THE NUMBER OF NSNS NEWLY ASSIGNED/REINSTATED WITH A NONAPPROVED ITEM NAME FOR THE ACTIVITY.

7166 IN-DP-TOT-NR-CQ-NSN DLSC-SBA F 8
ITEM NAME DEPARTMENT TOTAL NEW REINSTATED CURRENT QTR NSN
THE TOTAL NUMBER OF NSNS NEWLY ASSIGNED/REINSTATED DURING THE CURRENT FISCAL QUARTER FOR THE DEPARTMENT.

7167 IN-DP-NAIN-NR-CQ-NSN DLSC-SBA F 8
ITEM NAME DEPT NONAPPRD ITEM NAME NEW REINSTD CURR QTR NSN
THE NUMBER OF NSNS NEWLY ASSIGNED/REINSTATED DURING THE CURRENT FISCAL QUARTER WITH A NONAPPROVED ITEM NAME FOR THE DEPARTMENT.

7168 IN-DP-NAIN-NR-PCT-2-Q DLSC-SBA F 8
ITEM NAME DEPT NONAPPRD ITEM NAME NEW REINSTD PCT 2ND QTR
THE PERCENT OF NEWLY ASSIGNED/REINSTATED NSNS WITH A NONAPPROVED ITEM NAME DURING THE SECOND QUARTER OF THE FISCAL YEAR FOR THE DEPARTMENT.

7169 IN-DP-NAIN-NR-PCT-3-Q DLSC-SBA F 8
ITEM NAME DEPT NONAPPRD ITEM NAME NEW REINSTD PCT 3RD QTR
THE PERCENT OF NEWLY ASSIGNED/REINSTATED NSNS WITH A NONAPPROVED ITEM NAME DURING THE THIRD QUARTER OF THE FISCAL YEAR FOR THE DEPARTMENT.

7170 IN-DP-NAIN-NR-PCT-4-Q DLSC-SBA F 8
ITEN NAME DEPT NONAPPRD ITEM NAME NEW REINSTD PCT 3RD QTR
THE PERCENT OF NEWLY ASSIGNED/REINSTATED NSNS WITH A NONAPPROVED ITEM NAME DURING THE THIRD QUARTER OF THE FISCAL YEAR FOR THE DEPARTMENT.

7171 AMC-AT-ACC-MVMT-TOT-NSN DLSC-SBA F 8
AMC ACTIVITY ALL COMMODITY CATEGORIES MOVEMENT TOTAL NSN
THE TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT WITHIN THE COMMODITY CATEGORIES THAT THE ACQUISITION METHOD CODE HAS BEEN CHANGED TO.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7172 POP-FIIG-AIN-FSC-MG-RE POP_STAT_CNT_7172 DLSC-SBA F INTEGER 8
POPULATION FIIG APPROVED ITEM NAME FSC MANAGED REFERENCE
THE QUANTITY OF REFERENCE METHOD MANAGED NSNS FOR AN FSC ACROSS AN APPROVED ITEM NAME CODE WITHIN A FIIG.

7173 T-TRML-OL-NIIN-IQY-QTY DLSC-SBA F 8
TOTAL TERMINAL ON-LINE NIIN INQUIRY QUANTITY
THE TOTAL NUMBER OF ON-LINE TERMINAL INQUIRIES AGAINST A NIIN THAT PROCESSED SUCCESSFULLY.

7174 T-TRML-OL-NIIN-IMTCHD-QT DLSC-SBA F 8
TOTAL TERMINAL ON-LINE NIIN INPUTS MATCHED QUANTITY
THE TOTAL NUMBER OF TERMINAL INQUIRIES AGAINST A NIIN THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

7175 TRML-OL-NIIN-OFRD-QTY DLSC-SBA F 8
TERMINAL ON-LINE NIIN TOTAL OFFERED QUANTITY
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE NIIN.

7176 TRML-OL-NIIN-AVG-OFRD DLSC-SBA F 8
TERMINAL ON-LINE NIIN AVERAGE OFFERED
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY NIIN. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7177 T-TRML-OL-NIIN-NMTCH-QTY DLSC-SBA F 8
TOTAL TERMINAL ON-LINE NIIN NOT MATCHED QUANTITY
THE TOTAL NUMBER OF ON-LINE TERMINAL INQUIRIES AGAINST A NIIN THAT DID NOT IDENTIFY AND RETURN ANY DATA ASSETS.

7178 TRML-OL-NIIN-IQY-PCT-MTH DLSC-SBA F 8
TERMINAL ON-LINE NIIN INQUIRY PERCENT OF MATCH
THE PERCENT OF ON-LINE TERMINAL NIIN INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7179 T-TRML-OL-DAI-IQY-QTY DLSC-SBA F 8
TOTAL TERMINAL ON-LINE DATA ASSET IDENTIFIER INQUIRY QTY
THE TOTAL NUMBER OF ON-LINE TERMINAL INQUIRIES AGAINST A DATA ASSET IDENTIFIER THAT PROCESSED SUCCESSFULLY.

7180 TRML-OL-DAI-IMTCHD-QTY DLSC-SBA F 8
TERMINAL ON-LINE DATA ASSET IDENTIFIER INPUTS MATCHED QTY
THE TOTAL NUMBER OF TERMINAL INQUIRIES AGAINST A DATA ASSET IDENTIFIER THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

7181 TRML-OL-DAI-OFRD-QTY DLSC-SBA F 8
TERMINAL ON-LINE DATA ASSET IDENTIFIER TOTAL OFFERED QTY
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE DATA ASSET IDENTIFIER.

7182 TRML-OL-DAI-AVG-OFRD DLSC-SBA F 8
TERMINAL ON-LINE DATA ASSET IDENTIFIER AVERAGE OFFERED

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY DATA ASSET IDENTIFIER. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7183 T-TRML-OL-DAI-NMTCH-QTY DLSC-SBA F 8
TERMINAL ON-LINE DATA ASSET IDENTIFIER NOT MATCHED QUANTITY
THE TOTAL NUMBER OF ON-LINE TERMINAL INQUIRIES AGAINST A DATA ASSET IDENTIFIER THAT DID NOT IDENTIFY AND RETURN ANY DATA ASSETS.

7184 TRML-OL-DAI-IQY-PCT-MTH DLSC-SBA F 8
TERMINAL ON-LINE DATA ASSET IDENT INQUIRY PERCENT OF MATCH
THE PERCENT OF ON-LINE TERMINAL DATA ASSET IDENTIFIER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7185 MDLS-TOT-BAT-INQ DLSC-VO F 10
MEDALS TOTAL BATCH INQUIRIES
THE TOTAL NUMBER OF MEDALS INQUIRIES IN ONE BATCH.

7186 MDLS-TOT-BAT-INQ-MATCHED DLSC-VO F 9
MEDALS TOTAL BATCH INQUIRIES MATCHED
THE TOTAL NUMBER OF MEDALS BATCH INQUIRIES THAT RESULTED IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

7187 MDLS-TOT-BAT-INQ-OFFERED DLSC-VO F 9
MEDALS TOTAL BATCH INQUIRIES OFFERED
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A MATCH RESULTING FROM VARIOUS TYPES OF INQUIRIES.

7188 MDLS-TOT-BAT-AVG-OFFERED DLSC-VO F 9
MEDALS TOTAL BATCH AVERAGE OFFERED
THE AVERAGE NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A MATCH RESULTING FROM VARIOUS TYPES OF INQUIRIES.

7189 MDLS-TOT-BAT-INQ-NO-MTCH DLSC-VO F 9
MEDALS TOTAL BATCH INQUIRIES NOT MATCHED
THE NUMBER OF BATCH INQUIRIES THAT DID NOT MATCH ANY DATA ASSETS ON THE MEDALS DATA BASE.

7190 MDLS-TOT-BAT-INQ-PT-MTCH DLSC-VO F 5
MEDALS TOTAL BATCH INQUIRIES PERCENT OF MATCH
THE PERCENT OF MEDALS BATCH INQUIRIES THAT RESULTED IN ONE OR MORE MATCHES WITH THE MEDALS DATA BASE.

7191 MDLS-TOT-INQ-D1 MDLS_STAT_CNT_7191 DLSC-VO F INTEGER 9
MEDALS TOTAL INQUIRIES D1
THE TOTAL NUMBER OF MEDALS INQUIRIES BY DOCUMENT NUMBER (D1).

7192 MDLS-INPUT-MATCH-D1 MDLS_STAT_CNT_7192 DLSC-VO F INTEGER 9
MEDALS INPUTS MATCHED D1
THE TOTAL NUMBER OF MEDALS INQUIRIES BY DOCUMENT NUMBER (D1) THAT RESULTED IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7193 MDLS-TOT-OFFERED-D1 MDLS_STAT_CNT_7193 DLSC-VO F INTEGER 9
MEDALS TOTAL OFFERED D1
THE TOTAL NUMBER OF DATA ASSETS OFFERED AS A MATCH AS A RESULT OF INQUIRIES BY DOCUMENT NUMBER (D1).

7194 MDLS-AVG-OFFERED-D1 DLSC-VO F 9
MEDALS AVERAGE OFFERED D1
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH AS A RESULT OF INQUIRIES BY DOCUMENT NUMBER (D1).

7195 MDLS-NOT-MATCHED-D1 DLSC-VO F 9
MEDALS INPUTS NOT MATCHED D1
THE TOTAL NUMBER OF MEDALS INQUIRIES BY DOCUMENT NUMBER (D1) THAT DID NOT MATCH ANY DATA ASSETS ON THE MEDALS DATA BASE.

7196 MDLS-PCT-MATCH-D1 DLSC-VO F 5
MEDALS PERCENT OF MATCH D1
THE PERCENT OF MEDALS INQUIRIES BY DOCUMENT NUMBER (D1) THAT RESULTED IN ONE OR MORE MATCHES WITH THE MEDALS DATA BASE.

7197 MDLS-TOT-INQ-D2 MDLS_STAT_CNT_7197 DLSC-VO F INTEGER 9
MEDALS TOTAL INQUIRIES D2
THE NUMBER OF MEDALS INQUIRIES BY DOCUMENT NUMBER/CAGE (D2).

7198 MDLS-INPUT-MATCH-D2 MDLS_STAT_CNT_7198 DLSC-VO F INTEGER 9
MEDALS INPUTS MATCHED D2
THE TOTAL NUMBER OF MEDALS INQUIRIES BY DOCUMENT NUMBER/CAGE (D2) THAT RESULTED IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

7199 MDLS-TOT-OFFERED-D2 MDLS_STAT_CNT_7199 DLSC-VO F INTEGER 9
MEDALS TOTAL OFFERED D2
THE TOTAL NUMBER OF DATA ASSETS OFFERED AS A MATCH AS A RESULT OF INQUIRIES BY DOCUMENT NUMBER/CAGE (D2).

7200 MDLS-AVG-OFFERED-D2 DLSC-VO F 9
MEDALS AVERAGE OFFERED D2
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH AS RESULT OF INQUIRIES BY DOCUMENT NUMBER/CAGE (D2).

7201 MDLS-PCT-MATCH-D2 DLSC-VO F 5
MEDALS PERCENT OF MATTCH D2
THE PERCENT OF MEDALS INQUIRIES BY DOCUMENT NUMBER/CAGE (D2) THAT RESULTED IN ONE OR MORE MATCHES WITH THE MEDALS DATA BASE.

7202 MDLS-TOT-INQ-P1 MDLS_STAT_CNT_7202 DLSC-VO F INTEGER 9
MEDALS TOTAL INQUIRIES P1
THE TOTAL NUMBER OF MEDALS INQUIRIES BY PART NUMBER (P1).

7203 MDLS-INPUT-MATCH-P1 MDLS_STAT_CNT_7203 DLSC-VO F INTEGER 9
MEDALS INPUTS MATCHED P1
THE TOTAL NUMBER OF MEDALS INQUIRIES BY PART NUMBER (P1) THAT RESULTED IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7204 MDLS-TOT-OFFERED-P1 MDLS_STAT_CNT_7204 DLSC-VO F INTEGER 9
MEDALS TOTAL OFFERED P1
THE TOTAL NUMBER OF DATA ASSETS OFFERED AS A MATCH AS A RESULT OF INQUIRIES BY PART NUMBER (P1).

7205 MDLS-AVG-OFFERED-P1 DLSC-VO F 9
MEDALS AVERAGE OFFERED P1
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH AS A RESULT OF INQUIRIES BY PART NUMBER (P1).

7206 MDLS-NOT-MATCHED-P1 DLSC-VO F 9
MEDALS INPUTS NOT MATCHED P1
THE TOTAL NUMBER OF MEDALS INQUIRIES BY PART NUMBER (P1) THAT DID NOT MATCH ANY DATA ASSETS ON THE MEDALS DATA BASE.

7207 MDLS-PCT-MATCH-P1 DLSC-VO F 5
MEDALS PERCENT OF MATCH P1
THE PERCENTAGE OF MEDALS INQUIRIES BY PART NUMBER (P1) THAT RESULTED IN ONE OR MORE MATCHES WITH THE MEDALS DATA BASE.

7208 MDLS-TOT-INQ-P2 MDLS_STAT_CNT_7208 DLSC-VO F INTEGER 9
MEDALS TOTAL INQUIRIES P2
THE TOTAL NUMBER OF MEDALS INQUIRIES BY PART NUMBER/CAGE (P2).

7209 MDLS-INPUT-MATCH-P2 MDLS_STAT_CNT_7209 DLSC-VO F INTEGER 9
MEDALS INPUTS MATCHED P2
THE TOTAL NUMBER OF MEDALS INQUIRIES BY PART NUMBER/CAGE (P2) THAT RESULTED IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

7210 MDLS-TOT-OFFERED-P2 MDLS_STAT_CNT_7210 DLSC-VO F INTEGER 9
MEDALS TOTAL OFFERED P2
THE TOTAL NUMBER OF DATA ASSETS OFFERED AS A MATCH AS A RESULT OF INQUIRIES BY PART NUMBER/CAGE (P2).

7211 MDLS-AVG-OFFERED-P2 DLSC-VO F 9
MEDALS AVERAGE OFFERED P2
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH AS A RESULT OF INQUIRIES BY PART NUMBER/CAGE (P2).

7212 MDLS-NOT-MATCHED-P2 DLSC-VO F 9
MEDALS INPUTS NOT MATCHED P2
THE TOTAL NUMBER OF MEDALS INQUIRIES BY PART NUMBER/CAGE (P2) THAT DID NOT MATCH ANY DATA ASSETS ON THE MEDALS DATA BASE.

7213 MDLS-PCT-MATCH-P2 DLSC-VO F 5
MEDALS PERCENT OF MATCH P2
THE PERCENTAGE OF MEDALS INQUIRIES BY PART NUMBER/CAGE (P2) THAT RESULTED IN ONE OR MORE MATCHES WITH THE MEDALS DATA BASE.

7214 MDLS-TOT-INQ-NN MDLS_STAT_CNT_7214 DLSC-VO F INTEGER 9
MEDALS TOTAL INQUIRIES NN
THE TOTAL NUMBER OF MEDALS INQUIRIES BY NIIN (NN).

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	FORMAT FV	TYPE	LG
CLEAR TEXT HOST/COBOL NAME						
DRN DEFINITION						

7215 MDLS-INPUT-MATCH-NN MDLS_STAT_CNT_7215 DLSC-VO F INTEGER 9
MEDALS INPUTS MATCHED NN
THE TOTAL NUMBER OF MEDALS INQUIRIES BY NIIN (NN) THAT RESULTED IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

7216 MDLS-TOT-OFFERED-NN MDLS_STAT_CNT_7216 DLSC-VO F INTEGER 9
MEDALS TOTAL OFFERED NN
THE TOTAL NUMBER OF DATA ASSETS OFFERED AS A MATCH AS A RESULT OF INQUIRIES BY NIIN (NN).

7217 MDLS-AVG-OFFERED-NN DLSC-VO F 9
MEDALS AVERAGE OFFERED NN
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH AS A RESULT OF INQUIRIES BY NIIN (NN).

7218 MDLS-NOT-MATCHED-NN DLSC-VO F 9
MEDALS INPUTS NOT MATCHED NN
THE TOTAL NUMBER OF MEDALS INQUIRIES BY NIIN (NN) THAT DID NOT MATCH ANY DATA ASSETS ON THE MEDALS DATA BASE.

7219 MDLS-PCT-MATCH-NN DLSC-VO F 5
MEDALS PERCENT OF MATCH NN
THE PERCENTAGE OF MEDALS INQUIRIES BY NIIN (NN) THAT RESULTED IN ONE OR MORE MATCHES WITH THE MEDALS DATA BASE.

7220 MDLS-TOT-INQ-D3 MDLS_STAT_CNT_7220 DLSC-VO F INTEGER 9
MEDALS TOTAL INQUIRIES D3
THE TOTAL NUMBER OF MEDALS INQUIRIES BY DATA ASSET IDENTIFIER (D3).

7221 MDLS-INPUT-MATCH-D3 MDLS_STAT_CNT_7221 DLSC-VO F INTEGER 9
MEDALS INPUTS MATCHED D3
THE TOTAL NUMBER OF MEDALS INQUIRIES BY DATA ASSET IDENTIFIER (D3) THAT RESULTED IN DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

7222 MDLS-TOT-OFFERED-D3 MDLS_STAT_CNT_7222 DLSC-VO F INTEGER 9
MEDALS TOTAL OFFERED D3
THE TOTAL NUMBER OF DATA ASSETS OFFERED AS A MATCH AS A RESULT OF INQUIRIES BY DATA ASSET IDENTIFIER (D3).

7223 MDLS-AVG-OFFERED-D3 DLSC-VO F 9
MEDALS AVERAGE OFFERED D3
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH AS A RESULT OF INQUIRIES BY DATA ASSET IDENTIFIER (D3).

7224 MDLS-NOT-MATCHED-D3 DLSC-VO F 9
MEDALS INPUTS NOT MATCHED D3
THE TOTAL NUMBER OF MEDALS INQUIRIES BY DATA ASSET IDENTIFIER (D3) THAT DID NOT MATCH ANY DATA ASSETS ON THE MEDALS DATA BASE.

7225 MDLS-PCT-MATCH-D3 DLSC-VO F 5
MEDALS PERCENT OF MATCH D3
THE PERCENTAGE OF MEDALS INQUIRIES BY DATA ASSET IDENTIFIER (D3) THAT RESULTED IN ONE OR MORE MATCHES WITH THE MEDALS DATA BASE.

7228 SA-BCH-TOT-OFRD DLSC-SB F 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

SERVICE AGENCY BATCH TOTAL OFFERED

THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH BROKEN OUT BY SERVICE/AGENCY.

7229 SA-BCH-AVG-OFRD DLSC-SB F 8

SERVICE/AGENCY BATCH AVERAGE OFFERED

THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH BROKEN OUT BY SERVICE/AGENCY. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY THE "INPUTS MATCHED".

7231 SA-BCH-IQY-PCT-MTH DLSC-SB F 8

SERVICE/AGENCY BATCH INQUIRY PERCENT OF MATCH

THE PERCENT OF BATCH INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED BROKEN OUT BY SERVICE/AGENCY.

7235 SA-BCH-DOC-NO-AVG-OFRD DLSC-SB F 8

SERVICE AGENCY BATCH DOC NO AVERAGE OFFERED

THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY DOCUMENT NUMBER. THIS COUNT IS DERIVED BY DIVIDING "TOTAL OFFERED" BY "INPUTS MATCHED".

7237 SA-BCH-DN-IQY-PCT-MTH DLSC-SB F 8

SERVICE/AGENCY BATCH DOCUMENT NUMBER INQUIRY PCT. OF MATCH

THE PERCENT OF BATCH SERVICE/AGENCY DOCUMENT NUMBER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7240 SA-BCH-DOCG-OFRD-QTY DLSC-SB F 8

SERVICE/AGENCY BATCH DOCUMENT NUMBER/CAGE OFFERED QTY

THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE DOCUMENT NUMBER/CAGE.

7241 SA-BCH-DOCG-AVG-OFRD DLSC-SB F 8

SERVICE/AGENCY BATCH DOCUMENT NUMBER/CAGE AVERAGE OFFERED

THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY DEPARTMENT NUMBER/CAGE. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7243 SA-BCH-DNCG-IQY-PCT-MTH DLSC-SB F 8

SERVICE/AGENCY BATCH DOCUMENT NO./CAGE INQUIRY PCT. OF MATCH

THE PERCENT OF BATCH SERVICE/AGENCY DOCUMENT NUMBER/CAGE INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7246 SA-BCH-PN-OFRD-QTY DLSC-SB F 8

SERVICE/AGENCY BATCH PART NUMBER TOTAL OFFERED QUANTITY

THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE PART NUMBER.

7248 SA-BCH-PN-AVG-OFRD DLSC-SB F 8

SERVICE/AGENCY BATCH PART NUMBER AVERAGE OFFERED

THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY PART NUMBER. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7250 SA-BCH-PN-IQY-PCT-MTH DLSC-SB F 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

SERVICE/AGENCY BATCH PART NUMBER INQUIRY PERCENT OF MATCH
THE PERCENT OF BATCH SERVICE/AGENCY PART NUMBER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7253 SA-BCH-PNCG-OFRD-QTY DLSC-SB F 8
SERVICE/AGENCY BATCH PART NUMBER/CAGE TOTAL OFFERED QUANTITY
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST A PART NUMBER/CAGE

7254 SA-BCH-PNCG-AVG-OFRD DLSC-SB F 8
SERVICE/AGENCY BATCH PART NUMBER/CAGE AVERAGE OFFERED
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY PART NUMBER/CAGE. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7256 SA-BCH-PNCG-IQY-PCT-MTH DLSC-SB F 8
SERVICE/AGENCY BATCH PART NO./CAGE INQUIRY PERCENT OF MATCH
THE PERCENT OF BATCH SERVICE/AGENCY PART NUMBER/CAGE INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7259 SA-BCH-NIIN-OFRD-QTY DLSC-SB F 8
SERVICE/AGENCY BATCH NIIN TOTAL OFFERED QUANTITY
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE NIIN.

7260 SA-BCH-NIIN-AVG-OFRD DLSC-SB F 8
SERVICE/AGENCY BATCH NIIN AVERAGE OFFERED
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY NIIN. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7262 SA-BCH-NIIN-IQY-PCT-MTH DLSC-SB F 8
SERVICE/AGENCY BATCH NIIN INQUIRY PERCENT OF MATCH
THE PERCENT OF BATCH SERVICE/AGENCY PART NUMBER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7265 SA-BCH-DAI-OFRD-QTY DLSC-SB F 8
SERVICE/AGENCY BATCH DATA ASSET IDENTIFIER TOTAL OFFERED QTY
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE DATA ASSET IDENTIFIER.

7266 SA-BCH-DAI-AVG-OFRD DLSC-SB F 8
SERVICE/AGENCY BATCH DATA ASSET IDENTIFIER AVERAGE OFFERED
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY DATA ASSET IDENTIFIER. THE COUNT IS DERIVED BY DIVIDING "TOTAL OFFERED" BY "INPUTS MATCHED".

7268 SA-BCH-DAI-IQY-PCT-MTH DLSC-SB F 8
SERVICE/AGENCY BATCH DATA ASSET IDENT IQY PERCENT OF MATCH
THE PERCENT OF BATCH SERVICE/AGENCY PART NUMBER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7271 REPT-BCH-T-OFRD-QTY DLSC-SB F 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

REPOSITORY BATCH TOTAL OFFERED QUANTITY
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH BROKEN OUT BY RESPOSITORY.

7272 REPT-BCH-AVG-OFRD DLSC-SB F 8
REPOSITORY BATCH AVERAGE OFFERED
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH BROKEN OUT BY SERVICE/AGENCY. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7274 REPT-BCH-IQY-PCT-MTCH DLSC-SB F 8
REPOSITORY BATCH INQUIRY PERCENT OF MATCH
THE PERCENT OF BATCH INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED BROKEN OUT BY REPOSITORY.

7277 REPT-BCH-DN-OFRD-QTY DLSC-SB F 8
REPOSITORY BATCH DOCUMENT NUMBER TOTAL OFFERED QUANTITY
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM BATCH INQUIRIES AGAINST THE DOCUMENT NUMBER.

7278 REPT-BCH-DN-AVG-OFRD DLSC-SB F 8
REPOSITORY BATCH DOCUMENT NUMBER AVERAGE OFFERED
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM BATCH INQUIRIES BY DOCUMENT NUMBER. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7280 REPT-BCH-DN-IQY-PCT-MTH DLSC-SB F 8
REPOSITORY BATCH DOCUMENT NUMBER INQUIRY PERCENT OF MATCH
THE PERCENT OF BATCH REPOSITORY DOCUMENT NUMBER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7283 REPT-BCH-DNCG-OFRD-QTY DLSC-SB F 8
REPOSITORY BATCH DOCUMENT NUMBER/CAGE TOTAL OFFERED QTY
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM BATCH INQUIRIES AGAINST THE DOCUMENT NUMBER/CAGE.

7284 REPT-BCH-DNCG-AVG-OFRD DLSC-SB F 8
REPOSITORY BATCH DOCUMENT NUMBER/CAGE AVERAGE OFFERED
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM BATCH INQUIRIES BY DOCUMENT NUMBER/CAGE. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7286 RPT-BCH-DNCG-IQY-PCT-MTH DLSC-SB F 8
REPOSITORY BATCH DOCUMENT NUMBER/CAGE INQUIRY PERCENT MATCH
THE PERCENT OF BATCH REPOSITORY DOCUMENT NUMBER/CAGE INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7289 REPT-BCH-PN-OFRD-QTY DLSC-SB F 8
REPOSITORY BATCH PART NUMBER TOTAL OFFERED QUANTITY
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM BATCH INQUIRIES AGAINST THE PART NUMBER.

7290 REPT-BCH-PN-AVG-OFRD DLSC-SB F 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

REPOSITORY BATCH PART NUMBER AVERAGE OFFERED

THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM BATCH INQUIRIES BY PART NUMBER. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7292 REPT-BCH-PN-IQY-PCT-MTH DLSC-SB F 8

REPOSITORY BATCH PART NUMBER INQUIRY PERCENT OF MATCH

THE PERCENT OF BATCH REPOSITORY INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7295 REPT-BCH-PNCG-OFRD-QTY DLSC-SB F 8

REPOSITORY BATCH PART NUMBER/CAGE TOTAL OFFERED QUANTITY

THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM BATCH INQUIRIES AGAINST THE PART NUMBER/CAGE.

7296 REPT-BCH-PNCG-AVG-OFRD DLSC-SB F 8

REPOSITORY BATCH PART NUMBER/CAGE AVERAGE OFFERED

THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM BATCH INQUIRIES BY PART NUMBER/CAGE. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7298 REPT-BCH-PNCG-IQY-PCT-MT DLSC-SB F 8

REPOSITORY BATCH PART NUMBER/CAGE INQUIRY PERCENT OF MATCH

THE PERCENT OF BATCH REPOSITORY PART NUMBER/CAGE INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7301 REPT-BCH-NIIN-OFRD-QTY DLSC-SB F 8

REPOSITORY BATCH NIIN TOTAL OFFERED QUANTITY

THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM BATCH INQUIRIES AGAINST THE NIIN.

7302 REPT-BCH-NIIN-AVG-OFRD DLSC-SB F 8

REPOSITORY BATCH NIIN AVERAGE OFFERED

THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM BATCH INQUIRIES BY NIIN. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7304 REPT-BCH-NIIN-IQY-PCT-MT DLSC-SB F 8

REPOSITORY BATCH NIIN INQUIRY PERCENT OF MATCH

THE PERCENT OF BATCH REPOSITORY NIIN INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7307 REPT-BCH-DAI-OFRD-QTY DLSC-SB F 8

REPOSITORY BATCH DATA ASSETS IDENTIFIER TOTAL OFFERED QTY

THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM BATCH INQUIRIES AGAINST THE DATA ASSET IDENTIFIER.

7308 REPT-BCH-DAI-AVG-OFRD DLSC-SB F 8

REPOSITORY BATCH DATA ASSET IDENTIFIER AVERAGE OFFERED

THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM BATCH INQUIRIES BY DATA ASSET IDENTIFIER. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7310 REPT-BCH-DAI-IQY-PCT-MTH DLSC-SB F 8

REPOSITORY BATCH DATA ASSET IDENTIFIER INQUIRY PCT OF MTCH

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE PERCENT OF BATCH REPOSITORY DATA ASSET IDENTIFIER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7311 T-TRML-IQY-BCH-QTY DLSC-SB F 8
TOTAL TERMINAL INQUIRIES BATCH QUANTITY
THE TOTAL NUMBER OF BATCH INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER BROKEN OUT BY TERMINAL.

7312 TRML-BCH-I-MTCHD-QTY DLSC-SBA F 8
TOTAL TERMINAL BATCH INPUTS MATCHED QUANTITY
THE TOTAL NUMBER OF BATCH INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER BROKEN OUT BY TERMINAL.

7313 TRML-BCH-T-OFRD-QTY DLSC-SB F 8
TERMINAL BATCH TOTAL OFFERED QUANTITY
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USERS AS A POTENTIAL MATCH BROKEN OUT BY TERMINAL.

7314 TRML-BCH-AVG-OFRD DLSC-SB F 8
TERMINAL BATCH AVERAGE OFFERED
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH BROKEN OUT BY TERMINAL. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7315 T-TRML-BCH-NMTCH-QTY DLSC-SB F 8
TOTAL TERMINAL BATCH NOT MATCHED QUANTITY
THE TOTAL NUMBER OF BATCH INQUIRIES THAT DID NOT IDENTIFY AND RETURN ANY DATA ASSETS BROKEN OUT BY TERMINAL.

7316 TRML-BCH-IQY-PCT-MTCH DLSC-SB F 8
TERMINAL BATCH INQUIRY PERCENT OF MATCH
THE PERCENT OF BATCH INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED BROKEN OUT BY TERMINAL.

7317 T-TRML-BCH-DN-IQY-QTY DLSC-SB F 8
TOTAL TERMINAL BATCH DOCUMENT NUMBER INQUIRY QUANTITY
THE TOTAL NUMBER OF BATCH TERMINAL INQUIRIES AGAINST A DOCUMENT NUMBER THAT PROCESSED SUCCESSFULLY.

7318 T-TRML-BCH-DN-IMTCHD-QT DLSC-SB F 8
TOTAL TERMINAL BATCH DOCUMENT NUMBER INPUTS MATCHED
THE TOTAL NUMBER OF BATCH TERMINAL INQUIRIES AGAINST A DOCUMENT NUMBER THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

7319 TRML-BCH-DN-OFRD-QTY DLSC-SB F 8
TERMINAL BATCH DOCUMENT NUMBER TOTAL OFFERED QUANTITY
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM BATCH INQUIRIES AGAINST THE DOCUMENT NUMBER.

7320 TRML-BCH-DN-AVG-OFRD DLSC-SB F 8
TERMINAL BATCH DOCUMENT NUMBER AVERAGE OFFERED
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM BATCH INQUIRIES BY DOCUMENT NUMBER. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7321 T-TRML-BCH-DN-NMTCH-Q DLSC-SB F 8
TOTAL TERMINAL BATCH DOCUMENT NUMBER NOT MATCHED QUANTITY
THE TOTAL NUMBER OF BATCH TERMINAL INQUIRIES AGAINST A DOCUMENT NUMBER THAT DID NOT IDENTIFY AND RETURN ANY DATA ASSETS.

7322 TRML-BCH-DN-IQY-PCT-MTH DLSC-SBA F 8
TERMINAL BATCH DOCUMENT NUMBER INQUIRY PERCENT OF MATCH
THE PERCENT OF BATCH TERMINAL DOCUMENT NUMBER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7323 T-TRML-BCH-DNCG-IQY-QTY DLSC-SBA F 8
TOTAL TERMINAL BATCH DOCUMENT NUMBER/CAGE INQUIRY QUANTITY
THE TOTAL NUMBER OF BATCH TERMINAL INQUIRIES AGAINST A DOCUMENT NUMBER/CAGE THAT PROCESSED SUCCESSFULLY.

7324 T-TML-BCH-DNC-IMTCHD-QT DLSC-SBA F 8
TOTAL TERMINAL BATCH DOCUMENT NUMBER/CAGE INPUTS MATCHED
THE TOTAL NUMBER OF BATCH TERMINAL INQUIRIES AGAINST A DOCUMENT NUMBER/CAGE THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

7325 RSN-FOR-RTN-NOTI-CD DLSC-SD V 72
REASON FOR RETURN/NOTIFICATION CODE
FOR NORTH ATLANTIC TREATY ORGANIZATION (NATO) USE ONLY. A THREE POSITION NUMERIC CODE WHICH INDICATES THE REASON A DOCUMENT IDENTIFIER CODE LSA WAS RETURNED OR THE REASON A REVISION TO A DOCUMENT IDENTIFIER CODE LSA WAS REQUIRED TO CONTINUE PROCESSING. THIS CODE IS MANDATORY ON DOCUMENT IDENTIFIER CODE K27 OUTPUT AND MAY BE FOLLOWED BY RELATED VARIABLE LENGTH DATA.

7326 TRML-BCH-DNCG-AVG-OFRD DLSC-SBA F 8
TERMINAL BATCH DOCUMENT NUMBER/CAGE AVERAGE OFFERED
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM BATCH INQUIRIES BY DOCUMENT NUMBER/CAGE. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7327 T-TRML-BCH-DNCG-NMTCH-Q DLSC-SBA F 8
TERMINAL BATCH DOCUMENT NUMBER/CAGE NOT MATCHED QUANTITY
THE TOTAL NUMBER OF BATCH TERMINAL INQUIRIES AGAINST A DOCUMENT NUMBER/CAGE THAT DID NOT IDENTIFY AND RETURN ANY DATA ASSETS.

7328 TRML-BCH-DNCG-IQY-P-MTH DLSC-SBA F 8
TERMINAL BATCH DOCUMENT NUMBER/CAGE INQUIRY PERCENT OF MATCH
THE PERCENT OF BATCH TERMINAL DOCUMENT NUMBER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7329 T-TRML-BCH-PN-IQY-QTY DLSC-SBA F 8
TOTAL TERMINAL BATCH PART NUMBER INQUIRY QUANTITY
THE TOTAL NUMBER OF BATCH TERMINAL INQUIRIES AGAINST A PART NUMBER THAT PROCESSED SUCCESSFULLY.

7330 T-TRML-BCH-PN-IMTCHD-QT DLSC-SBA F 8
TOTAL TERMINAL BATCH PART NUMBER INPUTS MATCHED
THE TOTAL NUMBER OF BATCH TERMINAL INQUIRIES AGAINST A PART NUMBER THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7331 TRML-BCH-PN-OFRD-QTY — DLSC-SBA — F — 8

TERMINAL BATCH PART NUMBER TOTAL OFFERED QUANTITY

THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM BATCH INQUIRIES AGAINST THE PART NUMBER.

7332 TRML-BCH-PN-AVG-OFRD — DLSC-SBA — F — 8

TERMINAL BATCH PART NUMBER AVERAGE OFFERED

THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM BATCH INQUIRIES BY PART NUMBER. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7333 T-TRML-BCH-PN-NMTCH-Q — DLSC-SBA — F — 8

TOTAL TERMINAL BATCH PART NUMBER NOT MATCHED QUANTITY

THE TOTAL NUMBER OF BATCH TERMINAL INQUIRIES AGAINST A PART NUMBER THAT DID NOT IDENTIFY AND RETURN ANY DATA ASSETS.

7334 TRML-BCH-PN-IQY-PCT-MTH — DLSC-SBA — F — 8

TERMINAL BATCH PART NUMBER INQUIRY PERCENT OF MATCH

THE PERCENT OF BATCH TERMINAL PART NUMBER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7335 T-TRML-BCH-PNCG-IQY-QTY — DLSC-SBA — F — 8

TOTAL TERMINAL BATCH PART NUMBER/CAGE INQUIRY QUANTITY

THE TOTAL NUMBER OF BATCH TERMINAL INQUIRIES AGAINST A PART NUMBER/CAGE THAT PROCESSED SUCCESSFULLY.

7336 T-TRML-BCH-PNCG-IMTH-QT — DLSC-SBA — F — 8

TOTAL TERMINAL BATCH PART NUMBER/CAGE INPUTS MATCHED QTY

THE TOTAL NUMBER OF BATCH TERMINAL INQUIRIES AGAINST A PART NUMBER/CAGE THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USERS.

7337 TRML-BCH-PNCG-OFRD-QTY — DLSC-SBA — F — 8

TERMINAL BATCH PART NUMBER/CAGE TOTAL OFFERED QUANTITY

THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM BATCH INQUIRIES AGAINST THE PART NUMBER/ CAGE.

7338 TRML-BCH-PNCG-AVG-OFRD — DLSC-SBA — F — 8

TERMINAL BATCH PART NUMBER/CAGE AVERAGE OFFERED

THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM BATCH INQUIRIES BY PART NUMBER/CAGE. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7339 T-TRML-BCH-PNCG-NMTCH-Q — DLSC-SBA — F — 8

TOTAL TERMINAL BATCH PART NUMBER/CAGE NOT MATCHED QTY

THE TOTAL NUMBER OF BATCH TERMINAL INQUIRIES AGAINST A PART NUMBER/CAGE THAT DID NOT IDENTIFY AND RETURN ANY DATA ASSETS.

7340 TRML-BCH-PNCG-IQ-P-MTH — DLSC-SBA — F — 8

TERMINAL BATCH PART NUMBER/CAGE INQUIRY PERCENT OF MATCH

THE PERCENT OF BATCH TERMINAL PART NUMBER/CAGE INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7341 T-TRML-BH-NIIN-IQY-QTY DLSC-SBA F 8
TOTAL TERMINAL BATCH NIIN INQUIRY QUANTITY
THE TOTAL NUMBER OF ON-LINE TERMINAL INQUIRIES AGAINST A NIIN THAT PROCESSED SUCCESSFULLY.

7342 T-TRML-BH-NIIN-IMTCHD-QT DLSC-SBA F 8
TOTAL TERMINAL BATCH NIIN INPUTS MATCHED QUANTITY
THE TOTAL NUMBER OF TERMINAL INQUIRIES AGAINST A NIIN THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

7343 TRML-BH-NIIN-OFRD-QTY DLSC-SB F 8
TERMINAL BATCH NIIN TOTAL OFFERED QUANTITY
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE NIIN.

7344 TRML-BH-NIIN-AVG-OFRD DLSC-SB F 8
TERMINAL BATCH NIIN AVERAGE OFFERED
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY NIIN. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7345 T-TRML-BH-NIIN-NMTCH-QTY DLSC-SB F 8
TOTAL TERMINAL BATCH NIIN NOT MATCHED QUANTITY
THE TOTAL NUMBER OF ON-LINE TERMINAL INQUIRIES AGAINST A NIIN THAT DID NOT IDENTIFY AND RETURN ANY DATA ASSETS.

7346 TRML-BH-NIIN-IQY-PCT-MTH DLSC-SB F 8
TERMINAL BATCH NIIN INQUIRY PERCENT OF MATCH
THE PERCENT OF ON-LINE TERMINAL NIIN INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7347 T-TRML-BH-DAI-IQY-QTY DLSC-SB F 8
TOTAL TERMINAL BATCH DATA ASSET IDENTIFIER INQUIRY QTY
THE TOTAL NUMBER OF ON-LINE TERMINAL INQUIRIES AGAINST A DATA ASSET IDENTIFIER THAT PROCESSED SUCCESSFULLY.

7348 TRML-BH-DAI-IMTCHD-QTY DLSC-SB F 8
TERMINAL BATCH DATA ASSET IDENTIFIER INPUTS MATCHED QTY
THE TOTAL NUMBER OF TERMINAL INQUIRIES AGAINST A DATA ASSET IDENTIFIER THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

7349 TRML-BH-DAI-OFRD-QTY DLSC-SB F 8
TERMINAL BATCH DATA ASSET IDENTIFER TOTAL OFFERED QTY
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE DATA ASSET IDENTIFIER.

7350 TRML-BH-DAI-AVG-OFRD DLSC-SB F 8
TERMINAL BATCH DATA ASSET IDENTIFIER AVERAGE OFFERED
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY DATA ASSET IDENTIFIER. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7351 T-TRML-BH-DAI-NMTCH-QTY DLSC-SB F 8
TERMINAL BATCH DATA ASSET IDENTIFIER NOT MATCHED QUANTITY

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL NUMBER OF ON-LINE TERMINAL INQUIRIES AGAINST A DATA ASSET IDENTIFIER THAT DID NOT IDENTIFY AND RETURN ANY DATA ASSETS.

7352 TRML-BH-DAI-IQY-PCT-MTH DLSC-SB F 8
TERMINAL BATCH DATA ASSET IDENT INQUIRY PERCENT OF MATCH
THE PERCENT OF ON-LINE TERMINAL DATA ASSET IDENTIFIER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7355 REPT-OL-T-OFRD-QTY DLSC-SBA F 8
REPOSITORY ON-LINE TOTAL OFFERED QUANTITY
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH BROKEN OUT BY REPOSITORY.

7356 REPT-OL-AVG-OFRD DLSC-SBA F 8
REPOSITORY ON-LINE AVERAGE OFFERED
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH BROKEN OUT BY SERVICE/AGENCY. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7358 REPT-OL-IQY-PCT-MTCH DLSC-SBA F 8
REPOSITORY ON-LINE INQUIRY PERCENT OF MATCH
THE PERCENT OF ON-LINE INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED BROKEN OUT BY REPOSITORY.

7359 MEDALS-TOT-TRANS-QTY DLSC-SB F 8
MEDALS TOTAL TRANSACTION QUANTITY
THE TOTAL NUMBER OF MAINTENANCE TRANSACTIONS INPUT TO MEDALS.

7360 MEDALS-T-ERROR-TRANS-QTY DLSC-SB F 8
MEDALS TOTAL ERROR TRANSACTION QUANTITY
THE TOTAL NUMBER OF TRANACTIONS THAT THE SYSTEM REJECTED AS ERRORS.

7361 MEDALS-T-ADD-TRANS-QTY DLSC-SB F 8
MEDALS TOTAL ADD TRANSACTION QUANTITY
THE TOTAL NUMBER OF MEDALS TRANSACTIONS THAT ADD DATA TO THE DATA BASE.

7362 MEDALS-T-DEL-TRANS-QTY DLSC-SB F 8
MEDALS TOTAL DELETE TRANSACTION QUANTITY
THE TOTAL NUMBER OF MEDALS TRANSACTIONS THAT DELETE DATA FROM THE DATA BASE.

7363 MEDALS-T-CHG-TRANS-QTY DLSC-SB F 8
MEDALS TOTAL CHANGE TRANSACTION QUANTITY
THE TOTAL NUMBER OF MEDALS TRANSACTIONS THAT CHANGE DATA IN THE DATA BASE.

7364 MEDALS-DA-TRANS-QTY DLSC-SB F 8
MEDALS DATA ASSETS TRANSACTIONS QUANTITY
THE NUMBER OF MAINTENANCE ACTION DATA ASSET TRANSACTIONS.

7365 MEDALS-DA-ERR-TRANS-QTY DLSC-SB F 8
MEDALS DATA ASSET ERROR TRANSACTION QUANTITY

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE NUMBER OF MEDALS DATA ASSET TRANSACTIONS THAT REJECTED AS ERRORS.

7366 MEDALS-DA-ADD-TRANS-QTY — DLSC-SB — F — 8
MEDALS DATA ASSET ADD TRANSACTION QUANTITY
THE NUMBER OF MEDALS DATA ASSET ADD TRANSACTIONS.

7367 MEDALS-DA-DEL-TRANS-QTY — DLSC-SB — F — 8
MEDALS DATA ASSET DELETE TRANSACTION QUANTITY
THE NUMBER OF MEDALS DATA ASSET DELETE TRANSACTIONS.

7368 MEDALS-DA-CHG-TRANS-QTY — DLSC-SB — F — 8
MEDALS DATA ASSET CHANGE TRANSACTIONS QUANTITY
THE NUMBER OF MEDALS DATA ASSET CHANGE TRANSACTIONS.

7369 MEDALS-DA-PREV-QTY — DLSC-SB — F — 8
MEDALS DATA ASSETS PREVIOUS QUANTITY
THE NUMBER OF MEDALS DATA ASSETS PRESENT IN THE FILE AS OF THE PREVIOUS REPORTING DATE.

7370 MEDALS-DA-CUR-QTY — DLSC-SB — F — 8
MEDALS DATA ASSET CURRENT QUANTITY
THE NUMBER OF DATA ASSETS THAT RESIDE IN THE FILE TO DATE.

7371 MEDALS-DA-PCT-OF-CHG — DLSC-SB — F — 8
MEDALS DATA ASSET PERCENT OF CHANGE
THE PERCENT OF CHANGE IS THE PERCENT DIFFERENCE BETWEEN THE CURRENT DATA ASSET COUNT VERSUS THE PREVIOUS COUNT.

7372 MEDALS-PN-TRANS-QTY — DLSC-SB — F — 8
MEDALS PART NUMBER TRANSACTIONS QUANTITY
THE NUMBER OF MAINTENANCE ACTION PART NUMBER TRANSACTIONS.

7373 MEDALS-PN-ERR-TRANS-QTY — DLSC-SB — F — 8
MEDALS PART NUMBER ERROR TRANSACTION QUANTITY
THE NUMBER OF MEDALS PART NUMBER TRANSACTIONS THAT REJECTED AS ERRORS.

7374 MEDALS-PN-ADD-TRANS-QTY — DLSC-SB — F — 8
MEDALS PART NUMBER ADD TRANSACTION QUANTITY
THE NUMBER OF MEDALS PART NUMBER ADD TRANSACTIONS.

7375 MEDALS-PN-DEL-TRANS-QTY — DLSC-SB — F — 8
MEDALS PART NUMBER DELETE TRANSACTION QUANTITY
THE NUMBER OF MEDALS PART NUMBER DELETE TRANSACTIONS.

7376 MEDALS-PN-CUR-QTY — DLSC-SB — F — 8
MEDALS PART NUMBER CURRENT QUANTITY
THE NUMBER OF PART NUMBERS THAT RESIDE IN THE FILE TO DATE.

7377 MEDALS-PN-PREV-QTY — DLSC-SB — F — 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

MEDALS PART NUMBER PREVIOUS QUANTITY
THE NUMBER OF MEDALS PART NUMBERS PRESENT IN THE FILE AS OF THE PREVIOUS REPORTING DATE.

7378 MEDALS-PN-PCT-OF-CHG DLSC-SB F 8
MEDALS PART NUMBER PERCENT OF CHANGE
THE PERCENT OF CHANGE IS THE PERCENT OF DIFFERENCE BETWEEN THE CURRENT PART NUMBER COUNT VERSUS THE PREVIOUS COUNT.

7379 MEDALS-NIIN-TRANS-QTY DLSC-SB F 8
MEDALS NIIN TRANSACTION QUANTITY
THE NUMBER OF MAINTENANCE ACTION NIIN TRANSACTIONS.

7380 MEDALS-NIIN-ERR-TRANS-QT DLSC-SB F 8
MEDALS NIIN ERROR TRANSACTION QUANTITY
THE NUMBER OF MEDALS NIIN TRANSACTIONS THAT REJECTED AS ERRORS.

7381 MEDALS-NIIN-ADD-TRANS-QT DLSC-SB F 8
MEDALS NIIN ADD TRANSACTION QUANTITY
THE NUMBER OF MEDALS NIIN ADD TRANSACTIONS.

7382 MEDALS-NIIN-DEL-TRANS-QT DLSC-SB F 8
MEDALS NIIN DELETE TRANSACTION QUANTITY
THE NUMBER OF MEDALS NIIN DELETE TRANSACTIONS.

7383 MEDALS-NIIN-PREV-QTY MDLS_STAT_CNT_7383 DLSC-SB F INTEGER 8
MEDALS NIIN PREVIOUS QUANTITY
THE NUMBER OF MEDALS NIINS PRESENT IN THE FILE AS OF THE PREVIOUS REPORTING DATE.

7384 MEDALS-NIIN-CUR-QTY DLSC-SB F 8
MEDALS NIIN CURRENT QUANTITY
THE NUMBER OF NIINS THAT RESIDE IN THE FILE TO DATE.

7385 MEDALS-NIIN-PCT-OF-CHG DLSC-SB F 8
MEDALS NIIN PERCENT OF CHANGE
THE PERCENT OF CHANGE IS THE PERCENT OF DIFFERENCE BETWEEN THE CURRENT NIIN COUNT VERSUS THE PREVIOUS COUNT.

7386 MEDALS-TITLE-TRANS-QTY DLSC-SB F 8
MEDALS TITLE TRANSACTION QUANTITY
THE NUMBER OF MAINTENANCE ACTION TITLE TRANSACTIONS.

7387 MEDALS-TITLE-ERR-TRANS-Q DLSC-SB F 8
MEDALS TITLE ERROR TRANSACTION QUANTITY
THE NUMBER OF MEDALS TITLE TRANSACTIONS THAT REJECTED AS ERRORS.

7388 MEDALS-TITLE-ADD-TRANS-Q DLSC-SB F 8
MEDALS TITLE ADD TRANSACTION QUANTITY
THE NUMBER OF MEDALS TITLE ADD TRANSACTIONS.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7389 MEDALS-TITLE-DEL-TRANS-Q — DLSC-SB — F — 8
MEDALS TITLE DELETE TRANSACTION QUANTITY
THE NUMBER OF MEDALS TITLE DELETE TRANSACTIONS.

7390 MEDALS-TITLE-PREV-QTY — DLSC-SB — F — 8
MEDALS TITLE PREVIOUS QUANTITY
THE NUMBER OF MEDALS TITLES PRESENT IN THE FILE AS OF THE PREVIOUS REPORTING DATE.

7391 MEDALS-TITLE-CUR-QTY — DLSC-SB — F — 8
MEDALS TITLE CURRENT QUANTITY
THE NUMBER OF TITLES THAT RESIDE IN THE FILE TO DATE.

7392 MEDALS-TITLE-PCT-OF-CHG — DLSC-SB — F — 8
MEDALS TITLE PERCENT OF CHANGE
THE PERCENT OF CHANGE IS THE PERCENT OF DIFFERENCE BETWEEN THE CURRENT TITLE COUNT VERSUS THE PREVIOUS COUNT.

7393 MEDALS-UNDEFN-MAINT-QTY — DLSC-SB — F — 8
MEDALS UNDEFINED MAINTENANCE TRANSACTION QUANTITY
THE TOTAL NUMBER OF MAINTENANCE TRANSACTIONS THAT FALL IN CATEGORIES OTHER THAN THOSE NAMED: DATA ASSETS, PART NUMBER, NIIN AND TITLE.

7394 SA-TOT-TRANS-QTY — DLSC-SB — F — 8
SERVICE/AGENCY TOTAL TRANSACTION QUANTITY
THE TOTAL NUMBER OF MAINTENANCE TRANSACTIONS INPUT BROKEN OUT BY SERVICE/AGENCY.

7395 SA-T-ERROR-TRANS-QTY — DLSC-SB — F — 8
SERVICE/AGENCY TOTAL ERROR TRANSACTION QUANTITY
THE TOTAL NUMBER OF TRANSACTIONS THAT THE SYSTEM REJECTED AS ERRORS BROKEN OUT BY SERVICE/AGENCY.

7396 SA-T-ADD-TRANS-QTY — DLSC-SB — F — 8
SERVICE/AGENCY TOTAL ADD TRANSACTION QUANTITY
THE TOTAL NUMBER OF TRANSACTIONS THAT ADD DATA TO THE DATA BASE BROKEN OUT BY SERVICE/AGENCY.

7397 SA-T-DEL-TRANS-QTY — DLSC-SB — F — 8
SERVICE/AGENCY TOTAL DELETE TRANSACTION QUANTITY
THE TOTAL NUMBER OF TRANSACTIONS THAT DELETE DATA FROM THE DATA BASE BROKEN OUT BY SERVICE/AGENCY.

7398 SA-T-CHGE-TRANS-QTY — DLSC-SB — F — 8
SERVICE/AGENCY TOTAL CHANGE TRANSACTION QUANTITY
THE TOTAL NUMBER OF TRANSACTIONS THAT CHANGE DATA IN THE DATA BASE BROKEN OUT BY SERVICE/AGENCY.

7399 SA-DA-ERR-TRANS-QTY — DLSC-SB — F — 8
SERVICE/AGENCY DATA ASSET ERROR TRANSACTION QUANTITY
THE NUMBER OF DATA ASSET TRANSACTIONS THAT REJECTED AS ERRORS BROKEN OUT BY SERVICE/AGENCY.

7400 SA-DA-ADD-TRANS-QTY — DLSC-SB — F — 8
SERVICE/AGENCY DATA ASSET ADD TRANSACTION QUANTITY
THE NUMBER OF DATA ASSET ADD TRANSACTIONS BROKEN OUT BY SERVICE/AGENCY.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7401 SA-DA-DEL-TRANS-QTY — DLSC-SB — F — 8
SERVICE/AGENCY DATA ASSET DELETE TRANSACTION QUANTITY
THE NUMBER OF DATA ASSET DELETE TRANSACTIONS BROKEN OUT BY SERVICE/AGENCY.

7402 SA-DA-CHG-TRANS-QTY — DLSC-SB — F — 8
SERVICE/AGENCY DATA ASSET CHANGE TRANSACTIONS QUANTITY
THE NUMBER OF DATA ASSET CHANGE TRANSACTIONS BROKEN OUT BY SERVICE/AGENCY.

7403 SA-DA-PREV-QTY — DLSC-SB — F — 8
SERVICE/AGENCY DATA ASSETS PREVIOUS QUANTITY
THE NUMBER OF REPOSITORY DATA ASSETS PRESENT IN THE FILE AS OF THE PREVIOUS REPORTING DATE BROKEN OUT BY SERVICE/AGENCY.

7404 SA-DA-TRANS-CUR-QTY — DLSC-SB — F — 8
SERVICE/AGENCY DATA ASSET CURRENT QUANTITY
THE NUMBER OF DATA ASSETS THAT RESIDE IN THE FILE TO DATE BROKEN OUT BY SERVICE/AGENCY.

7405 SA-DA-PCT-OF-CHG — DLSC-SB — F — 8
SERVICE/AGENCY DATA ASSET PERCENT OF CHANGE
THE PERCENT OF CHANGE IS THE PERCENT DIFFERENCE BETWEEN THE CURRENT DATA ASSET COUNT VERSUS THE PREVIOUS COUNT. THESE COUNTS ARE BROKEN OUT BY SERVICE/AGENCY.

7406 SA-DA-TRANS-QTY — DLSC-SB — F — 8
SERVICE/AGENCY DATA ASSETS TRANSACTION QUANTITY
THE NUMBER OF MAINTENANCE ACTION DATA ASSET TRANSACTION BROKEN OUT BY SERVICE/AGENCY.

7407 SA-PN-TRANS-QTY — DLSC-SB — F — 8
SERVICE/AGENCY PART NUMBER TRANSACTION QUANTITY
THE NUMBER OF MAINTENANCE ACTION PART NUMBER TRANSACTIONS BROKEN OUT BY SERVICE/AGENCY.

7408 SA-PN-ERR-TRANS-QTY — DLSC-SB — F — 8
SERVICE/AGENCY PART NUMBER TRANSACTION QUANTITY
THE NUMBER OF PART NUMBER TRANSACTIONS THAT REJECTED AS ERRORS BROKEN OUT BY SERVICE/AGENCY.

7409 SA-PN-ADD-TRANS-QTY — DLSC-SB — F — 8
SERVICE/AGENCY PART NUMBER ADD TRANSACTION QUANTITY
THE NUMBER OF PART NUMBER ADD TRANSACTIONS BROKEN OUT BY SERVICE/AGENCY.

7410 SA-PN-DEL-TRANS-QTY — DLSC-SB — F — 8
SERVICE/AGENCY PART NUMBER DELETE TRANSACTION QUANTITY
THE NUMBER OF PART NUMBER DELETE TRANSACTIONS BROKEN OUT BY SERVICE/AGENCY.

7411 SA-PN-PREV-QTY — DLSC-SB — F — 8
SERVICE/AGENCY PART NUMBER PREVIOUS QUANTITY
THE NUMBER OF PART NUMBERS PRESENT IN THE FILE AS OF THE PREVIOUS REPORTING DATE BROKEN OUT BY SERVICE/AGENCY.

7412 SA-PN-TRANS-CUR-QTY — DLSC-SB — F — 8
SERVICE/AGENCY PART NUMBER CURRENT QUANTITY

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE NUMBER OF PART NUMBERS THAT RESIDE IN THE FILE TO DATE BROKEN OUT BY SERVICE/AGENCY.

7413 SA-PN-PCT-OF-CHG — DLSC-SB — F — 8
SERVICE/AGENCY PART NUMBER PERCENT OF CHANGE
THE PERCENT OF CHANGE IS THE PERCENT OF DIFFERENCE BETWEEN THE CURRENT PART NUMBER COUNT VERSUS THE PREVIOUS COUNT. THESE COUNTS ARE BROKEN OUT BY SERVICE/AGENCY.

7414 SA-NIIN-TRANS-QTY — DLSC-SBA — F — 8
SERVICE/AGENCY NIIN TRANSACTION QUANTITY
THE NUMBER OF MAINTENANCE ACTION NIIN TRANSACTIONS

7415 SA-NIIN-ERR-TRANS-QTY — DLSC-SBA — F — 8
SERVICE/AGENCY NIIN ERROR TRANSACTION QUANTITY
THE NUMBER OF SERVICE/AGENCY NIIN TRANSACTIONS THAT REJECTED AS ERRORS.

7416 SA-NIIN-ADD-TRANS-QTY — DLSC-SBA — F — 8
SERVICE/AGENCY NIIN ADD TRANSACTION QUANTITY
THE NUMBER OF SERVICE/AGENCY NIIN ADD TRANSACTIONS.

7417 SA-NIIN-DEL-TRANS-QTY — DLSC-SBA — F — 8
SERVICE/AGENCY NIIN DELETE TRANSACTION QUANTITY
THE NUMBER OF SERVICE/AGENCY NIIN DELETE TRANSACTIONS.

7418 SA-NIIN-PREV-QTY — DLSC-SBA — F — 8
SERVICE/AGENCY NIIN PREVIOUS QUANTITY
THE NUMBER OF NIINS PRESENT IN THE FILE AS OF THE PREVIOUS REPORTING DATE BROKEN OUT BY SERVICE/AGENCY.

7419 SA-NIIN-CUR-QTY — DLSC-SBA — F — 8
SERVICE/AGENCY NIIN CURRENT QUANTITY
THE NUMBER OF NIINS THAT RESIDE IN THE FILE TO DATE BY SERVICE/AGENCY.

7420 SA-NIIN-PCT-OF-CHG — DLSC-SBA — F — 8
SERVICE/AGENCY NIIN PERCENT OF CHANGE
THE PERCENT OF CHANGE IS THE PERCENT OF DIFFERENCE BETWEEN THE CURRENT NIIN COUNT VERSUS THE PREVIOUS COUNT. THESE COUNTS ARE BROKEN OUT BY SERVICE/AGENCY.

7421 SA-TITLE-TRANS-QTY — DLSC-SBA — F — 8
SERVICE/AGENCY TITLE TRANSACTION QUANTITY
THE NUMBER OF MAINTENANCE ACTION TITLE TRANSACTIONS BROKEN OUT BY SERVICE/AGENCY.

7422 SA-TITLE-ERR-TRANS-QTY — DLSC-SBA — F — 8
SERVICE/AGENCY TITLE ERROR TRANSACTION QUANTITY
THE NUMBER OF TITLE TRANSACTIONS THAT REJECTED AS ERRORS BROKEN OUT BY SERVICE/AGENCY.

7423 SA-TITLE-ADD-TRANS-QTY — DLSC-SBA — F — 8
SERVICE/AGENCY TITLE ADD TRANSACTION QUANTITY
THE NUMBER OF TITLE ADD TRANSACTIONS BROKEN OUT BY SERVICE/AGENCY.

7424 SA-TITLE-DEL-TRANS-QTY — DLSC-SBA — F — 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

SERVICE/AGENCY TITLE DELETE TRANSACTION QUANTITY
THE NUMBER OF TITLE DELETE TRANSACTIONS BROKEN OUT BY SERVICE/AGENCY.

7425 SA-TITLE-PREV-QTY DLSC-SBA F 8
SERVICE/AGENCY TITLE PREVIOUS QUANTITY
THE NUMBER OF TITLES PRESENT IN THE FILE AS OF THE PREVIOUS REPORTING DATE BROKEN OUT BY SERVICE/AGENCY.

7426 SA-TITLE-CUR-QTY DLSC-SBA F 8
SERVICE/AGENCY TITLE CURRENT QUANTITY
THE NUMBER OF TITLES THAT RESIDE IN THE FILE TO DATE BROKEN OUT BY SERVICE/AGENCY.

7427 SA-TITLE-PCT-OF-CHG DLSC-SBA F 8
SERVICE/AGENCY TITLE PERCENT OF CHANGE
THE PERCENT OF CHANGE IS THE PERCENT DIFFERENCE BETWEEN THE CURRENT TITLE COUNT VERSUS THE PREVIOUS COUNT. THESE COUNTS ARE BROKEN OUT BY SERVICE/AGENCY.

7428 SA-UNDEFN-MAINT-QTY DLSC-SBA F 8
SERVICE/AGENCY UNDEFINED MAINTENANCE TRANSACTION QUANTITY
THE TOTAL NUMBER OF MAINTENANCE TRANSACTIONS THAT FALL IN CATEGORIES OTHER THAN THOSE NAMED: DATA ASSETS, PART NUMBER, NIIN AND TITLE. THESE TRANSACTION COUNTS ARE BROKEN OUT BY SERVICE/AGENCY.

7429 MDLS-TOT-BAT-UP-TRANS DLSC-VO F 10
MEDALS TOTAL BATCH UPDATE TRANSACTIONS
THE TOTAL NUMBER OF MEDALS BATCH UPDATE TRANSACTIONS.

7430 MDLS-TOT-BAT-UP-ERRS DLSC-VO F 9
MEDALS TOTAL BATCH UPDATE ERRORS
THE TOTAL NUMBER OF MEDALS BATCH UPDATE TRANSACTIONS THAT CONTAINED ERRORS.

7431 MDLS-TOT-BAT-UP-ADDS DLSC-VO F 9
MEDALS TOTAL BATCH UPDATE ADDS
THE TOTAL NUMBER OF MEDALS BATCH UPDATE TRANSACTIONS THAT ADD DATA TO THE MEDALS DATA BASE.

7432 MDLS-TOT-BAT-UP-DELETES DLSC-VO F 9
MEDALS TOTAL BATCH UPDATE DELETES
THE TOTAL NUMBER OF MEDALS BATCH UPDATE TRANSACTIONS THAT DELETE DATA FROM THE MEDALS DATA BASE.

7433 MDLS-CHANGE-DAI-CT MDLS_STAT_CNT_7433 DLSC-VO F INTEGER 9
MEDALS TOTAL DATA ASSET IDENTIFIER CHANGE COUNT
THE TOTAL NUMBER OF MEDALS BATCH UPDATE TRANSACTIONS THAT CHANGE DATA ASSET IDENTIFIER INFORMATION ON THE MEDALS DATA BASE.

7434 MDLS-TOT-DAI-TRANS DLSC-VO F 9
MEDALS TOTAL DATA ASSET IDENTIFIER TRANSACTIONS
THE TOTAL NUMBER OF MEDALS BATCH DATA ASSET IDENTIFIER UPDATE TRANSACTIONS.

7435 MDLS-DAI-ERR-CT MDLS_STAT_CNT_7435 DLSC-VO F INTEGER 8
MEDALS DATA ASSET IDENTIFIER ERROR TRANSACTIONS
THE TOTAL NUMBER OF MEDALS BATCH DATA ASSET IDENTIFIER UPDATE TRANSACTIONS THAT CONTAINED ERRORS

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---FORMAT--- FV	TYPE	LG
CLEAR TEXT HOST/COBOL NAME						
DRN DEFINITION						

7436 MDLS-ADD-DAI-CT MDLS_STAT_CNT_7436 DLSC-VO F INTEGER 9
MEDALS ADD DATA ASSET IDENTIFIER COUNT
THE TOTAL NUMBER OF MEDALS BATCH UPDATE TRANSACTIONS THAT ADD DATA ASSET IDENTIFIERS TO THE MEDALS DATA BASE.

7437 MDLS-DEL-DAI-CT MDLS_STAT_CNT_7437 DLSC-VO F INTEGER 8
MEDALS DELETE DATA ASSET IDENTIFIER COUNT
THE TOTAL NUMBER OF MEDALS BATCH UPDATE TRANSACTIONS THAT DELETE DATA ASSET IDENTIFIERS FROM THE MEDALS DATA BASE.

7438 MDLS-TOT-REF-NBR-TRANS DLSC-VO F 9
MEDALS TOTAL REFERENCE NUMBER TRANSACTIONS
THE TOTAL NUMBER OF MEDALS BATCH UPDATE REFERENCE NUMBER, LOGISTICS (PART NUMBER) TRANSACTIONS.

7439 MDLS-REF-NBR-ERR-CT MDLS_STAT_CNT_7439 DLSC-VO F INTEGER 8
MEDALS REFERENCE NUMBER ERROR COUNT
THE TOTAL NUMBER OF MEDALS BATCH UPDATE REFERENCE NUMBER, LOGISTICS (PART NUMBER) TRANSACTIONS THAT CONTAINED ERRORS.

7440 MDLS-ADD-REF-NBR-CT MDLS_STAT_CNT_7440 DLSC-VO F INTEGER 9
MEDALS ADD REFERENCE NUMBER COUNT
THE TOTAL NUMBER OF MEDALS BATCH UPDATE REFERENCE NUMBER, LOGISTICS (PART NUMBER) ADD TRANSACTIONS.

7441 MDLS-DEL-REF-NBR-CT MDLS_STAT_CNT_7441 DLSC-VO F INTEGER 8
MEDALS DELETE REFERENCE NUMBER COUNT
THE TOTAL NUMBER OF MEDALS BATCH UPDATE REFERENCE NUMBER, LOGISTICS (PART NUMBER) DELETE TRANSACTIONS.

7442 MDLS-TOT-NIIN-TRANS DLSC-VO F 9
MEDALS TOTAL NIIN TRANSACTIONS
THE TOTAL NUMBER OF MEDALS BATCH UPDATE NIIN TRANSACTIONS.

7443 MDLS-NIIN-ERR-CT MDLS_STAT_CNT_7443 DLSC-VO F INTEGER 8
MEDALS NIIN ERROR COUNT
THE TOTAL NUMBER OF MEDALS BATCH UPDATE NIIN TRANSACTIONS THAT CONTAINED ERRORS.

7444 MDLS-ADD-NIIN-CT MDLS_STAT_CNT_7444 DLSC-VO F INTEGER 9
MEDALS ADD NIIN COUNT
THE TOTAL NUMBER OF MEDALS BATCH UPDATE ADD NIIN TRANSACTIONS.

7445 MDLS-DEL-NIIN-CT MDLS_STAT_CNT_7445 DLSC-VO F INTEGER 8
MEDALS DEL NIIN COUNT
THE TOTAL NUMBER OF MEDALS BATCH UPDATE DELETE NIIN TRANSACTIONS.

7446 MDLS-TOT-TI-TRANS DLSC-VO F 9
MEDALS TOTAL TITLE TRANSACTIONS
THE TOTAL NUMBER OF MEDALS BATCH UPDATE TITLE TRANSACTIONS.

7447 MDLS-TI-ERR-CT MDLS_STAT_CNT_7447 DLSC-VO F INTEGER 8
MEDALS TITLE ERROR COUNT

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL NUMBER OF MEDALS BATCH UPDATE TITLE TRANSACTIONS THAT CONTAINED ERRORS.

7448 MDLS-ADD-TI-CT MDLS_STAT_CNT_7448 DLSC-VO F INTEGER 9
MEDALS ADD TITLE COUNT
THE TOTAL NUMBER OF MEDALS BATCH UPDATE ADD TITLE TRANSACTIONS.

7449 MDLS-DEL-TI-CT MDLS_STAT_CNT_7449 DLSC-VO F INTEGER 8
MEDALS DEL TITLE COUNT
THE TOTAL NUMBER OF BATCH UPDATE DELETE TITLE TRANSACTIONS.

7450 MDLS-INVALID-TYPE-ERR-CT MDLS_STAT_CNT_7450 DLSC-VO F INTEGER 9
MEDALS INVALID TYPE ERROR COUNTER
THE TOTAL NUMBER OF MEDALS BATCH UPDATE TRANSACTIONS WHICH HAD AN INVALID TYPE UPDATE AND SO THE ERROR COULD NOT BE COUNTED FOR ANY PARTICULAR TYPE OF TRANSACTION.

7451 MDLS-DEL-DAI-UP-ERR-CNT DLSC-VO F 8
MEDALS DELETE DATA ASSET IDENTIFIER UPDATE ERROR COUNTER
THE TOTAL NUMBER OF MEDALS BATCH UPDATE DELETE DATA-ASSET-IDENTIFIER TRANSACTIONS WHICH CONTAINED AN UPDATE ERROR.

7452 MDLS-DEL-TI-UP-ERR-CNT DLSC-VO F 8
MEDALS DELETE TITLE UPDATE ERROR COUNTER
THE TOTAL NUMBER OF MEDALS BATCH UPDATE DELETE TITLE TRANSACTIONS WHICH CONTAINED AN UPDATE ERROR.

7453 MDLS-DEL-NIIN-UP-ERR-CNT DLSC-VO F 8
MEDALS DELETE NIIN UPDATE ERROR COUNTER
THE TOTAL NUMBER OF MEDALS BATCH UPDATE DELETE NIIN TRANSACTIONS WHICH CONTAINED AN UPDATE ERROR.

7454 MDLS-D-RF-NBR-UP-ERR-CNT DLSC-VO F 8
MEDALS DELETE REFERENCE NUMBER UPDATE ERROR COUNTER
THE TOTAL NUMBER OF MEDALS BATCH UPDATE DELETE REFERENCE NUMBER, LOGISTICS (PART NUMBER) TRANSACTIONS WHICH CONTAINED AN UPDATE ERROR.

7455 MDLS-ADD-DAI-UP-ERR-CNT DLSC-VO F 8
MEDALS ADD DATA ASSET IDENTIFIER UPDATE ERROR COUNTER
THE TOTAL NUMBER OF MEDALS BATCH UPDATE ADD DATA ASSET IDENTIFIER TRANSACTIONS WHICH CONTAINED AN UPDATE ERROR

7456 MDLS-ADD-TI-UP-ERR-CNT DLSC-VO F 8
MEDALS ADD TITLE UPDATE ERROR COUNTER
THE TOTAL NUMBER OF MEDALS BATCH UPDATE ADD TITLE TRANSACTIONS WHICH CONTAINED AN UPDATE ERROR.

7457 MDLS-ADD-NIIN-UP-ER-CNT DLSC-VO F 8
MEDALS ADD NIIN UPDATE ERROR COUNTER
THE TOTAL NUMBER OF MEDALS BATCH UPDATE ADD NIIN TRANSACTIONS WHICH CONTAINED AN UPDATE ERROR.

7458 MDLS-A-RF-NBR-UP-ERR-CNT DLSC-VO F 8
MDEALS ADD REFERENCE NUMBER UPDATE ERROR COUNTER

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL NUMBER OF MEDALS BATCH UPDATE ADD REFERENCE NUMBER, LOGISTICS (PART NUMBER) TRANSACTIONS WHICH CONTAINED AN UPDATE ERROR.

7459 MDLS-CHNG-DAI-UP-ERR-CNT DLSC-VO F 8
MEDALS CHANGE DATA ASSET IDENTIFIER UPDATE ERROR COUNTER
THE TOTAL NUMBER OF MEDALS BATCH UPDATE CHANGE DATA ASSET IDENTIFIER TRANSACTIONS WHICH CONTAINED AN UPDATE ERROR.

7460 MDLS-D-DAI-ED-ERR-CNT DLSC-VO F 8
MEDALS DEL DATA ASSET IDENTIFIER EDIT ERROR COUNTER
THE TOTAL NUMBER OF MEDALS BATCH UPDATE DELETE DATA ASSET IDENTIFIER TRANSACTIONS WHICH CONTAINED AN EDIT ERROR.

7461 MDLS-D-TI-ED-ERR-CNT DLSC-VO F 8
MEDALS DELETE TITLE EDIT ERROR COUNTER
THE TOTAL NUMBER OF MEDALS BATCH UPDATE DELETE TITLE TRANSACTIONS WHICH CONTAINED AN EDIT ERROR.

7462 MDLS-D-NIIN-ED-ERR-CNT DLSC-VO F 8
MEDALS DELETE NIIN EDIT ERROR COUNTER
THE TOTAL NUMBER OF MEDALS BATCH UPDATE DELETE NIIN TRANSACTIONS WHICH CONTAINED AN EDIT ERROR.

7463 MDLS-D-RF-NBR-ED-ERR-CNT DLSC-VO F 8
MEDALS DELETE REFERENCE NUMBER EDIT ERROR COUNTER
THE TOTAL NUMBER OF MEDALS BATCH UPDATE DELETE REFERENCE NUMBER LOGISTICS (PART NUMBER) TRANSACTIONS WHICH CONTAINED AN EDIT ERROR.

7464 MDLS-ADD-DAI-ED-ERR-CNT DLSC-VO F 8
MEDALS ADD DATA ASSET IDENTIFIER EDIT ERROR COUNTER
THE TOTAL NUMBER OF MEDALS BATCH UPDATE ADD DATA ASSET IDENTIFIER TRANSACTIONS WHICH CONTAINED AN EDIT ERROR.

7465 MDLS-ADD-TI-ED-ERR-CNT DLSC-VO F 8
MEDALS ADD TITLE EDIT ERROR COUNTER
THE TOTAL NUMBER OF MEDALS BATCH UPDATE ADD TITLE TRANSACTIONS WHICH CONTAINED AN EDIT ERROR.

7466 MDLS-ADD-NIIN-ED-ERR-CNT DLSC-VO F 8
MEDALS ADD NIIN EDIT ERROR COUNTER
THE TOTAL NUMBER OF MEDALS BATCH UPDATE ADD NIIN TRANSACTIONS WHICH CONTAINED AN EDIT ERROR.

7467 MDLS-A-RF-NBR-ED-ERR-CNT DLSC-VO F 8
MEDALS ADD REFERENCE NUMBER EDIT ERROR COUNTER
THE TOTAL NUMBER OF MEDALS BATCH UPDATE ADD REFERENCE NUMBER, LOGISTICS (PART NUMBER) TRANSACTIONS WHICH CONTAINED AN EDIT ERROR.

7468 MDLS-CHNG-DAI-ED-ERR-CNT DLSC-VO F 8
MEDALS CHANGE DATA ASSET IDENTIFIER EDIT ERROR COUNTER
THE TOTAL NUMBER OF MEDALS BATCH UPDATE CHANGE DATA ASSET IDENTIFIER TRANSACTIONS WHICH CONTAINED AN EDIT ERROR.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7469 TIME-RANGE-1-10-A1B DLSC-SB F 8
TIME RANGE 1 TO 10 SECONDS A1B
THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 7468, TOTAL MEDALS PART NUMBER INQUIRY RESPONSE TIME.

7470 TIME-RANGE-11-30-A1B DLSC-SB F 8
TIME RANGE 11 TO 30 SECONDS A1B
THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7468, TOTAL MEDALS PART NUMBER INQUIRY RESPONSE TIME.

7471 TIME-RNG-OVR-30-A1B DLSC-SB F 8
TIME RANGE OVER 30 SECONDS A1B
THE TIME RANGE FROM OVER 30 SECONDS FOR DRN 7468, TOTAL MEDALS PART NUMBER INQUIRY RESPONSE TIME.

7475 TIME-RANGE-1-10-A1C DLSC-SB F 8
TIME RANGE 1 TO 10 SECONDS A1C
THE RANGE FROM 1 TO 10 FOR DRN 7474, TOTAL MEDALS PART NUMBER/ CAGE INQUIRY RESPONSE TIME.

7476 TIME-RANGE-11-30-A1C DLSC-SB F 8
TIME RANGE 11 TO 30 SECONDS A1C
THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7474, TOTAL MEDALS PART NO./CAGE INQUIRY RESPONSE TIME.

7477 TIME-RANGE-OVER-30-A1C DLSC-SB F 8
TIME RANGE OVER 30 SECONDS A1C
THE TIME RANGE FROM OVER 30 SECONDS FOR DRN 7474, TOTAL MEDALS PART NO./CAGE INQUIRY RESPONSE TIME.

7481 TIME-RANGE-1-10-A1D DLSC-SB F 8
TIME RANGE 1 TO 10 SECONDS A1D
THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 7480, TOTAL MEDALS NIIN INQUIRY RESPONSE TIME.

7482 TIME-RANGE-11-30-A1D DLSC-SB F 8
TIME RANGE 11 TO 30 SECONDS A1D
THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7480, TOTAL MEDALS NIIN INQUIRY RESPONSE TIME.

7483 TIME-RANGE-OVER-30-A1D DLSC-SB F 8
TIME RANGE OVER 30 SECONDS A1D
THE TIME RANGE OF OVER 30 SECONDS FOR DRN 7480, TOTAL MEDALS NIIN INQUIRY RESPONSE TIME.

7487 TIME-RANGE-1-10-A1E DLSC-SB F 8
TIME RANGE 1 TO 10 SECONDS A1E
THE TOTAL RANGE FROM 1 TO 10 SECONDS FOR DRN 7486, TOTAL MEDALS DATA ASSET IDENTIFIER INQUIRY RESPONSE TIME.

7488 TIME-RANGE-11-30-A1E DLSC-SB F 8
TIME RANGE 11 TO 30 SECONDS A1E
THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7486, TOTAL MEDALS DATA ASSET IDENTIFIER INQUIRY RESPONSE TIME.

7489 TIME-RANGE-OVER-30-A1E DLSC-SB F 8
TIME RANGE OVER 30 SECONDS A1E
THE TIME RANGE FROM OVER 30 SECONDS FOR DRN 7486, TOTAL MEDALS DATA ASSET IDENTIFIER INQUIRY RESPONSE TIME.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	FORMAT FV	FORMAT TYPE	FORMAT LG
CLEAR TEXT HOST/COBOL NAME						
DRN DEFINITION						

7493 TIME-RANGE-1-10-A1F — DLSC-SB — F — 8
TIME RANGE 1 TO 10 SECONDS A1F
ONE TO TEN SECONDS FOR DRN 7492, TOTAL MEDALS RECIEVED HOUR INQUIRY RESPONSE TIME.

7494 TIME-RANGE-11-30-SEC-A1F — DLSC-SB — F — 8
TIME RANGE 11 TO 30 SECONDS A1F
ELEVEN TO THIRTY SECONDS FOR DRN 7492, TOTAL MEDALS RECEIVED HOUR INQUIRY RESPONSE TIME.

7495 TIME-RANGE-OVER-30-A1F — DLSC-SB — F — 8
TIME RANGE OVER 30 SECONDS A1F
OVER 30 SECONDS FOR DRN 7492, TOTAL MEDALS RECEIVED HOUR INQUIRY RESPONSE TIME.

7499 TIME-RANGE-1-10-A2 — DLSC-SB — F — 8
TIME RANGE 1 TO 10 SECONDS A2
THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 7498, TOTAL SERVICE/AGENCY DOCUMENT NUMBER INQUIRY RESPONSE TIME.

7500 TIME-RANGE-11-30-A2 — DLSC-SB — F — 8
TIME RANGE 11 TO 30 SECONDS A2
THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7498, TOTAL SERVICE/AGENCY DOCUMENT NUMBER INQUIRY RESPONSE TIME.

7501 TIME-RNG-OVR-30-A2 — DLSC-SB — F — 8
TIME RANGE OVER 30 SECONDS A2
THE TIME RANGE FROM OVER 30 SECONDS FOR DRN 7498, TOTAL SERVICE/AGENCY DOCUMENT NUMBER INQUIRY RESPONSE TIME.

7505 TIME-RANGE-1-10-A2A — DLSC-SB — F — 8
TIME RANGE 1 TO 10 SECONDS A1A
THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 7504, TOTAL SERVICE/ AGENCY DOCUMENT NUMBER/CAGE INQUIRY RESPONSE TIME.

7506 TIME-RANGE-11-30-A2A — DLSC-SB — F — 8
TIME RANGE 11 TO 30 SECONDS A2A
THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7504, TOTAL SERVICE/ AGENCY DOCUMENT NUMBER/CAGE INQUIRY RESPONSE TIME.

7507 TIME-RNG-OVR-30-A2A — DLSC-SBA — F — 8
TIME RANGE OVER 30 SECONDS A2A
THE TIME RANGE OF OVER 30 SECONDS FOR DRN 7504, TOTAL SERVICE/AGENCY DOCUMENT NUMBER/CAGE INQUIRY RESPONSE TIME.

7510 T-SA-PN-INQY-RETM-A2B — DLSC-SBA — F — 8
TOTAL S/A PART NUMBER INQUIRY RESPONSE TIME A2B
THE TOTAL NUMBER OF INQUIRIES DONE AGAINST A PART NUMBER THAT FALL WITHIN A SPECIFIC RESPONSE TIME RANGE BROKEN OUT BY SERVICE/AGENCY. RANGES MAY BE 1 TO 10 SECONDS, 11 TO 30 SECONDS, AND OVER 30 SECONDS.

7511 TIME-RANGE-1-10-A2B — DLSC-SBA — F — 8
TIME RANGE 1 TO 10 SECONDS A2B
THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 7510, TOTAL SERVICE/ AGENCY PART NUMBER INQUIRY RESPONSE TIME.

7512 TIME-RANGE-11-30-A2B — DLSC-SBA — F — 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

TIME RANGE 11 TO 30 SECONDS A2B
THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7510, TOTAL SERVICE/AGENCY PART NUMBER INQUIRY RESPONSE TIME.

7513 TIME-RNG-OVR-30-A2B DLSC-SBA F 8
TIME RANGE OVER 30 SECONDS A2B
THE TIME RANGE OF OVER 30 SECONDS FOR DRN 7510, TOTAL SERVICE/AGENCY PART NUMBER INQUIRY RESPONSE TIME.

7514 T-SA-PN-AVG-INQY-RETM DLSC-SBA F 8
TOTAL S/A PART NUMBER AVERAGE INQUIRY RESPONSE TIME
THE TOTAL AVERAGE RESPONSE TIME FOR AN INQUIRY BY PART NUMBER BROKEN OUT BY SERVICE/AGENCY.

7515 T-SA-PN-INQUIRIES DLSC-SBA F 8
TOTAL SERVICE/AGENCY PART NUMBER INQUIRIES
THE TOTAL NUMBER OF INQUIRIES BY PART NUMBER BROKEN OUT BY SERVICE/AGENCY.

7516 T-SA-PN-CG-INQY-RETM-A2C DLSC-SBA F 8
TOTAL S/A PART NO/CAGE INQUIRY RESPONSE TIME A2C
THE TOTAL NUMBER OF INQUIRIES DONE AGAINST A PART NUMBER/CAGE THAT FALL WITHIN A SPECIFIC RESPONSE TIME RANGE BROKEN OUT BY SERVICE/AGENCY. RANGES MAY BE 1 TO 10 SECONDS, 11 TO 30 SECONDS, AND OVER 30 SECONDS.

7517 TIME-RANGE-1-10-A2C DLSC-SBA F 8
TIME RANGE 1 TO 10 SECONDS A2C
THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 7516, TOTAL SERVICE/AGENCY PART NUMBER/CAGE INQUIRY RESPONSE TIME.

7518 TIME-RANGE-11-30-A2C DLSC-SBA F 8
TIME RANGE 11 TO 30 SECONDS A2C
THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7516, TOTAL SERVICE/AGENCY PART NUMBER/CAGE INQUIRY RESPONSE TIME.

7519 TIME-RANGE-OVER-30-A2C DLSC-SBA F 8
TIME RANGE OVER 30 SECONDS A2C
THE TIME RANGE OF OVER 30 SECONDS FOR DRN 7516, TOTAL SERVICE/AGENCY PART NUMBER/CAGE INQUIRY RESPONSE TIME.

7520 T-SA-PN-CG-AVG-INQY-RETM DLSC-SBA F 8
TOTAL S/A PART NUMBER/CAGE AVERAGE INQUIRY RESPONSE TIME
THE TOTAL AVERAGE RESPONSE TIME FOR INQUIRY BY PART NUMBER BROKEN OUT BY SERVICE/AGENCY.

7521 T-SA-PN-CG-INQUIRIES DLSC-SBA F 8
TOTAL SERVICE/AGENCY PART NUMBER/CAGE INQUIRIES
THE TOTAL NUMBER OF INQUIRIES BY PART NUMBER/CAGE BROKEN OUT BY SERVICE/AGENCY.

7523 TIME-RANGE-1-10-A2D DLSC-SBA F 8
TIME RANGE 1 TO 10 SECONDS A2D
THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 7522, TOTAL SERVICE/ AGENCY NIIN INQUIRY RESPONSE TIME.

7524 TIME-RANGE-11-30-A2D DLSC-SBA F 8
TIME RANGE 11 TO 30 SECONDS A2D
THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7522, TOTAL SERVICE/AGENCY NIIN INQUIRY RESPONSE TIME.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7525 TIME-RNG-OVR-30-A2D DLSC-SBA F 8
TIME RANGE OVER 30 SECONDS A2D
THE TIME RANGE OF OVER 30 SECONDS FOR DRN 7522, TOTAL SERVICE/AGENCY NIIN INQUIRY RESPONSE TIME.

7529 TIME-RANGE-1-10-A2E DLSC-SB F 8
TIME RANGE 1 TO 10 SECONDS A2E
THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 7528, TOTAL SERVICE/ AGENCY DAI INQUIRY RESPONSE TIME.

7530 TIME-RANGE-11-30-A2E DLSC-SB F 8
TIME RANGE 11 TO 30 SECONDS A2E
THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7528, TOTAL SERVICE/ AGENCY DAI INQUIRY RESPONSE TIME.

7531 TIME-RANGE-OVER-30-A2E DLSC-SB F 8
TIME RANGE OVER 30 SECONDS A2E
THE TIME RANGE OF OVER 30 SECONDS FOR DRN 7528, TOTAL SERVICE/AGENCY DAI INQUIRY RESPONSE TIME.

7534 T-SA-RCT-HR-IQY-RTM-A2F DLSC-SB F 8
TOTAL SERVICE/AGENCY RECEIVED HOUR INQUIRY RESPONSE TIME A2F
THE TOTAL NUMBER OF INQUIRIES RECEIVED WITHIN A SPECIFIED HOUR THAT FALL WITHIN A SPECIFIC RESPONSE TIME RANGE BROKEN OUT BY SERVICE/AGENCY. RANGES MAY BE 1 TO 10 SECONDS, 11 TO 30 SECONDS, AND OVER 30 SECONDS.

7535 TIME-RANGE-1-10-SEC-A2F DLSC-SB F 8
TIME RANGE 1 TO 10 SECONDS A2F
ONE TO TEN SECONDS FOR DRN 7534, TOTAL SERVICE AGENCY RECEIVED HOUR INQUIRY RESPONSE TIME A2F.

7536 TIME-RANGE-11-30-SEC-A2F DLSC-SB F 8
TIME RANGE 11 TO 30 SECONDS A2F
ELEVEN TO THIRTY SECONDS FOR DRN 7534, TOTAL SERVICE AGENCY RECEIVED HOUR INQUIRY RESPONSE TIME A2F.

7537 TIME-RNG-OVER-30-SEC-A2F DLSC-SB F 8
TIME RANGE OVER 30 SECONDS A2F
OVER 30 SECONDS FOR DRN 7534, TOTAL SERVICE AGENCY RECEIVED HOUR INQUIRY RESPONSE TIME A2F.

7538 T-SA-RHR-AVG-IQY-RTM DLSC-SB F 8
TOTAL SERVICE/AGENCY RECEIVED HOUR AVG IQY RESPONSE TIME
THE TOTAL AVERAGE RESPONSE TIME FOR AN INQUIRY RECEIVED WITHIN A SPECIFIED HOUR BROKEN OUT BY SERVICE/AGENCY.

7539 T-SA-RHR-INQUIRIES DLSC-SB F 8
TOTAL SERVICE/AGENCY RECEIVED HOUR INQUIRIES
THE TOTAL NUMBER OF INQUIRIES RECEIVED WITHIN A SPECIFIED HOUR BROKEN OUT BY SERVICE/AGENCY.

7541 TIME-RANGE-1-10-A3 DLSC-SB F 8
TIME RANGE 1 TO 10 SECONDS A3
THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 7540, TOTAL REPOSITORY DOCUMENT NUMBER INQUIRY RESPONSE TIME.

7542 TIME-RANGE-11-30-A3 DLSC-SB F 8
TIME RANGE 11 TO 30 SECONDS A3
THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7540, TOTAL REPOSITORY DOCUMENT NUMBER INQUIRY RESPONSE TIME.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7543 TIME-RANGE-OVER-30-A3 DLSC-SB F 8
TIME RANGE OVER 30 SECONDS A3
THE TIME RANGE OF OVER 30 SECONDS FOR DRN 7540, TOTAL REPOSITORY DOCUMENT NUMBER INQUIRY RESPONSE TIME.

7545 TOTAL-REPT-DOCNO-INQY DLSC-SB F 8
TOTAL REPOSITORY DOCUMENT NUMBER INQUIRIES
THE TOTAL NUMBER OF INQUIRIES BY DOCUMENT NUMBER BROKEN OUT BY REPOSITORY.

7547 TIME-RANGE-1-10-A3A DLSC-SB F 8
TIME RANGE 1 TO 10 SECONDS A3A
THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 7546, TOTAL REPOSITORY DOCUMENT NUMBER/CAGE INQUIRY RESPONSE TIME.

7548 TIME-RANGE-11-30-A3A DLSC-SB F 8
TIME RANGE 11 TO 30 SECONDS A3A
THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7546, TOTAL REPOSITORY DOCUMENT NUMBER/CAGE INQUIRY RESPONSE TIME A3A.

7549 TIME-RANGE-OVER-30-A3A DLSC-SB F 8
TIME RANGE OVER 30 SECONDS A3A
THE TIME RANGE OF OVER 30 SECONDS FOR DRN 7546, TOTAL REPOSITORY DOCUMENT NUMBER/CAGE INQUIRY RESPONSE TIME.

7553 TIME-RANGE-1-10-A3B DLSC-SB F 8
TIME RANGE 1 TO 10 SECONDS A3B
THE TIME RANGE FROM 1 TO 30 SECONDS FOR DRN 7552, TOTAL PART NUMBER INQUIRY RESPONSE TIME.

7554 TIME-RANGE-11-30-A3B DLSC-SB F 8
TIME RANGE 11 TO 30 SECONDS A3B
THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7552, TOTAL PART NUMBER INQUIRY RESPONSE TIME.

7555 TIME-RANGE-OVER-30-A3B DLSC-SB F 8
TIME RANGE OVER 30 SECONDS A3B
THE TIME RANGE OF OVER 30 SECONDS FOR DRN 7552, TOTAL PART NUMBER INQUIRY RESPONSE TIME.

7556 TOT-PN-AVG-INQY-RETM DLSC-SB F 8
TOTAL PART NUMBER AVERAGE INQUIRY RESPONSE TIME
THE TOTAL AVERAGE RESPONSE TIME FOR INQUIRY BY PART NUMBER BROKEN OUT BY REPOSITORY.

7559 TIME-RANGE-1-10-A3C DLSC-SB F 8
TIME RANGE 1 TO 10 SECONDS A3C
THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 7558, TOTAL REPOSITORY PN/CAGE INQUIRY RESPONSE TIME.

7560 TIME-RANGE-11-30-A3C DLSC-SB F 8
TIME RANGE 11 TO 30 SECONDS A3C
THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7558, TOTAL REPOSITORY PN/CAGE INQUIRY RESPONSE TIME.

7561 TIME-RANGE-OVER-30-A3C DLSC-SB F 8
TIME RANGE OVER 30 SECONDS A3C

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TIME RANGE FROM OVER 30 SECONDS FOR DRN 7558, TOTAL REPOSITORY PN/CAGE INQUIRY RESPONSE TIME.

7565 TIME-RNG-1-10-A3D DLSC-SBA F 8
TIME RANGE 1 TO 10 SECONDS A3D
THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 7564, TOTAL REPOSITORY NIIN INQUIRY RESPONSE TIME.

7566 TIME-RNG-11-30-A3D DLSC-SBA F 8
TIME RANGE 11 TO 30 SECONDS A3D
THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7564, TOTAL REPOSITORY NIIN INQUIRY RESPONSE TIME.

7567 TIME-RNG-OVR-30-A3D DLSC-SBA F 8
TIME RANGE OVER 30 SECONDS A3D
THE TIME RANGE OF OVER 30 SECONDS FOR DRN 7564, TOTAL REPOSITORY NIIN INQUIRY RESPONSE TIME.

7571 TIME-RANGE-1-10-A3E DLSC-SBA F 8
TIME RANGE 1 TO 10 SECONDS A3E
THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 7570, TOTAL REPOSITORY DATA ASSET IDENTIFIER INQUIRY RESPONSE TIME.

7572 TIME-RANGE-11-30-A3E DLSC-SBA F 8
TIME RANGE 11 TO 30 SECONDS A3E
THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7570, TOTAL REPOSITORY DATA ASSET IDENTIFIER INQUIRY RESPONSE TIME.

7573 TIME-RANGE-OVER-30-A3E DLSC-SBA F 8
TIME RANGE OVER 30 SECONDS A3E
THE TIME RANGE OF OVER 30 SECONDS FOR DRN 7570, TOTAL REPOSITORY DATA ASSET IDENTIFIER INQUIRY RESPONSE TIME.

7576 TIME-RANGE-1-10-A3F DLSC-SBA F 8
TIME RANGE 1 TO 10 SECONDS A3F
ONE TO TEN SECONDS FOR DRN 7575, TOTAL REPOSITORY RECEIVED HOUR INQUIRY RESPONSE TIME.

7577 TIME-RANGE-11-30-A3F DLSC-SBA F 8
TIME RANGE 11 TO 30 SECONDS A3F
ELEVEN TO THIRTY SECONDS FOR DRN 7575, TOTAL REPOSITORY RECEIVED HOUR INQUIRY RESPONSE TIME.

7578 TIME-RANGE-OVER-30-A3F DLSC-SBA F 8
TIME RANGE OVER 30 SECONDS A3F
OVER 30 SECONDS FOR DRN 7575, TOTAL REPOSITORY RECEIVED HOUR INQUIRY RESPONSE TIME.

7579 TOTAL-REPT-DAI-INQUIRIES DLSC-SBA F 8
TOTAL REPOSITORY DATA ASSET IDENTIFIER INQUIRIES
THE TOTAL NUMBER OF INQUIRIES BY DATA ASSET IDENTIFIER BROKEN OUT BY REPOSITORY.

7582 T-TRML-DOCNO-IQY-RETM-A4 DLSC-SBA F 8
TOTAL TERMINAL DOCUMENT NUMBER INQUIRY RESPONSE TIME A4
THE TOTAL NUMBER OF INQUIRIES DONE AGAINST A DOCUMENT NUMBER THAT FALL WITHIN A SPECIFIC RESPONSE TIME RANGE BROKEN OUT BY TERMINAL. TIME RANGES CAN BE 1-10 SECONDS, 11-30 SECONDS, AND OVER 30 SECONDS.

7583 TIME-RANGE-1-10-A4 DLSC-SBA F 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

TIME RANGE 1 TO 10 SECONDS A4
THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 7582, TOTAL TERMINAL DOCUMENT NUMBER INQUIRY RESPONSE TIME.

7584 TIME-RANGE-11-30-A4 DLSC-SBA F 8
TIME RANGE 11-30 SECONDS A4
THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7582, TOTAL TERMINAL DOCUMENT NUMBER INQUIRY RESPONSE TIME.

7585 TIME-RANGE-OVER-30-A4 DLSC-SBA F 8
TIME RANGE OVER 30 SECONDS A4
THE TIME RANGE FROM OVER 30 SECONDS FRO DRN 7582, TOTAL TERMINAL DOCUMENT NUMBER INQUIRY RESPONSE TIME.

7586 T-TRML-DOCN-AVG-IQY-RETM DLSC-SBA F 8
TOTAL TERMINAL DOC NO AVERAGE INQUIRY RESPONSE TIME
THE TOTAL AVERAGE RESPONSE TIME FOR ALL INQUIRIES BY DOCUMENT NUMBER BROKEN OUT BY TERMINAL.

7587 T-TRML-DOCNO-INQUIRIES DLSC-SBA F 8
TOTAL TERMINAL DOCUMENT NUMBER INQUIRIES
THE TOTAL NUMBER OF INQUIRIES BY DOCUMENT NUMBER BROKEN OUT BY TERMINAL.

7588 T-TRML-DOCG-IQY-RETM-A4A DLSC-SBA F 8
TOTAL TERMINAL DOC NO/CAGE INQUIRY RESPONSE TIME A4A
THE TOTAL NUMBER OF INQUIRIES DONE AGAINST A DOCUMENT NO/CAGE THAT FALL WITHIN A SPECIFIC RESPONSE TIME RANGE BROKEN OUT BY TERMINAL. RANGES CAN BE 1-10 SECONDS, 11-30 SECONDS, AND OVER 30 SECONDS.

7589 TIME-RANGE-1-10-A4A DLSC-SBA F 8
TIME RANGE 1 TO 10 SECONDS A4A
THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 7588, TOTAL TERMINAL DOC. NO/CAGE INQUIRY RESPONSE TIME.

7590 TIME-RANGE-11-30-A4A DLSC-SBA F 8
TIME RANGE 11 TO 30 SECONDS A4A
THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7588, TOTAL TERMINAL DOCUMENT NO./CAGE INQUIRY RESPONSE TIME.

7591 TIME-RANGE-OVER-30-A4A DLSC-SBA F 8
TIME RANGE OVER 30 SECONDS A4A
THE TIME RANGE FOR OVER 30 SECONDS FOR DRN 7588, TOTAL TERMINAL DOC. NO/CAGE INQUIRY RESPONSE TIME.

7592 T-TRML-DOCG-AVG-IQY-RETM DLSC-SBA F 8
TOTAL TERMINAL DOC. NO/CAGE AVERAGE INQUIRY RESPONSE TIME
THE TOTAL AVERAGE RESPONSE TIME FOR INQUIRY BY DOCUMENT NUMBER/CAGE BROKEN OUT BY TERMINAL.

7593 TOT-TRML-DOCNO-CAGE-INQY DLSC-SBA F 8
TOTAL TERMINAL DOCUMENT NO/CAGE INQUIRY
THE TOTAL NUMBER OF INQUIRIES BY DOCUMENT NUMBER/CAGE BROKEN OUT BY TERMINAL.

7594 T-TRML-PN-IQY-RETM-A4B DLSC-SBA F 8
TOTAL TERMINAL PART NUMBER INQUIRY RESPONSE TIME A4B
THE TOTAL NUMBER OF INQUIRIES AGAINST A PART NUMBER THAT FALL WITHIN A SPECIFIC RESPONSE TIME RANGE BROKEN OUT BY TERMINAL. TIME RANGES CAN BE 1-10 SECONDS, 11-30 SECONDS, AND OVER 30 SECONDS.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7595 TIME-RANGE-1-10-A4B — DLSC-SBA — F — 8
TIME RANGE 1 TO 10 SECONDS A4B
THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 7594, TOTAL TERMINAL PART NUMBER INQUIRY RESPONSE TIME.

7596 TIME-RANGE-11-30-A4B — DLSC-SBA — F — 8
TIME RANGE 11 TO 30 SECONDS A4B
THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7594, TOTAL TERMINAL PART NUMBER INQUIRY RESPONSE TIME.

7597 TIME-RANGE-OVER-30-A4B — DLSC-SBA — F — 8
TIME RANGE OVER 30 SECONDS A4B
THE TIME RANGE FROM OVER 30 SECONDS FOR DRN 7594, TOTAL TERMINAL PART NUMBER INQUIRY RESPONSE TIME.

7598 T-TRML-PN-AVG-IQY-RETM — DLSC-SBA — F — 8
TOTAL TERMINAL PART NUMBER AVERAGE INQUIRY REPONSE TIME
THE TOTAL AVERAGE RESPONSE TIME FOR INQUIRY BY PART NUMBER BROKEN OUT BY TERMINAL.

7599 T-TRML-PN-INQUIRIES — DLSC-SBA — F — 8
TOTAL TERMINAL PART NUMBER INQUIRIES
THE TOTAL NUMBER OF INQUIRIES BY PART NUMBER BROKEN OUT BY TERMINAL.

7600 T-TRML-PNCG-IQY-RETM-A4C — DLSC-SBA — F — 8
TOTAL TERMINAL PART NUMBER/CAGE INQUIRY RESPONSE TIME
A TOTAL NUMBER OF INQUIRIES DONE AGAINST A PART NUMBER/CAGE THAT FALL WITHIN A SPECIFIC RESPONSE TIME RANGE BROKEN OUT BY TERMINAL. RANGES MAY BE 1 TO 10 SECONDS, 11 TO 30 SECONDS, AND OVER 30 SECONDS.

7601 TIME-RANGE-1-10-A4C — DLSC-SB — F — 8
TIME RANGE 1 TO 10 SECONDS A4C
THE TIME RANGE FROM 1 TO 10 FOR DRN 7600, TOTAL TERMINAL PART NUMBER/ CAGE INQUIRY RESPONSE TIME.

7602 TIME-RANGE-11-30-A4C — DLSC-SBA — F — 8
TIME RANGE 11 TO 30 SECONDS A4C
THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7600, TOTAL TERMINAL PART NUMBER/CAGE INQUIRY RESPONSE TIME.

7603 TIME-RANGE-OVER-30-A4C — DLSC-SBA — F — 8
TIME RANGE OVER 30 SECONDS A4C
THE TIME RANGE FOR OVER 30 SECONDS FOR DRN 7600, TOTAL TERMINAL PART NUMBER/CAGE INQUIRY RESPONSE TIME.

7604 T-TRML-PNCG-AVG-IQY-RETM — DLSC-SBA — F — 8
TOTAL TERMINAL PART NO/CAGE AVERAGE INQUIRY RESPONSE TIME
THE TOTAL AVERAGE RESPONSE TIME FOR INQUIRY BY PART NUMBER/CAGE BROKEN OUT BY TERMINAL.

7605 T-TRML-PN-CAGE-INQUIRIES — DLSC-SBA — F — 8
TOTAL TERMINAL PART NUMBER/CAGE INQUIRIES
THE TOTAL NUMBER OF INQUIRIES BY PART NUMBER/CAGE BROKEN OUT BY TERMINAL.

7606 T-TRML-NIIN-IQY-RETM-A4D — DLSC-SBA — F — 8
TOTAL TERMINAL NIIN INQUIRY RESPONSE TIME
THE TOTAL NUMBER OF INQUIRIES DONE AGAINST A NIIN THAT FALL WITHIN A SPECIFIC RESPONSE TIME RANGE BROKEN OUT BY TERMINAL. RANGES MAY BE 1-10 SECONDS, 11-30 SECONDS, AND OVER 30 SECONDS.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7607 TIME-RANGE-1-10-A4D — DLSC-SBA — F — 8
TIME RANGE 1 TO 10 SECONDS A4D
THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 7606, TOTAL TERMINAL NIIN INQUIRY RESPONSE TIME.

7608 TIME-RANGE-11-30-A4D — DLSC-SBA — F — 8
TIME RANGE 11 TO 30 SECONDS A4D
THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7606, TOTAL TERMINAL NIIN INQUIRY RESPONSE TIME.

7609 TIME-RANGE-OVER-30-A4D — DLSC-SBA — F — 8
TIME RANGE OVER 30 SECONDS A4D
THE TIME RANGE FOR OVER 30 SECONDS FOR DRN 7606, TOTAL TERMINAL NIIN INQUIRY RESPONSE TIME.

7610 T-TRML-NIIN-AVG-IQY-RETM — DLSC-SBA — F — 8
TOTAL TERMINAL NIIN AVERAGE INQUIRY RESPONSE TIME
THE TOTAL AVERAGE RESPONSE TIME FOR AN INQUIRY BY NIIN BROKEN OUT BY TERMINAL.

7611 T-TRML-NIIN-INQUIRIES — DLSC-SBA — F — 8
TOTAL TERMINAL NIIN INQUIRIES
THE TOTAL NUMBER OF INQUIRIES BY NIIN BROKEN OUT BY TERMINAL.

7612 T-TRML-DAI-INQY-RETM-A4E — DLSC-SBA — F — 8
TOTAL TERMINAL DATA ASSET IDENTIFIER INQY RESPONSE TIME A4E
THE TOTAL NUMBER OF INQUIRIES DONE AGAINST A DATA ASSET IDENTIFIER THAT FALL WITHIN A SPECIFIC RESPONSE TIME RANGE BROKEN OUT BY TERMINAL. RANGES MAY BE 1 TO 10 SECONDS, 11 TO 30 SECONDS, AND OVER 30 SECONDS.

7613 TIME-TERM-RANGE-1-10-A4E — DLSC-SBA — F — 8
TIME TERMINAL RANGE 1 TO 10 SECONDS A4E
THE TIME RANGE FROM 1 TO 10 SECONDS FOR DRN 7612, TOTAL TERMINAL DATA ASSET IDENTIFER INQUIRY RESPONSE TIME.

7614 TIME-RANGE-11-30-A4E — DLSC-SBA — F — 8
TIME RANGE 11 TO 30 SECONDS A4E
THE TIME RANGE FROM 11 TO 30 SECONDS FOR DRN 7612, TOTAL TERMINAL DATA ASSET IDENTIFIER INQUIRY RESPONSE TIME.

7615 TIME-RANGE-OVER-30-A4E — DLSC-SBA — F — 8
TIME RANGE OVER 30 SECONDS A4E
THE TIME RANGE FROM OVER 30 SECONDS FOR DRN 7612, TOTAL TERMINAL DATA ASSET IDENTIFIER INQUIRY RESPONSE TIME.

7616 T-TRML-DAI-AVG-IQY-RETM — DLSC-SBA — F — 8
TOT TERMINAL DATA ASSET IDENTIFIER AV INQUIRY RESPONSE TIME
THE TOTAL AVERAGE RESPONSE TIME FOR AN INQUIRY BY DATA ASSET IDENTIFIER BROKEN OUT BY TERMINAL.

7617 T-TRML-DAI-INQUIRIES — DLSC-SBA — F — 8
TOTAL TERMINAL DATA ASSET IDENTIFIER INQUIRIES
THE TOTAL NUMBER OF INQUIRIES BY DATA ASSET IDENTIFIER BROKEN OUT BY TERMINAL.

7618 T-TRML-RHR-IQY-RTM-A4F — DLSC-SBA — F — 8
TOTAL RESPOSITORY RECEIVED HOUR INQUIRY RESPONSE TIME A4F

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL NUMBER OF INQUIRIES RECEIVED IN A SPECIFIED HOUR THAT FALL WITHIN A SPECIFIC RESPONSE TIME RANGE BROKEN OUT BY TERMINAL. RANGES MAY BE 1 TO 10 SECONDS, 11 TO 30 SECONDS, OR OVER 30 SECONDS.

7619 TIME-RANGE-1-10-A4F — DLSC-SBA — F — 8
TIME RANGE 1 TO 10 SECONDS A4F
ONE TO TEN SECONDS FOR DRN 7618, TOTAL REPOSITORY RECEIVED HOUR INQUIRY RESPONSE TIME.

7620 TIME-RANGE-11-30-A4F — DLSC-SBA — F — 8
TIME RANGE 11 TO 30 SECONDS A4F
ELEVEN TO THIRTY SECONDS FOR DRN 7618, TOTAL TERMINAL RECEIVED HOUR INQUIRY RESPONSE TIME.

7621 TIME-RANGE-OVER-30-A4F — DLSC-SBA — F — 8
TIME RANGE OVER 30 SECONDS A4F
OVER 30 SECOND FOR DRN 7618, TOTAL TERMINAL RECEIVED HOUR INQUIRY RESPONSE TIME.

7622 T-TRML-RHR-AVG-IQY-RTM — DLSC-SBA — F — 8
TOTAL TERMINAL RECEIVED HOUR AVERAGE INQUIRY REPONSE TIME
THE TOTAL AVERAGE RESPONSE TIME FOR AN INQUIRY RECEIVED WITHIN A SPECIFIED HOUR BROKEN OUT BY TERMINAL.

7624 T-TRML-RHR-INQUIRIES — DLSC-SBA — F — 8
TOTAL TERMINAL RECEIVED HOUR INQUIRIES
THE TOTAL NUMBER OF INQUIRIES RECEIVED WITHIN A SPECIFIED HOUR BROKEN OUT BY TERMINAL.

7625 MDLS-EDIT-ERR-D1 — MDLS_STAT_CNT_7625 — DLSC-VO — F — INTEGER — 8
MEDALS EDIT ERRORS D1
THE TOTAL NUMBER OF MEDALS DOCUMENT NUMBER (D1) INQUIRY TRANSACTIONS THAT CONTAINED AN EDIT ERROR.

7626 MDLS-EDIT-ERR-D2 — MDLS_STAT_CNT_7626 — DLSC-VO — F — INTEGER — 8
MEDALS EDIT ERRORS D2
THE TOTAL NUMBER OF MEDALS DOCUMENT NUMBER/CAGE (D2) INQUIRY TRANSACTIONS THAT CONTAINED AN EDIT ERROR.

7627 MDLS-EDIT-ERR-D3 — MDLS_STAT_CNT_7627 — DLSC-VO — F — INTEGER — 8
MEDALS EDIT ERRORS D3
THE TOTAL NUMBER OF MEDALS DATA ASSET IDENTIFIER (D3) INQUIRY TRANSACTIONS THAT CONTAINED AN EDIT ERROR.

7628 MDLS-EDIT-ERR-P1 — MDLS_STAT_CNT_7628 — DLSC-VO — F — INTEGER — 8
MEDALS EDIT ERRORS P1
THE TOTAL NUMBER OF MEDALS PART NUMBER (P1) INQUIRY TRANSACTIONS THAT CONTAINED AN EDIT ERROR.

7629 MDLS-EDIT-ERR-P2 — MDLS_STAT_CNT_7629 — DLSC-VO — F — INTEGER — 8
MEDALS EDIT ERRORS P2
THE TOTAL NUMBER OF MEDALS PART NUMBER/CAGE (P2) INQUIRY TRANSACTIONS THAT CONTAINED AN EDIT ERROR.

7630 MDLS-EDIT-ERR-NN — MDLS_STAT_CNT_7630 — DLSC-VO — F — INTEGER — 8
MEDALS EDIT ERRORS NN
THE TOTAL NUMBER OF MEDALS NIIN (NN) INQUIRY TRANSACTIONS THAT CONTAINED AN EDIT ERROR.

7631 MDLS-EDIT-ERR-UNDEF — DLSC-VO — F — 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

MEDALS EDIT ERRORS UNDEF
THE TOTAL NUMBER OF MEDALS INQUIRY TRANSACTIONS THAT CONTAINED AN INVALID FORMAT OR TYPE INQUIRY CODE, SO THE TYPE OF TRANSACTION COULD NOT BE DETERMINED.

7632 MDLS-TOT-INQ-UNDEF MDLS_STAT_CNT_7632 DLSC-VO F INTEGER 9
MEDALS TOTAL INQUIRIES UNDEF
THE TOTAL NUMBER OF UNDEFINED MEDALS INQUIRIES. ALL OF THESE ARE ERROR TRANSACTIONS.

7633 MDLS-TOT-BAT-INQ-ERR DLSC-VO F 9
MEDALS TOTAL BATCH INQUIRIES ERRORS
THE TOTAL NUMBER OF MEDALS BATCH INQUIRY ERRORS.

7634 MDLS-TOT-ORDERS DLSC-VO F 9
MEDALS TOTAL ORDERS
THE TOTAL NUMBER OF MEDALS ORDER TRANSACTIONS (SUM OF 7635-MDLS ORDER-ERRORS AND 7636-MDLS-ASSETS-ORDERED).

7635 MDLS-ORDER-ERRS MDLS_STAT_CNT_7635 DLSC-VO F INTEGER 8
MEDALS ORDER ERRORS
THE NUMBER OF MEDALS ORDER TRANSACTIONS WITH ERRORS.

7636 MDLS-ASSETS-ORDERED MDLS_STAT_CNT_7636 DLSC-VO F INTEGER 8
MEDALS ASSETS ORDERED
THE NUMBER OF VALID MEDALS ORDER TRANSACTIONS.

7637 MDLS-COPIES-ORDERED MDLS_STAT_CNT_7637 DLSC-VO F INTEGER 8
MEDALS COPIES ORDERED
THE NUMBER OF COPIES OF MEDALS DATA ASSETS ORDERED.

7638 MDLS-TOT-OL-INQ DLSC-VO F 10
MEDALS TOTAL ON LINE INQUIRIES
THE TOTAL NUMBER OF MEDALS ONLINE INQUIRIES. THIS TOTAL IS THE SUM OF 7191(MDLS-TOT-INQ-D1), 7197(MDLS-TOT-INQ-D2), 7220(MDLS-TOT-INQ-D3), 7202(MDLS-TOT-INQ-P1), 7208(MDLS-TOT-INQ-P2) AND 7214(MDLS-TOT-INQ-NN).

7639 MDLS-TOT-OL-ERRS DLSC-VO F 9
MEDALS TOTAL ON LINE ERRORS
THE TOTAL NUMBER OF MEDALS ON LINE ERRORS. THIS TOTAL IS THE SUM OF 7625(MDLS-EDIT-ERR-D1), 7626(MDLS-EDIT-ERR-D2), 7627(MDLS-EDIT-ERR-D3), 7628(MDLS-EDIT-ERR-P1), 7629(MDLS-EDIT-ERR-P2), AND 7630(MDLS-EDIT-ERR-NN).

7640 MDLS-TOT-OL-INQ-MATCHED DLSC-VO F 9
MEDALS TOTAL ON LINE INQUIRIES MATCHED
THE TOTAL NUMBER OF MEDALS ON-LINE INQUIRIES THAT RESULTED IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER. THIS TOTAL IS THE SUM OF 7192(MDLS-INPUT-MATCH-D1), 7198(MDLS-INPUT-MATCH-D2), 7221(MDLS-INPUT-MATCH-D3), 7203(MDLS-INPUT-MATCH-P1), 7209(MDLS-INPUT-MATCH-P2), AND 7215(MDLS-INPUT-MATCH-NN).

7641 MDLS-TOT-OL-INQ-OFFERED DLSC-VO F 9
MEDALS TOTAL ON LINE INQUIRIES OFFERED
THE TOTAL NUMBER OF MEDALS DATA ASSETS OFFERED AS MATCHES AS A RESULT OF INQUIRIES BY DOCUMENT NUMBER (D1), DOCUMENT NUMBER/CAGE (D2), DATA ASSET IDENTIFIER (D3), PART NUMBER (P1), PART NUMBER/CAGE (P2), OR BY NIIN (NN). THIS TOTAL IS THE SUM OF 7193(MDLS-TOT-OFFERED-D1), 7199(MDLS-TOT-OFFERED-D2), 7222(MDLS-TOT-OFFERED-D3), 7204(MDLS-TOT-OFFERED-P1), 7210(MDLS-TOT-OFFERED-P2), AND 7216(MDLS-TOT-OFFERED-NN).

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7642 MDLS-TOT-OL-AVG-OFFERED — DLSC-VO — F — 9
MEDALS TOTAL ON LINE AVERAGE OFFERED
THE AVERAGE NUMBER OF MEDALS DATA ASSETS OFFERED AS MATCHES AS A RESULT OF INQUIRIES BY DOCUMENT NUMBER (D1), DOCUMENT NUMBER/CAGE (D2), DATA ASSET IDENTIFIER (D3), PART NUMBER (P1), PART NUMBER/CAGE (P2), OR BY NIIN (NN). THIS AVERAGE IS DERIVED FROM DIVIDING 7641(MDLS-TOT-OL-INQ-OFFERED) BY 7640(MDLS-TOT-OL-INQ-MATCHED).

7643 MDLS-TOT-OL-INQ-NO-MTCH — DLSC-VO — F — 9
MEDALS TOTAL ON LINE INQUIRIES NOT MATCHED
THE NUMBER OF ON-LINE INQUIRIES THAT DID NOT MATCH ANY DATA ASSETS ON THE MEDALS DATA BASE.

7644 MDLS-TOT-OL-INQ-PT-MTCH — DLSC-VO — F — 5
MEDALS TOTAL ON LINE INQUIRIES PERCENT OF MATCH
THE PERCENT OF MEDALS ON-LINE INQUIRIES THAT RESULTED IN ONE OR MORE MATCHES WITH THE MEDALS DATA BASE.

7645 11-TO-30-SEC-PCT-B3 — DLSC-SBA — F — 8
ELEVEN TO THIRTY SECONDS PERCENT B3
THE ELEVEN TO THIRTY SECONDS PERCENT FOR DRN 7643, MEDALS YEAR INQUIRY RESPONSE TIME PERCENT B3.

7646 STATS-JULIAN-DATE — STATS_JUL_DT_7646 — DLSC-SBA — F DATE — 5
STATISTICS JULIAN DATE
THE JULIAN DATE THAT THE STATISTICS DATA WAS CREATED ON.

7647 DIC-ALL-SAC-DEPT-RECVD — DIC_STAT_CNT_7647 — DLSC-SBA — F INTEGER — 8
DIC ALL SUBMITTING ACTIVITY CODE DEPARTMENT RECEIVED
THE COUNT OF ALL TRANSACTIONS RECEIVED BY SUBMITTING ACTIVITY FOR DEPARTMENT.

7648 DIC-ALL-SAC-DEPT-PRCSD — DLSC-SBA — F — 8
DIC ALL SUBMITTING ACTIVITY CODE DEPARTMENT PROCESSED
THE COUNT OF ALL TRANSACTIONS PROCESSED BY SUMITTING ACTIVITY FOR DEPARTMENT.

7649 DIC-ALL-SAC-DEPT-APRVD — DIC_STAT_CNT_7649 — DLSC-SBA — F INTEGER — 8
DIC ALL SUBMITTING ACTIVITY CODE DEPARTMENT APPROVED
THE COUNT OF ALL TRANSACTIONS APPROVED BY SUBMITTING ACTIVITY FOR DEPARTMENT.

7650 DIC-ALL-SAC-DEPT-RETRND — DLSC-SBA — F — 8
DIC ALL SUBMITTING ACTIVITY CODE DEPARTMENT RETURNED
THE COUNT OF ALL TRANSACTIONS RETURNED BY SUBMITTING ACTIVITY FOR DEPARTMENT.

7651 DIC-ALL-SAC-DEPT-ADUPS — DIC_STAT_CNT_7651 — DLSC-SBA — F INTEGER — 8
DIC ALL SUBMITTING ACTIVITY CODE DEPARTMENT ACTUAL DUPLIC
THE COUNT OF ALL TRANSACTIONS RETURNED AS ACTUAL DUPLICATES.

7652 DIC-ALL-SAC-DEPT-PDUPS — DIC_STAT_CNT_7652 — DLSC-SBA — F INTEGER — 8
DIC ALL SUBMITTING ACTIVITY CODE DEPARTMENT POSSIBLE DUPS
THE COUNT OF ALL TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES.

7653 DIC-ALL-SAC-DEPT-CLRCL — DIC_STAT_CNT_7653 — DLSC-SBA — F INTEGER — 8
DIC ALL SUBMITTING ACTIVITY CODE DEPARTMENT CLERICAL

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE COUNT OF ALL TRANSACTIONS RETURNED FOR CLERICAL ERRORS BY SUBMITTING ACTIVITY FOR DEPARTMENT.

7654 DIC-ALL-SAC-DEPT-RULES DIC_STAT_CNT_7654 DLSC-SBA F INTEGER 8
DIC ALL SUBMITTING CODE DEPARTMENT RULES
THE COUNT OF ALL TRANSACTIONS RETURNED FOR RULES ERRORS BY SUBMITTING ACTIVITY FOR DEPARTMENT.

7657 MEDALS-OL-T-OFRD-QTY DLSC-SBA F 8
MEDALS ON-LINE TOTAL OFFERED QUANTITY
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES TO MEDALS.

7658 MEDALS-OL-AVG-OFRD DLSC-SBA F 8
MEDALS ON-LINE AVERAGE OFFERED
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES TO MEDALS. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7660 MEDALS-OL-IQY-PCT-MTCH DLSC-SBA F 8
MEDALS ON-LINE INQUIRY PERCENT OF MATCH
THE PERCENT OF ON-LINE MEDALS INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7663 MEDALS-OL-DN-OFRD-QTY DLSC-SBA F 8
MEDALS ON-LINE DOCUMENT NUMBER TOTAL OFFERED QUANTITY
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE DOCUMENT NUMBER.

7664 MEDALS-OL-DN-AVG-OFRD DLSC-SBA F 8
MEDALS ON-LINE DOCUMENT NUMBER AVERAGE OFFERED
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY DOCUMENT NUMBER. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7666 MEDALS-OL-DN-IQY-PCT-MTH DLSC-SBA F 8
MEDALS ON-LINE DOCUMENT NUMBER INQUIRY PERCENT OF MATCH
THE PERCENT OF ON-LINE MEDALS DOCUMENT NUMBER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7669 MEDALS-OL-DNCG-OFRD-QTY DLSC-SBA F 8
MEDALS ON-LINE DOCUMENT NUMBER/CAGE TOTAL OFFERED QUANTITY
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE DOCUMENT NUMBER/ CAGE.

7670 MEDALS-OL-DNCG-AVG-OFRD DLSC-SBA F 8
MEDALS ON-LINE DOCUMENT NUMBER/CAGE AVERAGE OFFERED
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY DOCUMENT NUMBER/CAGE. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7672 MEDALS-OL-DNCG-IQY-P-MTH DLSC-SBA F 8
MEDALS ON-LINE DOCUMENT NUMBER/CAGE INQUIRY PCT. OF MATCH
THE PERCENT OF ON-LINE MEDALS DOCUMENT NUMBER/CAGE INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7675 MEDALS-OL-PN-OFRD-QTY — DLSC-SBA — F — 8

MEDALS ON-LINE PART NUMBER TOTAL OFFERED QUANTITY

THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE PART NUMBER.

7676 MEDALS-OL-PN-AVG-OFRD — DLSC-SBA — F — 8

MEDALS ON-LINE PART NUMBER AVERAGE OFFERED

THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY PART NUMBER. THIS COUNT IS DERIVED BY DIVIDING "TOTAL OFFERED" BY "INPUTS MATCHED".

7678 MEDALS-OL-PN-IQY-PCT-MTH — DLSC-SBA — F — 8

MEDALS ON-LINE PART NUMBER INQUIRY PERCENT OF MATCH

THE PERCENT OF ON-LINE MEDALS PART NUMBER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7681 MEDALS-OL-PNCG-OFRD-QTY — DLSC-SBA — F — 8

MEDALS ON-LINE PART NUMBER/CAGE TOTAL OFFERED QUANTITY

THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE PART NUMBER/ CAGE.

7682 MEDALS-OL-PNCG-AVG-OFRD — DLSC-SBA — F — 8

MEDALS ON-LINE PART NUMBER/CAGE AVERAGE OFFERED

THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY PART NUMBER/CAGE. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7684 MEDALS-OL-PNCG-IQY-P-MTH — DLSC-SBA — F — 8

MEDALS ON-LINE PART NUMBER/CAGE INQUIRY PERCENT OF MATCH

THE PERCENT OF ON-LINE MEDALS PART NUMBER/CAGE INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7686 MEDALS-OL-NIIN-OFRD-QTY — DLSC-SBA — F — 8

MEDALS ON-LINE NIIN TOTAL OFFERED QUANTITY

THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE NIIN.

7687 MEDALS-OL-NIIN-AVG-OFRD — DLSC-SBA — F — 8

MEDALS ON-LINE NIIN AVERAGE OFFERED

THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY NIIN. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7689 MEDALS-OL-NIIN-IQY-P-MTH — DLSC-SBA — F — 8

MEDALS ON-LINE NIIN INQUIRY PERCENT OF MATCH

THE PERCENT OF ON-LINE MEDALS NIIN INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7693 MEDALS-OL-DAI-OFRD-QTY — DLSC-SB — F — 8

MEDALS ON-LINE DATE ASSET IDENTIFIER TOTAL OFFERED QUANTITY

THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE DATA ASSET IDENTIFIER.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7694 MEDALS-OL-DAI-AVG-OFRD DLSC-SB F 8

MEDALS ON-LINE DATA ASSET IDENTIFIER AVERAGE QUANTITY

THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY DATA ASSET IDENTIFIER. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7696 MDLS-OL-DAI-IQY-PCT-MTH DLSC-SB F 8

MEDALS ON-LINE DATA ASSET IDENTIFIER INQUIRY PCT OF MATCH

THE PERCENT OF ON-LINE MEDALS DATA ASSET IDENTIFIER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7697 MEDALS-HLP-SCN-ACCESS-Q DLSC-SB F 8

MEDALS HELP SCREEN ACCESS QUANTITY

THE TOTAL NUMBER OF TIMES ANY HELP SCREEN WAS ACCESSED FOR ON-LINE INQUIRIES IN THE TIME PERIOD OF THE REPORT.

7698 MEDALS-DEC-SCN-ACCESS-Q DLSC-SB F 8

MEDALS DECODE SCREEN ACCESS QUANTITY

THE TOTAL NUMBER OF TIMES ANY DECODE SCREEN WAS ACCESSED FOR ON-LINE INQUIRIES DURING THE TIME PERIOD OF THE REPORT.

7700 T-SA-OL-IMTCHD-QTY DLSC-SB F 8

TOTAL SERVICE/AGENCY ON-LINE INPUTS MATCHED QUANTITY

THE TOTAL NUMBER OF INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER BROKEN OUT BY SERVICE/AGENCY.

7701 SA-OL-T-OFRD-QTY DLSC-SB F 8

SERVICE/AGENCY ON-LINE TOTAL OFFERED QUANTITY

THE TOTAL NUMBER OF ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH BROKEN OUT BY SERVICE/AGENCY.

7702 SA-TOT-AVG-OFRD DLSC-SB F 8

SERVICE AGENCY TOTAL ON LINE AVERAGE OFFERED

THE AVERAGE NUMBER OF TOTAL DATA ASSETS OFFERED AS A MATCH. BROKEN OUT BY SERVICE/AGENCY. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7703 T-SA-OL-NMTCH-QTY DLSC-SB F 8

TOTAL SERVICE/AGENCY ON-LINE NOT MATCHED QUANTITY

THE TOTAL NUMBER OF ON-LINE INQUIRIES THAT DID NOT IDENTIFY AND RETURN ANY DATA ASSETS BROKEN OUT BY SERVICE/AGENCY.

7704 SA-OL-IQY-PCT-MTCH DLSC-SB F 8

SERVICE/AGENCY ON-LINE INQUIRY PERCENT OF MATCH

THE PERCENT OF ON-LINE INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED BROKEN OUT BY SERVICE/AGENCY.

7708 SA-OL-AVG-OFRD DLSC-SB F 8

SERVICE/AGENCY ON-LINE AVERAGE OFFERED

THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY DOCUMENT NUMBER. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7710 SA-OL-DN-IQY-PCT-MTH DLSC-SB F 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

SERVICE/AGENCY ON-LINE DOCUMENT NUMBER INQUIRY PCT. OF MATCH
THE PERCENT OF ON-LINE SERVICE/AGENCY DOCUMENT NUMBER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7711 T-SA-OL-DOCG-IQY-QTY DLSC-SB F 8
TOTAL SERVICE/AGENCY ON-LINE DOCUMENT NO./CAGE INQUIRY QTY
THE TOTAL NUMBER OF ON-LINE SERVICE/AGENCY INQUIRIES AGAINST A DOCUMENT NUMBER/CAGE THAT PROCESSED SUCCESSFULLY.

7712 SA-OL-DOCG-IMTCHD-QTY DLSC-SB F 8
SERVICE/AGENCY ON-LINE DOC. NO./CAGE INPUTS MATCHED QTY
THE TOTAL NUMBER OF SERVICE/AGENCY INQUIRIES AGAINST A DOCUMENT NUMBER/ CAGE THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

7713 SA-OL-DOCG-OFRD-QTY DLSC-SB F 8
SERVICE/AGENCY ON-LINE DOCUMENT NO./CAGE TOTAL OFFERED QTY
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE DOCUMENT NUMBER/CAGE.

7714 SA-OL-DOCG-AVG-OFRD DLSC-SB F 8
SERVICE/AGENCY ON-LINE-DOCUMENT NUMBER/CAGE AVERAGE OFFERED
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY DEPARTMENT NUMBER/CAGE. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7715 T-SA-OL-DNCG-NMTCHD-QTY DLSC-SB F 8
TOTAL SERVICE/AGENCY ON-LINE DOC. NO./CAGE NOT MATCHED QTY
THE TOTAL NUMBER OF ON-LINE SERVICE/AGENCY INQUIRIES AGAINST A DOCUMENT NUMBER/CAGE THAT DID NOT IDENTIFY AND RETURN ANY DATA ASSETS.

7716 SA-OL-DNCG-IQY-PCT-MTH DLSC-SB F 8
SERVICE/AGENCY ON-LINE DOC./CAGE INQUIRY PCT. OF MATCH
THE PERCENT OF ON-LINE SERVICE/AGENCY DOCUMENT NUMBER/CAGE INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7717 T-SA-OL-PN-IQY-QTY DLSC-SB F 8
TOTAL SERVICE/AGENCY ON-LINE PART NUMBER INQUIRY QUANTITY
THE TOTAL NUMBER OF ON-LINE SERVICE/AGENCY INQUIRIES AGAINST A PART NUMBER THAT PROCESSED SUCCESSFULLY.

7718 T-SA-OL-PN-IMTCHD-QTY DLSC-SB F 8
TOTAL SERVICE/AGENCY ON-LINE PART NUMBER INPUTS MATCHED QTY
THE TOTAL NUMBER OF SERVICE/AGENCY INQUIRIES AGAINST A PART NUMBER THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

7719 SA-OL-PN-OFRD-QTY DLSC-SB F 8
SERVICE/AGENCY ON-LINE PART NUMBER TOTAL OFFERED QUANTITY
THE TOTAL NUMBER OF DATA ASSETS INDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE PART NUMBERS.

7720 SA-OL-PN-AVG-OFRD DLSC-SB F 8
SERVICE/AGENCY ON-LINE PART NUMBER AVERAGE OFFERED

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY PART NUMBER. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7721 T-SA-OL-PN-NMTCH-QTY DLSC-SB F 8
TOTAL SERVICE/AGENCY ON-LINE PART NUMBER NOT MATCHED QTY
THE TOTAL NUMBER OF ON-LINE SERVICE/AGENCY INQUIRIES AGAINST A PART NUMBER THAT DID NOT IDENTIFY AND RETURN ANY DATA ASSETS.

7722 SA-OL-PN-IQY-PCT-MTH DLSC-SB F 8
SERVICE/AGENCY ON-LINE PART NUMBER INQUIRY PERCENT OF MATCH
THE PERCENT OF ON-LINE SERVICE/AGENCY PART NUMBER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7723 T-SA-OL-PNCG-IQY-QTY DLSC-SB F 8
TOTAL SERVICE/AGENCY ON-LINE PART NUMBER/CAGE INQUIRY QTY
THE TOTAL NUMBER OF ON-LINE SERVICE/AGENCY INQUIRIES AGAINST A PART NUMBER/CAGE THAT PROCESSED SUCCESSFULLY.

7724 T-SA-OL-PNCG-IMTCHD-QTY DLSC-SB F 8
TOT SVC/AGNCY ON-LINE PART NO./CAGE INPUTS MTCHD QUANTITY
THE TOTAL NUMBER OF SERVICE/AGENCY INQUIRIES AGAINST A PART NUMBER/CAGE THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

7725 SA-OL-PNCG-OFRD-QTY DLSC-SB F 8
SERVICE/AGENCY ON-LINE PART NUMBER/CAGE TOTAL OFFERED QTY
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST A PART NUMBER/ CAGE.

7726 SA-OL-PNCG-AVG-OFRD DLSC-SB F 8
SERVICE/AGENCY ON-LINE PART NUMBER/CAGE AVERAGE OFFERED
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY PART NUMBER/CAGE. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7727 T-SA-OL-PNCG-NMTCH-QTY DLSC-SB F 8
TOTAL SERVICE/AGENCY ON-LINE PART NO./CAGE NOT MATCHED QTY
THE TOTAL NUMBER OF ON-LINE SERVICE/AGENCY INQUIRIES AGAINST A PART NUMBER/CAGE THAT DID NOT IDENTIFY AND RETURN ANY DATA ASSETS.

7728 SA-OL-PNCG-IQY-PCT-MTH DLSC-SB F 8
SERVICE/AGENCY ON-LINE PART NO./CAGE INQUIRY PCT. OF MATCH
THE PERCENT OF ON-LINE SERVICE/AGENCY PART NUMBER THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7729 T-SA-OL-NIIN-IQY-QTY DLSC-SB F 8
TOTAL SERVICE/AGENCY ON-LINE NIIN INQUIRY QUANTITY
THE TOTAL NUMBER OF ON-LINE SERVICE/AGENCY INQUIRIES AGAINST A NIIN THAT PROCESSED SUCCESSFULLY.

7730 T-SA-OL-NIIN-IMTCHD-QTY DLSC-SB F 8
TOTAL SERVICE/AGENCY ON-LINE NIIN INPUTS MATCHED QUANTITY
THE TOTAL NUMBER OF SERVICE/AGENCY INQUIRIES AGAINST A NIIN THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7731 SA-OL-NIIN-OFRD-QTY — DLSC-SB — F — 8

SERVICE/AGENCY ON-LINE NIIN TOTAL OFFERED QUANTITY

THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE NIIN.

7732 SA-OL-NIIN-AVG-OFRD — DLSC-SB — F — 8

SERVICE/AGENCY ON-LINE AVERAGE OFFERED

THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY NIIN. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7733 T-SA-OL-NIIN-NMTCH-QTY — DLSC-SB — F — 8

TOTAL SERVICE/AGENCY ON-LINE NIIN NOT MATCHED QUANTITY

THE TOTAL NUMBER OF ON-LINE SERVICE/AGENCY INQUIRIES AGAINST A NIIN THAT DID NOT IDENTIFY AND RETURN ANY DATA ASSETS.

7734 SA-OL-NIIN-IQY-PCT-MTH — DLSC-SB — F — 8

SERVICE/AGENCY ON-LINE NIIN INQUIRY PERCENT OF MATCH

THE PERCENT OF ON-LINE SERVICE/AGENCY PART NUMBER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING INDENTIFIED AND RETURNED.

7737 SA-OL-DAI-OFRD-QTY — DLSC-SB — F — 8

SERVICE/AGENCY ON-LINE DATA ASSET IDENT TOTAL OFFERED QTY

THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE DATA ASSETS IDENTIFIER.

7738 SA-OL-DAI-AVG-OFRD — DLSC-SB — F — 8

SERVICE/AGENCY ON-LINE DATA ASSET IDENTIFIER AVERAGE OFFERED

THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY DATA ASSET IDENTIFIER. THE COUNT IS DERIVED BY DIVIDING "TOTAL OFFERED" BY "INPUTS MATCHED".

7740 SA-OL-DAI-IQY-PCT-MTH — DLSC-SB — F — 8

SERVICE/AGENCY ON-LINE DATA ASSET IDENT IQY PERCENT OF MATCH

THE PERCENT OF ON-LINE SERVICE/AGENCY PART NUMBER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7743 REPT-OL-DN-OFRD-QTY — DLSC-SBA — F — 8

REPOSITORY ON-LINE DOCUMENT NUMBER TOTAL OFFERED QUANTITY

THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE DOCUMENT NUMBER.

7745 REPT-OL-DN-IQY-PCT-MTH — DLSC-SBA — F — 8

REPOSITORY ON-LINE DOCUMENT NUMBER INQUIRY PERCENT OF MATCH

THE PERCENT OF ON-LINE REPOSITORY DOCUMENT NUMBER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED

7747 REPT-OL-DNCG-IMTCHD-QTY — DLSC-SBA — F — 8

REPOSITORY ON-LINE DOCUMENT NUMBER/CAGE INPUTS MATCHED QTY

THE TOTAL NUMBER OF REPOSITORY INQUIRIES AGAINST A DOCUMENT NUMBER/CAGE THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7748 REPT-OL-DNCG-OFRD-QTY DLSC-SBA F 8
REPOSITORY ON-LINE DOCUMENT NUMBER/CAGE TOTAL OFFERED QTY
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE DOCUMENT NUMBER/ CAGE.

7749 REPT-OL-DNCG-AVG-OFRD DLSC-SBA F 8
REPOSITORY ON-LINE DOCUMENT NUMBER/CAGE AVERAGE OFFERED
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY DOCUMENT NUMBER/CAGE. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7751 REPT-OL-DNCG-IQY-PCT-MTH DLSC-SBA F 8
RESPOSITORY ON-LINE DOC. NO/CAGE INQUIRY PERCENT OF MATCH
THE PERCENT OF ON-LINE REPOSITORY DOCUMENT NUMBER/CAGE INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7754 REPT-OL-NIIN-OFRD-QTY DLSC-SBA F 8
REPOSITORY ON-LINE NIIN TOTAL OFFERED QUANTITY
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE NIIN.

7755 REPT-OL-NIIN-AVG-OFRD DLSC-SBA F 8
REPOSITORY ON-LINE NIIN AVERAGE OFFERED
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY NIIN. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7757 REPT-OL-NIIN-IQY-PCT-MTH DLSC-SBA F 8
REPOSITORY ON-LINE NIIN INQUIRY PERCENT OF MATCH
THE PERCENT OF ON-LINE REPOSITORY NIIN INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7760 REPT-OL-DAI-OFRD-QTY DLSC-SBA F 8
REPOSITORY ON-LINE DATA ASSET IDENTIFIER TOTAL OFFERED QTY
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE DATA ASSET IDENTIFIER.

7761 REPT-OL-DAI-AVG-OFRD DLSC-SBA F INTEGER 8
REPOSITORY ON-LINE DATA ASSET IDENTIFIER AVERAGE OFFERED
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY DATA ASSET IDENTIFIER. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7765 REPT-OL-PNCG-OFRD-QTY DLSC-SBA F 8
REPOSITORY ON-LINE PART NUMBER/CAGE TOTAL OFFERED QUANTITY
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE PART NUMBER/CAGE.

7766 REPT-OL-PNCG-AVG-OFRD DLSC-SBA F 8
REPOSITORY ON-LINE PART NUMBER/CAGE AVERAGE OFFERED
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY PART NUMBER/CAGE. THIS COUNT IS COMPUTED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7768 REPT-OL-PNCG-IQY-PCT-MTH — DLSC-SBA — F — 8

REPOSITORY ON-LINE PART NUMBER/CAGE INQUIRY PERCENT OF MATCH

THE PERCENT OF ON-LINE REPOSITORY PART NUMBER/CAGE INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7771 REPT-OL-PN-OFRD-QTY — DLSC-SB — F — 8

REPOSITORY ON-LINE PART NUMBER TOTAL OFFERED QUANTITY

THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST A PART NUMBER.

7772 REPT-OL-PN-AVG-OFRD — DLSC-SBA — F — 8

REPOSITORY ON-LINE PART NUMBER AVERAGE OFFERED

THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY PART NUMBER. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7774 REPT-OL-PN-IQY-PCT-MTH — DLSC-SBA — F — 8

REPOSITORY ON-LINE PART NUMBER INQUIRY PERCENT OF MATCH

THE PERCENT OF ON-LINE REPOSITORY PART NUMBER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7775 REPT-OL-DN-AVG-OFRD — DLSC-SBA — F — 8

REPOSITORY ON-LINE DOCUMENT NUMBER AVERAGE OFFERED QUANTITY

THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY DOCUMENT NUMBER. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7776 REPT-OL-DAI-IQY-PCT-MTH — DLSC-SBA — F — 8

REPOSITORY ON-LINE DATA ASSET INDENT INQUIRY PCT OF MATCH

THE PERCENT OF ON-LINE REPOSITORY DATA ASSET IDENTIFIER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7777 T-TRML-IQY-OL-QTY — DLSC-SBA — F — 8

TOTAL TERMINAL INQUIRIES ON-LINE QUANTITY

THE TOTAL NUMBER OF INQUIRIES ON-LINE THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER BROKEN OUT BY TERMINAL.

7778 T-TRML-OL-IMTCHD-QTY — DLSC-SBA — F — 8

TOTAL TERMINAL ON-LINE INPUTS MATCHED QUANTITY

THE TOTAL NUMBER OF ON-LINE INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER BROKEN OUT BY TERMINAL.

7779 TRML-OL-T-OFRD-QTY — DLSC-SBA — F — 8

TERMINAL ON-LINE TOTAL OFFERED QUANTITY

THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH BROKEN OUT BY TERMINAL.

7780 TRML-OL-AVG-OFRD — DLSC-SBA — F — 8

TERMINAL ON-LINE AVERAGE OFFERED

THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH BROKEN OUT BY TERMINAL. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7781 T-TRML-OL-NMTCH-QTY DLSC-SBA F 8
TOTAL TERMINAL ON-LINE NOT MATCHED QUANTITY
THE TOTAL NUMBER OF ON-LINE INQUIRIES THAT DID NOT IDENTIFY AND RETURN ANY DATA ASSETS BROKEN OUT BY TERMINAL.

7782 TRML-OL-IQY-PCT-MTH DLSC-SBA F 8
TERMINAL ON-LINE INQUIRY PERCENT OF MATCH
THE PERCENT OF ON-LINE INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED BROKEN OUT BY TERMINAL.

7783 T-TRML-OL-DN-IQY-QTY DLSC-SBA F 8
TOTAL TERMINAL ON-LINE DOCUMENT NUMBER INQUIRY QUANTITY
THE TOTAL NUMBER OF ON-LINE TERMINAL INQUIRIES AGAINST A DOCUMENT NUMBER THAT PROCESSED SUCCESSFULLY.

7784 T-TRML-OL-DN-IMTCHD-QTY DLSC-SBA F 8
TOTAL TERMINAL ON-LINE DOCUMENT NUMBER INPUTS MATCHED QTY
THE TOTAL NUMBER OF TERMINAL INQUIRIES AGAINST A DOCUMENT NUMBER THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

7785 TRML-OL-DN-OFRD-QTY DLSC-SBA F 8
TERMINAL ON-LINE DOCUMENT NUMBER TOTAL OFFERED QUANTITY
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE DOCUMENT NUMBER.

7786 TRML-OL-DN-AVG-OFRD DLSC-SBA F 8
TERMINAL ON-LINE DOCUMENT NUMBER AVERAGE OFFERED
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY DOCUMENT NUMBER. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7787 T-TRML-OL-DN-NMTCH-QTY DLSC-SBA F 8
TOTAL TERMINAL ON-LINE DEPARTMENT NUMBER NOT MATCHED QTY
THE TOTAL NUMBER OF ON-LINE TERMINAL INQUIRIES AGAINST A DOCUMENT NUMBER THAT DID NOT IDENTIFY AND RETURN ANY DATA ASSETS.

7788 TRML-OL-DN-IQY-PCT-MTH DLSC-SBA F 8
TERMINAL ON-LINE DOCUMENT NUMBER INQUIRY PERCENT OF MATCH
THE PERCENT OF ON-LINE TERMINAL DOCUMENT NUMBER INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7789 T-TRML-OL-DNCG-IQY-QTY DLSC-SBA F 8
TOTAL TERMINAL ON-LINE DOCUMENT NUMBER/CAGE INQUIRY QUANTITY
THE TOTAL NUMBER OF ON-LINE TERMINAL INQUIRIES AGAINST A DOCUMENT NUMBER/CAGE THAT PROCESSED SUCCESSFULLY.

7790 T-TRML-OL-DNCG-IMTCHD-Q DLSC-SBA F 8
TERMINAL ON-LINE DOCUMENT NUMBER/CAGE INPUTS MATCHED QTY
THE TOTAL NUMBER OF TERMINAL INQUIRIES AGAINST A DOCUMENT NUMBER/CAGE THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

7791 TRML-OL-DNCG-OFRD-QTY DLSC-SBA F 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

TERMINAL ON-LINE DOCUMENT NUMBER/CAGE TOTAL OFFERED QUANTITY
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE DOCUMENT NUMBER/CAGE.

7792 TRML-OL-DNCG-AVG-OFRD DLSC-SBA F 8
TERMINAL ON-LINE DOCUMENT NUMBER/CAGE AVERAGE OFFERED
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY DOCUMENT NUMBER/CAGE. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7793 T-TRML-OL-DNCG-NMTCH-QTY DLSC-SBA F 8
TOTAL TERMINAL ON-LINE DOCUMENT NUMBER/CAGE NOT MATCHED QTY
THE TOTAL NUMBER OF ON-LINE TERMINAL INQUIRIES AGAINST A DOCUMENT NUMBER/CAGE THAT DID NOT IDENTIFY AND RETURN ANY DATA ASSETS.

7794 TRML-OL-DNCG-IQY-PCT-MTH DLSC-SBA F 8
TERMINAL ON-LINE DOCUMENT NO/CAGE INQUIRY PERCENT OF MATCH
THE PERCENT OF ON-LINE TERMINAL DOCUMENT NUMBER/CAGE INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7795 T-TRML-OL-PN-IQY-QTY DLSC-SBA F 8
TOTAL TERMINAL ON-LINE PART NUMBER INQUIRY QUANTITY
THE TOTAL NUMBER OF ON-LINE TERMINAL INQUIRIES AGAINST A PART NUMBER THAT PROCESSED SUCCESSFULLY.

7796 T-TRML-OL-PN-IMTCHD-QTY DLSC-SBA F 8
TOTAL TERMINAL ON-LINE PART NUMBER INPUTS MATCHED QUANTITY
THE TOTAL NUMBER OF TERMINAL INQUIRIES AGAINST A PART NUMBER THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

7797 TRML-OL-PN-OFRD-QTY DLSC-SBA F 8
TERMINAL ON-LINE PART NUMBER OFFERED QUANTITY
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE PART NUMBER.

7798 TRML-OL-PN-AVG-OFRD DLSC-SBA F 8
TERMINAL ON-LINE PART NUMBER AVERAGE OFFERED
THE AVERAGE NUMBER OF DATA ASSETS RETURNED AS A MATCH RESULTING FROM INQUIRIES BY PART NUMBER. THIS COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7799 T-TRML-OL-PN-MATCH-QTY DLSC-SBA F 8
TOTAL TERMINAL ON-LINE PART NUMBER NOT MATCHED QUANTITY
THE TOTAL OF ON-LINE TERMINAL INQUIRIES AGAINST A PART NUMBER THAT DID NOT IDENTIFY AND RETURN ANY DATA ASSETS.

7800 M6B3-CLM-DP-LOA-FULL-PCT DLSC-SBA F 8
M6B3 CLASS MANAGER DEPARTMENT LOA FULL PERCENT
THE PERCENT OF MANAGED NSNS THAT ARE PARTIAL DESCRIPTIVE BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY LOA.

7801 M6B3-CLM-DP-LOA-PART-PCT DLSC-SBA F 8
M6B3 CLASS MANAGER DEPARTMENT LOA PARTIAL PERCENT

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE PERCENT OF MANAGED NSNS THAT ARE PARTIAL DESCRIPTIVE BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY LOA.

7802 T-TRML-OL-PNCG-IMTCHD-QT DLSC-SBA F 8
TOTAL TERMINAL ON-LINE PART NUMBER/CAGE INPUTS MATCHED QTY
THE TOTAL NUMBER OF TERMINAL INQUIRIES AGAINST A PART NUMBER/CAGE THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED TO THE USER.

7803 TRML-OL-PNCG-OFRD-QTY DLSC-SBA F 8
TERMINAL ON-LINE PART NUMBER/CAGE TOTAL OFFERED QUANTITY
THE TOTAL NUMBER OF DATA ASSETS IDENTIFIED AND RETURNED TO THE USER AS A POTENTIAL MATCH RESULTING FROM INQUIRIES AGAINST THE PART NUMBER/CAGE.

7804 TRML-OL-PNCG-AVG-OFRD DLSC-SBA F 8
TERMINAL ON-LINE PART NUMBER/CAGE AVERAGE OFFERED
THE AVERAGE NUMBER OF DATA ASSETS OFFERED AS A MATCH RESULTING FROM INQUIRIES BY PART NUMBER/CAGE. THE COUNT IS DERIVED BY DIVIDING THE "TOTAL OFFERED" BY "INPUTS MATCHED".

7805 T-TRML-OL-PNCG-NMTCH-QTY DLSC-SBA F 8
TOTAL TERMINAL ON-LINE PART NUMBER/CAGE NOT MATCHED QUANTITY
THE TOTAL NUMBER OF ON-LINE TERMINAL INQUIRIES AGAINST A PART NUMBER/ CAGE THAT DID NOT IDENTIFY AND RETURN ANY DATA ASSETS.

7806 TRML-OL-PNCG-IQY-PCT-MTH DLSC-SBA F 8
TERMINAL ON-LINE PART NUMBER/CAGE INQUIRY PERCENT OF MATCH
THE PERCENT OF ON-LINE TERMINAL PART NUMBER/CAGE INQUIRIES THAT RESULT IN ONE OR MORE DATA ASSETS BEING IDENTIFIED AND RETURNED.

7808 MDLS-NOT-MATCHED-D2 DLSC-VO F 9
MEDALS INPUTS NOT MATCHED D2
THE TOTAL NUMBER OF MEDALS INQUIRIES BY DOCUMENT NUMBER/CAGE (D2) THAT DID NOT MATCH ANY DATA ASSETS ON THE MEDALS DATA BASE.

7810 ICFS-GSA-ALL-MM ICFS_STAT_CNT_7810 DLSC-SBA F INTEGER 8
ICFS GENERAL SERVICES ADMINISTRATION ALL MULTI-MANAGED
THE TOTAL NUMBER OF NSNS THAT GENERAL SERVICES ADMINISTRATION MANAGED IN COMMON WITH FEDERAL AVIATION ADMINISTRATION.

7811 ICFS-GSA-ALL-MMPC DLSC-SBA F 8
ICFS GENERAL SERVICES ADMINISTRATION ALL MULTI-MANAGED PERCE
THE PERCENT OF NSNS THAT GENERAL SERVICES ADMINISTRATION MANAGES IN COMMON WITH FEDERAL AVIATION ADMINISTRATION.

7812 MOE-NSN MOE_STAT_CNT_7812 DLSC-SBA F INTEGER 8
MOE NSN
THE NUMBER OF NSNS HAVING A SPECIFIC MOE RULE NUMBER RECORDED.

7813 MOE-EFFDTD-DEL-NSN MOE_STAT_CNT_7813 DLSC-SBA F INTEGER 8
MOE EFFECTIVE DATED DELETE NSN
THE NUMBER OF NSNS WITH EFFECTIVE DATED DELETE ACTIONS FOR A SPECIFIC MOR RULE NUMBER.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7814 MOE-EFFDTD-ADD-NSN MOE_STAT_CNT_7814 DLSC-SBA F INTEGER 8
MOE EFFECTIVE DATED ADD NSN
THE NUMBER OF NSNS WITH EFFECTIVE DATED ADD ACTIONS FOR A SPECIFIC MOE RULE NUMBER.

7815 MOE-NSN-POS1 DLSC-SBA F 8
MOE NSN POSITION 1
THE NUMBER OF NSNS HAVING A SPECIFIC MOE RULE NUMBER RECORDED BY FIRST POSITION OF THE MOE RULE.

7816 MOE-EFFDTD-DEL-NSN-POS1 DLSC-SBA F 8
MOE EFFECTIVE DATED DELETE NSN POSITION 1
THE NUMBER OF NSNS WITH EFFECTIVE DATED DELETE ACTIONS FOR A SPECIFIC MOE RULE NUMBER BY FIRST POSITION OF THE MOE RULE.

7817 MOE-EFFDTD-ADD-NSN-POS1 DLSC-SBA F 8
MOE EFFECTIVE DATED ADD NSN POSITION 1
THE NUMBER OF NSNS WITH EFFECTIVE DATED ADD ACTION FOR A SPECIFIC MOE RULE NUMBER BY FIRST POSITION OF THE MOE RULE.

7818 MOE-UNSG-RSRV-POS1 DLSC-SBA F 8
MOE UNASSIGNED RESERVED POSITION 1
THE UNASSIGNED/RESERVED MOE RULE NUMBERS BY THE FIRST POSITION OF THE MOE RULE NUMBER.

7819 MOE-UNSG-RSRV-TOT-POS1 DLSC-SBA F 8
MOE ASSIGNED RESERVED TOTAL POSITION 1
THE TOTAL NUMBER OF UNASSIGNED/RESERVED MOE RULE NUMBERS BY THE FIRST POSITION OF THE MOE RULE.

7820 MOE-RGSTRN-CLBR-AT MOE_STAT_CNT_7820 DLSC-SBA F INTEGER 8
MOE REGISTRATION COLLABORATOR ACTIVITY
THE TOTAL NUMBER OF SUPPLEMENTARY COLLABORATOR REGISTRATIONS BY ACTIVITY

7821 MOE-RGSTRN-RCVR-AT MOE_STAT_CNT_7821 DLSC-SBA F INTEGER 8
MOE REGISTRATION RECEIVER ACTIVITY
THE TOTAL NUMBER OF SUPPLEMENTARY RECEIVER REGISTRATIONS BY ACTIVITY.

7822 MOE-RGSTRN-CLBR-RCVR-AT DLSC-SBA F 8
MOE REGISTRATION COLLABORATOR RECEIVER ACTIVITY
THE TOTAL NUMBER OF SUPPLEMENTARY RECEIVER AND COLLABORATOR REGISTRATIONS BY ACTIVITY.

7823 MOE-RGSTRN-CLBR-RCVR-TOT DLSC-SBA F 8
MOE REGISTRATION COLLABORATOR RECEIVER TOTAL
THE TOTAL NUMBER OF SUPPLEMENTARY RECEIVER AND COLLABORATOR REGISTRATIONS.

7824 ITEM-NAME-NSN INAM_STAT_CNT_7824 DLSC-SBA F INTEGER 8
ITEM NAME NSN
THE TOTAL NUMBER OF NSNS BY ITEM NAME.

7826 PMIC-2 DLSC-SBA F 8
PRECIOUS METAL INDICATOR CODE 2

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

PRECIOUS METAL INDICATOR CODE FOR DRN 7819, DEPARTMENT ACTIVITY CATALOG MANAGEMENT DATA CHANGE QUANTITY 2.

7827 ADPEC-2 DLSC-SBA F 8
AUTOMATIC DATA PROCESSING EQUIPMENT CODE 2
AUTOMATIC DATA PROCESSING EQUIPMENT CODE FOR DRN 7819, DEPARTMENT ACTIVITY CATALOG - MANAGEMENT DATA CHANGE QUANTITY 2.

7828 POP-FIIG-AIN-FSC-NMG-FU POP_STAT_CNT_7828 DLSC-SB F INTEGER 8
POPULATION FIIG APPROVED ITEM NAME FSC NONMANAGED FULL
THE QUANTITY OF FULL DESCRIPTIVE NONMANAGED NSNS FOR AN FSC ACROSS AN APPROVED ITEM NAME CODE WITHIN A FIIG.

7829 POP-FIIG-AIN-FSC-NMG-PA POP_STAT_CNT_7829 DLSC-SB F INTEGER 8
POPULATION FIIG APPROVED ITEM NAME FSC NONMANAGED PARTIAL
THE QUANTITY OF PARTIAL DESCRIPTIVE NONMANAGED NSNS FOR AN FSC ACROSS AN APPROVED ITEM NAME CODE WITHIN A FIIG.

7830 POP-FIIG-AIN-FSC-NMG-RE POP_STAT_CNT_7830 DLSC-SB F INTEGER 8
POPULATION FIIG APPROVED ITEM NAME FSC NONMANAGED REFERENCE
THE QUANTITY OF REFERENCE METHOD NONMANAGED NSNS FOR AN FSC ACROSS AN APPROVED ITEM NAME CODE WITHIN A FIIG.

7831 POP-FSC-AAIN-MG POP_STAT_CNT_7831 DLSC-SB F INTEGER 8
POPULATION FSC ALL APPROVED ITEM NAME MANAGED
THE MANAGED NSN QUANTITY ACROSS ALL APPROVED ITEM NAME CODES WITHIN AN FSC.

7832 M6A1-DP-LOA-T1-NSN M6A1_STAT_CNT_7832 DLSC-SBA F INTEGER 8
M61A DEPARTMENT LOA TYPE T1 NSN
THE QUANTITY OF TYPE 1 MANAGED NSNS BY DEPARTMENT BY LOA.

7833 M6A1-DP-LOA-T1A-NSN M6A1_STAT_CNT_7833 DLSC-SBA F INTEGER 8
M6A1 DEPARTMENT LOA TYPE 1A NSN
THE QUANTITY OF TYPE 1A MANAGED NSNS BY DEPARTMENT BY LOA.

7834 M6A1-DP-LOA-T1B-NSN M6A1_STAT_CNT_7834 DLSC-SBA F INTEGER 8
M6A1 DEPARTMENT LOA TYPE 1B NSN
THE QUANTITY OF TYPE 1B MANAGED NSNS BY DEPARTMENT BY LOA.

7835 M6A1-DP-LOA-T4-NSN M6A1_STAT_CNT_7835 DLSC-SBA F INTEGER 8
M6A1 DEPARTMENT LOA TYPE 4 NSN
THE QUANTITY OF TYPE 4 MANAGED NSNS BY DEPARTMENT BY LOA.

7836 M6A1-DP-LOA-T4A-NSN M6A1_STAT_CNT_7836 DLSC-SBA F INTEGER 8
M6A1 DEPARTMENT LOA TYPE 4A NSN
THE QUANTITY OF TYPE 4A MANAGED NSNS BY DEPARTMENT BY LOA.

7837 M6A1-DP-LOA-T4B-NSN M6A1_STAT_CNT_7837 DLSC-SBA F INTEGER 8
M6A1 DEPARTMENT LOA T4B NSN
THE QUANTITY OF TYPE 4B MANAGED NSNS BY DEPARTMENT BY LOA.

7838 M6A1-DP-LOA-T2-NSN M6A1_STAT_CNT_7838 DLSC-SBA F INTEGER 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

M6A1 DEPARTMENT LOA TYPE 2 NSN
THE QUANTITY OF TYPE 2 MANAGED NSNS BY DEPARTMENT BY LOA.

7839 M6A1-DP-LOA-FULL-PCT — DLSC-SBA — F — 8
M6A1 DEPARTMENT LOA FULL PERCENT
THE PERCENT OF MANAGED NSNS THAT ARE FULL DESCRIPTIVE BY DEPARTMENT BY LOA.

7840 M6A1-DP-LOA-PART-PCT — DLSC-SBA — F — 8
M6A1 DEPARTMENT LOA PARTIAL PERCENT
THE PERCENT OF MANAGED NSNS THAT ARE PARTIAL DESCRIPTIVE BY DEPARTMENT BY LOA.

7841 M6A1-DP-LOA-REF-PCT — DLSC-SBA — F — 8
M6A1 DEPARTMENT LOA REFERENCE PERCENT
THE PERCENT OF MANAGED NSNS THAT ARE REFERENCE TYPE BY DEPARTMENT BY LOA .

7842 M6A1-DP-T1-NSN — M6A1_STAT_CNT_7842 — DLSC-SBA — F — INTEGER — 8
M6A1 DEPARTMENT TYPE 1 NSN
THE QUANTITY OF TYPE 1 MANAGED NSNS BY DEPARTMENT.

7843 M6A1-DP-T1A-NSN — M6A1_STAT_CNT_7843 — DLSC-SBA — F — INTEGER — 8
M6A1 DEPARTMENT TYPE 1A NSN
THE QUANTITY OF TYPE 1A MANAGED NSNS BY DEPARTMENT.

7844 M6A1-DP-T1B-NSN — M6A1_STAT_CNT_7844 — DLSC-SBA — F — INTEGER — 8
M6A1 DEPARTMENT TYPE 1B NSN
THE QUANTITY OF TYPE 1B MANAGED NSNS BY DEPARTMENT.

7845 M6A1-DP-T4-NSN — M6A1_STAT_CNT_7845 — DLSC-SBA — F — INTEGER — 8
M6A1 DEPARTMENT TYPE 4 NSN
THE QUANTITY OF TYPE 4 MANAGED NSNS BY DEPARTMENT.

7846 M6A1-DP-T4A-NSN — M6A1_STAT_CNT_7846 — DLSC-SBA — F — INTEGER — 8
M6A1 DEPARTMENT TYPE 4A NSN
THE QUANTITY OF TYPE 4A MANAGED NSNS BY DEPARTMENT.

7847 M6A1-DP-T4B-NSN — M6A1_STAT_CNT_7847 — DLSC-SBA — F — INTEGER — 8
M6A1 DEPARTMENT TYPE 4B NSN
THE QUANTITY OF TYPE 4B MANAGED NSNS BY DEPARTMENT.

7848 M6A1-DP-T2-NSN — M6A1_STAT_CNT_7848 — DLSC-SBA — F — INTEGER — 8
M6A1 DEPARTMENT TYPE 2 NSN
THE QUANTITY OF TYPE 2 MANAGED NSNS BY DEPARTMENT.

7849 M6A1-DP-FULL-PCT — DLSC-SBA — F — 8
M6A1 DEPARTMENT FULL PERCENT
THE PERCENT OF MANAGED NSNS THAT ARE FULL DESCRIPTIVE BY DEPARTMENT.

7850 M6A1-DP-PART-PCT — DLSC-SBA — F — 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

M6A1 DEPARTMENT PARTIAL PERCENT
THE PERCENT OF MANAGED NSNS THAT ARE PARTIAL DESCRIPTIVE BY DEPARTMENT.

7851 M6A1-DP-REF-PCT DLSC-SBA F 8
M6A1 DEPARTMENT REFERENCE PERCENT
THE PERCENT OF MANAGED NSNS THAT ARE REFERENCE TYPE BY DEPARTMENT.

7852 M6C1-AT-LOA-T1-NSN M6C1_STAT_CNT_7852 DLSC-SBA F INTEGER 8
M6C1 ACTIVITY LOA TYPE 1 NSNS
THE QUANTITY OF TYPE 1 MANAGED NSNS BY DEPARTMENT BY ACTIVITY BY LOA.

7853 M6C1-AT-LOA-T1A-NSN M6C1_STAT_CNT_7853 DLSC-SBA F INTEGER 8
M6C1 ACTIVITY LOA TYPE 1A NSN
THE QUANTITY OF TYPE 1A MANAGED NSNS BY DEPARTMENT BY ACTIVITY BY LOA.

7854 M6C1-AT-LOA-T1B-NSN M6C1_STAT_CNT_7854 DLSC-SBA F INTEGER 8
M6C1 ACTIVITY LOA TYPE 1B NSN
THE QUANTITY OF TYPE 1B MANAGED NSNS BY DEPARTMENT BY ACTIVITY BY LOA.

7855 M6C1-AT-LOA-T4-NSN M6C1_STAT_CNT_7855 DLSC-SBA F INTEGER 8
M6C1 ACTIVITY LOA TYPE 4 NSN
THE QUANTITY OF TYPE 4 MANAGED NSNS BY DEPARTMENT BY ACTIVITY BY LOA.

7856 M6C1-AT-LOA-T4A-NSN M6C1_STAT_CNT_7856 DLSC-SBA F INTEGER 8
M6C1 ACTIVITY LOA TYPE 4A NSN
THE QUANTITY OF TYPE 4A MANAGED NSNS BY DEPARTMENT BY ACTIVITY BY LOA.

7857 M6C1-AT-LOA-T4B-NSN M6C1_STAT_CNT_7857 DLSC-SBA F INTEGER 8
M6C1 ACTIVITY LOA TYPE 4B NSN
THE QUANTITY OF TYPE 4B MANAGED NSNS BY DEPARTMENT BY ACTIVITY BY LOA.

7858 M6C1-AT-LOA-T2-NSN M6C1_STAT_CNT_7858 DLSC-SBA F INTEGER 8
M6C1 ACTIVITY LOA TYPE 2 NSN
THE QUANTITY OF TYPE 2 MANAGED NSNS BY DEPARTMENT BY ACTIVITY BY LOA.

7859 M6C1-AT-LOA-FULL-PCT DLSC-SBA F 8
M6C1 ACTIVITY LOA FULL PERCENT
THE PERCENT OF MANAGED NSNS THAT ARE FULL DESCRIPTIVE BY DEPARTMENT BY ACTIVITY BY LOA.

7860 M6C1-AT-LOA-PART-PCT DLSC-SBA F 8
M6C1 ACTIVITY LOA PARTIAL PERCENT
THE PERCENT OF MANAGED NSNS THAT ARE PARTIAL DESCRIPTIVE BY DEPARTMENT BY ACTIVITY BY LOA.

7861 M6C1-AT-LOA-REF-PCT DLSC-SBA F 8
M6C1 ACTIVITY LOA REFERENCE PERCENT
THE PERCENT OF MANAGED NSNS THAT ARE REFERENCE TYPE BY DEPARTMENT BY ACTIVITY BY LOA.

7862 M6C1-AT-T1-NSN M6C1_STAT_CNT_7862 DLSC-SBA F INTEGER 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	FORMAT FV	FORMAT TYPE	FORMAT LG
CLEAR TEXT HOST/COBOL NAME						
DRN DEFINITION						

M6C1 ACTIVITY TYPE 1 NSN
THE QUANTITY OF TYPE 1 MANAGED NSNS BY DEPARTMENT BY ACTIVITY.

7863	M6C1-AT-T1A-NSN	M6C1_STAT_CNT_7863	DLSC-SBA	F	INTEGER	8

M6C1 ACTIVITY TYPE 1A NSN
THE QUANTITY OF TYPE 1A MANAGED NSNS BY DEPARTMENT BY ACTIVITY.

7864	M6C1-AT-T1B-NSN	M6C1_STAT_CNT_7864	DLSC-SBA	F	INTEGER	8

M6C1 ACTIVITY TYPE 1B NSN
THE QUANTITY OF TYPE 1B MANAGED NSNS BY DEPARTMENT BY ACTIVITY.

7865	M6C1-AT-T4-NSN	M6C1_STAT_CNT_7865	DLSC-SBA	F	INTEGER	8

M6C1 ACTIVITY TYPE 4 NSN
THE QUANTITY OF TYPE 4 MANAGED NSNS BY DEPARTMENT BY ACTIVITY.

7866	M6C1-AT-T4A-NSN	M6C1_STAT_CNT_7866	DLSC-SBA	F	INTEGER	8

M6C1 ACTIVITY TYPE 4A NSN
THE QUANTITY OF TYPE 4A MANAGED NSNS BY DEPARTMENT BY ACTIVITY.

7867	M6C1-AT-T4B-NSN	M6C1_STAT_CNT_7867	DLSC-SBA	F	INTEGER	8

M6C1 ACTIVITY TYPE 4B NSN
THE QUANTITY OF TYPE 4B MANAGED NSNS BY DEPARTMENT BY ACTIVITY.

7868	M6C1-AT-T2-NSN	M6C1_STAT_CNT_7868	DLSC-SBA	F	INTEGER	8

M6C1 ACTIVITY TYPE 2 NSN
THE QUANTITY OF TYPE 2 MANAGED NSNS BY DEPARTMENT BY ACTIVITY.

7870	M6C1-AT-FULL-PCT		DLSC-SBA	F		8

M6C1 ACTIVITY FULL PERCENT
THE PERCENT OF MANAGED NSNS THAT ARE FULL DESCRIPTIVE BY DEPARTMENT BY ACTIVITY.

7871	M6C1-AT-PART-PCT		DLSC-SBA	F		8

M6C1 ACTIVITY PARTIAL PERCENT
THE PERCENT OF MANAGED NSNS THAT ARE PARTIAL DESCRIPTIVE BY DEPARTMENT BY ACTIVITY.

7872	M6C1-AT-REF-PCT		DLSC-SBA	F		8

M6C1 ACTIVITY REFERENCE PERCENT
THE PERCENT OF MANAGED NSNS THAT ARE REFERENCE TYPE BY DEPARTMENT BY ACTIVITY.

7873	M6B1-IM-DP-LOA-T1-NSN	M6B1_STAT_CNT_7873	DLSC-SBA	F	INTEGER	8

M6B1 INTEGRATED MANAGER DEPARTMENT LOA TYPE 1
THE QUANTITY OF TYPE 1 MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY LOA.

7874	M6B1-IM-DP-LOA-T1A-NSN	M6B1_STAT_CNT_7874	DLSC-SBA	F	INTEGER	8

M6B1 INTEGRATED MANAGER DEPARTMENT LOA TYPE 1A
THE QUANTITY OF TYPE 1A MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY LOA.

7875	M6B1-IM-DP-LOA-T1B-NSN	M6B1_STAT_CNT_7875	DLSC-SBA	F	INTEGER	8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

M6B1 INTEGRATED MANAGER DEPARTMENT LOA TYPE 1B NSN
THE QUANTITY OF TYPE 1B MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY LOA.

7876 M6B1-IM-DP-LOA-T4-NSN M6B1_STAT_CNT_7876 DLSC-SBA F INTEGER 8
M6B1 INTEGRATED MANAGER DEPARTMENT LOA TYPE 4 NSN
THE QUANTITY OF TYPE 4 MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY LOA.

7877 M6B1-IM-DP-LOA-T4A-NSN M6B1_STAT_CNT_7877 DLSC-SBA F INTEGER 8
M6B1 INTEGRATED MANAGER DEPARTMENT LOA TYPE 4A NSN
THE QUANTITY OF TYPE 4A MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY LOA.

7878 M6B1-IM-DP-LOA-T4B-NSN M6B1_STAT_CNT_7878 DLSC-SBA F INTEGER 8
M6B1 INTEGRATED MANAGER DEPARTMENT LOA TYPE 4B NSN
THE QUANTITY OF TYPE 4B MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY LOA.

7879 M6B1-IM-DP-LOA-T2-NSN M6B1_STAT_CNT_7879 DLSC-SBA F INTEGER 8
M6B1 INTEGRATED MANAGER DEPARTMENT LOA TYPE 2 NSN
THE QUANTITY OF TYPE 2 MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY LOA.

7880 M6B1-IM-DP-LOA-FULL-PCT DLSC-S F 8
M6B1 INTEGRATED MANAGER DEPARTMENT LOA FULL PERCENT
THE PERCENT OF MANAGED NSNS THAT ARE FULL DESCRIPTIVE IN ASSIGNED CLASSES BY DEPARTMENT BY LOA.

7881 M6B1-IM-DP-LOA-PART-PCT DLSC-SBA F 8
M6B1 INTEGRATED MANAGER DEPARTMENT LOA PARTIAL PERCENT
THE PERCENT OF MANAGED NSNS THAT ARE PARTIAL DESCRIPTIVE IN ASSIGNED CLASSES BY DEPARTMENT BY LOA.

7882 M6B1-IM-DP-LOA-REF-PCT DLSC-SBA F 8
M6B1 INTEGRATED MANAGER DEPARTMENT LOA REFERENCE PERCENT
THE PERCENT OF MANAGED NSNS THAT ARE REFERENCE TYPE IN ASSIGNED CLASSES BY DEPARTMENT BY LOA.

7883 M6B1-IM-DP-T1-NSN M6B1_STAT_CNT_7883 DLSC-SBA F INTEGER 8
M6B1 INTEGRATED MANAGER DEPARTMENT TYPE 1 NSN
THE QUANTITY OF TYPE 1 MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENTS.

7884 M6B1-IM-DP-T1A-NSN M6B1_STAT_CNT_7884 DLSC-SBA F INTEGER 8
M6B1 INTEGRATED MANAGER DEPARTMENT TYPE 1A NSN
THE QUANTITY OF TYPE 1A MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT.

7885 M6B1-IM-DP-T1B-NSN M6B1_STAT_CNT_7885 DLSC-SBA F INTEGER 8
M6B1 INTEGRATED MANAGER DEPARTMENT TYPE 1B NSN
THE QUANTITY OF TYPE 1B MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT.

7886 M6B1-IM-DP-T4-NSN M6B1_STAT_CNT_7886 DLSC-SBA F INTEGER 8
M6B1 INTEGRATED MANAGER DEPARTMENT TYPE 4 NSN
THE QUANTITY OF TYPE 4 MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT.

7887 M6B1-IM-DP-T4A-NSN M6B1_STAT_CNT_7887 DLSC-SBA F INTEGER 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

M6B1 INTEGRATED MANAGER DEPARTMENT TYPE 4A NSN
THE QUANTITY OF TYPE 4A MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT.

7888 M6B1-IM-DP-T4B-NSN M6B1_STAT_CNT_7888 DLSC-SBA F INTEGER 8
M6B1 INTEGRATED MANAGER DEPARTMENT TYPE 4B NSN
THE QUANTITY OF TYPE 4B MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT.

7889 M6B1-IM-DP-T2-NSN M6B1_STAT_CNT_7889 DLSC-SBA F INTEGER 8
M6B1 INTEGRATED MANAGER DEPARTMENT TYPE 2 NSN
THE QUANTITY OF TYPE 2 MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT.

7890 M6B1-IM-DP-FULL-PCT DLSC-SBA F 8
M6B1 INTEGRATED MANAGER DEPARTMENT FULL PERCENT
THE PERCENT OF MANAGED NSNS THAT ARE FULL DESCRIPTIVE IN ASSIGNED CLASSES BY DEPARTMENT.

7891 M6B1-IM-DP-PART-PCT DLSC-SBA F 8
M6B1 INTEGRATED MANAGER DEPARTMENT PARTIAL
THE PERCENT OF MANAGED NSNS THAT ARE PARTIAL DESCRIPTIVE IN ASSIGNED CLASSES BY DEPARTMENT.

7892 M6B1-IM-DP-REF-PCT DLSC-SBA F 8
M6B1 INTEGRATED MANAGER DEPARTMENT REFERENCE PERCENT
THE PERCENT OF MANAGED NSNS THAT ARE REFERENCE TYPE IN ASSIGNED CLASSES BY DEPARTMENT.

7893 M6B3-CLM-DP-LOA-T1-NSN M6B3_STAT_CNT_7893 DLSC-SBA F INTEGER 8
M6B3 CLASS MANAGER DEPARTMENT LOA TYPE 1 NSN
THE QUANTITY OF TYPE 1 MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY LOA.

7894 M6B3-CLM-DP-LOA-T1A-NSN M6B3_STAT_CNT_7894 DLSC-SBA F INTEGER 8
M6B3 CLASS MANAGER DEPARTMENT LOA TYPE 1A NSN
THE QUANTITY OF TYPE 1A MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY LOA.

7895 M6B3-CLM-DP-LOA-T1B-NSN M6B3_STAT_CNT_7895 DLSC-SBA F INTEGER 8
M6B3 CLASS MANAGER DEPARTMENT LOA TYPE 1B NSN
THE QUANTITY OF TYPE 1B MANAGER NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY LOA.

7896 M6B3-CLM-DP-LOA-T4-NSN M6B3_STAT_CNT_7896 DLSC-SBA F INTEGER 8
M6B3 CLASS MANAGER DEPARTMENT LOA TYPE 4 NSN
THE QUANTITY OF TYPE 4 MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY LOA.

7897 M6B3-CLM-DP-LOA-T4A-NSN M6B3_STAT_CNT_7897 DLSC-SBA F INTEGER 8
M6B3 CLASS MANAGER DEPARTMENT LOA TYPE 4A NSN
THE QUANTITY OF TYPE 4A MANAGER NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY LOA.

7898 M6B3-CLM-DP-LOA-T4B-NSN M6B3_STAT_CNT_7898 DLSC-SBA F INTEGER 8
M6B3 CLASS MANAGER DEPARTMENT LOA TYPE 4B NSN
THE QUANTITY OF TYPE 4B MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT LOA.

7899 M6B3-CLM-DP-LOA-T2-NSN M6B3_STAT_CNT_7899 DLSC-SBA F INTEGER 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

M6B3 CLASS MANAGER DEPARTMENT LOA TYPE 2 NSN
THE QUANTITY OF TYPE 2 MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY LOA.

7902 M6B3-CLM-DP-T1-NSN M6B3_STAT_CNT_7902 DLSC-SBA F INTEGER 8
M6B3 CLASS MANAGER DEPARTMENT TYPE 1 NSN
THE QUANTITY OF TYPE 1 MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT.

7903 M6B3-CLM-DP-T1A-NSN M6B3_STAT_CNT_7903 DLSC-SBA F INTEGER 8
M6B3 CLASS MANAGER DEPARTMENT TYPE 1A NSN
THE QUANTITY OF TYPE 1A MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT.

7904 M6B3-CLM-DP-T1B-NSN M6B3_STAT_CNT_7904 DLSC-SBA F INTEGER 8
M6B3 CLASS MANAGER DEPARTMENT TYPE 1B NSN
THE QUANTITY OF TYPE 1B MANAGED NSNS BY ASSIGNED CLASS FOR MANAGING DEPARTMENT.

7905 M6B3-CLM-DP-T4-NSN M6B3_STAT_CNT_7905 DLSC-SBA F INTEGER 8
M6B3 CLASS MANAGER DEPARTMENT TYPE 4 NSN
THE QUANTITY OF TYPE 4 MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT.

7906 M6B3-CLM-DP-T4A-NSN M6B3_STAT_CNT_7906 DLSC-SBA F INTEGER 8
M6B3 CLASS MANAGER DEPARTMENT TYPE 4A NSN
THE QUANTITY OF TYPE 4A MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT.

7907 M6B3-CLM-DP-T4B-NSN M6B3_STAT_CNT_7907 DLSC-SBA F INTEGER 8
M6B3 CLASS MANAGER DEPARTMENT TYPE 4B NSN
THE QUANTITY OF TYPE 4B MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT.

7908 M6B3-CLM-DP-T2-NSN M6B3_STAT_CNT_7908 DLSC-SBA F INTEGER 8
M6B3 CLASS MANAGER DEPARTMENT TYPE 2 NSN
THE QUANTITY OF TYPE 2 MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT.

7909 M6B3-CLM-DP-FULL-PCT DLSC-SBA F 8
M6B3 CLASS MANAGER DEPARTMENT FULL PERCENT
THE PERCENT OF MANAGED NSNS THAT ARE FULL DESCRIPTIVE BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT.

7910 M6B3-CLM-DP-PART-PCT DLSC-SBA F 8
M6B3 CLASS MANAGER DEPARTMENT PARTIAL PERCENT
THE PERCENT OF MANAGER NSNS THAT ARE PARTIAL DESCRIPTIVE BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT.

7911 M6B3-CLM-DP-REF-PCT DLSC-SBA F 8
M6B3 CLASS MANAGER DEPARTMENT REFERENCE PERCENT
THE PERCENT OF MANAGED NSNS THAT ARE REFERENCE TYPE BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT.

7912 M6B2-IM-AT-LOA-T1-NSN M6B2_STAT_CNT_7912 DLSC-SBA F INTEGER 8
M6B2 INTEGRATED MANAGER ACTIVITY LOA TYPE 1 NSN
THE QUANTITY OF TYPE 1 MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY BY LOA.

7913 M6B2-IM-AT-LOA-T1A-NSN M6B2_STAT_CNT_7913 DLSC-SBA F INTEGER 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

M6B2 INTEGRATED MANAGER ACTIVITY LOA TYPE 1A NSN
THE QUANTITY OF TYPE 1A MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY BY LOA.

7914 M6B2-IM-AT-LOA-T1B-NSN M6B2_STAT_CNT_7914 DLSC-SBA F INTEGER 8
M6B2 INTEGRATED MANAGER ACTIVITY LOA TYPE 1B NSN
THE QUANTITY OF TYPE 1B MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY BY LOA.

7915 M6B2-IM-AT-LOA-T4-NSN M6B2_STAT_CNT_7915 DLSC-SBA F INTEGER 8
M6B2 INTEGRATED MANAGER ACTIVITY LOA TYPE 4 NSN
THE QUANTITY OF TYPE 4 MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY BY LOA.

7916 M6B2-IM-AT-LOA-T4A-NSN M6B2_STAT_CNT_7916 DLSC-SBA F INTEGER 8
M6B2 INTEGRATED MANAGER ACTIVITY LOA TYPE 4A NSN
THE QUANTITY OF TYPE 4A MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY BY LOA.

7917 M6B2-IM-AT-LOA-T4B-NSN M6B2_STAT_CNT_7917 DLSC-SBA F INTEGER 8
M6B2 INTEGRATED MANAGER ACTIVITY LOA TYPE 4B NSN
THE QUANTITY OF TYPE 4B MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY BY LOA.

7918 M6B2-IM-AT-LOA-T2-NSN M6B2_STAT_CNT_7918 DLSC-SBA F INTEGER 8
M6B2 INTEGRATED MANAGER ACTIVITY LOA TYPE 2 NSN
THE QUANTITY OF TYPE 2 MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY BY LOA.

7919 M6B2-IM-AT-LOA-FULL-PCT DLSC-SBA F 8
M6B2 INTEGRATED MANAGER ACTIVITY LOA FULL PERCENT
THE PERCENT OF MANAGED NSNS THAT ARE FULL DESCRIPTIVE IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY BY LOA.

7920 M6B2-IM-AT-LOA-PART-PCT DLSC-SBA F 8
M6B2 INTEGRATED MANAGER ACTIVITY LOA PARTIAL
THE PERCENT OF MANAGED NSNS THAT ARE PARTIAL DESCRIPTIVE IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY BY LOA.

7921 M6B2-IM-AT-LOA-REF-PCT DLSC-SBA F 8
M6B2 INTEGRATED MANAGER ACTIVITY LOA REFERENCE PERCENT
THE PERCENT OF MANAGED NSNS THAT ARE REFERENCE TYPE IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY BY LOA.

7922 M6B2-IM-AT-T1-NSN M6B2_STAT_CNT_7922 DLSC-SBA F INTEGER 8
M6B2 INTEGRATED MANAGER ACTIVITY TYPE 1 NSN
THE QUANTITY OF TYPE 1 MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY.

7923 M6B2-IM-AT-T1A-NSN M6B2_STAT_CNT_7923 DLSC-SBA F INTEGER 8
M6B2 INTEGRATED MANAGER ACTIVITY TYPE 1A NSN
THE QUANTITY OF TYPE 1A MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY.

7924 M6B2-IM-AT-T1B-NSN M6B2_STAT_CNT_7924 DLSC-SBA F INTEGER 8
M6B2 INTEGRATED MANAGER ACTIVITY TYPE 1B NSN
THE QUANTITY OF TYPE 1B MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY.

7925 M6B2-IM-AT-T4-NSN M6B2_STAT_CNT_7925 DLSC-SBA F INTEGER 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

M6B2 INTEGRATED MANAGER ACTIVITY TYPE 4 NSN
THE QUANTITY OF TYPE 4 MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY.

7926 M6B2-IM-AT-T4A-NSN M6B2_STAT_CNT_7926 DLSC-SBA F INTEGER 8
M6B2 INTEGRATED MANAGER ACTIVITY TYPE 4A NSN
THE QUANTITY OF TYPE 4A MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY.

7927 M6B2-IM-AT-T4B-NSN M6B2_STAT_CNT_7927 DLSC-SBA F INTEGER 8
M6B2 INTEGRATED MANAGER ACTIVITY TYPE 4B NSN
THE QUANTITY OF TYPE 4B MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY.

7928 M6B2-IM-AT-T2-NSN M6B2_STAT_CNT_7928 DLSC-SBA F INTEGER 8
N6B2 INTEGRATED MANAGER ACTIVITY TYPE 2 NSN
THE QUANTITY OF TYPE 2 MANAGED NSNS IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY.

7929 M6B2-IM-AT-FULL-PCT DLSC-SBA F 8
M6B2 INTEGRATED MANAGER ACTIVITY FULL PERCENT
THE PERCENT OF MANAGED NSNS THAT ARE FULL DESCRIPTIVE IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY.

7930 M6B2-IM-AT-PART-PCT DLSC-SBA F 8
M6B2 INTEGRATED MANAGER ACTIVITY PARTIAL PERCENT
THE PERCENT OF MANAGED NSNS THAT ARE PARTIAL DESCRIPTIVE IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY.

7931 M6B2-IM-AT-REF-PCT DLSC-SBA F 8
M6B2 INTEGRATED MANAGER ACTIVITY REFERENCE PERCENT
THE PERCENT OF MANAGED NSNS THAT ARE REFERENCE TYPE IN ASSIGNED CLASSES BY DEPARTMENT BY ACTIVITY.

7932 M6B4-CLM-AT-LOA-T1-NSN M6B4_STAT_CNT_7932 DLSC-SBA F INTEGER 8
M6B4 CLASS MANAGER ACTIVITY LOA TYPE 1 NSN
THE QUANTITY OF TYPE 1 MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY BY LOA.

7933 M6B4-CLM-AT-LOA-T1A-NSN M6B4_STAT_CNT_7933 DLSC-SBA F INTEGER 8
M6B4 CLASS MANAGER ACTIVITY LOA TYPE 1A NSN
THE QUANTITY OF TYPE 1A MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY BY LOA.

7934 M6B4-CLM-AT-LOA-T1B-NSN M6B4_STAT_CNT_7934 DLSC-SBA F INTEGER 8
M6B4 CLASS MANAGER ACTIVITY LOA TYPE 1B NSN
THE QUANTITY OF TYPE 1B MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY BY LOA.

7935 M6B4-CLM-AT-LOA-T4-NSN M6B4_STAT_CNT_7935 DLSC-SBA F INTEGER 8
M6B4 CLASS MANAGER ACTIVITY LOA TYPE 4 NSN
THE QUANTITY OF TYPE 4 MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY BY LOA.

7936 M6B4-CLM-AT-LOA-T4A-NSN M6B4_STAT_CNT_7936 DLSC-SBA F INTEGER 8
M6B4 CLASS MANAGER ACTIVITY LOA TYPE 4A NSN
THE QUANTITY OF TYPE 4A MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY BY LOA.

7937 M6B4-CLM-AT-LOA-T4B-NSN M6B4_STAT_CNT_7937 DLSC-SBA F INTEGER 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

M6B4 CLASS MANAGER ACTIVITY LOA TYPE 4B NSN
THE QUANTITY OF TYPE 4B MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY BY LOA.

7938 M6B4-CLM-AT-LOA-T2-NSN M6B4_STAT_CNT_7938 DLSC-SBA F INTEGER 8
M6B4 CLASS MANAGER ACTIVITY LOA TYPE 2 NSN
THE QUANTITY OF TYPE 2 MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY BY LOA.

7939 M6B4-CLM-AT-LOA-FULL-PCT DLSC-SBA F 8
M6B4 CLASS MANAGER ACTIVITY LOA FULL PERCENT
THE PERCENT MANAGED NSNS THAT ARE FULL DESCRIPTIVE BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY BY LOA.

7940 M6B4-CLM-AT-LOA-PART-PCT DLSC-SBA F 8
M6B4 CLASS MANAGER ACTIVITY LOA PARTIAL PERCENT
THE PERCENT OF MANAGED NSNS THAT ARE PARTIAL DESCRIPTIVE BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY BY LOA.

7941 M6B4-CLM-AT-LOA-REF-PCT DLSC-SBA F 8
M6B4 CLASS MANAGER ACTIVITY LOA REFERENCE PERCENT
THE PERCENT OF MANAGED NSNS THAT ARE REFERENCE TYPE BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY BY LOA.

7942 M6B4-CLM-AT-T1-NSN M6B4_STAT_CNT_7942 DLSC-SBA F INTEGER 8
M6B4 CLASS MANAGER ACTIVITY TYPE 1 NSN
THE QUANTITY OF TYPE 1 MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY.

7943 M6B4-CLM-AT-T1A-NSN M6B4_STAT_CNT_7943 DLSC-SBA F INTEGER 8
M6B4 CLASS MANAGER ACTIVITY TYPE 1A NSN
THE QUANTITY OF TYPE 1A MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY.

7944 M6B4-CLM-AT-T1B-NSN M6B4_STAT_CNT_7944 DLSC-SBA F INTEGER 8
M6B4 CLASS MANAGER ACTIVITY TYPE 1B NSN
THE QUANTITY OF TYPE 1B MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY.

7945 M6B4-CLM-AT-T4-NSN M6B4_STAT_CNT_7945 DLSC-SBA F INTEGER 8
M6B4 CLASS MANAGER ACTIVITY TYPE 4 NSN
THE QUANTITY OF TYPE 4 MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY.

7946 M6B4-CLM-AT-T4A-NSN M6B4_STAT_CNT_7946 DLSC-SBA F INTEGER 8
M6B4 CLASS MANAGER ACTIVITY TYPE 4A NSN
THE QUANTITY OF TYPE 4A MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY.

7947 M6B4-CLM-AT-T4B-NSN M6B4_STAT_CNT_7947 DLSC-SBA F INTEGER 8
M6B4 CLASS MANAGER ACTIVITY TYPE 4B NSN
THE QUANTITY OF TYPE 4B MANAGED NSNS BY ASSIGNED CLASS MANAGER OF MANAGING DEPARTMENT BY ACTIVITY.

7948 M6B4-CLM-AT-T2-NSN M6B4_STAT_CNT_7948 DLSC-SBA F INTEGER 8
M6B4 CLASS MANAGER ACTIVITY TYPE 2 NSN
THE QUANTITY OF TYPE 2 MANAGED NSNS BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

7949 M6B4-CLM-AT-FULL-PCT DLSC-SBA F 8
M6B4 CLASS MANAGER ACTIVITY FULL PERCENT
THE PERCENT OF MANAGED NSNS THAT ARE FULL DESCRIPTIVE BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY.

7950 M6B4-CLM-AT-PART-PCT DLSC-SBA F 8
M6B4 CLASS MANAGER ACTIVITY PARTIAL PERCENT
THE PERCENT OF MANAGED NSNS THAT ARE PARTIAL DESCRIPTIVE BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY.

7951 M6B4-CLM-AT-REF-PCT DLSC-SBA F 8
M6B4 CLASS MANAGER ACTIVITY REFERENCE PERCENT
THE PERCENT OF MANAGED NSNS THAT ARE REFERENCE TYPE BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY ACTIVITY.

7952 M6B5-FSC-DP-LOA-T1-NSN M6B5_STAT_CNT_7952 DLSC-SBA F INTEGER 8
M6B5 FSC DEPARTMENT LOA TYPE 1 NSN
THE QUANTITY OF TYPE 1 MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY LOA.

7953 M6B5-FSC-DP-LOA-T1A-NSN M6B5_STAT_CNT_7953 DLSC-SBA F INTEGER 8
M6B5 FSC DEPARTMENT LOA TYPE 1A NSN
THE QUANTITY OF TYPE 1A MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY LOA.

7954 M6B5-FSC-DP-LOA-T1B-NSN M6B5_STAT_CNT_7954 DLSC-SBA F INTEGER 8
M6B5 FSC DEPARTMENT LOA TYPE 1B NSN
THE QUANTITY OF TYPE 1B MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY LOA.

7955 M6B5-FSC-DP-LOA-T4-NSN M6B5_STAT_CNT_7955 DLSC-SBA F INTEGER 8
M6B5 FSC DEPARTMENT LOA TYPE 4 NSN
THE QUANTITY OF TYPE 4 MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY LOA.

7956 M6B5-FSC-DP-LOA-T4A-NSN M6B5_STAT_CNT_7956 DLSC-SBA F INTEGER 8
M6B5 FSC DEPARTMENT LOA TYPE 4A NSN
THE QUANTITY OF TYPE 4A MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY LOA.

7957 M6B5-FSC-DP-LOA-T4B-NSN M6B5_STAT_CNT_7957 DLSC-SBA F INTEGER 8
M6B5 FSC DEPARTMENT LOA TYPE 4B NSN
THE QUANTITY OF TYPE 4B MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY LOA.

7958 M6B5-FSC-DP-LOA-T2-NSN M6B5_STAT_CNT_7958 DLSC-SBA F INTEGER 8
M6B5 FSC DEPARTMENT LOA TYPE 2 NSN
THE QUANTITY OF TYPE 2 MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY LOA.

7959 M6B5-FSC-DP-LOA-FULL-PCT DLSC-SBA F 8
M6B5 FSC DEPARTMENT LOA FULL PERCENT
THE PERCENT OF MANAGED NSNS THAT ARE FULL DESCRIPTIVE BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY LOA.

7960 M6B5-FSC-DP-LOA-PART-PCT DLSC-SBA F 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

M6B5 FSC DEPARTMENT LOA PARTIAL PERCENT
THE PERCENT OF MANAGED NSNS THAT ARE PARTIAL DESCRIPTIVE BY FEDERAL CLASS BY DEPARTMENT BY LOA.

7961 M6B5-FSC-DP-LOA-REF-PCT — DLSC-SBA — F — 8
M6B5 FSC DEPARTMENT LOA REFERENCE PERCENT
THE PERCENT OF MANAGED NSNS THAT ARE REFERENCE TYPE BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY LOA.

7962 M6B5-FSC-DP-T1-NSN — M6B5_STAT_CNT_7962 — DLSC-SBA — F INTEGER — 8
M6B5 FSC DEPARTMENT TYPE 1 NSN
THE QUANTITY OF TYPE 1 MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT.

7963 M6B5-FSC-DP-T1A-NSN — M6B5_STAT_CNT_7963 — DLSC-SBA — F INTEGER — 8
M6B5 FSC DEPARTMENT TYPE 1A NSN
THE QUANTITY OF TYPE 1A MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT.

7964 M6B5-FSC-DP-T1B-NSN — M6B5_STAT_CNT_7964 — DLSC-SBA — F INTEGER — 8
M6B5 FSC DEPARTMENT TYPE 1B NSN
THE QUANTITY OF TYPE 1B MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT.

7965 M6B5-FSC-DP-T4-NSN — M6B5_STAT_CNT_7965 — DLSC-SBA — F INTEGER — 8
M6B5 FSC DEPARTMENT TYPE 4 NSN
THE QUANTITY OF TYPE 4 MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT.

7966 M6B5-FSC-DP-T4A-NSN — M6B5_STAT_CNT_7966 — DLSC-SBA — F INTEGER — 8
M6B5 FSC DEPARTMENT TYPE 4A NSN
THE QUANTITY OF TYPE 4A MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT.

7967 M6B5-FSC-DP-T4B-NSN — M6B5_STAT_CNT_7967 — DLSC-SBA — F INTEGER — 8
M6B5 FSC DEPARTMENT TYPE 4B NSN
THE QUANTITY OF TYPE 4B MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT.

7968 M6B5-FSC-DP-T2-NSN — M6B5_STAT_CNT_7968 — DLSC-SBA — F INTEGER — 8
M6B5 FSC DEPARTMENT TYPE 2 NSN
THE QUANTITY OF TYPE 2 MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT.

7969 M6B5-FSC-DP-FULL-PCT — DLSC-SBA — F — 8
M6B5 FSC DEPARTMENT FULL PERCENT
THE PERCENT OF MANAGED NSNS THAT ARE FULL DESCRIPTIVE BY FEDERAL SUPPLY CLASS BY DEPARTMENT.

7970 M6B5-FSC-DP-PART-PCT — DLSC-SBA — F — 8
M6B5 FSC DEPARTMENT PARTIAL PERCENT
THE PERCENT OF MANAGED NSNS THAT ARE PARTIAL DESCRIPTIVE BY FEDERAL SUPPLY CLASS BY DEPARTMENT.

7971 M6B5-FSC-DP-REF-PCT — DLSC-SBA — F — 8
M6B5 FSC DEPARTMENT REFERENCE PERCENT
THE PERCENT OF MANAGED NSNS THAT ARE REFERENCE TYPE BY FEDERAL SUPPLY CLASS BY DEPARTMENT.

7972 FRST-INSP-PED — DLSC-V — F — 1

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

FIRST INSPECTION PERIOD (1IM)
A NUMERIC CODE THAT INDICATES WHEN THE FIRST INSPECTION ON AN ITEM IS TO BE CONDUCTED.

7973 ADDNL-RQM-CD ADDNL_RQM_CD_7973 DLSC-V F CHAR 2
ADDITIONAL REQUIREMENTS CODE (AC)
A CODE TO PROVIDE ADDITIONAL INFORMATION THAT WILL BE OF ASSISTANCE TO THE STORAGE ACTIVITIES IN THE STORAGE QUALITY CONTROL.

7975 IDEN-MKG-CD DLSC-V V 11
IDENTIFICATION MARKING CODES (ITEM MARK)
AN ALPHANUMERIC CODE TO CERTIFY THE COMPOSITION, MANUFACTURING DATES, MANUFACTURER AND EXPIRATION DATES.

7976 INSP-CD DLSC-V F 2
INSPECTION CODE (IC)
A CODE TO DEPICT CRITICAL AND MAJOR DEFECTS. IT ALERTS INSPECTION PERSONNEL TO KEY ELEMENTS REQUIRING SPECIAL ATTENTION.

7977 INSP-LVL DLSC-V F 2
INSPECTION LEVEL (IL)
A CODE IDENTIFYING SAMPLING PROCEDURES FOR STORAGE SURVEILLANCE IN ORDER TO PROVIDE THE WIDEST RANGE OF COVERAGE AND DESIRED LEVEL OF QUALITY ASSURANCE.

7978 PKG-CODE DLSC-V F 2
PACKAGING CODE (PKG)
AN ALPHANUMERIC CODE TO IDENTIFY LEVELS OF PROTECTION FOR THE STORAGE CONDITION CITED.

7979 PK-CD DLSC-V F 2
PACKING CODE (PNG)
AN ALPHANUMERIC CODE THAT SERVES AS A GUIDELINE FOR PACKAGING OF MATERIAL.

7980 REINSP-LMT DLSC-V F 1
REINSPECTION LIMIT (RL)
A CODE TO INDICATE THE NUMBER OF REINSPECTIONS PERMITTED IN ORDER TO EXTEND THE SHELF LIFE.

7981 REINSP-PED DLSC-V F 2
REINSPECTION PERIOD (RM)
A CODE TO INDICATE IN MONTHS WHEN ITEMS ARE TO BE SCHEDULED FOR REINSPECTION.

7982 SHLF-LIF-MO DLSC-V F 2
SHELF LIFE MONTH (SL)
A CODE TO INDICATE, IN MONTHS, THE LIFE OF AN ITEM.

7983 SP-RQMT-CD DLSC-V F 2
SPECIAL REQUIREMENT CODE (SRC)
A CODE TO REFLECT SPECIAL CHARACTERISTICS OF AN ITEM TO BE USED DURING RECEIPT, STORAGE AND SHIPMENT. THE CODE INDICATES SPECIAL LABELING REQUIREMENTS, HAZARDOUS/DANGEROUS OR SENSITIVE CHARACTERISTICS OF AN ITEM.

7984 STOR-CODE DLSC-V F 2
STORAGE CODE (SC)

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A CODE USED TO INDICATE THE TYPE OF STORAGE REQUIRED.

7985 SVC-QLTY-LVL — DLSC-V — F — 3
SERVICE QUALITY LEVEL (SQL)
A CODE TO INDICATE THE NUMERICAL VALUE IN TERMS OF PERCENT-DEFECTIVE.

7986 TES-RQMT-CD — DLSC-V — F — 2
TEST REQUIREMENTS CODE (TC)
A CODE TO INDICATE THE AMOUNT OF SAMPLES NORMALLY REQUIRED FOR A LABORATORY TEST.

7987 M6B6-FSC-AT-LOA-T1-NSN — M6B6_STAT_CNT_7987 — DLSC-SBA — F — INTEGER — 8
M6B6 FSC ACTIVITY LOA TYPE 1 NSN
THE QUANTITY OF TYPE 1 MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY BY LOA.

7988 M6B6-FSC-AT-LOA-T1A-NSN — M6B6_STAT_CNT_7988 — DLSC-SBA — F — INTEGER — 8
M6B6 FSC ACTIVITY LOA TYPE 1A NSN
THE QUANTITY OF TYPE 1A MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY BY LOA.

7989 M6B6-FSC-AT-LOA-T1B-NSN — M6B6_STAT_CNT_7989 — DLSC-SBA — F — INTEGER — 8
M6B6 FSC ACTIVITY LOA TYPE 1B NSN
THE QUANTITY OF TYPE 1B MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY BY LOA.

7990 M6B6-FSC-AT-LOA-T4-NSN — M6B6_STAT_CNT_7990 — DLSC-SBA — F — INTEGER — 8
M6B6 FSC ACTIVITY LOA TYPE 4 NSN
THE QUANTITY OF TYPE 4 MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY BY LOA.

7991 M6B6-FSC-AT-LOA-T4A-NSN — M6B6_STAT_CNT_7991 — DLSC-SBA — F — INTEGER — 8
M6B6 FSC ACTIVITY LOA TYPE 4A NSN
THE QUANTITY OF TYPE 4A MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY BY LOA.

7992 M6B6-FSC-AT-LOA-T4B-NSN — M6B6_STAT_CNT_7992 — DLSC-SBA — F — INTEGER — 8
M6B6 FSC ACTIVITY LOA TYPE 4B NSN
THE QUANTITY OF TYPE 4B MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY BY LOA.

7993 M6B6-FSC-AT-LOA-T2-NSN — M6B6_STAT_CNT_7993 — DLSC-SBA — F — INTEGER — 8
M6B6 FSC ACTIVITY LOA TYPE 2 NSN
THE QUANTITY OF TYPE 2 MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY BY LOA.

7994 M6B6-FSC-AT-LOA-FULL-PCT — DLSC-SBA — F — 8
M6B6 FSC ACTIVITY LOA FULL PERCENT
THE PERCENT OF MANAGED NSNS THAT ARE FULL DESCRIPTIVE BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY BY LOA.

7996 M6B6-FSC-AT-LOA-PART-PCT — DLSC-SBA — F — 8
M6B6 FSC ACTIVITY LOA PARTIAL PERCENT
THE PERCENT OF MANAGED NSNS THAT ARE PARTIAL DESCRIPTIVE BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY BY LOA.

7997 M6B6-FSC-AT-LOA-REF-PCT — DLSC-SBA — F — 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

M6B6 FSC ACTIVITY LOA REFERENCE PERCENT
THE PERCENT OF MANAGED NSNS THAT ARE REFERENCE TYPE BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY BY LOA.

7998 M6B6-FSC-AT-T1-NSN M6B6_STAT_CNT_7998 DLSC-SBA F INTEGER 8
M6B6 FSC ACTIVITY TYPE 1 NSN
THE QUANTITY OF TYPE 1 MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY.

7999 M6B6-FSC-AT-T1A-NSN M6B6_STAT_CNT_7999 DLSC-SBA F INTEGER 8
M6B6 FSC ACTIVITY TYPE 1A NSN
THE QUANTITY OF TYPE 1A MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY.

8000 M6B6-FSC-AT-T1B-NSN M6B6_STAT_CNT_8000 DLSC-SBA F INTEGER 8
M6B6 FSC ACTIVITY TYPE 1B NSN
THE QUANTITY OF TYPE 1B MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY.

8001 M6B6-FSC-AT-T4-NSN M6B6_STAT_CNT_8001 DLSC-SBA F INTEGER 8
M6B6 FSC ACTIVITY TYPE 4 NSN
THE QUANTITY OF TYPE 4 MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY.

8002 M6B6-FSC-AT-T4A-NSN M6B6_STAT_CNT_8002 DLSC-SBA F INTEGER 8
M6B6 FSC ACTIVITY TYPE 4A NSN
THE QUANTITY OF TYPE 4A MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY.

8003 TOT-REC-IDIC-ACT-DEPT-QT DLSC-SB F 8
TOTAL RECEIVED INPUT DIC ACTIVITY DEPARTMENT QUANTITY
THE TOTAL NUMBER OF TRANSACTIONS RECEIVED BY INPUT DOCUMENT INDICATOR CODES BY ACTIVITY, BY DEPARTMENT.

8009 AMSC-AMC-VLD-COMBS-CD AMSC_AMC_VC_8009 DLSC-SBA F CHAR 1
AMSC AMC VALID COMBINATIONS CODE
AN INDICATOR CODE THAT SPECIFIES VALID COMBINATIONS OF ACQUISITION METHOD (DRN 2871) AND ACQUISITION METHOD SUFFIX CODE (DRN 2876). VALID VALUES ARE 0 = VALID, X = INVALID. REFERENCE DOD 4100.39-M, VOLUME 10, CHAPTER 4, TABLE 70.

8011 MEDALS-DOC-SEC-CD DOC_SEC_8011 F CHAR 1
MEDALS DOCUMENT SECURITY CODE
A ONE CHARACTER CODE FIELD REPRESENTING THE SECURITY CLASSIFICATION OF THE DRAWING OR DOCUMENT. CODES IDENTIFIED IN MIL-STD-804: N --UNCLASSIFIED, F -- SECRET RESTRICTED, C -- CONFIDENTIAL, G -- TOP SECRET RESTRICTED, M -- CONF. MOD. HNDL, H -- CONF-FORMERLY RESTRICTED, S --SECRET, J -- SECRET - FORMERLY RESTRICTED, T -- TOP SECRET, K -- TOP SECRET - FORMERLY RESTRICTED, E -- CONFIDENTIAL RESTRICTED DATA.

8012 MEDALS-DOC-NUC-CD DOC_NUC_8012 F CHAR 1
MEDALS DOCUMENT NUCLEAR CODE
A ONE CHARACTER CODE ALPHA FIELD TO INDICATE WHETHER THE USER IS ALLOWED ACCESS TO DRAWINGS WITH NUCLEAR COMPONENTS. VALUES ARE 'Y' FOR YES AND 'N' FOR NO. DEFAULT IN MEDALS IS 'N'.

8013 MEDALS-DOC-DIST-STMT-CD DOC_DIST_STMT_8013 DLSC-VP F CHAR 1
MEDALS DOCUMENT DISTRIBUTION STATEMENT CODE
A ONE CHARACTER CODE ALPHA FIELD REPRESENTING THE LEVEL OF DISTRIBUTION FOR A DOCUMENT PER MIL-STD-1806. CODES IDENTIFIED IN MIL-STD-1806: A --UNLIMITED, B -- US GOVERNMENT, C -- US GOVT AND CONTRACTORS, D -- DOD ONLY, E -- DIRECT MILITARY SUPPORT, F -- BY REQUEST/APPROVAL OF COMMANDER, NAVAL SEA SYSTEMS COMMAND, X -- CERTIFIED CONTRACTORS

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

8014 MEDALS-EDRS-CTL-ACTY-CD EDRS_8014 F CHAR 2
MEDALS EDRS CONTROLLING ACTIVITY CODE
A TWO CHARACTER CODE USED TO IDENTIFY ENGINEERING DATA REPOSITORIES THAT MAINTAIN THE OFFICIAL RECORD COPY OF DATA. THESE REPOSITORIES ARE RESPONSIBLE FOR PROCESSING REQUESTS FOR COPIES OF MASTER DATA. THE CODES ARE IDENTICAL TO THE ACTIVITY CODES IDENTIFIED IN THE DIDS MANUAL DOD 4100.39-M, VOLUME 10, TABLE 104, PART 4. THIS CODE WILL BE THE PRIMARY CONTROL FOR THE DOCUMENT RIGHTS CODE, DOCUMENT NUCLEAR CODE, DISTRIBUTION STATEMENT CODE AND THE DOCUMENT SECURITY CODE.

8015 MEDALS-DOC-SEC-DESC-TX DOC_SEC_DESC_8015 F CHAR 40
MEDALS DOCUMENT SECURITY DESCRIPTION TEXT
A CLEAR TEXT DESCRIPTION OF MEDALS-DOC-SEC-CD (DRN 8011).

8016 MEDALS-DOC-DIST-DESC-TX DOC_DIST_DESC_8016 DLSC-VP F CHAR 40
MEDALS-DOC-DIST-DESC-TX
A CLEAR TEXT DESCRIPTION OF MEDALS-DOC-DIST-STMT-CD (DRN 8013).

8017 MDLS-JEDMICS-MED-CD JED_MED_CD_8017 DLSC-VP F CHAR 5
MEDALS JEDMICS MEDIA CODE
THE CODE THAT REPRESENTS THE JEDMICS MEDIA TYPE.

8018 MDLS-JEDMICS-MED-DEF-TX JED_MED_DEF_8018 DLSC-VP F CHAR 25
MEDALS JEDMICS MEDIA DEFINITION TEXT
THE TEXT DEFINING THE MEDALS JEDMICS MEDIA CODE (DRN 8017).

8019 MDLS-DGTZD-MED-ABR-TX DGTZD_MED_ABR_8019 DLSC-VP F CHAR 4
MEDALS DIGITIZED MEDIA ABBREVIATION TEXT
THE SHORT ABBREVIATION OF THE DIGITIZED MEDIA TYPE.

8071 ICMS-LA-ALL-AR-MM ICMS_STAT_CNT_8071 DLSC-SBA F INTEGER 8
ICMS LOGISTICS ASSIGNMENT ALL ARMY MULTI-MANAGED
THE TOTAL NUMBER OF NSNS WITHIN A SPECIFIC LOGISTICS ASSIGNMENT THAT ARMY MANAGES IN COMMON WITH OTHER MILITARY SERVICES.

8072 LRN-PROC-PRD-SVC-DEPT-D DLSC-SB F 6
LOGRUN PROCEDURES DLSC PROD SVC DEPARTMENT DAILY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR DLSC PRODUCTS AND SERVICES BY DEPARTMENT.

8073 LRN-PROC-PRD-SVC-DEPT-W DLSC-SB F 6
LOGRUN PROCEDURES DLSC PROD SVC DEPARTMENT WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR DLSC PRODUCTS AND SERVICES BY DEPARTMENT.

8074 LRN-PROC-PRD-SVC-DEPT-M DLSC-V F 6
LOGRUN PROCEDURES DLSC PROD SVC DEPARTMENT MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR DLSC PRODUCTS AND SERVICES BY DEPARTMENT.

8075 LRN-PROC-PRD-SVC-DEPT-Q DLSC-SB F 6

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

LOGRUN PROCEDURES DLSC PROD SVC DEPARTMENT QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR DLSC PRODUCTS AND SERVICES BY DEPARTMENT.

8076 LRN-PROC-PRD-SVC-DEPT-Y DLSC-SB F 6
LOGRUN PROCEDURES DLSC PROD SVC DEPARTMENT YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR DLSC PRODUCTS AND SERVICES BY DEPARTMENT.

8077 LRN-PROC-PROD-SVC-TOT-D DLSC-SB F 6
LOGRUN PROCEDURES DLSC PROD SVC TOTAL DAILY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR DLSC PRODUCTS AND SERVICES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8078 LRN-PROC-PROD-SVC-TOT-W DLSC-SB F 6
LOGRUN PROCEDURES DLSC PROD SVC TOTAL WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR DLSC PRODUCTS AND SERVICES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8079 LRN-PROC-PROD-SVC-TOT-M DLSC-V F 6
LOGRUN PROCEDURES DLSC PROD SVC TOTAL MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR DLSC PRODUCTS AND SERVICES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8080 LRN-PROC-PROD-SVC-TOT-Q DLSC-SB F 6
LOGRUN PROCEDURES DLSC PROD SVC TOTAL QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR DLSC PRODUCTS AND SERVICES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8081 LRN-PROC-PROD-SVC-TOT-Y DLSC-SB F 6
LOGRUN PROCEDURES DLSC PROD SVC TOTAL YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR DLSC PRODUCTS AND SERVICES BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8082 LRN-PROC-STAT-INFO-CAN-D DLSC-SB F 6
LOGRUN PROCEDURES STAT INFO CUSTOMER ACCOUNT NUMBER DAILY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR STATISTICS INFORMATION BY CUSTOMER ACCOUNT NUMBER.

8083 LRN-PROC-STAT-INFO-CAN-W DLSC-SB F 6
LOGRUN PROCEDURES STAT INFO CUSTOMER ACCOUNT NUMBER WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR STATISTICS INFORMATION BY CUSTOMER ACCOUNT NUMBER.

8084 LRN-PROC-STAT-INFO-CAN-M DLSC-SB F 6
LOGRUN PROCEDURES STAT INFO CUSTOMER ACCOUNT NUMBER MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR STATISTICS INFORMATION BY CUSTOMER ACCOUNT NUMBER.

8085 LRN-PROC-STAT-INFO-CAN-Q DLSC-SB F 6

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

LOGRUN PROCEDURES STAT INFO CUSTOMER ACCOUNT NUMBER QRTLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR STATISTICS INFORMATION BY CUSTOMER ACCOUNT NUMBER.

8086 LRN-PROC-STAT-INFO-CAN-Y DLSC-SB F 6
LOGRUN PROCEDURES STAT INFO CUSTOMER ACCOUNT NUMBER YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR STATISTICS INFORMATION BY CUSTOMER ACCOUNT NUMBER.

8087 LRN-PROC-STAT-INFO-ACT-D LRN_STAT_CNT_8087 DLSC-SB F INTEGER 6
LOGRUN PROCEDURES STAT INFO ACTIVITY DAILY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR STATISTICS INFORMATION BY ACTIVITY.

8088 LRN-PROC-STAT-INFO-ACT-W DLSC-SB F 6
LOGRUN PROCEDURES STAT INFO ACTIVITY WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR STATISTICS INFORMATION BY ACTIVITY.

8089 LRN-PROC-STAT-INFO-ACT-M DLSC-SB F 6
LOGRUN PROCEDURES STAT INFO ACTIVITY MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR STATISTICS INFORMATION BY ACTIVITY.

8090 LRN-PROC-STAT-INFO-ACT-Q DLSC-SB F 6
LOGRUN PROCEDURES STAT INFO ACTIVITY QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR STATISTICS INFORMATION BY ACTIVITY.

8091 LRN-PROC-STAT-INFO-ACT-Y DLSC-SB F 6
LOGRUN PROCEDURES STAT INFO ACTIVITY YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR STATISTICS INFORMATION BY ACTIVITY.

8092 LRN-PROC-STAT-INF-DEPT-D DLSC-SB F 6
LOGRUN PROCEDURES STAT INFO DEPARTMENT DAILY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR STATISTICS INFORMATION BY DEPARTMENT.

8093 LRN-PROC-STAT-INF-DEPT-W DLSC-SB F 6
LOGRUN PROCEDURES STAT INFO DEPARTMENT WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR STATISTICS INFORMATION BY DEPARTMENT.

8094 LRN-PROC-STAT-INF-DEPT-M DLSC-SB F 6
LOGRUN PROCEDURES STAT INFO DEPARTMENT MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR STATISTICS INFORMATION BY DEPARTMENT.

8095 LRN-PROC-STAT-INF-DEPT-Q DLSC-SB F 6
LOGRUN PROCEDURES STAT INFO DEPARTMENT QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR STATISTICS INFORMATION BY DEPARTMENT.

8096 LRN-PROC-STAT-INF-DEPT-Y DLSC-SB F 6
LOGRUN PROCEDURES STAT INFO DEPARTMENT YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR STATISTICS INFORMATION BY DEPARTMENT.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

8097 LRN-PROC-STAT-INF-TOT-D DLSC-SB F 6
LOGRUN PROCEDURES STAT INFO TOTAL DAILY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR STATISTICS INFORMATION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8098 LRN-PROC-STAT-INF-TOT-W DLSC-SB F 6
LOGRUN PROCEDURES STAT INFO TOTAL WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR STATISTICS INFORMATION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8099 LRN-PROC-STAT-INF-TOT-M DLSC-SB F 6
LOGRUN PROCEDURES STAT INFO TOTAL MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR STATISTICS INFORMATION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8100 LRN-PROC-STAT-INF-TOT-Q DLSC-SB F 6
LOGRUN PROCEDURES STAT INFO TOTAL QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR STATISTICS INFORMATION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8101 LRN-PROC-STAT-INF-TOT-Y DLSC-SB F 6
LOGRUN PROCEDURES STAT INFO TOTAL YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR STATISTICS INFORMATION BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8102 LRN-PROC-BB-CAN-D DLSC-SB F 6
LOGRUN PROCEDURES BULLETIN BOARD CUSTOMER ACCT NUMBER DAILY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR THE BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER.

8103 LRN-PROC-BB-CAN-W DLSC-SB F 6
LOGRUN PROCEDURES BULLETIN BOARD CUSTOMER ACCT NUMBER WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR THE BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER.

8104 LRN-PROC-BB-CAN-M DLSC-SB F 6
LOGRUN PROCEDURES BULLETIN BOARD CUSTOMER ACCT NMBR MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR THE BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER.

8105 LRN-PROC-BB-CAN-Q DLSC-SB F 6
LOGRUN PROCEDURES BULLETIN BOARD CUSTOMER ACCT NMBR QTRLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR THE BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER.

8106 LRN-PROC-BB-CAN-Y DLSC-SB F 6
LOGRUN PROCEDURES BULLETIN BOARD CUSTOMER ACCT NUMBER YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR THE BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

8107 LRN-PROC-BB-ACTY-D LRN_STAT_CNT_8107 DLSC-SB F INTEGER 6
LOGRUN PROCEDURES BULLETIN BOARD ACTIVITY DAILY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR THE BULLETIN BOARD BY ACTIVITY.

8108 LRN-PROC-BB-ACTY-W DLSC-SB F 6
LOGRUN PROCEDURES BULLETIN BOARD ACTIVITY WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR THE BULLETIN BOARD BY ACTIVITY.

8109 LRN-PROC-BB-ACTY-M DLSC-SB F 6
LOGRUN PROCEDURES BULLETIN BOARD ACTIVITY MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR THE BULLETIN BOARD BY ACTIVITY.

8110 LRN-PROC-BB-ACTY-Q DLSC-SB F 6
LOGRUN PROCEDURES BULLETIN BOARD ACTIVITY QUARTELRY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR THE BULLETIN BOARD BY ACTIVITY.

8111 LRN-PROC-BB-ACTY-Y DLSC-SB F 6
LOGRUN PROCEDURES BULLETIN BOARD ACTIVITY YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR THE BULLETIN BOARD BY ACTIVITY.

8112 LRN-PROC-BB-DEPT-D DLSC-SB F 6
LOGRUN PROCEDURES BULLETIN BOARD DEPARTMENT DAILY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR THE BULLETIN BOARD BY DEPARTMENT.

8113 LRN-PROC-BB-DEPT-W DLSC-SB F 6
LOGRUN PROCEDURES BULLETIN BOARD DEPARTMENT WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR THE BULLETIN BOARD BY DEPARTMENT.

8114 LRN-PROC-BB-DEPT-M DLSC-SB F 6
LOGRUN PROCEDURES BULLETIN BOARD DEPARTMENT MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR THE BULLETIN BOARD BY DEPARTMENT.

8115 LRN-PROC-BB-DEPT-Q DLSC-SB F 6
LOGRUN PROCEDURES BULLETIN BOARD DEPARTMENT QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR THE BULLETIN BOARD BY DEPARTMENT.

8116 50-NSN-FMY-1 DLSC-SBA F 8
50 NSN FAMILY 1
THE NUMBER OF FAMILIES HAVING 50 NSNS FOR DRN 6873, DEPARTMENT NSN FAMILY RANGE QUANTITY.

8117 IANDS-ACTY-GRP-NSN DLSC-SBA F 8
INTERCHANGEABILITY AND SUBSTITUTABILITY ACTIVITY GROUP NSN
THE QUANTITY OF NSNS IN I AND S FAMILIES FOR ACTIVITIES WITHIN DEPARTMENT BROKEN OUT BY: 2, 3, 4, 5, 6-10, 11-15, 16-25, AND 26-50 NSNS FOR FAMILY.

8118 IANDS-DEPT-NSN IANS_STAT_CNT_8118 DLSC-SBA F INTEGER 8
INTERCHANGEABILITY AND SUBSTITUTABILITY

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE TOTAL NUMBER OF PICA MANAGED NSNS FOR I AND S FAMILIES FOR DEPARTMENT.

8119 IANDS-GTOT-GRP-NSN DLSC-SBA F 8
INTERCHANGEABILITY AND SUBSTITUTABILITY GRAND TOT GROUP N
THE GRAND TOTAL OF NSNS IN I AND S FAMILIES BROKEN OUT BY: 2, 3, 4, 5, 6-10, 11-15, 16-25, 26-50 NSNS PER FAMILY.

8120 IANDS-GTOT-AVG-NSN DLSC-SBA F 8
INTERCHANGEABILITY AND SUBSTITUTABILITY GRAND TOTAL AVG N
THE GRAND TOTAL AVERAGE OF NSNS PER I AND S FAMILY.

8121 IANDS-GTOT-NSN IANS_STAT_CNT_8121 DLSC-SBA F INTEGER 8
INTERCHANGEABILITY AND SUBSTITUTABILITY GRAND
THE GRAND TOTAL OF NSNS IN I AND S FAMILIES.

8122 IANDS-GTOT-TOT-FAMILIES DLSC-SBA F 8
INTERCHANGEABILITY AND SUBSTITUTABILITY GRAND TOT TOT FAM
THE GRAND TOTAL OF I AND S FAMILIES.

8123 IANDS-GTOT-REL-SICA IANS_STAT_CNT_8123 DLSC-SBA F INTEGER 8
INTERCHANGEABILITY AND SUBSTITUTABILITY GRANT TOT REL SIC
THE GRAND TOTAL OF RELATED I AND S NSNS A DEPARTMENT IS RECORDED ON AS A SICA.

8124 IANDS-GTOT-MTR-SICA IANS_STAT_CNT_8124 DLSC-SBA F INTEGER 8
INTERCHANGEABILIGY AND SUBSTITUTABILITY GRAND TOT MTR SIC
THE GRAND TOTAL OF MASTER I AND S NSNS A DEPARTMENT IS RECORDED ON AS A SICA.

8125 IANDS-GTOT-REL-PICA IANS_STAT_CNT_8125 DLSC-SBA F INTEGER 8
INTERCHANGEABILITY AND SUBSTITUTABILITY GRAND TOT REL PIC
THE GRAND TOTAL OF RELATED I AND S NSNS A DEPARTMENT IS RECORDED ON AS A PICA.

8126 IANDS-GTOT-MTR-PICA IANS_STAT_CNT_8126 DLSC-SBA F INTEGER 8
INTERCHANGEABILITY AND SUBSTITUTABILITY GRAND TOT MTR PIC
THE GRANT TOTAL OF MASTER I AND S NSNS A DEPARTMENT IS RECORDED ON AS A PICA.

8127 IANDS-GTOT-MTR-P-S-FAM IANS_STAT_CNT_8127 DLSC-SBA F INTEGER 8
INTERCHANGEABILITY AND SUBSTITUTABILITY GTOT MTR P S FAMI
THE GRAND TOTAL OF I AND S FAMILIES ANY DEPARTMENT IS RECORDED ON AS EITHER A PICA OR A SICA.

8128 LRN-PROC-BB-DEPT-Y DLSC-SB F 6
LOGRUN PROCEDURES BULLETIN BOARD DEPARTMENT YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR THE BULLETIN BOARD BY DEPARTMENT.

8129 CON-INCREMENT CON_INCREMENT_8129 DLSC-SBA F INTEGER 8
CONSUMABLES INCREMENT
A SERIES OF REGULAR CONSECUTIVE ADDITIONS OF PREDETERMINED NSNS FOR A SPECIAL PROJECT.

8130 CON-SNS-SLCT DLSC-SBA F 8
CONSUMABLES NSN SELECTED

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE NUMBER OF NSNS SELECTED BY AN ITEM MANAGEMENT CODEING ACTIVITY FOR A SPECIFIC PROJECT INCREMENT.

8131 LRN-PROC-BB-TOT-D — DLSC-SB — F — 6
LOGRUN PROCEDURES BULLETIN BOARD TOTAL DAILY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR THE BULLETIN BOARD BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8132 LRN-PROC-BB-TOT-W — DLSC-SB — F — 6
LOGRUN PROCEDURES BULLETIN BOARD TOTAL WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR THE BULLETIN BOARD BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8133 LRN-PROC-BB-TOT-M — DLSC-SB — F — 6
LOGRUN PROCEDURES BULLETIN BOARD TOTAL MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR THE BULLETIN BOARD BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8134 LRN-PROC-BB-TOT-Q — DLSC-SB — F — 6
LOGRUN PROCEDURES BULLETIN BOARD TOTAL QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR THE BULLETIN BOARD BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8135 LRN-PROC-BB-TOT-Y — DLSC-SB — F — 6
LOGRUN PROCEDURES BULLETIN BOARD TOTAL YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR THE BULLETIN BOARD BY DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8136 20-NSN-FMY — DLSC-SBA — F — 8
20 NSN FAMILY
THE NUMBER OF FAMILIES HAVING 20 NSNS FOR DRN 8117, DEPARTMENT ACTIVITY FAMILY RANGE QUANTITY.

8137 LRN-PROC-ADD-UPDT-DEPT-Q — DLSC-SB — F — 6
LOGRUN PROCEDURES ADD UPDATE DEPARTMENT QUARTERLY
THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY DEPARTMENT ON A QUARTERLY BASIS.

8138 LRN-PROC-DEL-UPDT-DEPT-Q — DLSC-SB — F — 6
LOGRUN PROCEDURES DELETE UPDATE DEPARTMENT QUARTERLY
THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR PROCEDURES BULLETIN BOARD BY DEPARTMENT ON A QUARTERLY BASIS.

8139 LRN-PROC-BB-UPDT-TOT-Q — DLSC-SB — F — 6
LOGRUN PROCEDURES BULLETIN BOARD UPDATE TOTAL QUARTERLY
THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY ACTIVITY, DEPARTMENT, AND CUSTOMER ACTIVITY NUMBER ON A QUARTERLY BASIS.

8140 LRN-PROC-CHG-UPDT-TOT-Q — DLSC-SB — F — 6
LOGRUN PROCEDURES CHANGE UPDATE TOTAL QRTRLY
THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY ACTIVITY, DEPARTMENT, AND CUSTOMER ACCOUNT NUMBER ON A QUARTERLY BASIS.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

8141 LRN-PROC-ADD-UPDT-TOT-Q DLSC-SB F 6
LOGRUN PROCEDURES ADD UPDATE TOTAL QUARTERLY
THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY ACTIVITY, DEPARTMENT, AND CUSTOMER ACCOUNT NUMBER ON A QUARTERLY BASIS.

8142 LRN-PROC-DEL-UPDT-TOT-Q DLSC-SB F 6
LOGRUN PROCEDURES DELETE UPDATE TOTAL QUARTERLY
THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR PROCEDURES BULLETIN BOARD BY ACTIVITY, DEPARTMENT, AND CUSTOMER ACCOUNT NUMBER ON A QUARTERLY BASIS.

8143 LRN-PROC-BB-UPDT-CAN-Y DLSC-SB F 6
LOGRUN PROCEDURE BULLETIN BRD UPDATE CUST ACCT NMBR YEARLY
THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A YEARLY BASIS.

8144 LRN-PROC-CHG-UPDT-CAN-Y DLSC-SB F 6
LOGRUN PROCEDURES CHANGE UPDATE CUSTOMER ACCNT NMBR YEARLY
THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A YEARLY BASIS.

8145 LRN-PROC-ADD-UPDT-CAN-Y DLSC-SB F 6
LOGRUN PROCEDURES ADD UPDATE CUSTOMER ACCOUNT NMBR YEARLY
THE TOTAL NUMERB OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A YEARLY BASIS.

8146 LRN-PROC-DEL-UPDT-CAN-Y DLSC-SB F 6
LOGRUN PROCEDURES DELETE UPDATE CUSTOMER ACCT NMBR YEARLY
THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR PROCEDURES BULLETIN BOARD BY CUSTOMER ACCOUNT NUMBER ON A YEARLY BASIS.

8147 LRN-PROC-BB-UPDT-ACTY-Y DLSC-SB F 6
LOGRUN PROCEDURES BULLETIN BOARD UPDATE ACTIVITY YEARLY
THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY ACTIVITY ON A YEARLY BASIS.

8148 LRN-PROC-CHG-UPDT-ACTY-Y DLSC-SB F 6
LOGRUN PROCEDURES CHANGE UPDATE ACTIVITY YEARLY
THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY ACTIVITY ON A YEARLY BASIS.

8149 LRN-PROC-ADD-UPDT-ACTY-Y DLSC-SB F 6
LOGRUN PROCEDURES ADD UPDATE ACTIVITY YEARLY
THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY ACTIVITY ON A YEARLY BASIS.

8150 LRN-PROC-DEL-UPDT-ACTY-Y DLSC-SB F 6
LOGRUN PROCEDURES DELETE UPDATE ACTIVITY YEARLY
THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR PROCEDURES BULLETIN BOARD BY ACTIVITY ON A YEARLY BASIS.

8151 LRN-PROC-BB-UPDT-DEPT-Y DLSC-SB F 6

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

LOGRUN PROCEDURES BULLETIN BOARD UPDATE DEPARTMENT YEARLY
THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY DEPARTMENT ON A YEARLY BASIS.

8152 LRN-PROC-CHG-UPDT-DEPT-Y DLSC-SB F 6
LOGRUN PROCEDURES CHANGE UPDATE DEPARTMENT YEARLY
THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY DEPARTMENT ON A YEARLY BASIS.

8153 LRN-PROC-ADD-UPDT-DEPT-Y DLSC-SB F 6
LOGRUN PROCEDURES ADD UPDATE DEPARTMENT YEARLY
THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY DEPARTMENT ON A YEARLY BASIS.

8154 LRN-PROC-DEL-UPDT-DEPT-Y DLSC-SB F 6
LOGRUN PROCEDURES DELETE UPDATE DEPARTMENT YEARLY
THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR PROCEDURES BULLETIN BOARD BY DEPARTMENT ON A YEARLY BASIS.

8155 LRN-PROC-BB-UPDT-TOT-Y DLSC-SB F 6
LOGRUN PROCEDURES BULLETIN BOARD UPDATE TOTAL YEARLY
THE TOTAL NUMBER OF UPDATES MADE TO THE PROCEDURES BULLETIN BOARD BY ACTIVITY, DEPARTMENT, AND CUSTOMER ACCOUNT NUMBER ON A YEARLY BASIS.

8156 LRN-PROC-CHG-UPDT-TOT-Y DLSC-SB F 6
LOGRUN PROCEDURES CHANGE UPDATE TOTAL YEARLY
THE TOTAL NUMBER OF CHANGES MADE TO THE ON-LINE PROCEDURES TEXT OR THE PROCEDURES BULLETIN BOARD BY ACTIVITY, DEPARTMENT, AND CUSTOMER ACCOUNT NUMBER ON A YEARLY BASIS.

8157 LRN-PROC-ADD-UPDT-TOT-Y DLSC-SB F 6
LOGRUN PROCEDURES ADD UPDATE TOTAL YEARLY
THE TOTAL NUMBER OF ADDITIONS MADE TO THE PROCEDURES TEXT OR BULLETIN BOARD BY ACTIVITY, DEPARTMENT, AND CUSTOMER ACCOUNT NUMBER ON A YEARLY BASIS.

8158 LRN-PROC-DEL-UPDT-TOT-Y DLSC-SBA F 6
LOGRUN PROCEDURES DELETE UPDATE TOTAL YEARLY
THE TOTAL NUMBER OF DELETIONS MADE FROM THE PROCEDURES TEXT OR PROCEDURES BULLETIN BOARD BY ACTIVITY, DEPARTMENT, AND CUSTOMER ACCOUNT NUMBER ON A YEARLY BASIS.

8159 STAT-LIMITED-RIGHTS-GRP STAT_LMD_RT_G_8159 DLSC-SBA F CHAR 2
STATISTICS LIMITED RIGHTS GROUP
THIS DATA ELEMENT REPRESENTS THE COUNT OF INDIVIDUAL DOCUMENT AVAILABILITY CODES (DAC) OR CAN REPRESENT A SUMMARY OF DACS B, D, F, H.

8161 45-NSN-FMY DLSC-SBA F 8
45 NSN FAMILY
THE NUMBER OF FAMILIES HAVING 45 NSNS FOR DRN 8117, DEPARTMENT ACTIVITY FAMILY RANGE QUANTITY.

8162 FCS-REF-SAC-TII-1-NSN FCS_STAT_CNT_8162 DLSC-SBA F INTEGER 8
FCS REFERENCE SUBMITTING ACTIVITY TYPE II 1 NSN
QUANTITY OF NSNS IN THE FILE WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING ACTIVITY WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

8163 FCS-REF-SAC-TII-2-NSN FCS_STAT_CNT_8163 DLSC-SBA F INTEGER 8
FCS REFERENCE SUBMITTING ACTIVITY TYPE II 2 NSN
QUANTITY OF NSNS IN THE FILE WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING ACTIVITY WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION.

8164 FCS-REF-SAC-TII-4-NSN FCS_STAT_CNT_8164 DLSC-SBA F INTEGER 8
FCS REFERENCE SUBMITTING ACTIVITY TYPE II 4 NSN
QUANTITY OF NSNS IN THE FILE WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING ACTIVITY WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

8165 FCS-REF-SAC-TII-1-PCT DLSC-SBA F 8
FCS REFERENCE SUBMITTING ACTIVITY TYPE II 1 PERCENT
PERCENT OF NSNS IN THE FILE WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING ACTIVITY WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

8166 FCS-REF-SAC-TII-2-PCT DLSC-SBA F 8
FCS REFERENCE SUBMITTING ACTIVITY TYPE II 2 PERCENT
PERCENT OF NSNS IN THE FILE WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING ACTIVITY WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION.

8167 IANDS-ACTY-AVG-NSN DLSC-SBA F 8
INTERCHANGEABILITY AND SUBSTITUTABILITY ACTIVITY AVERAGE
THE AVERAGE NUMBER OF PICA MANAGED NSNS PER I AND S FAMILY BY ACTIVITY WITHIN DEPARTMENT.

8168 FCS-REF-SAC-TII-4-PCT DLSC-SBA F 8
FCS REFERENCE SUBMITTING ACTIVITY TYPE II 4 PERCENT
PERCENT OF NSNS IN THE FILE WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING ACTIVITY WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

8169 6-10-NSN-FMY DLSC-SBA F 8
6-10 NSN FAMILY
THE CUMULATIVE NUMBER OF FAMILIES HAVING 6-10 NSNS FOR DRN 8117, DEPARTMENT ACTIVITY FAMILY RANGE QUANTITY.

8170 FCS-C-REF-SAC-TII-1-NSN FCS_STAT_CNT_8170 DLSC-SBA F INTEGER 8
FSC CURRENT REFERENCE SUBMITTING ACTIVITY TYPE II 1 NSN
QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING ACTIVITY WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

8171 FCS-C-REF-SAC-TII-2-NSN FCS_STAT_CNT_8171 DLSC-SBA F INTEGER 8
FCS CURRENT REFERENCE SUBMITTING ACTIVITY TYPE II 2 NSN
QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING ACTIVITY WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION.

8172 FCS-C-REF-SAC-TII-4-NSN FCS_STAT_CNT_8172 DLSC-SBA F INTEGER 8
FSC CURRENT REFERENCE SUBMITTING ACTIVITY TYPE II 4 NSN
QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING ACTIVITY WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

8173 FCS-C-REF-SDP-TII-1-NSN FCS_STAT_CNT_8173 DLSC-SBA F INTEGER 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

FCS CURRENT REFERENCE SUBMITTING DEPARTMENT TYPE II 1 NSN
QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING DEPARTMENT WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

8174 FCS-C-REF-SDP-TII-2-NSN FCS_STAT_CNT_8174 DLSC-SBA F INTEGER 8
FCS CURRENT REFERENCE SUBMITTING DEPARTMENT TYPE II 2 NSN
QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING DEPARTMENT WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION.

8175 FCS-C-REF-SDP-TII-4-NSN FCS_STAT_CNT_8175 DLSC-SBA F INTEGER 8
FCS CURRENT REFERENCE SUBMITTING DEPARTMENT TYPE II 4 NSN
QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING DEPARTMENT WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

8176 FCS-C-REF-SDP-TII-1-PCT DLSC-SB F 8
FCS CURRENT REFERENCE SUBMITTING DEPARTMENT TYPE II 1 PCT
PERCENT OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING DEPARTMENT WITH FULL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

8177 FCS-C-REF-SDP-TII-2-PCT DLSC-SBA F 8
FCS CURRENT REFERENCE SUBMITTING DEPARTMENT TYPE II 2 PCT
PERCENT OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING DEPARTMENT WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION.

8178 FCS-C-REF-SDP-TII-4-PCT DLSC-SBA F 8
FCS CURRENT REFERENCE SUBMITTING DEPARTMENT TYPE II 4 PCT
PERCENT OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD WITH MORE THAN 1 REFERENCE NUMBER BY THE SUBMITTING DEPARTMENT WITH PARTIAL DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION.

8179 LRN-PROC-TRN-PRCS-CAN-M DLSC-SB F 6
LOGRUN PROCEDURES TRANS PROCESS CUSTOMER ACCOUNT NMBR MTHLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR TRANSACTION PROCESSING BY CUSTOMER ACCOUNT NUMBER.

8180 AAC-IM-DEPT-LOA-AAC-NSN AAC_STAT_CNT_8180 DLSC-SBA F INTEGER 8
ACQUISITION ADVICE CODE IM DEPARTMENT LOA AAC NSN
TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT BY LOA WITH A SPECIFIC ACQUISITION ADVICE CODE WITHIN INTEGRATED MANAGER ASSIGNED CLASSES.

8181 AAC-IM-DEPT-NSN DLSC-SBA F 8
ACQUISITION ADVICE CODE IM DEPARTMENT NSN
TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT WITH AN ACQUISITION ADVICE CODE WITHIN INTEGRATED MANAGER ASSIGNED CLASSES.

8182 AAC-IM-DEPT-GP-NSN DLSC-SBA F 8
ACQUISITION ADVICE CODE INTEGRATED MANAGER DEPT GROUP NSN
TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT WITH A SPECIFIC ACQUISITION ADVICE CODE THAT IS PART OF A GROUP OF AAC'S WITHIN INTEGRATED MANAGER ASSIGNED CLASSES.

8183 AAC-IM-DEPT-AAC-NSN AAC_STAT_CNT_8183 DLSC-SBA F INTEGER 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

ACQUISITION ADVICE CODE INTEGRATED MANAGER DEPT AAC NSN
TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT WITH A SPECIFIC ACQUISITION ADVICE CODE WITHIN INTEGRATED MANAGER ASSIGNED CLASSES.

8184 AAC-LA-ACTY-LOA-NSN DLSC-SBA F 8
ACQUISITION ADVICE CODE LOGISTICS ASSIGNMENT ACTY LOA NSN
TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY BY LOA WITH AN ACQUISITION ADVICE CODE WITHIN CLASSES ASSIGNED TO A CLASS MANAGER.

8185 AAC-LA-ACTY-LOA-GP-NSN DLSC-SBA F 8
ACQUISITION ADVICE CODE LOGISTICS ASSIGNMENT ACTY LOA GP NSN
TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY BY LOA WITH A SPECIFIC ACQUISITION ADVICE CODE THAT IS PART OF A GROUP OF AACS WITHIN CLASSES ASSIGNED TO A CLASS MANAGER.

8186 AAC-LA-ACTY-LOA-AAC-NSN AAC_STAT_CNT_8186 DLSC-SBA F INTEGER 8
ACQUISITION ADVICE CODE LOGISTICS ASSIGN ACTY LOA AAC NSN
TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY BY LOA WITH A SPECIFIC ACQUISITION ADVICE CODE WITHIN CLASSES ASSIGNED TO A CLASS MANAGER.

8187 AAC-LA-ACTY-NSN DLSC-SBA F 8
ACQUISITION ADVICE CODE LOGISTICS ASSIGN ACTIVITY NSN
TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITH AN ACQUISITION ADVICE CODE WITHIN CLASSES ASSIGNED TO A CLASS MANAGER.

8188 AAC-LA-ACTY-GP-NSN DLSC-SBA F 8
ACQUISITION ADVICE CODE LOGISTICS ASSIGN ACTY GRP NSN
TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITH A SPECIFIC ACQUISITION ADVICE CODE THAT IS PART OF A GROUP OF AAC'S WITHIN CLASSES ASSIGNED TO A CLASS MANAGER.

8189 AAC-LA-ACTY-AAC-NSN AAC_STAT_CNT_8189 DLSC-SBA F INTEGER 8
ACQUISITION ADVICE CODE LOGISTICS ASSIGN ACTY AAC NSN
TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITH A SPECIFIC ACQUISITION ADVICE CODE WITHIN CLASSES ASSIGNED TO A CLASS MANAGER.

8190 AAC-LA-DEPT-LOA-NSN DLSC-SBA F 8
ACQUISITION ADVICE CODE LOGISITICS ASSIGNMENT DEPT LOA NSN
TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT BY LOA WITH AN ACQUISITION ADVICE CODE WITHIN CLASSES ASSIGNED TO A CLASS MANAGER.

8191 AAC-LA-DEPT-LOA-GP-NSN DLSC-SBA F 8
ACQUISITION ADVICE CODE LOGISTICS ASSIGNMENT DEPT LOA GP NSN
TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT BY LOA WITH A SPECIFIC ACQUISITION ADIVICE CODE THAT IS PART OF A GROUP OF AAC'S WITHIN CLASSES ASSIGNED TO A CLASS MANAGER.

8192 LRN-PROC-TRN-PRCS-CAN-Q DLSC-SB F 6
LOGRUN PROCEDURES TRANS PROCESS CUSTOMER ACCOUNT NMBR QRTLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR TRANSACTION PROCESSING BY CUSTOMER ACCOUNT NUMBER.

8193 LRN-PROC-TRN-PRCS-CAN-Y DLSC-SB F 6

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

LOGRUN PROCEDURES TRANS PROCESS CUSTOMER ACCOUNT NMBR YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR TRANSACTION PROCESSING BY ACCOUNT NUMBER.

8194 LRN-PROC-TRN-PRCS-ACTY-D LRN_STAT_CNT_8194 DLSC-SB F INTEGER 6
LOGRUN PROCEDURES TRANS PROCESS ACTIVITY DAILY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR TRANSACTION PROCESSING BY ACTIVITY.

8195 LRN-PROC-TRN-PRCS-ACTY-W DLSC-SB F 6
LOGRUN PROCEDURES TRANS PROCESS ACTIVITY WEEKLY
THE TOTAL NUMEBR OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR TRANSACTION PROCESSING BY ACTIVITY.

8196 LRN-PROC-TRN-PRCS-ACTY-M DLSC-SB F 6
LOGRUN PROCEDURES TRANS PROCESS ACTIVITY MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR TRANSACTION PROCESSING BY ACTIVITY.

8197 LRN-PROC-TRN-PRCS-ACTY-Q DLSC-SB F 6
LOGRUN PROCEDURES TRANS PROCESS ACTIVITY QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR TRANSACTION PROCESSING BY ACTIVITY.

8198 LRN-PROC-TRN-PRCS-ACTY-Y DLSC-SB F 6
LOGRUN PROCEDURES TRANS PROCESS ACTIVITY YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR TRANSACTION PROCESSING BY ACTIVITY.

8199 LRN-PROC-TRN-PRCS-DEPT-D DLSC-SB F 6
LOGRUN PROCEDURES TRANS PROCESS DEPARTMENT DAILY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED DAILY FOR TRANSACTION PROCESSING BY DEPARTMENT.

8200 LRN-PROC-TRN-PRCS-DEPT-W DLSC-SB F 6
LOGRUN PROCEDURES TRANS PROCESS DEPARTMENT WEEKLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED WEEKLY FOR TRANSACTION PROCESSING BY DEPARTMENT.

8201 LRN-PROC-TRN-PRCS-DEPT-M DLSC-SB F 6
LOGRUN PROCEDURES TRANS PROCESS DEPARTMENT MONTHLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED MONTHLY FOR TRANSACTION PROCESSING BY DEPARTMENT.

8202 LRN-PROC-TRN-PRCS-DEPT-Q DLSC-SB F 6
LOGRUN PROCEDURES TRANS PROCESS DEPARTMENT QUARTERLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED QUARTERLY FOR TRANSACTION PROCESSING BY DEPARTMENT.

8203 LRN-PROC-TRN-PRCS-DEPT-Y DLSC-SB F 6
LOGRUN PROCEDURES TRANS PROCESS DEPARTMENT YEARLY
THE TOTAL NUMBER OF TIMES LOGRUN PROCEDURES ARE ACCESSED YEARLY FOR TRANSACTION PROCESSING BY DEPARTMENT.

8204 M6B6-FSC-AT-T4B-NSN M6B6_STAT_CNT_8204 DLSC-SBA F INTEGER 8
M6B6 FSC ACTIVITY TYPE 4B NSN
THE QUANTITY OF TYPE 4B MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

8205 M6B6-FSC-AT-T2-NSN M6B6_STAT_CNT_8205 DLSC-SBA F INTEGER 8
M6B6 FSC ACTIVITY TYPE 2 NSN
THE QUANTITY OF TYPE 2 MANAGED NSNS BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY.

8206 M6B6-FSC-AT-FULL-PCT DLSC-SBA F 8
M6B6 FSC ACTIVITY FULL PERCENT
THE PERCENT OF MANAGED NSNS THAT ARE FULL DESCRIPTIVE BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY.

8207 M6B6-FSC-AT-PART-PCT DLSC-SBA F 8
M6B6 FSC ACTIVITY PARTIAL PERCENT
THE PERCENT OF MANAGED NSNS THAT ARE PARTIAL DESCRIPTIVE BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY.

8208 FCS-C-SAC-NSN DLSC-SBA F 8
FCS CURRENT SUBMITTING ACTIVITY CODE NSN
QUANTITY OF NSNS ASSIGNED AND APPROVED IN THE REPORTING PERIOD BY THE SUBMITTING ACTIVITY WITH FULL, PARTIAL, OR REFERENCE METHOD TYPE ITEM IDENTIFICATION.

8209 AMSC-DP-AT-TOT-NSN DLSC-SBA F 8
AMSC DEPARTMENT ACTIVITY TOTAL NSN
THE TOTAL QUANTITY OF MANAGED NSNS FOR A DEPARTMENT AND ACTIVITY THAT HAVE A COMBINATION OF ANY ACQUISITION METHOD CODE AND ANY ACQUISITION METHOD SUFFIX CODE.

8210 AMC-AT-ACC-CD-FR-NSN DLSC-SBA F 8
AMC ACTIVITY ALL COMMODITY CATEGORY CODE FROM NSN
THE TOTAL QUANTITY OF NSNS MANAGED BY AN ACTIVITY WITHIN A DEPARTMENT WITHIN THE COMMODITY CATEGORIES THAT THE ACQUISITION METHOD CODE WAS CHANGED FROM.

8211 AAC-LA-DEPT-LOA-AAC-NSN AAC_STAT_CNT_8211 DLSC-SBA F INTEGER 8
ACQUISITION ADVICE CODE LOGISTICS ASSIGNMENT DEPT LOA AAC
TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT BY LOA WITH A SPECIFIC ACQUISTION ADVICE CODE WITHIN CLASSES ASSIGNED TO A CLASS MANAGER.

8212 AAC-LA-DEPT-NSN DLSC-SBA F 8
ACQUISITION ADVICE CODE LOGISTICS ASSIGNMENT DEPT NSN
TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT WITH AN ACQUISITION ADVICE CODE WITHIN CLASES ASSIGNED TO A CLASS MANAGER.

8213 AAC-LA-DEPT-GP-NSN DLSC-SBA F 8
ACQUISITION ADVICE CODE LOGISTICS ASSIGN DEPT GRP NSN
TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT WITH A SPECIFIC ACQUISITION ADVICE CODE THAT IS PART OF A GROUP OF AACS WITHIN CLASSES ASSIGNED TO A CLASS MANAGER.

8214 AAC-LA-DEPT-AAC-NSN AAC_STAT_CNT_8214 DLSC-SBA F INTEGER 8
ACQUISITION ADVICE CODE LOGISTICS ASSIGN DEPT AAC NSN
TOTAL QUANTITY OF NSNS MANAGED BY A DEPARTMENT WITH A SPECIFIC ACQUISITION ADVICE CODE WITHIN CLASSES ASSIGNED TO A CLASS MANAGER.

8215 DS1-DEML-NSC-NSN DS1_STAT_CNT_8215 DLSC-SBA F INTEGER 8

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

DS1 DEMIL NIIN STATUS CODE NSN
THE NUMBER OF NSNS IN THE DLSC DATA BASE WITH A SPECIFIC NIIN STATUS CODE ASSOCIATED WITH A SPECIFIC DEMIL CODE.

8216 DS1-DEML-NSC-NSN-T DLSC-SBA F 8
DS1 DEML NIIN STATUS CODE NSN TOTAL
THE SUM OF NSNS WITH A SPECIFIC NIIN STATUS CODE.

8217 DS2-DPT-DEML-NSC-Ø-NSN DS2_STAT_CNT_8217 DLSC-SBA F INTEGER 8
DS2 DEPARTMENT DEMIL NIIN STATUS CODE Ø NSN
THE NUMBER OF NSNS WITH A NIIN STATUS CODE OF Ø ASSOCIATED WITH A SPECIFIC DEMIL CODE BROKEN OUT BY DEPARTMENT.

8218 DS2-DPT-DEML-NSC-Ø-NSN-T DLSC-SBA F 8
DS2 DEPARTMENT DEMIL NIIN STATUS CODE Ø NSN TOTAL
THE SUM OF NSNS WITH A NIIN STATUS CODE OF Ø COMBINATION ACROSS ALL DEMIL CODES, INCLUDING BLANK, FOR A SPECIFIC DEPARTMENT/AGENCY

8219 DS3-DOD-SS-NSC-Ø-MGD-NSN DS3_STAT_CNT_8219 DLSC-SBA F INTEGER 8
DS3 DOD SOURCE OF SUPPLY NIIN STATUS CODE Ø MANAGED NSNS
THE NUMBER OF DOD MANAGED NSNS WITH A NIIN STATUS CODE OF Ø, BROKEN OUT BY SOURCE OF SUPPLY (SOS) ITEM MANAGER.

8220 DS3-DOD-NSC-Ø-MGD-NSN-T DLSC-SBA F 8
DS3 DOD NIIN STATUS CODE Ø MANAGED NSN TOTAL
THE NET COUNT OF ALL DOD MANAGED ITEMS WITH A NIIN STATUS CODE OF Ø AND A SOS ITEM MANAGER.

8221 DS4-ML-SS-NSC-Ø-DEML-NSN DS4_STAT_CNT_8221 DLSC-SBA F INTEGER 8
DS4 MILITARY SOURCE OF SUPPLY NIIN STATUS CODE Ø DEMIL NSN
THE NUMBER OF MILITARY MANAGED NSNS WITH A NIIN STATUS CODE OF Ø ASSOCIATED WITH A SPECIFIC OR BLANK DEMIL CODE, BROKEN OUT BY THE SOS ITEM MANAGER.

8222 DS4-ML-SS-NSC-Ø-DEML-T DLSC-SBA F 8
DS4 MILITARY SOURCE OF SUPPLY NIIN STATUS CODE Ø DEMIL TOTAL
THE SUM OF MILITARY MANAGED NSNS WITH A NIIN STATUS CODE OF Ø COMBINATION ACROSS ALL DEMIL CODES, INCLUDING BLANK, FOR A SPECIFIC SOS ITEM MANAGER.

8223 DS4-ML-NSC-Ø-DEML-NSN-T DLSC-SBA F 8
DS4 MILITARY NIIN STATUS CODE Ø DEMIL NSN TOTAL
THE SUM OF MILITARY MANAGED NSNS WITH A NIIN STATUS CODE OF Ø IN COMBINATION WITH A SPECIFIC DEMIL CODE OR A BLANK DEMIL CODE.

8224 ABV-MRC-FIIG-INC-NSN AMRC_STAT_CNT_8224 DLSC-SBA F INTEGER 8
ABBREVIATED MRC FIIG ITEM NAME CODE NSN
THE NUMBER OF NSNS WITH A SPECIFIC MASTER REPLY CODE, WITHIN A SPECIFIC FIIG FOR A SPECIFIC ITEM NAME CODE.

8225 TO-AMC-5-13 DLSC-SBA F 8
TO ACQUISITION METHOD CODE 5
TO AMC 5 FOR DRN 8221, DEPARTMENT ACTIVITY COMMODITY CATEGORY CODE CHANGE FROM AMC 2 QUANTITY.

8226 D-ACT-CC-CHGFRM-AMC-3-QT DLSC-SBA F 8
DEPT ACTIVITY COMMODITY CATEGORY CD CHANGE FROM AMC 3 QTY

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE NUMBER OF ACQUISITION METHOD CODES CHANGED FROM AMC 3 BY COMMODITY CATEGORY CODE BY DEPARTMENT BY ACTIVITY TO AMC 1, 2, 4 OR 5.

8228 ABV-MRC-FIIG-INC-NSN-PCT DLSC-SBA F 8
ABBREVIATED MRC FIIG ITEM NAME CODE NSN PERCENT
THE PERCENT OF NSNS WITH A SPECIFIC MASTER REPLY CODE WITHIN A SPECIFIC FIIG FOR SPECIFIC ITEM NAME CODE.

8229 M6B6-FSC-AT-REF-PCT DLSC-SBA F 8
M6B6 FSC ACTIVITY REFERENCE PERCENT
THE PERCENT OF MANAGED NSNS THAT ARE REFERENCE TYPE BY FEDERAL SUPPLY CLASS BY DEPARTMENT BY ACTIVITY.

8230 M6B3-CLM-DP-LOA-REF-PCT DLSC-SBA F 8
M6B3 CLASS MANAGER DEPARTMENT LOA REFERENCE PERCENT
THE PERCENT OF MANAGED NSNS THAT ARE REFERENCE TYPE BY ASSIGNED CLASS MANAGER FOR MANAGING DEPARTMENT BY LOA.

8231 LRN-PROC-CAN-YRLY DLSC-SB F 6
LOGRUN PROCEDURES APPLICATION CUSTOMER ACCOUNT NUMBER YEARLY
THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED YEARLY BY SPECIFIC APPLICATION AND CUSTOMER ACCOUNT NUMBER.

8232 LRN-PROC-ACTY-DLY LRN_STAT_CNT_8232 DLSC-SB F INTEGER 6
LOGRUN PROCEDURES APPLICATION ACTIVITY DAILY
THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED DAILY BY SPECIFIC APPLICATION AND ACTIVITY.

8233 LRN-PROC-ACTY-WKLY DLSC-SB F 6
LOGRUN PROCEDURES ACTIVITY WEEKLY
THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED WEEKLY BY SPECIFIC APPLICATION AND ACTIVITY.

8234 LRN-PROC-ACTY-MTHLY DLSC-SB F 6
LOGRUN PROCEDURES APPLICATION ACTIVITY MONTHLY
THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED MONTHLY BY SPECIFIC APPLICATION AND ACTIVITY.

8235 LRN-PROC-ACTY-QTRLY DLSC-SB F 6
LOGRUN PROCEDURES APPLICATION ACTIVITY QUARTERLY
THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED QUARTERLY BY SPECIFIC APPLICATION AND ACTIVITY.

8236 LRN-PROC-ACTY-YRLY DLSC-SB F 6
LOGRUN PROCEDURES APPLICATION ACTIVITY YEARLY
THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED YEARLY BY SPECIFIC APPLICATION AND ACTIVITY.

8237 LRN-PROC-DEPT-DLY LRN_STAT_CNT_8237 DLSC-SB F INTEGER 6
LOGRUN PROCEDURES APPLICATION DEPARTMENT DAILY
THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED DAILY BY SPECIFIC APPLICATION AND DEPARTMENT.

8238 LRN-PROC-DEPT-WKLY DLSC-SB F 6
LOGRUN PROCEDURES APPLICATION DEPARTMENT WEEKLY
THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED WEEKLY BY SPECIFIC APPLICATION AND DEPARTMENT.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

8239 LRN-PROC-DEPT-MTHLY DLSC-SB F 6
LOGRUN PROCEDURES APPLICATION DEPARTMENT MONTHLY
THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED MONTHLY BY SPECIFIC APPLICATION AND DEPARTMENT.

8240 LRN-PROC-DEPT-QTRLY DLSC-SB F 6
LOGRUN PROCEDURES APPLICATION DEPARTMENT QUARTERLY
THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED QUARTERLY BY SPECIFIC APPLICATION AND DEPARTMENT.

8241 LRN-PROC-DEPT-YRLY DLSC-SB F 6
LOGRUN PROCEDURES APPLICATION DEPARTMENT YEARLY
THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED YEARLY BY SPECIFIC APPLICATION AND DEPARTMENT.

8242 LRN-PROC-TOT-DLY LRN_STAT_CNT_8242 DLSC-SB F INTEGER 6
LOGRUN PROCEDURES APPLICATION TOTAL DAILY
THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED DAILY BY SPECIFIC APPLICATION, DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8243 LRN-PROC-TOT-WKLY DLSC-SB F 6
LOGRUN PROCEDURES APPLICATION TOTAL WEEKLY
THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED WEEKLY BY SPECIFIC APPLICATION, DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8244 LRN-PROC-TOT-MTHLY DLSC-SB F 6
LOGRUN PROCEDURES APPLICATION TOTAL MONTHLY
THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED MONTHLY BY SPECIFIC APPLICATION, DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8245 LRN-PROC-TOT-QTRLY DLSC-SB F 6
LOGRUN PROCEDURES APPLICATION TOTAL QUARTERLY
THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED QUARTERLY BY SPECIFIC APPLICATION, DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8246 LRN-PROC-TOT-YRLY DLSC-SB F 6
LOGRUN PROCEDURES APPLICATION TOTAL YEARLY
THE NUMBER OF TIMES LOGRUN ON-LINE PROCEDURES ARE ACCESSED YEARLY BY SPECIFIC APPLICATION, DEPARTMENT, ACTIVITY AND CUSTOMER ACCOUNT NUMBER.

8247 LRN-COMB-CAN-DLY DLSC-V F 8
LOGRUN COMBINATION CUSTOMER ACCOUNT NUMBER DAILY
ANY COMBINATION OF CAGE CODE, REFERENCE NUMBER LOGISTICS, PARTIAL REFERENCE NUMBER LOGISTICS OR ITEM NAME DONE THROUGH LOGRUN ON A DAILY BASIS BY CUSTOMER ACCOUNT NUMBER.

8248 LRN-COMB-CAN-WKLY DLSC-V F 8
LOGRUN COMBINATION CUSTOMER ACCOUNT NUMBER WEEKLY
ANY COMBINATION OF CAGE CODE, REFERENCE NUMBER LOGISTICS, PARTIAL REFERENCE NUMBER LOGISTICS OR ITEM NAME DONE THROUGH LOGRUN ON A WEEKLY BASIS BY CUSTOMER ACCOUNT NUMBER.

8249 TYPE-II-4B-B-14 DLSC-SBA F 8
TYPE ITEM IDENTIFICATION 4B-B14

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

TYPE II 4B FOR DRN 8243, QUANTITY NSNS ASSIGNED CLASSES TYPE II-B14.

8252 ASSOC-PSN — DLSC-SB — F — 3

ASSOCIATION PACKAGE SEQUENCE NUMBER

THE OUTPUT PACKAGE SEQUENCE NUMBER /PSN/ OF THE REFERENCE NUMBER WHICH CREATED A MATCH THROUGH ASSOCIATION CODE SCREENING.

8254 RPLY-TBL-CD-MRD — RPLY_TBL_MRD_8254 — DLSC-SC — F CHAR — 4

REPLY TABLE CODE, MASTER REQUIREMENTS DIRECTORY (MRD)

A CODE ASSIGNED TO EACH REPLY TABLE IN THE MASTER REQUIREMENTS DIRECTORY (MRD) FOR IDENTIFICATION PURPOSES. EACH TABLE CONTAINS THE REPLY CODES AND THE ASSOCIATED CLEAR TEXT REPLIES THAT HAVE BEEN APPROVED AND AUTHORIZED FOR USE WITH REQUIREMENTS COVERED BY THE TABLE. THE FORMAT OF THIS CODE IS TWO ALPHA POSITIONS FOLLOWED BY TWO NUMERIC POSITIONS.

8255 CTL-CHAR-CD — DLSC-SB — F — 1

CONTROL CHARACTER CODE

A FORMAT CONTROL CHARACTER REQUIRED TO REFORMAT THE WIRE TRANSMITTAL OR EAM CARD COMPRESSED VERSION OF CLEAR TEXT CHARACTERISTICS INTO THE PROPER PRINTING FORMAT.

8256 LI-NBR — DLSC-V — F — 1

LINE NUMBER

A CODE USED TO IDENTIFY THE PORTIONS OF THE MASTER REQUIREMENTS CODE COLUMN HEADER WHICH IS SUBJECT TO TABULAR DISPLAY FOR A GIVEN ITEM NAME CODE. FOUR LINE NUMBER LEVELS ARE THE MAXIMUM ALLOWED.

8257 COL-NBR-IL-TBL — DLSC-V — F — 2

COLUMN NUMBER IDENTIFICATION LISTING TABULAR

A NUMBER IDENTIFYING A COLUMN OF TABULAR PRINT OUT USED IN THE COLUMNAR DISPLAY FOR AN IDENTIFICATION LISTING.

8258 COL-WDTH-IL-TBLR — DLSC-V — F — 2

COLUMN WIDTH IDENTIFICATION LISTING TABULAR

A NUMBER THAT REPRESENTS THE MAXIMUM WIDTH OF REPLIES TO BE ENTERED IN CITING THE COLUMNAR DISPLAY CRITERIA FOR AN IDENTIFICATION LIST.

8261 PRT-DWG-SUPRSN-IND-CD — PRT_DWG_SUPR_8261 — DLSC-VPE — F CHAR — 1

PRINT/DRAWING SUPPRESSION INDICATOR CODE

A CODE USED TO SUPPRESS THE PRINTING OF A MRC AND THE REQUIREMENT STATEMENT/REPLY FOR DECODE PRINT PRODUCTION OR THAT A SPECIFIC DIGITIZED DRAWING WILL BE SUPPRESSED FOR IDENTIFICATION LIST PRODUCTION. CODE X IS ENTERED IF SUPPRESSION IS REQUIRED, OTHERWISE THE POSITION IS LEFT BLANK.

8263 LI-CONTI-CD — DLSC-SB — F — 1

LINE CONTINUATION CODE

A CODE USED, IF MORE THAN ONE RECORD/LINE IS REQUIRED, TO SEQUENCE THE RECORD/LINES REQUIRED FOR THE CONVERTED PRINT EXPRESSION OF THE REPLY FOR OUTPUT DISPLAY.

8264 CRD-SEQ-CD — CRD_SEQ_CD_8264 — DLSC-SB — F CHAR — 4

CARD/SEQUENCE CODE

A CODE USED TO IDENTIFY THE SEQUENCE IN WHICH INPUT ACTIONS WILL OCCUR WITHIN A GIVEN DOCUMENT IDENTIFICATION CODE PACKAGE OR SEGMENT THEREOF. THIS CODE MAY ALSO BE ADDRESSED WHEN MAKING FILE CHANGES TO INSURE THAT THE APPLICABLE LINE OF THIS AUTOMATIC DATA PROCESSING GUIDE IS CHANGED.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

8265 COMN-VAL-GP-NBR — CVAL_GP_NBR_8265 — DLSC-V — F CHAR 2

COMMON VALUE GROUP NUMBER

A NUMBER THAT REPRESENTS THE COMMON VALUE GROUPING AND THE SEQUENCE IN WHICH THE GROUPING WILL BE PUBLISHED.

8268 DE-TRMNR-CD — DLSC-SB — F 1

DATA ELEMENT TERMINATOR CODE

A SPECIAL CHARACTER USED TO INDICATE THE TERMINATION OF A VARIABLE AND/ OR FIXED LENGTH DATA ELEMENT.

8269 TM-DSPL-ORDR-ID — DSPL_ORDR_8269 — DLSC-S — F CHAR 3

TRANSACTION MANAGEMENT DISPLAY ORDER IDENTIFIER

THE IDENTIFIER THAT IS USED TO ORDER THE DISPLAY OF DICs ON THE LIST ALL SCREEN FOR MANAGE BY DIC. VALID VALUES: ANY COMBINATION OF NUMBERS OR LETTERS (NO SPECIAL CHARACTERS).

8270 DSPL-MTHD-LOC-NAR — DLSC-V — F 1

DISPLAY METHOD LOCATION CODE NARRATIVE

A CODE THAT SPECIFIES THE LOCATION OF A CHARACTERISTICS NARRATIVE AS DISPLAYED IN THE NARRATIVE LISTING OF AN IDENTIFICATION LISTING

8280 FMR-MOE-RULE-NBR — FMR_MOE_RULE_8280 — DLSC-SB — F CHAR 4

FORMER MAJOR ORGANIZATIONAL ENTITY RULE NUMBER

A CODE WHICH REPRESENTS A SPECIFIC MAJOR ORGANIZATIONAL ENTITY /MOE/ RULE THAT FORMERLY APPLIED TO THE MANAGEMENT OF AN ITEM OR A GROUP OF ITEMS OF SUPPLY.

8290 MOE-RULE-NBR — MOE_RULE_NBR_8290 — DLSC-SBA — F CHAR 4

MAJOR ORGANIZATIONAL ENTITY (MOE) RULE NUMBER

A CODE WHICH REPRESENTS A SPECIFIC MAJOR ORGANIZATIONAL ENTITY /MOE/ RULE THAT APPLIES TO THE MANAGEMENT OF AN ITEM OR A GROUP OF ITEMS OF SUPPLY. THE FIRST POSITION IDENTIFIES THE SERVICE/AGENCY RESPONSIBLE FOR ESTABLISHING AND MAINTAINING THE MOE RULES. THE REMAINING THREE POSITIONS ARE NON-SIGNIFICANT AND ARE USED FOR SEQUENCING PURPOSES ONLY. SEE VOLUME 10, TABLES 156 AND 174, AND VOLUME 13.

8295 DISPL-MTHD-LOC-CD-TBLR — DLSC-V — F 1

DISPLAY METHOD LOCATION CODE TABULAR

A CODE THAT SPECIFIES THE LOCATION OF A CHARACTERISTIC AS IT WILL BE DISPLAYED IN THE TABULAR LISTING OF AN IDENTIFICATION LISTING.

8306 GRPHS-RQMT-IND-CD — DLSC-V — F 1

GRAPHICS REQUIREMENT INDICATOR CODE

AN /X/ CODE THAT INDICATES THAT GRAPHICS, E.G., A REFERENCE DRAWING GROUP DRAWING STYLE IS APPLICABLE TO THE REQUIREMENT.

8311 MRC-ABRG-ASSOD-TXT-TBL — DLSC-V — F 4

MRC ABRIDGED ASSOCIATED TEXT TABLE NUMBER

THE TABLE NUMBER UNDER WHICH IS STORED THE ABBREVIATED CLEAR TEXT STATEMENT REQUIRED FOR INCLUSION WITH THE PRINT OUT FOR PUBLICATIONS.

8326 RPLY-CONV-IND — DLSC-V — F 1

REPLY CONVERSION INDICATOR

A (X) CODE USED TO INDICATE WHEN MULTIPLE METHODS OF MEASUREMENT ARE BEING INPUT IN REPLY TO REQUIREMENTS. THESE MUST BE CONVERTED TO ONE OUTPUT EXPRESSION IN PUBLICATIONS.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

8327 RPLY-FLD-DSPL-CRITE-D146 DLSC-SC V 99

REPLY FIELD DISPLAY CRITERIA, DD FORM 146

A DATA FIELD FOR THE SYMBOLOGY WHICH DESIGNATES THE RECORD/LINE SEQUENCE FOR THE CONVERTED PRINT EXPRESSION OF THE REPLY AND WHERE TO PUT THE CLEAR TEXT PORTION OF THE REPLY.

8328 SUBMTD-PKG-SEQ-NBR DLSC-SB F 3

SUBMITTED PACKAGE SEQUENCE NUMBER

THE PACKAGE SEQUENCE NUMBER PERPETUATED FROM THE ORIGINAL SUBMITTAL WHICH CONTAINED SOME TYPE OF ERROR OR DISCREPANCY WITHIN THE RANGE OF DATA IDENTIFIED BY THIS PACKAGE SEQUENCE NUMBER. WHEN UTILIZED AS A RESULT OF A SYSTEM ERROR, A FILLER WILL BE USED IN LIEU OF THE PACKAGE SEQUENCE NUMBER.

8329 DEPT-CD DEPT_CD_8329 DLSC-S F CHAR 2

DEPARTMENT CODE

THIS FIELD CONTAINS A 2 CHARACTER CODE FOR EACH DEPARTMENT. VALID CODES ARE: AR = ARMY, AF = AIR FORCE, MC = MARINE CORPS, NA = NAVY, AND NT = NATO.

8330 SAC-ABRG-ASSO-TEXT-TBL DLSC-V F 4

SAC ABRIDGED ASSOCIATION TEXT TABLE NUMBER

THE TABLE NUMBER UNDER WHICH IS STORED THE ABBREVIATED CLEAR TEXT STATEMENT REQUIRED TO BE PRINTED OUT ON PUBLICATION FOR DATA GROUPS HAVING SECONDARY ADDRESS CODES ASSIGNED.

8335 SRTG-PRI-CD-IL-DATA DLSC-V F 1

SORTING PRIORTY CODE IDENTIFICATION LIST DATA

A CODE THAT SPECIFIES THE PRIORITY OF A REQUIREMENT USED IN THE SORTING OF ITEM IDENTIFICATIONS TO BE CONTAINED IN AN IDENTIFICATION LIST.

8337 SAC-UNABRG-ASSOC-TXT-TBL DLSC-SC F 4

SAC UNABRIDGED ASSOCIATION TEXT TABLE NUMBER

THE TABLE NUMBER UNDER WHICH IS STORED THE UNABBREVIATED CLEAR TEXT STATEMENT REQUIRED TO BE PRINTED OUT ON PUBLICATIONS FOR DATA GROUPS HAVING SECONDARY ADDRESS CODES ASSIGNED.

8351 MDLS-BUL-BRD-MSG-ID BB_MSG_ID_8351 DLSC-VP F CHAR 6

MEDALS BULLETIN BOARD MESSAGE IDENTIFIER

THE IDENTIFIER THAT INDICATES A BB MESSAGE. FIRST FIVE POSITIONS INDICATE YEAR/JULIAN DATE, SIXTH POSITION IS AN ALPHA REPRESENTING BB MESSAGE FOR THAT DAY. EXAMPLE, 96135A.

8352 MDLS-BUL-BRD-LI-SEQ-ID BB_LI_SEQ_8352 DLSC-VP F CHAR 2

MEDALS BULLETIN BOARD LINE SEQUENCE IDENTIFIER

THE IDENTIFIER THAT REPRESENTS A LINE OF TEXT. VALID VALUES: 01-99

8353 MDLS-BUL-BRD-MSG-TX MDLS_BB_MSG_8353 DLSC-VP F CHAR 79

MEDALS BULLETIN BOARD MESSAGE TEXT

THE CLEAR TEXT MESSAGE OF A MEDALS BULLETIN BOARD. VALID VALUES: 01-99 LINES

8354 MDLS-BUL-BRD-CMNT-TX MDLS_BB_CMNT_8354 DLSC-VP F CHAR 237

MEDALS BULLETIN BOARD COMMENTS TEXT

THE CLEAR TEXT THAT CONTAINS USER MEDALS BULLETIN BOARD COMMENTS.

8375 NBR-DATA-COLLBR NBR_COLLBR_8375 DLSC-SB F CHAR 1

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

NUMBER OF DATA COLLABORATORS
USED TO IDENTIFY THE NUMBER OF SUPPLEMENTARY DATA COLLABORATORS WITHIN A GIVEN SEGMENT.

8380 NBR-DATA-RCVR NBR_RCVR_8380 DLSC-SB F CHAR 1
NUMBER OF DATA RECEIVERS
USED TO IDENTIFY THE NUMBER OF SUPPLEMENTARY DATA RECEIVERS WITHIN A GIVEN SEGMENT.

8450 OPTNL-MAND-MRC-IND-CD MRC_IND_CD_8450 DLSC-SC F CHAR 1
OPTIONAL/MANDATORY MRC INDICATOR CODE
A CODE THAT DESIGNATES IF A REPLY TO A MASTER REQUIREMENT CODE/ REQUIREMENT IS MANDATORY OR OPTIONAL. CODE 1 SIGNIFIES A REPLY IS MANDATORY, CODE 9 SIGNIFIES THAT A REPLY IS OPTIONAL.

8451 TYP-SCRNG-CRITE-CD DLSC-SB F 1
TYPE OF SCREENING CODE
A CODE USED IN PROVISIONING AND OTHER PREPROCUREMENT SCREENING FOR SEARCHES BY REFERENCE NUMBER OR CHARACTERISTICS DATA. THE CODE INDICATES ITEM OF SUPPLY OR FILE MATCH SEARCH. SEE VOLUME 10, TABLE 33 AND QUICK INFO ON-LINE.

8452 TECH-EDIT-CRITE-STMT TECH_ED_STMT_8452 DLSC-SC V VARCHAR 9999
TECHNICAL EDIT CRITERIA STATEMENT
THE TECHNICAL EDIT CRITERIA STATEMENT SYMBOLOGY APPLIED TO A GIVEN MASTER REQUIREMENTS CODE TO EDIT THE STRUCTURE OF THE MASTER REQUIREMENTS CODE REPLY.

8453 RPLY-CONV-CRITE-STMT RPLY_CONV_STM_8453 DLSC-S F VARCHAR 9999
REPLY CONVERSION CRITERIA STATEMENT
THE INPUT CONVERSION CRITERIA STATEMENT SYMBOLOGY USED FOR SCREENING AND TO FORMAT THE CONVERTED PRINT EXPRESSION FOR OUTPUT DISPLAY.

8454 RL-EDIT-CRITE-STMT RL_EDIT_STMT_8454 DLSC-SC V VARCHAR 9999
RELATIONSHIP EDIT CRITERIA STATEMENT
THE RELATIONSHIP EDIT CRITERIA STATEMENT SYMBOLOGY USED TO INDICATE THE RELATIONSHIP BETWEEN MASTER REQUIREMENTS CODES AND/OR MASTER REQUIREMENTS CODE REPLIES.

8456 SCRNG-CRITE SCRNG_CRITE_8456 DLSC-SC V VARCHAR 9999
SCREENING CRITERIA
THE SCREENING CRITERIA STATEMENT SYMBOLOGY USED TO ESTABLISH THE LIMITS AND PARAMETERS WITHIN WHICH ONE ITEM MAY BE CONSIDERED INTERCHANGEABLE WITH ANOTHER, SUBSTITUTABLE FOR ANOTHER, OR PREFERRED OVER ANOTHER, FOR THE PURPOSE OF STOCKING, STORING, AND ISSUING.

8458 MOE-RULE-STAT-CD M_RL_STAT_CD_8458 DLSC-SBA F CHAR 1
MAJOR ORGANIZATIONAL ENTITY RULE STATUS CODE
A CODE DESIGNATING THE STATUS OF A MAJOR ORGANIZATIONAL ENTITY /MOE/ RULE. STATUS CODE 0 RULE IS ACTIVE AUTH FOR USE, CODE 1 RULE IS CANCEL W/O REPLACEMENT, CODE 2 IS CANCEL W/SINGLE RULE REPLACEMENT, CODE 3 IS CANCEL W/MULTIPLE RULE REPLACEMENT, CODE 4 NEW MOE RULE NOT AUTH FOR USE UNTIL EFFECTIVE DATE IS REACHED,CODE 5 RESERVED MOE RULE REPRESENTS PENDING RELATIONSHIP ACTIVATED AS REQUIRED, CODE 6 INDICATES A CANCEL/REPLACEMENT ACTION PENDING AGAINST A GIVEN MOE RULE. CODE 7 INDICATES A CHANGE PENDING AGAINST THE MOE RULE. SEE VOLUME 10, TABLE 116 AND QUICK INFO ON-LINE.

8470 NM-CD-NON-APRVD DLSC-SCA F 5
NAME CODE, NONAPPROVED

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A FIVE POSITION NUMERIC CODE WITH 7 IN THE FIRST POSITION, (EXCLUDING 77777) IS INDEXED TO BASIC CONCEPT NAMES, A FIVE POSITION ALPHA NUMERIC CODE G0001 - Z9998 AND IS INDEXED TO COLLOQUIAL NAMES. A FIVE POSITION ALPHA NUMERIC CODE (A0001 - F9999) WHICH IS INDEXED TO THE FEDERAL SUPPLY CLASS (FSC) INDEX ENTRIES. ALL CODES ARE FOR DEFENSE LOGISTICS SERVICES CENTER PUBLICATIONS USE ONLY. NOTE: FOR NON-APPROVED ITEM NAMES WHICH HAVE BEEN ASSIGNED A NATIONAL ITEM IDENTIFICATION NUMBER INC 77777 WILL BE ASSIGNED (SEE DRN 4080).

8472 FMR-UI — DLSC-SBA — F CHAR 2

FORMER UNIT OF ISSUE

A UNIT OF ISSUE CODE THAT FORMERLY APPLIED TO AN ITEM OF SUPPLY. SEE VOLUME 10, TABLES 53 AND 79 AND QUICK INFO ON-LINE.

8525 REP-ITM-STDZN-CD — REP_ISC_8525 — DLSC-SB — F CHAR 1

ITEM STANDARDIZATION CODE REPLACED NATIONAL STOCK NUMBER

THE CODED REPRESENTATION OF THE ITEM STANDARDIZATION DECISION ON INDIVIDUAL ITEMS NOT AUTHORIZED FOR FUTURE PROCUREMENT.

8555 CONTI-IND-CD — CONTI_IND_CD_8555 — DLSC-SBA — F CHAR 1

CONTINUATION INDICATOR CODE

A ONE POSITION CODE TO INDICATE THAT THERE ARE ADDITIONAL CARDS REQUIRED TO FULLY PORTRAY AN INDIVIDUAL SEGMENT. IN ADDITION, IN THOSE EAM SEGMENTS CONSTRUCTED IN MULTIPLE FIXED FORMATS, THIS CODE IDENTIFIES EACH INDIVIDUAL FORMAT IN THE SEGMENT.

8575 QNTV-EXPRSN — QNTV_EXPRSN_8575 — DLSC-SBA — F CHAR 13

QUANTITATIVE EXPRESSION

AN EXPRESSION WHICH SPECIFIES THE CONTENT (DECIMAL LOCATOR, QUANTITY AND UNIT OF MEASUREMENT) OF THE NONDEFINITIVE UNIT OF ISSUE ASSIGNED TO AN ITEM OF SUPPLY. SEE VOLUME 10, TABLE 81 AND QUICK INFO ON-LINE.

8581 SKO-I-I-NBR — SKO_I_I_NBR_8581 — DLSC-VPE — F CHAR 7

SETS KITS OUTFITS NIIN ITEM IDENTIFICATION NUMBER

THE LAST SEVEN POSITIONS OF THE NIIN FOR THE SETS, KITS, AND OUTFITS WHICH ARE THE SECOND VOLUME OF THE MEDICAL CATALOG.

8582 SKO-NCB-CD — SKO_NCB_CD_8582 — DLSC-SD — F CHAR 2

SETS KITS OUTFITS NATIONAL CODIFICATION BUREAU CODE

A TWO-DIGIT CODE NUMBER INDICATING THE NIIN FOR THE SETS, KITS, AND OUTFITS WHICH ARE THE SECOND VOLUME OF THE MEDICAL CATALOG.

8583 CMP-I-I-NBR — CMP_I_I_NBR_8583 — DLSC-VPE — F CHAR 7

COMPONENT NIIN ITEM IDENTIFICATION NUMBER

THE LAST SEVEN POSITIONS OF THE NIIN FOR EACH OF THE COMPONENTS FOR EACH SET, KIT, OR OUTFIT.

8584 CMP-NCB-CD — CMP_NCB_CD_8584 — DLSC-SD — F CHAR 2

COMPONENT NIIN NATIONAL CODIFICATION BUREAU CODE

A TWO-DIGIT CODE NUMBER INDICATING THE NIIN FOR EACH OF THE COMPONENTS FOR EACH SET, KIT, OR OUTFIT.

8585 SECT-RULE-TBL-NBR — RUL_TBL_NBR_8585 — DLSC-SCA — F CHAR 4

SECTION RULE TABLE NUMBER

USED ON THE SECTION II GUIDE TO IDENTIFY TO THE SECTION II APPLICATION MODULE THE EXCEPTION PROCESSING ROUTINES THAT ARE TO BE APPLIED TO THE CHARACTERISTICS INPUT DATA.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	FORMAT FV	FORMAT TYPE	FORMAT LG
CLEAR TEXT HOST/COBOL NAME						
DRN DEFINITION						
8589	HMIC-FSC-TBL-NBR	HMIC_FSC_TB_N_8589	DLSC-SB	F	CHAR	1
HAZARDOUS MATERIALS INDICATOR CODE FED SUPPLY CLASS TBL						
THIS FIELD CONTAINS A NUMBER THAT ALLOWS A FEDERAL SUPPLY GROUP AND CLASS, COMMONLY REFERRED TO AS FSC, TO BE ASSOCIATED WITH ONE OR MORE TABLES AS PRESCRIBED BY FEDERAL STANDARD 313.						
8591	SKO-NIIN	SKO_NIIN_8591	DLSC-VPE	F	CHAR	9
SETS KITS OUTFITS NIIN						
THIS IS THE NIIN FOR THE SETS, KITS, AND OUTFITS WHICH ARE THE SECOND VOLUME OF THE MEDICAL CATALOG.						
8592	CMP-NIIN	CMP_NIIN_8592	DLSC-VPE	F	CHAR	9
COMPONENT NIIN						
THIS IS THE NIIN FOR EACH OF THE COMPONENTS FOR EACH SET, KIT, OR OUTFIT.						
8593	SKO-QTY	SKO_QTY_8593	DLSC-VPE	F	CHAR	4
SETS KITS AND OUTFITS QUANTITY						
THE NUMBER OF EACH SET, KIT, OR OUTFIT CURRENTLY AVAILABLE.						
8594	SKO-FSC	SKO_FSC_8594	DLSC-VPE	F	CHAR	4
SETS KITS AND OUTFITS FEDERAL SUPPLY CLASS						
THE FEDERAL SUPPLY CLASS TO WHICH EACH SET, KIT, OR OUTFIT IS ASSIGNED.						
8595	CMP-FSC	CMP_FSC_8595	DLSC-VPE	F	CHAR	4
COMPONENTS FEDERAL SUPPLY CLASS						
THE FEDERAL SUPPLY CLASS TO WHICH EACH COMPONENT OF EACH SET, KIT, OR OUTFIT IS ASSIGNED.						
8596	SKO-ITEM-NAME	SKO_ITEM_NAME_8596	DLSC-VPE	F	CHAR	19
SETS KITS AND OUTFITS ITEM NAME						
THE ITEM NAME GIVEN TO EACH SET, KIT, OR OUTFIT.						
8597	CMP-ITEM-NAME	CMP_ITEM_NAME_8597	DLSC-VPE	F	CHAR	19
COMPONENT ITEM NAME						
THE ITEM NAME GIVEN TO EACH COMPONENT OF EACH SET, KIT, OR OUTFIT.						
8598	IDEN-MKG-CD2	IDEN_MKG_CD2_8598	DLSC-VPE	F	CHAR	8
IDENTIFICATION MARKING CODES TWO						
THE SECOND OCCURRENCE OF IDEN-MKG-CD, IDENTIFICATION MARKING CODES, DRN 7975.						
8599	INSP-CD-STNG	INSP_CD_STNG_8599	DLSC-V	F	CHAR	20
INSPECTION CODE STRING						
A GROUP OF 10 INSPECTION CODES. SEE DRN 7976. INSP-CD.						
8601	IDS-GRP-NBR	GRP_NBR_8601	DLSC-VPE	F	SMALLINT	4
IDS GROUP NUMBER						
SEQUENTIAL NUMBER OF GROUPING DEFINITION. VALID ENTRIES ARE 1 THROUGH MAXIMUM DEFINED GROUP NUMBER.						
8602	IDS-START-RCD-TYP-CD	START_RCD_TYP_8602	DLSC-VPE	F	SMALLINT	4
IDS START RECORD TYPE CODE						
THE RECORD TYPE WHICH STARTS THIS DATA GROUP. ANY DEFINED RECORD TYPE GREATER THAN OR EQUAL TO 3 IS VALID HERE.						

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

8603 IDS-START-ACCS-NBR START_ACCS_8603 DLSC-VPE F SMALLINT 4
IDS START ACCESS NUMBER
THE ACCESS WHICH STARTS THIS DATA GROUP. ANY DEFINED ACCESS WITHIN THE SPECIFIED RECORD TYPE IS VALID.

8604 IDS-START-CMP-NBR START_CMP_8604 DLSC-VPE F SMALLINT 4
IDS START COMPONENT NUMBER
THE COMPONENT WHICH STARTS THIS DATA GROUP. ANY DEFINED COMPONENT WITHIN THE SPECIFIED RECORD TYPE AND ACCESS IS VALID.

8605 IDS-END-RCD-TYP-CD END_RCD_TYP_8605 DLSC-VPE F SMALLINT 4
IDS END RECORD TYPE CODE
THE RECORD TYPE WHICH ENDS THIS DATA GROUP. ANY DEFINED RECORD TYPE GREATER THAN OR EQUAL TO THE START_REC-_TYP SPECIFIED FOR THIS DATA GROUP IS VALID.

8606 IDS-END-ACCS-NBR END_ACCS_NBR_8606 DLSC-VPE F SMALLINT 4
IDS END ACCESS NUMBER
AN ACCESS WHICH ENDS THE DATA GROUP. A VALID ENTRY IS ANY DEFINED ACCESS WITHIN THE SPECIFIED RECORD TYPE WHICH IS GREATER THAN OR EQUAL TO THE IDS-START-ACCS-NBR (8603) IF IDS-START-RCD-TYP-CD AND IDS-END-RCD-TYP-CD ARE THE SAME, OR ANY DEFINED ACCESS WITHIN IDS-END-RCD-TYP-CD (8605) IF THE IDS-END-RCD-TYP-CD IS GREATER THAN THE IDS-START-RCD-TYP-CD (8602).

8607 IDS-END-CMP-NBR END_CMP_8607 DLSC-VPE F SMALLINT 4
IDS END COMPONENT NUMBER
THE COMPONENT WHICH ENDS THIS DATA GROUP. A VALID ENTRY IS ANY DEFINED COMPONENT WITHIN THE SPECIFIED ACCESS WHICH IS GREATER THAN OR EQUAL TO THE IDS-START-CMP-NBR (8604) IF IDS-START-ACCS-NBR AND IDS-END-ACCS-NBR ARE THE SAME OR ANY DEFINED ACCESS WITHIN THE IDS-END-ACCS-NBR (8606) IF THE IDS-END-ACCS-NBR IS GREATER THAN THE IDS-START-ACCS-NBR (8603).

8608 IDS-PRE-BRK-RCD-TYP-CD PRE_BRK_RCD_8608 DLSC-VPE F SMALLINT 4
IDS PRE BREAK RECORD TYPE CODE
RECORD TYPE AT WHICH LEADING CONTROL BREAK PROCESSING ENDS. ANY DEFINED RECORD TYPE WITHIN THE GROUP IS VALID.

8609 IDS-PRE-BRK-ACCS-NBR PRE_BRK_ACCS_8609 DLSC-VPE F SMALLINT 4
IDS PRE BREAK ACCESS NUMBER
THE ACCESS AT WHICH LEADING CONTROL BREAK PROCESSING ENDS. ANY DEFINED ACCESS WITHIN THE GROUP IS VALID.

8610 IDS-PRE-BRK-CMP-NBR PRE_BRK_CMP_8610 DLSC-VPE F SMALLINT 4
IDS PRE BREAK COMPONENT NUMBER
COMPONENT AT WHICH LEADING CONTROL BREAK PROCESSING ENDS. ANY DEFINED COMPONENT WITHIN THE GROUP IS VALID.

8611 IDS-POST-BRK-RCD-TYP-CD POST_BRK_RCD_8611 DLSC-VPE F SMALLINT 4
IDS POST BREAK RECORD TYPE CODE
THE RECORD TYPE AFTER WHICH TRAILING CONTROL BREAK PROCESSING STARTS. ANY DEFINED RECORD TYPE GREATER THAN OR EQUAL TO IDS-PRE-BRK-RCD-TYP-CD (8608) AND WITHIN THE GROUP IS VALID.

8612 IDS-POST-BRK-ACCS-NBR POST_BRK_ACCS_8612 DLSC-VPE F SMALLINT 4
IDS POST BREAK ACCESS NUMBER

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE ACCESS AFTER WHICH TRAILING CONTROL BREAK PROCESSING STARTS. VALID ENTRIES INCLUDE ANY DEFINED ACCESS GREATER THAN OR EQUAL TO THE IDS-PRE-BRK-ACCS-NBR (8609) IF IDS-POST-BRK-RCD-TYP-CD (8611) IS EQUAL TO THE IDS-PRE-BRK-RCD-TYP-CD (8608), OR ANY DEFINED ACCESS WITHIN THE IDS-POST-BRK-RCD-TYP-CD (8611) IF IDS-POST-BRK-RCD-TYP-CD (8611) IS GREATER THAN IDS-PRE-BRK-RCD-TYP-CD (8608).

8613 IDS-POST-BRK-CMP-NBR POST_BRK_CMP_8613 DLSC-VPE F SMALLINT 4

IDS POST BREAK COMPONENT NUMBER

THE COMPONENT AFTER WHICH TRAILING CONTROL BREAK PROCESSING STARTS. VALID ENTRIES INCLUDE ANY DEFINED COMPONENT GREATER THAN OR EQUAL TO THE IDS-PRE-BRK-CMP-NBR (8610) IF THE IDS-POST-BRK-ACCS-NBR (8612) IS EQUAL TO THE IDS-PRE-BRK-ACCS-NBR (8609), OR ANY DEFINED COMPONENT WITHIN THE IDS-POST-BRK-ACCS-NBR (8612) IF IDS-POST-BRK-ACCS-NBR (8612) IS GREATER THAN IDS-PRE-BRK-ACCS-NBR (8609).

8614 IDS-POST-BRK-POS-CD POST_BRK_POS_8614 DLSC-VPE F CHAR 1

IDS POST BREAK POSITION CODE

THIS INDICATES WHETHER THE POST BREAK IS TO COME AFTER THE FIRST OR LAST OCCURRENCE OF THE GROUP. VALID VALUES ARE 'L' OR 'F', LAST OR FIRST.

8615 IDS-FORCED-WRITE-IND FORCED_WRITE_8615 DLSC-VPE F CHAR 1

IDS FORCED WRITE INDICATOR

AN INDICATOR TO SPECIFY THAT A PHYSICAL RECORD BE WRITTEN FOLLOWING THE COMPLETION OF PROCESSING FOR THIS GROUP. VALID OPTIONS ARE 'Y' FOR YES AND 'N' FOR NO.

8616 IDS-CTR-ATTR-ID CTR_ATTR_8616 DLSC-VPE F CHAR 2

IDS COUNTER ATTRIBUTE IDENTIFIER

SPECIFIES THE TYPE OF THE COUNTER TO BE PREPENDED TO THIS REPEATING DATA GROUP. OPTIONS ARE A COMBINATION OF ONE LETTER (C FOR CHARACTER AND I FOR INTEGER) AND ONE NUMBER (1 THROUGH 5) INDICATING THE TYPE OF COUNTER AND THE SIZE OF THE COUNTER RESPECTIVELY. SUPPORTED COMBINATIONS ARE: I1, I2, I4, C2, C3, C4, AND C5.

8617 IDS-ZER-SUPRSN-IND ZER_SUPRSN_8617 DLSC-VPE F CHAR 1

IDS ZERO SUPPRESSION INDICATOR

SPECIFIES WHETHER A DATA LENGTH ATTRIBUTE/COUNTER SHOULD BE PLACED INTO A DATA STREAM WHEN ITS VALUE IS ZERO (INDICATING NO DATA FOUND). OPTIONS ARE Y FOR YES AND N FOR NO.

8618 IDS-GRP-TYP-ID GRP_TYP_8618 DLSC-VPE F CHAR 1

IDS GROUP TYPE IDENTIFIER

SPECIFIES WHETHER THIS GROUP IS A 'DATA' GROUP OR A 'BREAK' GROUP. VALID ENTRIES ARE 'D' OR 'B'.

8619 IDS-START-CMP-SEQ-NBR START_CMP_SEQ_8619 DLSC-VPE F SMALLINT 4

IDS START COMPONENT SEQUENCE NUMBER

SPECIFIES THE STARTING COMPONENT NUMBER FOR THE GROUP. VALID ENTRIES ARE 1 THROUGH THE MAXIMUM DEFINED COMPONENT NUMBER.

8620 IDS-END-CMP-SEQ-NBR END_CMP_SEQ_8620 DLSC-VPE F SMALLINT 4

IDS END COMPONENT SEQUENCE NUMBER

SPECIFIES THE ENDING COMPONENT NUMBER FOR THE GROUP. VALID ENTRIES ARE 1 THROUGH THE MAXIMUM DEFINED COMPONENT NUMBER.

8621 IDS-DAT-LGTH-ATTR-ID DAT_LGTH_ATTR_8621 DLSC-VPE F CHAR 2

IDS DATA LENGTH ATTRIBUTE IDENTIFIER

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THIS SPECIFIES THE TYPE OF DATA LENGTH ATTRIBUTE TO BE PREPENDED TO EACH PHYSICAL RECORD WRITTEN OR SPECIFIED DATA FIELD. OPTIONS: COMBINATION OF ONE LETTER ('C' FOR CHARACTER AND 'I' FOR INTEGER) AND ONE NUMBER (1 THROUGH 5) TO INDICATE THE TYPE OF LENGTH ATTRIBUTE AND THE SIZE OF THE LENGTH ATTRIBUTE RESPECTIVELY. SUPPORTED COMBINATIONS ARE I1, I2, I4, C2, C3, C4, AND C5.

8622 IDS-RCD-LGTH-ATTR-ID RCD_LGTH_ATTR_8622 DLSC-VPE V VARCHAR 30

IDS RECORD LENGTH ATTRIBUTE IDENTIFIER

SPECIFIES A TYPE OF DATA LENGTH ATTRIBUTE TO BE PREPENDED TO A PHYSICAL RECORD FOR EACH PUBLICATION PART THAT IS DEFINED. ALSO IT SPECIFIES THE ZERO SUPPRESSION INDICATOR FOR EACH DATA LENGTH ATTRIBUTE. THE THIRTY CHARACTERS ARE DIVIDED INTO 10 SECTIONS, EACH OF WHICH CONTAINS THE TWO-CHARACTER LENGTH ATTRIBUTE TYPE AND A ONE-CHARACTER ZERO-SUPPRESSION INDICATOR. OPTIONS FOR EACH SECTION ARE A COMBINATION OF ONE LETTER (C FOR CHARACTER AND I FOR INTEGER) AND ONE NUMBER(1 THROUGH 5) TO INDICATE THE TYPE OF LENGTH ATTRIBUTE AND SIZE OF LENGTH ATTRIBUTE RESPECTIVELY, FOLLOWED BY A Y OR N FOR ZERO-SUPPRESSION. SUPPORTED COMBINATIONS ARE I1, I2, I4, C2, C3, C4, AND C5 WITH Y OR N IN THE THIRD POSITION.

8623 IDS-CTR-FUNC-CD CTR_FUNC_8623 DLSC-VPE F CHAR 1

IDS COUNTER FUNCTION CODE

SET BY BUILD (LPDV740B), INDICATES TO MARKUP (LPDV950B) THE FUNCTION OF A USER SPECIFIED COUNTER ASSOCIATED WITH A GROUP. VALID ENTRIES ARE: R (RECORD TYPE INSTANCE COUNTER), A (ACCESS REPEAT COUNTER), C (COMPONENT INSTANCE COUNTER).

8624 IDS-EXTR-UPDT-CD EXTR_UPDT_8624 DLSC-VPE F CHAR 1

IDS EXTRACT UPDATE CODE

SPECIFIES THE MODE IN WHICH THE EXTRACT IS TO BE PROCESSED, VALID VALUES ARE 'U' (UPDATE ONLY), 'N' (NEW MASTER) OR BLANK (NOT AN UPDATE PUB).

8625 IDS-FMT-OP-CD FMT_OP_8625 DLSC-VPE F CHAR 1

IDS FORMAT OUTPUT CODE

SPECIFIES WHAT CUSTOMER OUTPUT WILL BE PRODUCED. VALID VALUES INCLUDE U (UPDATE), M (ALL RECORDS WHICH WERE WRITTEN TO THE NEW MASTER) OR BLANK (NO CUSTOMER OUTPUT IS DESIRED).

8626 IDS-UPDT-KEY-LGTH-QY UPDT_KEY_LGTH_8626 DLSC-VPE F SMALLINT 4

IDS UPDATE KEY LENGTH QUANTITY

THIS FIELD CONTAINS THE LENGTH OF THE UPDATE KEY WHICH IS USED TO MERGE AN UPDATE WITH THE PUBLICATION MASTER. IF THE UPDATE MODE (DRN 8624) IS BLANK, THE VALUE IN THIS FIELD WILL BE ZERO. RANGE 0 TO 100.

8627 IDS-DYN-ALLOC-IND DYN_ALLOC_8627 DLSC-VPE F CHAR 1

IDS DYNAMIC ALLOCATION INDICATOR

INDICATES WHETHER DYNAMIC ALLOCATION IS USED FOR FILE ALLOCATION. VALID VALUES ARE 'Y' OR 'N'.

8628 IDS-FILE-NM-HLQ-ID FILE_NM_HLQ_8628 DLSC-VPE F CHAR 8

IDS FILE NAME HIGH LEVEL QUALIFIER IDENTIFIER

IDENTIFIER SPECIFYING WHAT HIGH LEVEL QUALIFIER IS TO BE USED DURING THE DYNAMIC ALLOCATION OF FILES. THE VALID VALUES ARE ANY VALID HIGH LEVEL QUALIFIER.

8655 DT-OE-SEG-ADD DT_OE_SEG_ADD_8655 DLSC-SC F DATE 5

DATE, ORGANIZATIONAL ENTITY LINE SEGMENT ADDED

THE YEAR AND JULIAN DAY THAT AN ORGANIZATIONAL ENTITY LINE SEGMENT WAS ADDED IN THE SYSTEM SUPPORT RECORD, E.G., 71011.

8656 DT-OE-LI-SEG-CHNGD DT_OE_LI_CHG_8656 DLSC-SC F INTEGER 5

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

DATE, ORGANIZATIONAL ENTITY LINE SEGMENT CHANGED
THE YEAR AND JULIAN DAY THAT AN ORGANIZATIONAL ENTITY LINE SEGMENT WAS CHANGED IN THE SYSTEM SUPPORT RECORD, E.G., 71011.

8657 DT-OE-RCD-DELD DT_OE_RCD_DEL_8657 DLSC-SC F INTEGER 7
DATE, ORGANIZATIONAL ENTITY RECORD DELETED
THE YEAR AND JULIAN DAY THAT THE ORGANIZATIONAL ENTITY RECORD WAS DELETED FROM THE ACTIVE/OBSOLETE SEGMENT OF THE SYSTEM SUPPORT /SSR/, E.G., 71011. STORED FIELD ALLOWS FOR THE CENTURY IN THE FORM CCYYDDD AND MAY BE IGNORED FOR INPUT/OUTPUT.

8680 DT-SUSP-PURG DLSC-SB F 5
DATE, SUSPENSE PURGE
THE YEAR AND JULIAN DAY ESTABLISHED BY THE DEFENSE LOGISTICS SERVICES CENTER FOR PURGING SUSPENDED RECORDS IF CORRECTED DATA IS NOT RECEIVED.

8805 AMMO-CD AMMO_CD_8805 DLSC-SC F CHAR 4
AMMUNITION CODE
A CODE CONSISTING OF ONE, TWO OR THREE POSITION ALPHA'S FOLLOWED BY NUMERIC(S) OR FOUR ALPHA'S ASSIGNED TO A GENERIC DESCRIPTION OF AN ITEM OF SUPPLY IN FEDERAL SUPPLY GROUPS (FSG) 13 (AMMUNITION AND EXPLOSIVES) AND 14 (GUIDED MISSLES). THIS CODE WHEN PREFACED BY THE FEDERAL SUPPLY CLASS (FSC) OF THE ITEM CONSTITUTES THE DEPARTMENT OF DEFENSE AMMUNITION CODE, DRN 3767.

8807 FSC-AMMO-DESC-TX FSC_AMMO_DESC_8807 DLSC-SC F CHAR 100
FSC AMMUNITION DESCRIPTION TEXT
A GENERIC TEXT DESCRIPTION OF AN ASSIGNED FSC AND AMMO CODE COMBINATION (DODAC).

8809 AMMO-CD-PRFX-ID AMMO_CD_PRFX_8809 DLSC-SC F CHAR 3
AMMO CODE PREFIX IDENTIFIER
SUB-CATEGORIZATION OF AN FSC AND AMMO CODE COMBINATION (E.G. 1305 A,B(PREFIX) AMMUNITION THROUGH 30MM.) CORRELATION OF CATEGORY OF AMMO CODE TO FSC. EXAMPLE: A__, AA_, AAB. NEW TABLE

8815 RPLD-AMMO-CD RPLD_AMMO_8815 DLSC-SC F CHAR 4
REPLACED AMMUNITION CODE
AN AMMO CODE CONSISTING OF ONE, TWO, OR THREE POSITION ALPHA'S FOLLOWED BY NUMERIC(S) ASSIGNED TO A GENERIC DESCRIPTION OF AN ITEM OF SUPPLY IN FSG'S 13 AND 14, WHICH REPLACES A CANCELLED AMMO CODE.

8831 AR-FSC-MGR AR_FSC_MGR_8831 DLSC-SB F CHAR 2
ARMY FEDERAL SUPPLY CLASS MANAGER
THE INVENTORY CONTROL POINT DESIGNATED TO PERFORM ASSIGNED MATERIEL MANAGEMENT FUNCTIONS WITHIN THE U.S. ARMY ON A FEDERAL SUPPLY CLASS/ FSC/BASIS FOR THOSE FEDERAL SUPPLY CLASSES NOT ASSIGNED TO THE DEFENSE LOGISTICS AGENCY.

8832 MASS-CHNG-REVW-CD DLSC-SB F 1
MASS CHANGE REVIEW CODE
A CODE THAT SIGNIFIES WHETHER AN INPUT TRANSACTION THAT EFFECTS A MASS CHANGE ACTION INTO THE SYSTEM SUPPORT RECORD (SSR) AND/OR THE TOTAL ITEM RECORD SECTOR (TIR) HAS BEEN APPROVED OR REJECTED FOLLOWING A REVIEW BY THE DEFENSE LOGISTICS SERVICES CENTER PROGRAM MANAGER. NUMERIC CODE 1 DENOTES THE TRANSACTION HAS BEEN APPROVED, NUMERIC CODE 2 DENOTES THE TRANSACTION HAS BEEN REJECTED.

8835 ADP-PNT-CD ADP_PNT_CD_8835 DLSC-SC F CHAR 6
AUTOMATIC DATA PROCESSING (ADP) POINT CODE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A SIX POSITION DEPARTMENT OF DEFENSE ACTIVITY ADDRESS CODE /DODAAC/, IDENTIFIED AS AN AUTOMATIC DATA PROCESSING /ADP/ POINT CODE WHEN REFERENCED TO THE IN-THE-CLEAR NAME AND ADDRESS OF THE ADP SERVICE ORGANIZATION RESPONSIBLE FOR PROCESSING THE APPLICABLE DEFENSE CONTRACT ADMINISTRATION SERVICE REGIONAL /DCASR/ OFFICE ADP REQUIREMENTS FOR MILITARY STANDARD CONTRACT ADMINISTRATION PROCEDURE /MILSCAP/. SEE VOLUME 10, TABLE 133 AND QUICK INFO ON-LINE.

8850 FILE-MAINT-ACTN-CD FILE_MAINT_CD_8850 DLSC-SB F CHAR 1

FILE MAINTENANCE ACTION CODE

A ONE POSITION ALPHA CODE USED TO IDENTIFY THE FILE MAINTENANCE ACTION TO BE TAKEN FOR EACH LINE OF DATA IN AN AUTOMATIC DATA PROCESSING GUIDE INPUT. SEE VOLUME 10, TABLE 118 AND QUICK INFO ON-LINE.

8855 ASSOC-CD-CAGE-NSCM-CD ASSOC_CD_CAGE_8855 DLSC-SC F CHAR 5

ASSOCIATION CODE, CAGE/NSCM CODE

A CODE ASSIGNED BY THE PROGRAM MANAGER TO IDENTIFY THE CORPORATE COMPLEX ENTITY AND ALL RELATED SUB-ENTITIES THAT COMPRISE A CORPORATE COMPLEX. THE ASSOCIATION CODE IS USED IN ITEM IDENTIFICATION SCREENING OPERATIONS TO DETERMINE ACTUAL OR POSSIBLE DUPLICATE ITEMS WHEN THE REFERENCE NUMBER IS THE SAME BUT THE CAGE/NSCM CODE IS DIFFERENT.

8860 AF-FSC-MGR AF_FSC_MGR_8860 DLSC-SB F CHAR 2

AIR FORCE FEDERAL SUPPLY CLASS MANAGER

THE AIR FORCE ACTIVITY (AF) DESIGNATED TO PERFORM, ON A FEDERAL CLASS MANAGEMENT BASIS, A GROUP OF LOGISTICS FUNCTIONS WHICH INCLUDES ITEM CATALOGING, PREPARATION OF ALL CATALOGS AND CATALOG SUPPLEMENTS, SIMPLIFICATION, CHARACTERISTICS SCREENING, STANDARDIZATION, INTERCHANGEABILITY AND SUBSTITUTION FAMILY GROUPING. SPECIFICATION, MANAGEMENT, AND ENGINEERING SUPPORT RELATED TO THESE ACTIVITIES.

8863 ASGND-PSCN DLSC-SB F 13

ASSIGNED PERMANENT SYSTEM CONTROL NUMBER

A NUMBER ASSIGNED FOR CONTROL PURPOSES TO IDENTIFY ITEMS ESTABLISHED IN THE TOTAL ITEM RECORD PRIOR TO NATIONAL ITEM IDENTIFICATION NUMBER (NIIN) ASSIGNMENT FOR STANDARD ITEMS AND ITEMS DESCRIBED FOR MARKETING AND UTILIZATION PURPOSES. THE PSCN CONSISTS OF THE FOUR DIGIT FEDERAL SUPPLY CLASSIFICATION (FSC), DRN 3990 AND THE PSCN (DRN 4250) WHICH INCLUDES THE TWO DIGIT NATIONAL CODIFICATION BUREAU CODE (DRN 4130) FOR THE UNITED STATES.

8866 CANC-PSCN DLSC-SB F 13

CANCELED PERMANENT SYSTEM CONTROL NUMBER

A PERMANENT SYSTEM CONTROL NUMBER WHICH IS NO LONGER AUTHORIZED FOR IDENTIFYING ITEMS ESTABLISHED IN THE TOTAL ITEM RECORD /TIR/ PRIOR TO NATIONAL ITEM IDENTIFICATION NUMBER ASSIGNMENT FOR STANDARD ITEMS AND ITEMS DESCRIBED FOR MARKETING AND UTILIZATION PURPOSES.

8868 CAO-ADP-EXCP-PROC-CD CAO_EX_PR_CD_8868 DLSC-SB F CHAR 1

CAO/ADP EXCEPTION PROCESSING CODE

A CODE WHICH SIGNIFIES AN EXCEPTION TO THE NORMAL PROCEDURE AND RULE FOR RELATING CONTRACT ADMINISTRATION OFFICE (CAO) CODES AND AUTOMATIC DATA PROCESSING (ADP) POINT CODES TO ADD/CHANGE O.E. TRANSACTIONS AFFECTING THE MANUFACTURERS/NONMANUFACTURERS ORGANIZATIONAL ENTITY RECORDS. SEE VOLUME 10, TABLE 132 AND QUICK INFO ON-LINE.

8870 CAO-CD CAO_CD_8870 DLSC-SBB F CHAR 6

CONTRACT ADMINISTRATION OFFICE (CAO) CODE

A SIX POSITION DEPARTMENT OF DEFENSE ACTIVITY ADDRESS CODE /DODAAC/, IDENTIFIED AS A CONTRACT ADMINISTRATION OFFICE (CAO) CODE WHEN REFERENCED TO THE IN-THE-CLEAR NAME AND ADDRESS OF A DEFENSE CONTRACT ADMINISTRATION SERVICE REGIONAL /DCASR/ OFFICE. SEE VOLUME 10, TABLE 133 AND QUICK INFO ON-LINE.

8875 RPLM-NSN-CANC RPLM_NSN_CANC_8875 DLSC-SB F CHAR 13

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	--------FORMAT-------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

REPLACEMENT NATIONAL STOCK NUMBER, CANCELLATION
AN EXISTING NATIONAL STOCK NUMBER THAT HAS BEEN DETERMINED THROUGH THE CANCELLATION PRIORITY TABLE TO BE A REPLACEMENT FOR ANOTHER EXISTING NATIONAL STOCK NUMBER OR PERMANENT SYSTEM CONTROL NUMBER.

8878 RPLM-NSN-FOR-PSCN — DLSC-SB — F — 13
REPLACEMENT NATIONAL STOCK NUMBER, FOR A PSCN
A NATIONAL STOCK NUMBER USED TO REPLACE A PERMANENT SYSTEM CONTROL NUMBER /PSCN/ WHEN IT HAS BEEN DETERMINED THAT THE PSCN ITEM IS REQUIRED AS AN ITEM OF SUPPLY.

8905 FILE-MAINT-RCVR-CD — FILE_MNT_RCVR_8905 — DLSC-SB — F — CHAR — 2
FILE MAINTENANCE RECEIVER CODE
THE ACTIVITY CODE OF AN ACTIVITY RECEIVING FILE MAINTENANCE DATA BY FEDERAL SUPPLY CLASSIFICATION (FSC).

8925 MGMT-CTL-DATA-AF — DLSC-SB — F — 7
MANAGEMENT CONTROL DATA, AIR FORCE
A DATA CHAIN OF MANAGEMENT CODES USED BY THE UNITED STATES AIR FORCE TO DESIGNATE CONTROLS WHICH ARE ESSENTIAL TO THE SUCCESSFUL OPERATION OF AIR FORCE-PECULIAR SYSTEMS

8930 MGMT-CTL-DATA-AR — DLSC-SB — F — 7
MANAGEMENT CONTROL DATA, ARMY
A DATA CHAIN OF MANAGEMENT CODES USED BY THE UNITED STATES ARMY TO DESIGNATE CONTROLS WHICH ARE ESSENTIAL TO THE SUCCESSFUL OPERATION OF ARMY-PECULIAR SYSTEMS

8935 MGMT-CTL-DATA-MC — DLSC-SB — F — 7
MANAGEMENT CONTROL DATA, MARINE CORPS
A DATA CHAIN OF MANAGEMENT CODES USED BY THE UNITED STATES MARINE CORPS TO DESIGNATE CONTROLS WHICH ARE ESSENTIAL TO THE SUCCESSFUL OPERATION OF MARINE CORPS PECULIAR SYSTEMS.

8940 MGMT-CTL-DATA-NVY — DLSC-SB — F — 7
MANAGEMENT CONTROL DATA, NAVY
A DATA CHAIN OF MANAGEMENT CODES USED BY THE UNITED STATES NAVY TO DESIGNATE CONTROLS WHICH ARE ESSENTIAL TO THE SUCCESSFUL OPERATION OF NAVY-PECULIAR SYSTEMS

8950 AND-SYM — DLSC-SC — F — 2
AND SYMBOL
TWO SPECIAL CHARACTERS USED IN THE CHARACTERISTICS DATA GROUP TO IDENTIFY A COMBINATION OF VALUES TO A CHARACTERISTIC SUCH AS MATERIAL (METAL AND WOOD). THE SYMBOLS WILL SEPARATE THE VALUES IN A CODED CHARACTERISTIC AND WILL PRECEDE THE MODE CODE OF THE SECOND AND SUBSEQUENT REPLIES. THE SYMBOLS WILL BE USED, WHEN APPLICABLE, AS AN ELEMENT OF THE CHARACTERISTICS DATA GROUP FOR INPUT, PROCESSING AND STORAGE AND WILL BE DECODED ON OUTPUT TO READ AND AS AN ELEMENT OF THE CHARACTERISTICS DATA.

8951 OR-SYM — DLSC-SC — F — 1
OR SYMBOL
A SPECIAL CHARACTER USED IN THE CHARACTERISTICS DATA GROUP TO IDENTIFY ALTERNATE VALUES TO CHARACTERISTIC SUCH AS DRIVE STYLE (CROSS RECESS DRIVE TYPE 1 OR TYPE 2). THE SYMBOL WILL SEPARATE EACH VALUE IN A CODED CHARACTERISTIC AND WILL PRECEDE THE MODE CODE OF THE SECOND AND SUBSEQUENT REPLIES. THE SYMBOL WILL BE USED, WHEN APPLICABLE, AS AN ELEMENT OF THE CHARACTERISTICS DATA GROUP FOR INPUTS, PROCESSING AND STORAGE AND WILL BE DECODED ON OUTPUT TO READ OR AS AN ELEMENT OF THE CHARACTERISTICS DATA.

8971 NATO-RPLM-NSN-CANCL-ID — NATO_RPLM_NSN_8971 — DLSC-SD — F — CHAR — 16
NATO REPLACEMENT NATIONAL STOCK NUMBER CANCELLATION IDENTIFIER

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE IDENTIFIER THAT REPRESENTS AN EXISTING NATO NATIONAL STOCK NUMBER THAT HAS BEEN DETERMINED TO BE A REPLACEMENT FOR ANOTHER EXISTING NATO NATIONAL STOCK NUMBER. THE FORMAT IS THE 13-POSITION NSN WITH DASHES (XXXX-XX-XXX-XXXX).

8972 NATO-MFR-NM NATO_MFR_NM_8972 DLSC-SD F CHAR 195

NATO MANUFACTURER NAME

THE IDENTIFIER THAT REPRESENTS THE CLEAR TEXT MANUFACTURER'S NAME FROM KHN INPUT. CONSISTS OF NATO MANUFACTURER DATA SEGMENNT LINE NUMBERS 01 THRU 05, WITH DATA TRUNCATED AND DELIMITER AFTER EACH LINE NUMBER.

8973 NATO-MFR-ADRS-TX NATO_MFR_ADRS_8973 DLSC-SD F CHAR 156

NATO MANUFACTURER ADDRESS TEXT

THE IDENTIFIER THAT REPRESENTS THE CLEAR TEXT MANUFACTURER'S PO BOX, STREET, CITY, STATE OR COUNTRY FROM KHN INPUT. CONSISTS OF NATO MANUFACTURER DATA SEGMENT LINE NUMBERS 06 THRU 09, WITH DATA TRUNCATED AND DELIMITER AFTER EACH LINE NUMBER.

8974 NATO-MFR-TEL-NBR-ID NATO_MFR_TEL_8974 DLSC-SD F CHAR 38

NATO MANUFACTURER TELEPHONE NUMBER IDENTIFIER

THE IDENTIFIER THAT REPRESENTS THE NATO TELEPHONE NUMBER FROM KHN INPUT. TELEPHONE NUMBER IS FOUND IN NATO MANUFACTURER DATA SEGMENT LINE NUMBERS 10 THRU 13, PREFIXED WITH TEL AND ENDING WITH DATA ELEMENT TERMINATOR CODE (#).

8975 NATO-MFR-FAX-NBR-ID NATO_MFR_FAX_8975 DLSC-SD F CHAR 38

NATO MANUFACTURERS DATA PREFIX CODE

CODE THAT SPECIFIES THE TYPE OF DATA TO FOLLOW. TO BE USED IN CONJUNCTION WITH DIC KHN. (SEE SUB-SECTION 553, TABLE 23). NATO USE ONLY.

8976 NATO-CDFN-CTL-CMNT-TX NCC_CMNT_8976 DLSC-SD V VARCHAR 500

NATO CODIFICATION CONTROL COMMENT TEXT

THE TEXT OF COMMENTS AND/OR RETURN TO COUNTRY (K27) DATA ASSOCIATED WITH A NATO TRANSACTION.

8977 RPLD-NSN-STDZN-RL RP_NSN_STD_RL_8977 DLSC-SB F CHAR 13

REPLACED NATIONAL STOCK NUMBER, STANDARDIZATION RELATIONSHIP

THE NATIONAL STOCK NUMBER IN A STANDARDIZATION REPLACEMENT RELATIONSHIP NOT AUTHORIZED FOR PROCUREMENT THAT IS REPLACED BY A NATIONAL STOCK NUMBER OR PERMANENT SYSTEM CONTROL NUMBER AUTHORIZED FOR PROCUREMENT.

8978 OTH-STA-PRVNC-NM OTH_STA_PRVNC_8978 DLSC-SD F CHAR 36

OTHER STATE PROVINCE NAME

THE CLEAR TEXT NAME OF A STATE OR PROVINCE FOR COUNTRIES OTHER THAN THE U.S. AND CANADA.

8979 RPLD-PSCN-STDZN-RL DLSC-SB F 13

REPLACED PSCN, STANDARDIZATION RELATIONSHIP

THE PERMANENT SYSTEM CONTROL NUMBER IN A STANDARDIZATION REPLACEMENT RELATIONSHIP THAT IS REPLACED BY ANOTHER PERMANENT SYSTEM CONTROL NUMBER OF NATIONAL STOCK NUMBER.

8981 MTCH-PSCN DLSC-SB F 13

MATCHED PERMANENT SYSTEM CONTROL NUMBER

THE EXISTING PERMANENT SYSTEM CONTROL NUMBER /PSCN/ WHICH IS FOUND TO BE AN ACTUAL OR POSSIBLE DUPLICATE OF A SUBMITTED PROPOSAL WHEN A MATCH IS REVEALED CHARACTERISTICALLY OR BY REFERENCE NUMBER. THE SUBMITTER IS NOTIFIED OF THE MATCH THROUGH THE USE OF THIS PSCN AND THE APPROPRIATE OUTPUT NOTIFICATION.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

8985 RPLM-PSCN-CANCL — DLSC-SB — F — 13

REPLACEMENT PERMANENT SYSTEM CONTROL NUMBER, CANCELLATION

AN EXISTING PERMANENT SYSTEM CONTROL NUMBER THAT HAS BEEN DETERMINED TO BE A REPLACEMENT FOR ANOTHER EXISTING PERMANENT SYSTEM CONTROL NUMBER.

8990 SAC — SAC_8990 — DLSC-SC — V CHAR — 3

SECONDARY ADDRESS CODE

A VARIABLE LENGTH CODE USED TO EXTEND/MODIFY THE MASTER REQUIREMENT CODE(MRC). THE SECONDARY ADDRESS CODE MAY BE UP TO THREE POSITIONS LONG USING ALPHA A THRU Z EXCLUDING I AND O. IT IS ALWAYS USED WITH A SECONDARY ADDRESS INDICATOR CODE (DRN 9485).

8999 FLIS-SEG-CD — DIDS_SEG_CD_8999 — DLSC-SBA — F CHAR — 1

FEDERAL LOGISTICS INFORMATION SYSTEM SEGMENT CODE

A CODE TO IDENTIFY A SPECIFIC GROUP OF DATA ELEMENTS FOR A GIVEN SEGMENT. SEE VOLUME 10, TABLE 120 AND QUICK INFO ON-LINE.

9031 CRTFN-APRV-DT — CRTFN_APRV_DT_9031 — DLSC-SB — F INTEGER — 7

CERTIFIED CONTRACTOR CERTIFICATION APPROVAL DATE

THE DATE THAT THE CERTIFIED CONTRACTOR'S CERTIFICATION WAS APPROVED. DISPLAY FORMAT IS MMDDDYYYY. DB2 FORMAT IS CCYYDDD.

9032 CRTFN-EXPD-DT — CRTFN_EXPD_DT_9032 — DLSC-SB — F INTEGER — 7

CERTIFIED CONTRACTOR CERTIFICATION EXPIRED DATE

THE DATE THAT THE CERTIFIED CONTRACTOR'S CERTIFICATION WAS EXPIRED. DISPLAY FORMAT IS MMDDDYYYY. DB2 FORMAT IS CCYYDDD.

9033 CRTFN-RVKD-DT — CRTFN_RVKD_DT_9033 — DLSC-SB — F INTEGER — 7

CERTIFIED CONTRACTOR CERTIFICATION REVOKED DATE

THE DATE THAT THE CERTIFIED CONTRACTOR'S CERTIFICATION WAS APPROVED.

9034 CRTFD-CONTR-DIV-NM — CRTFD_DIV_NM_9034 — DLSC-SB — F CHAR — 72

CERTIFIED CONTRACTOR DIVISION NAME

A FIELD CONTAINING THE CERTIFIED CONTRACTOR DIVISION OR SUBSIDIARY NAME FOR THE CONTRACTOR CERTIFICATION SYSTEM.

9035 CRTFD-CONTR-CTY-ADRS-TX — CRTFD_CTY_ADR_9035 — DLSC-SB — F CHAR — 30

CERTIFIED CONTRACTOR CITY ADDRESS TEXT

A FIELD CONTAINING THE CERTIFIED CONTRACTOR'S CITY ADDRESS FIELD FOR THE CONTRACTOR CERTIFICATION SYSTEM.

9036 STA-PRVNCL-CD — CRTFD_STA_CD_9036 — DLSC-SB — F CHAR — 2

CERTIFIED CONTRACTOR STATE PROVINCIAL CODE

A FIELD CONTAINING THE CERTIFIED CONTRACTOR'S STATE/PROVINCIAL CODE FOR THE CONTRACTOR CERTIFICATION SYSTEM.

9037 CRTFD-CONTR-CANAD-POS-CD — CANAD_POS_CD_9037 — DLSC-SB — F CHAR — 6

CERTIFIED CONTRACTOR CANADIAN POSTAL CODE

A FIELD CONTAINING THE CANADIAN POSTAL CODE OF THE CERTIFIED CONTRACTOR FOR THE CONTRACTOR CERTIFICATION SYSTEM.

9038 CRTFD-CONTR-CSTDN-NM — CRTFD_CSTN_NM_9038 — DLSC-SB — F CHAR — 72

CERTIFIED CONTRACTOR CUSTODIAN NAME

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE NAME OF THE CUSTODIAN ASSIGNED BY THE CERTIFIED CONTRACTOR.

9039 DATA-CSTDN-TI-ID CRTFD_CSTN_TI_9039 DLSC-SB F CHAR 72
CERTIFIED CONTRACTOR DATA CUSTODIAN TITLE IDENTIFIER
A FIELD CONTAINING THE DATA CUSTODIAN JOB TITLE FIELD FOR THE CONTRACTOR CERTIFICATION SYSTEM.

9040 MLG-ST-ADRS-TX MLG_ST_ADRS_9040 DLSC-SB F CHAR 36
CERTIFIED CONTRACTOR MAILING STREET ADDRESS TEXT
A FIELD CONTAINING THE CERTIFIED CONTRACTOR'S MAILING STREET ADDRESS FOR THE CONTRACTOR CERTIFICATION SYSTEM.

9041 MLG-POBOX-ADRS-TX MLG_POBOX_ADR_9041 DLSC-SB F CHAR 36
CERTIFIED CONTRACTOR MAILING POST OFFICE BOX ADDRESS TEXT
A FIELD CONTAINING THE CERTIFIED CONTRACTOR'S MAILING P.O. BOX ADDRESS FOR THE CONTRACTOR CERTIFICATION SYSTEM.

9042 MLG-CTY-ADRS-TX MLG_CTY_ADRS_9042 DLSC-SB F CHAR 30
CERTIFIED CONTRACTOR MAILING CITY ADDRESS TEXT
A FIELD CONTAINING THE CERTIFIED CONTRACTOR'S MAILING CITY ADDRESS FOR THE CONTRACTOR CERTIFICATION SYSTEM.

9043 MLG-STA-PRVNCL-CD MLG_STA_CD_9043 DLSC-SB F CHAR 2
CERTIFIED CONTRACTOR MAILING STATE PROVINCIAL CODE
A FIELD CONTAINING THE CERTIFIED CONTRACTOR'S MAILING STATE/PROVINCIAL CODE FOR THE CONTRACTOR CERTIFICATION SYSTEM.

9044 CRTFD-CONTR-MLG-ZIP-CD MLG_ZIP_CD_9044 DLSC-SB F CHAR 5
CERTIFIED CONTRACTOR MAILING ZIP CODE
A POST OFFICE ASSIGNED CERTIFIED CONTRACTOR MAILING CODE WHICH IS USED FOR ADDRESSING MAIL TO A SPECIFIC REGION, STATE, CITY OR PORTION THEREOF.

9045 MLG-ZIP-ADD-ON-CD MLG_ZIP_ADD_9045 DLSC-SB F CHAR 4
CERTIFIED CONTRACTOR MAILING ZIP ADD-ON CODE
A POST OFFICE ASSIGNED CERTIFIED CONTRACTOR MAILING CODE WHICH FURTHER SUBDIVIDES THE MAILING ZIP CODE. THIS CODE FOLLOWS THE MAILING ZIP CODE.

9046 MLG-CANAD-POS-CD MLG_CANAD_POS_9046 DLSC-SB F CHAR 6
CERTIFIED CONTRACTOR MAILING CANADIAN POSTAL CODE
A FIELD CONTAINING THE MAILING CANADIAN POSTAL CODE OF THE CERTIFIED CONTRACTOR FOR THE CONTRACTOR CERTIFICATION SYSTEM.

9047 DATA-CSTDN-PHN-NBR DATA_CSTN_PHN_9047 DLSC-SB F CHAR 10
CERTIFIED CONTRACTOR DATA CUSTODIAN PHONE NUMBER
A FIELD CONTAINING THE TELEPHONE NUMBER OF THE DATA CUSTODIAN FOR THE CONTRACTOR CERTIFICATION SYSTEM.

9048 INCORP-CRTFCT-IND-CD INCORP_CRTFCT_9048 DLSC-SB F CHAR 1
CERTIFIED CONTRACTOR INCORPORATION CERTIFICATE INDICATOR CODE
A CODE INDICATING WHETHER THE INCORPORATION CERTIFICATE OF THE CERTIFIED COMPANY HAS BEEN RECEIVED. VALID ENTRIES ARE Y=YES, N=NO.

9049 BUS-ACTY-DESC-TX BUS_ACTY_DESC_9049 DLSC-SB F CHAR 1360
CERTIFIED CONTRACTOR BUSINESS ACTIVITY DESCRIPTION TEXT

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A FIELD RELATING TO THE DESCRIPTION OF THE RELEVANT BUSINESS ACTIVITY OF THE CERTIFIED CONTRACTOR FOR THE CONTRACTOR CERTIFICATION SYSTEM.

9050 NEW-CRT-NBR-LOCK-STAT-CD CRT_LOCK_STAT_9050 DLSC-SB F CHAR 1
NEW CERTIFICATION NUMBER LOCKED STATUS CODE
THE STATUS OF A NEW CERTIFICATION NUMBER. VALID VALUES: BLANK = AVAILABLE, L = LOCKED, N = LAST RECORD.

9051 CRTFD-CONTR-LST-ACTN-CD CRTFD_LST_ACT_9051 DLSC-SB F CHAR 1
CERTIFIED CONTRACTOR LAST ACTION CODE
A CODE INDICATING THE LAST ACTION OF A CERTIFIED CONTRACTOR. VALID VALUES ARE: A=ADD, C=CHANGE, R=REVISION, D=DEBARRED, AND I=INQUIRY.

9052 CRTFD-CONTR-ORG-LOC-CD CRTFD_ORG_LOC_9052 DLSC-SB F CHAR 1
CERTIFIED CONTRACTOR ORGANIZATION LOCATION CODE
A CODE INDICATING THE ORGANIZATION LOCATION OF A CERTIFIED CONTRACTOR. VALID VALUES ARE: 1=US AND 2=CANADA.

9061 NO-LBL-SETS NO_LBL_SETS_9061 DLSC-SBA F CHAR 2
NO LABEL SETS
THE NUMBER OF LABEL SETS REQUESTED PASSED BY DATA RETRIEVAL IN THE COMMAREA.

9062 OP-TRACK-INFO OP_TRACK_INFO_9062 DLSC-SBA F CHAR 48
OUTPUT TRACK INFO
AN INFORMATION FIELD TO PASS OUTPUT LOCATION INFORMATION.

9063 PARAM-CD PARAM_CD_9063 DLSC-SBA F CHAR 4
PARAMETER CODE
A PARAMETER CODE USED BY THE TM TOLA SYSTEM (CODE FOR THE DATABASE OWNER).

9064 PARAM-VALUE PARAM_VALUE_9064 DLSC-SBA F CHAR 26
PARAMETER VALUE
CONTAINS TM TOLA SYSTEM PARAMETER USED FOR INITIAL VALUES AND PROGRAM PARAMETERS (VALUE FOR THE DATABASE OWNER).

9065 RELEASE-CNT-CICS RELE_CNT_CICS_9065 DLSC-SBA F CHAR 2
RELEASE COUNT TO CICS
THIS FIELD REPRESENTS THE NUMBER OF TIMES THAT TM ATTEMPTED TO RELEASE THIS TRANSACTION PRIOR TO THIS TIME THAT THE APPLICATION RAN.

9066 RESTORE-FLAG RESTORE_FLAG_9066 DLSC-SBA F CHAR 1
RESTORE FLAG
A FLAG THAT INDICATES WHETHER A DATASET THAT IS LOGGED TO THE ARCHIVE LOG FILE HAS ALREADY BEEN RESTORED.

9069 CICS-PASS-KEY-TX CICS_PASS_KEY_9069 F CHAR 30
CICS PASS KEY TEXT
THE TEXT OF A DATA ELEMENT USED AS A KEY TO DISTINGUISH INFORMATION THAT IS BEING PASSED TO CICS PROGRAMS.

9070 CICS-PASS-TX CICS_PASS_TX_9070 F CHAR 50
CICS PASS TEXT
THE TEXT OF A DATA ELEMENT CONTAINING INFORMATION THAT WILL BE PASSED TO CICS PROGRAMS.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

9075 SUBMTD-FSC — DLSC-SB — F — 4

SUBMITTED FEDERAL SUPPLY CLASS

THE FEDERAL SUPPLY CLASS /FSC/ THAT WAS SUBMITTED WITH THE TRANSACTION BUT IS DIFFERENT FROM THE FSC RECORDED AGAINST THE ITEM IN THE TOTAL ITEM RECORD.

9076 MSDS-ID — MSDS_ID_9076 — DLSC-SBA — F — CHAR — 5

MATERIAL SAFETY DATA SHEET IDENTIFIER

THE MATERIAL SAFETY DATA SHEET (MSDS) SERIAL NUMBER IS A UNIQUE COMPUTER GENERATED FIVE POSITION ALPHANUMERIC DESIGNATOR ASSIGNED TO EACH MSDS ENTRY IN THE HAZARDOUS MATERIALS INFORMATION SYSTEM (HMIS). USER SHOULD USE THIS NUMBER TO INTERROGATE HMIS FOR TECHNICAL INFORMATION FOR THE ITEM.

9077 HCC-ABRV-DEF-TX — HCC_ABRV_DEF_9077 — DLSC-SBA — F — CHAR — 40

HCC ABBREVIATED DEFINITION TEXT

AN ABBREVIATED DEFINITION OF HCC GROUP (DRN 9079).

9079 HCC-GP-TX — HCC_GP_9079 — DLSC-SBA — F — CHAR — 60

HCC GROUP TEXT

A DESCRIPTIVE NAME OF THE HCC HAZARD.

9080 OE-DUP-NON-DUP-CRTFN-CD — DLSC-SC — F — 1

ORGANIZATIONAL ENTITY DUPLICATE/NON DUP CERTIFICATION CODE

A CODE INSERTED BY THE PROGRAM MANAGER THAT CERTIFIES WHETHER A SUBMITTED INPUT TRANSACTION, TO ADD A PROPOSED NEW ORGANIZATIONAL ENTITY /O.E./ RECORD TO THE SYSTEM SUPPORT RECORD /SSR/, IS A DUPLICATION OR NON-DUPLICATION TO AN EXISTING O.E. RECORD, NUMERIC CODE 1 INDICATES A NON-DUPLICATION, NUMERIC CODE 2 INDICATES A DUPLICATION.

9090 IMM — IMM_9090 — DLSC-SB — F — CHAR — 2

INTEGRATED MATERIEL MANAGER

THE MATERIEL MANAGER RESPONSIBLE FOR THE EXECUTION OF ASSIGNED MATERIEL MANAGEMENT FUNCTIONS FOR SELECTED ITEMS OR SELECTED FEDERAL SUPPLY CLASSES/FSC/CLASSES.

9094 DIDS-IP-HDR — DLSC-SB — V — 10

DEFENSE INTEGRATED DATA SYSTEM INPUT HEADER

A GROUP OF INPUT DATA COMPOSED OF CONTROL INFORMATION REQUIRED TO CONTROL, SUSPEND AND PROCESS DATA IN ACCORDANCE WITH THE ASSOCIATED DOCUMENT IDENTIFIER CODE. THE LENGTH OF THE HEADER IN CARD FORMAT IS 80 CHARACTERS. THE FLIS PROCEDURES MANUAL APPENDICES CONTAIN A DESCRIPTION OF THE DATA.

9098 DIDS-OP-HDR — DLSC-SB — V — 10

DEFENSE INTEGRATED DATA SYSTEM OUTPUT HEADER

A GROUP OF OUTPUT DATA COMPOSED OF CONTROL INFORMATION REQUIRED TO CONTROL AND DISTRIBUTE PROCESSED DATA IN ACCORDANCE WITH THE ASSOCIATED DOCUMENT IDENTIFIER CODE. THE LENGTH OF THE HEADER IN CARD FORMAT IS 80 CHARACTERS. THE FLIS PROCEDURES MANUAL APPENDICES CONTAIN A DESCRIPTION OF THE DATA.

9099 DIDS-INTRO — DIDS_INTRO_9099 — DLSC-V — V — VARCHAR — 1300

DIDS INTRODUCTION

THIS FIELD CONTAINS THE CLEAR TEXT INTRODUCTION FOR TABLES LOCATED IN FLIS PROCEDURES (DOD 4100.39) VOLUME 10 CHAPTER 4, VOLUME 8 CHAPTER 3, AND VOLUME 9 CHAPTER 3.

9100 IDEN-DATA-SEG — DLSC-SB — V — 47

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

IDENTIFICATION DATA SEGMENT
A DATA GROUP CONSISTING OF HOMOGENOUS DATA ELEMENTS COMMON TO THE ITEM IDENTIFICATION FUNCTION. THE FLIS PROCEDURES MANUAL, VOLUMES 8 AND 9, CHAPTER 3, SPECIFY THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.

9101 MOE-RULE-DATA-SEG — DLSC-SB — V — 69
MAJOR ORGANIZATIONAL ENTITY RULE DATA SEGMENT
A GROUP OF DATA CONSISTING OF HOMOGENEOUS DATA ELEMENTS PERTINENT TO MOE RULES AND RELATED ITEM STATUS DATA. THE FLIS PROCEDURES MANUAL, VOLUMES 8 AND 9, CHAPTER 3, SPECIFY THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.

9102 REF-NBR-DATA-SEG — DLSC-SB — V — 55
REFERENCE NUMBER DATA SEGMENT
A GROUP OF DATA CONSISTING OF DATA ELEMENTS PERTINENT TO THE REFERENCE NUMBER. THE FLIS PROCEDURES MANUAL, VOLUMES 8 AND 9, CHAPTER 3, SPECIFY THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.

9104 STDZN-DEC-DATA-SEG — DLSC-SB — V — 4496
STANDARDIZATION DECISION DATA SEGMENT
A GROUP OF DATA IDENTIFYING THE ORIGINATOR, DATE AND ITEM STANDARDIZATION CODE OF STANDARDIZATION DECISIONS FOR ITEMS EITHER INCLUDED OR NOT INCLUDED IN AN OFFICIAL DEPARTMENT OF DEFENSE STANDARDIZATION REPLACEMENT RELATIONSHIP. THE FLIS PROCEDURES MANUAL, VOLUME 8 AND 9, CHAPTER 3, SPECIFY THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.

9106 FLIS-I-S-RL-DATA-SEG — DLSC-SB — V — 1140
FLIS I&S RELATIONSHIP DATA SEGMENT
A GROUP OF DATA IDENTIFYING A FEDERAL LOGISTICS INFORMATION SYSTEM INTERCHANGEABILITY AND SUBSTITUTABILITY RELATIONSHIP BETWEEN NATIONAL STOCK NUMBERS (NSN) AND/OR PERMANENT SYSTEM CONTROL NUMBERS (PSCN) SHOWING WHICH NSN/PSCN IS THE PREFERRED ITEM, SHOWING THE I AND S RELATIONSHIP BETWEEN NSN/PSCN (INTERCHANGEABLE, SUBSTITUTABLE OR GENERIC), SHOWING THE APPLICABLE PHRASE CODE FOR THE NSN/PSCN, AND WHICH MOE ORIGINATED THE RELATIONSHIP, THE FLIS PROCEDURES MANUAL, VOLUMES 8 AND 9, CHAPTER 3, SPECIFY THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.

9107 FRT-CLAS-DATA-SEG — DLSC-SB — V — 71
FREIGHT CLASSIFICATION DATA SEGMENT
A GROUP OF DATA CONSISTING OF HOMOGENEOUS DATA ELEMENTS PERTINENT TO FREIGHT CLASSIFICATION. THE FLIS PROCEDURES MANUAL, VOLUMES 8 AND 9, CHAPTER 3, SPECIFY THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.

9108 CAT-MGMT-DATA-SEG — DLSC-SB — V — CHAR — 1722
CATALOG MANAGEMENT DATA (CMD) SEGMENT
A GROUP OF DATA CONSISTING OF HOMOGENEOUS DATA ELEMENTS PERTINENT TO CATALOG MANAGEMENT DATA. THE FLIS PROCEDURES MANUAL, VOLUMES 8 AND 9, CHAPTER 3, SPECIFY THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.

9109 NIIN-PSCN-STAT-CANC-SEG — DLSC-SB — V — 47
NIIN/PSCN STATUS-CANC DATA SEGMENT
A GROUP OF DATA CONSISTING OF HOMOGENEOUS DATA ELEMENTS TO PROVIDE THE NATIONAL ITEM IDENTIFICATION NUMBER/PERMANENT SYSTEM CONTROL NUMBER (PSCN) STATUS CODE AND, IF APPLICABLE, THE REPLACEMENT NATIONAL STOCK NUMBER OR REPLACEMENT PSCN. THE FLIS PROCEDURES MANUAL VOLUMES 8 AND 9, CHAPTER 3, SPECIFY THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.

9110 OP-FILE-DATA-HDR-SEG — DLSC-SB — V — 31
OUTPUT FILE DATA HEADER SEGMENT
A GROUP OF DATA CONSISTING OF THE DATA ELEMENTS WHICH MAKE UP THE OUTPUT FILE DATA HEADER. THE FLIS PROCEDURES MANUAL, VOLUME 8 AND VOLUME 9, CHAPTER 3, SPECIFY THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

9111 CLRTXT-CHARAS-SEG — DLSC-SB — V — 1127

CLEAR TEXT CHARACTERISTICS SEGMENT

A GROUP OF DATA CONSISTING OF HOMOGENEOUS DATA ELEMENTS IN DECODED FORMAT WHICH CAN BE EQUATED TO THE DESCRIPTION PORTION OF AN ITEM OF SUPPLY. THE FLIS PROCEDURES MANUAL, VOLUMES 8 AND 9, CHAPTER 3, SPECIFY THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.

9112 NAR-FM-CHARAS-SEG — DLSC-SB — V — 5055

NARRATIVE FORM CHARACTERISTICS SEG.

A GROUP OF DATA CONSISTING OF DATA ELEMENTS (IN DECODED FORMAT) THAT ARE REQUIRED TO DEVELOP (PRINT) NARRATIVE CHARACTERISTICS IN SUPPORT OF OTHER LOGISTICS FUNCTIONS. THE FLIS PROCEDURES MANUAL, VOLUMES 8 AND 9, CHAPTER 3, SPECIFY THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.

9113 DE-ORI-WO-VAL-SEG — DLSC-SB — V — 907

DATA ELEMENT ORIENTED WITHOUT VALUE SEGMENT

A GROUP OF DATA CONSISTING OF DATA ELEMENTS USED TO IDENTIFY THE DATA RECORD NUMBERS OR MASTER REQUIREMENT CODES WHICH WERE IN ERROR OR CONFLICT. THE FLIS PROCEDURES MANUAL, VOLUME 8 AND 9, CHAPTER 3, SPECIFY THE FORMAT OF THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.

9114 DE-ORI-W-VAL-RET-ACT-SEG — DLSC-SB — V — 9999

DATA ELEMENT ORIENTED WITH VALUE-RETURN ACTION SEGMENT

A GROUP OF ELEMENTS USED TO IDENTIFY THE DATA RECORD NUMBERS OR MASTER REQUIREMENT CODES WHICH WERE IN ERROR/CONFLICT AND TO IDENTIFY THE VALUES OF THE NUMBERS/CODES WHICH ARE RECORDED ON THE DATA BASE AND/OR SHOULD HAVE BEEN SUBMITTED. THE FLIS PROCEDURES, VOLUME 8 AND 9, CHAPTER 3, SPECIFY FORMAT OF DATA ELEMENTS WHICH MAKE UP THIS GROUP. SEGMENT Q STATES THAT THE MINIMUM PICTURE LENGTH = 22, MAXIMUM LENGTH = 524, MAX OCCUR 99 TIMES, RESULTING IN A TOTAL CHARACTER COUNT OF 51,876.

9115 DE-ORI-W-VAL-SEG — DLSC-SB — V — 50

DATA ELEMENT ORIENTED WITH VALUE SEGMENT

A GROUP OF DATA CONSISTING OF DATA RECORD NUMBERS AND THEIR VALUES. THE FLIS PROCEDURES MANUAL, VOLUMES 8 AND 9 CHAPTER 3, SPECIFY THE FORMAT OF THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.

9116 REL-SCRNG-DATA-SEG — DLSC-SC — V — 33

RELATED SCREENING DATA SEGMENT

A GROUP OF DATA CONSISTING OF DATA ELEMENTS PERTINENT TO SCREENING REQUIRED FOR PROVISIONING ON OTHER SERVICES. THE LENGTH OF THE DATA SEGMENT IN CARD FORMAT IS 80 CHARACTERS. THE FLIS PROCEDURES MANUAL APPENDICES CONTAIN A DESCRIPTION OF THE DATA ELEMENTS.

9117 CANC-DEL-MOE-RULE-SEG — DLSC-SB — V — 29

CANCELLATION/DELETE MOE RULE SEGMENT

A GROUP OF DATA CONSISTING OF DATA ELEMENTS PERTINENT TO THE CANCELLATION OF NATIONAL STOCK NUMBERS/PERMANENT SYSTEM CONTROL NUMBERS, OR TO THE DELETION OF MOE RULE(S). THE FLIS PROCEDURES MANUAL, VOLUMES 8 AND 9, CHAPTER 3, SPECIFY THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.

9118 CDD-ITM-CHARAS-DATA-SEG — DLSC-SB — V — 5011

CODED ITEM CHARACTERISTICS DATA SEGMENT

A GROUP OF DATA CONSISTING OF HOMOGENEOUS DATA ELEMENTS IN CODED FORMAT WHICH CAN BE EQUATED TO THE DESCRIPTION PORTION OF AN ITEM OF SUPPLY. THE FLIS PROCEDURES MANUAL, VOLUMES 8 AND 9, CHAPTER 3, SPECIFY THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.

9119 FUT-DATA-SEG — DLSC-SB — V — 5033

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

FUTURE DATA SEGMENT
A GROUP OF DATA CONSISTING OF DATA ELEMENTS WHICH WILL BE EFFECTIVE ON A DATE IN THE FUTURE. THE FLIS PROCEDURES MANUAL, VOLUMES 8 AND 9, CHAPTER 3, SPECIFY THE FORMAT OF THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.

9121 NOTI-DLSC-CHNG-DATA-SEG DLSC-SB V 21
NOTIFICATION OF DLSC CHANGE DATA SEGMENT
A GROUP OF DATA THAT REFLECTS THE DATA ELEMENT(S) AS IT WAS SUBMITTED AND THE DATA ELEMENT(S) AS IT WAS CHANGED MECHANICALLY BY THE DEFENSE LOGISTICS SERVICE CENTER. E.G., FEDERAL SUPPLY CLASS, ITEM NAME CODE, COMMERCIAL AND GOVERNMENT ENTITY CODE, PRIORITY INDICATOR CODE. DATA RECIPIENTS ARE NOTIFIED OF THE CHANGE BY THE PRESENCE OF THIS GROUP IN THE MAINTENANCE PACKAGE. THE FLIS PROCEDURES MANUAL, VOLUMES 8 AND 9, CHAPTER 3, SPECIFY THE FORMAT OF THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.

9122 SCRNG-RSP-HDR-SEG DLSC-SB V 24
SCREENING RESPONSE HEADER SEGMENT
A GROUP OF DATA CONSISTING OF THE DATA ELEMENTS WHICH MAKE UP THE SCREENING RESPONSE HEADER SEGMENT. THE LENGTH OF THE DATA SEGMENT IN CARD FORMAT IS 160 CHARACTERS. THE FLIS PROCEDURES MANUAL APPENDICES CONTAIN A DESCRIPTION OF THE DATA ELEMENTS.

9124 SCRNG-RQST-NIIN-DATA-SEG DLSC-SB V 20
SCREENING REQUEST, NIIN DATA SEGMENT
A GROUP OF DATA CONSISTING OF DATA ELEMENTS NECESSARY TO ACCOMPLISH NATIONAL STOCK NUMBER MATCHING AGAINST THE TOTAL ITEM RECORD FOR PROVISIONING AND PREPROCUREMENT SCREENING PURPOSES. THE LENGTH OF THE DATA SEGMENT IN CARD FORMAT IS 80 CHARACTERS. THE FLIS PROCEDURES MANUAL APPENDICES CONTAIN A DESCRIPTION OF THE DATA ELEMENTS.

9125 SCRNG-RQST-REF-NBR-DA-SG DLSC-SB V 34
SCREENING REQUEST, REFERENCE NUMBER DATA SEGMENT
A GROUP OF DATA CONSISTING OF DATA ELEMENTS NECESSARY TO ACCOMPLISH REFERENCE NUMBER MATCHING AGAINST THE TOTAL ITEM RECORD FOR PROVISIONING AND PREPROCUREMENT SCREENING PURPOSES. THE LENGTH OF THE DATA SEGMENT IS 160 CHARACTERS IN CARD FORMAT. THE FLIS PROCEDURES MANUAL APPENDICES CONTAIN A DESCRIPTION OF THE DATA ELEMENTS.

9126 DAAS-SCRNG-REF-NBR-SEG DLSC-SB F 80
DAAS SCREENING, REFERENCE NUMBER SEGMENT
A GROUP OF DATA CONSISTING OF DATA ELEMENTS PERTINENT TO REFERENCE NUMBER SCREENING REQUIRED BY THE DEFENSE AUTOMATIC ADDRESSING SYSTEM (DAAS). A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPENDICES OF THE FLIS PROCEDURES MANUAL.

9127 PKG-DATA-SEG PKG_DATA_SEG_9127 DLSC-SB V VARCHAR 168
PACKAGING DATA SEGMENT
A GROUP OF DATA CONSISTING OF HOMOGENOUS DATA ELEMENTS PERTINENT TO PACKAGING. THE FLIS PROCEDURES MANUAL, VOLUMES 8 AND 9, CHAPTER 3, SPECIFY THE DATA ELEMENTS WHICH MAKE UP THIS GROUP.

9128 DT-MOE-RULE-ASGND-NIIN DT_MR_ASGND_9128 DLSC-SB F INTEGER 5
DATE, MAJOR ORGANIZATIONAL ENTITY RULE, ASSIGNED TO NIIN
THE JULIAN DATE THAT A SUBMITTED MOE RULE IS RECORDED ON A NIIN IN THE FLIS DATA BASE. WHEN A ZERO EFFECTIVE DATED MOE RULE TRANSACTION IS SUBMITTED, DLSC WILL LOAD THIS FIELD WITH A JULIAN DATE EQUAL TO THE FIRST DAY OF THE MONTH WHEN THE TRANSACTION PROCESSED. WHEN A FUTURE EFFECTIVE DATED MOE RULE TRANSACTION IS SUBMITTED, DLSC WILL LOAD THIS FIELD WITH THE SUBMITTED EFFECTIVE DATE VALUE.

9129 NATO-KRP-DIC-CT NATO_KRP_DIC_9129 DLSC-SD F SMALLINT 4
NATO KRP DOCUMENT IDENTIFIER CODE COUNT

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

COUNT OF KRP DICS FOR NATO SUBMITTERS.

9131 ACTIVITY-FLAG ACTIVITY_FLAG_9131 DLSC-S F CHAR 1
ACTIVITY FLAG
A FLAG REFLECTING THE TYPE OF ACTIVITY SUBMITTING THE TRANSACTION (CATALOGING OR PROVISIONING SCREENING). USED TO INTERPRET THE WAY TO READ THE CONTROL NUMBER (DOCUMENT CONTROL NUMBER OR SUBMITTER CONTROL NUMBER).

9133 ACTY-GRP ACTY_GRP_9133 DLSC-S F CHAR 12
ACTIVITY GROUP
A COMPLEX FIELD WHICH MAY CONTAIN THE ACTIVITY CODE, DESTINATION CODE SCREENING, AND ADDRESS SEQUENCE CODE OR REDEFINED CONTAINING THE REPOSITORY IDENTIFICATION. USED TO GROUP TRANSACTIONS DESTINED TO THE SAME ACTIVITY OVER A PERIOD OF TIME.

9134 ACTY-TYPE ACTY_TYPE_9134 DLSC-S F CHAR 4
ACTIVITY TYPE
INDICATES WHAT CATEGORY AN ACTIVITY BELONGS TO (CATALOGING, NATO, MEDALS, PSMAT, ETC.).

9135 ALLOWED-DIC ALLOWED_DIC_9135 DLSC-S F CHAR 3
ALLOWED DIC
VALID DIC WHICH CAN BE INCLUDED IN A LMX OR LMD TRANSACTION.

9136 APPL-OP-REC APPL_OP_REC_9136 DLSC-S V VARCHAR 1132
APPLICATION OUTPUT RECORD
CONTAINS AN OUTPUT SEGMENT IN ITS INTERNAL FORMAT GENERATED BY A BATCH APPLICATION.

9137 ARCHIVE-TS ARCHIVE_TS_9137 DLSC-S F TIMESTMP 26
ARCHIVE TIMESTAMP
SYSTEM TIMESTAMP OF WHEN TRANSACTIONS WERE ARCHIVED TO A DATASET.

9138 ARCVD-BY-USER ARCHVNG_USER_9138 DLSC-S F CHAR 8
ARCHIVED BY USER
USERID OF INDIVIDUAL WHO ARCHIVED A SET OF TRANSACTIONS.

9139 ASCII-EBCDIC ASCII_EBCDIC_9139 DLSC-S F CHAR 1
ASCII EBCDIC
INDICATES IF A TAPE IS IN ASCII OR EBCDIC FORMAT. USED FOR INPUT AND OUTPUT OF TRANSACTIONS.

9140 AUTODIN-IO AUTODIN_IO_9140 DLSC-S F CHAR 1
AUTODIN INPUT OUTPUT
INDICATES WHETHER THE RECORD PERTAINS TO AN INPUT AUTODIN MESSAGE OR AN OUTPUT AUTODIN MESSAGE. VALUES ARE I OR O.

9141 BLOCK-SIZE BLOCK_SIZE_9141 DLSC-S F CHAR 4
BLOCK SIZE
USED IN MEDIA TYPE TABLE. THE BLOCK SIZE OF THE INPUT OUTPUT TAPE.

9142 COMM-RI COMM_RI_9142 DLSC-S F CHAR 7
COMMUNICATIONS ROUTING INDICATOR
FIELD WITHIN THE AUTODIN MESSAGE HEADER.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

9143 CPU-ROUTED-TO — CPU_ROUTED_TO_9143 — DLSC-S — F CHAR 10
CPU ROUTED TO
THE CPU WHERE A TRANSACTION HAS BEEN REROUTED TO (FUTURE USE).

9144 DATASET-NAME — DATASET_NAME_9144 — DLSC-S — F CHAR 18
DATASET NAME
NAME OF DATASET WHICH CONTAINS ARCHIVED TRANSACTIONS. THE DATASET NAME IS THE DATE WHEN THE TRANSACTIONS WERE RECEIVED.

9145 DIC-ID — DIC_ID_9145 — DLSC-S — F CHAR 5
DIC IDENTIFIER
COMPLEX FIELD CONTAINING THE DIC AND THE DIC_SEQ.

9146 DIC-SEQ — DIC_SEQ_9146 — DLSC-S — F SMALLINT 2
DIC SEQUENCER
DIC SEQUENCE NUMBER FOR MULTIPLE OCCURRENCES OF DICS.

9147 DLSC-DATE — DLSC_DATE_9147 — DLSC-S — F CHAR 9
DLSC DATE
DATE FIELD INCLUDED IN MEDALS OUTPUT TRANSACTION.

9148 DLSC-TIME — DLSC_TIME_9148 — DLSC-S — F CHAR 8
DLSC TIME
TIME FIELD INCLUDED IN MEDALS OUTPUT TRANSACTION.

9151 ERROR-SEQ — ERROR_SEQ_9151 — DLSC-S — F SMALLINT 2
ERROR SEQUENCER
TM ERROR SEQUENCE NUMBER. INDICATES THE NUMBER OF TIMES THE TRANSACTION WAS DETECTED AS BEING IN ERROR.

9152 ERROR-TS — ERROR_TS_9152 — DLSC-S — F TIMESTMP 26
ERROR TIMESTAMP
TRANSACTION ERROR TIME STAMP. INDICATES THE DATE AND TIME WHEN TM WAS INTERRUPTED BECAUSE OF AN ERROR CONDITION.

9153 EXEC-COUNT — EXEC_COUNT_9153 — DLSC-S — F SMALLINT 2
EXECUTION COUNT
TRANSACTION EXECUTION COUNT. INDICATES THE NUMBER OF TIMES A TRANSACTION WAS SUBMITTED TO THE BATCH APPLICATION BY TM.

9154 EXT-SEG-DATA — EXT_SEG_DATA_9154 — DLSC-S — V VARCHAR 1131
EXTENDED SEGMENT DATA
EXTENDED SEGMENT VALUE. STORES THE REMAINING CHARACTERS OF A SEGMENT WHICH EXCEEDED THE MAXIMUM LENGTH OF 1124 AS SPECIFIED IN THE TRANS-HOLD-SEGMENT FILE, TRANS-ACTIVE-SEG FILE, OR TRANS-HIST-SEGMENT FILE.

9155 EXT-SEG-SEQ — EXT_SEG_SEQ_9155 — DLSC-S — F SMALLINT 2
EXTENDED SEGMENT SEQUENCER
EXTENDED SEGMENT SEQUENCE NUMBER. INDICATES THE SEQUENCE OF EXTENDED SEGMENT RECORDS REQUIRED TO STORE THE INPUT SEGMENT IF THE SEGMENT EXCEEDS THE MAXIMUM LENGTH OF 1124.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					

9156 EXTEND-FLAG EXTEND_FLAG_9156 DLSC-S F CHAR 1
EXTENDED SEGMENT FLAG
EXTENDED VALUE FLAG. INDICATES IF THE SEGMENT DATA EXCEEDED 1124 CHARACTERS. SINCE THIS IS A RARE CASE FOR INPUT SEGMENTS, THE REMAINING CHARACTERS OF THE SEGMENT ARE STORED IN ANOTHER FILE.

9157 FILE-CHAR-CNT FILE_CHAR_CNT_9157 DLSC-S F INTEGER 4
FILE CHARACTER COUNT
THE NUMBER OF CHARACTERS IN AN AUTODIN MESSAGE CONTAINING FORMATTED OUTPUT TRANSACTIONS.

9158 FILE-REC-CNT FILE_REC_CNT_9158 DLSC-S F INTEGER 4
FILE RECORD COUNT
FILE RECORD COUNT OR VOLUME OF AN ACTIVITYs OUTPUT DISTRIBUTION FILE.

9159 FILE-TRNS-CNT FILE_TRNS_CNT_9159 DLSC-S F SMALLINT 2
FILE TRANSACTION COUNT
THE NUMBER OF TRANSACTIONS IN THE ACTIVITYs HOLDING FILE AT THE PRESENT TIME.

9160 FIRST-INIT FIRST_INIT_9160 DLSC-S F CHAR 2
FIRST INITIAL
FIRST NAME INITIAL. FIELD WITHIN MEDALS OUTPUT TRANSACTION.

9161 FOOTPRNT-DATE FOOTPRNT_DATE_9161 DLSC-S F CHAR 7
FOOTPRINT DATE
DATE-TIME STAMP WHEN THE TRANSACTIONS WERE RECEIVED.

9162 FORMAT-NAME FORMAT_NAME_9162 DLSC-S F CHAR 8
FORMAT NAME
THE FORMAT NAME SPECIFIED BY AN ACTIVITY. USED TO REFORMAT INPUT TRANSACTIONS INTO AN INTERNAL STANDARD FORMAT OR FORMAT OUTPUT TRANSACTIONS INTO THE ACTIVITYs OUTPUT FORMAT.

9164 FORMATTED-TS FORMATTED_TS_9164 DLSC-S F TIMESTMP 26
FORMATTED TIMESTAMP
INDICATES THE DATE AND TIME WHEN AN INPUT TRANSACTION SUBMITTED THROUGH TM WAS REFORMATTED INTO THE INTERNAL STANDARD FORMAT.

9165 GIRDER-SET GIRDER_SET_9165 DLSC-S F CHAR 1
GIRDER INPUT SET
INDICATES WHICH OF THE TWO GIRDER INPUT TAPES THE TRANSACTION WAS RECEIVED ON. VALUES ARE A AND B.

9166 HDR-REJ HDR_REJ_9166 DLSC-S F CHAR 2
HEADER REJECT FIELD
NAIN UPDATE FIELD WITHIN THE INTERNAL INPUT HEADER RECORD.

9167 I-O-TYPE I_O_TYPE_9167 DLSC-S F CHAR 1
INPUT OUTPUT DIC TYPE
INDICATES IF THE DIC IS OF INPUT OR OUTPUT TYPE.

9168 IN-USE-FLAG IN_USE_FLAG_9168 DLSC-S F CHAR 1

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

IN USE FLAG
INDICATES IF THE ACTIVITYs HOLDING FILE IS BEING UPDATED AT THE MOMENT. IF THE VALUE IS Y, THE OUTPUT-CONTROL MODULE IS WRITING FORMATTED OUTPUT TRANSACTIONS TO IT.

9169 INPUT-FORMAT — INPUT_FORMAT_9169 — DLSC-S — F CHAR 8
INPUT FORMAT NAME
THE INPUT FORMAT NAME SPECIFIED BY AN ACTIVITY AND USED TO REFORMAT THE INPUT TRANSACTION INTO AN INTERNAL STANDARD FORMAT.

9170 INPUT-MEDIA — INPUT_MEDIA_9170 — DLSC-S — F CHAR 2
INPUT MEDIA
THE MEDIA TYPE THE INPUT TRANSACTIONS WERE RECEIVED ON. INPUT MEDIA TYPE VALID VALUES: AU=AUTODIN, TP=TAPE, CG=COMPUTER GENERATED, MD=MADS, DK=DISK

9171 INPUT-RECORD — INPUT_RECORD_9171 — DLSC-S — V VARCHAR 1132
INPUT TRANSACTION RECORD
STORES A SEGMENT OF A TRANSACTION IN THE FORMAT IT WAS SUBMITTED TO TM.

9172 LAST-NAME — LAST_NAME_9172 — DLSC-S — F CHAR 17
LASTNAME
FIELD WITHIN MEDALS OUTPUT TRANSACTION.

9173 LOGGED-TS — LOGGED_TS_9173 — DLSC-S — F TIMESTMP 26
LOGGED TIMESTAMP
TIMESTAMP USED TO LOG UNDEFINABLE TRANSACTIONS.

9174 LSR-SEG-2-IN — LSR_SEG_2_IN_9174 — DLSC-S — F CHAR 84
LSR SEGMENT 2 INPUT
LSR INPUT SEGMENT 2 RECORD.

9175 LSR-SEG-2-OUT — LSR_SEG_2_OUT_9175 — DLSC-S — F CHAR 84
LSR SEGMENT 2 OUTPUT
LSR OUTPUT SEGMENT 2 RECORD.

9176 MAX-REC-LGTH — MAX_REC_LGTH_9176 — DLSC-S — F CHAR 4
MAXIMUM RECORD LENGTH
MAXIMUM RECORD LENGTH FOR A VARIABLE LENGTH RECORD.

9177 MEDALS-IP-REC — MEDALS_IP_REC_9177 — DLSC-S — F CHAR 80
MEDALS INPUT RECORD
INPUT TRANSACTION AS IT IS RECEIVED BY TM.

9178 MEDIA-HEADER — MEDIA_HEADER_9178 — DLSC-S — F CHAR 80
MEDIA HEADER
IN THE CASE OF AUTODIN MESSAGES, THE MESSAGE HEADER RECORD. IN THE CASE OF OTHER MEDIA INPUT, THE TYPE OF MEDIA AND RELATED INFORMATION NEEDED BY TM.

9179 MESSAGE-LGTH — MESSAGE_LGTH_9179 — DLSC-S — F INTEGER 4
MESSAGE LENGTH

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE LENGTH OF AN AUTODIN MESSAGE SUBMITTED THROUGH TM.

9180 MIN-ALT-MED MIN_ALT_MED_9180 DLSC-S F CHAR 2
MINIMIZE ALTERNATE MODE MEDIA
MINIMIZE ALTERNATE MODE MEDIA.

9181 MINIMIZE-FLAG MINIMIZE_FLAG_9181 DLSC-S F CHAR 1
MINIMIZE FLAG
A YES NO FIELD USED TO DETERMINE IF MINIMIZING CONDITIONS ARE IN EFFECT.

9182 MIN-REC-LGTH MIN_REC_LGTH_9182 DLSC-S F CHAR 4
MINIMUN RECORD LENGTH
MINIMUN RECORD LENGTH OF A VARIABLE LENGTH RECORD.

9184 MOP-OP-REC MOP_OP_REC_9184 DLSC-S F CHAR 1132
MOP OUTPUT RECORD
FIELD CONTAINING MEDALS OUTPUT TRANSACTION (WITHOUT INPUT TRANSACTION) GENERATED BY APPLICATION.

9185 NATO-FLAG NATO_FLAG_9185 DLSC-S F CHAR 1
NATO TRANSACTION FLAG
INDICATES IF THE DIC ODRC COMBINATION IS FOR A NATO-TYPE TRANSACTION.

9186 NATO-PIC NATO_PIC_9186 DLSC-S F CHAR 1
NATO TRANSACTION PRIORITY INDICATOR CODE
INDICATES PRIORITY INDICATOR CODE VALUE FOR A NATO INPUT TRANSACTION.

9187 NATO-PIC-VAL NATO_PIC_VAL_9187 DLSC-S F CHAR 1
NATO PRIORITY INDICATOR VALUE IDENTIFIER
INDICATES IF THE PRIORITY INDICATOR CODE IS FOR A NATO-TYPE TRANSACTION.

9188 NBR-OF-SEG NBR_OF_SEG_9188 DLSC-S F CHAR 4
NUMBER OF SEGMENTS
NUMBER OF SEGMENTS WITHIN A SPECIAL INPUT TRANSACTION, E.G. DOP, LOP, ETC.

9189 ODRC-SEQ ODRC_SEQ_9189 DLSC-S F CHAR 1
OUTPUT DATA REQUEST CODE SEQUENCER
OUTPUT DATA REQUEST CODE SEQUENCE NUMBER. THERE MAY BE UP TO TWO ODRCs FOR A SINGLE DIC.

9190 ON-HOLD-TS ON_HOLD_TS_9190 DLSC-S F TIMESTMP 26
ON HOLD TIMESTAMP
INDICATES THE DATE AND TIME WHEN AN INPUT TRANSACTION WAS PLACED IN THE FOOTPRINTs HOLD DATASET.

9191 ROW-HLD-FLG-ID ROW_HLD_FLG_9191 DLSC-SBA F CHAR 1
ROW HOLD FLAG IDENTIFIER
THE IDENTIFIER THAT IS USED AS A FLAG TO NOTE THAT A HOLD STATUS EXISTS ON USAGE OF THE INFORMATION IN THIS ROW OF A DB2 TABLE. VALID VALUES INCLUDE H, Q, AND SPACE.

9192 OP-PARTITION OP_PARTITION_9192 DLSC-S F CHAR 2

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

OUTPUT LOCATION PARTITION
DATASET PARTITION PROVIDED BY DOP, LOP TRANSACTIONS CONTAINING OUTPUT GENERATED BY THE BATCH LOLA APPLICATION.

9193 OP-TIMESTAMP — OP_TIMESTAMP_9193 — DLSC-S — F — TIMESTMP — 26
OUTPUT TIMESTAMP
VALUE ASSIGNED BY BATCH APPLICATIONS AS PART OF THE KEY WHEN WRITING OUTPUT TRANSACTIONS ASSOCIATED WITH SPECIAL DICs LOP, DOP AND MOP.

9195 OUTPUT-FORMAT — OUTPUT_FORMAT_9195 — DLSC-S — F — CHAR — 8
OUTPUT FORMAT NAME
THE OUTPUT FORMAT NAME SPECIFIED BY AN ACTIVITY AND USED TO REFORMAT THE APPLICATIONs OUTPUT TRANSACTION INTO THE ACTIVITYs OUTPUT FORMAT.

9196 OUTPUT-RECORD — OUTPUT_RECORD_9196 — DLSC-S — V — VARCHAR — 1132
OUTPUT TRANSACTION RECORD
STORES A SEGMENT OF A TRANSACTION IN THE ACTIVITYs OUTPUT FORMAT.

9197 PARTITION — PARTITION_9197 — DLSC-S — F — CHAR — 8
LOCATION PARTITION
DISK PARTITION ON WHICH OUTPUT FILE RESIDES.

9198 PGM-NAME — PGM_NAME_9198 — DLSC-S — F — CHAR — 18
PROGRAM NAME
PROGRAM NAME.

9199 PGM-TRANSID — PGM_TRANSID_9199 — DLSC-S — F — CHAR — 4
PROGRAM CICS TRANSACTION IDENTIFIER
PROGRAM CICS TRANSACTION IDENTIFIER.

9200 PIC-DESC — PIC_DESC_9200 — DLSC-S — F — CHAR — 25
PRIORITY INDICATOR CODE DESCRIPTION
CLEAR TEXT DESCRIPTION.

9201 PROCESSED-TS — PROCESSED_TS_9201 — DLSC-S — F — TIMESTMP — 26
PROCESSED TIMESTAMP
PROCESS TIME STAMP. INDICATES THE DATE AND TIME WNEN AN INPUT TRANSACTION COMPLETED BATCH APPLICATION PROCESSING.

9202 RCVD-SND-STMP — RCVD_SND_STMP_9202 — DLSC-S — F — TIMESTMP — 26
RECEIVED SEND TIMESTAMP
RECEIVED OR SENT DATE-TIME STAMP OF AN INPUT OUTPUT AUTODIN MESSAGE.

9203 RE-PROCESS-TS — RE_PROCESS_TS_9203 — DLSC-S — F — TIMESTMP — 26
REPROCESSED TIMESTAMP
RE-PROCESSED TIMESTAMP. INDICATES THE DATE AND TIME WHEN AN INPUT TRANSACTION SUBMITTED THROUGH TM WAS RE-PROCESSED DUE TO AN ERROR CONDITION.

9204 RECVD-STAMP — RECVD_STAMP_9204 — DLSC-S — F — TIMESTMP — 26

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

RECEIVED TIMESTAMP
RECEIVED TIME STAMP. INDICATES THE DATE AND TIME WHEN AN INPUT TRANSACTION WAS RECEIVED BY TM.

9205 REJECT-FLAG REJECT_FLAG_9205 DLSC-S F CHAR 1
REJECTED TRANSACTION FLAG
INDICATES IF THE INPUT TRANSACTION WAS REJECTED BY TM BECAUSE OF VALIDATION ERRORS.

9206 REJECTED-TS REJECTED_TS_9206 DLSC-S F TIMESTMP 26
REJECTED TRANSACTION TIMESTAMP
INDICATES THE DATE AND TIME WHEN AN INPUT TRANSACTION WAS REJECTED BY TM.

9207 RELEASED-CNT RELEASED_CNT_9207 DLSC-S F CHAR 6
RELEASED TRANSACTION COUNT
NUMBER OF TRANSACTIONS RELEASED FOR IMMEDIATE PROCESSING DUE TO REORDERING OF THE PRIORITY QUEUES (OUT-OF-SEQUENCE PROCESSING).

9208 RELEASED-TS RELEASED_TS_9208 DLSC-S F TIMESTMP 26
RELEASED TRANSACTION TIMESTAMP
SYSTEM TIMESTAMP WHEN A TRANSACTION HAS BEEN RELEASED FOR PROCESSING.

9209 REORDER-TS REORDER_TS_9209 DLSC-S F TIMESTMP 26
REORDER TRANSACTION TIMESTAMP
DATE AND TIME STAMP WHEN THE RELEASE TDQs WERE REORDERED.

9210 REROUTED-TIME REROUTED_TIME_9210 DLSC-S F TIMESTMP 26
REROUTED TRANSACTION TIMESTAMP
REROUTED TIME STAMP. SYSTEM TIME STAMP WHEN THE TRANSACTION IS REROUTED TO THE BURROUGHS.

9211 LN-2780-IDEN LN_2780_IDEN_9211 DLSC-SBA F CHAR 4
LINE 2780 IDENTIFIER
THIS FIELD IDENTIFIES THE 2780 LINE FROM PASSTHROUGH ACTIVITY CONNECTED TO THE INPUT SIDE OF THE 3090.

9212 LN-2780-DESC LN_2780_DESC_9212 DLSC-SBA F CHAR 2
LINE 2780 DESCRIPTION
THIS FIELD IDENTIFIES THE PASSTHROUGH ACTIVITY USING THE IDENTIFIED LINE.

9213 PORT-NBR PORT_NBR_9213 DLSC-SBA F CHAR 20
PORT NUMBER
THIS FIELD IDENTIFIES THE PORT ON THE INPUT SIDE OF THE 3090 THAT THE IDENTIFIED 2780 LINE WILL BE CONNECTED.

9214 PRIM-COMM-RI-IND PRIM_COMM_RI_9214 DLSC-SBA F CHAR 1
PRIMARY COMMUNICATIONS ROUTING INDICATOR INDICATOR
AN INDICATOR USED BY TRANSACTION MANAGEMENT (TM) FOR SELECTING THE PRIMARY COMMRI CODE TO BE USED IN THE OUTPUT AUTODIN MESSAGE HEADER FOR ROUTING PURPOSES. VALID VALUES: X = OUTPUT FOR DATA ROUTING, BLANK = NOT USED FOR OUTPUT ROUTING.

9215 AIR-CMDTY-SP-HDLG-CD AIR_CMTY_HDLG_9215 DLSC-SBA F CHAR 2
AIR COMMODITY SPECIAL HANDLING CODE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A CODE USED FOR ALL SHIPMENTS VIA AIR, TO IDENTIFY MATERIAL FOR MANIFESTING AND CUSTOMS REQUIREMENTS. THE FIRST POSITION IS THE AIR COMMODITY CODE. THE SECOND POSITION IS THE AIR SPECIAL HANDLING CODE. SEE VOLUME 10, TABLE 85 AND QUICK INFO ON-LINE.

9216 TM-MEDALS-FLG MEDALS_FLG_9216 DLSC-SBA F CHAR 1

TRANSACTION MANAGEMENT MEDALS FLAG

ONE BYTE FIELD THAT WILL BE USED BY THE T.M. SYSTEM TO INDICATE THAT THE TRANSACTION IS AN INPUT FROM THE MEDALS PROCESS WITHIN T.M.. THE VALUE WITHIN THIS FIELD WILL BE AN 'X' IF THE DATA IS MEDALS AND A BLANK FOR ALL OTHER DATA INPUT.

9217 TM-ACTY-OP ACTY_OP_9217 DLSC-SBA V VARCHAR 20

TRANSACTION MANAGEMENT ACTIVITY OUTPUT

WILL CONTAIN AN ACTIVITY CODED OF THE FIRST TEN ACTIVITY CODES WITHIN AN OUTPUT TRANSACTION PACKAGE PASSED TO T.M. FOR OUTPUT DISTRIBUTION.

9220 AIR-DIM-CD AIR_DIM_CD_9220 DLSC-SBA F CHAR 1

AIR DIMENSION CODE

A CODE THAT IDENTIFIES DIMENSIONAL CHARACTERISTICS OF AIR SHIPMENTS BY RELATING THE DIMENSIONS OF THE LARGEST PIECE TO THE MINIMUM SIZE CARGO DOOR OPENING OF AN AIRCRAFT. E.G., A-SHIPMENT DOES NOT EXCEED 72" IN ANY DIMENSION (LENGTH, WIDTH OR HEIGHT), Z- SHIPMENT DOES EXCEED 72" IN ANY DIMENSION (LENGTH, WIDTH OR HEIGHT). SEE VOLUME 10, TABLE 84 AND QUICK INFO ON-LINE.

9221 TM-IP-TRK-ID IP_TRK_9221 DLSC-S F CHAR 15

TM INPUT TRACKING IDENTIFIER

THE VALUES PLACED WITHIN THIS PERTAINS TO THE BASIC TRACKING OF AN INPUT TRANSACTION. IF THE DATA WAS INPUT VIA AUTODIN THE FIELD WILL CONTAIN AUTODIN HEADER INFORMATION FOR TRACKING. IF THE DATA WAS INPUT VIA TAPETHIS FIELD WILL CONTAIN THE VOLUME SERIAL AND OTHER INFORMATION. IT MAY ALSO HAVE SPECIAL INFORMATION FOR NATO AND DISK INPUT.

9222 TM-OP-TRK-ID OP_TRK_9222 DLSC-S F CHAR 15

TM OUTPUT TRACKING IDENTIFIER

THE VALUES PLACED WITHIN THIS PERTAIN TO THE BASIC TRACKING OF AN OUTPUT TRANSACTION. IF THE DATA WAS OUTPUT VIA AUTODIN THE FIELD WILL CONTAIN AUTODIN HEADER INFORMATION FOR TRACKING. IF THE DATA WAS OUTPUT VIA TAPE THIS FIELD WILL CONTAIN THE VOLUME SERIAL AND OTHER INFORMATION. IT MAY ALSO HAVE SPECIAL INFORMATION FOR NATO AND DISK OUTPUT.

9223 TM-SP-PROJ-ID SP_PROJ_9223 DLSC-S F CHAR 4

TM SPECIAL PROJECT IDENTIFIER

A VALUE WITHIN THIS FIELD INDICATES THAT THIS DATA IS A SPECIAL PROJECT AND MAY BE PROCESSED AND OUTPUT BY T.M. IN A SPECIAL MANNER.

9224 TM-APP-ARCH-KEY-ID APP_ARCH_KEY_9224 DLSC-S F INTEGER 8

TM APPLICATION ARCHIVE KEY IDENTIFIER

THIS DATA ELEMENT IS TO BE USED AS A KEY TO THE ARCHIVE LOG TABLE WITHIN TM TO RETRIEVE DATA FROM THE BACKUP OF THE APPL_OP_HOLD TABLE.

9225 TM-ARCH-DATA-TYP-ID ARCH_DATA_TYP_9225 DLSC-S F CHAR 3

TM ARCHIVE DATA TYPE IDENTIFIER

THIS FIELD WILL CARRY THE VALUE OF THE TYPE OF DATA IN ARCHIVE. THIS MAY BE FOR ORIGINAL IMAGE, FORMATTED SEGMENT DATA, APPLICATION OUTPUT OR VARIOUS HISTORY TABLES.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	FORMAT FV	FORMAT TYPE	FORMAT LG
CLEAR TEXT HOST/COBOL NAME						
DRN DEFINITION						
9226	TM-TAPE-LOG-IP-TM	TAPE_LOG_IP_9226	DLSC-S	F	TIMESTMP	26
TM TAPE LOGGED INPUT TIME						
INDICATES THE DATE AND TIME A TAPE RECEIVED BY DLSC FOR PROCESSING WAS LOGGED INTO THE TM SYSTEM VIA THE TOLA SUB-SYSTEM.						
9227	TM-TAPE-VOL-SER-NBR-ID	TAPE_VOL_SER_9227	DLSC-S	F	CHAR	8
TM TAPE VOLUME SERIAL NUMBER IDENTIFIER						
THIS WILL CONTAIN THE VALUE OF THE TAPE VOLUME SERIAL NUMBER ENTERED VIA THE TOLA SUB-SYSTEM.						
9228	TM-TAPE-IP-TM	TAPE_IP_TM_9228	DLSC-S	F	TIMESTMP	26
TM TAPE INPUT TIME						
INDICATES THE DATE AND TIME A TAPE WAS ENTERED INTO TM BY OPERATIONS VIA THE TOLA SUB-SYSTEM FOR PROCESSING BY TM.						
9229	TM-TRAN-PROC-FLG-ID	TRAN_PROC_FLG_9229	DLSC-S	F	CHAR	1
TM TRANSACTION PROCESS FLAG IDENTIFIER						
THE VALUE OF THIS IS USED TO INDICATE WHETHER OR NOT THE TRANSACTION PROCESSED. THE VALUE MAY MEAN THE TRANSACTION REJECTED OR PROCESSED SUCCESSFULLY.						
9230	LFU-PROC-STAT-CD	LFU_PROC_STAT_9230	DLSC-S	F	CHAR	1
LFU PROCESS STATUS CODE						
THIS WILL CONTAIN THE STATUS OF A FOLLOW UP DIC THAT IS BEING PROCESSED BY TRANSACTION MANAGEMENT.						
9240	SP-HDLG-CD	SP_HDLG_CD_9240	DLSC-SBA	F	CHAR	1
SPECIAL HANDLING CODE						
A CODE USED FOR ALL SHIPMENTS VIA WATER, TO IDENTIFY THE EXCEPTION HANDLING REQUIRED FOR CARGO INCLUDED WITHIN THE SHIPMENT UNIT. NUMERIC CODE DENOTES SINGLE HANDLING CONDITION, ALPHA CODE DENOTES MIXED HANDLING REQUIREMENTS. SEE VOLUME 10, TABLE 83 AND QUICK INFO ON-LINE.						
9241	MADS-DB2-PARTITION-QY	MADS_DB2_PART_9241	DLSC-SBA	F	SMALLINT	4
MADS DB2 PARTITION QUANTITY						
THE NUMERIC VALUE OF A DB2 PARTITION BASED ON CURRENT TRAFFIC FROM 1 TRU 20.						
9242	FILE-REC-MIN-QY	FILE_REC_MIN_9242	DLSC-SBA	F	INTEGER	8
FILE RECORD MINIMUM QUANTITY						
THE RECORD COUNT MINIMUM USED TO CREATE A MADS EXIT DATASET.						
9243	FILE-CHAR-MIN-QY	FILE_CHAR_MIN_9243	DLSC-SBA	F	INTEGER	8
FILE CHARACTER MINIMUM QUANTITY						
THE CHARACTER COUNT MINIMUM USED TO CREATE A MADS EXIT DATASET.						
9250	CAGE-CD	CAGE_CD_9250	DLSC-SBB	F	CHAR	5
COMMERCIAL AND GOVERNMENT ENTITY CODE						
CODE ASSIGNED TO ESTABLISHMENTS WHICH EITHER FABRICATES ITEMS OF PRODUCTION AND/OR HAVE DESIGN CONTROL OF ITEMS PROCURED BY THE FEDERAL GOVERNMENT, OR TO IDENTIFY CERTAIN MILITARY SPECIFICATIONS OR STANDARDS, AND CERTAIN NUMBERING SYSTEMS DEVELOPED BY GOVERNMENT AGENCIES, PANELS OR COMMITTEES. USED IN THE IDENTIFICATION OF CATALOG DATA IN FEDERAL CATALOG SYSTEM AND ALSO FOR IDENTIFYING CONTRACTORS FOR THE MECHANICAL INTERCHANGE OF DATA REQUIRED BY MILSCAP & SERVICE/AGENCIES ADP SYSTEMS. SEE VOLUME 10, TABLES 20, 21, 40, AND 94.						
9255	SIN-SUBMG-ACTY-CD	SIN_SUBM_ACTY_9255	DLSC-SB	F	CHAR	2

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

SINGLE SUBMITTING ACTIVITY CODE

AN ACTIVITY HAVING SOLE RESPONSIBILITY FOR SUBMITTAL OF CATALOG DATA PROPOSALS TO THE DEFENSE LOGISTICS SERVICES CENTER WHERE MANAGEMENT RESPONSIBILITY INCLUDES ALL ITEMS OF SUPPLY IN A GIVEN FSC CLASS (CATEGORY A SINGLE SUBMITTER) OR WHERE MANAGEMENT RESPONSIBILITY IS DETERMINED ON A BY-ITEM BASIS WITHIN A GIVEN FSC CLASS (CATEGORY B).

9256 MAJ-MCC-AR MAJ_MCC_AR_9256 DLSC-SBA F CHAR 1

MAJOR MATERIEL CATEGORY CODE, ARMY

A CODE WHICH WILL IDENTIFY THE MAJOR MATERIEL CATEGORIES OF PRINCIPAL AND SECONDARY MANAGER, NATIONAL INVENTORY CONTROL POINT, OR ARMY CLASS MANAGER ACTIVITY WHICH EXERCISES WORLDWIDE MANAGERIAL RESPONSIBILITY. SEE VOLUME 10, TABLE 65 AND QUICK INFO ON-LINE.

9257 MAT-MGMT-CD-MC MAT_MGMT_MC_9257 DLSC-SBA F CHAR 1

MATERIEL MANAGEMENT CODE, MARINE CORPS

A CODE EMPLOYED BY THE MARINE CORPS IN CLASSIFYING ITEMS INTO MATERIEL CATEGORIES. AN ALPHA CODE DESIGNATES THE AGENCY WITHIN THE DOD WHICH HAS BEEN ASSIGNED RESPONSIBILITY FOR INTEGRATED MATERIEL MANAGEMENT CONTROL, OR A NUMERIC CODE DESIGNATES INTERNAL MARINE CORPS MATERIEL MANAGEMENT RESPONSIBILITY FOR ITEMS NOT ASSIGNED TO ANOTHER SERVICE. SEE VOLUME 10, TABLE 54 AND QUICK INFO ON-LINE.

9260 TYP-CGO-CD TYPE_CGO_CD_9260 DLSC-SBA F CHAR 1

TYPE OF CARGO CODE

A CODE USED FOR ALL SHIPMENTS VIA WATER TO IDENTIFY THE TYPE OF CARGO INCLUDED WITHIN THE SHIPMENT UNIT. E.G., A-RADIOACTIVE, H-SUBJECT TO DAMAGE FROM HEAT, P-POISON, ETC. SEE VOLUME 10, TABLE 82 AND QUICK INFO ON-LINE.

9275 WTR-CMDTY-CD WTR_CMDTY_CD_9275 DLSC-SB F CHAR 3

WATER COMMODITY CODE

A SERIES OF CODES USED FOR ALL SHIPMENTS VIA WATER, TO IDENTIFY COMMODITIES FOR OCEAN MANIFESTING, MILITARY SEA TRANSPORTATION SERVICE /MSTS/ BILLING, COST ACCOUNTING AND CONTRACTOR PAYMENT, FIRST POSITION /NUMERIC/ MAJOR COMMODITY CATEGORY, SECOND POSITION /NUMERIC/ MINOR COMMODITY CATEGORY, THIRD POSITION /ALPHANUMERIC/ SPECIFIC COMMODITY. E.G., CODE 515 OR 51E FROM 500-799 SERIES.

9290 IP-DATA-DSK-CD DLSC-S F 4

INPUT DATA DESK CODE

A CODE WHICH IDENTIFIES THE INDIVIDUAL RESPONSIBLE FOR ORIGINATING INPUT TO THE FEDERAL LOGISTICS INFORMATION SYSTEM (FLIS) DATA BANK.

9292 RPLM-NSCM-CD DLSC-SC F 5

REPLACEMENT NATO SUPPLY CODE FOR MANUFACTURERS

A NATO SUPPLY CODE FOR MANUFACTURERS (NSCM) WHICH REPLACES A CANCELLED NSCM OR A COMMERCIAL AND GOVERNMENT ENTITY (CAGE) CODE.

9305 UPC-SER-NBR-ID UPC_SER_NBR_9305 DLSC-SB F CHAR 24

UNIVERSAL PRODUCT CODE SERIAL NUMBER IDENTIFIER

THE IDENTIFIER THAT REPRESENTS THE SERIAL NUMBER ASSOCIATED WITH A UPC CODE. USUALLY ONE SERIAL NUMBER WILL REPRESENT A CASE OF ITEMS WHERE EACH ITEM HAS THE SAME UPC. EXAMPLES: MULTIPLE BOXES OF THE SAME ITEM (UPC) BUT EACH BOX HAS A UNIQUE SERIAL NUMBER.

9306 AUTODIN-CONT-IND-CD AUTODIN_CIC_9306 DLSC-S F CHAR 4

AUTODIN CONTENT INDICATOR CODE

AUTODIN HEADER ROUTES MESSAGE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

9307 COND-CD — DLSC-SC — F — 2

CONDITION CODE

A CODE USED TO INDICATE THE INPUT REPLY MAY BE PRINTED AS THE OUTPUT REPLY AND DOES NOT REQUIRE DECODING OR STORED TEXT TO BE ADDED. CODE 00 IS ENTERED FOR ALL A AND B MODE CODES. IF CODE IS NOT REQUIRED, THE POSITIONS ARE LEFT BLANK.

9308 SNF-END-DT — SNF_END_DT_9308 — DLSC-S — F — INTEGER — 4

SEQUENTIAL NIIN FILE END DATE

DATE WHICH INDICATES THE FIRST OF THE FOLLOWING MONTH FOR THE EXTRACT OF THE SNF FOR THE NIINS THAT WERE CHANGED IN THE PRECEDING MONTH. FORMAT: CCYYDDD.

9309 SNF-TYP-UPDT — SNF_TYP_UPDT_9309 — DLSC-S — F — CHAR — 1

SEQUENTIAL NIIN FILE TYPE UPDATE

DETERMINES THE TYPE OF NIIN PACKAGE TO BE BUILT. VALID VALUES: I - IIM UPDATE ONLY, C - CHARACTERS UPDATE ONLY, B - IIM AND CHARACTERS UPDATE.

9310 AUTODIN-MSG — AUTODIN_MSG_9310 — DLSC-SBA — V — VARCHAR — 22000

AUTODIN MESSAGE

FIELD CONTAINS CONTENTS OF DATA WITHIN AN AUTODIN MESSAGE. DATA CAN CONSIST OF CATALOGING, PROVISIONING SCREENING, MEDALS, ETC.

9311 ARCHIVE-BEGIN-DATE — ARCH_BEG_DT_9311 — DLSC-SBA — F — CHAR — 6

ARCHIVE BEGIN DATE

FOR THE ARCHIVE SUBSYSTEM, TO DEPICT WHEN A DB2 TABLE BEGAN TO BE ARCHIVED. TO DETERMINE WHETHER OR NOT TO ATTEMPT TO RESTORE FROM ARCHIVE IF REQUESTED BY USER.

9312 ARCHIVE-END-DATE — ARCH_END_DT_9312 — DLSC-SBA — F — CHAR — 6

ARCHIVE END DATE

FOR THE ARCHIVE SUBSYSTEM, TO DEPICT WHEN A DB2 TABLE CEASED BEING ARCHIVED. TO DETERMINE WHETHER OR NOT TO ATTEMPT TO RESTORE FROM ARCHIVE IF REQUESTED BY USER.

9313 SPACE-ALLOC — SPACE_ALLOC_9313 — DLSC-SBA — F — CHAR — 9

SPACE ALLOCATION

FOR ARCHIVE SUBSYSTEM, TO STORE APPROXIMATE SPACE NEEDED TO STORE 1 MONTH OF DATA. TO KEEP TRACK OF SPACE UTILIZED AND SPACE AVAILABLE WHENRESTORING FROM ARCHIVE TO FULFILL USERS REQUESTS.

9314 RESTORE-STATUS-FLAG — RSTR_STAT_FLG_9314 — DLSC-SBA — F — CHAR — 1

RESTORE STATUS FLAG

FOR ARCHIVE SUBSYSTEM, TO INDICATE WHETHER OR NOT TABLE CONTAINS DATA RESTORED FROM PREVIOUS NIGHTS REQUESTS. TO DETERMINE WHETHER TABLE SHOULD BE CLEARED OUT TO FILL NEXT DAYS REQUESTS.

9315 ACTN-CD — DLSC-SB — F — 2

ACTION CODE

A CODE USED BY A SUBMITTING ACTIVITY TO ADVISE THE DEFENSE LOGISTICS SERVICES CENTER OF WHAT ACTION TO TAKE WITH SUBMITTED CORRECTIVE DATA ELEMENTS. THE DATA ELEMENTS ARE IDENTIFIED BY A DATA RECORD NUMBER (DRN) OR A MASTER REQUIREMENT CODE (MRC).

9325 ORIG-STDZN-DEC — ORG_STDZN_DEC_9325 — DLSC-SB — F — CHAR — 2

ORIGINATOR OF STANDARDIZATION DECISION

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

IDENTIFIES THE ACTIVITY THAT IS RESPONSIBLE FOR THE ASSIGNMENT OF ITEM STANDARDIZATION CODES TO RECORD STANDARDIZATION DECISIONS. COMPUTER GENERATED FROM THE ORIGINATING ACTIVITY CODE /DRN 4210/ WHICH IS INCLUDED IN THE INPUT HEADER.

9336 UPC-MFR-ID MFR_ID_9336 F CHAR 7
UNIVERSAL PRODUCT CODE MANUFACTURER IDENTIFIER
THE IDENTIFIER THAT REPRESENTS A COUNTRY CODE, NUMBER SYSTEM CHARACTER IDENTIFIER, AND MANUFACTURER IDENTIFIER NUMBER WITHIN THE UNIVERSAL PRODUCT CODE. VALID VALUES FOR THE COUNTRY CODE: 0-9, DEFAULT = 0.

9337 UPC-MFR-ITM-ID MFR_ITM_9337 F CHAR 5
UNIVERSAL PRODUCT CODE MANUFACTURER ITEM IDENTIFIER

9338 UPC-CK-CHAR-QY CK_CHAR_9338 F CHAR 1
UNIVERSAL PRODUCT CODE CHECK CHARACTER QUANTITY

9339 UPC-MFR-ITM-NM MFR_ITM_NM_9339 F CHAR 3
UNIVERSAL PRODUCT CODE MANUFACTURER ITEM NAME

9340 UCC-MBR-NM MBR_NM_9340 F CHAR 40
UNIFORM CODE COUNCIL MEMBER NAME

9341 UCC-FRST-ADRS-LI-TX UCC_FRST_ADRS_9341 F CHAR 30
UNIFORM CODE COUNCIL FIRST ADDRESS LINE TEXT

9342 UCC-SECN-ADRS-LI-TX UCC_SECN_ADRS_9342 F CHAR 30
UNIFORM CODE COUNCIL SECOND ADDRESS LINE TEXT

9343 UCC-THRD-ADRS-LI-TX UCC_THRD_ADRS_9343 F CHAR 30
UNIFORM CODE COUNCIL THIRD ADDRESS LINE TEXT

9344 UCC-CTY-NM UCC_CTY_NM_9344 F CHAR 20
UNIFORM CODE COUNCIL CITY NAME

9345 UCC-STA-CD UCC_STA_CD_9345 F CHAR 4
UNIFORM CODE COUNCIL STATE CODE

9346 UCC-ZIP-CD UCC_ZIP_CD_9346 F CHAR 10
UNIFORM CODE COUNCIL ZIP CODE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	FORMAT FV	FORMAT TYPE	FORMAT LG
CLEAR TEXT HOST/COBOL NAME						
DRN DEFINITION						
9347	UCC-CTRY-NM	UCC_CTRY_NM_9347		F	CHAR	30
UNIFORM CODE COUNCIL COUNTRY NAME						
9348	UCC-CNTCT-NM	UCC_CNTCT_NM_9348		F	CHAR	30
UNIFORM CODE COUNCIL CONTACT NAME						
9349	UCC-CNTCT-NM-TI	UCC_CNTCT_TI_9349		F	CHAR	30
UNIFORM CODE COUNCIL CONTACT NAME TITLE						
9350	UCC-CNTCT-TEL-ID	UCC_CNTCT_TEL_9350		F	CHAR	16
UNIFORM CODE COUNCIL CONTACT TELEPHONE IDENTIFIER						
9351	UCC-BAD-ML-FLG-ID	UCC_BAD_ML_9351		F	CHAR	1
UNIFORM CODE COUNCIL BAD MAIL FLAG IDENTIFIER						
9368	SIC-CD-SQ-IND	SIC_CD_SQ_IND_9368	DLSC-SC	F	CHAR	1
STANDARD INDUSTRIAL CLASSIFICATION CODE SEQUENCE INDICATO						
A ONE (1) POSITION INDICATOR WHICH IDENTIFIES THE ORDER OF IMPORTANCE ONMULTIPLE OCCURENCES OF SIC CODES.						
9374	DBL-TAB-IND-CD		DLSC-V	F		2
DOUBLE TABLE INDICATOR CODE						
TWO SPECIAL CHARACTERS WHICH ARE USED IN CONJUNCTION WITH THE DECODED NARRATIVE FORM CHARACTERISTICS, AFTER THE ITEM NAME, TO PERMIT A PRINT FORMAT CONTROL BREAK AFTER THIS ELEMENT.						
9381	LOG-MSG-TMSTMP	LOG_MSG_TS_9381	DLSC-SBA	F	TIMESTMP	26
LOGGED MESSAGE TIMESTAMP						
TIMESTAMP DATE AND TIME MESSAGE WAS LOGGED						
9382	EDIT-STAT-CD	EDIT_STAT_9382	DLSC-SBA	F	CHAR	1
EDIT STATUS CODE						
STATUS OF EDITS, VALID VALUES: P = PASSED EDITS, F = FAILED EDITS						
9383	EDIT-CMPLTD-TS	EDIT_CMPLT_TS_9383	DLSC-SBA	F	TIMESTMP	26
EDIT COMPLETED TIMESTAMP						
DATE AND TIME EDIT WAS COMPLETED						
9384	EDIT-RESULTS-TX	EDIT_RESULTS_9384	DLSC-SBA	F	CHAR	20
EDIT RESULTS TEXT						
RESULT CODES OF EDITS						
9385	TM-RELED-MSG-TS	RELED_MSG_TS_9385	DLSC-SBA	F	TIMESTMP	26
TM RELEASED MESSAGE TIMESTAMP						
DATE AND TIME MESSAGE WAS RELEASED TO TM (VIA RCV* TD QUEUES)						

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	--------FORMAT-------- FV---------TYPE---------LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					

9386 TM-RECVD-MSG-TS RECVD_MSG_TS_9386 DLSC-SBA F TIMESTMP 26
TM RECEIVED MESSAGE TIMESTAMP
DATE AND TIME MESSAGE WAS RECEIVED BY TM (PULLED FROM RCV* TD QUEUES)

9387 TM-MED-TRAIL-TX MED_TRAIL_9387 DLSC-SBA F CHAR 80
TM MEDIA TRAILER TEXT
TRAILER FROM INPUT MESSAGE

9388 TM-RECVD-TD-QUE-TX RECVD_TD_QUE_9388 DLSC-SBA F CHAR 4
TM RECEIVED TD QUEUE TEXT
TM RECEIVE TD QUEUE THAT THE MESSAGE WAS WRITTEN TO

9389 TM-MSG-TX MSG_TX_9389 DLSC-SBA V VARCHAR 22000
TM MESSAGE TEXT
TM MESSAGE TEXT

9390 DB2-SQL-ERR-CD DB2_SQL_ERR_9390 DLSC-SBA F INTEGER 8
DB2 SQL ERROR CODE
DB2 SQL ERROR CODE IF LOG ENTRY WAS CAUSED BY A DB2 ERROR.

9391 DB2-SQL-STA-ERR-CD DB2_SQL_STA_9391 DLSC-SBA F CHAR 5
DB2 SQL STATE ERROR CODE
DB2 SQL STATE ERROR IF LOG ENTRY WAS CAUSED BY A DB2 ERROR.

9392 CICS-ERR-CD CICS_ERR_9392 DLSC-SBA F CHAR 4
CICS ERROR CODE
CICS ERROR CODE IF LOG ENTRY WAS CAUSED BY A CICS ERROR.

9393 ERR-MSG-TX ERR_MSG_9393 DLSC-SBA V VARCHAR 256
ERROR MESSAGE TEXT
CONTENTS OF MADS/AUTODIN INPUT MESSAGE.

9394 TM-RE-PRCSD-MSG-TS RE_PRCSD_TS_9394 DLSC-SBA F TIMESTMP 26
TM REPROCESSED MESSAGE TIMESTAMP
DATE AND TIME MESSAGE WAS RE-RELEASED TO TM (PUT BACK INTO THE RCV* TD QUEUES)

9401 IMM-SOS IMM_SOS_9401 DLSC-SB F CHAR 3
INTEGRATED MATERIAL MANAGER SOURCE OF SUPPLY CODE
A DESCRIPTOR SHOWING THE MILSTRIP ROUTING IDENTIFIER OR AN ENCODED EQUIVALENT SHOWING THE SOURCE OF SUPPLY OF AN ITEM FOR THE INTEGRATED MATERIAL MANAGER.

9402 AR-SOS AR_SOS_9402 DLSC-SB F CHAR 3
ARMY SOURCE OF SUPPLY CODE
A DESCRIPTOR SHOWING THE MILSTRIP ROUTING IDENTIFIER OR AN ENCODED EQUIVALENT SHOWING THE SOURCE OF SUPPLY OF AN ITEM FOR THE ARMY.

9403 AF-SOS AF_SOS_9403 DLSC-SB F CHAR 3
AIR FORCE SOURCE OF SUPPLY CODE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A DESCRIPTOR SHOWING THE MILSTRIP ROUTING IDENTIFIER OR AN ENCODED EQUIVALENT SHOWING THE SOURCE OF SUPPLY OF AN ITEM FOR THE AIR FORCE.

9404 NVY-SOS NVY_SOS_9404 DLSC-SB F CHAR 3

NAVY SOURCE OF SUPPLY CODE

A DESCRIPTOR SHOWING THE MILSTRIP ROUTING IDENTIFIER OR AN ENCODED EQUIVALENT SHOWING THE SOURCE OF SUPPLY OF AN ITEM FOR THE NAVY.

9407 DRPD-DRN-SEG-ID DRPD_DRN_SEG_9407 DLSC-SB F CHAR 1

DROPPED DRN SEGMENT IDENTIFIER

CONTROL CHARACTER PASSED BY AN APPLICATION TO TRANSACTION MANAGEMENT. THIS DATA ELEMENT WILL RESIDE IN THE SEVENTH POSITION OF RECORDS WHICH CONTAIN (A) DATA ELEMENT(S) IDENTIFIED BY DRN AND NOT BY DIDS-SEG-CD.

9408 TSQ-NAME TSQ_NAME_9408 DLSC-S F CHAR 8

TEMPORARY STORAGE QUEUE NAME

THE EIGHT POSITION, UNIQUE NAME OF THE TEMPORARY STORAGE QUEUE (TSQ) BUILT BY MIOS. THE FIRST FIVE POSITIONS OF THE TSQ NAME WILL EQUAL THE LAST FIVE POSITIONS OF THE TASK NUMBER AND THE LAST THREE NUMBERS OF THETSQ NAME WILL REPRESENT THE TOTAL NUMBER OF TSQS WRITTEN.

9409 TSQ-UPDT-CMPLT-IND TSQ_UPD_CMPLT_9409 DLSC-S F CHAR 1

TSQ UPDATE COMPLETE INDICATOR

A ONE POSITION CODE INDICATING THAT THE TSQ HAS BEEN PROCESSED THROUGH THE MIOS DATABASE UPDATE PROCESS.

9410 MIOS-TRAN-KEY MIOS_TRAN_KEY_9410 DLSC-SB F CHAR 26

MAINTAIN ITEM OF SUPPLY TRANSACTION KEY

A TRANSACTION KEY ASSIGNED TO THE MAINTAIN ITEM OF SUPPLY (MIOS) TRANSACTION TO BE USED BY THE DATA BASE ACCESS AND OUTPUT NOTIFICATION MODULES. THIS KEY WILL UNIQUELY IDENTIFY THE MIOS TRANSACTION AND IS USED IN THE GATEKEEPER TABLE.

9411 RESOLUTION RESOLUTION_9411 DLSC-S F CHAR 40

PROCESSING ERROR RESOLUTION

AN EXPLANATION OF HOW A TRANSACTION PROCESSING ERROR WAS RESOLVED.

9412 RESPONSE-HRS RESPONSE_HRS_9412 DLSC-S F SMALLINT 2

PIC RESPONSE HOURS

RESPONSE HOURS FOR PRIORITY INDICATOR CODE.

9413 RTN-TYPE RTN_TYPE_9413 DLSC-S F CHAR 4

TRANSACTION RETURN TYPE

FIELD PASSED TO TM PROCESSING COMPLETE SUBMODULE BY THE BATCH APPLICATION. INDICATES WHAT TYPE OF TRANSACTION WAS PROCESSED, E.G. NANC, NAIN, ETC.

9414 SEG-SEQ SEG_SEQ_9414 DLSC-S F SMALLINT 2

SEGMENT SEQUENCER

SEGMENT SEQUENCE NUMBER TO SUPPORT OCCURRENCES OF MULTIPLE SEGMENTS.

9415 SEGMENT-CD SEGMENT_CD_9415 DLSC-S F CHAR 3

TRANSACTION SEGMENT CODE

THE FIELD WILL CONTAIN THE SEGMENT CODE AND CARD IMAGE NUMBER TO ALLOW FOR MULTIPLE FORMATS OF THE SAME SEGMENT.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

9416 SEGMENT-DATA SEGMENT_DATA_9416 DLSC-S V VARCHAR 1360
TRANSACTION SEGMENT DATA
THE SEGMENT IN ITS INTERNAL STANDARD FORMAT LOGGED TO THE FOOTPRINT.

9417 SEGMENT-ID SEGMENT_ID_9417 DLSC-S F CHAR 5
TRANSACTION SEGMENT IDENTIFIER
COMPLEX FIELD CONTAINING THE SEGMENT_CD AND SEG_SEQ.

9418 SEGMENT-FLAG SEGMENT_FLAG_9418 DLSC-S F CHAR 1
TRANSACTION SEGMENT FLAG
FLAG TO SIGNIFY IF THE SEGMENT IS MANDATORY (M) OR OPTIONAL (O) WITHIN A TRANSACTION.

9419 SEGMENT-POS SEGMENT_POS_9419 DLSC-S F CHAR 2
TRANSACTION SEGMENT POSITION
INDICATES THE POSITION OF A SEGMENT WITHIN A TRANSACTION.

9420 SEGMENT-STATS SEGMENT_STATS_9420 DLSC-S F CHAR 1
TRANSACTION SEGMENT STATUS
INDICATES WHEN AN LMD TRANSACTION IS WITHIN AN LMX TRANSACTION.

9424 TM-BATCH-NBR TM_BATCH_NBR_9424 DLSC-S F SMALLINT 4
TM BATCH NUMBER
INDICATES THE BATCH NUMBER OF THE INPUT MEDALS TRANSACTIONS IN ONE FILE. THE NUMBER IS INCREMENTED FOR EACH BATCH OF MEDALS INPUT TRANSACTIONS RECEIVED. ONE FILE MAY BE ONE OR MORE TAPES RECEIVED AT ONE TIME.

9425 TM-BATCH-SEQ-NBR TM_BATCH_SEQ_9425 DLSC-S F CHAR 4
TM BATCH SEQUENCE NUMBER
INCREMENTED FOR EACH RECORD TRANSACTION IN ONE MEDALS INPUT BATCH FILE.

9426 TM-BATCH-TRNS TM_BATCH_TRNS_9426 DLSC-S F CHAR 80
TM BATCH TRANSACTION
INPUT MEDALS TRANSACTION IN ITS SUBMITTED FORMAT PENDING RELEASE UNTIL THE LAST TRANSACTION OF A BATCH IS RECEIVED.

9427 TM-COMPLT-TS TM_COMPLT_TS_9427 DLSC-S F TIMESTMP 26
TRANSACTION MGMT COMPLETED TIMESTAMP
TM COMPLETE TIMESTAMP. INDICATES THE DATE AND TIME WHEN THE OUTPUT TRANSACTION HAS BEEN FORMATTED FOR ALL DESTINATION ACTIVITIES AND IS READY FOR DISTRIBUTION.

9429 TM-FILE-NAME TM_FILE_NAME_9429 DLSC-S F CHAR 18
TM FILE NAME
NAME GIVEN TO A DYNAMICALLY ALLOCATED FILE.

9430 TM-REC-NBR TM_REC_NBR_9430 DLSC-S F INTEGER 4
TM RECORD NUMBER
THE RECORD NUMBER OF A TRANSACTION WITHIN AN OUTPUT TRANSACTION PACKAGE.

9432 TRAILER TRAILER_9432 DLSC-S F CHAR 80

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

AUTODIN TRAILER
IN THE CASE OF AUTODIN MESSAGES, THE MESSAGE TRAILER RECORD. IT IS THE LAST EIGHTY (80) CHARACTERS OF AN AUTODIN MESSAGE.

9433 TRANS-COUNT TRANS_COUNT_9433 DLSC-S F SMALLINT 2
TRANSACTION COUNT
NUMBER OF TRANSACTIONS WITHIN AN INPUT AUTODIN MESSAGE.

9434 TRANS-ERR-FLG TRANS_ERR_FLG_9434 DLSC-S F CHAR 1
TRANSACTION ERROR FLAG
INDICATES IF THE MEDALS INPUT TRANSACTION PASSED TM EDITS FOR RPTY_ID AND DIC.

9435 TRANS-KEY TRANS_KEY_9435 DLSC-S F CHAR 21
FOOTPRINT TRANSACTION KEY
THE UNIQUE IDENTIFIER OF A TRANSACTION WITHIN THE FOOTPRINT OF THE TM SYSTEM. THIS KEY IS PASSED TO THE BATCH APPLICATIONS.

9436 LOLA-UPDT-STAT-KEY-CD UPDT_STAT_KEY_9436 DLSC-VPO F CHAR 1
LOLA UPDATE STATUS KEY CODE
A CODE USED BY THE LOLA_UPDATE PROGRAM TO DETERMINE STATUS OF TRANS_KEY_9435. VALID VALUES INCLUDE: D = DELETE AND T = TEMPLATE.

9437 TRANS-NBR TRANS_NBR_9437 DLSC-S F SMALLINT 2
TRANSACTION NUMBER
THE TRANSACTION SEQUENCE NUMBER WITHIN AN AUTODIN MESSAGE.

9438 TRANS-REF-KEY TRANS_REF_KEY_9438 DLSC-S F CHAR 37
FOOTPRINT TRANSACTION REFERENCE KEY
TRANSACTION REFERENCE KEY.

9439 TRANS-SEQ-NBR TRANS_SEQ_NBR_9439 DLSC-S F SMALLINT 2
FOOTPRINT TRANSACTION SEQUENCE NUMBER
USED IN CONJUNCTION WITH THE SYS_CTL_NBR TO UNIQUELY IDENTIFY A TRANSACTION. THE MAIN PURPOSE OF THIS FIELD IS FOR LMD AND LMX TYPE TRANSACTIONS (MULTIPLE DIC INPUTS).

9440 TRANS-TYP-FLG TRANS_TYP_FLG_9440 DLSC-S F CHAR 4
TRANSACTION TYPE FLAG
FLAG WHICH INDICATES IF THE DIC IS A PROVISIONING SCREENING TRANSACTION OR A CATALOGING (MAINTENANCE) TRANSACTION.

9441 TYPE-OF-TRNS TYPE_OF_TRNS_9441 DLSC-S F CHAR 4
TYPE OF TRANSACTION
TYPE OF REFERENCE FOR AN INPUT TRANSACTION LOGGED TO THE FOOTPRINT, E.G. HELD, NAIN, ETC.

9442 UNDEFINED-SEG UNDEF_SEGMENT_9442 DLSC-S V VARCHAR 132
UNDEFINED SEGMENT
STORES A SEGMENT OF AN UNDEFINABLE TRANSACTION.

9443 VALID-HX-DIC VALID_HX_DIC_9443 DLSC-S F CHAR 1

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

VALID FOLLOW UP HX CODE FOR DIC
INDICATES IF AN HX STATUS CODE IS VALID FOR THE INPUT DIC BEING FOLLOWED UP ON IN THE CASE OF AN LFU TRANSACTION.

9444 VALID-LFU-DIC VALID_LFU_DIC_9444 DLSC-S F CHAR 1
VALID DIC FOR LFU TYPE TRANSACTION
INDICATES IF THE DIC_IP FIELD IN THE LFU TRANSACTION IS VALID FOR A FOLLOW-UP.

9445 LFU-TRANS-KEY LFU_TRANS_KEY_9445 DLSC-S F CHAR 21
LFU FOOTPRINT TRANSACTION KEY
THE TRANS_KEY OF THE LFU TRANSACTION THAT GENERATED THE TABLE ENTRY. SEE TRANS_KEY_9435.

9446 TM-TRANS-TS-STAT-CD TRANS_TS_STAT_9446 DLSC-S F CHAR 2
TRANSACTION MANAGEMENT TRANSACTION TIMESTAMP STATUS CODE
DEFINES THE MEANING OF TMSTMP_3059 FOR ITS RELATED TM TRANSACTION. VALID VALUES: 1.) RC = RECEIVED, 2.) FM = FORMATTED, 3.) RL = RELEASED, 4.) PC = PROCESS COMPLETE, 5.) TC = TM COMPLETE, 6.) RJ = REJECTED, 7.) HL = HELD, 8.) RR = REROUTED, AND 9.) FU = FOLLOW UP/MISC FUTURE.

9451 EXTR-RTN-CD EXTR_RTN_CD_9451 DLSC-SBA F SMALLINT 4
EXTRACT RETURN CODE
THE RETURN CODE FOR THE MGMT STATS LOGISTICS EXTRACT PROGRAM. VALUES: 0 - SUCCESSFUL, 4 - WARNING, 8 - ERROR.

9452 ACCUM-RTN-CD ACCUM_RTN_CD_9452 DLSC-SBA F SMALLINT 4
ACCUMULATE RETURN CODE
THE RETURN CODE FOR THE MGMT STATS ACCUMULATE PROGRAMS. VALID VALUES: 0 - SUCCESSFUL, 4 - WARNING, 8 - ERROR.

9453 CARRY-OVR-FLG CARRY_OVR_FLG_9453 DLSC-SBA F CHAR 1
CARRY OVER FLAG
A FLAG USED TO DETERMINE WHETHER OR NOT TO PERFORM THE MGMT STATS CARRY OVER PROCESS. VALID VALUES: Y, N.

9454 CARRY-OVR-RTN-CD CARRY_OVR_RTN_9454 DLSC-SBA F SMALLINT 4
CARRY OVER RETURN CODE
THE RETURN CODE FOR THE MGMT STATS CARRY OVER PROGRAMS. USED FOR JOB CONTROL. VALID VALUES: 0 - SUCCESSFUL, 4 - WARNING, 8 - ERROR.

9455 CARRY-OVR-CNT CARRY_OVR_CNT_9455 DLSC-SBA F INTEGER 8
CARRY OVER COUNT
A COUNT USED FOR THE RE-START OF THE MGMT STATS CARRY OVER PROCESS.

9456 UPDT-RTN-CD UPDT_RTN_CD_9456 DLSC-SBA F SMALLINT 4
UPDATE RETURN CODE
THE RETURN CODE FOR THE MGMT STATS UPDATE PROGRAMS. VALID VALUES: 0 - SUCCESSFUL, 4 - WARNING, 8 - ERROR.

9457 UPDT-CNT UPDT_CNT_9457 DLSC-SBA F INTEGER 8
UPDATE COUNT
A COUNT USED FOR THE RE-START OF THE MGMT STATS UPDATE PROCESS.

9458 FORCED-FLAG FORCED_FLAG_9458 DLSC-SBA F CHAR 1
FORCED FLAG
A FLAG USED TO DETERMINE WHETHER OR NOT A JOB HAS BEEN FORCED TO RUN.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	FORMAT FV	FORMAT TYPE	FORMAT LG
CLEAR TEXT HOST/COBOL NAME						
DRN DEFINITION						

9459 ROLL-UP-DEPT-CD ROLL_UP_DEPT_9459 DLSC-SBA F CHAR 2
ROLL UP DEPARTMENT CODE
THIS FIELD CONTAINS A DEPARTMENT CODE USED IN THE MGMT STATS DEPT ROLLUP PROCESS.

9460 ROLL-UP-CD ROLL_UP_CD_9460 DLSC-SBA F CHAR 2
ROLL UP CODE
A CODE USED TO DENOTE THE DIFFERENT LEVELS OF COUNTS FOR A SPECIFIED DEPARTMENT. VALID VALUES: 1, 2, 3.

9461 JOB-CTL-JUL-DT JOB_CTL_JUL_9461 DLSC-SBA F INTEGER 8
JOB CONTROL JULIAN DATE
THE JULIAN DATE USED FOR JOB CONTROL IN THE MGMT STATS BATCH PROCESS. FORMAT: CCYYDDD.

9462 STORED-JUL-DT STORED_JUL_DT_9462 DLSC-SBA F INTEGER 8
STORED JULIAN DATE
THE JULIAN DATE USED WHEN THE JOB CONTROL RECORD WAS MOVED TO THE JOB CONTROL HISTORY TABLE. THIS DATE IS NEEDED TO TRACK THE MGMT STATS JOB CONTROL HISTORY. FORMAT: CCYYDDD.

9463 MULT-LBLS-IND-CD MULT_LBLS_IND_9463 DLSC-VOA F CHAR 1
MULTIPLE LABELS INDICATOR CODE
A SWITCH USED FOR AMLS TO DIRECT WHAT KIND OF OUTPUT WILL BE PRODUCED. VALID VALUES ARE: "M" OR "S". M = MULTIPLE COPIES OF A PRODUCT WILL BE SENT TO ONE ADDRESS USING ONE LABEL I.E. ONE LABEL TO MANY COPIES. S = A SINGLE COPY OF A PRODUCT WILL BE SENT TO ONE ADDRESS USING ONE LABEL FOR EACH PRODUCT I.E. ONE LABEL TO ONE COPY. THE DEFAULT VALUE OF THIS ELEMENT IS "M".

9470 MULT-DSPL-IND-IL-DATA DLSC-V F 1
MULTIPLE DISPLAY INDICATOR IDENTIFICATION LIST DATA
A CODE THAT SPECIFIES THE MAXIMUM ENTRIES THAT WILL BE DISPLAYED FOR MULTIPLE REPLIES TO REQUIREMENTS USING SECONDARY ADDRESS CODING OR THRU THE AND/OR REPLY CONDITION.

9471 SGML-SRT-VAL1 SGML_SRT_VAL1_9471 DLSC-V F CHAR 20
SGML SORT SELECTION VALUE 1
THE FIRST SELECTION VALUE IN THE IDS SELECT AND SORT TABLE (REQUESTED ASGSNR.SEL SORT LIST) FOR USE BY THE SGML MARKUP ROUTINES.

9472 SGML-SRT-VAL2 SGML_SRT_VAL2_9472 DLSC-V F CHAR 20
SGML SORT SELECTION VALUE 2
THE SECOND SELECTION VALUE IN THE IDS SELECT AND SORT TABLE (REQUESTED AS GSNR.SEL SORT LIST) FOR USE BY THE SGML MARKUP ROUTINES.

9473 SGML-SRT-VAL3 SGML_SRT_VAL3_9473 DLSC-V F CHAR 20
SGML SORT SELECTION VALUE 3
THE THIRD SELECTION VALUE IN THE IDS SELECT AND SORT TABLE (REQUESTED ASGSNR.SEL SORT LIST) FOR USE BY THE SGML MARKUP ROUTINES.

9474 SGML-SRT-VAL4 SGML_SRT_VAL4_9474 DLSC-V F CHAR 20
SGML SORT SELECTION VALUE 4
THE FOURTH SELECTION VALUE IN THE IDS SELECT AND SORT TABLE (REQUESTED AS GSNR.SEL SORT LIST) FOR USE BY THE SGML MARKUP ROUTINES.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	FORMAT FV	TYPE	LG
CLEAR TEXT HOST/COBOL NAME						
DRN DEFINITION						
9475	SGML-SRT-VALM	SGML_SRT_VALM_9475	DLSC-V	F	CHAR	80
SGML SORT SELECTION MAIN VALUE						
THE SORTING VALUE FOR USE BY THE SGML MARKUP ROUTINES.						
9476	SGML-FRMT-VAL	SGML_FRMT_VAL_9476	DLSC-V	F	CHAR	80
SGML FORMATTING KEEP VALUE						
THE FORMATTING VALUE FOR USE BY THE SGML MARKUP ROUTINES.						
9477	MULT-IND	MULT_IND_9477	DLSC-V	F	CHAR	1
MULT INDICATOR						
THE INDICATOR THAT SPECIFIES INCLUSION OF DATA FOR THE SGML MARKUP ROUTINES.						
9478	TMSTMP7	TMSTMP7_9478	DLSC-SB	F	TIMESTMP	26
TIME STAMP 7						
THIS TIMESTAMP IS USED TO RECORD YYYY - YEAR THE DATE AND TIME FOR DATA ENTRY MM - MONTH INTO THE SYSTEM PRIMARILY IN DD - DAY SUPPORT OF MEDALS. HH - HOUR MM - MINUTES YYYY-MM-DD-HH.MM.SS.NNNNNN SS - SECONDS EXAMPLE: 1991-10-24-03.30.000000 NNNNNN - MICROSECONDS						
9479	MULTI-INP-FLG	MULTI_INP_FLG_9479	DLSC-S	F	CHAR	1
MULTIPLE INPUT FLAG						
A FLAG TO INDICATE YES (Y) OR NO (N) THAT THE SITE WILL BE USING MULTIPLE INPUT. THIS FIELD PRIMARILY SUPPORTS TRANSACTION MANAGEMENT (PASS THROUGH).						
9480	RTN-CD	RTN_CD_9480	DLSC-SBA	F	CHAR	2
RETURN CODE						
A CODE APPLIED BY THE DEFENSE LOGISTICS SERVICES CENTER TO INDICATE THE REASON A PARTICULAR DATA ELEMENT/RECORD WAS RETURNED TO THE SUBMITTER. SEE VOLUME 10, CHAPTER 2 AND QUICK INFO ON-LINE.						
9481	SGML-ELE-NAME	SGML_ELE_NAME_9481	DLSC-VPE	F	CHAR	8
SGML ELEMENT NAME						
HIGHEST LEVEL SGML ELEMENT TYPE NAME WITHIN THE PUBLIC PARAMETER ENTITY WHICH CONTAINS THE SGML DECLARATIONS FOR THE DB2 ELEMENTS THAT ARE RETURNED BY THE CALLABLE SUBROUTINE.						
9482	SRT-ALLOWED-IND	SRT_ALLOWED_9482	DLSC-VPE	F	CHAR	1
SORT ALLOWED INDICATOR						
FLAG WHICH INDICATES IF THE ASSOCIATED CALLABLE SUBROUTINE MAY BE USED AS A SORT COMPONENT IN THE IDS EXTRACT PROCESS.						
9483	TM-MULT-MED-TRAN-QTY	MULT_MED_TRAN_9483	DLSC-S	F	INTEGER	8
TRANSACTION MANAGEMENT MULTI MEDIA TRANSACTION QUANTITY						
COUNTS OF THE TRANSACTIONS RECEIVED FOR THE MULTI-MEDIA OUTPUT.						
9484	RE-OP-AUTODIN-MSG-TMSTMP-ID	RE_OP_AUTO_TS_9484	DLSC-SBA	F	TIMESTMP	26
RE-OUTPUT AUTODIN MESSAGE TIME STAMP IDENTIFIER						
THIS IS THE DATE AND TIME WHEN THE OUTPUT AUTODIN MESSAGE THAT HAS BEEN RECOVERED IS RETRANSMITTAL TO AUTODIN INTERFACE APPLICATION.						
9485	SECD-ADRS-IND-CD	SEC_AD_IND_CD_9485	DLSC-SC	F	CHAR	1
SECONDARY ADDRESS INDICATOR CODE						

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

A CODE WHICH SERVES TO INDICATE THE NUMBER OF CHARACTERS IN THE SECONDARY ADDRESS CODE (DRN 8990).

9486 AUTODIN-MSG-DT-TM AUTODIN_DT_TM_9486 DLSC-SBA F TIMESTMP 7
AUTODIN MESSAGE DATE TIME
A FIELD CONTAINING THE JULIAN DAY AND GRENNWICH MEAN TIME (GMT) FOR DATE AND TIME MESSAGE DELIVERED FOR TRANSMISSION. DDDHHMM.

9487 JRNL-TMSTMP JRNL_TMSTMP_9487 DLSC-SBA F TIMESTMP 26
JOURNAL TIMESTAMP
DATE AND TIME MESSAGE JOURNALIZED IN SYSTEM. YYYY-MM-DD-HH.MM.SS.NNNNNN.

9500 DFLT-RELE-TDQ-ID DFLT_RELE_TDQ_9500 DLSC-SBA F CHAR 4
DEFAULT RELEASE TDQ IDENTIFIER
THE TDQ IDENTIFIER USED BY A TRANSACTION MANAGEMENT SUBSYSTEM TO CONTROL RELEASING TRANSACTIONS TO DOWNSTREAM APPLICATIONS.

9501 TM-HELD-CNT-QY HELD_CNT_9501 DLSC-SBA F INTEGER 8
TRANSACTION MANAGEMENT HELD COUNT QUANTITY
A TABULATION OF THE NUMBER OF TRANSACTIOMS AWAITING PROCESSING BY DOWNSTREAM APPLICATIONS AS DEFINED BY THE DATA ELEMENTS USED AS A KEY TO THIS DATA ELEMENT. (REFER TO DB2 TABLE TM_TRANS_COUNT.)

9502 TM-RELED-CNT-QY RELED_CNT_9502 DLSC-SBA F INTEGER 8
TRANSACTION MANAGEMENT RELEASED COUNT QUANTITY
A TABULATION OF THE NUMBER OF TRANSACTIONS RELEASED TO DOWNSTREAM APPLICATIONS, BUT NOT YET RETURNED FROM THEM, AS DEFINED BY THE DATA ELEMENTS USED AS A KEY TO THIS DATA ELEMENT. (REFER TO DB2 TABLE TM_TRANS_COUNT).

9503 TM-RELE-DATA RELE_DATA_9503 DLSC-SBA F CHAR 70
TRANSACTION MANAGEMENT RELEASE DATA
A GROUP OF DATA ELEMENTS AND/OR KEYS IN A SPECIFIC ORDER AS NEEDED BY DOWNSTREAM APPLICATIONS FOR THE CONTINUED PROCESSING OF A TRANSACTION OF THE TYPE DEFINED BY THE DATA ELEMENTS USED AS A KEY TO THIS DATA ELEMENT. (REFER TO SUBSYSTEM SPEC FOR LMIF.)

9504 REORG-STATUS-FLAG-ID REORG_FLAG_9504 DLSC-SBA F CHAR 1
REORGANIZATION STATUS FLAG IDENTIFIER
AN INDICATOR AS TO WHETHER OR NOT THIS ROW CAN BE DELETED DURING A TABLE REORGANIZATION. VALID VALUES: A = ACTIVE, I = INACTIVE.

9506 CIT-ELGBL-IND-CD CIT_ELGBL_IND_9506 DLSC-SBA F CHAR 1
CONSUMABLE ITEM TRANSFER ELIGIBLE INDICATOR CODE
INDICATES IF THE ACTIVITY AND DIC REPRESENTED BY ITS ROW ARE ELIGIBLE TO PARTICIPATE IN THE CONSUMABLE ITEM TRANSFER PROGRAM. VALUES ARE "Y" = YES OR "N" = NO.

9507 JCL-JOB-CRD-NM JCL_JOB_NM_9507 DLSC-SBA F CHAR 8
JOB CONTROL LANGUAGE JOB CARD NAME
THE JOB CONTROL LANGUAGE JOB CARD JOBNAME.

9508 TM-JOB-STAT-CD TM_JOB_STAT_9508 DLSC-SBA F CHAR 1
TRANSACTION MANAGEMENT JOB STATUS CODE
STATUS OF THE LAST RUN OF THE JOB. VALID VALUES ARE C = COMPLETED, I = IN PROGRESS.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	FORMAT FV	FORMAT TYPE	FORMAT LG
CLEAR TEXT HOST/COBOL NAME						
DRN DEFINITION						
9509	TM-COMMIT-CKPNT-RT	TM_COMMIT_RT_9509	DLSC-SBA	F	SMALLINT	2
TRANSACTION MANAGEMENT COMMIT CHECKPOINT RATE THE FREQUENCY OF COMMITS, I.E. 100, 500, 1000.						
9510	TM-RESTRT-CKPNT-WS-FLD	TM_CKPNT_WS_9510	DLSC-SBA	V	VARCHAR	1024
TRANSACTION MANAGEMENT RESTART CHECKPOINT WKG STOR FIELD WORKING STORAGE FIELDS THAT ARE NECESSARY TO THE RESTART OF THE JOB.						
9511	TM-RESTRT-CKPNT-CTR-1-QY	TM_CKPNT_CT_1_9511	DLSC-SBA	F	INTEGER	8
TM RESTART CHECKPOINT COUNTER ONE QUANTITY ONE OF 4 COUNTERS USED BY TM TO RE-POSITION THE POINTERS FOR THE VARIOUS FILES FOR THE RESTART.						
9512	TM-RESTRT-CKPNT-CTR-2-QY	TM_CKPNT_CT_2_9512	DLSC-SBA	F	INTEGER	8
TM RESTART CHECKPOINT COUNTER TWO QUANTITY ONE OF 4 COUNTERS USED BY TM TO RE-POSITION THE POINTERS FOR THE VARIOUS FILES FOR THE RESTART.						
9513	TM-RESTRT-CKPNT-CTR-3-QY	TM_CKPNT_CT_3_9513	DLSC-SBA	F	INTEGER	8
TM RESTART CHECKPOINT COUNTER THREE QUANTITY ONE OF 4 COUNTERS USED BY TM TO RE-POSITION THE POINTERS FOR THE VARIOUS FILES FOR THE RESTART.						
9514	TM-RESTRT-CKPNT-CTR-4-QY	TM_CKPNT_CT_4_9514	DLSC-SBA	F	INTEGER	8
TM RESTART CHECKPOINT COUNTER FOUR QUANTITY ONE OF 4 COUNTERS USED BY TM TO RE-POSITION THE POINTERS FOR THE VARIOUS FILES FOR THE RESTART.						
9515	RESTART-COMMIT-ID	RESTRT_COMMIT_9515	DLSC-SBB	F	CHAR	8
RESTART COMMIT IDENTIFIER WHEN A ERROR OCCURS IN A BATCH PROCESS THE NEED TO RESTART THE TASK MUST BE AVAILABLE. THIS DATA ELEMENT WILL CONTAIN THE RESTART POINT VALUE. IF THE BATCH PROGRAM FINDS A VALUE GREATER THAN ZERO IN THIS FIELD THEN IT SHOULD USE THIS VALUE IN PLACE OF ANY OTHER VALUE AS THE STARTING POINT OF THE TASK.						
9525	RPLM-NSN-STDZN-RL	RPLM_NSN_STDZ_9525	DLSC-SB	F	CHAR	13
REPLACEMENT NSN, STANDARDIZATION RELATIONSHIP THE NATIONAL STOCK NUMBER IN A STANDARDIZATION REPLACEMENT RELATIONSHIP AUTHORIZED FOR PROCUREMENT THAT REPLACES THE NATIONAL STOCK NUMBER NOT AUTHORIZED FOR PROCUREMENT.						
9530	RPLM-PSCN-STDZN-RL		DLSC-SB	F		13
REPLACEMENT PSCN, STANDARDIZATION RELATIONSHIP THE PERMANENT SYSTEM CONTROL NUMBER OF A SPECIFICATION/STANDARD IN A STANDARDIZATION REPLACEMENT RELATIONSHIP WHEN A REQUIREMENT EXISTS THAT REPLACES THE NATIONAL STOCK NUMBER NOT AUTHORIZED FOR PROCUREMENT.						
9541	QTY-AUTHZD-II-DATA-SUBMR		DLSC-SB	F		1
QUANTITY, AUTHORIZED ITEM IDENTIFICATION DATA SUBMITTER A NUMERIC VALUE EXPRESSING THE QUANTITY OF AUTHORIZED ITEM IDENTIFICATION DATA SUBMITTERS RECORDED AGAINST A PARTICULAR MAJOR ORGANIZATIONAL ENTITY/MOE/RULE.						
9542	MGMT-EXCP-NOTES	MGMT_EXCP_NTS_9542	DLSC-SB	V	VARCHAR	500
MANAGEMENT EXCEPTION NOTES A NOTATION ENTERED AGAINST A GIVEN MAJOR ORGANIZATIONAL ENTITY (MOE) RULE DENOTING THE PROPERTIES/MATERIELS/CONDITIONS AND APPLICATION LIMITATION(S) GOVERNED BY THAT SPECIFIC MOE RULE.						

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

9544 SUBJ-SIN-SUBMR-PRO SUBJ_SI_SUB_P_9544 DLSC-SB F CHAR 1

SUBJECT TO SINGLE SUBMITTER PROCEDURE

AN ALPHA Y OR N CODE THAT SPECIFIES WHETHER OR NOT AN ASSIGNED FEDERAL SUPPLY CLASS IS SUBJECT TO CATALOG DATA SINGLE SUBMITTER PROCEDURES.

9545 SUBJ-INTEG-MAT-MGMT-CD SUBJ_IMM_M_CD_9545 DLSC-SB F CHAR 1

SUBJECT TO INTEGRATED MATERIEL MANAGEMENT CODE

AN ALPHA Y OR N CODE THAT SPECIFIES WHETHER OR NOT AN ASSIGNED FEDERAL SUPPLY CLASS IS SUBJECT TO INTEGRATED MATERIEL MANAGEMENT.

9546 SUBJ-ITM-MGMT-CDNG SUBJ_IM_CDNG_9546 DLSC-SB F CHAR 1

SUBJECT TO ITEM MANAGEMENT CODING

AN ALPHA Y OR N CODE THAT SPECIFIES WHETHER OR NOT AN ASSIGNED FEDERAL SUPPLY CLASS IS SUBJECT TO ITEM MANAGEMENT CODING.

9547 SICA-LVL-AUTH SICA_LOA_9547 DLSC-SBA F CHAR 2

SECONDARY INVENTORY CONTROL ACTIVITY LEVEL OF AUTHORITY

A CODE THAT IDENTIFIES THE LEVELS OF AUTHORITY OF A SECONDARY INVENTORY CONTROL ACTIVITY (SICA). THE CODE INDICATES /1/ LOGISTICS MATERIEL MANAGEMENT, /2/ LEVEL OF REPONSIBILITY AND /3/ BASIS OF CATEGORIZATION. THE CODES WILL BE USED INTERNALLY WITHIN THE SYSTEM FOR STATISTICS AND GENERAL MANAGEMENT DATA BASED ON MATERIEL MANAGEMENT RESPONSIBILITY ASSIGNED BY SERVICES/AGENCIES DIRECTIVES. SEE VOLUME 10, TABLE 74 AND QUICK INFO ON-LINE.

9553 CLAS-ASST-MOD-H3 CL_ASST_MODH3_9553 DLSC-SC V VARCHAR 1762

CLASSIFICATION ASSISTANCE MODIFIER, H3

THE COMMON CHARACTERISTICS APPLICABLE TO SEVERAL SPECIFIC ITEMS OF SUPPLY HAVING A COMMON NAME. THIS DATA ELEMENT IS USED TO QUALIFY AN ITEM NAME FOR ASSIGNMENT OF A DEPARTMENT OF DEFENSE AMMUNITION CODE AS PUBLISHED IN THE DOD AMMUNITION CODE HANDBOOK, H3.

9554 CLAS-ASST-MOD-H2 CL_ASST_MODH2_9554 DLSC-SC V VARCHAR 1762

CLASSIFICATION ASSISTANCE MODIFIER, H2

A MODIFYING WORD OR PHRASE USED TO QUALIFY AN ITEM NAME AS TO THE APPLICABLE/AUTHORIZED FEDERAL SUPPLY CLASS/ES/ TO BE REFLECTED IN CATALOGING HANDBOOK H2.

9560 COMN-VAL-GP-CRITE DLSC-V F 15

COMMON VALUE GROUPING CRITERIA

THE MILITARY STANDARD ITEM CHARACTERISTICS CODING STRUCTURE (MILSTICCS) CODED DATA GROUPS FOR THE CHARACTERISTICS TO BE INCLUDED IN THE COMMON VALUE GROUPING. EACH CODED DATA GROUP CONTAINED IN THE COMMON VALUE GROUPING WILL BE SEQUENCED BASED ON ITS SORTING VALUE, AND INCLUDES THE MASTER REQUIREMENTS CODE (DRN 3445), THE MODE CODE (DRN 4735) AND THE COMMON VALUE CODE (DRN 0046).

9561 BSC-NM DLSC-SC V 1762

BASIC NAME

A BASIC NOUN WORD/PHRASE USED AS THE FIRST WORD OR GROUP OF WORDS IN AN ITEM NAME, OR AS AN ITEM NAME BY ITS SELF WHEN IT ESTABLISHES A SINGLE CONCEPT OF AN ITEM OF SUPPLY.

9562 KWA-NO-OP-ACTY-NOTI-IND KWA_NO_NOTI_9562 DLSC-S F CHAR 1

KWA NO OUTPUT ACTIVITY NOTIFICATION INDICATOR

INDICATOR THAT THE ACTIVITY WANTS TO BE NOTIFIED.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	FORMAT FV	TYPE	LG
CLEAR TEXT HOST/COBOL NAME						
DRN DEFINITION						

9563 KWA-ACTY-NOTI-IND KWA_ACTY_NOTI_9563 DLSC-S F CHAR 1
KWA ACTIVITY NOTIFICATION INDICATOR
INDICATOR THAT THE ACTIVITY WANTS KWA NOTIFICATION.

9564 KWA-NATO-ACTY-ZZ-IND KWA_NATO_ZZ_9564 DLSC-S F CHAR 1
KWA NATO ACTIVITY ZZ INDICATOR
INDICATOR THAT THIS IS A NATO ACTIVITY AND THAT TM MUST USE ZZ AS THE ORIGINATING ACTIVITY.

9570 MCFCH-TI-LI DLSC-V F 36
MICROFICHE TITLE LINE
A LINE OF DATA THAT SERVES AS A TITLE TO IDENTIFY THE INFORMATION RECORDED ON A MICROFICHE. THE TITLE LINE WILL BE LOCATED ACROSS THE TOP OF THE MICROFICHE AND WILL BE READABLE WITHOUT MAGNIFICATION. EITHER ONE OR TWO LINES ARE PERMISSIBLE, NOT TO EXCEED 36 CHARACTERS PER LINE.

9575 GP-LDIN-NAR-STMT DLSC-V V 52
GROUP LEAN IN NARRATIVE STATEMENT
A NARRATIVE CLEAR TEXT VERSION OF THE DATA GROUPS INCLUDED IN THE COMMON VALUE GROUPING, IT INCLUDES PUNCTUATION AND SPACES AS REQUIRED. A DESCRIPTION OF THE DATA ELEMENTS IS CONTAINED IN THE APPLICABLE STANDARD OPERATING PROCEDURE.

9576 M8B6-FSC-AT-LOA-EB-NSN M8B6_STAT_CNT_9576 DLSC-SB F INTEGER 8
M8B6 FSC ACTIVITY LOA ENDING BALANCE NSN
THE NET QUANTITY OF NSNS THAT ARE MANAGED AND/OR NOT MANAGED AT THE END OF A REPORTING PERIOD BY FSC BY DEPARTMENT BY ACTIVITY BY LOA.

9577 DIC-ALL-SAC-DEPT-NIINST DIC_STAT_CNT_9577 DLSC-SB F INTEGER 8
DIC ALL SUBMITTING ACTIVITY CODE DEPARTMENT NIIN STATUS
THE COUNT OF ALL TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION BY SUBMITTING ACTIVITY FOR DEPARTMENT.

9578 DIC-ALL-SAC-GTOT-RECVD DLSC-SB F 8
DIC ALL SUBMITTING ACTIVITY CODE GRAND TOTAL RECEIVED
THE GRAND TOTAL OF ALL TRANSACTIONS RECEIVED BY SUBMITTING ACTIVITY.

9579 DIC-ALL-SAC-GTOT-PRCSD DLSC-SB F 8
DIC ALL SUBMITTING ACTIVITY CODE GRAND TOTAL PROCESSED
THE GRAND TOTAL OF ALL TRANSACTIONS PROCESSED BY SUBMITTING ACTIVITY.

9580 DIC-ALL-SAC-GTOT-APRVD DLSC-SB F 8
DIC ALL SUBMITTING ACTIVITY CODE GRAND TOTAL APPROVED
THE GRAND TOTAL OF ALL TRANSACTIONS APPROVED BY SUBMITTING ACTIVITY.

9581 DIC-ALL-SAC-GTOT-RETRND DLSC-SB F 8
DIC ALL SUBMITTING ACTIVITY CODE GRAND TOTAL RETURNED
THE GRAND TOTAL OF ALL TRANSACTIONS RETURNED BY SUBMITTING ACTIVITY.

9582 DIC-ALL-SAC-GTOT-ADUPS DLSC-SB F 8
DIC ALL SUBMITTING ACTIVITY CODE GRAND TOTAL ACTUAL DUPS
THE GRAND TOTAL OF ALL TRANSACTIONS RETURNED AS ACTUAL DUPLICATES BY SUBMITTING ACTIVITY.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

9583 DIC-ALL-SAC-GTOT-PDUPS DLSC-SB F 8
DIC ALL SUBMITTING ACTIVITY GRAND TOTAL POSSIBLE DUPLICATES
THE GRAND TOTAL OF ALL TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES BY SUBMITTING ACTIVITY.

9584 DIC-ALL-SAC-GTOT-CLRCL DLSC-SB F 8
DIC ALL SUBMITTING ACTIVITY CODE GRAND TOTAL CLERICAL
THE GRAND TOTAL OF TRANSACTIONS RETURNED FOR CLERICAL ERRORS BY SUBMITTING ACTIVITY.

9585 DIC-ALL-SAC-GTOT-RULES DLSC-SB F 8
DIC ALL SUBMITTING ACTIVITY CODE GRAND TOTAL RULES
THE GRAND TOTAL OF ALL TRANSACTIONS RETURNED FOR RULES ERRORS BY SUBMITTING ACTIVITY.

9586 DIC-ALL-SAC-GTOT-NIINST DLSC-SB F 8
DIC ALL SUBMITTING ACTIVITY GRAND TOTAL NIIN STATUS
THE GRAND TOTAL OF ALL TRANSACTIONS RETURNED BECAUSE OF THE CURRENT STATUS OF THE ITEM IDENTIFICATION BY SUBMITTING ACTIVITY.

9587 DIC-SAC-DEPT-TOT-RECVD DIC_STAT_CNT_9587 DLSC-SB F INTEGER 8
DIC SUBMITTING ACTIVITY CODE DEPARTMENT TOTAL RECEIVED
THE COUNT OF TRANSACTIONS RECEIVED FOR A SPECIFIED INPUT DIC FOR DEPARTMENT BY SUBMITTING ACTIVITY.

9588 DIC-SAC-DEPT-TOT-PRCSD DLSC-SB F 8
DIC SUBMITTING ACTIVITY CODE DEPARTMENT TOTAL PROCESSED
THE COUNT OF TRANSACTIONS PROCESSED FOR A SPECIFIED INPUT DIC FOR DEPARTMENT BY SUBMITTING ACTIVITY.

9589 DIC-SAC-DEPT-TOT-APRVD DIC_STAT_CNT_9589 DLSC-SB F INTEGER 8
DIC SUBMITTING ACTIVITY CODE DEPARTMENT TOTAL APPROVED
THE COUNT OF TRANSACTIONS APPROVED FOR A SPECIFIED INPUT DIC FOR DEPARTMENT BY SUBMITTING ACTIVITY.

9590 DIC-SAC-DEPT-TOT-RETRND DLSC-SB F 8
DIC SUBMITTING ACTIVITY CODE DEPARTMENT TOTAL RETURNED
THE COUNT OF TRANSACTIONS RETURNED FOR A SPECIFIED INPUT DIC FOR DEPARTMENT BY SUBMITTING ACTIVITY.

9591 DIC-SAC-DEPT-TOT-ADUPS DIC_STAT_CNT_9591 DLSC-SB F INTEGER 8
DIC SUBMITTING ACTIVITY CODE DEPARTMENT TOTAL ACTUAL DUPS
THE COUNT OF TRANSACTIONS RETURNED AS ACTUAL DUPLICATES FOR A SPECIFIED INPUT DIC FOR DEPARTMENT BY SUBMITTING ACTIVITY.

9592 DIC-SAC-DEPT-TOT-PDUPS DIC_STAT_CNT_9592 DLSC-SB F INTEGER 8
DIC SAC DEPARTMENT TOTAL POSSIBLE DUPLICATES
THE COUNT OF TRANSACTIONS RETURNED AS POSSIBLE DUPLICATES FOR A SPECIFIED INPUT DIC FOR DEPARTMENT BY SUBMITTING ACTIVITY.

9593 DIC-SAC-DEPT-TOT-CLRCL DIC_STAT_CNT_9593 DLSC-SB F INTEGER 8
DIC SAC DEPARTMENT TOTAL CLERICAL
THE COUNT OF TRANSACTIONS RETURNED FOR CLERICAL ERRORS FOR A SPECIFIED INPUT DIC FOR DEPARTMENT BY SUBMITTING ACTIVITY.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG	
CLEAR TEXT HOST/COBOL NAME					
DRN DEFINITION					

9594 DIC-SAC-DEPT-TOT-RULES DIC_STAT_CNT_9594 DLSC-SB F INTEGER 8
DIC SAC DEPARTMENT TOTAL RULES
THE COUNT OF TRANSACTIONS RETURNED FOR RULES ERRORS FOR A SPECIFIED INPUT DIC FOR DEPARTMENT BY SUBMITTING ACTIVITY.

9595 DIC-ALL-OAC-GTOT-ADUPS DLSC-SB F 8
DIC ALL OAC GRAND TOTAL ACTUAL DUPLICATES
THE GRAND TOTAL OF ALL TRANSACTIONS RETURNED AS ACTUAL DUPLICATES BY ORIGINATING ACTIVITY.

9596 IANDS-ACTY-NSN IANS_STAT_CNT_9596 DLSC-SBA F INTEGER 8
INTERCHANGEABILITY AND SUBSTITUTABILITY ACTIVITY
THE TOTAL NUMBER OF PICA MANAGED NSNS IN I AND S FAMILIES BY ACTIVITY WITHIN DEPARTMENT.

9597 IANDS-ACTY-TOT-FAMILIES DLSC-SBA F 8
INTERCHANGEABILITY AND SUBSTITUTABILITY ACTIVITY TOTAL FA
THE TOTAL NUMBER OF I AND S FAMILIES BY ACTIVITY WITHIN DEPARTMENT.

9598 IANDS-DEPT-TOT-FAMILIES DLSC-SBA F 8
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT TOTAL FAMILI
THE TOTAL NUMBER OF I AND S FAMILIES FOR DEPARTMENT.

9599 IANDS-DEPT-FSC-REL-SICA IANS_STAT_CNT_9599 DLSC-SB F INTEGER 8
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT FSC REL SICA
THE TOTAL NUMBER OF RELATED NSNS A DEPARTMENT IS RECORDED ON AS A SICA FOR FSC.

9600 IANDS-DEPT-FSC-MTR-SICA IANS_STAT_CNT_9600 DLSC-SB F INTEGER 8
INTERCHANGEABILITY AND SUBSTITUTABILITY FSC MASTER SICA
THE TOTAL NUMBER OF MASTER NSNS A DEPARTMENT IS RECORDED ON AS A SICA FOR FSC.

9601 IANDS-DEPT-FSC-REL-PICA IANS_STAT_CNT_9601 DLSC-SBA F INTEGER 8
INTERCHANGEABLITY AND SUBSTITUTABILITY DEPT FSC RELATED P
THE TOTAL NUMBER OF RELATED NSNS A DEPARTMENT IS RECORDED ON AS A PICA FOR FSC.

9602 IANDS-DEPT-FSC-MTR-PICA IANS_STAT_CNT_9602 DLSC-SBA F INTEGER 8
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT FSC MASTER P
THE TOTAL NUMBER OF MASTER NSNS A DEPARTMENT IS RECORDED ON AS A PICA BY FSC.

9603 IANDS-DEPT-FSC-TOT-FAM IANS_STAT_CNT_9603 DLSC-SB F INTEGER 8
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT FSC TOT FAM
THE TOTAL NUMBER OF I AND S FAMILIES FOR DEPARTMENT FOR FSC.

9604 IANDS-DEPT-FSG-REL-SICA IANS_STAT_CNT_9604 DLSC-SBA F INTEGER 8
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT FSG REL SICA
THE TOTAL NUMBER OF RELATED NSNS A DEPARTMENT IS RECORDED ON AS A SICA FOR FSG.

9605 IANDS-DEPT-FSG-MTR-SICA IANS_STAT_CNT_9605 DLSC-SBA F INTEGER 8
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT FSG MASTER S
THE TOTAL NUMBER OF MASTER NSNS A DEPARTMENT IS RECORDED ON AS A SICA FOR FSG.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

9606 IANDS-DEPT-FSG-REL-PICA IANS_STAT_CNT_9606 DLSC-SBA F INTEGER 8
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT FSG REL PICA
THE TOTAL NUMBER OF RELATED NSNS A DEPARTMENT IS RECORDED ON AS A PICA FOR FSG.

9607 IANDS-DEPT-REL-SICA IANS_STAT_CNT_9607 DLSC-SBA F INTEGER 8
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT RELATED SICA
THE TOTAL NUMBER OF RELATED NSNS A DEPARTMENT IS RECORDED ON AS A SICA.

9608 IANDS-DEPT-MTR-SICA IANS_STAT_CNT_9608 DLSC-SBA F INTEGER 8
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT MASTER SICA
THE TOTAL NUMBER OF MASTER NSNS A DEPARTMENT IS RECORDED ON AS A SICA.

9609 IANDS-DEPT-REL-PICA IANS_STAT_CNT_9609 DLSC-SBA F INTEGER 8
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT RELATED PICA
THE TOTAL NUMBER OF RELATED NSNS A DEPARTMENT IS RECORDED ON AS A PICA.

9610 IANDS-DEPT-MTR-PICA IANS_STAT_CNT_9610 DLSC-SBA F INTEGER 8
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT MASTER PICA
THE TOTAL NUMBER OF MASTER NSNS A DEPARTMENT IS REECORDED ON AS A PICA.

9611 CON-SLCT-NSN CON_STAT_CNT_9611 DLSC-SB F INTEGER 8
CONSUMABLE SELECTED NSN
THE NUMBER OF NSNS SELECTED AS CANDIDATES FOR REVIEW FOR POSSIBLE TRANSFER TO DLA/GSA MANAGEMENT BY DEPARTMENT BY ACTIVITY BY INCREMENT.

9612 CON-KVI-OUTPUT-NSN CON_STAT_CNT_9612 DLSC-SB F INTEGER 8
CONSUMABLE KVI OUTPUT NSN
THE NUMBER OF DIC KVI, IMC ADVICE NOTIFICATION TRANSACTIONS OUTPUT BY DEPARTMENT BY ACTIVITY BY INCREMENT.

9613 CON-NOT-SLCT-NSN CON_STAT_CNT_9613 DLSC-SB F INTEGER 8
CONSUMABLE NOT SELECTED NSN
THE NUMBER OF NSNS THAT NO LONGER MEET THE CRITERIA FOR SPECIAL PROJECT REVIEW (DIC KVI, IMC NOTIFICATION) FOR DEPARTMENT FOR ACTIVITY BY INCREMENT.

9614 CON-SLCT-TOT-NSN DLSC-SB F 8
CONSUMABLE SELECTED TOTAL NSN
THE TOTAL NUMBER OF NSNS IN A SPECIAL PROJECT ORIGINAL CANDIDATE FILE FOR DEPARTMENT FOR ACTIVITY.

9615 CON-KVI-OUTPUT-TOT-NSN DLSC-SB F 8
CONSUMABLE KVI OUTPUT TOTAL NSN
THE TOTAL QUANTITY OF DIC KVI, IMC ADVICE NOTIFICATIONS OUTPUT FOR A SPECIAL PROJECT REVIEW FOR DEPARTMENT FOR ACTIVITY.

9616 CON-NOT-SLCT-TOT-NSN DLSC-SB F 8
CONSUMABLE NOT SELECTED TOTAL NSN
THE TOTAL QUANTITY OF NSNS THAT NO LONGER MEET THE CRITERIA FOR SPECIAL PROJECT REVIEW (DIC KVI, IMC ADVICE NOTIFICATION) FOR DEPARTMENT FOR ACTIVITY.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	FORMAT FV	FORMAT TYPE	FORMAT LG
CLEAR TEXT HOST/COBOL NAME						
DRN DEFINITION						
9617	CON-DPT-NOT-SLCT-NSN		DLSC-SB	F		8
CONSUMABLE DEPARTMENT NOT SELECTED NSN						
THE NUMBER OF NSNS THAT NO LONGER MEET THE CRITERIA FOR SPECIAL PROJECT REVIEW (DIC KVI, IMC NOTIFICATION) FOR DEPARTMENT BY INCREMENT.						
9618	CON-DPT-KVI-OUTPUT-NSN		DLSC-SB	F		8
CONSUMABLE DEPARTMENT KIV OUTPUT NSN						
THE NUMBER OF DIC KVI, IMC NOTIFICATION TRANSACTIONS OUTPUT BY DEPARTMENT BY INCREMENT.						
9619	CON-DPT-SLCT-NSN		DLSC-SB	F		8
CONSUMABLE DEPARTMENT SELECTED NSN						
THE NUMBER OF NSNS SELECTED AS CANDIDATES FOR REVIEW FOR POSSIBLE TRANSFER TO DLA/GSA MANAGEMENT BY DEPARTMENT BY INCREMENT.						
9620	CON-DPT-SLCT-TOT-NSN		DLSC-SB	F		8
CONSUMABLE DEPARTMENT SELECTED TOTAL NSN						
THE TOTAL NUMBER OF NSNS IN A SPECIAL PROJECT ORIGINAL CANDIDATE FILE FOR DEPARTMENT.						
9621	CON-DPT-KVI-OUT-TOT-NSN		DLSC-SB	F		8
CONSUMABLE DEPARTMENT KVI OUTPUT TOTAL NSN						
THE TOTAL QUANTITY OF DIC KVI, IMC ADVICE NOTIFICATION OUTPUT FOR SPECIAL PROJECT REVIEW FOR DEPARTMENT.						
9622	CON-DPT-NOT-SLCT-TOT-NSN		DLSC-SB	F		8
CONSUMABLE DEPARTMENT NOT SELECTED TOTAL NSN						
THE TOTAL QUANTITY OF NSNS THAT NO LONGER MEET THE CRITERIA FOR SPECIAL PROJECT REVIEW (DIC KVI, IMC NOTIFICATION) FOR DEPARTMENT.						
9623	CON-DIC-LVA-NSN	CON_STAT_CNT_9623	DLSC-SB	F	INTEGER	8
CONSUMABLE DIC LVA NSN						
THE QUANTITY OF NSNS IDENTIFIED AS TRANSFER (TO DLA CENTER OR GSA) CANDIDATES FOR DEPARTMENT FOR ACTIVITY BY INCREMENT.						
9624	CON-OTH-DIC-NSN	CON_STAT_CNT_9624	DLSC-SB	F	INTEGER	8
CONSUMABLE OTHER DIC NSN						
THE NUMBER OF TRANSACTIONS (OTHER THAN DIC LVA) SENT TO DLSC AS A RESULT OF INVENTORY CONTROL POINT REVIEW BY DEPARTMENT BY ACTIVITY BY INCREMENT.						
9625	CON-DIC-LVA-TOT-NSN		DLSC-SB	F		8
CONSUMABLE DIC LVA TOTAL NSN						
THE TOTAL QUANTITY OF NSNS IDENTIFIED AS TRANSFER (TO DLA CENTER OR GSA) CANDIDATES FOR DEPARTMENT FOR ACTIVITY.						
9626	CON-DPT-DIC-LVA-NSN		DLSC-SB	F		8
CONSUMABLE DEPARTMENT DIC LVA NSN						
THE QUANTITY OF NSNS IDENTIFIED AS TRANSFER (TO DLA CENTER OR GSA) CANDIDATES BY DEPARTMENT BY INCREMENT.						
9627	CON-DPT-OTH-DIC-NSN		DLSC-SB	F		8
CONSUMABLE DEPARTMENT OTHER DIC NSN						

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE NUMBER OF TRANSACTIONS (OTHER THAN DIC LVA) SENT TO DLSC AS A RESULT OF INVENTORY CONTROL POINT REVIEW BY DEPARTMENT BY INCREMENT.

9628 CON-DPT-DIC-LVA-TOT-NSN DLSC-SB F 8
CONSUMABLE DEPARTMENT DIC LVA TOTAL NSN
THE TOTAL QUANTITY OF NSNS IDENTIFIED AS TRANSFER (TO DLA CENTER OR GSA) CANDIDATES BY DEPARTMENT.

9629 CON-DIC-KIR-NSN CON_STAT_CNT_9629 DLSC-SB F INTEGER 8
CONSUMABLE DIC KIR NSN
THE NUMBER OF DIC KIR, INTERROGATION RESULTS, OUTPUT BY DEPARTMENT BY ACTIVITY TO DLA CENTER OR GSA BY INCREMENT.

9630 CON-DIC-KIR-TOT-NSN DLSC-SB F 8
CONSUMABLE DIC KIR TOTAL NSN
THE TOTAL NUMBER OF DIC KIR, INTERROGATION RESULTS, OUTPUT BY DEPARTMENT BY ACTIVITY TO DLA CENTER OR GSA.

9631 CON-DPT-DIC-KIR-NSN DLSC-SB F 8
CONSUMABLE DEPARTMENT DIC KIR NSN
THE NUMBER OF DIC KIR, INTERROGATION RESULTS, OUTPUT BY DEPARTMENT TO DLA CENTER OR GSA BY INCREMENT.

9632 CON-DPT-DIC-KIR-TOT-NSN DLSC-SB F 8
CONSUMABLE DEPARTMENT DIC KIR TOTAL NSN
THE TOTAL NUMBER OF DIC KIR, INTERROGATION RESULTS, OUTPUT BY DEPARTMENT TO DLA CENTERS OR GSA.

9633 CON-GIM-APR-NSN CON_STAT_CNT_9633 DLSC-SB F INTEGER 8
CONSUMABLE GAINING INVENTORY MANAGER APPROVED NSN
THE NUMBER OF NSNS (APPROVALS) ACCEPTED FOR MANAGEMENT BY DLA CENTERS AND GSA FOR DEPARTMENT FOR ACTIVITY BY INCREMENT.

9634 CON-GIM-APR-TOT-NSN DLSC-SB F 8
CONSUMABLE GAINING INVENTORY MANAGER APPROVED TOTAL NSN
THE MILITARY SERVICE ACTIVITY LOSING INVENTORY MANAGER (LIM) CUMULATIVE NSNS QUANTITY BROKEN OUT BY THE GAINING INVENTORY MANAGER (GIM). GIM CAN BE DEFENSE CONSTRUCTION SUPPLY CENTER (DCSC), DEFENSE ELECTRONICS SUPPLY CENTER (DESC), DEFENSE GENERAL SUPPLY CENTER (DGSC), DEFENSE INDUSTRIAL SUPPLY CENTER (DISC), OR GENERAL SERVICES ADMINISTRATION (GSA). THIS TRANSFER IS A RESULT OF SPECIAL PROJECT REVIEW.

9635 CON-DPT-GIM-APR-NSN DLSC-SB F 8
CONSUMABLE DEPT GAINING INVENTORY MANAGER APPROVED NSN
THE NUMBER OF NSNS (APPROVALS) ACCEPTED FOR MANAGEMENT BY DLA CENTERS AND GSA FOR DEPARTMENT BY INCREMENT.

9636 CON-DPT-GIM-APR-TOT-NSN DLSC-SB F 8
CONSUMABLE DEPT GAINING INVENTORY MANAGER APPROVED TOTAL NSN
THE MILITARY SERVICE LOSING INVENTORY MANAGER (LIM) CUMULATIVE NSN QUANTITY BROKEN OUT BY THE GAINING INVENTORY MANAGER (GIM). GIM CAN BE DEFENSE CONSTRUCTION SUPPLY CENTER (DCSC), DEFENSE ELECTRONICS SUPPLY CENTER (DESC), DEFENSE GENERAL SUPPLY CENTER (DGSC), DEFENSE INDUSTRIAL SUPPLY CENTER (DISC), OR GENERAL SERVICES ADMINISTRATION (GSA). THIS TRANSFER IS A RESULT OF SPECIAL PROJECT REVIEW.

9638 TRFR-SAC-CUR-DM-PCT TRFR_STAT_CNT_9638 DLSC-SB F INTEGER 8
TRANSFER SUBMITTING ACTIVITY CURRENT DES METHOD PERCENT

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE PERCENT OF NEWLY ASSIGNED NSNS WITHIN THE CURRENT REPORTING PERIOD WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT/ ACTIVITY.

9639 TRFR-SAC-FYD-TOT-NSN TRFR_STAT_CNT_9639 DLSC-SB F INTEGER 8
TRANSFER SUBMITTING ACTIVITY CODE FISCAL YEAR TO DATE TOTAL
THE FISCAL YEAR-TO-DATE TOTAL QUANTITY OF NEWLY ASSIGNED NSNS BY SUBMITTING DEPARTMENT/ACTIVITY.

9640 TRFR-SDP-CUR-T4-NSN TRFR_STAT_CNT_9640 DLSC-SB F INTEGER 8
TRANSFER SUBMITTING DEPARTMENT CURRENT TYPE 4 NSN
THE TOTAL QUANTITY OF NEWLY ASSIGNED NSNS WITHIN THE CURRENT REPORTING PERIOD WITH PARTIAL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY SUBMITTING ACTIVITY.

9641 TRFR-SDP-CUR-TOT-NSN TRFR_STAT_CNT_9641 DLSC-SB F INTEGER 8
TRANSFER SUBMITTING DEPARTMENT CURRENT TOTAL NSN
THE TOTAL QUANTITY OF NEWLY ASSIGNED NSNS WITHIN THE CURRENT REPORTING PERIOD BY SUBMITTING DEPARTMENT.

9642 TRFR-SDP-CUR-DM-PCT TRFR_STAT_CNT_9642 DLSC-SB F INTEGER 8
TRANSFER SUBMITTING DEPARTMENT CURRENT DES METHOD PERCENT
PERCENT OF NEWLY ASSIGNED NSNS WITHIN THE CURRENT REPORTING PERIOD WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT.

9643 TRFR-SDP-FYD-T2-NSN TRFR_STAT_CNT_9643 DLSC-SB F INTEGER 8
TRANSFER SUBMITTING DEPARTMENT FISCAL YR TO DATE TYPE 2 NSN
THE FISCAL YEAR-TO-DATE QUANTITY OF NEWLY ASSIGNED NSNS WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT.

9644 TRFR-SDP-FYD-T1-NSN TRFR_STAT_CNT_9644 DLSC-SB F INTEGER 8
TRANSFER SUBMITTING DEPARTMENT FISCAL YR TO DATE TYPE 1 NSN
THE FISCAL YEAR-TO-DATE QUANTITY OF NEWLY ASSIGNED NSNS WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT.

9645 TRFR-SDP-FYD-T4-NSN TRFR_STAT_CNT_9645 DLSC-SB F INTEGER 8
TRANSFER SUBMITTING DEPARTMENT FISCAL YR TO DATE TYPE 4 NSN
THE FISCAL YEAR-TO-DATE QUANTITY OF NEWLY ASSIGNED NSNS WITH PARTIAL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT.

9646 TRFR-SDP-FYD-TOT-NSN TRFR_STAT_CNT_9646 DLSC-SB F INTEGER 8
TRANSFER SUBMITTING DEPARTMENT FISCAL YR TO DATE TOTAL NSN
THE FISCAL YEAR-TO-DATE TOTAL QUANTITY OF NEWLY ASSIGNED NSNS BY SUBMITTING ACTIVITY.

9647 TRFR-SDP-FYD-DM-PCT TRFR_STAT_CNT_9647 DLSC-SB F INTEGER 8
TRANSFER SUBMITTING DEPARTMENT FISCAL YR DATE DES METH PCT
THE FISCAL YEAR-TO-DATE PERCENT OF NEWLY ASSIGNED NSNS WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT.

9648 TRFR-FSC-SAC-FYD-T2-NSN TRFR_STAT_CNT_9648 DLSC-SB F INTEGER 8
TRANSFER FSC SUBMITTING ACTIVITY FYD TYPE 2 NSN
THE FISCAL YEAR-TO-DATE QUANTITY OF NEWLY ASSIGNED NSNS WITHIN AN FSC WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT/ ACTIVITY.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

9649 TRFR-FSC-SAC-FYD-T1-NSN TRFR_STAT_CNT_9649 DLSC-SB F INTEGER 8
TRANSFER FSC SUBMITTING ACTIVITY FYD TYPE 1 NSN
THE FISCAL YEAR-TO-DATE QUANTITY OF NEWLY ASSIGNED NSNS WITHIN AN FSC WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT/ ACTIVITY.

9650 TRFR-FSC-SAC-FYD-T4-NSN TRFR_STAT_CNT_9650 DLSC-SB F INTEGER 8
TRANSFER FSC SUBMITTING ACTIVITY FYD TYPE 4 NSN
THE FISCAL YEAR-TO-DATE QUANTITY OF NEWLY ASSIGNED NSNS WITHIN AN FSC WITH PARTIAL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT/ACTIVITY.

9651 TRFR-FSC-SAC-FYD-TOT-NSN TRFR_STAT_CNT_9651 DLSC-SB F INTEGER 8
TRANSFER FSC SUBMITTING ACTIVITY FYD TOTAL NSN
THE FISCAL YEAR-TO-DATE TOTAL QUANTITY OF NEWLY ASSIGNED NSNS WITHIN AN FSC BY SUBMITTING DEPARTMENT/ACTIVITY.

9653 TRFR-FSC-SAC-FYD-GOAL TRFR_STAT_CNT_9653 DLSC-SB F INTEGER 8
TRANSFER FSC SUBMITTING ACTIVITY FISCAL YEAR TO DATE GOAL
THE FISCAL YEAR-TO-DATE ESTABLISHED GOAL FOR THE PERCENT OF NEWLY ASSIGNED NSNS WITH DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT/ACTIVITY.

9654 TRFR-FSC-SAC-FYD-GL-DIF TRFR_STAT_CNT_9654 DLSC-SB F INTEGER 8
TRANSFER FSC SUBMITTING ACTIVITY FYD GOAL DIFFERENCE
THE FISCAL YEAR TO DATE QUANTITY OF NEWLY ASSIGNED NSNS WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION BY ORIGINATING DEPARTMENT.

9655 TRFR-FSC-SDP-FYD-T2-NSN TRFR_STAT_CNT_9655 DLSC-SB F INTEGER 8
TRANSFER FSC SUBMITTING DEPARTMENT FYD TYPE 2 NSN
THE FISCAL YEAR-TO-DATE QUANTITY OF NEWLY ASSIGNED NSNS WITH REFERENCE METHOD TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT.

9656 TRFR-FSC-SDP-FYD-T1-NSN TRFR_STAT_CNT_9656 DLSC-SB F INTEGER 8
TRANSFER FSC SUBMITTING DEPARTMENT FYD TYPE 1 NSN
THE FISCAL YEAR-TO-DATE QUANTITY OF NEWLY ASSIGNED NSNS WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT.

9657 TRFR-FSC-SDP-FYD-T4-NSN TRFR_STAT_CNT_9657 DLSC-SB F INTEGER 8
TRANSFER FSC SUBMITTING DEPARTMENT FYD TYPE 4 NSN
THE FISCAL YEAR-TO-DATE QUANTITY OF NEWLY ASSIGNED NSNS WITH PARTIAL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT.

9658 TRFR-FSC-SDP-FYD-TOT-NSN TRFR_STAT_CNT_9658 DLSC-SB F INTEGER 8
TRANFSER FSC SUBMITTING DEPARTMENT FYD TOTAL NSN
THE FISCAL YEAR-TO-DATE TOTAL QUANTITY OF NEWLY ASSIGNED NSNS BY SUBMITTING DEPARTMENT.

9659 TRFR-FSC-SDP-FYD-DM-PCT TRFR_STAT_CNT_9659 DLSC-SB F INTEGER 8
TRANSFER FSC SUBMITTING DEPARTMENT FYD DES METHOD PERCENT
THE FISCAL YEAR-TO-DATE PERCENT OF NEWLY ASSIGNED NSNS WITH FULL DESCRIPTIVE TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT.

9660 TRFR-FSC-SDP-FYD-GOAL TRFR_STAT_CNT_9660 DLSC-SB F INTEGER 8
TRANSFER FSC SUBMITTING DEPARTMENT FISCAL YEAR TO DATE GOAL

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THE FISCAL YEAR-TO-DATE ESTABLISHED GOAL FOR THE PERCENT OF NEWLY ASSIGNED NSNS WITH DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION BY SUBMITTING ACTIVITY.

9661 TRFR-FSC-SDP-FYD-GL-DIF TRFR_STAT_CNT_9661 DLSC-SB F INTEGER 8
TRANSFER FSC SUBMITTING DEPARTMENT FYD GOAL DIFFERRENCE
THE FISCAL YEAR-TO-DATE DIFFERENCE BETWEEN THE ESTABLISHED GOAL AND ACTUAL PERCENT OBTAINED OF NEWLY ASSIGNED NSNS WITH DESCRIPTIVE METHOD TYPE ITEM IDENTIFICATION BY SUBMITTING DEPARTMENT.

9662 TRFR-SAC-T1-2-NSN TRFR_STAT_CNT_9662 DLSC-SB F INTEGER 8
TRANSFER SUBMITTING ACTIVITY TYPE 1 TO 2 NSN
THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM FULL DESCRIPTIVE TO REFERENCE METHOD BY SUBMITTING DEPARTMENT/ACTIVITY.

9663 TRFR-SAC-T1-4-NSN TRFR_STAT_CNT_9663 DLSC-SB F INTEGER 8
TRANSFER SUBMITTING ACTIVITY TYPE 1 TO 4 NSN
THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM FULL DESCRIPTIVE TO PARTIAL DESCRIPTIVE BY SUBMITTING DEPARTMENT/ACTIVITY.

9664 TRFR-SAC-T4-1-NSN TRFR_STAT_CNT_9664 DLSC-SB F INTEGER 8
TRANSFER SUBMITTING ACTIVITY TYPE 4 TO 1 NSN
THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT THE TYPE ITEM IDENTIFCATION WAS CHANGED FROM PARTIAL DESCRIPTIVE TO FULL DESCRIPTIVE BY SUBMITTING DEPARTMENT/ACTIVITY.

9665 TRFR-SAC-T4-2-NSN TRFR_STAT_CNT_9665 DLSC-SB F INTEGER 8
TRANSFER SUBMITTING ACTIVITY TYPE 4 TO 2 NSN
THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM PARTIAL DESCRIPTIVE TO REFERENCE METHOD BY SUBMITTING DEPARTMENT/ACTIVITY.

9666 TRFR-SAC-TRFR-TOT-NSN TRFR_STAT_CNT_9666 DLSC-SB F INTEGER 8
TRANSFER SUBMITTING ACTIVITY TRANSFER TOTAL NSN
THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT TRANSFERRED FROM ONE TYPE ITEM IDENTIFICATION TO ANOTHER TYPE ITEM IDENTIFICATION BY DEPARTMENT/ACTIVITY.

9667 TRFR-SDP-T2-4-NSN TRFR_STAT_CNT_9667 DLSC-SB F INTEGER 8
TRANSFER SUBMITTING DEPARTMENT TYPE 2 TO 4 NSN
THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM REFERENCE METHOD TO PARTIAL DESCRIPTIVE BY SUBMITTING DEPARTMENT.

9668 TRFR-SDP-T4-1-NSN TRFR_STAT_CNT_9668 DLSC-SB F INTEGER 8
TRANSFER SUBMITTING DEPARTMENT TYPE 4 TO 1 NSN
THE TOTAL QUANTITY OF NSNS IN THE CURRENT REPORTING PERIOD THAT THE TYPE ITEM IDENTIFICATION WAS CHANGED FROM PARTIAL DESCRIPTIVE TO FULL DESCRIPTIVE BY SUBMITTING DEPARTMENT.

9669 I-O-ACTY-ODIC-TOT DLSC-SB F 8
INPUT OUTPUT ACTIVITY OUTPUT DIC TOTAL
THE TOTAL QUANTITY OF TRANSACTIONS FOR A SUBMITTING ACTIVITY BY A SPECIFIED OUTPUT DIC.

9670 PIC-ACTY-DIC-PRICD-ONE PIC_STAT_CNT_9670 DLSC-SB F INTEGER 8
PRIORITY INDICATOR CODE ACTIVITY DIC PIC ONE
THE QUANTITY OF PRIORITY INDICATOR CODE ONE TRANSACTIONS RECEIVED FOR A SPECIFIC ACTIVITY AND DIC.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

9671 PIC-ACTY-DIC-PRICD-TWO PIC_STAT_CNT_9671 DLSC-SB F INTEGER 8
PRIORITY INDICATOR CODE ACTIVITY DIC PIC TWO
THE QUANTITY OF PRIORITY INDICATOR CODE TWO TRANSACTIONS RECEIVED FOR A SPECIFIC ACTIVITY AND DIC.

9672 PIC-ACTY-DIC-PRICD-THREE PIC_STAT_CNT_9672 DLSC-SB F INTEGER 8
PRIORITY INDICATOR CODE ACTIVITY DIC PIC THREE
THE QUANTITY OF PRIORITY INDICATOR CODE THREE TRANSACTIONS RECEIVED FOR A SPECIFIC ACTIVITY AND DIC.

9673 PIC-ACTY-DIC-PRICD-FOUR PIC_STAT_CNT_9673 DLSC-SB F INTEGER 8
PRIORITY INDICATOR CODE ACTIVITY DIC PIC FOUR
THE QUANTITY OF PRIORITY INDICATOR CODE FOUR TRANSACTIONS RECEIVED FOR A SPECIFIC ACTIVITY AND DIC.

9674 PIC-ACTY-DIC-TOT DLSC-SB F 8
PRIORITY INDICATOR CODE ACTIVITY DIC TOTAL
THE TOTAL QUANTITY OF TRANSACTIONS RECEIVED FOR A SPECIFIC DIC FOR A SPECIFIC ACTIVITY.

9675 PIC-ACTY-DIC-STD-PCT-ONE DLSC-SB F 8
PRIORITY INDICATOR CODE ACTIVITY DIC STANDARD PERCENT ONE
THE ESTABLISHED STANDARD PERCENT FOR PIC 1 TRANSACTIONS ALLOWED FOR A SPECIFIC DIC FOR A SPECIFIC ACTIVITY.

9676 PIC-ACTY-DIC-STD-PCT-TWO DLSC-SB F 8
PRIORITY INDICATOR CODE ACTIVITY DIC STANDARD PERCENT TWO
THE ESTABLISHED STANDARD PERCENT FOR PIC 2 TRANSACTIONS ALLOWED FOR A SPECIFIC DIC FOR A SPECIFIC ACTIVITY.

9677 PIC-ACTY-DIC-ACL-PCT-ONE DLSC-SB F 8
PRIORITY INDICATOR CODE ACTIVITY DIC ACTUAL PERCENT ONE
THE ACTUAL PERCENT OF PIC 1 TRANSACTIONS RECEIVED FOR A SPECIFIC DIC FOR A SPECIFIC ACTIVITY.

9678 PIC-ACTY-DIC-ACL-PCT-TWO DLSC-SB F 8
PRIORITY INDICATOR CODE ACTIVITY DIC ACTUAL PERCENT TWO
THE ACTUAL PERCENT OF PIC 2 TRANSACTIONS RECEIVED FOR A SPECIFIC DIC FOR A SPECIFIC ACTIVITY.

9679 PIC-ACTY-DIC-DEV-PCT-ONE DLSC-SB F 8
PRIORITY INDICATOR CODE ACTIVITY DIC DEVIATION PERCENT ONE
THE PERCENT OF DEVIATION FROM THE ESTABLISHED PIC 1 STANDARD FOR A SPECIFIC DIC FOR A SPECIFIC ACTIVITY.

9680 PIC-ACTY-DIC-DEV-PCT-TWO DLSC-SB F 8
PRIORITY INDICATOR CODE ACTIVITY DIC DEVIATION PERCENT TWO
THE PERCENT OF DEVIATION FROM THE ESTABLISHED PIC 2 STANDARD FOR A SPECIFIC DIC FOR A SPECIFIC ACTIVITY.

9681 PIC-ACTY-PRICD-ONE PIC_STAT_CNT_9681 DLSC-SB F INTEGER 8
PRIORITY INDICATOR CODE ACTIVITY PIC ONE
THE TOTAL QUANTITY OF TRANSACTIONS RECEIVED WITH A PRIORITY INDICATOR CODE OF ONE.

9682 PIC-ACTY-PRICD-TWO PIC_STAT_CNT_9682 DLSC-SB F INTEGER 8
PRIORITY INDICATOR CODE ACTIVITY PIC TWO
THE TOTAL QUANTITY OF TRANSACTIONS RECEIVED WITH A PRIORITY INDICATOR CODE OF TWO FOR A SPECIFIC ACTIVITY.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

9683 PIC-ACTY-PRICD-THREE PIC_STAT_CNT_9683 DLSC-SB F INTEGER 8
PRIORITY INDICATOR CODE ACTIVITY PIC THREE
THE TOTAL QUANTITY OF TRANSACTIONS RECEIVED WITH A PRIORITY INDICATOR CODE OF THREE FOR A SPECIFIC ACTIVITY.

9684 PIC-ACTY-PRICD-FOUR PIC_STAT_CNT_9684 DLSC-SB F INTEGER 8
PRIORITY INDICATOR CODE ACTIVITY PIC FOUR
THE TOTAL QUANTITY OF TRANSACTIONS RECEIVED WITH A PRIORITY INDICATOR CODE OF FOUR FOR A SPECIFIC ACTIVITY.

9685 PIC-ACTY-TOT DLSC-SB F 8
PRIORITY INDICATOR CODE ACTIVITY TOTAL
THE TOTAL QUANTITY OF TRANSACTIONS RECEIVED FOR A SPECIFIC ACTIVITY.

9686 PIC-ACTY-STD-PCT-ONE DLSC-SB F 8
PRIORITY INDICATOR CODE ACTIVITY STANDARD PERCENT ONE
THE ESTABLISHED STANDARD PERCENTAGE FOR PRIORITY INDICATOR CODE ONE USAGE FOR TRANSACTIONS RECEIVED FOR A SPECIFIC ACTIVITY.

9687 PIC-ACTY-STD-PCT-TWO DLSC-SB F 8
PRIORITY INDICATOR CODE ACTIVITY STANDARD PERCENT TWO
THE ESTABLISHED STANDARD PERCENT FOR PRIORITY INDICATOR CODE TWO USAGE FOR TRANSACTIONS RECEIVED FOR A SPECIFIC ACTIVITY.

9688 PIC-ACTY-ACL-PCT-ONE DLSC-SB F 8
PRIORITY INDICATOR CODE ACTIVITY ACTUAL PERCENT ONE
THE ACTUAL PERCENTAGE OF TRANSACTIONS RECEIVED WITH A PRIORITY INDICATOR CODE OF ONE FOR A SPECIFIC ACTIVITY.

9689 PIC-ACTY-ACL-PCT-TWO DLSC-SB F 8
PRIORITY INDICATOR CODE ACTIVITY ACTUAL PERCENT TWO
THE ACTUAL PERCENTAGE OF TRANSACTIONS RECEIVED WITH A PRIORITY INDICATOR CODE OF TWO FOR A SPECIFIC ACTIVITY.

9690 PIC-ACTY-DEV-PCT-ONE DLSC-SB F 8
PRIORITY INDICATOR CODE ACTIVITY DEVIATION PERCENT ONE
THE PERCENTAGE OF DEVIATION OF PRIORITY INDICATOR CODE ONE USAGE FROM THE ESTABLISHED STANDARD FOR A SPECIFIC ACTIVITY.

9691 PIC-ACTY-DEV-PCT-TWO DLSC-SB F 8
PRIORITY INDICATOR CODE ACTIVITY DEVIATION PERCENT TWO
THE PERCENTAGE OF DEVIATION OF PRIORITY INDICATOR CODE TWO USAGE FROM THE ESTABLISHED STANDARD FOR A SPECIFIC ACTIVITY.

9692 PIC-DEPT-PRICD-ONE PIC_STAT_CNT_9692 DLSC-SB F INTEGER 8
PRIORITY INDICATOR CODE DEPARTMENT PIC ONE
THE QUANTITY OF PRIORITY INDICATOR CODE ONE TRANSACTIONS RECEIVED FOR A DEPARTMENT.

9693 PIC-DEPT-PRICD-TWO PIC_STAT_CNT_9693 DLSC-SB F INTEGER 8
PRIORITY INDICATOR CODE DEPARTMENT PIC TWO
THE QUANTITY OF PRIORITY INDICATOR CODE TWO TRANSACTIONS RECEIVED FOR A DEPARTMENT.

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

9694 PIC-DEPT-PRICD-THREE PIC_STAT_CNT_9694 DLSC-SB F INTEGER 8
PRIORITY INDICATOR CODE DEPARTMENT PIC THREE
THE QUANTITY OF PRIORITY INDICATOR CODE THREE TRANSACTIONS RECEIVED FOR A DEPARTMENT.

9695 PIC-DEPT-PRICD-FOUR PIC_STAT_CNT_9695 DLSC-SB F INTEGER 8
PRIORITY INDICATOR CODE DEPARTMENT PIC FOUR
THE QUANTITY OF PRIORITY INDICATOR CODE FOUR TRANSACTIONS RECEIVED FOR A DEPARTMENT.

9696 PIC-DEPT-TOT DLSC-SB F 8
PRIORITY INDICATOR CODE DEPARTMENT TOTAL
THE TOTAL QUANTITY OF TRANSACTIONS RECEIVED FOR A DEPARTMENT.

9697 PIC-DEPT-STD-PCT-ONE PIC_STAT_CNT_9697 DLSC-SB F INTEGER 8
PRIORITY INDICATOR CODE DEPARTMENT STANDARD PERCENT ONE
THE ESTABLISHED STANDARD PERCENTAGE FOR PRIORITY INDICATOR CODE ONE USAGE FOR TRANSACTIONS RECEIVED FOR A SPECIFIC ACTIVITY FOR DEPARTMENT.

9698 PIC-DEPT-STD-PCT-TWO PIC_STAT_CNT_9698 DLSC-SB F INTEGER 8
PRIORITY INDICATOR CODE DEPARTMENT STANDARD PERCENT TWO
THE ESTABLISHED STANDARD PERCENTAGE FOR PRIORITY INDICATOR CODE TWO USAGE FOR TRANSACTIONS RECEIVED FOR A SPECIFIC ACTIVITY FOR DEPARTMENT.

9699 PIC-DEPT-ACL-PCT-ONE DLSC-SB F 8
PRIORITY INDICATOR CODE DEPARTMENT ACTUAL PERCENT ONE
THE ACTUAL PERCENTAGE OF TRANSACTIONS RECEIVED WITH A PRIORITY INDICATOR CODE OF ONE FOR A SPECIFIC ACTIVITY FOR DEPARTMENT.

9700 PIC-DEPT-ACL-PCT-TWO DLSC-SB F 8
PRIORITY INDICATOR CODE DEPARTMENT ACTUAL PERCENT TWO
THE ACTUAL PERCENTAGE OF TRANSACTIONS RECEIVED WITH A PRIORITY INDICATOR CODE OF TWO FOR A SPECIFIC ACTIVITY FOR DEPARTMENT.

9701 PIC-DEPT-DEV-PCT-ONE DLSC-SB F 8
PRIORITY INDICATOR CODE DEPARTMENT DEVIATION PERCENT ONE
THE PERCENTAGE OF DEVIATION OF PRIORITY INDICATOR CODE ONE USAGE FROM THE ESTABLISHED STANDARD FOR A SPECIFIC ACTIVITY FOR DEPARTMENT.

9702 PIC-DEPT-DEV-PCT-TWO DLSC-SB F 8
PRIORITY INDICATOR CODE DEPARTMENT DEVIATION PERCENT TWO
THE PERCENTAGE OF DEVIATION OF PRIORITY INDICATOR CODE TWO USAGE FROM THE ESTABLISHED STANDARD FOR A SPECIFIC ACTIVITY FOR DEPARTMENT.

9704 STAT-DEPT-NAME STAT_DEPT_NM_9704 DLSC-SBA F CHAR 7
STATISTICS DEPARTMENT NAME
THIS REPRESENTS THE CLEAR TEXT NAME OF THE STATISTICS DEPARTMENT OF WHICH THE STAT DEPARTMENT CODE HAS CORRESPONDED.

9705 STATS-ACCESS-DATE STATS_ACCS_DT_9705 DLSC-S F DATE 5
STATISTICS ACCESS DATE

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

THIS DATE ELEMENT REFLECTS THE DATE THAT A NUMBER OF PHYSICAL ACCESSES TO A PARTICULAR TYPE OF STATISTIC OCCURRED.

9711 DRPD-SEG-1-IND DRPD_SEG_1_9711 DLSC-S F CHAR 1
DROPPED SEGMENT 1 INDICATOR
AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT 1. Y = DROP, OTHERWISE BLANK.

9712 DRPD-SEG-6-IND DRPD_SEG_6_9712 DLSC-S F CHAR 1
DROPPED SEGMENT 6 INDICATOR
AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT 6. Y = DROP, OTHERWISE BLANK.

9713 DRPD-SEG-7-IND DRPD_SEG_7_9713 DLSC-S F CHAR 1
DROPPED SEGMENT 7 INDICATOR
AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT 7. Y = DROP, OTHERWISE BLANK.

9714 DRPD-SEG-9-IND DRPD_SEG_9_9714 DLSC-S F CHAR 1
DROPPED SEGMENT 9 INDICATOR
AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT 9. Y = DROP, OTHERWISE BLANK.

9715 DRPD-SEG-A-IND DRPD_SEG_A_9715 DLSC-S F CHAR 1
DROPPED SEGMENT A INDICATOR
AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT A. Y = DROP, OTHERWISE BLANK.

9716 DRPD-SEG-B-IND DRPD_SEG_B_9716 DLSC-S F CHAR 1
DROPPED SEGMENT B INDICATOR
AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT B. Y = DROP, OTHERWISE BLANK.

9717 DRPD-SEG-C-IND DRPD_SEG_C_9717 DLSC-S F CHAR 1
DROPPED SEGMENT C INDICATOR
AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT C. Y = DROP, OTHERWISE BLANK.

9718 DRPD-SEG-D-IND DRPD_SEG_D_9718 DLSC-S F CHAR 1
DROPPED SEGMENT D INDICATOR
AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT D. Y = DROP, OTHERWISE BLANK.

9719 DRPD-SEG-E-IND DRPD_SEG_E_9719 DLSC-S F CHAR 1
DROPPED SEGMENT E INDICATOR
AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT E. Y = DROP, OTHERWISE BLANK.

9720 DRPD-SEG-F-IND DRPD_SEG_F_9720 DLSC-S F CHAR 1
DROPPED SEGMENT F INDICATOR
AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT F. Y = DROP, OTHERWISE BLANK.

9721 DRPD-SEG-G-IND DRPD_SEG_G_9721 DLSC-S F CHAR 1
DROPPED SEGMENT G INDICATOR
AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT G. Y = DROP, OTHERWISE BLANK.

9722 DRPD-SEG-H-IND DRPD_SEG_H_9722 DLSC-S F CHAR 1

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

DROPPED SEGMENT H INDICATOR
AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT H. Y = DROP, OTHERWISE BLANK.

9723 DRPD-SEG-J-IND DRPD_SEG_J_9723 DLSC-S F CHAR 1
DROPPED SEGMENT J INDICATOR
AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT J. Y = DROP, OTHERWISE BLANK.

9724 DRPD-SEG-K-IND DRPD_SEG_K_9724 DLSC-S F CHAR 1
DROPPED SEGMENT K INDICATOR
AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT K. Y = DROP, OTHERWISE BLANK.

9725 DRPD-SEG-L-IND DRPD_SEG_L_9725 DLSC-S F CHAR 1
DROPPED SEGMENT L INDICATOR
AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT L. Y = DROP, OTHERWISE BLANK.

9726 DRPD-SEG-M-IND DRPD_SEG_M_9726 DLSC-S F CHAR 1
DROPPED SEGMENT M INDICATOR
AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT M. Y = DROP, OTHERWISE BLANK.

9727 DRPD-SEG-N-IND DRPD_SEG_N_9727 DLSC-S F CHAR 1
DROPPED SEGMENT N INDICATOR
AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT N. Y = DROP, OTHERWISE BLANK.

9728 DRPD-SEG-P-IND DRPD_SEG_P_9728 DLSC-S F CHAR 1
DROPPED SEGMENT P INDICATOR
AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT P. Y = DROP, OTHERWISE BLANK.

9729 DRPD-SEG-Q-IND DRPD_SEG_Q_9729 DLSC-S F CHAR 1
DROPPED SEGMENT Q INDICATOR
AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT Q. Y = DROP, OTHERWISE BLANK.

9730 DRPD-SEG-R-IND DRPD_SEG_R_9730 DLSC-S F CHAR 1
DROPPED SEGMENT R INDICATOR
AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT R. Y = DROP, OTHERWISE BLANK.

9731 DRPD-SEG-V-IND DRPD_SEG_V_9731 DLSC-S F CHAR 1
DROPPED SEGMENT V INDICATOR
AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT V. Y = DROP, OTHERWISE BLANK.

9732 DRPD-SEG-W-IND DRPD_SEG_W_9732 DLSC-S F CHAR 1
DROPPED SEGMENT W INDICATOR
AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT W. Y = DROP, OTHERWISE BLANK.

9733 DRPD-SEG-Y-IND DRPD_SEG_Y_9733 DLSC-S F CHAR 1
DROPPED SEGMENT Y INDICATOR
AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT Y. Y = DROP, OTHERWISE BLANK.

9734 DRPD-SEG-Z-IND DRPD_SEG_Z_9734 DLSC-S F CHAR 1

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

DROPPED SEGMENT Z INDICATOR
AN INDICATOR USED BY TM TO DROP OUTPUT SEGMENT Z. Y = DROP, OTHERWISE BLANK.

9735 ALL-SEGS-DRPD-IND ALL_SEGS_DRPD_9735 DLSC-S F CHAR 1
ALL SEGMENTS DROPPED INDICATOR
AN INDICATOR USED BY TM TO DROP ALL OUTPUT SEGMENTS. Y = DROP, OTHERWISE BLANK.

9751 ACTY-CATEGORY ACTY_CATEGORY_9751 DLSC-S F CHAR 2
ACTIVITY CATEGORY
THE PARTITION NUMBER ASSIGNED TO THE ACTIVITYS CATEGORY UNDER WHICH THE ACTIVITYS FORMATTED OUTPUT IS STORED.

9756 DIC-CATEGORY DIC_CATEGORY_9756 DLSC-S F CHAR 2
DIC CATEGORY
DETERMINES WHAT GROUPING A DIC BELONGS TO. IT DETERMINES IN WHICH PARTITION AN APPLICATION WRITES ITS OUTPUT.

9759 ORIG-IMAG-KEY ORIG_IMAG_KEY_9759 DLSC-S F CHAR 23
ORIGINAL IMAGE KEY
THE UNIQUE IDENTIFIER OF AN INPUT SEGMENT IN THE ORIGINAL IMAGE FILE.

9763 RR-TRANS-KEY RR_TRANS_KEY_9763 DLSC-S F CHAR 23
REROUTE TRANSACTION KEY
THE UNIQUE IDENTIFIER OF A REROUTED TRANSACTION.

9764 SELECT-KEY SELECT_KEY_9764 DLSC-S F CHAR 5
SUBMODULE SELECTION KEY
PROVIDES A MEANS TO DIRECT PROGRAM CONTROL TO THE APPROPRIATE REFORMATTING SUBMODULE.

9765 SSN SSN_9765 DLSC-S F CHAR 4
STATION SERIAL NUMBER
THE STATION SERIAL NUMBER OF THE AUTODIN MESSAGE.

9768 TM-BATCH-KEY TM_BATCH_KEY_9768 DLSC-S F CHAR 6
TM BATCH KEY
UNIQUELY IDENTIFIES A TRANSACTION WITHIN A BATCH OF MEDALS TRANSACTIONS.

9769 TM-CLOSE-REQ TM_CLOSE_REQ_9769 DLSC-S F CHAR 1
TM PARTITION CLOSE REQUEST
INDICATES WHETHER OR NOT A PARTITION BEING REQUESTED IS IN USE OR NOT.

9771 VALID-POSIT VALID_POSIT_9771 DLSC-S F CHAR 1
VALID POSITION
THE VALID POSITION OF A CONTI-IND-CD WITH RESPECT TO THE CARD IMAGE POSITION.

9779 DWG-FIIG-TI DWG_FIIG_TI_9779 DLSC-SC V VARCHAR 120
DRAWING FEDERAL ITEM IDENTIFICATION GUIDE TITLE
THE TITLE OF THE FIIG PUBLICATION.

9801 TM-OP-SEQ-FLD OP_SEQ_FLD_9801 DLSC-S F CHAR 25

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

TM OUTPUT SEQUENCE FIELD

ASSIGNED A SINGLE VALUE FOR ALL ROWS IN AN OUTPUT PACKAGE BY TM. USED BY MULTI MEDIA OUTPUT DISTRIBUTION TO SEQUENCE PACKAGES.

9802 TM-OP-DATA-GP OP_DATA_GP_9802 DLSC-S F CHAR 1

TM OUTPUT DATA GROUP CODE

USED TO GROUP LIKE MULTI MEDIA OUTPUT DISTRIBUTION TRANSACTIONS INTO SEPARATE DATA TYPES TO AID THE CUSTOMER IN SEPARATING OUTPUT FROM DIFFERENT TRANSACTION TYPES. APPLICABLE VALUES INCLUDE: 1) CATALOGING MAINTENANCE, 2) CATALOGING NOTIFICATIONS, 3) DATA RETRIEVAL PROVISIONINGSCREENING, 4) CATALOG TOOLS MOE RULE NOTIFICATION, 5) CATALOG TOOLS CAGE CODE NOTIFICATION, AND 6) DAAS SOURCE OF SUPPLY.

9803 TM-USER-DEF-FLG USER_DEF_FLG_9803 DLSC-S F CHAR 1

TM USER DEFINED FLAG CODE

ASSIGNED A SINGLE VALUE FOR ALL ROWS IN OUTPUT PACKAGE BY TM. ASSIGNED BY TM REFORMATTERS TO IDENTIFY TRANSACTIONS WHICH HAVE BEEN REFORMATTED ACCORDING TO USER DEFINED FORMATS. USED BY MULTI MEDIA OUTPUT DISTRIBUTION TO IDENTIFY THOSE TRANSACTIONS WHICH DO NOT REQUIRE A SORT.

9804 TM-OP-DIST-FREQ-CD OP_DIST_FREQ_9804 DLSC-S F CHAR 1

TM OUTPUT DISTRIBUTION FREQUENCY CODE

FREQUENCY AT WHICH OUTPUT FOR THE RESPECTIVE ACTIVITY WILL BE SELECTED FOR DISTRIBUTION. POSSIBLE VALUES: B BIWEEKLY - EVERY 2 WEEKS, 1ST AND 15TH OF MONTH, D DAILY - END OF DAY, 12 AM, W WEEKLY - LAST WORK DAY OF WEEK, AND M MONTHLY - 1ST DAY OF MONTH.

9919 SUBMTD-RCD-MRC-RPLY DLSC-SCA V 9999

SUBMITTED RECORDED MRC REPLY

THE VALUE OF THE SUBMITTED MRC REPLY OR A RECORDED MRC REPLY, WHICH HAS BEEN RETURNED BY THE DEFENSE LOGISTICS SERVICES CENTER. THIS MRC AND REPLY WAS FOUND TO BE IN CONFLICT WITH THE SUBMITTED TRANSACTION OR RECORDED DATA.

9975 DRN-VAL DRN_VAL_9975 DLSC-V V VARCHAR 254

DATA RECORD NUMBER VALUE

REPRESENTS THE VALUE FOR THE PRECEDING DATA RECORD NUMBER /DRN/, I.E. IF THE DRN WAS FOR FSC, THIS FIELD COULD BE 5905.

9977 CHNGD-DRN-MRC-VAL-RPLY DLSC-SB F 5

CHANGED DRN/MRC VALUE/REPLY

THE VALUE OF THE DATA ELEMENT AS IT WAS CHANGED BY THE DEFENSE LOGISTICS SERVICES CENTER.

9979 RCD-SUBMTD-DRN-VAL DLSC-SB V VARCHAR 50

RECORDED SUBMITTED DRN VALUE

THE RECORDED OR SUBMITTED VALUE OF A DATA ELEMENT THAT HAS BEEN RETURNED BY THE DEFENSE LOGISTICS SERVICES CENTER. THIS DATA ELEMENT AND VALUE WAS FOUND TO BE IN CONFLICT WITH THE SUBMITTED TRANSACTION OR RECORDED DATA.

9989 INT-CD-PAC-SUMRY-INC-FII DLSC-SCA F 4

INTERROGATION CODE, PAC SUMMARY BY INC WITHIN FIIG

A CODE SUBMITTED WITH AN INTERROGATION TRANSACTION TO INDICATE THAT THE SUBMITTER REQUIRES PRIMARY ADDRESS CODE SUMMARY BY ITEM NAME CODE WITHIN FEDERAL ITEM IDENTIFICATION GUIDE. THE DATA CONSISTS OF DATA RECORD NUMBERS 4065, 4080, 0116, 3445, 4735, 0114, AND 3960/8863. SEE VOLUME 10, TABLE 28 AND QUICK INFO ON-LINE.

9990 INT-CD-PAC-DTL-INC-FIIG DLSC-SCA F 4

CHAPTER 4
DATA DICTIONARY
DRN DEFINITIONS, CUSTODIAN ID
OTHER RECORD DATA

DRN	HOST/COBOL NAME	DB2 ELEMENT NAME	CUSTODIAN	---------FORMAT--------- FV---------TYPE---------LG
CLEAR TEXT HOST/COBOL NAME				
DRN DEFINITION				

INTERROGATION CODE, PAC DETAIL BY INC WITHIN FIIG

A CODE SUBMITTED WITH AN INTERROGATION TRANSACTION TO INDICATE THAT THE SUBMITTER REQUIRES MASTER REQUIREMENT GUIDE DATA BY MASTER REQUIREMENT CODE TOTAL. THE DATA CONSISTS OF DATA RECORD NUMBERS 4065, 4080, 0116, 3445, 4735, 3960/8863 AND 0114. SEE VOLUME 10, TABLE 28 AND QUICK INFO ON-LINE.

9992 INT-CD-PAC-SUMRY-PAC-FII DLSC-SCA F 4

INTERROGATION CODE, PAC SUMMARY BY PAC WITHIN FIIG

A CODE SUBMITTED WITH AN INTERROGATION TRANSACTION TO INDICATE THAT THE SUBMITTER REQUIRES THE PRIMARY ADDRESS CODE SUMMARY BY PAC WITHIN THE FEDERAL ITEM IDENTIFICATION GUIDE. THE DATA CONSISTS OF DATA RECORD NUMBERS 4065, 3445, 0116, 4735, 0115, 0114 AND 4080. SEE VOLUME 10, TABLE 28 AND QUICK INFO ON-LINE.

9993 INT-CD-PAC-SUMRY-PAC-INC DLSC-SCA F 4

INTERROGATION CODE, PAC SUMMARY PAC WITHIN ITEM NAME CODE

A CODE SUBMITTED WITH AN INTERROGATION TRANSACTION TO INDICATE THAT THE SUBMITTER REQUIRES THE PRIMARY ADDRESS CODE SUMMARY BY PAC WITHIN ITEM NAME CODE WITHIN FEDERAL ITEM IDENTIFICATION GUIDE. THE DATA CONSISTS OF DATA RECORD NUMBERS 4065, 4080, 3445, 0116, 3445, 4735, 0115 AND 0114. SEE VOLUME 10, TABLE 28 AND QUICK INFO ON-LINE.

9995 INT-CD-PAC-DTL-MODE-CD DLSC-SCA F 4

INTERROGATION CODE, PAC DETAIL BY MODE CODE WITHIN FIIG

A CODE SUBMITTED WITH AN INTERROGATION TRANSACTION TO INDICATE THAT THE SUBMITTER REQUIRES PRIMARY ADDRESS CODE DETAIL BY MODE CODE WITHIN FEDERAL ITEM IDENTIFICATION GUIDE. THE DATA CONSISTS OF DATA RECORD NUMBERS 4065, 4735, 0116, 4080, 3445, 4080, 3960/8863 AND 0114. SEE VOLUME 10, TABLE 28 AND QUICK INFO ON-LINE.

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
AAT LABEL IDENTIFICATION CODE	3292
AAT USER IDENTIFICATION	3293
AB VALUE	4419
ABBREVIATED MRC FIIG ITEM NAME CODE NSN	8224
ABBREVIATED MRC FIIG ITEM NAME CODE NSN PERCENT	8228
ABBREVIATED REPLY STATEMENT	3615
ABBREVIATED REQUIREMENT STATEMENT	3613
ABBREVIATION	1875
ABBREVIATIONS/TERMS DATA	0317
ACCOUNTING REQUIREMENTS CODE EXPLANATION ARMY	3157
ACCOUNTING REQUIREMENTS CODE, ARMY	2665
ACCUMULATE RETURN CODE	9452
ACQUISITION ADVICE CODE (AAC)	2507
ACQUISITION ADVICE CODE ACTIVITY AAC NSN	5540
ACQUISITION ADVICE CODE ACTIVITY GROUP NSN	5539
ACQUISITION ADVICE CODE ACTIVITY LOA AAC NSN	5511
ACQUISITION ADVICE CODE ACTIVITY LOA GROUP NSN	5486
ACQUISITION ADVICE CODE ACTIVITY LOA NSN	5485
ACQUISITION ADVICE CODE ACTIVITY NSN	5512
ACQUISITION ADVICE CODE DEPARTMENT AAC NSN	5621
ACQUISITION ADVICE CODE DEPARTMENT GROUP NSN	5620
ACQUISITION ADVICE CODE DEPARTMENT LOA AAC NSN	5593
ACQUISITION ADVICE CODE DEPARTMENT LOA GROUP NSN	5566
ACQUISITION ADVICE CODE DEPARTMENT LOA NSN	5565
ACQUISITION ADVICE CODE DEPARTMENT NSN	5594
ACQUISITION ADVICE CODE EXPLANATION	5250
ACQUISITION ADVICE CODE FSC ACTIVITY AAC NSN	5378
ACQUISITION ADVICE CODE FSC ACTIVITY GROUP NSN	5377
ACQUISITION ADVICE CODE FSC ACTIVITY LOA AAC NSN	5349
ACQUISITION ADVICE CODE FSC ACTIVITY LOA GROUP NSN	5324
ACQUISITION ADVICE CODE FSC ACTIVITY LOA NSN	5323
ACQUISITION ADVICE CODE FSC ACTIVITY NSN	5350
ACQUISITION ADVICE CODE FSC DEPARTMENT AAC NSN	5458
ACQUISITION ADVICE CODE FSC DEPARTMENT GROUP NSN	5457
ACQUISITION ADVICE CODE FSC DEPARTMENT LOA AAC NSN	5431
ACQUISITION ADVICE CODE FSC DEPARTMENT LOA GROUP NSN	5404
ACQUISITION ADVICE CODE FSC DEPARTMENT LOA NSN	5403
ACQUISITION ADVICE CODE FSC DEPARTMENT NSN	5432
ACQUISITION ADVICE CODE I4	5413
ACQUISITION ADVICE CODE IM DEPARTMENT LOA AAC NSN	8180
ACQUISITION ADVICE CODE IM DEPARTMENT LOA GROUP NSN	5729
ACQUISITION ADVICE CODE IM DEPARTMENT NSN	8181
ACQUISITION ADVICE CODE INTEGRATED MANAGED ACTY LOA AAC NSN	5674
ACQUISITION ADVICE CODE INTEGRATED MANAGER ACTIVITY AAC NSN	5703
ACQUISITION ADVICE CODE INTEGRATED MANAGER ACTIVITY LOA NSN	5648
ACQUISITION ADVICE CODE INTEGRATED MANAGER ACTIVITY NSN	5675
ACQUISITION ADVICE CODE INTEGRATED MANAGER ACTY GROUP NSN	5702
ACQUISITION ADVICE CODE INTEGRATED MANAGER ACTY LOA GP NSN	5649
ACQUISITION ADVICE CODE INTEGRATED MANAGER DEPT AAC NSN	8183
ACQUISITION ADVICE CODE INTEGRATED MANAGER DEPT GROUP NSN	8182
ACQUISITION ADVICE CODE INTEGRATED MANAGER DEPT LOA NSN	5728
ACQUISITION ADVICE CODE LOGISITICS ASSIGNMENT DEPT LOA NSN	8190
ACQUISITION ADVICE CODE LOGISTICS ASSIGN ACTIVITY NSN	8187

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
ACQUISITION ADVICE CODE LOGISTICS ASSIGN ACTY AAC NSN	8189
ACQUISITION ADVICE CODE LOGISTICS ASSIGN ACTY GRP NSN	8188
ACQUISITION ADVICE CODE LOGISTICS ASSIGN ACTY LOA AAC NSN	8186
ACQUISITION ADVICE CODE LOGISTICS ASSIGN DEPT AAC NSN	8214
ACQUISITION ADVICE CODE LOGISTICS ASSIGN DEPT GRP NSN	8213
ACQUISITION ADVICE CODE LOGISTICS ASSIGNMENT ACTY LOA GP NSN	8185
ACQUISITION ADVICE CODE LOGISTICS ASSIGNMENT ACTY LOA NSN	8184
ACQUISITION ADVICE CODE LOGISTICS ASSIGNMENT DEPT LOA AAC	8211
ACQUISITION ADVICE CODE LOGISTICS ASSIGNMENT DEPT LOA GP NSN	8191
ACQUISITION ADVICE CODE LOGISTICS ASSIGNMENT DEPT NSN	8212
ACQUISITION ADVICE CODE N 10	5580
ACQUISITION ADVICE CODE NOTE	5251
ACQUISITION ADVICE CODE Q13	5665
ACQUISITION ADVICE CODE S13	5667
ACQUISITION ADVICE CODE Y 1	5348
ACQUISITION METHOD CODE	2871
ACQUISITION METHOD CODE 4	6427
ACQUISITION METHOD CODE 5	6436
ACQUISITION METHOD CODE EXPLANATION	5204
ACQUISITION METHOD CODE FROM	3086
ACQUISITION METHOD CODE NOTE	5206
ACQUISITION METHOD CODE TO	3085
ACQUISITION METHOD SUFFIX CODE (AMSC)	2876
ACQUISITION METHOD SUFFIX CODE EXPLANATION	5205
ACQUISITION METHOD SUFFIX CODE NOTE	5207
ACTION CODE	9315
ACTION OFFICE	5292
ACTIVE AMMO CODE TOTAL COUNT	1831
ACTIVE APPROVED ITEM NAME TOTAL COUNT	1832
ACTIVE BASIC NAME TOTAL COUNT	1833
ACTIVE COLLOQUIAL NAME TOTAL COUNT	1834
ACTIVE FSC MODIFIER TOTAL COUNT	1836
ACTIVE FSC TOTAL COUNT	1835
ACTIVE INDEX ENTRY TOTAL COUNT	1837
ACTIVE NIIN MOE RULE QUANTITY	6595
ACTIVITY CATEGORY	9751
ACTIVITY CITY	3246
ACTIVITY CODE	2046
ACTIVITY CODE, SCREENING	0177
ACTIVITY DESIGNATOR CODE-DLA/GSA	0511
ACTIVITY FLAG	9131
ACTIVITY GROUP	9133
ACTIVITY NAME LINE - 1	3238
ACTIVITY NAME LINE - 2	3239
ACTIVITY NAME LINE - 3	3240
ACTIVITY NAME LINE - 4	3241
ACTIVITY NAME LINE - 5	3242
ACTIVITY NAME LINE TEXT	3353
ACTIVITY OFFICE SYMBOL	3243
ACTIVITY STATE/U.S. POSSESSION ABBREVIATION	3247
ACTIVITY STREET ADDRESS - 1	3244
ACTIVITY STREET ADDRESS - 2	3245
ACTIVITY TYPE	9134

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
ACTIVITY ZIP CODE	3248
ADDITIONAL GRAPHICS INFORMATION	0773
ADDITIONAL IDENTIFICATION	1468
ADDITIONAL R P Q SEGMENTS	3146
ADDITIONAL REQUIREMENTS CODE (AC)	7973
ADDRESS CODE	1081
ADDRESS LINE 1 RELATIVE ROW	3206
ADDRESS LINE 2 RELATIVE ROW	3208
ADDRESS LINE 3 RELATIVE ROW	3209
ADDRESS LINE 4 RELATIVE ROW	3210
ADDRESS LINE 5 RELATIVE ROW	3211
ADDRESS LINE 6 RELATIVE ROW	3212
ADDRESS LINE 7 RELATIVE ROW	3213
ADDRESS LINE 8 RELATIVE ROW	3214
ADDRESS OFFSET IN INCHES	3196
ADDRESS SEQUENCE CODE	0233
ADDRESS TYPE CODE	2137
ADDRESS WIDTH IN INCHES	3197
ADPE IDENTIFICATION CODE DEFINITION	5262
AFFILIATE CAGE CODE COUNT	1460
AIR COMMODITY CODE	2497
AIR COMMODITY CODE EXPLANATION	5232
AIR COMMODITY SPECIAL HANDLING CODE	9215
AIR DIMENSION CODE	9220
AIR DIMENSION CODE EXPLANATION	5231
AIR ELIGIBLE CATEGORY CODE	1470
AIR FORCE BUDGET APPROPRIATION	3160
AIR FORCE BUDGET CODE MANAGEMENT DATA LIST DEFINITION	3161
AIR FORCE BUDGET CODE-MANAGEMENT DATA LIST	3765
AIR FORCE BUDGET PROGRAM	3159
AIR FORCE BUDGET STOCK FUND DIVISION	3162
AIR FORCE FEDERAL SUPPLY CLASS MANAGER	8860
AIR FORCE SOURCE OF SUPPLY CODE	9403
AIR LOGISTICS CENTER PRIME SITE	2073
AIR SPECIAL HANDLING CODE	3169
AIR SPECIAL HANDLING CODE EXPLANATION	3170
AIR SPECIAL HANDLING PART 1	4521
AIR SPECIAL HANDLING PART 2	4524
AIR SPECIAL HANDLING SUB 1	4522
AIR SPECIAL HANDLING SUB 2	4523
AIRLIFT CODE	2064
ALIAS	1876
ALL FSC MOE RULE NIIN QUANTITY	6597
ALL SEGMENTS DROPPED INDICATOR	9735
ALLOWED DIC	9135
ALPHABETIC EXTRACT	1065
ALPHABETIC ITEM NAME SEARCH	1940
ALTERNATE OUTPUT MEDIA CODE	0420
AMC ACTIVITY ALL COMMODITY CATEGORIES ADDS NSN	6422
AMC ACTIVITY ALL COMMODITY CATEGORIES ADDS TOTAL NSN	6421
AMC ACTIVITY ALL COMMODITY CATEGORIES BEGIN BALANCE TOT NSN	6413
AMC ACTIVITY ALL COMMODITY CATEGORIES BEGINNING BALANCE N	6414
AMC ACTIVITY ALL COMMODITY CATEGORIES DELETES NSN	6430

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
AMC ACTIVITY ALL COMMODITY CATEGORIES DELETES TOTAL NSN	6429
AMC ACTIVITY ALL COMMODITY CATEGORIES MOVEMENT TOTAL NSN	7171
AMC ACTIVITY ALL COMMODITY CATEGORY AMC TOTAL NSN	6452
AMC ACTIVITY ALL COMMODITY CATEGORY CODE FROM NSN	8210
AMC ACTIVITY ALL COMMODITY CATEGORY CODE MOVEMENT NSN	6369
AMC ACTIVITY ALL COMMODITY CATEGORY CODE TO TOTAL NSN	6368
AMC ACTIVITY ALL COMMODITY CATEGORY ENDING	6451
AMC ACTIVITY COMMODITY CATEGORY ADDS NSN	6373
AMC ACTIVITY COMMODITY CATEGORY ADDS TOTAL NSN	6372
AMC ACTIVITY COMMODITY CATEGORY AMC TOTAL NSN	6385
AMC ACTIVITY COMMODITY CATEGORY BEGINNING BALANCE NSN	6371
AMC ACTIVITY COMMODITY CATEGORY BEGINNING BALANCE TOTAL NSN	6370
AMC ACTIVITY COMMODITY CATEGORY CODE FROM NSN	6380
AMC ACTIVITY COMMODITY CATEGORY CODE TO TOTAL NSN	6379
AMC ACTIVITY COMMODITY CATEGORY DELETIONS TRANSFERS NSN	6377
AMC ACTIVITY COMMODITY CATEGORY DELETIONS TRANSFERS TOT NSN	6376
AMC ACTIVITY COMMODITY CATEGORY ENDING BALANCE TOTAL NSN	6384
AMC ACTIVITY COMMODITY CATEGORY MOVEMENT NSN	6381
AMC ACTIVITY COMMODITY CATEGORY MOVEMENT TOTAL NSN	6378
AMC DEPARTMENT ALL COMMODITY CATEGORIES ADD TOTAL NSN	6374
AMC DEPARTMENT ALL COMMODITY CATEGORIES ADDS NSN	6375
AMC DEPARTMENT ALL COMMODITY CATEGORIES AMC TOTAL NSN	6406
AMC DEPARTMENT ALL COMMODITY CATEGORIES BEGIN BALANCE NSN	6367
AMC DEPARTMENT ALL COMMODITY CATEGORIES BEGIN BALANCE TOT NS	6366
AMC DEPARTMENT ALL COMMODITY CATEGORIES DELETES NSN	6383
AMC DEPARTMENT ALL COMMODITY CATEGORIES DELETES TOTAL NSN	6382
AMC DEPARTMENT ALL COMMODITY CATEGORIES ENDING BAL TOTAL NSN	6405
AMC DEPARTMENT ALL COMMODITY CATEGORIES MOVEMENT NSN	6353
AMC DEPARTMENT ALL COMMODITY CATEGORIES MOVEMENT TOT NSN	6351
AMC DEPARTMENT ALL COMMODITY CATEGORY CODE FROM NSN	6398
AMC DEPARTMENT ALL COMMODITY CATEGORY CODE TO TOTAL NSN	6352
AMC DEPARTMENT COMMODITY CATEGORY ADDS NSN	6357
AMC DEPARTMENT COMMODITY CATEGORY ADDS TOTAL NSN	6356
AMC DEPARTMENT COMMODITY CATEGORY AMC TOTAL NSN	6365
AMC DEPARTMENT COMMODITY CATEGORY BEGINNING BALANCE NSN	6355
AMC DEPARTMENT COMMODITY CATEGORY BEGINNING BALANCE TOT NSN	6354
AMC DEPARTMENT COMMODITY CATEGORY CODE FROM NSN	6362
AMC DEPARTMENT COMMODITY CATEGORY CODE TO TOTAL NSN	6361
AMC DEPARTMENT COMMODITY CATEGORY DELETES NSN	6359
AMC DEPARTMENT COMMODITY CATEGORY DELETES TOTAL NSN	6358
AMC DEPARTMENT COMMODITY CATEGORY ENDING BALANCE TOTAL NSN	6364
AMC DEPARTMENT COMMODITY CATEGORY MOVEMENT NSN	6363
AMC DEPARTMENT COMMODITY CATEGORY MOVEMENT TOTAL NSN	6360
AMLS ACCESS TABLE LABEL ID ACCESS CODE	4513
AMLS LABEL IDENTIFICATION	3291
AMMO CODE ADD COUNT	1838
AMMO CODE CHANGED COUNT	1840
AMMO CODE DELETED COUNT	1839
AMMO CODE PREFIX IDENTIFIER	8809
AMMO-CODE NIIN QUANTITY	1841
AMMUNITION CODE	8805
AMMUNITION GENERIC DESCRIPTION	3769
AMMUNITION GENERIC DESCRIPTION COUNTER	1063

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
AMSC AMC VALID COMBINATIONS CODE	8009
AMSC DEPARTMENT ACTIVITY AMC NSN	6387
AMSC DEPARTMENT ACTIVITY AMC TOTAL	6388
AMSC DEPARTMENT ACTIVITY AMSC TOTAL	6386
AMSC DEPARTMENT ACTIVITY TOTAL NSN	8209
AMSC DEPARTMENT AMC NSN	6400
AMSC DEPARTMENT AMC TOTAL NSN	6401
AMSC DEPARTMENT AMSC TOTAL NSN	6399
AMSC DEPARTMENT TOTAL NSN	6389
AND OR	4410
AND OR INDICATOR	3060
AND SYMBOL	8950
APPENDIX	0961
APPLICABILITY KEY CODE DATA	0310
APPLICABILITY KEY CODE FIIG TOTAL COUNT	1842
APPLICABILITY KEY CODE, FEDERAL ITEM IDENTIFICATION GUIDE	0103
APPLICATION CODE	2416
APPLICATION OUTPUT RECORD	9136
APPROVED 6	6662
APPROVED ITEM NAME (AIN)	5010
APPROVED ITEM NAME (AIN) COUNT PER FSC	1461
APPROVED ITEM NAME (AIN) COUNT PER FSG	1458
APPROVED ITEM-NAME DICTIONARY WORD	1538
ARCHIVE BEGIN DATE	9311
ARCHIVE END DATE	9312
ARCHIVE TIMESTAMP	9137
ARCHIVED BY USER	9138
ARMY FEDERAL SUPPLY CLASS MANAGER	8831
ARMY MATERIAL CATEGORY APPROPRIATION AND SUBGROUP CODE	2163
ARMY MATERIAL CATEGORY DESCRIPTION AND USE TEXT	2162
ARMY MATERIEL CATEGORY APPROPRIATION AND SUBGROUP TEXT	2164
ARMY MATERIEL CATEGORY DESCRIPTION AND USAGE CODE	2161
ARMY MATERIEL CATEGORY SUBGROUP	2166
ARMY MATERIEL CATEGORY SUBGROUP CODE	2165
ARMY MATERIEL CATEGORY SUBGROUP CODE ONE	2167
ARMY MATERIEL CATEGORY SUBGROUP TEXT ONE	2168
ARMY SOURCE OF SUPPLY CODE	9402
ASCII EBCDIC	9139
ASSETS AVAILABILITY CODE	4720
ASSIGN ISAC REPLY STATUS INDICATOR	3561
ASSIGNED CAGE CODE COUNT	1459
ASSIGNED CONTROL NUMBER MCRL SERVICE AGENCY DESIGNATOR	5311
ASSIGNED FEDERAL SUPPLY CLASS (FSC)	3990
ASSIGNED FEDERAL SUPPLY CLASS WITHIN FEDERAL SUPPLY GROUP	3996
ASSIGNED FEDERAL SUPPLY GROUP (FSG)	3994
ASSIGNED NATIONAL ITEM IDENTIFICATION NUMBER (NIIN)	4000
ASSIGNED NATIONAL STOCK NUMBER (NSN)	3960
ASSIGNED NATO CODE COUNT	1456
ASSIGNED NIIN FOR MEDALS	2274
ASSIGNED PERMANENT SYSTEM CONTROL NUMBER	8863
ASSOCIATED ADDRESS CODE	0979
ASSOCIATION CODE NATO SUPPLY CODE FOR MANUFACTURERS	5194
ASSOCIATION CODE, CAGE/NSCM CODE	8855

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
ASSOCIATION PACKAGE SEQUENCE NUMBER	8252
ATTENTION LINE	3482
AUDIT ISAC REPLY STATUS INDICATOR	3562
AUDIT STYLE REPLY STATUS INDICATOR	3563
AUTHORIZED FILE UPDATE RECEIVERS	4507
AUTHORIZED INPUT DIC	4499
AUTHORIZED INTERROGATION SUBMITTER	4506
AUTHORIZED ITEM IDENTIFICATION DATA COLLABORATOR CODE	2531
AUTHORIZED ITEM IDENTIFICATION DATA RECEIVER CODE	2532
AUTHORIZED ITEM IDENTIFICATION DATA SUBMITTER CODE	2535
AUTHORIZED USER NAME	1357
AUTODIN CONTENT INDICATOR CODE	9306
AUTODIN INPUT OUTPUT	9140
AUTODIN MESSAGE	9310
AUTODIN MESSAGE COUNT	0755
AUTODIN MESSAGE DATE TIME	9486
AUTODIN STATION SERIAL NUMBER	0754
AUTODIN TRAILER	9432
AUTOMATED MAILING LABEL SYSTEM LABEL ID ACCESS CODE	4514
AUTOMATED MAILING LABEL SYSTEM LAST CONTROL IDENTIFIER	3290
AUTOMATED MAILING LABEL SYSTEM RUN IDENTIFIER	3202
AUTOMATED MAILING LABEL SYSTEM RUN IDENTIFIER SEQUENCE NBR	3203
AUTOMATED MAILING LABEL SYSTEM TARGET PROGRAM	3204
AUTOMATED MAILING LABELS PROCESS DATE	3286
AUTOMATED MAILING LABELS PROCESS TIME	3287
AUTOMATED MAILING LABELS SUBMIT DATE	3284
AUTOMATED MAILING LABELS SUBMIT TIME	3285
AUTOMATIC DATA PROCESSING (ADP) POINT CODE	8835
AUTOMATIC DATA PROCESSING EQUIPMENT CODE 2	7827
AUTOMATIC DATA PROCESSING EQUIPMENT IDEN CODE (ADPEC)	0801
AUTOMATIC RETURN ITEM CODE	1469
AUTOMATIC VOICE NETWORK NUMBER	0887
AVERAGE NUMBER OF DAYS IN NATO B BRANCH	2011
AVERAGE NUMBER OF DAYS IN NATO C BRANCH	2012
AVERAGE NUMBER OF DAYS IN NATO TOTAL	2013
BASIC COMBINATION OR INTEGRATED MATERIAL MANAGER INDICATO	4582
BASIC NAME	9561
BASIC OR CHANGE BULLETIN INDICATOR	2316
BATCH DOCUMENT CONTROL NUMBER TOTAL	2016
BATCH DOCUMENT CONTROL NUMBER TOTAL	2017
BATCH DOCUMENT CONTROL NUMBER TOTAL	2175
BATCH FORMAT PARAMETERS	2602
BATCH NAME	2248
BATCH NUMBER TO BATCH CONTROL NUMBER	0998
BATCH PROCESSING STAUS NEGATIVE MESSAGE	2018
BATCH TRANSACTION STATISTICAL TIME FRAME CODE	2604
BATCH-STATISTICS-COUNTER	1107
BEGINNING DATE	0912
BLOCK SIZE	9141
BRANCH CODE	0997
BRANCH LSA TOTAL	1965
BULLETIN BOARD AREA FROM IDENTIFICATION	4554
BULLETIN BOARD AREA TO IDENTIFICATION	4553

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
BULLETIN BOARD GENERATED DATE	4551
BULLETIN BOARD SEQUENCE NUMBER	4552
BULLETIN BOARD SUBJECT NAME	4555
BULLETIN BOARD TEXT	4556
BUSINESS FORM CODE	3406
BUSINESS FORM CODE DEFINITION	3372
CAGE ACTIVITY ACQUISITION ADVICE CODE NSN	6651
CAGE ACTIVITY ACQUISITION ADVICE CODE NSN GROUP	6652
CAGE ACTIVITY ACQUISITION ADVICE CODE NSN TOTAL	6653
CAGE CODE FOR MEDALS	2272
CAGE EXTRACT QUANTITY	1382
CAGE FSC NSN	6657
CAGE ITEM NAME CODE NSN	6656
CAGE KEY WORD	4471
CAGE NSN	6654
CAGE ON LINE 1	6184
CAGE PARENT COMPANY COUNT	1457
CAGE POINT OF CONTACT NAME	3374
CAGE REFERENCE NUMBER	6655
CAGE REQUEST REASON CODE	3407
CAGE REQUEST REASON DEFINITION	3370
CAGE STATUS CODE APPLICABLE ORGANIZATIONAL ENTITY	5294
CAGE STATUS CODE USER INTERPRETATION	5293
CAGE/NSCM DESIGNATOR CODE	2620
CAGE/NSCM STATUS CODE	2694
CAGE/NSCM-TYPE CODE	4238
CALIBRATION MARKER	2311
CANCEL REINSTATE CODE	1947
CANCEL-DUPE CANCEL-USE REPLACEMENT INDICATOR	2499
CANCELED NATIONAL STOCK NUMBER	3790
CANCELED PERMANENT SYSTEM CONTROL NUMBER	8866
CANCELLATION/DELETE MOE RULE SEGMENT	9117
CANCELLED CAGE CODE CLEARED DATE	1373
CANCELLED CAGE CODE SUSPENSE DATE	1372
CAO/ADP EXCEPTION PROCESSING CODE	8868
CAO/ADP EXCEPTION PROCESSING CODE EXPLANATION	5270
CARD IDENTIFICATION CODE (CIC), ITEM MANAGEMENT CODING	0099
CARD IDENTIFICATION CODE EXPLANATION	5212
CARD IDENTIFICATION CODE TITLE	5211
CARD IDENTIFICATION NUMBER	0227
CARD/SEQUENCE CODE	8264
CARRY OVER COUNT	9455
CARRY OVER FLAG	9453
CARRY OVER RETURN CODE	9454
CASE NUMBER	2544
CATALOG MANAGEMENT DATA (CMD) SEGMENT	9108
CATALOG MANAGEMENT DATA AUTHORIZATION CODE	0759
CATALOG MANAGEMENT DATA AUTHORIZATION CODE EXPLANATION	3458
CATALOG MANAGEMENT INPUT OUTPUT NOTE INDICATOR	2101
CATALOG TOOLS INTERROGATION OUTPUT SEGMENT	0258
CATALOG TOOLS MOE RULE DATA ELEMENT SEGMENT	0330
CATALOG TOOLS MOE RULE MAINTENANCE SEGMENT	0331
CATALOG TOOLS MOE RULE MANAGEMENT EXCEPTION SEGMENT	0228

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
CATALOG TOOLS OUTPUT MEDIA CODE	2094
CATALOG TOOLS STANDARD FSC MANAGEMENT MAINTENANCE SEGMENT	0241
CATALOGING ACTIVITY CODE	3738
CATEGORY CODE	0905
CATEGORY CODE ACTIVITY EXPLANATION	2227
CATEGORY DIC COMMENT	4626
CATEGORY OF MATERIAL	2312
CENTRAL CONTRACTOR REGISTRATION AMERICAN BANKING ASSOCIATION	4795
CENTRAL CONTRACTOR REGISTRATION AVERAGE NUMBER EMPLOYEES QUANTITY	4364
CENTRAL CONTRACTOR REGISTRATION COMPANY FISCAL END DATE	4367
CENTRAL CONTRACTOR REGISTRATION COMPANY NAME SEQUENTIAL NUMBER IDENTIFIER	4388
CENTRAL CONTRACTOR REGISTRATION COMPANY PAYMENT METHOD IDENTIFIER	4386
CENTRAL CONTRACTOR REGISTRATION COMPANY REVENUE AMOUNT	4365
CENTRAL CONTRACTOR REGISTRATION CONTACT TYPE CODE	4800
CENTRAL CONTRACTOR REGISTRATION CURRENT REGISTRATION STATUS CODE	4813
CENTRAL CONTRACTOR REGISTRATION DOING BUSINESS AS NAME	4383
CENTRAL CONTRACTOR REGISTRATION DUNS LAST ACTION CODE	4389
CENTRAL CONTRACTOR REGISTRATION DUNS PLUS4 IDENTIFIER	4361
CENTRAL CONTRACTOR REGISTRATION EDI CAPABILITY EFFECTIVE TIME	4794
CENTRAL CONTRACTOR REGISTRATION EDI SOFTWARE VERSION NAME	4827
CENTRAL CONTRACTOR REGISTRATION EDI TRANSACTION CAPABILITY NAME	4792
CENTRAL CONTRACTOR REGISTRATION EDI TRANSACTION MEDIA CAPABILITY IDENTIFIER	4824
CENTRAL CONTRACTOR REGISTRATION EDI TRANSACTION SET NUMBER IDENTIFIER	4380
CENTRAL CONTRACTOR REGISTRATION EFT ACCOUNT BANKING NUMBER IDENTIFIER	4797
CENTRAL CONTRACTOR REGISTRATION EFT TRANSACTION BANK ACCOUNT NAME	4798
CENTRAL CONTRACTOR REGISTRATION FEDERAL SUPPLY CLASSIFICATION TITLE TEXT	4840
CENTRAL CONTRACTOR REGISTRATION GOVERNMENT CREDIT CARD BUSINESS CODE	4376
CENTRAL CONTRACTOR REGISTRATION INCORPORATION COUNTRY ABBREVIATION CODE	4363
CENTRAL CONTRACTOR REGISTRATION MILITARY SPECIFICATION NUMBER IDENTIFIER	4803
CENTRAL CONTRACTOR REGISTRATION ORGANIZATION TYPE CODE DEFINITION TEXT	4836
CENTRAL CONTRACTOR REGISTRATION POINT OF CONTACT CITY NAME	4809
CENTRAL CONTRACTOR REGISTRATION POINT OF CONTACT FAX NUMBER IDENTIFIER	4822
CENTRAL CONTRACTOR REGISTRATION POINT OF CONTACT NAME	4807
CENTRAL CONTRACTOR REGISTRATION POINT OF CONTACT TELEPHONE NUMBER IDENTIFIER	4806
CENTRAL CONTRACTOR REGISTRATION POSTAL IDENTIFIER	4811
CENTRAL CONTRACTOR REGISTRATION PREVIOUS GOVERNMENT ISSUE IDENTIFIER	4369
CENTRAL CONTRACTOR REGISTRATION PRODUCT SERVICE TITLE TEXT	4837
CENTRAL CONTRACTOR REGISTRATION REQUEST COMPLETED DATE	4833
CENTRAL CONTRACTOR REGISTRATION SECURITY LEVEL NAME	4372
CENTRAL CONTRACTOR REGISTRATION SITE REQUEST STATUS CODE	4834

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
CENTRAL CONTRACTOR REGISTRATION SMALL BUSINESS AUTHORITY OFFICE NAME	4802
CENTRAL CONTRACTOR REGISTRATION STREET ADDRESS TEXT	4377
CENTRAL CONTRACTOR REGISTRATION TYPE BUSINESS DEFINITION TEXT	4391
CERTIFICATION DATE ESTABLISHED	5296
CERTIFICATION EXPIRATION DATE	5290
CERTIFICATION NUMBER	5295
CERTIFICATION NUMBER COUNT	1455
CERTIFICATION NUMBERS ADDED COUNT	1454
CERTIFICATION NUMBERS DELETED COUNT	1452
CERTIFIED CONTRACTOR ADDRESS	5275
CERTIFIED CONTRACTOR BUSINESS ACTIVITY DESCRIPTION TEXT	9049
CERTIFIED CONTRACTOR CANADIAN POSTAL CODE	9037
CERTIFIED CONTRACTOR CERTIFICATION APPROVAL DATE	9031
CERTIFIED CONTRACTOR CERTIFICATION EXPIRED DATE	9032
CERTIFIED CONTRACTOR CERTIFICATION REVOKED DATE	9033
CERTIFIED CONTRACTOR CERTIFICATION STATUS CODE	5297
CERTIFIED CONTRACTOR CITY ADDRESS TEXT	9035
CERTIFIED CONTRACTOR CITY/STATE	1724
CERTIFIED CONTRACTOR COMMERCIAL AND GOVERNMENT ENTITY CODE	1725
CERTIFIED CONTRACTOR CUSTODIAN NAME	9038
CERTIFIED CONTRACTOR DATA CUSTODIAN PHONE NUMBER	9047
CERTIFIED CONTRACTOR DATA CUSTODIAN TITLE IDENTIFIER	9039
CERTIFIED CONTRACTOR DIVISION NAME	9034
CERTIFIED CONTRACTOR INCORPORATION CERTIFICATE INDICATOR CODE	9048
CERTIFIED CONTRACTOR LAST ACTION CODE	9051
CERTIFIED CONTRACTOR MAILING CANADIAN POSTAL CODE	9046
CERTIFIED CONTRACTOR MAILING CITY ADDRESS TEXT	9042
CERTIFIED CONTRACTOR MAILING POST OFFICE BOX ADDRESS TEXT	9041
CERTIFIED CONTRACTOR MAILING STATE PROVINCIAL CODE	9043
CERTIFIED CONTRACTOR MAILING STREET ADDRESS TEXT	9040
CERTIFIED CONTRACTOR MAILING ZIP ADD-ON CODE	9045
CERTIFIED CONTRACTOR MAILING ZIP CODE	9044
CERTIFIED CONTRACTOR NAME	5273
CERTIFIED CONTRACTOR ORGANIZATION LOCATION CODE	9052
CERTIFIED CONTRACTOR PHONE NUMBER	5276
CERTIFIED CONTRACTOR POST OFFICE BOX	1723
CERTIFIED CONTRACTOR STATE PROVINCIAL CODE	9036
CERTIFIED CONTRACTOR STREET ADDRESS TEXT	1722
CERTIFIED CONTRACTOR ZONE IMPROVEMENT PROGRAM CODE	1721
CHANGE REPLY FROM	4413
CHANGE REPLY TO	4414
CHANGED DRN/MRC VALUE/REPLY	9977
CHARACTERISTIC SCREENING INDICATOR	3102
CHARACTERISTICS A MODE REPLY	2237
CHARACTERISTICS B MODE REPLY	2238
CHARACTERISTICS DATA GROUP	3317
CHARACTERISTICS EXCEPTION INDICATOR	2193
CHARACTERISTICS F MODE REPLY	2239
CHARACTERS IN THE ADDRESS LINE	3225
CHARACTERS PER INCH	3235
CICS ERROR CODE	9392
CICS PASS KEY TEXT	9069

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
CICS PASS TEXT	9070
CIIC NOTE	3494
CITY	1084
CITY AND STATE LOCATION	1355
CLASSIFICATION ASSISTANCE MODIFIER H3 TOTAL COUNT	1843
CLASSIFICATION ASSISTANCE MODIFIER, H2	9554
CLASSIFICATION ASSISTANCE MODIFIER, H3	9553
CLEANING AND DRYING PROCEDURE CODE	5161
CLEAR TEXT CHARACTERISTICS SEGMENT	9111
CLEAR TEXT NAME LINE	1086
CLEAR TEXT REPLY	3088
COAST GUARD CLASS	2398
CODE FOR LENGTH OF REPLY	0365
CODED AND OR CLEAR TEXT REPLY	4128
CODED ITEM CHARACTERISTICS DATA SEGMENT	9118
CODED REPLY	3465
CODED REPLY STATEMENT	5185
COGNIZANCE CODE COMMENT NAVY	4558
COGNIZANCE CODE INVENTORY MANAGER OR RETAIL OFFICE	5257
COGNIZANCE CODE, NAVY	2608
COGNIZANCE CODE, NAVY DEFINITION	5256
COLLABORATOR ACTIVITY INDICATOR	2144
COLLOQUIAL NAME	4955
COLUMN NUMBER IDENTIFICATION LISTING TABULAR	8257
COLUMN WIDTH IDENTIFICATION LISTING TABULAR	8258
COMBAT ESSENTIALITY CODE EXPLANATION MARINE CORPS	3165
COMBAT ESSENTIALITY CODE, MARINE CORPS	3311
COMMA	0488
COMMERCIAL AND GOVERNMENT ENTITY CODE	9250
COMMODITY CATEGORY EXPLANATION	5301
COMMODITY CATEGORY FSC	5310
COMMODITY CATEGORY NOTE - FSC	5300
COMMODITY CATEGORY NOTE FSG	5318
COMMODITY INTEGRATED MATERIAL MGR RETURN ACTION CODE	3137
COMMODITY INTEGRATED MATERIEL MANAGER ACTION RETURN TO	3139
COMMODITY INTEGRATED MATERIEL MANAGER ACTIVITY AND FSC COUNT	1553
COMMODITY INTEGRATED MATERIEL MANAGER FSC COUNT	1903
COMMODITY INTEGRATED MATERIEL MANAGER INPUT FILE INDICATOR	3138
COMMODITY INTEGRATED MATERIEL MGR RETURN ACTION CODE	3134
COMMODITY MATERIAL MANAGEMENT CATEGORY CD DOD IDENTIFICAT	5308
COMMODITY MATERIAL MANAGEMENT CODE DOD NOTE	5309
COMMODITY MATERIEL MANAGEMENT CATEGORY CODE, DOD	2611
COMMON NUMBERING SYSTEM INDICATOR	0845
COMMON NUMBERING SYSTEM INDICATOR EXPLANATION	5271
COMMON VALUE CODES	0046
COMMON VALUE GROUP NUMBER	8265
COMMON VALUE GROUPING CRITERIA	9560
COMMUNICATIONS ROUTING INDICATOR	9142
COMPANY NAME	1358
COMPONENT ITEM NAME	8597
COMPONENT NIIN	8592
COMPONENT NIIN ITEM IDENTIFICATION NUMBER	8583
COMPONENT NIIN NATIONAL CODIFICATION BUREAU CODE	8584

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
COMPONENTS FEDERAL SUPPLY CLASS	8595
COMPUTE CHARACTERISTIC SCREENING KEYS	0489
CONCEPT NUMBER	4488
CONDITION CODE	9307
CONDITION CODE FEDERAL 1	3475
CONDITION CODE FEDERAL 1 DEFINITION	3184
CONDITION CODE FEDERAL 1 TITLE	3183
CONDITION CODE FEDERAL 2	3476
CONDITION CODE FEDERAL 2 BRIEF DEFINITION	3478
CONDITION CODE FEDERAL 2 TITLE	3477
CONDITION CODE, FEDERAL	2835
CONFIDENCE LEVEL RATE	2673
CONFLICT NOTIFICATION CODE	0095
CONFLICT NOTIFICATION CODE EXPLANATION	5110
CONFLICT NOTIFICATION CODE NOTE	5112
CONFLICT NOTIFICATION CODE REMARK	5111
CONGRESSIONAL DISTRICT CODE	3410
CONSUMABLE DEPARTMENT DIC KIR NSN	9631
CONSUMABLE DEPARTMENT DIC KIR TOTAL NSN	9632
CONSUMABLE DEPARTMENT DIC LVA NSN	9626
CONSUMABLE DEPARTMENT DIC LVA TOTAL NSN	9628
CONSUMABLE DEPARTMENT KIV OUTPUT NSN	9618
CONSUMABLE DEPARTMENT KVI OUTPUT TOTAL NSN	9621
CONSUMABLE DEPARTMENT NOT SELECTED NSN	9617
CONSUMABLE DEPARTMENT NOT SELECTED TOTAL NSN	9622
CONSUMABLE DEPARTMENT OTHER DIC NSN	9627
CONSUMABLE DEPARTMENT OTHER DIC NSN TOTAL	1726
CONSUMABLE DEPARTMENT SELECTED NSN	9619
CONSUMABLE DEPARTMENT SELECTED TOTAL NSN	9620
CONSUMABLE DEPT GAINING INVENTORY MANAGER APPROVED NSN	9635
CONSUMABLE DEPT GAINING INVENTORY MANAGER APPROVED TOTAL NSN	9636
CONSUMABLE DIC KIR NSN	9629
CONSUMABLE DIC KIR TOTAL NSN	9630
CONSUMABLE DIC LVA NSN	9623
CONSUMABLE DIC LVA TOTAL NSN	9625
CONSUMABLE GAINING INVENTORY MANAGER APPROVED NSN	9633
CONSUMABLE GAINING INVENTORY MANAGER APPROVED TOTAL NSN	9634
CONSUMABLE ITEM TRANSFER ELIGIBLE INDICATOR CODE	9506
CONSUMABLE KVI OUTPUT NSN	9612
CONSUMABLE KVI OUTPUT TOTAL NSN	9615
CONSUMABLE NOT SELECTED NSN	9613
CONSUMABLE NOT SELECTED TOTAL NSN	9616
CONSUMABLE OTHER DIC NSN	9624
CONSUMABLE OTHER DIC NSN TOTAL	1741
CONSUMABLE SELECTED NSN	9611
CONSUMABLE SELECTED TOTAL NSN	9614
CONSUMABLES INCREMENT	8129
CONSUMABLES NSN SELECTED	8130
CONTAINER NATIONAL STOCK NUMBER (NSN)	5178
CONTINUAL TEST IDENTIFIER	2157
CONTINUAL TEXT	0999
CONTINUATION INDICATOR CODE	8555
CONTRACT ADMINISTRATION OFFICE (CAO) CODE	8870

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
CONTRACTOR CERTIFICATION ADD COUNT	1393
CONTRACTOR CERTIFICATION CHANGE COUNT	1394
CONTRACTOR CERTIFICATION DELETE COUNT	1395
CONTRACTOR ESTABLISHMENT CODE	3404
CONTRACTOR IDENTITY CHANGE CODE	3412
CONTRACTOR LABEL CODE EXPLANATION PSMAT	3457
CONTRACTOR LABEL CODE, PSMAT	0893
CONTRACTOR PLANNED PRODUCER CODE	3411
CONTROL CHARACTER CODE	8255
CONTROL CODE	2083
CONTROL NUMBER FOREIGN MILITARY SALES	1027
CONTROLLED INVENTORY ITEM CODE (CIIC)	2863
CONTROLLED INVENTORY ITEM CODE CATEGORY CODE	5255
CONTROLLED INVENTORY ITEM CODE CATEGORY CODE TITLE	2495
CONTROLLED INVENTORY ITEM CODE CATEGORY CODE TITLE EXPLANATN	2496
CONTROLLED INVENTORY ITEM CODE EXPLANATION	5254
CONVERSION CONSTANT CONVERSION TYPE	4415
CONVERSION CONSTANT NUMBER	2254
CONVERSION GUIDE SKELETON BODY	2318
CONVERTED REFERENCE NUMBER	3571
COUNT OF CONTRACTOR CODE 1	1512
COUNT OF CONTRACTOR CODE 2	1513
COUNT OF CONTRACTOR CODE 3	1514
COUNTRY	1085
COUNTRY CODE	3408
COUNTRY NAME	1966
COUNTY-NM	3409
CPU ROUTED TO	9143
CRITICAL ITEM CODE	2068
CRITICAL ITEM CODE EFFECTIVE DATE	2067
CRITICALITY CODE FIIG EXPLANATION	3467
CRITICALITY CODE, FEDERAL ITEM IDENTIFICATION GUIDE	3843
CRYPTOLOGICAL INDICATOR CODE	0857
CURRENT TOTAL ITEM RECORD SEGMENTS	3145
CUSHIONING AND DUNNAGE MATERIAL CODE	5164
CUT-OFF DATE	1712
DAAS CRITICAL SOURCE OF SUPPLY UPDATE	0139
DAAS SCREENING, REFERENCE NUMBER SEGMENT	9126
DAAS/DLSC DISCREPANCIES PERCENT	6926
DAAS/DLSC DISCREPANCIES QUANTITY	6924
DAAS/DLSC FILES COMPATIBILITY	6925
DATA ASSET IDENTIFIER	2631
DATA CHAIN	1877
DATA CHANGE DATE	1713
DATA CONVERSION FORMULA FROM LEFT	4416
DATA CONVERSION FORMULA FROM RIGHT	4417
DATA DEFINITION	1878
DATA ELEMENT IMAGE AFTER CHANGE	1377
DATA ELEMENT LENGTH	1882
DATA ELEMENT NAMES	1704
DATA ELEMENT ORIENTED WITH VALUE SEGMENT	9115
DATA ELEMENT ORIENTED WITH VALUE-RETURN ACTION SEGMENT	9114
DATA ELEMENT ORIENTED WITHOUT VALUE SEGMENT	9113

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
DATA ELEMENT SEPARATOR CODE	0814
DATA ELEMENT START POSITION	1097
DATA ELEMENT TERMINATOR CODE	8268
DATA LINK	1879
DATA OVERRIDE CODE	4538
DATA PROTECT CODE	4539
DATA RECIPIENT ADDRESS	5279
DATA RECIPIENT CITY/STATE	5282
DATA RECIPIENT NAME	5277
DATA RECIPIENT PHONE NUMBER	5285
DATA RECIPIENT POST OFFICE BOX	5281
DATA RECIPIENT STREET	5280
DATA RECIPIENT TITLE	5278
DATA RECIPIENT ZIP CODE	5284
DATA RECORD NUMBER	0950
DATA RECORD NUMBER SEQUENCE NUMBER	5039
DATA RECORD NUMBER VALUE	9975
DATA RETRIEVAL CONTRACTOR TO LABEL CODE 1	4993
DATA RETRIEVAL CONTRACTOR TO LABEL CODE 2	4994
DATA RETRIEVAL CONTRACTOR TO LABEL CODE 3	4995
DATA RETRIEVAL ODRC CODE	4981
DATA RETRIEVAL SEGMENT A CODE	4982
DATA RETRIEVAL SEGMENT B CODE	4983
DATA RETRIEVAL SEGMENT C CODE	4984
DATA RETRIEVAL SEGMENT E CODE	4985
DATA RETRIEVAL SEGMENT F CODE	4986
DATA RETRIEVAL SEGMENT G CODE	4987
DATA RETRIEVAL SEGMENT H CODE	4988
DATA RETRIEVAL SEGMENT M CODE	4989
DATA RETRIEVAL SEGMENT N CODE	4990
DATA RETRIEVAL SEGMENT V CODE	4991
DATA RETRIEVAL SEGMENT W CODE	4996
DATA RETRIEVAL SEGMENT Z CODE	4992
DATA RIGHTS CODE	2634
DATA STORE NAME	1715
DATA TERMINATOR ASSOCIATED WITH INC	0758
DATA TRANSMISSION CONTROL CODE	0756
DATA TRANSMISSION CONTROL CODE EXPLANATION	5135
DATA UNIVERSAL NUMBERING SYSTEM	3405
DATASET NAME	9144
DATE BILLED	1041
DATE DE WAS CREATED/MODIFIED	1886
DATE DEBARRED BIDDER RECORD CHANGED	1375
DATE DEBARRED BIDDER RECORD ESTABLISHED	1374
DATE DELINQUENT	1043
DATE EFFECTIVE MAJOR ORGANIZATIONAL ENTITY RULE TBL ACTIO	0091
DATE ELEMENT IMAGE BEFORE CHANGE	1376
DATE ESTABLISHED, CANCELLED RECORD DIDS	0308
DATE ESTABLISHED, PSMAT RECORD	0874
DATE FLAGGED FOR BILLING	1036
DATE FLAGGED FOR PURGE	1042
DATE FLAGGED FOR RETURN TO COUNTRY	1044
DATE INTO SYSTEM	1058

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
DATE LAST ACCESSED, PSMAT RECORD	0875
DATE LAST CHANGE	0043
DATE LAST CHANGE DICTIONARY	2117
DATE NEXT IDENTIFICATION LIST BASIC	0347
DATE NEXT IDENTIFICATION LIST CHANGE BULLETIN	0348
DATE OF AUTODIN STATION SERIAL NUMBER	0753
DATE OF CERTIFICATION NUMBER REVOCATION	5291
DATE OUT TO MANUFACTURER	1006
DATE PRICE EFFECTIVE	1967
DATE PRIMARY OUTPUT	1008
DATE PROCESSED	1031
DATE PURGED	1051
DATE REPORTED THRU	0914
DATE RETURN TO COUNTRY	1016
DATE SECONDARY INPUT	1009
DATE SECONDARY OUTPUT	1011
DATE TECHNICAL DATA RECEIVED	1007
DATE TRANSACTION DESK CODE CHANGE	1013
DATE TRANSACTION READ	1019
DATE, CANCELLATION, NATIONAL ITEM IDENTIFICATION NUMBER	2240
DATE, CURRENT PROCESSING PERFORMANCE	2078
DATE, EFFECTIVE, LOGISTICS ACTION	2128
DATE, EFFECTIVE, LOGISTICS ACTION CANCELLED	5150
DATE, EFFECTIVE, STANDARD, FEDERAL SUPPLY CLASS TABLE ENT	0092
DATE, INTERROGATION	0342
DATE, LAST CHANGE TO RECORD, DIDS	2050
DATE, LAST MAJOR ORGANIZATIONAL ENTITY RULE NUMBER WITHDRAWN	2260
DATE, MAJOR ORGANIZATIONAL ENTITY RULE NUMBER WITHDRAWN	0078
DATE, MAJOR ORGANIZATIONAL ENTITY RULE, ASSIGNED TO NIIN	9128
DATE, NIIN/PSCN ASSIGNMENT	2180
DATE, OPERATIONAL NEED	0726
DATE, ORGANIZATIONAL ENTITY LINE SEGMENT ADDED	8655
DATE, ORGANIZATIONAL ENTITY LINE SEGMENT CHANGED	8656
DATE, ORGANIZATIONAL ENTITY RECORD DELETED	8657
DATE, ORGANIZATIONAL ENTITY RECORD ESTABLISHED	2262
DATE, PROCESSING LOGISTICS ACTION	0597
DATE, STANDARDIZATION DECISION	2300
DATE, SUSPENSE PURGE	8680
DATE, TRANSACTION	2310
DB2 ARCHIVE GROUP	2472
DB2 ARCHIVE GROUP NUMBER	2746
DB2 GROUP NUMBER	4492
DB2 SQL ERROR CODE	9390
DB2 SQL STATE ERROR CODE	9391
DB2 TABLE NAME	4465
DB2 TABLE PRIMARY KEY LENGTH	4486
DEBARRED BIDDER STATUS CODE	0866
DEBARRED CONTRACTOR'S END DATE	0867
DEBARRMENT PROPOSAL INITIATORS SYMBOL MEANING	1380
DECIMAL REPLY ZERO SUPPRESSION	2041
DECODE DATA FILE IDENTIFIER	2035
DECODE DESCRIPTION	1719
DECODE ERROR COUNT	1453

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
DECODE PARAMETERS	1718
DECODE TABLE REPLY LENGTH	0303
DECODED CHARACTERISTICS DATA	3860
DECODED ISAC REPLY STATEMENT	2308
DECODED REPLY STATEMENT	3864
DECODED STYLE REPLY STATEMENT	2309
DEFAULT OUTPUT FORMAT	2564
DEFAULT RELEASE TDQ IDENTIFIER	9500
DEFENSE AUTOMATIC ADDRESSING SYSTEM SOURCE OF SUPPLY UPDA	0153
DEFENSE INTEGERATED DATA SYSTEM SEGMENT CODE EXPLANATION	3175
DEFENSE INTEGRATED DATA SYSTEM INPUT HEADER	9094
DEFENSE INTEGRATED DATA SYSTEM OUTPUT HEADER	9098
DEFENSE LOGISTICS AGENCY CENTER ACTIVITY CODE	3891
DEGREE OF MATCH CODE	0595
DELETED AMMO CODE TOTAL COUNT	1844
DELETED AMMUNITION CODE COUNT	1927
DELETED APPROVED ITEM NAME TOTAL COUNT	1845
DELETED BASIC NAME TOTAL COUNT	1846
DELETED COLLOQUIAL NAME TOTAL COUNT	1847
DELETED FEDERAL SUPPLY CLASS MODIFIER COUNT	1929
DELETED ITEM ENTRY TOTAL COUNT	1848
DELETER RACF USERID	3221
DELETION OF RECORDS DESIGNATOR CODE	0761
DELETION REASON CODE	4540
DELETION REASON CODE EXPLANATION	5132
DELIVERY ADDRESS LINE TEXT	3354
DELIVERY POINT BARCODE IDENTIFIER	3355
DEMAND INDICATOR CODE	0728
DEMAND INDICATOR CODE EXPLANATION	5217
DEMILITARIZATION (DEMIL) CODE	0167
DEMILITARIZATION CODE EXPLANATION	5136
DEMILITARIZATION CODE NOTE	5137
DEPARTMENT ACTIVITY COMMODITY CATEGORY CODE ENDING BALANCE	1696
DEPARTMENT ACTIVITY NEW NSN REFERENCE METHOD 6	6660
DEPARTMENT CODE	8329
DEPARTMENT COMMODITY CATEGORY CD CHANGE FROM AMC 4 QTY 9	6390
DEPARTMENT DESCRIPTIVE METHOD PICA NEW NSN FY PERCENT	6645
DEPARTMENT DESCRIPTIVE METHOD PICA NSN FY74 PERCENT	6666
DEPARTMENT DESCRIPTIVE METHOD PICA NSN PREVIOUS YEAR PERCENT	6667
DEPARTMENT EXPENDABILITY-RECOVERABILITY REPARABILITY CODE	6542
DEPARTMENT FULL DESCRIPTIVE PICA NSN FISCAL YEAR PERCENT 1	6668
DEPARTMENT FULL DESCRIPTIVE PICA NSN GOAL PERCENT	6673
DEPARTMENT OF DEFENSE (DOD) IDENTIFICATION CODE	2440
DEPARTMENT OF DEFENSE 12	5848
DEPARTMENT OF DEFENSE AMMUNITION CODE	3767
DEPARTMENT OF DEFENSE AMMUNITION CODE SEPARATOR	0482
DEPARTMENT OF TRANSPORTATION CLASS	2387
DEPARTMENT OF TRANSPORTATION EXEMPTION NUMBER	2444
DEPARTMENT OF TRANSPORTATION LABEL	2388
DEPARTMENT OF TRANSPORTATION MARKING	2389
DEPARTMENT ORIGINAL NSN PERCENT 2	6674
DEPARTMENT ORIGINAL NSN TOTAL 7	1698
DEPARTMENT ORIGINATING ACTIVITY TRANSACTIONS RETURNED QTY C	6812

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
DEPARTMENT SUBMITTING ACTIVITY TRANSACTONS RETURNED QTY A	6795
DEPARTMENT TOTAL 5	6659
DEPARTMENT TOTAL 6	6665
DEPARTMENT TRANSFER FULL DESCRIPTIVE FISCAL YEAR 74	6678
DEPARTMENT TRANSFER FULL DESCRIPTIVE PREVIOUS FISCAL YEAR	6679
DEPOT SOURCE OF REPAIR ACTIVITY NAME	3483
DEPOT SOURCE OF REPAIR CODE	0903
DEPOT SOURCE OF REPAIR STATEMENT	3484
DEPT ACTIVITY COMMODITY CATEGORY CD CHANGE FROM AMC 3 QTY	8226
DEPT ACTY EXPENDABILITY-RECOVERABILITY REPARABILITY CODE	6543
DESCRIPTION AVAILABILITY	0804
DESCRIPTION OF RELEVANT BUSINESS ACTIVITY	5283
DESK CODE, CATALOGING	3870
DESTINATION ACTIVITY CODE FIELD, OUTPUT	0733
DESTINATION ACTIVITY CODE, OUTPUT	3880
DESTINATION CODE, SCREENING	3890
DIC ALL OAC GRAND TOTAL ACTUAL DUPLICATES	9595
DIC ALL OAC GRAND TOTAL APPROVED	5346
DIC ALL OAC GRAND TOTAL CLERICAL	5352
DIC ALL OAC GRAND TOTAL NIIN STATUS	5354
DIC ALL OAC GRAND TOTAL POSSIBLE DUPLICATES	5351
DIC ALL OAC GRAND TOTAL PROCESSED	5345
DIC ALL OAC GRAND TOTAL RECEIVED	5344
DIC ALL OAC GRAND TOTAL RETURNED	5347
DIC ALL OAC GRAND TOTAL RULES	5353
DIC ALL ORIGINATING ACTIVITY CODE ACTUAL DUPLICATES	6810
DIC ALL ORIGINATING ACTIVITY CODE APPROVED	6813
DIC ALL ORIGINATING ACTIVITY CODE CLERICAL	6808
DIC ALL ORIGINATING ACTIVITY CODE DEPARTMENT APPROVED	5337
DIC ALL ORIGINATING ACTIVITY CODE DEPARTMENT CLERICAL	5341
DIC ALL ORIGINATING ACTIVITY CODE DEPARTMENT NIIN STATUS	5343
DIC ALL ORIGINATING ACTIVITY CODE DEPARTMENT PROCESSED	5336
DIC ALL ORIGINATING ACTIVITY CODE DEPARTMENT RECEIVED	5335
DIC ALL ORIGINATING ACTIVITY CODE DEPARTMENT RETURNED	5338
DIC ALL ORIGINATING ACTIVITY CODE DEPARTMENT RULES	5342
DIC ALL ORIGINATING ACTIVITY CODE DEPT ACTUAL DUPLICATES	5339
DIC ALL ORIGINATING ACTIVITY CODE DEPT POSSIBLE DUPLICATE	5340
DIC ALL ORIGINATING ACTIVITY CODE NIIN STATUS	6806
DIC ALL ORIGINATING ACTIVITY CODE POSSIBLE DUPLICATES	6809
DIC ALL ORIGINATING ACTIVITY CODE PROCESSED	6814
DIC ALL ORIGINATING ACTIVITY CODE RECEIVED	6815
DIC ALL ORIGINATING ACTIVITY CODE RETURNED	6811
DIC ALL ORIGINATING ACTIVITY CODE RULES	6807
DIC ALL SUBMITTING ACTIVITY CODE ACTUAL DUPLICATES	6793
DIC ALL SUBMITTING ACTIVITY CODE APPROVED	6796
DIC ALL SUBMITTING ACTIVITY CODE CLERICAL	6791
DIC ALL SUBMITTING ACTIVITY CODE DEPARTMENT ACTUAL DUPLIC	7651
DIC ALL SUBMITTING ACTIVITY CODE DEPARTMENT APPROVED	7649
DIC ALL SUBMITTING ACTIVITY CODE DEPARTMENT CLERICAL	7653
DIC ALL SUBMITTING ACTIVITY CODE DEPARTMENT NIIN STATUS	9577
DIC ALL SUBMITTING ACTIVITY CODE DEPARTMENT POSSIBLE DUPS	7652
DIC ALL SUBMITTING ACTIVITY CODE DEPARTMENT PROCESSED	7648
DIC ALL SUBMITTING ACTIVITY CODE DEPARTMENT RECEIVED	7647

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
DIC ALL SUBMITTING ACTIVITY CODE DEPARTMENT RETURNED	7650
DIC ALL SUBMITTING ACTIVITY CODE GRAND TOTAL ACTUAL DUPS	9582
DIC ALL SUBMITTING ACTIVITY CODE GRAND TOTAL APPROVED	9580
DIC ALL SUBMITTING ACTIVITY CODE GRAND TOTAL CLERICAL	9584
DIC ALL SUBMITTING ACTIVITY CODE GRAND TOTAL PROCESSED	9579
DIC ALL SUBMITTING ACTIVITY CODE GRAND TOTAL RECEIVED	9578
DIC ALL SUBMITTING ACTIVITY CODE GRAND TOTAL RETURNED	9581
DIC ALL SUBMITTING ACTIVITY CODE GRAND TOTAL RULES	9585
DIC ALL SUBMITTING ACTIVITY CODE NIIN STATUS	6789
DIC ALL SUBMITTING ACTIVITY CODE POSSIBLE DUPLICATES	6792
DIC ALL SUBMITTING ACTIVITY CODE PROCESSED	6797
DIC ALL SUBMITTING ACTIVITY CODE RECEIVED	6798
DIC ALL SUBMITTING ACTIVITY CODE RETURNED	6794
DIC ALL SUBMITTING ACTIVITY CODE RULES	6790
DIC ALL SUBMITTING ACTIVITY GRAND TOTAL NIIN STATUS	9586
DIC ALL SUBMITTING ACTIVITY GRAND TOTAL POSSIBLE DUPLICATES	9583
DIC ALL SUBMITTING CODE DEPARTMENT RULES	7654
DIC CATEGORY	9756
DIC CUSTODIAN	2214
DIC CUSTODIAN ALTERNATE	2213
DIC DRN NOTE DEFINITION	2113
DIC DRN NOTES	2111
DIC IDENTIFIER	9145
DIC INPUT OUTPUT TYPE	2052
DIC OAC DEPARTMENT TOTAL ACTUAL DUPLICATES	5359
DIC OAC DEPARTMENT TOTAL APPROVED	5357
DIC OAC DEPARTMENT TOTAL CLERICAL	5361
DIC OAC DEPARTMENT TOTAL NIIN STATUS	5363
DIC OAC DEPARTMENT TOTAL POSSIBLE DUPLICATES	5360
DIC OAC DEPARTMENT TOTAL PROCESSED	5356
DIC OAC DEPARTMENT TOTAL RECEIVED	5355
DIC OAC DEPARTMENT TOTAL RETURNED	5358
DIC OAC DEPARTMENT TOTAL RULES	5362
DIC OAC GRAND TOTAL ACTUAL DUPLICATES	5368
DIC OAC GRAND TOTAL APPROVED	5366
DIC OAC GRAND TOTAL CLERICAL	5370
DIC OAC GRAND TOTAL NIIN STATUS	5372
DIC OAC GRAND TOTAL POSSIBLE DUPLICATES	5369
DIC OAC GRAND TOTAL PROCESSED	5365
DIC OAC GRAND TOTAL RECEIVED	5364
DIC OAC GRAND TOTAL RETURNED	5367
DIC OAC GRAND TOTAL RULES	5371
DIC ORIGINATING ACTIVITY CODE ACTUAL DUPLICATES	6800
DIC ORIGINATING ACTIVITY CODE APPROVED	6803
DIC ORIGINATING ACTIVITY CODE CLERICAL	6838
DIC ORIGINATING ACTIVITY CODE NIIN STATUS	6836
DIC ORIGINATING ACTIVITY CODE POSSIBLE DUPLICATES	6799
DIC ORIGINATING ACTIVITY CODE PROCESSED	6804
DIC ORIGINATING ACTIVITY CODE RECEIVED	6805
DIC ORIGINATING ACTIVITY CODE RETURNED	6801
DIC ORIGINATING ACTIVITY CODE RULES	6837
DIC OUTPUT	3135
DIC REFERENCE	2211

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
DIC RELATED FUNCTIONAL DESCRIPTION	2212
DIC SAC DEPARTMENT TOTAL CLERICAL	9593
DIC SAC DEPARTMENT TOTAL POSSIBLE DUPLICATES	9592
DIC SAC DEPARTMENT TOTAL RULES	9594
DIC SAC GRAND TOTAL ACTUAL DUPLICATES	5330
DIC SAC GRAND TOTAL APPROVED	5328
DIC SAC GRAND TOTAL CLERICAL	5332
DIC SAC GRAND TOTAL NIIN STATUS	5334
DIC SAC GRAND TOTAL POSSIBLE DUPLICATES	5331
DIC SAC GRAND TOTAL PROCESSED	5327
DIC SAC GRAND TOTAL RECEIVED	5326
DIC SAC GRAND TOTAL RETURNED	5329
DIC SAC GRAND TOTAL RULES	5333
DIC SEQUENCER	9146
DIC SUBMITTING ACTIVITY CODE ACTUAL DUPLICATES	6783
DIC SUBMITTING ACTIVITY CODE APPROVED	6786
DIC SUBMITTING ACTIVITY CODE CLERICAL	6781
DIC SUBMITTING ACTIVITY CODE DEPARTMENT TOTAL ACTUAL DUPS	9591
DIC SUBMITTING ACTIVITY CODE DEPARTMENT TOTAL APPROVED	9589
DIC SUBMITTING ACTIVITY CODE DEPARTMENT TOTAL NIIN STATUS	5325
DIC SUBMITTING ACTIVITY CODE DEPARTMENT TOTAL PROCESSED	9588
DIC SUBMITTING ACTIVITY CODE DEPARTMENT TOTAL RECEIVED	9587
DIC SUBMITTING ACTIVITY CODE DEPARTMENT TOTAL RETURNED	9590
DIC SUBMITTING ACTIVITY CODE NIIN STATUS	6779
DIC SUBMITTING ACTIVITY CODE POSSIBLE DUPLICATES	6782
DIC SUBMITTING ACTIVITY CODE PROCESSED	6787
DIC SUBMITTING ACTIVITY CODE RETURNED	6784
DIC SUBMITTING ACTIVITY CODE RULES	6780
DIC SUBMITTING ACTIVITY RECEIVED	6788
DIDS INTRODUCTION	9099
DIDS NOTE NARRATIVE	1300
DIDS NOTE NUMBER	1288
DIDS SUB-SECTION	4450
DIGITIZED DATE EFFECTIVE LOGISTICS ACTION	5314
DIGITIZED DRAWING IDENTIFICATION NUMBER	0772
DIGITIZED DRAWING NUMBER LIST	0939
DIGITIZED GRAPHICS IDENTIFICATION NUMBER, REPLACEMENT	0775
DIMENSIONAL MASTER REQUIREMENT CODE INDICATOR	0326
DISPLAY METHOD LOCATION CODE NARRATIVE	8270
DISPLAY METHOD LOCATION CODE TABULAR	8295
DISTRIBUTION ACTIVITY CODE (DD FORM 146)	3910
DISTRIBUTION ACTIVITY CODE SEGMENT M	0478
DISTRIBUTION LIST NUMBER	1283
DISTRIBUTION LIST NUMBER RELATIVE ROW	3233
DISTRIBUTION LIST NUMBER SORT SEQUENCE	3198
DL REPLY	4418
DLA CENTER CODE	3886
DLIS PROCEDURES CHAPTER NUMBER	3452
DLIS SEGMENT NOTE NUMBER1	4528
DLIS SEGMENT NOTE NUMBER2	4529
DLN QUANTITY	0953
DLSC ACTION OUTPUT CONDITION	2105
DLSC DATE	9147

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
DLSC DRAWING LIST	0918
DLSC ONLY INDICATOR	4621
DLSC PRODUCTS AND SERVICES CODE	2423
DLSC TIME	9148
DMS TRANSACTION CODE	1949
DOCUMDNT IDENTIFIER CODE VERTICAL GRAND TOTAL	2006
DOCUMENT AVAILABILITY CODE (DAC)	2640
DOCUMENT AVAILABILITY CODE DEPARTMENT NSN TOTAL	5628
DOCUMENT AVAILABILITY CODE DEPARTMENT REFERENCE QUANTITY	5637
DOCUMENT AVAILABILITY CODE DEPARTMENT TYPE II QUANTITY	5627
DOCUMENT AVAILABILITY CODE EXPLANATION	5123
DOCUMENT AVAILABILITY CODE MAY HAVE RANGE	3111
DOCUMENT AVAILABILITY CODE MUST HAVE RANGE	3107
DOCUMENT AVAILABILITY CODE NOTE	5124
DOCUMENT AVAILABILITY CODE NSN TOTAL	5636
DOCUMENT AVAILABILITY CODE REFERENCE TOTAL	5638
DOCUMENT AVAILABILITY CODE TYPE II 1 TOTAL	5629
DOCUMENT AVAILABILITY CODE TYPE II 1A TOTAL	5630
DOCUMENT AVAILABILITY CODE TYPE II 1B TOTAL	5631
DOCUMENT AVAILABILITY CODE TYPE II 2 TOTAL	5635
DOCUMENT AVAILABILITY CODE TYPE II 4 TOTAL	5632
DOCUMENT AVAILABILITY CODE TYPE II 4A TOTAL	5633
DOCUMENT AVAILABILITY CODE TYPE II 4B TOTAL	5634
DOCUMENT CONTROL NUMBER	1015
DOCUMENT CONTROL NUMBER GRAND TOTAL	2028
DOCUMENT CONTROL NUMBER, FOLLOW-UP	0131
DOCUMENT CONTROL NUUMBER TOTAL	2009
DOCUMENT CONTROL SERIAL NUMBER	1000
DOCUMENT IDENTIFIER CODE (DIC)	3920
DOCUMENT IDENTIFIER CODE COUNT	1997
DOCUMENT IDENTIFIER CODE GRAND TOTAL	2014
DOCUMENT IDENTIFIER CODE HORIZONTAL TOTAL	2003
DOCUMENT IDENTIFIER CODE MONTH TOTAL	2007
DOCUMENT IDENTIFIER CODE OUTPUT	1052
DOCUMENT IDENTIFIER CODE TOTAL	2002
DOCUMENT IDENTIFIER CODE VERTICAL TOTAL	2005
DOCUMENT IDENTIFIER CODE, INPUT	3921
DOCUMENT IDENTIFIER CODE, ORIGINAL INPUT	3922
DOCUMENT NUMBER	3930
DOCUMENT TYPE	2633
DOD A2C	5900
DOD CATALOG ACTION SINGER SUBMITTER	4503
DOD DEBARMENT PROPOSAL INITIATOR'S SYMBOL	0868
DOD DEBARMENT PROPOSAL INITIATORS	3193
DOD MATERIEL MANAGEMENT CODE FSC AND EACH CODE COUNT	1899
DODAAC DEFENSE PROPERTY DISPOSAL OFFICE	0395
DOLLAR AMOUNT GRAND TOTAL COUNTRY	2027
DOLLAR VALUE, STANDARD UNIT PRICE	7080
DOLLAR VALUE, UNIT PRICE	7075
DOUBLE TABLE INDICATOR CODE	9374
DRAWING AT DLSC	0920
DRAWING AT DLSC COUNTER	0921
DRAWING AT MANUFACTURER	0943

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
DRAWING AT THE MANUFACTURER COUNTER	0919
DRAWING BY FEDERAL ITEM IDENTIFICATION GUIDE	0954
DRAWING BY ITEM NAME CODE	0956
DRAWING COUNT	1451
DRAWING DETAIL	1242
DRAWING FEDERAL ITEM IDENTIFICATION GUIDE (FIIG)	4069
DRAWING FEDERAL ITEM IDENTIFICATION GUIDE TITLE	9779
DRAWING FIIG INITIATOR IDENTIFIER	4064
DRAWING FINISH DATE	0944
DRAWING IN FILE	0938
DRAWING START DATE	0945
DRAWING STATUS DATE	5073
DRAWING STATUS INDICATOR	5072
DRAWING TEXT DETAIL	0946
DRAWING TO BE DIGITIZED	0940
DRAWING TYPE	5063
DRAWING TYPE 2	0984
DRAWING TYPE 2 COUNTER	0924
DRAWINGS TO BE DIGITIZED COUNTER	0923
DRAWINGS TO BE SENT TO MANUFACTURER	0933
DRAWINGS TO BE SENT TO THE MANUFACTURER COUNTER	0926
DRIVE NAME	1450
DRMS CHALLENGE INDICATOR CODE	5315
DRN FULL VALUE	4469
DRN POSITION OUT	1907
DROP INDEX CODE	2225
DROP INDEX CODE MAINTENANCE	2223
DROP INDEX CODE NOTIFICATION	2224
DROP INDEX CODE TYPE	2226
DROP NOTIFICATION OR MAINTENANCE INDICATOR	4505
DROPPED DRN SEGMENT IDENTIFIER	9407
DROPPED SEGMENT 1 INDICATOR	9711
DROPPED SEGMENT 6 INDICATOR	9712
DROPPED SEGMENT 7 INDICATOR	9713
DROPPED SEGMENT 9 INDICATOR	9714
DROPPED SEGMENT A INDICATOR	9715
DROPPED SEGMENT B INDICATOR	9716
DROPPED SEGMENT C INDICATOR	9717
DROPPED SEGMENT D INDICATOR	9718
DROPPED SEGMENT E INDICATOR	9719
DROPPED SEGMENT F INDICATOR	9720
DROPPED SEGMENT G INDICATOR	9721
DROPPED SEGMENT H INDICATOR	9722
DROPPED SEGMENT J INDICATOR	9723
DROPPED SEGMENT K INDICATOR	9724
DROPPED SEGMENT L INDICATOR	9725
DROPPED SEGMENT M INDICATOR	9726
DROPPED SEGMENT N INDICATOR	9727
DROPPED SEGMENT P INDICATOR	9728
DROPPED SEGMENT Q INDICATOR	9729
DROPPED SEGMENT R INDICATOR	9730
DROPPED SEGMENT V INDICATOR	9731
DROPPED SEGMENT W INDICATOR	9732

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
DROPPED SEGMENT Y INDICATOR	9733
DROPPED SEGMENT Z INDICATOR	9734
DS1 DEMIL NIIN STATUS CODE NSN	8215
DS1 DEML NIIN STATUS CODE NSN TOTAL	8216
DS2 DEPARTMENT DEMIL NIIN STATUS CODE Ø NSN	8217
DS2 DEPARTMENT DEMIL NIIN STATUS CODE Ø NSN TOTAL	8218
DS3 DOD NIIN STATUS CODE Ø MANAGED NSN TOTAL	8220
DS3 DOD SOURCE OF SUPPLY NIIN STATUS CODE Ø MANAGED NSNS	8219
DS4 MILITARY NIIN STATUS CODE Ø DEMIL NSN TOTAL	8223
DS4 MILITARY SOURCE OF SUPPLY NIIN STATUS CODE Ø DEMIL NSN	8221
DS4 MILITARY SOURCE OF SUPPLY NIIN STATUS CODE Ø DEMIL TOTAL	8222
DSOR COUNTER	4219
E MAIL ADDRESS	2151
E MAIL FUNCTIONAL DATE TIME STAMP	2156
E MAIL MESSAGE IDENTIFIER	2403
E MAIL MESSAGE INDICATOR CODE	2153
E MAIL MESSAGE LINE	2154
E MAIL MESSAGE LINE NUMBER	2155
E MAIL MESSAGE TITLE	2152
E MAIL USER INDICATOR STAT CD	2158
ECHELON ACQUIRING STOCK MARINE CORPS	3151
ECHELON CODE MARINE CORPS	3150
ECHELON REMARKS MARINE CORPS	3152
EDIT COMPLETED TIMESTAMP	9383
EDIT CRITERIA STATEMENT	4129
EDIT INDICATOR KEY	1089
EDIT NARRATIVE DATA	2317
EDIT PRODUCTION COMPLETION DATE	1678
EDIT RESULTS TEXT	9384
EDIT STATUS CODE	9382
EDIT VALIDATION CRITERIA EXPLANATION	4583
EFFECTIVE ADD NIIN MOE RULE QUANTITY	6593
EFFECTIVE DAE DOCUMENT IDENTIFIER CODE DESTINATION	2102
EFFECTIVE DATE (LJE) PROCESSING DATA SEGMENT	0777
EFFECTIVE DATE DOCUMENT IDENTIFIER CODE	2099
EFFECTIVE DATE, MOE RULE TRANSACTIONS	5196
EFFECTIVE DATED FEDERAL SUPPLY CLASS MODIFIER CHANGE COUNT	1930
EFFECTIVE DATED FEDERAL SUPPLY CLASS MODIFIER DELETED COUNT	1923
EFFECTIVE DELETE NIIN MOE RULE QUANTITY	6594
ELECTRICAL ACCOUNTING MACHINE (EAM) CARD INTERPRETED INDIC	3120
ELECTRONIC COMMERCE / DATA INTERCHANGE CAPABILITY IND CD	3417
ELECTRONIC MAIL MESSAGE	2149
ELECTROSTATIC DISCHARGE ELECTROMAGNETIC INTERFACE CD EXPLA	2508
ELECTROSTATIC DISCHARGE/ELECTROMAGNETIC INTERFERENCE CODE	2043
ELEVEN TO THIRTY SECONDS PERCENT B3	7645
EMAIL ADDRESS TEXT	3375
END ITEM CODE	1473
ENDING DATE	0913
ENGINE NUMBER	2244
ENGLISH LANGUAGE DICTIONARY WORD	1539
ENVIRONMENTAL ATTRIBUTE CODE	3025
ENVIRONMENTAL ATTRIBUTE DEFINITION TEXT	3010
ENVIRONMENTAL DATA CHAIN	2061

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
ERROR LISTING NEGATIVE MESSAGE	2021
ERROR MESSAGE 1	2636
ERROR MESSAGE TEXT	9393
ERROR RATE	2674
ERROR SEQUENCER	9151
ERROR TIMESTAMP	9152
ESSENTIALITY CODE	1474
ESTABLISH/CANCEL ITEM NAME CODE (INC) OUTPUT SEGMENT	0441
ESTIMATED OR ACTUAL PRICE CODE	0731
ESTIMATED OR ACTUAL PRICE CODE EXPLANATION	5219
EXCESS REPORT DATE AND SERIAL NUMBER	3341
EXECUTION COUNT	9153
EXPANSION FIELD 1	0443
EXPANSION FIELD 2	0444
EXPANSION FIELD 3	0445
EXPANSION FIELD 5	0781
EXPEND RECOVER REPAR CATEGORY CODE EXPLANATION AIR FORCE	3164
EXPEND RECOVER REPAR CATEGORY CONDEMN LVL AIR FORCE	2841
EXPEND RECOVER REPAR CATEGORY DESIGNATOR AIR FORCE	2842
EXPEND RECOVER REPAR CATEGORY EPEND YES OR NO AIR FORCE	2843
EXPEND RECOVER REPAR CATEGORY REPBL AIR FORCE	2844
EXPENDABILITY-RECOVERABILITY-REPARABILITY CATEGORY CODE-A	2655
EXTENDED FREIGHT DESCRIPTION	0041
EXTENDED SEGMENT DATA	9154
EXTENDED SEGMENT FLAG	9156
EXTENDED SEGMENT SEQUENCER	9155
EXTRACT CHARACTER IMAGE FOR TESTING	0325
EXTRACT RETURN CODE	9451
EXTRACTION DESCRIPTION	1716
EXTRACTION PARAMETERS	1706
F MAXIMUM VALUE	4428
F MINIMUM VALUE	3078
F NOMINAL VALUE	3079
FABRICATED CAGE/NSCM CODE	0074
FCP DEPT PICA MANAGED FULL DESCRIPTIVE NET NSNs	3236
FCS APPROVED ITEM NAME SUB DEPARTMENT TYPE II 1 PERCENT	6448
FCS APPROVED ITEM NAME SUB DEPARTMENT TYPE II 2 PERCENT	6449
FCS APPROVED ITEM NAME SUBMITTING ACTIVITY TYPE	6432
FCS APPROVED ITEM NAME SUBMITTING ACTIVITY TYPE II 1 NSN	6428
FCS APPROVED ITEM NAME SUBMITTING ACTIVITY TYPE II 1 PERCENT	6433
FCS APPROVED ITEM NAME SUBMITTING ACTIVITY TYPE II 2 PERCENT	6434
FCS APPROVED ITEM NAME SUBMITTING ACTY TYPE II 4 PERCENT	6435
FCS APPROVED ITEM NAME SUBMITTING DEPARTMENT TYPE	6450
FCS APPROVED ITEM NAME SUBMITTING DEPARTMENT TYPE II 1 NSN	6445
FCS APPROVED ITEM NAME SUBMITTING DEPARTMENT TYPE II 2 NSN	6446
FCS APPROVED ITEM NAME SUBMITTING DEPARTMENT TYPE II 4 NSN	6447
FCS CURRENT AIN SUBMITTING DEPARTMENT TYPE II 1 PERCENT	6456
FCS CURRENT AIN SUBMITTING DEPARTMENT TYPE II 2 NSN	6454
FCS CURRENT AIN SUBMITTING DEPARTMENT TYPE II 2 PERCENT	6457
FCS CURRENT AIN SUBMITTING DEPARTMENT TYPE II 4 PERCENT	6458
FCS CURRENT APPROVED ITEM NAME SUB ACTIVITY TYPE II 1 NSN	6438
FCS CURRENT APPROVED ITEM NAME SUB ACTIVITY TYPE II 1 PCT	6441
FCS CURRENT APPROVED ITEM NAME SUB ACTIVITY TYPE II 2 NSN	6439

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
FCS CURRENT APPROVED ITEM NAME SUB ACTIVITY TYPE II 2 PCT	6442
FCS CURRENT APPROVED ITEM NAME SUB ACTIVITY TYPE II 4 NSN	6440
FCS CURRENT APPROVED ITEM NAME SUB ACTIVITY TYPE II 4 PCT	6443
FCS CURRENT REFERENCE SUBMITTING ACTIVITY TYPE II	6884
FCS CURRENT REFERENCE SUBMITTING ACTIVITY TYPE II 1 PERCENT	6870
FCS CURRENT REFERENCE SUBMITTING ACTIVITY TYPE II 2 NSN	8171
FCS CURRENT REFERENCE SUBMITTING DEPARTMENT TYPE II 1 NSN	8173
FCS CURRENT REFERENCE SUBMITTING DEPARTMENT TYPE II 1 PCT	8176
FCS CURRENT REFERENCE SUBMITTING DEPARTMENT TYPE II 2 NSN	8174
FCS CURRENT REFERENCE SUBMITTING DEPARTMENT TYPE II 2 PCT	8177
FCS CURRENT REFERENCE SUBMITTING DEPARTMENT TYPE II 4 NSN	8175
FCS CURRENT REFERENCE SUBMITTING DEPARTMENT TYPE II 4 PCT	8178
FCS CURRENT REFERNCE SUBMITTING ACTIVITY TYPE II 2 PERCENT	6883
FCS CURRENT SUBMITING DEPARTMENT NSN	6418
FCS CURRENT SUBMITTING ACTIVITY CODE NSN	8208
FCS CURRENT SUBMITTING ACTIVITY CODE TYPE II 1	6437
FCS CURRENT SUBMITTING ACTIVITY CODE TYPE II 1 NSN	6402
FCS CURRENT SUBMITTING ACTIVITY CODE TYPE II 2	6407
FCS CURRENT SUBMITTING ACTIVITY CODE TYPE II 2 NSN	6403
FCS CURRENT SUBMITTING ACTIVITY CODE TYPE II 4	6404
FCS CURRENT SUBMITTING ACTIVITY CODE TYPE II 4	6408
FCS CURRENT SUBMITTING DEPARTMENT TYPE II 1 NSN	6419
FCS CURRENT SUBMITTING DEPARTMENT TYPE II 1 PERCENT	6424
FCS CURRENT SUBMITTING DEPARTMENT TYPE II 2 NSN	6420
FCS CURRENT SUBMITTING DEPARTMENT TYPE II 2 PERCENT	6425
FCS CURRENT SUBMITTING DEPARTMENT TYPE II 4 NSN	6423
FCS CURRENT SUBMITTING DEPARTMENT TYPE II 4 PERCENT	6426
FCS REFERENCE SUBMITTING ACTIVITY TYPE II 1 NSN	8162
FCS REFERENCE SUBMITTING ACTIVITY TYPE II 1 PERCENT	8165
FCS REFERENCE SUBMITTING ACTIVITY TYPE II 2 NSN	8163
FCS REFERENCE SUBMITTING ACTIVITY TYPE II 2 PERCENT	8166
FCS REFERENCE SUBMITTING ACTIVITY TYPE II 4 NSN	8164
FCS REFERENCE SUBMITTING ACTIVITY TYPE II 4 PERCENT	8168
FCS REFERENCE SUBMITTING DEPARTMENT TYPE II 1 PERCENT	6889
FCS REFERENCE SUBMITTING DEPARTMENT TYPE II 2 NSN	6887
FCS REFERENCE SUBMITTING DEPARTMENT TYPE II 2 PERCENT	6890
FCS REFERENCE SUBMITTING DEPARTMENT TYPE II 4 NSN	6888
FCS REFERENCE SUBMITTING DEPARTMENT TYPE II NSN	6886
FCS SUBMITTING ACTIVITY CODE NSN	6391
FCS SUBMITTING ACTIVITY CODE TYPE II 1 NSN	6392
FCS SUBMITTING ACTIVITY CODE TYPE II 1 PERCENT	6395
FCS SUBMITTING ACTIVITY CODE TYPE II 2 NSN	6393
FCS SUBMITTING ACTIVITY CODE TYPE II 2 PERCENT	6396
FCS SUBMITTING ACTIVITY CODE TYPE II 4 NSN	6394
FCS SUBMITTING ACTIVITY CODE TYPE II 4 PERCENT	6397
FCS SUBMITTING DEPARTMENT NSN	6409
FCS SUBMITTING DEPARTMENT TYPE II 1 NSN	6410
FCS SUBMITTING DEPARTMENT TYPE II 1 PERCENT	6415
FCS SUBMITTING DEPARTMENT TYPE II 2 NSN	6411
FCS SUBMITTING DEPARTMENT TYPE II 2 PERCENT	6416
FCS SUBMITTING DEPARTMENT TYPE II 4 NSN	6412
FCS SUBMITTING DEPARTMENT TYPE II 4 PERCENT	6417
FCS-APPROVED ITEM NAME SUBMITTING ACTIVITY TYPE II 2 NSN	6431

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
FEDERAL AVIATION ADMINISTRATION MANAGEMENT CONTROL DATA	2203
FEDERAL AVIATION ADMINISTRATION REPARIABILITY CODE	2202
FEDERAL CATALOG SYSTEM DEPARTMENT GROUP LOA TYPE II PERCENT	6933
FEDERAL INFORMATION PROCESSING STANDARD (FIPS) CITY CODE	1369
FEDERAL INFORMATION PROCESSING STANDARD (FIPS) COUNTY CODE	1371
FEDERAL INFORMATION PROCESSING STANDARD (FIPS) STATE CODE	1370
FEDERAL ITEM IDENTIFICATION EDIT GUIDE DELETION DESIGNATOR	0760
FEDERAL ITEM IDENTIFICATION GUIDE TITLE DATA SEGMENT	3661
FEDERAL LOGISTICS INFORMATION SYSTEM SEGMENT CODE	8999
FEDERAL SUPPLY CLASS ACTIVE RECORDS COUNT	1551
FEDERAL SUPPLY CLASS ADD COUNTS	1544
FEDERAL SUPPLY CLASS CHANGED COUNTS	1545
FEDERAL SUPPLY CLASS COUNT	0350
FEDERAL SUPPLY CLASS DELETE EFFECTIVE DATE COUNT	1928
FEDERAL SUPPLY CLASS DELETED COUNTS	1543
FEDERAL SUPPLY CLASS DELETED RECORDS COUNT	1552
FEDERAL SUPPLY CLASS ESTABLISHED EFFECTIVE DATE COUNT	1933
FEDERAL SUPPLY CLASS EXCLUSION DIRECTIVE DATA	0309
FEDERAL SUPPLY CLASS EXCLUSION NARRATIVE	0376
FEDERAL SUPPLY CLASS INCLUSION DIRECTIVE DATA	4968
FEDERAL SUPPLY CLASS INCLUSION NARRATIVE	0375
FEDERAL SUPPLY CLASS ITEM NAME CODE NSN	5751
FEDERAL SUPPLY CLASS NOTE DATA	0315
FEDERAL SUPPLY CLASS NSN	5752
FEDERAL SUPPLY CLASS TOTAL RECORDS COUNT	1547
FEDERAL SUPPLY CLASS/MOE RULE INDICATOR CODE	0122
FEDERAL SUPPLY CLASS/TITLE/EFFECTIVE DATE DATA	0314
FEDERAL SUPPLY CLASSES APPLICABLE	3970
FEDERAL SUPPLY CLASSIFICATION CONDITION CODE	2607
FEDERAL SUPPLY CLASSIFICATION NOTE	4962
FEDERAL SUPPLY CLASSIFICATION TITLE	4970
FEDERAL SUPPLY GROUP ADD COUNT	1548
FEDERAL SUPPLY GROUP CHANGED COUNTS	1549
FEDERAL SUPPLY GROUP DELETED COUNTS	1546
FEDERAL SUPPLY GROUP NOTE	4965
FEDERAL SUPPLY GROUP NOTE DATA	0313
FEDERAL SUPPLY GROUP TITLE	4972
FEDERAL SUPPLY GROUP TITLE DATA	0312
FEDERAL SUPPLY GROUP TITLES SEARCH	1939
FEDERAL SUPPLY GROUP, FEDERAL SUPPLY CLASS DATA EFF DATE	2032
FEDERAL SUPPLY NUMBER	1447
FEDERAL TELECOMMUNICATIONS SYSTEM NUMBER	0880
FIGREP DRAWINGS COUNTER	0927
FIGREP TO DRAWING IDENTIFICATION LIST	0922
FIIG ALL 9001 USAGE PERCENT	6630
FIIG ALL MAINTENANCE MATCH PERCENT	6629
FIIG ALL NEW ITEM MATCH PERCENT	6628
FIIG DRAWING COUNT	1448
FIIG DRAWING DETAL	0966
FIIG DRAWING NOTE TEXT	5064
FIIG DRAWING SEQUENCE NUMBER	5061
FIIG DRAWING TITLE TEXT	5062
FIIG ERROR COUNT	1449

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
FIIG GRAND TOTAL 9001 USAGE	6641
FIIG GRAND TOTAL ACTUAL MATCH	6636
FIIG GRAND TOTAL FIIG SCREENING	6644
FIIG GRAND TOTAL INC SCREENING	6643
FIIG GRAND TOTAL INPUT	6633
FIIG GRAND TOTAL MAINTENANCE INPUT	6639
FIIG GRAND TOTAL MAINTENANCE MATCH	6640
FIIG GRAND TOTAL MATCH	6634
FIIG GRAND TOTAL MATCH PERCENT	6642
FIIG GRAND TOTAL NEW INPUT	6637
FIIG GRAND TOTAL NEW MATCH	6638
FIIG GRAND TOTAL POSSIBLE MATCH	6635
FIIG INC 9001 USAGE	6625
FIIG INC 9001 USAGE WEEK	2299
FIIG INC ACTUAL MATCH	6620
FIIG INC ACTUAL MATCH WEEK	2293
FIIG INC INPUT	6617
FIIG INC INPUT WEEKLY	2291
FIIG INC MAINTENANCE INPUT	6623
FIIG INC MAINTENANCE INPUT WEEK	2297
FIIG INC MAINTENANCE MATCH	6624
FIIG INC MAINTENANCE MATCH WEEK	2298
FIIG INC MATCH	6618
FIIG INC MATCH PERCENT	6626
FIIG INC MATCH WORK	2294
FIIG INC NEW INPUT	6621
FIIG INC NEW INPUT WEEK	2295
FIIG INC NEW MATCH	6622
FIIG INC NEW MATCH WEEK	2296
FIIG INC POSSIBLE MATCH	6619
FIIG INC POSSIBLE MATCH WEEK	2292
FIIG INC SCREENING	6631
FIIG LOCKOUT INDICATOR	0581
FIIG OVERALL MATCH PERCENT	6627
FIIG RECORD COUNT	6632
FIIG SECTION IDENTIFIER	5069
FIIG SECTION TITLE TEXT	5070
FIIG SEQUENCE NUMBER	4404
FIIG SUB SECTION IDENTIFIER	5071
FIIG SUB SECTION TITLE TEXT	5068
FIIG TOTAL 9001 USAGE	6265
FIIG TOTAL ACTUAL MATCH	6260
FIIG TOTAL INPUT	6257
FIIG TOTAL MAINTENANCE INPUT	6263
FIIG TOTAL MAINTENANCE MATCH	6264
FIIG TOTAL MATCH	6258
FIIG TOTAL NEW INPUT	6261
FIIG TOTAL NEW MATCH	6262
FIIG TOTAL POSSIBLE MATCH	6259
FILE CHARACTER COUNT	9157
FILE CHARACTER MINIMUM QUANTITY	9243
FILE COMPATIBILITY ACTIVITY CODE	0735
FILE MAINTENANCE ACTION CODE	8850

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
FILE MAINTENANCE ACTION CODES EXPLANATION	3173
FILE MAINTENANCE RECEIVER CODE	8905
FILE MAINTENANCE SEQUENCE NUMBER	1515
FILE RECORD COUNT	9158
FILE RECORD MINIMUM QUANTITY	9242
FILE TRANSACTION COUNT	9159
FILE TRANSFER PROTOCOL STATUS INDICATOR CODE	2576
FILE VALIDATION INDICATOR	4584
FIREFIGHTING GROUP	2437
FIRST FORMER NAME OR LOCATION	1362
FIRST INITIAL	9160
FIRST INSPECTION PERIOD (1IM)	7972
FIRST LOLA OVERNIGHT OUTPUT DATA REQUEST CODE	4691
FIRST OF THE MONTH JULIAN	2538
FIRST PHRASE CODE	3048
FIRST POSITION MOE RULE	4495
FIRST QUARTER CURRENT FISCAL YEAR 1	6669
FISCAL YEAR TO DATE	4307
FIVE DIGIT SERIAL NUMBER	1872
FIXED OR VARIABLE KEY	1092
FIXED VARIABLE LENGTH MEDIA INDICATOR	3119
FIXED/VARIABLE	1880
FLIS DATA MESSAGE CONTROL SEGMENT	0752
FLIS I&S RELATIONSHIP DATA SEGMENT	9106
FLIS SUBSECTION PART	4467
FOLLOW-UP CONDITION CODE	0155
FOLLOW-UP CONDITION CODE DEFINITION	5104
FOLLOW-UP CONDITION CODE INSTRUCTION	5105
FOLLOW-UP STATUS CODE	0166
FOLLOW-UP STATUS CODE DEFINITION	3141
FOLLOW-UP STATUS CODE INSTRUCTION	3142
FOOTPRINT DATE	9161
FOOTPRINT TRANSACTION KEY	9435
FOOTPRINT TRANSACTION REFERENCE KEY	9438
FOOTPRINT TRANSACTION SEQUENCE NUMBER	9439
FORCED FLAG	9458
FOREIGN/DOMESTIC DESIGNATOR CODE	4235
FOREIGN/DOMESTIC DESIGNATOR CODE EXPLANATION	5289
FORMAT DESCRIPTION	1717
FORMAT EDIT DATA GROUP	3666
FORMAT ERROR COUNT	1446
FORMAT EXAMPLE	3114
FORMAT NAME	9162
FORMAT PARAMETERS	1707
FORMAT REFERENCE NUMBER GOVT COMMERCIAL AND GOVT ENTITY	3113
FORMAT REMARKS	4511
FORMATTED TIMESTAMP	9164
FORMER DEPOT SOURCE OF REPAIR (DSOR) CODE	0904
FORMER FREIGHT CLASSIFICATION CODE	0255
FORMER MAJOR ORGANIZATIONAL ENTITY RULE NUMBER	8280
FORMER NATIONAL MOTOR FREIGHT CLASSIFICATION CODE	0096
FORMER NMFC SUB-ITEM NUMBER	0862
FORMER PHRASE RELATIONSHIP GROUP	0216

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
FORMER RELATED NATIONAL STOCK NUMBER	0126
FORMER SUPPLEMENTARY COLLABORATOR	2931
FORMER SUPPLEMENTARY RECEIVER	2936
FORMER UNIFORM FREIGHT CLASSIFICATION CODE	0097
FORMER UNIT OF ISSUE	8472
FORMER UNIT OF ISSUE CONDITIONAL NOTE	5247
FORMER UNIT OF ISSUE DEFINITION	5246
FORMER UNIT OF ISSUE TERM	5245
FOURTH QUARTER CURRENT FISCAL YEAR 1	6672
FREDOM OF INFORMATION GIRDER SCHEDULING CODE	0791
FREIGHT CLASSIFICATION CODE	0130
FREIGHT CLASSIFICATION DATA (FCD)	0863
FREIGHT CLASSIFICATION DATA SEGMENT	9107
FREIGHT CODE STATUS CODE	2090
FREIGHT DECODED LAST DATE	1950
FREIGHT DESCRIPTION	4020
FREIGHT EXTENDED DESCRIPTION ADD COUNT	1960
FREIGHT EXTENDED DESCRIPTION ADD ERROR COUNT	1955
FREIGHT EXTENDED DESCRIPTION CHANGE COUNT	1961
FREIGHT EXTENDED DESCRIPTION CHANGE ERROR COUNT	1532
FREIGHT EXTENDED DESCRIPTION DELETE COUNT	1962
FREIGHT EXTENDED DESCRIPTION DELETE ERROR COUNT	1957
FREIGHT ITEM NAME CODE NSN	6599
FREIGHT ITEM NAME CODE TOTAL NSN	6600
FREIGHT MASTER ADD COUNT	1524
FREIGHT MASTER ADD ERROR COUNT	1517
FREIGHT MASTER CHANGE COUNT	1959
FREIGHT MASTER CHANGE ERROR COUNT	2029
FREIGHT MASTER DELETE COUNT	1954
FREIGHT MASTER DELETE ERROR COUNT	1533
FREIGHT MASTER INQUIRY COUNT	1523
FREIGHT MASTER INQUIRY DATE	1952
FREIGHT MASTER NIIN COUNT	2039
FREIGHT MASTER TIME FRAME	1528
FREIGHT RATE CODE	2091
FROM ZIP CODE	3414
FSC ALPHA ACTIVE ITEM NAME SEARCH	1943
FSC AMMUNITION DESCRIPTION TEXT	8807
FSC CANCELED ITEM NAME SEARCH	1944
FSC CURRENT AIN SUBMITTING DEPARTMENT TYPE II 1 NSN	6453
FSC CURRENT AIN SUBMITTING DEPARTMENT TYPE II 4 NSN	6455
FSC CURRENT REFERENCE SUBMITTING ACTIVITY TYPE II 1 NSN	8170
FSC CURRENT REFERENCE SUBMITTING ACTIVITY TYPE II 4 NSN	8172
FSC DATE ESTABLISHED, CANCELLED RECORD DIDS	5182
FSC MOE RULE CHANGE INDICATOR CODE TITLE	4504
FSC MOE RULE NIIN QUANTITY	6596
FSC REFERENCE SUBMITTING DEPARTMENT TYPE II 4 PERCENT	6891
FSC REQUIRING ELECTROSTATIC DISCHARGE CODE	2509
FSC/MOE RULE INDICATOR CODE EXPLANATION	5305
FSG DATE ESTABLISHED, CANCELLED RECORD DIDS	5183
FSG FSC DESCRIPTION SEARCH	1941
FSG TOTAL RECORD COUNT	1942
FULL DESCRIPTIVE METHOD 2	6675

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
FULL DESCRIPTIVE METHOD 7	1699
FULLY QUALIFIED DB2 TABLE NAME	4455
FUNCTION CODE	1682
FUND CODE ARMY	1490
FUND CODE DEFINITION AIR FORCE	3163
FUND CODE, AIR FORCE	2695
FUTURE CATALOG TOOLS MOE RULE STATUS CODE	0297
FUTURE CATALOG TOOLS MOE RULE STATUS CODE DEFINITION	5306
FUTURE DATA SEGMENT	9119
GENERAL INFORMATION NUMBER	2241
GENERATTE LTI INDICATOR	1909
GENERIC ITEM INDICATOR CODE	0795
GENERIC MASTER NATIONAL STOCK NUMBER	0796
GIRDER CODE	0808
GIRDER CODE EXPLANATION	5100
GIRDER CODE NEW NUMBER 1	4541
GIRDER CODE NEW NUMBER 2	4542
GIRDER DUPLICATE COPY PROTECTED DATA	4547
GIRDER INPUT SET	9165
GIRDER LAR SUBTOTAL	1503
GIRDER LAR TRANS TOTAL	1507
GIRDER LCR SUBTOTAL	1504
GIRDER LCR TRANS TOTAL	1508
GIRDER MANUFACTURER PROTECTED DATA	4548
GIRDER MANUFACTURER SUPPLIED DATA	4546
GIRDER NEW CAGE CODE	4544
GIRDER NEW REFERENCE NUMBER LOGISTICS	4545
GIRDER PICA LAR COUNT	1501
GIRDER PICA TRANS TOTAL	1505
GIRDER RECORD SEQUENCE NUMBER	4543
GIRDER TRANS GRAND TOTAL	1509
GIRDER-TRANS-SUBTOTAL	1506
GLOSSARY ACRONYM	2135
GLOSSARY ACRONYM TITLE	2136
GLOSSARY TERM	2132
GLOSSARY TERM DEFINITION	2133
GLOSSARY TERM VOLUME REFERENCE	2134
GRAND TOTAL ADDRESS DLN DISTRIBUTION	0972
GRAND TOTAL IN PROCESS IN BATCH	1994
GRAND TOTAL PROCESSED BILLED IN BATCH	1993
GRAND TOTAL PRODUCTS ISSUED	0974
GRAND TOTAL PURGED FROM BATCH	1992
GRAND TOTAL RECEIVED IN BATCH	1991
GRAPHICS REQUIREMENT INDICATOR CODE	8306
GROUP LEAN IN NARRATIVE STATEMENT	9575
GUIDE NUMBER FIIG SEARCH	1912
GUIDE NUMBER, FEDERAL ITEM IDENTIFICATION GUIDE (FIIG)	4065
H J TEXT	4437
H TAB1 VALUE	4429
H TAB2 VALUE	4430
H TAB3 VALUE	4431
H TAB4 VALUE	4432
H TAB5 VALUE	4433

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
H TAB6 VALUE	4434
H TAB7 VALUE	4435
H TAB8 VALUE	4436
H TABLE VALUE	3077
H2-H3 PUBLICATIONS IDENTIFIER	1062
H3 NUMERIC EXTRACT	1066
H3 SORTED NUMERIC DATA	1064
HAZARDOUS CHARACTERISTICS CODE	2579
HAZARDOUS CHARACTERISTICS GROUP ABBREVIATED DEFINITION	0865
HAZARDOUS MATERIAL CODE CONDITIONAL NOTE	5223
HAZARDOUS MATERIAL CODE EXPLANATION	5222
HAZARDOUS MATERIAL INDICATOR EXPLANATION	3466
HAZARDOUS MATERIALS INDICATOR CODE FED SUPPLY CLASS TBL	8589
HAZARDOUS MATERIEL CODE	2720
HCC ABBREVIATED DEFINITION TEXT	9077
HCC DEPARTMENT ACTIVITY ALL	3013
HCC DEPARTMENT ACTIVITY HCC NSN TOTAL	3014
HCC DEPARTMENT ACTIVITY LOA HCC NSN TOTAL	3016
HCC DEPARTMENT ACTIVITY LOA NSN TOTAL	3015
HCC DEPARTMENT HCC NSN TOTAL	3012
HCC DEPARTMENT NSN ALL	3011
HCC FEDERAL SUPPLY CLASS NSN ALL	3017
HCC FSC DEPARTMENT ACTIVITY LOA NSN TOTAL	3023
HCC FSC DEPARTMENT ALL	3019
HCC FSC DEPARTMENT HCC TOTAL	3020
HCC FSC DEPT ACTIVITY ALL	3021
HCC FSC DEPT ACTY HCC ALL TOTAL	3022
HCC FSC DEPT ACTY LOA HCC TOTAL	3024
HCC FSC HCC NSN TOTAL	3018
HCC GROUP TEXT	9079
HCC NON US DEPARTMENT ACTIVITY ALL	3028
HCC NON US DEPARTMENT ACTIVITY HCC NSN TOTAL	3029
HCC NON US DEPARTMENT ACTIVITY LOA NSN TOTAL	3030
HCC NON US DEPARTMENT HCC NSN TOTAL	3027
HCC NON US DEPARTMENT NSN ALL	3026
HCC NON US DEPT ACTY LOA HCC TOTAL	3031
HCC NON US FEDERAL SUPPLY CLASS NSN ALL	3032
HCC NON US FSC DEPARTMENT ACTIVITY LOA NSN TOTAL	3038
HCC NON US FSC DEPARTMENT ALL	3034
HCC NON US FSC DEPARTMENT HCC TOTAL	3035
HCC NON US FSC DEPT ACTIVITY ALL	3036
HCC NON US FSC DEPT ACTY HCC TOTAL	3037
HCC NON US FSC DEPT ACTY LOA HCC TOTAL	3039
HCC NON US FSC HCC NSN TOTAL	3033
HEAD NARRATIVE	4453
HEADER REJECT FIELD	9166
HEAVY LIFT & OUTSIZED DIMENSIONS HANDLING REQUIREMENTS CO	5229
HEAVY LIFT HANDLING REQUIREMENT CODE	5227
HELP PROCEDURE PROGRAM NAME	4491
HI-DOLLAR BREAKOUT COMMODITY CATEGORY	3428
HI-DOLLAR BREAKOUT FEDERAL SUPPLY CLASS AND EACH CODE COUNT	1902
HISTORY DATE	4470
HOMONYM	1881

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
I & S ACTIVITY NSN FAMILY COUNT	6088
I & S DEPT NSN FAMILY COUNT	6089
I & S GRAND TOTAL NSN FAMILY COUNT	6099
I & S INDICATOR CODE ARMY	4605
I O ACTIVITY INPUT DIC TOTAL	6547
I O ACTIVITY OUTPUT DIC RETURN CODE INPUT DIC	6591
I O INPUT DIC OUTPUT DIC RETURN CODE	6544
I O INPUT DIC TOTAL	6545
I O OUTPUT DIC RETURN CODE INPUT DIC	6548
I O OUTPUT DIC RETURN CODE TOTAL	6549
I&S FAMILY RELATIONSHIP GROUP	0794
I&S JUMP TO CODE	0792
I&S ORDER OF USE CODE	0793
I-O-ACTIVITY INPUT DIC OUTPUT DIC RETURN CODE	6546
ICDD FSC ALL INTEGRATED MANAGER	5954
ICDD FSC ALL INTEGRATED MANAGER OTHER DOD	5953
ICDD FSC ALL LOA COMB MIL SVC INTEGRATED MGR OTHER DOD	5956
ICDD FSC ALL LOA COMBINATION INTEGRATED MANAGER	5961
ICDD FSC ALL LOA COMBINATION MILITARY SERVICE	5959
ICDD FSC ALL LOA COMBINATION MILITARY SERVICE INTEGRATED MGR	5957
ICDD FSC ALL LOA COMBINATION MILITARY SERVICE OTHER DOD	5958
ICDD FSC ALL LOA COMBINATION OTHER DOD	5962
ICDD FSC ALL MILITARY SERVICE	5952
ICDD FSC ALL MILITARY SERVICE INTEGRATED MANAGER	5950
ICDD FSC ALL MILITARY SERVICE INTEGRATED MANAGER OTHER DOD	5949
ICDD FSC ALL MILITARY SERVICE OTHER DOD	5951
ICDD FSC ALL OTHER DOD	5955
ICDD INTEGRATED MANAGER ALL INTEGRATED MANAGER	5968
ICDD INTEGRATED MANAGER ALL INTEGRATED MANAGER OTHER DOD	5967
ICDD INTEGRATED MANAGER ALL LOA COMBINATION IM OTHER DOD	6464
ICDD INTEGRATED MANAGER ALL LOA COMBINATION INTEGRATED MGR	6465
ICDD INTEGRATED MANAGER ALL LOA COMBINATION MIL SVC IM	6461
ICDD INTEGRATED MANAGER ALL LOA COMBINATION MILITARY SERVICE	6463
ICDD INTEGRATED MANAGER ALL LOA COMBINATION OTHER DOD	6466
ICDD INTEGRATED MANAGER ALL MIL SVC INTEGRATED MGR OTHER DOD	5963
ICDD INTEGRATED MANAGER ALL MILITARY SERVICES	5966
ICDD INTEGRATED MANAGER ALL MILITARY SERVICES OTHER DOD	5965
ICDD INTEGRATED MANAGER ALL MILITARY SVCS INTEGRATED MGR	5964
ICDD INTEGRATED MANAGER ALL OTHER DOD	5969
ICDD INTEGRATED MGR ALL LOA COMB MIL SVC IM OTHER DOD	6460
ICDD INTEGRATED MGR ALL LOA COMBINATION MIL SVC OTHER DOD	6462
ICDD LOG ASSIGN ALL LOA COMB MIL SVC IM OTHER DOD	6474
ICDD LOG ASSIGN ALL LOA COMB MIL SVC INTEGRATED MANAGER	6475
ICDD LOG ASSIGN ALL MIL SVC INTEGRATED MANAGER OTHER DOD	6467
ICDD LOG ASSIGN FSC ALL MILITARY SVC IM OTHER DOD	6481
ICDD LOG ASSIGN FSC LOA COMB MIL SVC IM OTHER DOD	6488
ICDD LOG ASSIGN FSC LOA COMB MIL SVC INTEGRATED MGR	6489
ICDD LOG ASSIGN FSC LOA COMBINATION MILITARY SVC OTHER DOD	6490
ICDD LOGISTICS ASGMT ALL LOA COMBINATION INTEGRATED MGR	6479
ICDD LOGISTICS ASSIGNMENT ALL INTEGRATED MANAGER	6472
ICDD LOGISTICS ASSIGNMENT ALL INTEGRATED MANAGER OTHER DOD	6471
ICDD LOGISTICS ASSIGNMENT ALL LOA COMB MIL SVC OTHER DOD	6476
ICDD LOGISTICS ASSIGNMENT ALL LOA COMBINATION IM OTHER DOD	6478

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
ICDD LOGISTICS ASSIGNMENT ALL LOA COMBINATION MILITARY SVC	6477
ICDD LOGISTICS ASSIGNMENT ALL LOA COMBINATION OTHER DOD	6480
ICDD LOGISTICS ASSIGNMENT ALL MILITARY SERVICE	6470
ICDD LOGISTICS ASSIGNMENT ALL MILITARY SERVICE OTHER DOD	6469
ICDD LOGISTICS ASSIGNMENT ALL MILITARY SVC INTEGRATED MGR	6468
ICDD LOGISTICS ASSIGNMENT ALL OTHER DOD	6473
ICDD LOGISTICS ASSIGNMENT FSC ALL INTEGRATED MANAGER	6486
ICDD LOGISTICS ASSIGNMENT FSC ALL INTERGRATED MGR OTHER DOD	6485
ICDD LOGISTICS ASSIGNMENT FSC ALL MILITARY SERVICE	6484
ICDD LOGISTICS ASSIGNMENT FSC ALL MILITARY SERVICE IM	6482
ICDD LOGISTICS ASSIGNMENT FSC ALL MILITARY SERVICE OTHER DOD	6483
ICDD LOGISTICS ASSIGNMENT FSC LOA COMB IM OTHER DOD	6492
ICDD LOGISTICS ASSIGNMENT FSC LOA COMBINATION INTEGRATED MGR	6493
ICDD LOGISTICS ASSIGNMENT FSC LOA COMBINATION MILITARY SVC	6491
ICDD LOGISTICS ASSIGNMENT FSC LOA COMBINATION OTHER DOD	6494
ICDD LOGISTISC ASSIGNMENT FSC ALL OTHER DOD	6487
ICDD-FSC ALL LOA COMBINATION INTEGRATED MANAGER OTHER DOD	5960
ICDS FSC ALL DOD MULTI-MANAGED	5827
ICDS FSC ALL DOD MULTI-MANAGED PERCENT	5828
ICDS FSC ALL INTEGRATED MANAGED MULTI-MANAGED	5832
ICDS FSC ALL INTEGRATED MANAGER MULTI-MANAGED	5831
ICDS FSC ALL LEVEL OF AUTH COMB INTEGRATED MGR MULTI-MANAGED	5839
ICDS FSC ALL LEVEL OF AUTH COMB INTEGRATED MGR MULTI-MGD PCT	5840
ICDS FSC ALL LEVEL OF AUTH COMB MILITARY SERV MULTI-MANAGED	5837
ICDS FSC ALL LEVEL OF AUTH COMB MILITARY SERV MULTI-MGD PCT	5838
ICDS FSC ALL LEVEL OF AUTH COMB OTHER DOD MULTI-MGD PERCENT	5842
ICDS FSC ALL LEVEL OF AUTH COMBINATION DOD MULTI-MGD PERCENT	5836
ICDS FSC ALL LEVEL OF AUTHORITY COMB OTHER DOD MULTI-MANAGED	5841
ICDS FSC ALL LEVEL OF AUTHORITY COMBINATION DOD MULTI-MGD	5835
ICDS FSC ALL MILITARY SERVICE MULTI-MANAGED	5829
ICDS FSC ALL MILITARY SERVICE MULTI-MANAGED PERCENT	5830
ICDS FSC ALL OTHER DOD MULTI-MANAGED	5833
ICDS FSC ALL OTHER DOD MULTI-MANAGED PERCENT	5834
ICDS IM ALL LOA COMBINATION OTH DOD MULTI-MANAGED PERCENT	5916
ICDS IM ALL LOA COMBINATION OTHER DOD MULTI-MANAGED	5915
ICDS INTEGRATED MANAGER ALL DOD MULTI-MANAGED	5843
ICDS INTEGRATED MANAGER ALL DOD MULTI-MANAGED PERCENT	5859
ICDS INTEGRATED MANAGER ALL INTEGRATED MANAGER MULTI-MANAGED	5905
ICDS INTEGRATED MANAGER ALL INTEGRATED MGR MULTI-MGD PERCENT	5906
ICDS INTEGRATED MANAGER ALL MILITARY SERVICE MULTI-MANAGED	5860
ICDS INTEGRATED MANAGER ALL MILITARY SERVICE MULTI-MGD PCT	5904
ICDS INTEGRATED MANAGER ALL OTHER DOD MULTI-MANAGED	5907
ICDS INTEGRATED MANAGER ALL OTHER DOD MULTI-MANAGED PERCENT	5908
ICDS INTEGRATED MGR ALL LEVEL OF AUTH COMB DOD MULTI-MANAGED	5909
ICDS INTEGRATED MGR ALL LEVEL OF AUTH COMB DOD MULTI-MGD PCT	5910
ICDS INTEGRATED MGR ALL LEVEL OF AUTH COMB MIL SVC MULTI-MGD	5911
ICDS INTEGRATED MGR ALL LOA COMB INTEGRATED MGR MULTI-MGD	5913
ICDS INTEGRATED MGR ALL LOA COMB INTEGRATED MGR MULTI-MGD PT	5914
ICDS INTEGRATED MGR ALL LOA COMB MILITARY SVC MULTI-MGD PCT	5912
ICDS LOG ASSIGN ALL LEVEL OF AUTH COMB DOD MULTI-MANAGED	5925
ICDS LOG ASSIGN ALL LEVEL OF AUTH COMB DOD MULTI-MGD PERCENT	5926
ICDS LOG ASSIGN ALL LEVEL OF AUTH COMB INTEGRTD MGR MULTI-MG	5929
ICDS LOG ASSIGN ALL LEVEL OF AUTH COMB INTG MGR MM PERCENT	5930

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
ICDS LOG ASSIGN ALL LEVEL OF AUTH COMB MIL SVC MULTI-MANAGED	5927
ICDS LOG ASSIGN ALL LEVEL OF AUTH COMB MIL SVC MULTI-MGD PCT	5928
ICDS LOG ASSIGN ALL LEVEL OF AUTH COMB OTHER DOD MULTI-MGD	5931
ICDS LOG ASSIGN FSC ALL MIL SVC MULTI-MANAGED PERCENT	5936
ICDS LOG ASSIGN FSC ALL MILITARY SERVICE MULTI-MANAGED	5935
ICDS LOG ASSIGN FSC LEVEL OF AUTH COMB DOD MULTI-MGD PCT	5942
ICDS LOG ASSIGN FSC LEVEL OF AUTH COMB INTGRD MGR MULTI-MGD	5945
ICDS LOG ASSIGN FSC LEVEL OF AUTH COMB MIL SVC MULTI-MGD	5943
ICDS LOG ASSIGN FSC LEVEL OF AUTH COMB MIL SVC MULTI-MGD PCT	5944
ICDS LOG ASSIGN FSC LEVEL OF AUTH COMB OTHER DOD MULTI-MGD	5947
ICDS LOG ASSIGN FSC LOA COMB OTHER DOD MULTI-MGD PERCENT	5948
ICDS LOG ASSIGN FSC LOA INTEGRATED MGR MULTI-MGD PERCENT	5946
ICDS LOGISTICS ASSIGN FSC ALL INTEGRATED MGR MULTI-MGD PCT	5938
ICDS LOGISTICS ASSIGNMENT ALL DOD MULTI-MANAGED	5917
ICDS LOGISTICS ASSIGNMENT ALL DOD MULTI-MANAGED PERCENT	5918
ICDS LOGISTICS ASSIGNMENT ALL INTEGRATED MGR MULTI-MANAGED	5921
ICDS LOGISTICS ASSIGNMENT ALL INTEGRATED MGR MULTI-MGND PCT	5922
ICDS LOGISTICS ASSIGNMENT ALL MIL SVC MULTI-MANAGED PERCENT	5920
ICDS LOGISTICS ASSIGNMENT ALL MILITARY SERVICE MULTI-MANAGED	5919
ICDS LOGISTICS ASSIGNMENT ALL OTHER DOD MULTI-MANAGED	5923
ICDS LOGISTICS ASSIGNMENT ALL OTHER DOD MULTI-MGD PERCENT	5924
ICDS LOGISTICS ASSIGNMENT FSC ALL DOD MULTI-MANAGED	5933
ICDS LOGISTICS ASSIGNMENT FSC ALL DOD MULTI-MANAGED PERCENT	5934
ICDS LOGISTICS ASSIGNMENT FSC ALL INTEGRATED MGR MULTI-MGD	5937
ICDS LOGISTICS ASSIGNMENT FSC ALL OTHER DOD MULTI-MANAGED	5939
ICDS LOGISTICS ASSIGNMENT FSC ALL OTHER DOD MULTI-MGD PCT	5940
ICDS LOGISTICS ASSIGNMENT FSC LEVEL OF AUTH COMB DOD MM	5941
ICDS-LOG ASSIGN ALL LEVEL OF AUTH COMB OTH DOD MULTI-MGD PCT	5932
ICES INTEGRATED MANAGER ALL MANAGED MULTI-MANAGED PERCENT	5764
ICFS DEFENSE LOGISTICS AGENCY ALL MULTI-MANAGED	5898
ICFS DEFENSE LOGISTICS AGENCY ALL MULTI-MANAGED PERCENT	5899
ICFS DEPARTMENT OF DEFENSE ALL MULTI-MANAGED	5901
ICFS DEPARTMENT OF DEFENSE ALL MULTI-MANAGED PERCENT	5902
ICFS FAA ALL MANAGED MULTI-MANAGED	5896
ICFS FAA ALL MANAGED MULTI-MANAGED PERCENT	5897
ICFS FEDERAL AVIATION ADMINISTRATION ALL MULTI-MANAGED	5895
ICFS GENERAL SERVICES ADMINISTRATION ALL MULTI-MANAGED	7810
ICFS GENERAL SERVICES ADMINISTRATION ALL MULTI-MANAGED PERCE	7811
ICFS GENERAL SERVICES ADMINISTRATION ALL TOTAL	5903
ICMD FSC ALL AIR FORCE	7100
ICMD FSC ALL AIR FORCE MARINE CORPS	7099
ICMD FSC ALL ARMY	7094
ICMD FSC ALL ARMY AIR FORCE	7092
ICMD FSC ALL ARMY AIR FORCE MARINE CORPS	7091
ICMD FSC ALL ARMY MARINE CORPS	7093
ICMD FSC ALL ARMY NAVY	7090
ICMD FSC ALL ARMY NAVY AIR FORCE	7088
ICMD FSC ALL ARMY NAVY AIR FORCE MARINE CORPS	7087
ICMD FSC ALL ARMY NAVY MARINE CORPS	7089
ICMD FSC ALL LOA COMBINATION AIR FORCE	7115
ICMD FSC ALL LOA COMBINATION AIR FORCE MARINE CORPS	7114
ICMD FSC ALL LOA COMBINATION ARMY AIR FORCE	7107
ICMD FSC ALL LOA COMBINATION ARMY AIR FORCE MARINE CORPS	7106

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
ICMD FSC ALL LOA COMBINATION ARMY MARINE CORPS	7108
ICMD FSC ALL LOA COMBINATION ARMY NAVY	7105
ICMD FSC ALL LOA COMBINATION ARMY NAVY AIR FORCE	7103
ICMD FSC ALL LOA COMBINATION ARMY NAVY AIR FORCE MARINE CORP	7102
ICMD FSC ALL LOA COMBINATION ARMY NAVY MARINE CORPS	7104
ICMD FSC ALL LOA COMBINATION MARINE CORPS	7116
ICMD FSC ALL LOA COMBINATION NAVY	7113
ICMD FSC ALL LOA COMBINATION NAVY AIR FORCE	7111
ICMD FSC ALL LOA COMBINATION NAVY MARINE CORPS	7112
ICMD FSC ALL LOA CONBINATION ARMY	7109
ICMD FSC ALL LOA CONBINATION NAVY AIR FORCE MARINE CORPS	7110
ICMD FSC ALL MARINE CORPS	7101
ICMD FSC ALL NAVY	7098
ICMD FSC ALL NAVY AIR FORCE	7096
ICMD FSC ALL NAVY AIR FORCE MARINE CORPS	7095
ICMD FSC ALL NAVY MARINE CORPS	7097
ICMD INTEGRATED MANAGER ALL AIR FORCE	7130
ICMD INTEGRATED MANAGER ALL AIR FORCE MARINE CORPS	7129
ICMD INTEGRATED MANAGER ALL ARMY	7124
ICMD INTEGRATED MANAGER ALL ARMY AIR FORCE	7122
ICMD INTEGRATED MANAGER ALL ARMY AIR FORCE MARINE CORPS	7121
ICMD INTEGRATED MANAGER ALL ARMY MARINE CORPS	7123
ICMD INTEGRATED MANAGER ALL ARMY NAVY	7120
ICMD INTEGRATED MANAGER ALL ARMY NAVY AIR FORCE	7118
ICMD INTEGRATED MANAGER ALL ARMY NAVY AIR FORCE MARINE CORPS	7117
ICMD INTEGRATED MANAGER ALL ARMY NAVY MARINE CORPS	7119
ICMD INTEGRATED MANAGER ALL LOA COMBINATION AIR FORCE	7145
ICMD INTEGRATED MANAGER ALL LOA COMBINATION ARMY	7139
ICMD INTEGRATED MANAGER ALL LOA COMBINATION ARMY AF MC	7136
ICMD INTEGRATED MANAGER ALL LOA COMBINATION ARMY AIR FORCE	7137
ICMD INTEGRATED MANAGER ALL LOA COMBINATION ARMY MARINE CORP	7138
ICMD INTEGRATED MANAGER ALL LOA COMBINATION ARMY NAVY	7135
ICMD INTEGRATED MANAGER ALL LOA COMBINATION ARMY NAVY AF MC	7132
ICMD INTEGRATED MANAGER ALL LOA COMBINATION ARMY NAVY AIR F	7133
ICMD INTEGRATED MANAGER ALL LOA COMBINATION ARMY NAVY MARINE	7134
ICMD INTEGRATED MANAGER ALL LOA COMBINATION MARINE CORPS	7146
ICMD INTEGRATED MANAGER ALL LOA COMBINATION NAVY	7143
ICMD INTEGRATED MANAGER ALL LOA COMBINATION NAVY AF MC	7140
ICMD INTEGRATED MANAGER ALL LOA COMBINATION NAVY AIR FORCE	7141
ICMD INTEGRATED MANAGER ALL LOA COMBINATION NAVY MARINE CORP	7142
ICMD INTEGRATED MANAGER ALL LOA CONBINATION AIR FORCE MC	7144
ICMD INTEGRATED MANAGER ALL MARINE CORPS	7131
ICMD INTEGRATED MANAGER ALL NAVY	7128
ICMD INTEGRATED MANAGER ALL NAVY AIR FORCE MARINE CORPS	7125
ICMD INTEGRATED MANAGER ALL NAVY AND AIR FORCE	7126
ICMD INTEGRATED MANAGER ALL NAVY AND MARINE CORPS	7127
ICMD LOGISTICS ASGMT FSC ALL ARMY AIR FORCE MARINE CORP	5869
ICMD LOGISTICS ASGMT FSC LOA COMBINATION ARMY AIR FORCE	5885
ICMD LOGISTICS ASGMT FSC LOA COMBINATION NAVY AIR FORCE	5889
ICMD LOGISTICS ASIGNMENT ALL LOA COMBONATION ARMY AF MC	5851
ICMD LOGISTICS ASIGNMENT FSC LOA COMBINATION ARMY NVY AF MC	5880
ICMD LOGISTICS ASSIGNMENT ALL ARMY	7154
ICMD LOGISTICS ASSIGNMENT ALL ARMY AIR FORCE	7152

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
ICMD LOGISTICS ASSIGNMENT ALL ARMY AIR FORCE MARINE CORPS	7151
ICMD LOGISTICS ASSIGNMENT ALL ARMY MARINE CORPS	7153
ICMD LOGISTICS ASSIGNMENT ALL ARMY NAVY	7150
ICMD LOGISTICS ASSIGNMENT ALL ARMY NAVY AIR FORCE	7148
ICMD LOGISTICS ASSIGNMENT ALL ARMY NAVY AIR FORCE MARINE COR	7147
ICMD LOGISTICS ASSIGNMENT ALL ARMY NAVY MARINE CORPS	7149
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION AIR FORCE	5862
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION AIR FORCE MC	5861
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY	5854
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY AIR FORCE	5852
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY MARINE CO	5853
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY NAVY	5850
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY NAVY AF	7163
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY NAVY MC	5849
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY NVY AF MC	7162
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION MARINE CORPS	5863
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION NAVY	5858
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION NAVY AF	5856
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION NAVY AF MC	5855
ICMD LOGISTICS ASSIGNMENT ALL LOA COMBINATION NAVY MARINE CO	5857
ICMD LOGISTICS ASSIGNMENT ALL NAVY	7158
ICMD LOGISTICS ASSIGNMENT ALL NAVY AIR FORCE	7156
ICMD LOGISTICS ASSIGNMENT ALL NAVY AIR FORCE MARINE CORPS	7155
ICMD LOGISTICS ASSIGNMENT ALL NAVY MARINE CORPS	7157
ICMD LOGISTICS ASSIGNMENT FSC ALL AIR FORCE	5878
ICMD LOGISTICS ASSIGNMENT FSC ALL AIR FORCE MARINE CORPS	5877
ICMD LOGISTICS ASSIGNMENT FSC ALL ARMY	5872
ICMD LOGISTICS ASSIGNMENT FSC ALL ARMY AIR FORCE	5870
ICMD LOGISTICS ASSIGNMENT FSC ALL ARMY MARINE CORPS	5871
ICMD LOGISTICS ASSIGNMENT FSC ALL ARMY NAVY	5867
ICMD LOGISTICS ASSIGNMENT FSC ALL ARMY NAVY AF MC	5864
ICMD LOGISTICS ASSIGNMENT FSC ALL ARMY NAVY AIR FORCE	5865
ICMD LOGISTICS ASSIGNMENT FSC ALL ARMY NAVY MARINE CORPS	5866
ICMD LOGISTICS ASSIGNMENT FSC ALL MARINE CORPS	5879
ICMD LOGISTICS ASSIGNMENT FSC ALL NAVY	5876
ICMD LOGISTICS ASSIGNMENT FSC ALL NAVY AIR FORCE	5874
ICMD LOGISTICS ASSIGNMENT FSC ALL NAVY AIRFORCE MARINE C	5873
ICMD LOGISTICS ASSIGNMENT FSC ALL NAVY MARINE CORPS	5875
ICMD LOGISTICS ASSIGNMENT FSC LOA COMBIANTION ARMY NAVY MC	5882
ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION AIR FORCE	5893
ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION AIR FORCE MC	5892
ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION ARMY	5887
ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION ARMY AF MC	5884
ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION ARMY MARINE CO	5886
ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION ARMY NAVY	5883
ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION ARMY NAVY AF	5881
ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION NAVY	5891
ICMD LOGISTICS ASSIGNMENT FSC LOA COMBINATION NAVY AF MC	5888
ICMD LOGISTICS ASSIGNMENT FSC LOA CONBIANTION NAVY MARINE CO	5890
ICMD LOGISTICS ASSIGNMENT FSC LOA CONBINATION MARINE CORPS	5894
ICMD LOGISTICS ASSIGNMENTS ALL AIR FORCE	7160
ICMD LOGISTICS ASSIGNMENTS ALL AIR FORCE MARINE CORPS	7159
ICMD LOGISTICS ASSIGNMENTS ALL MARINE CORPS	7161

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
ICMS FSC ALL AIR FORCE MULTI-MANAGED	6501
ICMS FSC ALL AIR FORCE MULTI-MANAGED PERCENT	6502
ICMS FSC ALL ARMY MULTI-MANAGED	6497
ICMS FSC ALL ARMY MULTI-MANAGED PERCENT	6498
ICMS FSC ALL LOA COMBINATION AIR FORCE MULTI-MANAGED	6511
ICMS FSC ALL LOA COMBINATION AIR FORCE MULTI-MANAGED PERCENT	6512
ICMS FSC ALL LOA COMBINATION ARMY MULTI-MANAGED	6507
ICMS FSC ALL LOA COMBINATION ARMY MULTI-MANAGED PERCENT	6508
ICMS FSC ALL LOA COMBINATION MARINE CORPS MULTI-MANAGED	6513
ICMS FSC ALL LOA COMBINATION MARINE CORPS MULTI-MANAGED PERC	6514
ICMS FSC ALL LOA COMBINATION MILITARY SERVICE MULTI-MANAGED	6505
ICMS FSC ALL LOA COMBINATION MILITARY SERVICE MULTI-MGD PERC	6506
ICMS FSC ALL LOA COMBINATION NAVY MULTI-MANAGED	6509
ICMS FSC ALL LOA COMBINATION NAVY MULTI-MANAGED PERCENT	6510
ICMS FSC ALL MARINE CORPS MULTI-MANAGED	6503
ICMS FSC ALL MARINE CORPS MULTI-MANAGED PERCENT	6504
ICMS FSC ALL MILITARY SERVICE MULTI-MANAGED	6495
ICMS FSC ALL MILITARY SERVICE MULTI-MANAGED PERCENT	6496
ICMS FSC ALL NAVY MULTI-MANAGED	6499
ICMS FSC ALL NAVY MULTI-MANAGED PERCENT	6500
ICMS INTEG MANAGER ALL MILITARY SVC MULTI-MANAGED PERCENT	6516
ICMS INTEGRATED MANAGER ALL AIR FORCE MULTI-MANAGED	6521
ICMS INTEGRATED MANAGER ALL AIR FORCE MULTI-MANAGED PERCENT	6522
ICMS INTEGRATED MANAGER ALL ARMY MULTI-MANAGED	6517
ICMS INTEGRATED MANAGER ALL ARMY MULTI-MANAGED PERCENT	6518
ICMS INTEGRATED MANAGER ALL LOA COMBINATION AIR FORCE MULTI	6531
ICMS INTEGRATED MANAGER ALL LOA COMBINATION ARMY MULT PERCT	6528
ICMS INTEGRATED MANAGER ALL LOA COMBINATION ARMY MULTI-MANAG	6527
ICMS INTEGRATED MANAGER ALL LOA COMBINATION MARINE CORPS MUL	6533
ICMS INTEGRATED MANAGER ALL LOA COMBINATION MC MULTI PERCENT	6534
ICMS INTEGRATED MANAGER ALL LOA COMBINATION MIL SVC MULT PER	6526
ICMS INTEGRATED MANAGER ALL LOA COMBINATION MILITARY SVC MUL	6525
ICMS INTEGRATED MANAGER ALL LOA COMBINATION NAVY MULTI PERCT	6530
ICMS INTEGRATED MANAGER ALL LOA COMBINATION NAVY MULTI-MANAG	6529
ICMS INTEGRATED MANAGER ALL MARINE CORPS MULTI-MANAGED	6523
ICMS INTEGRATED MANAGER ALL MARINE CORPS MULTI-MANAGED PERCE	6524
ICMS INTEGRATED MANAGER ALL MILITARY SERVICE MULTI-MANAGED	6515
ICMS INTEGRATED MANAGER ALL NAVY MULTI-MANAGED	6519
ICMS INTEGRATED MANAGER ALL NAVY MULTI-MANAGED PERCENT	6520
ICMS INTEGRATED MGR ALL LOA COMB AIR FORCE MULT PERCENT	6532
ICMS LOGISTICS ASSIGNMENT ALL AIR FORCE MULTI-MANAGED	6932
ICMS LOGISTICS ASSIGNMENT ALL AIR FORCE MULTI-MANAGED PERCEN	6931
ICMS LOGISTICS ASSIGNMENT ALL ARMY MULTI-MANAGED	8071
ICMS LOGISTICS ASSIGNMENT ALL ARMY MULTI-MANAGED PERCENT	6537
ICMS LOGISTICS ASSIGNMENT ALL LOA COMBINATION AIR FORCE M PE	6963
ICMS LOGISTICS ASSIGNMENT ALL LOA COMBINATION AIR FORCE MULT	6962
ICMS LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY MULTI PER	6959
ICMS LOGISTICS ASSIGNMENT ALL LOA COMBINATION ARMY MULTI-MAN	6958
ICMS LOGISTICS ASSIGNMENT ALL LOA COMBINATION MARINE CORPS M	6964
ICMS LOGISTICS ASSIGNMENT ALL LOA COMBINATION MC MULTI PERCE	6965
ICMS LOGISTICS ASSIGNMENT ALL LOA COMBINATION MILITARY SVC M	6928
ICMS LOGISTICS ASSIGNMENT ALL LOA COMBINATION MILITARY SVC P	6927
ICMS LOGISTICS ASSIGNMENT ALL LOA COMBINATION NAVY MULT PERC	6961

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
ICMS LOGISTICS ASSIGNMENT ALL MARINE CORPS MULTI-MANAGED	6930
ICMS LOGISTICS ASSIGNMENT ALL MARINE CORPS MULTI-MANAGED PER	6929
ICMS LOGISTICS ASSIGNMENT ALL MILITARY SERVICE MULTI PERCENT	6536
ICMS LOGISTICS ASSIGNMENT ALL MILITARY SERVICE MULTI-MANAGED	6535
ICMS LOGISTICS ASSIGNMENT ALL NAVY MULTI-MANAGED	6538
ICMS LOGISTICS ASSIGNMENT ALL NAVY MULTI-MANAGED PERCENT	6539
ICMS LOGISTICS ASSIGNMENT FSC ALL AIR FORCE MULTI-MANAGED	6972
ICMS LOGISTICS ASSIGNMENT FSC ALL AIR FORCE MULTI-MANAGED PE	6973
ICMS LOGISTICS ASSIGNMENT FSC ALL ARMY MULTI-MANAGED	6968
ICMS LOGISTICS ASSIGNMENT FSC ALL ARMY MULTI-MANAGED PERCENT	6969
ICMS LOGISTICS ASSIGNMENT FSC ALL MARINE CORPS MULTI PERCENT	6975
ICMS LOGISTICS ASSIGNMENT FSC ALL MARINE CORPS MULTI-MANAGED	6974
ICMS LOGISTICS ASSIGNMENT FSC ALL MILITARY SERVICE MULT PERC	6967
ICMS LOGISTICS ASSIGNMENT FSC ALL MILITARY SERVICE MULTI-MAN	6966
ICMS LOGISTICS ASSIGNMENT FSC ALL NAVY MULTI-MANAGED PERCENT	6971
ICMS LOGISTICS ASSIGNMENT FSC ALL NAY MULTI-MANAGED	6970
ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION AF MULTI PERCE	7084
ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION AIR FORCE MULT	7083
ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION ARMY MULT PERC	6979
ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION ARMY MULTI-MAN	6978
ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION MARINE CORPS M	7085
ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION MC MULTI PERCE	7086
ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION MIL SVC MULT P	6977
ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION MILITARY MULTI	6976
ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION NAVY MULT PERC	7082
ICMS LOGISTICS ASSIGNMENT FSC LOA COMBINATION NAVY MULTI-MAN	7081
ICMS LOGISTICS ASSIGNMETN ALL LOA COMBINATION NAVY MULTI-MAN	6960
ICWD ALL CIVIL	5784
ICWD ALL CIVIL OTHER GOVERNMENT	5783
ICWD ALL DEPARTMENT OF DEFENSE	5782
ICWD ALL DOD CIVIL	5780
ICWD ALL DOD CIVIL OTHER GOVERNMENT	5779
ICWD ALL DOD OTHER GOVERNMENT	5781
ICWD ALL OTHER GOVERNMENT	5785
ICWD INTEGRATED MANAGER ALL CIVIL	5791
ICWD INTEGRATED MANAGER ALL CIVIL OTHER GOVERNMENT	5790
ICWD INTEGRATED MANAGER ALL DOD	5789
ICWD INTEGRATED MANAGER ALL DOD CIVIL	5787
ICWD INTEGRATED MANAGER ALL DOD CIVIL OTHER GOVERNMENT	5786
ICWD INTEGRATED MANAGER ALL DOD OTHER GOVERNMENT	5788
ICWD INTEGRATED MANAGER ALL OTHER GOVERNMENT	5792
ICWD LOGISTICS ASSIGNMENT ALL CIVIL	5798
ICWD LOGISTICS ASSIGNMENT ALL CIVIL OTHER GOVERNMENT	5797
ICWD LOGISTICS ASSIGNMENT ALL DOD	5796
ICWD LOGISTICS ASSIGNMENT ALL DOD CIVIL	5794
ICWD LOGISTICS ASSIGNMENT ALL DOD CIVIL OTHER GOVERNMENT	5793
ICWD LOGISTICS ASSIGNMENT ALL DOD OTHER GOVERNMENT	5795
ICWD LOGISTICS ASSIGNMENT ALL OTHER GOVERNMENT	5799
ICWD LOGISTICS ASSIGNMENT FSC CIVIL	5805
ICWD LOGISTICS ASSIGNMENT FSC CIVIL OTHER GOVERNMENT	5804
ICWD LOGISTICS ASSIGNMENT FSC DOD	5803
ICWD LOGISTICS ASSIGNMENT FSC DOD CIVIL	5801
ICWD LOGISTICS ASSIGNMENT FSC DOD CIVIL OTHER GOVERNMENT	5800

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
ICWD LOGISTICS ASSIGNMENT FSC DOD OTHER GOVERNMENT	5802
ICWD LOGISTICS ASSIGNMENT FSC OTHER GOVERNMENT	5806
ICWS ALL CIVIL MULTI-MANAGED	5759
ICWS ALL CIVIL MULTI-MANAGED PERCENT	5760
ICWS ALL DEPARTMENT OF DEFENSE MULTI-MANAGER	5757
ICWS ALL DEPARTMENT OF DEFENSE MULTI-MANAGER PERCENT	5758
ICWS ALL MANAGED MULTI MANAGED	5755
ICWS ALL MANAGED MULTI-MANAGED PERCENT	5756
ICWS ALL OTHER GOVERNMENT MULTI-MANAGED	5761
ICWS ALL OTHER GOVERNMENT MULTI-MANAGER PERCENT	5762
ICWS INTEGRATED MANAGER ALL CIVIL MULTI-MANAGER PERCENT	5768
ICWS INTEGRATED MANAGER ALL DOD MULTI-MANAGED	5765
ICWS INTEGRATED MANAGER ALL DOD MULTI-MANAGER PERCENT	5766
ICWS INTEGRATED MANAGER ALL MANAGED MULTI-MANAGED	5763
ICWS INTEGRATED MANAGER ALL OTHER GOVERNMENT MULTI-MANAGED P	5770
ICWS INTEGRATED MANAGERS ALL CIVIL MULTI-MANAGED	5767
ICWS INTEGRATED MANAGERS ALL OTHER GOVERNMENT	5769
ICWS LOGISTICS ASSIGNMENT ALL CIVIL MULTI-MANAGED	5775
ICWS LOGISTICS ASSIGNMENT ALL CIVIL MULTI-MANAGED PERCENT	5776
ICWS LOGISTICS ASSIGNMENT ALL DOD MULTI-MANAGED	5773
ICWS LOGISTICS ASSIGNMENT ALL DOD MULTI-MANAGED PERCENT	5774
ICWS LOGISTICS ASSIGNMENT ALL MANAGED MULTI-MANAGED	5771
ICWS LOGISTICS ASSIGNMENT ALL MANAGED MULTI-MANAGED PERCENT	5772
ICWS LOGISTICS ASSIGNMENT ALL OTHER GOVERNMENT MULTI-MANAGED	5777
ICWS LOGISTICS ASSIGNMENT ALL OTHER GOVERNMENT MULTI-MNGD PC	5778
ICWS LOGISTICS ASSIGNMENT FSC CIVIL MULTI-MANAGED	5811
ICWS LOGISTICS ASSIGNMENT FSC CIVIL MULTI-MANAGED PERCENT	5812
ICWS LOGISTICS ASSIGNMENT FSC DOD MULTI-MANAGED	5809
ICWS LOGISTICS ASSIGNMENT FSC DOD MULTI-MANAGED	5810
ICWS LOGISTICS ASSIGNMENT FSC MANAGED	5807
ICWS LOGISTICS ASSIGNMENT FSC MANAGED	5808
ICWS LOGISTICS ASSIGNMENT FSC OTHER GOVERNMENT MULTI-MANAGED	5813
ICWS LOGISTICS ASSIGNMENT FSC OTHER GOVT MULTI-MGD PERCENT	5814
IDEN OF PER WHO LAST MODIF DE	1888
IDEN OF PERSON WHO CREATED DE	1887
IDENTIFICATION DATA SEGMENT	9100
IDENTIFICATION LIST COLUMN HEADER DATA	2736
IDENTIFICATION LIST DIGITIZED GRAPHICS DATA SEGMENT	0774
IDENTIFICATION LIST PUBLICATION TYPE SCHEDULE CHANGE CODE	0344
IDENTIFICATION LIST UPDATE CODE	0349
IDENTIFICATION MARKING CODES (ITEM MARK)	7975
IDENTIFICATION MARKING CODES TWO	8598
IDENTIFICATION NUMBER PREFIX DRAWING CROSS-REFERENCE	1243
IDENTIFIED SECONDARY ADDRESS CODE (ISAC)	0766
IDS ACCESS COMPONENT BLANK INDICATOR	4162
IDS ACCESS COMPONENT CATENATE INDICATOR	4173
IDS ACCESS COMPONENT DISCARD INDICATOR	4171
IDS ACCESS COMPONENT FAIL INDICATOR	4164
IDS ACCESS COMPONENT FILE NAME	4168
IDS ACCESS COMPONENT LENGTH NUMBER	4174
IDS ACCESS COMPONENT LENGTH NUMBER	4186
IDS ACCESS COMPONENT MANY INDICATOR	4165
IDS ACCESS COMPONENT MARKUP TEXT	4178

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
IDS ACCESS COMPONENT OFFSET NUMBER	4187
IDS ACCESS COMPONENT OMIT INDICATOR	4163
IDS ACCESS COMPONENT SEQUENCE NUMBER	4172
IDS ACCESS COMPONENT SORT ORDER INDICATOR	4177
IDS ACCESS COMPONENT TYPE NUMBER	4175
IDS ACCESS RECORD SEQUENCE NUMBER	4199
IDS ACCESS REPEAT COUNT QUANTITY	4256
IDS ACCESS TYPE CODE	4198
IDS ACTIVE USER INDICATOR	4196
IDS APPENDED DELIMITER	4260
IDS ASCII INDICATOR CODE	4325
IDS CALLABLE ACCESS PARAMETER TEXT	4185
IDS CALLABLE ACCESS PASSED PARAMETER TEXT	4184
IDS CALLABLE ACCESS SUBROUTINE NAME	4183
IDS CANCELLED ITEM INDICATOR CODE	4329
IDS COMPONENT NUMBER	4160
IDS CONDITION TEXT	4206
IDS COUNTER ATTRIBUTE IDENTIFIER	8616
IDS COUNTER FUNCTION CODE	8623
IDS DATA LENGTH ATTRIBUTE IDENTIFIER	8621
IDS DATA REPLACE INDICATOR	4255
IDS DATA STREAM BREAK INDICATOR	4176
IDS DB2 COMPONENT ELEMENT NUMBER	4161
IDS DECODE SERVICE INDICATOR	4157
IDS DEFINITION STATUS CODE	4193
IDS DYNAMIC ALLOCATION INDICATOR	8627
IDS EDIT MEMBER TEXT	4155
IDS END ACCESS NUMBER	8606
IDS END COMPONENT NUMBER	8607
IDS END COMPONENT SEQUENCE NUMBER	8620
IDS END RECORD TYPE CODE	8605
IDS EXTERNAL FILE LENGTH NUMBER	4158
IDS EXTERNAL FILE NAME	4151
IDS EXTERNAL FILE OFFSET NUMBER	4152
IDS EXTERNAL FILE REPEATED DATA NUMBER	4159
IDS EXTRACT DATA ITEM QUANTITY	4209
IDS EXTRACT OUTPUT FILE QUANTITY	4202
IDS EXTRACT RECORD TYPE SEQUENCE NUMBER	4166
IDS EXTRACT UPDATE CODE	8624
IDS FIELD JUSTIFICATION	4257
IDS FILE NAME HIGH LEVEL QUALIFIER IDENTIFIER	8628
IDS FILE RETENTION TIME QUANTITY	4322
IDS FILE TYPE CODE	4316
IDS FILEAID MEMBER NAME	4328
IDS FIXED OUTPUT BLOCK SIZE QUANTITY	4324
IDS FIXED OUTPUT LOGICAL RECORD LENGTH QUANTITY	4323
IDS FORCED WRITE INDICATOR	8615
IDS FORMAT OUTPUT CODE	8625
IDS FUNCTION MNEMONIC NAME	4195
IDS GROUP NUMBER	8601
IDS GROUP TYPE IDENTIFIER	8618
IDS ITEMS TO PROCESS QUANTITY	4201
IDS JCL TEXT	4315

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
IDS JCL TYPE CODE	4313
IDS JOB JCL IDENTIFIER	4311
IDS LAST PUBLICATION UPDATE DATE	4189
IDS LAST PUBLISHED DATE	4191
IDS LINK PARAMETER STRING TEXT	4208
IDS MARKUP CAPITALIZATION INDICATOR	4182
IDS MARKUP DESCRIPTOR FIELD NUMBER	4179
IDS MARKUP TEXT	4156
IDS NEXT PUBLICATION DATE	4188
IDS PARAMETER STRING TEXT	4153
IDS POST BREAK ACCESS NUMBER	8612
IDS POST BREAK COMPONENT NUMBER	8613
IDS POST BREAK POSITION CODE	8614
IDS POST BREAK RECORD TYPE CODE	8611
IDS POST MARKUP TEXT	4258
IDS PRE BREAK ACCESS NUMBER	8609
IDS PRE BREAK COMPONENT NUMBER	8610
IDS PRE BREAK RECORD TYPE CODE	8608
IDS PREFIX JCL MEMBER NAME	4327
IDS PREPENDED DELIMITER	4259
IDS PRIMARY SORT WORK SPACE ALLOCATION QUANTITY	4319
IDS PRIMARY SPACE ALLOCATION QUANTITY	4317
IDS PROCESSING ACTION TEXT	4204
IDS PRODUCT DEFINITION	4192
IDS PRODUCT PART NUMBER	4154
IDS PROFILE PREFIX TEXT	4326
IDS PROPRIETARY DECODE INDICATOR	4253
IDS PROPRIETARY NOTICE INDICATOR	4254
IDS PUBLICATION (OR PRODUCT) CYCLE TIME	4194
IDS RECORD LENGTH ATTRIBUTE IDENTIFIER	8622
IDS RECORD TYPE CODE	4197
IDS RECORD TYPE ORDER NUMBER	4169
IDS SECONDARY SORT WORK SPACE ALLOCATION QUANTITY	4320
IDS SECONDARY SPACE ALLOCATION QUANTITY	4318
IDS SORT REPLACE INDICATOR	4252
IDS SORT SEQUENCE TEXT	4167
IDS SQL CONDITIONAL MEMBER STRING TEXT	4203
IDS START ACCESS NUMBER	8603
IDS START COMPONENT NUMBER	8604
IDS START COMPONENT SEQUENCE NUMBER	8619
IDS START RECORD TYPE CODE	8602
IDS STEP JCL IDENTIFIER	4312
IDS STEP SEQUENCE IDENTIFIER	4314
IDS STORAGE UNIT TYPE TEXT	4321
IDS TABLE QUERY STRING TEXT	4207
IDS UPDATE KEY LENGTH QUANTITY	8626
IDS USER PAD CHARACTER	4251
IDS ZERO SUPPRESSION INDICATOR	8617
IL GUIDE TABLE NUMBER	2044
IL SINGLE DRAWING CROSS REFERENCE DATA SEGMENT	0769
ILLUSTRATION ACCEPTANCE INDICATOR	4063
ILLUSTRATION IDENTIFIER	4066
ILLUSTRATION RETURN DATE	4061

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
ILLUSTRATION START DATE	4062
IMAGE NUMBER	1908
IN THE CLEAR ADDRESS	0045
IN THE CLEAR MAILING ADDRESS	1282
IN USE FLAG	9168
INACTIVE SOURCE OF SUPPLY INDICATOR CODE	0134
INC APPLICATION INDICATOR	4405
INC/AMMO CODE/GENERIC DESCRIPTION/EFFECTIVE DATE DATA	0311
INC/FSC/MODIFIER/EFFECTIVE DATE DATA	3665
INC/NAME DEFINITION/EFFECTIVE DATE DATA	3663
INC/RELATED INC/EFFECTIVE DATE DATA	3664
INCLUSIVE EXCLUSIVE CODE	4497
INCOMPATIBILITY CODES	1487
INCREMENT NUMBER	2219
INDEX ENTRY	0094
INFO DISSEM AMMO CATALOG CUM CHG QUANTITY	6273
INFO DISSEM AMMO CATALOG CUR CHG QUANTITY	6274
INFO DISSEM AMMO CATALOG PERCENT CHANGE	6275
INFO DISSEM AMMO NSN COUNT	6169
INFO DISSEM AMSTER CROSS REFERENCE LIST PERCENT CHANGE	2189
INFO DISSEM CIVIL AGENCY CATALOG CUM CHG QUANTITY	6267
INFO DISSEM CIVIL AGENCY CATALOG CUR CHG QUANTITY	6268
INFO DISSEM CIVIL AGENCY CATALOG NSN COUNT	6171
INFO DISSEM CIVIL AGNECY CATALOG PERCENT CHANGE	6269
INFO DISSEM COAST GUARD CATALOG CUR CHG QUANTITY	6283
INFO DISSEM COAST GUARD CATALOG NSN COUNT	6164
INFO DISSEM COAST GUARD CATALOG PERCENT CHANGE	6284
INFO DISSEM COAST GUARD CATLAOG CUM CHG QUANTITY	6282
INFO DISSEM FAA CATALOG CUM CHG QUANTITY	6279
INFO DISSEM FAA CATALOG CUR CHG QUANTITY	6280
INFO DISSEM FAA CATALOG NSN COUNT	6166
INFO DISSEM FAA CATALOG PERCENT CHANGE	6281
INFO DISSEM IL CUM CHG QUANTITY	6276
INFO DISSEM IL CUR CHG QUANTITY	6277
INFO DISSEM IL NSN COUNT	6168
INFO DISSEM IL PERCENT CHANGE	6278
INFO DISSEM MANAGEMENT LIST CONSOLIDATED CUM CHG QUANTITY	2181
INFO DISSEM MANAGEMENT LIST CONSOLIDATED CUR CHG QUANTITY	2182
INFO DISSEM MANAGEMENT LIST CONSOLIDATED PERCENT CHANGE	2183
INFO DISSEM MANAGEMENT LIST MARINE CORPS CUM CHG QUANTITY	2195
INFO DISSEM MANAGEMENT LIST MC CUR CHG QUANTITY	2196
INFO DISSEM MANAGEMENT LIST MC PERCENT CHANGE	2197
INFO DISSEM MANAGEMENT LIST NAVY CUM CHG QUANTITY	2184
INFO DISSEM MANAGEMENT LIST NAVY CUR CHG QUANTITY	2185
INFO DISSEM MANAGEMENT LIST NAVY PERCENT CHANGE	2186
INFO DISSEM MASTER CROSS REFERENCE LIST CUM CHG QUANTITY	2187
INFO DISSEM MASTER CROSS REFERENCE LIST CUR CHG QUANTITY	2188
INFO DISSEM MCRL NSN COUNT	6137
INFO DISSEM MEDICAL CATALOG CUM CHG QUANTITY	6270
INFO DISSEM MEDICAL CATALOG CUR CHG QUANTITY	6271
INFO DISSEM MEDICAL CATALOG NSN COUNT	6172
INFO DISSEM MEDICAL CATALOG PERCENT CHANGE	6272
INFO DISSEM ML CONSOLIDATED NSN COUNT	6159

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
INFO DISSEM ML MARINE CORP NSN COUNT	6154
INFO DISSEM ML NAVY NSN COUNT	6161
INFO DISSEM PIIL CATALOG CUR CHG QUANTITY	6286
INFO DISSEM PIIL CATALOG NSN COUNT	6162
INFO DISSEM PIIL CATALOG PERCENT CHANGE	6287
INFO DISSEM PIIL CUM CHG QUANTITY	6285
INFO DISSEM PUB INTRODUCTION NUMBER	6289
INFO DISSEM PUB UNIT NUMBER	6288
INFO DISSEM PUBLICATION TITLE	6290
INFORMATION DISSEMINATION DATE	1710
INFORMATION DISSEMINATION IDENTIFICATION NUMBER	1720
INFORMATION DISSEMINATION NAMES	1703
INFORMATION DISSEMINATION NARRATIVE DATA	1708
INITIAL PROCESSING DATE	2315
INPUT DATA DESK CODE	9290
INPUT DIC DEPARTMENT ORIGINATING ACTIVITY RETURNED QTY D	6802
INPUT DIC DEPARTMENT SUBMITTING ACTIVITY RETURNED QTY B	6785
INPUT FORMAT NAME	9169
INPUT MEDIA	9170
INPUT OR OUTPUT INDICATOR	4591
INPUT OUTPUT ACTIVITY OUTPUT DIC TOTAL	9669
INPUT OUTPUT DIC TYPE	9167
INPUT TRANSACTION RECORD	9171
INQUIRY NUMBER	2246
INQUIRY OUT VIEW	4477
INSPECTION CODE (IC)	7976
INSPECTION CODE STRING	8599
INSPECTION LEVEL (IL)	7977
INTEGRATED MATERIAL MANAGER SOURCE OF SUPPLY CODE	9401
INTEGRATED MATERIEL MANAGER	9090
INTEGRITY CODE	0864
INTEGRITY CODE DEFINITION	5220
INTERCHANGEABILIGY AND SUBSTITUTABILITY GRAND TOT MTR SIC	8124
INTERCHANGEABILITY AND SUBSTITUTABILITY	8118
INTERCHANGEABILITY AND SUBSTITUTABILITY ACTIVITY	9596
INTERCHANGEABILITY AND SUBSTITUTABILITY ACTIVITY AVERAGE	8167
INTERCHANGEABILITY AND SUBSTITUTABILITY ACTIVITY GROUP NSN	8117
INTERCHANGEABILITY AND SUBSTITUTABILITY ACTIVITY TOTAL FA	9597
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT AVERAGE NSN	6872
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT FSC MASTER P	9602
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT FSC REL SICA	9599
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT FSC TOT FAM	9603
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT FSG MASTER P	6885
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT FSG MASTER S	9605
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT FSG REL PICA	9606
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT FSG REL SICA	9604
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT FSG TOT FAMI	6882
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT GROUP NSN	6873
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT MASTER P/S F	6871
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT MASTER PICA	9610
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT MASTER SICA	9608
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT RELATED PICA	9609
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT RELATED SICA	9607

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
INTERCHANGEABILITY AND SUBSTITUTABILITY DEPT TOTAL FAMILI	9598
INTERCHANGEABILITY AND SUBSTITUTABILITY FSC MASTER SICA	9600
INTERCHANGEABILITY AND SUBSTITUTABILITY GRAND	8121
INTERCHANGEABILITY AND SUBSTITUTABILITY GRAND TOT GROUP N	8119
INTERCHANGEABILITY AND SUBSTITUTABILITY GRAND TOT MTR PIC	8126
INTERCHANGEABILITY AND SUBSTITUTABILITY GRAND TOT REL PIC	8125
INTERCHANGEABILITY AND SUBSTITUTABILITY GRAND TOT TOT FAM	8122
INTERCHANGEABILITY AND SUBSTITUTABILITY GRAND TOTAL AVG N	8120
INTERCHANGEABILITY AND SUBSTITUTABILITY GRANT TOT REL SIC	8123
INTERCHANGEABILITY AND SUBSTITUTABILITY GTOT MTR P S FAMI	8127
INTERCHANGEABILITY SUBSTITUTABILITY FAMILY SIZE	2234
INTERCHANGEABLITY AND SUBSTITUTABILITY DEPT FSC RELATED P	9601
INTERESTED FUNCTIONAL AREA	1946
INTERMEDIATE CONTAINER CODE	5167
INTERMEDIATE CONTAINER QUANTITY	5152
INTERNAL DRN POSITION	2036
INTERNAL EXTERNAL INDICATOR	4581
INTERROGATION CODE PAC DETAIL PAC WITHIN FIIG	0162
INTERROGATION CODE PHYSICAL SECURITY/PILFERAGE DATA	0831
INTERROGATION CODE SEGMENT A AND X	2525
INTERROGATION CODE, PAC DETAIL BY INC WITHIN FIIG	9990
INTERROGATION CODE, PAC DETAIL BY MODE CODE PAC FIIG	0159
INTERROGATION CODE, PAC DETAIL BY MODE CODE WITHIN FIIG	9995
INTERROGATION CODE, PAC DETAIL BY REPLY CODE PAC FIIG	0164
INTERROGATION CODE, PAC SUM BY MODE CODE W/IN PAC W/IN FI	0170
INTERROGATION CODE, PAC SUM BY REPLY CODE W/IN PAC W/IN F	0163
INTERROGATION CODE, PAC SUMMARY BY INC WITHIN FIIG	9989
INTERROGATION CODE, PAC SUMMARY BY MODE CODE WITHIN FIIG	0158
INTERROGATION CODE, PAC SUMMARY BY PAC WITHIN FIIG	9992
INTERROGATION CODE, PAC SUMMARY PAC WITHIN ITEM NAME CODE	9993
INTERROGATION CODE, PAC W/IN ITEM NAME CODE W/IN FIIG	0161
INTERROGATION CODE, PRIMARY ADDRESS CODE SUMMARY BY FIIG	0169
INVALID ITEM MANAGEMENT CODE INDICATOR	2747
INVALID PHRASE CODE	1445
INVALID TYPE DATS CODE COUNT	1442
INVENTORY ACCOUNT CODE, COAST GUARD	0708
INVENTORY ACCOUNTING CODE COAST GUARD EXPLANATION	3179
INVENTORY CATEGORY CODE	1475
ISAC LIMITATION CODE	0825
ISAC PRESENCE CODE	2348
ISSUE, REPAIR AND/OR REQUISITIONING RESTRICTION CODE (IRR	0132
ISSUE, REPAIR AND/OR REQUISITIONING RESTRICTION CODE DEF	5260
ITEM AVERAGE PER MICROFICHE FRAME	1440
ITEM COUNT	1439
ITEM COUNT PER FSC	1436
ITEM IDENTIFICATION DATA INDICATOR	4622
ITEM IDENTIFICATION GUIDE	0817
ITEM IDENTIFICATION NUMBER	4131
ITEM LONG NAME	2601
ITEM MANAGEMENT CLASSIFICATION ACTIVITY (IMCA)	4075
ITEM MANAGEMENT CODE (IMC)	2744
ITEM MANAGEMENT CODE ALL CLASS MANAGER CARD ID CODE TOTAL	5664
ITEM MANAGEMENT CODE ALL CLASS MANAGER CIC FYD TOTAL	2595

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
ITEM MANAGEMENT CODE ALL CLASS MANAGER CIC TOTAL	5663
ITEM MANAGEMENT CODE ALL CLASS MANAGER IMC CARD ID CODE	5661
ITEM MANAGEMENT CODE ALL CLASS MANAGER IMC CARD ID CODE FYD	2593
ITEM MANAGEMENT CODE ALL CLASS MANAGER IMC FYD TOTAL	2594
ITEM MANAGEMENT CODE ALL CLASS MANAGER IMC TOTAL	5662
ITEM MANAGEMENT CODE ALL DEPT ACT CARD ID CODE FYD TOTAL	2586
ITEM MANAGEMENT CODE ALL DEPT ACT IMC CARD ID CODE FYD	2584
ITEM MANAGEMENT CODE ALL DEPT ACT IMC CIC FYD TOTAL	2587
ITEM MANAGEMENT CODE ALL DEPT ACT IMC FYD TOTAL	2585
ITEM MANAGEMENT CODE ALL DEPT ACTIVITY CARD ID CODE TOTAL	5655
ITEM MANAGEMENT CODE ALL DEPT ACTIVITY IMC CARD ID CODE	5653
ITEM MANAGEMENT CODE ALL DEPT ACTIVITY IMC CIC TOTAL	5656
ITEM MANAGEMENT CODE ALL DEPT ACTIVITY IMC TOTAL	5654
ITEM MANAGEMENT CODE ALL DEPT CARD ID CODE FYD	2588
ITEM MANAGEMENT CODE ALL DEPT CARD ID CODE FYD TOTAL	2591
ITEM MANAGEMENT CODE ALL DEPT CARD ID CODE TOTAL	5659
ITEM MANAGEMENT CODE ALL DEPT CARD IDENTIFICATION CODE	5657
ITEM MANAGEMENT CODE ALL DEPT IMC CARD ID CODE FY TOTAL	2592
ITEM MANAGEMENT CODE ALL DEPT IMC CARD ID CODE TOTAL	5660
ITEM MANAGEMENT CODE ALL DEPT IMC FYD TOTAL	2589
ITEM MANAGEMENT CODE ALL DEPT IMC TOTAL	5658
ITEM MANAGEMENT CODE DEFINITION	5209
ITEM MANAGEMENT CODE NEW CLASS MANAGED IMC CARD ID CODE	5647
ITEM MANAGEMENT CODE NEW CLASS MANAGED IMC CARD ID CODE FYD	2559
ITEM MANAGEMENT CODE NEW CLASS MANAGER CARD ID CODE FYD TOTL	2582
ITEM MANAGEMENT CODE NEW CLASS MANAGER CARD ID CODE TOTAL	5651
ITEM MANAGEMENT CODE NEW CLASS MANAGER IMC CARD ID CODE TOTL	5652
ITEM MANAGEMENT CODE NEW CLASS MANAGER IMC FYD TOTAL	2581
ITEM MANAGEMENT CODE NEW CLASS MANAGER IMC TOTAL	5650
ITEM MANAGEMENT CODE NEW DEPARTMENT ACTIVITY IMC TOTAL	5640
ITEM MANAGEMENT CODE NEW DEPARTMENT IMC CARD ID CODE TOTAL	5646
ITEM MANAGEMENT CODE NEW DEPARTMENT IMC TOTAL	5644
ITEM MANAGEMENT CODE NEW DEPT ACT CARD ID CODE FYD TOTAL	2553
ITEM MANAGEMENT CODE NEW DEPT ACT IMC CARD ID CODE FYD	2551
ITEM MANAGEMENT CODE NEW DEPT ACT IMC CARD ID CODE FYD TOTAL	2554
ITEM MANAGEMENT CODE NEW DEPT ACT IMC FYD TOTAL	2552
ITEM MANAGEMENT CODE NEW DEPT ACTIVITY CARD ID CODE TOTAL	5641
ITEM MANAGEMENT CODE NEW DEPT ACTIVITY IMC CARD ID CODE	5639
ITEM MANAGEMENT CODE NEW DEPT ACTIVITY IMC CARD ID CODE TOTL	5642
ITEM MANAGEMENT CODE NEW DEPT CARD ID CODE FYD TOTAL	2557
ITEM MANAGEMENT CODE NEW DEPT CARD ID CODE TOTAL	5645
ITEM MANAGEMENT CODE NEW DEPT IMC CARD ID CODE	5643
ITEM MANAGEMENT CODE NEW DEPT IMC CARD ID CODE FYD	2555
ITEM MANAGEMENT CODE NEW DEPT IMC CARD ID CODE FYD TOTAL	2558
ITEM MANAGEMENT CODE NEW DEPT IMC FYD TOTAL	2556
ITEM MANAGEMENT CODE TITLE	5208
ITEM MANAGEMENT CODING ACTIVITY (IMCA)	2748
ITEM MANAGEMENT CODING ADVICE NOTIFICATION SEGMENT	0154
ITEM MANAGEMENT CODING DATA SEGMENT	0732
ITEM MGMT CODE ALL CLASS MANAGER IMC CARD ID CODE FYD TOTAL	2596
ITEM MGMT CODE NEW CLASS MANAGER IMC CARD ID CODE FYD TOTL	2583
ITEM NAME	5000
ITEM NAME ADD COUNT	1918

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
ITEM NAME CHANGED COUNT	1917
ITEM NAME CHARACTER COUNTER	0210
ITEM NAME CODE	4080
ITEM NAME CODE ERROR COUNT	1444
ITEM NAME CODE LOCKOUT INDICATOR	0583
ITEM NAME CODE NSN	5750
ITEM NAME CODE SEARCH	1913
ITEM NAME DATA EFFECTIVE DATE	2031
ITEM NAME DEFINITION ADD COUNT	1924
ITEM NAME DEFINITION CHANGED COUNT	1925
ITEM NAME DEFINITION DELETED COUNT	1926
ITEM NAME DEFINITION DELIMITATION TOTAL COUNT	1849
ITEM NAME DEFINITION/DELIMITATION	5015
ITEM NAME DELETED COUNT	1919
ITEM NAME DEPARTMENT ACTIVITY APPROVED ITEM NAME	6688
ITEM NAME DEPARTMENT ACTIVITY NONAPPROVED ITEM	6689
ITEM NAME DEPARTMENT ACTIVITY NONAPPROVED ITEM NAME PERCENT	6690
ITEM NAME DEPARTMENT ACTIVITY NSN	2228
ITEM NAME DEPARTMENT ACTIVITY TOTAL NEW REINSTATED NSN	6694
ITEM NAME DEPARTMENT APPROVED ITEM NAME NEW REINSTATED NSN	6699
ITEM NAME DEPARTMENT APPROVED ITEM NAME NSN	6691
ITEM NAME DEPARTMENT NONAPPROVED ITEM NAME NEW REINSTD NSN	6700
ITEM NAME DEPARTMENT NONAPPROVED ITEM NAME NSN	6692
ITEM NAME DEPARTMENT NONAPPROVED ITEM NAME PERCENT	6693
ITEM NAME DEPARTMENT NSN	2229
ITEM NAME DEPARTMENT TOTAL NEW REINSTATED CURRENT QTR NSN	7166
ITEM NAME DEPARTMENT TOTAL NEW REINSTATED NSN	6698
ITEM NAME DEPARTMENT YEAR TO DATE NEW REINSTATED NSN	6705
ITEM NAME DEPT ACT YTD NONAPPRD ITEM NAME NEW REINSTD PCT	6704
ITEM NAME DEPT ACTIVITY APPROVED ITEM NAME NEW REINSTD NSN	6695
ITEM NAME DEPT ACTIVITY NONAPPRVD ITEM NAME NEW REINSTD NSN	6696
ITEM NAME DEPT ACTIVITY TOTAL NEW REINSTD CURRENT QTR NSN	7164
ITEM NAME DEPT ACTIVITY YEAR TO DATE NEW REINSTATED NSN	6702
ITEM NAME DEPT ACTY NONAPPD ITEM NAME NEW REINSTD PCT 1ST Q	6708
ITEM NAME DEPT ACTY NONAPPD ITEM NAME NEW REINSTD PCT 4TH Q	6711
ITEM NAME DEPT ACTY NONAPPD ITEN NAME NEW REINSTD PCT 3RD Q	6710
ITEM NAME DEPT ACTY NONAPPRD NEW REINSTATED PERCENT 2ND Q	6709
ITEM NAME DEPT ACTY NONAPPRVD ITEM NAME NEW REINSTATED PCT	6697
ITEM NAME DEPT ACTY NONAPPVD ITEM NAME REINSTD CUR QTR NSN	7165
ITEM NAME DEPT ACTY YTD NONAPPRD ITEM NAME NEW REINSTD NSN	6703
ITEM NAME DEPT NONAPPRD ITEM NAME NEW REINSTD CURR QTR NSN	7167
ITEM NAME DEPT NONAPPRD ITEM NAME NEW REINSTD PCT 1ST QTR	6712
ITEM NAME DEPT NONAPPRD ITEM NAME NEW REINSTD PCT 2ND QTR	7168
ITEM NAME DEPT NONAPPRD ITEM NAME NEW REINSTD PCT 3RD QTR	7169
ITEM NAME DEPT NONAPPROVED ITEM NAME NEW REINSTD PERCENT	6701
ITEM NAME DEPT YTD NONAPPRD ITEM NAME NEW REINSTATED PERCENT	6707
ITEM NAME DEPT YTD NONAPPRD ITEM NAME NEW REINSTD NSN	6706
ITEM NAME INC FEDERAL ITEM NAME DIRECTORY SEARCH	1916
ITEM NAME INPUT COUNT	1934
ITEM NAME KEY WORD	4401
ITEM NAME KEY WORD SEARCH	1914
ITEM NAME MASTER TOTAL RECORD COUNT	1938
ITEM NAME NATIONAL ITEM IDENTIFICATION NUMBER COUNT	1932

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
ITEM NAME NON APPROVED REMAINDER	2177
ITEM NAME NSN	7824
ITEM NAME OUTPUT COUNT	1935
ITEM NAME TO FIIG CORRELATION CONDITION	3485
ITEM NAME TYPE CODE	3308
ITEM NAME, ITEM NAME CODE VALIDATION	0542
ITEM NET EXPLOSIVE WEIGHT	2442
ITEM NUMBER	1045
ITEM STANDARDIZATION CODE (ISC)	2650
ITEM STANDARDIZATION CODE DOD NSN	5733
ITEM STANDARDIZATION CODE EXPLANATION	5134
ITEM STANDARDIZATION CODE FSC DOD NSN	5748
ITEM STANDARDIZATION CODE FSC NSN	5745
ITEM STANDARDIZATION CODE FSC NSN QUANTITY 12	5844
ITEM STANDARDIZATION CODE FSC US GOVERNMENT NSN	5747
ITEM STANDARDIZATION CODE FSC WITH MANAGER NSN	5746
ITEM STANDARDIZATION CODE FSC WITHOUT MANAGER NSN	5749
ITEM STANDARDIZATION CODE FSG DOD NSN	5743
ITEM STANDARDIZATION CODE FSG DOD NSN TOTAL	5738
ITEM STANDARDIZATION CODE FSG NSN	5740
ITEM STANDARDIZATION CODE FSG NSN TOTAL	5735
ITEM STANDARDIZATION CODE FSG US GOVERNMENT NSN	5742
ITEM STANDARDIZATION CODE FSG US GOVERNMENT NSN TOTAL	5737
ITEM STANDARDIZATION CODE FSG WITH MANAGER NSN	5741
ITEM STANDARDIZATION CODE FSG WITH MANAGER NSN TOTAL	5736
ITEM STANDARDIZATION CODE FSG WITHOUT MANAGER	5744
ITEM STANDARDIZATION CODE FSG WITHOUT MANAGER NSN TOTAL	5739
ITEM STANDARDIZATION CODE IDENTIFICATION	0803
ITEM STANDARDIZATION CODE NSN	5730
ITEM STANDARDIZATION CODE REPLACED NATIONAL STOCK NUMBER	5138
ITEM STANDARDIZATION CODE REPLACED NATIONAL STOCK NUMBER	8525
ITEM STANDARDIZATION CODE US GOVERNMENT NSN	5732
ITEM STANDARDIZATION CODE WITH MANAGER NSN	5731
ITEM STANDARDIZATION CODE WITHOUT MANAGER NSN	5734
ITEM TRANSFER REJECT CODE	4213
ITEM TYPE STORAGE CODE	5156
ITEMS ADDED COUNT	1443
ITEMS CANCELLED/DELETED COUNT	1441
ITEMS CHANGED COUNT	1438
ITEMS PER PALLET	2385
ITEMS WITH MANAGERS 12	5846
ITEMS WITHOUT MANAGERS 12	5845
ITEN NAME DEPT NONAPPRD ITEM NAME NEW REINSTD PCT 3RD QTR	7170
J MAX L VALUE	4422
J MAX R VALUE	4427
J MIN L VALUE	4420
J MIN R VALUE	4423
J MODE CODE INDICATOR	0364
J TABLE REPLY	3073
JOB CONTROL JULIAN DATE	9461
JOB CONTROL LANGUAGE JOB CARD NAME	9507
JOURNAL TIMESTAMP	9487
KEY DATA ELEMENT NAME	1714

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
KEY GROUP DESCRIPTION	4448
KEYWORD GROUP CODE	2034
KEYWORD MODIFIER STATEMENT	2033
KEYWORD REQUIREMENT STATEMENT	4975
KEYWORD SEARCH	2401
KHN ACTIVITY INDICATOR	4356
KNA AND RETURN TO COUNTRY PERCENT TOTAL	1979
KNA PERCENT	1968
KNA PERCENT TOTAL	1969
KNA QUANTITY	1970
KNA QUANTITY TOTAL	1971
KRT INDICATOR CODE	2051
KVI DECREMENT COUNTER	4211
KVI ORIGINAL COUNTER	4212
KVI SUSPENSE ESTABLISHED DATE	4214
KWA ACTIVITY NOTIFICATION INDICATOR	9563
KWA NATO ACTIVITY ZZ INDICATOR	9564
KWA NO OUTPUT ACTIVITY NOTIFICATION INDICATOR	9562
L DIC AND RETURN TO COUNTRY YEAR TO DATE TOTAL	2008
L DOCUMENT IDENTIFIER CODE TOTAL	2001
L07 TRANSACTIONS RECEIVED QUANTITY	2542
L07 TRANSACTIONS SENT QUANTITY	2541
LABEL FORM CODE	3288
LABEL FORMAT IDENTIFIER	3228
LABEL IDENTIFICATION	2235
LABEL IDENTIFIER DISTRIBUTION LIST NUMBER INDICATOR	3283
LABEL IDENTIFIER MASTER ADDRESS INDICATOR	3282
LABEL IDENTIFIER RELATIVE ROW	3207
LABEL IDENTIFIER SORT SEQUENCE	3230
LABEL IDENTIFIER TEXT	3281
LABEL LENGTH IN INCHES	3227
LABEL NAME	1437
LABEL SET QUANTITY	3289
LABEL WIDTH IN INCHES	3226
LAST KNOWN SOURCE OF SUPPLY	1071
LASTNAME	9172
LESS THAN CARLOAD RATING CODE	2760
LESS THAN CARLOAD RATING CODE EXPLANATION	5233
LESS THAN TRUCKLOAD RATING CODE	2770
LESS THAN TRUCKLOAD RATING CODE EXPLANATION	5234
LEVEL A PACKING REQUIREMENT CODE	5170
LEVEL B PACKING REQUIREMENT CODE	5171
LEVEL C PACKING REQUIREMENT CODE	5172
LEVEL OF PROTECTION CODE	5151
LEVEL OF PROTECTION CODE DEFINITION	5221
LFU FOOTPRINT TRANSACTION KEY	9445
LFU PROCESS STATUS CODE	9230
LIMITED DISTRIBUTION CODE	4645
LIMITED DISTRIBUTION CODE EXPLANATION	5106
LIMITED DISTRIBUTION CODE NOTE	5107
LIMITED RIGHTS DRAWING	0929
LIMITED RIGHTS DRAWING COUNT	1434
LIMITED RIGHTS DRAWING COUNTER	0952

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
LINE 2780 DESCRIPTION	9212
LINE 2780 IDENTIFIER	9211
LINE CONTINUATION CODE	8263
LINE ITEM NUMBER	1471
LINE NUMBER	8256
LINE NUMBER FOR CLEAR TEXT NAME INFORMATION	1087
LINES PER INCH	3234
LISTING PART PAPER INDICATOR	3121
LMD COMBINATION NUMBER	2053
LMD COMBINATION TYPE	2054
LMD DATE	4218
LMD OUTPUT DOCUMENT IDENTIFIER CODE	3892
LMX COMBINATION NUMBER	2055
LOAD STOWAGE CODE	2399
LOCALLY ASSIGNED REPORTING CODE (AIR FORCE)	2446
LOCATION PARTITION	9197
LOCATION SHORT TITLE	2639
LOFRUN DEPARTMENT WEEKLY TOTAL	2433
LOGGED MESSAGE TIMESTAMP	9381
LOGGED TIMESTAMP	9173
LOGISTICS CONTROL CODE	1476
LOGRUN ACTIVITY DAILY TOTAL	2410
LOGRUN ACTIVITY MONTHLY TOTAL	2413
LOGRUN ACTIVITY QUARTER 1 TOTAL	2414
LOGRUN ACTIVITY QUARTER 2 TOTAL	2412
LOGRUN ACTIVITY QUARTER 3 TOTAL	2430
LOGRUN ACTIVITY QUARTER 4 TOTAL	2432
LOGRUN ACTIVITY WEEKLY TOTAL	2411
LOGRUN ACTIVITY YEARLY TOTAL	2431
LOGRUN APPLICATION HELP ACTIVITY DAILY	3741
LOGRUN APPLICATION HELP DEPARTMENT DAILY	3742
LOGRUN APPLICATION HELP TOTAL DAILY	3743
LOGRUN CAGE NIIN DEPARTMENT WEEKLY	5984
LOGRUN CAGE NIIN INQ ACTIVITY DAILY	5975
LOGRUN CAGE NIIN INQ ACTIVITY MONTHLY	5978
LOGRUN CAGE NIIN INQ ACTIVITY QUARTERLY	5979
LOGRUN CAGE NIIN INQ ACTIVITY WEEKLY	5976
LOGRUN CAGE NIIN INQ CUSTOMER ACCOUNT NBR DAILY	1702
LOGRUN CAGE NIIN INQ CUSTOMER ACCOUNT NBR MONTHLY	5972
LOGRUN CAGE NIIN INQ CUSTOMER ACCOUNT NBR QUARTERLY	5973
LOGRUN CAGE NIIN INQ CUSTOMER ACCOUNT NBR WEEKLY	0971
LOGRUN CAGE NIIN INQ CUSTOMER ACCOUNT NBR YEARLY	5974
LOGRUN CAGE NIIN INQ DAILY TOTAL	5989
LOGRUN CAGE NIIN INQ DEPARTMENT DAILY	5983
LOGRUN CAGE NIIN INQ DEPARTMENT MONTHLY	5986
LOGRUN CAGE NIIN INQ DEPARTMENT QUARTERLY	5987
LOGRUN CAGE NIIN INQ DEPARTMENT YEARLY	5988
LOGRUN CAGE NIIN INQ MONTHLY TOTAL	5991
LOGRUN CAGE NIIN INQ QUARTERLY TOTAL	5992
LOGRUN CAGE NIIN INQ WEEKLY TOTAL	5990
LOGRUN CAGE NIIN INQ YEARLY TOTAL	5993
LOGRUN CAGE ON LINE INQUIRY DEPARTMENT ACTIVITY QUANTITY	5994
LOGRUN CAGE ON LINE INQUIRY DEPARTMENT QUANTITY	5977

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
LOGRUN CAGE PTL REF NBR LOG INQ ACTIVITY DAILY	6202
LOGRUN CAGE PTL REF NBR LOG INQ ACTIVITY MONTHLY	6204
LOGRUN CAGE PTL REF NBR LOG INQ ACTIVITY QUARTERLY	6205
LOGRUN CAGE PTL REF NBR LOG INQ ACTIVITY WEEKLY	6203
LOGRUN CAGE PTL REF NBR LOG INQ ACTIVITY YEARLY	6206
LOGRUN CAGE PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR DAILY	6196
LOGRUN CAGE PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR MONTHLY	6198
LOGRUN CAGE PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR QUARTER	6199
LOGRUN CAGE PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR WEEKLY	6197
LOGRUN CAGE PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR YEARLY	6200
LOGRUN CAGE PTL REF NBR LOG INQ DAILY TOTAL	1657
LOGRUN CAGE PTL REF NBR LOG INQ DEPARTMENT DAILY	6207
LOGRUN CAGE PTL REF NBR LOG INQ DEPARTMENT MONTHLY	1654
LOGRUN CAGE PTL REF NBR LOG INQ DEPARTMENT QUARTERLY	1655
LOGRUN CAGE PTL REF NBR LOG INQ DEPARTMENT WEEKLY	6208
LOGRUN CAGE PTL REF NBR LOG INQ DEPARTMENT YEARLY	1656
LOGRUN CAGE PTL REF NBR LOG INQ MONTHLY TOTAL	1659
LOGRUN CAGE PTL REF NBR LOG INQ QUARTERLY TOTAL	1660
LOGRUN CAGE PTL REF NBR LOG INQ WEEKLY TOTAL	1658
LOGRUN CAGE PTL REF NBR LOG INQ YEARLY TOTAL	1661
LOGRUN CAGE REF NBR LOG INQ ACTIVITY DAILY	6178
LOGRUN CAGE REF NBR LOG INQ ACTIVITY MONTHLY	6180
LOGRUN CAGE REF NBR LOG INQ ACTIVITY QUARTERLY	6181
LOGRUN CAGE REF NBR LOG INQ ACTIVITY WEEKLY	6179
LOGRUN CAGE REF NBR LOG INQ ACTIVITY YEARLY	6182
LOGRUN CAGE REF NBR LOG INQ CUSTOMER ACCOUNT NBR DAILY	5996
LOGRUN CAGE REF NBR LOG INQ CUSTOMER ACCOUNT NBR MONTHLY	5998
LOGRUN CAGE REF NBR LOG INQ CUSTOMER ACCOUNT NBR QUARTERLY	5999
LOGRUN CAGE REF NBR LOG INQ CUSTOMER ACCOUNT NBR WEEKLY	5997
LOGRUN CAGE REF NBR LOG INQ CUSTOMER ACCOUNT NBR YEARLY	6177
LOGRUN CAGE REF NBR LOG INQ DAILY TOTAL	6189
LOGRUN CAGE REF NBR LOG INQ DEDPARTMENT WEEKLY	6185
LOGRUN CAGE REF NBR LOG INQ DEPARTMENT DAILY	6183
LOGRUN CAGE REF NBR LOG INQ DEPARTMENT MONTHLY	6186
LOGRUN CAGE REF NBR LOG INQ DEPARTMENT QUARTERLY	6187
LOGRUN CAGE REF NBR LOG INQ DEPARTMENT YEARLY	6188
LOGRUN CAGE REF NBR LOG INQ MONTHLY TOTAL	6192
LOGRUN CAGE REF NBR LOG INQ QUARTERLY TOTAL	6193
LOGRUN CAGE REF NBR LOG INQ WEEKLY TOTAL	6190
LOGRUN CAGE REF NBR LOG INQ YEARLY TOTAL	6194
LOGRUN CHARACTERISTIC HELP ACTIVITY DAILY	1213
LOGRUN CHARACTERISTIC HELP ACTIVITY MONTHLY	1215
LOGRUN CHARACTERISTIC HELP ACTIVITY QUARTERLY	1216
LOGRUN CHARACTERISTIC HELP ACTIVITY WEEKLY	1214
LOGRUN CHARACTERISTIC HELP ACTIVITY YEARLY	1217
LOGRUN CHARACTERISTIC HELP CUSTOMER ACCT NBR DAILY	1208
LOGRUN CHARACTERISTIC HELP CUSTOMER ACCT NBR MONTHLY	1210
LOGRUN CHARACTERISTIC HELP CUSTOMER ACCT NBR QUARTERLY	1211
LOGRUN CHARACTERISTIC HELP CUSTOMER ACCT NBR WEEKLY	1209
LOGRUN CHARACTERISTIC HELP CUSTOMER ACCT NBR YEARLY	1212
LOGRUN CHARACTERISTIC HELP DEPARTMENT DAILY	1218
LOGRUN CHARACTERISTIC HELP DEPARTMENT MONTHLY	1220
LOGRUN CHARACTERISTIC HELP DEPARTMENT QUARTERLY	1221

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
LOGRUN CHARACTERISTIC HELP DEPARTMENT STATION NAME TIC QT	0986
LOGRUN CHARACTERISTIC HELP DEPARTMENT WEEKLY	1219
LOGRUN CHARACTERISTIC HELP DEPARTMENT YEARLY	1222
LOGRUN CHARACTERISTIC HELP TOTAL DAILY	1223
LOGRUN CHARACTERISTIC HELP TOTAL MONTHLY	1225
LOGRUN CHARACTERISTIC HELP TOTAL QUARTERLY	1226
LOGRUN CHARACTERISTIC HELP TOTAL YEARLY	1227
LOGRUN CHARACTERISTIC INQUIRY ACTIVITY DAILY	1193
LOGRUN CHARACTERISTIC INQUIRY ACTIVITY MONTHLY	1195
LOGRUN CHARACTERISTIC INQUIRY ACTIVITY QUARTERLY	1196
LOGRUN CHARACTERISTIC INQUIRY ACTIVITY WEEKLY	1194
LOGRUN CHARACTERISTIC INQUIRY ACTIVITY YEARLY	1197
LOGRUN CHARACTERISTIC INQUIRY CUSTOMER ACCOUNT NO. QUARTERLY	1191
LOGRUN CHARACTERISTIC INQUIRY CUSTOMER ACCOUNT NUMBER DAILY	1188
LOGRUN CHARACTERISTIC INQUIRY CUSTOMER ACCOUNT NUMBER MONTH	1190
LOGRUN CHARACTERISTIC INQUIRY CUSTOMER ACCOUNT NUMBER WEEKLY	1189
LOGRUN CHARACTERISTIC INQUIRY CUSTOMER ACCOUNT NUMBER YEARLY	1192
LOGRUN CHARACTERISTIC INQUIRY DEPARMENT MONTHLY	1200
LOGRUN CHARACTERISTIC INQUIRY DEPARTMENT DAILY	1198
LOGRUN CHARACTERISTIC INQUIRY DEPARTMENT QUANTITY	5982
LOGRUN CHARACTERISTIC INQUIRY DEPARTMENT QUARTERLY	1201
LOGRUN CHARACTERISTIC INQUIRY DEPARTMENT WEEKLY	1199
LOGRUN CHARACTERISTIC INQUIRY DEPARTMENT YEARLY	1202
LOGRUN CHARACTERISTIC INQUIRY TOTAL DAILY	1203
LOGRUN CHARACTERISTIC INQUIRY TOTAL MONTHLY	1205
LOGRUN CHARACTERISTIC INQUIRY TOTAL QUARTERLY	1206
LOGRUN CHARACTERISTIC INQUIRY TOTAL WEEKLY	1204
LOGRUN CHARACTERISTIC INQUIRY TOTAL YEARLY	1207
LOGRUN CHARACTERISTICS HELP TOTAL WEEKLY	1224
LOGRUN CHARACTERISTICS INQUIRY DEPARTMENT QUANTITY	5981
LOGRUN CHARACTERISTICS UPDATE DEPARTMENT QUANTITY	5980
LOGRUN COMBINATION ACTIVITY DAILY	1729
LOGRUN COMBINATION ACTIVITY MONTHLY	1731
LOGRUN COMBINATION ACTIVITY QUARTERLY	1732
LOGRUN COMBINATION ACTIVITY WEEKLY	1730
LOGRUN COMBINATION ACTIVITY YEARLY	1733
LOGRUN COMBINATION CUSTOMER ACCOUNT NUMBER DAILY	8247
LOGRUN COMBINATION CUSTOMER ACCOUNT NUMBER MONTHLY	2171
LOGRUN COMBINATION CUSTOMER ACCOUNT NUMBER QUARTERLY	1727
LOGRUN COMBINATION CUSTOMER ACCOUNT NUMBER WEEKLY	8248
LOGRUN COMBINATION CUSTOMER ACCOUNT NUMBER YEARLY	1728
LOGRUN COMBINATION DEPARTMENT DAILY	1734
LOGRUN COMBINATION DEPARTMENT MONTHLY	1736
LOGRUN COMBINATION DEPARTMENT QUARTERLY	1737
LOGRUN COMBINATION DEPARTMENT WEEKLY	1735
LOGRUN COMBINATION DEPARTMENT YEARLY	1738
LOGRUN COMBINATION TOTAL DAILY	1739
LOGRUN COMBINATION TOTAL MONTHLY	2172
LOGRUN COMBINATION TOTAL QUARTERLY	1742
LOGRUN COMBINATION TOTAL WEEKLY	1740
LOGRUN COMBINATION TOTAL YEARLY	1743
LOGRUN DEPARTMENT DAILY TOTAL	2429
LOGRUN DEPARTMENT MONTHLY TOTAL	2434

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
LOGRUN DEPARTMENT QUARTER 1 TOTAL	2435
LOGRUN DEPARTMENT QUARTER 2 TOTAL	2436
LOGRUN DEPARTMENT QUARTER 3 TOTAL	2047
LOGRUN DEPARTMENT QUARTER 4 TOTAL	2408
LOGRUN DEPARTMENT YEARLY TOTAL	2409
LOGRUN FSC INQUIRY DEPARTMENT ACTIVITY QUANTITY	6175
LOGRUN FSG FSC ITEM NAME INQUIRY ACTIVITY DAILY	1233
LOGRUN FSG FSC ITEM NAME INQUIRY ACTIVITY MONTHLY	6856
LOGRUN FSG FSC ITEM NAME INQUIRY ACTIVITY QUARTERLY	6857
LOGRUN FSG FSC ITEM NAME INQUIRY ACTIVITY WEEKLY	6855
LOGRUN FSG FSC ITEM NAME INQUIRY ACTIVITY YEARLY	6858
LOGRUN FSG FSC ITEM NAME INQUIRY CUSTOMER ACCOUNT NBR DAILY	1128
LOGRUN FSG FSC ITEM NAME INQUIRY CUSTOMER ACCOUNT NBR QTR	1231
LOGRUN FSG FSC ITEM NAME INQUIRY CUSTOMER ACCOUNT NBR WEEKLY	1229
LOGRUN FSG FSC ITEM NAME INQUIRY CUSTOMER ACCT NBR MONTHLY	1230
LOGRUN FSG FSC ITEM NAME INQUIRY CUSTOMER ACCT NBR YEARLY	1232
LOGRUN FSG FSC ITEM NAME INQUIRY DEPARTMENT DAILY	6860
LOGRUN FSG FSC ITEM NAME INQUIRY DEPARTMENT MONTHLY	6862
LOGRUN FSG FSC ITEM NAME INQUIRY DEPARTMENT QUARTERLY	6863
LOGRUN FSG FSC ITEM NAME INQUIRY DEPARTMENT WEEKLY	6861
LOGRUN FSG FSC ITEM NAME INQUIRY DEPARTMENT YEARLY	6864
LOGRUN FSG FSC ITEM NAME INQUIRY TOTAL DAILY	6865
LOGRUN FSG FSC ITEM NAME INQUIRY TOTAL MONTHLY	6867
LOGRUN FSG FSC ITEM NAME INQUIRY TOTAL QUARTERLY	6868
LOGRUN FSG FSC ITEM NAME INQUIRY TOTAL YEARLY	6869
LOGRUN FSG GSC ITEM NAME INQUIRY TOTAL WEEKLY	6866
LOGRUN GRAND TOTAL DAILY TOTAL	2422
LOGRUN GRAND TOTAL MONTHLY TOTAL	2424
LOGRUN GRAND TOTAL QUARTER 1 TOTAL	2425
LOGRUN GRAND TOTAL QUARTER 2 TOTAL	2426
LOGRUN GRAND TOTAL QUARTER 3 TOTAL	2427
LOGRUN GRAND TOTAL QUARTER 4 TOTAL	2049
LOGRUN GRAND TOTAL WEEKLY TOTAL	2048
LOGRUN GRAND TOTAL YEARLY TOTAL	2402
LOGRUN INQUIRY DEPARTMENT PERCENT	5971
LOGRUN INQUIRY DEPARTMENT QUANTITY	5970
LOGRUN NAME TO NIIN ING ACTIVITY QUARTERLY	1176
LOGRUN NAME TO NIIN INQ ACTIVITY DAILY	1173
LOGRUN NAME TO NIIN INQ ACTIVITY MONTHLY	1175
LOGRUN NAME TO NIIN INQ ACTIVITY WEEKLY	1174
LOGRUN NAME TO NIIN INQ ACTIVITY YEARLY	1177
LOGRUN NAME TO NIIN INQ CUSTOMER ACCOUNT NBR DAILY	1168
LOGRUN NAME TO NIIN INQ CUSTOMER ACCOUNT NBR MONTHLY	1170
LOGRUN NAME TO NIIN INQ CUSTOMER ACCOUNT NBR QUARTERLY	1171
LOGRUN NAME TO NIIN INQ CUSTOMER ACCOUNT NBR WEEKLY	1169
LOGRUN NAME TO NIIN INQ CUSTOMER ACCOUNT NBR YEARLY	1172
LOGRUN NAME TO NIIN INQ DAILY TOTAL	1183
LOGRUN NAME TO NIIN INQ DEPARTMENT DAILY	1178
LOGRUN NAME TO NIIN INQ DEPARTMENT MONTHLY	1180
LOGRUN NAME TO NIIN INQ DEPARTMENT QUARTERLY	1181
LOGRUN NAME TO NIIN INQ DEPARTMENT WEEKLY	1179
LOGRUN NAME TO NIIN INQ DEPARTMENT YEARLY	1182
LOGRUN NAME TO NIIN INQ MONTHLY TOTAL	1185

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
LOGRUN NAME TO NIIN INQ QUARTERLY TOTAL	1186
LOGRUN NAME TO NIIN INQ WEEKLY TOTAL	1184
LOGRUN NAME TO NIIN INQ YEARLY TOTAL	1187
LOGRUN NIIN INQUIRY ACTIVITY DAILY	1667
LOGRUN NIIN INQUIRY ACTIVITY MONTHLY	1669
LOGRUN NIIN INQUIRY ACTIVITY QUARTERLY	1670
LOGRUN NIIN INQUIRY ACTIVITY WEEKLY	1668
LOGRUN NIIN INQUIRY ACTIVITY YEARLY	1671
LOGRUN NIIN INQUIRY CUSTOMER ACCOUNT NUMBER	1662
LOGRUN NIIN INQUIRY CUSTOMER ACCOUNT NUMBER MONTHLY	1664
LOGRUN NIIN INQUIRY CUSTOMER ACCOUNT NUMBER QUARTERLY	1665
LOGRUN NIIN INQUIRY CUSTOMER ACCOUNT NUMBER WEEKLY	1663
LOGRUN NIIN INQUIRY CUSTOMER ACCOUNT NUMBER YEARLY	1666
LOGRUN NIIN INQUIRY DAILY TOTAL	1121
LOGRUN NIIN INQUIRY DEPARTMENT DAILY	1672
LOGRUN NIIN INQUIRY DEPARTMENT MONTHLY	1674
LOGRUN NIIN INQUIRY DEPARTMENT QUARTERLY	1675
LOGRUN NIIN INQUIRY DEPARTMENT WEEKLY	2173
LOGRUN NIIN INQUIRY DEPARTMENT YEARLY	1676
LOGRUN NIIN INQUIRY MONTHLY TOTAL	1123
LOGRUN NIIN INQUIRY QUARTERLY TOTAL	1124
LOGRUN NIIN INQUIRY WEEKLY TOTAL	1122
LOGRUN NIIN INQUIRY YEARLY TOTAL	1125
LOGRUN PART NUMBER INQUIRY DEPARTMENT ACTIVITY QUANTITY	6174
LOGRUN PROCEDURE BULLETIN BRD UPDATE CUST ACCT NMBR YEARLY	8143
LOGRUN PROCEDURE BULLETIN BRD UPDATE CUSTOMER ACCT NMBR WKLY	1905
LOGRUN PROCEDURE DELETE UPDATE CUSTOMER ACCNT NMBR WEEKLY	0995
LOGRUN PROCEDURES ACTIVITY WEEKLY	8233
LOGRUN PROCEDURES ADD UPDATE ACTIVITY DAILY	5682
LOGRUN PROCEDURES ADD UPDATE ACTIVITY MONTHLY	5708
LOGRUN PROCEDURES ADD UPDATE ACTIVITY QUARTERLY	5724
LOGRUN PROCEDURES ADD UPDATE ACTIVITY WEEKLY	5690
LOGRUN PROCEDURES ADD UPDATE ACTIVITY YEARLY	8149
LOGRUN PROCEDURES ADD UPDATE CUSTOMER ACCNT NMBR DAILY	5672
LOGRUN PROCEDURES ADD UPDATE CUSTOMER ACCOUNT NMBR YEARLY	8145
LOGRUN PROCEDURES ADD UPDATE CUSTOMER ACCOUNT NUMBER WEEKLY	0994
LOGRUN PROCEDURES ADD UPDATE CUSTOMER ACCT NMBR QUARTERLY	5720
LOGRUN PROCEDURES ADD UPDATE DEPARTMENT DAILY	5678
LOGRUN PROCEDURES ADD UPDATE DEPARTMENT MONTHLY	5712
LOGRUN PROCEDURES ADD UPDATE DEPARTMENT QUARTERLY	8137
LOGRUN PROCEDURES ADD UPDATE DEPARTMENT WEEKLY	5694
LOGRUN PROCEDURES ADD UPDATE DEPARTMENT YEARLY	8153
LOGRUN PROCEDURES ADD UPDATE TOTAL DAILY	5686
LOGRUN PROCEDURES ADD UPDATE TOTAL MONTHLY	5716
LOGRUN PROCEDURES ADD UPDATE TOTAL QUARTERLY	8141
LOGRUN PROCEDURES ADD UPDATE TOTAL WEEKLY	5698
LOGRUN PROCEDURES ADD UPDATE TOTAL YEARLY	8157
LOGRUN PROCEDURES ADMINISTRATION ACTIVITY DAILY	1789
LOGRUN PROCEDURES ADMINISTRATION ACTIVITY MONTHLY	1791
LOGRUN PROCEDURES ADMINISTRATION ACTIVITY QUARTERLY	1792
LOGRUN PROCEDURES ADMINISTRATION ACTIVITY WEEKLY	1790
LOGRUN PROCEDURES ADMINISTRATION ACTIVITY YEARLY	1793
LOGRUN PROCEDURES ADMINISTRATION CUSTOMER ACCOUNT NMBR DAILY	1784

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
LOGRUN PROCEDURES ADMINISTRATION CUSTOMER ACCOUNT NMBR MTHLY	1786
LOGRUN PROCEDURES ADMINISTRATION CUSTOMER ACCOUNT NMBR QRTLY	1787
LOGRUN PROCEDURES ADMINISTRATION CUSTOMER ACCOUNT NMBR WKLY	1785
LOGRUN PROCEDURES ADMINISTRATION CUSTOMER ACCOUNT NMBR YRLY	1788
LOGRUN PROCEDURES ADMINISTRATION DEPARTMENT DAILY	1794
LOGRUN PROCEDURES ADMINISTRATION DEPARTMENT MONTHLY	1796
LOGRUN PROCEDURES ADMINISTRATION DEPARTMENT QUARTERLY	1797
LOGRUN PROCEDURES ADMINISTRATION DEPARTMENT WEEKLY	1795
LOGRUN PROCEDURES ADMINISTRATION DEPARTMENT YEARLY	1798
LOGRUN PROCEDURES ADMINISTRATION TOTAL DAILY	1799
LOGRUN PROCEDURES ADMINISTRATION TOTAL MONTHLY	1801
LOGRUN PROCEDURES ADMINISTRATION TOTAL QUARTERLY	1802
LOGRUN PROCEDURES ADMINISTRATION TOTAL WEEKLY	1800
LOGRUN PROCEDURES ADMINISTRATION TOTAL YEARLY	1803
LOGRUN PROCEDURES AND UPDATE CUSTOMER ACCT NUMBER MONTHLY	5704
LOGRUN PROCEDURES APPLICATION ACTIVITY DAILY	8232
LOGRUN PROCEDURES APPLICATION ACTIVITY MONTHLY	8234
LOGRUN PROCEDURES APPLICATION ACTIVITY QUARTERLY	8235
LOGRUN PROCEDURES APPLICATION ACTIVITY YEARLY	8236
LOGRUN PROCEDURES APPLICATION CUSTOMER ACCOUNT NUMBER DAILY	1126
LOGRUN PROCEDURES APPLICATION CUSTOMER ACCOUNT NUMBER MNTHLY	5995
LOGRUN PROCEDURES APPLICATION CUSTOMER ACCOUNT NUMBER QTRLY	6195
LOGRUN PROCEDURES APPLICATION CUSTOMER ACCOUNT NUMBER WEEKLY	1147
LOGRUN PROCEDURES APPLICATION CUSTOMER ACCOUNT NUMBER YEARLY	8231
LOGRUN PROCEDURES APPLICATION DEPARTMENT DAILY	8237
LOGRUN PROCEDURES APPLICATION DEPARTMENT MONTHLY	8239
LOGRUN PROCEDURES APPLICATION DEPARTMENT QUARTERLY	8240
LOGRUN PROCEDURES APPLICATION DEPARTMENT WEEKLY	8238
LOGRUN PROCEDURES APPLICATION DEPARTMENT YEARLY	8241
LOGRUN PROCEDURES APPLICATION TOTAL DAILY	8242
LOGRUN PROCEDURES APPLICATION TOTAL MONTHLY	8244
LOGRUN PROCEDURES APPLICATION TOTAL QUARTERLY	8245
LOGRUN PROCEDURES APPLICATION TOTAL WEEKLY	8243
LOGRUN PROCEDURES APPLICATION TOTAL YEARLY	8246
LOGRUN PROCEDURES BLLTN BOARD UPDATE CSTMR ACCNT NMBR MTHLY	5700
LOGRUN PROCEDURES BLLTN BOARD UPDATE CUSTOMER ACCT NMBR QRTL	5718
LOGRUN PROCEDURES BULLETIN BOARD ACTIVITY DAILY	8107
LOGRUN PROCEDURES BULLETIN BOARD ACTIVITY MONTHLY	8109
LOGRUN PROCEDURES BULLETIN BOARD ACTIVITY QUARTELRY	8110
LOGRUN PROCEDURES BULLETIN BOARD ACTIVITY WEEKLY	8108
LOGRUN PROCEDURES BULLETIN BOARD ACTIVITY YEARLY	8111
LOGRUN PROCEDURES BULLETIN BOARD CUSTOMER ACCT NMBR MONTHLY	8104
LOGRUN PROCEDURES BULLETIN BOARD CUSTOMER ACCT NMBR QTRLY	8105
LOGRUN PROCEDURES BULLETIN BOARD CUSTOMER ACCT NUMBER DAILY	8102
LOGRUN PROCEDURES BULLETIN BOARD CUSTOMER ACCT NUMBER WEEKLY	8103
LOGRUN PROCEDURES BULLETIN BOARD CUSTOMER ACCT NUMBER YEARLY	8106
LOGRUN PROCEDURES BULLETIN BOARD DEPARTMENT DAILY	8112
LOGRUN PROCEDURES BULLETIN BOARD DEPARTMENT MONTHLY	8114
LOGRUN PROCEDURES BULLETIN BOARD DEPARTMENT QUARTERLY	8115
LOGRUN PROCEDURES BULLETIN BOARD DEPARTMENT WEEKLY	8113
LOGRUN PROCEDURES BULLETIN BOARD DEPARTMENT YEARLY	8128
LOGRUN PROCEDURES BULLETIN BOARD TOTAL DAILY	8131
LOGRUN PROCEDURES BULLETIN BOARD TOTAL MONTHLY	8133

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
LOGRUN PROCEDURES BULLETIN BOARD TOTAL QUARTERLY	8134
LOGRUN PROCEDURES BULLETIN BOARD TOTAL WEEKLY	8132
LOGRUN PROCEDURES BULLETIN BOARD TOTAL YEARLY	8135
LOGRUN PROCEDURES BULLETIN BOARD UPDATE ACTIVITY DAILY	5680
LOGRUN PROCEDURES BULLETIN BOARD UPDATE ACTIVITY MONTHLY	5706
LOGRUN PROCEDURES BULLETIN BOARD UPDATE ACTIVITY QUARTERLY	5722
LOGRUN PROCEDURES BULLETIN BOARD UPDATE ACTIVITY WEEKLY	5688
LOGRUN PROCEDURES BULLETIN BOARD UPDATE ACTIVITY YEARLY	8147
LOGRUN PROCEDURES BULLETIN BOARD UPDATE DEPARTMENT MONTHLY	5710
LOGRUN PROCEDURES BULLETIN BOARD UPDATE DEPARTMENT QRTLY	5726
LOGRUN PROCEDURES BULLETIN BOARD UPDATE DEPARTMENT WEEKLY	5692
LOGRUN PROCEDURES BULLETIN BOARD UPDATE DEPARTMENT YEARLY	8151
LOGRUN PROCEDURES BULLETIN BOARD UPDATE TOTAL DAILY	5684
LOGRUN PROCEDURES BULLETIN BOARD UPDATE TOTAL MONTHLY	5714
LOGRUN PROCEDURES BULLETIN BOARD UPDATE TOTAL QUARTERLY	8139
LOGRUN PROCEDURES BULLETIN BOARD UPDATE TOTAL WEEKLY	5696
LOGRUN PROCEDURES BULLETIN BOARD UPDATE TOTAL YEARLY	8155
LOGRUN PROCEDURES BULLETIN BRD UPDT CUSTOMER ACCNT NMBR DAIL	5670
LOGRUN PROCEDURES BULLETIN UPDATE DEPARTMENT DAILY	5676
LOGRUN PROCEDURES CAI ACTIVITY DAILY	1769
LOGRUN PROCEDURES CAI ACTIVITY MONTHLY	1771
LOGRUN PROCEDURES CAI ACTIVITY QUARTERLY	1772
LOGRUN PROCEDURES CAI ACTIVITY WEEKLY	1770
LOGRUN PROCEDURES CAI ACTIVITY YEARLY	1773
LOGRUN PROCEDURES CAI CUSTOMER ACCOUNT NUMBER DAILY	1764
LOGRUN PROCEDURES CAI CUSTOMER ACCOUNT NUMBER MONTHLY	1766
LOGRUN PROCEDURES CAI CUSTOMER ACCOUNT NUMBER QUARTERLY	1767
LOGRUN PROCEDURES CAI CUSTOMER ACCOUNT NUMBER WEEKLY	1765
LOGRUN PROCEDURES CAI CUSTOMER ACCOUNT NUMBER YEARLY	1768
LOGRUN PROCEDURES CAI DEPARTMENT DAILY	1774
LOGRUN PROCEDURES CAI DEPARTMENT MONTHLY	1776
LOGRUN PROCEDURES CAI DEPARTMENT QUARTERLY	1777
LOGRUN PROCEDURES CAI DEPARTMENT WEEKLY	1775
LOGRUN PROCEDURES CAI DEPARTMENT YEARLY	1778
LOGRUN PROCEDURES CAI TOTAL DAILY	1779
LOGRUN PROCEDURES CAI TOTAL MONTHLY	1781
LOGRUN PROCEDURES CAI TOTAL QUARTERLY	1782
LOGRUN PROCEDURES CAI TOTAL WEEKLY	1780
LOGRUN PROCEDURES CAI TOTAL YEARLY	1783
LOGRUN PROCEDURES CHANGE UPDATE ACTIVITY DAILY	5681
LOGRUN PROCEDURES CHANGE UPDATE ACTIVITY MONTHLY	5707
LOGRUN PROCEDURES CHANGE UPDATE ACTIVITY QUARTERLY	5723
LOGRUN PROCEDURES CHANGE UPDATE ACTIVITY WEEKLY	5689
LOGRUN PROCEDURES CHANGE UPDATE ACTIVITY YEARLY	8148
LOGRUN PROCEDURES CHANGE UPDATE CUSTOMER ACCNT NMBR DAILY	0993
LOGRUN PROCEDURES CHANGE UPDATE CUSTOMER ACCNT NMBR DAILY	5671
LOGRUN PROCEDURES CHANGE UPDATE CUSTOMER ACCNT NMBR MONTHLY	5701
LOGRUN PROCEDURES CHANGE UPDATE CUSTOMER ACCNT NMBR QTRLY	5719
LOGRUN PROCEDURES CHANGE UPDATE CUSTOMER ACCNT NMBR YEARLY	8144
LOGRUN PROCEDURES CHANGE UPDATE DEPARTMENT DAILY	5677
LOGRUN PROCEDURES CHANGE UPDATE DEPARTMENT MONTHLY	5711
LOGRUN PROCEDURES CHANGE UPDATE DEPARTMENT QUARTERLY	5727
LOGRUN PROCEDURES CHANGE UPDATE DEPARTMENT WEEKLY	5693

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
LOGRUN PROCEDURES CHANGE UPDATE DEPARTMENT YEARLY	8152
LOGRUN PROCEDURES CHANGE UPDATE TOTAL DAILY	5685
LOGRUN PROCEDURES CHANGE UPDATE TOTAL MONTHLY	5715
LOGRUN PROCEDURES CHANGE UPDATE TOTAL QRTRLY	8140
LOGRUN PROCEDURES CHANGE UPDATE TOTAL WEEKLY	5697
LOGRUN PROCEDURES CHANGE UPDATE TOTAL YEARLY	8156
LOGRUN PROCEDURES DELETE UPDATE ACTIVITY DAILY	5683
LOGRUN PROCEDURES DELETE UPDATE ACTIVITY MONTHLY	5709
LOGRUN PROCEDURES DELETE UPDATE ACTIVITY QUARTERLY	5725
LOGRUN PROCEDURES DELETE UPDATE ACTIVITY WEEKLY	5691
LOGRUN PROCEDURES DELETE UPDATE ACTIVITY YEARLY	8150
LOGRUN PROCEDURES DELETE UPDATE CUSTOMER ACCNT NMBR DAILY	5673
LOGRUN PROCEDURES DELETE UPDATE CUSTOMER ACCT NMBR MONTHLY	5705
LOGRUN PROCEDURES DELETE UPDATE CUSTOMER ACCT NMBR QUARTERLY	5721
LOGRUN PROCEDURES DELETE UPDATE CUSTOMER ACCT NMBR YEARLY	8146
LOGRUN PROCEDURES DELETE UPDATE DEPARTMENT DAILY	5679
LOGRUN PROCEDURES DELETE UPDATE DEPARTMENT MONTHLY	5713
LOGRUN PROCEDURES DELETE UPDATE DEPARTMENT NUMBER WEEKLY	5695
LOGRUN PROCEDURES DELETE UPDATE DEPARTMENT QUARTERLY	8138
LOGRUN PROCEDURES DELETE UPDATE DEPARTMENT YEARLY	8154
LOGRUN PROCEDURES DELETE UPDATE TOTAL DAILY	5687
LOGRUN PROCEDURES DELETE UPDATE TOTAL MONTHLY	5717
LOGRUN PROCEDURES DELETE UPDATE TOTAL QUARTERLY	8142
LOGRUN PROCEDURES DELETE UPDATE TOTAL WEEKLY	5699
LOGRUN PROCEDURES DELETE UPDATE TOTAL YEARLY	8158
LOGRUN PROCEDURES DLSC PROD SVC ACTIVITY DAILY	0992
LOGRUN PROCEDURES DLSC PROD SVC ACTIVITY QUARTERLY	6880
LOGRUN PROCEDURES DLSC PROD SVC ACTIVITY WEEKLY	0996
LOGRUN PROCEDURES DLSC PROD SVC ACTIVITY YEARLY	6881
LOGRUN PROCEDURES DLSC PROD SVC CUSTOMER ACCT NUMBER DAILY	0987
LOGRUN PROCEDURES DLSC PROD SVC CUSTOMER ACCT NUMBER MONTHLY	0989
LOGRUN PROCEDURES DLSC PROD SVC CUSTOMER ACCT NUMBER QRTLY	0990
LOGRUN PROCEDURES DLSC PROD SVC CUSTOMER ACCT NUMBER WEEKLY	0988
LOGRUN PROCEDURES DLSC PROD SVC CUSTOMER ACCT NUMBER YEARLY	0991
LOGRUN PROCEDURES DLSC PROD SVC DEPARTMENT DAILY	8072
LOGRUN PROCEDURES DLSC PROD SVC DEPARTMENT MONTHLY	8074
LOGRUN PROCEDURES DLSC PROD SVC DEPARTMENT QUARTERLY	8075
LOGRUN PROCEDURES DLSC PROD SVC DEPARTMENT WEEKLY	8073
LOGRUN PROCEDURES DLSC PROD SVC DEPARTMENT YEARLY	8076
LOGRUN PROCEDURES DLSC PROD SVC TOTAL DAILY	8077
LOGRUN PROCEDURES DLSC PROD SVC TOTAL MONTHLY	8079
LOGRUN PROCEDURES DLSC PROD SVC TOTAL QUARTERLY	8080
LOGRUN PROCEDURES DLSC PROD SVC TOTAL WEEKLY	8078
LOGRUN PROCEDURES DLSC PROD SVC TOTAL YEARLY	8081
LOGRUN PROCEDURES QUICJ INFO CUSTOMER ACCOUNT NUMBER YEARLY	1748
LOGRUN PROCEDURES QUICK INFO ACTIVITY DAILY	1749
LOGRUN PROCEDURES QUICK INFO ACTIVITY QUARTERLY	1752
LOGRUN PROCEDURES QUICK INFO ACTIVITY WEEKLY	1750
LOGRUN PROCEDURES QUICK INFO ACTIVITY YEARLY	1753
LOGRUN PROCEDURES QUICK INFO ACTIVTY MONTHLY	1751
LOGRUN PROCEDURES QUICK INFO CUSTOMER ACCOUNT NUMBER DAILY	1744
LOGRUN PROCEDURES QUICK INFO CUSTOMER ACCOUNT NUMBER MONTHLY	1746
LOGRUN PROCEDURES QUICK INFO CUSTOMER ACCOUNT NUMBER QUARTER	1747

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
LOGRUN PROCEDURES QUICK INFO CUSTOMER ACCOUNT NUMBER WEEKLY	1745
LOGRUN PROCEDURES QUICK INFO DEPARTMENT DAILY	1754
LOGRUN PROCEDURES QUICK INFO DEPARTMENT MONTHLY	1756
LOGRUN PROCEDURES QUICK INFO DEPARTMENT QUARTERLY	1757
LOGRUN PROCEDURES QUICK INFO DEPARTMENT WEEKLY	1755
LOGRUN PROCEDURES QUICK INFO DEPARTMENT YEARLY	1758
LOGRUN PROCEDURES QUICK INFO TOTAL DAILY	1759
LOGRUN PROCEDURES QUICK INFO TOTAL MONTHLY	1761
LOGRUN PROCEDURES QUICK INFO TOTAL QUARTERLY	1762
LOGRUN PROCEDURES QUICK INFO TOTAL WEEKLY	1760
LOGRUN PROCEDURES QUICK INFO TOTAL YEARLY	1763
LOGRUN PROCEDURES STAT INFO ACTIVITY DAILY	8087
LOGRUN PROCEDURES STAT INFO ACTIVITY MONTHLY	8089
LOGRUN PROCEDURES STAT INFO ACTIVITY QUARTERLY	8090
LOGRUN PROCEDURES STAT INFO ACTIVITY WEEKLY	8088
LOGRUN PROCEDURES STAT INFO ACTIVITY YEARLY	8091
LOGRUN PROCEDURES STAT INFO CUSTOMER ACCOUNT NUMBER DAILY	8082
LOGRUN PROCEDURES STAT INFO CUSTOMER ACCOUNT NUMBER MONTHLY	8084
LOGRUN PROCEDURES STAT INFO CUSTOMER ACCOUNT NUMBER QRTLY	8085
LOGRUN PROCEDURES STAT INFO CUSTOMER ACCOUNT NUMBER WEEKLY	8083
LOGRUN PROCEDURES STAT INFO CUSTOMER ACCOUNT NUMBER YEARLY	8086
LOGRUN PROCEDURES STAT INFO DEPARTMENT DAILY	8092
LOGRUN PROCEDURES STAT INFO DEPARTMENT MONTHLY	8094
LOGRUN PROCEDURES STAT INFO DEPARTMENT QUARTERLY	8095
LOGRUN PROCEDURES STAT INFO DEPARTMENT WEEKLY	8093
LOGRUN PROCEDURES STAT INFO DEPARTMENT YEARLY	8096
LOGRUN PROCEDURES STAT INFO TOTAL DAILY	8097
LOGRUN PROCEDURES STAT INFO TOTAL MONTHLY	8099
LOGRUN PROCEDURES STAT INFO TOTAL QUARTERLY	8100
LOGRUN PROCEDURES STAT INFO TOTAL WEEKLY	8098
LOGRUN PROCEDURES STAT INFO TOTAL YEARLY	8101
LOGRUN PROCEDURES TRANS PROCESS ACTIVITY DAILY	8194
LOGRUN PROCEDURES TRANS PROCESS ACTIVITY MONTHLY	8196
LOGRUN PROCEDURES TRANS PROCESS ACTIVITY QUARTERLY	8197
LOGRUN PROCEDURES TRANS PROCESS ACTIVITY WEEKLY	8195
LOGRUN PROCEDURES TRANS PROCESS ACTIVITY YEARLY	8198
LOGRUN PROCEDURES TRANS PROCESS CUSTOMER ACCOUNT NMBR DAILY	1804
LOGRUN PROCEDURES TRANS PROCESS CUSTOMER ACCOUNT NMBR MTHLY	8179
LOGRUN PROCEDURES TRANS PROCESS CUSTOMER ACCOUNT NMBR QRTLY	8192
LOGRUN PROCEDURES TRANS PROCESS CUSTOMER ACCOUNT NMBR WEEKLY	1805
LOGRUN PROCEDURES TRANS PROCESS CUSTOMER ACCOUNT NMBR YEARLY	8193
LOGRUN PROCEDURES TRANS PROCESS DEPARTMENT DAILY	8199
LOGRUN PROCEDURES TRANS PROCESS DEPARTMENT MONTHLY	8201
LOGRUN PROCEDURES TRANS PROCESS DEPARTMENT QUARTERLY	8202
LOGRUN PROCEDURES TRANS PROCESS DEPARTMENT WEEKLY	8200
LOGRUN PROCEDURES TRANS PROCESS DEPARTMENT YEARLY	8203
LOGRUN PROCEDURES TRANS PROCESS TOTAL DAILY	6874
LOGRUN PROCEDURES TRANS PROCESS TOTAL MONTHLY	6876
LOGRUN PROCEDURES TRANS PROCESS TOTAL QUARTERLY	6877
LOGRUN PROCEDURES TRANS PROCESS TOTAL WEEKLY	6875
LOGRUN PROCEDURES TRANS PROCESS TOTAL YEARLY	6878
LOGRUN PTL REF NBR LOG INQ ACTIVITY	1156
LOGRUN PTL REF NBR LOG INQ ACTIVITY DAILY	1153

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
LOGRUN PTL REF NBR LOG INQ ACTIVITY MONTHLY	1155
LOGRUN PTL REF NBR LOG INQ ACTIVITY WEEKLY	1154
LOGRUN PTL REF NBR LOG INQ ACTIVITY YEARLY	1157
LOGRUN PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR DAILY	1148
LOGRUN PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR MONTHLY	1150
LOGRUN PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR QUARTERLY	1151
LOGRUN PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR WEEKLY	1149
LOGRUN PTL REF NBR LOG INQ CUSTOMER ACCOUNT NBR YEARLY	1152
LOGRUN PTL REF NBR LOG INQ DAILY TOTAL	1163
LOGRUN PTL REF NBR LOG INQ DEPARTMENT DAILY	1158
LOGRUN PTL REF NBR LOG INQ DEPARTMENT MONTHLY	1160
LOGRUN PTL REF NBR LOG INQ DEPARTMENT QUARTERLY	1161
LOGRUN PTL REF NBR LOG INQ DEPARTMENT WEEKLY	1159
LOGRUN PTL REF NBR LOG INQ DEPARTMENT YEARLY	1162
LOGRUN PTL REF NBR LOG INQ MONTHLY TOTAL	1165
LOGRUN PTL REF NBR LOG INQ QUARTERLY TOTAL	1166
LOGRUN PTL REF NBR LOG INQ WEEKLY TOTAL	1164
LOGRUN PTL REF NBR LOG INQ YEARLY TOTAL	1167
LOGRUN REF NBR LOG INQ ACTIVITY DAILY	1132
LOGRUN REF NBR LOG INQ ACTIVITY MONTHLY	1134
LOGRUN REF NBR LOG INQ ACTIVITY QUARTERLY	1135
LOGRUN REF NBR LOG INQ ACTIVITY WEEKLY	1133
LOGRUN REF NBR LOG INQ ACTIVITY YEARLY	1136
LOGRUN REF NBR LOG INQ CUSTOMER ACCOUNT NBR DAILY	1127
LOGRUN REF NBR LOG INQ CUSTOMER ACCOUNT NBR QUARTERLY	1130
LOGRUN REF NBR LOG INQ CUSTOMER ACCOUNT NBR YEARLY	1131
LOGRUN REF NBR LOG INQ CUSTOMER ACOUNT NBR MONTHLY	1129
LOGRUN REF NBR LOG INQ DAILY TOTAL	1142
LOGRUN REF NBR LOG INQ DEPARTMENT DAILY	1137
LOGRUN REF NBR LOG INQ DEPARTMENT MONTHLY	1139
LOGRUN REF NBR LOG INQ DEPARTMENT QUARTERLY	1140
LOGRUN REF NBR LOG INQ DEPARTMENT WEEKLY	1138
LOGRUN REF NBR LOG INQ INQ DEPARTMENT YEARLY	1141
LOGRUN REF NBR LOG INQ MONTHLY TOTAL	1144
LOGRUN REF NBR LOG INQ QUARTERLY TOTAL	1145
LOGRUN REF NBR LOG INQ WEEKLY TOTAL	1143
LOGRUN REF NBR LOG INQ YEARLY TOTAL	1146
LOGRUN RPOCEDURES DLSC PROD SVC ACTIVITY MONTHLY	6879
LOGRUN TEST ACCESS DEPARTMENT ACTIVITY QUANTITY	6176
LOGRUN TEST ACCESS DEPARTMENT QUANTITY	5985
LOGRUN TEST INQUIRY DEPARTMENT STATION NAME TERM IN CODE QTY	6201
LOLA OVERNIGHT DLIS SEGMENT VALUES IDENTIFIER	4694
LOLA OVERNIGHT LSN LTI REMAINDER	4696
LOLA OVERNIGHT TRANSACTION DATE	4695
LOLA REQUEST DATE	3306
LOLA STATS SCOPE	3307
LOLA SUBMITTER IDENTIFICATION FIELD	0839
LOLA UPDATE COMMUNICATIONS TEXT	3314
LOLA UPDATE DIC COUNT NUMBER	3324
LOLA UPDATE PROCESSED TIME	3323
LOLA UPDATE STATUS KEY CODE	9436
LOLA UPDATE TRANSACTION HEADER TEXT	3313
LONG SUPPLY/CREDIT INDICATOR	1467

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
LSA GRAND TOTAL	1963
LSR SEGMENT 2 INPUT	9174
LSR SEGMENT 2 OUTPUT	9175
LVA DATE	4217
LVA OUTPUT DOCUMENT IDENTIFIER CODE	3893
M3A DEPARTMENT LEVEL OF AUTHORITY REFERENCE NUMBER	1610
M3A DEPARTMENT LOA APPROVED ITEM NAME	1606
M3A DEPARTMENT LOA APPROVED ITEM NAME DIFFERENCE	1609
M3A DEPARTMENT LOA APPROVED ITEM NAME GOAL	1607
M3A DEPARTMENT LOA APPROVED ITEM NAME PERCENT	1608
M3A DEPARTMENT LOA DESCRIPTIVE METHOD	1602
M3A DEPARTMENT LOA DESCRIPTIVE METHOD DIFFERENCE	1605
M3A DEPARTMENT LOA DESCRIPTIVE METHOD GOAL	1603
M3A DEPARTMENT LOA DESCRIPTIVE METHOD PERCENT	1604
M3A DEPARTMENT LOA MANAGED	1601
M3A DEPARTMENT LOA REFERENCE NUMBER DIFFERENCE	1613
M3A DEPARTMENT LOA REFERENCE NUMBER GOAL	1611
M3A DEPARTMENT LOA REFERENCE NUMBER RATIO	1612
M3A DEPARTMENT REFERENCE NUMBER DIFFERENCE	1600
M3AC DEPARTMENT APPROVED ITEM NAME	1593
M3AC DEPARTMENT APPROVED ITEM NAME DIFFERENCE	1596
M3AC DEPARTMENT APPROVED ITEM NAME GOAL	1594
M3AC DEPARTMENT APPROVED ITEM NAME PERCENT	1595
M3AC DEPARTMENT DESCRIPTIVE METHOD	1589
M3AC DEPARTMENT DESCRIPTIVE METHOD DIFFERENCE	1592
M3AC DEPARTMENT DESCRIPTIVE METHOD GOAL	1590
M3AC DEPARTMENT DESCRIPTIVE METHOD PERCENT	1591
M3AC DEPARTMENT MANAGED	1588
M3AC DEPARTMENT REFERENCE NUMBER	1597
M3AC DEPARTMENT REFERENCE NUMBER GOAL	1598
M3AC DEPARTMENT REFERENCE NUMBER RATIO	1599
M3B FSC DEPARTMENT DESCRIPTIVE METHOD GOAL	1626
M3B FSC DEPARTMENT LOA APPROVED ITEM NAME	1628
M3B FSC DEPARTMENT LOA APPROVED ITEM NAME GOAL	1629
M3B FSC DEPARTMENT LOA APPROVED ITEM NAME PERCENT	1630
M3B FSC DEPARTMENT LOA DESCRIPTIVE METHOD	1625
M3B FSC DEPARTMENT LOA DESCRIPTIVE METHOD PERCENT	1627
M3B FSC DEPARTMENT LOA MANAGED	1624
M3B FSC DEPARTMENT LOA REFERENCE NUMBER	1631
M3B FSC DEPARTMENT LOA REFERENCE NUMBER GOAL	1632
M3B FSC DEPARTMENT LOA REFERENCE NUMBER RATIO	1633
M3BC FSC DEPARTMENT APPROVED ITEM NAME	1618
M3BC FSC DEPARTMENT APPROVED ITEM NAME GOAL	1619
M3BC FSC DEPARTMENT DESCRIPTIVE METHOD	1615
M3BC FSC DEPARTMENT DESCRIPTIVE METHOD GOAL	1616
M3BC FSC DEPARTMENT DESCRIPTIVE METHOD PERCENT	1617
M3BC FSC DEPARTMENT REFERENCE NUMBER	1621
M3BC FSC DEPARTMENT REFERENCE NUMBER GOAL	1622
M3BC FSC DEPARTMENT REFERENCE NUMBER RATIO	1623
M3BC FSC-DEPARTMENT APPROVED ITEM NAME PERCENT	1620
M3C1 DEPARTMENT ACTIVITY AIN	1638
M3C1 DEPARTMENT ACTIVITY AIN GOAL	1639
M3C1 DEPARTMENT ACTIVITY AIN PERCENT	1640

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
M3C1 DEPARTMENT ACTIVITY DESCRIPTIVE METHOD	1635
M3C1 DEPARTMENT ACTIVITY DESCRIPTIVE METHOD GOAL	1636
M3C1 DEPARTMENT ACTIVITY DESCRIPTIVE METHOD PERCENT	1637
M3C1 DEPARTMENT ACTIVITY MANAGED	1634
M3C1 DEPARTMENT ACTIVITY REFERENCE NUMBER	1641
M3C1 DEPARTMENT ACTIVITY REFERENCE NUMBER GOAL	1642
M3C1 DEPARTMENT ACTIVITY REFERENCE NUMBER RATIO	1643
M3C2 FSC DEPARTMENT ACTIVITY AIN	1648
M3C2 FSC DEPARTMENT ACTIVITY AIN GOAL	1649
M3C2 FSC DEPARTMENT ACTIVITY AIN PERCENT	6291
M3C2 FSC DEPARTMENT ACTIVITY DESCRIPTIVE METHOD	1645
M3C2 FSC DEPARTMENT ACTIVITY DESCRIPTIVE METHOD GOAL	1646
M3C2 FSC DEPARTMENT ACTIVITY DESCRIPTIVE METHOD PERCENT	1647
M3C2 FSC DEPARTMENT ACTIVITY LOA AIN	6298
M3C2 FSC DEPARTMENT ACTIVITY LOA AIN GOAL	6299
M3C2 FSC DEPARTMENT ACTIVITY LOA AIN PERCENT	6300
M3C2 FSC DEPARTMENT ACTIVITY LOA DESCRIPTIVE METHOD GOAL	6296
M3C2 FSC DEPARTMENT ACTIVITY LOA DESCRIPTIVE METHOD PERCENT	6297
M3C2 FSC DEPARTMENT ACTIVITY LOA MANAGED	6295
M3C2 FSC DEPARTMENT ACTIVITY LOA REFERENCE NUMBER	6301
M3C2 FSC DEPARTMENT ACTIVITY LOA REFERENCE NUMBER GOAL	6302
M3C2 FSC DEPARTMENT ACTIVITY LOA REFERENCE NUMBER RATIO	6303
M3C2 FSC DEPARTMENT ACTIVITY LOAN DESCRIPTIVE METHOD	6650
M3C2 FSC DEPARTMENT ACTIVITY MANAGED	1644
M3C2 FSC DEPARTMENT ACTIVITY REFERENCE NUMBER	6292
M3C2 FSC DEPARTMENT ACTIVITY REFERENCE NUMBER GOAL	6293
M3C2 FSC DEPARTMENT ACTIVITY REFERENCE NUMBER RATIO	6294
M3D DEPARTMENT AIN	6308
M3D DEPARTMENT AIN DIFFERENCE	6311
M3D DEPARTMENT AIN GOAL	6309
M3D DEPARTMENT AIN PERCENT	6310
M3D DEPARTMENT DESCRIPTIVE METHOD	6305
M3D DEPARTMENT DESCRIPTIVE METHOD DIFFERENCE	6307
M3D DEPARTMENT DESCRIPTIVE METHOD GOAL	6306
M3D DEPARTMENT FSC ACTIVITY AIN	6334
M3D DEPARTMENT FSC ACTIVITY AIN DIFFERENCE	6337
M3D DEPARTMENT FSC ACTIVITY AIN GOAL	6335
M3D DEPARTMENT FSC ACTIVITY AIN PERCENT	6336
M3D DEPARTMENT FSC ACTIVITY DESCRIPTIVE METHOD	6330
M3D DEPARTMENT FSC ACTIVITY DESCRIPTIVE METHOD DIFFERENCE	6333
M3D DEPARTMENT FSC ACTIVITY DESCRIPTIVE METHOD GOAL	6331
M3D DEPARTMENT FSC ACTIVITY DESCRIPTIVE METHOD PERCENT	6332
M3D DEPARTMENT FSC ACTIVITY MANAGED	6329
M3D DEPARTMENT FSC ACTIVITY REFERENCE NUMBER	6338
M3D DEPARTMENT FSC ACTIVITY REFERENCE NUMBER DIFFERENCE	6341
M3D DEPARTMENT FSC ACTIVITY REFERENCE NUMBER GOAL	6339
M3D DEPARTMENT FSC ACTIVITY REFERENCE NUMBER RATIO	6340
M3D DEPARTMENT FSC AIN	6321
M3D DEPARTMENT FSC AIN DIFFERENCE	6324
M3D DEPARTMENT FSC AIN GOAL	6322
M3D DEPARTMENT FSC AIN PERCENT	6323
M3D DEPARTMENT FSC DESCRIPTIVE METHOD	6317
M3D DEPARTMENT FSC DESCRIPTIVE METHOD DIFFERENCE	6320

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
M3D DEPARTMENT FSC DESCRIPTIVE METHOD GOAL	6318
M3D DEPARTMENT FSC DESCRIPTIVE METHOD PERCENT	6319
M3D DEPARTMENT FSC MANAGED	6316
M3D DEPARTMENT FSC REFERENCE NUMBER	6325
M3D DEPARTMENT FSC REFERENCE NUMBER DIFFERENCE	6328
M3D DEPARTMENT FSC REFERENCE NUMBER GOAL	6326
M3D DEPARTMENT FSC REFERENCE NUMBER RATIO	6327
M3D DEPARTMENT MANAGED	6304
M3D DEPARTMENT REFERENCE NUMBER	6312
M3D DEPARTMENT REFERENCE NUMBER DIFFERENCE	6315
M3D DEPARTMENT REFERENCE NUMBER GOAL	6313
M3D DEPARTMENT REFERENCE NUMBER RATIO	6314
M3D FSC DEPARTMENT AIN PERCENT	6348
M3D-DEPARTMENT DESCRIPTIVE METHOD PERCENT	6648
M3E FSC DEPARTMENT AIN	6346
M3E FSC DEPARTMENT AIN GOAL	6347
M3E FSC DEPARTMENT DESCRIPTIVE METHOD	6343
M3E FSC DEPARTMENT DESCRIPTIVE METHOD GOAL	6344
M3E FSC DEPARTMENT DESCRIPTIVE METHOD PERCENT	6345
M3E FSC DEPARTMENT MANAGED	6342
M3E FSC DEPARTMENT REFERENCE NUMBER	6349
M3E FSC DEPARTMENT REFERENCE NUMBER GOAL	6350
M3E FSC DEPARTMENT REFERENCE NUMBER RATIO	6649
M61A DEPARTMENT LOA TYPE T1 NSN	7832
M6A1 DEPARTMENT FULL PERCENT	7849
M6A1 DEPARTMENT LOA FULL PERCENT	7839
M6A1 DEPARTMENT LOA PARTIAL PERCENT	7840
M6A1 DEPARTMENT LOA REFERENCE PERCENT	7841
M6A1 DEPARTMENT LOA T4B NSN	7837
M6A1 DEPARTMENT LOA TYPE 1A NSN	7833
M6A1 DEPARTMENT LOA TYPE 1B NSN	7834
M6A1 DEPARTMENT LOA TYPE 2 NSN	7838
M6A1 DEPARTMENT LOA TYPE 4 NSN	7835
M6A1 DEPARTMENT LOA TYPE 4A NSN	7836
M6A1 DEPARTMENT PARTIAL PERCENT	7850
M6A1 DEPARTMENT REFERENCE PERCENT	7851
M6A1 DEPARTMENT TYPE 1 NSN	7842
M6A1 DEPARTMENT TYPE 1A NSN	7843
M6A1 DEPARTMENT TYPE 1B NSN	7844
M6A1 DEPARTMENT TYPE 2 NSN	7848
M6A1 DEPARTMENT TYPE 4 NSN	7845
M6A1 DEPARTMENT TYPE 4A NSN	7846
M6A1 DEPARTMENT TYPE 4B NSN	7847
M6B1 INTEGRATED MANAGER DEPARTMENT FULL PERCENT	7890
M6B1 INTEGRATED MANAGER DEPARTMENT LOA FULL PERCENT	7880
M6B1 INTEGRATED MANAGER DEPARTMENT LOA PARTIAL PERCENT	7881
M6B1 INTEGRATED MANAGER DEPARTMENT LOA REFERENCE PERCENT	7882
M6B1 INTEGRATED MANAGER DEPARTMENT LOA TYPE 1	7873
M6B1 INTEGRATED MANAGER DEPARTMENT LOA TYPE 1A	7874
M6B1 INTEGRATED MANAGER DEPARTMENT LOA TYPE 1B NSN	7875
M6B1 INTEGRATED MANAGER DEPARTMENT LOA TYPE 2 NSN	7879
M6B1 INTEGRATED MANAGER DEPARTMENT LOA TYPE 4 NSN	7876
M6B1 INTEGRATED MANAGER DEPARTMENT LOA TYPE 4A NSN	7877

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
M6B1 INTEGRATED MANAGER DEPARTMENT LOA TYPE 4B NSN	7878
M6B1 INTEGRATED MANAGER DEPARTMENT PARTIAL	7891
M6B1 INTEGRATED MANAGER DEPARTMENT REFERENCE PERCENT	7892
M6B1 INTEGRATED MANAGER DEPARTMENT TYPE 1 NSN	7883
M6B1 INTEGRATED MANAGER DEPARTMENT TYPE 1A NSN	7884
M6B1 INTEGRATED MANAGER DEPARTMENT TYPE 1B NSN	7885
M6B1 INTEGRATED MANAGER DEPARTMENT TYPE 2 NSN	7889
M6B1 INTEGRATED MANAGER DEPARTMENT TYPE 4 NSN	7886
M6B1 INTEGRATED MANAGER DEPARTMENT TYPE 4A NSN	7887
M6B1 INTEGRATED MANAGER DEPARTMENT TYPE 4B NSN	7888
M6B2 INTEGRATED MANAGER ACTIVITY FULL PERCENT	7929
M6B2 INTEGRATED MANAGER ACTIVITY LOA FULL PERCENT	7919
M6B2 INTEGRATED MANAGER ACTIVITY LOA PARTIAL	7920
M6B2 INTEGRATED MANAGER ACTIVITY LOA REFERENCE PERCENT	7921
M6B2 INTEGRATED MANAGER ACTIVITY LOA TYPE 1 NSN	7912
M6B2 INTEGRATED MANAGER ACTIVITY LOA TYPE 1A NSN	7913
M6B2 INTEGRATED MANAGER ACTIVITY LOA TYPE 1B NSN	7914
M6B2 INTEGRATED MANAGER ACTIVITY LOA TYPE 2 NSN	7918
M6B2 INTEGRATED MANAGER ACTIVITY LOA TYPE 4 NSN	7915
M6B2 INTEGRATED MANAGER ACTIVITY LOA TYPE 4A NSN	7916
M6B2 INTEGRATED MANAGER ACTIVITY LOA TYPE 4B NSN	7917
M6B2 INTEGRATED MANAGER ACTIVITY PARTIAL PERCENT	7930
M6B2 INTEGRATED MANAGER ACTIVITY REFERENCE PERCENT	7931
M6B2 INTEGRATED MANAGER ACTIVITY TYPE 1 NSN	7922
M6B2 INTEGRATED MANAGER ACTIVITY TYPE 1A NSN	7923
M6B2 INTEGRATED MANAGER ACTIVITY TYPE 1B NSN	7924
M6B2 INTEGRATED MANAGER ACTIVITY TYPE 4 NSN	7925
M6B2 INTEGRATED MANAGER ACTIVITY TYPE 4A NSN	7926
M6B2 INTEGRATED MANAGER ACTIVITY TYPE 4B NSN	7927
M6B3 CLASS MANAGER DEPARTMENT FULL PERCENT	7909
M6B3 CLASS MANAGER DEPARTMENT LOA FULL PERCENT	7800
M6B3 CLASS MANAGER DEPARTMENT LOA PARTIAL PERCENT	7801
M6B3 CLASS MANAGER DEPARTMENT LOA REFERENCE PERCENT	8230
M6B3 CLASS MANAGER DEPARTMENT LOA TYPE 1 NSN	7893
M6B3 CLASS MANAGER DEPARTMENT LOA TYPE 1A NSN	7894
M6B3 CLASS MANAGER DEPARTMENT LOA TYPE 1B NSN	7895
M6B3 CLASS MANAGER DEPARTMENT LOA TYPE 2 NSN	7899
M6B3 CLASS MANAGER DEPARTMENT LOA TYPE 4 NSN	7896
M6B3 CLASS MANAGER DEPARTMENT LOA TYPE 4A NSN	7897
M6B3 CLASS MANAGER DEPARTMENT LOA TYPE 4B NSN	7898
M6B3 CLASS MANAGER DEPARTMENT PARTIAL PERCENT	7910
M6B3 CLASS MANAGER DEPARTMENT REFERENCE PERCENT	7911
M6B3 CLASS MANAGER DEPARTMENT TYPE 1 NSN	7902
M6B3 CLASS MANAGER DEPARTMENT TYPE 1A NSN	7903
M6B3 CLASS MANAGER DEPARTMENT TYPE 1B NSN	7904
M6B3 CLASS MANAGER DEPARTMENT TYPE 2 NSN	7908
M6B3 CLASS MANAGER DEPARTMENT TYPE 4 NSN	7905
M6B3 CLASS MANAGER DEPARTMENT TYPE 4A NSN	7906
M6B3 CLASS MANAGER DEPARTMENT TYPE 4B NSN	7907
M6B4 CLASS MANAGER ACTIVITY FULL PERCENT	7949
M6B4 CLASS MANAGER ACTIVITY LOA FULL PERCENT	7939
M6B4 CLASS MANAGER ACTIVITY LOA PARTIAL PERCENT	7940
M6B4 CLASS MANAGER ACTIVITY LOA REFERENCE PERCENT	7941

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
M6B4 CLASS MANAGER ACTIVITY LOA TYPE 1 NSN	7932
M6B4 CLASS MANAGER ACTIVITY LOA TYPE 1A NSN	7933
M6B4 CLASS MANAGER ACTIVITY LOA TYPE 1B NSN	7934
M6B4 CLASS MANAGER ACTIVITY LOA TYPE 2 NSN	7938
M6B4 CLASS MANAGER ACTIVITY LOA TYPE 4 NSN	7935
M6B4 CLASS MANAGER ACTIVITY LOA TYPE 4A NSN	7936
M6B4 CLASS MANAGER ACTIVITY LOA TYPE 4B NSN	7937
M6B4 CLASS MANAGER ACTIVITY PARTIAL PERCENT	7950
M6B4 CLASS MANAGER ACTIVITY REFERENCE PERCENT	7951
M6B4 CLASS MANAGER ACTIVITY TYPE 1 NSN	7942
M6B4 CLASS MANAGER ACTIVITY TYPE 1A NSN	7943
M6B4 CLASS MANAGER ACTIVITY TYPE 1B NSN	7944
M6B4 CLASS MANAGER ACTIVITY TYPE 2 NSN	7948
M6B4 CLASS MANAGER ACTIVITY TYPE 4 NSN	7945
M6B4 CLASS MANAGER ACTIVITY TYPE 4A NSN	7946
M6B4 CLASS MANAGER ACTIVITY TYPE 4B NSN	7947
M6B5 FSC DEPARTMENT FULL PERCENT	7969
M6B5 FSC DEPARTMENT LOA FULL PERCENT	7959
M6B5 FSC DEPARTMENT LOA PARTIAL PERCENT	7960
M6B5 FSC DEPARTMENT LOA REFERENCE PERCENT	7961
M6B5 FSC DEPARTMENT LOA TYPE 1 NSN	7952
M6B5 FSC DEPARTMENT LOA TYPE 1A NSN	7953
M6B5 FSC DEPARTMENT LOA TYPE 1B NSN	7954
M6B5 FSC DEPARTMENT LOA TYPE 2 NSN	7958
M6B5 FSC DEPARTMENT LOA TYPE 4 NSN	7955
M6B5 FSC DEPARTMENT LOA TYPE 4A NSN	7956
M6B5 FSC DEPARTMENT LOA TYPE 4B NSN	7957
M6B5 FSC DEPARTMENT PARTIAL PERCENT	7970
M6B5 FSC DEPARTMENT REFERENCE PERCENT	7971
M6B5 FSC DEPARTMENT TYPE 1 NSN	7962
M6B5 FSC DEPARTMENT TYPE 1A NSN	7963
M6B5 FSC DEPARTMENT TYPE 1B NSN	7964
M6B5 FSC DEPARTMENT TYPE 2 NSN	7968
M6B5 FSC DEPARTMENT TYPE 4 NSN	7965
M6B5 FSC DEPARTMENT TYPE 4A NSN	7966
M6B5 FSC DEPARTMENT TYPE 4B NSN	7967
M6B6 FSC ACTIVITY FULL PERCENT	8206
M6B6 FSC ACTIVITY LOA FULL PERCENT	7994
M6B6 FSC ACTIVITY LOA PARTIAL PERCENT	7996
M6B6 FSC ACTIVITY LOA REFERENCE PERCENT	7997
M6B6 FSC ACTIVITY LOA TYPE 1 NSN	7987
M6B6 FSC ACTIVITY LOA TYPE 1A NSN	7988
M6B6 FSC ACTIVITY LOA TYPE 1B NSN	7989
M6B6 FSC ACTIVITY LOA TYPE 2 NSN	7993
M6B6 FSC ACTIVITY LOA TYPE 4 NSN	7990
M6B6 FSC ACTIVITY LOA TYPE 4A NSN	7991
M6B6 FSC ACTIVITY LOA TYPE 4B NSN	7992
M6B6 FSC ACTIVITY PARTIAL PERCENT	8207
M6B6 FSC ACTIVITY REFERENCE PERCENT	8229
M6B6 FSC ACTIVITY TYPE 1 NSN	7998
M6B6 FSC ACTIVITY TYPE 1A NSN	7999
M6B6 FSC ACTIVITY TYPE 1B NSN	8000
M6B6 FSC ACTIVITY TYPE 2 NSN	8205

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
M6B6 FSC ACTIVITY TYPE 4 NSN	8001
M6B6 FSC ACTIVITY TYPE 4A NSN	8002
M6B6 FSC ACTIVITY TYPE 4B NSN	8204
M6C1 ACTIVITY FULL PERCENT	7870
M6C1 ACTIVITY LOA FULL PERCENT	7859
M6C1 ACTIVITY LOA PARTIAL PERCENT	7860
M6C1 ACTIVITY LOA REFERENCE PERCENT	7861
M6C1 ACTIVITY LOA TYPE 1 NSNS	7852
M6C1 ACTIVITY LOA TYPE 1A NSN	7853
M6C1 ACTIVITY LOA TYPE 1B NSN	7854
M6C1 ACTIVITY LOA TYPE 2 NSN	7858
M6C1 ACTIVITY LOA TYPE 4 NSN	7855
M6C1 ACTIVITY LOA TYPE 4A NSN	7856
M6C1 ACTIVITY LOA TYPE 4B NSN	7857
M6C1 ACTIVITY PARTIAL PERCENT	7871
M6C1 ACTIVITY REFERENCE PERCENT	7872
M6C1 ACTIVITY TYPE 1 NSN	7862
M6C1 ACTIVITY TYPE 1A NSN	7863
M6C1 ACTIVITY TYPE 1B NSN	7864
M6C1 ACTIVITY TYPE 2 NSN	7868
M6C1 ACTIVITY TYPE 4 NSN	7865
M6C1 ACTIVITY TYPE 4A NSN	7866
M6C1 ACTIVITY TYPE 4B NSN	7867
M8A1 DEPARTMENT ADD NSN	5494
M8A1 DEPARTMENT BEGINNING BALANCE NSN	5493
M8A1 DEPARTMENT DELETE NSN	5495
M8A1 DEPARTMENT ENDING BALANCE NSN	5496
M8A1 DEPARTMENT LOA ADD NSN	5488
M8A1 DEPARTMENT LOA BEGINNING BALANCE NSN	5487
M8A1 DEPARTMENT LOA DELETE NSN	5489
M8A1 DEPARTMENT LOA ENDING BALANCE NSN	5490
M8A1 DEPARTMENT LOA NET CHANGE	5491
M8A1 DEPARTMENT LOA PERCENT	5492
M8A1 DEPARTMENT NET CHANGE	5497
M8A1 DEPARTMENT PERCENT	5498
M8B1 INTEGRATED MANAGER DEPARTMENT ADD NSN	5520
M8B1 INTEGRATED MANAGER DEPARTMENT BEGINNING BALANCE NSN	5519
M8B1 INTEGRATED MANAGER DEPARTMENT DELETE NSN	5521
M8B1 INTEGRATED MANAGER DEPARTMENT ENDING BALANCE NSN	5522
M8B1 INTEGRATED MANAGER DEPARTMENT LOA BEGINNING	5513
M8B1 INTEGRATED MANAGER DEPARTMENT LOA DELETE NSN	5515
M8B1 INTEGRATED MANAGER DEPARTMENT LOA ENDING BALANCE NSN	5516
M8B1 INTEGRATED MANAGER DEPARTMENT LOA NET CHANGE	5517
M8B1 INTEGRATED MANAGER DEPARTMENT LOA PERCENT	5518
M8B1 INTEGRATED MANAGER DEPARTMENT NET CHANGE	5523
M8B1 INTEGRATED MANAGER DEPARTMENT PERCENT	5524
M8B1 INTEGRATED MANAGER DEPARTMET LOA ADD NSN	5514
M8B2 INTEGRATED MANAGER ACTIVITY ADD NSN	5532
M8B2 INTEGRATED MANAGER ACTIVITY BEGINNING BALANCE NSN	5531
M8B2 INTEGRATED MANAGER ACTIVITY DELETE NSN	5533
M8B2 INTEGRATED MANAGER ACTIVITY ENDING BALANCE NSN	5534
M8B2 INTEGRATED MANAGER ACTIVITY LOA ADD NSN	5526
M8B2 INTEGRATED MANAGER ACTIVITY LOA BEGINNING BALANCE NSN	5525

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
M8B2 INTEGRATED MANAGER ACTIVITY LOA DELETE NSN	5527
M8B2 INTEGRATED MANAGER ACTIVITY LOA ENDING BALANCE NSN	5528
M8B2 INTEGRATED MANAGER ACTIVITY LOA NET CHANGE	5529
M8B2 INTEGRATED MANAGER ACTIVITY LOA PERCENT	5530
M8B2 INTEGRATED MANAGER ACTIVITY NET CHANGE	5535
M8B2 INTEGRATED MANAGER ACTIVITY PERCENT	5536
M8B3 CLASS MANAGER DEPARTMENT ADD NSN	5546
M8B3 CLASS MANAGER DEPARTMENT BEGINNING BALANCE NSN	5545
M8B3 CLASS MANAGER DEPARTMENT DELETE NSN	5547
M8B3 CLASS MANAGER DEPARTMENT ENDING BALANCE NSN	5548
M8B3 CLASS MANAGER DEPARTMENT LOA ADD NSN	5538
M8B3 CLASS MANAGER DEPARTMENT LOA BEGINNING BALANCE NSN	5537
M8B3 CLASS MANAGER DEPARTMENT LOA DELETE NSN	5541
M8B3 CLASS MANAGER DEPARTMENT LOA ENDING BALANCE NSN	5542
M8B3 CLASS MANAGER DEPARTMENT LOA NET CHANGE	5543
M8B3 CLASS MANAGER DEPARTMENT LOA PERCENT	5544
M8B3 CLASS MANAGER DEPARTMENT NET CHANGE	5549
M8B3 CLASS MANAGER DEPARTMENT PERCENT	5550
M8B4 CLASS MANAGER ACTIVITY ADD NSN	5558
M8B4 CLASS MANAGER ACTIVITY BEGINNING BALANCE NSN	5557
M8B4 CLASS MANAGER ACTIVITY DELETE NSN	5559
M8B4 CLASS MANAGER ACTIVITY ENDING BALANCE NSN	5560
M8B4 CLASS MANAGER ACTIVITY LOA ADD NSN	5552
M8B4 CLASS MANAGER ACTIVITY LOA BEGINNING BALANCE	5551
M8B4 CLASS MANAGER ACTIVITY LOA DELETE NSN	5553
M8B4 CLASS MANAGER ACTIVITY LOA ENDING BALANCE NSN	5554
M8B4 CLASS MANAGER ACTIVITY LOA NET CHANGE	5555
M8B4 CLASS MANAGER ACTIVITY LOA PERCENT	5556
M8B4 CLASS MANAGER ACTIVITY NET CHANGE	5561
M8B4 CLASS MANAGER ACTIVITY PERCENT	5562
M8B5 FSC DEPARTMENT ADD NSN	5572
M8B5 FSC DEPARTMENT BEGINNING BALANCE NSN	5571
M8B5 FSC DEPARTMENT DELETE NSN	5573
M8B5 FSC DEPARTMENT ENDING BALANCE NSN	5574
M8B5 FSC DEPARTMENT LOA ADD NSN	5564
M8B5 FSC DEPARTMENT LOA BEGINNING BALANCE NSN	5563
M8B5 FSC DEPARTMENT LOA DELETE NSN	5567
M8B5 FSC DEPARTMENT LOA ENDING BALANCE NSN	5568
M8B5 FSC DEPARTMENT LOA NET CHANGE	5569
M8B5 FSC DEPARTMENT LOA PERCENT	5570
M8B5 FSC DEPARTMENT NET CHANGE	5575
M8B5 FSC DEPARTMENT PERCENT	5576
M8B6 FSC ACTIVITY ADD NSN	5584
M8B6 FSC ACTIVITY BEGINNING BALANCE NSN	5583
M8B6 FSC ACTIVITY DELETE NSN	5585
M8B6 FSC ACTIVITY ENDING BALANCE NSN	5586
M8B6 FSC ACTIVITY LOA ADD NSN	5578
M8B6 FSC ACTIVITY LOA BEGINNING BALANCE NSN	5577
M8B6 FSC ACTIVITY LOA DELETE NSN	5579
M8B6 FSC ACTIVITY LOA ENDING BALANCE NSN	9576
M8B6 FSC ACTIVITY LOA NET CHANGE	5581
M8B6 FSC ACTIVITY LOA PERCENT	5582
M8B6 FSC ACTIVITY NET CHANGE	5587

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
M8B6 FSC ACTIVITY PERCENT	5588
M8C1 DEPARTMENT ACTIVITY ADD NSN	5506
M8C1 DEPARTMENT ACTIVITY BEGINNING BALANCE NSN	5505
M8C1 DEPARTMENT ACTIVITY DELETE NSN	5507
M8C1 DEPARTMENT ACTIVITY ENDING BALANCE NSN	5508
M8C1 DEPARTMENT ACTIVITY LOA ADD NSN	5500
M8C1 DEPARTMENT ACTIVITY LOA BEGINNING BALANCE NSN	5499
M8C1 DEPARTMENT ACTIVITY LOA DELETE NSN	5501
M8C1 DEPARTMENT ACTIVITY LOA ENDING BALANCE NSN	5502
M8C1 DEPARTMENT ACTIVITY LOA NET CHANGE	5503
M8C1 DEPARTMENT ACTIVITY LOA PERCENT	5504
M8C1 DEPARTMENT ACTIVITY NET CHANGE	5509
M8C1 DEPARTMENT ACTIVITY PERCENT	5510
MADS DB2 PARTITION QUANTITY	9241
MAGNETIC TAPE BLOCKING FACTOR INDICATOR	3126
MAGNETIC TAPE DENSITY INDICATOR	3124
MAGNETIC TAPE LABEL INDICATOR	3127
MAGNETIC TAPE PARITY INDICATOR	3125
MAGNETIC TAPE TRACKS ENCODED INDICATOR	3122
MAGNETIC TAPE USAGE NOTE	3123
MAILING PRIORITY INDICATOR CODE SORT SEQUENCE	3232
MAILING PRIORITY INDICATOR CODE	0985
MAILING PRIORITY INDICATOR CODE RELATIVE ROW	3231
MAINTAIN ITEM OF SUPPLY TRANSACTION KEY	9410
MAINTENANCE ACTION CODE	0137
MAINTENANCE CODE, DRAWING CROSS-REFERENCE	1244
MAINTENANCE NUMBER	0265
MAINTENANCE NUMBER IDENTIFICATION LIST DRAWING	0776
MAINTENANCE REPAIR CODE	1478
MAINTENANCE SUPPORT COSTS ORGANIC FUNDED	1348
MAINTENANCE SUPPORT COSTS ORGANIC UNFUNDED	1349
MAJOR MATERIEL CATEGORY CODE, ARMY	2283
MAJOR MATERIEL CATEGORY CODE, ARMY	9256
MAJOR ORGANIZATIONAL ENTITY (MOE) CODE	2833
MAJOR ORGANIZATIONAL ENTITY (MOE) RULE NUMBER	8290
MAJOR ORGANIZATIONAL ENTITY CODE IDENTIFICATION	5299
MAJOR ORGANIZATIONAL ENTITY CODE NOTE	5298
MAJOR ORGANIZATIONAL ENTITY RULE DATA SEGMENT	9101
MAJOR ORGANIZATIONAL ENTITY RULE STATUS CODE	8458
MANAGEMENT AGENCY GROUP OR CLASS MARINE CORPS	3149
MANAGEMENT CHANGE ACTIVITY DELETE REASON GROUP	6846
MANAGEMENT CHANGE ACTIVITY DELETE REASON NSN	6845
MANAGEMENT CHANGE ACTIVITY GROSS ADDITION NSN	6839
MANAGEMENT CHANGE ACTIVITY GROSS DELETE NSN	6844
MANAGEMENT CHANGE ACTIVITY NEW MANAGER NSN	6841
MANAGEMENT CHANGE ACTIVITY NEW NSN	6840
MANAGEMENT CHANGE ACTIVITY REACTIVATION NSN	6843
MANAGEMENT CHANGE ACTIVITY REINSTATEMENT NSN	6842
MANAGEMENT CHANGE DEPARTMENT DELETE REASON GROUP	6854
MANAGEMENT CHANGE DEPARTMENT DELETE REASON NSN	6853
MANAGEMENT CHANGE DEPARTMENT GROSS ADD NSN	6847
MANAGEMENT CHANGE DEPARTMENT GROSS DELETE NSN	6852
MANAGEMENT CHANGE DEPARTMENT NEW MANAGER NSN	6849

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
MANAGEMENT CHANGE DEPARTMENT NEW NSN	6848
MANAGEMENT CHANGE DEPARTMENT REACTIVATION NSN	6851
MANAGEMENT CHANGE DEPARTMENT REINSTATEMENT NSN	6850
MANAGEMENT CONTROL DATA UNUSED POSITIONS	0418
MANAGEMENT CONTROL DATA, AIR FORCE	8925
MANAGEMENT CONTROL DATA, ARMY	8930
MANAGEMENT CONTROL DATA, ARMY (UNUSED POSITIONS)	0827
MANAGEMENT CONTROL DATA, COAST GUARD	0707
MANAGEMENT CONTROL DATA, COAST GUARD UNUSED POSITIONS	0710
MANAGEMENT CONTROL DATA, MARINE CORPS	8935
MANAGEMENT CONTROL DATA, NAVY	8940
MANAGEMENT ECHELON CODE, MARINE CORPS	2790
MANAGEMENT EXCEPTION NOTES	9542
MANAGEMENT FEDERAL SUPPLY CLASS ADD COUNT	1559
MANAGEMENT FEDERAL SUPPLY CLASS CHANGED COUNT	1898
MANAGEMENT FEDERAL SUPPLY CLASS DELETED COUNT	1900
MANAGEMENT FEDERAL SUPPLY CLASS INPUT COUNT	1936
MANAGEMENT FEDERAL SUPPLY CLASS OUTPUT COUNT	1931
MANAGEMENT FSC TOTAL COUNT	1850
MANAGEMENT STATISTICS ARCHIVE PROGRAM NAME	2568
MANAGEMENT STATISTICS ROLL OVER PROGRAM NAME	2569
MANAGER ACQUISITION ADVICE CODE OUTPUT ACCESS	0901
MANAGER ACQUISITION METHOD SUFFIX OUTPUT ACCESS	0909
MANAGER ACQUISTION METHOD CODE OUTPUT ACCESS	0902
MANAGER CAGE OUTPUT ACCESSES	6598
MANAGER FREIGHT OUTPUT ACCESSES	6605
MANDITORY SEGMENT STRING	4624
MANUFACTURER INDICATOR	1986
MANUFACTURER PART NUMBER EDIT IDENTIFICATION	4115
MANUFACTURER'S NOTES	0809
MANUFACTURERS CODE COUNT	1433
MANUFACTURES DRAWING LIST	0925
MARK FOR	2087
MASS CHANGE CHARACTERISTICS DATA GROUP	4575
MASS CHANGE CRITERIA STATEMENT	0324
MASS CHANGE CRITICALITY CHANGE	2501
MASS CHANGE DATABASE ITEM NAME CODE	4571
MASS CHANGE DEFENSE LOGISTICS TIME LOG	4573
MASS CHANGE DELETED CDG CODE	3631
MASS CHANGE GUIDE NUMBER	2503
MASS CHANGE GUIDE NUMBER FEDERAL ITEM IDENTIFICATION GUID	4574
MASS CHANGE INDICATOR	1356
MASS CHANGE ITEM SEGMENT	2502
MASS CHANGE REVIEW CODE	8832
MASS CHANGE TIME CHARACTERISTICS DATA GROUP	4572
MASS CHANGE TYPE CHANGE	2504
MASTER ADDRESS CODE	0980
MASTER ADDRESS/ASSOCIATED ADDRESS ROW	3194
MASTER ADDRESS/ASSOCIATED ADDRESS SORT SEQUENCE	3195
MASTER FEDERAL SUPPLY CLASS DRAWING CROSS REFERENCE	1237
MASTER IDENTIFICATION COUNT, DRAWING CROSS-REFERENCE	1238
MASTER IDENTIFICATION NUMBER DRAWING CROSS REFERENCE	1236
MASTER NATIONAL STOCK NUMBER	0797

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
MASTER NATIONAL STOCK NUMBER (NSN) COUNT	1431
MASTER NIIN DRAWING CROSS REFERENCE	1239
MASTER REQUIREMENT CODE	3445
MASTER REQUIREMENT CODE CLEAR TEXT REPLY CHARACTER COUNTE	0214
MASTER REQUIREMENT CODE CLEAR TEXT REPLY FIELD	0113
MASTER REQUIREMENT CODE SEQUENCE NUMBER	4407
MASTER REQUIREMENT CODE TABLE COUNT	0848
MASTER REQUIREMENT CODE USAGE DESIGNATOR	0847
MASTER REQUIREMENT CODE VALUE COUNT	4439
MASTER REQUIREMENT DIRECTORY (MRD) STATUS INDICATOR CODE	0816
MASTER REQUIREMENT DIRECTORY DATA EXTRACT GROUP	0819
MASTER REQUIREMENT DIRECTORY DATA GROUP FORMAT 1	0818
MASTER REQUIREMENT DIRECTORY DATA GROUP FORMAT 3	0820
MATCHED NATIONAL STOCK NUMBER	4120
MATCHED NIIN COUNT	0896
MATCHED PERMANENT SYSTEM CONTROL NUMBER	8981
MATERIAL CONTROL CODE, NAVY	2832
MATERIAL IDENTIFICATION CODE EXPLANATION	3166
MATERIAL IDENTIFICATION CODE NOTE INDICATOR	3167
MATERIAL MANAGEMENT AGGREGATION CODE DEFINITION AIR FORCE	3158
MATERIAL SAFETY DATA SHEET IDENTIFIER	9076
MATERIEL CATEGORY CODE, ARMY	2680
MATERIEL CATEGORY MARINE CORPS	3148
MATERIEL CONTROL CODE DEFINITION NAVY	3156
MATERIEL IDENTIFICATION CODE	4126
MATERIEL MANAGEMENT AGGREGATION CODE (MMAC), AIR FORCE	2836
MATERIEL MANAGEMENT CODE FOR GSA	2349
MATERIEL MANAGEMENT CODE, MARINE CORPS	9257
MAXIMUM LENGTH	4593
MAXIMUM OCCURRENCES	4595
MAXIMUM RECORD LENGTH	9176
MCBC FSC DEPARTMENT MANAGED	1614
MCRL CROSS REFERENCE NATIONAL STOCK NUMBER (NSN)	0810
MCRL REFERENCE NUMBER RECORDS COUNTER	0807
MCRL REFERENCE NUMBER TOTAL CROSS REFERENCE COUNT	0806
MCRL SERVICE AGENCY DESIGNATOR	0805
MDEALS ADD REFERENCE NUMBER UPDATE ERROR COUNTER	7458
MEASUREMENT QUANTITY	1477
MEDALS ADD DATA ASSET IDENTIFIER COUNT	7436
MEDALS ADD DATA ASSET IDENTIFIER EDIT ERROR COUNTER	7464
MEDALS ADD DATA ASSET IDENTIFIER UPDATE ERROR COUNTER	7455
MEDALS ADD NIIN COUNT	7444
MEDALS ADD NIIN EDIT ERROR COUNTER	7466
MEDALS ADD NIIN UPDATE ERROR COUNTER	7457
MEDALS ADD REFERENCE NUMBER COUNT	7440
MEDALS ADD REFERENCE NUMBER EDIT ERROR COUNTER	7467
MEDALS ADD TITLE COUNT	7448
MEDALS ADD TITLE EDIT ERROR COUNTER	7465
MEDALS ADD TITLE UPDATE ERROR COUNTER	7456
MEDALS ALLOWED ERROR PERCENT RATE	3271
MEDALS ALTERNATE MEDIA CODE	3274
MEDALS ASSETS ORDERED	7636
MEDALS AVERAGE INQUIRY RESPONSE TIME	1262

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
MEDALS AVERAGE OFFERED D1	7194
MEDALS AVERAGE OFFERED D2	7200
MEDALS AVERAGE OFFERED D3	7223
MEDALS AVERAGE OFFERED NN	7217
MEDALS AVERAGE OFFERED P1	7205
MEDALS AVERAGE OFFERED P2	7211
MEDALS BULLETIN BOARD COMMENTS TEXT	8354
MEDALS BULLETIN BOARD LINE SEQUENCE IDENTIFIER	8352
MEDALS BULLETIN BOARD MESSAGE IDENTIFIER	8351
MEDALS BULLETIN BOARD MESSAGE TEXT	8353
MEDALS CAGE CODE FOR PART NUMBER	2287
MEDALS CHANGE DATA ASSET IDENTIFIER EDIT ERROR COUNTER	7468
MEDALS CHANGE DATA ASSET IDENTIFIER UPDATE ERROR COUNTER	7459
MEDALS COPIES ORDERED	7637
MEDALS DATA ASSET ADD TRANSACTION QUANTITY	7366
MEDALS DATA ASSET CHANGE TRANSACTIONS QUANTITY	7368
MEDALS DATA ASSET CURRENT QUANTITY	7370
MEDALS DATA ASSET DELETE TRANSACTION QUANTITY	7367
MEDALS DATA ASSET ERROR TRANSACTION QUANTITY	7365
MEDALS DATA ASSET IDENTIFIER ERROR TRANSACTIONS	7435
MEDALS DATA ASSET PERCENT OF CHANGE	7371
MEDALS DATA ASSETS PREVIOUS QUANTITY	7369
MEDALS DATA ASSETS TRANSACTIONS QUANTITY	7364
MEDALS DECODE SCREEN ACCESS QUANTITY	7698
MEDALS DEL DATA ASSET IDENTIFIER EDIT ERROR COUNTER	7460
MEDALS DEL NIIN COUNT	7445
MEDALS DEL TITLE COUNT	7449
MEDALS DELETE DATA ASSET IDENTIFIER COUNT	7437
MEDALS DELETE DATA ASSET IDENTIFIER UPDATE ERROR COUNTER	7451
MEDALS DELETE NIIN EDIT ERROR COUNTER	7462
MEDALS DELETE NIIN UPDATE ERROR COUNTER	7453
MEDALS DELETE REFERENCE NUMBER COUNT	7441
MEDALS DELETE REFERENCE NUMBER EDIT ERROR COUNTER	7463
MEDALS DELETE REFERENCE NUMBER UPDATE ERROR COUNTER	7454
MEDALS DELETE TITLE EDIT ERROR COUNTER	7461
MEDALS DELETE TITLE UPDATE ERROR COUNTER	7452
MEDALS DIGITIZED MEDIA ABBREVIATION TEXT	8019
MEDALS DOCUMENT DISTRIBUTION STATEMENT CODE	8013
MEDALS DOCUMENT NUCLEAR CODE	8012
MEDALS DOCUMENT NUMBER	2632
MEDALS DOCUMENT SECURITY CODE	8011
MEDALS DOCUMENT SECURITY DESCRIPTION TEXT	8015
MEDALS EDIT ERRORS D1	7625
MEDALS EDIT ERRORS D2	7626
MEDALS EDIT ERRORS D3	7627
MEDALS EDIT ERRORS NN	7630
MEDALS EDIT ERRORS P1	7628
MEDALS EDIT ERRORS P2	7629
MEDALS EDIT ERRORS UNDEF	7631
MEDALS EDRS CONTROLLING ACTIVITY CODE	8014
MEDALS FTP COMMAND CAPABILITY CODE	3418
MEDALS FTP TRANSMITTING ACTION CODE	2738
MEDALS HELP SCREEN ACCESS QUANTITY	7697

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
MEDALS INPUT RECORD	9177
MEDALS INPUTS MATCHED D1	7192
MEDALS INPUTS MATCHED D2	7198
MEDALS INPUTS MATCHED D3	7221
MEDALS INPUTS MATCHED NN	7215
MEDALS INPUTS MATCHED P1	7203
MEDALS INPUTS MATCHED P2	7209
MEDALS INPUTS NOT MATCHED D1	7195
MEDALS INPUTS NOT MATCHED D2	7808
MEDALS INPUTS NOT MATCHED D3	7224
MEDALS INPUTS NOT MATCHED NN	7218
MEDALS INPUTS NOT MATCHED P1	7206
MEDALS INPUTS NOT MATCHED P2	7212
MEDALS INVALID TYPE ERROR COUNTER	7450
MEDALS JEDMICS MEDIA CODE	8017
MEDALS JEDMICS MEDIA DEFINITION TEXT	8018
MEDALS MEDIA CODE	2289
MEDALS NIIN ADD TRANSACTION QUANTITY	7381
MEDALS NIIN CURRENT QUANTITY	7384
MEDALS NIIN DELETE TRANSACTION QUANTITY	7382
MEDALS NIIN ERROR COUNT	7443
MEDALS NIIN ERROR TRANSACTION QUANTITY	7380
MEDALS NIIN PERCENT OF CHANGE	7385
MEDALS NIIN PREVIOUS QUANTITY	7383
MEDALS NIIN TRANSACTION QUANTITY	7379
MEDALS ON-LINE AVERAGE OFFERED	7658
MEDALS ON-LINE DATA ASSET IDENTIFIER AVERAGE QUANTITY	7694
MEDALS ON-LINE DATA ASSET IDENTIFIER INQUIRY PCT OF MATCH	7696
MEDALS ON-LINE DATE ASSET IDENTIFIER TOTAL OFFERED QUANTITY	7693
MEDALS ON-LINE DOCUMENT NUMBER AVERAGE OFFERED	7664
MEDALS ON-LINE DOCUMENT NUMBER INQUIRY PERCENT OF MATCH	7666
MEDALS ON-LINE DOCUMENT NUMBER TOTAL OFFERED QUANTITY	7663
MEDALS ON-LINE DOCUMENT NUMBER/CAGE AVERAGE OFFERED	7670
MEDALS ON-LINE DOCUMENT NUMBER/CAGE INQUIRY PCT. OF MATCH	7672
MEDALS ON-LINE DOCUMENT NUMBER/CAGE TOTAL OFFERED QUANTITY	7669
MEDALS ON-LINE INQUIRY PERCENT OF MATCH	7660
MEDALS ON-LINE NIIN AVERAGE OFFERED	7687
MEDALS ON-LINE NIIN INQUIRY PERCENT OF MATCH	7689
MEDALS ON-LINE NIIN TOTAL OFFERED QUANTITY	7686
MEDALS ON-LINE PART NUMBER AVERAGE OFFERED	7676
MEDALS ON-LINE PART NUMBER INQUIRY PERCENT OF MATCH	7678
MEDALS ON-LINE PART NUMBER TOTAL OFFERED QUANTITY	7675
MEDALS ON-LINE PART NUMBER/CAGE AVERAGE OFFERED	7682
MEDALS ON-LINE PART NUMBER/CAGE INQUIRY PERCENT OF MATCH	7684
MEDALS ON-LINE PART NUMBER/CAGE TOTAL OFFERED QUANTITY	7681
MEDALS ON-LINE TOTAL OFFERED QUANTITY	7657
MEDALS ORDER ERRORS	7635
MEDALS PART NUMBER ADD TRANSACTION QUANTITY	7374
MEDALS PART NUMBER CURRENT QUANTITY	7376
MEDALS PART NUMBER DELETE TRANSACTION QUANTITY	7375
MEDALS PART NUMBER ERROR TRANSACTION QUANTITY	7373
MEDALS PART NUMBER PERCENT OF CHANGE	7378
MEDALS PART NUMBER PREVIOUS QUANTITY	7377

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
MEDALS PART NUMBER TRANSACTIONS QUANTITY	7372
MEDALS PERCENT OF MATCH D1	7196
MEDALS PERCENT OF MATCH D3	7225
MEDALS PERCENT OF MATCH NN	7219
MEDALS PERCENT OF MATCH P1	7207
MEDALS PERCENT OF MATCH P2	7213
MEDALS PERCENT OF MATTCH D2	7201
MEDALS PREFERRED MEDIA CODE	2288
MEDALS PRIMARY MEDIA CODE	3273
MEDALS REFERENCE NUMBER ERROR COUNT	7439
MEDALS REPOSITORY DATA ASSET COUNT	1258
MEDALS REPOSITORY NIIN COUNT	1260
MEDALS REPOSITORY PART NUMBER COUNT	1259
MEDALS REPOSITORY PULL DAY CODE	3272
MEDALS REPOSITORY TITLE COUNT	1261
MEDALS TITLE	2344
MEDALS TITLE ADD TRANSACTION QUANTITY	7388
MEDALS TITLE CURRENT QUANTITY	7391
MEDALS TITLE DELETE TRANSACTION QUANTITY	7389
MEDALS TITLE ERROR COUNT	7447
MEDALS TITLE ERROR TRANSACTION QUANTITY	7387
MEDALS TITLE PERCENT OF CHANGE	7392
MEDALS TITLE PREVIOUS QUANTITY	7390
MEDALS TITLE TRANSACTION QUANTITY	7386
MEDALS TOTAL ADD TRANSACTION QUANTITY	7361
MEDALS TOTAL BATCH AVERAGE OFFERED	7188
MEDALS TOTAL BATCH INQUIRIES	7185
MEDALS TOTAL BATCH INQUIRIES ERRORS	7633
MEDALS TOTAL BATCH INQUIRIES MATCHED	7186
MEDALS TOTAL BATCH INQUIRIES NOT MATCHED	7189
MEDALS TOTAL BATCH INQUIRIES OFFERED	7187
MEDALS TOTAL BATCH INQUIRIES PERCENT OF MATCH	7190
MEDALS TOTAL BATCH UPDATE ADDS	7431
MEDALS TOTAL BATCH UPDATE DELETES	7432
MEDALS TOTAL BATCH UPDATE ERRORS	7430
MEDALS TOTAL BATCH UPDATE TRANSACTIONS	7429
MEDALS TOTAL CHANGE TRANSACTION QUANTITY	7363
MEDALS TOTAL DATA ASSET IDENTIFIER CHANGE COUNT	7433
MEDALS TOTAL DATA ASSET IDENTIFIER TRANSACTIONS	7434
MEDALS TOTAL DELETE TRANSACTION QUANTITY	7362
MEDALS TOTAL ERROR TRANSACTION QUANTITY	7360
MEDALS TOTAL INQUIRIES D1	7191
MEDALS TOTAL INQUIRIES D2	7197
MEDALS TOTAL INQUIRIES D3	7220
MEDALS TOTAL INQUIRIES NN	7214
MEDALS TOTAL INQUIRIES P1	7202
MEDALS TOTAL INQUIRIES P2	7208
MEDALS TOTAL INQUIRIES UNDEF	7632
MEDALS TOTAL NIIN TRANSACTIONS	7442
MEDALS TOTAL OFFERED D1	7193
MEDALS TOTAL OFFERED D2	7199
MEDALS TOTAL OFFERED D3	7222
MEDALS TOTAL OFFERED NN	7216

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
MEDALS TOTAL OFFERED P1	7204
MEDALS TOTAL OFFERED P2	7210
MEDALS TOTAL ON LINE AVERAGE OFFERED	7642
MEDALS TOTAL ON LINE ERRORS	7639
MEDALS TOTAL ON LINE INQUIRIES	7638
MEDALS TOTAL ON LINE INQUIRIES MATCHED	7640
MEDALS TOTAL ON LINE INQUIRIES NOT MATCHED	7643
MEDALS TOTAL ON LINE INQUIRIES OFFERED	7641
MEDALS TOTAL ON LINE INQUIRIES PERCENT OF MATCH	7644
MEDALS TOTAL ORDERS	7634
MEDALS TOTAL REFERENCE NUMBER TRANSACTIONS	7438
MEDALS TOTAL TITLE TRANSACTIONS	7446
MEDALS TOTAL TRANSACTION QUANTITY	7359
MEDALS TRANSMITTING ACTIVITY IDENTIFIER	2739
MEDALS UNDEFINED MAINTENANCE TRANSACTION QUANTITY	7393
MEDALS-DOC-DIST-DESC-TX	8016
MEDIA HEADER	9178
MESSAGE	0983
MESSAGE CODE	1105
MESSAGE LENGTH	9179
METHOD OF PRESERVATION CODE	5160
MICROFICHE COUNT PER FSC	1435
MICROFICHE FRAME COUNT PER FSC	1432
MICROFICHE FRAME NUMBER	4675
MICROFICHE NUMBER	4273
MICROFICHE TITLE LINE	9570
MILITARY VOLUNTARY INDICATOR	3454
MILSTICCS REPLY FIELD	0114
MILSTRIP ROUTING INDICATOR	6459
MINIMIZE ALTERNATE MODE MEDIA	9180
MINIMIZE FLAG	9181
MINIMUM ADDRESS CODE	2645
MINIMUM ADDRESS CODE EXPLANATION	5288
MINIMUM LENGTH	4592
MINIMUN RECORD LENGTH	9182
MODE CODE	4735
MODE TYPE	1035
MOE ASSIGNED RESERVED TOTAL POSITION 1	7819
MOE BATCH DELETE ERROR COUNT	2279
MOE CURRENT ADD ERROR COUNT	1116
MOE CURRENT CHANGE COUNT	1117
MOE CURRENT CHANGE ERROR COUNT	1118
MOE CURRENT DELETE COUNT	1119
MOE CURRENT DELETE ERROR COUNT	1492
MOE EFFECTIVE DATE ADD COUNT	1493
MOE EFFECTIVE DATE ADD ERROR COUNT	1494
MOE EFFECTIVE DATE CHANGE COUNT	1495
MOE EFFECTIVE DATE CHANGE ERROR COUNT	1496
MOE EFFECTIVE DATE DELETE COUNT	1497
MOE EFFECTIVE DATE DELETE ERROR COUNT	1498
MOE EFFECTIVE DATED ADD NSN	7814
MOE EFFECTIVE DATED ADD NSN POSITION 1	7817
MOE EFFECTIVE DATED DELETE NSN	7813

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
MOE EFFECTIVE DATED DELETE NSN POSITION 1	7816
MOE FEDERAL SUPPLY CLASS NSN	5754
MOE FEDERAL SUPPLY GROUP NSN	5753
MOE FSC TOTAL NSN	6647
MOE MASTER INQUIRY DATE	1535
MOE MOE MASTER INQUIRY COUNT	1499
MOE MOE MASTER INQUIRY ERROR COUNT	1534
MOE NSN	7812
MOE NSN POSITION 1	7815
MOE REGISTRATION COLLABORATOR ACTIVITY	7820
MOE REGISTRATION COLLABORATOR RECEIVER ACTIVITY	7822
MOE REGISTRATION COLLABORATOR RECEIVER TOTAL	7823
MOE REGISTRATION RECEIVER ACTIVITY	7821
MOE RULE STATUS CODE DEFINITION	5307
MOE UNASSIGNED RESERVED POSITION 1	7818
MOE USER REQUEST	1911
MONITORING INVENTORY MANAGER/SYSTEM MANAGER	2085
MONTH	2004
MONTHLY DRAWING COUNT	1430
MOP OUTPUT RECORD	9184
MORE CURREND ADD COUNT	1109
MOVEMENT PRIORITY DESIGNATOR	1463
MRC ABRIDGED ASSOCIATED TEXT TABLE NUMBER	8311
MRC ASSIGNED STATUS INDICATOR	3462
MRC COUNTS	0895
MRC DECODE TABLE AND PRINT SEQUENCE	2795
MRC NUMERIC VALUE	3058
MRC REQUIREMENT STATEMENT DEFINITION	5193
MRC VALUE MAXIMUM	3074
MRC VALUE MINIMUM	3075
MRC VALUE NOMINAL	3076
MRD AUDIT REPLY STATUS INDICATOR	3461
MRD AUDIT REQUIREMENT STATUS INDICATOR	3460
MULT INDICATOR	9477
MULTIPLE BATCH DOCUMENT CONTROL NUMBER GRAND TOTAL	2174
MULTIPLE DISPLAY INDICATOR IDENTIFICATION LIST DATA	9470
MULTIPLE INPUT FLAG	9479
MULTIPLE LABELS INDICATOR CODE	9463
N6B2 INTEGRATED MANAGER ACTIVITY TYPE 2 NSN	7928
NAME CODE	2303
NAME CODE, NONAPPROVED	8470
NAME DEFINITION DELIMINATION ADD COUNT	1920
NAME DEFINITION DELIMINATION CHANGED COUNT	1921
NAME DEFINITION DELIMINATION DELETED COUNT	1922
NAME FIELD	2304
NAME LINE 1	3480
NAME LINE 2	3481
NAME MASTER DATE RANGE SEARCH	1915
NAME MASTER DICTIONARY SEARCH	1541
NAME PREFIX	2516
NAME ROOT REMAINDER	2517
NAME/INC/FIIG/EFFECTIVE DATE DATA	3662
NARRATIVE FORM CHARACTERISTICS SEG.	9112

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
NARRATIVE IDENTIFICATION NUMBER	1709
NATIONAL CODIFICATION BUREAU CODE	4130
NATIONAL CODIFICATION BUREAU CODE COUNTRY	5101
NATIONAL CODIFICATION BUREAU CODE NOTE	5102
NATIONAL ITEM IDENTIFICATION NUMBER FSC COUNT	1937
NATIONAL MOTOR FREIGHT CLASSIFICATION (NMFC) CODE	2850
NATIONAL MOTOR FREIGHT CLASSIFICATION (NMFC) SUB-ITEM NUMBER	0861
NATIONAL STOCK NUMBER (NSN) COUNT	1421
NATIONAL STOCK NUMBER CANCELLATION PROPOSAL CODE	6998
NATIONAL SUPPLY CD FOR MANUFACTURERS CODIFICATION BUREAU	4180
NATIONAL WEATHER SERVICE MANAGEMENT CONTROL DATA	2204
NATIONAL WEATHER SERVICE REPAIRABILITY CODE	2201
NATO AC 135 NO7 DATA	1012
NATO BATCH CONTROL DATE	2546
NATO CODIFICATION CONTROL COMMENT TEXT	8976
NATO FILE MAINT SEQUENCE NUMBER	1516
NATO FOREIGN GOVERNMENT TRANSACTION PRICE	1024
NATO FOREIGN GOVERNMENTS OLD TRANSACTION PRICE	1972
NATO KRP DOCUMENT IDENTIFIER CODE COUNT	9129
NATO MANUFACTURER ADDRESS TEXT	8973
NATO MANUFACTURER NAME	8972
NATO MANUFACTURER TELEPHONE NUMBER IDENTIFIER	8974
NATO MANUFACTURERS DATA PREFIX CODE	8975
NATO ONLY INDICATOR	3451
NATO PRIORITY INDICATOR VALUE IDENTIFIER	9187
NATO REPLACEMENT NATIONAL STOCK NUMBER CANCELLATION IDENTIFIER	8971
NATO SUPPLY CODE FOR MANUFACTURERS	4140
NATO TRANSACTION FLAG	9185
NATO TRANSACTION PRIORITY INDICATOR CODE	9186
NATO-FOREIGN GOVERNMENT TRANSACTION PRICE CODE	1973
NAVY AMMUNITION LOGISTICS CODE	2441
NAVY SOURCE OF SUPPLY CODE	9404
NAVY SPECIAL SOURCE OF SUPPLY CODE	0135
NEW CERTIFICATION NUMBER LOCKED STATUS CODE	9050
NEW DEPARTMENT OF DEFENSE AMMUNITION CODE	0481
NEW QUANTITATIVE EXPRESSION	3045
NEW UNIT OF ISSUE CODE	3042
NEW UNIT OF ISSUE TEXT	3047
NIIN ALL ITEM NAME CODE FSC QUANTITY	6601
NIIN BY FEDERAL SUPPLY CLASS	0930
NIIN BY FEDERAL SUPPLY CLASS COUNTER	0931
NIIN COUNT	1426
NIIN COUNT PER TRANSACTION	1427
NIIN DRAWING COUNT	1425
NIIN ITEM NAME CODE FSC QUANTITY	6602
NIIN MCRL SERVICE AGENCY DESIGNATOR	5312
NIIN PSCN INDICATOR	5038
NIIN TO DRAWING IDENTIFICATION LIST	0928
NIIN TO DRAWING MAINTENANCE SEGMENT	0811
NIIN/NAVY ITEM CONTROL NUMBER/AIRCRAFT ENGINE MODEL NUMBER	1464
NIIN/PSCN STATUS CODE	2670
NIIN/PSCN STATUS CODE CONDITIONAL NOTE	5203
NIIN/PSCN STATUS CODE DEFINITION AND INSTRUCTIONS	5201

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
NIIN/PSCN STATUS CODE NOTE	5202
NIIN/PSCN STATUS-CANC DATA SEGMENT	9109
NIINS ADDED COUNT	1428
NIINS CHANGED COUNT	1429
NIINS DELETED COUNT	1424
NO LABEL SETS	9061
NO Q8 RETURN CODE EDIT	3136
NO Q8 RETURN CODE EDIT NAVY	3181
NON APPROVED ITEM NAME STRING	6589
NON PROCURED ITEM COUNT PER FSC	1423
NON-APPROVED BASIC NAME	5186
NON-APPROVED CLASSIFICATION ASSISTANCE MODIFIER, H2	5180
NON-APPROVED COLLOQUIAL NAME	5190
NON-APPROVED DATE ESTABLISHED, CANCELLED RECORD DIDS	5181
NON-APPROVED FSC CONDITION CODE	5187
NON-APPROVED INDEX ENTRY	5192
NON-APPROVED ITEM NAME (NAIN)	5020
NON-APPROVED ITEM NAME CODE	3237
NON-APPROVED ITEM NAME DEFINITION DELIMITATION	5184
NON-APPROVED ITEM NAME DELIMITER	5191
NON-APPROVED OLD FEDERAL SUPPLY CLASSIFICATION	5189
NON-PROCURED ITEMS CANCELLED COUNT PER FSC	1422
NONAPPROVED ITEM NAME ACTIVITY CAGE NSN	5619
NONAPPROVED ITEM NAME ACTIVITY CAGE PERCENT	5622
NONAPPROVED ITEM NAME ACTIVITY FSC NSN	5623
NONAPPROVED ITEM NAME ACTIVITY FSC PERCENT	5624
NONAPPROVED ITEM NAME ACTIVITY RPDMRC NSN	5625
NONAPPROVED ITEM NAME ACTIVITY RPDMRC PERCENT	5626
NONAPPROVED ITEM NAME TOTAL RECEIVED ACTITIVY NSN	5618
NONCONSUMABLE ITEM MATERIAL SUPPORT CODE	0076
NONCONSUMABLE ITEM MATERIAL SUPPORT CODE EXPLANATION	5210
NONMANUFACTURES CODE COUNT	1420
NONSCREENING MASTER REQUIREMENT CODE DETERMINATOR	0782
NORMAL SOURCE OF PROCUREMENT CODE	0721
NORMAL SOURCE OF PROCUREMENT CODE EXPLANATION	5214
NORMAL SOURCE OF PROCUREMENT CODE TITLE	5213
NORTH ATLANTIC TREATY ORGANIZATION STOCK NUMBER	4150
NOTES	1484
NOTIFICATION OF DLSC CHANGE DATA SEGMENT	9121
NSCM COUNTRY ABBREVIATION	4496
NSCM PREFIX CODIFICATION BUREAU CODE EXPLANATION	5272
NSCM PREFIX CODIFICATION BUREAU CODE NOTE	5268
NSCM SUFFIX CODIFICATION BUREAU CODE	5267
NSCM SUFFIX CODIFICATION BUREAU CODE EXPLANATION	5266
NSCM SUFFIX CODIFICATION BUREAU CODE NOTE	5265
NSN INDEX NUMBER	0566
NSN MARKUP HYPHEN INDICATOR	4181
NUCLEAR HARDENED CRITICAL ITEM (NHCI)	2042
NULL MESSAGE INDICATOR CODE	2577
NUMBER IN PROCESS IN BATCH	1985
NUMBER OF ADDRESSES PROCESSED	3220
NUMBER OF COPIES	0890
NUMBER OF COPIES RELATIVE ROW	3223

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
NUMBER OF COPIES SORT SEQUENCE	3218
NUMBER OF COPIES, DRIS REPORT	0638
NUMBER OF DATA COLLABORATORS	8375
NUMBER OF DATA RECEIVERS	8380
NUMBER OF DAYS	1964
NUMBER OF DRAWING VIEWS COUNTER	0936
NUMBER OF DRAWINGS VIEWS	0955
NUMBER OF LABELS ACROSS	3224
NUMBER OF MONTHS, PRODUCTION LEAD TIME	0730
NUMBER OF SEGMENTS	9188
NUMBER OF TABLES	4444
NUMBER OF UNITS, ESTIMATED DEMAND	0727
NUMBER OF UNITS, ON HAND/DUE IN	0722
NUMBER PROCESSED BILLED IN BATCH	1984
NUMBER PURGED FROM BATCH	1983
NUMBER RECEIVED IN BATCH	1982
NUMERIC MONTH	2539
NUMERIC PARTS PREFERENCE CODES	1488
OCCURS COUNTER/1/	0211
OCCURS COUNTER/2/	0212
OFF LINE CHARACTER MASS CHANGE DATA GROUP	0356
OFFICE EXTENSION	0886
OFFICE NAME LINE TEXT	3351
OFFICE SYMBOL	0888
OGANIZATIONAL TITLE	1286
OLD DATA ASSET IDENTIFIER	4562
OLD FEDERAL ITEM IDENTIFICATION GUIDE NUMBER	0319
OLD FEDERAL SUPPLY CLASSIFICATION	4200
OLD QUANTITATIVE EXPRESSION	3044
OLD UNIT OF ISSUE CODE	3041
OLD UNIT OF ISSUE TEXT	3046
ON HOLD TIMESTAMP	9190
OPERATIONAL TEST CODE	0572
OPERATIONAL TEST CODE EXPLANATION	3176
OPERATOR MESSAGE	3229
OPTIONAL NAME LINE TEXT	3352
OPTIONAL PROCEDURE INDICATOR CODE	5173
OPTIONAL SEGMENT STRING	4625
OPTIONAL/MANDATORY ISAC INDICATOR CODE	0826
OPTIONAL/MANDATORY MRC INDICATOR CODE	8450
OR SYMBOL	8951
ORGANIZATIONAL ENTITY CLEAR TEXT DATA COUNTER	0248
ORGANIZATIONAL ENTITY DESIGNATOR CODE EXPLANATION	5287
ORGANIZATIONAL ENTITY DESIGNATOR CODE EXPLANATION NOTE	5286
ORGANIZATIONAL ENTITY DUPLICATE/NON DUP CERTIFICATION CODE	9080
ORGANIZATIONAL ENTITY FILE MAINTENANCE DATA SEGMENT	0251
ORGANIZATIONAL ENTITY FILE MAINTENANCE SEQUENCE CODE	0247
ORGANIZATIONAL ENTITY FILE MAINTENANCE TRANSACTION CODE	0244
ORGANIZATIONAL ENTITY LINE SEGMENT NUMBER	1001
ORGANIZATIONAL ENTITY LINE SEGMENT NUMBER EXPLANATION	0011
ORGANIZATIONAL ENTITY MAIL ROUTING DATA SEGMENT	0246
ORGANIZATIONAL ENTITY NAME/ADDRESS DATA SEGMENT	0249
ORGANIZATIONAL IDENTIFICATION IN THE CLEAR TEXT LINE SEGM	0010

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
ORIGINAL IMAGE KEY	9759
ORIGINATING ACTIVITY CODE	4210
ORIGINATING ACTIVITY CODE INPUT DIC RETURNED QUANTITY H	6822
ORIGINATING ACTIVITY INDICATOR	2222
ORIGINATOR OF STANDARDIZATION DECISION	9325
OTHER DIC	4215
OTHER DIC DATE	4216
OTHER STATE PROVINCE NAME	8978
OUT TO MANUFACTURER CODE	1017
OUTPUT DATA REQUEST CODE	4690
OUTPUT DATA REQUEST CODE SEQUENCER	9189
OUTPUT DESTINATION	2096
OUTPUT DRN POSITION	2037
OUTPUT FILE DATA HEADER SEGMENT	9110
OUTPUT FORMAT NAME	9195
OUTPUT LOCATION PARTITION	9192
OUTPUT MODE/MEDIA CODE	3740
OUTPUT MODE/MEDIA CODE DESCRIPTION	3118
OUTPUT PRODUCT EXTRACT QUANTITY	2672
OUTPUT RECIPIENT	2104
OUTPUT RECORD COUNT	1418
OUTPUT SCHEDULE	2103
OUTPUT TIMESTAMP	9193
OUTPUT TRACK INFO	9062
OUTPUT TRANSACTION RECORD	9196
OUTSIZED DIMENSIONS HANDLING REQUIREMENT CODE	5228
OVER 144 HOURS	6920
OVERALL QUANTITY OF OCCURRENCE	0273
OWNERSHIP CODE	2089
PACKAGE SEQUENCE NUMBER (PSN)	1070
PACKAGING CATEGORY CODE	5159
PACKAGING CODE (PKG)	7978
PACKAGING DATA SEGMENT	9127
PACKAGING DESIGN ACTIVITY CODE	5179
PACKAGING REFERENCE	5149
PACKAGING REFERENCE NUMBER	2447
PACKING CODE (PNG)	7979
PAGE NUMBER	1077
PALLET CUBE	2395
PALLET HEIGHT	2394
PALLET LENGTH	2392
PALLET WEIGHT	2391
PALLET WIDTH	2393
PARAMETER CODE	9063
PARAMETER INFORMATION	3201
PARAMETER VALUE	9064
PARENT TAXPAYER IDENTIFIER	3403
PART NUMBER FOR MEDALS	2259
PARTIAL DESCRIPTIVE 2	6676
PARTIAL DESCRIPTIVE 7	1700
PASSTHROUGH ACTIVITY IDENTIFIER	2139
PASSTHROUGH ACTIVITY NAME	2140
PASSTHROUGH IDENTIFICATION CODE	1076

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
PASSTHROUGH RESPONSE CODE	1103
PC DOWNLOAD LINE	3087
PERCENT CERTIFICATION NUMBER CHANGE	1419
PERCENT DATA CHANGE	1416
PERCENT KNA AND RETURN TO COUNTRY	1978
PERCENT NIIN CHANGE	1417
PERCENT NSNS REFERENCE TYPE II NON-ASSIGNED CLASSES	1673
PERCENT RETURNED 5	6658
PERCENT RETURNED 6	6664
PERMANENT SYSTEM CONTROL NUMBER (PSCN)	4250
PERMISSIVE CODING CODE	0724
PHONE NUMBER TYPE CODE DEFINITION	3413
PHRASE	1414
PHRASE CODE AND RELATED NATIONAL STOCK NUMBER	0260
PHRASE CODE COMBINATION NOTE INDICATOR	3051
PHRASE CODE EXPLANATION	5241
PHRASE CODE PHRASE	5240
PHRASE CODE SERVICE EXPLANATION	3450
PHRASE CODE-MANAGEMENT DATA LIST	2862
PHRASE RELATIONSHIP GROUP	0217
PHYSICAL CATEGORY CODE	0573
PHYSICAL CATEGORY CODE EXPLANATION	3177
PHYSICAL DRAWING IDENTIFIER	5037
PHYSICAL TYPE INDICATOR	5074
PIC RESPONSE HOURS	9412
PICA ACTIVITY INDICATIOR	2142
PICA LCR COUNT	1502
PICA LEVEL OF AUTHORITY CODE DEFINITION	5303
POPULATION FIIG ALL	6610
POPULATION FIIG ALL APPROVED ITEM NAME MANAGED	6713
POPULATION FIIG ALL APPROVED ITEM NAME MANAGED ACTIVITY	6717
POPULATION FIIG ALL APPROVED ITEM NAME MANAGED FULL	6714
POPULATION FIIG ALL APPROVED ITEM NAME MANAGED PARTIAL	6715
POPULATION FIIG ALL APPROVED ITEM NAME MANAGED REFERENCE	6716
POPULATION FIIG ALL APPROVED ITEM NAME NONMANAGED	6735
POPULATION FIIG ALL APPROVED ITEM NAME NONMANAGED FULL	6736
POPULATION FIIG ALL APPROVED ITEM NAME NONMANAGED PARTIAL	6737
POPULATION FIIG ALL APPROVED ITEM NAME NONMANAGED RE	6738
POPULATION FIIG APPROVED ITEM NAME ALL MANAGED	6718
POPULATION FIIG APPROVED ITEM NAME ALL MANAGED ACTIVITY	6722
POPULATION FIIG APPROVED ITEM NAME ALL MANAGED FULL	6719
POPULATION FIIG APPROVED ITEM NAME ALL MANAGED PARTIAL	6720
POPULATION FIIG APPROVED ITEM NAME ALL MANAGED REFERENCE	6721
POPULATION FIIG APPROVED ITEM NAME ALL NONMANAGED	6739
POPULATION FIIG APPROVED ITEM NAME ALL NONMANAGED FULL	6740
POPULATION FIIG APPROVED ITEM NAME ALL NONMANAGED PARTIAL	6741
POPULATION FIIG APPROVED ITEM NAME ALL NONMANAGED REFERENCE	6742
POPULATION FIIG APPROVED ITEM NAME FSC MANAGED	6723
POPULATION FIIG APPROVED ITEM NAME FSC MANAGED ACTIVITY	6726
POPULATION FIIG APPROVED ITEM NAME FSC MANAGED FULL	6724
POPULATION FIIG APPROVED ITEM NAME FSC MANAGED PARTIAL	6725
POPULATION FIIG APPROVED ITEM NAME FSC MANAGED REFERENCE	7172
POPULATION FIIG APPROVED ITEM NAME FSC NONMANAGED	6743

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
POPULATION FIIG APPROVED ITEM NAME FSC NONMANAGED FULL	7828
POPULATION FIIG APPROVED ITEM NAME FSC NONMANAGED PARTIAL	7829
POPULATION FIIG APPROVED ITEM NAME FSC NONMANAGED REFERENCE	7830
POPULATION FIIG EFFECTIVE DATED ALL	6609
POPULATION FIIG EFFECTIVE DATED ITEM NAME CODE	6611
POPULATION FIIG ITEM NAME CODE NSN	6612
POPULATION FSC ALL APPROVED ITEM NAME MANAGED	7831
POPULATION FSC ALL APPROVED ITEM NAME MANAGED ACTIVITY	5592
POPULATION FSC ALL APPROVED ITEM NAME MANAGED FULL	5589
POPULATION FSC ALL APPROVED ITEM NAME MANAGED PARTIAL	5590
POPULATION FSC ALL APPROVED ITEM NAME MANAGED REFERENCE	5591
POPULATION FSC ALL APPROVED ITEM NAME NONMANAGED	5604
POPULATION FSC ALL APPROVED ITEM NAME NONMANAGED FULL	5605
POPULATION FSC ALL APPROVED ITEM NAME NONMANAGED PARTIAL	5606
POPULATION FSC ALL APPROVED ITEM NAME NONMANAGED REFERENCE	5607
POPULATION FSC FIIG ALL APPROVED ITEM NAME MANAGED	5595
POPULATION FSC FIIG ALL APPROVED ITEM NAME MANAGED ACTIVITY	5599
POPULATION FSC FIIG ALL APPROVED ITEM NAME MANAGED FULL	5596
POPULATION FSC FIIG ALL APPROVED ITEM NAME MANAGED PARTIAL	5597
POPULATION FSC FIIG ALL APPROVED ITEM NAME MANAGED REFERENCE	5598
POPULATION FSC FIIG ALL APPROVED ITEM NAME NONMANAGED	5608
POPULATION FSC FIIG ALL APPROVED ITEM NAME NONMANAGED	5609
POPULATION FSC FIIG ALL APPROVED ITEM NAME NONMANAGED REFER	5611
POPULATION FSC FIIG ALL APPROVED ITEM NAME NONMANGED PARTIAL	5610
POPULATION FSC FIIG APPROVED ITEM NAME MANAGED	5600
POPULATION FSC FIIG APPROVED ITEM NAME MANAGED ACTIVITY	5603
POPULATION FSC FIIG APPROVED ITEM NAME MANAGED FULL	5601
POPULATION FSC FIIG APPROVED ITEM NAME MANAGED PARTIAL	5617
POPULATION FSC FIIG APPROVED ITEM NAME MANAGED REFERENCE	5602
POPULATION FSC FIIG APPROVED ITEM NAME NONMANAGED	5612
POPULATION FSC FIIG APPROVED ITEM NAME NONMANAGED FULL	5613
POPULATION FSC FIIG APPROVED ITEM NAME NONMANAGED PARTIAL	5614
POPULATION FSC FIIG APPROVED ITEM NAME NONMANAGED REFERENCE	5615
POPULATION NONAPPROVED ITEM NAME ALL FSC	6727
POPULATION NONAPPROVED ITEM NAME FSC	6728
POPULATION NONAPPROVED ITEM NAME FSC ACTIVITY	6731
POPULATION NONAPPROVED ITEM NAME FSC ALL ACTIVITY	6734
POPULATION NONAPPROVED ITEM NAME FSC ALL INACTIVE	6732
POPULATION NONAPPROVED ITEM NAME FSC ALL MANAGED	6733
POPULATION NONAPPROVED ITEM NAME FSC INACTIVE	6729
POPULATION NONAPPROVED ITEM NAME FSC MANAGED	6730
PORT NUMBER	9213
POST OFFICE BOX	1361
POSTAL ZONE	2549
PRECIOUS METAL INDICATOR CODE 2	7826
PRECIOUS METAL INDICATOR CODE CODED REPLY	3572
PRECIOUS METAL INDICATOR CODE MRC	3573
PRECIOUS METAL INDICATOR CODE NOTE	5264
PRECIOUS METAL INDICATOR CODE TABLE TYPE	3574
PRECIOUS METALS INDICATOR CODE (PMIC)	0802
PRESERVATION MATERIAL CODE	5162
PREVIOUS UNIT OF ISSUE	2066
PRICE NOTE	3447

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
PRICE VALIDATION CODE AIR FORCE DEFINITION	3191
PRICE VALIDATION CODE, AIR FORCE	0858
PRIMARY ADDRESS CODE DETAIL BY SPECIFIC MODE CODE W/I FII	0272
PRIMARY ADDRESS CODE SUMMARY/DETAIL INPUT SEGMENT	0262
PRIMARY BUSINESS CATEGORY CODE	1365
PRIMARY BUSINESS CATEGORY DEFINITION	3368
PRIMARY COMMUNICATIONS ROUTING INDICATOR INDICATOR	9214
PRIMARY DOCUMENT IDENTIFIER CODE	4549
PRIMARY FUNCTIONAL AREA	1945
PRIMARY INDICATOR CODE PROCESSED 72 HOURS PERCENT	6922
PRIMARY INVENTORY CONTROL ACTIVITY (PICA)	2866
PRIMARY INVENTORY CONTROL ACTY LEVEL OF AUTHORITY (PICA L	3505
PRIMARY/SECONDARY INVENTORY CONTROL ACTIVITY CODE	5099
PRIME DRN	1948
PRIME NSN MCN	1489
PRINT CONTROL CODE	0234
PRINT SKELETON CODE	0368
PRINT SKELTON CODE 1	4445
PRINT SKELTON CODE 2	4446
PRINT SKELTON CODE 3	4447
PRINT/DRAWING SUPPRESSION INDICATOR CODE	8261
PRIORITY DESIGNATOR	2084
PRIORITY INDICATOR CODE	2867
PRIORITY INDICATOR CODE ACTIVITY ACTUAL PERCENT ONE	9688
PRIORITY INDICATOR CODE ACTIVITY ACTUAL PERCENT TWO	9689
PRIORITY INDICATOR CODE ACTIVITY ACTUAL PERCENT ZERO	5821
PRIORITY INDICATOR CODE ACTIVITY DEVIATION PERCENT ONE	9690
PRIORITY INDICATOR CODE ACTIVITY DEVIATION PERCENT TWO	9691
PRIORITY INDICATOR CODE ACTIVITY DEVIATION PERCENT ZERO	5822
PRIORITY INDICATOR CODE ACTIVITY DIC ACTUAL PERCENT ONE	9677
PRIORITY INDICATOR CODE ACTIVITY DIC ACTUAL PERCENT TWO	9678
PRIORITY INDICATOR CODE ACTIVITY DIC ACTUAL PERCENT ZERO	5817
PRIORITY INDICATOR CODE ACTIVITY DIC DEVIATION PERCENT ONE	6266
PRIORITY INDICATOR CODE ACTIVITY DIC DEVIATION PERCENT ONE	9679
PRIORITY INDICATOR CODE ACTIVITY DIC DEVIATION PERCENT TWO	9680
PRIORITY INDICATOR CODE ACTIVITY DIC DEVIATION PERCENT ZERO	5818
PRIORITY INDICATOR CODE ACTIVITY DIC PIC FOUR	9673
PRIORITY INDICATOR CODE ACTIVITY DIC PIC ONE	9670
PRIORITY INDICATOR CODE ACTIVITY DIC PIC THREE	9672
PRIORITY INDICATOR CODE ACTIVITY DIC PIC TWO	9671
PRIORITY INDICATOR CODE ACTIVITY DIC PIC ZERO	5815
PRIORITY INDICATOR CODE ACTIVITY DIC STANDARD	5816
PRIORITY INDICATOR CODE ACTIVITY DIC STANDARD PERCENT ONE	9675
PRIORITY INDICATOR CODE ACTIVITY DIC STANDARD PERCENT TWO	9676
PRIORITY INDICATOR CODE ACTIVITY DIC TOTAL	9674
PRIORITY INDICATOR CODE ACTIVITY PIC CODE ZERO	5819
PRIORITY INDICATOR CODE ACTIVITY PIC FOUR	9684
PRIORITY INDICATOR CODE ACTIVITY PIC ONE	9681
PRIORITY INDICATOR CODE ACTIVITY PIC THREE	9683
PRIORITY INDICATOR CODE ACTIVITY PIC TWO	9682
PRIORITY INDICATOR CODE ACTIVITY STANDARD PERCENT ONE	9686
PRIORITY INDICATOR CODE ACTIVITY STANDARD PERCENT TWO	9687
PRIORITY INDICATOR CODE ACTIVITY STANDARD PERCENT ZERO	5820

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
PRIORITY INDICATOR CODE ACTIVITY TOTAL	9685
PRIORITY INDICATOR CODE DEPARTMENT ACTUAL PERCENT ONE	9699
PRIORITY INDICATOR CODE DEPARTMENT ACTUAL PERCENT TWO	9700
PRIORITY INDICATOR CODE DEPARTMENT ACTUAL PERCENT ZERO	5825
PRIORITY INDICATOR CODE DEPARTMENT DEVIATION PERCENT ONE	9701
PRIORITY INDICATOR CODE DEPARTMENT DEVIATION PERCENT TWO	9702
PRIORITY INDICATOR CODE DEPARTMENT DEVIATION PERCENT ZERO	5826
PRIORITY INDICATOR CODE DEPARTMENT PIC CODE ZERO	5823
PRIORITY INDICATOR CODE DEPARTMENT PIC FOUR	9695
PRIORITY INDICATOR CODE DEPARTMENT PIC ONE	9692
PRIORITY INDICATOR CODE DEPARTMENT PIC THREE	9694
PRIORITY INDICATOR CODE DEPARTMENT PIC TWO	9693
PRIORITY INDICATOR CODE DEPARTMENT STANDARD PERCENT ONE	9697
PRIORITY INDICATOR CODE DEPARTMENT STANDARD PERCENT TWO	9698
PRIORITY INDICATOR CODE DEPARTMENT STANDARD PERCENT ZERO	5824
PRIORITY INDICATOR CODE DEPARTMENT TOTAL	9696
PRIORITY INDICATOR CODE DESCRIPTION	9200
PRIORITY INDICATOR CODE TIME FRAME	5669
PRIORITY INDICATOR CODE TOTAL PROCESSED	6923
PRIORITY INDICATOR CODE TOTAL PROCESSED 72 HOURS	6921
PROCESSED 6	6661
PROCESSED TIMESTAMP	9201
PROCESSING COMPLETION DATE	1697
PROCESSING ERROR RESOLUTION	9411
PROCESSING TIME PER MACHINE	1415
PROCUREMENT SOURCE CODE	2063
PRODUCT TITLE	0982
PRODUCT TITLE RELATIVE ROW	3199
PRODUCT TITLE SORT SEQUENCE	3222
PRODUCTION CODE FOR NON-PARAMETRIC SEARCH AND SCREENING	0757
PROGRAM CICS TRANSACTION IDENTIFIER	9199
PROGRAM IDENTIFIER	1108
PROGRAM NAME	9198
PROJECT CODE	2088
PROPORTION CHAR CD	2514
PROPORTION EDIT CRITERIA STATEMENT	0304
PROPORTION EDIT DATA GROUP	0305
PROPORTION EDIT SYMBOLOGY INDICATOR CODE	0762
PROPRIETARY INDICATOR	4409
PROPRIETARY INDICATOR	5066
PROPRIETARY NIINs EXCLUDED COUNT	1412
PRORATED CUBE (FEET)	2439
PRORATED WEIGHT (POUNDS)	2438
PROVISIONING SCREENING RECEIVER'S ADDRESS	0232
PSCN MCRL SERVICE AGENCY DESIGNATOR	5313
PSEUDO ACTIVITY CODE	0892
PSEUDO INC ITEM NAME CODE	3084
PSEUDO SOURCE OF SUPPLY CODE	0133
PSEUDO SOURCE OF SUPPLY CODE DESCRIPTION	5113
PSN ZONE OR DECIMAL	1906
PUBLICATION CYCLE IDENTIFICATION LIST BASIC	0345
PUBLICATION CYCLE IDENTIFICATION LIST CHANGE BULLETIN	0346
PUBLICATION FIIG DATE	5065

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
PUBLICATION INTRODUCTION IDENTIFIER CODE	0093
PUBLICATION INTRODUCTORY DATA	0399
PUBLICATION TERM	3192
PUBLICATION UNITS COUNT	1413
PUBLICATIONS TERM ABBREVIATION	3190
PUBLICATIONS UNIT IDENTIFICATION LIST	4234
QE NOTE	3448
QUALITY CONTROL COMPLETION DATE	1677
QUALITY CONTROL VALIDATE	0915
QUANTITATIVE EXPRESSION	8575
QUANTITATIVE EXPRESSION TERM	5258
QUANTITY DIC GROUP DEPARTMENT TRANSACTIONS PROCESSED	6934
QUANTITY DIC GROUP DEPARTMENT TRANSACTIONS RETURNED PERCENT	6935
QUANTITY OF COPIES REQUIRED	0261
QUANTITY OF OCCURRENCES	0116
QUANTITY PER ASSEMBLY	0106
QUANTITY PER SHIPPING CONTAINER	2443
QUANTITY PER UNIT PACK (QUP) CODE	6106
QUANTITY PER UNIT PACK CODE NOTE	5249
QUANTITY PER UNIT PACK CODE QUANTITY	5248
QUANTITY, ASSETS REPORTED	6060
QUANTITY, AUTHORIZED ITEM IDENTIFICATION DATA SUBMITTER	9541
QUARTELY DIC ALL SAC RULES	5382
QUARTERLY ALL SAC GRAND TOTAL NIIN STATUS	5401
QUARTERLY DIC ALL OAC DEPARTMENT ACTUAL	5426
QUARTERLY DIC ALL OAC DEPARTMENT APPROVED	5424
QUARTERLY DIC ALL OAC DEPARTMENT CLERICAL	5428
QUARTERLY DIC ALL OAC DEPARTMENT NIIN STATUS	5430
QUARTERLY DIC ALL OAC DEPARTMENT POSSIBLE DUPLICATES	5427
QUARTERLY DIC ALL OAC DEPARTMENT PROCESSED	5423
QUARTERLY DIC ALL OAC DEPARTMENT RECEIVED	5422
QUARTERLY DIC ALL OAC DEPARTMENT RETURNED	5425
QUARTERLY DIC ALL OAC DEPARTMENT RULES	5429
QUARTERLY DIC ALL OAC GRAND TOTAL ACTUAL DUPLICATES	5437
QUARTERLY DIC ALL OAC GRAND TOTAL APPROVED	5435
QUARTERLY DIC ALL OAC GRAND TOTAL CLERICAL	5439
QUARTERLY DIC ALL OAC GRAND TOTAL NIIN STATUS	5441
QUARTERLY DIC ALL OAC GRAND TOTAL POSSIBLE DUPLICATES	5438
QUARTERLY DIC ALL OAC GRAND TOTAL PROCESSED	5434
QUARTERLY DIC ALL OAC GRAND TOTAL RECEIVED	5433
QUARTERLY DIC ALL OAC GRAND TOTAL RETURNED	5436
QUARTERLY DIC ALL OAC GRAND TOTAL RULES	5440
QUARTERLY DIC ALL ORIGINATING ACTIVITY CODE ACTUAL DUPLICATE	5417
QUARTERLY DIC ALL ORIGINATING ACTIVITY CODE APPROVED	5415
QUARTERLY DIC ALL ORIGINATING ACTIVITY CODE CLERICAL	5419
QUARTERLY DIC ALL ORIGINATING ACTIVITY CODE NIIN STATUS	5421
QUARTERLY DIC ALL ORIGINATING ACTIVITY CODE POSSIBLE DUPLIC	5418
QUARTERLY DIC ALL ORIGINATING ACTIVITY CODE PROCESSED	5414
QUARTERLY DIC ALL ORIGINATING ACTIVITY CODE RECEIVED	2176
QUARTERLY DIC ALL ORIGINATING ACTIVITY CODE RETURNED	5416
QUARTERLY DIC ALL ORIGINATING ACTIVITY CODE RULES	5420
QUARTERLY DIC ALL SAC APPROVED	5375
QUARTERLY DIC ALL SAC DEPARTMENT ACTUAL DUPLICATES	5388

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
QUARTERLY DIC ALL SAC DEPARTMENT APPROVED	5386
QUARTERLY DIC ALL SAC DEPARTMENT CLERICAL	5390
QUARTERLY DIC ALL SAC DEPARTMENT NIIN STATUS	5392
QUARTERLY DIC ALL SAC DEPARTMENT POSSIBLE DUPLICATES	5389
QUARTERLY DIC ALL SAC DEPARTMENT PROCESSED	5385
QUARTERLY DIC ALL SAC DEPARTMENT RECEIVED	5384
QUARTERLY DIC ALL SAC DEPARTMENT RETURNED	5387
QUARTERLY DIC ALL SAC DEPARTMENT RULES	5391
QUARTERLY DIC ALL SAC GRAND TOTAL APPROVED	5395
QUARTERLY DIC ALL SAC GRAND TOTAL CLERICAL	5399
QUARTERLY DIC ALL SAC GRAND TOTAL POSSIBLE DUPLICATES	5398
QUARTERLY DIC ALL SAC GRAND TOTAL PROCESSED	5394
QUARTERLY DIC ALL SAC GRAND TOTAL RECEIVED	5393
QUARTERLY DIC ALL SAC GRAND TOTAL RETURNED	5396
QUARTERLY DIC ALL SAC GRAND TOTAL RULES	5400
QUARTERLY DIC ALL SAC NIIN STATUS	5383
QUARTERLY DIC ALL SAC POSSIBLE DUPLICATES	5380
QUARTERLY DIC ALL SAC PROCESSED	5374
QUARTERLY DIC ALL SAC RECEIVED	5373
QUARTERLY DIC ALL SAC RETURNED	5376
QUARTERLY DIC OAC ACTUAL DUPLICATES	5446
QUARTERLY DIC OAC DIC ACTUAL DUPLICATES	6820
QUARTERLY DIC OAC DIC APPROVED	6823
QUARTERLY DIC OAC DIC CLERICAL	6818
QUARTERLY DIC OAC DIC NIIN STATUS	6816
QUARTERLY DIC OAC DIC POSSIBLE DUPLICATES	6819
QUARTERLY DIC OAC DIC PROCESSED	6824
QUARTERLY DIC OAC DIC RECEIVED	6825
QUARTERLY DIC OAC DIC RETURNED	6821
QUARTERLY DIC OAC DIC RULES	6817
QUARTERLY DIC OAC TOTAL APPROVED	5444
QUARTERLY DIC OAC TOTAL CLERICAL	5448
QUARTERLY DIC OAC TOTAL NIIN STATUS	5450
QUARTERLY DIC OAC TOTAL POSSIBLE DUPLICATES	5447
QUARTERLY DIC OAC TOTAL PROCESSED	5443
QUARTERLY DIC OAC TOTAL RECEIVED	5442
QUARTERLY DIC OAC TOTAL RETURNED	5445
QUARTERLY DIC OAC TOTAL RULES	5449
QUARTERLY DIC SAC DIC ACTUAL DUPLICATES	6830
QUARTERLY DIC SAC DIC APPROVED	6833
QUARTERLY DIC SAC DIC CLERICAL	6828
QUARTERLY DIC SAC DIC NIIN STATUS	6826
QUARTERLY DIC SAC DIC POSSIBLE DUPLICATES	6829
QUARTERLY DIC SAC DIC PROCESSED	6834
QUARTERLY DIC SAC DIC RECEIVED	6835
QUARTERLY DIC SAC DIC RETURNED	6831
QUARTERLY DIC SAC DIC RULES	6827
QUARTERLY DIC SAC TOTAL ACTUAL DUPLICATES	5408
QUARTERLY DIC SAC TOTAL APPROVED	5406
QUARTERLY DIC SAC TOTAL CLERICAL	5410
QUARTERLY DIC SAC TOTAL NIIN STATUS	5412
QUARTERLY DIC SAC TOTAL POSSIBLE DUPLICATES	5409
QUARTERLY DIC SAC TOTAL PROCESSED	5405

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
QUARTERLY DIC SAC TOTAL RECEIVED	5402
QUARTERLY DIC SAC TOTAL RULES	5411
QUARTERLY DILC ALL SAC GRAND TOTAL ACTUAL DUPLICATES	5397
QUATERLY DIC ALL SAC ACTUAL DUPLICATES	5379
QUATERLY DIC ALL SAC CLERICAL	5381
QUATERLY DIC SAC TOTAL RETURNED	5407
QUEUE IDENTIFICATION	0900
QUP NOTE	3499
RAIL VARIATION CODE	4760
RANDOM SAMPLE INDICATOR CODE	2671
RANGE AND MATERIAL CRITERIA	2257
RAW FIIG INC 9001 USAGE	6687
RAW FIIG INC ACTUAL MATCH	6682
RAW FIIG INC INPUT	6680
RAW FIIG INC MAINTENANCE INPUT	6685
RAW FIIG INC MAINTENANCE MATCH	6686
RAW FIIG INC NEW INPUT	6683
RAW FIIG INC NEW MATCH	6684
RAW FIIG INC POSSIBLE MATCH	6681
RE-OUTPUT AUTODIN MESSAGE TIME STAMP IDENTIFIER	9484
REASON FOR RETURN/NOTIFICATION CODE	7325
RECEIVED SEND TIMESTAMP	9202
RECEIVED TIMESTAMP	9204
RECEIVER ACTIVITY INDICATOR	2145
RECIPROCAL PERMANENT SYSTEM CONTROL NUMBER	0764
RECORD COLUMN	2109
RECORD COUNT PER ACTIVITY	1408
RECORD COUNT PER DOCUMENT NUMBER	1409
RECORD IDENTIFIER	2405
RECORD IMAGE	1407
RECORD TYPE	2637
RECORDED SUBMITTED DRN VALUE	9979
RECORDED SUSPENSE FILE ENTRY DATE	0870
RECORDS ADDED COUNT PER ACTIVITY/FSC	1410
RECORDS CHANGED COUNT PER ACTIVITY/FSC	1411
RECORDS DELETED COUNT PER ACTIVITY/FSC	1406
RECOVERABILITY CODE EXPLANATION MARINE CORPS	3154
RECOVERABILITY CODE EXPLANATION, ARMY	5259
RECOVERABILITY CODE, ARMY	2892
RECOVERABILITY CODE, MARINE CORPS	2891
RECOVERABLE ITEM MOVEMENT CONTROL SYSTEM DATA (RIMCS) EFF DT	2082
RECOVERY CODE	1873
REEL COUNT	1404
REEL FIRST CERTIFICATION NUMBER	1405
REEL FIRST NIIN	1402
REEL LAST CERTIFICATION NUMBER	1403
REEL LAST NIIN	1400
REEL NATIONAL STOCK NUMBER (NSN) COUNT	1401
REEL NUMBER	3459
REEL SEQUENCE	1398
REEL SERIAL NUMBER	1399
REFERENCE	1883
REFERENCE BACK MASTER REQUIREMENT CODE	4475

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
REFERENCE DRAWING GROUP DESIGNATION	3565
REFERENCE DRAWING GROUP TITLE	0964
REFERENCE METHOD 2	6677
REFERENCE METHOD 7	1701
REFERENCE NUMBER ACTION ACTIVITY CODE (RNAAC)	2900
REFERENCE NUMBER CATEGORY CODE (RNCC)	2910
REFERENCE NUMBER CATEGORY CODE (RNCC) DATA BASE	3130
REFERENCE NUMBER CATEGORY CODE EXPLANATION	5125
REFERENCE NUMBER CATEGORY CODE MAY HAVE RANGE	3109
REFERENCE NUMBER CATEGORY CODE MUST HAVE RANGE	3105
REFERENCE NUMBER CATEGORY CODE NOTE	5126
REFERENCE NUMBER CATEGORY CODE RNCC INCOMING	3128
REFERENCE NUMBER CHARACTER COUNTER	0209
REFERENCE NUMBER DATA SEGMENT	9102
REFERENCE NUMBER DECISION CATEGORY CODE	2561
REFERENCE NUMBER DUPLICATION DECISION	3133
REFERENCE NUMBER DUPLICATION DECISION NOTE INDICATOR	3117
REFERENCE NUMBER FORMAT CODE (RNFC)	2920
REFERENCE NUMBER FORMAT CODE EXPLANATION	5114
REFERENCE NUMBER FORMAT CODE NOTE	5115
REFERENCE NUMBER GRAND TOTAL OUT TO MANUFACTURER	2023
REFERENCE NUMBER JUSTIFICATION CODE	2750
REFERENCE NUMBER JUSTIFICATION CODE EXPLANATION	5121
REFERENCE NUMBER JUSTIFICATION CODE NOTE	5122
REFERENCE NUMBER STATUS CODE	2923
REFERENCE NUMBER STATUS CODE EXPLANATION	5131
REFERENCE NUMBER TOTAL OUT TO MANUFACTURER	2022
REFERENCE NUMBER VARIATION CODE (RNVC)	4780
REFERENCE NUMBER VARIATION CODE (RNVC) DATA BASE	3131
REFERENCE NUMBER VARIATION CODE EXPLANATION	5127
REFERENCE NUMBER VARIATION CODE MAY HAVE RANGE	3110
REFERENCE NUMBER VARIATION CODE MUST HAVE RANGE	3106
REFERENCE NUMBER VARIATION CODE NOTE	5128
REFERENCE NUMBER VARIATION CODE RNVC INCOMING	3129
REFERENCE NUMBER, LOGISTICS	3570
REFERENCE OR PARTIAL DESCRIPTIVE METHOD REASON CODE EXPLN	5119
REFERENCE OR PARTIAL DESCRIPTIVE METHOD REASON CODE NOTE	5120
REFERENCE SCREENING INDICATOR	3101
REFERENCE/PARTIAL DESCRIPTIVE METHOD REASON CODE (RPDMRC)	4765
REIMBURSEMENT CODE	2930
REIMBURSEMENT CODE EXPLANATION	3185
REINSPECTION LIMIT (RL)	7980
REINSPECTION PERIOD (RM)	7981
REJECT MESSAGE	1396
REJECTED TRANSACTION FLAG	9205
REJECTED TRANSACTION TIMESTAMP	9206
RELATED ASSEMBLY	2522
RELATED DATA ELEMENT CODES	0438
RELATED END ITEM WEAPON SYSTEM	2524
RELATED FEDERAL SUPPLY CLASS	3981
RELATED ITEM NAME CODE	2926
RELATED NATIONAL STOCK NUMBER	2895
RELATED SCREENING DATA SEGMENT	9116

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
RELATED SKO	2523
RELATIONSHIP CODE	1486
RELATIONSHIP EDIT CRITERIA STATEMENT	8454
RELATIONSHIP EDIT DATA GROUP	3673
RELEASE	0916
RELEASE COUNT TO CICS	9065
RELEASED TRANSACTION COUNT	9207
RELEASED TRANSACTION TIMESTAMP	9208
REMAIN IN PLACE INDICATOR	1482
REMOTE OUTPUT DATA REQUEST CODE	1102
REMOTE OUTPUT DEVICE CODE	0849
REMOTE OUTPUT FORMAT CODE	0841
REORDER TRANSACTION TIMESTAMP	9209
REORGANIZATION STATUS FLAG IDENTIFIER	9504
REPAIR MAINTENANCE CODE	1465
REPAIR NET PRICE	5235
REPARABILITY ACTIVITY LOA NSN	1650
REPARABILITY ACTIVITY NSN	1651
REPARABILITY CODE	2745
REPARABILITY CODE ARMY	2933
REPARABILITY CODE COAST GUARD EXPLANATION	3180
REPARABILITY CODE, COAST GUARD	0709
REPARABILITY DEPARTMENT LOA NSN	1652
REPARABILITY DEPARTMENT NSN	1653
REPARABLE CHARACTERISTICS INDICATOR CODE, DLA	2934
REPARABLE CHARACTERISTICS INDICATOR CODE, DLA DEFINITION	5261
REPEATING SEGMENT INDICATOR	4594
REPLACED AMMUNITION CODE	8815
REPLACED FEDERAL SUPPLY CLASS CODE	2647
REPLACED ITEM NAME CODE	2646
REPLACED NATIONAL STOCK NUMBER, STANDARDIZATION RELATIONSHIP	8977
REPLACED PSCN, STANDARDIZATION RELATIONSHIP	8979
REPLACEMENT COMMERCIAL AND GOVERNMENT ENTITY CODE	3595
REPLACEMENT IDENTIFICATION NUMBER, DRAWING CROSS-REFERENCE	1241
REPLACEMENT MAJOR ORGANIZATIONAL ENTITY RULE NUMBER - 1	0226
REPLACEMENT MAJOR ORGANIZATIONAL ENTITY RULE NUMBER - 2	2526
REPLACEMENT MAJOR ORGANIZATIONAL ENTITY RULE NUMBER - 3	2527
REPLACEMENT MAJOR ORGANIZATIONAL ENTITY RULE NUMBER - 4	2528
REPLACEMENT MAJOR ORGANIZATIONAL ENTITY RULE NUMBER - 5	2529
REPLACEMENT NATIONAL ITEM IDENTIFICATION NUMBER	4300
REPLACEMENT NATIONAL STOCK NUMBER ACCEPTANCE CODE	0853
REPLACEMENT NATIONAL STOCK NUMBER, CANCELLATION	8875
REPLACEMENT NATIONAL STOCK NUMBER, FOR A PSCN	8878
REPLACEMENT NATO SUPPLY CODE FOR MANUFACTURERS	9292
REPLACEMENT NSN, STANDARDIZATION RELATIONSHIP	9525
REPLACEMENT PERMANENT SYSTEM CONTROL NUMBER, CANCELLATION	8985
REPLACEMENT PSCN, STANDARDIZATION RELATIONSHIP	9530
REPLY CANCELLATION PROPOSAL TEXT	6999
REPLY CONVERSION CRITERIA STATEMENT	8453
REPLY CONVERSION INDICATOR	8326
REPLY COUNTS	0894
REPLY DATA DESCRIPTIVE COLUMNAR IDENTIFICATION LIST	3612
REPLY DATA DESCRIPTIVE PARAGRAPH IDENTIFICATION LIST	3616

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
REPLY DECODE GUIDE	0366
REPLY FIELD DISPLAY CRITERIA, DD FORM 146	8327
REPLY INSTRUCTION	2242
REPLY RECORD COUNT	0442
REPLY SEQUENCE NUMBER	4408
REPLY TABLE CODE, FIIG DECODE GUIDES	3845
REPLY TABLE CODE, MASTER REQUIREMENTS DIRECTORY (MRD)	8254
REPLY TABLE CODES STATUS INDICATOR	3463
REPLY TABLE DECODE SEQUENCE NUMBER	0510
REPLY TABLE STATUS INDICATOR	2498
REPORT REQUEST CODE	1896
REPORTABLE ITEM CONTROL CODE	1479
REPORTING DATE	1996
REPORTING PERIOD	0911
REPORTING PERIOD	1995
REPOSITORY AVERAGE INQUIRY RESPONSE TIME	1274
REPOSITORY BATCH AVERAGE OFFERED	7272
REPOSITORY BATCH DATA ASSET IDENTIFIER AVERAGE OFFERED	7308
REPOSITORY BATCH DATA ASSET IDENTIFIER INQUIRY PCT OF MTCH	7310
REPOSITORY BATCH DATA ASSETS IDENTIFIER TOTAL OFFERED QTY	7307
REPOSITORY BATCH DOCUMENT NUMBER AVERAGE OFFERED	7278
REPOSITORY BATCH DOCUMENT NUMBER INQUIRY PERCENT OF MATCH	7280
REPOSITORY BATCH DOCUMENT NUMBER TOTAL OFFERED QUANTITY	7277
REPOSITORY BATCH DOCUMENT NUMBER/CAGE AVERAGE OFFERED	7284
REPOSITORY BATCH DOCUMENT NUMBER/CAGE INQUIRY PERCENT MATCH	7286
REPOSITORY BATCH DOCUMENT NUMBER/CAGE TOTAL OFFERED QTY	7283
REPOSITORY BATCH INQUIRY PERCENT OF MATCH	7274
REPOSITORY BATCH NIIN AVERAGE OFFERED	7302
REPOSITORY BATCH NIIN INQUIRY PERCENT OF MATCH	7304
REPOSITORY BATCH NIIN TOTAL OFFERED QUANTITY	7301
REPOSITORY BATCH PART NUMBER AVERAGE OFFERED	7290
REPOSITORY BATCH PART NUMBER INQUIRY PERCENT OF MATCH	7292
REPOSITORY BATCH PART NUMBER TOTAL OFFERED QUANTITY	7289
REPOSITORY BATCH PART NUMBER/CAGE AVERAGE OFFERED	7296
REPOSITORY BATCH PART NUMBER/CAGE INQUIRY PERCENT OF MATCH	7298
REPOSITORY BATCH PART NUMBER/CAGE TOTAL OFFERED QUANTITY	7295
REPOSITORY BATCH TOTAL OFFERED QUANTITY	7271
REPOSITORY CITY	0884
REPOSITORY CLEAR TEXT - 1	0889
REPOSITORY CLEAR TEXT - 2	2625
REPOSITORY CLEAR TEXT - 3	2626
REPOSITORY CLEAR TEXT - 4	2627
REPOSITORY E MAIL ADDRESS	2624
REPOSITORY IDENTIFIER	2638
REPOSITORY IDENTIFIER FOR CAGE CODE AND PART NUMBER	2345
REPOSITORY IDENTIFIER FOR NIIN	2346
REPOSITORY IDENTIFIER FOR TITLE	2286
REPOSITORY NAME	0882
REPOSITORY OFFICE SYMBOL	2621
REPOSITORY ON-LINE AVERAGE OFFERED	7356
REPOSITORY ON-LINE DATA ASSET IDENTIFIER AVERAGE OFFERED	7761
REPOSITORY ON-LINE DATA ASSET IDENTIFIER TOTAL OFFERED QTY	7760
REPOSITORY ON-LINE DATA ASSET INDENT INQUIRY PCT OF MATCH	7776

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
REPOSITORY ON-LINE DOCUMENT NUMBER AVERAGE OFFERED QUANTITY	7775
REPOSITORY ON-LINE DOCUMENT NUMBER INQUIRY PERCENT OF MATCH	7745
REPOSITORY ON-LINE DOCUMENT NUMBER TOTAL OFFERED QUANTITY	7743
REPOSITORY ON-LINE DOCUMENT NUMBER/CAGE AVERAGE OFFERED	7749
REPOSITORY ON-LINE DOCUMENT NUMBER/CAGE INPUTS MATCHED QTY	7747
REPOSITORY ON-LINE DOCUMENT NUMBER/CAGE TOTAL OFFERED QTY	7748
REPOSITORY ON-LINE INQUIRY PERCENT OF MATCH	7358
REPOSITORY ON-LINE NIIN AVERAGE OFFERED	7755
REPOSITORY ON-LINE NIIN INQUIRY PERCENT OF MATCH	7757
REPOSITORY ON-LINE NIIN TOTAL OFFERED QUANTITY	7754
REPOSITORY ON-LINE PART NUMBER AVERAGE OFFERED	7772
REPOSITORY ON-LINE PART NUMBER INQUIRY PERCENT OF MATCH	7774
REPOSITORY ON-LINE PART NUMBER TOTAL OFFERED QUANTITY	7771
REPOSITORY ON-LINE PART NUMBER/CAGE AVERAGE OFFERED	7766
REPOSITORY ON-LINE PART NUMBER/CAGE INQUIRY PERCENT OF MATCH	7768
REPOSITORY ON-LINE PART NUMBER/CAGE TOTAL OFFERED QUANTITY	7765
REPOSITORY ON-LINE TOTAL OFFERED QUANTITY	7355
REPOSITORY STATE/U.S. POSSESSION ABBREVIATION	2622
REPOSITORY STREET ADDRESS	0883
REPOSITORY TELEPHONE EXTENSION	2574
REPOSITORY TELEPHONE NUMBER	2572
REPOSITORY TITLE ADD TRANSACTIONS QUANTITY	1247
REPOSITORY TITLE CURRENT QUANTITY	1250
REPOSITORY TITLE DELETE TRANSACTION QUANTITY	1248
REPOSITORY TITLE ERROR TRANSACTION QUANTITY	1246
REPOSITORY TITLE PERCENT OF CHANGE	1251
REPOSITORY TITLE PREVIOUS QUANTITY	1249
REPOSITORY TITLE TRANSACTION QUANTITY	1245
REPOSITORY TYPE OF PHONE NUMBER CODE	2571
REPOSITORY UNDEFINED MAINTENANCE TRANSACTION QUANTITY	1252
REPOSITORY ZIP CODE	2623
REPROCESSED TIMESTAMP	9203
REPROCESSING ENTRY POINT	1874
REPRODUCTION COMPLETION DATE	1711
REQUEST CODE	0973
REQUEST FOR CODIFICATION AND REGISTRATION OF USER CODE	2179
REQUIREMENT REPLY INSTRUCTION	2648
REQUIREMENT STATEMENT	3614
REQUIREMENT STATEMENT CHARACTER CTR	0213
REQUIREMENT STATEMENT DEFINITION	5027
REROUTE TRANSACTION KEY	9763
REROUTED TRANSACTION TIMESTAMP	9210
RESPOSITORY ON-LINE DOC. NO/CAGE INQUIRY PERCENT OF MATCH	7751
RESTART COMMIT IDENTIFIER	9515
RESTORE FLAG	9066
RESTORE STATUS FLAG	9314
RESULT ACTION	3104
RETURN CODE	9480
RETURN CODE COMMENT	4559
RETURN CODE COUNT	1998
RETURN CODE DEFINITION AND INSTRUCTION	3140
RETURN CODE DRN COMMENT	4557
RETURN TO COUNTRY CODE	1002

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
RETURN TO COUNTRY PERCENT	1974
RETURN TO COUNTRY PERCENT TOTAL	1975
RETURN TO COUNTRY QUANTITY	1976
RETURN TO COUNTRY QUANTITY TOTAL	1977
RETURN TO COUNTRY TOTAL	1999
RETURNED 6	6663
REVISION LEVEL	2644
RNAAC INDICATOR	2221
ROLL UP CODE	9460
ROLL UP DEPARTMENT CODE	9459
ROLL-UP DOCUMENT IDENTIFIER CODE	2097
ROLL-UP DOCUMENT IDENTIFIER CODE DESTINATION	2098
ROUTING IDENTIFIER CODE, DEFENSE PROPERTY DISPOSAL OFFICE	3342
ROW HOLD FLAG IDENTIFIER	9191
ROW INDICATOR	4205
ROW NUMBER	4518
ROW OBSOLETE DATE	4489
RPDMRC KFP FOLLOW UP DATE	4532
RPDMRC KFP FOLLOW UP INDICATOR	4531
RULE INDICATOR CODE, SECTION II, FIIG	0322
SAC ABRIDGED ASSOCIATION TEXT TABLE NUMBER	8330
SAC UNABRIDGED ASSOCIATION TEXT TABLE NUMBER	8337
SAMPLE SIZE QUANTITY	2675
SCHEDULES REMOVAL COMPONENT CARD CODE COUNT	1466
SCREEN IDENTIFICATION CODE	0981
SCREEN NAME	1680
SCREEN PROVISIONING NSN DEPARTMENT CURRENT RECEIVED QUANTITY	6212
SCREENING CRITERIA	8456
SCREENING KEY INDICATORS	2169
SCREENING LSN NSN DEPARTMENT CURRENT MATCHED	5469
SCREENING LSN NSN DEPARTMENT CURRENT NSNS NOT MATCHED	5470
SCREENING LSN NSN DEPARTMENT CURRENT RECEIVED QUANTITY	5472
SCREENING LSN NSN DEPARTMENT CURRENT REJECTS	5471
SCREENING LSN NSN DEPARTMENT PREVIOUS YEAR TO DATE MATCHED	5477
SCREENING LSN NSN DEPARTMENT PREVIOUS YEAR TO DATE RECEIVED	5480
SCREENING LSN NSN DEPARTMENT PREVIOUS YEAR TO DATE REJECTS	5479
SCREENING LSN NSN DEPARTMENT YEAR TO DATE MATCHED	5473
SCREENING LSN NSN DEPARTMENT YEAR TO DATE NOT MATCHED	5474
SCREENING LSN NSN DEPARTMENT YEAR TO DATE RECEIVED	5476
SCREENING LSN NSN DEPARTMENT YEAR TO DATE REJECT	5475
SCREENING LSN NSN DEPT PREVIOUS YEAR TO DATE NOT MATCHED	5478
SCREENING LSN NSN TOTAL MATCHED	5481
SCREENING LSN NSN TOTAL NOT MATCHED	5482
SCREENING LSN NSN TOTAL RECEIVED	5484
SCREENING LSN NSN TOTAL REJECT	5483
SCREENING PREPROCUREMENT NSN DEPARTMENT CURRENT MATCHED	6241
SCREENING PREPROCUREMENT NSN DEPARTMENT CURRENT RECEIVED	6244
SCREENING PREPROCUREMENT NSN DEPARTMENT CURRENT REJECTS	6243
SCREENING PREPROCUREMENT NSN DEPT CURRENT NSNS NOT MATCHED	6242
SCREENING PREPROCUREMENT NSN DEPT PREV YR TO DATE NOT MATCH	6250
SCREENING PREPROCUREMENT NSN DEPT PREV YR TO DATE RECEIVED	6252
SCREENING PREPROCUREMENT NSN DEPT PREVIOUS YR TO DATE MATCH	6249
SCREENING PREPROCUREMENT NSN DEPT PREVIOUS YR TO DATE REJECT	6251

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
SCREENING PREPROCUREMENT NSN DEPT YEAR TO DATE MATCHED	6245
SCREENING PREPROCUREMENT NSN DEPT YEAR TO DATE NOT MATCHED	6246
SCREENING PREPROCUREMENT NSN DEPT YEAR TO DATE RECEIVED	6248
SCREENING PREPROCUREMENT NSN DEPT YEAR TO DATE REJECT	6247
SCREENING PREPROCUREMENT NSN TOTAL MATCHED	6253
SCREENING PREPROCUREMENT NSN TOTAL NOT MATCHED	6254
SCREENING PREPROCUREMENT NSN TOTAL RECEIVED	6256
SCREENING PREPROCUREMENT NSN TOTAL REJECT	6255
SCREENING PREPROCUREMENT REF DEPT PREV YR TO DATE MATCHED	5461
SCREENING PREPROCUREMENT REF DEPT PREV YR TO DATE NOT MATCH	5462
SCREENING PREPROCUREMENT REF DEPT PREV YR TO DATE RECEIVED	5464
SCREENING PREPROCUREMENT REF DEPT PREV YR TO DATE REJECTED	5463
SCREENING PREPROCUREMENT REFERENCE DEPT CURRENT MATCH	5451
SCREENING PREPROCUREMENT REFERENCE DEPT CURRENT NOT MATCHED	5452
SCREENING PREPROCUREMENT REFERENCE DEPT CURRENT RECEIVED	5454
SCREENING PREPROCUREMENT REFERENCE DEPT CURRENT REJECTS	5453
SCREENING PREPROCUREMENT REFERENCE DEPT YEAR TO DATE MATCHED	5455
SCREENING PREPROCUREMENT REFERENCE DEPT YEAR TO DATE RECVD	5460
SCREENING PREPROCUREMENT REFERENCE DEPT YEAR TO DATE REJECT	5459
SCREENING PREPROCUREMENT REFERENCE DEPT YR TO DATE NOT MATCH	5456
SCREENING PREPROCUREMENT REFERENCE TOTAL MATCHED	5465
SCREENING PREPROCUREMENT REFERENCE TOTAL NOT MATCHED	5466
SCREENING PREPROCUREMENT REFERENCE TOTAL RECEIVED	5468
SCREENING PREPROCUREMENT REFERENCE TOTAL REJECTED	5467
SCREENING PROVISIONING NSN DEPARTMENT CURRENT MATCHED	6209
SCREENING PROVISIONING NSN DEPARTMENT CURRENT NSNS NOT MATCH	6210
SCREENING PROVISIONING NSN DEPARTMENT CURRENT REJECTS	6211
SCREENING PROVISIONING NSN DEPARTMENT YEAR TO DATE MATCHED	6213
SCREENING PROVISIONING NSN DEPARTMENT YEAR TO DATE NOT MATCH	6214
SCREENING PROVISIONING NSN DEPARTMENT YEAR TO DATE RECEIVED	6216
SCREENING PROVISIONING NSN DEPARTMENT YEAR TO DATE REJECT	6215
SCREENING PROVISIONING NSN DEPT PREV YEAR TO DATE MATCHED	6217
SCREENING PROVISIONING NSN DEPT PREV YEAR TO DATE NOT MATCH	6218
SCREENING PROVISIONING NSN DEPT PREV YEAR TO DATE RECEIVED	6220
SCREENING PROVISIONING NSN DEPT PREV YEAR TO DATE REJECTS	6219
SCREENING PROVISIONING NSN TOTAL MATCHED	6221
SCREENING PROVISIONING NSN TOTAL NOT MATCHED	6222
SCREENING PROVISIONING NSN TOTAL RECEIVED	6224
SCREENING PROVISIONING NSN TOTAL REJECT	6223
SCREENING PROVISIONING REF DEPT PREV YEAR TO DATE MATCHED	6233
SCREENING PROVISIONING REF DEPT PREV YEAR TO DATE NOT MATCH	6234
SCREENING PROVISIONING REF DEPT PREV YEAR TO DATE RECEIVED	6236
SCREENING PROVISIONING REF DEPT PREV YEAR TO DATE REJECTED	6235
SCREENING PROVISIONING REF DEPT YEAR TO DATE NOT MATCHED	6230
SCREENING PROVISIONING REFERENCE DEPARTMENT CURRENT MATCH	6225
SCREENING PROVISIONING REFERENCE DEPT CURRENT NOT MATCHED	6226
SCREENING PROVISIONING REFERENCE DEPT CURRENT RECEIVED	6228
SCREENING PROVISIONING REFERENCE DEPT CURRENT REJECTS	6227
SCREENING PROVISIONING REFERENCE DEPT YEAR TO DATE MATCHED	6229
SCREENING PROVISIONING REFERENCE DEPT YEAR TO DATE RECEIVED	6232
SCREENING PROVISIONING REFERENCE DEPT YEAR TO DATE REJECTED	6231
SCREENING PROVISIONING REFERENCE TOTAL MATCHED	6237
SCREENING PROVISIONING REFERENCE TOTAL NOT MATCHED	6238

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
SCREENING PROVISIONING REFERENCE TOTAL RECEIVED	6240
SCREENING PROVISIONING REFERENCE TOTAL REJECTED	6239
SCREENING REFERENCE NUMBER CATEGORY CODE	3115
SCREENING REFERENCE NUMBER VARIATION CODE	3116
SCREENING REQUEST, NIIN DATA SEGMENT	9124
SCREENING REQUEST, REFERENCE NUMBER DATA SEGMENT	9125
SCREENING RESPONSE HEADER SEGMENT	9122
SCREENING SEARCH KEY CODE	1047
SEARCH SCREENING INDICATOR CODE	0323
SECOND FORMER NAME OR LOCATION	1363
SECOND LOLA OVERNIGHT OUTPUT DATA REQUEST CODE	4692
SECOND PHRASE CODE	3049
SECOND QUARTER CURRENT FISCAL YEAR 1	6670
SECONDARY ADDRESS CODE	8990
SECONDARY ADDRESS CODING OR AND/OR CODING INDICATOR	0115
SECONDARY ADDRESS INDICATOR CODE	9485
SECONDARY INVENTORY CONTROL ACTIVITY (SICA)	2938
SECONDARY INVENTORY CONTROL ACTIVITY LEVEL OF AUTHORITY	9547
SECONDARY SEQUENCE CODE	0513
SECONDARY SEQUENCING DECODE GUIDE	0367
SECTION II EDIT DATA GROUP	0340
SECTION RULE TABLE NUMBER	8585
SEGMENT CODE SUPPLEMENTAL EXPLANATION	3174
SEGMENT CODE, SUPPLEMENTAL	0225
SEGMENT CODE, SUPPLEMENTAL, INPUT	0252
SEGMENT INPUT TRANSACTIONS	4508
SEGMENT LENGTH	0189
SEGMENT R WITH OUTPUT DOCUMENT IDENTIFIER CODE	3143
SEGMENT R WITHOUT OUTPUT DOCUMENT IDENTIFIER CODE	3144
SEGMENT SEQUENCER	9414
SEGMENT V TERMINATOR CODE	0339
SEGMENT X - NATO ITEM APPLICATION DATA	2521
SEQUENCE KEY	3043
SEQUENCE NUMBER, DRAWING CROSS REFERENCE	1240
SEQUENCE NUMBER, HIGHEST DOCUMENT CONTROL NUMBER	2199
SEQUENCE NUMBER, LOWEST DOCUMENT CONTROL NUMBER	2198
SEQUENCING CODE	0487
SEQUENCING INSERT CODE	2282
SEQUENTIAL NIIN FILE END DATE	9308
SEQUENTIAL NIIN FILE TYPE UPDATE	9309
SERIAL NUMBER CONTRO CODE EXPLANATION	3182
SERIAL NUMBER CONTROL CODE, COAST GUARD	0763
SERVICE AGENCY	2247
SERVICE AGENCY BATCH DOC NO AVERAGE OFFERED	7235
SERVICE AGENCY BATCH TOTAL OFFERED	7228
SERVICE AGENCY DESIGNATOR CODE DEFINITION	5319
SERVICE AGENCY TOTAL ON LINE AVERAGE OFFERED	7702
SERVICE CODE P S EXPLANATION	3449
SERVICE CODE, PROVISIONING SCREENING DESTINATION TABLE	0264
SERVICE INDICATOR CODE, DRIS	0654
SERVICE NAME	3479
SERVICE QUALITY LEVEL (SQL)	7985
SERVICE SICA	3493

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
SERVICE/ACTIVITY & ADDRESS, SOURCE OF SUPPLY CODE	5108
SERVICE/AGENCY AVERAGE INQUIRY RESPONSE TIME	1268
SERVICE/AGENCY BATCH AVERAGE OFFERED	7229
SERVICE/AGENCY BATCH DATA ASSET IDENT IQY PERCENT OF MATCH	7268
SERVICE/AGENCY BATCH DATA ASSET IDENTIFIER AVERAGE OFFERED	7266
SERVICE/AGENCY BATCH DATA ASSET IDENTIFIER TOTAL OFFERED QTY	7265
SERVICE/AGENCY BATCH DOCUMENT NO./CAGE INQUIRY PCT. OF MATCH	7243
SERVICE/AGENCY BATCH DOCUMENT NUMBER INQUIRY PCT. OF MATCH	7237
SERVICE/AGENCY BATCH DOCUMENT NUMBER/CAGE AVERAGE OFFERED	7241
SERVICE/AGENCY BATCH DOCUMENT NUMBER/CAGE OFFERED QTY	7240
SERVICE/AGENCY BATCH INQUIRY PERCENT OF MATCH	7231
SERVICE/AGENCY BATCH NIIN AVERAGE OFFERED	7260
SERVICE/AGENCY BATCH NIIN INQUIRY PERCENT OF MATCH	7262
SERVICE/AGENCY BATCH NIIN TOTAL OFFERED QUANTITY	7259
SERVICE/AGENCY BATCH PART NO./CAGE INQUIRY PERCENT OF MATCH	7256
SERVICE/AGENCY BATCH PART NUMBER AVERAGE OFFERED	7248
SERVICE/AGENCY BATCH PART NUMBER INQUIRY PERCENT OF MATCH	7250
SERVICE/AGENCY BATCH PART NUMBER TOTAL OFFERED QUANTITY	7246
SERVICE/AGENCY BATCH PART NUMBER/CAGE AVERAGE OFFERED	7254
SERVICE/AGENCY BATCH PART NUMBER/CAGE TOTAL OFFERED QUANTITY	7253
SERVICE/AGENCY DATA ASSET ADD TRANSACTION QUANTITY	7400
SERVICE/AGENCY DATA ASSET CHANGE TRANSACTIONS QUANTITY	7402
SERVICE/AGENCY DATA ASSET CURRENT QUANTITY	7404
SERVICE/AGENCY DATA ASSET DELETE TRANSACTION QUANTITY	7401
SERVICE/AGENCY DATA ASSET ERROR TRANSACTION QUANTITY	7399
SERVICE/AGENCY DATA ASSET PERCENT OF CHANGE	7405
SERVICE/AGENCY DATA ASSETS PREVIOUS QUANTITY	7403
SERVICE/AGENCY DATA ASSETS TRANSACTION QUANTITY	7406
SERVICE/AGENCY DESIGNATOR CODE (SADC)	4672
SERVICE/AGENCY NIIN ADD TRANSACTION QUANTITY	7416
SERVICE/AGENCY NIIN CURRENT QUANTITY	7419
SERVICE/AGENCY NIIN DELETE TRANSACTION QUANTITY	7417
SERVICE/AGENCY NIIN ERROR TRANSACTION QUANTITY	7415
SERVICE/AGENCY NIIN PERCENT OF CHANGE	7420
SERVICE/AGENCY NIIN PREVIOUS QUANTITY	7418
SERVICE/AGENCY NIIN TRANSACTION QUANTITY	7414
SERVICE/AGENCY ON-LINE AVERAGE OFFERED	7708
SERVICE/AGENCY ON-LINE AVERAGE OFFERED	7732
SERVICE/AGENCY ON-LINE DATA ASSET IDENT IQY PERCENT OF MATCH	7740
SERVICE/AGENCY ON-LINE DATA ASSET IDENT TOTAL OFFERED QTY	7737
SERVICE/AGENCY ON-LINE DATA ASSET IDENTIFIER AVERAGE OFFERED	7738
SERVICE/AGENCY ON-LINE DOC. NO./CAGE INPUTS MATCHED QTY	7712
SERVICE/AGENCY ON-LINE DOC./CAGE INQUIRY PCT. OF MATCH	7716
SERVICE/AGENCY ON-LINE DOCUMENT NO./CAGE TOTAL OFFERED QTY	7713
SERVICE/AGENCY ON-LINE DOCUMENT NUMBER INQUIRY PCT. OF MATCH	7710
SERVICE/AGENCY ON-LINE INQUIRY PERCENT OF MATCH	7704
SERVICE/AGENCY ON-LINE NIIN INQUIRY PERCENT OF MATCH	7734
SERVICE/AGENCY ON-LINE NIIN TOTAL OFFERED QUANTITY	7731
SERVICE/AGENCY ON-LINE PART NO./CAGE INQUIRY PCT. OF MATCH	7728
SERVICE/AGENCY ON-LINE PART NUMBER AVERAGE OFFERED	7720
SERVICE/AGENCY ON-LINE PART NUMBER INQUIRY PERCENT OF MATCH	7722
SERVICE/AGENCY ON-LINE PART NUMBER TOTAL OFFERED QUANTITY	7719
SERVICE/AGENCY ON-LINE PART NUMBER/CAGE AVERAGE OFFERED	7726

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
SERVICE/AGENCY ON-LINE PART NUMBER/CAGE TOTAL OFFERED QTY	7725
SERVICE/AGENCY ON-LINE TOTAL OFFERED QUANTITY	7701
SERVICE/AGENCY ON-LINE-DOCUMENT NUMBER/CAGE AVERAGE OFFERED	7714
SERVICE/AGENCY PART NUMBER ADD TRANSACTION QUANTITY	7409
SERVICE/AGENCY PART NUMBER CURRENT QUANTITY	7412
SERVICE/AGENCY PART NUMBER DELETE TRANSACTION QUANTITY	7410
SERVICE/AGENCY PART NUMBER PERCENT OF CHANGE	7413
SERVICE/AGENCY PART NUMBER PREVIOUS QUANTITY	7411
SERVICE/AGENCY PART NUMBER TRANSACTION QUANTITY	7407
SERVICE/AGENCY PART NUMBER TRANSACTION QUANTITY	7408
SERVICE/AGENCY TITLE ADD TRANSACTION QUANTITY	7423
SERVICE/AGENCY TITLE CURRENT QUANTITY	7426
SERVICE/AGENCY TITLE DELETE TRANSACTION QUANTITY	7424
SERVICE/AGENCY TITLE ERROR TRANSACTION QUANTITY	7422
SERVICE/AGENCY TITLE PERCENT OF CHANGE	7427
SERVICE/AGENCY TITLE PREVIOUS QUANTITY	7425
SERVICE/AGENCY TITLE TRANSACTION QUANTITY	7421
SERVICE/AGENCY TOTAL ADD TRANSACTION QUANTITY	7396
SERVICE/AGENCY TOTAL CHANGE TRANSACTION QUANTITY	7398
SERVICE/AGENCY TOTAL DELETE TRANSACTION QUANTITY	7397
SERVICE/AGENCY TOTAL ERROR TRANSACTION QUANTITY	7395
SERVICE/AGENCY TOTAL TRANSACTION QUANTITY	7394
SERVICE/AGENCY UNDEFINED MAINTENANCE TRANSACTION QUANTITY	7428
SERVICE/CONTRACTOR IDENTIFICATION CODE	0744
SERVICE/CONTRACTOR IDENTIFICATION CODE 1 TOTAL	0877
SERVICE/CONTRACTOR IDENTIFICATION CODE 2 TOTAL	0878
SERVICE/CONTRACTOR IDENTIFICATION CODE 3 TOTAL	0879
SERVICE/CONTRACTOR IDENTIFICATION CODE EXPLANATION	5236
SETS KITS AND OUTFITS FEDERAL SUPPLY CLASS	8594
SETS KITS AND OUTFITS ITEM NAME	8596
SETS KITS AND OUTFITS QUANTITY	8593
SETS KITS OUTFITS NATIONAL CODIFICATION BUREAU CODE	8582
SETS KITS OUTFITS NIIN	8591
SETS KITS OUTFITS NIIN ITEM IDENTIFICATION NUMBER	8581
SGML ELEMENT NAME	9481
SGML FORMATTING KEEP VALUE	9476
SGML SORT SELECTION MAIN VALUE	9475
SGML SORT SELECTION VALUE 1	9471
SGML SORT SELECTION VALUE 2	9472
SGML SORT SELECTION VALUE 3	9473
SGML SORT SELECTION VALUE 4	9474
SHELF LIFE ACTION CODES	1485
SHELF LIFE CODE	2943
SHELF LIFE CODE NOTE	5239
SHELF LIFE MONTH (SL)	7982
SHIP TO STOCK RECORD ACCOUNT NUMBER	2086
SHIPPING CODE	2249
SHIPPING CONTAINER CUBE	2284
SHIPPING CONTAINER DIAMETER	2449
SHIPPING CONTAINER HEIGHT	2448
SHIPPING CONTAINER LENGTH	2322
SHIPPING CONTAINER WEIGHT	2450
SHIPPING CONTAINERS PER PALLET	2390

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
SHORT NAME	2301
SICA ACTIVITY INDICATIOR	2141
SICA LEVEL OF AUTHORITY CODE DEFINITION	5302
SINGLE HANDLING CONDITION CODE	5226
SINGLE MANAGER ACTIVITY CODE	3680
SINGLE MULTIPLE OUTPUT CODE EXPLANATION	3455
SINGLE SUBMITTER ACTIVITY AND FEDERAL SUPPLY CLASS COUNT	1557
SINGLE SUBMITTER FEDERAL SUPPLY CLASS COUNT	1556
SINGLE SUBMITTING ACTIVITY CODE	9255
SINGLE/MULTIPLE OUTPUT CODE	4535
SIX DIGIT TIME	1871
SIZE OF BUSINESS CODE	1364
SIZE OF BUSINESS CODE DEFINITION	3367
SKELETON CODE	2319
SKIP COUNT	4412
SLC NOTE	3495
SNA REMOTE SYSTEM IDENTIFIER	3054
SORT ALLOWED INDICATOR	9482
SORT CONTROL DATA	1067
SORT SUPPRESS	0822
SORTING PRIORTY CODE IDENTIFICATION LIST DATA	8335
SOS NOTE	3498
SOSM NOTE	3496
SOURCE OF REQUEST	3200
SOURCE OF SUPPLY (SOS) CODE	3690
SOURCE OF SUPPLY CODE CONDITIONAL NOTE	5109
SOURCE OF SUPPLY MODIFIER (SOSM) CODE	2948
SOURCE OF SUPPLY MODIFIER CODE EXPLANATION	5252
SOURCE OF SUPPLY MODIFIER CODE NOTE	5253
SOURCE OF SUPPLY SOURCE OF SUPPLY MODIFIER EXPLANATION TX	3597
SOURCE OF SUPPLY SOURCE OF SUPPLY MODIFIER IDENTIFIER	3596
SPACE ALLOCATION	9313
SPECIAL CONTROL ITEM CODE	1480
SPECIAL HANDLING CODE	9240
SPECIAL HANDLING CODE CONDITIONAL NOTE	5230
SPECIAL HANDLING CODE EXPLANATION	3168
SPECIAL MARKING CODE	5169
SPECIAL MATERIAL APPLICATION ITEM OR KIT	3155
SPECIAL MATERIAL CONTENT CODE	0121
SPECIAL MATERIAL CONTENT CODE EXPLANATION	3172
SPECIAL MATERIAL IDENTIFICATION CODE	2834
SPECIAL NOTATIONS	5028
SPECIAL PACKAGING INSTRUCTION (SPI) DATE	5177
SPECIAL PACKAGING INSTRUCTION (SPI) NUMBER	5175
SPECIAL PACKAGING INSTRUCTION (SPI) REVISION	5176
SPECIAL PACKAGING REQUIREMENT CODE	0725
SPECIAL PACKAGING REQUIREMENT CODE EXPLANATION	5216
SPECIAL PACKING INSTRUCTION DATE	2074
SPECIAL PACKING INSTRUCTION INDICATOR	2076
SPECIAL REQUIREMENT CODE (SRC)	7983
SPECIAL SOURCE OF SUPPLY INPUT	0296
SPEICAL PACKING INSTRUCTION NUMBER	2081
STANDARD INDUSTRIAL CLASSIFICATION CODE SEQUENCE INDICATO	9368

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
STANDARD INDUSTRIAL CLASSIFICATION SECONDARY CODE	4829
STANDARD INDUSTRIAL CODE TITLE TEXT	4838
STANDARD REQUIREMENT-1 SPECIFICATION/STANDARD CONTROL DAT	0111
STANDARD REQUIREMENT-5 THE MANUFACTURERS DATA	0112
STANDARDIZATION DECISION DATA SEGMENT	9104
STANDARDIZATION FEDERAL SUPPLY CLASS COUNT	1558
STANDARDIZATION SUBMITTING ACTIVITY CODE	0749
START RECORD INDICATOR CODE	0815
START TIME	1870
STAT ACCESS CURRENT ACTIVITY DEPARTMENT	2484
STAT ACCESS CURRENT STAT CODE ACTIVITY	2489
STAT ACCESS CURRENT USER CODE ACTIVITY	2481
STAT ACCESS GRAND TOTAL	2493
STAT ACCESS GRAND TOTAL CURRENT	2492
STAT ACCESS GRAND TOTAL HISTORY	2491
STAT ACCESS HISTORY ACTIVITY DEPARTMENT	2483
STAT ACCESS HISTORY DEPARTMENT STAT	2486
STAT ACCESS HISTORY STAT	2488
STAT ACCESS HISTORY USER CODE ACTIVITY	2480
STAT ACCESS TOTAL ACTIVITY DEPARTMENT	2485
STAT ACCESS TOTAL DEPARTMENT STAT	2487
STAT ACCESS TOTAL STAT	2490
STAT ACCESS TOTAL USER CODE ACTIVITY	2482
STAT DEPARTMENT ACTIVITY DATE CHANGED	0908
STAT DEPARTMENT ACTIVITY DATE ESTABLISHED	0906
STATE NAME	4490
STATE/U.S. POSSESSION ABBREVIATION	0186
STATION SERIAL NUMBER	9765
STATISTIC EXCEPTION DEPARTMENT IDENTIFIER	3424
STATISTICAL INDICATOR CODE	3708
STATISTICAL INDICATOR CODE EXPLANATION	5133
STATISTICAL MOE MASTER INQUIRY COUNT	1536
STATISTICAL MOE MASTER INQUIRY ERROR COUNT	1537
STATISTICS ACCESS DATE	9705
STATISTICS ACTIVITY	0898
STATISTICS COMMODITY CATEGORY	3995
STATISTICS DAC SERVICE ACTIVITY	6592
STATISTICS DEPARTMENT	0897
STATISTICS DEPARTMENT NAME	9704
STATISTICS JULIAN DATE	7646
STATISTICS LEVEL OF AUTHORITY CODE	3066
STATISTICS LEVEL OF AUTHORITY CODE1	3065
STATISTICS LEVEL OF AUTHORITY CODE2	3067
STATISTICS LEVEL OF AUTHORITY CODE3	3068
STATISTICS LEVEL OF AUTHORITY CODE4	3069
STATISTICS LEVEL OF AUTHORITY CODE5	3070
STATISTICS LEVEL OF AUTHORITY CODE6	3071
STATISTICS LEVEL OF AUTHORITY COMBINATION	3090
STATISTICS LIMITED RIGHTS GROUP	8159
STATISTICS LOG DATE	3339
STATISTICS MANAGER	2506
STATISTICS NAME	5668
STATISTICS REASON CODE	0910

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
STATISTICS REQUEST DATE	0899
STATISTICS REQUEST TYPE IDENTIFIER	3421
STATISTICS RETURN CATEGORY	5666
STATISTICS SERVICE AGENCY PREFERENCE CODE	3844
STATISTICS USER REQUEST DATE	3309
STATISTICS VALID DEPARTMENT IDENTIFIER	3422
STATUS CODE NAME/FEDERAL SUPPLY CLASS	0320
STOCK FUND CREDIT INDICATOR	2062
STOP TIME	1869
STOP WORD CDM	4463
STORAGE CODE (SC)	7984
STORAGE TIME PERIOD	5237
STORE M J TABLE	4424
STORE M MAXIMUM	4426
STORE M MINIMUM	4425
STORE TYPE	4421
STORED JULIAN DATE	9462
STORES ACCOUNT EXPLANATION MARINE CORPS	3153
STORES ACCOUNT-MARINE CORPS	2959
STREET ADDRESS LINE 1	1082
STREET ADDRESS LINE 2	1083
STYLE NUMBER FEDERAL ITEM IDENTIFICATION GUIDE	0768
STYLE NUMBER IDENTIFIER CODE, FIIG	0767
STYLE TITLE	0965
STYLE/REPLY CODE, IDENTIFICATION LIST DRAWING	0771
SUBJECT TO INTEGRATED MATERIEL MANAGEMENT CODE	9545
SUBJECT TO ITEM MANAGEMENT CODING	9546
SUBJECT TO SINGLE SUBMITTER PROCEDURE	9544
SUBJECT TO WEAPONS INTEGRATED MATERIEL MANAGEMENT	0090
SUBMITTED FEDERAL SUPPLY CLASS	9075
SUBMITTED PACKAGE SEQUENCE NUMBER	8328
SUBMITTED RECORDED MRC REPLY	9919
SUBMITTER ACTIVITY INDICATOR	2143
SUBMITTER CONTROL NUMBER	1120
SUBMITTER RACF USERID	3205
SUBMITTING ACTIVITY CODE	3720
SUBMITTING ACTIVITY CODE INPUT DIC RETURNED QUANTITY F	6832
SUBMITTING ACTIVITY CODE, RELATED TRANSACTION	0780
SUBMODULE SELECTION KEY	9764
SUBSIDIARY DIVISION NAME	5274
SUBSISTENCE USAGE MANAGEMENT CODE (SUMC)	1472
SUBSTITUTE ITEM NAME CODE	2281
SUBTOTAL ADDRESSES RECEIVING SPECIFIC DLN QUANTITY	0949
SUBTOTAL DLN PRODUCTS ISSUED	0951
SUPPLEMENTAL INSTRUCTIONS	5174
SUPPLEMENTAL SOURCE CODE	1483
SUPPLEMENTARY COLLABORATOR	2533
SUPPLEMENTARY DOCUMENT IDENTIFIER CODE INPUT	1028
SUPPLEMENTARY DOCUMENT IDENTIFIER CODE OUTPUT	1029
SUPPLEMENTARY RECEIVER	2534
SUPPLIER NAME	2245
SUPPLIER/RECEIVER AREA CODE	0635
SUPPLY CATEGORIES OF MATERIEL CODE	1481

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
SUPPORT DATA INDICATOR	4623
SURCHARGE ERROR INDICATOR	2598
SURCHARGE PROCESSING INDICATOR CODE	0872
SURCHARGE PROCESSING UNIT PRICE	2599
SURCHARGE PROCESSING YEAR	2597
SYMBOL INDICATOR	3456
SYSTEM CONTROL NUMBER (SCN)	3735
SYSTEM SUPPORT RECORD OUTPUT SEGMENT	0242
TABLE ACCESS COUNT BY USER IDENTIFICATION	1290
TABLE ACCESS DATE	1291
TABLE ALLOCATION	2471
TABLE COLUMN HEADERS	1292
TABLE COLUMN NUMBER	1078
TABLE COLUMN WIDTH	1301
TABLE CUSTODIAN	2232
TABLE CUSTODIAN ALTERNATE	2231
TABLE ELEMENT IDENTIFICATION	1079
TABLE ENTRY	1293
TABLE ENTRY DATE	1294
TABLE ENTRY EFFECTIVE DATE	1295
TABLE ENTRY KEY	2755
TABLE ENTRY NUMBER	0437
TABLE FORMAT PARAMETERS	1296
TABLE NAME REMAINDER	4449
TABLE NUMBER	1298
TABLE RESPONSIBLE DIRECTORATE	2233
TABLE ROW COUNT	1302
TABLE VALIDITY CRITERIA DATA	1303
TABLE VALIDITY DESCRIPTION TYPE CODE	1304
TABLE VOLUME	2473
TABLE/VARIABLE INDICATOR CODE	0941
TABULAR PRINT POSITION	0543
TAIL SEQUENCE NUMBER	4403
TAILORED ACT CODE	2513
TAILORED CHAR INDICATOR	2512
TAXPAYER IDENTIFIER	3401
TAXPAYER IDENTIFIER EXEMPTION CODE	3402
TAXPAYER IDENTIFIER EXEMPTION DEFINITION	3371
TEAM CODE	1987
TECHNICAL DATA SUPPORT CODE	2980
TECHNICAL DATA SUPPORT CODE COMPUTATION DAC	5129
TECHNICAL DATA SUPPORT CODE COMPUTATION NOTE	5130
TECHNICAL DATA TABLE NUMBER	2243
TECHNICAL DOCUMENT NUMBER	2893
TECHNICAL EDIT CRITERIA STATEMENT	8452
TECHNICAL EDIT DATA GROUP	3668
TECHNICAN DOCUMENT CONTROL NUMBER TOTAL	2015
TELEPHONE NUMBER	1359
TEMPORARY STORAGE QUEUE NAME	9408
TERM/ABBREVIATION H6 DATA GROUP	0405
TERMINAL AVERAGE INQUIRY RESPONSE TIME	1280
TERMINAL BATCH AVERAGE OFFERED	7314
TERMINAL BATCH DATA ASSET IDENT INQUIRY PERCENT OF MATCH	7352

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
TERMINAL BATCH DATA ASSET IDENTIFER TOTAL OFFERED QTY	7349
TERMINAL BATCH DATA ASSET IDENTIFIER AVERAGE OFFERED	7350
TERMINAL BATCH DATA ASSET IDENTIFIER INPUTS MATCHED QTY	7348
TERMINAL BATCH DATA ASSET IDENTIFIER NOT MATCHED QUANTITY	7351
TERMINAL BATCH DOCUMENT NUMBER AVERAGE OFFERED	7320
TERMINAL BATCH DOCUMENT NUMBER INQUIRY PERCENT OF MATCH	7322
TERMINAL BATCH DOCUMENT NUMBER TOTAL OFFERED QUANTITY	7319
TERMINAL BATCH DOCUMENT NUMBER/CAGE AVERAGE OFFERED	7326
TERMINAL BATCH DOCUMENT NUMBER/CAGE INQUIRY PERCENT OF MATCH	7328
TERMINAL BATCH DOCUMENT NUMBER/CAGE NOT MATCHED QUANTITY	7327
TERMINAL BATCH DOCUMENT NUMBER/CAGE TOTAL OFFERED QUANTITY	2056
TERMINAL BATCH INQUIRY PERCENT OF MATCH	7316
TERMINAL BATCH NIIN AVERAGE OFFERED	7344
TERMINAL BATCH NIIN INQUIRY PERCENT OF MATCH	7346
TERMINAL BATCH NIIN TOTAL OFFERED QUANTITY	7343
TERMINAL BATCH PART NUMBER AVERAGE OFFERED	7332
TERMINAL BATCH PART NUMBER INQUIRY PERCENT OF MATCH	7334
TERMINAL BATCH PART NUMBER TOTAL OFFERED QUANTITY	7331
TERMINAL BATCH PART NUMBER/CAGE AVERAGE OFFERED	7338
TERMINAL BATCH PART NUMBER/CAGE INQUIRY PERCENT OF MATCH	7340
TERMINAL BATCH PART NUMBER/CAGE TOTAL OFFERED QUANTITY	7337
TERMINAL BATCH TOTAL OFFERED QUANTITY	7313
TERMINAL IDENTIFIER CODE	0838
TERMINAL ON-LINE AVERAGE OFFERED	7780
TERMINAL ON-LINE DATA ASSET IDENT INQUIRY PERCENT OF MATCH	7184
TERMINAL ON-LINE DATA ASSET IDENTIFIER AVERAGE OFFERED	7182
TERMINAL ON-LINE DATA ASSET IDENTIFIER INPUTS MATCHED QTY	7180
TERMINAL ON-LINE DATA ASSET IDENTIFIER NOT MATCHED QUANTITY	7183
TERMINAL ON-LINE DATA ASSET IDENTIFIER TOTAL OFFERED QTY	7181
TERMINAL ON-LINE DOCUMENT NO/CAGE INQUIRY PERCENT OF MATCH	7794
TERMINAL ON-LINE DOCUMENT NUMBER AVERAGE OFFERED	7786
TERMINAL ON-LINE DOCUMENT NUMBER INQUIRY PERCENT OF MATCH	7788
TERMINAL ON-LINE DOCUMENT NUMBER TOTAL OFFERED QUANTITY	7785
TERMINAL ON-LINE DOCUMENT NUMBER/CAGE AVERAGE OFFERED	7792
TERMINAL ON-LINE DOCUMENT NUMBER/CAGE INPUTS MATCHED QTY	7790
TERMINAL ON-LINE DOCUMENT NUMBER/CAGE TOTAL OFFERED QUANTITY	7791
TERMINAL ON-LINE INQUIRY PERCENT OF MATCH	7782
TERMINAL ON-LINE NIIN AVERAGE OFFERED	7176
TERMINAL ON-LINE NIIN INQUIRY PERCENT OF MATCH	7178
TERMINAL ON-LINE NIIN TOTAL OFFERED QUANTITY	7175
TERMINAL ON-LINE PART NUMBER AVERAGE OFFERED	7798
TERMINAL ON-LINE PART NUMBER OFFERED QUANTITY	7797
TERMINAL ON-LINE PART NUMBER/CAGE AVERAGE OFFERED	7804
TERMINAL ON-LINE PART NUMBER/CAGE INQUIRY PERCENT OF MATCH	7806
TERMINAL ON-LINE PART NUMBER/CAGE TOTAL OFFERED QUANTITY	7803
TERMINAL ON-LINE TOTAL OFFERED QUANTITY	7779
TERMINAL SERIAL NUMBER	0840
TEST REQUIREMENTS CODE (TC)	7986
TEST/PRODUCTION MODE IDENTIFICATION CODE	1397
TEXT KEYWORD	3063
TEXT TABLE HEADER INDICATOR	3453
TEXTUAL LINE	4519
THICKNESS OF CUSHIONING OR DUNNAGE CODE	5165

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
THIRD LOLA OVERNIGHT OUTPUT DATA REQUEST CODE	4693
THIRD MODE CODE INDICATOR	0584
THIRD QUARTER CURRENT FISCAL YEAR 1	6671
TIME APPLICATION COMPLETED TRANSACTION	1095
TIME RANGE 1 TO 10 SECONDS 2	1265
TIME RANGE 1 TO 10 SECONDS 3	1271
TIME RANGE 1 TO 10 SECONDS 4	1277
TIME RANGE 1 TO 10 SECONDS A1A	7505
TIME RANGE 1 TO 10 SECONDS A1B	7469
TIME RANGE 1 TO 10 SECONDS A1C	7475
TIME RANGE 1 TO 10 SECONDS A1D	7481
TIME RANGE 1 TO 10 SECONDS A1E	7487
TIME RANGE 1 TO 10 SECONDS A1F	7493
TIME RANGE 1 TO 10 SECONDS A2	7499
TIME RANGE 1 TO 10 SECONDS A2B	7511
TIME RANGE 1 TO 10 SECONDS A2C	7517
TIME RANGE 1 TO 10 SECONDS A2D	7523
TIME RANGE 1 TO 10 SECONDS A2E	7529
TIME RANGE 1 TO 10 SECONDS A2F	7535
TIME RANGE 1 TO 10 SECONDS A3	7541
TIME RANGE 1 TO 10 SECONDS A3A	7547
TIME RANGE 1 TO 10 SECONDS A3B	7553
TIME RANGE 1 TO 10 SECONDS A3C	7559
TIME RANGE 1 TO 10 SECONDS A3D	7565
TIME RANGE 1 TO 10 SECONDS A3E	7571
TIME RANGE 1 TO 10 SECONDS A3F	7576
TIME RANGE 1 TO 10 SECONDS A4	7583
TIME RANGE 1 TO 10 SECONDS A4A	7589
TIME RANGE 1 TO 10 SECONDS A4B	7595
TIME RANGE 1 TO 10 SECONDS A4C	7601
TIME RANGE 1 TO 10 SECONDS A4D	7607
TIME RANGE 1 TO 10 SECONDS A4F	7619
TIME RANGE 11 TO 30 SECONDS 2	1266
TIME RANGE 11 TO 30 SECONDS 3	1272
TIME RANGE 11 TO 30 SECONDS 4	1278
TIME RANGE 11 TO 30 SECONDS A1B	7470
TIME RANGE 11 TO 30 SECONDS A1C	7476
TIME RANGE 11 TO 30 SECONDS A1D	7482
TIME RANGE 11 TO 30 SECONDS A1E	7488
TIME RANGE 11 TO 30 SECONDS A1F	7494
TIME RANGE 11 TO 30 SECONDS A2	7500
TIME RANGE 11 TO 30 SECONDS A2A	7506
TIME RANGE 11 TO 30 SECONDS A2B	7512
TIME RANGE 11 TO 30 SECONDS A2C	7518
TIME RANGE 11 TO 30 SECONDS A2D	7524
TIME RANGE 11 TO 30 SECONDS A2E	7530
TIME RANGE 11 TO 30 SECONDS A2F	7536
TIME RANGE 11 TO 30 SECONDS A3	7542
TIME RANGE 11 TO 30 SECONDS A3A	7548
TIME RANGE 11 TO 30 SECONDS A3B	7554
TIME RANGE 11 TO 30 SECONDS A3C	7560
TIME RANGE 11 TO 30 SECONDS A3D	7566
TIME RANGE 11 TO 30 SECONDS A3E	7572

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
TIME RANGE 11 TO 30 SECONDS A3F	7577
TIME RANGE 11 TO 30 SECONDS A4A	7590
TIME RANGE 11 TO 30 SECONDS A4B	7596
TIME RANGE 11 TO 30 SECONDS A4C	7602
TIME RANGE 11 TO 30 SECONDS A4D	7608
TIME RANGE 11 TO 30 SECONDS A4E	7614
TIME RANGE 11 TO 30 SECONDS A4F	7620
TIME RANGE 11-30 SECONDS A4	7584
TIME RANGE OVER 30 SECONDS 2	1267
TIME RANGE OVER 30 SECONDS 3	1273
TIME RANGE OVER 30 SECONDS 4	1279
TIME RANGE OVER 30 SECONDS A1B	7471
TIME RANGE OVER 30 SECONDS A1C	7477
TIME RANGE OVER 30 SECONDS A1D	7483
TIME RANGE OVER 30 SECONDS A1E	7489
TIME RANGE OVER 30 SECONDS A1F	7495
TIME RANGE OVER 30 SECONDS A2	7501
TIME RANGE OVER 30 SECONDS A2A	7507
TIME RANGE OVER 30 SECONDS A2B	7513
TIME RANGE OVER 30 SECONDS A2C	7519
TIME RANGE OVER 30 SECONDS A2D	7525
TIME RANGE OVER 30 SECONDS A2E	7531
TIME RANGE OVER 30 SECONDS A2F	7537
TIME RANGE OVER 30 SECONDS A3	7543
TIME RANGE OVER 30 SECONDS A3A	7549
TIME RANGE OVER 30 SECONDS A3B	7555
TIME RANGE OVER 30 SECONDS A3C	7561
TIME RANGE OVER 30 SECONDS A3D	7567
TIME RANGE OVER 30 SECONDS A3E	7573
TIME RANGE OVER 30 SECONDS A3F	7578
TIME RANGE OVER 30 SECONDS A4	7585
TIME RANGE OVER 30 SECONDS A4A	7591
TIME RANGE OVER 30 SECONDS A4B	7597
TIME RANGE OVER 30 SECONDS A4C	7603
TIME RANGE OVER 30 SECONDS A4D	7609
TIME RANGE OVER 30 SECONDS A4E	7615
TIME RANGE OVER 30 SECONDS A4F	7621
TIME STAMP	3059
TIME STAMP 1	4564
TIME STAMP 2	4402
TIME STAMP 3	4443
TIME STAMP 4	4472
TIME STAMP 5	4473
TIME STAMP 6	4474
TIME STAMP 7	9478
TIME TERMINAL RANGE 1 TO 10 SECONDS A4E	7613
TIME TRANSACTION COMPLETED PROCESSING	1096
TIME TRANSACTION RELEASED TO APPLICATION	1094
TIME TRANSACTION STARTED PROCESSING	1093
TIMING DIC TIMEFRAME ALL	6907
TIMING DIC TIMEFRAME ALL PERCENT	6908
TIMING PIC QUEUE AVERAGE TIME	6910
TIMING PRIORITY INDICATOR CODE ALL AVERAGE TIME	6905

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
TIMING PRIORITY INDICATOR CODE DIC	6895
TIMING PRIORITY INDICATOR CODE DIC ALL	6904
TIMING PRIORITY INDICATOR CODE DIC ALL AVERAGE TIME	6906
TIMING PRIORITY INDICATOR CODE DIC PERCENT	6896
TIMING PRIORITY INDICATOR CODE DIC TIMEFRAME	6892
TIMING PRIORITY INDICATOR CODE DIC TIMEFRAME AVERAGE TIME	6893
TIMING PRIORITY INDICATOR CODE DIC TIMEFRAME PERCENT	6894
TIMING PRIORITY INDICATOR CODE DIC TIMEFRAME TOTAL	6900
TIMING PRIORITY INDICATOR CODE DIC TIMEFRAME TOTAL PERCENT	6901
TIMING PRIORITY INDICATOR CODE DIC TOTAL	6897
TIMING PRIORITY INDICATOR CODE DIC TOTAL AVERAGE TIME	6899
TIMING PRIORITY INDICATOR CODE QUEUE	6909
TIMING PRIORITY INDICATOR CODE TIMEFRAME NOT ON TIME	6914
TIMING PRIORITY INDICATOR CODE TIMEFRAME ON TIME	6912
TIMING PRIORITY INDICATOR CODE TIMEFRAME ON TIME PERCENT	6913
TIMING PRIORITY INDICATOR CODE TIMEFRAME PROCESSED	6911
TIMING PRIORITY INDICATOR CODE TOTAL	6902
TIMING PRIORITY INDICATOR CODE TOTAL AVERAGE TIME	6898
TIMING PRIORITY INDICATOR CODE TOTAL PERCENT	6903
TIR OUTPUT MEDIA CODE	2093
TITLE	2642
TM APPLICATION ARCHIVE KEY IDENTIFIER	9224
TM ARCHIVE DATA TYPE IDENTIFIER	9225
TM BATCH KEY	9768
TM BATCH NUMBER	9424
TM BATCH SEQUENCE NUMBER	9425
TM BATCH TRANSACTION	9426
TM FILE NAME	9429
TM INPUT TRACKING IDENTIFIER	9221
TM MEDIA TRAILER TEXT	9387
TM MESSAGE TEXT	9389
TM OUTPUT DATA GROUP CODE	9802
TM OUTPUT DISTRIBUTION FREQUENCY CODE	9804
TM OUTPUT SEQUENCE FIELD	9801
TM OUTPUT TRACKING IDENTIFIER	9222
TM PARTITION CLOSE REQUEST	9769
TM RECEIVED MESSAGE TIMESTAMP	9386
TM RECEIVED TD QUEUE TEXT	9388
TM RECORD NUMBER	9430
TM RELEASED MESSAGE TIMESTAMP	9385
TM REPROCESSED MESSAGE TIMESTAMP	9394
TM RESTART CHECKPOINT COUNTER FOUR QUANTITY	9514
TM RESTART CHECKPOINT COUNTER ONE QUANTITY	9511
TM RESTART CHECKPOINT COUNTER THREE QUANTITY	9513
TM RESTART CHECKPOINT COUNTER TWO QUANTITY	9512
TM SPECIAL PROJECT IDENTIFIER	9223
TM TAPE INPUT TIME	9228
TM TAPE LOGGED INPUT TIME	9226
TM TAPE VOLUME SERIAL NUMBER IDENTIFIER	9227
TM TRANSACTION OUTPUT ADDRESS IDENTIFIER	2628
TM TRANSACTION PROCESS FLAG IDENTIFIER	9229
TM USER DEFINED FLAG CODE	9803
TO ACQUISITION METHOD CODE 4	6444

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
TO ACQUISITION METHOD CODE 5	8225
TO ZIP CODE	3415
TOAL NUMBER OF MODIF TO DE	1889
TOT SVC/AGNCY ON-LINE PART NO./CAGE INPUTS MTCHD QUANTITY	7724
TOT TERMINAL DATA ASSET IDENTIFIER AV INQUIRY RESPONSE TIME	7616
TOT-NIIN-FSG-QTY	6606
TOTAL ADDRESSES FOR DISTRIBUTION LIST NUMBER	0975
TOTAL ADDRESSES ON PSMAT COUNTER	1511
TOTAL ADDRESSES RECEIVING SPECIFIC DLN QUANTITY	0976
TOTAL DIC DOLLAR AMOUNT	2026
TOTAL DISTRIBUTION LIST NUMBER PRODUCT PER ADDRESS	0978
TOTAL DLN PRODUCT ISSUED	0977
TOTAL IN PROCESS IN BATCH	1990
TOTAL MAXIMUM LENGTH	4596
TOTAL NIIN ALL FSC MOE CODE QUANTITY	6608
TOTAL NIIN MANUFACTURER CODE QUANTITY	6613
TOTAL NIIN MANUFACTURERS ITEM NAME CODE QUANTITY	6604
TOTAL NIINS FSC MANUFACTURERS CODE	6616
TOTAL NIINS FSC MOE CODE QUANTITY	6607
TOTAL NIINS ITEM NAME CODE QUANTITY	6603
TOTAL NIINS ITEM NAME QUANTITY	6615
TOTAL NUMBER CAGE RECORDS IN PROCESS OF MASS CHANGE	1389
TOTAL NUMBER CAGE RECORDS WITH ASSOCIATION CODE	1388
TOTAL NUMBER DRAWINGS IN FILE	0947
TOTAL NUMBER OF ACTIVE DATA EL	1890
TOTAL NUMBER OF ADD TRAN	1891
TOTAL NUMBER OF ADDRESSES, PSMAT	0876
TOTAL NUMBER OF CAGE RECORDS ADDED	1391
TOTAL NUMBER OF CAGE RECORDS BY DESIGNATOR CODE	1387
TOTAL NUMBER OF CAGE RECORDS BY FOREIGN DOMESTIC CODE	1384
TOTAL NUMBER OF CAGE RECORDS BY STATUS CODE	1390
TOTAL NUMBER OF CAGE RECORDS BY TYPE CODE	1383
TOTAL NUMBER OF CAGE RECORDS CHANGED	1392
TOTAL NUMBER OF CAGE RECORDS WITH A DATA PROTECT CODE	1386
TOTAL NUMBER OF CAGE RECORDS WITH A MINIMUM ADDRESS CODE	1385
TOTAL NUMBER OF CANCELLED DE	1892
TOTAL NUMBER OF CHANGE TRAN	1893
TOTAL NUMBER OF DELETE TRAN	1894
TOTAL NUMBER OF DRAWING IN FILE COUNTER	0934
TOTAL NUMBER OF DRAWINGS	0957
TOTAL NUMBER OF INPUT TRAN	1895
TOTAL NUMBER OF NATIONAL SOCK NUMBERS ASSIGNED COUNTER	0970
TOTAL NUMBER OF NIINs ASSIGNED	0935
TOTAL PART NUMBER AVERAGE INQUIRY RESPONSE TIME	7556
TOTAL RECEIVED INPUT DIC ACTIVITY DEPARTMENT QUANTITY	8003
TOTAL REFERENCE NUMBER MANUFACTURERS CODE QUANTITY	6614
TOTAL REPOSITORY DATA ASSET IDENTIFIER INQUIRIES	7579
TOTAL REPOSITORY DOCUMENT NUMBER INQUIRIES	7545
TOTAL RESPOSITORY RECEIVED HOUR INQUIRY RESPONSE TIME A4F	7618
TOTAL S/A PART NO/CAGE INQUIRY RESPONSE TIME A2C	7516
TOTAL S/A PART NUMBER AVERAGE INQUIRY RESPONSE TIME	7514
TOTAL S/A PART NUMBER INQUIRY RESPONSE TIME A2B	7510
TOTAL S/A PART NUMBER/CAGE AVERAGE INQUIRY RESPONSE TIME	7520

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
TOTAL SERVICE/AGENCY ON-LINE DOC. NO./CAGE NOT MATCHED QTY	7715
TOTAL SERVICE/AGENCY ON-LINE DOCUMENT NO./CAGE INQUIRY QTY	7711
TOTAL SERVICE/AGENCY ON-LINE INPUTS MATCHED QUANTITY	7700
TOTAL SERVICE/AGENCY ON-LINE NIIN INPUTS MATCHED QUANTITY	7730
TOTAL SERVICE/AGENCY ON-LINE NIIN INQUIRY QUANTITY	7729
TOTAL SERVICE/AGENCY ON-LINE NIIN NOT MATCHED QUANTITY	7733
TOTAL SERVICE/AGENCY ON-LINE NOT MATCHED QUANTITY	7703
TOTAL SERVICE/AGENCY ON-LINE PART NO./CAGE NOT MATCHED QTY	7727
TOTAL SERVICE/AGENCY ON-LINE PART NUMBER INPUTS MATCHED QTY	7718
TOTAL SERVICE/AGENCY ON-LINE PART NUMBER INQUIRY QUANTITY	7717
TOTAL SERVICE/AGENCY ON-LINE PART NUMBER NOT MATCHED QTY	7721
TOTAL SERVICE/AGENCY ON-LINE PART NUMBER/CAGE INQUIRY QTY	7723
TOTAL SERVICE/AGENCY PART NUMBER INQUIRIES	7515
TOTAL SERVICE/AGENCY PART NUMBER/CAGE INQUIRIES	7521
TOTAL SERVICE/AGENCY RECEIVED HOUR AVG IQY RESPONSE TIME	7538
TOTAL SERVICE/AGENCY RECEIVED HOUR INQUIRIES	7539
TOTAL SERVICE/AGENCY RECEIVED HOUR INQUIRY RESPONSE TIME A2F	7534
TOTAL TERMINAL BATCH DATA ASSET IDENTIFIER INQUIRY QTY	7347
TOTAL TERMINAL BATCH DOCUMENT NUMBER INPUTS MATCHED	7318
TOTAL TERMINAL BATCH DOCUMENT NUMBER INQUIRY QUANTITY	7317
TOTAL TERMINAL BATCH DOCUMENT NUMBER NOT MATCHED QUANTITY	7321
TOTAL TERMINAL BATCH DOCUMENT NUMBER/CAGE INPUTS MATCHED	7324
TOTAL TERMINAL BATCH DOCUMENT NUMBER/CAGE INQUIRY QUANTITY	7323
TOTAL TERMINAL BATCH INPUTS MATCHED QUANTITY	7312
TOTAL TERMINAL BATCH NIIN INPUTS MATCHED QUANTITY	7342
TOTAL TERMINAL BATCH NIIN INQUIRY QUANTITY	7341
TOTAL TERMINAL BATCH NIIN NOT MATCHED QUANTITY	7345
TOTAL TERMINAL BATCH NOT MATCHED QUANTITY	7315
TOTAL TERMINAL BATCH PART NUMBER INPUTS MATCHED	7330
TOTAL TERMINAL BATCH PART NUMBER INQUIRY QUANTITY	7329
TOTAL TERMINAL BATCH PART NUMBER NOT MATCHED QUANTITY	7333
TOTAL TERMINAL BATCH PART NUMBER/CAGE INPUTS MATCHED QTY	7336
TOTAL TERMINAL BATCH PART NUMBER/CAGE INQUIRY QUANTITY	7335
TOTAL TERMINAL BATCH PART NUMBER/CAGE NOT MATCHED QTY	7339
TOTAL TERMINAL DATA ASSET IDENTIFIER INQUIRIES	7617
TOTAL TERMINAL DATA ASSET IDENTIFIER INQY RESPONSE TIME A4E	7612
TOTAL TERMINAL DOC NO AVERAGE INQUIRY RESPONSE TIME	7586
TOTAL TERMINAL DOC NO/CAGE INQUIRY RESPONSE TIME A4A	7588
TOTAL TERMINAL DOC. NO/CAGE AVERAGE INQUIRY RESPONSE TIME	7592
TOTAL TERMINAL DOCUMENT NO/CAGE INQUIRY	7593
TOTAL TERMINAL DOCUMENT NUMBER INQUIRIES	7587
TOTAL TERMINAL DOCUMENT NUMBER INQUIRY RESPONSE TIME A4	7582
TOTAL TERMINAL INQUIRIES	1281
TOTAL TERMINAL INQUIRIES BATCH QUANTITY	7311
TOTAL TERMINAL INQUIRIES ON-LINE QUANTITY	7777
TOTAL TERMINAL INQUIRY RESPONSE TIME	1276
TOTAL TERMINAL NIIN AVERAGE INQUIRY RESPONSE TIME	7610
TOTAL TERMINAL NIIN INQUIRIES	7611
TOTAL TERMINAL NIIN INQUIRY RESPONSE TIME	7606
TOTAL TERMINAL ON-LINE DATA ASSET IDENTIFIER INQUIRY QTY	7179
TOTAL TERMINAL ON-LINE DEPARTMENT NUMBER NOT MATCHED QTY	7787
TOTAL TERMINAL ON-LINE DOCUMENT NUMBER INPUTS MATCHED QTY	7784
TOTAL TERMINAL ON-LINE DOCUMENT NUMBER INQUIRY QUANTITY	7783

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
TOTAL TERMINAL ON-LINE DOCUMENT NUMBER/CAGE INQUIRY QUANTITY	7789
TOTAL TERMINAL ON-LINE DOCUMENT NUMBER/CAGE NOT MATCHED QTY	7793
TOTAL TERMINAL ON-LINE INPUTS MATCHED QUANTITY	7778
TOTAL TERMINAL ON-LINE NIIN INPUTS MATCHED QUANTITY	7174
TOTAL TERMINAL ON-LINE NIIN INQUIRY QUANTITY	7173
TOTAL TERMINAL ON-LINE NIIN NOT MATCHED QUANTITY	7177
TOTAL TERMINAL ON-LINE NOT MATCHED QUANTITY	7781
TOTAL TERMINAL ON-LINE PART NUMBER INPUTS MATCHED QUANTITY	7796
TOTAL TERMINAL ON-LINE PART NUMBER INQUIRY QUANTITY	7795
TOTAL TERMINAL ON-LINE PART NUMBER NOT MATCHED QUANTITY	7799
TOTAL TERMINAL ON-LINE PART NUMBER/CAGE INPUTS MATCHED QTY	7802
TOTAL TERMINAL ON-LINE PART NUMBER/CAGE NOT MATCHED QUANTITY	7805
TOTAL TERMINAL PART NO/CAGE AVERAGE INQUIRY RESPONSE TIME	7604
TOTAL TERMINAL PART NUMBER AVERAGE INQUIRY REPONSE TIME	7598
TOTAL TERMINAL PART NUMBER INQUIRIES	7599
TOTAL TERMINAL PART NUMBER INQUIRY RESPONSE TIME A4B	7594
TOTAL TERMINAL PART NUMBER/CAGE INQUIRIES	7605
TOTAL TERMINAL PART NUMBER/CAGE INQUIRY RESPONSE TIME	7600
TOTAL TERMINAL RECEIVED HOUR AVERAGE INQUIRY REPONSE TIME	7622
TOTAL TERMINAL RECEIVED HOUR INQUIRIES	7624
TRAILING NARRATIVE	4454
TRANDFER FSC ORIGINATING ACT FISCAL YR TO DATE GOAL DIFFER	6769
TRANDFER ORIGINATING DEPARTMENT TYPE 4 TO 2 NSN	1565
TRANFSER FSC SUBMITTING DEPARTMENT FYD TOTAL NSN	9658
TRANSACTION AUDIT DATE	1378
TRANSACTION AUDIT TIME	1379
TRANSACTION COUNT	9433
TRANSACTION DEFINITION	2127
TRANSACTION ERROR FLAG	9434
TRANSACTION INSTRUCTION	2131
TRANSACTION MANAGEMENT ACTIVITY OUTPUT	9217
TRANSACTION MANAGEMENT COMMIT CHECKPOINT RATE	9509
TRANSACTION MANAGEMENT DISPLAY ORDER IDENTIFIER	8269
TRANSACTION MANAGEMENT HELD COUNT QUANTITY	9501
TRANSACTION MANAGEMENT JOB STATUS CODE	9508
TRANSACTION MANAGEMENT MEDALS FLAG	9216
TRANSACTION MANAGEMENT MULTI MEDIA TRANSACTION QUANTITY	9483
TRANSACTION MANAGEMENT RELEASE DATA	9503
TRANSACTION MANAGEMENT RELEASED COUNT QUANTITY	9502
TRANSACTION MANAGEMENT RESTART CHECKPOINT WKG STOR FIELD	9510
TRANSACTION MANAGEMENT TRANSACTION TIMESTAMP STATUS CODE	9446
TRANSACTION MGMT COMPLETED TIMESTAMP	9427
TRANSACTION MGMT TRANSMIT TIMESTAMP	2578
TRANSACTION NUMBER	9437
TRANSACTION RETURN TYPE	9413
TRANSACTION SEGMENT CODE	9415
TRANSACTION SEGMENT DATA	9416
TRANSACTION SEGMENT FLAG	9418
TRANSACTION SEGMENT IDENTIFIER	9417
TRANSACTION SEGMENT POSITION	9419
TRANSACTION SEGMENT STATUS	9420
TRANSACTION STATUS CODE	0854
TRANSACTION STATUS CODE OUTPUT	3188

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
TRANSACTION STATUS CODES	3186
TRANSACTION STATUS CODES INSTRUCTIONS	3187
TRANSACTION STATUS CODES TSC NOTE INDICATOR	3189
TRANSACTION STATUS DATE	2019
TRANSACTION TITLE	2057
TRANSACTION TYPE FLAG	9440
TRANSFER FSC ORIGINATING ACT FISCAL YR TO DATE DESC METH PCT	6768
TRANSFER FSC ORIGINATING ACT FISCAL YR TO DATE GOAL	6770
TRANSFER FSC ORIGINATING ACT FISCAL YR TO DATE TOTAL NSN	6767
TRANSFER FSC ORIGINATING ACT FISCAL YR TO DATE TYPE 1 NSN	6765
TRANSFER FSC ORIGINATING ACT FISCAL YR TO DATE TYPE 2 NSN	6764
TRANSFER FSC ORIGINATING ACT FISCAL YR TO DATE TYPE 4 NSN	6766
TRANSFER FSC ORIGINATING ACTIVITY MONTHLY TYPE 1 NSN	3267
TRANSFER FSC ORIGINATING ACTIVITY MONTHLY TYPE 1 TO 2 NSN	3251
TRANSFER FSC ORIGINATING ACTIVITY MONTHLY TYPE 1 TO 4 NSN	3252
TRANSFER FSC ORIGINATING ACTIVITY MONTHLY TYPE 2 NSN	3266
TRANSFER FSC ORIGINATING ACTIVITY MONTHLY TYPE 2 TO 1 NSN	3253
TRANSFER FSC ORIGINATING ACTIVITY MONTHLY TYPE 2 TO 4 NSN	3254
TRANSFER FSC ORIGINATING ACTIVITY MONTHLY TYPE 4 NSN	3268
TRANSFER FSC ORIGINATING ACTIVITY MONTHLY TYPE 4 TO 1 NSN	3255
TRANSFER FSC ORIGINATING ACTIVITY MONTHLY TYPE 4 TO 2 NSN	3256
TRANSFER FSC ORIGINATING DEPT FISCAL YR TO DATE GOAL	6777
TRANSFER FSC ORIGINATING DEPT FISCAL YR TO DATE TOTAL NSN	6774
TRANSFER FSC ORIGINATING DEPT FISCAL YR TO DATE TYPE 1 NSN	6772
TRANSFER FSC ORIGINATING DEPT FY TO DATE DESC METH PERCENT	6775
TRANSFER FSC ORIGINATING DEPT FY TO DATE GOAL DIFFERENCE	6776
TRANSFER FSC SUBMITTING ACTIVITY FISCAL YEAR TO DATE GOAL	9653
TRANSFER FSC SUBMITTING ACTIVITY FYD GOAL DIFFERENCE	9654
TRANSFER FSC SUBMITTING ACTIVITY FYD TOTAL NSN	9651
TRANSFER FSC SUBMITTING ACTIVITY FYD TYPE 1 NSN	9649
TRANSFER FSC SUBMITTING ACTIVITY FYD TYPE 2 NSN	9648
TRANSFER FSC SUBMITTING ACTIVITY FYD TYPE 4 NSN	9650
TRANSFER FSC SUBMITTING ACTIVITY MONTHLY TYPE 1 NSN	3264
TRANSFER FSC SUBMITTING ACTIVITY MONTHLY TYPE 1 TO 2 NSN	3257
TRANSFER FSC SUBMITTING ACTIVITY MONTHLY TYPE 1 TO 4 NSN	3258
TRANSFER FSC SUBMITTING ACTIVITY MONTHLY TYPE 2 NSN	3263
TRANSFER FSC SUBMITTING ACTIVITY MONTHLY TYPE 2 TO 1 NSN	3259
TRANSFER FSC SUBMITTING ACTIVITY MONTHLY TYPE 2 TO 4 NSN	3260
TRANSFER FSC SUBMITTING ACTIVITY MONTHLY TYPE 4 NSN	3265
TRANSFER FSC SUBMITTING ACTIVITY MONTHLY TYPE 4 TO 1 NSN	3261
TRANSFER FSC SUBMITTING ACTIVITY MONTHLY TYPE 4 TO 2 NSN	3262
TRANSFER FSC SUBMITTING DEPARTMENT FISCAL YEAR TO DATE GOAL	9660
TRANSFER FSC SUBMITTING DEPARTMENT FYD DES METHOD PERCENT	9659
TRANSFER FSC SUBMITTING DEPARTMENT FYD GOAL DIFFERRENCE	9661
TRANSFER FSC SUBMITTING DEPARTMENT FYD TYPE 1 NSN	9656
TRANSFER FSC SUBMITTING DEPARTMENT FYD TYPE 2 NSN	9655
TRANSFER FSC SUBMITTING DEPARTMENT FYD TYPE 4 NSN	9657
TRANSFER ORIGINATING ACT CURRENT DESCRIPTIVE METHOD PERCENT	6748
TRANSFER ORIGINATING ACT FISCAL YR TO DATE DESC METH PERCENT	6753
TRANSFER ORIGINATING ACT FISCAL YR TO DATE TOTAL NSN	6752
TRANSFER ORIGINATING ACT FISCAL YR TO DATE TRFR TOTAL NSN	1580
TRANSFER ORIGINATING ACT FISCAL YR TO DATE TYPE 1 NSN	6750
TRANSFER ORIGINATING ACT FISCAL YR TO DATE TYPE 1 TO 2 NSN	1574

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
TRANSFER ORIGINATING ACT FISCAL YR TO DATE TYPE 2 NSN	6749
TRANSFER ORIGINATING ACT FISCAL YR TO DATE TYPE 2 TO 1 NSN	1576
TRANSFER ORIGINATING ACT FISCAL YR TO DATE TYPE 2 TO 4 NSN	1577
TRANSFER ORIGINATING ACT FISCAL YR TO DATE TYPE 4 NSN	6751
TRANSFER ORIGINATING ACT FISCAL YR TO DATE TYPE 4 TO 1 NSN	1578
TRANSFER ORIGINATING ACT FISCAL YR TO DATE TYPE 4 TO 2 NSN	1579
TRANSFER ORIGINATING ACTIVITY CURRENT TOTAL NSN	6747
TRANSFER ORIGINATING ACTIVITY CURRENT TYPE 1 NSN	6745
TRANSFER ORIGINATING ACTIVITY CURRENT TYPE 2 NSN	6744
TRANSFER ORIGINATING ACTIVITY CURRENT TYPE 4 NSN	6746
TRANSFER ORIGINATING ACTIVITY TRANSFER TOTAL NSN	1573
TRANSFER ORIGINATING ACTIVITY TYPE 1 TO 2 NSN	1567
TRANSFER ORIGINATING ACTIVITY TYPE 1 TO 4 NSN	1568
TRANSFER ORIGINATING ACTIVITY TYPE 2 TO 1 NSN	1569
TRANSFER ORIGINATING ACTIVITY TYPE 2 TO 4 NSN	1570
TRANSFER ORIGINATING ACTIVITY TYPE 4 TO 1 NSN	1571
TRANSFER ORIGINATING ACTIVITY TYPE 4 TO 2 NSN	1572
TRANSFER ORIGINATING DEPARTMENT CURRENT TOTAL NSN	6757
TRANSFER ORIGINATING DEPARTMENT CURRENT TYPE 1 NSN	6755
TRANSFER ORIGINATING DEPARTMENT CURRENT TYPE 4 NSN	6756
TRANSFER ORIGINATING DEPARTMENT FYD TYPE 1 TO 4 NSN	1582
TRANSFER ORIGINATING DEPARTMENT TRANSFER TOTAL NSN	1566
TRANSFER ORIGINATING DEPARTMENT TYPE 1 TO 2 NSN	6778
TRANSFER ORIGINATING DEPARTMENT TYPE 1 TO 4 NSN	1561
TRANSFER ORIGINATING DEPARTMENT TYPE 2 TO 1 NSN	1562
TRANSFER ORIGINATING DEPARTMENT TYPE 2 TO 4 NSN	1563
TRANSFER ORIGINATING DEPARTMENT TYPE 4 TO 1 NSN	1564
TRANSFER ORIGINATING DEPT CURRENT DESCRIPTIVE METHOD PERCENT	6758
TRANSFER ORIGINATING DEPT CURRENT TYPE 2 NSN	6754
TRANSFER ORIGINATING DEPT FISCAL YEAR TO DATE TOTAL NSN	6762
TRANSFER ORIGINATING DEPT FISCAL YR TO DATE DESC MET PERCENT	6763
TRANSFER ORIGINATING DEPT FISCAL YR TO DATE TRFR TOTAL NSN	1587
TRANSFER ORIGINATING DEPT FISCAL YR TO DATE TYPE 1 NSN	6760
TRANSFER ORIGINATING DEPT FISCAL YR TO DATE TYPE 1 TO 2 NSN	1581
TRANSFER ORIGINATING DEPT FISCAL YR TO DATE TYPE 2 NSN	6759
TRANSFER ORIGINATING DEPT FISCAL YR TO DATE TYPE 2 TO 1 NSN	1583
TRANSFER ORIGINATING DEPT FISCAL YR TO DATE TYPE 2 TO 4 NSN	1584
TRANSFER ORIGINATING DEPT FISCAL YR TO DATE TYPE 4 NSN	6761
TRANSFER ORIGINATING DEPT FISCAL YR TO DATE TYPE 4 TO 1 NSN	1585
TRANSFER ORIGINATING DEPT FISCAL YR TO DATE TYPE 4 TO 2 NSN	1586
TRANSFER OTIGINATING ACT FISCAL YR TO DATE TYPE 1 TO 4 NSN	1575
TRANSFER SUBMITTING ACTIVITY CODE FISCAL YEAR TO DATE TOTAL	9639
TRANSFER SUBMITTING ACTIVITY CURRENT DES METHOD PERCENT	9638
TRANSFER SUBMITTING ACTIVITY CURRENT TOTAL NSN	2454
TRANSFER SUBMITTING ACTIVITY CURRENT TYPE 1 NSN	2452
TRANSFER SUBMITTING ACTIVITY CURRENT TYPE 2 NSN	2451
TRANSFER SUBMITTING ACTIVITY CURRENT TYPE 4 NSN	2453
TRANSFER SUBMITTING ACTIVITY FISCAL YEAR TO DATE	2457
TRANSFER SUBMITTING ACTIVITY FISCAL YEAR TO DATE TYPE 1 NSN	2456
TRANSFER SUBMITTING ACTIVITY FISCAL YEAR TO DATE TYPE 1 TO 2	2466
TRANSFER SUBMITTING ACTIVITY FISCAL YEAR TO DATE TYPE 1 TO 4	2467
TRANSFER SUBMITTING ACTIVITY FISCAL YEAR TO DATE TYPE 2 NSN	2455
TRANSFER SUBMITTING ACTIVITY FISCAL YEAR TO DATE TYPE 2 TO 1	2468

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
TRANSFER SUBMITTING ACTIVITY FISCAL YEAR TO DATE TYPE 2 TO 4	2469
TRANSFER SUBMITTING ACTIVITY FISCAL YEAR TO DATE TYPE 4 T	2741
TRANSFER SUBMITTING ACTIVITY FISCAL YEAR TO DATE TYPE 4 TO 1	2470
TRANSFER SUBMITTING ACTIVITY FISCAL YTDJ DESCRIPTIVE MTHD PT	2458
TRANSFER SUBMITTING ACTIVITY TRANSFER TOTAL NSN	9666
TRANSFER SUBMITTING ACTIVITY TYPE 1 TO 2 NSN	9662
TRANSFER SUBMITTING ACTIVITY TYPE 1 TO 4 NSN	9663
TRANSFER SUBMITTING ACTIVITY TYPE 2 TO 1 NSN	2147
TRANSFER SUBMITTING ACTIVITY TYPE 2 TO 4 NSN	2146
TRANSFER SUBMITTING ACTIVITY TYPE 4 TO 1 NSN	9664
TRANSFER SUBMITTING ACTIVITY TYPE 4 TO 2 NSN	9665
TRANSFER SUBMITTING ACTY FISCAL YTD TRANSFER TOTAL NSN	2472
TRANSFER SUBMITTING DEPARTMENT CURRENT DES METHOD PERCENT	9642
TRANSFER SUBMITTING DEPARTMENT CURRENT TOTAL NSN	9641
TRANSFER SUBMITTING DEPARTMENT CURRENT TYPE 1 NSN	2460
TRANSFER SUBMITTING DEPARTMENT CURRENT TYPE 2 NSN	2459
TRANSFER SUBMITTING DEPARTMENT CURRENT TYPE 4 NSN	9640
TRANSFER SUBMITTING DEPARTMENT FISCAL YR DATE DES METH PCT	9647
TRANSFER SUBMITTING DEPARTMENT FISCAL YR TO DATE TOTAL NSN	9646
TRANSFER SUBMITTING DEPARTMENT FISCAL YR TO DATE TYPE 1 NSN	9644
TRANSFER SUBMITTING DEPARTMENT FISCAL YR TO DATE TYPE 2 NSN	9643
TRANSFER SUBMITTING DEPARTMENT FISCAL YR TO DATE TYPE 4 NSN	9645
TRANSFER SUBMITTING DEPARTMENT FISCAL YTD TRANSFER TOTAL NSN	2479
TRANSFER SUBMITTING DEPARTMENT FISCAL YTD TYPE 1 TO 2 NSN	2743
TRANSFER SUBMITTING DEPARTMENT FISCAL YTD TYPE 2 TO 1 NSN	2475
TRANSFER SUBMITTING DEPARTMENT FISCAL YTD TYPE 2 TO 4 NSN	2476
TRANSFER SUBMITTING DEPARTMENT FISCAL YTD TYPE 4 TO 1 NSN	2477
TRANSFER SUBMITTING DEPARTMENT FISCAL YTD TYPE 4 TO 2 NSN	2478
TRANSFER SUBMITTING DEPARTMENT FYD TYPE 1 TO 4 NSN	2474
TRANSFER SUBMITTING DEPARTMENT TRANSFER TOTAL NSN	2465
TRANSFER SUBMITTING DEPARTMENT TYPE 1 TO 2 NSN	2461
TRANSFER SUBMITTING DEPARTMENT TYPE 1 TO 4 NSN	2462
TRANSFER SUBMITTING DEPARTMENT TYPE 2 TO 1 NSN	2463
TRANSFER SUBMITTING DEPARTMENT TYPE 2 TO 4 NSN	9667
TRANSFER SUBMITTING DEPARTMENT TYPE 4 TO 1 NSN	9668
TRANSFER SUBMITTING DEPARTMENT TYPE 4 TO 2 NSN	2464
TRANSMITTAL TYPE DESIGNATOR CODE	2629
TRANSPORTATION DATA EFFECTIVE DATE	2069
TRANSPORTATION TYPE CARGO CODE	2072
TSQ UPDATE COMPLETE INDICATOR	9409
TYPE 2 DRAWING COUNT	1462
TYPE DATA CODE	0411
TYPE INQUIRY CODE	0881
TYPE ITEM IDENTIFICATION 1	3490
TYPE ITEM IDENTIFICATION 1A-B33	1228
TYPE ITEM IDENTIFICATION 2	3486
TYPE ITEM IDENTIFICATION 4	3487
TYPE ITEM IDENTIFICATION 4B-B14	8249
TYPE ITEM IDENTIFICATION K	3491
TYPE ITEM IDENTIFICATION L	3492
TYPE ITEM IDENTIFICATION M	3488
TYPE ITEM IDENTIFICATION N	3489
TYPE LAST ACTION	0044

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
TYPE MATCH	3103
TYPE OF BUSINESS CODE	1366
TYPE OF BUSINESS DEFINITION	3369
TYPE OF CAGE/NSCM AFFILIATION CODE	0250
TYPE OF CAGE/NSCM AFFILIATION CODE DEFINITION	3366
TYPE OF CARGO CODE	9260
TYPE OF CARGO CODE EXPLANATION	5224
TYPE OF FINANCIAL MANAGEMENT CONTROL CODE	0729
TYPE OF INQUIRY CODE	1104
TYPE OF INQUIRY CODE	4476
TYPE OF ITEM IDENTIFICATION CODE	4820
TYPE OF ITEM IDENTIFICATION CODE EXPLANATION	5117
TYPE OF ITEM IDENTIFICATION CODE NOTE	5118
TYPE OF ITEM IDENTIFICATION CODE TYPE	5116
TYPE OF MOBILIZATION RESERVE REQUIREMENT CODE	0723
TYPE OF MOBILIZATION RESERVE REQUIREMENT CODE EXPLANATION	5215
TYPE OF ORGANIZATIONAL ENTITY CODE EXPLANATION	3171
TYPE OF PHONE NUMBER CODE	1088
TYPE OF PRECIOUS METAL	5263
TYPE OF SCREENING CODE	8451
TYPE OF SHELF LIFE CODE NOTE	5238
TYPE OF SPECIAL HANDLING CARGO	5225
TYPE OF SPECIAL PROCESSING INDICATOR CODE	0568
TYPE OF SPECIAL PROCESSING INDICATOR CODE EXPLANATION	3178
TYPE OF STATISTICS	0907
TYPE OF TRANSACTION	9441
TYPE OF VALUE CODE	0238
TYPES OF FINANCIAL MANAGEMENT CONTROL CODE EXPLANATION	5218
TYPICAL NAME	5060
TYPICAL NAME CHARACTER COUNTER	1068
UI NOTE	3497
UNDEFINED SEGMENT	9442
UNIFORM CODE COUNCIL BAD MAIL FLAG IDENTIFIER	9351
UNIFORM CODE COUNCIL CITY NAME	9344
UNIFORM CODE COUNCIL CONTACT NAME	9348
UNIFORM CODE COUNCIL CONTACT NAME TITLE	9349
UNIFORM CODE COUNCIL CONTACT TELEPHONE IDENTIFIER	9350
UNIFORM CODE COUNCIL COUNTRY NAME	9347
UNIFORM CODE COUNCIL FIRST ADDRESS LINE TEXT	9341
UNIFORM CODE COUNCIL MEMBER NAME	9340
UNIFORM CODE COUNCIL SECOND ADDRESS LINE TEXT	9342
UNIFORM CODE COUNCIL STATE CODE	9345
UNIFORM CODE COUNCIL THIRD ADDRESS LINE TEXT	9343
UNIFORM CODE COUNCIL ZIP CODE	9346
UNIFORM FREIGHT CLASSIFICATION (UFC) CODE (MODIFIED)	3040
UNIT CONTAINER CODE	5166
UNIT CONTAINER LEVEL CODE	5168
UNIT MEASURE CODE	0107
UNIT MEASURE TERM	2347
UNIT OF ISSUE	3050
UNIT OF ISSUE CHANGE DATA	0218
UNIT OF ISSUE CONDITIONAL NOTE	5244
UNIT OF ISSUE CONVERSION FACTOR	3053

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
UNIT OF ISSUE DEFINITION	5243
UNIT OF ISSUE TERM	5242
UNIT OF MEASURE	2511
UNIT OF MEASURE DESIGNATION	4411
UNIT PACK CODE QUANTITY	5322
UNIT PACK CUBE	5155
UNIT PACK QUANTITY	5321
UNIT PACK QUANTITY EXPLANATION	3464
UNIT PACK SIZE	5154
UNIT PACK WEIGHT	5153
UNITED NATIONS ORGANIZATION SERIAL NUMBER	2386
UNITED STATES GOVERNMENT 12	5847
UNIVERSAL PRODUCT CODE CHECK CHARACTER QUANTITY	9338
UNIVERSAL PRODUCT CODE MANUFACTURER IDENTIFIER	9336
UNIVERSAL PRODUCT CODE MANUFACTURER ITEM IDENTIFIER	9337
UNIVERSAL PRODUCT CODE MANUFACTURER ITEM NAME	9339
UNIVERSAL PRODUCT CODE SERIAL NUMBER IDENTIFIER	9305
UNKNOWN LSA TOTAL	1980
UNMATCHED REFERENCE NUMBER CATEGORY CODE	3132
UNPACKAGED ITEM DIMENSIONS	5158
UNPACKAGED ITEM WEIGHT	5157
UPDATE COUNT	9457
UPDATE RETURN CODE	9456
USER ACCESS LEVEL	1381
USER ACCESS LEVEL SUBSYSTEM CODE	3381
USER CODE	1101
USER OPTION	0958
USER PASSWORD	2138
USING SERVICE CODE	0745
USING SERVICE CODE EXPLANATION	3147
VALID DIC FOR LFU TYPE TRANSACTION	9444
VALID FOLLOW UP HX CODE FOR DIC	9443
VALID POSITION	9771
VALID REFERENCE MAY HAVE NOTE INDICATOR	3112
VALID REFERENCE MUST HAVE NOTE INDICATOR	3108
VALUE SOURCE	1885
VARIABLE DATA CHARACTER COUNTER	1061
VENDOR REGISTRATION RENEWAL DATE	3373
WATER COMMODITY CODE	9275
WEAPON SYSTEM CRITICAL GROUP CODE	3885
WEAPON SYSTEM GROUP CODE	3889
WEAPON SYSTEM IDENTIFIER	3881
WEAPON SYSTEM INDICATOR CODE	3883
WEAPON SYSTEM NAME	3887
WEAPON SYSTEM SERVICE CODE	3882
WEAPONS INTEGRATED MATERIEL MANAGER ACTIVITY AND FSC COUNT	1555
WEAPONS INTEGRATED MATERIEL MANAGER FSC COUNT	1554
WEIGHT OF PACKAGED UNIT	2313
WEIGHT OF UNPACKAGED UNIT	2314
WOMAN OWNED BUSINESS CODE	1367
WORK LOAD LOCK OUT CODE	2024
WORKLOAD COUNT	1026
WRAPPING MATERIAL CODE	5163

CHAPTER 5
DATA DICTIONARY
CLEAR TEXT HOST/COBOL NAME TO DRN CROSS REFERENCE

CLEAR TEXT HOST/COBOL NAME	DRN
ZIP ADD-ON CODE	4398
ZIP CODE	4400
ZIP CODE RANGE	0300
ZIP CODE RELATIVE ROW	3219
ZIP CODE SORT SEQUENCE	3216
ZIP PLUS FOUR CODE	4399
10 PART NUMBER PERCENT	6938
1001-1500 PART NUMBER PERCENT	6957
101-200 PART NUMBER PERCENT	6948
11-20 PART NUMBER PERCENT	6939
12-18 HOURS	6915
120-144 HOURS	6919
20 NSN FAMILY	8136
201-300 PART NUMBER PERCENT	6949
21-30 PART NUMBER PERCENT	6940
301-400 PART NUMBER PERCENT	6950
31-40 PART NUMBER PERCENT	6941
401-500 PART NUMBER PERCENT	6951
41-50 PART NUMBER PERCENT	6942
45 NSN FAMILY	8161
48-72 HOURS	6916
50 NSN FAMILY 1	8116
501-600 PART NUMBER PERCENT	6952
51-60 PART NUMBER PERCENT	6943
6-10 NSN FAMILY	8169
601-700 PART NUMBER PERCENT	6953
61-70 PART NUMBER PRCENT	6944
701-800 PART NUMBER PERCENT	6954
71-80 PART NUMBER PERCENT	6945
72-96 HOURS	6917
8 PART NUMBER PERCENT	6936
801-900 PART NUMBER PERCENT	6955
81-90 PART NUMBER PERCENT	6946
9 PART NUMBER PERCENT	6937
901-1000 PART NUMBER PERCENT	6956
91-100 PART NUMBER PERCENT	6947
96-120 HOURS	6918

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.
	AAT_LBL_ID_9999	969
	AAT_LID_ACES_9999	969
	AAT_USERID_9999	969
	ACCESS_FLAG	967
	ACTIVITY_CD	967
	AMLS_LBL_ID_9999	967
	AMLS_LID_ACES_9999	967
	ASGND_FSC_3990	943
	ASGND_NIIN_4000	943
	CITY_1083	834
	CLECT_I_1	968
	CLECT_I_2	968
	CLECT_I_3	968
	CLECT_I_4	968
	CLECT_I_5	968
	CLECT_I_6	968
	CLECT_I_7	968
	CLECT_T_1	968
	CLECT_T_2	968
	CLECT_T_3	968
	CLECT_T_4	968
	CLECT_T_5	968
	CLECT_T_6	968
	CLECT_T_7	968
	CLECT_X_1	968
	CLECT_X_2	968
	CLECT_X_3	968
	CLECT_X_4	968
	CLECT_X_5	968
	CLECT_X_6	968
	CLECT_X_7	968
	CNTL_SERVER	010
		1QF
	COMM_ADRS_ID_6572	709
	COMM_FILE_NM_6575	709
	COPY_OWNER	010
		1QF
	COPY_SERVER	010
		1QF
	COPY_STRUCTURE	010
		1QF
	COPY_TABLE	010
		1QF
	DB2_GRP_NUM_4457	913
	DB2_TBL_NAME_4466	913
	DEMIL_MATCH	129
	DIC_DRN_N_NBR_2112	208
	DIDS_INTRO_4469	177
		392
	DIDS_TBL_NAME_4466	392
	DISAGREE_NC_CD	129
	EXTRNL_PASWD_6574	709
	EXTRNL_USRID_6573	709
	FIRST_INIT	967
	FSC_WI_FSG_3994	944
	FSG_3996	944
	FUTURE_REVIEW	129
	GROUPID	967
	GROUP_ID	968
	HZR_STR_CMPAT_7974	943
	IBMSNAP_LOGMARKER	010
		1QF
	IDENT_MKG_CD2_8598	943
	IDENT_MKG_CD_7975	943
	INPUT_RECORDS_9171	848
	INSP_LVL_7977	943
	IO_STST_CNT_6546	064
		540
	ITEM_NAME	129
	LAST_NAME	967
	LN_2780_DESC_9213	926
	LST_INSP_PED_7972	943
	MAX_OCURS_4594	479
	MENU_ID	968
	MENU_SCR_TITLE	968
	MENU_TITLE	968
	MESSAGE_LENGTH	041
	MESSAGE_SEG	041
	MR_STAT_DT_3474	088
	MSG_SEGMENT_NO	041
	NEW_CIIC	129
	NEW_DEMIL	129
	OPTNL_NM_3352	355
	OUT_UI_TEXT_3046	813
	PC_CODE	967
	PKG_CODE_7978	943
	PK_CD_7979	943
	PORT_NBR_9212	926
	PRINTER_ID	970
	PRNT1	967
	PRNT2_9999	967
	PROPRITORY	967
	PRUNE_LIMIT_SEQ	010
		1QF
	REF_NBR_9999	108
	REINSP_LMT_7980	943
	REINSP_PED_7981	943
	SHLF_LIF_MO_7982	943
	SNA_CVSN_ID_3052	618
		619
	SP_RQMT_CD_7983	943
	STAT_JUL_DATE_7646	924
	STD_IND_CL_CD_1368	079
	STOR_CODE_7984	943
	ST_US_PDSN_AB_0186	355
	SUBMB_ACTY_CD_3720	258
		259
	SVC_ENT_9999	967
	SVC_QLTY_LVL_7985	943
	TABLE_GROUP	971
	TABLE_KEYLEN	971
	TABLE_NAME	971
	TABLE_TYP_DV_1079	392
	TBL_ALL0C_2471	913
	TERMINAL_ID	970
	TEST_RQMT_DE_7986	943
	TMSTP	041
	TOTAL_MSG_SEGS	041
	TRFR_STAT_CNT_6771	548
	TRFR_STAT_CNT_6773	548
	TYPE_II_4_3487	830
	USERID	967
0010	ORG_ID_TXT_SG_0010	069
0011	OE_LI_SEG_EXP_0011	160
0041	EXTD_FRT_DESC_0041	732
0043	DATE_LST_CHG_0043	090
		093
		732
0044	TYP_LST_ACT_0044	090
		710
		732
0076	NIMSC_0076	256
		345
		521
		829
0090	SUBJ_TO_WIMM_0090	094
		515
0095	CONF_NOTI_CD_0095	187
0096	FMR_NMFC_0096	149
0097	FMR_UFC_0097	149
0099	CRD_ID_CD_IMC_0099	040
		179
		345
		436
		457
		521
		563

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.
0103	APPLB_KEY_CD_0103	098
		593
0106	QTY_PER_ASBL_0106	007
		506
0107	UNIT_MEAS_CD_0107	007
		276
		506
0113	MRC_CLR_TXT_R_0113	498
		688
0115	SAC_CDNG_IND_0115	120
0121	SP_MAT_CONT_0121	006
		301
		505
0122	FSC_M_RL_C_IN_0122	093
		094
		215
		515
0132	IRRC_NVY_0132	006
		261
		262
		505
0133	PSDO_SOS_CD_0133	274
0134	INACT_SOS_IND_0134	331
		519
0135	NVY_SP_SOS_CD_0135	260
		261
		331
		519
0155	FU_COND_CD_0155	217
0166	FU_STAT_CD_0166	233
		383
0167	DEMIL_CD_0167	016
		028
		129
		194
		426
		428
		450
		523
		557
		559
		782
		941
0177	ACTY_CD_SCRNG_0177	144
		782
0186	ST_US_POSN_AB_0186	077
		139
		483
		834
0189	SEG_LGTH_0189	404
		406
0225	SEG_CD_SUPMTL_0225	207
		293
		771
0226	RPLM_M_RL_NBR_0226	093
		730
0232	P_SCR_RCV_ADD_0232	144
0233	ADRS_SEQ_CD_0233	144
		408
		475
		862
		866
0250	TYP_CAGE_AFFL_0250	082
		700
0264	SVC_CD_P_SCRN_0264	144
		835
0297	FUT_M_RL_ST_C_0297	093
		218
0308	DT_ESTB_CANC_0308	001
		073
		091
		098
		099
		363
		513
		518
		592
		593
		594
0320	STA_CD_NM_FSC_0320	001
		073
		076
		094
		098
		316
		489
		491
		492
		513
		515
		518
		530
		591
		593
		595
		723
		724
0324	MC_CRITE_STMT_0324	878
0326	DIML_MRC_IND_0326	120
0365	CD_F_LGT_RPLY_0365	126
		922
0368	PRT_SKLTN_CD_0368	127
		921
0375	FSC_INCL_NAR_0375	076
		591
0376	FSC_EXCL_NAR_0376	076
		591
0420	ALT_OP_MED_CD_0420	144
		157
		783
0478	DIST_AC_SEG_M_0478	148
		530
0510	RPLY_DCOD_SEQ_0510	126
		922
0511	DLA_GSA_EXCPT_0511	016
		523
0568	TYP_SP_PRC_0568	006
		310
		505
0572	OPRTL_TST_MC_0572	006
		266
		505
0573	PHY_CTGY_MC_0573	006
		269
		505
0581	FIIG_LCKT_IND_0581	123
0583	INC_LOCKT_IND_0583	122
0595	DEG_MTCH_CD_0595	191
0708	INV_ACT_CG_0708	006
		229
		505
0709	REP_CD_CG_0709	006
		184
		505
0721	NRM_SRC_PR_CD_0721	257
0723	TYP_MBL_RSV_0723	246
0725	S_PKG_RQM_CD_0725	302
0728	DMD_IND_CD_0728	193
0729	TYP_FIN_MGT_0729	308
0731	EST_ACT_PR_CD_0731	212
0744	SVC_CON_ID_CD_0744	144
		863
0745	USI_SVC_CD_0745	006
		007
		313
		505
		506

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.
		883
0749	STDZN_SUBMR_0749	094
		515
0756	D_TRN_CTL_CD_0756	190
0759	CMD_AUTHZN_CD_0759	144
		858
0762	PRPTN_EDIT_CD_0762	120
0763	SER_NO_CTL_CG_0763	006
		180
		505
0768	STYL_NBR_FIIG_0768	072
		131
		826
		827
		828
		842
		951
0771	STYL_RP_IL_DW_0771	016
		523
0772	DGTZD_DWG_NBR_0772	075
		136
		816
		842
		966
0792	JTC_0792	007
		506
0793	OOU_0793	007
		506
0801	ADPEC_0801	010
		161
		509
0802	PMIC_0802	010
		272
		509
		987
0808	GIRDER_CD_0808	317
		779
0809	MFR_NOTES_0809	317
		772
		781
		932
0816	MRD_STATUS_CD_0816	127
		921
0825	ISAC_LMTN_CD_0825	121
0826	ISAC_IND_CD_0826	120
0845	CNBR_SYS_I_0845	082
		186
0847	MRC_USG_DESI_0847	127
		921

DRN	DB2 Element Name	GRP TBL NO.
0854	TRN_STATUS_CD_0854	306
		958
0857	CRYPTO_IND_CD_0857	093
0858	PVC_AF_0858	006
		273
		505
0861	SUB_ITM_NBR_0861	016
		035
		090
		149
		416
		423
		503
		523
		732
0862	FMR_NMFC_SUB_0862	149
0864	INTGTY_CD_0864	016
		227
		523
0865	HMIC_0865	016
		110
		523
0866	DBRD_STAT_CD_0866	092
0867	DBRD_END_DT_0867	092
0868	DBR_PRO_I_SYM_0868	092
		203
0872	SUR_PRC_ID_CD_0872	016
		523
0874	DT_ESB_PSMT_R_0874	144
0875	DT_LST_ACC_PS_0875	144
0882	RPTY_NAME_0882	325
0883	RPTY_ST_ADRS_0883	325
0884	RPTY_CITY_0884	325
0889	RPTY_CLR_TXT1_0889	325
0890	NBR_CPY_0890	324
0892	PSO_ACT_CD_0892	144
		409
0893	CONTR_LBL_CD_0893	860
0897	STAT_DEPT_0897	019
		021
		022
		024
		029
		030
		031
		032
		039
		040
		045

DRN	DB2 Element Name	GRP TBL NO.
		046
		047
		048
		049
		050
		055
		056
		057
		058
		062
		065
		066
		067
		068
		112
		113
		114
		195
		223
		326
		329
		330
		368
		369
		371
		372
		373
		374
		377
		381
		396
		424
		425
		426
		429
		436
		439
		441
		442
		444
		445
		446
		451
		452
		453
		454
		456
		457
		460

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.
		462
		463
		464
		526
		527
		528
		532
		533
		534
		535
		541
		542
		546
		548
		549
		550
		551
		552
		554
		555
		556
		557
		560
		563
		566
		568
		569
		570
		571
		573
		574
		575
		576
		577
		578
		580
		581
		582
		583
		584
		585
		586
		587
		589
		590
		608
		620
		622
		625
		627
		628
		629
		630
		631
		634
		635
		636
		637
		638
		639
		640
		641
		643
		645
		646
		647
		648
		649
		650
		651
		652
		653
		654
		655
		656
		657
		658
		659
		662
		663
		664
		668
		670
		672
		673
		676
		677
		678
		679
		680
		681
		682
		683
		690
		691
		692
		693
		694
		695
		698
		739
		740
		741
		742
		744
		745
		749
		750
		751
		752
		753
		754
		755
		756
		757
		758
		759
		760
		761
		762
		763
		764
		784
		785
		786
		787
		788
		789
		790
		791
		792
		794
		795
		796
		797
		798
		799
		800
		801
		802
		803
		804
		805
		808
		809
		810
		818

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.
		819
		820
		821
		822
		823
		824
		825
		934
		935
		939
		940
		959
0898	STAT_ACTIVITY_0898	019
		021
		022
		029
		031
		032
		040
		045
		046
		048
		049
		050
		056
		058
		063
		064
		065
		067
		068
		329
		330
		371
		372
		373
		377
		396
		419
		424
		425
		430
		434
		436
		439
		442
		444
		445
		451
		453
		454
		457
		460
		462
		463
		467
		471
		493
		526
		527
		528
		533
		535
		540
		541
		548
		549
		550
		551
		552
		555
		556
		563
		566
		569
		570
		571
		572
		573
		574
		575
		576
		577
		580
		581
		582
		583
		584
		585
		586
		587
		588
		589
		611
		615
		625
		627
		628
		629
		630
		631
		634
		635
		636
		637
		638
		639
		640
		641
		642
		643
		644
		645
		646
		647
		648
		649
		650
		651
		652
		653
		654
		655
		656
		657
		658
		659
		660
		661
		662
		663
		664
		668
		670
		672
		673
		676
		677
		678
		679
		680
		681
		682
		683
		739
		740
		751

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.
		752
		794
		795
		800
		801
		802
		803
		808
		809
		810
		818
		819
		820
		821
		822
		823
		824
		825
0899	STAT_REQ_DATE_0899	019
		020
		021
		022
		023
		024
		026
		027
		028
		029
		030
		031
		032
		033
		034
		035
		036
		037
		038
		039
		040
		042
		043
		046
		047
		048
		049
		050
		051
		053
		055

DRN	DB2 Element Name	GRP TBL NO.
		056
		057
		058
		061
		063
		064
		065
		066
		067
		068
		112
		113
		114
		141
		142
		195
		223
		326
		329
		330
		367
		369
		370
		371
		372
		373
		376
		377
		396
		413
		414
		415
		416
		417
		419
		420
		421
		423
		424
		425
		426
		427
		428
		429
		430
		431
		432
		433
		434

DRN	DB2 Element Name	GRP TBL NO.
		435
		436
		437
		438
		439
		441
		442
		444
		445
		446
		449
		450
		451
		452
		453
		454
		455
		456
		457
		458
		459
		460
		463
		464
		465
		466
		467
		468
		470
		471
		472
		493
		494
		495
		503
		526
		527
		528
		529
		531
		532
		533
		534
		535
		540
		541
		542
		545
		546

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.	DRN	DB2 Element Name	GRP TBL NO.
		547			634			696
		548			635			697
		549			636			739
		550			637			740
		551			638			741
		552			639			742
		555			640			744
		556			641			745
		557			642			749
		558			643			750
		559			644			751
		560			645			752
		561			646			753
		562			647			754
		563			648			755
		564			649			756
		565			650			757
		566			651			758
		568			652			759
		569			653			760
		570			654			761
		571			655			762
		572			656			763
		573			657			764
		574			658			784
		575			659			785
		576			660			786
		577			661			787
		578			662			788
		580			663			789
		581			664			790
		582			668			791
		583			670			792
		584			672			793
		585			673			794
		586			676			795
		587			677			796
		588			678			797
		589			679			798
		590			680			799
		611			681			800
		615			682			801
		624			683			802
		625			690			803
		627			691			804
		628			692			805
		629			693			808
		630			694			809
		631			695			810

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.
		811
		818
		819
		820
		821
		822
		823
		824
		825
		857
		933
		934
		935
		938
		939
		940
0903	DSOR_0903	009
		508
		833
0904	FMR_DSOR_0904	009
		508
0905	CTGY_CD_0905	158
		159
		175
0907	TYPE_OF_STAT_0907	026
		062
		140
		141
		448
		879
		913
		993
0908	STAT_ACTY_CH_0908	029
		451
		857
0911	RPT_PERIOD_0911	448
0912	BEG_DATE_0912	026
		448
0913	ENDING_DATE_0913	026
		448
0914	DATE_RPT_THRU_0914	448
0941	TBL_V_IN_CT_C_0941	842
0950	DRN_0950	081
		105
		177
		207
		228
		249
		292
		375
		404
		406
		489
		491
		492
		536
		746
		883
		889
		890
		891
		892
		918
		957
		989
0964	RDG_TI_0964	965
0978	TOT_PRD_ADRS_0978	146
0979	AA_0979	145
		146
0981	SCRN_ID_0981	366
0982	PRDCT_TI_0982	147
		340
0983	MSG_0983	132
		780
0985	MLNG_PIC_0985	145
0997	BRNCH_CD_0997	060
		109
		525
0998	BTCH_CTL_NBR_0998	060
1000	DCSN_1000	025
		044
		059
		060
		105
		106
		341
		380
		422
		505
		506
		507
		508
		509
		510
		511
		512
		521
		522
		523
		524
		875
		928
		972
		973
		974
		975
		976
		977
		978
		979
		980
		981
		982
		983
		984
		997
		998
		999
1001	OE_LI_SEG_NBR_1001	083
		160
1002	RTC_CD_1002	060
1008	DT_PRIM_OP_1008	060
1009	DT_SECD_IP_1009	106
1011	DT_SECD_OP_1011	106
1013	DT_DSK_CD_CHG_1013	060
1015	DOC_CTL_NBR_1015	012
		918
1016	DT_RTC_1016	060
1024	NATO_FG_TR_P_1024	104
1026	WRKLD_CNT_1026	109
1028	SUPL_DIC_IP_1028	106
1029	SUPL_DIC_OP_1029	106
1031	DT_PRCSD_1031	060
1036	DT_FOR_BLNG_1036	060
1041	DT_BILD_1041	060
1042	DT_FOR_PRG_1042	060
1044	DT_FOR_RTC_1044	060
1047	SCR_KEY_CD_1047	120
1051	DT_PURGED_1051	060
1052	DIC_OP_1052	052
		060
		061
		064
		104
		183
		197
		368

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.
		374
		375
		540
		604
		624
		924
		957
1070	PKG_SEQ_NBR_1070	341
		957
1071	LST_KWN_SOS_1071	016
		523
1082	ST_ADRS_1_1082	002
		328
		834
1083	ST_ADRS_2_1083	002
		328
		834
1084	CITY_1084	139
		328
		355
1085	CNTRY_1085	355
		701
1086	ADRS_NM_C_TXT_1086	003
1087	ADRS_NM_LN_NO_1087	003
1088	TEL_NBR_TYP_1088	005
		702
1092	F_OR_V_KEY_1092	177
		207
		208
		214
		249
		305
		992
1097	DE_START_POS_1097	404
		406
1101	USR_CD_1101	001
		073
		081
		082
		092
		102
		140
		141
		324
		340
		355
		365
		366
		368
		375
		381
		489
		491
		492
		513
		515
		518
		554
		579
		597
		599
		603
		710
		725
		850
		919
		920
		921
		923
		925
		950
		951
		952
		954
1105	MSG_CD_1105	025
		132
		323
		405
1107	BTCH_STAT_CTR_1107	924
1108	PGM_ID_1108	025
		086
		323
		383
		405
		407
		617
1109	MOE_CR_ADD_CT_1109	088
1117	MOE_CR_CHG_CT_1117	088
1119	MOE_CR_DEL_CT_1119	088
1120	SUBMR_CTL_NBR_1120	602
		604
		774
		776
		871
		876
		953
1121	LRN_STAT_CNT_1121	621
		623
1132	LRN_STAT_CNT_1132	045
		462
1137	LRN_STAT_CNT_1137	620
		622
1142	LRN_STAT_CNT_1142	621
		623
1153	LRN_STAT_CNT_1153	045
		462
1158	LRN_STAT_CNT_1158	620
		622
1163	LRN_STAT_CNT_1163	621
		623
1173	LRN_STAT_CNT_1173	045
		462
1178	LRN_STAT_CNT_1178	620
		622
1183	LRN_STAT_CNT_1183	621
		623
1193	LRN_STAT_CNT_1193	045
		462
1198	LRN_STAT_CNT_1198	620
		622
1203	LRN_STAT_CNT_1203	621
		623
1233	LRN_STAT_CNT_1233	045
		462
1258	MDLS_R_DA_CT_1258	047
		114
		195
		464
1259	MDLS_R_PN_CT_1259	047
		114
		195
		464
1260	MDLS_R_NIINCT_1260	047
		114
		195
		464
1261	MDLS_R_TITLCT_1261	047
		114
		195
		464
1282	CLR_MLNG_ADRS_1282	145
1283	DLN_1283	146
		147
		378
		966
1288	DIDS_NOTE_NBR_1288	305
		394

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.
		864
1298	TBL_NBR_1298	150
		392
		393
		394
		395
		736
1300	DIDS_NOTE_NAR_1300	305
		394
		864
1359	TEL_NBR_1359	005
		355
1361	POBOX_1361	002
		328
1364	SZ_OF_BUS_CD_1364	082
		705
1365	PR_BUS_CAT_CD_1365	082
		704
1366	TYP_BUS_CD_1366	082
		703
1367	WMN_OWND_BUS_1367	082
1369	FIPS_CTY_CD_1369	139
1370	FIPS_STA_CD_1370	139
1371	FIPS_CNTY_CD_1371	139
1374	DT_DBR_REC_ES_1374	092
1375	DT_DBR_REC_CH_1375	092
1376	DE_IMG_BEF_CG_1376	081
		710
1377	DE_IMG_AFT_CG_1377	081
		710
1380	DBRMT_SYM-_MNG_1380	092
1381	USR_ACCS_LVL_1381	954
1493	MOE_ED_ADD_CT_1493	088
1495	MOE_ED_CHG_CT_1495	088
1497	MOE_ED_DEL_CT_1497	088
1499	MOE_MST_INQ_C_1499	088
1501	GC_PICA_LAR_1501	779
1502	GC_PICA_LCR_1502	779
1515	FMSN_1515	016
		523
1516	NATO_FMSN_1516	016
		523
1517	FR_MST_ADD_ER_1517	097
1524	FR_MST_ADD_CT_1524	097
1528	FR_MST_TI_FRM_1528	097
1532	FR_EXD_CHG_ER_1532	097
1533	FR_MST_DEL_ER_1533	097
1561	TRFR_STAT_CNT_1561	664
		676
		677
1562	TRFR_STAT_CNT_1562	664
		676
		677
1563	TRFR_STAT_CNT_1563	664
		676
		677
1564	TRFR_STAT_CNT_1564	664
		676
		677
1565	TRFR_STAT_CNT_1565	664
		676
		677
1567	TRFR_STAT_CNT_1567	664
		676
		677
1568	TRFR_STAT_CNT_1568	664
		676
		677
1569	TRFR_STAT_CNT_1569	664
		676
		677
1570	TRFR_STAT_CNT_1570	664
		676
		677
1571	TRFR_STAT_CNT_1571	664
		676
		677
1572	TRFR_STAT_CNT_1572	664
		676
		677
1574	TRFR_STAT_CNT_1574	377
1575	TRFR_STAT_CNT_1575	377
1576	TRFR_STAT_CNT_1576	377
1577	TRFR_STAT_CNT_1577	377
1578	TRFR_STAT_CNT_1578	377
1579	TRFR_STAT_CNT_1579	377
1581	TRFR_STAT_CNT_1581	377
1582	TRFR_STAT_CNT_1582	377
1583	TRFR_STAT_CNT_1583	377
1584	TRFR_STAT_CNT_1584	377
1585	TRFR_STAT_CNT_1585	377
1586	TRFR_STAT_CNT_1586	377
1588	M3AC_STAT_CNT_1588	429
		560
1589	M3AC_STAT_CNT_1589	429
		560
1590	M3AC_STAT_CNT_1590	429
		560
1593	M3AC_STAT_CNT_1593	429
		560
1594	M3AC_STAT_CNT_1594	429
		560
1597	M3AC_STAT_CNT_1597	429
		560
1598	M3AC_STAT_CNT_1598	429
		560
1601	M3A_STAT_CNT_1601	744
		745
1602	M3A_STAT_CNT_1602	744
		745
1603	M3A_STAT_CNT_1603	744
		745
1606	M3A_STAT_CNT_1606	744
		745
1607	M3A_STAT_CNT_1607	744
		745
1610	M3A_STAT_CNT_1610	744
		745
1611	M3A_STAT_CNT_1611	744
		745
1614	M3BC_STAT_CNT_1614	798
		799
1615	M3BC_STAT_CNT_1615	798
		799
1616	M3BC_STAT_CNT_1616	798
		799
1618	M3BC_STAT_CNT_1618	798
		799
1619	M3BC_STAT_CNT_1619	798
		799
1621	M3BC_STAT_CNT_1621	798
		799
1622	M3BC_STAT_CNT_1622	798
		799
1624	M3B_STAT_CNT_1624	796
		797
1625	M3B_STAT_CNT_1625	796
		797
1626	M3B_STAT_CNT_1626	796
		797
1628	M3B_STAT_CNT_1628	796
		797
1629	M3B_STAT_CNT_1629	796
		797
1631	M3B_STAT_CNT_1631	796
		797

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.
1632	M3B_STAT_CNT_1632	796
		797
1634	M3C1_STAT_CNT_1634	794
		795
1635	M3C1_STAT_CNT_1635	794
		795
1636	M3C1_STAT_CNT_1636	794
		795
1638	M3C1_STAT_CNT_1638	794
		795
1639	M3C1_STAT_CNT_1639	794
		795
1641	M3C1_STAT_CNT_1641	794
		795
1642	M3C1_STAT_CNT_1642	794
		795
1644	M3C2_STAT_CNT_1644	802
		803
1645	M3C2_STAT_CNT_1645	802
		803
1646	M3C2_STAT_CNT_1646	802
		803
1648	M3C2_STAT_CNT_1648	802
		803
1649	M3C2_STAT_CNT_1649	802
		803
1650	REP_STAT_CNT_1650	058
		535
1651	REP_STAT_CNT_1651	056
		533
1652	REP_STAT_CNT_1652	057
		534
1653	REP_STAT_CNT_1653	055
		532
1657	LRN_STAT_CNT_1657	621
		623
1667	LRN_STAT_CNT_1667	045
		462
1672	LRN_STAT_CNT_1672	620
		622
1720	INFO_DISEM_ID_1720	130
		133
		135
		138
		333
		334
		335
		336
		339
		340
		342
		359
		388
		418
		447
		461
		473
		477
		478
		486
		497
		498
1729	LRN_STAT_CNT_1729	045
		462
1734	LRN_STAT_CNT_1734	620
		622
1739	LRN_STAT_CNT_1739	621
		623
1882	DE_LENGTH_1882	404
		406
1952	FR_MST_INQ_DT_1952	097
1954	FR_MST_DEL_CT_1954	097
1955	FR_EXD_ADD_ER_1955	097
1957	FR_EXD_DEL_ER_1957	097
1959	FR_MST_CHG_CT_1959	097
1960	FR_EXD_ADD_CT_1960	097
1961	FR_EXD_CHG_CT_1961	097
1962	FR_EXD_DEL_CT_1962	097
1966	CNTRY_NM_1966	157
1967	DT_PR_EFF_1967	104
1972	NATO_O_TR_PR_1972	104
1973	NATO_TRAN_PR_1973	060
		104
1987	TM_CD_1987	060
		109
1997	DOC_ID_CD_CT_1997	624
2024	WRKLD_LOCK_OT_2024	109
2029	FR_MST_CHG_ER_2029	097
2033	KEYWRD-_MOD_ST_2033	127
		921
2034	KEYWRD_GRP_CD_2034	127
		391
		921
2043	ESD_EMI_CD_2043	016
		211
		523
2046	ACTY_CD_2046	012
		054
		074
		082
		086
		157
		158
		238
		299
		314
		315
		323
		325
		327
		368
		374
		381
		382
		385
		387
		389
		398
		401
		405
		409
		475
		554
		602
		603
		604
		608
		613
		614
		616
		618
		626
		716
		717
		718
		719
		720
		721
		735
		774
		776
		783
		841
		843
		845
		849

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.
		850
		869
		871
		886
		887
		888
		912
		925
		926
		936
		955
		994
2051	KRT_IND_2051	258
		259
2052	DIC_I_O_TYPE_2052	196
2057	TRANS_TI_2057	196
2090	FRT_CD_STAT_2090	090
2093	TIR_OP_MED_CD_2093	157
2094	SSR_OP_MED_CD_2094	157
2096	OP_DESTN_2096	197
2097	ROLL_UP_DIC_2097	197
2098	RL_UP_DIC_DES_2098	197
2099	ED_DIC_2099	197
2101	CM_NOTE_IND_2101	197
2102	ED_DIC_DESTN_2102	197
2109	REC_COL_2109	207
		249
2111	DIC_DRN_NOTE_2111	207
2113	DIC_DRN_N_DEF_2113	208
2127	TRANS_DEF_2127	214
2128	EFF_DT_2128	006
		007
		008
		009
		010
		015
		017
		073
		091
		093
		094
		095
		096
		099
		115
		331
		345
		380
		382
		489
		491
		492
		505
		506
		507
		508
		509
		510
		511
		512
		513
		515
		518
		519
		521
		592
		594
		783
		918
2131	TRANS_INST_2131	214
2132	GLOS_TERM_2132	220
2133	GLOS_TERM_DEF_2133	220
2134	GLS_TRM_VL_RF_2134	219
		220
2135	GLOS_ACRNM_2135	219
2136	GLOS_ACRNM_TI_2136	219
2137	ADRS_TYP_CD_2137	002
		003
		328
		504
2139	PSTHRU_ACT_ID_2139	206
2140	PSTHRU_ACT_NM_2140	206
2143	SUBMR_ACT_IND_2143	157
2146	TRFR_STAT_CNT_2146	672
		673
		680
		681
2147	TRFR_STAT_CNT_2147	672
		673
		680
		681
2161	AR_MCC_USE_CD_2161	006
		170
		505
2162	AR_MCC_USE_TX_2162	170
2163	AR_MCC_AP_SUB_2163	006
		169
		505
2164	AR_MCC_AP_TXT_2164	169
2165	AR_MCC_SG_CD_2165	171
2166	AR_MCC_SG_TX_2166	171
2167	AR_MCC_SG_CD1_2167	006
		172
		505
2168	AR_MCC_SG_TX1_2168	172
2177	NAIN_RMDR_2177	363
2180	DT_NIIN_ASGMT_2180	016
		523
2181	ID_STAT_CNT_2181	458
2182	ID_STAT_CNT_2182	458
2184	ID_STAT_CNT_2184	458
2185	ID_STAT_CNT_2185	458
2187	ID_STAT_CNT_2187	458
2188	ID_STAT_CNT_2188	458
2195	ID_STAT_CNT_2195	458
2196	ID_STAT_CNT_2196	458
2198	LWST_DCSN_SEQ_2198	998
2199	HI_DCSN_SEQ_2199	998
2211	DIC_REF_2211	196
2212	DIC_TO_FD_2212	198
2213	DIC_CSTDN_ALT_2213	196
2214	DIC_CSTDN_2214	196
2219	INCR_NBR_2219	948
2221	RNAAC_IND_2221	157
2222	ORG_ACT_IND_2222	157
2223	DROP_IN_MAINT_2223	157
2224	DROP_IN_NOTIF_2224	157
2225	DROP_INDX_CD_2225	209
		210
		480
2227	CTGY_CD_ACT_X_2227	159
2231	TBL_CSTDN_ALT_2231	150
2232	TBL_CSTDN_2232	150
2233	TBL_RSP_DIR_2233	150
2234	IANS_SIZE_2234	373
		550
2235	LBL_ID_2235	145
		146
		378
		482
2254	COCO_NBR_2254	117
		118
2259	MDLS_PN_2259	343
2260	DT_LST_MRN_2260	016
		523
2262	DT_OE_RCD_EST_2262	082
2272	MDLS_CAGE_CD_2272	320

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.
		321
		324
		343
		344
2274	MDLS_ASG_NIIN_2274	344
2283	MAJ_MCC_AR_EX_2283	237
2286	RPTY_ID_TI_2286	321
2287	MDLS_CAGE_PN_2287	343
2288	MDLS_PRF_MD_C_2288	325
2289	MDLS_MED_CD_2289	322
		324
2300	DT_STDZN_DEC_2300	016
		523
2301	SHRT_NM_2301	098
		438
		565
		593
		684
		772
		782
		932
2303	NM_CD_2303	091
		098
		099
		489
		513
		518
		592
		593
		594
		724
		990
2308	DCOD_ISAC_RPY_2308	125
		950
2309	DCOD_STYL_RPY_2309	131
		951
2310	DT_TRAN_2310	025
		044
		059
		060
		105
		106
		365
		380
		381
		422
		489
		491
		492
		505
		506
		507
		508
		509
		510
		511
		512
		513
		515
		518
		521
		522
		523
		524
		554
		928
		972
		973
		974
		975
		976
		977
		978
		979
		980
		981
		982
		983
		984
		997
		998
		999
2319	SKEL_CODE_2319	118
		119
2344	MDLS_TI_2344	321
2345	RPTY_ID_CG_PN_2345	343
2346	RPTY_ID_NIIN_2346	344
2347	UNIT_MEAS_TRM_2347	276
2348	ISAC_PRES_CD_2348	121
2410	LRN_STAT_CNT_2410	045
		462
2422	LRN_STAT_CNT_2422	621
		623
2429	LRN_STAT_CNT_2429	620
		622
2451	TRFR_STAT_CNT_2451	668
2452	TRFR_STAT_CNT_2452	668
2453	TRFR_STAT_CNT_2453	668
2455	TRFR_STAT_CNT_2455	068
2456	TRFR_STAT_CNT_2456	068
2457	TRFR_STAT_CNT_2457	068
2459	TRFR_STAT_CNT_2459	668
2460	TRFR_STAT_CNT_2460	668
2461	TRFR_STAT_CNT_2461	672
		673
		680
		681
2462	TRFR_STAT_CNT_2462	672
		673
		680
		681
2463	TRFR_STAT_CNT_2463	672
		673
		680
		681
2464	TRFR_STAT_CNT_2464	672
		673
		680
		681
2466	TRFR_STAT_CNT_2466	670
2467	TRFR_STAT_CNT_2467	670
2468	TRFR_STAT_CNT_2468	670
2469	TRFR_STAT_CNT_2469	670
2470	TRFR_STAT_CNT_2470	670
2473	TBL_VOLUME_2473	913
2474	TRFR_STAT_CNT_2474	670
2475	TRFR_STAT_CNT_2475	670
2476	TRFR_STAT_CNT_2476	670
2477	TRFR_STAT_CNT_2477	670
2478	TRFR_STAT_CNT_2478	670
2495	CIIC_CLS_TI_2495	182
2496	CIIC_CLS_EX_2496	182
2497	AIR_CMDTY_CD_2497	162
2498	RPLY_STAT_IND_2498	128
		923
2499	LKD_LKU_RPLM_2499	010
		509
2506	STAT_MANAGER_2506	024
		040
		369
		370
		436
		446
		457
		546
		547
		563

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.
		570
		572
		575
		577
		584
		585
		588
		589
		634
		635
		636
		637
		642
		643
		644
		645
		652
		653
		654
		655
		660
		661
		662
		663
		692
		693
		694
		695
		763
		764
		784
		785
		786
		787
		788
		789
		790
		791
		792
		857
2507	AAC_2507	006
		015
		019
		156
		419
		442
		493
		505
		511

DRN	DB2 Element Name	GRP TBL NO.
		625
		627
		628
		629
		630
		631
		634
		635
		636
		637
		638
		639
		640
		641
		642
		643
		644
		645
2508	ESD_EMI_CD_EX_2508	211
2513	TAIL_ACT_CD_2513	122
2514	PROP_CHAR_CD_2514	121
2516	NM_PREFIX_2516	098
		593
2517	NM_ROOT_RMDR_2517	098
		593
2531	AUTH_II_COLBR_2531	095
2532	AUTH_II_RCVR_2532	096
2533	SUPPLM_COLLBR_2533	008
		507
2534	SUPPLM_RCVR_2534	017
		512
2535	AUTH_II_SUBMR_2535	093
		129
2538	FRST_MNTH_JUL_2538	956
2539	NUMERIC_MONTH_2539	956
2541	L07_TRAN_SENT_2541	998
2542	L07_TRAN_RCVD_2542	998
2544	CASE_NBR_2544	044
2549	POS_ZONE_2549	328
2561	RN_DEC_CAT_CD_2561	287
2564	DFLT_OP_FMT_2564	382
2571	RPTY_T_NBR_TP_2571	488
2572	RPTY_TEL_NBR_2572	488
2574	RPTY_TEL_EXT_2574	488
2576	FTP_STAT_IND_2576	709
2577	NULL_MSG_IND_2577	709
2578	TM_TRNSMT_TS_2578	143
		324
2579	HCC_2579	711

DRN	DB2 Element Name	GRP TBL NO.
2597	SUR_PRC_YR_2597	016
		523
2599	SUR_PRC_UN_PR_2599	016
		523
2602	BTCH_FMT_PARM_2602	102
2604	STAT_BTCH_TIM_2604	376
		468
2607	FSC_COND_CD_2607	098
		593
2608	COG_CD_NVY_2608	006
		093
		252
		260
		505
2611	CMDTY_MMC-_DOD_2611	093
		094
		202
		515
2620	CAGE_NSCM_DES_2620	082
		263
2621	RPTY_OFC_SYM_2621	325
2622	RPTY_ST_US_AB_2622	325
2623	RPTY_ZIP_CD_2623	325
2624	RPTY_E_ML_ADR_2624	325
2625	RPTY_CLR_TXT2_2625	325
2626	RPTY_CLR_TXT3_2626	325
2627	RPTY_CLR_TXT4_2627	325
2632	MDLS_DOC_NBR_2632	320
		321
		324
		343
		344
2633	DOC_TYP_2633	320
		321
		324
		343
		344
2634	DRC_2634	320
		324
2638	RPTY_ID_2638	047
		320
		322
		324
		325
		464
		475
		488
		783

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.
2639	LOC_SHRT_TI_2639	325
2640	DAC_2640	014
		201
		522
		772
2644	REV_LVL_2644	130
		133
		135
		138
		320
		321
		324
		333
		334
		335
		336
		339
		340
		342
		343
		344
		359
		388
		418
		447
		461
		473
		477
		478
		486
		497
		498
2645	MINM_ADRS_CD_2645	082
		226
2646	RPLD_INC_2646	489
		990
2647	RPLD_FSC_2647	491
		492
2648	RQMT_RPY_INST_2648	127
		390
		921
2650	ISC_2650	016
		042
		232
		459
		523
		915
2655	ERRC_CD_AF_2655	006
		165
		505
2665	ACTG_RQMT_AR_2665	006
		168
		505
2670	NIIN_STAT_CD_2670	016
		028
		255
		426
		427
		428
		450
		523
		557
		558
		559
		684
		782
		960
2671	RNDM_SMPL_IND_2671	133
		340
2672	OP_PROD_EXTR_2672	699
2673	CNFDNC_LVL_RT_2673	699
2674	ERR_RT_2674	699
2675	SMPL_SZ_QY_2675	699
2694	CAGE_STAT_CD_2694	070
		082
		185
		502
		725
2695	FUND_CD_AF_2695	006
		166
		505
2720	HMC_2720	016
		224
		523
2741	TRFR_STAT_CNT_2741	670
2743	TRFR_STAT_CNT_2743	670
2744	IMC_2744	040
		231
		345
		436
		457
		521
		563
2745	REPBL_CD_2745	055
		056
		057
		058
		532
		533
		534
		535
2746	DB2_ARC_GP_NO_2746	141
		142
		913
2747	INVLD_IMC_IND_2747	231
2748	IMC_ACTY_2748	318
		345
		521
2750	RNJC_2750	014
		283
		522
		686
2760	LCL_CD_2760	016
		234
		523
2770	LST_TL_CD_2770	090
		235
2832	MAT_CTL_NVY_2832	006
		253
		505
2833	MOE_CD_2833	006
		007
		137
		148
		152
		157
		247
		318
		433
		505
		506
		530
		561
		734
		886
		887
2834	SMIC_NVY_2834	006
		254
		505
2836	MMAC_AF_2836	006
		093
		238
		505
2841	ERRC_CNDM_LV_2841	165
2842	ERRC_DSG_AF_2842	165
2843	ERRC_EXP_Y_N_2843	165
2844	ERRC_REP_Y_N_2844	165

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.
2850	NMFC_2850	016
		035
		090
		149
		416
		423
		503
		523
		732
2862	PHRS_CD_2862	007
		268
		506
		836
		882
		884
2863	CIIC_2863	006
		129
		270
		505
		941
2866	PICA_2866	093
		129
		152
		772
		773
		779
		781
		932
2867	PRI_IND_CD_2867	341
		376
		378
		412
		468
		600
		777
		852
		872
2871	AMC_2871	021
		022
		153
		154
		345
		425
		444
		445
		521
		556
2876	AMSC_2876	022
		153
		155
		345
		445
		521
2891	RECOV_CD_MC_2891	006
		243
		505
2892	RECOV_CD_AR_2892	006
		173
		505
2893	TECH_DOC_NBR_2893	007
		506
2895	REL_NSN_2895	007
		506
2900	RNAAC_2900	014
		522
		686
		772
		932
2910	RNCC_2910	014
		245
		280
		522
		686
		772
		932
2920	RNFC_2920	014
		282
		522
		686
2923	RNSC_2923	014
		284
		522
		686
2926	REL_INC_2926	091
		513
		592
2930	REIMB_CD_2930	288
2934	REP_CD_DLA_2934	006
		200
		505
2938	SICA_2938	093
		152
2943	SLC_2943	006
		295
		505
2948	SOSM_CD_2948	006
		298
		505
2959	STRS_ACT_MC_2959	006
		244
		505
3040	UFC_CD_MODF_3040	016
		035
		090
		149
		416
		423
		503
		523
3041	OLD_UI_CD_3041	813
3042	NEW_UI_CD_3042	813
3043	SEQ_KEY_3043	228
		291
		394
		536
		770
		771
		813
3044	OLD_QUANT_EXP_3044	813
3045	NEW_QUANT_EXP_3045	813
3047	NEW_UI_TEXT_3047	813
3048	FRST_PHRS_CD_3048	839
3049	SCND_PHRS_CD_3049	839
3050	UI_3050	006
		312
		505
3051	PH_CD_NT_IND_3051	839
3053	UI_CONV_FAC_3053	006
		505
		813
3059	TMSTMP_3059	006
		007
		008
		009
		010
		011
		014
		015
		016
		017
		018
		025
		044
		054
		059
		105
		106

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.
		149
		345
		346
		366
		381
		422
		505
		506
		507
		508
		509
		510
		511
		512
		519
		521
		522
		523
		524
		554
		598
		599
		604
		606
		612
		614
		616
		617
		619
		666
		773
		780
		781
		782
		843
		844
		919
		920
		921
		922
		923
		924
		928
		937
		950
		951
		952
		972
		973
		974
		975
		976
		977
		978
		979
		980
		981
		982
		983
		984
		997
		998
		999
3060	AND_OR_IND_3060	348
		350
		351
		352
		353
		354
3066	STAT_LOA_3066	019
		050
		057
		058
		371
		442
		528
		534
		535
		569
		570
		571
		572
		580
		582
		584
		586
		588
		628
		630
		634
		636
		638
		640
		642
		644
		648
		649
		652
3073	J_TBL_REPLY_3073	352
		360
3078	F_MIN_VALUE_3078	353
		361
3084	PINC_3084	010
		348
		349
		350
		351
		352
		353
		354
		356
		357
		358
		360
		361
		362
		364
		509
3085	AMC_TO_3085	329
		330
3086	AMC_FROM_3086	329
		330
3087	PC_DN_LD_LINE_3087	366
3088	CLRTXT_KEY_3088	349
3090	STAT_LOA_COMB_3090	024
		369
		446
		546
		786
		787
		792
3101	REF_SCRN_IND_3101	191
		230
3102	CHAR_SCRN_IND_3102	191
		230
3103	TYP_MATCH_3103	230

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.
3104	RESULT_ACTN_3104	230
3105	RNCC_MS_H_RNG_3105	278
		290
3106	RNVC_MS_H_RNG_3106	278
		290
3107	DAC_MUST_RNG_3107	278
3108	VLD_REF_MST_3108	278
3109	RNCC_MA_H_RNG_3109	278
		289
3110	RNVC_MA_H_RNG_3110	278
		289
3111	DAC_MAY_RNG_3111	278
3112	VLD_REF_MAY_3112	278
		289
3113	FMT_R_NBR_CAG_3113	176
3114	FMT_EXAMPLE_3114	176
3115	SCRN_RNCC_3115	289
		290
3116	SCRN_RNVC_3116	289
		290
3117	R_N_DUP_DEC_I_3117	287
3118	OP_MOD_MED_EX_3118	267
		410
3119	F_V_LEN_IND_3119	267
		410
3120	EAM_CRD_INTRP_3120	267
		410
3121	LST_PRT_P_IND_3121	267
		410
3122	MT_TRC_ENCD_I_3122	267
3123	MT_USG_NOTE_3123	267
3124	MT_DNSTY_IND_3124	267
		410
3125	MT_PRTY_IND_3125	267
		410
3126	MT_BLCK_FAC_3126	267
		410
3127	MT_LAB_IND_3127	267
		410
3128	RNCC_IN_3128	287
3129	RNVC_IN_3129	287
3130	RNCC_DB_3130	287
3131	RNVC_DB_3131	287
3132	UNMTCH_RNCC_3132	287
3133	R_N_DUP_DEC_3133	287
3134	CIIM_RTN_CD_3134	183
		746
3136	NO_Q8_ED_3136	299
3137	CIIM_RTN_DEF_3137	183
3138	CIIM_IN_IND_3138	183
3139	CIIM_RTN_TO_3139	183
3140	RTN_DEF_INST_3140	291
3141	FU_STAT_DEF_3141	233
3142	FU_STAT_INST_3142	233
3143	SGR_W_OP_DIC_3143	233
3144	SGR_WO_OP_DIC_3144	233
3145	CURR_TIR_SEG_3145	233
3146	ADD_R_P_Q_SEG_3146	233
3147	USI_SVC_CD_X_3147	313
3148	MAT_CAT_MC_3148	242
3149	MGT_AG_G_C_MC_3149	242
3150	ECH_CD_MC_3150	006
		240
		505
3151	EC_ACQ_STK_MC_3151	240
3152	ECH_REM_MC_3152	240
3153	STRS_ACT_MC_X_3153	244
3154	RECOV_EX_MC_3154	243
3155	SP_MAT_APL_IK_3155	254
3156	MCC_NVY_EX_3156	253
3157	ACT_RQM_BR_EX_3157	168
3158	MMAC_DEF_AF_3158	238
3159	AF_BDGT_PGM_3159	164
3160	AF_BDGT_APPRP_3160	164
3161	BDGT_CD_AF_EX_3161	164
3162	AF_BGT_STK_FD_3162	164
3163	FD_CD_DEF_AF_3163	166
3164	ERRC_EX_AF_3164	165
3165	CMBT_MC_EXP_3165	239
3166	MAT_ID_MC_EX_3166	241
3167	MAT_ID_MC_NOT_3167	241
3168	SP_HDLG_CD_EX_3168	300
3169	AIR_S_HDLG_3169	167
3170	AIR_S_HDLG_EX_3170	167
		728
		729
3171	TYP_OE_CD_EXP_3171	265
3172	SP_MAT_CON_EX_3172	301
3173	FILE_MAINT_EX_3173	213
3174	SEG_CD_SUP_EX_3174	293
3175	DIDS_SEG_EX_3175	199
3176	OPRTL_T_MC_EX_3176	266
3177	PHY_CTGY_MC_X_3177	269
3178	TYP_SP_PRC_E_3178	310
3179	INV_ACT_CG_EX_3179	229
3180	REP_CD_CG_EX_3180	184
3181	NO_Q8_ED_NVY_3181	252
3182	SRN_CTL_CG_EX_3182	180
3183	CON_CD_FD1_TI_3183	831
3184	CON_CD_FD1_3184	831
3185	REIMB_CD_EX_3185	288
3186	TRAN_STAT_DEF_3186	306
3187	TRAN_STAT_INS_3187	306
3188	TRAN_STAT_OP_3188	306
3189	TRAN_STAT_NOT_3189	306
3190	PUB_TRM_ABR_3190	174
3191	PVC_AF_DEF_3191	273
3192	PUB_TERM_3192	174
3193	DBR_PRO_INIT_3193	203
3194	MA_AA_ROW_3194	379
3195	MA_AA_SEQ_3195	379
3196	ADRS_OFST_IN_3196	379
3197	ADRS_WIDTH_IN_3197	379
3198	DLN_SEQ_3198	379
3199	PRDCT_TI_ROW_3199	379
3200	SRC_OF_RQST_3200	378
3201	PARM_INFO_3201	378
3202	AMLS_RUN_ID_3202	378
3203	AMLS_RI_SEQ_3203	378
3204	AMLS_TRGT_PGM_3204	378
3205	SUBMTR_USERID_3205	378
3206	ADRS_1_ROW_3206	379
3207	LBL_ID_ROW_3207	379
3208	ADRS_2_ROW_3208	379
3209	ADRS_3_ROW_3209	379
3210	ADRS_4_ROW_3210	379
3211	ADRS_5_ROW_3211	379
3212	ADRS_6_ROW_3212	379
3213	ADRS_7_ROW_3213	379
3214	ADRS_8_ROW_3214	379
3216	ZIP_CD_SEQ_3216	379
3218	NBR_COPY_SEQ_3218	379
3219	ZIP_CD_ROW_3219	379
3220	NBR_ADRS_PRCD_3220	378
3221	DELETER_USRID_3221	378
3222	PRDCT_TI_SEQ_3222	379
3223	NBR_COPY_ROW_3223	379
3224	NBR_LBL_ACRS_3224	379
3225	CHAR_ADRS_LI_3225	379
3226	WIDTH_INCH_3226	379
3227	LENGTH_INCH_3227	379
3228	LBL_FORMAT_3228	378
		379
		482
3229	OPER_MSG_3229	379
3230	LBL_ID_SEQ_3230	379
3231	MLNG_PIC_ROW_3231	379

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.
3232	MLNG_PIC_SEQ_3232	379
3233	DLN_ROW_3233	379
3234	LINES_INCH_3234	379
3235	CHAR_PER_INCH_3235	379
3237	NAIN_CD_3237	363
3238	ACTY_NM_LINE1_3238	157
3239	ACTY_NM_LINE2_3239	157
3240	ACTY_NM_LINE3_3240	157
3241	ACTY_NM_LINE4_3241	157
3242	ACTY_NM_LINE5_3242	157
3243	ACTY_OFC_SYM_3243	157
3244	ACTY_ST_ADRS1_3244	157
3245	ACTY_ST_ADRS2_3245	157
3246	ACTY_CITY_3246	157
3247	ACTY_ST_US_AB_3247	157
3248	ACTY_ZIP_CD_3248	157
3281	LBL_ID_TEXT_3281	482
3282	LBL_ID_MA_IND_3282	482
3283	LBL_ID_DLN_3283	482
3284	AMLS_SUB_DT_3284	378
3285	AMLS_SUB_TM_3285	378
3286	AMLS_PROC_DT_3286	378
3287	AMLS_PROC_TM_3287	378
3288	LBL_FORM_CD_3288	378
3289	LBL_SET_QTY_3289	378
3290	AMLS_LST_CNTL_3290	378
3306	LOLA_REQ_DATE_3306	045
		462
		620
		621
		622
		623
3307	LOLA_STAT_SC_3307	045
		462
		620
		621
		622
		623
3308	ITM_NM_TYP_CD_3308	098
		593
		724
3309	USER_RQST_DT_3309	140
3311	CMBT_ESTL_MC_3311	006
		239
		505
3313	UPDT_TRAN_HDR_3313	375
3314	UPDT_COMM_3314	375
3323	UPDT_PRC_TIME_3323	368
		608
3324	UPDT_DIC_CT_3324	374
3339	LOG_DT_3339	141
3351	OFC_NM_LI_3351	355
3354	DLVR_ADRS_LI_3354	355
3366	CAGE_AFFL_DEF_3366	700
3367	SZ_OF_BUS_DEF_3367	705
3368	BUS_CAT_DEF_3368	704
3369	TYP_BUS_DEF_3369	703
3370	CAGE_RSN_DEF_3370	708
3371	TPYR_EXMP_DEF_3371	707
3372	BUS_FM_CD_DEF_3372	706
3373	RGSTR_RNWL_DT_3373	222
3374	CNTCT_NM_3374	222
3375	EMAIL_ADRS_3375	222
3381	USR_ACCS_SUB_3381	954
3401	TAX_PYR_ID_3401	082
3402	TAX_PYR_EXMPN_3402	082
		707
3403	PARNT_TAXPYR_3403	082
3404	CONTR_ESTBMT_3404	082
3405	DUNS_3405	070
		082
		222
3406	BUS_FM_CD_3406	082
		706
3407	CAGE_RQST_RSN_3407	082
		708
3408	CNTRY_CD_3408	328
		701
3409	CNTY_NM_3409	139
3410	CNGRSL_DSTRCT_3410	139
3411	PLND_PRDCR_CD_3411	082
3412	CONTR_ID_CHNG_3412	082
3413	TEL_TYP_DEF_3413	702
3414	FRM_ZIP_CD_3414	077
3415	TO_ZIP_CD_3415	077
3418	CMMD_CPBLTY_3418	709
3428	H_D_BRK_CMDTY_3428	094
		221
		515
3445	MRC_3445	020
		115
		116
		119
		120
		121
		124
		126
		127
		131
		339
		347
		348
		349
		350
		351
		352
		353
		354
		356
		357
		358
		360
		361
		362
		472
		473
		498
		501
		688
		827
		880
		919
		921
		951
3447	PRICE_NOTE_3447	837
3448	QE_NOTE_3448	837
3449	SVC_CD_P_S_EX_3449	835
3450	PHRS_CD_SVC_X_3450	836
3451	NATO_ONLY_IND_3451	198
		207
		214
3452	DLIS_CHP_NBR_3452	394
		736
		864
3453	TX_TB_HDR_IND_3453	736
3454	MIL_VOL_IND_3454	917
3455	SIN_MLT_OP_EX_3455	873
3456	SYM_IND_3456	156
		194
		312
3457	CNTR_LBL_CD_X_3457	860
3458	CMD_AUTH_CD_X_3458	858
3460	AUD_RQMT_STAT_3460	921
		922
3461	AUD_RPLY_STAT_3461	923
3462	MRC_ASGN_STAT_3462	919
3464	UP_QTY_EXPL_3464	946

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.
3465	CDD_RPLY_3465	128
		339
		473
		923
3466	HMIC_EXPLN_3466	110
3467	CRT_CD_FIG_EX_3467	111
3475	CON_CD_FED1_3475	831
3476	CON_CD_FED2_3476	832
3477	CON_CD_FD2_TI_3477	832
3478	CON_CD_FD2_XD_3478	832
3479	SVC_NM_3479	829
		833
		834
3480	NM_LINE1_3480	834
3481	NM_LINE2_3481	834
3482	ATTN_LINE_3482	834
3483	DSOR_ACTY_NM_3483	833
3484	DSOR_STMT_3484	829
3485	INC_FIIG_CORL_3485	830
3486	TYPE_II_2_3486	830
3488	TYP_II_M_3488	830
3489	TYP_II_N_3489	830
3490	TYP_II_1_3490	830
3491	TYP_II_K_3491	830
3492	TYP_II_L_3492	830
3493	SVC_SICA_3493	837
3494	CIIC_NOTE_3494	837
3495	SLC_NOTE_3495	837
3496	SOSM_NOTE_3496	837
3497	UI_NOTE_3497	837
3498	SOS_NOTE_3498	837
3499	QUP_NOTE_3499	837
3505	PICA_LOA_3505	093
		152
		271
3561	ASGN_ISAC_RPY_3561	952
3562	AUD_ISAC_RPY_3562	950
3563	AUD_STYL_RPY_3563	951
3565	REF_DWG_GP_DS_3565	072
		826
		827
		828
		965
3570	REF_NBR_3570	014
		059
		103
		108
		522
		686
		772
		781
		932
3571	CONV_REF_NBR_3571	014
		108
		522
		953
3572	PMIC_CDD_RPLY_3572	987
3573	PMIC_MRC_3573	988
3574	PMIC_TBL_TYPE_3574	987
		988
3595	RPLM_CAGE_CD_3595	101
		103
3614	RQMT_STMT_3614	127
		498
		688
		921
3631	MC_DEL_CDG_3631	881
3690	SOS_CD_3690	006
		260
		261
		299
		427
		428
		440
		505
		558
		559
3708	STATL_IND_CD_3708	303
		924
3720	SUBMG_ACTY_CD_3720	025
		044
		059
		060
		105
		106
		304
		341
		380
		422
		490
		505
		506
		507
		508
		509
		510
		511
		512
		521
		522
		523
		524
		875
		893
		894
		924
		928
		948
		949
		972
		973
		974
		975
		976
		977
		978
		979
		980
		981
		982
		983
		984
		997
		998
		999
3740	OP_MOD_MED_CD_3740	012
		054
		144
		267
		410
		474
		604
		715
		783
		841
		843
		945
3742	LRN_STAT_CNT_3742	045
		462
		620
		621
		622
		623
3765	BDGT_CD_AF_3765	006
		164
		505
3843	CRITL_CD_FIIG_3843	010

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.
		111
		509
		782
3844	STATS_SA_PREF_3844	063
3845	RPLY_TBL_DCOD_3845	120
		124
		125
		950
		952
3864	DCOD_RPLY_ST_3864	128
		923
3870	DSK_CD_CATLG_3870	060
		109
3880	DEST_ACTY_OP_3880	188
3881	WPN_SYS_ID_3881	846
		847
3882	WPN_SYS_SVC_3882	846
		847
3883	WPN_SYS_IND_3883	847
3885	WPN_SYS_ESNTL_3885	847
3886	DLA_CTR_CD_3886	847
3887	WPN_SYS_NM_3887	846
3890	DEST_CD_SCRNG_3890	144
		782
3891	DLAC_3891	948
3892	LMD_ODIC_3892	875
		948
3893	LVA_ODIC_3893	875
		948
3920	DIC_3920	012
		013
		025
		060
		074
		121
		175
		181
		188
		196
		197
		198
		207
		209
		214
		292
		323
		341
		380
		383
		385
		386
		387
		389
		398
		401
		403
		404
		405
		406
		408
		411
		474
		475
		476
		480
		499
		505
		506
		507
		508
		509
		510
		511
		512
		521
		522
		523
		524
		602
		604
		613
		614
		616
		774
		776
		782
		845
		849
		850
		855
		859
		866
		869
		871
		876
		918
		928
		953
		961
		972
		973
		974
		975
		976
		977
		978
		979
		980
		981
		982
		983
		984
		992
		997
		999
3921	DIC_IP_3921	064
		065
		104
		206
		368
		372
		374
		376
		468
		540
		541
		549
		608
		739
		740
		808
		809
		822
		823
		924
		958
3960	NSN_3960	772
		781
		782
		932
3990	FSC_3990	304
		487
		602
		774
		776
		871
3994	FSG_3994	001

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.
		010
		019
		024
		031
		034
		036
		038
		039
		042
		050
		053
		073
		076
		094
		099
		103
		106
		129
		148
		216
		221
		316
		338
		369
		370
		371
		377
		396
		415
		420
		430
		431
		432
		433
		434
		435
		437
		442
		446
		453
		455
		456
		459
		465
		466
		467
		470
		471
		491

DRN	DB2 Element Name	GRP TBL NO.
		492
		494
		509
		515
		518
		525
		528
		530
		531
		546
		547
		548
		555
		561
		562
		564
		572
		573
		577
		578
		580
		581
		588
		589
		590
		591
		594
		595
		611
		615
		625
		627
		642
		643
		644
		645
		646
		647
		660
		661
		662
		663
		670
		684
		692
		693
		694
		695
		696

DRN	DB2 Element Name	GRP TBL NO.
		697
		733
		741
		742
		763
		764
		784
		785
		786
		787
		788
		789
		790
		791
		792
		793
		796
		797
		798
		799
		800
		801
		802
		803
		804
		805
		857
		875
		895
		896
		897
		898
		899
		900
		901
		902
		903
		904
		905
		906
		907
		908
		909
		916
		935
		940
		948
		962
		985

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.
		986
3995	STAT_CCTGY_3995	021
		329
		330
		444
		944
3996	FSC_WI_FSG_3996	001
		010
		019
		024
		031
		034
		036
		038
		039
		042
		050
		053
		073
		076
		094
		099
		103
		106
		129
		148
		216
		221
		338
		369
		370
		371
		377
		396
		415
		420
		430
		431
		432
		433
		434
		435
		437
		442
		446
		453
		455
		456
		459
		465
		466
		467
		470
		471
		491
		494
		509
		515
		518
		525
		528
		530
		531
		546
		547
		548
		555
		561
		562
		564
		572
		573
		577
		578
		580
		581
		588
		589
		590
		591
		594
		611
		615
		625
		627
		642
		643
		644
		645
		646
		647
		660
		661
		662
		663
		670
		684
		692
		693
		694
		695
		696
		697
		733
		741
		742
		763
		764
		784
		785
		786
		787
		788
		789
		790
		791
		792
		793
		796
		797
		798
		799
		800
		801
		802
		803
		804
		805
		857
		875
		895
		896
		898
		900
		902
		904
		907
		908
		909
		916
		948
		962
		985
		986
4000	NIIN_4000	602
		774
		776

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.
		871
4020	FRT_DESC_4020	090
4061	ILL_RTN_DT_4061	136
4062	ILL_START_DT_4062	136
4063	ILL_ACPT_IND_4063	136
4064	DWG_FIIG_INIT_4064	815
4065	FIIG_4065	010
		020
		033
		034
		038
		075
		098
		119
		120
		121
		122
		123
		124
		127
		131
		414
		415
		430
		431
		434
		435
		466
		467
		470
		471
		472
		501
		509
		562
		593
		782
		878
		921
		951
4066	ILL_ID_4066	136
4069	DWG_FIIG_4069	072
		815
		826
		827
		828
		963
		965
4075	IMCA_4075	080
		094
		515
4080	INC_4080	001
		010
		020
		033
		034
		035
		037
		038
		073
		106
		120
		122
		124
		225
		414
		415
		416
		417
		421
		430
		431
		432
		434
		435
		465
		466
		467
		470
		471
		472
		495
		509
		562
		684
		782
		828
		878
4126	MAT_IDEN_MC_4126	006
		241
		505
4128	CDD_CLR_RPLY_4128	115
		116
		348
4129	ED_CRITE_STMT_4129	121
4130	NCB_CD_4130	006
		007
		008
		009
		010
		011
		014
		015
		016
		017
		018
		075
		089
		103
		106
		115
		116
		129
		251
		331
		345
		346
		348
		349
		350
		351
		352
		353
		354
		380
		497
		498
		505
		506
		507
		508
		509
		510
		511
		512
		519
		521
		522
		523
		524
		626
		684
		686
		687
		688
		847
		875

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.
		876
		877
		881
		914
		918
		928
		948
		957
		960
4131	I_I_NBR_4131	006
		007
		008
		009
		010
		011
		014
		015
		016
		017
		018
		075
		089
		103
		106
		115
		116
		129
		331
		345
		346
		348
		349
		350
		351
		352
		353
		354
		380
		497
		498
		505
		506
		507
		508
		509
		510
		511
		512
		519
		521
		522
		523
		524
		626
		684
		686
		687
		688
		847
		875
		876
		877
		881
		914
		918
		928
		948
		957
		960
4140	NSCM_4140	685
4152	FILE_OFST_NBR_4152	447
4153	PARM_STNG_TXT_4153	461
		477
4154	PRDCT_PT_NBR_4154	478
		486
4155	EDIT_MBR_TXT_4155	388
		473
4156	MARKUP_TXT_4156	335
		388
		447
		473
		477
4157	DCOD_SVC_IND_4157	461
4158	EX_FILE_LGTH_4158	334
		447
4159	XFILE_RPETD_4159	334
		447
4160	IDS_CMPNT_NBR_4160	334
		339
		388
		447
		473
4161	CMPNT_ELE_NM_4161	388
4162	CMPNT_BLN_4162	333
4163	CMPNT_OMIT_4163	333
4164	CMPNT_FAIL_4164	333
4165	CMPNT_MANY_4165	333
4166	EXTR_TYP_SEQ_4166	333
		336
4167	SRT_SEQ_TXT_4167	486
4168	CMPNT_FILE_NM_4168	333
		418
4169	RCD_TYP_ORDR_4169	478
4171	CMPNT_DSCRD_4171	334
		336
		339
		477
4172	CMPNT_SEQ_4172	334
		336
		339
4173	CMPNT_CATNT_4173	334
		339
4174	CMPNT_LGTH_4174	334
		336
		339
		388
		447
		473
		477
4176	DATA_STRM_BRK_4176	334
		339
4177	CMPNT_SRT_4177	334
4179	MRKP_DSRPTR_4179	334
		335
		336
		339
4180	NSCM_CDFN_BUR_4180	258
4181	MRKP_HPHN_4181	335
4182	MRKP_CPTLZTN_4182	335
4183	ACCS_SUBRTN_4183	336
		337
		477
4184	PASD_PARM_4184	336
4185	ACCS_PARM_4185	336
4187	CMPNT_OFST_4187	334
4188	NXT_PUB_DT_4188	133
		340
4189	LST_UPDT_DT_4189	340
4191	LST_PUB_DT_4191	133
		340
4192	DEF_ESTB_DT_4192	340
4193	DEF_STAT_CD_4193	133
		340
4194	PUB_CYCL_TM_4194	340
4195	FUNC_MNEM_NM_4195	340
		342
		359

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.
		388
		418
		447
		461
		473
		477
		478
		486
4196	ACT_USR_IND_4196	340
4197	REC_TYP_CD_4197	333
		334
		336
		339
		342
		359
		388
		418
		447
		461
		473
		477
		478
4198	ACCS_TYP_CD_4198	333
		342
		579
4199	ACCS_SEQ_NBR_4199	333
		334
		336
		339
		342
		359
		388
		418
		447
		461
		473
		477
4201	ITM_PRCSG_QTY_4201	133
		340
4202	EXTR_OP_FL_4202	133
		340
4203	MBR_STNG_TX_4203	359
4204	PRCSG_ACTN_4204	359
		388
		418
		447
		461
		473
		477

DRN	DB2 Element Name	GRP TBL NO.
4205	ROW_IND_4205	336
		359
		418
4206	COND_TXT_4206	359
4207	TBL_QRY_STNG_4207	333
4208	LINK_PARM_4208	333
4209	EXTR_ITM_QY_4209	133
4210	ORIG_ACTY_CD_4210	016
		025
		044
		059
		060
		105
		106
		341
		380
		422
		505
		506
		507
		508
		509
		510
		511
		512
		521
		522
		523
		524
		924
		928
		972
		973
		974
		975
		976
		977
		978
		979
		980
		981
		982
		983
		984
		997
		998
		999
4211	KVI_DECR_CTR_4211	949
4212	KVI_ORIG_CTR_4212	949

DRN	DB2 Element Name	GRP TBL NO.
4214	KVI_SPNS_E_DT_4214	948
4215	OTHER_DIC_4215	948
4216	OTHR_DIC_DATE_4216	948
4217	LVA_DATE_4217	875
		948
4218	LMD_DATE_4218	875
		948
4235	FRN_DOM_CD_4235	082
		307
4238	CAGE_TYP_CD_4238	082
		265
4251	USER_PAD_CHAR_4251	133
		340
4252	SRT_RPL_4252	133
		340
4253	PRPY_DCOD_4253	133
		340
4254	PRPY_NOTC_4254	133
		340
4255	DATA_RPL_4255	333
		359
		418
4256	ACCS_RPET_CT_4256	333
		359
		418
4257	FLD_JUST_4257	334
		339
		388
		447
		473
4258	POST_MRKP_4258	335
		388
		447
		473
		477
4259	PRE_DELIM_4259	335
		388
		447
		473
		477
4260	POST_DELIM_4260	335
		388
		447
		473
		477
4311	JOB_JCL_4311	134
4312	STEP_JCL_4312	134
4313	JCL_TYP_4313	134
4314	STEP_SEQ_4314	134

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.
4315	JCL_TX_4315	134
4316	FILE_TYP_4316	135
4317	PRIM_SPC_ALOC_4317	135
4318	SECD_SPC_ALOC_4318	135
4319	PRIM_WS_ALOC_4319	135
4320	SECD_WS_ALOC_4320	135
4321	STOR_UNIT_TYP_4321	135
4322	FILE_RET_TIME_4322	135
4323	FXD_LRECL_4323	135
4324	FXD_BLCKSZ_4324	135
4325	ASCII_IND_4325	135
4326	PRFL_PRFX_TX_4326	340
4327	PRFX_JCL_MBR_4327	340
4328	FILEAID_MBR_4328	340
4329	CANC_ITM_IND_4329	133
		340
4356	KHN_ACTY_IND_4356	327
4361	DUNS_PLUS4_4361	222
4398	ZIP_ADD_ON_4398	002
4399	ZIP_PLUS_FOUR_4399	355
4400	ZIP_CD_4400	002
		139
		145
		834
4401	ITEM_NM_KY_WD_4401	364
4402	TMSTMP2_4402	094
		365
		513
		515
		518
		530
4403	TAIL_SEQ_NO_4403	120
4404	FIIG_SEQ_NO_4404	120
4405	INC_APPL_IND_4405	122
4407	MRC_SEQ_NBR_4407	115
		116
4408	RPLY_SEQ_NBR_4408	115
		116
		348
		354
		498
4409	PRPY_IND_4409	115
		116
4410	AND_OR_4410	115
		116
4411	UNIT_MEAS_DES_4411	117
4412	SKIP_CNT_4412	118
		119
4413	CHNG_RPLY_FRM_4413	118
		119
4414	CHNG_RPLY_TO_4414	118
		119
4415	COCO_CONV_TYP_4415	117
		119
4416	CNV_FRM_LEFT_4416	117
		119
4417	CNV_FRM_RIGHT_4417	117
		119
4418	DL_REPLY_4418	350
		357
4419	AB_VALUE_4419	351
		358
4420	J_MIN_L_VAL_4420	352
		360
4421	STORE_TYPE_4421	352
		360
4422	J_MAX_L_VAL_4422	352
		360
4423	J_MIN_R_VAL_4423	352
		360
4424	STORE_M_J_TBL_4424	352
4425	STORE_M_MIN_4425	352
4426	STORE_M_MAX_4426	352
4427	J_MAX_R_VAL_4427	352
		360
4428	F_MAX_VALUE_4428	353
		361
4429	H_TAB1_VAL_4429	354
		362
4430	H_TAB2_VAL_4430	354
		362
4431	H_TAB3_VAL_4431	354
		362
4432	H_TAB4_VAL_4432	354
		362
4433	H_TAB5_VAL_4433	354
		362
4434	H_TAB6_VAL_4434	354
		362
4435	H_TAB7_VAL_4435	354
		362
4436	H_TAB8_VAL_4436	354
		362
4437	H_J_TEXT_4437	354
4439	MRC_COUNT_4439	356
		357
		358
		360
		361
		362
4443	TMSTMP3_4443	115
		380
4444	NBR_OF_TBLS_4444	390
4445	PRT_SKLTN_1_4445	390
4446	PRT_SKLTN_2_4446	390
4447	PRT_SKLTN_3_4447	390
4448	KEY_GRP_DESC_4448	391
4449	TABL_NAME_REM_4449	392
4450	DIDS_SUB_SEC_4450	393
		394
		395
4453	HEAD_NARRTV_4453	177
		393
4454	TRAIL_NARRATV_4454	395
4463	STOP_WORD_CDM_4463	485
4465	DB2_TBL_NAME_4465	359
		392
4467	DIDS_SUB_PART_4467	392
4469	DRN_FULL_VAL_4469	489
		491
		492
4470	HISTORY_DT_4470	115
		505
		506
		507
		508
		509
		510
		511
		512
		513
		518
		519
		521
		522
		523
		524
		928
4471	CAGE_KEYWORD_4471	504
4472	TMSTMP4_4472	489
4473	TMSTMP5_4473	491
4474	TMSTMP6_4474	492
4475	REF_MRC_4475	121
		501
4476	QUERY_TYPE_4476	381
		554
4477	INQ_OUT_VIEW_4477	381

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.
		554
4488	CONCEPT_NBR_4488	098
		593
4489	ROW_OBS_DT_4489	006
		007
		345
		505
		506
		521
4490	STATE_NAME_4490	483
4491	HLP_PRC_PGMNM_4491	392
4492	DB2_GRP_NUM_4492	392
		393
4495	FST_POS_MR_4495	734
4497	INCL_EXCL_CD_4497	733
4503	CAT_SGL_SUB_4503	236
4504	FSC_M_RL_C_TI_4504	215
4505	DRP_N_OR_M_4505	209
		480
4506	AUTH_INT_SUB_4506	236
4507	AUTH_UPD_RCVR_4507	236
4508	SEG_IP_TRAN_4508	773
		937
4511	FMT_REMARKS_4511	176
4518	ROW_NBR_4518	207
		228
		249
		393
		536
		736
		771
		992
4519	TEXT_LINE_4519	736
		992
4521	AIR_S_HDLG_P1_4521	728
4522	AIR_S_HDLG_S1_4522	728
4523	AIR_S_HDLG_S2_4523	728
4524	AIR_S_HDLG_P2_4524	729
4528	SEG_NOTE_NBR1_4528	249
4529	SEG_NOTE_NBR2_4529	249
4531	RPDMRC_FU_IND_4531	877
4532	RPDMRC_FU_DT_4532	877
4535	SIN_MLT_OP_CD_4535	873
4540	DELT_RSN_CD_4540	010
		192
		509
		510
		626
		751
		752
		753
		754
4541	GRDR_CD_NW_1_4541	772
		781
4542	GRDR_CD_NW_2_4542	772
		781
4543	GRDR_SEQ_NBR_4543	772
4544	GRDR_NW_CG_CD_4544	772
		781
4545	GRDR_NW_RN_LG_4545	772
		781
4546	GRDR_MFR_DATA_4546	780
4547	GRDR_DUP_PROT_4547	780
4548	GRDR_MFR_PROT_4548	780
4549	PRIM_DIC_4549	972
		973
		974
		975
		976
		977
		978
		979
		980
4557	RTN_CD_DRN_CM_4557	292
4558	COG_CD_NV_CM_4558	260
4559	RTN_CD_CMMT_4559	291
4564	TMSTMP1_4564	073
		081
		102
4571	MC_INC_4571	878
		880
		881
4572	MC_CDG_TMSTMP_4572	880
		881
4573	MC_LGG_TMSTMP_4573	878
		880
4574	MC_FIIG_4574	878
		880
		881
4575	MC_CDG_4575	880
4581	IN_EX_IND_4581	771
4582	BSC_CM_IM_IND_4582	536
4583	ED_VAL_CRI_EX_4583	228
		536
4584	FILE_VAL_IND_4584	771
4591	I_OR_O_IND_4591	479
4592	MIN_LGTH_4592	479
4593	MAX_LGTH_4593	479
4594	REPT_SEG_IND_4594	479
4596	TOT_MAX_LGTH_4596	479
4621	DLSC_ONLY_IND_4621	196
4622	I_I_DATA_IND_4622	196
4623	SUPT_DATA_IND_4623	196
4624	MAND_SEG_STNG_4624	196
4625	OPTL_SEG_STNG_4625	196
4626	CTGY_DIC_CMNT_4626	175
4645	LMT_DIST_CD_4645	016
		236
		523
		782
		936
4672	SADC_4672	014
		294
		522
4690	ODRC_4690	782
		855
		859
		958
4691	FIRST_ODRC_4691	499
4692	SECOND_ODRC_4692	499
4693	THIRD_ODRC_4693	499
4694	SEG_VALUES_4694	499
4695	TRANS_DT_4695	341
		368
		374
		579
		608
4696	LSN_LTI_RMDR_4696	341
4735	MODE_CD_4735	115
		116
		121
		127
		390
		501
		921
4760	RAIL_VARI_CD_4760	016
		523
4765	RPDMRC_4765	010
		286
		509
4780	RNVC_4780	014
		285
		522
		686
		772
		932
4820	TYP_II_4820	010

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.
		309
		509
		782
4962	FSC_NOTE_4962	076
		591
4965	FSG_NOTE_4965	316
		595
4970	FSC_TI_4970	076
		591
4972	FSG_TI_4972	316
		595
4981	DR_ODRC_REC_4981	859
4982	DR_SEG_A_4982	859
4983	DR_SEG_B_4983	859
4984	DR_SEG_C_4984	859
4985	DR_SEG_E_4985	859
4986	DR_SEG_F_4986	859
4987	DR_SEG_G_4987	859
4988	DR_SEG_H_4988	859
4989	DR_SEG_M_4989	859
4990	DR_SEG_N_4990	859
4991	DR_SEG_V_4991	859
4992	DR_SEG_Z_4992	859
4993	DR_CONTR_LBL1_4993	860
4994	DR_CONTR_LBL2_4994	860
4995	DR_CONTR_LBL3_4995	860
4996	DR_SEG_W_4996	859
5015	ITM_NM_DEF_5015	098
		593
5020	NAIN_5020	053
		106
		363
		531
		611
		615
5027	RQMT_STMT_DEF_5027	347
		921
5037	PHYS_DWG_ID_5037	816
5038	NIIN_PSCN_IND_5038	914
5039	DRN_SEQ_NBR_5039	889
		890
		891
		892
		918
		989
5061	FIIG_DWG_SEQ_5061	072
5062	FIIG_DWG_TI_5062	072
		842
5064	FIIG_DWG_NOTE_5064	826
5066	PRPRTY_IND_5066	075
5068	FIIG_SB_SC_TI_5068	963
5069	FIIG_SCTN_ID_5069	072
		826
		827
		828
		963
		964
5070	FIIG_SEC_TI_5070	964
5071	FIIG_SB_SC_ID_5071	072
		826
		827
		828
		963
5072	DWG_STAT_IND_5072	072
5073	DWG_STAT_DT_5073	072
5074	PHYS_TYP_IND_5074	816
5099	PICA_SICA_IND_5099	346
		928
5100	GIRDER_CD_EX_5100	317
5101	NCB_CD_CTRY_5101	251
5102	NCB_CD_NOTE_5102	251
5104	FU_COND_DEF_5104	217
5105	FU_COND_INST_5105	217
5106	LMT_DIST_EX_5106	236
5108	SA_ADD_SOS_CD_5108	299
5110	CONF_NOTI_EX_5110	187
5111	CONF_NOT_CDRK_5111	187
5113	PSDO_SOS_DESC_5113	274
5114	RNFC_EX_5114	282
5116	TYP_II_CD_TYP_5116	278
		309
5117	TYP_II_CD_EXP_5117	309
5119	RPDMRC_EXP_5119	286
5121	RNJC_EX_5121	283
5123	DAC_EX_5123	201
5125	RNCC_EX_5125	280
5127	RNVC_EX_5127	285
5131	R_N_STAT_EX_5131	284
5132	DELT_RSN_EX_5132	192
5133	STATL_I_CD_EX_5133	303
5134	ITM_STDZN_EX_5134	232
5135	D_TRN_CTL_EX_5135	190
5136	DEMIL_CD_EX_5136	194
5151	LOP_CD_5151	346
		928
5152	INTMD_CTN_QTY_5152	346
		928
5153	UP_WT_5153	346
		928
5154	UP_SZ_5154	346
		928
5155	UP_CU_5155	346
		928
5156	ITM_TYP_STOR_5156	346
		928
5157	UNPKG_ITM_WT_5157	346
		928
5158	UNPKG_ITM_DIM_5158	346
		928
5159	PKG_CTGY_CD_5159	346
		928
5160	MTHD_PRSRV_CD_5160	346
		928
5161	CLNG_DRY_PRC_5161	346
		928
5162	PRSRV_MAT_CD_5162	346
		928
5163	WRAP_MAT_CD_5163	346
		928
5164	CUSH_DUN_MAT_5164	346
		928
5165	THK_CUSH_DUN_5165	346
		928
5166	UNIT_CTNR_CD_5166	346
		928
5167	INTMD_CTNR_CD_5167	346
		928
5168	UNIT_CTNR_LVL_5168	346
		928
5169	SP_MKG_CD_5169	346
		928
5170	LVL_A_PKG_CD_5170	346
		928
5171	LVL_B_PKG_CD_5171	346
		928
5172	LVL_C_PKG_CD_5172	346
		928
5173	OPTNL_PRO_IND_5173	346
		928
5174	SUPMTL_INST_5174	346
		928
5175	SPI_NBR_5175	346
		928
5176	SPI_REV_5176	346
		928
5177	SPI_DT_5177	346
		928

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.
5178	CTNR_NSN_5178	346
		928
5179	PKG_DSGN_ACTY_5179	346
		928
5182	FSC_DT_E_C_RC_5182	076
		094
		515
		591
5183	FSG_DT_E_C_RC_5183	316
		595
5201	N_PSCN_ST_DEF_5201	255
5203	N_PSCN_ST_NOT_5203	255
5204	AMC_EX_5204	154
5205	AMSC_EX_5205	155
5208	IMC_TI_5208	231
5209	IMC_DEF_5209	231
5210	NIMSC_EXPLN_5210	256
5211	CRD_ID_CD_TI_5211	179
5212	CRD_ID_CD_EX_5212	179
5213	NRM_SRC_PR_TI_5213	257
5214	NRM_SRC_PR_EX_5214	257
5215	TYP_MBL_RSV_X_5215	246
5216	S_PKG_RQM_EX_5216	302
5217	DMD_IND_EX_5217	193
5218	TYP_FIN_MGT_X_5218	308
5219	EST_ACT_PR_EX_5219	212
5220	INTGTY_CD_DEF_5220	227
5222	HMC_EXPLN_5222	224
5224	TYP_CGO_EXP_5224	311
5231	AIR_DIM_CD_EX_5231	163
5232	AIR_CMTY_EX_5232	162
5233	LCL_EX_5233	234
5234	LST_TL_EX_5234	235
5235	REP_NET_PR_5235	006
		505
5236	SVC_CNTR_CD_X_5236	863
5237	STR_TM_PED_5237	295
5240	PHRS_CD_PHRS_5240	268
		836
5241	PHRS_CD_EXPLN_5241	268
5242	UI_TRM_5242	312
5243	UI_DEF_5243	312
5248	QUP_CD_QTY_5248	277
5250	AAC_EXPLN_5250	156
5252	SOSM_CD_EX_5252	298
5254	CII_CTGY_EX_5254	270
5255	CIIC_CLS_CD_5255	182
		270
5256	COG_CD_NVY_EX_5256	252
5257	COG_RETL_OFC_5257	252
5259	RECOV_EX_AR_5259	173
5260	IRRC_NVY_DEF_5260	262
5261	REP_CD_DLA_EX_5261	200
5262	ADPEC_DEF_5262	161
5263	TYP_PREC_MTL_5263	272
5265	NSCM_S_CD_B_N_5265	259
5266	NSCM_S_CD_B_X_5266	259
5267	NSCM_S_CD_BR_5267	259
5268	NSCM_CD_BUR_N_5268	258
5270	CAO_EX_PR_EX_5270	178
5271	CNBR_SYS_I_EX_5271	186
5272	NSCM_CD_BUR_X_5272	258
5287	OE_DESI_EX_5287	263
5288	MINM_ADRS_EX_5288	226
5289	FRN_DOM_EX_5289	307
5293	CAGE_USR_INTP_5293	185
5295	CRTFN_NBR_5295	082
5299	MOE_CD_IDEN_5299	247
5301	CMDTY_CT_EXP_5301	221
5302	SICA_LOA_DEF_5302	296
5303	PICA_LOA_DEF_5303	271
5305	FSC_M_RL_C_EX_5305	215
5306	FUT_M_RL_ST_D_5306	218
5308	CMDTY_MMC_ID_5308	202
5319	SA_DESI_CD_X_5319	294
5321	UP_QTY_5321	346
		928
		946
5325	DIC_STAT_CNT_5325	065
		541
5335	DIC_STAT_CNT_5335	818
		819
5337	DIC_STAT_CNT_5337	818
		819
5339	DIC_STAT_CNT_5339	818
		819
5340	DIC_STAT_CNT_5340	818
		819
5341	DIC_STAT_CNT_5341	818
		819
5342	DIC_STAT_CNT_5342	818
		819
5343	DIC_STAT_CNT_5343	818
		819
5349	AAC_STAT_CNT_5349	019
		442
		642
		644
5355	DIC_STAT_CNT_5355	739
		740
5357	DIC_STAT_CNT_5357	739
		740
5359	DIC_STAT_CNT_5359	739
		740
5360	DIC_STAT_CNT_5360	739
		740
5361	DIC_STAT_CNT_5361	739
		740
5362	DIC_STAT_CNT_5362	739
		740
5363	DIC_STAT_CNT_5363	739
		740
5378	AAC_STAT_CNT_5378	625
		627
		643
		645
5384	QDIC_STAT_CNT_5384	824
		825
5386	QDIC_STAT_CNT_5386	824
		825
5388	QDIC_STAT_CNT_5388	824
		825
5389	QDIC_STAT_CNT_5389	824
		825
5390	QDIC_STAT_CNT_5390	824
		825
5391	QDIC_STAT_CNT_5391	824
		825
5392	QDIC_STAT_CNT_5392	824
		825
5402	QDIC_STAT_CNT_5402	824
		825
5406	QDIC_STAT_CNT_5406	824
		825
5408	QDIC_STAT_CNT_5408	824
		825
5409	QDIC_STAT_CNT_5409	824
		825
5410	QDIC_STAT_CNT_5410	824
		825
5411	QDIC_STAT_CNT_5411	824
		825
5412	QDIC_STAT_CNT_5412	824
		825
5422	QDIC_STAT_CNT_5422	810
		811
5424	QDIC_STAT_CNT_5424	810

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.
		811
5426	QDIC_STAT_CNT_5426	810
		811
5427	QDIC_STAT_CNT_5427	810
		811
5428	QDIC_STAT_CNT_5428	810
		811
5429	QDIC_STAT_CNT_5429	810
		811
5430	QDIC_STAT_CNT_5430	810
		811
5431	AAC_STAT_CNT_5431	019
		442
5442	QDIC_STAT_CNT_5442	810
		811
5444	QDIC_STAT_CNT_5444	810
5446	QDIC_STAT_CNT_5446	810
5447	QDIC_STAT_CNT_5447	810
		811
5448	QDIC_STAT_CNT_5448	810
		811
5449	QDIC_STAT_CNT_5449	810
		811
5450	QDIC_STAT_CNT_5450	810
		811
5451	PRER_STAT_CNT_5451	755
		756
5452	PRER_STAT_CNT_5452	755
		756
5453	PRER_STAT_CNT_5453	755
		756
5458	AAC_STAT_CNT_5458	625
		627
5469	LSND_STAT_CNT_5469	066
		542
5470	LSND_STAT_CNT_5470	066
		542
5471	LSND_STAT_CNT_5471	066
		542
5487	M8A1_STAT_CNT_5487	571
		586
5488	M8A1_STAT_CNT_5488	571
		586
5489	M8A1_STAT_CNT_5489	571
		586
5490	M8A1_STAT_CNT_5490	571
		586
5493	M8A1_STAT_CNT_5493	576
		587
5494	M8A1_STAT_CNT_5494	576
		587
5495	M8A1_STAT_CNT_5495	576
		587
5496	M8A1_STAT_CNT_5496	576
		587
		741
		742
5499	M8C1_STAT_CNT_5499	571
		572
		586
		588
5500	M8C1_STAT_CNT_5500	571
		572
		586
		588
5501	M8C1_STAT_CNT_5501	571
		572
		586
		588
5502	M8C1_STAT_CNT_5502	571
		572
		586
		588
5505	M8C1_STAT_CNT_5505	576
		577
		587
		589
5506	M8C1_STAT_CNT_5506	576
		577
		587
		589
5507	M8C1_STAT_CNT_5507	576
		577
		587
		589
5508	M8C1_STAT_CNT_5508	576
		577
		587
		589
5511	AAC_STAT_CNT_5511	638
		640
		642
		644
5513	M8B1_STAT_CNT_5513	569
		582
5514	M8B1_STAT_CNT_5514	569
		582
5515	M8B1_STAT_CNT_5515	569
		582
5516	M8B1_STAT_CNT_5516	569
		582
5519	M8B1_STAT_CNT_5519	574
		583
5520	M8B1_STAT_CNT_5520	574
		583
5521	M8B1_STAT_CNT_5521	574
		583
5522	M8B1_STAT_CNT_5522	574
		583
5525	M8B2_STAT_CNT_5525	569
		572
		582
		588
5526	M8B2_STAT_CNT_5526	569
		572
		582
		588
5527	M8B2_STAT_CNT_5527	569
		572
		582
		588
5528	M8B2_STAT_CNT_5528	569
		572
		582
		588
5531	M8B2_STAT_CNT_5531	574
		577
		583
		589
5532	M8B2_STAT_CNT_5532	574
		577
		583
		589
5533	M8B2_STAT_CNT_5533	574
		577
		583
		589
5534	M8B2_STAT_CNT_5534	574
		577
		583
		589
5537	M8B3_STAT_CNT_5537	570
		584
5538	M8B3_STAT_CNT_5538	570
		584
5540	AAC_STAT_CNT_5540	639
		641

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO. APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.
		643
		645
5541	M8B3_STAT_CNT_5541	570
		584
5542	M8B3_STAT_CNT_5542	570
		584
5545	M8B3_STAT_CNT_5545	575
		585
5546	M8B3_STAT_CNT_5546	575
		585
5547	M8B3_STAT_CNT_5547	575
		585
5548	M8B3_STAT_CNT_5548	575
		585
5551	M8B4_STAT_CNT_5551	570
		572
		584
		588
5552	M8B4_STAT_CNT_5552	570
		572
		584
		588
5553	M8B4_STAT_CNT_5553	570
		572
		584
		588
5554	M8B4_STAT_CNT_5554	570
		572
		584
		588
5557	M8B4_STAT_CNT_5557	575
		577
		585
		589
5558	M8B4_STAT_CNT_5558	575
		577
		585
		589
5559	M8B4_STAT_CNT_5559	575
		577
		585
		589
5560	M8B4_STAT_CNT_5560	575
		577
		585
		589
5563	M8B5_STAT_CNT_5563	371
		580
5564	M8B5_STAT_CNT_5564	371
		580
5567	M8B5_STAT_CNT_5567	371
		580
5568	M8B5_STAT_CNT_5568	371
		580
5571	M8B5_STAT_CNT_5571	573
		578
		581
		590
5572	M8B5_STAT_CNT_5572	573
		578
		581
		590
5573	M8B5_STAT_CNT_5573	573
		578
		581
		590
5574	M8B5_STAT_CNT_5574	573
		578
		581
		590
		741
		742
5575	M8B5_STAT_CHG_5575	578
		590
5576	M8B5_STAT_PCT_5576	578
		590
5577	M8B6_STAT_CNT_5577	371
		572
		580
		588
5578	M8B6_STAT_CNT_5578	371
		572
		580
		588
5579	M8B6_STAT_CNT_5579	371
		572
		580
		588
5583	M8B6_STAT_CNT_5583	573
		577
		581
		589
5584	M8B6_STAT_CNT_5584	573
		577
		581
		589
5585	M8B6_STAT_CNT_5585	573
		577
		581
		589
5586	M8B6_STAT_CNT_5586	573
		577
		581
		589
5593	AAC_STAT_CNT_5593	638
		640
5601	POP_STAT_CNT_5601	038
		470
5602	POP_STAT_CNT_5602	038
		470
5603	POP_STAT_CNT_5603	434
		471
5613	POP_STAT_CNT_5613	435
		562
5614	POP_STAT_CNT_5614	435
		562
5615	POP_STAT_CNT_5615	435
		562
5617	POP_STAT_CNT_5617	038
		470
5621	AAC_STAT_CNT_5621	639
		641
5629	DAC_STAT_CNT_5629	027
		449
5630	DAC_STAT_CNT_5630	027
		449
5631	DAC_STAT_CNT_5631	027
		449
5632	DAC_STAT_CNT_5632	027
		449
5633	DAC_STAT_CNT_5633	027
		449
5634	DAC_STAT_CNT_5634	027
		449
5635	DAC_STAT_CNT_5635	027
		449
5637	DAC_STAT_CNT_5637	027
		449
5639	IMC_STAT_CNT_5639	436
		563
5653	IMC_STAT_CNT_5653	040
		457
5666	STAT_RETN_CAT_5666	061
5674	AAC_STAT_CNT_5674	628
		630
		642
		644

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.
5703	AAC_STAT_CNT_5703	629
		631
		643
		645
5740	ISC_STAT_CNT_5740	741
		742
5746	ISC_STAT_CNT_5746	042
		459
5747	ISC_STAT_CNT_5747	042
		459
5748	ISC_STAT_CNT_5748	042
		459
5749	ISC_STAT_CNT_5749	042
		459
5750	INC_STAT_CNT_5750	037
		417
5751	FSC_INC_NSN_5751	432
		465
5752	FSC_STAT_CNT_5752	432
		465
5753	MOE_STAT_CNT_5753	433
		561
5754	MOE_STAT_CNT_5754	433
		437
		561
		564
5755	ICWS_STAT_CNT_5755	694
5757	ICWS_STAT_CNT_5757	694
5759	ICWS_STAT_CNT_5759	694
		695
5761	ICWS_STAT_CNT_5761	694
5763	ICWS_STAT_CNT_5763	694
		695
5765	ICWS_STAT_CNT_5765	694
		695
5767	ICWS_STAT_CNT_5767	694
		695
5769	ICWS_STAT_CNT_5769	694
		695
5771	ICWS_STAT_CNT_5771	694
		695
5773	ICWS_STAT_CNT_5773	694
		695
5775	ICWS_STAT_CNT_5775	694
5777	ICWS_STAT_CNT_5777	694
		695
5779	ICWD_STAT_CNT_5779	763
		764
5780	ICWD_STAT_CNT_5780	763
		764
5781	ICWD_STAT_CNT_5781	763
		764
5782	ICWD_STAT_CNT_5782	763
		764
5783	ICWD_STAT_CNT_5783	763
		764
5784	ICWD_STAT_CNT_5784	763
		764
5785	ICWD_STAT_CNT_5785	763
		764
5786	ICWD_STAT_CNT_5786	763
		764
5787	ICWD_STAT_CNT_5787	763
		764
5788	ICWD_STAT_CNT_5788	763
		764
5789	ICWD_STAT_CNT_5789	763
		764
5790	ICWD_STAT_CNT_5790	763
		764
5791	ICWD_STAT_CNT_5791	763
		764
5792	ICWD_STAT_CNT_5792	763
		764
5793	ICWD_STAT_CNT_5793	763
		764
5794	ICWD_STAT_CNT_5794	763
		764
5795	ICWD_STAT_CNT_5795	763
		764
5796	ICWD_STAT_CNT_5796	763
		764
5797	ICWD_STAT_CNT_5797	763
		764
5798	ICWD_STAT_CNT_5798	763
		764
5799	ICWD_STAT_CNT_5799	763
		764
5800	ICWD_STAT_CNT_5800	370
		547
5801	ICWD_STAT_CNT_5801	370
		547
5802	ICWD_STAT_CNT_5802	370
		547
5803	ICWD_STAT_CNT_5803	370
		547
5804	ICWD_STAT_CNT_5804	370
		547
5805	ICWD_STAT_CNT_5805	370
		547
5806	ICWD_STAT_CNT_5806	370
		547
5807	ICWS_STAT_CNT_5807	694
		695
5809	ICWS_STAT_CNT_5809	694
		695
5811	ICWS_STAT_CNT_5811	694
		695
5813	ICWS_STAT_CNT_5813	694
		695
5815	PIC_STAT_CNT_5815	372
		549
5819	PIC_STAT_CNT_5819	551
		552
5823	PIC_STAT_CNT_5823	441
		568
5824	PIC_STAT_CNT_5824	030
		452
5827	ICDS_STAT_CNT_5827	692
		693
5829	ICDS_STAT_CNT_5829	692
		693
5831	ICDS_STAT_CNT_5831	692
		693
5833	ICDS_STAT_CNT_5833	692
		693
5835	ICDS_STAT_CNT_5835	024
		446
5837	ICDS_STAT_CNT_5837	024
		446
5839	ICDS_STAT_CNT_5839	024
		446
5841	ICDS_STAT_CNT_5841	024
		446
5843	ICDS_STAT_CNT_5843	692
		693
5849	ICMD_STAT_CNT_5849	369
		546
5850	ICMD_STAT_CNT_5850	369
		546
5851	ICMD_STAT_CNT_5851	369
		546
5852	ICMD_STAT_CNT_5852	369
		546
5853	ICMD_STAT_CNT_5853	369
		546
5854	ICMD_STAT_CNT_5854	369

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.
		546
5855	ICMD_STAT_CNT_5855	369
		546
5856	ICMD_STAT_CNT_5856	369
		546
5857	ICMD_STAT_CNT_5857	369
		546
5858	ICMD_STAT_CNT_5858	369
		546
5860	ICDS_STAT_CNT_5860	692
		693
5861	ICMD_STAT_CNT_5861	369
		546
5862	ICMD_STAT_CNT_5862	369
		546
5863	ICMD_STAT_CNT_5863	369
		546
5864	ICMD_STAT_CNT_5864	788
		789
5865	ICMD_STAT_CNT_5865	788
		789
5866	ICMD_STAT_CNT_5866	788
		789
5867	ICMD_STAT_CNT_5867	788
		789
5869	ICMD_STAT_CNT_5869	788
		789
5870	ICMD_STAT_CNT_5870	788
		789
5871	ICMD_STAT_CNT_5871	788
		789
5872	ICMD_STAT_CNT_5872	788
		789
5873	ICMD_STAT_CNT_5873	788
		789
5874	ICMD_STAT_CNT_5874	788
		789
5875	ICMD_STAT_CNT_5875	788
		789
5876	ICMD_STAT_CNT_5876	788
		789
5877	ICMD_STAT_CNT_5877	788
		789
5878	ICMD_STAT_CNT_5878	788
		789
5879	ICMD_STAT_CNT_5879	788
		789
5880	ICMD_STAT_CNT_5880	369
		546
5881	ICMD_STAT_CNT_5881	369
		546
5882	ICMD_STAT_CNT_5882	369
		546
5883	ICMD_STAT_CNT_5883	369
		546
5884	ICMD_STAT_CNT_5884	369
		546
5885	ICMD_STAT_CNT_5885	369
		546
5886	ICMD_STAT_CNT_5886	369
		546
5887	ICMD_STAT_CNT_5887	369
		546
5888	ICMD_STAT_CNT_5888	369
		546
5889	ICMD_STAT_CNT_5889	369
		546
5890	ICMD_STAT_CNT_5890	369
		546
5891	ICMD_STAT_CNT_5891	369
		546
5892	ICMD_STAT_CNT_5892	369
		546
5893	ICMD_STAT_CNT_5893	369
		546
5894	ICMD_STAT_CNT_5894	369
		546
5895	ICFS_STAT_CNT_5895	367
		545
5896	ICFS_STAT_CNT_5896	367
		545
5898	ICFS_STAT_CNT_5898	367
		545
5901	ICFS_STAT_CNT_5901	367
		545
5905	ICDS_STAT_CNT_5905	692
		693
5907	ICDS_STAT_CNT_5907	692
		693
5909	ICDS_STAT_CNT_5909	024
		446
5911	ICDS_STAT_CNT_5911	024
		446
5913	ICDS_STAT_CNT_5913	024
		446
5915	ICDS_STAT_CNT_5915	024
		446
5917	ICDS_STAT_CNT_5917	692
		693
5919	ICDS_STAT_CNT_5919	692
		693
5921	ICDS_STAT_CNT_5921	692
		693
5923	ICDS_STAT_CNT_5923	692
		693
5925	ICDS_STAT_CNT_5925	024
		446
5927	ICDS_STAT_CNT_5927	024
		446
5929	ICDS_STAT_CNT_5929	024
		446
5931	ICDS_STAT_CNT_5931	024
		446
5933	ICDS_STAT_CNT_5933	692
		693
5935	ICDS_STAT_CNT_5935	692
		693
5937	ICDS_STAT_CNT_5937	692
		693
5939	ICDS_STAT_CNT_5939	692
		693
5941	ICDS_STAT_CNT_5941	024
		446
5943	ICDS_STAT_CNT_5943	024
		446
5945	ICDS_STAT_CNT_5945	024
		446
5947	ICDS_STAT_CNT_5947	024
		446
5949	ICDD_STAT_CNT_5949	790
		791
5950	ICDD_STAT_CNT_5950	790
		791
5951	ICDD_STAT_CNT_5951	790
		791
5952	ICDD_STAT_CNT_5952	790
		791
5953	ICDD_STAT_CNT_5953	790
		791
5954	ICDD_STAT_CNT_5954	790
		791
5955	ICDD_STAT_CNT_5955	790
		791
5956	ICDD_STAT_CNT_5956	792
		793
5957	ICDD_STAT_CNT_5957	792
		793

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.
5958	ICDD_STAT_CNT_5958	792
		793
5959	ICDD_STAT_CNT_5959	792
		793
5960	ICDD_STAT_CNT_5960	792
5961	ICDD_STAT_CNT_5961	792
		793
5962	ICDD_STAT_CNT_5962	792
		793
5963	ICDD_STAT_CNT_5963	790
		791
5964	ICDD_STAT_CNT_5964	790
		791
5965	ICDD_STAT_CNT_5965	790
		791
5966	ICDD_STAT_CNT_5966	790
		791
5967	ICDD_STAT_CNT_5967	790
		791
5968	ICDD_STAT_CNT_5968	790
		791
5969	ICDD_STAT_CNT_5969	790
		791
5975	LRN_STAT_CNT_5975	045
		462
5983	LRN_STAT_CNT_5983	620
		622
5989	LRN_STAT_CNT_5989	621
		623
6088	IANS_STAT_CNT_6088	373
		550
6089	IANS_STAT_CNT_6089	373
		550
6099	IANS_STAT_CNT_6099	373
		550
6106	QUP_6106	006
		277
		505
6137	ID_STAT_CNT_6137	458
6154	ID_STAT_CNT_6154	458
6159	ID_STAT_CNT_6159	458
6161	ID_STAT_CNT_6161	458
6162	ID_STAT_CNT_6162	458
6164	ID_STAT_CNT_6164	458
6166	ID_STAT_CNT_6166	458
6169	ID_STAT_CNT_6169	458
6171	ID_STAT_CNT_6171	458
6172	ID_STAT_CNT_6172	458
6178	LRN_STAT_CNT_6178	045
		462
6183	LRN_STAT_CNT_6183	620
		622
6189	LRN_STAT_CNT_6189	621
		623
6202	LRN_STAT_CNT_6202	045
		462
6207	LRN_STAT_CNT_6207	620
		622
6209	PRON_STAT_CNT_6209	761
		762
6210	PRON_STAT_CNT_6210	761
		762
6211	PRON_STAT_CNT_6211	761
		762
6225	PROR_STAT_CNT_6225	759
		760
6226	PROR_STAT_CNT_6226	759
		760
6227	PROR_STAT_CNT_6227	759
		760
6241	PREN_STAT_CNT_6241	757
		758
6242	PREN_STAT_CNT_6242	757
		758
6243	PREN_STAT_CNT_6243	757
		758
6267	ID_STAT_CNT_6267	458
6268	ID_STAT_CNT_6268	458
6270	ID_STAT_CNT_6270	458
6271	ID_STAT_CNT_6271	458
6273	ID_STAT_CNT_6273	458
6274	ID_STAT_CNT_6274	458
6279	ID_STAT_CNT_6279	458
6280	ID_STAT_CNT_6280	458
6282	ID_STAT_CNT_6282	458
6283	ID_STAT_CNT_6283	458
6285	ID_STAT_CNT_6285	458
6286	ID_STAT_CNT_6286	458
6292	M3C2_STAT_CNT_6292	802
		803
6293	M3C2_STAT_CNT_6293	802
		803
6295	M3C2_STAT_CNT_6295	800
		801
6296	M3C2_STAT_CNT_6296	800
		801
6298	M3C2_STAT_CNT_6298	800
		801
6299	M3C2_STAT_CNT_6299	800
		801
6301	M3C2_STAT_CNT_6301	800
		801
6302	M3C2_STAT_CNT_6302	800
		801
6304	M3D_STAT_CNT_6304	804
		805
6305	M3D_STAT_CNT_6305	804
		805
6306	M3D_STAT_CNT_6306	804
		805
6308	M3D_STAT_CNT_6308	804
		805
6309	M3D_STAT_CNT_6309	804
		805
6312	M3D_STAT_CNT_6312	804
		805
6313	M3D_STAT_CNT_6313	804
		805
6318	M3D_STAT_CNT_6318	036
		455
6322	M3D_STAT_CNT_6322	036
		455
6326	M3D_STAT_CNT_6326	036
		455
6329	M3D_STAT_CNT_6329	031
		453
6330	M3D_STAT_CNT_6330	031
		453
6331	M3D_STAT_CNT_6331	031
		453
6334	M3D_STAT_CNT_6334	031
		453
6335	M3D_STAT_CNT_6335	031
		453
6338	M3D_STAT_CNT_6338	031
		453
6339	M3D_STAT_CNT_6339	031
		453
6342	M3E_STAT_CNT_6342	804
		805
6343	M3E_STAT_CNT_6343	804
		805
6344	M3E_STAT_CNT_6344	804
		805
6346	M3E_STAT_CNT_6346	804
		805
6347	M3E_STAT_CNT_6347	804

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.
		805
6349	M3E_STAT_CNT_6349	804
		805
6350	M3E_STAT_CNT_6350	804
		805
6355	AMC_STAT_CNT_6355	021
		444
6357	AMC_STAT_CNT_6357	021
		444
6359	AMC_STAT_CNT_6359	021
		444
6363	AMC_STAT_CNT_6363	329
		330
6371	AMC_STAT_CNT_6371	021
		444
6373	AMC_STAT_CNT_6373	021
		444
6377	AMC_STAT_CNT_6377	021
		444
6381	AMC_STAT_CNT_6381	329
		330
6387	AMC_STAT_CNT_6387	022
		445
6388	AMSC_STAT_TOT_6388	425
		556
6392	FCS_STAT_CNT_6392	032
		454
6393	FCS_STAT_CNT_6393	032
		454
6394	FCS_STAT_CNT_6394	032
		454
6400	AMC_STAT_CNT_6400	022
		445
6401	AMSC_STAT_TOT_6401	425
		556
6402	FCS_STAT_CNT_6402	032
		454
6403	FCS_STAT_CNT_6403	032
		454
6404	FCS_STAT_CNT_6404	032
		454
6410	FCS_STAT_CNT_6410	032
		454
6411	FCS_STAT_CNT_6411	032
		454
6412	FCS_STAT_CNT_6412	032
		454
6419	FCS_STAT_CNT_6419	032
		454
6420	FCS_STAT_CNT_6420	032
		454
6423	FCS_STAT_CNT_6423	032
		454
6428	FCS_STAT_CNT_6428	682
		683
6431	FCS_STAT_CNT_6431	683
6432	FCS_STAT_CNT_6432	683
6438	FCS_STAT_CNT_6438	683
6439	FCS_STAT_CNT_6439	683
6440	FCS_STAT_CNT_6440	683
6445	FCS_STAT_CNT_6445	683
6446	FCS_STAT_CNT_6446	683
6447	FCS_STAT_CNT_6447	683
6453	FCS_STAT_CNT_6453	683
6454	FCS_STAT_CNT_6454	683
6455	FCS_STAT_CNT_6455	683
6460	ICDD_STAT_CNT_6460	792
		793
6461	ICDD_STAT_CNT_6461	792
		793
6462	ICDD_STAT_CNT_6462	792
		793
6463	ICDD_STAT_CNT_6463	792
		793
6464	ICDD_STAT_CNT_6464	792
		793
6465	ICDD_STAT_CNT_6465	792
		793
6466	ICDD_STAT_CNT_6466	792
		793
6467	ICDD_STAT_CNT_6467	790
		791
6468	ICDD_STAT_CNT_6468	790
		791
6469	ICDD_STAT_CNT_6469	790
		791
6470	ICDD_STAT_CNT_6470	790
		791
6471	ICDD_STAT_CNT_6471	790
		791
6472	ICDD_STAT_CNT_6472	790
		791
6473	ICDD_STAT_CNT_6473	790
		791
6474	ICDD_STAT_CNT_6474	792
		793
6475	ICDD_STAT_CNT_6475	792
		793
6476	ICDD_STAT_CNT_6476	792
		793
6477	ICDD_STAT_CNT_6477	792
		793
6478	ICDD_STAT_CNT_6478	792
		793
6479	ICDD_STAT_CNT_6479	792
		793
6480	ICDD_STAT_CNT_6480	792
		793
6481	ICDD_STAT_CNT_6481	790
		791
6482	ICDD_STAT_CNT_6482	790
		791
6483	ICDD_STAT_CNT_6483	790
		791
6484	ICDD_STAT_CNT_6484	790
		791
6485	ICDD_STAT_CNT_6485	790
		791
6486	ICDD_STAT_CNT_6486	790
		791
6487	ICDD_STAT_CNT_6487	790
		791
6488	ICDD_STAT_CNT_6488	792
		793
6489	ICDD_STAT_CNT_6489	792
		793
6490	ICDD_STAT_CNT_6490	792
		793
6491	ICDD_STAT_CNT_6491	792
		793
6492	ICDD_STAT_CNT_6492	792
		793
6493	ICDD_STAT_CNT_6493	792
		793
6494	ICDD_STAT_CNT_6494	792
		793
6495	ICMS_STAT_CNT_6495	784
		785
6497	ICMS_STAT_CNT_6497	784
		785
6499	ICMS_STAT_CNT_6499	784
		785
6501	ICMS_STAT_CNT_6501	784
		785
6503	ICMS_STAT_CNT_6503	784
		785
6505	ICMS_STAT_CNT_6505	786

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.
		787
6507	ICMS_STAT_CNT_6507	786
		787
6509	ICMS_STAT_CNT_6509	786
		787
6511	ICMS_STAT_CNT_6511	786
		787
6513	ICMS_STAT_CNT_6513	786
		787
6515	ICMS_STAT_CNT_6515	784
		785
6517	ICMS_STAT_CNT_6517	784
		785
6519	ICMS_STAT_CNT_6519	784
		785
6521	ICMS_STAT_CNT_6521	784
		785
6523	ICMS_STAT_CNT_6523	784
		785
6525	ICMS_STAT_CNT_6525	786
		787
6527	ICMS_STAT_CNT_6527	786
		787
6529	ICMS_STAT_CNT_6529	786
		787
6531	ICMS_STAT_CNT_6531	786
		787
6533	ICMS_STAT_CNT_6533	786
		787
6535	ICMS_STAT_CNT_6535	784
		785
6538	ICMS_STAT_CNT_6538	784
		785
6589	NAIN_STRING_6589	985
		986
6592	STAT_DAC_SA_6592	027
		063
		449
6599	FRGT_STAT_CNT_6599	035
		416
6600	FRGT_STAT_CNT_6600	423
		503
6605	MGR_STAT_CNT_6605	062
6611	POP_STAT_CNT_6611	033
		414
6612	POP_STAT_CNT_6612	033
		414
6650	M3C2_STAT_CNT_6650	800
		801
6651	CAGE_STAT_CNT_6651	419
		493
6654	CAGE_STAT_CNT_6654	023
		413
6655	CAGE_STAT_CNT_6655	023
		413
6656	CAGE_STAT_CNT_6656	421
		495
6657	CAGE_STAT_CNT_6657	420
		494
6688	IN_STAT_CNT_6688	460
6689	IN_STAT_CNT_6689	460
6691	IN_STAT_CNT_6691	690
		691
6692	IN_STAT_CNT_6692	690
		691
6695	IN_STAT_CNT_6695	043
		460
6696	IN_STAT_CNT_6696	460
6699	IN_STAT_CNT_6699	690
		691
6700	IN_STAT_CNT_6700	690
		691
6724	POP_STAT_CNT_6724	034
		415
6725	POP_STAT_CNT_6725	034
		415
6726	POP_STAT_CNT_6726	430
		467
6729	POP_STAT_CNT_6729	053
		531
6730	POP_STAT_CNT_6730	053
		531
6731	POP_STAT_CNT_6731	611
		615
6732	POP_STAT_CNT_6732	696
		697
6733	POP_STAT_CNT_6733	696
		697
6744	TRFR_STAT_CNT_6744	067
6745	TRFR_STAT_CNT_6745	067
6746	TRFR_STAT_CNT_6746	067
6749	TRFR_STAT_CNT_6749	424
6750	TRFR_STAT_CNT_6750	424
6751	TRFR_STAT_CNT_6751	424
6754	TRFR_STAT_CNT_6754	067
6755	TRFR_STAT_CNT_6755	067
6756	TRFR_STAT_CNT_6756	067
6759	TRFR_STAT_CNT_6759	424
6760	TRFR_STAT_CNT_6760	424
6761	TRFR_STAT_CNT_6761	424
6764	TRFR_STAT_CNT_6764	548
6765	TRFR_STAT_CNT_6765	548
6766	TRFR_STAT_CNT_6766	548
6772	TRFR_STAT_CNT_6772	548
6777	TRFR_STAT_CNT_6777	036
		455
6778	TRFR_STAT_CNT_6778	664
		676
		677
6779	DIC_STAT_CNT_6779	065
		541
6780	DIC_STAT_CNT_6780	065
		541
6781	DIC_STAT_CNT_6781	065
		541
6782	DIC_STAT_CNT_6782	065
		541
6783	DIC_STAT_CNT_6783	065
		541
6786	DIC_STAT_CNT_6786	065
		541
6788	DIC_STAT_CNT_6788	065
		541
6789	DIC_STAT_CNT_6789	820
		821
6790	DIC_STAT_CNT_6790	820
		821
6791	DIC_STAT_CNT_6791	820
		821
6792	DIC_STAT_CNT_6792	820
		821
6793	DIC_STAT_CNT_6793	820
		821
6796	DIC_STAT_CNT_6796	820
		821
6798	DIC_STAT_CNT_6798	820
		821
6799	DIC_STAT_CNT_6799	739
		740
6800	DIC_STAT_CNT_6800	739
		740
6803	DIC_STAT_CNT_6803	739
		740
6805	DIC_STAT_CNT_6805	739
		740
6806	DIC_STAT_CNT_6806	818
		819

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.
6807	DIC_STAT_CNT_6807	818
		819
6808	DIC_STAT_CNT_6808	818
		819
6809	DIC_STAT_CNT_6809	818
		819
6810	DIC_STAT_CNT_6810	818
		819
6813	DIC_STAT_CNT_6813	818
		819
6815	DIC_STAT_CNT_6815	818
		819
6816	QDIC_STAT_CNT_6816	808
		809
6817	QDIC_STAT_CNT_6817	808
		809
6818	QDIC_STAT_CNT_6818	808
		809
6819	QDIC_STAT_CNT_6819	808
		809
6820	QDIC_STAT_CNT_6820	808
		809
6823	QDIC_STAT_CNT_6823	808
		809
6825	QDIC_STAT_CNT_6825	808
		809
6826	QDIC_STAT_CNT_6826	822
		823
6827	QDIC_STAT_CNT_6827	822
		823
6828	QDIC_STAT_CNT_6828	822
		823
6829	QDIC_STAT_CNT_6829	822
		823
6830	QDIC_STAT_CNT_6830	822
		823
6833	QDIC_STAT_CNT_6833	822
		823
6835	QDIC_STAT_CNT_6835	822
		823
6836	DIC_STAT_CNT_6836	739
		740
6837	DIC_STAT_CNT_6837	739
		740
6838	DIC_STAT_CNT_6838	739
		740
6840	MCHG_STAT_CNT_6840	049
		527
6841	MCHG_STAT_CNT_6841	049
		527
6842	MCHG_STAT_CNT_6842	049
		527
6843	MCHG_STAT_CNT_6843	049
		527
6845	MCHG_STAT_CNT_6845	751
		752
6848	MCHG_STAT_CNT_6848	749
		750
6849	MCHG_STAT_CNT_6849	749
		750
6850	MCHG_STAT_CNT_6850	749
		750
6851	MCHG_STAT_CNT_6851	749
		750
6853	MCHG_STAT_CNT_6853	753
		754
6860	LRN_STAT_CNT_6860	620
		622
6865	LRN_STAT_CNT_6865	621
		623
6871	IANS_STAT_CNT_6871	934
		939
6882	IANS_STAT_CNT_6882	935
		940
6885	IANS_STAT_CNT_6885	935
		940
6886	FCS_STAT_CNT_6886	678
		679
6887	FCS_STAT_CNT_6887	678
		679
6888	FCS_STAT_CNT_6888	678
		679
6892	TMG_STAT_CNT_6892	376
		468
6893	TMG_STAT_CNT_6893	376
		468
6928	ICMS_STAT_CNT_6928	786
		787
6930	ICMS_STAT_CNT_6930	784
		785
6932	ICMS_STAT_CNT_6932	784
		785
6958	ICMS_STAT_CNT_6958	786
		787
6960	ICMS_STAT_CNT_6960	786
		787
6962	ICMS_STAT_CNT_6962	786
		787
6964	ICMS_STAT_CNT_6964	786
		787
6966	ICMS_STAT_CNT_6966	784
		785
6968	ICMS_STAT_CNT_6968	784
		785
6970	ICMS_STAT_CNT_6970	784
		785
6972	ICMS_STAT_CNT_6972	784
		785
6974	ICMS_STAT_CNT_6974	784
		785
6976	ICMS_STAT_CNT_6976	786
		787
6978	ICMS_STAT_CNT_6978	786
		787
7075	UNIT_PR_7075	006
		505
7081	ICMS_STAT_CNT_7081	786
		787
7083	ICMS_STAT_CNT_7083	786
		787
7085	ICMS_STAT_CNT_7085	786
		787
7087	ICMD_STAT_CNT_7087	788
		789
7088	ICMD_STAT_CNT_7088	788
		789
7089	ICMD_STAT_CNT_7089	788
		789
7090	ICMD_STAT_CNT_7090	788
		789
7091	ICMD_STAT_CNT_7091	788
		789
7092	ICMD_STAT_CNT_7092	788
		789
7093	ICMD_STAT_CNT_7093	788
		789
7094	ICMD_STAT_CNT_7094	788
		789
7095	ICMD_STAT_CNT_7095	788
		789
7096	ICMD_STAT_CNT_7096	788
		789
7097	ICMD_STAT_CNT_7097	788
		789
7098	ICMD_STAT_CNT_7098	788
		789
7099	ICMD_STAT_CNT_7099	788

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.
		789
7100	ICMD_STAT_CNT_7100	788
		789
7101	ICMD_STAT_CNT_7101	788
		789
7102	ICMD_STAT_CNT_7102	369
		546
7103	ICMD_STAT_CNT_7103	369
		546
7104	ICMD_STAT_CNT_7104	369
		546
7105	ICMD_STAT_CNT_7105	369
		546
7106	ICMD_STAT_CNT_7106	369
		546
7107	ICMD_STAT_CNT_7107	369
		546
7108	ICMD_STAT_CNT_7108	369
		546
7109	ICMD_STAT_CNT_7109	369
		546
7110	ICMD_STAT_CNT_7110	369
		546
7111	ICMD_STAT_CNT_7111	369
		546
7112	ICMD_STAT_CNT_7112	369
		546
7113	ICMD_STAT_CNT_7113	369
		546
7114	ICMD_STAT_CNT_7114	369
		546
7115	ICMD_STAT_CNT_7115	369
		546
7116	ICMD_STAT_CNT_7116	369
		546
7117	ICMD_STAT_CNT_7117	788
		789
7118	ICMD_STAT_CNT_7118	788
		789
7119	ICMD_STAT_CNT_7119	788
		789
7120	ICMD_STAT_CNT_7120	788
		789
7121	ICMD_STAT_CNT_7121	788
		789
7122	ICMD_STAT_CNT_7122	788
		789
7123	ICMD_STAT_CNT_7123	788
		789
7124	ICMD_STAT_CNT_7124	788
		789
7125	ICMD_STAT_CNT_7125	788
		789
7126	ICMD_STAT_CNT_7126	788
		789
7127	ICMD_STAT_CNT_7127	788
		789
7128	ICMD_STAT_CNT_7128	788
		789
7129	ICMD_STAT_CNT_7129	788
		789
7130	ICMD_STAT_CNT_7130	788
		789
7131	ICMD_STAT_CNT_7131	788
		789
7132	ICMD_STAT_CNT_7132	369
		546
7133	ICMD_STAT_CNT_7133	369
		546
7134	ICMD_STAT_CNT_7134	369
		546
7135	ICMD_STAT_CNT_7135	369
		546
7136	ICMD_STAT_CNT_7136	369
		546
7137	ICMD_STAT_CNT_7137	369
		546
7138	ICMD_STAT_CNT_7138	369
		546
7139	ICMD_STAT_CNT_7139	369
		546
7140	ICMD_STAT_CNT_7140	369
		546
7141	ICMD_STAT_CNT_7141	369
		546
7142	ICMD_STAT_CNT_7142	369
		546
7143	ICMD_STAT_CNT_7143	369
		546
7144	ICMD_STAT_CNT_7144	369
		546
7145	ICMD_STAT_CNT_7145	369
		546
7146	ICMD_STAT_CNT_7146	369
		546
7147	ICMD_STAT_CNT_7147	788
		789
7148	ICMD_STAT_CNT_7148	788
		789
7149	ICMD_STAT_CNT_7149	788
		789
7150	ICMD_STAT_CNT_7150	788
		789
7151	ICMD_STAT_CNT_7151	788
		789
7152	ICMD_STAT_CNT_7152	788
		789
7153	ICMD_STAT_CNT_7153	788
		789
7154	ICMD_STAT_CNT_7154	788
		789
7155	ICMD_STAT_CNT_7155	788
		789
7156	ICMD_STAT_CNT_7156	788
		789
7157	ICMD_STAT_CNT_7157	788
		789
7158	ICMD_STAT_CNT_7158	788
		789
7159	ICMD_STAT_CNT_7159	788
		789
7160	ICMD_STAT_CNT_7160	788
		789
7161	ICMD_STAT_CNT_7161	788
		789
7162	ICMD_STAT_CNT_7162	369
		546
7163	ICMD_STAT_CNT_7163	369
		546
7172	POP_STAT_CNT_7172	034
		415
7191	MDLS_STAT_CNT_7191	046
		048
		112
		113
		223
		326
		463
		526
7192	MDLS_STAT_CNT_7192	046
		048
		112
		113
		223
		326
		463
		526

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.
7193	MDLS_STAT_CNT_7193	046
		048
		112
		113
		223
		326
		463
		526
7197	MDLS_STAT_CNT_7197	046
		048
		112
		113
		223
		326
		463
		526
7198	MDLS_STAT_CNT_7198	046
		048
		112
		113
		223
		326
		463
		526
7199	MDLS_STAT_CNT_7199	046
		048
		112
		113
		223
		326
		463
		526
7202	MDLS_STAT_CNT_7202	046
		048
		112
		113
		223
		326
		463
		526
7203	MDLS_STAT_CNT_7203	046
		048
		112
		113
		223
		326
		463
		526
7204	MDLS_STAT_CNT_7204	046
		048
		112
		113
		223
		326
		463
		526
7208	MDLS_STAT_CNT_7208	046
		048
		112
		113
		223
		326
		463
		526
7209	MDLS_STAT_CNT_7209	046
		048
		112
		113
		223
		326
		463
		526
7210	MDLS_STAT_CNT_7210	046
		048
		112
		113
		223
		326
		463
		526
7214	MDLS_STAT_CNT_7214	046
		048
		112
		113
		223
		326
		463
		526
7215	MDLS_STAT_CNT_7215	046
		048
		112
		113
		223
		326
		463
		526
7216	MDLS_STAT_CNT_7216	046
		048
		112
		113
		223
		326
		463
		526
7220	MDLS_STAT_CNT_7220	046
		048
		112
		113
		223
		326
		463
		526
7221	MDLS_STAT_CNT_7221	046
		048
		112
		113
		223
		326
		463
		526
7222	MDLS_STAT_CNT_7222	046
		048
		112
		113
		223
		326
		463
		526
7433	MDLS_STAT_CNT_7433	047
		114
		195
		464
7435	MDLS_STAT_CNT_7435	047
		114
		195
		464
7436	MDLS_STAT_CNT_7436	047
		114
		195
		464
7437	MDLS_STAT_CNT_7437	047
		114
		195
		464
7439	MDLS_STAT_CNT_7439	047
		114
		195

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.
		464
7440	MDLS_STAT_CNT_7440	047
		114
		195
		464
7441	MDLS_STAT_CNT_7441	047
		114
		195
		464
7443	MDLS_STAT_CNT_7443	047
		114
		195
		464
7444	MDLS_STAT_CNT_7444	047
		114
		195
		464
7445	MDLS_STAT_CNT_7445	047
		114
		195
		464
7447	MDLS_STAT_CNT_7447	047
		114
		195
		464
7448	MDLS_STAT_CNT_7448	047
		114
		195
		464
7449	MDLS_STAT_CNT_7449	047
		114
		195
		464
7450	MDLS_STAT_CNT_7450	047
		114
		195
		464
7625	MDLS_STAT_CNT_7625	046
		048
		112
		113
		223
		326
		463
		526
7626	MDLS_STAT_CNT_7626	046
		048
		112
		113
		223
		326
		463
		526
7627	MDLS_STAT_CNT_7627	046
		048
		112
		113
		223
		326
		463
		526
7628	MDLS_STAT_CNT_7628	046
		048
		112
		113
		223
		326
		463
		526
7629	MDLS_STAT_CNT_7629	046
		048
		112
		113
		223
		326
		463
		526
7630	MDLS_STAT_CNT_7630	046
		048
		112
		113
		223
		326
		463
		526
7632	MDLS_STAT_CNT_7632	048
		223
		326
		526
7635	MDLS_STAT_CNT_7635	046
		112
		113
		463
7636	MDLS_STAT_CNT_7636	046
		112
		113
		463
7637	MDLS_STAT_CNT_7637	046
		112
		113
		463
7647	DIC_STAT_CNT_7647	820
		821
7649	DIC_STAT_CNT_7649	820
		821
7651	DIC_STAT_CNT_7651	820
		821
7652	DIC_STAT_CNT_7652	820
		821
7653	DIC_STAT_CNT_7653	820
		821
7654	DIC_STAT_CNT_7654	820
		821
7810	ICFS_STAT_CNT_7810	367
		545
7812	MOE_STAT_CNT_7812	051
		529
7813	MOE_STAT_CNT_7813	051
		529
7814	MOE_STAT_CNT_7814	051
		529
7820	MOE_STAT_CNT_7820	439
		566
7821	MOE_STAT_CNT_7821	439
		566
7824	INAM_STAT_CNT_7824	438
		565
7828	POP_STAT_CNT_7828	431
		466
7829	POP_STAT_CNT_7829	431
		466
7830	POP_STAT_CNT_7830	431
		466
7832	M6A1_STAT_CNT_7832	656
		657
7833	M6A1_STAT_CNT_7833	656
		657
7834	M6A1_STAT_CNT_7834	656
		657
7835	M6A1_STAT_CNT_7835	656
		657
7836	M6A1_STAT_CNT_7836	656
		657
7837	M6A1_STAT_CNT_7837	656
		657
7838	M6A1_STAT_CNT_7838	656
		657

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.
7842	M6A1_STAT_CNT_7842	658
		659
7843	M6A1_STAT_CNT_7843	658
		659
7844	M6A1_STAT_CNT_7844	658
		659
7845	M6A1_STAT_CNT_7845	658
		659
7846	M6A1_STAT_CNT_7846	658
		659
7847	M6A1_STAT_CNT_7847	658
		659
7848	M6A1_STAT_CNT_7848	658
		659
7852	M6C1_STAT_CNT_7852	656
		657
		660
		661
7853	M6C1_STAT_CNT_7853	656
		657
		660
		661
7854	M6C1_STAT_CNT_7854	656
		657
		660
		661
7855	M6C1_STAT_CNT_7855	656
		657
		660
		661
7856	M6C1_STAT_CNT_7856	656
		657
		660
		661
7857	M6C1_STAT_CNT_7857	656
		657
		660
		661
7858	M6C1_STAT_CNT_7858	656
		657
		660
		661
7862	M6C1_STAT_CNT_7862	658
		659
		662
		663
7863	M6C1_STAT_CNT_7863	658
		659
		662
		663
7864	M6C1_STAT_CNT_7864	658
		659
		662
		663
7865	M6C1_STAT_CNT_7865	658
		659
		662
		663
7866	M6C1_STAT_CNT_7866	658
		659
		662
		663
7867	M6C1_STAT_CNT_7867	658
		659
		662
		663
7868	M6C1_STAT_CNT_7868	658
		659
		662
		663
7873	M6B1_STAT_CNT_7873	648
		649
7874	M6B1_STAT_CNT_7874	648
		649
7875	M6B1_STAT_CNT_7875	648
		649
7876	M6B1_STAT_CNT_7876	648
		649
7877	M6B1_STAT_CNT_7877	648
		649
7878	M6B1_STAT_CNT_7878	648
		649
7879	M6B1_STAT_CNT_7879	648
		649
7883	M6B1_STAT_CNT_7883	650
		651
7884	M6B1_STAT_CNT_7884	651
7885	M6B1_STAT_CNT_7885	651
7886	M6B1_STAT_CNT_7886	651
7887	M6B1_STAT_CNT_7887	651
7888	M6B1_STAT_CNT_7888	651
7889	M6B1_STAT_CNT_7889	651
7893	M6B3_STAT_CNT_7893	652
		653
7894	M6B3_STAT_CNT_7894	652
		653
7895	M6B3_STAT_CNT_7895	652
		653
7896	M6B3_STAT_CNT_7896	652
		653
7897	M6B3_STAT_CNT_7897	652
		653
7898	M6B3_STAT_CNT_7898	652
		653
7899	M6B3_STAT_CNT_7899	652
		653
7902	M6B3_STAT_CNT_7902	654
		655
7903	M6B3_STAT_CNT_7903	654
		655
7904	M6B3_STAT_CNT_7904	654
		655
7905	M6B3_STAT_CNT_7905	654
		655
7906	M6B3_STAT_CNT_7906	654
		655
7907	M6B3_STAT_CNT_7907	654
		655
7908	M6B3_STAT_CNT_7908	654
		655
7912	M6B2_STAT_CNT_7912	648
		649
		660
		661
7913	M6B2_STAT_CNT_7913	648
		649
		660
		661
7914	M6B2_STAT_CNT_7914	648
		649
		660
		661
7915	M6B2_STAT_CNT_7915	648
		649
		660
		661
7916	M6B2_STAT_CNT_7916	648
		649
		660
		661
7917	M6B2_STAT_CNT_7917	648
		649
		660
		661
7918	M6B2_STAT_CNT_7918	648
		649
		660

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.
		661
7922	M6B2_STAT_CNT_7922	650
		651
		662
		663
7923	M6B2_STAT_CNT_7923	651
		662
		663
7924	M6B2_STAT_CNT_7924	651
		662
		663
7925	M6B2_STAT_CNT_7925	651
		662
		663
7926	M6B2_STAT_CNT_7926	651
		662
		663
7927	M6B2_STAT_CNT_7927	651
		662
		663
7928	M6B2_STAT_CNT_7928	651
		662
		663
7932	M6B4_STAT_CNT_7932	652
		653
		660
		661
7933	M6B4_STAT_CNT_7933	652
		653
		660
		661
7934	M6B4_STAT_CNT_7934	652
		653
		660
		661
7935	M6B4_STAT_CNT_7935	652
		653
		660
		661
7936	M6B4_STAT_CNT_7936	652
		653
		660
		661
7937	M6B4_STAT_CNT_7937	652
		653
		660
		661
7938	M6B4_STAT_CNT_7938	652
		653
		660
		661
7942	M6B4_STAT_CNT_7942	654
		655
		662
		663
7943	M6B4_STAT_CNT_7943	654
		655
		662
		663
7944	M6B4_STAT_CNT_7944	654
		655
		662
		663
7945	M6B4_STAT_CNT_7945	654
		655
		662
		663
7946	M6B4_STAT_CNT_7946	654
		655
		662
		663
7947	M6B4_STAT_CNT_7947	654
		655
		662
		663
7948	M6B4_STAT_CNT_7948	654
		655
		662
		663
7952	M6B5_STAT_CNT_7952	050
		528
7953	M6B5_STAT_CNT_7953	050
		528
7954	M6B5_STAT_CNT_7954	050
		528
7955	M6B5_STAT_CNT_7955	050
		528
7956	M6B5_STAT_CNT_7956	050
		528
7957	M6B5_STAT_CNT_7957	050
		528
7958	M6B5_STAT_CNT_7958	050
		528
7962	M6B5_STAT_CNT_7962	646
		647
7963	M6B5_STAT_CNT_7963	646
		647
7964	M6B5_STAT_CNT_7964	646
		647
7965	M6B5_STAT_CNT_7965	646
		647
7966	M6B5_STAT_CNT_7966	646
		647
7967	M6B5_STAT_CNT_7967	646
		647
7968	M6B5_STAT_CNT_7968	646
		647
7973	ADDNL_RQM_CD_7973	943
7987	M6B6_STAT_CNT_7987	050
		528
		660
		661
7988	M6B6_STAT_CNT_7988	050
		528
		660
		661
7989	M6B6_STAT_CNT_7989	050
		528
		660
		661
7990	M6B6_STAT_CNT_7990	050
		528
		660
		661
7991	M6B6_STAT_CNT_7991	050
		528
		660
		661
7992	M6B6_STAT_CNT_7992	050
		528
		660
		661
7993	M6B6_STAT_CNT_7993	050
		528
		660
		661
7998	M6B6_STAT_CNT_7998	646
		647
		662
		663
7999	M6B6_STAT_CNT_7999	646
		647
		662
		663
8000	M6B6_STAT_CNT_8000	646
		647
		662

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.
		663
8001	M6B6_STAT_CNT_8001	646
		647
		662
		663
8002	M6B6_STAT_CNT_8002	646
		647
		662
		663
8009	AMSC_AMC_VC_8009	153
8011	DOC_SEC_8011	205
		320
8012	DOC_NUC_8012	320
8013	DOC_DIST_STMT_8013	204
		320
8014	EDRS_8014	320
8015	DOC_SEC_DESC_8015	205
8016	DOC_DIST_DESC_8016	204
8017	JED_MED_CD_8017	279
8018	JED_MED_DEF_8018	279
8019	DGTZD_MED_ABR_8019	279
8071	ICMS_STAT_CNT_8071	784
		785
8118	IANS_STAT_CNT_8118	373
		550
8121	IANS_STAT_CNT_8121	373
		550
8123	IANS_STAT_CNT_8123	933
		938
8124	IANS_STAT_CNT_8124	933
		938
8125	IANS_STAT_CNT_8125	933
		938
8126	IANS_STAT_CNT_8126	933
		938
8127	IANS_STAT_CNT_8127	933
		938
8159	STAT_LMD_RT_G_8159	027
		449
8162	FCS_STAT_CNT_8162	678
		679
8163	FCS_STAT_CNT_8163	678
		679
8164	FCS_STAT_CNT_8164	678
		679
8170	FCS_STAT_CNT_8170	678
		679
8171	FCS_STAT_CNT_8171	678
		679
8172	FCS_STAT_CNT_8172	678
		679
8173	FCS_STAT_CNT_8173	678
		679
8174	FCS_STAT_CNT_8174	678
		679
8175	FCS_STAT_CNT_8175	678
		679
8180	AAC_STAT_CNT_8180	628
		630
8183	AAC_STAT_CNT_8183	629
		631
8186	AAC_STAT_CNT_8186	634
		636
		642
		644
8189	AAC_STAT_CNT_8189	635
		637
		643
		645
8204	M6B6_STAT_CNT_8204	646
		647
		662
		663
8205	M6B6_STAT_CNT_8205	646
		647
		662
		663
8211	AAC_STAT_CNT_8211	634
		636
8214	AAC_STAT_CNT_8214	635
		637
8215	DS1_STAT_CNT_8215	028
		450
8217	DS2_STAT_CNT_8217	426
		557
8219	DS3_STAT_CNT_8219	427
		558
8221	DS4_STAT_CNT_8221	428
		559
8224	AMRC_STAT_CNT_8224	020
		472
8232	LRN_STAT_CNT_8232	045
		462
8237	LRN_STAT_CNT_8237	620
		622
8242	LRN_STAT_CNT_8242	621
		623
8254	RPLY_TBL_MRD_8254	126
		128
		922
		923
8261	PRT_DWG_SUPR_8261	842
8264	CRD_SEQ_CD_8264	121
8269	DSPL_ORDR_8269	383
8280	FMR_MOE_RULE_8280	345
		521
8290	MOE_RULE_NBR_8290	008
		009
		011
		015
		017
		051
		093
		095
		096
		137
		345
		437
		440
		507
		508
		510
		511
		512
		521
		529
		564
		687
		730
		733
8329	DEPT_CD_8329	955
8351	BB_MSG_ID_8351	598
		599
8352	BB_LI_SEQ_8352	598
8353	MDLS_BB_MSG_8353	598
8354	MDLS_BB_CMNT_8354	599
8450	MRC_IND_CD_8450	120
8458	M_RL_STAT_CD_8458	093
8525	REP_ISC_8525	915
8555	CONTI_IND_CD_8555	853
8575	QNTV_EXPRSN_8575	007
		506
8581	SKO_I_I_NBR_8581	942
8582	SKO_NCB_CD_8582	942
8583	CMP_I_I_NBR_8583	942
8584	CMP_NCB_CD_8584	942
8589	HMIC_FSC_TB_N_8589	962

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.
8593	SKO_QTY_8593	942
8594	SKO_FSC_8594	942
8595	CMP_FSC_8595	942
8596	SKO_ITEM_NAME_8596	942
8597	CMP_ITEM_NAME_8597	942
8599	INSP_CD_STNG_8599	943
8601	GRP_NBR_8601	130
		138
8602	START_RCD_TYP_8602	130
8603	START_ACCS_8603	130
8604	START_CMP_8604	130
8605	END_RCD_TYP_8605	130
8606	END_ACCS_NBR_8606	130
8607	END_CMP_8607	130
8608	PRE_BRK_RCD_8608	130
8609	PRE_BRK_ACCS_8609	130
8610	PRE_BRK_CMP_8610	130
8611	POST_BRK_RCD_8611	130
8612	POST_BRK_ACCS_8612	130
8613	POST_BRK_CMP_8613	130
8614	POST_BRK_POS_8614	130
		138
8615	FORCED_WRITE_8615	130
		138
8616	CTR_ATTR_8616	130
		138
8617	ZER_SUPRSN_8617	130
		138
		335
		388
		447
		473
		486
8618	GRP_TYP_8618	138
8619	START_CMP_SEQ_8619	138
8620	END_CMP_SEQ_8620	138
8621	DAT_LGTH_ATTR_8621	335
		388
		447
		473
		486
8622	RCD_LGTH_ATTR_8622	133
8623	CTR_FUNC_8623	138
8624	EXTR_UPDT_8624	133
		340
8625	FMT_OP_8625	133
		340
8626	UPDT_KEY_LGTH_8626	133
8627	DYN_ALLOC_8627	133
		340
8628	FILE_NM_HLQ_8628	133
		340
8656	DT_OE_LI_CHG_8656	083
8657	DT_OE_RCD_DEL_8657	502
8805	AMMO_CD_8805	001
		073
		496
		723
8809	AMMO_CD_PRFX_8809	487
8815	RPLD_AMMO_8815	496
8831	AR_FSC_MGR_8831	094
		515
8835	ADP_PNT_CD_8835	004
		077
8850	FILE_MAINT_CD_8850	213
		878
8855	ASSOC_CD_CAGE_8855	082
8860	AF_FSC_MGR_8860	094
		515
8868	CAO_EX_PR_CD_8868	178
8870	CAO_CD_8870	004
		077
8875	RPLM_NSN_CANC_8875	010
		509
8905	FILE_MNT_RCVR_8905	148
		530
8971	NATO_RPLM_NSN_8971	684
8972	NATO_MFR_NM_8972	685
8974	NATO_MFR_TEL_8974	685
8975	NATO_MFR_FAX_8975	685
8976	NCC_CMNT_8976	422
8977	RP_NSN_STD_RL_8977	018
		524
8990	SAC_8990	115
		116
		125
		348
		349
		350
		351
		352
		353
		354
		357
		358
		360
		361
		362
		950
8999	DIDS_SEG_CD_8999	177
		199
		207
		209
		210
		249
		291
		292
		293
		305
		479
		746
		889
		890
		891
		892
9066	RESTORE_FLAG_9066	840
9069	CICS_PASS_KEY_9069	443
9070	CICS_PASS_TX_9070	443
9077	HCC_ABRV_DEF_9077	711
9079	HCC_GP_9079	711
9090	IMM_9090	094
		515
9128	DT_MR_ASGND_9128	345
		521
9131	ACTIVITY_FLAG_9131	772
		929
9133	ACTY_GRP_9133	143
		474
		606
		709
		715
		945
9134	ACTY_TYPE_9134	382
9135	ALLOWED_DIC_9135	403
		961
9136	APPL_OP_REC_9136	044
		151
		408
		866
		961
		997
		999
9137	ARCHIVE_TS_9137	840
9138	ARCHVNG_USER_9138	840
9139	ASCII_EBCDIC_9139	410
9140	AUTODIN_IO_9140	397
		841

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.
9141	BLOCK_SIZE_9141	410
9142	COMM_RI_9142	054
		084
		409
		841
		843
9143	CPU_ROUTED_TO_9143	401
9144	DATASET_NAME_9144	840
9146	DIC_SEQ_9146	151
		385
		389
		408
		474
		475
		476
		866
		869
		961
9151	ERROR_SEQ_9151	323
		405
9152	ERROR_TS_9152	086
		323
		405
9153	EXEC_COUNT_9153	600
		777
		852
		872
9154	EXT_SEG_DATA_9154	747
		838
		854
		931
9155	EXT_SEG_SEQ_9155	747
		838
		848
		854
		868
		931
9156	EXTEND_FLAG_9156	071
		319
		402
		609
		775
		778
		867
		995
		996
9157	FILE_CHAR_CNT_9157	474
		666
9158	FILE_REC_CNT_9158	474
		666
9161	FOOTPRNT_DATE_9161	840
9162	FORMAT_NAME_9162	404
		406
9164	FORMATTED_TS_9164	601
		777
		852
		872
9167	I_O_TYPE_9167	383
9169	INPUT_FORMAT_9169	382
9170	INPUT_MEDIA_9170	052
		084
		401
		600
		604
		777
		852
		872
9171	INPUT_RECORD_9171	070
		314
		315
		399
		402
		867
		868
		994
		995
		996
9173	LOGGED_TS_9173	314
		315
		481
		617
		994
9176	MAX_REC_LGTH_9176	410
9178	MEDIA_HEADER_9178	054
		084
		085
		385
		389
		397
		481
		612
		843
		844
		869
9179	MESSAGE_LGTH_9179	054
		084
		397
9180	MIN_ALT_MED_9180	783
9181	MINIMIZE_FLAG_9181	783
9182	MIN_REC_LGTH_9182	410
9185	NATO_FLAG_9185	855
9186	NATO_PIC_9186	600
		777
		852
		872
9187	NATO_PIC_VAL_9187	412
9189	ODRC_SEQ_9189	855
9190	ON_HOLD_TS_9190	601
		777
		852
		872
9191	ROW_HLD_FLG_9191	618
9192	OP_PARTITION_9192	601
		852
		872
9195	OUTPUT_FORMAT_9195	382
9196	OUTPUT_RECORD_9196	475
		715
		945
9198	PGM_NAME_9198	383
9199	PGM_TRANSID_9199	383
9200	PIC_DESC_9200	412
9201	PROCESSED_TS_9201	601
		852
		872
9202	RCVD_SND_STMP_9202	397
		841
9203	RE_PROCESS_TS_9203	054
		601
		843
		852
		872
9204	RECVD_STAMP_9204	151
		181
		368
		375
		602
		710
		774
		776
		871
		961
9205	REJECT_FLAG_9205	600
		777
		852
		872
9206	REJECTED_TS_9206	601

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.
		852
		872
9207	RELEASED_CNT_9207	850
9208	RELEASED_TS_9208	143
		601
		666
		852
		872
9209	REORDER_TS_9209	850
9210	REROUTED_TIME_9210	401
9211	LN_2780_IDEN_9211	926
9214	PRIM_COMM_RI_9214	409
9215	AIR_CMTY_HDLG_9215	016
		523
9216	MEDALS_FLG_9216	052
		604
9217	ACTY_OP_9217	052
		604
9220	AIR_DIM_CD_9220	016
		163
		523
9221	IP_TRK_9221	052
		604
		613
		614
		616
9222	OP_TRK_9222	052
		604
9223	SP_PROJ_9223	052
		603
		604
		613
		614
		616
		715
9224	APP_ARCH_KEY_9224	604
		605
		840
9225	ARCH_DATA_TYP_9225	840
9226	TAPE_LOG_IP_9226	603
9227	TAPE_VOL_SER_9227	603
9228	TAPE_IP_TM_9228	603
9229	TRAN_PROC_FLG_9229	604
9230	LFU_PROC_STAT_9230	605
9240	SP_HDLG_CD_9240	016
		300
		523
9241	MADS_DB2_PART_9241	612
		666
9242	FILE_REC_MIN_9242	666
9243	FILE_CHAR_MIN_9243	666
9250	CAGE_CD_9250	002
		003
		004
		005
		014
		023
		059
		069
		070
		079
		081
		082
		083
		092
		101
		103
		151
		176
		189
		222
		225
		245
		328
		413
		420
		421
		494
		495
		502
		504
		522
		686
		725
		772
		773
		779
		780
		781
		917
		929
		937
		953
9255	SIN_SUBM_ACTY_9255	094
		515
9256	MAJ_MCC_AR_9256	006
		093
		237
		505
9257	MAT_MGMT_MC_9257	006
		093
		242
		505
9260	TYPE_CGO_CD_9260	016
		311
		523
9275	WTR_CMDTY_CD_9275	016
		523
9306	AUTODIN_CIC_9306	841
9308	SNF_END_DT_9308	089
9309	SNF_TYP_UPDT_9309	089
9310	AUTODIN_MSG_9310	612
		843
9311	ARCH_BEG_DT_9311	140
		913
9312	ARCH_END_DT_9312	140
		913
9314	RSTR_STAT_FLG_9314	141
		913
9325	ORG_STDZN_DEC_9325	016
		523
9368	SIC_CD_SQ_IND_9368	079
9381	LOG_MSG_TS_9381	084
		085
		086
9382	EDIT_STAT_9382	084
9383	EDIT_CMPLT_TS_9383	084
9384	EDIT_RESULTS_9384	084
9385	RELED_MSG_TS_9385	084
9386	RECVD_MSG_TS_9386	084
9387	MED_TRAIL_9387	084
9388	RECVD_TD_QUE_9388	084
9389	MSG_TX_9389	085
		619
9390	DB2_SQL_ERR_9390	086
9391	DB2_SQL_STA_9391	086
9392	CICS_ERR_9392	086
9393	ERR_MSG_9393	086
9394	RE_PRCSD_TS_9394	084
9401	IMM_SOS_9401	331
		519
9402	AR_SOS_9402	331
		519
9403	AF_SOS_9403	331
		519
9404	NVY_SOS_9404	331
		519

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.
9410	MIOS_TRAN_KEY_9410	876
		953
9411	RESOLUTION_9411	323
		405
9412	RESPONSE_HRS_9412	412
9414	SEG_SEQ_9414	044
		071
		105
		319
		609
		747
		775
		778
		838
		854
		931
9415	SEGMENT_CD_9415	071
		319
		385
		389
		404
		406
		411
		609
		747
		775
		778
		838
		853
		854
		869
		931
		957
9416	SEGMENT_DATA_9416	071
		319
		609
		775
		778
9418	SEGMENT_FLAG_9418	411
9419	SEGMENT_POS_9419	411
9420	SEGMENT_STATS_9420	403
9424	TM_BATCH_NBR_9424	606
		851
9425	TM_BATCH_SEQ_9425	851
9426	TM_BATCH_TRNS_9426	851
9427	TM_COMPLT_TS_9427	601
		852
		872
9429	TM_FILE_NAME_9429	601
		852
		872
9430	TM_REC_NBR_9430	084
		085
		151
		314
		315
		408
		475
		476
		481
		604
		612
		619
		666
		715
		843
		866
		945
		961
		994
9432	TRAILER_9432	397
9433	TRANS_COUNT_9433	397
9434	TRANS_ERR_FLG_9434	851
9435	TRANS_KEY_9435	052
		071
		319
		323
		375
		405
		408
		474
		475
		476
		600
		601
		602
		604
		605
		609
		616
		747
		774
		775
		776
		777
		778
		838
		852
		854
		866
		871
		872
		876
		931
		953
		957
9437	TRANS_NBR_9437	385
		389
		481
		869
9438	TRANS_REF_KEY_9438	600
		852
		872
9440	TRANS_TYP_FLG_9440	383
9441	TYPE_OF_TRNS_9441	602
		608
		774
		776
		871
9442	UNDEF_SEGMENT_9442	481
9443	VALID_HX_DIC_9443	383
9444	VALID_LFU_DIC_9444	383
9445	LFU_TRANS_KEY_9445	605
9446	TRANS_TS_STAT_9446	604
9451	EXTR_RTN_CD_9451	879
		993
9452	ACCUM_RTN_CD_9452	879
		993
9453	CARRY_OVR_FLG_9453	879
		993
9454	CARRY_OVR_RTN_9454	879
		993
9455	CARRY_OVR_CNT_9455	879
		993
9456	UPDT_RTN_CD_9456	879
		993
9457	UPDT_CNT_9457	879
		993
9458	FORCED_FLAG_9458	879
		993
9459	ROLL_UP_DEPT_9459	959
9460	ROLL_UP_CD_9460	959
9461	JOB_CTL_JUL_9461	879
		993
9462	STORED_JUL_DT_9462	879
9478	TMSTMP7_9478	324
9479	MULTI_INP_FLG_9479	926

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.
9480	RTN_CD_9480	061
		064
		105
		291
		292
		323
		368
		374
		375
		405
		476
		536
		540
		608
		771
		875
		924
		948
		957
9481	SGML_ELE_NAME_9481	337
9482	SRT_ALLOWED_9482	337
9483	MULT_MED_TRAN_9483	603
9484	RE_OP_AUTO_TS_9484	841
9485	SEC_AD_IND_CD_9485	115
		116
		125
		950
9486	AUTODIN_DT_TM_9486	012
9487	JRNL_TMSTMP_9487	012
9500	DFLT_RELE_TDQ_9500	383
		613
9501	HELD_CNT_9501	613
9502	RELED_CNT_9502	613
9503	RELE_DATA_9503	614
		616
9504	REORG_FLAG_9504	614
		616
9506	CIT_ELGBL_IND_9506	398
9507	JCL_JOB_NM_9507	617
9508	TM_JOB_STAT_9508	617
9509	TM_COMMIT_RT_9509	617
9510	TM_CKPNT_WS_9510	617
9511	TM_CKPNT_CT_1_9511	617
9512	TM_CKPNT_CT_2_9512	617
9513	TM_CKPNT_CT_3_9513	617
9514	TM_CKPNT_CT_4_9514	617
9515	RESTRT_COMMIT_9515	710
9525	RPLM_NSN_STDZ_9525	016
		523
9542	MGMT_EXCP_NTS_9542	093
9544	SUBJ_SI_SUB_P_9544	094
		515
9545	SUBJ_IMM_M_CD_9545	094
		515
9546	SUBJ_IM_CDNG_9546	094
		515
9547	SICA_LOA_9547	093
		152
		296
9553	CL_ASST_MODH3_9553	001
		073
9554	CL_ASST_MODH2_9554	099
		518
		594
9562	KWA_NO_NOTI_9562	409
9563	KWA_ACTY_NOTI_9563	409
9564	KWA_NATO_ZZ_9564	409
9576	M8B6_STAT_CNT_9576	371
		572
		580
		588
9577	DIC_STAT_CNT_9577	820
		821
9587	DIC_STAT_CNT_9587	065
		541
9589	DIC_STAT_CNT_9589	065
		541
9591	DIC_STAT_CNT_9591	065
		541
9592	DIC_STAT_CNT_9592	065
		541
9593	DIC_STAT_CNT_9593	065
		541
9594	DIC_STAT_CNT_9594	065
		541
9596	IANS_STAT_CNT_9596	373
		550
9599	IANS_STAT_CNT_9599	039
		456
9600	IANS_STAT_CNT_9600	039
		456
9601	IANS_STAT_CNT_9601	039
		456
9602	IANS_STAT_CNT_9602	039
		456
9603	IANS_STAT_CNT_9603	039
		456
9604	IANS_STAT_CNT_9604	935
		940
9605	IANS_STAT_CNT_9605	935
		940
9606	IANS_STAT_CNT_9606	935
		940
9607	IANS_STAT_CNT_9607	934
		939
9608	IANS_STAT_CNT_9608	934
		939
9609	IANS_STAT_CNT_9609	934
		939
9610	IANS_STAT_CNT_9610	934
		939
9640	TRFR_STAT_CNT_9640	668
9643	TRFR_STAT_CNT_9643	068
9644	TRFR_STAT_CNT_9644	068
9645	TRFR_STAT_CNT_9645	068
9648	TRFR_STAT_CNT_9648	396
		555
9649	TRFR_STAT_CNT_9649	396
		555
9650	TRFR_STAT_CNT_9650	396
		555
9655	TRFR_STAT_CNT_9655	396
		555
9656	TRFR_STAT_CNT_9656	396
		555
9657	TRFR_STAT_CNT_9657	396
		555
9662	TRFR_STAT_CNT_9662	672
		673
		680
		681
9663	TRFR_STAT_CNT_9663	672
		673
		680
		681
9664	TRFR_STAT_CNT_9664	672
		673
		680
		681
9665	TRFR_STAT_CNT_9665	672
		673
		680
		681
9667	TRFR_STAT_CNT_9667	672
		673
		680
		681

CHAPTER 6
DATA DICTIONARY
DRN TO TABLE GROUP NO.
APPLICATION CROSS REFERENCE

DRN	DB2 Element Name	GRP TBL NO.
9668	TRFR_STAT_CNT_9668	672
		673
		680
		681
9670	PIC_STAT_CNT_9670	372
		549
9671	PIC_STAT_CNT_9671	372
		549
9672	PIC_STAT_CNT_9672	372
		549
9673	PIC_STAT_CNT_9673	372
		549
9681	PIC_STAT_CNT_9681	551
		552
9682	PIC_STAT_CNT_9682	551
		552
9683	PIC_STAT_CNT_9683	551
		552
9684	PIC_STAT_CNT_9684	551
		552
9692	PIC_STAT_CNT_9692	441
		568
9693	PIC_STAT_CNT_9693	441
		568
9694	PIC_STAT_CNT_9694	441
		568
9695	PIC_STAT_CNT_9695	441
		568
9697	PIC_STAT_CNT_9697	030
		452
9698	PIC_STAT_CNT_9698	030
		452
9704	STAT_DEPT_NM_9704	698
9705	STATS_ACCS_DT_9705	062
9711	DRPD_SEG_1_9711	074
9712	DRPD_SEG_6_9712	074
9713	DRPD_SEG_7_9713	074
9714	DRPD_SEG_9_9714	074
9715	DRPD_SEG_A_9715	074
9716	DRPD_SEG_B_9716	074
9717	DRPD_SEG_C_9717	074
9718	DRPD_SEG_D_9718	074
9719	DRPD_SEG_E_9719	074
9720	DRPD_SEG_F_9720	074
9721	DRPD_SEG_G_9721	074
9722	DRPD_SEG_H_9722	074
9723	DRPD_SEG_J_9723	074
9724	DRPD_SEG_K_9724	074
9725	DRPD_SEG_L_9725	074
9726	DRPD_SEG_M_9726	074
9727	DRPD_SEG_N_9727	074
9728	DRPD_SEG_P_9728	074
9729	DRPD_SEG_Q_9729	074
9730	DRPD_SEG_R_9730	074
9731	DRPD_SEG_V_9731	074
9732	DRPD_SEG_W_9732	074
9733	DRPD_SEG_Y_9733	074
9734	DRPD_SEG_Z_9734	074
9735	ALL_SEGS_DRPD_9735	074
9751	ACTY_CATEGORY_9751	382
		475
9756	DIC_CATEGORY_9756	181
		383
		408
		866
		961
9759	ORIG_IMAG_KEY_9759	385
		399
		848
		867
		868
		869
9763	RR_TRANS_KEY_9763	389
		401
		402
		995
		996
9764	SELECT_KEY_9764	407
9765	SSN_9765	012
		054
		084
		841
		843
9771	VALID_POSIT_9771	853
9779	DWG_FIIG_TI_9779	815
9801	OP_SEQ_FLD_9801	715
		945
9802	OP_DATA_GP_9802	383
		715
		945
9803	USER_DEF_FLG_9803	715
		945
9804	OP_DIST_FREQ_9804	783
9975	DRN_VAL_9975	105

☆ U.S. GOVERNMENT PRINTING OFFICE: 1997-545-059/60007