

REPORT DOCUMENTATION PAGE			Form Approved OMB NO. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comment regarding this burden estimates or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.				
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE June 1997	3. REPORT TYPE AND DATES COVERED Final report, 4/1/94 to 3/31/97		
4. TITLE AND SUBTITLE Nonlinear waves in mechanics and gas dynamics			5. FUNDING NUMBERS DAAH04-94-G-0045	
6. AUTHOR(S) Tai-Ping Liu				
7. PERFORMING ORGANIZATION NAMES(S) AND ADDRESS(ES) Department of Mathematics Stanford University Stanford, CA 94305-2125			8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Army Research Office P.O. Box 12211 Research Triangle Park, NC 27709-2211			10. SPONSORING / MONITORING AGENCY REPORT NUMBER AR032376.12-MA	
11. SUPPLEMENTARY NOTES The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision, unless so designated by other documentation.				
12a. DISTRIBUTION / AVAILABILITY STATEMENT Approved for public release; distribution unlimited.			12 b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) The author has studied the qualitative behaviour of nonlinear waves for hyperbolic conservation laws with or without the effects of dissipations, discretization, or nonlinear resonance. The fundamental problem of well-posedness theory for hyperbolic conservation laws is being resolved. It is shown that no physical law, beyond the second law of thermodynamics, is needed. The shock waves for finite difference schemes are shown to have slow decaying tails due to the effect of small divisor. Physical degenerate dissipation matrix is shown to give rise to rich nonlinear wave phenomena. Nonlinear waves for non-strictly hyperbolic system are shown to behave sensitively as a functional of the dissipation matrix. The ideas of wave tracing and pointwise estimates introduced by the author play the central role in the analysis of these problems.				
DTIC QUALITY INSPECTED 2				
14. SUBJECT TERMS nonlinear waves, hyperbolic conservation laws			15. NUMBER IF PAGES 3	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OR REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED	19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED	20. LIMITATION OF ABSTRACT UL	

NONLINEAR WAVES IN MECHANICS AND GAS DYNAMICS

FINAL PROGRESS REPORT

TAI-PING LIU

JUNE 26, 1997

U.S. ARMY RESEARCH OFFICE

CONTRACT/GRANT NUMBER: DAAH04-94-G-0045-P00004

DEPARTMENT OF MATHEMATICS
STANFORD UNIVERSITY

APPROVED FOR PUBLIC RELEASE;

DISTRIBUTION UNLIMITED.

THE VIEWS, OPINIONS, AND/OR FINDINGS CONTAINED IN THIS REPORT
ARE THOSE OF THE AUTHOR(S) AND SHOULD NOT BE CONSTRUED AS AN
OFFICIAL DEPARTMENT OF THE ARMY POSITION, POLICY, OR DECISION,
UNLESS SO DESIGNATED BY OTHER DOCUMENTATION.

19971203 066

REPORT DOCUMENTATION PAGE (SF298)
(Continuation Sheet)

Final Progress Report for period 4/1/94 to 3/31/97

Title: Nonlinear waves in mechanics and gas dynamics
Author: Tai-Ping Liu
Grant No.: DAAH04-94-G-0045-P00004

The author has done the following research on qualitative understanding of nonlinear partial differential equations arising in continuum physics.

With Kevin Zumbrun, we have studied stability of shock waves for multiphase model. These waves are less compressible than the gas dynamics shocks which makes it necessary to trace their locations. [55,56]

[55] (with K. Zumbrun) Nonlinear stability of an undercompressive shock for complex Burgers equation, Comm. Math. Physics, 168(1995), 163-186.

[56] Gas flows with damping and vacuum, Japan J. Indus. and Appl. Math. 13(1996), 25-32.

With Yanni Zeng we studied the time-asymptotic behavior of conservation laws with physical viscosity matrix. Such a matrix is necessarily degenerate and one needs to study the dual parabolic-hyperbolic nature of the system. [58,61]

[58] (with Y. Zeng) Large time behavior of solutions of general quasilinear hyperbolic-parabolic systems of conservation laws, Memoirs, Amer. Math. Soc. No.599 (1997).

[61] (with Y. Zeng) Compressible Navier-Stokes equations with zero heat conductivity, (preprint).

The following paper on the stability of viscous shocks is the main paper where the author introduces the pointwise estimate approach [66].

[66] Pointwise convergence to shock waves for viscous conservation laws, Comm. Pure Appl. Math. (to appear).

The approach has proven effective in studying various other types of nonlinear waves. In the following paper with Zhouping Xin, it is applied to the study of viscous contact discontinuities [62].

[62] (with Z. Xin) Pointwise decay to contact discontinuities for viscous conservation laws, Asian J. Math. (to appear).

Overcompressive and undercompressive shocks depend sensitively on the value of dissipation parameters. This issue is studied in the following paper [65].

[65] Zero dissipation and stability of shock waves, (preprint).

With Shih-Hsien Yu we have studied the traveling waves for the finite difference schemes of shock computations. We show that, even for dissipative schemes such as Lax-Friedrichs and Godunov schemes, the tail behavior depends on its speed sensitively. In the following paper we study waves whose speed relative to the C-F-L number is Diophantine number [63,69].

[63] (with S.-H. Yu) Continuum shock profiles for discrete conservation laws, I. Construction. (preprint).

[69] (with T. Ruggeri) Entropy production and admissibility of shocks, (preprint).

REPORT DOCUMENTATION PAGE (SF298)
(Continuation Sheet)

The combined effect of physical boundary and the dissipation on the propagation of shocks is studied in [59,64].

[59] (with S. Yu) Propagation of Burgers stationary shocks under boundary effect, Archive Rational Mech. Anal., (to appear).

[64] (with K. Nishihara and A. Matsumura) Asymptotic behaviour for scalar viscous conservation law with boundary effect, J.D.E. 133 (1997), 296-320.

Tong Yang and the author are working on a major project, the well-posedness theory for hyperbolic conservation laws. We have already obtained a preliminary result when one of the solutions is a constant solution [68].

[68] (with S.-H. Yu) Continuum shock profiles for discrete conservation laws, II. Stability. (preprint).