

12 August 1995

Contract NO:DAMD17-95-2-5003

TITLE: Collaborative Research and Support of Fitzsimmons Army Medical Center  
DWH Research Program Projects

SUBTITLE: Army Pregnancy Study: Relationships Between A Soldiers MOS  
and Birth Outcomes Protocol 3

PRINCIPAL INVESTIGATOR: Robert L. Hayes  
Scott Bennion, COL and Joseph F. Creedon, MAJ

CONTRACTING ORGANIZATION: Facilitators of Applied Clinical  
Trials

San Antonio, Texas 78216

REPORT DATE: August 31, 1995

TYPE OF REPORT: Midterm

PREPARED FOR: U.S. Army Medical Research and Material  
Command  
Fort Detrick  
Frederick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Approved for public release;  
distribution unlimited

The views, opinions, and/or findings contained in this  
report are those of the author and should not be construed  
as an official Department of the Army position, policy or  
decision unless so designated by other documentation.

19971208 015

DTIC QUALITY INSPECTED 2

# REPORT DOCUMENTATION PAGE

Form Approved  
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE August 31, 1995	3. REPORT TYPE AND DATES COVERED Midterm (February 1, 1995 - July 31, 1995)	
4. TITLE AND SUBTITLE Collaborative Research and Support of Fitzsimmons Army Medical Center DWH Research Program Projects SUBTITLE: Army Pregnancy Study: Relationships ...		5. FUNDING NUMBERS DAMD17-95-2-5003	
6. AUTHOR(S) Robert L. Hayes Scott Bennion, COL Joseph F. Creedon, MAJ		8. PERFORMING ORGANIZATION REPORT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Facilitators of Applied Clinical Trials San Antonio, Texas 78216		10. SPONSORING/MONITORING AGENCY REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Army Medical Research and Materiel Command Fort Detrick, Maryland 21702-5012		11. SUPPLEMENTARY NOTES	
12a. DISTRIBUTION/AVAILABILITY STATEMENT  Approved for public release; distribution unlimited		12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) The purpose of this multisite investigation is to attempt to quantify risk or establish baseline rates for the offspring of female soldiers by career management field or military occupational specialty for the following outcomes: spontaneous abortions, ectopic pregnancies, intrauterine fetal demise, preterm birth (PB), low birth weight (LBW), preterm and low birth weight infant, and congenital abnormalities. Currently, 3779 subjects have been enrolled, which consist of 1026 soldiers, 164 daughters of soldiers or military retirees, 2572 spouses of active duty soldiers or retirees, and 20 women classified as other. A total of 1694 outcomes have been obtained of which 1502 were births. Preliminary analysis revealed that significant risk factors for LBW were previous LBW delivery Relative Risk (RR) 3.27(1.54,6.90) and black race RR 2.10(1.45,3.05). Black race has been associated with a 218 gm statistically significant lower mean birth weight (3070 gm vs. 3288 gm, p=0.000004). Significant risk factors identified for PB were a history of previous PB RR 3.45(1.92,6.18) and black race RR 1.71(1.16,2.52). Soldiers do not appear to be at risk for LBW RR 1.32(0.90,1.94) or PB RR 1.21(0.82,1.79) at this time.			
14. SUBJECT TERMS  Preterm Birth, Low Birth Weight, Spontaneous Abortion, Preterm and Low Birth Weight, Intrauterine Fetal Demise, Congenital Abnormalities			15. NUMBER OF PAGES 11
17. SECURITY CLASSIFICATION OF REPORT Unclassified			16. PRICE CODE
18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT Unlimited	

FOREWORD

Opinions, interpretations, conclusions and recommendations are those of the author and are not necessarily endorsed by the US Army.

Where copyrighted material is quoted, permission has been obtained to use such material.

Where material from documents designated for limited distribution is quoted, permission has been obtained to use the material.

Citations of commercial organizations and trade names in this report do not constitute an official Department of Army endorsement or approval of the products or services of these organizations.


In conducting research using animals, the investigator(s) adhered to the "Guide for the Care and Use of Laboratory Animals," prepared by the Committee on Care and Use of Laboratory Animals of the Institute of Laboratory Resources, National Research Council (NIH Publication No. 86-23, Revised 1985).

JPC For the protection of human subjects, the investigator(s) adhered to policies of applicable Federal Law 45 CFR 46.

In conducting research utilizing recombinant DNA technology, the investigator(s) adhered to current guidelines promulgated by the National Institutes of Health.

In the conduct of research utilizing recombinant DNA, the investigator(s) adhered to the NIH Guidelines for Research Involving Recombinant DNA Molecules.

In the conduct of research involving hazardous organisms, the investigator(s) adhered to the CDC-NIH Guide for Biosafety in Microbiological and Biomedical Laboratories.

PI -  Signature 20 Aug 95  
Date

## Table of Contents

Table of Contents	1
Introduction and Background	2-3
Objectives	3-4
Data Quality Control	4
Results	4-5
References	5-7

1. **Introduction and Background:** As of June 1991 there were approximately 82,000 female soldiers serving on active duty in the United States Army, and demographically can be characterized as a population which is young (approximately 17-45) and reproductively active. The Army offers these women career opportunities that are varied and diverse in the majority of the Army military occupational specialties (MOS). No investigations have been conducted regarding the risk of adverse pregnancy outcomes to soldiers by MOS. The risk of Adverse reproductive outcomes occurring in the offspring of female soldiers is unknown. This study has been designed to follow a cohort of soldiers and nonsoldiers prospectively over time to elucidate what the risk of adverse pregnancy outcomes to the offspring of female soldiers may be. Multiple epidemiologic investigations of occupation or employment regarding adverse reproductive outcomes have been undertaken. The results of these investigations have been contradictory with some investigators finding no association between occupation or employment and adverse reproductive outcomes,<sup>1-13</sup> while other investigators found positive associations between these variables.<sup>14-33</sup> Fox et al<sup>34</sup> conducted a study from 1974-1976 involving active duty Air Force personnel; this study's conclusions led its investigators to surmise that the pregnancy during active duty represented a high risk pregnancy. Weaknesses in this investigation are primarily due to a small sample size (n=195 pregnancies), and a dramatically changed role and composition of women both in the Army and Air Force in 1991 verses 1976. Birdsong<sup>35</sup> reported in 1987 an excess

rate of ectopic pregnancies found in enlisted soldiers and airmen, his investigation was conducted upon service members assigned in West Germany, the crude rates were 1/27 and 1/32 respectively. Other studies have focused on the health status and reproductive outcomes of Vietnam Veterans<sup>36-39</sup> and found, in general, no association between service in Vietnam and increased adverse fetal outcomes. Baker reported in 1989, upon an investigation conducted regarding health experiences of U.S. military nurses who served in Vietnam,<sup>40</sup> this author noted an increased number of health problems of female nurses and their children which were related to Post Traumatic Stress Syndrome. More recently, Ramirez et al<sup>41</sup> reported in 1990 on a retrospective study conducted upon U.S. Army primigravidas in relation to occupational activity and preterm birth. This investigation noted an increased risk of preterm delivery related to age, pay grade, and physical activity, with an odds ratio(OR) of 1.69(1.08,2.64) for heavy physically demanding tasks and an OR of 1.75(1.12,2.75) for very heavy physically demanding tasks. However, confounder data was unavailable for cigarette smoking, alcohol consumption, and pregnancy complications, which render these results interpretable with caution.

**2. Objectives:** The purpose of this current investigation is to attempt to quantify risk or establish baseline rates for the offspring of female soldiers by CMF or MOS for the following outcomes: spontaneous abortions, ectopic pregnancies, intrauterine fetal demise, preterm birth, low birth weight

infant, preterm and low birth weight infant, and congenital abnormalities.

### 3. Data Quality Control

This will be accomplished by having different individuals enter the data into two separate record files and utilizing the Validate program in Epi Info. This program will cross check the data entered into both files and then list discrepancies between the files.

### 4. Results:

a: Respondents by site:

	<u>Pilot</u>	<u>Ft. Carson</u>	<u>Ft. Lewis</u>	<u>Ft. Bragg</u>	<u>Ft. Riley</u>	<u>Ft. Campbell</u>	<u>Totals</u>
Active Duty	594	45	99	177	49	62	1026
AD Daughters	43	5	6	5	3	2	64
Retiree Daughters	61	11	12	10	2	1	97
Other	9	1	8	2	0	0	20
AD Spouses	1444	209	306	240	143	190	2532
Retiree Spouses	27	1	9	1	3	0	40
Totals	2178	272	440	434	200	255	3779

b. Pilot Project: A total of 1694 outcomes have been obtained from the pilot project at Ft. Carson, of which 1502 were births. An 81.48 gm ( $p=0.039$ ) lower mean birth weight has been noted in the soldier population when the cohort was dichotomously classified by soldier status, however this relationship became nonsignificant after stratification by race ( $p=0.305$ ). Black race when compared to the non black cohort has been associated with 218 gm statistically significant lower mean birth weight (3070 gm vs. 3288 gm,  $p=0.000004$ ).

Relative Risk (RR) estimates:

	RR	CI 95%
Previous LBW vs Current LBW Delivery	3.27	1.54,6.90
LBW vs Soldier Status	1.32	0.90,1.94
LBW vs Black Race	2.10	1.45,3.05
Previous Preterm vs Current Preterm	3.45	1.92,6.18
Preterm Birth vs Soldier Status	1.21	0.82,1.79
Preterm Birth vs Black Race	1.71	1.16,2.52

A cross sectional study has been performed on the pooled soldier data from all of the sites. This study has revealed that the overall unplanned pregnancy rate for the active duty soldiers enrolled was 46.5%, however, the unplanned pregnancy rate for female soldiers residing in the barracks was 76.1%. The odds ratio for pregnant female soldiers who live in the barracks for unplanned pregnancy was 4.10(2.90,5.81) and the odds ratio for pregnant female soldiers never having taken oral contraceptives was 2.89 (1.97,4.25). This early data has helped to identify the active duty soldier population as a risk group to target for pregnancy prevention. The unplanned pregnancy rate is felt to substantially impact upon readiness, man-hours lost to the soldiers' unit, and dollar cost for medical care.

**c. References:**

1. Meyer B, Daling J. Activity Level Of Mother's Usual Occupation And Low Infant Birth Weight. JOM 1985;27:841-7.
2. Rabkin C, Anderson H, Bland J, Brooke O, Chamberlain G, Peacock J. Maternal Activity And Birth Weight: A Prospective, Population-Based Study. AJE 1990;131:522-31.
3. Ahlborg G, Bodin L, Hogstedt C. Heavy Lifting During Pregnancy-A Hazard To The Fetus? A Prospective Study. Int Jour Epi 1990;19:90-7.
4. Zuckerman B, Frank D, Hingson R, Morelock S, Kayne H. Impact Of Maternal Work Outside The Home During Pregnancy On Neonatal Outcome. Pediatrics 1986;77:459-64.
5. Kurppa K, Rantala K, Nurminen T, Holmberg P, Starck J. Noise Exposure During Pregnancy And Selected Structural

Malformations In Infants. Scand J Work Environ Health 1989;15:111-6.

6. Hartikainen-Sorri A, Sorri M. Occupational And Socio-Medical Factors In Preterm Birth. Obstetrics & Gynecology 1989;74:13-6.

7. Nurminen T, Kurppa K. Office Employment, Work With Video Display Terminals, And Course Of Pregnancy. Scand J Environ Health 1988;14:293-8.

8. Klenanoff M, Shiono P, Rhoads G. Outcomes Of Pregnancy In A National Sample Of Resident Physicians. New England JOM 1990;323:1040-5.

9. Najman J, Morrison J, Williams G, Anderson M, Keeping J. The Employment Of Mothers And The Outcomes Of their Pregnancies: An Australian Study. Public Health 1989;103:189-98.

10. Marbury M, Linn S, Monson R, Wegmnan D, Schoenbaum S, Stubblefield P, Ryan K. Work And Pregnancy. JOM 1984;26:415-21.

11. Homer C, James S, Siegel E. Work-Related Psychosocial Stress And Risk Of Preterm, Low Birth Weight Delivery. AJPH 1990;80:173-7.

12. McDonald A, McDonald J, Armstrong B, Cherry N, Cote R, Lavoie J, Nolin A, Robert D. Congenital Defects And Work In Pregnancy. British J Ind Med 1988;45:581-8.

13. McDonald A, McDonald J, Armstrong B, Cherry N, Nolin A, Robert D. Work With Visual Display Units In Pregnancy. Brit J Ind Med 1988;45:509-15.

14. McDonald A, McDonald J, Armstrong B, Cherry N, Nolin A, Robert D. Prematurity And Work In Pregnancy. Brit J Ind Med 1988;45:56-62.

15. Lemasters G, Pinney S. Employment Status As A Confounder When Assessing Occupational Exposures And Spontaneous Abortion. J Clin Epidemiol 1989;42:975-81.

16. Nurminen T, Lusa S, Lllmarinen J, Kurppa K. Physical Work Load, Fetal Development And Course Of Pregnancy. Scand J Work Environ Health 1989;15:404-14.

17. Nurminen T, Kurppa K. Occupational Noise Exposure And Course Of Pregnancy. Scand J Work Environ Health 1989;15:117-24.

18. Homer C, Beresford S, James S, Siegel E, Wilcox S. Work-Related Physical Exertion And Risk Of Preterm, Low Birth Weight Delivery. Peadiatric and Prenatal Epidemiology 1990:161-74.

19. Armstrong B, Nolin A, McDonald A. Work In Pregnancy And Birth Weight For Gestational Age. Brit J Ind Med 1989;46:196-9.

20. Peoples-Sheps M, Siegel E, Schindran C, Origasa H, Ware A, Barakat A. Characteristics Of Maternal Employment During Pregnancy: Effects On Low Birth Weight. AJPH 1991;81:1007-12.

21. Teitelman A, Welch L, Hellenbrand K, Bracken M. Effect Of Maternal Work Activity On Preterm Birth And Low Birth Weight. AJE 1990;131:104-13.

22. Launer L, Villar J, Kestler E, DeOnis M. The Effects Of Maternal Work On Fetal Growth And Duration Of Pregnancy: A Prospective Study. Brit J Obst Gynae 1990;97:62-70.

23. McDonald A, McDonald J, Armstrong B, Cherry N, Cote R, Lavoie J, Nolin A, Robert D. Fetal Death And Work In Pregnancy. *Brit J Ind Med* 1988;45:148-57.
24. McDonald A, McDonald J, Armstrong B, Cherry N, Delorme C, Nolin A, Robert D. Occupation And Pregnancy Outcome. *Brit J Ind Med* 1987;44:521-6.
25. Shilling S, Lalich N. Maternal Occupation And Industry And The Pregnancy Outcome Of U.S. Married Women, 1980. *Public Health Reports* 1984;99:152-61.
26. Saurel-Cubizolles M, Kaminski M. Pregnant Women's Working Conditions And Their Changes During Pregnancy: A National Study In France. *Br J Ind Med* 1987;44:236-43.
27. Goulet L, Theriault G. Association Between Spontaneous Abortion And Ergonomic Factors. *Scand J Work And Environ Health* 1987;13:399-03.
28. Saurel-Cubizolles, Kaminiski N, Llado-Arkipoff J, Du Mazaubrun C, Estryn-Behar M, Berthier C, Mouchet M, Kelfa C. Pregnancy And Its Outcome Among Hospital Personnel According To Occupation And Working Conditions. *J Epi and Community Health* 1985;39:129-34.
29. Goulet L, Theriault G. Association Between Spontaneous Abortion And Ergonomic Factors. *Scand J Work And Environ Health* 1987;13:399-03.
30. Mamelie N, Laumon B, Lazar P. Prematurity And Occupational Activity During Pregnancy. *AJE* 1984;119:309-22.
31. Marbury M. Adverse Working Conditions And Premature Delivery. *AJPH* 1991;81:973-4.
32. Mamelie N, Munoz F. Occupational Working Conditions And Preterm Birth: A Reliable Scoring System. *AJE* 1987;126:150-2.
33. Daniell W, Vaughan T, Millies B. Pregnancy Outcome Among Female Flight Attendants. *Aviat Space Environ Med* 1990;61:840-4.
34. Fox M, Harris R, Brekken A. The Active-Duty Military Pregnancy: A New High Risk Category. *Am J Obstet Gynecol* 1977;129:705-7.
35. Birdsong W. Ectopic Pregnancy In A Military Population. *Military Medicine* 1987;152:525-6.
36. Calle E, Khoury M, Moyer L, Boyle C, Joesoef R, Delaney R. Health Status Of Vietnam Veterans, Reproductive Outcomes And Child Health. *JAMA* 1988;259:2715-9.
37. Aschengrau A, Monson R. Paternal Military Service In Vietnam And The Risk Of Late Adverse Pregnancy Outcomes. *AJPH* 1990;80:1218-24.
38. Aschengrau A, Monson R. Paternal Military Service In Vietnam And Risk Of Spontaneous Abortion. *JOM* 1989;31:618-23.
39. Boyle C, Decoufle P, O'Brien T. Long-Term Health Consequences Of Military Service In Vietnam. *Epidemiologic Reviews* 1989;11:1-27.
40. Baker R, Menard S, Johns L. The Military Nurse Experience In Vietnam: Stress And Impact. *J Clin Psychology* 1989;45:736-44.

41. Ramirez G, Grimes R, Annegers J, Davis B, Slater C.  
Occupational Physical Activity And Other Risk Factors For Preterm  
Birth Among US Army Primigravidas. AJPH 1990;80:728-30.