
SFIM-AEC-RP-CR-97006



U.S. ARMY ENVIRONMENTAL CENTER

Tooele Army Depot

Revised Final Remedial Investigation Addendum Report for Operable Units 4, 8, and 9

Volume II (Appendices A through H)

February 1997

Rust Environment and Infrastructure
Grand Junction, Colorado 81506

Prepared for
U.S. Army Environmental Center
Aberdeen Proving Ground, Maryland 21010-5401
under
Contract No. DAAA15-90-D-0007

DISTRIBUTION STATEMENT A
Approved for public release;
Distribution Unlimited

AEC Form 45, 1 May 97, replaces AEC Form 45, 1 Feb 93 which is obsolete.

SFIM-AEC-RP-CR-97006

Tooele Army Depot

Revised Final Remedial Investigation Addendum Report for Operable Units 4, 8, and 9

Volume II
(Appendices A through H)

February 1997

Rust Environment and Infrastructure
Grand Junction, Colorado 81506

19971215 139

Prepared for
U.S. Army Environmental Center
Aberdeen Proving Ground, Maryland 21010-5401
under
Contract No. DAAA15-90-D-0007

DTIC QUALITY INSPECTED 4

APPENDIX A

PHASE II RI BORING LOGS

Contents

Page

SWMU 22-Building 1303 Washout Pond 1
SWMU 23-Bomb and Shell Reconditioning Building 11
SWMU 32-PCB Spill Site 33

BORING LOGS FOR
SWMU 22-BUILDING 1303 WASHOUT POND

BORING LOG GENERAL DATA

82470.170 SWMU22

Project: TEAD-N Task0003 Ph II Boring: BWB-94-01 Page: 1 of 2

Driller & Company: BOYLES BROS. W. FRANKLIN / A. KING

Geologist: H. HODSON Signature: Holister Hodson

Date Boring Started: 7/23/94 Completed: 7/23/94

Water Levels (From Ground Surface) Drilling Rig: MOBILE B-57

First Encountered: NA Date: NA

While Drilling: NA Date: NA

3" Stainless Steel Split Spoon
4.25" Hollow Stem Auger ID

At Boring Completion: NA Date: NA

Drilling Shifts:


Date	Time		Depth of Drilling Per Shift		Date	Time		Depth of Drilling Per Shift	
	Start	End	Start	End		Start	End	Start	End
7/23/94	1009	1130	0	10'			HSH 7/23/94		
		HSH 07/23/94							

Abbreviations:

Abbr	Meaning
NA	NOT APPLICABLE

HSH 7/23/94

Location Sketch:



Project: TEAD-N Task 0003 Ph II 82476.1706 Boring: BWB-94-01 Page: 2 of 2

Depth/ Elev.	USCS Symbol/ Core Sketch	Soil/Rock Description	Sample No. & Depth	Blow Count & Recovery	Drilling Data NOTES:
0	SM	Silty Sand (SM) 2.5Y5/6 light olive brown. Mostly fine to medium sand, some silt, trace fine gravel.	S1 0-2'	24 24 20 19 2'	0.0 Sample collected at 0.5 BWB-94-01A Geotechnical collected
2				0	
4	GP	Poorly graded gravel (GP) Color N/A N10YR 8/2 White Mostly coarse gravel, few to trace silt and fine sand (Difficult to retrieve any sediment in split spoon)	S2 4.0- S3 S4 4.8	50/6 72/1" 4" 36/3" 3" 50/3" 3"	4.0 Sample collected @ 4.0-5.0' BWB-94-01B. Not sufficient material recovered to collect required geotechnical and archive.
6					
8					
10	GW	Well graded gravel (GW) 10YR 8/2 White. Mostly fine to coarse gravel. Possible	S5 9.0-10'	2 15 67/10" 1'	9.0 Sample and geotech collected from 9-10.0' BWB-94-01C
	BOTTOM OF EXPLORATION				BOTTOM OF EXPLORATION
12		Note: Better recovery on the 9'-10' sample than th 4'-5'. Both could be a GP or GW but it is impossible to tell from the samples retrieved. All well-cemented Caliche starting at 2.5' to 3.0'			

caliche

HSH 07/23/94

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

Revised 05/04/94

BORING LOG GENERAL DATA

Project: TEAD-N Task 0003 PhII 82470.170 Boring: BWB-94-02 Page: 1 of 3

Driller & Company: Boyles Bros. W. Franklin / A. B King

Geologist: H. Hodson HSH 7/23/94 Signature: Heister Hodson

Date Boring Started: 07/23/94 Completed:

Water Levels (From Ground Surface) Drilling Rig: Mobile B-57

First Encountered: NA Date: NA

While Drilling: NA Date: NA

3" Stainless Steel Split Spoon
4.25" Hollow Stem Auger ID

At Boring Completion: NA Date: NA

Drilling Shifts:


Date	Time		Depth of Drilling Per Shift		Date	Time		Depth of Drilling Per Shift	
	Start	End	Start	End		Start	End	Start	End
07/23/94	1205	1240	0.0	5.0			HSH 7/23/94		
07/23/94	1310	1340	5.0	11.6					
		HSH 7/23/94							

Abbreviations:

Abbr	Meaning
NA	NOT APPLICABLE

HSH 7/23/94

Location Sketch:



RUST ENVIRONMENT & INFRASTRUCTURE

Revised 05/04/94

FILE COPY

BORING LOG (cont'd)

82470.170

3

Project: TEAD-N TASK 0003 Ph. II	Boring: BWB-94-02	Page: 2 of 2

Depth/ Elev.	USCS Symbol/ Core Sketch	Soil/Rock Description	Sample No. & Depth	Blow Count & Recovery	Drilling Data / NOTES:
0	SM	Silty Sand (SM) 10YR5/6 yellowish brown. Mostly fine to medium grained sand with little silt, trace coarse sand and fine gravel.	S1 0.0-2.0	8, 14, 19, 35 / 2'	0.0-2.0' BWB-94-02A (0.5) Sample Collected. Most likely a strong explosives content. located in the drainage. HSH 07/23/94
1					
2					
3					
4	GW-GM	Well-graded gravel with silt and sand (GW-GM) 2.5Y 8/2 White. Mostly well cemented, well graded gravel from fine to coarse gravel, few silt, few to trace fine to medium sand, (Cobbles may be present but aren't visible in split spoon).	S2 4.0-5.0 3" HSH 7/23/94	7, 79, 50/3" / 1.5	4.0-5.6 BWB-94-02B (3.0) Sample collected
5					
6					
7					
8					
9	GW-GM	Continued ↓ p. 3/3			
10					

T alluvium

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

Revised 05/04/94

BORING LOG (cont'd)

82470.170

Project: TEAD-N TASK 0003 PH II	Boring: BWB-94-02	Page: 3 of 3

Depth/ Elev.	USCS Symbol/ Core Sketch	Soil/Rock Description	Sample No. & Depth	Blow Count & Recovery	Drilling Data
10	GW-GM	Well-graded gravel with silt and sand (GW-GM) 2.5Y 7/3 Mostly well graded fine to coarse gravel (0.2 to 1.5") (Coarser gravel wouldn't fit in split spoon) little Sandy silt (fine to coarse grained sand with silt)	S3 9-11' ←	S3 9-11'	NOTES: 9.0' - 10.0 BWB-94-02B Sample collected @ 10'
11	BOTTOM OF EXPLORATION			8 25 38 41 } 2'	BOTTOM OF EXPLORATION

#5 # 07/23/94

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

Revised 05/04/94

BORING LOG GENERAL DATA

Project: TEAD-N Task 0003 Ph II 82470. Boring: BWB-94-03 Page: 1 of

Driller & Company: Boyles Brothers W. Franklin, A. King

Geologist: H. Hodson Signature: H. Christ Hodson

Date Boring Started: 7/23/94 Completed: 7/23/94

Water Levels (From Ground Surface) Drilling Rig: MOBILE B-57

First Encountered: NA Date: NA

While Drilling: NA Date: NA

3" Stainless Steel Split Spoon
4.25" I.D Hollow Stem Auger

At Boring Completion: NA Date: NA

Drilling Shifts:


Date	Time		Depth of Drilling Per Shift		Date	Time		Depth of Drilling Per Shift	
	Start	End	Start	End		Start	End	Start	End
7/23/94	1400	1500	0	10.0					
		HSH 7/23/94					HSH 7/23/94		

Abbreviations:

Abbr	Meaning
NA	NOT APPLICABLE

HSH 7/23/94

Location Sketch:



BORING LOG (cont'd)

82470.176

Project: TEAD-N Task 0003 Ph II	Boring: BWB-94-03	Page: 2 of

Depth/ Elev.	USCS Symbol/ Core Sketch	Soil/Rock Description	Sample No. & Depth	Blow Count & Recovery	Drilling Data Notes
0	SM	Silty sand with gravel (SM) 2.5Y6/6 Olive yellow. Mostly fine to medium sand with few to trace silt and fine gravel	S1 0-1'	3 9 } 1'	0.0-1.0 BWB-94-03A Collected at 0.5'
1					
2					
3					
		HSH 7/23/94			
4	GW-GM	Well-graded gravel with silt and sand (GW-GM) ~~Mostly~~ 2.5Y 7/3 Pale yellow. Mostly fine to coarse gravel, few to trace silt and fine to medium sand. (Cobbles may be present, but it is not verified by the split spoon sample)	S2 4-5.0	4 7 30 50/3"	4.0-5.0 BWB-94-03B Collected at 5.0' Geotechnical also collected (Not enough sediment available on BWB-94-01B).
5					
6					
7					
8					
9	(GP-GM)	Poorly sorted gravel ~~with silt and sand~~ (GP-GM) 2.5Y6/4 light yellowish brown, Mostly poorly sorted fine gravel, some fine to coarse sand, few silt, trace cobbles coarse gravel	S3	9 37 48 55	9.6-16.0 BWB-94-03C @10'
10					

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

Revised 05/04/94

BORING LOGS FOR
SWMU 23-BOMB AND SHELL RECONDITIONING BUILDING

Preceding Page Blank

BORING LOG GENERAL DATA

Project: TEAD-N Task0003 Ph II 8247.0 Boring: BRB-94-02 Page: 1 of 2

Driller & Company: Boyles Bros. W. Franklin / A. King

Geologist: H. Hodson Signature: H Hodson Sarah Hodson

Date Boring Started: 7/26/94 Completed: 7/26/94

Water Levels (From Ground Surface) Drilling Rig: MobileB57

First Encountered: NA Date: NA

While Drilling: NA Date: NA

3" Stainless Steel Spoon
4.25" ID H.S.A.

At Boring Completion: NA Date: NA

Drilling Shifts:

Date	Time		Depth of Drilling Per Shift		Date	Time		Depth of Drilling Per Shift	
	Start	End	Start	End		Start	End	Start	End
7/26/94	1510	1612	0.0	5.5'					

HSH 7/26/94


HSH 7/26/94

Abbreviations:

Abbr	Meaning
HSA	Hollow Stem Auger
NA	Not Applicable

HSH 7/26/94

Location Sketch:



RUST ENVIRONMENT & INFRASTRUCTURE

Revised 05/04/94

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

Preceding Page Blank

BORING LOG (cont'd)

82470.170

Project: TEAD-N - Task 0003 Ph II	Boring: BRB-94-02	Page: 2 of 2

Depth/ Elev.	USCS Symbol/ Core Sketch	Soil/Rock Description	Sample No. & Depth	Blow Count & Recovery	Drilling Data NOTES:
0	GM	Silty Gravel with Sand (GM) 2.5Y4/4 Olive Brown Mostly fine to coarse gravel (up to 2.5") with few silt and medium to coarse sand. Slightly moist, well packed. HSH 8/2/94	S1 0.0'-10"	36 61/4" 8"	0.0 Sample collected at BRB-94-02A for Metals, Cyanide and SVOC.
1					
2	GM	Silty gravel with sand (GM) 2.5Y 7/4 Pale yellow Mostly fine to coarse gravel, ~~little~~ few silt and fine to coarse sand.	S2 2-2'8"	14 83/5" 8"	2.0 14ppm Sample collected at BRB-94-02B.
3					
4	GW	Well-graded gravel with Sand (GW) 2.5Y6/6 Olive yellow. Mostly fine to coarse gravel, some medium to coarse sand trace silt or fine sand.	S3 4'-6'	22 37 50 35 18"	Possible UST leak? 4.0 6ppm Sample collected at BRB-94-02C Bottom of Exploration
5					
6		BOTTOM OF EXPLORATION			

HSH 7/26/94

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

Revised 05/04/94

BORING LOG GENERAL DATA

Project: TEAD-N Task0003 Ph II 82770.178 Boring: BRB-94-04 Page: 1 of 2

Driller & Company: Boyles Bros. W. Franklin / A. King

Geologist: H. Hodson Signature: H Hodson Sarah Hodson

Date Boring Started: 7/27/94 Completed: 7/27/94

Water Levels (From Ground Surface) Drilling Rig: Mobile B57

First Encountered: NA Date: NA

While Drilling: NA Date: NA

3" Stainless Steel Spoon
4.25" ID H.S.A. Split (HSH 7/27/94)

Collecting for Metals, Cyanide and SVOCs @ 0.5, 3.0, and 5.0

At Boring Completion: NA Date: NA

Drilling Shifts:

Date	Time		Depth of Drilling Per Shift		Date	Time		Depth of Drilling Per Shift	
	Start	End	Start	End		Start	End	Start	End
7/27/94	0755	0855	0.0	8.0'			HSH 7/27/94		
	HSH 7/27/94								
	HSH 7/27/94								


Abbreviations:


Abbr	Meaning
HSA	Hollow Stem Auger

HSH 7/27/94

diesel fuel UST

Location Sketch:





RUST ENVIRONMENT & INFRASTRUCTURE

RUST ENVIRONMENT & INFRASTRUCTURE 05/04/94

FILE COPY

Project: TEAD-N Task 0003 Ph II 8247.07 Boring: BRB-94-04 Page: 2 of 2

Depth/ Elev.	USCS Symbol/ Core Sketch	Soil/Rock Description	Sample No. & Depth	Blow Count & Recovery	Drilling Data Notes:
0	GW-GM	Well-graded gravel with silt and sand (GW-GM) 2.5Y5/6 light olive brown Mostly fine to coarse, rounded gravel (max 2"), some fine to coarse well-graded sand, few to trace silt, slightly moist. (Close to SW SM)	S1 0-2'	36 19 18 13 / 1' Recovered	0.0' (1ppm) Sample collected at 0.5' BRB-94-04A for Metals, Cyanide, and SVOCs.
2	SW-SM	Well-graded sand with silt and gravel (SW-SM) 2.5Y6/6 Olive Yellow. Mostly fine to coarse well-graded sand, some fine to coarse (1.5" max) gravel, few to trace silt. Slightly moist	S2 2-4'	9 8 10 10 / 0.75' Recovered	2.0 (1.ppm) Some asphalt came into the sample. Sample collected @ 3.0' BRB-94-04. Driving easily, but little recovery.
4	SW-SM	Well-graded sand with silt and gravel (SW-SM) 2.5Y6/4 light yellowish brown. Mostly fine to coarse sand, some fine to coarse gravel (max 2"), trace silt, slightly moist Gas/Deisel smell	S3 4-6'	12 15 26 29 / 6" Recovered	4.0 (5.2ppm) Possible leak from an underground storage tank or there is a sump directly adjacent to the building. Sample collected (part of it in S3, part in S4) BRB-94-04C @5' (13ppm recorded off the head space of a jar after 5min.)
6	SW SM	Well-graded sand with silt and gravel (SW-SM) 2.5Y6/4 light yellowish brown. Mostly fine to coarse sand, some fine to coarse gravel (max 2") trace silt, slightly moist. N7ppm on PID. not as strong a smell as the 4-6' sample.	S4 6-8	8 12 18 28 / ~6"	
8	END of EXPLORATION @8'				END of EXPLORATION @8'

HSH 7/27/94

ENVIRONMENT & INFRASTRUCTURE

FILE COPY

Revised 05/04/94

BORING LOG GENERAL DATA

Project: TEAD-N Task0003 Ph II Boring: BRB-94-05 Page: 1 of 2

Driller & Company: Boyles Bros. W. Franklin / A. King

Geologist: H. Hodson Signature: H Hodson Sarah Hodson

Date Boring Started: 7/27/94 Completed: 7/27/94

Water Levels (From Ground Surface) Drilling Rig: MobileB57

First Encountered: NA Date: NA

While Drilling: NA Date: NA

3" Stainless Steel Spoon
4.25" ID H.S.A.

At Boring Completion: NA Date: NA

Drilling Shifts:


Date	Time		Depth of Drilling Per Shift		Date	Time		Depth of Drilling Per Shift	
	Start	End	Start	End		Start	End	Start	End
7/27/94	0916	1030	0.0'	5.0'					
	HSH 7/27/94							HSH 7/27/94	

Abbreviations:

Abbr	Meaning
HSA	Hollow Stem Auger
NA	Not Applicable

HSH 7/27/94

Location Sketch:



RUST ENVIRONMENT & INFRASTRUCTURE

Revised 05/04/94

FILE COPY

BORING LOG (cont'd)

82470.170

Project: TEAD-N Taskords Ph II	Boring: BRB-94-05	Page: 2 of 2

Depth/ Elev.	USCS Symbol/ Core Sketch	Soil/Rock Description	Sample No. & Depth	Blow Count & Recovery	Drilling Data Notes:
0	GM	Silty gravel with sand (GM) 2.5Y 4/4 Olive brown. Mostly fine to coarse gravel (2" max) with little silt and little fine to coarse sand. Gravel subrounded, slightly moist, well packed.	S1 0-1'	31 72/5" > 1'	0.0 Sample collected at 0.5' BRB-94-05 for Metals, Cyanide, and SVOC
1					
2	MH	Sandy elastic silt with gravel (MH). 2.5Y 6/6 Olive yellow. Mostly silt, some fine to course sand, few fine to coarse gravel (possibly little to most cobbles? Not seen)	S2 2'-2'7"	27 50/1" > 6"	2.0 Big Boulders or coarse gravel must be present that are preventing a good recovery and sample that is representative. Sample collected. BRB-94-05B @3.0'
3	MH	Same as above.	S3 3.0'-3'4"	51/4" > 6"	
4	GW-GM	well-graded gravel with silt and sand (GW-GM) 2.5Y 8/3 pale yellow. Mostly fine to coarse gravel to boulders (not seen) with ~~little~~ few silt and fine to coarse sand. Dry powdery white like Caliche, $CaCO_3$.	S4 No sample	0 > 0	4.0 Drilling / Driving on a boulder, so drill 6" more, then drive split spoon again. Little recovered Caliche. So drill / drive again starting 4.5-5.0. Sample collected 4.5 to 5.0' BRB-94-05C
5	GW-GM		S5 4.2 4.5-~~5.0~~	50/3" > 3"	
6	BOTTOM OF EXPLORATION		S6		BOTTOM OF EXPLORATION @ 5.0'
7					
8					

HSH 7/27/94

HSH 7/27/94

caliche

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

Revised 05/04/94

BORING LOG GENERAL DATA

Project: TEAD-N TASK0003 PH II Boring: BRB-94-10 Page: 1 of 2

Driller & Company: Boyles Bros. W. Franklin / A. King

Geologist: H. Hodson Signature: H Hodson Sarah Hodson

Date Boring Started: 7/24/94 Completed: 7/24/94

Water Levels (From Ground Surface) Drilling Rig: Mobile B57

First Encountered: NA Date: NA

While Drilling: NA Date: NA

3" Stainless Steel Spoon
4.25" ID H.S.A.

At Boring Completion: NA Date: NA

Drilling Shifts:

Date	Time		Depth of Drilling Per Shift		Date	Time		Depth of Drilling Per Shift	
	Start	End	Start	End		Start	End	Start	End
7/24/94	1302	1345	0	6'					

Abbreviations:


Abbr	Meaning
NA	Not Applicable
HSA	Hollow Stem Auger

HSA
7/24/94

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

Location Sketch:



Note: directly adjacent to the drainpipe that crosses under the road.

RUST ENVIRONMENT & INFRASTRUCTURE

Revised 05/04/94

BORING LOG (cont'd)
8247Ø.17Ø

Project: TEAD-N Task 0003 PH II	Boring: BRB-94-1Ø	Page: 2 of 2

Depth/ Elev.	USCS Symbol/ Core Sketch	Soil/Rock Description	Sample No. & Depth	Blow Count & Recovery	Drilling Data NOTES
0	GM	Silty gravel (GM) 2.5 Y5/6 light olive brown Mostly fine to coarse gravel and cobbles, few silt and few to trace fine to coarse sand. (Dry, loose)	— NA	— NA	2.0 Sample collected 2.5YBRB-94-1ØA at 0.5' split spoon refused @ surface so it was collected by Pan/Spoon Grab. and geotechnical
1					
		HSA 7/29/94			
2		Well graded gravel with silt and sand (GW-GM) 2.5 10YR 6/4 light yellowish brown. Mostly fine to coarse gravel with little fine to coarse sand, few to trace silt. Dry	16, 51 (0-2') 40 60	16 40 60 55/2" 2'	2.0 Sample collected @ 3' (BRB-94-1ØB) and geotechnical
3	GW-GM				
4		Well-graded gravel with silt and sand (GW-GM)	S2 4-6'	19 50 35 53/2" 2'	4.0 Sample collected @ 5' (BRB-94-1ØC) and geotechnical
5	GW-GM	10YR 7/3 very pale brown Mostly fine to coarse gravel with little fine to coarse sand and few silt. Slightly moist, loose.			
6		Bottom of Exploration			Bottom of Exploration

RSH 7/24/94

ENVIRONMENT & INFRASTRUCTURE

FILE COPY

Revised 05/04/94

BORING LOG GENERAL DATA

Project: TEAD-N Task 0003 Ph II Boring: BRB-94-11 Page: 1 of 2

Driller & Company: Boyles Bros. W. Franklin / A. King

Geologist: H. Hodson Signature: H Hodson Sarah Hodson

Date Boring Started: 7/24/94 Completed: 7/24/94

Water Levels (From Ground Surface) Drilling Rig: MobileB57

First Encountered: NA Date: NA

While Drilling: NA Date: NA

3" Stainless Steel Spoon
4.25" ID H.S.A.

Samples collected 0.5, 3, 5'
Metals, SVOC, PCB, Cyanide

At Boring Completion: NA Date: NA

Drilling Shifts:

Date	Time		Depth of Drilling Per Shift		Date	Time		Depth of Drilling Per Shift	
	Start	End	Start	End		Start	End	Start	End
7/24/94	1050	1120	0.0	6.0'					

HSH 7/24/94


HSH 7/24/94

Abbreviations:

Abbr	Meaning
NA	Not applicable
HSA	Hollow Stem Auger

HSH 7/24/94

Location Sketch:



Revised 05/04/94

Project: TEAD-N Task 0003 Ph II 82470.1706	Boring: BRB-94-11	Page: 2 of 2

Depth/ Elev.	USCS Symbol/ Core Sketch	Soil/Rock Description	Sample No. & Depth	Blow Count & Recovery	Drilling Data NOTES:
0	GM	Silty gravel (GM) 10YR 5/4 yellowish brown. Mostly fine gravel, little medium to coarse sand, few silt. Dry, loose, lots of roots present. HSH 7/24/94	S1 0-2'	26 49/3" / 2'	0.0 BRB-94-11A collected at the surface 0.5'
1					
2	GM	Silty gravel (GM) 10YR 7/3 very pale brown. Mostly fine gravel, little silt, trace sand, coarse gravel. Dry, loose. few to HSH 7/24/94	S2 2-4'	1 15 26 46 / 1'.75	2.0 BRB-94-11B collected at 3'
3					
4	GM	Silty gravel (GM) 10YR 7/3 very pale brown. Mostly fine to coarse gravel little silt, trace sand. few to HSH 7/24/94		16 24 42 28 / 2"	4.0 BRB-94-11C collected at 5'
5					
6		BOTTOM OF EXPLORATION			BOTTOM OF EXPLORATION

HSH 7/24/94

ENVIRONMENT & INFRASTRUCTURE

FILE COPY

Revised 05/04/94

BORING LOG GENERAL DATA

Project: TEAD-N Task 0003 Ph II Boring: BRB-94-12 Page: 1 of 2

Driller & Company: Boyles Bros. W. Franklin / A. King

Geologist: H. Hodson Signature: H Hodson Sarah Hodson

Date Boring Started: 7/25/94 Completed: 7/25/94

Water Levels (From Ground Surface) Drilling Rig: Mobile B57

First Encountered: NA Date: NA

While Drilling: NA Date: NA

3" Stainless Steel Spoon
4.25" ID H.S.A.

At Boring Completion: NA Date: NA

Drilling Shifts:

Date	Time		Depth of Drilling Per Shift		Date	Time		Depth of Drilling Per Shift	
	Start	End	Start	End		Start	End	Start	End
7/25/94	0836	0925	0.0	4.0					
7/25/94	1620	1645	4.0	6.0					


HSA 7/25/94

Abbreviations:

Abbr	Meaning
HSA	Hollow Stem Auger

HSA 7/25/94

Location Sketch:



RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

Revised 05/04/94

BORING LOG (cont'd)

82470.170

Project: TEAD-N Task 0003 Ph II	Boring: BRB-94-12	Page: 2 of 2

Depth/ Elev.	USCS Symbol/ Core Sketch	Soil/Rock Description	Sample No. & Depth	Blow Count & Recovery	Drilling Data NOTES:
0	ML	Gravelly silt with sand (ML) 2.5y6/4 light yellowish brown. Mostly silt, little fine to coarse gravels (<1" to 2.5/3.0"), few to trace sand (fine to coarse) Dry, loose	S1 0-2'	6, 16, 20, 31 / 0.75'	0.0' Sample collected at 0.5' BRB-94-12A.
1					
2	GM	HSH 7/25/94 silty gravel with sand (GM) 2.5y5/6 ~~Mostly~~ Light olive brown. Mostly fine to coarse gravel, little silt, few fine to coarse sand, Dry loose	S2 2-4' (Roots in Sample)	5, 20, 20, 39 / 0.5'	2.0' Split spoon driven 2' (S2) but only 6" was recovered so we augered down to 3.0' and collected Split spoon (S3
3	GM		S3 3-5'	12, 19, 26, 22 / 0.5'	0.4ppm PID on surface sample collected @ 3.0' BRB-94-12B.
4				5, 6, 6, 15 / 2'	
5	ML	Sandy silt (ML) 2.5y6/6 olive yellow. Mostly silt with some fine sand, trace medium sand.	S4 5-7'		5.0' Sample collected at ~~2.5'~~ 5.0' BRB-94-12C
6					End of Exploration @
7		END OF EXPLORATION			

HSH 7/25/94

ENVIRONMENTAL INFRASTRUCTURE

FILE COPY

BORING LOG GENERAL DATA

Project: TEAD-N Task0003 Ph II Boring: BRB-94-14 Page: 1 of 2

Driller & Company: Boyles Bros. W. Franklin / A. King

Geologist: H. Hodson Signature: H Hodson Sarah Hodson

Date Boring Started: 7/24/94 Completed: 7/24/94

Water Levels (From Ground Surface) Drilling Rig: Mobile B57

First Encountered: NA Date: NA

While Drilling: NA Date: NA

3" Stainless Steel Spoon
4.25" ID H.S.A.

Samples collected at 3.0 and 5.0 for Metals, Cyanide, PCB and SVOC

At Boring Completion: NA Date: NA

Drilling Shifts:

Date	Time		Depth of Drilling Per Shift		Date	Time		Depth of Drilling Per Shift	
	Start	End	Start	End		Start	End	Start	End
7/24/94	1510	1545	0.0	6.0					

HSH 7/24/94


HSH 7/24/94

HSH 7/24/94

Abbreviations:

Abbr	Meaning
NA	Not Applicable
HSA	Hollow Stem auger.

Location Sketch:



RUST ENVIRONMENT & INFRASTRUCTURE

Revised 05/04/94

25

FILE COPY

BORING LOG (cont'd)

Project: TEAD-N Task 0003 Ph II 8247.0170	Boring: BRB-94-14	Page: 2 of 2

Depth/ Elev.	USCS Symbol/ Core Sketch	Soil/Rock Description	Sample No. & Depth	Blow Count & Recovery	Drilling Data NOTES:
0		Note: this upper portion that collapsed into the hole was present in the top of the split spoon (not collected) & backed & discovered and possibly contaminated.			No surface required to be collected.
1					
2		Silty gravel with sand (GM) 10YR6/3 pale brown Mostly fine gravel, little fine to coarse sand, few silt, trace to few coarse gravel. Slightly moist	S1 2-3.15'	39 43 56 } 1.15'	2-4' Sample collected @3' BRB-94-14A
3	GM				
4	GM	Silty gravel (GM) 10YR7/4 very pale brown Mostly well graded gravel with some silt, trace silt	S2 4-6'	16 73 50 53/5" } 1'	4-5' Sample collected @5' BRB-94-14B
5		BOTTOM OF EXPLORATION			BOTTOM OF EXPLORATION
6					

HSH 7/24/94

ENVIRONMENT & INFRASTRUCTURE

FILE COPY

Revised 05/04/94

BORING LOG GENERAL DATA

Project: TEAD-N TASK0003 PhII	Boring: BRB-94-15 Page: 1 of 2
Driller & Company: Boyles Bros. W. Franklin / A. King	
Geologist: H. Hodson	Signature: H Quishon Sarah Hodson
Date Boring Started: 7/24/94	Completed: 7/24/94
Water Levels (From Ground Surface)	Drilling Rig: MobileB57
First Encountered: NA	Date: NA
While Drilling: NA	Date: NA
3" Stainless Steel Spoon 4.25" ID H.S.A.	
At Boring Completion: NA	Date: NA

Drilling Shifts:


Date	Time		Depth of Drilling Per Shift		Date	Time		Depth of Drilling Per Shift	
	Start	End	Start	End		Start	End	Start	End
7/24/94	1315	1445	0	6'					
	HSH 7/24/94						HSH 7/24/94		

Abbreviations:

Abbr	Meaning
NA	Not applicable
HSA	Hollow Stem Auger

HSH 7/24/94

Location Sketch: BRB-94-15 Scale



RUST ENVIRONMENT & INFRASTRUCTURE

Revised 05/04/94

FILE COPY

BORING LOG (cont'd)

82470.1700

Project: TEAD-N Task 0003 Ph II	Boring: BRB-94-15	Page: 2 of 2

Depth/ Elev.	USCS Symbol/ Core Sketch	Soil/Rock Description	Sample No. & Depth	Blow Count & Recovery	Drilling Data
0				13 49 56 48 } 2'	Notes:
1					
2	GW	Well-graded gravel with sand (GW) 2.5Y 5/6 light olive brown. Mostly fine to coarse gravel with little fine to coarse sand, trace silt. Slightly moist, 100%. (Note: some cobbles were augured/split spooned through — Trace (cobbles) HSH 7/24/94)	S1 2-4'		2-4' BRB-94-15A (3.5') collected and geotechnical
3					
4		~~Poorly~~ Well-graded gravel with sand (GW) 10YR 5/4 yellowish brown. Mostly fine to coarse gravel with little fine to coarse sand, trace silt. (More sand than 3')	S2 4-6'	3 32 40 39 } 2'	4-6 BRB-94-15B (5.0') collected and geotechnical.
5	GPGW				
6	BOTTOM OF EXPLORATION				BOTTOM OF EXPLORATION

HSH 7/24/94

HSH 7/24/94

ENVIRONMENTAL INFRASTRUCTURE
FILE COPY

Revised 05/04/94

BORING LOG GENERAL DATA

Project: TEAD-N TASK0003 Ph II	Boring: BRB-94-16 Page: 1 of 2
Driller & Company: Boyles Bros. W. Franklin / A. King	
Geologist: H. Hodson	Signature: H Quinton Sarah Hodson
Date Boring Started: 7/24/94	Completed: 7/24/94
Water Levels (From Ground Surface)	Drilling Rig: Mobile B57
First Encountered: NA	Date: NA
While Drilling: NA	Date: NA
3" Stainless Steel Spoon 4.25" ID H.S.A.	Samples collected at 3' and 5' for Cyanide, Metals, SVOC, PCBs
At Boring Completion: NA	Date: NA

Drilling Shifts:


Date	Time		Depth of Drilling Per Shift		Date	Time		Depth of Drilling Per Shift	
	Start	End	Start	End		Start	End	Start	End
7/24/94	0828	0910	0	6'					
		HSH 7/24/94					HSH 7/24/94		

Abbreviations:

Abbr	Meaning
NA	Not Applicable
HSA	Hollow Stem Auger

HSH 7/24/94

Location Sketch:



Revised 05/04/94

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

Project: TEAD-N Task 00003 Ph II 82470.170	Boring: BRB-94-16	Page: 2 of 2

Depth/ Elev.	USCS Symbol/ Core Sketch	Soil/Rock Description	Sample No. & Depth	Blow Count & Recovery	Drilling Data Notes:
0					Cobbles and boulders present on the surface
1		TSH 7/29/94	SWITCH COLUMNS		
2	GM	Silty gravel (GM) 10YR 7/4 very pale brown. Mostly fine to coarse gravel and cobbles (Not retrieved) some to little silt, trace sand. (Caliche bed) Dry, loose.	29 5 1/0" > 6"	S1 2-2.5'	2.0 Sample collected at 2' to 3.5' BRB-94-16A. 2 split spoons collected to retrieve enough sample for all of the sample bottles PID = 2 PPM
3	GM		60/5.5" > 4"	S2 3-3.5'	
4	GM	Silty gravel (GM) 10YR 6/3 very pale brown Mostly fine gravel, few silt. (larger gravel may not have been collected by the split spoon.)	10 36 47 44 > 1'	S3 4 to 6'	4.0 Sample collected at 5.0' BRB-94-16B
5					BOTTOM of EXPLORATION
6		BOTTOM of EXPLORATION			

TSH 7/29/94

TSH 7/29/94

ENVIRONMENT & INFRASTRUCTURE

FILE COPY

Revised 05/04/94

BORING LOG GENERAL DATA

Project: TEAD-N Task0003 Ph II	Boring: BRB-94-17 Page: 1 of 2
Driller & Company: Boyles Bros. W. Franklin / A. King	
Geologist: H. Hodson	Signature: H Quisten Sarah Hodson
Date Boring Started: 7/24/94	Completed: 7/24/94
Water Levels (From Ground Surface)	Drilling Rig: MobileB57
First Encountered: NA	Date: NA
While Drilling: NA	Date: NA
3" Stainless Steel Spoon 4.25" ID H.S.A.	Samples collected @ 3.0 and 5.0 for Metals, Cyanide, PCB, SVOC
At Boring Completion: NA	Date: NA

Drilling Shifts:

Date	Time		Depth of Drilling Per Shift		Date	Time		Depth of Drilling Per Shift	
	Start	End	Start	End		Start	End	Start	End
7/24/94	0950	1015	0.0	6.0					

HSH 7/24/94


HSH 7/24/94

Abbreviations:

Abbr	Meaning
NA	Not Applicable
HSA	Hollow Stem Auger

HSH 7/24/94

Location Sketch:



RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

Revised 05/04/94

BORING LOG (cont'd)

82470.1706

Project: TEAD-N Task 0003 Ph II	Boring: BRB-94-17	Page: 2 of 2

Depth/ Elev.	USCS Symbol/ Core Sketch	Soil/Rock Description	Sample No. & Depth	Blow Count & Recovery	Drilling Data Notes:
0				2 22 30 41 } 2'	Cobbles and boulders present on the surface.
1			H&H 7/24/94		
2	GM	Silty gravel with sand (GM) 10YR 7/3 Very pale brown. Mostly fine to coarse gravel, some fine to coarse sand, few to trace silt (Caliche bed) Dry loose	S1 2' to 4'	2 22 30 41 } 2' Recovery	2.0 BRB-94-17A Sample collected
3					
4	GM	Silty gravel with sand (GM) 10YR 7/3 very pale brown Mostly fine to coarse gravel, little fine to coarse sand, few silt. Dry, loose (Caliche).	S2 4' to 6'	7 29 75 51/3" } 1'	4.0 BRB-94-17B Sample collected
5					
6		BOTTOM OF EXPLORATION			BOTTOM OF EXPLORATION

H&H 7/24/94

ENVIRONMENT & INFRASTRUCTURE

FILE COPY

Revised 05/04/94

BORING LOGS FOR
SWMU 32-PCB SPILL SITE

BORING LOG GENERAL DATA

Project: TEAD-N Task0003PhII 8247Ø.17Ø Boring: PPB-94-Ø1 Page: 1 of 2

Driller & Company: Boyles Bros. W. Franklin

Geologist: H. Hodson Signature: H. Christie Hodson

Date Boring Started: 7/21/94 Completed: 7/21/94

Water Levels (From Ground Surface) N/A Drilling Rig: Mobile B-57

First Encountered: N/A Date: N/A

While Drilling: N/A Date: N/A

3" Stainless Steel Split Spoon
4.25 ID HollowStem Auger

At Boring Completion: N/A Date: N/A

Drilling Shifts:


Date	Time		Depth of Drilling Per Shift		Date	Time		Depth of Drilling Per Shift	
	Start	End	Start	End		Start	End	Start	End
7/21/94	~~1015~~ 0840 HSH 7/21/94	0940	Ø	10.Ø			HSH 7/21/94		

Abbreviations:

Abbr	Meaning
NA	NOT APPLICABLE

HSH 7/21/94

Location Sketch:



RUST ENVIRONMENT & INFRASTRUCTURE

Revised 05/04/94

Preceding Page Blank

Project: TEAD-N Task 0003 Ph II. 82470.170	Boring: PPB-94-01	Page: 2 of 2

Depth/ Elev.	USCS Symbol/ Core Sketch	Soil/Rock Description (HSH 7/21/94)	Sample No. & Depth	Blow Count & Recovery	Drilling Data Notes:
0	ML	Gravelly silt with sand (ML) light yellowish brown 2.5Y 6/4 Mostly silt, some fine to coarse gravel, few fine to coarse sand. Loose, dry.	S1: 0'-2'	11, 20, 23, 46 / 1' Recovered	Sample collected PPB-94-01A at 0.5'
2					
4	ML	Gravelly Silt with Sand (ML) 2.5Y 7/2 Light gray. Mostly sandy silt (well-graded sand and silt) and some fine to coarse gravel. Loose, dry	S2: 4'-4'10"	28, 51/4" / 6"	Split spoon Refusal, 6" Recovered, Augered to 5' and drove split spoon 5'-6'4" producing 6"
	ML		S3: 5'-6'4"	25, 73, 60/4" / 6"	Sample collected PPB-94-01B at 5.0'
6					
8					
10	GW-GM	Well-graded gravel with sand and silt. (GW-GM) 2.5Y 6/3 Light yellowish brown Mostly fine to coarse gravel with little fine to coarse sand and few silt. Loose, dry	S4 10'-10'10"	37, 49, 33, 47 / 10"	Sample collected PPB-94-01C @ 11' Bottom of Exploration at 10'10".
12	BOTTOM OF EXPLOR-ATION				

HSH 7/21/94

ENVIRONMENT & INFRASTRUCTURE

FILE COPY

Revised 05/04/94

BORING LOG GENERAL DATA

Project: TEAD-N Task 0003 Ph II 82470.170 Boring: PPB-94-02 Page: 1 of 2

Driller & Company: Boyles Bros. W. FRANKLIN, A. KING

Geologist: H. HODSON Signature: H Christie Hodson

Date Boring Started: 7/21/94 Completed:

Water Levels (From Ground Surface) Drilling Rig: Mobile B-57

First Encountered: NA Date: NA

While Drilling: NA Date: NA

3" STAINLESS STEEL SPLIT SPOON
4.25" ID HOLLOW STEM AUGER

At Boring Completion: NA Date: NA

Drilling Shifts:

Date	Time		Depth of Drilling Per Shift		Date	Time		Depth of Drilling Per Shift	
	Start	End	Start	End		Start	End	Start	End
7/21/94	1448	1530	0	10'3"					


HSA 7/21/94

Abbreviations:

Abbr	Meaning
NA	Not Applicable

HSA 7/21/94

Location Sketch:



BORING LOG (cont'd)

Project: TEAD-N Task 0003 Ph II 8247.0.176	Boring: PPB-94-02	Page: 2 of 2

Depth/ Elev.	USCS Symbol/ Core Sketch	Soil/Rock Description	Sample No. & Depth	Blow Count & Recovery	Drilling Data NOTES:
0	GM	Silty Gravel (GM) 2.5Y6/3 light yellowish brown. Mostly fine to coarse gravel, some silt few to trace fine to coarse sand. Loose, dry.	S1 0-1'5"	17 26 65 /5" Recov. 15'	Sample collected PPB-94-02A (0.5') PCB only. Split spoon refused at 1'5"
2					
4	GM	Silty Gravel (GM) with sand 2.5Y5/3 light olive brown. Mostly fine to coarse gravels and cobble and some silt, few fine to coarse sand. little moisture, loose	S2 (4-6) HSH 7/21/94 38 59 69 48	38 59 69 48 1'6" Recovered	Sample collected at PPB-94-02B (5')
6					
8					
10	GW-GM	Well-graded gravel with silt (GW-GM) 2.5Y6/3 light yellowish brown. Mostly fine to coarse gravel and cobble, ~~little~~ few silt and trace fine to coarse sand	S3 10-10'3" HSH 7/21/94	83/5" 3"	Sample collected at PPB-94-02C (10') Split Spoon Refusal at 10'3" END of EXPLORATION
	BOTTOM OF EXPLORATION				
12					

HSH 7/21/94

FEL ENVIRONMENT & INFRASTRUCTURE

FILE COPY

Revised 05/04/94

BORING LOG GENERAL DATA

82470.170

Project: TEAD-N Task 0003 Ph II Boring: PPB-94-03 Page: 1 of 2

Driller & Company: Boyles Bros. W. Franklin / A. King

Geologist: H. Hodson Signature: H Heather Hodson

Date Boring Started: 7/22/94 Completed: 7/22/94

Water Levels (From Ground Surface) Drilling Rig: Mobile B-57

First Encountered: NA Date: NA

While Drilling: NA Date: NA

3" Stainless Steel Split Spoon
4.25" ID Hollow Stem Auger

At Boring Completion: NA Date: NA

Drilling Shifts:


Date	Time		Depth of Drilling Per Shift		Date	Time		Depth of Drilling Per Shift	
	Start	End	Start	End		Start	End	Start	End
7/22/94	0912	16:30	0.0'	12.6'					
		HSH 7/22/94					HSH 7/22/94		

Abbreviations:

Abbr	Meaning
NA	Not Applicable

HSH 7/22/94

Location Sketch:



FILE COPY

BORING LOG (cont'd)

Project: LEAD-N Task 0003 Ph. II 8247.17 Boring: PPB-94-03 Page: 2 of 2

Depth/ Elev.	USCS Symbol/ Core Sketch	Soil/Rock Description	Sample No. & Depth	Blow Count & Recovery	Drilling Data NOTES:
0	ML	Gravelly silt with sand. (ML) 2.5Y6/3 light yellowish brown. Mostly silt little fine gravel, few fine to coarse sand, trace coarse gravel. Dry, ~~loose~~ HSH 7/22/94	S1 0'-2'	33, 58, 56, 29 / 2' Recovered	0' Sample collected PPB-94-03A at 0.5'
2					
4	GM	Silty gravel with sand (GM) 10YR 7/2 light gray. Mostly fine to coarse gravel with little silt, few to trace medium to coarse sand. Slightly moist	S2 4'-5'	31, 60, 83/1½" / 1'	4' Sample collected PPB-94-03B at 5' Caliche Zone.
6					
8					
10	GM	Silty gravel with sand (GM) 2.5Y 6/3 light yellowish brown Mostly fine to coarse gravel, ~~some~~ little silt and little fine to coarse sand. Trace cobble. Slightly moist HSH 7/22/94	S3 10-12'	47, 51, 57, 84 / 2'	10' Sample collected PPB-94-03C at 11' Still in caliche
12	BOTTOM OF EXPLORATION				BOTTOM of EXPLORATION

HSH 7/22/94

ENVIRONMENT & INFRASTRUCTURE
FILE COPY

BORING LOG GENERAL DATA

Project: TEAD-N Task0003 Ph II 82470.178 Boring: PPB-94-04 Page: 1 of 2

Driller & Company: Boyles Bros. W. Franklin A. King

Geologist: H. Hodson Signature: H Hodson

Date Boring Started: 7/21/94 Completed: 7/21/94

Water Levels (From Ground Surface) NA Drilling Rig: Mobil B-57

First Encountered: NA Date: NA

While Drilling: NA Date: NA

3" Stainless Steel Spoon
4.25 ID Hollow Stem Auger

At Boring Completion: NA Date: NA

Drilling Shifts:

Date	Time		Depth of Drilling Per Shift		Date	Time		Depth of Drilling Per Shift	
	Start	End	Start	End		Start	End	Start	End
7/21/94	1015	1050	0'	10.0'					

HSH 7/21/94


HSH 7/21/94

Abbreviations:

Abbr	Meaning
NA	Not Applicable

HSH
7/21/94

Location Sketch:



RUST ENVIRONMENT & INFRASTRUCTURE

Revised 05/04/94

FILE COPY

BORING LOG (cont'd)

Project: TEAD-N Task 0003 Ph II 8247.1.19 | Boring: PPB-94-04 | Page: 2 of 2

Depth/ Elev.	USCS Symbol/ Core Sketch	Soil/Rock Description	Sample No. & Depth	Blow Count & Recovery	Drilling Data NOTES:
0	ML	Gravelly Silt with Sand (ML) 2.5Y5/4 Light olive brown. Mostly silt with some fine to coarse gravel and few fine to coarse sand. Loose, dry.	S1: 0-1'10"	16 19 39 50/4" } 15"	Sample collected PPB-94-04A 0.5' Split spoon refusal @ 1'10"
2					
4	GW-GM	Well-graded gravel with sand and silt (GW-GM) 2.5Y6/3 light yellowish brown Mostly fine to coarse gravel with little fine to coarse sand and few to trace silt Loose, dry	S2: ~~0-1'4"~~ 4-5'4" HSH 7/21/94	20 30 50/4" } 12"	Sample collected PPB-94-04B 5.0' Split spoon refusal @ 5'4"
6					
8					
10	GM ~~ML~~	Silty gravel (HH 7/21/94) ~~Gravelly silt~~ with sand (ML) 2.5Y6/3 light yellowish brown. Mostly ~~silt, some~~ fine to coarse gravel, few to trace sand, trace cobbles Slightly moist, loose some silt HSH 7/21/94	S3: 10-10'~~6~~7" HH 7/21/94	33 60/1" } 6"	Sample collected PPB-94-04C Split spoon refusal @ 10'7". End of Exploration.
12	BOTTOM OF EXPLORATION				

HSH 7/21/94

ENVIRONMENT & INFRASTRUCTURE

FILE COPY

Revised 05/04/94

BORING LOG GENERAL DATA

Project: TEAD-N Task 0003 Ph II 82470.170 Boring: PPB-94-05 Page: 1 of 2

Driller & Company: BOYLES BROS. W. FRANKLIN/A. KING

Geologist: H. HODSON Signature: H Christie Hodson

Date Boring Started: 7/22/94 Completed: 7/22/94

Water Levels (From Ground Surface) Drilling Rig: Mobile B-57

First Encountered: N/A Date: N/A

While Drilling: N/A Date: N/A

3" STAINLESS STEEL SPLITSPOON
4.25" ID HOLLOW STEM AUGER

At Boring Completion: N/A Date: N/A

Drilling Shifts:


Date	Time		Depth of Drilling Per Shift		Date	Time		Depth of Drilling Per Shift	
	Start	End	Start	End		Start	End	Start	End
7/22/94	0710	0850	0.0	12.0'					
	HSH 7/22/94						HSH 7/22/94		

Abbreviations:

Abbr	Meaning
NA	NOT APPLICABLE

HSH 7/22/94

Location Sketch:



RUST ENVIRONMENT & INFRASTRUCTURE

Revised 05/04/94

FILE COPY

BORING LOG (cont'd)

Project: TEAD-N Task 0003 Ph II 82470.179	Boring: PPB-94-05	Page: 2 of 2

Depth/ Elev.	USCS Symbol/ Core Sketch	Soil/Rock Description	Sample No. & Depth	Blow Count & Recovery	Drilling Data NOTES:
0	ML	Gravelly silt (ML) 2.5Y5/6 light olive brown Mostly silt, some fine ~~to coarse~~ gravel, few coarse gravel, few to trace fine to coarse sand. Loose, dry.	S1 0-2'	17 52 13 16 36/5" } 2'	0-2' Sample collected 0.5 and geotech. PPB-94-05A.
2					
4	GM	Silty Gravel (GM) 10YR7/2 light gray. Mostly fine to coarse gravel, few silt to medium sand, trace coarse sand. (Very difficult to auger through ~2" gravel) Loose, slightly moist	S2 (4-4.1') S3 4'10"-5'11"	48/1" } 2" 8 65 88/3" } 1'	4-6' Sample collected 5.0'. PPB-94-05B Split spoon refused at 5'11". Geotechnical also collected.
6					
8					
10	ML	Gravelly Silt with Sand (ML) 2.5Y6/3 light yellowish brown. Mostly silt, some fine to coarse gravel, few fine to coarse sand. Slightly moist,	S4 10-12'	10 39 40 72 } 1.5'	10-12' Sample collected @ 11' PPB-94-05C Geotechnical also collected.
12		BOTTOM OF EXPLORATION			BOTTOM OF EXPLORATION

caliche zone

HH 7/22/94

ENVIRONMENT & INFRASTRUCTURE
FILE COPY

BORING LOG GENERAL DATA

Project: TEAD-N Task ØØØ3 Ph II Boring: PPB-94-Ø6 Page: 1 of 32 WCG

Driller & Company: Boyles Brothers : Willy Franklin Anthony King

Geologist: Holly Hodson Signature: Holly Hudson

Date Boring Started: 7/21/94 @ Ø722 Completed: @ Ø815

Water Levels (From Ground Surface) Drilling Rig: Mobile B-57

First Encountered: —— N/A Date: 13016 hammer

While Drilling: —— N/A Date: N/A

Notes: 3" Stainless Steel Split Spoon
4.25" ID Hollow Stem Auger

At Boring Completion: N/A Date: N/A

Drilling Shifts:

Date	Time		Depth of Drilling Per Shift		Date	Time		Depth of Drilling Per Shift	
	Start	End	Start	End		Start	End	Start	End
7/21/94	0722	0815	Ø	10					


HSH 7/21/94

HSH 7/21/94

Abbreviations:

Abbr	Meaning
N/A	Not Applicable

Location Sketch:



RUST ENVIRONMENT & INFRASTRUCTURE

Revised 05/04/94

FILE COPY

BORING LOG (cont'd)

Project: TEAD-N Task 0003 Ph II 82470.178	Boring: PPB-94-06	Page: 2 of 2

Depth/ Elev.	USCS Symbol/ Core Sketch	Soil/Rock Description	Sample No. & Depth	Blow Count & Recovery	Drilling Data Notes
0	ML	Silt with Gravel (ML) 2.5Y 5/4 light olive brown Mostly silt, little to fine to coarse gravel, trace fine to coarse sand, Loose, dry	S1 0-1'10"	25 36 56 51/4" / 1.5'	Sample collected PPB-94-06A @ 5' Split spoon refusal @ 1'10"
2					
4	ML	Gravelly silt with sand (ML) 2.5Y 7/3 Pale yellow. Mostly silt, some to little fine to coarse gravel, few fine to coarse sand. Loose dry	S2 4-5'2"	40 69 50/2" / 6"	Sample collected PPB-94-06B (5') Split spoon refusal at 5'2"
6					
8					
10	GM	Silty Gravel w/Sand (GM) 2.5Y 7/2 light gray. Mostly fine to coarse gravel, few silt and fine to coarse sand Slightly moist, loose	S3 10-10'10"	16 75/3" / 4"	Sample collected PPB-94-06C (11') Split spoon refusal at 10'10" End of Exploration.
12	BOTTOM OF EXPLORATION				

HSH 7/21/94

ENVIRONMENT & INFRASTRUCTURE

FILE COPY

Revised 05/04/94

BORING LOG GENERAL DATA

82470.170

Project: TEAD-N Task 0003 Ph II Boring: PPB-94-07 Page: 1 of 2

Driller & Company: BOYLES BROS. W. FRANKLIN / A. KING

Geologist: H. HODSON Signature: H. Christie Hodson

Date Boring Started: 7/22/94 Completed: 7/.

Water Levels (From Ground Surface) Drilling Rig: MOBILE B-57

First Encountered: NA Date: NA

While Drilling: NA Date: NA

3" STAINLESS STEEL SPLIT SPOON
4.25" HOLLOW STEM AUGER

At Boring Completion: N/A Date: N/A

Drilling Shifts:

Date	Time		Depth of Drilling Per Shift		Date	Time		Depth of Drilling Per Shift	
	Start	End	Start	End		Start	End	Start	End
7/22/94	10:50	11:30	0.0'	10.5'					

HSH 7/22/94


HSH 7/22/94

Abbreviations:

Abbr	Meaning
NA	NOT APPLICABLE

HSH 7/22/94

Location Sketch:



RUST ENVIRONMENT & INFRASTRUCTURE

RUST ENVIRONMENT & INFRASTRUCTURE

Revised 05/04/94

47 FILE COPY

BORING LOG (cont'd)

82478.170

Project: TEAD-N TASK 0003 Pt. II	Boring: PPB-94-07	Page: 2 of 2

Depth/ Elev.	USCS Symbol/ Core Sketch	Soil/Rock Description	Sample No. & Depth	Blow Count & Recovery	Drilling Data Notes:
0	ML	Silt with Gravel (ML) 2.5Y6/4 light yellowish brown. Mostly silt, little fine gravel, few fine to coarse sand, trace coarse gravel. Dry. Hit a hard layer down 1'.	S1 0'-1'	33 54 45 > 6" > 1'	0.0' Sample collected PPB-94-07A (0.5') for PCBs
4	GM	Silty Gravel with sand (GM) 2.5Y6/4 light yellowish brown. Mostly fine to coarse well-graded gravel with little silt to coarse sand. Trace cobbles	S2 4'-5'	57 86/6" > 1'	4.0' Sample collected at 5.0' PPB-94-07B for PCBs
10	GM	Silty Gravel (GM) 2.5Y5/4 light olive brown. Mostly fine to coarse gravel, little silt, few to trace sand & cobbles Dry.	S3 10-10'6"	9 11 9/6" > 6"	10' Sample collected at 10.0' PPB-94-07C for PCBs
12					

TSH 7/22/94

ENVIRONMENT & INFRASTRUCTURE

FILE COPY

Revised 05/04/94

BORING LOG GENERAL DATA

Project: TEAD-N Task0003 Ph II 82470.17 Boring: PPB-94-08 Page: 1 of 2

Driller & Company: BOYLES BROS. W. FRANKLIN A. KING

Geologist: H. HODSON Signature: H. Christie Hodson

Date Boring Started: 7/21/94 Completed: 7/21/94

Water Levels (From Ground Surface) Drilling Rig: MOBILE B-57

First Encountered: NA Date: NA

While Drilling: NA Date: NA

NOTES: 3" Stainless Steel Split Spoon
4.25" Hollow Stem Auger

At Boring Completion: NA Date: NA

Drilling Shifts:


Date	Time		Depth of Drilling Per Shift		Date	Time		Depth of Drilling Per Shift	
	Start	End	Start	End		Start	End	Start	End
7/21/94	1117	~~1420~~ 1420	~~0.0~~ 10'6"	~~13'6"~~ 13'6"			HSH 7/21/94		
	1315	HSH 7/21/94							

Abbreviations:

Abbr	Meaning
NA	NOT APPLICABLE

HSH 7/21/94

Location Sketch:



Project: TEAD-N	Boring: PPB-94-08	Page: 2 of 2

Depth/ Elev.	USCS Symbol/ Core Sketch	Soil/Rock Description	Sample No. & Depth	Blow Count & Recovery	Drilling Data NOTES:
0	ML	Silt with gravel (ML) 2.5Y5/4 light olive brown Mostly silt, few fine to coarse gravel, few to trace fine to coarse sand.	S1 0'-2'	18 35 50 61 } 2'	Sample Collected PPB-94-08A (0.5') Metals, VOC, SVOC, PCB
2					
4	ML	Silt with gravel (ML) 2.5Y6/3 light yellowish brown. Mostly silt, few fine to coarse gravel and few to trace fine to coarse sand. (Caliche, $CaCO_3$ covering some gravel at 4'9") Loose, slightly Moist	S2 4'-4'9"	36 75/3" }	Sample collected 4ft to 5.0' PPB-94-08B Split spoon refusal at 4'9"
6					
8					
10	GP-GM	Poorly graded gravel with silt (GP-GM) 2.5Y4/2 light brownish gray. Mostly cobbles, few fine to coarse gravels, few to trace silt with fine to coarse sand. Loose, slightly moist	S3 10'-10'6"	38/6" —	Split spoon refusal No Recovery. Auger to 10'6" Drive split spoon to 12'6"
12			S4 10'6"-12'6"	28 82 80 68 } 0	No Recovery. Auger down to 12'. Split spoon 12' to 12'9"
13			S5 12'-12'9"	29 65/3" } 6"	Auger down to 12'6" Split spoon to 12'7-6" No recovery again
14	BOTTOM OF EXPLORATION		S6 — <13'	No Recovery	Auger down to 13' Split spoon 13' to 13'6" Enough recovery to Finish collecting sample. Sample collected from S5 and S7 PPB-94-08C (13')
			S7	150/4" 4"	BOTTOM of EXPLORATION

HSH
7/21/94

ENVIRONMENT & INFRASTRUCTURE

FILE COPY

Revised 05/04/94

APPENDIX B

PHASE II RI TEST PIT RECORDS

Contents

Page

Test Pit Records for SWMU 6-Old Burn Area 1
Test Pit Records for SWMU 7-Chemical Range 29
Test Pit Records for SWMU 13-Tire Disposal Area 67
Test Pit Records for SWMU 23-Bomb and Shell Reconditioning 99
Test Pit Records for SWMU 35-Wastewater Spreading Area 115
Test Pit Records for SWMU 36-Old Burn Staging Area 127
Test Pit Records for SWMU 40-AED Test Range 141
Test Pit Records for SWMU 6-Old Burn Area, Data Gap Fieldwork 263
Test Pit Records for SWMU 40-AED Test Range, Data Gap Fieldwork 273

TEST PIT RECORDS FOR
SWMU 6-OLD BURN AREA

TEST PIT RECORD


Area View of Test Pit- OBP-94-01 Page 1 of 2

INSTALLATION IN SITE/SWMU 6 Old Burn Area

TEST PIT OBP-94-01 DATE 6/24/94 TIME 1510 END 1645

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



NORTH ↑

20' to Pin
25' from berm

SCALE 1" = 100 FT.

CREW MEMBERS:

1. H. Hodson
2. J. Gillespie
3. T. Thompson
4. S. Pincock
5. A Boyce, S. Brown } EOD Tech.
6. B. Francis

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	— Y	N
Other		

Photographs, Roll —

Exposure —

NOTES:

Sunny, Few Clouds, 90-100

Test Pit located within the bermed area.

Lots of scrap metal, wood, cement.

OBP-94-01A: found cement, re-bar, hinges, nails, steel straps, wood

@3' found a concrete block that is impentrable gravel fill starting @ 3' (fine gravel)

@5' repositioning backhoe to get a better angle on diggin through gravel fill (2-5' so far)

MS 6/24/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

Preceding Page Blank

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Profile Along Test Pit- OBP-94-01 NW-SE Page 2 of 2

INSTALLATION IN SITE/SWMU 6 Old Burn Area

TEST PIT OBP-94-01 DATE 6/24/94 TIME 1510 END 1645

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 4 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5'		0
S-2	3.2' HH 6/24/94	94	0
S-3	5' 6/24		0
S-4	7'		0
S-5			
S-6			
S-7			
S-8			

* NOTES: OBP-94-01A: 0.5' Silt (ML) 2.5Y5/4 light olive brown. Mostly silt, trace medium to coarse sand.

aliche * OBP-94-01B: 2' Silty Gravel (GM) 2.5Y5/4 light olive brown. Mostly coarse gravel some fine gravel and little silt, trace fine to coarse sand (GP)

* OBP-94-01C: 5' Poorly graded gravel 10YR7/3 very pale brown. Mostly fine to coarse gravel, few to trace silt, trace fine sand.

* OBP-94-01D: 7' Poorly graded gravel (GP) 10YR7/3 ~~light olive brown~~ very pale brown. Mostly fine gravel, little coarse gravel, few silt and trace fine sand

PREFERENCE: Field Book, Pg. #3 (HH) p 87

HH 6/24/94

Attachments _____

SIGNATURE: Christie Hudson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

TEST PIT RECORD

Area View of Test Pit- OBP-94-02 Page 1 of 2

INSTALLATION TN SITE/SWMU 6 Old Burn Area


TEST PIT OBP-94-02 DATE 6/25/94 TIME 0900 END 1050

COORDINATES _____ GRID ELEMENT _____

35' to Revet.

↑ North

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 100' FT.

CREW MEMBERS:

1. H. Hodson
2. T. Thompson
3. S. Pincock
   J. Gillespie
4. K. Davis
5. H. Woods
6. A Boyce, S. Brown, B. Francis } EOD Technologie

MONITOR EQUIPMENT:

PI Meter	Y	N
Explosive Gas	Y	N
Avail. Oxygen	Y	N
OVA —	Y	N

Other _____

Photographs, Roll — _____

Exposure — _____

NOTES:

Gusty wind blowing from the south
Sunny 80-90°

HSH 6/25/94 Metal debris visible on the surface. Mostly scrap metal.

Found a burned area about mid distance across the pit and 3-4' down on the eastern side OBP-94-02F sample was collected at this dipth. Possibly burned metal was found in this sample bucket

HSH 6/25/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Profile Along Test Pit- OBP-94-02 E-W Page 2 of 2

INSTALLATION TN SITE/SWMU 6 Old Burn Area

TEST PIT OBP-94-02 DATE 6/25/94 TIME 0900 END 1050

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 4' FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Lnt. Ser. No.	HD. SP. VOA PPM
S-1	0.5		0
S-2	2		0
S-3	5		0
S-4	7		0
S-5	10		0
S-6	~4'		
S-7	2' blackened surface		
S-8			

REFERENCE: Field Book, Pg 3 (HH)

Attachments —

SIGNATURE: Christie Sarah Hodson

* NOTES: OBP-94-02A: 0.5' Silt (ML). 10YR 6/4 Light yellowish brown. Mostly silt, trace fine to medium sand.

* OBP-94-02B: 2' Well graded sand with gravel (SW) 2.5Y 8/6 yellow. Mostly fine grained sand, little ~~coarse to fine~~ gravel, ~~few to trace~~ coarse gravel, trace medium gravel trace cobbles (HSH 6/25/94)

* OBP-94-02C: 5' Well graded sand with gravel 2.5Y 7/6 yellow. Mostly Sand - Mostly Coarse sand to fine sand, trace medium, Some fine gravel, few coarse gravel, trace cobbles. (HSH 6/25/94)

* OBP-94-02D: 7' Gravelly silt (ML). 2.5Y 5/6 Light olive brown Mostly silt, some fine to coarse gravel, few to trace sand.

* OBP-94-02E: 10' Silty Gravel (G-M). 2.5Y 7/3 pale yellow. Mostly fine to coarse gravel, few silt (caliche) and fine sand. With sand. Silt (ML) (HSH 6/25/94)

* OBP-94-02F: 4' (Base of Burn Pit) 10YR 4/4 Dark yellowish brown. ~~Silt (ML)~~ HSH 6/25/94 Mostly Silt, (perhaps a very organic soil) trace fine sand.

Some kind of sent burned layer?

1682FR01.DGN REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD

Area View of Test Pit- OBP-94-03 Page 1 of 2


INSTALLATION TN SITE/SWMU 6 old Burn Area

TEST PIT OBP-94-03 DATE 6/25/94 TIME 1115 END 1215

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)

185' end revet.
30'



SCALE 1" = 100 FT.

CREW MEMBERS:

1. H. Hodson
   J. Gillespie
2. T. Thompson
3. S. Pincock
4. K. Davis
5. H. Woods
6. A. Boyce
   S. Brown
   B. Francis

} EOD Technologi

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	___ Y	N

Other _____

Photographs, Roll —

Exposure —

NOTES:
Sunny, 100, Wind blowing from the South.
@2.5-3' layer of iron stained rock(?) sediment

HSH
6/25/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Profile Along Test Pit- OBP-94-03 East-West Page 2 of 2

INSTALLATION TN SITE/SWMU 6 Old Burn Area

TEST PIT OBP-94-03 DATE 6/25/94 TIME 1115 END 1215

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 4' FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5		0
S-2	2		0
S-3	5		0
S-4	7		0
S-5			
S-6			
S-7			
S-8			

HH 6/25/94

* NOTES: OBP-94-03A: 0.5 Gravelly silt with Sand (ML) 2.5Y6/4 light yellowish brown. Mostly silt, some coarse sand and fine gravel. ~~Well Graded~~

* OBP-94-03B: 2' ~~Sandy~~ Gravel with Sand (GW) 2.5Y6/6 Olive Yellow. Mostly fine gravel and some well graded sand (fine to coarse grained), few coarse gravel.

* OBP-94-03C: 5' Well graded gravel with Sand (GW) 2.5Y6/6 Olive Yellow. Mostly fine to coarse gravel, some well graded sand (fine to coarse sand)

* OBP-94-03D: 7' Well-graded gravel with Sand (GW) 2.5Y5/6 light olive brown. Mostly fine to coarse gravel. Little fine to coarse sand (well-graded).

* OBP-94-03E: NOT COLLECTED HH 6/25/94

REFERENCE: Field Book, p. 3 (HH)

Attachments _____

SIGNATURE: Christie Hodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE
FILE COPY

TEST PIT RECORD

Area View of Test Pit- OBP-94-04 Page 1 of 2


INSTALLATION TN SITE/SWMU 6 Old Burn Area

TEST PIT OBP-94-04 DATE 6/25/94 TIME 1340 END 1500

COORDINATES _____ GRID ELEMENT _____

1451

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 100' FT.

CREW MEMBERS:
1. H. Hodson
   T. Thompson
2. S. Pincock
3. J. Gillespie
4. H. Woods
   A. Boyce
5. B. Francis
6. S. Brown

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	N

Other _____

Photographs, Roll — Exposure —

NOTES:
Sunny, light breeze from the North 100°
Metal debris scattered across the surface.
Found the old pit that has been filled in.
Metal debris found at the bottom of the fill (@2-3')

HSH
6/25/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD

Profile Along Test Pit- OBP-94-04 East-West Page 2 of 2

INSTALLATION IN SITE/SWMU 6 Old Burn Area

TEST PIT OBP-94-04 DATE 6/25/94 TIME 1340 END 1500


COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION (SHOW SURFACE MONITORING RESULTS) 1/2"=1'

W

E

1/2"=1'



metal debris

caliche

SCALE 1" = 2 FT.

DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser No.	HD. SP. VOA PPM
S-1	0.5		0
S-2	2		0
S-3	5		0
S-4	7		0
S-5			
S-6			
S-7			
S-8			

HHH 6/25/94

NOTES:

* OBP-94-04A: 0.5' Silt (ML) Gravelly 2.5Y5/6 light olive brown. Mostly silt, few fine gravel.
* OBP-94-04B: 2' Silt with Gravel (ML) 2.5Y5/6 light olive brown. Mostly silt or very fine sand (#200 sieve), few fine gravels, trace medium to coarse sand
* OBP-94-04C: 5' Silty gravel (G-M) 2.5Y6/6 olive yellow. Mostly coarse gravel, little silt, trace medium to coarse sand few clay (HHH-6/25/94)
* OBP-94-04D: Silty gravel (G-M) 2.5Y 7/3 Pale yellow. Mostly fine to coarse gravel (not > than 5") and little silt, fine sand in trace amounts.

NO FURTHER SAMPLES

glass & metal debris found in bucket.

@ this point we moved the pit over/back 10' to explore the found geophysical anomaly. HHH 6/25/94

REFERENCE: Field Book, Pg 3 (HHH)

Attachments _____

SIGNATURE: Heather Hodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

HHH 6/25/94

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD OBSERVATION PIT #1

Area View of Test Pit ~~OBP 94 OBS PIT #1 6/26/94~~ Page 1 of 2


HSH 6/26/94

INSTALLATION IN SITE/SWMU 6 Old Burn Area

TEST PIT ~~OBP-94-03~~ DATE 6/25/94 TIME 1515 END 1650

COORDINATES OBSERVATION PIT #1 GRID ELEMENT

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 100 FT.

CREW MEMBERS:

1. H. Hodson K. Davis
   T. Thompson
2. J. Gillespie
3. S. Pincock
4. A. Boyce
5. B. Francis } EOD Technol.
6. S. Brown

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	— Y	N
Other		

Photographs, Roll —

Exposure —

NOTES:


Sunny 100° Wind blowing from the East

Metal debris on the surface on top of hill/mound.

Observation Trench. 42' long
About 4' of organic dk brown soil with few gravel. Possibly piled up from the 2 "trenchs" on either side
Dig down through brown soil until we reach the gravel layer (top of ~~pit~~ trench)

HSH 6/25/94 burned metal bands.

Metal debris, burned wood found, and glass concrete blocks



HSH 6/25/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD (HSH 6/26/94) PIT #1 East-West

Profile Along Test Pit ~~OBP-94-05~~ OBSERVATION Page 2 of 2

HSH 6/26/94

INSTALLATION IN SITE/SWMU 6 Old Burn Area

TEST PIT ~~OBP-94-~~ DATE 6/25/94 TIME 1520 END 1650


COORDINATES OBSERVATION PIT #1 GRID ELEMENT

SKETCH OF TEST PIT CROSS SECTION (SHOW SURFACE MONITORING RESULTS) 1"=8'

2' to start of burning pit.

1' to center

1"=8'



SCALE 1" = 8 FT.
DEPTH (FT.)

NOTES: FILL: Silt with few coarse gravel.

HSH 6/25/94

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1			
S-2			
S-3			
S-4			
S-5			
S-6			
S-7			
S-8			

HSH 6/25/94

REFERENCE: Field Book, Pg. 3 (HH)

Attachments

SIGNATURE: HRuster Hodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

East-West

TEST PIT RECORD

Area View of Test Pit - OBSERVATION PIT #2 Page 1 of 2


INSTALLATION TN SITE/SWMU 6 Old Burn Area

TEST PIT OBSERVATION PIT #2 DATE 6/26/94 TIME 0945 END 1200

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)

Observation
72'



North

SCALE 1" = 100 FT.

CREW MEMBERS:

1. HS Hodson
   J. Gillespie
2. T. Thompson
3. S. Pincock
4. H. Woods
5. A. Boyce
   B. Francis
6. S. Brown

} EOD Technology

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	—	Y N

Other _____

Photographs, Roll —

Expos re —

NOTES: SUNNY 90s, NE Wind

Few burned scrap metal, bailing wire, metal box straps.

Western Debris Pile

Black burn line found at 2' at end of the trench

Metal Rods that held ammo. Boxes together

Small ammo box found (1' x 1½')

- several


55 gallon drum - burned something inside the drum (early WW2) used to ship grenades - small shipping containers

Eastern Debris Pile

- smoke grenades, smoke pots - Burned in trench (Chemical munitions)

Burned impact fuses

HSH
6/26/94



TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

(HSH) EAST-WEST

TEST PIT RECORD

Profile Along Test Pit-OBSERVATION PIT #2 Page 2 of 2


INSTALLATION TN SITE/SWMU 6 Old Burn Area

TEST PIT Observation Pit #2 DATE 6/26/94 TIME 0945 END 1200

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION (SHOW SURFACE MONITORING RESULTS)

80 70 60 50 40 30 20 1/2" = 10'



SCALE 1" = _____ DEPTH (FT.)

HSH 6/26/94

NOTES:
OBP-94-05 : 5'
FOR SAMPLES SEE TEST PIT LOG, OBP-94-05.

HSH 6/26/94

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1			
S-2			
S-3			
S-4			
S-5			
S-6			
S-7			
S-8			

HSH 6/26/94

REFERENCE: Field Book, Pg. 3 (HSH)

Attachments _____

SIGNATURE: H Christine Hudson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

TEST PIT RECORD


Area View of Test Pit- OBP-94-05 Page 1 of 2

INSTALLATION TN SITE/SWMU 6 Old Burn Area

TEST PIT OBP-94-05 DATE 6/26/94 TIME 1245 END 1350

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 100 FT.

CREW MEMBERS:

1. H. Hodson
2. V Gillespie
   S. Pincock
3. T. Thompson
4. H. Woods, K. Davis
5. A. Boyce
6. B. Francis
   S. Brown

} EOD Technol

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	N

Other —

Photographs, Roll —

Exposure —

NOTES:

This test pit is located at the eastern end of observation pit #2. Smoke pots and smoke grenades (chemical munitions) were found at 4-5' in this pit. All of this is found in a fill material. Below the fill material is natural bedding and sediments.

Samples were collected at 5', 7', and 10'.

Test pit oriented SW-NE.

Sunny, 90-100, Wind blowing from the N, NE

82' = entire length of test pit is 82' x 2' x 10' (max. 6' average).

HH 6/26/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD

HSH 6/26/94


Profile Along Test Pit-OBP-94-05 NE-SW Page 2 of 2

INSTALLATION IN SITE/SWMU 126 Ad Burn Area

TEST PIT OBP-94-05 DATE 6/26/94 TIME 1245 END 1350

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



← W

SCALE 1" = 4 FT.
DEPTH (FT.)

HSH 7/13/94

NOTES: Samples A and B Not Collected

* OBP-94-05C: 5' Silty Gravel (GM) 10YR 4/6 dark yellowish brown. Mostly coarse gravel, few fine gravel, few silt, trace fine to medium sand 2.5Y 5/6 light olive brown

* OBP-94-05D: 7' Well graded sand with gravel (SW). Mostly well graded sand, (fine and coarse with few to trace medium sand) with some fine gravel, few coarse gravel, trace silt, (GP)

* OBP-94-05E: 10' Poorly graded gravel with sand. 2.5Y 5/6 light olive brown, Mostly fine gravel (1.5" max), some coarse sand, few to trace fine sand.

Metal debris
burned material
blue-metal corrosion

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	5		Ø
S-2	7'		Ø
S-3	10'		Ø
S-4			
S-5			
S-6	HSH 6/26/94		
S-7			
S-8			

REFERENCE: Field Book, Pg. 3 (HH)

Attachments _____

SIGNATURE: Dustin Hobson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD

Area View of Test Pit - OBP-94-06 Page 1 of 2


INSTALLATION TN SITE/SWMU 6 old Burn Pit

TEST PIT OBP-94-06 DATE 6/26/94 TIME 1420 END 1635

COORDINATES _____ GRID ELEMENT _____

110 + 20
35

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



HSH 6/26/94 North South

SCALE 1" = 100' FT.

CREW MEMBERS:

1. H. Hodson
   T. Thompson
2. S. Pinlock
3. H. Woods
   A. Bayce
4. S. Brown } EOD Technologie
5. B. Francis }
6.

MONITOR EQUIPMENT:

PI Meter	Y	N
Explosive Gas	Y	N
Avail. Oxygen	Y	N
OVA	Y	N

Other —

Photographs, Roll —

Exposure —

NOTES:

100, Sunny, Wind blowing from the East. switched to the North.

No metal debris scatterd on the surface. This pit is located over a geophysical anomaly.

HSH 6/26/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Profile Along Test Pit- OBP-94-06 North-South Page 2 of 2

INSTALLATION TN SITE/SWMU 6 Old Burn Pit

TEST PIT OBP-94-06 DATE 6/26/94 TIME 1420 END 1635

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 4 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5		6
S-2	2		0
S-3	5		0
S-4	7		0
S-5	10		0
S-6			
S-7		HSH	
S-8		6/26/94	

* NOTES: OBP-94-06A: 0.5 Silt (ML) 2.5Y6/3 light yellowish brown. Mostly silt, trace fine to medium sand.

* OBP-94-06B: 2' Silt with Gravel (ML) 2.5Y5/6 light olive brown Mostly silt, little to few fine to coarse gravel (~1" average size) trace medium to coarse sand

* OBP-94-06C: 5' Poorly graded gravel with sand (GP) 10YR 7/4 very pale brown Mostly borderline fine/coarse gravel (avg size 1") with some fine sand, trace medium sand Silty (GM) cemented

* OBP-94-06D: 7' Poorly graded gravel ~~with~~ 10YR 7/3 very pale brown Mostly coarse gravel (¼" diameter) with ~~some to~~ little silt and trace fine sand. (HSH 6/26/94)

REFERENCE: Field Book Pg. 3 (HH)

Attachments —

SIGNATURE: HOUSTON Hudson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

* OBP-94-06E-10', Silty Gravel (GM) 2.5Y 7/3 pale yellow. Mostly coarse gravel (~1"), few silt, trace sand, little fine gravel fine

(HSH 6/26/94)

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD

Area View of Test Pit-OBP-94-07


INSTALLATION TN Page 1 of 2

TEST PIT OBP-94-07 SITE/SWMU 6 Old Burn Area

COORDINATES _____ DATE 6/26/94 TIME 1645 END 1750

GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 100 FT.

↑ SOUTH

CREW MEMBERS:

1. H. Hodson
   J. Gillespie
2. S. Pincock
3. H. Woods
   T. Thompson
4. K. Davis
5. A Boyce
   B. Francis
6. S. Brown

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA —	Y	N

Other _____

Photographs, Roll _____

Exposure _____

NOTES:

- 5.56mm bullet 223
  Lots of metal debris
  banded 50cal
  wire band, rods
  primers
  igniters
  cartridge cases
  car seat, jeep seat
  flare

  All burned debris is found within the top 3'

- Lots of surface debris
- Test Pit oriented NW-SE, 14'x2'x10'
- Sunny, wind blowing from the Northeast, 85°

TSH 6/26/94

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Profile Along Test Pit - OBP-94-07 East-West Page 2 of 2

INSTALLATION IN TEAD-N Task 0003 SITE/SWMU 6 Old Burn Area

TEST PIT OBP-94-07 DATE 6/26/94 TIME 1645 END 1750

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 4 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser No.	HD. SP. VOA PPM
S-1	0.5'		0
S-2	2'		0
S-3	5'		0
S-4	7'		0
S-5	10'		0
S-6			
S-7			
S-8			

HSH 6/26/94

REFERENCE: Field Book Pg. 4 (HH)

Attachments —

SIGNATURE: HDistr Hudson

NOTES:

* OBP-94-07A: 0.5' Gravelly Silt (GM) 2.5Y6/4 light yellowish brown. Mostly silt with some fine to coarse gravel (No bigger than 1.5"), trace medium to coarse sand. (ML) HSH 7/13/94
* OBP-94-07B: 2' Silt with Gravel 2.5Y5/4 light olive brown. Mostly silt little fine to coarse gravel, trace medium to coarse sand.
* OBP-94-07C: 5' Silty Gravel (G-M) 2.5Y7/4 pale yellow. Mostly coarse gravel (1-1.5") little to few silt with very fine to fine sand.
* OBP-94-07D: 7' well graded gravel with silt (GW-GM) 2.5Y7/3 Pale yellow. Mostly fine to coarse gravel, few little to few silt trace fine to medium sand, few cobbles
* OBP-94-07E: 10' Poorly graded gravel with silt 2.5Y7/4 Pale yellow. Mostly coarse gravel (~2"), few silt, trace fine sand.

1682FR01.DGN
REV. 5/94

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

FILE COPY

TEST PIT RECORD

Area View of Test Pit- OBP-94-08 Page 1 of 2

INSTALLATION TN SITE/SWMU 6 Old Burn Area


TEST PIT OBP-94-08 DATE 6/27/94 TIME 0840 END 0945

COORDINATES _____ GRID ELEMENT _____

E
90' to #6
30' to #6
N

North ↓

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 100 FT.

CREW MEMBERS:
1. H. Hodson
2. T. Thompson
3. S. Pincock
4. A. Boyce
5. S. Brown
6. B. Francis

MONITOR EQUIPMENT:

PI Meter	Y	N
Explosive Gas	Y	N
Avail. Oxygen	Y	N
OVA	Y	N
Other —		

Photographs, Roll —

Exposure —

NOTES:

Sunny, 70-80, Wind blowing from the North.

No debris on the surface. The vegetation is different from surrounding vegetation (only grass here. Obviously located within a small depression (with OBP-94-07 at the other end)

Wood debris, boosters for chemical tank mines (smoke producers that are burned) charge smoke - Spotting charge anti-tank mine fuse - No explosive hazard.

HSH 6/28/94 HSH

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Profile Along Test Pit- OBP-94-08 East-West Page 2 of 2

INSTALLATION TN SITE/SWMU 6 Old Burn Area

TEST PIT OBP-94-08 DATE 6/27/94 TIME 0840 END 0945

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 4 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5		0
S-2	2		0
S-3	5		0
S-4	7		0
S-5	10		0
S-6			
S-7		HSA	
S-8		6/26/94	
		7 HSA	

* NOTES: OBP-94-08A: 0.5' Silt (ML) 2.5Y6/3 light yellowish brown, Mostly silt, few to trace fine gravel, trace medium to coarse sand.

* OBP-94-08B: 2' Gravelly silt (ML) 2.5Y5/3 light olive brown Mostly silt, little fine gravel (~.75"), few to trace clay

3' Hit the caliche

* OBP-94-08C: 5' Silty gravel (GM) 10YR 8/2 white. Mostly coarse gravel (~1"), few silt

* OBP-94-08D: 7' Well graded gravel with sand (GW) 10YR 8/2 white. Mostly fine to coarse gravel (0.2 to 2"), with little fine sand, trace medium to coarse sand, trace silt.

* OBP-94-08E: 10' Well graded gravel with sand, 2.5Y 7/4 pale yellow. Mostly (GW) fine to coarse gravel (up to 3") with some fine grained sand, trace med, coarse sand, trace silt

REFERENCE: Field Book Pg. 4 (HSA)

Attachments —

SIGNATURE: Christine Hodson

HSA 7/13/94

1682FR01.DGN

REV. 5/94

RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE army DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Area View of Test Pit- OBP-94-09 / OBP-94-11 Page 1 of 2

INSTALLATION TN SITE/SWMU 6 Old Burn Area

TEST PIT OBP-94-09 DATE 6/27/94 TIME 1000 END 1115

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 200 FT.

CREW MEMBERS:
1. H. Hudson
2. S. Pincock
3. T. Thompson
4. A. Bayce
5. S. Brown
6. B. Francis

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	N

Other _____

Photographs, Roll _____

Exposure _____

NOTES:
Test Pit located on top of a mound of soil. approx. 40' x 40'

Metal debris and wood debris scattered across the surface. Metal banding found very little on the Western edge of the trench so we backed it up 5' and made the pit slight longer.

HSH
6/27/94
(HSH)

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE
FILE COPY

TEST PIT RECORD


Profile Along Test Pit- OBP-94-09 / OBP-94-11 Page 2 of 2

INSTALLATION TN SITE/SWMU 6 Old Burn Area

TEST PIT OBP-94-09 DATE 6/27/94 TIME 1000 END 1115

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 4 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5		0
S-2	2		0
S-3	5		0
S-4	7		0
S-5	10		0
S-6			
S-7		HSH	
S-8		6/28/94	
		HSH	

* NOTES: OBP-94-09A: 0.5' Silt (ML) 2.5Y6/3 light yellowish brown. Mostly silt, trace medium or coarse sand, trace fine gravel

* OBP-94-09B: 2' Silt (ML) 2.5Y6/4 light yellowish brown. Mostly silt, trace fine cobbles

* OBP-94-09C: 5' Gravelly silt (ML) 2.5Y 6/4 light yellowish brown. Mostly ~~fine gravel~~, silt, some to little fine gravel.

HSH 6/27/94 * OBP-94-09D: 7' Silty gravel (GM) 2.5Y6/4 light yellowish brown. Mostly fine to coarse gravel, some silt, trace fine sand.

* OBP-94-09E: 10' Well graded gravel with silt (GW-GM). 2.5Y7/4 Pale yellow. Mostly well graded gravel from fine to coarse, few silt

REFERENCE: Field Book, Pg. 4 (HH)

Attachments _____

SIGNATURE: Christin Hodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD

Area View of Test Pit- CBP-94-10 Page 1 of 2


INSTALLATION TN SITE/SWMU 6 Old Burn Pit

TEST PIT CBP-94-10 DATE 6/27/94 TIME 1145 END 1250

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)

875' from burn



North

SCALE 1" = 40 FT.

CREW MEMBERS:

1. H. Hudson
2. S. Pinnock
3. T. Thompson
4. A. Boyce
5. S. Brown
6. B. Francis

MONITOR EQUIPMENT:

PI Meter	Y	N
Explosive Gas	Y	N
Avail. Oxygen	Y	N
OVA	Y	N

Other _____

Photographs, Roll _____

Exposure _____

NOTES:

Wire rods from burned ammo boxes, metal bands from boxes, thin wire, cartridge case.

Looks like a 10' x 10' mound of dirt with only debris found on the surface.

Test pit oriented E-W

HSH 6/28/94

HSH

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Profile Along Test Pit- OBP-94-10 East-West Page 2 of 2

INSTALLATION TN SITE/SWMU 6 Old Burn Area

TEST PIT OBP-94-10 DATE 6/27/94 TIME 1145 END 1250

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 4 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5		0
S-2	2		0
S-3	5		0
S-4	7		0
S-5	10		0
S-6			
S-7		HH	
S-8		6/27/94	

* NOTES: OBP-94-10A: 0.5' Silt (ML) 2.5Y4/3 olive brown. Mostly silt, trace fine sand. lots of burned wood, burned scrap metal visible on the surface

* OBP-94-10B: 2' Silt (ML) 2.5Y5/6 light olive brown. Mostly silt, trace fine to coarse gravel, trace coarse sand silty

* OBP-94-10C: 5.5' Poorly graded gravel (GP) 2.5Y6/6 olive yellow. Mostly coarse gravel (¾"), few silt, few to trace med to coarse grained sand.

* OBP-94-10D: 7' Poorly graded gravel with sand (GP) 2.5Y6/4 light yellowish brown. Mostly coarse gravel (¾"), few fine grained sand, trace med to coarse sand

* OBP-94-10E: 10' Well graded gravel with sand (GW) 2.5Y6/6 olive yellow. Mostly fine (½-3") to coarse gravel with few fine sand., trace coarse sand. (Almost a well graded sand.)

REFERENCE: Field Book, Pg. 4 (HH)

Attachments _____

SIGNATURE: Holistik Hodson

sides caving in on test pit

1682FR01.DGN REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE army DEPOT, NORTH AREA

//

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Area View of Test Pit- OBP-94-12 Page 1 of 2

INSTALLATION TN SITE/SWMU 6 Old Burn Area

TEST PIT OBP-94-12 DATE 6/27/94 TIME 1400 END 1500

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



← North

SCALE 1" = 100' FT.

CREW MEMBERS:

1. H. Hodson
2. S. Pincock
3. T. Thompson
4. A. Boyce
5. S. Braun
6. B. Francis

MONITOR EQUIPMENT:

PI Meter	Ø	N
Explosive Gas	Ø	N
Avail. Oxygen	Ø	N
OVA —	Y	N

Other _____

Photographs, Roll = _____

Exposure = _____

NOTES:

Vegetation looks disturbed. Ground surface is irregular. The dirt looks mounded. Glass and metal debris on the surface (very little).

HSH 6/27/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST

FILE COPY

TEST PIT RECORD


Profile Along Test Pit- OBP-94-12 East-West Page 2 of 2

INSTALLATION TN SITE/SWMU 6. Old Burn Area

TEST PIT OBP-94-12 DATE 6/27/94 TIME 1400 END 1500

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 4 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5'		0
S-2	2'		0
S-3	5'		0
S-4	7'		0
S-5	10'		0
S-6			
S-7			
S-8			

HHH 6/27/94

* NOTES: OBP-94-12A: 0.5' Silt (ML) 2.5Y5/3 light olive brown. Mostly silt, trace medium sand.

* OBP-94-12B: 2' Silt (ML) 2.5Y5/6 light olive brown. Mostly silt with trace fine gravel.

* OBP-94-12C: 5' Silt (ML) 10YR6/4 light yellowish brown. Mostly silt, trace fine gravel, trace clay.

* OBP-94-12D: 7' Silty Gravel (GM). 2.5Y6/4 light yellowish brown. Mostly fine to coarse gravel, few silt, trace fine sand and clay.

* OBP-94-12E: 10' Silty gravel (GM) 2.5Y7/4 pale yellow. Mostly ~~fine~~ coarse gravel, little fine gravel, few silt, trace fine sand

REFERENCE: Field Book, Pg. 4 (HHH)

Attachments —

SIGNATURE: HHH Christie Hudson 6/27/94

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORDS FOR SWMU 7-CHEMICAL RANGE

TEST PIT RECORD

Area View of Test Pit- CRP-94-01 Page 1 of 2


INSTALLATION TN TEAD-N Task 0003 SITE/SWMU 7 Chemical Range

TEST PIT CRP-94-01 DATE 6/28/94 TIME 0930 END 1140

COORDINATES _____ GRID ELEMENT _____

60

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



North

SCALE 1" = 50 FT.

CREW MEMBERS:

1. H. Hodson
2. T. Thompson
3. S. Pincock
4. A. Boyce
5. B. Francis
6. S. Brown

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	N

Other —

Photographs, Roll —

Exposure —

NOTES:

approx. ← Empty Rusted training 3.5" heat Rocket components, fuses, warhead assemblies Glass, burned metal, burned smoke flare

Sunny 80-90's. Wind blowing from the south but shifting around

No scraps on the surface. The vegetation is different within this area and the surface is slightly irregular.

SVOCs
Metals
Explosives

HS# 6/28/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE
FILE COPY

TEST PIT RECORD


Profile Along Test Pit- CRP-94-01 North-South Page 2 of 2

INSTALLATION TN SITE/SWMU 7 Chemical Range

TEST PIT CRP-94-01 DATE 6/28/94 TIME 0930 END 1140

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 4 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	5'		0
S-2	7'		0
S-3	9'		0
S-4	10'		0
S-5			
S-6			
S-7			
S-8			

HH 6/28/94

* NOTES: CRP-94-01A: 5' Silt (ML) 10YR 5/6 yellowish brown. Mostly silt, trace fine to medium sand.

* CRP-94-01B: 7' Silt (ML) 2.5Y5/6 light olive brown. Mostly silt, few to trace fine gravel. with gravel (HSH 6/28/94)

* CRP-94-01C: 9' Silt (ML) 10YR5/4 yellowish brown. Mostly silt with few fine to coarse gravel, trace medium to coarse sand.

* CRP-94-01D: 10' Poorly graded sand with gravel and silt, 2.5Y5/6 light olive brown, Mostly fine sand and some fine to coarse gravel (Larg. diameter = ¼"), few to trace silt, and trace coarse sand (HSH 6/28/94) (SP-SM)

HSH 6/29/94

All Moist *

REFERENCE: Field Book, Pg. 4 (HH)

Attachments _____

SIGNATURE: Illustrate Hodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD

Area View of Test Pit- CRP-94-02 Page 1 of 2


INSTALLATION TN SITE/SWMU 7 Chemical Range

TEST PIT CRP-94-02 DATE 6/28/94 TIME 1230 END 2:00

COORDINATES _____ GRID ELEMENT _____

70'

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



North

SCALE 1" = 50 FT.

CREW MEMBERS:

1. H. Hodson
2. T. Thompson
3. S. Pincock
4. A. Boyce
5. B. Francis
6. S. Brown

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	N

Other _____

Photographs, Roll ~

Exposure -

NOTES:

Barrel rings, smoke pots remnants, pieces of boards, ammo boxes

Sunny, 90-100, wind blowing to the South, test pit oriented N-S, 27' x 2' x 10' (actual pit

TDH
6/28/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Profile Along Test Pit- CRP-94-02 North South Page 2 of 2

INSTALLATION IN SITE/SWMU 4 Chemical Range

TEST PIT CRP-94-02 DATE 6/28/94 TIME 1230 END 2000

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 4 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	5		0
S-2	7		0
S-3	9		0
S-4	10		0
S-5			
S-6			
S-7		HSH 6/28/94	
S-8			

NOTES: CRP-94-02A: 5' Silt (ML) 2.5Y 5/4 light olive brown. Mostly silt, trace fine sand, trace clay. (Metal debris
* CRP-94-02B: 7' Silt (ML) 2.5Y 6/3 light yellowish brown. Mostly silt trace fine sand
* CRP-94-02C: 9' Silt (ML) 2.5Y 5/6 light olive brown. Mostly silt trace clay.
* CRP-94-02D: 10' Silt with gravel (ML) 2.5Y 5/4 light olive brown. Mostly silt, few coarse gravel, trace clay.

HSH 6/28/94

REFERENCE: Field Book, Pg. 4 (HH)

Attachments _____

SIGNATURE: Christie Hudson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Area View of Test Pit-CRP-94-03 Page 1 of 2

INSTALLATION TN SITE/SWMU 7 Chemical Range

TEST PIT CRP-94-03 DATE 6/29/94 TIME 0900 END 1000

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



95 = 1/8
88.4 9

North

SCALE 1" = ~~50~~ 36' FT.

CREW MEMBERS:

1. H. Hodson
2. J. Gillespie
3. S. Pincock
4. T. Thompson
   A. Boyce
5. B. Francis
6. S. Brown

MONITOR EQUIPMENT:

PI Meter	Y	N
Explosive Gas	Y	N
Avail. Oxygen	Y	N
OVA	Y	N

Other —

Photographs, Roll —

Exposure —

NOTES:

No debris on the surface

barrel rings, barrel tips, M-9 smoke grenade, rubber cylinders(?) ~~bar~~ 8"x1" diam. smoke incendiary device, ammo, can, barrel parts (HSH 6/29/94)

Sunny 90-100. Wind blowing from the SW

HSH
6/29/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Profile Along Test Pit- CRP-94-03 North-South Page 2 of 2

INSTALLATION TN SITE/SWMU 7 Chemical Range

TEST PIT CRP-94-03 DATE 6/28/94 TIME ~~1425~~ HSH ~~6/28/94~~ END 1000

COORDINATES _____ GRID ELEMENT ~~1505~~ 0900 HSH 6/28/94

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = _____ FT.

DEPTH (FT.)

* NOTES: CRP-94-03A: 5' Silt (ML) 10YR6/6 brownish yellow. Mostly silt, trace clay

* CRP-94-03B: 7' Silt (ML) 10YR6/4 light yellowish brown. Mostly silt, trace clay

* CRP-94-03C: 9' Silt (ML) 10YR5/6 Brownish. Mostly silt, trace very fine sand

* CRP-94-03D: 10' Silt (ML) 10YR5/6 yellowish brown. Mostly silt, trace medium sand

HSH 6/28/94

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM	Time
S-1	5'		0	0920
S-2	7'		0	0930
S-3	9'		0	0940
S-4	10'		0	0945
S-5				
S-6				
S-7				
S-8				

HSH 6/28/94

REFERENCE: Field Book, Pg. 4 (HH)

Attachments —

SIGNATURE: Christine Hodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

TEST PIT RECORD


Area View of Test Pit- CRP-94-04 Page 1 of 2

INSTALLATION TN SITE/SWMU 7 Chemical Range

TEST PIT CRP-94-04 DATE 6/29/94 TIME 1025 END 1425

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = ~36 FT.

NOTES: Ammo cans, smoke pots, Corrugated metal siding. barrel straps, aluminum, smoke grenades woven wire fence, incindiary grenade wires, wooden boxes, corrosion

HSH 6/29/94

CREW MEMBERS:

1. H. Hodson
2. S. Pincock
3. T. Thompson
4. A. Boyce
5. B. Francis
6. S. Brown

MONITOR EQUIPMENT:

PI Meter	Y	N
Explosive Gas	Y	N
Avail. Oxygen	Y	N
OVA	Y	N
Other	—	

Photographs, Roll —

Exposure —

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE
FILE COPY

TEST PIT RECORD


Profile Along Test Pit- CRP-94-04 North-South Page 2 of 2

INSTALLATION TN SITE/SWMU 7 Chemical Range

TEST PIT CRP-94-04 DATE 6/29/94 TIME 1025 END 1125

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 4 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	5.0		0
S-2	7.0		0
S-3	9.0		0
S-4	10.0		0
S-5			
S-6			
S-7			
S-8			

AKSH 6/29/94

* NOTES: CRP-94-04A: 5' Silt (ML) 10YR5/6 yellowish brown Mostly silt, trace clay

* CRP-94-04B: 7' Silty (ML) 2.5Y5/6 light olive brown. Mostly silt, trace clay.

* CRP-94-04C: 9' Silt (ML) 10YR4/6 dark yellowish brown Mostly silt trace fine to coarse sand

* CRP-94-04D: 10' Poorly graded sand with gravel (SP). 10YR6/6 brownish yellow. Mostly fine grained sand and little coarse gravel, few fine gravel, trace med to coarse sand.

Getting some readings on VOC's because of a fire burning down

REFERENCE: Field Book, Pg. 4 (##)

Attachments _____

SIGNATURE: Holistik Hodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

FILE COPY

TEST PIT RECORD


Area View of Test Pit- CRP-94-05 Page 1 of 2

INSTALLATION TN SITE/SWMU 7 Chemical Range

TEST PIT CRP-94-04 DATE 6/29/94 TIME 1150 ~~AM~~ HH END 1300

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS) 02



SCALE 1" = ~36' FT.

CREW MEMBERS:

1. H. Hodson
2. J. Gillespie
   S. Pincock
3. T. Thompson
4. A. Boyce
5. S. Brown
6. B. Francis

MONITOR EQUIPMENT:

PI Meter	Y	N
Explosive Gas	Y	N
Avail. Oxygen	Y	N
OVA	Y	N
Other —		

Photographs, Roll —

Exposure —

NOTES:

Located in the middle of the triangle of geophysical anomalies.

Surface is disturbed. Little metal debris was scattered on the surface

ammo cans, fuse lighters, 3.5" Heat Rockets, propellant bags, lots of corroded metal,

Sunny 90's, Wind blowing to the East

11:54
6/29/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Profile Along Test Pit- CRP-94-05 East-West Page 2 of 2

INSTALLATION TN SITE/SWMU 7 Chemical Range

TEST PIT CRP-94-05 DATE 6/29/94 TIME 1150 END 1300

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 4 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	4.0		0
S-2	5.0		0
S-3	7.0		0
S-4	10.0		0
S-5			
S-6		HSH	
S-7		6/29/94	
S-8			

1200

* NOTES: CRP-94-05A: 4.0' Silt (ML) 2.5Y 5/6 light olive brown. Mostly silt, trace clay

* CRP-94-05B: 5.0' Silt (ML) 2.5Y5/6 light olive brown. Mostly silt trace clay

* CRP-94-05C: 7.0' Silt (ML) 2.5Y5/4 light olive brown Mostly silt trace coarse sand.

* CRP-94-05D: 10' Silt (ML) 2.5Y 5/6 light olive brown. Mostly silt, trace coarse sand, trace clay

HSH 6/29/94

REFERENCE: Field Book, Pg. 4

Attachments (HH) —

SIGNATURE: Christie Hodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Area View of Test Pit-OBSERVATION PIT #1 Page 1 of 2

INSTALLATION TN SITE/SWMU 7 Chemical Range

TEST PIT Observation Pit DATE 6/28/94 TIME 1425 END 1530

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 50 FT.

CREW MEMBERS:

1. H. Hodson
2. J. Gillespie
3. S. Pincock
4. T. Thompson
5. A. Boyce
   S. Brown
6. B. Francis

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	—	Y (N)

Other _____

Photographs, Roll —

Exposure —

NOTES:

- Located the test pit next to the fire break and the 200' quad line for the geophysical survey.
- Test pit was approximately 20-25' long x 5' deep x 2' wide.
- Nothing was found in the pit - No disturbed dirt, all silt.
- Surface was not disturbed. Very little vegetation

HSH
6/28/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Profile Along Test Pit- observation pit # 1 NE-SW Page 2 of 2

INSTALLATION TN SITE/SWMU 7 Chemical Range

TEST PIT Observation Pit #1 DATE 6/28/94 TIME 1425 END 1530

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 4 FT.
DEPTH (FT.)

NOTES:
No Samples Collected. All Silt (ML)

HBH 6/28/94

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1			
S-2			
S-3			
S-4			
S-5			
S-6			
S-7			
S-8			

HBH 6/28/94

REFERENCE: Field Book Pg. 4
HB

Attachments —

SIGNATURE: HBlister Hodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

TEST PIT RECORD


Area View of Test Pit- Observation Pit #2 Page 1 of 2

INSTALLATION TN SITE/SWMU 7/Chemical Range

TEST PIT Observation Pit #2 DATE 6/28/94 TIME 1525 END 1608

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 50 FT.

CREW MEMBERS:

1. H. Hodson
2. J. Gillespie
3. S Pincock
4. T. Thompson
5. A. Boyce
   S. Brown
6. B Francis

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	N

Other —

Photographs, Roll —

Exposure —

NOTES:

Test pit oriented N-S 27'x6'x2'

Nothing found. Only silt. The test pit ran from the fire break to a berm.

The surface looked slightly irregular.

#54
6/28/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Profile Along Test Pit- Observation Pit #2 NE-SW Page 2 of 2

INSTALLATION TN SITE/SWMU 7 Chemical Range

TEST PIT Observation Pit 2 DATE 6/28/94 TIME 1535 END 1608

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION (SHOW SURFACE MONITORING RESULTS) 1" = 4'



1" =

SCALE 1" = different FT. for vertical and horizontal * Note to Side.
DEPTH (FT.)

NOTES:

No Samples Collected
All Silt & Soft

1554 6/28/94

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1			
S-2			
S-3			
S-4			
S-5			
S-6			
S-7			
S-8			

1554 6/28/94

REFERENCE: Field Book, Pg. 4 HH

Attachments _____

SIGNATURE: Christine Hodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Area View of Test Pit- CRP-94-06 Page 1 of 2

INSTALLATION TN SITE/SWMU 7 Chemical Range

TEST PIT CRP-94-06 DATE 7/5/94 TIME 1445 END 1530

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



North ↑

SCALE 1" = 200 FT.

CREW MEMBERS:

1. H. Hodson / J. Gillespie
2. S. Pincock / T. Richard
3. T. Thompson
4. Jerry Phillips } EOD Tech
5. S. Brown } EOD Tech
   A Boyce
6. B. Francis

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	—	Y (N)

Other _____

Photographs, Roll —

Exposure —

NOTES:

Wind blowing in strong gusts to the North

Sunny 95-100 °F

Surface is flat and grass is growing, but it looks like it has been graded.

Located at the center of Geophysical grid C2 - with a geophysical anomaly. Pit oriented NE-SW 12' x 10' x 2' (L, D, W)

HSH
7/6/5/94
(HSH)

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE
FILE COPY

TEST PIT RECORD


Profile Along Test Pit-CRP-94-06 NE-SW Page 2 of 2

INSTALLATION TN SITE/SWMU 7 Chemical Range

TEST PIT CRP-94-06 DATE 7/5/94 TIME 1445 END 1530

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



← SW

SCALE 1" = 4 FT.
DEPTH (FT.)

NOTES:
* CRP-94-06A (0.5') Silt (ML) 10YR6/3 Pale brown. Mostly silt trace fine to medium sand
calcareous cemented forming.
* CRP-94-06B (5.0') Silt (ML) 10YR 4/6 Dark yellowish brown. Mostly silt trace fine sand.
* CRP-94-06C (10.0') Silt (ML) 2.5Y6/4 light yellowish brown. Mostly silt few to trace fine grained sand. trace clay.

7/5/94

7/5/94

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5		0
S-2	5.0		0
S-3	10.0		0
S-4			
S-5			
S-6			
S-7			
S-8			

7/5/94

REFERENCE: Field Book, Pg. 4 (HH)

Attachments —

SIGNATURE: Christine Dodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Area View of Test Pit- CRP-94-07 Page 1 of 2

INSTALLATION TN SITE/SWMU 7 Chemical

TEST PIT CRP-94-07 DATE 7/5/94 TIME 1545 END 1615

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



North ↑

SCALE 1" = 200 FT.

CREW MEMBERS:

1. H. Hodson
2. S. Pincock
3. T. Thompson
4. J. Phillips
5. A. Boyce, B. Francis
6. S. Brown

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)
Other	—	

Photographs, Roll —

Exposure —

NOTES:

Wind blowing from the SW in strong gusts. Partly cloudy, 95 - 100°F

Surface is covered with grass and looks as if it has been graded

E14
7/5/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Profile Along Test Pit- CRP-94-07 NE-SW Page 2 of 2

INSTALLATION TN SITE/SWMU 7 Chemical Range

TEST PIT CRP-94-07 DATE 7/5/94 TIME 1545 END 1615

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 4 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5'		0
S-2	5.0'		0
S-3	10.0'		0
S-4			
S-5			
S-6			
S-7			
S-8			

NOTES:

* CRP-94-07A (0.5') Silt (ML) 2.5Y 7/2 light gray. Mostly silt trace clay.

* CRP-94-07B (5.0') Silt (ML) 10YR 4/6 dark yellowish brown Mostly silt few to trace clay

clay lenses

* CRP-94-07C (10.0) Silt (ML) 2.5Y5/6 light olive brown. Mostly silt, trace clay

HH 7/5/94

HH 7/5/94

REFERENCE: Field Book, Pg. 4

Attachments (HH) —

SIGNATURE: Christie Hodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Area View of Test Pit- CRP-94-08 NE-SW Page 1 of 2

INSTALLATION TN SITE/SWMU 7 Chemical Range

TEST PIT CRP-94-08 DATE 7/6/94 TIME 0900 END 0940

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 200 FT.

CREW MEMBERS:

1. Hodson
2. Thompson
3. Pincock
4. Phillips
5. Boyce
6. Brown

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)
Other	—	

Photographs, Roll —

Exposure —

NOTES:

Sunny 70's, Wind blowing from the North

Surface is covered with grass looks as if the entire area has been graded.

Little Metal debris scattered on the surface

Pit oriented NE, SW 14'X2'X10'
L X W X D

HSH
7/6/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

FILE COPY

TEST PIT RECORD


Profile Along Test Pit- CRP-94-08(NE-SW) Page 2 of 2

INSTALLATION IN SITE/SWMU 7 Chemical Range

TEST PIT CRP-94-08 DATE 7/6/94 TIME 0900 END 0940

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 4' FT.
DEPTH (FT.)

NOTES: CRP-94-08A (0.5) Silt (ML)
2.5Y6/4 Light yellowish brown. Mostly Silt, some clay HSH 7/6/94

CRP-94-08B (5') Silt (MH)
10YR4/4 Dark Yellowish Brown. Mostly Silt few clay.
HSH 7/6/94

HSH 7/6/94

CRP-94-08C (10') Silt with Clay (MH)
2.5Y6/4 Light Yellowish Brown. Mostly Silt with so little clay.
HSH 7/6/94

HSH 7/6/94

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5		0
S-2	5.0		0
S-3	10.0		0
S-4			
S-5			
S-6			
S-7			
S-8			

HSH 7/6/94

REFERENCE: Field Book, Pg. _____

Attachments _____

SIGNATURE: Holistie Hodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Area View of Test Pit- CRP-94-09 Page 1 of 2

INSTALLATION TN SITE/SWMU 7 Chem. Range

TEST PIT CRP-94-09 DATE 7/6/94 TIME 0950 END 1040

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 200 FT.

CREW MEMBERS:

1. H. Hudson
2. T. Thompson
3. S. Pincock
4. A Boyce
5. J. Phillips
6. S. Brown

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)

Other —

Photographs, Roll —

Exposure —

NOTES:

Very little Surface Debris. Grass covering the Surface, looks like it has been graded.

Sunny 80, Little wind blowing from the North

Test Pit oriented NE-SW 14'x2'x10.5

HSH 7/6/94

TEST PIT PLAN RECORD
TOOELE army DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE
FILE COPY

TEST PIT RECORD


Profile Along Test Pit-CRP-94-09 NESW Page 2 of 2

INSTALLATION TN SITE/SWMU 7 Chem Range

TEST PIT CRP-94-09 DATE 7/6/94 TIME 0950 END 1040

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



NE →

SCALE 1" = 4' FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5		0
S-2	5.0		0
S-3	10.0		0
S-4			
S-5			
S-6			
S-7			
S-8			

HSH 7/6/94

NOTES:

CRP-94-09A (0.5) Silt (ML)
10YR7/4 very pale brown. Mostly silt. Some clay.

CRP-94-09B (5') Elastic Silt (MH)
10YR5/4 Yellowish Brown Mostly silt ~~Clay, Some little silt~~ low to medium dry strength, no dilatency low to medium plasticity (HSH 7/6/94)

CRP-94-09C (10.0) Elastic Silt (MH)
~~Mostly~~ 10YR5/4 Yellowish Brown Mostly silt, low to medium dry strength, no dilatancy, low to medium plasticity

HSH 7/6/94

REFERENCE: Field Book, Pg. 4

Attachments (HH) —

SIGNATURE: H Dwight Hodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Area View of Test Pit- CRP-94-10 Page 1 of 2

INSTALLATION TN SITE/SWMU 7 Chem. Range

TEST PIT CRP-94-10 DATE 7/6/94 TIME 1055 END 1140

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



N

SCALE 1" = 200 FT.

CREW MEMBERS:

1. S. Pincock
2. T. Thompson
3. H. Hodson
4. A. Boyce
5. J. Phillips
6. S. Brown

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)
Other	—	

Photographs, Roll —

Exposure —

NOTES:
Sunny, 80's. Wind Blowing from the North

Surface has grass growing, was razed, No surface debris

HSH
7/6/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST INFRASTRUCTURE
FILE COPY

TEST PIT RECORD


Profile Along Test Pit- CRP-94-10 NE-SW Page 2 of 2

INSTALLATION TN SITE/SWMU 7 Chem-Range

TEST PIT CRP-94-10 DATE 7/6/94 TIME 1055 END 1140

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



→ NW

SCALE 1" = 4 FT.
DEPTH (FT.)

NOTES: CRP-94-10A: (0.5') Silt (ML)
10YR6/3 Pale Brown. Mostly Silt, low dry strength, low non plastic

CRP-94-10B (5') Silt (MH)
10YR5/3 brown. Mostly Silt, low to medium dry strength, low to medium plasticity. trace fine sand

CRP-94-10C (10) Silt (MH)
10YR 4/3 Brown/DK Brown. Mostly Silt, (medium dry strength, low to medium plasticity, trace fine to medium sand.

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5		0
S-2	5.0		0
S-3	10.0		0
S-4			
S-5			
S-6		HSI+	
S-7		7/6/94	
S-8			

REFERENCE: Field Book, Pg. 4

Attachments —

SIGNATURE: Houstie Hodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Area View of Test Pit- CRP-94-Observations# 1 Page 1 of 2

INSTALLATION TN SITE/SWMU 7 Chemical Range

TEST PIT CRP-94-Observation #1 DATE 7/6/94 TIME 1250 END 1440

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 200 FT.

NOTES:
Partly Cloudy 80's Wind Blowing from the North.

Observation Pit located on the edge of the geophysical anomaly

HSH
7/6/94

CREW MEMBERS:
1. H. Hodson
2. T. Thompson
3. S. Pincock
4. A. Boyce
5. S. Brown
6. J. Phillips

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)
Other	—	

Photographs, Roll —

Exposure —

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD Northeast-Southwest


Profile Along Test Pit- CRP-94-Observ. #1 Page 2 of 2

INSTALLATION TAN SITE/SWMU 7 Chem. Range

TEST PIT CRP-94-Obser. #1 DATE 7/6/94 TIME 1250 END 1440

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 8 FT.
DEPTH (FT.)

NOTES:
No Samples Collected.

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1			
S-2			
S-3			
S-4			
S-5			
S-6			
S-7			
S-8			

REFERENCE: Field Book Pg. 4

Attachments HHH —

SIGNATURE: Christie Hedeen

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD

Area View of Test Pit- CRP-94-11 Page 1 of 2


INSTALLATION TN SITE/SWMU 7 Chemical Range

TEST PIT CRP-94-11 DATE 7/6/94 TIME 1445 END 1845

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)

65'
40'
15' x 80'
8
35'



SCALE 1" = 200 FT.

CREW MEMBERS:

1. H. Hodson
2. S. Pincock
3. T. Thompson
4. A. Boyce
5. J. Phillips
6. S. Brown

MONITOR EQUIPMENT:

PI Meter	Y	N
Explosive Gas	Y	N
Avail. Oxygen	Y	N
OVA	Y	N
Other —		

Photographs, Roll —

Exposure —

NOTES:

Sample and test pit dug underneath the pile of debris found in the trench

Test Pit Ground Zero is at the bottom of this 5' deep trench.

Ammo Cans
40 mm expended CS cartridges (tear gas)
empty grenade rifle - smoke
Streaming smoke
wood boards
barrel rings (1' diam.)

7/6/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

FILE COPY

TEST PIT RECORD


Profile Along Test Pit- CRP-94-11 NE-SW Page 2 of 2

INSTALLATION TN SITE/SWMU 7 Chem. Range

TEST PIT CRP-94-11 DATE 7/6/94 TIME 1445 END 1645

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 4' FT.

DEPTH (FT.) (0.5) (ML)

HSH 7/6/94

NOTES: CRP-94-11A Gravelly Silt w/Sand 2.5Y5/4 Light Olive Brown. Mostly silt and fine gravel, few fine to coarse sand

CRP-94-11B (5') Well graded gravel w/Sand (GW) 2.5Y6/3 Light Yellowish Brown Mostly well-graded gravel (fine to coarse and cobbles), some fine to medium grained sand, trace coarse sand 91 (HSH 7/6/94)

CRP-94-11C (10') Well graded gravel with Sand (GW) 2.5Y6/3 Light Yellowish brown. Mostly well-graded gravel (fine to coarse) and cobbles, some fine to med. grained sand. trace coarse sand

SAMPLES OBTAINED:

No.	Depth (ft.)	Lnt. Ser. No.	HD. SP. VOA PPM
S-1	0.5		0
S-2	5.0		0
S-3	10.0		0
S-4 (GW)			
S-5			
S-6			
S-7			
S-8			

HSH 7/6/94

REFERENCE: Field Book, Pg. 4 (HH)

Attachments -

SIGNATURE: HSH Hollistine Hodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Area View of Test Pit- CRP-94-12 Page 1 of 2

INSTALLATION TN SITE/SWMU 7 Chemical Range

TEST PIT CRP-94-12 DATE 7/7/94 TIME 0905 END 1045

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 200 FT.

CREW MEMBERS:

1. H. Hudson
2. S. Pincock
3. T. Thompson
4. C. Marsh
5. A. Boyce B. Francis S. Brown
6. J. Phillips

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(ND)
Other	—	

Photographs, Roll —

Exposure —

NOTES:

Sunny, 80's, very little wind

40mm expended CS grenades (tear gas)
Slap flare components
Smoke grenades
40mm illuminating stars
thermik shipping containers in boxes
40mm basecharges
75mm aluminum casing
Some burning was performed in the pit/trench

F3 17
7/7/94

Surface and buried.

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE
FILE COPY

TEST PIT RECORD


Profile Along Test Pit- CRP-94-12 N-S. Page 2 of 2

INSTALLATION TN SITE/SWMU 7 Chemical Range

TEST PIT CRP-94-12 DATE 7/7/94 TIME 0405 END 1645

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 4 FT.
DEPTH (FT.)

with silt (HSH 7/7/94) (SW-SM)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5'		0
S-2	5.0'		0
S-3	10.0'		0
S-4			
S-5		HH	
S-6		7/7/94	
S-7			
S-8			

armed material

* NOTES: CRP-94-12A (0.5') Well-graded sand 2.5Y6/4 light yellowish brown. Mostly well graded sand (fine to coarse with few to trace silt

moist

* CRP-94-12B(5') Well-graded sand with gravel(SW) 2.5Y 7/3 Pale yellow. Mostly fine and coarse sand, few medium sand, little fine to coarse gravel and cobbles

* CRP-94-12C(10') Well-graded sand with gravel(SW) 10YR 8/3 Very pale Brown. Mostly fine to coarse sand (well-graded less of med. grain) (HSH 7/7/94) little fine to coarse gravel and cobbles, trace boulders.

REFERENCE: Field Book, Pg. 4 (HH)

Attachments —

SIGNATURE: Heather Hudson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

FILE COPY

TEST PIT RECORD

Area View of Test Pit- CRP-94-13 Page 1 of 2


INSTALLATION TN SITE/SWMU 7 Chemical Range

TEST PIT CRP-94-13 DATE 7/7/94 TIME 1135 END 1210

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)

50'



SCALE 1" = 100' FT.

CREW MEMBERS:

1. H. Hodson
   C. Marsh
2. T. Thompson
3. S. Pincock
4. B. Francis
   A. Boyce
5. S. Brown
6. J. Phillips

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	— Y	(N)
Other		

Photographs, Roll —

Exposure —

NOTES:

Sunny, wind blowing from the North, ~90

Test Pit oriented perpendicular to the bullet stop, parallel to the firing line running from the firing point to the bullet stop.

Surface vegetation does look new / disturbed

HSH
7/7/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

TEST PIT RECORD


Profile Along Test Pit- CRP-94-13 E-W. Page 2 of 2

INSTALLATION TN SITE/SWMU 7 Chemical Range

TEST PIT CRP-94-13 DATE 7/7/94 TIME 1135 END 1216

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 4 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5		0
S-2	5.0		0
S-3	10.0		0
S-4			
S-5			
S-6			
S-7			
S-8			

* NOTES: CRP-94-13A: (0.5') Silt (ML) 10YR 6/3 Pale Brown, Mostly Silt, trace fine sand.

* CRP-94-13B (5.0') Silty Sand (SM) 10YR 5/6 Yellowish Brown. Mostly fine sand with little silt, trace medium grained sand.

* CRP-94-13C (10.0') Poorly graded Sand (SP) 2.5Y 6/6 olive yellow Mostly fine sand trace silt.

HH 7/7/94

REFERENCE: Field Book, Pg. 4 (HH)

Attachments _____

SIGNATURE: Christine Hudson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE

TEST PIT RECORD


Area View of Test Pit- CRP-94-14 Page 1 of 2

INSTALLATION TN SITE/SWMU F Chemical range

TEST PIT CRP-94-14 DATE 7/7/94 TIME 1310 END 1350

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 100' FT.

CREW MEMBERS:
1. H. Hodson
   C. Marsh
2. T. Thompson
3. S. Pincock
4. A. Boyce
   J. Phillips
5. S. Brown
6. B. Francis

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)
Other	—	

Photographs, Roll —

Exposure —

NOTES:
Sunny ~88°F, Wind blowing from the North

Pit located halfway in between the firing point to the east and the bullet stop to the west.

Little surface vegetation

HSH
7/7/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE
FILE COPY

TEST PIT RECORD


Profile Along Test Pit- CRP-94-14 E-W Page 2 of 2

INSTALLATION TN SITE/SWMU 7 Chemical Range

TEST PIT CRP-94-14 DATE 7/7/94 TIME 1310 END 1350

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 4 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5'		0
S-2	5.0'		0
S-3	10.0'		0
S-4			
S-5			
S-6			
S-7			
S-8			

HH 7/7/94

NOTES:

* CRP-94-14A (0.5') Silt (ML) 2.5Y 6/4 light yellowish brown. Mostly silt, trace medium sand

* CRP-94-14B (5.0') Silt (ML) 2.5Y 5/6 Light olive brown. Mostly silt, Non-plastic and low dry strength (HH 7/13/94)

* CRP-94-14C (10.0') Poorly graded gravel with sand (GP) 2.5Y 7/3 Pale yellow. Mostly very fine gravel (almost a coarse sand), few fine sand, trace coarse gravel.

HH 7/7/94

Calcareous cement forming.

REFERENCE: Field Book, Pg. 4 (HH)

Attachments —

SIGNATURE: Holistic Sarah Hodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Area View of Test Pit- CRP-94-15 Page 1 of 2

INSTALLATION TN SITE/SWMU 7 Chemical Range

TEST PIT CRP-94-15 DATE 07/07/94 TIME 1400 END 1450

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = ~~100'~~ 50' HBH 7/7/94

NOTES:
Sunny high 80's Wind blowing from the North
Test Pit located directly next to a concrete pad

HBH
7/7/94

CREW MEMBERS:
1. H. Hodson
C. Marsh
2. T. Thompson
3. S. Pincock
4. A. Boyce
S. Brown
5. B. Francis
6. J. Phillips

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)
Other	—	

Photographs, Roll —

Exposure —

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE
FILE COPY

TEST PIT RECORD


Profile Along Test Pit- CRP-94-15 E-W Page 2 of 2

INSTALLATION TN SITE/SWMU 7 Chemical Range

TEST PIT CRP-94-15 DATE 7/7/94 TIME 1400 END 1430

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 4 FT.
DEPTH (FT.)

* NOTES: CRP-94-15A (0.5) Silty Gravel (GM) 2.5Y5/4 light olive brown. Mostly fine Gravel, Some silt, trace Coarse gravel

* CRP-94-15B (5.0) Silt (ML) 2.5Y6/4 Light yellowish brown. Mostly Silt

calcareous cement forming.

* CRP-94-15C (10.0) Poorly graded sand with gravel (SP) 2.5Y7/2 light gray Mostly fine sand with Some fine to coarse gravel

Not actually in Archive

HH 7/7/94

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5		0
S-2	5.0		0
S-3	10.0		0
S-4			
S-5			
S-6			
S-7			
S-8			

HH 7/7/94

REFERENCE: Field Book, Pg. 4 (HH)

Attachments _____

SIGNATURE: Christie Sarah Hodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE
FILE COPY

TEST PIT RECORDS FOR SWMU 13-TIRE DISPOSAL AREA

TEST PIT RECORD


Area View of Test Pit- flat

INSTALLATION IN SITE/SWMU 13 Tire Disposal Area

TEST PIT TDP-94-01 DATE 07/19/94 TIME 1510 END 1530

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = above FT.

CREW MEMBERS:

1. H. Hodson
2. J. Gillespie
3. S. Pincock
4. T. Thompson
5. W. Franklin
6. A. King

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)

Other —

Photographs, Roll —

Exposure —

NOTES:
Sunny, slight breeze from the North, 90°
Grazed surface, concrete destruction debris found in the top 3'

HS
7/19/94

TEST PIT PLAN RECORD
TOOELE army DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Profile Along Test Pit- E-W Page 2 of 2

INSTALLATION IN SITE/SWMU 13 Tire Disposal Area

TEST PIT TDP-94-01 DATE 07/19/94 TIME 1510 END 1530

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 2 FT. Vert & Horiz.
DEPTH (FT.)

NOTES: TDP-94-01A: 0.5' Sandy Silt (ML) 2.5Y6/4 light yellowish brown. Mostly Silt, some fine to medium sand, trace coarse sand to fine gravel.

TDP-94-01B: 5.0' Well-graded Sand with gravel (SW) 2.5Y7/3 pale yellow. Mostly well-graded sand (fine to coarse - less coarse) little fine gravel. few

HSH 7/19/94

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser No.	HD. SP. VOA PPM
S-1	0.5		0
S-2	5.0		0
S-3			
S-4			
S-5			
S-6			
S-7			
S-8			

HSH 7/19/94

REFERENCE: Field Book, Pg. 4
(HSH)
Attachments _____

SIGNATURE: H Stodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Area View of Test Pit- flat

INSTALLATION TN SITE/SWMU 13 Tire Disposal Area

TEST PIT TDP-94-02 DATE 07/19/94 TIME 1345 END 1615

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = ABOVE FT.

NOTES: Sunny, 100°, Wind blowing from North. Cement blocks surrounding the area on the surface, otherwise surface is grazed.

CREW MEMBERS:

1. H. Hodson
2. S. Pincock
3. J. Gillespie
4. T. Thompson
5. W. Franklin
6. A King

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)
Other	—	

Photographs, Roll —

Exposure —

7/20/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Profile Along Test Pit- E-W

INSTALLATION IN SITE/SWMU 13 Tire Disposal Area

TEST PIT TDP-94-02 DATE 07/19/94 TIME 1345 END 1615

COORDINATES GRID ELEMENT

SKETCH OF TEST PIT CROSS SECTION (SHOW SURFACE MONITORING RESULTS) 1/2" = 1'



distinctor and lithology range.

SCALE 1" = 2 FT.
DEPTH (FT.)

NOTES: TDP-94-02A: Gravelly silt with sand (ML) 10YR 6/3 Pale brown. Mostly silt, little fine gravel, few fine sand to coarse sand

TDP-94-02B: Poorly graded sand (SP) 10YR 7/2 Light gray. Mostly fine grained sand trace medium grained.

HSH 7/19/94

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5		0
S-2	5.0		0
S-3			
S-4			
S-5			
S-6			
S-7			
S-8			

HSH 7/19/94

REFERENCE: Field Book Pg. 4 HH

Attachments —

SIGNATURE: Hattodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Area View of Test Pit- flat Page 1 of 2

INSTALLATION TN SITE/SWMU 13 Tire Disposal Pit

TEST PIT TDP-94-03 DATE 07/20/94 TIME 0755 END 0810

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = Above left FT.

NOTES: Sunny, 80, wind blowing from the East.

Digging into a debris pile definitely loose fill.

HSH 7/20/94

CREW MEMBERS:

1. H. Hodson
2. J. Gilespie
3. S. Pincock
4. T. Thompson
5. W. Franklin
6. A. King

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	—	Y (N)
Other		

Photographs, Roll —

Exposure —

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE 1682FR01.DGN

FILE COPY

TEST PIT RECORD


Profile Along Test Pit- East - West Page 2 of 2

INSTALLATION IN SITE/SWMU 13 Tire Disposal Area

TEST PIT TDP-94-03 DATE 07/20/94 TIME 0755 END 0810

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 2' FT.
DEPTH : (FT.)

* NOTES: TDP-94-03A : 0.5' Silty gravel with sand (GM) 2.5Y 7/3 Pale yellow Mostly fine to coarse gravel, some fine to coarse sand, few silt. Loose, dry, all subrounded

* TDP-94-03B : 5.0' Poorly graded sand with gravel (SP) 10YR 8/2 White Mostly fine sand, few fine to coarse gravel, trace medium sand Slightly moist

HH 7/20/94

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5		0
S-2	5.0		0
S-3			
S-4			
S-5			
S-6			
S-7			
S-8			

HH 7/20/94

REFERENCE: Field Book Pg. 4

Attachments (HH) —

SIGNATURE: HHodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Area View of Test Pit- flat — Page 1 of 2

INSTALLATION TN — SITE/SWMU 13 Tire Disposal Pit

TEST PIT TDP-94-04 — DATE 07/20/94 — TIME 0825 — END 0855

COORDINATES _____ — GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = Above Left FT.

NOTES:

Sunny, 80's, wind blowing from the East

Found Concrete Slab, tire

At 2-3' Several clay or silt lenses present. that initially looked like contamination

7/20/94

CREW MEMBERS:

1. H. Hodson
2. J. Gillespie
3. T. Thompson
4. S. Pincock
5. W. Franklin
6. A. King

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)
Other	—	

Photographs, Roll —

Exposure —

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Profile Along Test Pit-Northwest Southeast Page 2 of 2

INSTALLATION TN SITE/SWMU 13/ Tire Disposal Area

TEST PIT TDP-94-04 DATE 07/20/94 TIME 0825 END 0855

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



silt/clay enses →

SCALE 1" = 2 FT.
DEPTH : (FT.)

HSH 7/20/94

NOTES:

TDP-94-04A: 0.5' Silty gravel with Sand (GM) 2.5Y7/4 pale yellow, Mostly fine to coarse gravel, little fine to coarse sand, fines silt. dry ~~coarse~~ loose, subrounded.

HH 7/20/94

TDP-94-04B: 5.0 Well-graded sand with gravel 10YR8/2 White. Mostly fine to coarse sand, some fine to ~~medium~~ coarse gravel, trace cobbles. Moist, loose

HSH 7/20/94

HSH 7/20/94

SAMPLES OBTAINED:

No.	Depth (ft.)	Lnt. Ser. No.	HD. SP. VOA PPM
S-1	0.5		Ø
S-2	5.0		Ø
S-3			
S-4			
S-5			
S-6			
S-7			
S-8			

S/T 7/20/94

REFERENCE: Field Book Pg. 4 (HH)

Attachments —

SIGNATURE: HStodgen

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD

Area View of Test Pit- flat Page 1 of 2


INSTALLATION TN SITE/SWMU 13 Tire Disposal Pit

TEST PIT TDP-94-05 DATE 8 07/20/94 TIME 0900 END 0930

COORDINATES GRID ELEMENT

HSH 7/20/94

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



North

SCALE 1" = 40' FT.

CREW MEMBERS:

1. H. Hodson
2. S. Pincock
3. T. Thompson
4. W. Franklin
5. A. King
6.

MONITOR EQUIPMENT:

PI Meter	Ø	N
Explosive Gas	Ø	N
Avail. Oxygen	Ø	N
OVA	—	Y (N)

Other

Photographs, Roll —

Exposure —

NOTES:

Sunny 80-85 Light wind blowing from the East

Geotechnical collected at both 0.5 and 5.0'

→ metal band, wood nail Found

HSH 7/20/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

FILE

TEST PIT RECORD


Profile Along Test Pit- East West Page 2 of 2

INSTALLATION TN SITE/SWMU 13 Tire Disposal Pit

TEST PIT TDP-94-05 DATE 07/20/94 TIME 0900 END 0930

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



alternating sandy + gravelly

SCALE 1" = 2 FT.
DEPTH : (FT.)

NOTES: Geotechnical also collected

TDP-94-05A(0.5') Silty gravel with Sand (GM) 10YR6/3 Pale brown Mostly fine to coarse gravel some fine to coarse Sand, few silt. Loose dry Subrounded

TDP-94-05B(5.0)' Well graded Sand with gravel (SW). 2.5Y 7/3 Pale Yellow. Mostly fine to coarse Sand, little fine to coarse gravel, trace cobbles.

HH 7/20/94

SAMPLES OBTAINED:

No.	Depth (ft.)	Lnt. Ser. No.	HD. SP. VOA PPM
S-1	0.5		∅
S-2	5.0		∅
S-3			
S-4			
S-5			
S-6			
S-7			
S-8			

HH 7/20/94

REFERENCE: Field Book, Pg. 4

Attachments (HH) —

SIGNATURE: HHudson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE army DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE

TEST PIT RECORD


Area View of Test Pit- flat — Page 1 of 2

INSTALLATION TN — SITE/SWMU 13 Tire Disposal Pit

TEST PIT TDP-94-06 — DATE 7/20/94 — TIME 0930 — END 1000

COORDINATES _____ — GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 400' FT.

CREW MEMBERS:

1. H. Hodson
2. S. Pincock
3. T. Thompson
4. W. Franklin
5. A. King
6.

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)

Other —

Photographs, Roll —

Exposure —

NOTES:
located right close to the side of the tire pit

HDH
7/20/94

TEST PIT PLAN RECORD
TOOELE army DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT RECORD


Profile Along Test Pit-NE-Sh.

INSTALLATION IN SITE/SWMU 13 Tire Disposal Pit

TEST PIT TDP-94-06 DATE 07/20/94 TIME 0930 END 1000

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



Niche layers.

SCALE 1" = 2 FT.
DEPTH : (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5		Ø
S-2	5.0		Ø
S-3			
S-4			
S-5			
S-6			
S-7			
S-8			

HSH 7/20/94

NOTES:

TDP-94-06A(0.5') Silty Sand (SM) 10YR 7/2 light gray. Mostly well-graded sand fine to coarse grained few silt, trace fine gravel, loose dry, subrounded

TDP-94-06B(5.0') Well graded Sand with gravel (SW) 10YR 8/1 White. Mostly fine to coarse gravel sand, little fine to coarse gravel,

HSH 7/20/94

REFERENCE: Field Book Pg. 4 (HHP)

Attachments —

SIGNATURE: HSHudson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE army DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD

Area View of Test Pit- flat


Page 1 of 2

INSTALLATION TN SITE/SWMU 13 Tire Disposal Pit

TEST PIT TDP-94-07A and B DATE 7/20/94 TIME 1010 END 1035

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 400' FT.

CREW MEMBERS:

1. H. Hodson
2. S. Pincock
3. T. Thompson
4. W. Franklin
5. A. King
6.

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)
Other	—	

Photographs, Roll —

Exposure —

NOTES:

Sunny, Wind blowing from the North, 80s
Wood debris, rubber present on surface
Test pit located in the ditch to the South

HSH
7/20/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Profile Along Test Pit- East - West Page 2 of 2

INSTALLATION TN SITE/SWMU 13 Tire Disposal Pit

TEST PIT TDP-94-07 DATE 7/20/94 TIME 1010 END 1635

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



stinct
ntact

aliche
Zone

SCALE 1" = 2 FT.
DEPTH : (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Lnt. Ser. No.	HD. SP. VOA PPM
S-1	0.5		0
S-2	5.0		0
S-3			
S-4			
S-5			
S-6			
S-7			
S-8			

HSH 7/20/94

11 Natural

NOTES:

TDP-94-07A (0.5') Silty Sand (SM) 2.5Y7/4 Pale Yellow. Mostly fine to coarse sand, some silt, few fine to coarse gravel. loose dry, rounded

TDP-94-07B (5.0') Poorly sorted sand with gravel (SP) 10YR 8/1 White. Mostly very fine to fine sand, little fine to coarse gravel, trace coarse sand slightly moist, rounded

HSH 7/20/94

REFERENCE: Field Book, Pg. 4 (HH)

Attachments _____

SIGNATURE: HSHudson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE
FILE COPY

TEST PIT RECORD

Area View of Test Pit-flat


Page 1 of 2

INSTALLATION TN SITE/SWMU 13 Tire Disposal Pit

TEST PIT TDP-94-08 DATE 7/20/94 TIME 1045 END 1105

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 400' FT.

CREW MEMBERS:

1. H. Hodson
2. S. Pincock
3. T. Thompson
4. W. Franklin
5. A. King
6.

MONITOR EQUIPMENT:

PI Meter	Y	N
Explosive Gas	Y	N
Avail. Oxygen	Y	N
OVA	Y	N
Other		

Photographs, Roll —

Exposure —

NOTES:

Sunny 95°, light wind blowing from the North

* Located on a flat stained area

All looks undisturbed except the top 3/4 foot

HSH 7/20/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST FILE

TEST PIT RECORD


Profile Along Test Pit- East-West Page 2 of 2

INSTALLATION TN SITE/SWMU 13 Tire Disposal Pit

TEST PIT TDP-94-08 DATE 4/20/94 TIME 1045 END 1105

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 2 FT.
DEPTH : (FT.)

NOTES:

TDP-94-08A: (0.5) Well graded Sand (SW) 2.5Y6/4 Light Yellowish Brown. Mostly fine to coarse Sand, trace fine gravel and silt. Slightly moist, loose rounded/subrounded

TDP-94-08B (5.0) Poorly graded Sand (SP) 10YR 7/2 Light gray. Mostly fine to medium sand, trace coarse sand, few to trace fine gravel. Moist

HSH 7/20/94

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5		0.1
S-2	5.0		0
S-3			
S-4			
S-5			
S-6			
S-7			
S-8			

Almost Not Detectable

HSH 7/20/94

REFERENCE: Field Book, Pg. 4

Attachments (HH) _____

SIGNATURE: HSHudson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Area View of Test Pit- Flat Page 1 of 2

INSTALLATION TN SITE/SWMU 13 Tire Disposal Pit

TEST PIT IDP-94-09 DATE 7/20/94 TIME 1120 END 1150

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



North ↑

SCALE 1" = 400' FT.

CREW MEMBERS:

1. H. Hodson
2. S Pincock
3. T. Thompson
4. A King
5. W. Franklin
6.

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)

Other —

Photographs, Roll —

Exposure —

NOTES:

Sunny, 95°F, light wind from the North

Gravel graded over the surface, Very flat

* Duplicate collected

Wood Debris on the surface

HSH 7/20/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE
FILE COPY

TEST PIT RECORD


Profile Along Test Pit- East-West Page 2 of 2

INSTALLATION TN SITE/SWMU 13 Tire Disposal Pit

TEST PIT TDP-94-09 and 16 DATE 7/20/94 TIME 1120 END 1150

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 2 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Lnt. Ser. No.	HD. SP. VOA PPM
S-1	0.5		0
S-2	5.0		0
S-3			
S-4			
S-5		HSH	
S-6			
S-7		7/20/94	
S-8			

NOTES:

(d16A) TDP-94-09A (0,5) Sandy Silt with gravel 10YR8/2 white, Mostly silt, Some fine to coarse gravel, few fine to coarse sand. Loose, dry, subangular

(d16B) TDP-94-09B (5.0) Poorly graded Sand with gravel (SP) 2.5Y 7/2 Light gray. Mostly fine to medium grained Sand, little fine to coarse gravel, trace coarse Sand, and silt

HSH
7/20/94

REFERENCE: Field Book Pg. 4
HH
Attachments _____

SIGNATURE: Holistie Hodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Area View of Test Pit- flat Page 1 of 2

INSTALLATION TN SITE/SWMU 13 Tire Disposal Pit

TEST PIT TDP-94-10 DATE 7/20/94 TIME 1040 END 1305

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 400' FT.

CREW MEMBERS:

1. H. Hodson
2. S. Pincock
3. T. Thompson
4. A. King
5. W. Franklin
6.

MONITOR EQUIPMENT:

PI Meter	Y	N
Explosive Gas	Y	N
Avail. Oxygen	Y	N
OVA	Y	N
Other		

Photographs, Roll ____

Exposure ____

NOTES:

Sunny 90's Wind blowing from the North

Located close to the NW road entrance not shown on CAD map

Metal debris scattered on the surface

HSH 7/20/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

TEST PIT RECORD


Profile Along Test Pit- East-West Page 2 of 2

INSTALLATION TN SITE/SWMU 13 Tire Disposal Pit

TEST PIT TDP-94-10 DATE 7/20/94 TIME 1240 END 1305

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 2 FT.
DEPTH : (FT.)

NOTES:

* TDP-94-10A: (0.5') Silty sand (SM) 2.5Y 7/3 Pale Yellow. Mostly well-graded fine to coarse sand, few fine to coarse gravel, few to trace silt.

* TDP-94-10B (5.0') Poorly graded Sand (SP) M 2.5Y 6/2 light brownish gray. Mostly very fine to fine grained sand trace silt, medium to coarse sand and fine gravel

HSH 7/20/94

SAMPLES OBTAINED:

No.	Depth (ft.)	Lnt. Ser. No.	HD. SP. VOA PPM
S-1	0.5		0
S-2	5.0		0
S-3			
S-4			
S-5			
S-6			
S-7			
S-8			

HSH 7/20/94

REFERENCE: Field Book, Pg. 4
HH
Attachments _____

SIGNATURE: HSHodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD

Area View of Test Pit- flat — Page 1 of 2


INSTALLATION TN — SITE/SWMU 13 Tire Disposal Pit

TEST PIT TDP-94-11 — DATE 7/20/94 — TIME ~~1445~~ 1310 — END 1335

COORDINATES _____ — GRID ELEMENT _____

HSH 7/20/94

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



North ↑

SCALE 1" = 400' FT.

CREW MEMBERS:

1. H. Hodson
2. S. Pincock
3. T. Thompson
4. A. King
5. W. Franklin
6.

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	____	Y (N)
Other		

Photographs, Roll ____

Exposure ____

NOTES:

Stained Soil on surface ~2' x 4' No Reading

Sunny 90-95, Wind blowing from the North

HSH 7/20/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

ORIGINAL FILE

TEST PIT RECORD


Profile Along Test Pit- East - West Page 2 of 2

INSTALLATION TN SITE/SWMU 13 Tire Disposal Area

TEST PIT TDP-94-11 DATE 7/20/94 TIME 1310 END 1335

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 2' FT.
DEPTH : (FT.)

NOTES:

TDP-94-11A: (0.5') well-graded sand (SW) 2.5Y 5/4 Light olive brown. Mostly well-graded sand (fine to coarse) few coarse gravel, trace silt

TDP-94-11B (5.0) Poorly Sorted sand (SP) 2.5Y 6/2 Light brownish gray. Mostly fine grained sand, trace medium of sand

Hart 7/20/94

HH 7/20/94

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser No.	HD. SP. VOA PPM
S-1	0.5		Ø
S-2	5.0		Ø
S-3			
S-4			
S-5			
S-6			
S-7			
S-8			

HH 7/20/94

REFERENCE: Field Book, Pg. 4 (HH)

Attachments —

SIGNATURE: HHodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT RECORD


Area View of Test Pit- flat Page 1 of 2

INSTALLATION TN SITE/SWMU 13 Tire Disposal Pit

TEST PIT TDP-94-12 DATE 7/20/94 TIME 1340 END 1405

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



CREW MEMBERS:

1. H. Hodson
2. S. Pincock
3. T. Thompson
4. A King
5. W. Franklin
6.

MONITOR EQUIPMENT:

PI Meter		N
Explosive Gas		N
Avail. Oxygen		N
OVA	Y	(N)

Other _____

Photographs, Roll —

Exposure —

NOTES: 95, Sunny, Clear, Wind blowing from the North

H3+H
7/20/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE
FILE COPY

TEST PIT RECORD


Profile Along Test Pit- East/West Page 2 of 2

INSTALLATION TN SITE/SWMU 13 Tire Disposal Pit

TEST PIT TDP-94-12 DATE 7/20/94 TIME 1340 END 1405

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 2 FT.
DEPTH : (FT.)

NOTES:

TDP-94-12A (0.5) Silty sand with Gravel (SM) 2.5Y6/4 light yellowish brown. Mostly well graded sand from fine to coarse, little fine gravel, few silt. Dry loose

TDP-94-12B (5.0) Poorly graded Sand (SP) 10YR 7/2 Light gray Mostly fine grained sand, trace medium grained sand and silt

HSH 7/20/94

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5		0
S-2	5.0		6
S-3			
S-4			
S-5			
S-6			
S-7			
S-8			

HSH 7/20/94

REFERENCE: Field Book, Pg. 4 (HHH)

Attachments —

SIGNATURE: HHadson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Area View of Test Pit- flat

INSTALLATION TN SITE/SWMU 13 Tire Disposal Pit

TEST PIT IDP-94-13 DATE 7/20/94 TIME 1415 END 1440

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 400' FT.

CREW MEMBERS:

1. H. Hodson
2. S. Pincock
3. T. Thompson
4. A. King
5. W. Franklin
6.

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)

Other _____

Photographs, Roll _____

Exposure _____

NOTES:

Wood debris and tire debris found on the surface.

Flat

Sunny, 90's, Wind blowing from the North

HH
7/20/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE
FILE COPY

TEST PIT RECORD


Profile Along Test Pit- East - West Page 2 of 2

INSTALLATION TN SITE/SWMU 13 Tire Disposal Pit

TEST PIT TDP-94-13 DATE 7/20/94 TIME 1415 END 1440

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 2 FT.
DEPTH : (FT.)

NOTES:

* TDP-94-13A (0.5) Silty Sand (SM) 10YR6/2 Light Brownish gray. Mostly Well-graded sand (fine to coarse) some silt, few to trace fine to coarse gravel. Dry, Loose

* TDP-94-13B (5.0) Well graded Sand (SW) 10YR7/2 Light gray. Mostly fine to medium sand, few to trace coarse sand and fine gravel

HH
7/20/94

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5		Ø
S-2	5.0		Ø
S-3			
S-4			
S-5			
S-6			
S-7			
S-8			

HH
7/20/94

REFERENCE: Field Book Pg. 4 (HH)

Attachments —

SIGNATURE: HHudson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE
FILE COPY

TEST PIT RECORD

Area View of Test Pit- flat Page 1 of 2


INSTALLATION TN SITE/SWMU 13 Tire Disposal Pit

TEST PIT TDP-94-14 DATE 7/20/94 TIME 1450 END 1520

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)

TIRE PIT



SCALE 1" = 400 FT.

CREW MEMBERS:

1. H. Hodson
2. T. Thompson
3. S. Pincock
4. A King
5. W. Franklin
6.

MONITOR EQUIPMENT:

PI Meter		N
Explosive Gas		N
Avail. Oxygen		N
OVA	Y	(N)
Other		

Photographs, Roll _____

Exposure _____

NOTES:

Sunny, 90s, Wind stronger from the North

Wood Debris on the surface

7/20/94

TEST PIT PLAN RECORD
TOOELE army DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Profile Along Test Pit- East - West

INSTALLATION TN SITE/SWMU 13 Tire Disposal Pit

TEST PIT TDP-94-14 DATE 7/20/94 TIME 1450 END 1520

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 2 FT.
DEPTH : (FT.)

NOTES:

* TDP-94-14A (0.5) Silty Sand with Gravel (SM) 2.5Y6/4 light yellowish brown Mostly fine to coarse sand, little fine gravel, few silt

* TDP-94-14B (5.0) Poorly graded Sand (SP) 10YR 7/2 light gray. Mostly very fine to fine Sand

HH
7/20/94

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5		0
S-2	5.0		0
S-3			
S-4			
S-5			
S-6			
S-7			
S-8			

HH
7/20/94

REFERENCE: Field Book, Pg. 4 and 11 (HH)

Attachments —

SIGNATURE: Heather Hodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD

Area View of Test Pit- Flat


INSTALLATION TN SITE/SWMU 13 Tire Disposal P.F

TEST PIT TDP-94-15 DATE 07/20/94 TIME 1450 1525 END 1535

COORDINATES _____ GRID ELEMENT _____

HSH
7/20/94

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 400' FT.

CREW MEMBERS:

1. H. Hodson
2. S. Pincock
3. T. Thompson
4. A. King
5. W. Franklin
6.

MONITOR EQUIPMENT:

PI Meter	Y	N
Explosive Gas	Y	N
Avail. Oxygen	Y	N
OVA	Y	(N)

Other _____

Photographs, Roll _____

Exposure _____

NOTES:

Sunny, Clear, 90's Wind blowing from the North

Wood debris on the surface

HSH
7/20/94

TEST PIT PLAN RECORD
TOOELE army DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Profile Along Test Pit- East - West Page 2 of 2

INSTALLATION TN SITE/SWMU 13 Tire Disposal Pit

TEST PIT TDP-94-15 DATE 7/20/94 TIME 1525 END 1555

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 2 FT.
DEPTH : (FT.)

NOTES: Geophysical Also Collected
TDP-94-15A (0.5) Poorly graded sand with silt (SP-SM) 2.5Y6/4 Light yellowish brown, Mostly fine to very fine sand, few medium to coarse sand, trace gravel. and silt. HSH 7/20/94

Silty
TDP-94-15B (5.0) Poorly sorted Sand (SM) 2.5Y6/2 Light brownish gray Mostly very fine to fine sand, some silt

HSH
7/20/94

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5		Ø
S-2	5.0		Ø
S-3			
S-4			
S-5			
S-6			
S-7			
S-8			

HSH 7/20/94

REFERENCE: Field Book, Pg. 4 and 11 HH

Attachments —

SIGNATURE: HDuste Hodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORDS FOR
SWMU 23-BOMB AND SHELL RECONDITIONING BUILDING

TEST PIT RECORD

Area View of Test Pit - flat


INSTALLATION TN SITE/SWMU 23 Bomb and Shell Reconditioning

TEST PIT BRP-94-01 DATE 7/26/94 TIME 1130 END 1215

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)

12
60' West of Bldg
55' to SW corner of bldg



North.

SCALE 1" = 40' FT.

CREW MEMBERS:
1. H. Hodson
2. S. Pinlock
3. T. Thompson
4. W. Franklin
5. A. King
6. K. Davis

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)
Other	—	

Photographs, Roll —

Exposure —

NOTES:
Metal debris scattered on surface. Evaporative pan 10'x25' present just to the Northwest
Sunny, wind from the NE, 100°F
Surface/vegetation characteristic of area.

TSH 7/26/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Profile Along Test Pit- North-South Page 2 of 2

INSTALLATION TN SITE/SWMU 23/Bomb and Shell Reconditioning

TEST PIT BRP-94-01 DATE 07/26/94 TIME 1130 END 1215

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 2 FT.
DEPTH (FT.)

HSH 7/26/94

gravelly silt w/sand

SAMPLES OBTAINED:

No.	Depth (ft)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5		Ø
S-2	3.0		Ø
S-3	5.0		Ø
S-4			
S-5		HSH	
S-6		7/26/94	
S-7			
S-8			

NOTES:

HSH 7/26/94

* BRP-94-01A(0.5') Silt with gravel (ML) 10YR6/3 Pale brown. Mostly silt with few fine gravel and few fine to coarse sand. dry, loose

* BRP-94-01B(3.0'): Silty gravel with sand (GM) Most 2.5Y6/6 olive yellow. Mostly fine to coarse gravel to cobbles (~8" max.) few fine to coarse sand, few silt. Dry. Some gravels cemented together (caliche).

HSH 7/26/94

HSH 7/26/94

+ BRP-94-01C(5.0') Poorly graded gravel Silty gravel with sand. 2.5Y7/4 Pale yellow. Mostly fine gravel, few silt and few sand

REFERENCE: Field Book, Pg. 11 HH

Attachments _____

SIGNATURE: Austin Hodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Area View of Test Pit- flat Page 1 of 2

INSTALLATION TN SITE/SWMU 23/Bomb and Shell Reconditioning

TEST PIT BRP-94-03 DATE 7/25/94 TIME 1115 END 1145

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = AT LEFT FT.

Sunny, wind from North, 90's

CREW MEMBERS:

1. H. Hodson
2. S. Pincock
3. T. Thompson
4. W. Franklin
5. A. King
6. —

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	—	Y (N)
Other	—	

Photographs, Roll —


Exposure —

NOTES:

Located about 50' from the W end of the building and 50' N of the building.

No vegetation except sage growing in the 100' x 50' area. Paint excess and metal debris present.

HH 7/25/94



Side of bldg. 1345

SE NW

Profile of Site:

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD

Profile Along Test Pit- East-West (Page 2 of 2)


INSTALLATION TN SITE/SWMU 23/Bomb and Shell Reconditioning

TEST PIT BRP-94-03 DATE 07/25/94 TIME 1115 END 1145

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION (SHOW SURFACE MONITORING RESULTS)

11' x 2' x 5' (L x W x D)



SCALE 1" = 2 FT.
DEPTH (FT.)

NOTES:

A* BRP-94-03A: (0.5') Sandy Silt (ML) 2.5Y5/6 light olive brown. Mostly silt little fine to coarse sand, trace fine gravel. Dry, loose. (HBH 7/25/94) Well-graded

B* BRP-94-03B (3.0') Gravel with silt and sand (GW-GM) 2.5Y6/6 Olive Yellow. Mostly fine to coarse well-graded gravel with little fine to coarse sand few silt. Slightly moist, cemented tighter. (HBH 7/25/94)

C* BRP-94-03C (5.0') Well-graded gravel with silt and sand 2.5Y 7/4 pale yellow. Mostly fine to coarse, well-graded gravel with little sand and few silt. Dry. Sand

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5		Ø
S-2	3.0		Ø
S-3	5.0		Ø
S-4			
S-5			
S-6		HBH	
S-7		7/26/94	
S-8			

REFERENCE: Field Book, Pg. 9, pg 37 or Log# 11

Attachments —

SIGNATURE: Christine Hodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE army DEPOT, NORTH AREA

HBH 7/25/94

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Area View of Test Pit- flat

INSTALLATION IN SITE/SWMU 23 / Bomb and Shell Reconditioning

TEST PIT BRP-94-06 DATE 7/27/94 TIME 1840 END 1120

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



North

SCALE 1" = 40 FT.

CREW MEMBERS:

1. H. Hodson
2. S. Pinlock
3. T. Thompson
4. W. Franklin
5. A. King
6. J. Gillespie

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	—	Y (N)
Other		

Photographs, Roll —

Exposure —

NOTES:

Sunny, warm, 90's, steady wind blowing from the SW.

Test pit located East of Building 1345

Terracotta pipe broken around 3-4' in North end of p.t.

Looks like all the material could be fill.

HSH
7/27/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE
FILE COPY

TEST PIT RECORD


Profile Along Test Pit- North-South

INSTALLATION TN SITE/SWMU 23/Bomb and Shell Reconditioning

TEST PIT BRP-94-06 DATE 07/27/94 TIME 1040 END 1120

COORDINATES North GRID ELEMENT

SKETCH OF TEST PIT CROSS SECTION (SHOW SURFACE MONITORING RESULTS) 1/2" = 1' South



SCALE 1" = 2 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5		Ø
S-2	3.0		Ø
S-3	5.0		Ø
S-4			
S-5			
S-6		HSH	
S-7		7/27/94 (HH)	
S-8			

NOTES:

* BRP-94-06A(0.5') Silty sand with gravel (SM) 10YR 5/4 yellowish brown. Mostly fine to coarse sand with some silt and little fine to coarse gravel.

* BRP-94-06B(3.0') Well-graded gravel with silt and sand (GW-GM) 2.5Y 10YR 5/6 yellowish brown. Mostly well graded fine to coarse gravel to cobbles to boulders (avg diam. = 6") little to few fine to coarse sand and few silt.

HSH 7/27/94

* BRP-94-06C(5.0') Well graded gravel with sand (GW) 2.5Y 7/3 pale yellow. Mostly fine to coarse gravel to cobbles (6" max) with little fine to coarse sand, trace silt

REFERENCE: Field Book, Pg. 11 (HH)

Attachments —

SIGNATURE: HS Hodson

1682FR01.DGN REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE TEST PIT PROFILE RECORD TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Area View of Test Pit- flat Page 1 of 2

INSTALLATION IN SITE/SWMU 23/Bomb and Shell Reconditioning

TEST PIT BRP-94-07 DATE 7/26/94 TIME 0950 END 1045

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = _____ FT.

CREW MEMBERS:

1. H. Hodson
2. S. Pinlock
3. T. Thompson
4. W. Franklin
5. A. King
6.

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	—	Y (N)

Other —

Photographs, Roll —

Exposure —

NOTES:

Sunny, 90's, Wind light blowing from the North

Test pit located on the North side of bldg 1345 ~20' from the corner, parallel to a ditch running perpendicular to the road approximately 35' to the ditch at road and 55' feet to the Road.

7/26/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Profile Along Test Pit- East-West Page 2 of 2

INSTALLATION TN SITE/SWMU 23/Bombard Shell Reconditioning

TEST PIT BRP-94-07 DATE 07/26/94 TIME 0950 END 1045

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION (SHOW SURFACE MONITORING RESULTS) 12'x4'x5' LxWxD



SCALE 1" = 2 FT.
DEPTH (FT.)

HSH 7/26/94

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5		Ø
S-2	3.0		Ø.4
S-3	5.0		Ø
S-4			
S-5			
S-6		HSH 7/26/94	
S-7			
S-8			

HSH 7/27/94 (GM) 2

NOTES: BRP-94-07A(0.5') Silty gravel with sand 2.5Y 5/6 light olive brown. Mostly fine to coarse gravel with little to few silt and few to trace fine to coarse sand. Dry loose

X BRP-94-07B (3.0) Well-graded gravel with sand (GW) 2.5Y 6/6 olive yellow. Mostly fine to coarse gravel to cobbles (~10") with little fine to coarse sand, trace silt. Dry. few to HSH 7/26/94 (GW-GM)

* BRP-94-07C (5.0) Well graded gravel with silt and sand 2.5Y 6/6 to 10YR 6/6 brownish yellow. Mostly fine to coarse gravel to cobbles (~10"), little fine to coarse sand, trace silt.

REFERENCE: Field Book, Pg. 11 HHP

Attachments _____

SIGNATURE: Heather Sarah Hedan

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD

Area View of Test Pit - flat

INSTALLATION IN SITE/SWMU 23/Bomb and Shell Reconditioning


TEST PIT BRP-94-08 DATE 7/25/94 TIME 1420 END 1510

COORDINATES _____ GRID ELEMENT 15

HSH 7/26/94

SKETCH MAP OF TEST PIT LOCATION (SHOW SURFACE MONITORING RESULTS)

BRP-94-08



CREW MEMBERS:

1. H. Hodson
2. S. Pinlock
3. T. Thompson
4. W. Franklin
5. A. King
6.

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)

Other —

Photographs, Roll —

Exposure —

NOTES:

Test Pit located in drainage along the road parallel to the Road

Surface is located inside the drainage where the drainage running W-E along the North side of the building joins the drainage running parallel to the road

Partly cloudy - Sunny 90-100°, Wind blowing from the North

HSH 7/25/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE
FILE COPY

TEST PIT RECORD

Profile Along Test Pit- North South Page 2 of 2


INSTALLATION TN SITE/SWMU 23/Bomb and Shell Reconditioning

TEST PIT BRP-94-08 DATE 07/25/94 TIME 1420 END 1610

COORDINATES _____ GRID ELEMENT 15

HSH 7/26/94

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 2 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5		∅
S-2	3.0		∅
S-3	5.0		∅
S-4			
S-5			
S-6		HH	
S-7		7/25/94	
S-8			

NOTES:

HSH 7/25/94 * BRP-94-08A (0.5) Silty Sand with Gravel (~~MH~~SM) 2.5Y 6/4 light yellowish brown Well graded sand with few fine gravel and few to trace silt. Dry and loose - at 2-3" found coarse gravel to fine cobbles so this sedim. may be fill or deposited from the drainage

* BRP-94-08B (3.0) ~~Poorly graded~~ Well ~~graded~~ gravel with sand (GP) 2.5Y 7/3 pale yellow Mostly ~~fine to~~ coarse gravel with some fine sand trace fine gravel and silt (SW) HSH 7/27/94

* BRP-94-08C (5.0) Well-graded sand with gravel. 2.5 Y 7/2 light gray. Mostly well graded fine to coarse sand with some fine to coarse gravel and trace cobbles.

REFERENCE: Field Book, Pg. 11 and 9 (HH)

Attachments —

SIGNATURE: Heather Hodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

110

TEST PIT RECORD


Area View of Test Pit- flat

INSTALLATION IN SITE/SWMU 23 / Bomb and Shell Reconditioning

TEST PIT BRP-94-09 DATE 7/25/94 TIME 1333 END 1410

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 50' FT.

CREW MEMBERS:

1. H. Hodson
2. S. Pincock
3. T. Thompson
4. W. Franklin
5. A. King
6.

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)

Other —

Photographs, Roll —

Exposure —

NOTES:

Test pit located within a drainage ditch that was parallel to the road across from bldg 1345.

Surface running alg the drain and along the road is stained orange/brown. Top is covered with coarse gravel. Ditch is ~5' deep.

Sunny. Wind blowing from the North. Few clouds.

TBH 7/25/94

TEST PIT PLAN RECORD
TOOELE army DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Profile Along Test Pit- North-South

INSTALLATION TN SITE/SWMU 23/Bomb and Shell Reconditioning

TEST PIT BRP-94-09 DATE 07/15/94 TIME 1335 END 1410

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION (SHOW SURFACE MONITORING RESULTS) 11'x5'x5' (L x W x D)



andier-s go down

SCALE 1" = 2 FT.

DEPTH (FT.) TSH 7/25/94

NOTES:

* BRP-94-09A (0.5) Gravelly silt with sand (ML) 10YR6/4 light yellowish brown Mostly silt with little fine gravel and little to few fine to coarse sand. Dry loose TSH 7/25/94

* BRP-94-09B (3.0) Well-graded gravel (GW-GM) with silt and sand. 10YR5/4 yellowish brown. Mostly fine to coarse gravel to boulders (0.5" to 12"+) with little fine to coarse sand, few to trace silt TSH 7/25/94

* BRP-94-09C (5.0) Well-graded gravel (GW-GM) with sand and silt 2.5Y5/6 light olive brown Mostly fine to coarse gravel and cobbles and boulders (@16") with little fine to coarse sand and few to trace silt TSH 7/25/94

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5		Ø
S-2	3.0		Ø
S-3	5.0		Ø
S-4			
S-5			
S-6			
S-7			
S-8			

REFERENCE: Field Book, Pg. 11 and HHH

Attachments —

SIGNATURE: Louise Hodson

1682FR01.DGN REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Area View of Test Pit- flat Page 1 of 2

INSTALLATION IN SITE/SWMU 23 / Bomb and Shell Reconditioning

TEST PIT BRP-94-13 DATE 7/26/94 TIME 1405 END 1450

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 40' FT.

CREW MEMBERS:

1. H. Hodson
2. S. Pincock
3. T. Thompson
4. W. Franklin
5. A. King
6. K Davis

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)
Other	—	

Photographs, Roll —

Exposure —

NOTES:

Located on pavement next to the southeastern door where the cement is stained.

Test pit is dug through pavement oriented East-West.

1.5' fill present below the pavement

Sunny, Partly cloudy, 90's, Wind blowing from the N-E

HSH
7/26/94

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

1682FR01.DGN

INFRASTRUCTURE
FILE COPY

TEST PIT RECORD

Profile Along Test Pit- East-West Page 2 of 2

INSTALLATION TN SITE/SWMU 23/Bomb and Shell Reconditioning


TEST PIT BRP-94-13 DATE 07/26/94 TIME 1405 END 1450

COORDINATES _____ GRID ELEMENT _____

vement

ill dirt

SKETCH OF TEST PIT CROSS SECTION (SHOW SURFACE MONITORING RESULTS) 10x2x 1/2" = 1'



more fines

HH 7/26/94

ore sand

SCALE 1" = 4 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5		Ø.1
S-2	3.0		~~Ø.~~ ØØ.2
S-3	5.0		Ø.3
S-4			
S-5			
S-6		HH 7/26/94	
S-7			
S-8			

HS# 7/27/94

* NOTES: BRP-94-13A (0.5') Silty gravel with sand (GM) 2.5Y 4/4 Olive brown. Mostly fine to coarse gravel (<2"), few fine to coarse sand and few silt (low to medium plasticity, MH) little moisture Subrounded to rounded gravel).

* BRP-94-13B (3.Ø') Well-graded gravel with sand (GW) 2.5Y 6/6 Olive yellow. Mostly fine to coarse gravel to cobbles (<12") Some fine to coarse sand (well-graded) trace silt, moist. Some calcium carbonate coating on boulders and gravel.

* BRP-94-13C (5.Ø') Well graded gravel with sand (GW) 2.5Y 7/3 Pale Yellow. Mostly well graded fine to coarse gravel to cobbles (≤6") with some medium to coarse sand, trace fine sand.

REFERENCE: Field Book, Pg. _____

Attachments _____

SIGNATURE: Elisha Hodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

FILE COPY

TEST PIT RECORDS FOR
SWMU 35-WASTEWATER SPREADING AREA

82470.170

TEST PIT RECORD


Area View of Test Pit- Flat

INSTALLATION TN TEAD-N Task 0003 PhII SITE/SWMU Wastewater Spreading Area/35 Page 1 of 2

TEST PIT WSP-94-02 DATE 7/27/94 TIME 1645 END 1700

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS) WSP-94-02



North ↑

CREW MEMBERS:

1. T. Thompson
2. S. Pincock
3. J. Gillespie
4. H. Hodson
5. W. Franklin
6. A. King

MONITOR EQUIPMENT:

PI Meter	Y	N
Explosive Gas	Y	N
Avail. Oxygen	Y	N
OVA	Y	N

Other _____

Photographs, Roll _____

Exposure _____

NOTES: Partly cloudy, 90s, wind from South
Test pit located in drainage on the east side of the railroad tracks about 100' to the east about 65' east of the barbed wire fence
Surface soil also collected at this location
Trench oriented East-West just underneath a tree

#EH
7/27/94

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD 8247d.170

Profile Along Test Pit- EAST-WEST


INSTALLATION IN TEAD-N Task 0003 Ph II Page 2 of 2

TEST PIT WSP-94-02 SITE/SWMU Wastewater Spreading Area 125

DATE 7/27/94 TIME 1645 END 1700

COORDINATES GRID ELEMENT

SKETCH OF TEST PIT CROSS SECTION (SHOW SURFACE MONITORING RESULTS) 1/2" = 1'



SCALE 1" = 2 FT.
DEPTH (FT.)

NOTES: WSP-94-02 (3.0) Gravelly Silt (ML) 5Y5/4 Light olive brown Mostly silt with some well graded fine to coarse gravel, trace sand, dry, loose.

Roots Present in Sample

HSH 7/27/94

SAMPLES OBTAINED:

No.	Depth (ft.)	Uni. Ser. No.	HD. SP. VOA PPM
S-1	3.0.		0
S-2			
S-3			
S-4			
S-5			
S-6			
S-7			
S-8			

HSH 7/27/94

REFERENCE: Field Book, Pg.

Attachments

SIGNATURE: HSHodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

82470.170

TEST PIT RECORD


Area View of Test Pit- flat

INSTALLATION TN TEAD-N Task 0003 PhI SITE/SWMU Wastewater Spreading Area / 35 Page 1 of 2

TEST PIT WSP-94-03 DATE 7/27/94 TIME 1555 END 1610

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



North ↑

CREW MEMBERS:

1. T. Thompson
2. S. Pincock
3. J. Gillespie
4. H. Hodson
5. W. Franklin
6. A. King

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	N

Other _____

Photographs, Roll _____

Exposure _____

NOTES:

Cloudy 90's, slight wind blowing to the North.

Wood debris from on surface. Test pit oriented East-West, 5 feet from end of cement drainage about 75' from Road

HH 7/27/94

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD 8247d.170


Profile Along Test Pit-

INSTALLATION INTEAD-N TUSK-XXX3 PH II SITE/SWMU Wastewater Spreading Area 125

TEST PIT WSP-94-03 DATE 7/27/94 TIME 1555 END 1610

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION (SHOW SURFACE MONITORING RESULTS) 1/2" = 1'



SCALE 1" = 2 FT.
DEPTH (FT.)

NOTES: WSP-94-03 (3.0) Silty gravel with sand 2.5Y6/6 olive yellow. Mostly well-graded gravel fine to coarse, little well-graded sand fine to coarse, few to trace silt dry

HH 7/27/94

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	3.0		0
S-2			
S-3			
S-4			
S-5			
S-6			
S-7			
S-8			

HH 7/27/94

REFERENCE: Field Book, Pg. _____

Attachments _____

SIGNATURE: H Hodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

8247Ø.17Ø

TEST PIT RECORD


Area View of Test Pit- Flat

INSTALLATION TN TEAD-N Task 0013 PhII SITE/SWMU Wastewater Spreading Area/35 Page 1 of 2

TEST PIT WSP-94-Ø4 DATE 7/27/94 TIME 1530 END 1550

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



CREW MEMBERS:

1. T. Thompson
2. S. Pincock
3. J. Gillespie
4. H. Hudson
5. W. Franklin
6. A. King

MONITOR EQUIPMENT:

PI Meter	Y	N
Explosive Gas	Y	N
Avail. Oxygen	Y	N
OVA	Y	N
Other		

Photographs, Roll _____

Exposure _____

NOTES:

Partly cloudy, 90s, light breeze from the North

Pit oriented NE-SW (More East-West) in the bottom of drainage 2' below surface

Hit caliche bed @ 3'

HBH
7/27/94

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD 82470.170

Profile Along Test Pit- East/West


INSTALLATION IN TEAD-N Task 0003 Ph II — Page 2 of 2

TEST PIT WSP-94-04 — SITE/SWMU Wastewater Spreading Area 12

DATE 7/27/94 — TIME 1530 — END 1550

COORDINATES — GRID ELEMENT

SKETCH OF TEST PIT CROSS SECTION (SHOW SURFACE MONITORING RESULTS) 1/2" = 1'



SCALE 1" = 2 FT.
DEPTH : (FT.)

NOTES: WSP-94-04 (3.0) Gravelly silt (ML) 2.5Y 8/3 Pale Yellow. Mostly silt, some boulders (avg 10"), few to trace med to coarse sand to fine gravels. Dry.

TG#4 7/27/94

SAMPLES OBTAINED:

No.	Depth (ft.)	Anl. Ser. No.	HD. SP. VOA PPM
S-1	3.0		0
S-2			
S-3			
S-4		TG#4 7/27/94	
S-5			
S-6			
S-7			
S-8			

REFERENCE: Field Book, Pg. _____

Attachments _____

SIGNATURE: JSHodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

8247Ø.17Ø

TEST PIT RECORD


Area View of Test Pit- Flat

INSTALLATION TN TEAD-N Task 0003 PhII SITE/SWMU Wastewater Spreading Area/35 Page 1 of 2

TEST PIT WSP-94-Ø4 DATE 7/27/94 TIME 1455 END 1540

COORDINATES HSH 7/27/94 GRID ELEMENT

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



↑ North

CREW MEMBERS:

1. T. Thompson
2. S. Pincock
3. J. Gillespie
4. H. Hodson
5. W. Franklin
6. A. King

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	N

Other

Photographs, Roll

Exposure

NOTES: Sunny, 9Ø-1ØØ°, No wind.

Test pit excavated at the bottom of the drainage, oriented East-West

Metal debris found in pit @ 0.5'-1.0' below surface

HSH 7/27/94

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD 8247d.170

Profile Along Test Pit-


INSTALLATION IN TEAD-N Task 0003 PH II Page 2 of 2

TEST PIT WSP-94-07 DATE 7/27/94 SITE/SWMU Wastewater Spreading Area 125

TIME 1455 END 1510

COORDINATES HSH 7/27/94 GRID ELEMENT

SKETCH OF TEST PIT CROSS SECTION (SHOW SURFACE MONITORING RESULTS) 1/2" = 1'



SCALE 1" = 2 FT.
DEPTH (FT.)

NOTES: WSP-94-07 (3.0) Silty gravel with (GM) 10YR 7/2 Light gray. Mostly fine gravel (0.75"-1") Poorly sorted, some silt. Dry to cemented = caliche HSH 7/27/94

HSH 7/27/94

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser No.	HD. SP. VOA PPM
S-1	3.0.		Ø
S-2			
S-3			
S-4			
S-5			
S-6			
S-7			
S-8			

HSH 7/27/94

REFERENCE: Field Book, Pg.

Attachments

SIGNATURE: HSHodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

8247Ø.17Ø

TEST PIT RECORD


Area View of Test Pit- flat

INSTALLATION TN TEAD-N Task 0003 PHII SITE/SWMU Wastewater Spreading Area/35 Page 1 of 2

TEST PIT WSP-94-08 DATE 7/27/94 TIME 420 END 1435

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



CREW MEMBERS:

1. T. Thompson
2. S. Pincock
3. J. Gillespie
4. H. Hodson
5. W. Franklin
6. A. King

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	N

Other _____

Photographs, Roll _____

Exposure _____

NOTES:

Test pit located at the end of the gully @ the bottom.

Oriented East-West.

TSH 7/27/94

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD 8247d.170


Profile Along Test Pit-

INSTALLATION IN TEAD-N Task 0003 Ph II SITE/SWMU Wastewater Spreading Area 13

TEST PIT WSP-94-08 DATE 7/27/94 TIME 1420 END 1435

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION (SHOW SURFACE MONITORING RESULTS) 1/2" = 1'



SCALE 1" = 2 FT.
DEPTH (FT.)

NOTES: WSP-94-08 (3.0) Silty gravel (GM) 10YR5/4 yellowish brown Mostly fine to course gravel, some silt. Dry, Loose

HSH 7/27/94

SAMPLES OBTAINED:

No.	Depth (ft.)	Unl. Ser. No.	HD. SP. VOA PPM
S-1	3.0.		0
S-2			
S-3			
S-4			
S-5			
S-6			
S-7			
S-8			

HSH 7/27/94

REFERENCE: Field Book, Pg. _____

Attachments _____

SIGNATURE: HSHodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE
FILE COPY

TEST PIT RECORDS FOR
SWMU 36-OLD BURN STAGING AREA

TEST PIT RECORD

Area View of Test Pit- flat


Page 1 of 2

INSTALLATION TN SITE/SWMU 36 Old Burn Staging Area

TEST PIT OSP-94-01 DATE 7/22/94 TIME 1345 END 1415

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION



SCALE 1" = _____ FT.

CREW MEMBERS:

1. H. Hodson
2. S. Pincock
3. T. Thompson
4. J. Gillespie
5. W. Franklin
6. A. King

MONITOR EQUIPMENT:

PI Meter		N
Explosive Gas		N
Avail. Oxygen		N
OVA	Y	(N)
Other	—	

Photographs, Roll —

Exposure —

NOTES: Sunny 95-100°F Wind blowing from the North. Metal and wood debris scattered across the surface.

TSH
7/22/94

TEST PIT PLAN RECORD
TOOELE army DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

FILE COPY

TEST PIT RECORD


Profile Along Test Pit- East-West Page 2 of 2

INSTALLATION TN SITE/SWMU 36 Old Burn Staging Area

TEST PIT OSP-94-01 DATE 01/22/94 TIME 1345 END 1415

COORDINATES GRID ELEMENT

SKETCH OF TEST PIT CROSS SECTION (SHOW SURFACE MONITORING RESULTS) 12'x6'x5' (L x W x D)



SCALE 1" = 2 FT.
DEPTH (FT.)

NOTES:

OSP-94-01A (0.5) Well-graded gravel with sand (GW) 2.5Y7/3 Pale yellow. Mostly well-graded gravel from fine to coarse grained and some well-graded sand (fine to coarse) trace silt (dry, loose)

OSP-94-01B (3.0) Well-graded sand with gravel (SW) 10YR7/2 light gray Mostly medium grained sand with few fine and coarse grained sand. and also few fine to coarse gravel Dry loose

OSP-94-01C (5.0) Well-grained sand with gravel (SW) 10YR6/2 light brownish gray. Mostly fine to coarse sand some fine to coarse gravel and few cobbles. Moist, loose (Could be a GW).

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	~~0.005~~		0
S-2	3.0		0
S-3	5.0		0
S-4			
S-5			
S-6			
S-7			
S-8			

1/22/94

REFERENCE: Field Book, Pg. 11 and 9 (HH)

Attachments —

SIGNATURE: Christie Hudson

1682FR01.DGN REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD TOOELE ARMY DEPOT, NORTH AREA

FILE COPY

TEST PIT RECORD


Area View of Test Pit- Flat Page 1 of 2

INSTALLATION IN SITE/SWMU 36 Old Burn Staging Area

TEST PIT OSP-94-02 DATE 7/22/94 TIME 1420 END 1450

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION



SCALE 1" = _____ FT.

CREW MEMBERS:

1. H. Hodson
2. S. Pincock
3. T. Thompson
4. J. Gillespie
5. A King
6. W. Franklin

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)
Other	—	

Photographs, Roll —

Exposure —

NOTES: Sunny with clouds present 95°F Wind from the North. Metal debris scattered on the surface.

HEH 7/22/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE
FILE COPY

TEST PIT RECORD


Profile Along Test Pit- East-West Page 2 of 2

INSTALLATION TN SITE/SWMU 36 Old Burn Staging Area

TEST PIT OSP-94-02 DATE 07/22/94 TIME 1420 END 1450

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 2 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5		0
S-2	3.0		0
S-3	5.0		0
S-4			
S-5			
S-6			
S-7			
S-8			

NOTES:

OSP-94-02A (0.5) Well-graded gravel w/sand (GW) 10YR 7/2 light gray. Mostly fine to coarse gravel, some well-graded sand, trace silt. Dry, loose

OSP-94-02B (3.0) Well-graded gravel with sand (GW) 10YR 7/2 light gray Mostly fine to coarse gravel, some fine to medium sand, few coarse sand, few cobbles. Dry loose

OSP-94-02C (5.0) Well-graded gravel with sand (GW) 10YR 6/2 light brownish gray. Mostly fine to coarse gravel, some fine to medium sand, trace coarse sand, and cobbles. Moist Loose

REFERENCE: Field Book PG. Hand 9

Attachments —

SIGNATURE: Holistik Hodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

TEST PIT RECORD


Area View of Test Pit- flat

INSTALLATION TN SITE/SWMU 36 Old Burn Staging Area

TEST PIT OSP-94-03 DATE 7/22/94 TIME 1500 END 1525

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION



SCALE 1" = _____ FT.

NOTES: Sunny 90-100° Scattered clouds
Windblowing to the North
Metal debris scattered across surface

CREW MEMBERS:

1. J. Gillespie
2. T. Thompson
3. S. Pincock
4. H. Hodson
5. A. King
6. W. Franklin

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)

Other —

Photographs, Roll —

Exposure —

HH 7/22/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

FILED

TEST PIT RECORD


Profile Along Test Pit - East-West Page 2 of 2

INSTALLATION IN SITE/SWMU 36 Old Burn Staging Area

TEST PIT OSP-94-03 DATE 7/22/94 TIME 1500 END 1525

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION (SHOW SURFACE MONITORING RESULTS) 1/2" = 1' 12' L x 7' W x 5' D



SCALE 1" = 2 FT.
DEPTH (FT.)

HH 7/22/94

NOTES:

* OSP-94-03A (0.5) Well-graded gravel (GW-GM) with silt and sand 10YR 6/2 light brownish gray Mostly fine gravel, few fine to medium sand, coarse gravel, trace coarse sand, fines to trace silt dry loose.

* OSP-94-03B (3.0) Well-graded gravel with sand (GW) 2.5Y 7/2 light gray. Mostly fine to coarse gravel, Some fine to medium sand. Trace coarse gravel and cobbles. Moist, Loose

* OSP-94-03C (5.0) Well-graded gravel with sand (GW) 2.5Y 7/3 Pale yellow Mostly fine to coarse well graded gravel with some fine to medium sand, few cobbles (~10%) Trace coarse sand. Moist loose.

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5		0
S-2	3.0		0
S-3	5.0		0
S-4			
S-5			
S-6		HH 7/22/94	
S-7			
S-8			

REFERENCE: Field Book Pg. 11 and 9 (HH)

Attachments —

SIGNATURE: Christie Hodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILED

TEST PIT RECORD


Area View of Test Pit- OSP-94-04 Plat

INSTALLATION JN SITE/SWMU 3e Old Burn Staging Area

TEST PIT OSP-94-04 DATE 7/22/94 TIME 1535 END 1600

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION



SCALE 1" = _____ FT.

CREW MEMBERS:

1. J Gillespie
2. S. Pincock
3. H. Hodson
4. T. Thompson
5. W. Franklin
6. A. King

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)
Other ____		

Photographs, Roll ____

Exposure ____

NOTES: Partly cloudy, thundering and lightening to the South, 80-90. Rained immediately after last sample collected

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Profile Along Test Pit-E-W Page 2 of 2

INSTALLATION TN SITE/SWMU 36 Old Burn Staging Area

TEST PIT OSP-94-04 DATE 7/22/94 TIME 1535 END 1600

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION (SHOW SURFACE MONITORING RESULTS) 12'x3'x5' (HH)



SCALE 1" = 2 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5		Ø
S-2	3.0		Ø
S-3	5.0		Ø
S-4			
S-5			
S-6			
S-7			
S-8			

HH 7/22/94

NOTES:

* OSP-94-04A(0.5) Well-graded gravel with sand (GW) 2.5Y 6/2 light brownish gray. Mostly fine to coarse gravel, some fine to medium sand, trace coarse sand. Dry loose
* OSP-94-04B (3.0) Poorly graded gravel with sand (GP) 10YR8/2 white. Mostly coarse gravel, some fine to medium sand, trace fine gravel and coarse sand, loose, dry
* OSP-94-04C 5.0) Well-graded gravel with sand (GW) 2.5Y 7/3 Pale yellow Mostly fine to coarse gravel (~2") some fine to medium sand trace coarse sand

REFERENCE: Field Book, Pg. 11 and 9 (HH)

Attachments —

SIGNATURE: Alistra Sarah Hudson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

136

TEST PIT RECORD


Area View of Test Pit- flat Page 1 of 2

INSTALLATION TN SITE/SWMU 36 Old Burn Staging Area

TEST PIT OSP-94-05 DATE 07-23-94 TIME 0700 END 0745

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION



SCALE 1" = _____ FT.

CREW MEMBERS:

1. H. Hudson
2. S. Pincock
3. T. Thompson
4. A. King
5. W. Franklin
6.

MONITOR EQUIPMENT:

PI Meter	Ø	N
Explosive Gas	Ø	N
Avail. Oxygen	Ø	N
OVA	—	Y (N)
Other		

Photographs, Roll —

Exposure —

NOTES: Sunny some clouds 80's, wind lightly blowing from the South.

Test Pit located on a mound of disturbed soil.

Metal and wood debris scattered across the surface. Very little vegetation growing here.

Testpit oriented E-W perpendicular to the long direction of the disturbed section

HSH
7/23/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE
FILE COPY

TEST PIT RECORD


Profile Along Test Pit- East - West Page 2 of 2

INSTALLATION TN SITE/SWMU 36 Old Burn Staging Area

TEST PIT OSP-94-05 DATE 07/22/94 TIME 0710 END 0745

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION (SHOW SURFACE MONITORING RESULTS) 12' x 3' x 5'



SCALE 1" = 4 2 FT
DEPTH (FT.) TBH 7/23/94

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser No.	HD. SP. VOA PPM
S-1	0.5		0
S-2	3.0		0
S-3	5.0		0
S-4			
S-5			
S-6			
S-7			
S-8			

TBH 7/23/94

NOTES: OSP-94-05A (0.5') Sandy Silt (ML) 2.5Y5/6 light olive brown. Mostly silt, some fine to coarse sand, trace ~~coarse~~ fine to coarse gravel. Dry, loose

OSP-94-05B (3.0') Silty sand with gravel (SM) 2.5Y6/6 Olive yellow Mostly fine to coarse grained sand little silt, little cobbles (5-12") Slightly Moist Poorly graded gravel with sand (GP)

~~OSP-94-05C (5.0') Silty gravel with Sand (GM)~~ 2.5Y5/3 light olive brown. Mostly cobbles, some fine to medium sand, trace coarse sand, and silt, trace fine gravel

REFERENCE: Field Book, Pg. 11 and 9 (TBH)

Attachments —

SIGNATURE: Louise Hodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT RECORD


Area View of Test Pit- flat Page 1 of 2

INSTALLATION TN SITE/SWMU 36/Old Burn Staging Area

TEST PIT OSP-94-06 DATE 07/23/94 TIME 0755 END 0825

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION



SCALE 1" = _____ FT.

CREW MEMBERS:

1. H. Hodson
2. S. Pincock
3. T. Thompson
4. J. Gillespie
5. W. Franklin
6. A. King

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	____	Y (N)
Other		

Photographs, Roll ____

Exposure ____

NOTES: Sunny 80's light to no winds

Test pit oriented E-W located on top of mound of disturbed soil.

Metal and wood debris scattered on the surface

Burned horizon present at about 1/2' below the surface with metal debris scattered throughout. Burned horizon more evident at West end of trench

HSH
7/23/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

DISTRIBUTION
FILE COPY

TEST PIT RECORD


Profile Along Test Pit- E-W

INSTALLATION TN SITE/SWMU 36 Old Burn Staging Area

TEST PIT OSP-94-06 DATE 07/23/94 TIME 0755 END 0825

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION (SHOW SURFACE MONITORING RESULTS) 10'x3'x5'



debris
burn pit

SCALE 1" = 4/2 FT.

DEPTH (FT.) HSH 7/23/94

NOTES:

OSP-94-06A (0.5) Sandy silt (ML) 2.5Y5/4 light olive brown, Mostly silt with some medium sand, coarse sand to coarse gravel. dry, loose

OSP-94-06B (3.0) Poorly graded gravel with silt and sand 2.5Y6/8 olive yellow. Mostly cobbles, some silty sand (fine to coarse grained sand with silt, trace fine gravel.) Slightly moist, loose

OSP-94-06C (5.0) Poorly graded sand with gravel. 10YR7/2 light gray. Mostly fine to medium sand trace coarse sand to coarse gravel, trace cobbles.

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5		0
S-2	3.0		0
S-3	5.0		0
S-4			
S-5			
S-6		HSH	
S-7		7/23/94	
S-8			

REFERENCE: Field Book Pg. 11 and 9

Attachments HH

SIGNATURE: HSHuster Hudson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

TEST PIT RECORDS FOR
SWMU 40-AED TEST RANGE

TEST PIT RECORD


Area View of Test Pit- FLAT Page 1 of 2

INSTALLATION TEAD-N SITE/SWMU 40 AEO TEST RANGE

TEST PIT ARP-94-01 DATE 6/8/94 TIME 11:40 END 13:30

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = to Right FT. 0 300'

CREW MEMBERS:

1. T. RICHARDS
2. H. HAOSA
3. J. GILLESPIE
4. B. FRANCIS
5. A. BOYCE
6. S. BRAM

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)

Other HEAT STRESS MONITOR

Photographs, Roll PHOTO LOG

Exposure _____

NOTES:

HEALTH AND SAFETY HEAVY METALS SAMPLE TAKEN @ LOCATION ALL DAY 4 Hour MINIMUM

HH 6/8/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

FILE COPY

TEST PIT RECORD


Profile Along Test Pit- ~~FLAT~~ ARP-94-01 Page 2 of 2

INSTALLATION TEAD N SITE/SWMU 40

TEST PIT # 1 DATE 6/8/94 TIME ~~15~~ 11:40 END ~~12:40~~ 13:30 JG

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 2 FT. FT.
DEPTH (FT.)

NOTES:

PHOTOS 12, 13, 14 SURFACE SAMPLE

0-6" ARP-94-01A (ML) SILT WITH SAND, MOSTLY SILT, SOME FINE SAND, LITTLE COARSE SAND, TRACE GRAVEL 10YR 7/3 VERY PALE BROWN.

3' ARP-94-01B (ML), SILT WITH SAND AND GRAVEL 10YR 7/3 VERY PALE BROWN. MOSTLY SILT, SOME VERY FINE TO MEDIUM SAND, LITTLE FINE GRAVEL TO 8 INCH ~~BOULDERS~~ COBBLES

5' ARP-94-01C (SP) POORLY GRADED SAND 10YR 8/3 VERY PALE BROWN MOSTLY VERY FINE SAND, SOME SILT.

SAMPLES OBTAINED:

No.	Depth (ft)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0-6"(S)		0.0
S-2	3 FT		0.0
S-3	5 FT		0.0
S-4			
S-5		TLH	
S-6			
S-7		6/8/94	
S-8			

REFERENCE: Field Book, Pg. 10 #1

Attachments N/A

SIGNATURE: J. E. Gillespie

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

TEST PIT RECORD


Area View of Test Pit- FLAT Page 1 of 2

INSTALLATION TEAD-N SITE/SWMU #40 AED TEST RANGE

TEST PIT ARP-94-02 DATE 6/8/94 TIME 1520 END 1600

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 300' FT.

CREW MEMBERS:

1. J. GILLESPIE
2. T. RICHARDS
3. H. HOOSE
4. B. FRANCIS
5. A. BOYCE
6. S. BRAUN

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)

Other HEAT STRESS MONITOR

Photographs, Roll PHOTO LOG

Exposure #14 → #19

NOTES:

WEATHER: CLEAR, COOL BREEZY

8 SHOTS AT OB/OD RANGE ≈ 1430

LAST P.T OF THE DAY

TH 6/8/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

TEST PIT RECORD


Profile Along Test Pit- FLAT Page 2 of 2

INSTALLATION TEAD - N SITE/SWMU 40

TEST PIT ARP-94-02 DATE 6/8/94 TIME 1520 END 1600

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 2 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5FT		0.0
S-2	3 FT		.2 ppm
S-3	5 FT		0.0
S-4			
S-5			
S-6			
S-7			
S-8			

NOTES:

* ARP-94-02A SILT (ML) 10YR 7/3 VERY PALE BROWN. MOSTLY SILT, SOME FINE TO MEDIUM SAND, TRACE FINE GRAVEL

* ARP-94-02B SILT (ML) 10YR 7/3 WITH GRAVEL — SAME AS ABOVE EXCEPT SOME FINE TO COARSE GRAVEL

* ARP-94-02C SILT WITH GRAVEL AND SAND (ML) 10YR 7/3 VERY PALE BROWN, MOSTLY SILT SOME FINE-COARSE GRAVEL WITH TRACE COBBLES

REFERENCE: Field Book, Pg. #1 pg 12

Attachments N/A

SIGNATURE: [signature]

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

DESTRUCTION COPY

TEST PIT RECORD


Area View of Test Pit- FLAT Page 1 of 2

INSTALLATION TEAD-N SITE/SWMU #40 AED

TEST PIT ARP-94-03 DATE 6/9/94 TIME 0830 END 0916

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 300' FT.

CREW MEMBERS:

1. T. Richards
2. H. Hodson
3. J. Gillespie
4. A. Boyce
5. S. Braun
6. B. Francis

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)

Other —

Photographs, Roll #1
PHOTO LOG

Exposure —

NOTES:

WEATHER: CLEAR WARM

ONE RATTLE SNAKE SPOTTED IN AREA OF TEST PITS BY T RICHARDS

KARL (EOD) AND K. DAVIS ON SITE BRIEFLY

HSH
6/9/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

TEST PIT RECORD


Profile Along Test Pit- FLAT Page 2 of 2

INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-03 DATE 6/9/94 TIME 0830 END 0916

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE, MONITORING RESULTS)



SCALE 1" = 2 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Lab. Ser. No.	HD. SP. VOA PPM
S-1	0-6"		0.0
S-2	3FT		0.0
S-3	5FT		0.0
S-4			
S-5			
S-6			
S-7			
S-8			

NOTES:

SURFICIAL SOILS (ORGANIC SILT)

★ ARP-94-03A 0-6"
SILT (ML) 10YR 7/4 VERY PALE BROWN MOSTLY SILT, SOME VERY FINE SAND, LITTLE COARSE SAND FINE GRAVEL

★ ARP-94-03B 3FT
SILT WITH SAND AND GRAVEL (ML) 10YR 7/4 VERY PALE BROWN MOSTLY SILT SOME FINE SAND, LITTLE FINE GRAVEL TO COBBLES

★ ARP-94-03C 5FT
SAND (SP) 10YR 8/4 VERY PALE BROWN, MOSTLY MEDIUM TO FINE SAND, LITTLE SILT, TRACE TO LITTLE COARSE GRAVEL

REFERENCE: Field Book, Pg. #112

Attachments _____

SIGNATURE: J. E. Gillespie

1682FR01.DGN REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

FILE COPY

TEST PIT RECORD


Area View of Test Pit- ARP-94-04 Page 1 of 2

INSTALLATION TN Task 0003 SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-04 DATE 6/9/94 TIME 10:00 END 15:45

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = ~50 FT.

CREW MEMBERS:

1. J. Gillespie
2. T. Richards
3. H. Hudson
4. B. Francis
5. A. Boyce
6. S. Brown

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)
Other	—	

Photographs, Roll Photolog

Exposure —

NOTES: Mound 15-20' NW of test pit. Overall the surface is undisturbed.
Wind blowing to the South. Sunny. 80s

TS/H
6/9/94

TEST PIT PLAN RECORD
TOOELE army DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

TEST PIT RECORD


Profile Along Test Pit- NW-SE Page 2 of 2

INSTALLATION TN Task ccc3 SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-04 DATE 6/9/94 TIME 10:00 END 1045

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION (SHOW SURFACE MONITORING RESULTS) 1/2" = 1'



SCALE 1" = ~~1/2~~ 2 FT.

DEPTH (FT.) HH 6/9/94

NOTES:

ARP-94-04A Surface (0-6") Silt (ML) 10YR5/4 Yellowish Brown Mostly silt some fine sand trace to little ~~med coarse~~ sand (HSH 6/9/94) fine-med

ARP-94-04B (3') Sample Silt (ML) 10 YR 6/4 Light Yellowish Brown. Mostly Silt with Little fine-grained Sand with trace med sand (SP)

ARP-94-04C (5') Sample Sand 10 YR 6/4 Light Yellowish Brown Mostly Medium to Fine Sand, Little Silt, Little Fine Gravel to Cobbles

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5'		0.0
S-2	3'		0.0
S-3	5'		0.0
S-4			
S-5			
S-6			
S-7			
~~S-8~~			

HH 6/9/94 HH 6/9/94

REFERENCE: Field Book, Pg. ~~HH~~ #3

Attachments _____

SIGNATURE: Christie Hodson

HSH 6/9/94

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

TEST PIT RECORD


Area View of Test Pit- ARP-94-~~04~~ 05 Page 1 of 2

INSTALLATION TN SITE/SWMU 40 AEO Test Range

TEST PIT ARP-94-05 DATE 6/9/94 TIME 12:45 END 1345

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = ~200' FT.

NOTES: The surface is not disturbed

Wind is blowing to the South Sunny, 80's

HH 6/9/94

CREW MEMBERS:

1. J. Gilkespie
2. T. Richards
3. H. Hodson
4. A. Boyce
5. B. Francis
6. S. Brown

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)

Other —

Photographs, Roll Photo Log

Exposure —

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

TEST PIT RECORD


Profile Along Test Pit- ARP-94-05 NW-SE Page 2 of 2

INSTALLATION IN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-05 DATE 6/9/94 TIME 12:45 END 13:45

COORDINATES HH GRID ELEMENT

SKETCH OF TEST PIT CROSS SECTION (SHOW SURFACE MONITORING RESULTS) 1/2" = 1'



SCALE 1" = 2' FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5		0.0
S-2	3'		0.0
S-3	5'		0.2
S-4			
S-5			
S-6			
S-7			
S-8			

HH 6/9/94

NOTES:

ARP-94-05A: Depth 0-0.5' Silt (ML) 10YR5/4 Yellowish Brown Mostly silt, little very fine sand, trace med sand

ARP-94-05B: Depth 3' Silt (ML) 10YR 6/4 Light Yellowish Brown Mostly Silt, little fine sand, few med to coarse sand, few fine to coarse gravel.

ARP-94-05C: Depth 5' Silty Gravels (GM) 10YR6/6 Brownish Yellow Mostly Silt Coarse gravels and fine to coarse sand with little silt and few to trace cobbles.

HH 6/9/94

REFERENCE: Field Book, Pg. #3

Attachments —

SIGNATURE: Hollister Sarah Hudson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

TEST PIT RECORD


Area View of Test Pit- ARP-94-06 Page 1 of 2

INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-06 DATE 6/9/94 TIME 1410 END 1540

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 100' FT.

CREW MEMBERS:

1. J. Gillespie
2. T. Richards
3. H. Hodson
4. B. Francis
5. S. Brown
6. A. Boyce

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)
Other	—	

Photographs, Roll Photo Log

Exposure —

NOTES: Wind blowing to the South. Sunny 80's

Surface is Not Disturbed

Trench is oriented NW-SE, 11'x2' dimensions

HH 6/9/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

TEST PIT RECORD

Profile Along Test Pit- NW-SE Page 2 of 2


INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-06 DATE 6/9/94 TIME 1410 END 1540

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)

1/2" = 1'



SCALE 1" = 2' FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser No.	HD. SP. VOA PPM
S-1	0.5'		0.0
S-2	3'		0.0
S-3	5'		0.0
S-4			
S-5			
S-6		HK	
S-7		6/9/94	
S-8			

NOTES:

ARP-94-06A: Surface 0-0.5' Silt (ML) 10YR6/4 Light Yellowish brown. Mostly silt, little to trace fine to medium sand

ARP-94-06B: Depth 3' Silt (ML) 10YR6/4 Light Yellowish Brown. Mostly Silt with little very fine sand and trace fine med. sand.

HSH 6/9/94

ARP-94-06C: Depth 5' Sandy Silt w/ gravel (ML) 10YR5/6 Yellowish Brown, Mostly Silt or fine sand, some med to coarse sand, fine gravel and little coarse gravel. (Not GM?)

REFERENCE: Field Book, Pg. #3 (HH)

Attachments —

SIGNATURE: H Quitch Hodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

154

TEST PIT RECORD


Area View of Test Pit- ARP-94-07 Page 1 of 2

INSTALLATION IN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-07 DATE 6/10/94 TIME 0830 END 0900

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 100' FT.

CREW MEMBERS:
1. H. Hodson
2. T. Richards
3. J. Gillespie
4. A. Boyce
5. S. Brown
6. —

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)
Other	—	

Photographs, Roll Photo Log
Exposure —

NOTES: Surface is Undisturbed. Metal Debris surrounding pit
Sunny, 80's. Wind Blowing to the North.
Trench is oriented NE-SW, 11' long and 2' wide

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

90' ~125'

FILE COPY

TEST PIT RECORD


Profile Along Test Pit- ARP-94-07 NE-SW Page 2 of 2

INSTALLATION IN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-07 DATE 6/10/94 TIME 08:30 END 0920

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION (SHOW SURFACE MONITORING RESULTS) 1/2" = 1'



← NE TOWARDS THE ROAD (⊥ to ROAD)

SCALE 1" = 0' FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5'		0
S-2	3'		0.3
S-3	5'		0.2
S-4			
S-5			
S-6			
S-7			
S-8			

HH 6/10/94

NOTES:

ARP-94-07A: Surface 0.5', Silt (ML) 10YR 5/6 Yellowish Brown, Mostly silt with little fine sand trace med to coarse sand. ~~Some~~ (Note: Organics in surface Soil)

ARP-94-07B: Depth 3', Silt (ML) 10YR 6/6 Brownish Yellow. Mostly silt with some fine sand and few to trace med. to coarse sand. (Note: entering gravel-coarse-~~gr~~ bed)

ASH 6/10/94

ARP-94-07C: Depth 5', Sandy Silt w/Gravel (ML) 10YR 5/6 Yellowish brown. Mostly Silt, some fine to coarse sand, little coarse gravel to cobbles (GM?)

HSH 6/10/94

HH 6/10/94

REFERENCE: Field Book Pg. #3 (HH)

Attachments —

SIGNATURE: Christie Hudson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

FILE COPY

TEST PIT RECORD


Area View of Test Pit- ARP-94-08 Page 1 of 2

INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-08 DATE 6/10/94 TIME 0940 END 1040

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = _____ FT.

NOTES: Surface is undisturbed. Possibly a lower area. There is a distinct vegetation change (larger bushes)
Wind blowing from the ~~South~~ North Sunny, 80's.
Pit oriented parallel to the road (NW/SE)
11'x2' Dimensions.

Metal debris scattered on ground surface around test pit

HH
6/10/94

CREW MEMBERS:
1. H. Hodson
2. J. Gillespie
3. T. Richards
4. A. Boyce
5. S. Brown
6.

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	—	(N)
Other		

Photographs, Roll Photo Log

Exposure —

TEST PIT PLAN RECORD
TOOELE army DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

TEST PIT RECORD (HH)


Profile Along Test Pit- ARP-94-08 NW-SE Page 2 of 2

INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-08 DATE 6/10/94 TIME 0940 END 1640

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION (SHOW SURFACE MONITORING RESULTS) 1/2" = 1'



(HH 6/10/94)

1/2" = 1

SCALE 1" = 2' FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Lnt. Ser. No.	HD. SP. VOA PPM
S-1	0.5'		0.0
S-2	3'		0.01
S-3	5'		0.0
S-4			
S-5			
S-6			
S-7			
S-8			

(HH 6/10/94)

HH 6/10/94

NOTES:

ARP-94-08A: Depth 0.5' Silt (ML) 10YR5/6 Yellowish Brown. Mostly silt, Few to Trace fine to coarse sand

ARP-94-08B: Depth 3' Silt (ML) 10YR5/6 Yellowish Brown, Mostly Silt with some fine to coarse sand few fine gravels. (Note: Entering the gravel layer at 2.5 to 3')

ARP-94-08C: Depth 5' Sandy Silt with Gravel (ML) 10YR 6/4 Light ~~Brownish~~ Yellow. Mostly Silt or fine to med sand, some mid to coarse sand, fine gravel. and little coarse gravel to cobbles. (From 3'-5' ~~the~~ grades from a silt to a gravelly silt to gravelly silt/sand w/ ~~some~~ few cobbles). (GM?)

HH 6/10/94

REFERENCE: Field Book, Pg. #3

Attachments — (HH)

SIGNATURE: Kristie Hudson

1682FR01.DGN REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

TEST PIT RECORD

Area View of Test Pit- ARP-94-09 Page 1 of 2

INSTALLATION TN SITE/SWMU 40 AED Test Range


TEST PIT ARP-94-09 DATE 6/10/94 TIME 1045 END 11:45

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)

100' to-08
00' to East Rd.

↑
NORTH



SCALE 1" = 100 FT.

NOTES: Surface is undisturbed. Metal/Debris present on surface in surrounding area

Sunny, 80s, Wind blowing from the North

Pit oriented perpendicular to East Road
12'x2' Dimensions. Spaced in between Revetment #2 and #3.

HSH
6/10/94

CREW MEMBERS:
1. H. Hodson
2. T. Richards
3. J. Gillespie
4. A. Boyce
5. S. Brown
6.

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)
Other	—	

Photographs, Roll PhotoLog

Exposure —

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

159

TEST PIT RECORD


Profile Along Test Pit- ARP-94-09 NE-SW Page 2 of 2

INSTALLATION IN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-09 DATE 6/10/94 TIME 1045 END 1145

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION (SHOW SURFACE MONITORING RESULTS) 1/2" = 1'



SCALE 1" = 2 FT.
DEPTH (FT.)

NOTES:

ARP-94-09A(+61A DUP): SURF 0.5', Silt(ML) 10YR 5/3 Brown. Mostly silt, some fine to medium sand. Trace coarse sand. (Note: organics present in the surface sample, roots etc (HH 6/10/94)

(HH 6/10/94) ARP-94-09B(+61B DUP): Depth 3', Silty Gravel with Sand (GM) 10 YR 6/4 light Yellowish Brown Mostly fine to coarse gravel and some silt and fine to coarse Sand. (ML w/ Sandy Silt w/ gravel)

ARP-94-09C(+61C DUP): Depth 5' Silty Gravel with Sand (GM) 10YR 6/4 Light Yellowish Brown. Mostly Coarse Gravel to Cobbles, Some Silt and fine to coarse sand. Trace fine gravel. (Close to ML Sandy-Silt with Gravel; Graded downward from Silty fine to coarse gravel to silty coarse gravel with cobbles).

SAMPLES OBTAINED:

No.	Depth (ft.)	Lnt. Ser. No.	HD. SP. VOA PPM
S-1	0.5'		0.0
S-2	3'		0.0
S-3	5'		0.0
S-4			
S-5			
S-6			
S-7			
S-8			

HH 6/10/94

HH

REFERENCE: Field Book, Pg. # 3

Attachments _____

SIGNATURE: Austin Hudson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

TEST PIT RECORD

Area View of Test Pit- ARP-94-10 Page 1 of 2

INSTALLATION TN SITE/SWMU 40 AED Test Range


TEST PIT ARP-94-10 DATE 6/10/94 TIME 1405 END 1500

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)

50' to East Rd.
75' to 09.

NORTH



SCALE 1" = 100' FT.

CREW MEMBERS:
1. H. Hodson
2. J. Gillespie
3. T. Richards
4. A. Boyce
5. S. Brown
6. B. Francis

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	—	Y (N)
Other		

Photographs, Roll Photo Log

Exposure —

NOTES: Sunny 80's, Wind blowing from the North

Test pit oriented W-E, 11' x 2'
ARP-94-10 is south of Revetment #3
Surface is undisturbed. Metal Debris scattered across surface.

HJH
6/10/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

TEST PIT RECORD


Profile Along Test Pit- ARP-94-10 NE-SW

INSTALLATION IN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-10 DATE 6/10/94 TIME 1405 END 1500

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 2 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5'		0.0
S-2	3'		0.0
S-3	5'		0.0
S-4			
S-5			
S-6			
S-7			
S-8			

HSH 6/10/94

HSH

HH

NOTES:

ARP-94-10A: Surface 0.5', Sandy Silt (ML) 10 YR 5/6. Yellowish brown. Mostly silt with some ~~medium to coarse~~ fine to medium sand, trace coarse sand.

ARP-94-10B: Depth 3', Silty Gravel With Sand (GM) 10YR 5/6 Yellowish Brown Mostly Coarse Gravel to Cobbles, Some silt and fine to coarse Sand. Few to trace fine gravel. (Note: Close to ML-Silt with Gravel. Grading downward to coarser gravel and cobbles.

Sandy

HSH 6/10/94

ARP-94-10C: Depth 5' Sandy Gravel with Silt (GM) 10YR 6/4 Light Yellowish Brown. Mostly Coarse Gravel to Cobbles (Note: these seem to be almost cemented together by caliche). Some fine to medium sand and silt. Few to trace coarse sand and fine gravel. (Sandier "matrix" for the cobbles "gravel towards the bottom.)

REFERENCE: Field Book, Pg. #3

Attachments _____

SIGNATURE: Holustir Hodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

TEST PIT RECORD

Area View of Test Pit- ARP-94-11 Page 1 of 2

INSTALLATION TN SITE/SWMU 40 AED Test Range


TEST PIT ARP-94-11 DATE 6/10/94 TIME 6/10/94 1525 END 6/11/94 11:55

COORDINATES _____ GRID ELEMENT _____

(Southern Arm) Edge of Revetment #3

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)

75' to South Rd
55' from revetment



SCALE 1" = 150 FT.

CREW MEMBERS:

1. H. Hodson
2. J. Gillespie
3. T. Richards
4. A. Boyce
5. S. Brown
6. B. Francis

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)
Other	—	

Photographs, Roll Photo Log

Exposure —

NOTES: Sunny 80's, Wind blowing from the North.

Metal Debris on the Ground Surrounding the Test Pit

Test Pit oriented NW-~~SE~~ 11'x21'x5'

HSH 6/10/94

HSH 6/10/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

TEST PIT RECORD


Profile Along Test Pit- ARP-94-11 NW-SE Page 2 of 2

INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-11 DATE 6/10/94 TIME 6/10/94 1525 END 6/11/94 1155

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION (SHOW SURFACE MONITORING RESULTS) 1/2" = 1'



1/2" = 1'

SCALE 1" = 2 FT.
DEPTH (FT.)

HH 6/11/94

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5'		0.0
S-2	3'		0.0 a, Hett 6/11/94
S-3	5'		0.0
S-4			
S-5			
S-6			
S-7			
S-8			

HH 6/10/94

NOTES:

ARP-94-11A: Surface 0-6", Silt (ML) few 10YR5/3 Brown. Mostly silt with ~~little~~ to trace fine to medium sand and trace coarse sand.

ARP-94-11B: depth 3' Silty Sand (SM) 10YR 6/4 light yellowish brown. Mostly fine to med. sand some silt, Little coarse sand. (Starting to enter an area of fine gravel.) + 6/11/94

ARP-94-11C: depth 5' Silty Sand with gravel (SM) 10YR6/4 light yellowish brown. Mostly fine to medium grained sand and silt little fine gravel and course gravel to cobbles (Note: enteling a layer where cobbles and gravel are "cemented" together - caliche) (GM?)

REFERENCE: Field Book Pg. #3 (HH)

Attachments _____

SIGNATURE: Christie Hudson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

ARP-94-11B and 11C had more sand than some of the first 10 holes above and in the gravel layer, but it is still close 50/50

FILE COPY

TEST PIT RECORD


Area View of Test Pit- ARP-94-12 Page 1 of 2

INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-12 DATE 6/11/94 TIME 12:15 END 1330

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = ~~200~~ FT. 100 HSH 6/24/94

CREW MEMBERS:

1. H. Hodson
2. J. Gillespie
3. T. Richards
4. A. Boyce
5. B. Francis
6. S. Brown

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)

Other —

Photographs, Roll Photo Log

Exposure —

NOTES: Metal debris scattered around the area surrounding the test pit. The vegetation seems to only include grass - very few other plants or bushes.

Sunny, 80's, Wind blowing from the North

Sand band from 3-4'

Test Pit Oriented NW-SW 11' x 2' x 5'

HSH
6/11/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

TEST PIT RECORD


Profile Along Test Pit- ARP-94-12 NW-SE Page 2 of 2

INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-12 DATE 6/11/94 TIME 1215 END 1330

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 2 FT.
DEPTH (FT.)

NOTES:

ARP-94-12A: Surface 0.5' Silt (ML) 10YR6/3 pale brown. Mostly silt, few fine to medium grained sand, trace coarse-grained sand

HH 6/11/94

ARP-94-12B: Depth 3' Well graded sand (SW-SM) with silt ~~and c~~ (SW). 10YR6/6 brownish yellow. Mostly fine to medium sand, little coarse sand, trace fine gravel (Note: Just reached the coarse gravel layer)

HH 6/11/94

ARP-94-12C: Depth 5' ~~(SP-SM)~~ Well ~~Poorly~~ graded sand with silt (SW-SM) 10YR6/4 Light yellowish brown. Mostly fine to coarse sand with few silt, trace fine gravel (This sand is almost cemented together - difficult to dig - may be getting into gravel)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5'		0
S-2	3'		0
S-3	5'		0
S-4			
S-5			
S-6			
S-7			
S-8			

HH 6/11/94

REFERENCE: Field Book, Pg. #3 (HH)

Attachments —

SIGNATURE: Kristin Hedin

1682FR01.DGN
REV. 5/94

RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

TEST PIT RECORD HSH 6/11/94

Area View of Test Pit - ARP-94-12/13 Page 1 of 2

INSTALLATION TN HSH 6/11/94 SITE/SWMU 40 | AED Test Range


TEST PIT ARP-94-12/13 DATE 6/12/94 TIME ~~12:15~~ 1345 END 1445

COORDINATES _____ GRID ELEMENT _____ HSH 6/11/94

SKETCH MAP OF TEST PIT LOCATION (SHOW SURFACE MONITORING RESULTS) HSH 6/11/94

65' to bldg

150' to Site Access Rd



North

SCALE 1" = 50' FT.

NOTES: This sight is located to the south of the empty building remains. Several large pipes are present where explosives have been tested inside of them (4" thick steel) Lots of metal debris on the surface cast iron HH 6/11/94

Sunny, 80's, Wind blowing from the North Test Pit oriented NW-SE, 10' x 2' x 5'

HSH 6/11/94

CREW MEMBERS:

1. H. Hodson
2. J. Gillespie
3. T. Richards
4. A. Boyce
5. B. Francis
6. S. Brown

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)
Other	—	

Photographs, Roll Photo Log

Exposure —

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

TEST PIT RECORD

Profile Along Test Pit- ARP-94-13 NW-SE Page 2 of 2


INSTALLATION TN SITE/SWMU 40 / AED Test Range

TEST PIT ARP-94-13 DATE 6/11/94 TIME 1345 END 1440

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)

1/2"=1'



SCALE 1" = 2 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5'		0.0
S-2	3'		0.0
S-3	5'		0.0
S-4			
S-5			
S-6			
S-7			
S-8			

6/14/94

NOTES:

ARP-94-13A Surface 0.5', Silt(ML) 10YR 7/4 very pale brown. Mostly silt, few to trace fine to med. Sand trace coarse sand

ARP-94-13B: Depth 3'(SP) Poorly graded sand. 10YR 7/2 Light gray. Mostly fine sand, trace med to coarse sand.

ARP-94-13C: Depth 5' Silt with Sand (ML) 10YR 5/4 Yellowish brown. Mostly Silt, Little fine sand, few to trace clay. (Note: After 2' alternating silt and clay lenses and sand lenses down to 5'. The lenses get thicker towards the bottom - 0.25' to 0.5'+

Some to + 11/94

REFERENCE: Field Book Pg. #3 (##)

Attachments —

SIGNATURE: Christie Hudson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

INFRASTRUCTURE
FILE COPY

TEST PIT RECORD


Area View of Test Pit- ARP-94-14 Page 1 of 2

INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-14 DATE 6/11/94 TIME 1300 END 1545

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



NORTH

SCALE 1" = 50 FT.

CREW MEMBERS:

1. H. Hodson
2. J. Gillespie
3. T. Richards
4. A. Boyce
5. B. Francis
6. S. Brown

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)
Other	—	

Photographs, Roll —

Exposure —

NOTES: Test Pit located west of the building walls and foundation.

Metal debris scattered across the gravel surface. Large pipes within 25' to the Southeast made cast iron

Sunny, 80's, Wind blowing from the North

Pit oriented NE-SW, 11' x 2' x 5.5'

HSH
6/11/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

TEST PIT RECORD

Profile Along Test Pit- ARP-94-14 NE-SW Page 2 of 2

INSTALLATION TW SITE/SWMU 40 / AED Test Range


TEST PIT ARP-94-14 DATE 6/11/94 TIME 1500 END 1545

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION (SHOW SURFACE MONITORING RESULTS)

1/2" = 1'

no gravel ring surface



SCALE 1" = 2' FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5'		0.0
S-2	3'		0.0
S-3	5'		0.0
S-4			
S-5			
S-6			
S-7			
S-8			

NOTES:

ARP-94-14A: Surface 0.5' Silt (ML) 10YR6/6 Brownish Yellow. Mostly silt, few to trace coarse sand, trace fine gravel.

ARP-94-14B: Depth 3' Poorly graded sand (SP) 10YR5/6 Yellowish brown. Mostly very fine to fine sand, trace coarse ~~gravels~~ sands

ARP-94-14C: Depth 5' Poorly graded sand (SP) 10YR6/4 Light Yellowish brown. Mostly fine sand with trace coarse sand

Some fine lenses of fine gravel

HSH 6/11/94

REFERENCE: Field Book, Pg. #3 (HH)

Attachments —

SIGNATURE: Christine Hodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

TEST PIT RECORD


Area View of Test Pit- ARP-94-15 Page 1 of 2

INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-15 DATE 6/11/94 TIME 1600 END 1440

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



Edge of Revetment #4 5

HSH 6/11/94

North

SCALE 1" = 100 FT.

ARP-94-14

NOTES: Metal debris scattered across the gravel surface.

Sunny 80's, Wind blowing from the North.

Pit oriented NE, SW. 11'X2'X5.5'

HSH 6/11/94

CREW MEMBERS:
1. H. Hodson
2. J. Gillespie
3. T. Richards
4. A. Boyce
5. S. Brown
6. B. Francis

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)
Other	—	

Photographs, Roll Photo log

Exposure —

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

TEST PIT RECORD


Profile Along Test Pit- ARP-94-15 NE-SW Page 2 of 2

INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-15 DATE 6/11/94 TIME 1600 END 1440

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION (SHOW SURFACE MONITORING RESULTS) 1/2" = 1'



SCALE 1" = 2 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Lnl. Ser. No.	HD. SP. VOA PPM
S-1	0.5'		∅
S-2	3'		∅
S-3	5'		∅
S-4			
S-5			
S-6			
S-7			
S-8			

NOTES:

ARP-94-15A: Surface 0.5' Sandy silt (ML) 10YR 7/4 Very pale brown. Mostly silt with some fine to medium sand, trace coarse sand (HH 6/11/94) STET

ARP-94-14B: depth 3' Silt with Sand (ML) 10YR 5/6 Yellowish brown Mostly silt with ~~few to trace~~ some v. fine to fine sand, and few to trace clay.

(HH 6/11/94)

ARP-94-15C: depth 5' Poorly Graded Sand (SP) 10YR 5/4 Yellowish brown. Mostly fine to very fine grained sand, trace med. sand.

REFERENCE: Field Book, Pg. #3

Attachments (HH) —

SIGNATURE: Christx Hodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

Test Pit 15: Mostly fine grained sand interbedded with thin (2cm - 4cm) lenses of silt (w/ clay + sand)

FILE COPY

TEST PIT RECORD


Area View of Test Pit- ARP-94-16 Page 1 of 2

INSTALLATION JN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-16 DATE 6/12/94 TIME 0850 END 0935

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



HSH 6/12/94

North

SCALE 1" = 10' FT.

CREW MEMBERS:
1. H. Hodson
2. J. Gillespie
3. T. Richards
4. A. Boyce
5. S. Brown
6. B. Francis

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)
Other	—	

Photographs, Roll Photo Log

Exposure —

HSH 6/12/94

NOTES:

~~ARP-94-16 Surface 0.5~~ HSH 6/12/94
~~is 7.5YR 6/4 Light yellow~~

Sunny, 70's, On top of the bench (13, 14 & 15 were below the bench. Wind blowing from the South.

Pit oriented E to W. 12'x 2'x 6.5'. On top of bench. Vegetation is undisturbed. The entire pit was hard packed sediment. There was a little silt present in the test pit and a trace amount of clay too.

HSH
6/12/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

TEST PIT RECORD

Profile Along Test Pit- ARP-94-16 E-W Page 2 of 2


INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-16 DATE 6/12/94 TIME 0850 END 0935

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)

1/2" = 1'



1/2" = 1'

SCALE 1" = 2' FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5'		0
S-2	3'		0
S-3	5'		0
S-4			
S-5			
S-6			
S-7			
S-8			

HH 6/12/94

NOTES:

ARP-94-16A: Surface 0.5, Sandy silt (ML) 10yR 6/4 light Yellowish brown. Mostly silt some to little very fine sand. Trace coarse sand to fine gravel.

ARP-94-16B: depth 3' Silty Sand (SM) 2.5Y 6/4 Light yellowish brown. Mostly fine to medium sand with little silt.

ARP-94-16C: depth 5' Silty Sand (SM) 2.5Y 6/4 Light Yellowish brown. Mostly fine to sand, little to few silt. (Note: Clay lenses start around 3½' The entire wall of test pit was smeared with clay from 3.5' downward, but sample was clearly sand with clay lenses)

HH 6/12/94

REFERENCE: Field Book, Pg. #3 (HH)

Attachments —

SIGNATURE: [signature] District Geologist

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

TEST PIT RECORD


Area View of Test Pit- ARP-94-17 Page 1 of 2

INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-17 DATE 6/12/94 TIME 1000 END 10:40

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION (SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 20' FT.

NOTES: Sunny 70's & 80's Wind blowing from SE

Test Pit oriented E-W. 11'x2'x5'

Vegetation is undisturbed. On top of the bench

HSH 6/12/94

CREW MEMBERS:

1. T. Richards
2. J. Gillespie
3. H. Hodson
4. A Bayce
5. B. Francis
6. S. Brown

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)
Other	—	

Photographs, Roll Photo Log

Exposure —

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

TEST PIT RECORD


Profile Along Test Pit- ARP-94-17 E-W Page 2 of 2

INSTALLATION IN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-17 DATE 6/12/94 TIME 1000 END 10:40

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION 1/2" = 1'
(SHOW SURFACE MONITORING RESULTS)



in silt
enses below 2'
E ←

SCALE 1" = 2' FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser No.	HD. SP. VOA PPM
S-1	0.5'		0
S-2	3'		0
S-3	5'		0.2
S-4			
S-5			
S-6			
S-7			
S-8			

HH 6/12/94

NOTES:

ARP-94-17A: Surf 0.5' Silt (ML) 2.5Y6/3 light yellowish brown. Mostly silt, few to trace very fine sand. HH 6/12/94 Sandy Silt ML

HH 6/12/94

ARP-94-17B: depth 3' ~~Silty Sand (SM)~~ 2.5Y6/6 olive yellow ~~Mostly very fine to fine sand, little silt~~ Mostly silt with little to few very fine sand

ARP-94-17C: depth 5' Sandy silt (ML) 2.5Y 7/4 pale yellow. Mostly silt with few very fine sand. (Note: layers of (or lenses of) silt present below 2') Some iron stainings.

HH 6/12/94

REFERENCE: Field Book, Pg. #3

Attachments _____

SIGNATURE: Heidi Hodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

ENVIRONMENT & INFRASTRUCTURE
FILE COPY

TEST PIT RECORD

Area View of Test Pit- ARP-94-18 Page 1 of 2

INSTALLATION IN Task 0003 SITE/SWMU 40 AED Test Range


TEST PIT ARP-94-18 DATE 6/12/94 TIME 1110 END 1155

COORDINATES _____ GRID ELEMENT _____

5' to E edge of Revetment #7

1' to Road

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



NORTH ↑

SCALE 1" = 50' FT.

CREW MEMBERS:

1. J. Gillespie
2. H. Hodson
3. T. Richards
4. A. Boyce
5. S. Brown
6. B. Francis

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)

Other —

Photographs, Roll Photolog

Exposure —

NOTES:

Sunny, 80's Wind blowing from the North

TEST PIT ORIENTED NE-SW 11'x2'x5'

GROUND SURFACE RELATIVELY UNDISTURBED THERE IS A CHANGE IN VEGETATION - THERE ARE FEWER SAGE BUSHES, JUST HOW GRASS IN THIS SPOT, NEAR THE CURVE IN NORTH ROAD. SW OF REVETMENT #7

HH
6/12/94

TEST PIT PLAN RECORD
TOOELE army DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

ENVIRONMENT & INFRASTRUCTURE
FILE COPY

TEST PIT RECORD


Profile Along Test Pit- ARP-94-18 NE-SW Page 2 of 2

INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-18 DATE 6/12/94 TIME 1110 END 1150

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION 1/2"=1' (SHOW SURFACE MONITORING RESULTS)



ll bands
avel

SCALE 1" = 2 FT.

DEPTH (FT.)

HH 12/94

NOTES:

ARP-94-18A: surface 0.5', Silt (ML) 2.5Y6/4 Light yellowish brown. Mostly silt, trace fine sand and 0-2% coarse sand.

ARP-94-18B: depth 3' Sandy Silt (ML) 2.5Y6/6 olive yellow. Mostly silt, some fine to coarse sand, few to trace fine gravels.

ARP-94-18C: depth 5' Sandy Silt (ML) 10YR5/4 Yellowish brown. Mostly silt Little fine to coarse sand. (Note: Two bands of gravel - fine -

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5'		0
S-2	3'		0
S-3	5'		0
S-4			
S-5			
S-6			
S-7			
S-8			

HH 6/12/94

REFERENCE: Field Book, Pg. #3

Attachments HH —

SIGNATURE: [signature]

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

TEST PIT RECORD


Area View of Test Pit-ARP-94-19 Page 1 of 2

INSTALLATION IN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-A DATE 6/12/94 TIME 1250 END 1330

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION (SHOW SURFACE MONITORING RESULTS) ~ Western Arm of Revetment #8



SCALE 1" = 10 FT.

NORTH

CREW MEMBERS:

1. J. Gillespie
2. T. Richards
3. H. Hodson
4. A. Boyce
5. S. Brown
6. B. Francis

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)

Other _____

Photographs, Roll — Photolog

Exposure —

NOTES:

Sunny 80, Wind blowing from the North.

Test pit oriented parallel to the Road (North Road). NE-SW. 11'x5'x2'
L x D x W

Surface is not disturbed. Vegetation is even.

H&H
6/12/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

FILE COPY

TEST PIT RECORD


Profile Along Test Pit- ARP-94-19 NE-SW Page 2 of 2

INSTALLATION TN SITE/SWMU 40/AED Test Range

TEST PIT ARP-94-19 DATE 6/12/94 TIME 1050 END 1330

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION (SHOW SURFACE MONITORING RESULTS) 1/2"=1'



E
W

HSH 6/12/94

SCALE 1" = 2 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5		0
S-2	3'		0
S-3	5'		0
S-4			
S-5			
S-6			
S-7			
S-8			

HSH 6/12/94

NOTES: (Gravel (Ane) Present on Surface)
ARP-94-19A: Surface 0.5' Silt (ML) 10YR6/4 Light Yellowish Brown. Mostly silt with some to little medium to coarse sand trace fine gravel ~~CH~~

HSH 6/12/94

ARP-94-19B: depth 3' Silt (ML) 10YR 6/6 Olive Yellow. Mostly silt with few clay (present in lenses/fissile) trace sand (fine to med.)

ARP-94-19C: depth 5' Sandy Silt (ML) 2.5Y 6/6 Olive Yellow. Mostly silt with some medium sand (and lenses of clay) Trace coarse sand (Iron staining).

REFERENCE: Field Book, Pg. #3 (HH)

Attachments —

SIGNATURE: HDustin Hudson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE army DEPOT, NORTH AREA

FILE COPY

TEST PIT RECORD

Area View of Test Pit-ARP-94-20 Page 1 of 2


INSTALLATION IN SITE/SWMU 40 AED TEST RANGE

TEST PIT ARP-94-20 DATE 6/12/94 TIME 1350 END

COORDINATES GRID ELEMENT

50' to Site Access Rd.
0' from NW Arm of Rev. 7

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 50' FT.

CREW MEMBERS:
1. H. HUDSON
2. J. GILLESPIE
3. T. RICHARDS
4. A. BOYCE
5. B. FRANCIS
6. S. BROWN

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)

Other —

Photographs, Roll Photo Log

Exposure —

NOTES:
- THIS IS THE FIRST TEST PIT WITHIN THE 19 SURROUNDING TEST PITS. THIS PIT IS IN THE AREA W/20 STALLOW PITS (EPIC PHOTO 7-81)
- WIND IS BLOWING FROM THE N, NE., SUNNY, 80S
- PIT ORIENTED NE-SW RIGHT ON THE BORDER/EDGE OF A SHALLOW EXPLOSIVE PIT INSIDE REVETMENT #7

HSH
6/12/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

TEST PIT RECORD

Profile Along Test Pit- ARP-94-20 (NE-SW) Page 2 of 2

INSTALLATION TN SITE/SWMU 40 AED TEST RANGE


TEST PIT ARP-94-20 DATE 6/12/94 TIME 1350 END

COORDINATES GRID ELEMENT

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)

HSH 6/12/94

HSH 6/12/94



slopy angle →

SCALE 1" = 2 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5'		0
S-2	3'		0.1
S-3	5'		0.1
S-4			
S-5			
S-6			
S-7			
S-8			

HH 6/12/94

NOTES:

ARP-94-20A: Surface 0.5. Silt (ML) 10YR 6/4 light yellowish brown. Mostly silt, few med sand, trace coarse

ARP-94-20B: depth 3' Silty Sand (SM) 2.5Y 6/4 light yellowish brown. Mostly Sand (fine to coarse grained) little silt, trace fine gravel. Lenses of silt and clay

ARP-94-20C: depth 5' Sandy Silt (ML) 2.5Y 6/4 light yellowish brown. Mostly silt, few fine grained sand, trace clay in lenses.

REFERENCE: Field Book, Pg. #3

Attachments —

SIGNATURE: Christine Hudson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

TEST PIT RECORD


Area View of Test Pit- ARP-94-21 Page 1 of 2

INSTALLATION IN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-21 DATE 6/12/94 TIME 1520 END 1600

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



Rev. 7 to edge of pit
edge pit to Rev 7.

NORTH

SCALE 1" = _____ FT.

CREW MEMBERS:

1. H. Hodson
2. T. Richards
3. J. Gillespie
4. A. Boyce
5. S. Brown
6. B. Francis

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)
Other	—	

Photographs, Roll Photo Log

Exposure —

NOTES: Sunny 80, Wind blowing from the North

This Pit was excavated on the side of one of the shallow explosion pits within Revetment #7. The surface soil sample was collected 2' into the pit on the slope.

HSH
6/12/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

TEST PIT RECORD


Profile Along Test Pit- ARP-94-21 E-W Page 2 of 2

INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-21 DATE 6/12/94 TIME 1520 END 1600

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 2 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5'		0
S-2	3'		0.3
S-3	5'		0
S-4			
S-5			
S-6			
S-7			
S-8			

HH 6/12/94

NOTES:

ARP-94-21A: Surface 0.5' Silt (ML) 2.5Y6/4 Light Yellowish Brown Mostly silt, few to trace ~~medium~~ fine to coarse sand

ARP-94-21B: depth 3', Silt (ML) 2.5Y6/4 Light Yellowish Brown, Mostly silt, little fine sand / very fine sand, trace medium to coarse sand (ML) HH 6/12/94

ARP-94-21C: depth 5' ~~Sandy~~ Silty Sandy Silt. 10YR 5/8 Yellowish Brown. Mostly silt and some very fine to fine sand, trace ~~coarse~~ fine gravel HH 6/12/94

Note: Gets sandier towards the bottom and there's a colour change at 2'

HH 6/12/94

REFERENCE: Field Book, Pg. #3 HH

Attachments —

SIGNATURE: HDuistine Hodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE army DEPOT, NORTH AREA

TEST PIT RECORD

Area View of Test Pit-ARP-94-22 Page 1 of 2


INSTALLATION TN TEAD-N Task 0003 SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-22 DATE 6/13/94 TIME 0930 END 1030

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)

1' from 21 to 22
' from SW R.7
' S of R.7 to Expl hole mid
15
' to trench(s)



Revetment #7

SCALE 1" = 100' FT.

CREW MEMBERS:
1. H. Hodson
2. J. Gillespie
3. T. Richards
4. T. Thompson
5. A Boyce
6. B. Francis
S. Brown

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)
Other	—	

Photographs, Roll Photo Log

Exposure —

NOTES:
Partly cloudy, 80's Wind blowing from west

The pit is oriented NW-SE. 11' x 5' x 2' located on the edge of an explosion pit, in the middle of several explosion pits.

Metal debris is scattered across the surface

HSH
6/13/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

TEST PIT RECORD

Profile Along Test Pit- ARP-94-22 (E-W) Page 2 of 2


INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-22 DATE 6/13/94 TIME 0930 END 1030

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)

1/2" = 1' 1/2' = 1'



SCALE 1" = 2 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5		0.0
S-2	3		0.3
S-3	5		0.3
S-4			
S-5			
S-6			
S-7			
S-8			

HSH 6/13/94

NOTES:

ARP-94-22A: Surface 0.5 Silt (ML) 10YR6/4 light yellowish brown. Mostly silt, trace med. Sand and coarse sand.

ARP-94-22B: depth 3' Sandy silt (ML) 2.5Y6/6 olive yellow. Mostly silt, some v. fine sand, few to trace med to coarse sand.

ARP-94-22C: depth 5' Poorly graded Sand with Silt (SP-SM) 2.5Y7/4 Pale Yellow. Mostly medium grained sand, few to trace silt. (Note: 2 interbedded sand lenses visible in between cleaner-less silt layers)

Silt 6/13/94

REFERENCE: Field Book, Pg. #3
(HSH 6/13/94) (HH)

Attachments _____

SIGNATURE: Patrick Hodson

sand-

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

TEST PIT RECORD (TEST 6/13/94)

Area View of Test Pit- ARP-94-23 N-S Page 1 of 2


INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-23 DATE 6/13/94 TIME 1040 END 11:40

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)

'Rev. 7 to trench
from trench
o pit
'from R.7 to pit



SCALE 1" = 100 FT.

CREW MEMBERS:

1. H, Hodson
2. J. Gilespie
3. T, Richards
4. T. Thompson
5. A. Boyce
6. S. Brown
   B. Francis

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)
Other	—	

Photographs, Roll Photo Log

Exposure —

NOTES:
Scattered clouds, 80's. Wind blowing from the south

TEST 6/13/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

TEST PIT RECORD


Profile Along Test Pit- ARP-94-23 N-S Page 2 of 2

INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-23 DATE 6/13/94 TIME 10:40 END 1140

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 2 FT.
DEPTH (FT.)

NOTES:
ARP-94-23A: Surface 0.5' Silt (ML) 2.5Y6/4 Light Yellowish Brown. Mostly silt, trace fine to medium sand

ARP-94-23B: depth 3' Silty Sand (SM) 2.5Y6/6 Olive yellow. Mostly fine to medium sand. Some to little silt, few fine to coarse gravel

ARP-94-23C: depth 5' Silt (ML) 2.5Y6/4 Light Yellowish brown. Mostly silt, few fine grained sand.

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5'		0
S-2	3'		0
S-3	5'		0
S-4			
S-5			
S-6			
S-7			
S-8			

REFERENCE: Field Book Pg. #3 (HH)

Attachments ____

SIGNATURE: Heidi Hedman

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

TEST PIT RECORD

Area View of Test Pit- ARP-94-24 Page 1 of 2


INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-24 DATE 6/13/94 TIME 1310 1245 END 1345

COORDINATES _____ GRID ELEMENT _____

ABH 6/13/94

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 50 FT.

CREW MEMBERS:
1. H Hodson
2. J. Gillespie
3. T. Richards
4. T. Thompson
5. A Boyce
6. B. Francis
S Brown

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	—	Y (N)
Other		


Photographs, Roll Photolog

Exposure

NOTES:

Test pit oriented parallel to the length of the trench (NE-SW) 12' x 2' x 5.5
Wind from the south.

Test pit located on the bottom of the 20' deep trench



Iron staining visible in clay

ABH
6/13/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE
FILE COPY

TEST PIT RECORD


Profile Along Test Pit- ARP-94-24 NE-SW Page 2 of 2

INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-24 DATE 6/13/94 TIME 1310 - 1215 END 1345

COORDINATES _____ GRID ELEMENT HSH

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



large cobbles 1'

← West

SCALE 1" = 2 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5		0
S-2	3		0
S-3	5		0
S-4			
S-5			
S-6			
S-7			
S-8			

HH 6/13/94

NOTES:

ARP-94-24A: Surface 0.5' Silt (ML) 2.5Y6/4 light yellowish brown. Mostly silt, few to trace medium-grained san.

ARP-94-24B: depth 3' (CL) Lean clay, 2.5Y7/2 light gray, Mostly clay few to trace silt.

HH 6/13/94 ARP-94-24C: depth 5' Lean clay (CL) 2.5Y6/3 light yellowish brown. Mostly clay, trace silt (Iron staining in clay

REFERENCE: Field Book, Pg. #3 (HH)

Attachments —

SIGNATURE: Christine Hodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

TEST PIT RECORD

Area View of Test Pit-ARP-94-25 Page 1 of 2


INSTALLATION (N) SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-25 DATE 6/13/94 TIME 1255 1500 END 1530

COORDINATES _____ GRID ELEMENT _____

TST 6/13/94

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 50 FT.

CREW MEMBERS:
1. A. Hodson
2. J. Gillespie
3. T. Richards
4. T. Thompson
5. A. Boyce
6. S. Brown
B. Francis

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)
Other	—	

Photographs, Roll Photo Log
Exposure

NOTES:

Due to the soil in the trench being so loose, the surface soil sample was collected in the trench but the 3' and 5' foot samples were collected from the eastern edge of the pit.

Logs are present in this half of the pit

Sunny, 80's, Wind blowing from the SouthWest

Test Pit is oriented NE-SW parallel to the length of the pit

* Part of Army ~~Tent~~ Canvas Soft top Truck Cab w/stove access
55 Gallon drum parts rusted out, flattened
2" x 5' PVC pipe
(?) TOP Rings of fiber drum
shipping nose plug of Bomb (low drag)
*shipping baseplug
plastic shipping plug to top of mines.
pole - wooden log box

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

TEST PIT RECORD

Profile Along Test Pit- ARP-94-25 NE-SW Page 2 of 2


INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-25 DATE 6/13/94 TIME ~~1255~~ 1545 END 1530

COORDINATES _____ GRID ELEMENT HSH

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)

HSH 6/13/94 TAKEN inside the trench



SCALE 1" = 2 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5'		0
S-2	3'		0
S-3	5'		0.5
S-4			↑ from decaying wood
S-5			
S-6			
S-7			
S-8			

HSH 6/13/94

NOTES:

ARP-94-25A: Surface 0.5', Silt (ML) 2.5Y 6/4 Light Yellowish brown. Mostly silt, ~~few to~~ trace medium-grained sand

HSH 6/13/94

ARP-94-25B: depth 4' Sandy silt (ML) ~~2.5Y~~ 5/4 Light olive brown, Mostly silt ~~some to~~ little fine to medium sand, trace coarse sand

ARP-94-25C: depth Sandy silt (ML) 2.5Y 5/6 light olive brown Mostly silt, little fine sand, trace medium sand.

REFERENCE: Field Book, Pg. #3 (HH)

Attachments —

SIGNATURE: Houston Halsey

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

TEST PIT RECORD

Area View of Test Pit- ARP-94-26 Page 1 of 2


INSTALLATION TINTEAD-N Task 0003 SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-26 DATE 6/14/94 TIME 0840 END 0925

COORDINATES _____ GRID ELEMENT _____

access Rd. 6 to pit from R6 to drg. to 25

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



NORTH

SCALE 1" = 100 FT.

NOTES: Partly cloudy, 60's, Wind blowing from the Northeast

Test pit located in between the long trench and Revetment #6, paralled to the Northern ("arm") arm of Rev. #6, almost perpendicular to the Site access Rd. 11'x5.5'x2'

Geology simlar to ARP-94-26C.

HSA 6/14/94 HH

CREW MEMBERS:

1. H. Hodson
2. V. Gillespie
3. T. Richards
4. T. Thompson
5. A. Boyce
6. S. Brown
   B. Francis

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)
Other	—	

Photographs, Roll Photo Log

Exposure _____

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE 1682FRG1.DGN

FILE COPY

TEST PIT RECORD


Profile Along Test Pit-ARP-94-26 NE-SW Page 2 of 2

INSTALLATION IN' TEAD-N Task 0003 SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-26 DATE 6/14/94 TIME 0840 END 0925

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION (SHOW SURFACE MONITORING RESULTS) 1/2" = 1'



e to coarse
ravel present

sand →

nses →

SCALE 1" = 2 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser No.	HD. SP. VOA PPM
S-1	0.5		0
S-2	3		0
S-3	5		0
S-4			
S-5			
S-6			
S-7			

HSH 6/14/94

NOTES:

ARP-94-26A: surface 0.5' Silt (ML) 2.5Y6/6 olive yellow. Mostly silt, few fine (very fine) sand, trace medium to coarse gravel. HH 6/15/94

ARP-94-26B: depth 3' ~~Silt~~ sandy silt (ML) 2.5Y 7/4 pale yellow. Mostly silt, little fine sand. (Note gravel above sample depth)

imilar to
P-94-22C)
HSH 6/14/94

ARP-94-26C: depth 5' Poorly graded sand (SP) SM) with silt. 2.5Y6/4 light yellowish brown. Mostly medium grained sand with few silt. (Note: 2 interbedded layers of med. sand in between the beds of silt above a cobbley layer.)

REFERENCE: Field Book Pg. #3 HH

Attachments —

SIGNATURE: Dustin Hudson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

TEST PIT RECORD

Area View of Test Pit- ARP-94-27 Page 1 of 2


INSTALLATION IN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-27 DATE 6/14/94 TIME 0940 END 1025

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)

18' from NW limb
15' from end of NW limb
30' to end of Rev. backwall
10 x 35 concrete pad.



SCALE 1" = 100 FT.

CREW MEMBERS:
1. H. Hodson
2. T. Richards
3. J. Gillespie
4. T. Thompson
5. A. Boyce
6. S. Brown
B. Francis

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)
Other	—	

Photographs, ~~Roll~~ Photolog #1

Exposure —

NOTES:

Cloudy 60s Wind blowing from the N, NE

Metal debris scattered across surface, dropping lower in NWestern 1/3 of Revetment. Test pit #27 located within an area devoid of sage bushes (only grasses present)

pit oriented parallel to NW limb of Rev. #6. 12'x5'x2'. in between concrete pad and NWestern revetment wall.

TES 4

6/14/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

TEST PIT RECORD


Profile Along Test Pit- ARP-94-27 East-West Page 2 of 2

INSTALLATION IN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-27 DATE 6/14/94 TIME 0940 END 1025

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



ast ←

SCALE 1" = 2 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Lab. Ser. No.	HD. SP. VOA PPM
S-1	0.5		0
S-2	3		0
S-3	5		0
S-4			
S-5			
S-6			
S-7			
S-8			

6/14/94

NOTES:

ARP-94-27A: surface 0.5' Silt (ML), 2.5Y 5/6 light olive brown, Mostly silt, few to trace fine to medium sand.

ARP-94-27B: depth 3' Silt (ML) ~~few to trace~~ 2.5Y 6/8 olive yellow. Mostly silt few to trace fine to medium sand

ARP-94-27C: depth 5' Sandy Silt (ML) 2.5Y 6/6 olive yellow. Mostly silt with little fine to med. sand. (Note: this depth has a coarser silt and more sand than the shallower depths

REFERENCE: Field Book, Pg. #3 (HH)

Attachments —

SIGNATURE: [signature] 807

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE army DEPOT, NORTH AREA

FILE COPY

TEST PIT RECORD

Area View of Test Pit- ARP-94-28 Page 1 of 2

INSTALLATION TN TEAD-N Task 0003 SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-28 DATE 6/14/94 TIME 1050 END 1130


COORDINATES _____ GRID ELEMENT _____

5' to flag from NW Limb

0' to backwall

0 to concrete wall.

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS) Site Access Rd →



SCALE 1" = 100 FT.

CREW MEMBERS:

1. H. Hodson
2. J. Gillespie
3. T. Richards
4. T. Thompson
5. A. Bayce
6. S. Brown
   B. Francis

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	—	Y (N)

Other _____

Photographs, Roll Photolog

Exposure —

NOTES:

Cloudy 60's Wind blowing from the North

Trench pit oriented parallel to NW limb, ⊥ to back wall of Rev. #6

HSH
6/14/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE
FILE COPY

TEST PIT RECORD


Profile Along Test Pit-ARP-94-28 NE-SW Page 2 of 2

INSTALLATION IN TEAD-N Task 0003 SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-28 DATE 6/14/94 TIME 1050 END 1130

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION 1/2" = 1'
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 2 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5'		0
S-2	3'		0
S-3	5'		0
S-4			
S-5			
S-6			
S-7			
S-8			

HS# 6/14/94

NOTES:

ARP-94-28A: Surface 0.5 Silt (ML) 2.5Y 6/4 light yellowish brown. Mostly silt with trace fine to medium sand
Sand

ARP-94-28B: depth 3.' Silt (ML) 2.5Y 5/6 light olive brown. Mostly silt with ~~little to trace~~ some fine to medium-grained sand. few coarse

ARP-94-28C: depth 5' Sandy silt (ML) 2.5Y 6/8 olive yellow. Mostly silt with some very fine sand, few medium sand (Note: the silt/very fine sand is all probably less than 200 No sieve

REFERENCE: Field Book Pg. #3 (HH)

Attachments _____

SIGNATURE: Alistine Hatton

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

TEST PIT RECORD


Area View of Test Pit- ARP-94-29 Page 1 of 2

INSTALLATION TV / SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-29 DATE 6/14/94 TIME 1250 END 1340

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 100 FT.

CREW MEMBERS:

1. H. Hodson
2. T. Richards
3. A. Bayce
4. T. Thompson
5. B. Francis
6. S. Brown

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)
Other		

Photographs, Roll Photolog

Exposure —

NOTES:

Partly cloudy, 60's, Wind blowing from the North

Test pit oriented N-S 12'x6'x2'

Metal debris scattered across surface, test pit located in an area with no sage or young sage bushes and grass.

HSH
6/14/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

TEST PIT RECORD


Profile Along Test Pit- ARP-94-29 N-S Page 2 of 2

INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-29 DATE 6/14/94 TIME 1250 END 1340

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION (SHOW SURFACE MONITORING RESULTS) 1/2" = 1'



SCALE 1" = 2 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5		0
S-2	3		0 0
S-3	5		0
S-4			
S-5			
S-6			
S-7			
S-8			

HSH 6/14/94

NOTES:

HH 6/14/94

ARP-94-29A: surface 0.5' Silt (ML) 2.5Y 6/4 light yellowish brown Mostly silt, some to little fine sand, trace coarse sand to fine gravel

ARP-94-29B: depth 3' Sandy silt (ML) 2.5Y 6/4 light yellowish brown Mostly silt and some fine sand, trace med. grained sand

ARP-94-29C: depth 5' Poorly graded gravel with sand and silt 2.5Y 6/8 olive yellow. Mostly fine to med. gravel with some silt and ~~little~~ few to silt.

HH 6/14/94

HH 6/14/94

REFERENCE: Field Book, Pg. #3

Attachments —

SIGNATURE: HDustin Hodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

TEST PIT RECORD


Area View of Test Pit- ARP-94-30 Page 1 of 2

INSTALLATION TN SITE/SWMU 40 AEO Test Range

TEST PIT ARP-94-30 DATE 6/14/94 TIME 1355 END 1445

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 100 FT.

CREW MEMBERS:
1. Holly Hodson
2. J. Gillespie
3. T. Richards
4. T. Thompson
5. A. Boyce
6. S. Brown
B. Francis

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	—	Y (N)

Other _____

Photographs, Roll Photo Log

Exposure —

NOTES:
Partly cloudy, high 60s, Wind blowing from the North

1345
6/14/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

FILE COPY

TEST PIT RECORD


Profile Along Test Pit-ARP-94-30 NW-SE Page 2 of 2

INSTALLATION TN SITE/SWMU 4c/AED Test Range

TEST PIT ARP-94-30 DATE 6/14/94 TIME 1355 END 1445

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION (SHOW SURFACE MONITORING RESULTS) 1/2" = 1'



1/2" = 1

SCALE 1" = 2' FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser No.	HD. SP. VOA PPM
S-1	0.5'		0
S-2	3'		0
S-3	5'		0
S-4			
S-5			
S-6			
S-7			
S-8			

HH 6/14/94

NOTES:

ARP-94-30A: Surface 0.5' Silt (ML) 2.5Y 6/4 light yellowish brown. Mostly silt, little to few fine ~~to med~~ sand, trace medium sand.

ARP-94-30B: depth 3' sandy silt (ML) 2.5Y 5/6 light olive brown. Mostly silt, some fine sand, trace coarse sand to fine gravel.

ARP-94-30C: depth 5' Silty Sand (SM) 2.5Y6/4 light yellowish brown. Mostly fine sand, ~~some~~ little to few silt.

SH 6/14/94

REFERENCE: Field Book, Pg. #3 (HH)

Attachments _____

SIGNATURE: Blustz Hodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

TEST PIT RECORD


Area View of Test Pit- ARP-94-31 Page 1 of 2

INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-31 DATE 6/14/94 TIME 1500 END 1545

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 700 FT.

CREW MEMBERS:

1. H. Hodson
2. J. Gillespie
3. T. Richards
4. T. Thompson
5. A. Boyce
   S. Brown
6. B. Francis

MONITOR EQUIPMENT:

PI Meter	Y	N
Explosive Gas	Y	N
Avail. Oxygen	Y	N
OVA	Y	(N)
Other	—	

Photographs, Roll Photo Log

Exposure —

NOTES: HSH 6/14/94

Partly cloudy, low 70s, Wind blowing from the North.

Pit oriented NNW-SSE, 11.5'x5'x2'

Nothing but an occasional sage bush growing. Overall there is little vegetation The area looks disturbed.

The first 5 feet almost seem moist.

HSH
6/14/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

TEST PIT RECORD


Profile Along Test Pit- ARP-94-31 NW-SE Page 2 of 2

INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-31 DATE 6/14/94 TIME 1500 END 1545

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION (SHOW SURFACE MONITORING RESULTS) 1/2" =



Cobble Zone

SCALE 1" = 2 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser No.	HD. SP. VOA PPM
S-1	0.5		0
S-2	3		0
S-3	5		0
S-4			
S-5			
S-6			
S-7			
S-8			

HH 6/14/94

NOTES:

ARP-94-31A: surface 0.5' Sandy Silt (ML) 2.5Y 5/6 light olive brown. Mostly silt, little to few fine sand

ARP-94-31B: depth 3' Silty Sand (SM) 2.5Y 6/6 olive yellow. Mostly fine sand, little silt, trace medium sand (interbedded layers of clay-thin)

ARP-94-31C: depth 5.5' Poorly graded Sand (SP) ~~2.5~~ 10YR 7/2 light gray. Mostly sand, few to trace silt → fine to medium

HH 6/14/94

HH 6/14/94

REFERENCE: Field Book, Pg. #3 HH

Attachments _____

SIGNATURE: Holli Hudson

1682FR01.DGN

REV. 5/94

RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD

Area View of Test Pit- ARP-94-32 Page 1 of 2

INSTALLATION IN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-32 DATE 6/15/94 TIME 0825 END 0905

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



.5' from ends of Rev. 6 & 5
5' to Rev. 5
5' to Rev. 6
5' to end of Rev 6

SCALE 1" = 100 FT.

CREW MEMBERS:
1. H. Hodson
2. J. Gilespie
3. T. Richards
4. T. Thompson
5. A. Boyce
6. S. Brown
B. Francis

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	—	Y (N)
Other		

Photographs, Roll Photolog

Exposure →

NOTES:
Cloudy, 60s, Wind blowing from the Southwest
Metal debris scattered across surface in between the two revetments. Sparse vegetation. Gravel (road base) on the surface.
Test pit oriented parallel to the limbs of Revetment 5, perpendicular to the road.
NE, SW 11' x 5.5' x 2'

HKH
6/15/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE
FILE COPY

TEST PIT RECORD


Profile Along Test Pit- ARP-94-32 NE-SW Page 2 of 2

INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-32 DATE 6/15/94 TIME 0825 END 0905

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 2 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5		0
S-2	3.5		0
S-3	5		0
S-4			
S-5			
S-6			
S-7			
S-8			

HH 6/15/94

NOTES:

ARP-94-32A: surface 0.5' ~~Sandy~~ silt (ML) 2.5Y 5/6 light olive brown. Mostly silt with ~~little~~ trace fine sand and few to trace medium to coarse gravel.

HH 6/15/94

ARP-94-32B: depth 3' Silt (ML), 10YR 5/4 yellowish brown ~~Silt (ML)~~ Mostly silt, little fine sand, trace medium to coarse sand

ARP-94-32C: depth 5' Silt (ML) 10YR 4/6 dark yellowish brown Mostly silt, few fine sand

HH 6/15/94

REFERENCE: Field Book Pg. #3 (HH)

Attachments _____

SIGNATURE: H. District Hodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Area View of Test Pit- ARP-94-33 Page 1 of 2

INSTALLATION TN' SITE/SWMU 40 AED TEST RANGE

TEST PIT ARP-94-33 DATE 6/15/94 TIME 0915 END 0935

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



North

SCALE 1" = 100 FT.

CREW MEMBERS:

1. H. Hudson
2. J. Gillespie
3. T. Richards
4. T. Thompson
5. A. Boyce
   S. Brown
6. ~~B~~

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	—	Y (N)

Other _____

Photographs, Roll # Shutter Log

Exposure —

NOTES:

- Cloudy, high 60's, Wind blowing from the South
- Metal debris scattered across the surface
- Test pit oriented perpendicular to the limbs of the Revetment #5. The pit is not quite located inside the revetment (There was a pit already dug inside the revetment during Round I/Phase I)

JH 6/15/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

FILE COPY

TEST PIT RECORD


Profile Along Test Pit- ARP-94-33 E-W Page 2 of 2

INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-33 DATE 6/15/94 TIME 0915 END 0955

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION (SHOW SURFACE MONITORING RESULTS) 1/2" = 1'



SCALE 1" = 2 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5'		0
S-2	3'		0
S-3	6'		0
S-4			
S-5			
S-6			
S-7			
S-8			

HSH 6/15/94

NOTES:

ARP-94-33A: surface 0.5' Silt (ML) 2.5Y5/6 light olive brown. Mostly silt, few to trace fine sand, trace ~~fine~~ medium sand

moist

ARP-94-33B: depth 3' Silt (ML) 2.5Y6/8 olive yellow. Mostly silt, few to trace fine sand, trace coarse sand.

moist

ARP-94-33C: depth 6' Silt (ML) 2.5Y 6/4 light yellowish brown. Mostly silt (or very fine sand) little to few fine (or very fine) sand. HSH 6/15/94 (Note: small thin clay lenses and sandier layers)

REFERENCE: Field Book, Pg. #3 HH

Attachments —

SIGNATURE: Holistic Hudson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE army DEPOT, NORTH AREA

DISTRIBUTION

FILE COPY

TEST PIT RECORD


Area View of Test Pit- ARP-94-34 Page 1 of 2

INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-34 DATE 6/15/94 TIME 1010 END 1050

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



to bldg

NORTH

10'

SCALE 1" = 40' FT.

CREW MEMBERS:

1. H. Hodson
2. J. Gillespie
3. T. Richards
4. T. Thompson
5. A. Boyce
6. S. Brown

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)
Other	—	

Photographs, Roll Photo Log

Exposure —

NOTES:

- Gravel Area littered with burned bullet for an M-16. Lots metal scattered around on the surface
- Test pit located adjacent to building foundation. SW-NE 10'x5'x2'
- Cloudy, 60-70, Wind blowing from the SE

HSH
6/15/94

TEST PIT PLAN RECORD
TOOELE army DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1662FR01.DGN

FILE COPY

TEST PIT RECORD


Profile Along Test Pit- ARP-94-34 NW-SE Page 2 of 2

INSTALLATION IN SITE/SWMU 40 HE PDT&E Range

TEST PIT ARP-94-34 DATE 6/15/94 TIME 10 10 END 1057

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 2 FT.
DEPTH (FT.)

NOTES:

ARP-94-34A: Surface 0.5' Silt (ML) 2.5Y 6/4 light yellowish brown Mostly silt, trace fine to med sand.

ARP-94-34B: depth 3' Silt (ML) 10YR 5/4 yellowish brown Mostly silt, trace fine to med Sand.

ARP-94-34C: depth 5' Silt (ML) 10YR 5/4 yellowish brown Mostly silt with little fine to med/m sand, trace coarse sand

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5'		0
S-2	3'		0.5 H_2S
S-3	5'		0.5 H_2S
S-4			
S-5			
S-6			
S-7			
S-8			

HH
6/15/94

REFERENCE: Field Book Pg. #3 (HH)
Attachments —

SIGNATURE: Kristin Hudson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

FILED

TEST PIT RECORD


Area View of Test Pit- ARP-94-35 Page 1 of 2

INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-35 DATE 6/15/94 TIME 1100 END 1145

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 20' FT.

CREW MEMBERS:

1. H. Hodson
2. J. Gillespie
3. T. Richards
4. T. Thompson
5. A. Boyce
6. S. Brown

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)
Other	—	

Photographs, Roll photo log

Exposure —

NOTES:

Metal scattered across surface.

Test pit oriented perpendicular to Eastern wall, parallel to back wall of building foundation. NE-SW 12'x5'x2'

Top foot of test pit was road fill

Cloudy, 70, light wind blowing from SW.

HSH 6/15/94

TEST PIT PLAN RECORD
TOOELE army DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

FILE COPY

TEST PIT RECORD

Profile Along Test Pit- ARP-94-35 NE-SW Page 2 of 2


INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-35 DATE 6/15/94 TIME 1100 END 1145

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION (SHOW SURFACE MONITORING RESULTS)

1/2" = 1'



SCALE 1" = 2 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser No.	HD. SP. VOA PPM
S-1	0.5		0
S-2	3'		0
S-3	5'		0
S-4			
S-5			
S-6			
S-7			
S-8			

HH 6/15/94

NOTES:

ARP-94-35A: Surface 0.5' silt (ML) 2.5Y 6/3 light yellowish brown. Mostly silt with little fine gravel and coarse sand (from old road base) few to trace fine to med. sand

ARP-94-35B: depth 3' silt (ML) 10YR 6/4 light yellowish brown Mostly silt with little fine to ~~med~~ sand, trace coarse sand. medium to

ARP-94-35C: depth 5' silt (ML) 10YR 6/4 light yellowish brown. Mostly silt with little to few fine sand, trace medium sand

REFERENCE: Field Book Pg. #3 (HH)

Attachments —

SIGNATURE: Christie Hudson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Area View of Test Pit - ARP-94-36 Page 1 of 2

INSTALLATION IN TEAD-N TASK 0003 SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-36 DATE 6/20/94 TIME 1345 END 1415

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 40 FT.

CREW MEMBERS:
1. H. Hodson
2. J. Gillespie
3. T. Thompson
4. S. Pincock
5. A. Boyce
6. S. Brown B. Francis

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)
Other	—	

Photographs, Roll Photolog

Exposure —

NOTES:

Hot, 70 to 80's wind blowing in from the North.

Smoke grenades buried and found in the hole

Metal debris on the surface

ground softened from explosive waves

Test pit oriented NW-SE 11.5'x2'x5'

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

FILE COPY

TEST PIT RECORD


Profile Along Test Pit- ARP-94-36 NW-SE Page 2 of 2

INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-36 DATE 6/20/94 TIME 1345 END 1445

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION (SHOW SURFACE MONITORING RESULTS) 1/2" = 1'



SCALE 1" = 2 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5		0
S-2	3		0
S-3	5		0
S-4			
S-5			
S-6		HH	
S-7		6/20/94	
S-8			

NOTES:

ARP-94-36A: Surface 0.5' Sandy silt (ML) 2.5Y6/4 Light yellowish brown Mostly silt some fine to coarse sand. Fine to coarse gravels covering the surface

ARP-94-36B: depth 3' Sandy silt (ML) 2.5Y6/4 light yellowish brown Mostly silt some fine to medium sand. few to trace fine gravels

ARP-94-36C: depth 5' Silt with Sand, (ML) 2.5Y6/4 light yellowish brown Mostly silt, few to trace fine sand, trace medium sand. (Interbedded with a medium sand SP)

REFERENCE: Field Book, Pg. #3 HH

Attachments _____

SIGNATURE: HDHudson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT RECORD

HSH 6/20/94


Area View of Test Pit- ARP-94-~~36~~37 Page 1 of 2

INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-37 DATE 6/20/94 TIME 1440 END 1530 6/20/94

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 40 FT.

CREW MEMBERS:

1. H. Hodson
2. J. Gillespie
3. T. Thompson
4. S. Pincock
5. A. Boyce
6. S. Brown
   B. Francis

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)

Other —

Photographs, Roll Photolog

Exposure —

NOTES:

Wind blowing from the North, clouds approaching, 70's,

Pit oriented NW-SE 11.5'x5'x2'

metal debris present on the surface

HSH 6/20/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

FILE COPY

TEST PIT RECORD


Profile Along Test Pit- ARP-94-37 NW-SE Page 2 of 2

INSTALLATION IN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-37 DATE 6/20/94 TIME 1440 END 1530

COORDINATES _____ GRID ELEMENT _____ HH 6/20/94

SKETCH OF TEST PIT CROSS SECTION (SHOW SURFACE MONITORING RESULTS) 1/2" = 1'



1/2" = 1'

SCALE 1" = 2 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5'		0
S-2	3'		0
S-3	5'		0
S-4			
S-5			
S-6			
S-7			
S-8			

NOTES:

ARP-94-37A: surface 0.5', Sandy silt (ML) 2.5Y6/4 light yellowish brown. Mostly silt, some fine to coarse sand, few to trace fine gravel. HH 6/20/94

ARP-94-37B: depth 5', Silt (ML) 2.5Y 6/6 Olive yellow. Mostly silt (almost v. fine sand) trace fine sand

ARP-94-37C: depth 5' Silt (ML) 2.5Y6/6 Olive yellow. Mostly silt trace fine sand

HH 6/20/94

REFERENCE: Field Book Pg. #3 (HH)

Attachments —

SIGNATURE: Hollistie Hudson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE
FILE COPY

TEST PIT RECORD

Area View of Test Pit- ARP-94-38 Page 1 of 2


INSTALLATION TN TEAD-N Task 0003 SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-38 DATE 6/20/94 TIME 1550 END 1640

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)

5' 20 to 38
0' 20 to end of R7
0' to Road



NORTH

SCALE 1" = 10 FT.

CREW MEMBERS:
1. H. Hodson
2. T Thompson.
3. J. Gillespie
4. S. Pincocic
5. A. Boyce
S. Brown
6. B. Francis

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)

Other —

Photographs, Roll Photolog

Exposure —

NOTES:

Wood debris and cement blocks present within the explosion pit. Little metal debris, wires (communication) transition pieces

Wind blowing from the North.
Test pit oriented NE-SW on the edge of an explosion pit. 12' x 5' x 2'

Soil/Sediment with a black surface found around 3.5'. The 5' sample was mixed with this black material.

HSH
6/20/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

TEST PIT RECORD


Profile Along Test Pit- ARP-94-38 NE-SW Page 2 of 2

INSTALLATION IN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-38 DATE 6/20/94 TIME 1530 END 1640

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



ick
ayer →

ace
arge
ravel to
obbles @
ottom.

SCALE 1" = 2 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Inf. Ser No.	HD. SP. VOA PPM
S-1	0.5		0
S-2	3		0
S-3	5		0
S-4			
S-5			
S-6			
S-7			
S-8			

on black material

NOTES:

ARP-94-38A: Surf. 0.5' silt (ML) 2.5Y 6/4 light yellowish brown. Mostly silt, few fine to medium sand. Trace coarse sand to fine gravel

ARP-94-38B: depth 3' ~~silty sa~~ sandy silt (ML) 2.5Y 7/4 pale yellow Mostly silt, some fine to med sand. (This sample was collected on the border of a medium sand and silt layer)

ARP-94-38C: depth 5: Sandy silt (ML) 2.5Y 7/4 pale yellow. Mostly silt, some to little fine and medium sand, trace coarse sand.

ich residue
ndonat-
ilt & some
diment

REFERENCE: Field Book, Pg. HHH #3

Attachments —

SIGNATURE: Christine Hudson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

Bill ca
RonSnyder@
33 2621

11/2

FILE C...

TEST PIT RECORD

Area View of Test Pit- ARP-94-39 Page 1 of 2


INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-39 DATE 6/21/94 TIME 0900 END 0930

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)

50' R.3+4
5' R3 to pin.



NORTH

SCALE 1" = 200' FT.

CREW MEMBERS:
1. H. Hodson
2. T. Thompson
3. ~~J. Gillespie~~ HSH 6/21/94
4. S. Pincock
5. A. Boyce
6. S. Brown
B. Francis

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)
Other	—	

Photographs, Roll Photolog

Exposure —

NOTES:

Cloudy, wind blowing from the South, 70°,

Located in between Revetments #3 and #4.

Explosive & Metal debris scattered across the surface.

The pit is located next to a 1-2' raised surface

covered with gravel

About 1 foot to 1.5' down start looser gravel

and some roots.

Firing upwards from sand and gravel into

silt.

HSH

6/21/94

5 6/21/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

TEST PIT RECORD


Profile Along Test Pit- ARP-94-39 N-S Page 2 of 2

INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-39 DATE 6/21/94 TIME 0900 END 0930

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION 1/2"=1'
(SHOW SURFACE MONITORING RESULTS)



possibly caved over

reeds present

1/2"=1'

SCALE 1" = 2 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser No.	HD. SP. VOA PPM
S-1	0.5'		0
S-2	3'		0
S-3	5'		0
S-4			
S-5			
S-6			
S-7			
S-8			

HS/H 6/21/94

NOTES:

ARP-94-39A: Surf. 0.5' Silt (ML) 2.5Y6/6 Olive yellow. Mostly silt trace medium sand and trace coarse to sand to fine gravel.

SH 6/21/94

ARP-94-39B: depth 3' Well-graded sand (SW). 2.5Y 7/4 Pale yellow. Mostly well graded sand from fine to coarse sand few fine gravel and trace silt

moist

ARP-94-39C: depth 5' Well-graded Sand with gravel (SW). 2.5Y6/8 olive yellow. Mostly sand that is well-graded from fine to coarse grained, some fine to coarse gravel, trace cobbles

REFERENCE: Field Book, Pg. #3 (HH)

Attachments —

SIGNATURE: Heather Hudson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD

Area View of Test Pit - ARP-94-40 Page 1 of 2


INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-40 DATE 6/21/94 TIME 940 END 1030

COORDINATES _____ GRID ELEMENT _____

) 80' R4 to pin
' Rev. 4 to 2
' R2 toward R1
find pin.

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 100' FT.

CREW MEMBERS:

1. H. Hodson
2. S. Pincock
3. T. Thompson
4. A. Boyce
5. S. Brown
6. B. Francis

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)
Other	—	

Photographs, Roll Photo log

Exposure —

NOTES:

Cloudy, wind blowing from the South, 20's

Metal debris scattered across the surface

Test pit located within a trench or filled (filled) road-looking linear feature

Test pit oriented N-E 11.5' x 2' x 5'

TBH
6/21/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

FILE COPY

TEST PIT RECORD

Profile Along Test Pit- ARP-94-40 E-W Page 2 of 2


INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-40 DATE 6/21/94 TIME 1040 END 1030

COORDINATES GRID ELEMENT

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)

Heft 6/21/94 09



SCALE 1" = 2 FT.
DEPTH (FT.)

NOTES:

ARP-94-40A: surface 0.5', Gravelly silt. (ML) 2.5Y5/4 light olive brown. Mostly silt, some fine gravel, trace fine to medium sand

ARP-94-40B: depth 3', silty sand (SM) 2.5Y6/6 olive yellow. Mostly medium to coarse sand, some to little silt, trace fine gravel

ARP-94-40C: depth 5' well graded sand with silt (SW-SM) 2.5Y6/6 olive yellow Mostly fine to coarse sand, little to few silt, few fine gravels

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5'		0
S-2	3'		0
S-3	5'		6
S-4			
S-5		HSH	
S-6			
S-7		6/21/94	
S-8			

REFERENCE: Field Book Pg. #3 (HH)

Attachments

SIGNATURE: Houston Hudson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE army DEPOT, NORTH AREA

FILE COPY

TEST PIT RECORD

Area View of Test Pit- ARP-94-41 Page 1 of 2


INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-41 DATE 6/21/94 TIME 1120 END 1200

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)

5-75' pin to R1
1' end of R2 to pin
5' to R2 from pin
3' pin to end of R1



North

SCALE 1" = 50 FT.

CREW MEMBERS:

1. H. Hodson
2. T. Thompson
3. S. Pincock
4. A. Boyce
5. S. Brown
6. B. Francis

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)

Other _____

Photographs, Roll Photo Log

Exposure _____

NOTES:

6/21/94

Cloudy, Wind blowing from the South, 30's
~~few to trace medium sand~~ changed to the North
little drizzling rain

Test pit located 1/2 way in between Revetments #1 and #2 oriented N-S
11.5 x 5 x 2.

HSH
6/21/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

FILE COPY

TEST PIT RECORD


Profile Along Test Pit- ARP-94-41 NW-SE Page 2 of 2

INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-41 DATE 6/21/94 TIME 1120 END 1200

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 2 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser No.	HD. SP. VOA PPM
S-1	0.5'		0
S-2	3'		0
S-3	5'		0
S-4			
S-5		HSH	
S-6		6/21/94	
S-7			
S-8			

NOTES:

ARP-94-41A: surface 0.5' Silt (ML) 2.5Y6/6 olive yellow. Mostly silt few to trace medium sand. HSH 6/21/94

ARP-94-41B: depth 3' ~~Sandy silt (ML)~~ Silty sand (SM). 2.5Y6/8 olive yellow. Mostly medium grained sand Some to little silt, trace ~~till~~ (HSH 6/21/94) fine gravel

ARP-94-41C: depth 5' Silty sand with gravel (SM). 2.5Y6/6 olive yellow Mostly medium grained sand with few fine gravel sand few silt

REFERENCE: Field Book Pg. #3 (HH)

Attachments —

SIGNATURE: Blustie Hudson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD

Area View of Test Pit - ARP-94-42- Page 1 of 2


INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-42 DATE 6/21/94 TIME 1330 END 1440

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)

35' pin to R4
3' to Western limb of R4
1' pin to bermed area w/ cones



SCALE 1" = 100 FT.

CREW MEMBERS:

1. H. Hudson
2. T. Thompson
3. S. Pincock
4. A. Boyce
5. B. Francis
6. S. Brown

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)
Other	—	

Photographs, Roll Photolog

Exposure —

NOTES:

Cloudy, 70s, wind blowing from the east.

Test pit located in a disturbed area with only a few sage bushes. The area looks as if it were grazed. There is gravel present all around the disturbed area.

HH
6/21/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE
FILE COPY

TEST PIT RECORD


Profile Along Test Pit- ARP-94-42 NE-SW Page 2 of 2

INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-42 DATE 6/21/94 TIME 1330 END 1410

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION (SHOW SURFACE MONITORING RESULTS) 1/2"=1'



1/2"=1'

Medium to coarse Sand layer

SCALE 1" = 2 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5		0
S-2	3		0
S-3	5		0
S-4			
S-5			
S-6			
S-7			
S-8			

NOTES:

ARP-94-42A: Surface 0.5', Silt (ML) 2.5Y6/4 light yellowish brown. Mostly silt trace medium to fine sand and gravel (SW-SM) HS #6/21/94

ARP-94-42B: depth 3' Well graded sand with silt. 2.5Y6/6 olive yellow Mostly well graded sand from fine to coarse, little to trace silt. little to trace coarse gravels to cobbles.

ARP-94-42C: depth 5' Well graded gravel w/sand. 2.5Y6/6 olive yellow. Mostly fine to coarse gravel and cobbles with little well graded fine to coarse sand and few to trace silt

HH 6/21/94

HH 6/21/94

REFERENCE: Field Book, Pg. #3

Attachments _____

SIGNATURE: Heather Hodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD

Area View of Test Pit- ARP-94-43 Page 1 of 2


INSTALLATION TN SITE/SWMU 40 Aed Test Range

TEST PIT ARP-94-43 DATE 6/21/94 TIME 1420 END 1505

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)

)' to R2
' to W end of Rev. 2.
)' to R3



SCALE 1" = 100 FT.

CREW MEMBERS:
1. H. Hodson
2. S. Pincock
3. T. Thompson
4. A. Boyce
5. S. Brown
6. B. Francis

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)
Other		

Photographs, Roll Photo Log
Exposure

NOTES:

Cloudy, drizzling, 70's, wind blowing from the south.

Metal debris scattered all over the surface

Pit 11.5'x5'x2' oriented NW-SE in between revetments #2 and #3

TJH
6/21/94

TEST PIT PLAN RECORD
TOOELE army DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE 1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE
FILE COPY

TEST PIT RECORD


Profile Along Test Pit- ARP-94-43 NW-SE Page 2 of 2

INSTALLATION TN SITE/SWMU 40 Acd Test Range

TEST PIT ARP-94-43 DATE 6/21/94 TIME 1420 END 1605

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 2 FT.
DEPTH (FT.)

NOTES:

ARP-94-43A: Surface 0.5', Silt (ML) 2.5Y 6/8 olive yellow. Mostly silt, trace fine to medium sand.

ARP-94-43B: depth 3' Well-graded sand with gravel (SW) 2.5Y 7/4 pale yellow. Mostly fine to coarse sand, little fine to coarse gravel, few cobbles, trace silt

ARP-94-43C: depth 5' Well graded sand with gravel (SW) 2.5Y 7/4 pale yellow Mostly fine to coarse sand, little fine to coarse gravel, few to trace cobbles, trace silt

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5'		0
S-2	3'		0
S-3	5'		0
S-4			
S-5			
S-6			
S-7			
S-8			

HSH 6/21/94

REFERENCE: Field Book, Pg. #3 HH

Attachments _____

SIGNATURE: Christine Hudson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Area View of Test Pit-ARP-94-44 Page 1 of 2

INSTALLATION TN SITE/SWMU 40 Acd Test Range

TEST PIT ARP-94-44 DATE 6/21/94 TIME 1520 END 1620

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 100 FT.

CREW MEMBERS:
1. H. Hodson
2. T. Thompson
3. S. Pincock
4. J. Gillespie
5. A. Boyce
6. S. Brown
B. Francis


MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)
Other	—	

Photographs, Roll Photo Log

Exposure —

NOTES:



Mounds of dirt from the diggins of hell burn pits

This pit is located in one of the trenches that is covered by metal planks

Cloudy, 70's, wind blowing to the North 12'x 2'x 5'

105mm projectile HE found at about 1' into the bottom of the trench. They said they only burned smoke grenades in this trench.

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

FILE COPY

TEST PIT RECORD

Profile Along Test Pit- ARP-94-44 NE-SW Page 2 of 2


INSTALLATION TN SITE/SWMU 40 Acid Test Range

TEST PIT ARP-94-44 DATE 6/21/94 TIME 1520 END 1620

COORDINATES _____ GRID ELEMENT _____

bottom of the trench

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 2' FT.
DEPTH (FT.)

starting at the bottom the Southern trench at Ø

NOTES:

ARP-94-44A: Surface 0.5' Silt (ML) 2.5Y7/3 pale yellow Mostly silt trace fine to medium sands

ARP-94-44B: depth 3' Silt with sand (ML). 10YR6/4 light yellowish brown. Mostly silt little fine to fine grained sand. Trace med. to coarse grained sand.

ARP-94-44C: depth 4' Silt (ML). 2.5Y6/8 olive yellow. Mostly silt few to trace very fine to fine sand. ~~Tan~~ (HBH 6/21/94)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5		0
S-2	3		0
S-3	5		0
S-4			
S-5			
S-6		HBH	
S-7		6/21/94	
S-8			

REFERENCE: Field Book Pg. ~~#~~ 3 (HBH)

Attachments _____

SIGNATURE: Holmstrom Hodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Areg View of Test Pit- ARP-94-45 Page 1 of 2

INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-45 DATE 6/22/94 TIME 0845 END 0930

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 100' FT.

;' even w/ R1 limbs to pin.
;' to center of R1 NE Limb.
'to center of R2W. Limb

CREW MEMBERS:

1. H. Hodson
2. T. Thompson
3. S. Pincock
4. A. Boyce
5. S. Brown
6. B. Francis

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)
Other	—	

Photographs, Roll Photolog

Exposure —

NOTES:

Sunny, 70's, clear Wind blowing from the east

Test pit located on top of a bare spot next to the gravel road. Scrap metal large pieces (>1/ft²) present in the area. Smaller pieces of kick out present all over the ground.

Test pit oriented NW to SE, 11'x5'x2'

~~HSM~~

6/22/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD

Profile Along Test Pit - ARP-94-45 (NW-SE) Page 2 of 2


INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-45 DATE 6/22/94 TIME 0845 END 0930

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION (SHOW SURFACE MONITORING RESULTS) 1/2" = 1'

intercolored
unded
aterial



ium
idy
yer

SCALE 1" = 2 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Lnt. Ser No.	HD. SP. VOA PPM
S-1	0.5'		0
S-2	3'		0
S-3	5'		0
S-4			
S-5			
S-6			
S-7			
S-8			

HSH 6/22/94

NOTES:

ARP-94-45A: surface 0.5', Silt (ML) 2.5Y6/4 light yellowish brown. Mostly silt, few fine sand to medium sand

ARP-94-45B: depth 3' Silt (ML) 2.5Y 7/4 pale yellow. Mostly silt, some to little medium grained sand. trace coarse gravel to cobbles.

ARP-94-45C: depth 5' well-graded sand with gravel (SW). 2.5Y 7/3 pale yellow Mostly well-graded sand from fine to coarse grained, little to few fine to coarse gravel to cobbles, trace silt.

REFERENCE: Field Book HH Pg. #3

Attachments _____

SIGNATURE: Holistic Hodson

1682FR01.DGN REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Area View of Test Pit- ARP-94-46 Page 1 of 2

INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-46 DATE 6/22/94 TIME 0945 END 1035

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 100 FT.

CREW MEMBERS:

1. H. Hodson
2. S. Pincock
3. T. Thompson
4. A. Boyce
5. S. Brown
6. B. Francis

MONITOR EQUIPMENT:

PI Meter	Y	N
Explosive Gas	Y	N
Avail. Oxygen	Y	N
OVA	—	Y (N)
Other		

Photographs, Roll Photo Log

Exposure —

NOTES:

Located within Revetment #1 on the west side of the concrete pad.

Sunny 70-80's. wind, blowing from the east.

Empty (?) boxes stacked on the east side of the pit. Concrete Pad located in the center of the pit (10' x 10')
Metal debris scattered across the surface

HSH
6/22/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE
FILE COPY

TEST PIT RECORD

Profile Along Test Pit- ARP-94-46 (NW-SE) Page 2 of 2


INSTALLATION IN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-46 DATE 6/22/94 TIME 0945 END 1035

COORDINATES _____ GRID ELEMENT _____

lighter colored fill material

SKETCH OF TEST PIT CROSS SECTION 1/2"=1'
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 2 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5'		0
S-2	3'		0
S-3	5'		0
S-4			
S-5			
S-6			
S-7			
S-8			

NOTES:

ARP-94-46A: Surface 0.5' Silt (ML) 2.5Y6/4 light yellowish brown. Mostly silt, few fine gravel trace medium to coarse sand

ARP-94-46B: depth 3' well graded sand with silt (SW-SM). 2.5Y6/4 light yellowish brown. Mostly fine sand grading to coarse grained, few to trace silt, trace cobbles.

ARP-94-46C: depth 5', Silt (ML) 2.5Y 6/4 light yellowish brown Mostly silt few to trace fine to medium sand, trace coars sand fine gravel

REFERENCE: Field Book, Pg. #3 HH

Attachments _____

SIGNATURE: Christie Hodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Area View of Test Pit- ARP-94-47 Page 1 of 2

INSTALLATION TN SITE/SWMU 40 RED Test Range

TEST PIT ARP-94-47 DATE 6/22/94 TIME 1050 END 1140

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 100' FT.

CREW MEMBERS:

1. H. Hodson
2. S. Pincock
3. T. Thompson
4. A. Boyce
5. B. Francis
6. S. Brown

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	—	Y (N)

Other _____

Photographs, Roll Photo Log

Exposure —

NOTES:

Sunny, 80's Very little wind blowing from the East Wind changed to blow from the North
Pit oriented NE-SW even with the opening of the revetment

HSH
6/22/94

TEST PIT PLAN RECORD
TOOELE army DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENGINEERING

FILE COPY

TEST PIT RECORD


Profile Along Test Pit- ARP-94-47 (NE-W) Page 2 of 2

INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-47 DATE 6/22/94 TIME 1050 END 1140

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION 1/2"=1'
(SHOW SURFACE MONITORING RESULTS)



1/2"=1'

SCALE 1" = 2 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5'		0
S-2	3'		0
S-3	5'		0
S-4			
S-5			
S-6		HS,K	
S-7		6/22/94	
S-8			

NOTES:

ARP-94-47A: Surface 0.5' Silt (ML) 2.5Y6/4 light yellowish brown. Mostly silt, trace medium sand to fine gravel. (Gravel present on the surface.

ARP-94-47B: depth 3' Silty sand with gravel (SM) 2.5Y 6/6 Olive Yellow Mostly fine sand with some silt, and little to few fine to coarse gravel, trace coarse sand.

ARP-94-47C: depth 5' Well graded sand with silt and gravel (SW-SM) 2.5Y6/4 olive yellow. Mostly fine to medium and coarse sand, some fine to coarse gravel to cobbles, few to trace silt

REFERENCE: Field Book, Pg. #3

Attachments HH —

SIGNATURE: Christine Hodson

1682FR01.DGN REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Area View of Test Pit- ARP-94-48 Page 1 of 2

INSTALLATION TN SITE/SWMU 40 AEO Test Range

TEST PIT ARP-94-48 DATE 6/22/94 TIME 1255 END 1340

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



North

SCALE 1" = 100' FT.

CREW MEMBERS:

1. H. Hodson
2. T. Thompson
3. S. Pincock
4. A. Boyce
5. S. Brown
6. B. Francis.

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)
Other	—	

Photographs, Roll Photo log

Exposure —

NOTES:

Sunny, starting to develop clouds, 80's wind blowing from the North

Pit located below where the empty boxes were being stored, and used to ship explosives. Sand was now stored in the boxes - could be sand used to ship the ordnance.

#54
6/22/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE
FILE COPY

TEST PIT RECORD


Profile Along Test Pit- ARP-94-48 (NE-W) Page 2 of 2

INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-48 DATE 6/22/94 TIME 1255 END 1340

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION 1/2" = 1'
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 2 FT.
DEPTH (FT.)

NOTES: Sandy organic

ARP-94-48A: Surface 0.5, ~~5'~~ Silt (OL/OH) 5YR3/3 dark reddish brown. Mostly organic (possible decayed wood or explosive residue), some to little sand - medium grained.

0-0.3' is a hard layer.

ARP-94-48B: depth 3' Silty sand with gravel (SM) 10YR7/3 very pale brown, Mostly fine to medium sand, little silt, few fine gravel, few to trace coarse sand.

ARP-94-48C: depth 5' Well graded sand with silt (SW-SM), 10YR6/4 light yellowish brown, Mostly fine to medium sand (well graded) few silt, ~~few to trace~~ coarse sand

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5		0
S-2	3		0
S-3	5		0
S-4			
S-5			
S-6		HS#	
S-7		6/22/94	
S-8			

REFERENCE: Field Book, Pg. #3 H#

Attachments _____

SIGNATURE: Hollustie Hudson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

H&S# 6/22/94

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Area View of Test Pit-ARP-94-49 Page 1 of 2

INSTALLATION TN SITE/SWMU 40 AED Test Ra

TEST PIT ARP-94-49 DATE 6/22/94 TIME 1400 END 1450

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 100' FT.

CREW MEMBERS:

1. H. Hodson
2. S. Pincock
3. T. Thompson
4. A. Boyce
5. S. Brown (Hst 6/22/94)
6. B. Francis

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA ____	Y	(N)
Other		

Photographs, Roll photolog

Exposure ←

NOTES:

Metal debris piled along the Southwest - Northeastern limb.

Sunny, 80's, typing to cloud up. Wind blowing from the North.

Hst 6/22/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE
FILE COPY

TEST PIT RECORD


Profile Along Test Pit- ARP-94-49 (NE-SW) Page 2 of 2

INSTALLATION IN SITE/SWMU 40

TEST PIT ARP-94-49 DATE 6/22/94 TIME 1400 END 1450

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION 1/2"=1'
(SHOW SURFACE MONITORING RESULTS)



.nd →

→

SCALE 1" = _____ FT.
DEPTH (FT.)

PLICATES
LECTED

NOTES:

ARP-94-49A: surface 0.5 Silt (ML) 10 YR 5/4 yellowish brown Mostly silt, few medium sand, ~~few~~ few coarse. (HSH 6/22/94)

HSH 6/22/94

ARP-94-49B: depth 3' Silty Sand (SM) 10YR6/3 pale brown Mostly medium grained sand ~~little to~~ few silt, few to trace coarse grained Sand trace fine gravel.

ARP-94-49C: depth 5' Poorly graded Sand with gravel (SP) 2.5Y 7/4 pale yellow. Mostly medium and coarse sand, few fine gravel, few to trace silt.

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5		0
S-2	3		0
S-3	5		0
S-4			
S-5			
S-6			
S-7			
S-8			

HH 6/22/94

REFERENCE: Field Book, Pg. #3

Attachments HH

SIGNATURE: Heather Hodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Area View of Test Pit- ARP-94-50 Page 1 of 2

INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-50 DATE 6/22/94 TIME 1505 END 1605

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 100 FT.

CREW MEMBERS:

1. H. Hodson
2. T. Thompson
3. S. Pincock
4. A. Boyce
5. S. Brown
6. B. Francis

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)
Other	—	

Photographs, Roll Photo Log

Exposure —

NOTES:

Sunny, 80's, WIND BLOWING FROM THE NORTH SLIGHTLY.

Test Pit oriented E-W, 12'x2.5', located on the edge of the revetment - not quite inside it, close to a grated, gravel area.

HSH
6/22/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Profile Along Test Pit- ARP-94-50 (E-W) Page 2 of 2

INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-50 DATE 6/22/94 TIME 1525 END 1605

COORDINATES GRID ELEMENT

SKETCH OF TEST PIT CROSS SECTION 1/2"=1'
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 2 FT
DEPTH (FT.)

HSH 6/22/94

NOTES: (GM)

ARP-94-50A: surface 0.5 Silty gravel 10YR6/4 light yellowish brown Mostly fine gravel and some silt, little fine coarse sand

HSH 6/22/94

ARP-94-50B: depth 3' Sand-Poorly sorted (SP) 10YR6/4 light yellowish brown. Mostly coarse sand, little to fine medium sand

HSH 6/22/94

ARP-94-50C: depth 5' Poorly graded Gravel with Sand. 10YR 6/4 light yellowish brown. Mostly coarse gravel (2-3") with some to little well graded fine to coarse sand. (more med+coarse than fine)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5		0
S-2	3		0
S-3	5		0
S-4			
S-5			
S-6			
S-7			
S-8			

HSH 6/22/94

REFERENCE: Field Book Pg. # 3 (HH)

Attachments —

SIGNATURE: H Shannon Hodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Area View of Test Pit- ARP-94-51 Page 1 of 2

INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-51 DATE 6/23/94 TIME 0840 END 1040

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 50' FT.

CREW MEMBERS:

1. H. Hodson
2. T. Thompson
3. S. Pincock
4. A. Boyce
5. S. Brown
6. B. Francis

MONITOR EQUIPMENT:

PI Meter	Y	N
Explosive Gas	Y	N
Avail. Oxygen	Y	N
OVA	— Y	N

Other _____

Photographs, Roll Photolog

Exposure —

NOTES:

ARP-94-51 located on the southeastern limb of Revetment #2.

Surface Soil sample collected underneath a landmine where red staining was evident. A dead lizard was found on another red stained area. We wet area down so that the dust would not be spread by the wind.

Sunny, 70-80's, WINDY, GUSTY.

TKH
6/23/94

TEST PIT PLAN RECORD
TOOELE army DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD (HSH 6/23/94)


Profile Along Test Pit - ARP-94-51 (NW-SE) Page 2 of 2

INSTALLATION IN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-51 DATE 6/23/94 TIME 0840 END 1040

COORDINATES GRID ELEMENT

SKETCH OF TEST PIT CROSS SECTION (SHOW SURFACE MONITORING RESULTS) 1/2" = 1'



SCALE 1" = 2 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Lnt. Ser. No.	HD. SP. VOA PPM
S-1	0.5'		2100 (1.2 ppm)
S-2	3'		2 above bkg 3.2 ppm
S-3	5'		0.5 above bkg. (1.2 ppm)
S-4			
S-5		HSH	
S-6			
S-7		6/23/94	
S-8			

NOTES:

ARP-94-51A: Surface 0.5' Silt (ML) 10R5/6 Red. Mostly silt, few medium grained sand, trace fine gravel

ARP-94-51B: depth 3' Silty sand with gravel (SM). 2.5Y7/3 pale yellow. Mostly medium grained sand, few silt, few to trace coarse gravel, fine gravel and coarse sand

ARP-94-51C: depth 5' Poorly graded gravel with sand (GP), 2.5Y7/3 pale yellow. Mostly coarse gravel and cobbles (~6-8"), little well-graded sand (fine to coarse sand) trace fine gravel.

REFERENCE: Field Book Pg. #3 (HH)

Attachments

SIGNATURE: Historian Sarah Hodson

1682FR01.DGN REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE TEST PIT PROFILE RECORD TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Area View of Test Pit- ARP-94-52 Page 1 of 2

INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-52 DATE 6/23/94 TIME 1100 END 1150

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



NORTH

SCALE 1" = 50 FT. Revetment #3

CREW MEMBERS:
1. H. Hodson
2. T. Thompson
3. S. Pincock
4. J. Gillespie
5. A. Boyce
   S. Brown
6. B. Francis

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)

Other _____

Photographs, Roll Photo Log

Exposure _____

NOTES:

Test pit oriented NW-SE, up against the revetment in between metal debris

Metal debris scattered across the surface and found in the pit. Containers were expended and burned.

Sunny, 80's, Wind blowing from NE

H SH
6/23/94

//

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Profile Along Test Pit-ARP-94-52 (E-W) Page 2 of 2

INSTALLATION TN SITE/SWMU 40 Acre Test Range

TEST PIT ARP-94-52 DATE 6/23/94 TIME 1100 END 1150

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



aerial

SCALE 1" = 2 FT.
DEPTH (FT.)

NOTES:

ARP-94-52A: Surface 0.5', Silt (ML) 2.5Y 7/2 light gray, mostly silt, few to trace medium sand and coarse sand

ARP-94-52B: depth 3' Silt (ML) 2.5Y 6/4 light yellowish brown. Mostly silt, few fine to medium sand, trace coarse gravels.

ARP-94-52C: depth 5' Silt (ML) 2.5Y 6/4 light yellowish brown Mostly silt, few to trace fine to medium sand, trace coarse gravel.

HSH 6/23/94

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5		0
S-2	3		0
S-3	5		0
S-4			
S-5			
S-6		HSH	
S-7		6/23/94	
S-8			

REFERENCE: Field Book, Pg. # 3 HH

Attachments _____

SIGNATURE: Christie Hudson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE army DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD

Area View of Test Pit- ARP-94-53 Page 1 of 2


INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-53 DATE 6/23/94 TIME 1310 END 1405

COORDINATES _____ GRID ELEMENT _____

HSH 6/23/94

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 50' FT. Revetment #3

CREW MEMBERS:

1. H. Hodson
2. T. Thompson
3. S. Pincock, J. Gillespie
4. A. Bayce
5. S. Brown
6. B. Francis

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	___ Y	(N)

Other _____

Photographs, Roll photo log 4

Exposure ___

NOTES:

Wind blowing from the North, Sunny, 80s. ~~Bomb Live~~ Unit

Metal debris scattered across the area

Pile of metal remains from Bomb Live Unit that was burned. Located on the edge of revetment #3

Pit oriented almost N-S. 11' x 2 x 5

HSH 6/23/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

FILE COPY

TEST PIT RECORD


Profile Along Test Pit- ARP-94-53 (N-S) Page 2 of 2

INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-53 DATE 6/23/94 TIME 1310 END 1405

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION ½"=1'
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 2 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5'		0
S-2	3'		0
S-3	5'		0
S-4			
S-5			
S-6			
S-7			
S-8			

NOTES:

ARP-94-53A: Surface 0.5' Silt with gravel (ML) 10YR 7/4 very pale brown. Mostly silt little coarse sand to coarse gravel.

ARP-94-53B: depth 3' Well graded sand with silt and gravel (SW-SM). 10YR 6/4 light yellowish brown. Mostly medium sand, little coarse and fine grained sand, few gravel, few to trace silt

ARP-94-53C: depth 5' Well graded sand with silt and gravel (SW-SM) 10YR 7/4 very pale brown. Mostly fine to coarse sand, ~~few to~~ few fine to coarse gravel ~~few to trace~~ silt.

REFERENCE: Field Book, Pg. #3 HH

Attachments —

SIGNATURE: Christine Hodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

HSH 6/23/94

HSH 6/23/94

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Area View of Test Pit- ARP-94-54 Page 1 of 2

INSTALLATION IN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-54 DATE 6/23/94 TIME 1415 END 1445

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



30' pin to 5' across

N

SCALE 1" = 50/100 FT.

CREW MEMBERS:
1. H. Hodson
2. T. Thompson
3. S. Pincock
4. J. Gilespie
5. A. Boyce
S. Brown
6. B. Francis

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)
Other	—	

Photographs, Roll photo log

Exposure —

NOTES:

Test pit located in area where the surface is disturbed. In a path out from Revetment #3

Sunny, 80's, Wind blowing from the North

Metal debris scattered across the surface

~~Surface~~

HSH 6/23/94

HSH
6/23/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Profile Along Test Pit- ARP-94-54 (N-S) Page 2 of 2

INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-54 DATE 6/23/94 TIME 1415 END 1445

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION 1/2"=1'
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 2 FT.
DEPTH (FT.)

HSH 6/23/94 ML

NOTES:

ARP-94-54A: Surface 0.5', Silt (0.5) 10YR 5/4 Yellowish Brown, Mostly silt, few fine to coarse sand.

ARP-94-54B: depth 3' Sandy silt with gravel (ML) 10YR 6/4 light yellowish brown. Mostly silt with some medium grained sand, few coarse gravel, trace fine gravel and coarse sand

ARP-94-54C: depth 5': Well-graded sand with silt and gravel (SW-SM) Mostly fine to coarse sand, some to little coarse gravel, few silt

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5'		0
S-2	3'		0
S-3	5'		0
S-4			
S-5			
S-6			
S-7			
S-8			

HSH 6/23/94

REFERENCE: Field Book, Pg. #3 HH

Attachments _____

SIGNATURE: Louise Hodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE
FILE COPY

TEST PIT RECORD

Area View of Test Pit- ARP-94-55 Page 1 of 2


INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-55 DATE 6/23/94 TIME 1500 END 1530

COORDINATES _____ GRID ELEMENT _____

5' wide

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



North

SCALE 1" = 50 FT. Revetment #4

NOTES: Hot

Sunny, 90s wind blowing from the North.

Test Pit located on NE tip/limb of Revetment #4 on the inside near a pile of metal debris. oriented W-E. 11'x2'x5'

HB/H
6/23/94

CREW MEMBERS:

1. H. Hodson
2. S. Pincock
3. T. Thompson
4. A. Boyce
5. S. Brown
6. B. Francis

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	—	Y (N)

Other _____

Photographs, Roll photo log

Exposure —

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE 1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT RECORD


Profile Along Test Pit- ARP-94-55 (E-W) Page 2 of 2

INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-55 DATE 6/23/94 TIME 1500 END 1530

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 2 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5		0
S-2	3		0
S-3	5		0
S-4			
S-5			
S-6			
S-7			
S-8			

HSH 6/23/94

NOTES:

ARP-94-55A: Surface 0.5' Silt (ML) 2.5Y 6/4 Light yellowish brown. Mostly silt, few medium grained sand trace coarse sand.

ARP-94-55B: depth 3' Silt with Sand (ML) 2.5Y 6/4 Light yellowish brown Mostly silt with little to few fine to medium sand, trace coarse gravel.

ARP-94-55C: depth 5' Silt with Sand (ML) 2.5Y 6/4 Light yellowish brown. Mostly silt with little fine to medium sand few fine gravel, trace coarse sand and cobbles

REFERENCE: Field Book, Pg. #3

Attachments ttt

SIGNATURE: Heather Hodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Areg View of Test Pit- ARP-94-56 Page 1 of 2

INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-56 DATE 6/23/94 TIME 1535 END 1630

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



North

SCALE 1" = 50 FT. Revetment

CREW MEMBERS:

1. H. Hodson
2. S. Pincock
3. T. Thompson
4. ~~J. Gillespie~~ A. Boyce (H&H 6/23/94)
5. B. Francis
6. S. Brown

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)
Other	—	

Photographs, Roll photolog

Exposure —

NOTES:

Sunny, 90's, Wind blowing from the North

Metal debris scattered on the surface

H&H 6/23/94

TEST PIT PLAN RECORD
TOOELE army DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Profile Along Test Pit- ARP-94-56 NW-SE Page 2 of 2

INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-56 DATE 6/23/94 TIME 1535 END 1630

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION 1/2" = 1'
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 2 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser No.	HD. SP. VOA PPM
S-1	0.5'		0
S-2	3'		0
S-3	5'		0
S-4			
S-5			
S-6			
S-7			
S-8			

HSH 6/23/94

NOTES:

ARP-94-56A: surface 0.5 Silty gravel (GM) 2.5Y 6/3. Mostly fine to gravel with little silt and coarse sand, trace medium sand

ARP-94-56B: depth 3' Well-graded gravel with sand (GW) 2.5Y 7/4 Pale yellow. Mostly fine gravel; coarse gravel, some well-graded sand (fine to coarse), few cobbles, trace silt

ARP-94-56C: depth 5: Well-graded gravel with sand (GW) 2.5Y 7/6 7/4 pale yellow. Mostly fine to coarse gravel, some sand-well-graded (fine to coarse), few silt

HSH 6/23/94

REFERENCE: Field Book, Pg. #3

Attachments HH —

SIGNATURE: Christie Hodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

FILE COPY

TEST PIT RECORD


Area View of Test Pit- ARP-94-57 Page 1 of 2

INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-57 DATE 6/24/94 TIME 0905 END 0945

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



North

SCALE 1" = 200 FT.

CREW MEMBERS:
1. H. Hodson
2. T. Thompson
3. S. Pincock
4. J. Gillespie
5. A. Boyce
   S. Brown
6. B. Francis

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)

Other _____

Photographs, Roll photo log

Exposure _____

111

NOTES:

Sunny, 80's, Very light breeze,

Metal debris still scattered across the surface

BLU #4 found out here that is live.
(Bomb Live Unit)

Area vegetation does not look disturbed

HSH
6/24/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE
FILE COPY

TEST PIT RECORD


Profile Along Test Pit- ARP-94-57 (NW-SE) Page 2 of 2

INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-57 DATE 6/24/94 TIME 0905 END 0945

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION 1/2" = 1'
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 2 FT.
DEPTH (FT.)

NOTES:

HSH 6/24/94

ARP-94-57A: surface 0.5 Silt (ML) 2.5Y6/3 light yellowish brown Mostly ~~si~~ silt, some to little fine to medium sand

ARP-94-57B: depth 3' Silt (ML) 10Y 6/6 brownish yellow. Mostly Silt, trace fine to medium sand.

ARP-94-57C: depth 5' Sandy Silt (ML) 2.5Y 6/8 olive yellow. Mostly Silt, some very fine, fine sand, trace medium sand.

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5'		0
S-2	3'		0
S-3	5'		0
S-4			
S-5			
S-6			
S-7			
S-8			

HSH 6/24/94

REFERENCE: Field Book, Pg. ~~7~~ 3 ~~HH~~

Attachments _____

SIGNATURE: Holistre Hodson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

FILE COPY

TEST PIT RECORD


Area View of Test Pit- IRP-94-58 Page 1 of 2

INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-58 DATE 6/24/94 TIME 1000 END 1040

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



N

SCALE 1" = 100 FT.

CREW MEMBERS:

1. H. Hodson
2. T. Thompson
3. S. Pincock
4. A. Bayce
5. S. Brown
6. B. Francis

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)
Other	—	

Photographs, Roll photo log

Exposure —

NOTES:

Sunny, 90's, Light breeze from the North

Vegetation looks undisturbed. Little metal debris scattered on the surface

BH 6/24/94

TEST PIT PLAN RECORD
TOOELE army DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD


Profile Along Test Pit- ARP-94-58 N-S Page 2 of 2

INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-58 DATE 6/24/94 TIME 1000 END 1040

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION 1/2" = 1'
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 2 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5'		0
S-2	3'		0
S-3	5'		0
S-4			
S-5			
S-6			
S-7			
S-8			

HSH 6/24/94

NOTES:

ARP-94-58A: Surface 0.5 Silt (ML) 10YR6/3 Pale brown, Mostly silt, few fine to medium sand.

ARP-94-58B: depth 3' Silty sand with gravel, 10YR6/4 Light yellowish brown Mostly medium to coarse sand, some fine to coarse gravel, few cobbles and few to trace silt (~15%)

ARP-94-58C: depth 5' Well graded gravel with sand and silt 10YR7/3 Mostly fine to coarse gravel and cobbles, some to little coarse to medium sand, few to trace silt

REFERENCE: Field Book, Pg. ~~#~~ 3

Attachments HHH —

SIGNATURE: Holistine Hudson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD

Area View of Test Pit- ARP-94-59 Page 1 of 2


INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-59 DATE 6/24/94 TIME 1050 END 1130

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)

30' from R8 to ARP-94-59



SCALE 1" = 50 FT.

CREW MEMBERS:

1. H. Hodson
2. T. Thompson
3. S. Pincock J. Gillespie
4. A. Boyce
5. S. Brown
6. B. Francis

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	(Y)	N
Avail. Oxygen	(Y)	N
OVA	Y	(N)

Other —

Photographs, Roll photolog

Exposure —

NOTES:

Vegetation is undisturbed. Lots of tall sage bushes

Metal debris present in between Revetment 8 and this pit, 5 logs and steel I-beam located near the hole

HSH 6/24/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

RUST ENVIRONMENT & INFRASTRUCTURE
FILE COPY

TEST PIT RECORD


Profile Along Test Pit- ARP-94-59 NE-SW Page 2 of 2

INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-59 DATE 6/24/94 TIME 1050 END 1130

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION 1/2"=1'
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 2' FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5'		0
S-2	3'		0
S-3	5'		0
S-4			
S-5			
S-6			
S-7			
S-8			

HH 6/24/94

NOTES:

ARP-94-59A: Surface 0.5' Silt (ML) 2.5Y6/3 light yellowish brown. Mostly silt, few medium to coarse sand, trace fine gravel

ARP-94-59B: depth 3' Sandy Silt 2.5Y 6/4 light yellowish brown. Mostly silt, some fine to medium sand, trace coarse sand and fine gravel

ARP-94-59C: depth 5' Silt w/ Sand (ML) 2.5Y 7/4 pale yellow Mostly silt, ~~few~~ little fine to coarse sand, trace fine gravel

REFERENCE: Field Book, Pg. #3

HH 6/24/94 Attachments HH

SIGNATURE: Hollister Sarah Hudson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORD

Area View of Test Pit- ARP-94-60 Page 1 of 2


INSTALLATION TN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-60 DATE 6/24/94 TIME 1145 END 1220

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)

' to bomdary Road



SCALE 1" = 200' FT.

CREW MEMBERS:

1. H. Hodson
2. T. Thompson
3. S. Pincock
4. J. Gillespie
5. A. Boyce
   S. Braun
6. B. Francis

MONITOR EQUIPMENT:

PI Meter	⊘	N
Explosive Gas	⊘	N
Avail. Oxygen	⊘	N
OVA	Y	(N)
Other	—	

Photographs, Roll Photo log

Exposure —

NOTES:

Little metal scrap in this area. Area looks slightly disturbed. May have been caused by grading the road.

Partly cloudy, 90's wind blowing from the North

Test Pit located on top of a bunch straight west from Revetment #6

HSH
6/24/94

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

ENVIRONMENT & INFRASTRUCTURE

COPY

TEST PIT RECORD


Profile Along Test Pit- ARP-94-60 (NW-SE) Page 2 of 2

INSTALLATION IN SITE/SWMU 40 AED Test Range

TEST PIT ARP-94-60 DATE 6/24/94 TIME 1145 END 1220

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION 1/2" = 1'
(SHOW SURFACE MONITORING RESULTS)



1/2" = 1'

ne Sand
lt Lenses

SCALE 1" = 2 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5		0
S-2	3		0
S-3	5		0
S-4			
S-5			
S-6			
S-7			
S-8			

HSH 6/24/94

NOTES:

* ARP-94-60A: surface 0.5' Silt (ML) 2.5Y 6/4 Light yellowish brown Mostly Silt, Little fine to medium sand.
* ARP-94-60B: depth 3' Silt (ML) 2.5Y 6/6 olive yellow: Mostly silt few fine to trace to medium sand Silt (ML)
* ARP-94-60C: depth 5' ~~pale yellow~~ (HSH 6/24/94) 2.5Y 7/3 pale yellow Mostly silt (very close to very fine sand), few to trace fine to medium sand.

HSH 6/24/94

HSH 6/24/94

REFERENCE: Field Book, Pg. #3

Attachments HH —

SIGNATURE: Christie Hudson

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

RUST ENVIRONMENT & INFRASTRUCTURE

FILE COPY

TEST PIT RECORDS FOR SWMU 6-OLD BURN AREA, DATA GAP FIELDWORK

TEST PIT RECORD


Area View of Test Pit- PLAN VIEW Page 1 of 2

INSTALLATION TEAD-N SITE/SWMU SWMU 6

TEST PIT OBP-95-01 DATE 11/21/95 TIME 1035 END 11:38

COORDINATES _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW RELATIONSHIP TO NEAREST ESTABLISHED LOCATION)



SCALE 1" = 40 FT.

CREW MEMBERS:

1. J. GILLESPIE
2. BILLY FRANCIS
3. T. WILLIS
4.
5.
6.

MONITOR EQUIPMENT:

PID Meter	(Y)	N
Explosive Gas	Y	N
Avail. Oxygen	Y	N
OVA	Y	N

Other N/A

Photographs, Roll #3

Exposure #7 3 8

NOTES:

EXCAVATE TEST TRENCH OBP-95-01 PARALLEL TO OBP-94-02 BASE OF BERM AREA TO THE EAST END OF TRENCH.

1682FR01.DGN, 8-9-94, Rev. 01

RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT RECORD

Profile Along Test Pit- CROSS SECTION Page 2 of 2


INSTALLATION TEAD-N SITE/SWMU SUMP #6

TEST PIT OBP-95-01 DATE 11/21 TIME 1035 END 11:38

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)

E W



SCALE 1" = 2 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Lnf. Ser. No.	HD. SP. VOA PPM
S-1	0.5		0.0 ppm
S-2	2.0		~~10 ppm~~ J2 1.6 ppm
S-3	4.0		0.0 ppm
S-4			
S-5			
S-6			
S-7			
S-8			

NOTES:

S-1 SILT WITH GRAVEL, (ML), 2.5Y 5/4 LIGHT OLIVE BROWN MOSTLY SILT WITH SOME FINE TO MEDIUM GRAVEL

S-2 BURNED SOIL METAL DEBRIS BLACK, WHITE OXIDATION, REDDISH BROWN

S-3 GRAVEL WITH SAND (GP), 2.5Y 8/2 PALE YELLOW, DRY, MOSTLY FINE TO COARSE GRAVEL W/ COBBLES SOME MEDIUM TO FINE SAND.

REFERENCE: Field Book, Pg. 60

Attachments N/A

SIGNATURE: JEG Lucy

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

TEST PIT RECORD


Area View of Test Pit- PLAN VIEW Page 1 of 2

INSTALLATION TEAD N SITE/SWMU #6 OLD BURN

TEST PIT OBP-95-02 DATE 11/21/95 TIME 1228 END 1330

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 40' FT.

CREW MEMBERS:

1. J GILLESPIE
2. BILLY FRANCIS
3. TERRY WILLY
4.
5.
6.

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	Y	N
Avail. Oxygen	Y	N
OVA	Y	N

Other N/A

Photographs, Roll #3

Exposure #9, 10

NOTES:

EXCAVATE TEST TRENCH OBP-95-02 ADJACENT AND PARALLEL TO OBP-94-05 AND OBSERVATION P.T 01 ≈ 60 FT LONG

FIND DEBRI LOCATED @ 5.0 FT BGS ~~AND ALSO~~ IN THE SIDE WALL AND ALSO THE WEST END OF THE TRENCH

MOSTLY METAL CAN TOPS AND STRAPPING SOME ILLUMINANT OR SMOKE POT COMPOUND ACCORDING TO E.O.D.T.

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

TEST PIT RECORD


Profile Along Test Pit- CROSS SECTION Page 2 of 2

INSTALLATION READ - N SITE/SWMU #6 OLD BURN AREA

TEST PIT OBP-95-02 DATE 11/21/95 TIME 1229 END

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 2 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Lab. Ser. No.	HD. SP. VOA PPM
S-1	0.5		0.00 ppm
S-2	5.0		0.00 ppm
S-3	7.0		0.00 ppm
S-4			
S-5			
S-6			
S-7			
S-8			

NOTES:

S-1 SILT WITH GRAVEL (ML), 2.5 Y 4/4 LIGHT OLIVE BROWN, MOIST, MOSTLY SILT WITH SOME FINE TO COARSE GRAVEL.

S-2 METAL DEBRIS CANTOPS STRAPPING; EVIDENCE OF BURNING FROM WEST END BERM INTO THE NORTH WALL

S3 SAND W/GRAVEL (GP), 2.5 Y 6/3 PALE YELLOW, DRY, MOSTLY MEDIUM TO COARSE SAND WITH SOME MEDIUM TO COARSE GRAVEL

REFERENCE: Field Book, Pg. 60

Attachments _____

SIGNATURE: J Gillespie

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

TEST PIT RECORD


Area View of Test Pit- PLAN VIEW Page 1 of 2

INSTALLATION TEAD-N SITE/SWMU #6 OLD BURN AREA

TEST PIT OBP-95-03 DATE 11/21/94 TIME 1400 END 1500

COORDINATES _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW RELATIONSHIP TO NEAREST ESTABLISHED LOCATION)



SCALE 1" = 40' FT.

CREW MEMBERS:

1. J GILLESPIE
2. B. FRANCIS
3. T. WILLIS
4.
5.
6.

MONITOR EQUIPMENT:

PID Meter	(Y)	N
Explosive Gas	Y	N
Avail. Oxygen	Y	N
OVA	Y	N
Other		

Photographs, Roll #3

Exposure #11, #12

NOTES:

EXCAVATE TEST PIT OBP-95-03 ADJACENT AND PARALLEL TO OBP-94-07

MISCELLANEOUS SMALL ARMS MUNITIONS ON THE SURFACE AND TO A DEPTH OF 1.5 TO 2.0 FT

@ ≈ 2.0 FT CHANGE TO PALE YELLOW SILTY GRAVEL

1682FR01.DGN, 8-9-94, Rev. 01

RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT RECORD


Profile Along Test Pit- CROSS SECTION Page 2 of 2

INSTALLATION TEAD-N SITE/SWMU 36 OLD BURN AREA

TEST PIT OBP-95-03 DATE 11/21/95 TIME 1400 END 1500

COORDINATES

SKETCH OF TEST PIT CROSS SECTION
(SHOW LITHOLOGY/MATERIALS ENCOUNTERED/SAMPLE LOCATIONS)



SCALE 1" = 2 FT.
DEPTH (FT.)

NOTES:

S-1 SMALL ARMS MUNITION DEBR CONCENTRATED W/IN BLACK DIRT, BURNED MUNITION DEBR

S-2 SMALL ARMS MUNITION DEBR METAL BANDING.

S-3 SILT WITH GRAVEL, 2.5Y 8/2. PALE YELLOW, DRY, MOSTLY SILT WITH SOME FINE TO COARSE GRAVEL COBBLES

SAMPLES OBTAINED:

No.	Depth (ft.)	Analyses Requested
S-1	0.5	Explosives/Dioxin
S-2	1.5	Explosives/Dioxin
S-3	4.0	Explosives/Dioxin

REFERENCE: Field Book, Pg. 60-61

Attachments N/A

SIGNATURE: J E Gillespie

1682FR01.DGN, 8-9-94, Rev. 01

RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT RECORD


Area View of Test Pit- PLAN VIEW Page 1 of 2

INSTALLATION TEAD-N SITE/SWMU 6 OLD BURN AREA

TEST PIT OBP-95-04 DATE 11/21/95 TIME 1500 END 1600

COORDINATES _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW RELATIONSHIP TO NEAREST ESTABLISHED LOCATION)



SCALE 1" = 40 FT.

CREW MEMBERS:

1. J GILLESPIE
2. B. FRANCIS
3. T. WILLIG
4.
5.
6.

MONITOR EQUIPMENT:

PID Meter	(Y)	N
Explosive Gas	Y	N
Avail. Oxygen	Y	N
OVA	Y	N

Other N/A

Photographs, Roll #3

Exposure #13, 14, 15

NOTES:

DID NOT OBSERVE ANY OF MELTED METAL OR OTHER EVIDENCE OF BURNING

ONLY 2.0 TO 2.5 FT OF SOIL & DEBRIS BEFORE ENCOUNTERING THE CALICHE

1682FR01.DGN, 8-9-94, Rev. 01

RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT RECORD


Profile Along Test Pit- CROSS SECTION Page 2 of 2

INSTALLATION TEAD-N SITE/SWMU 6 OLD BURN AREA

TEST PIT OBP-95-04 DATE 11/21/95 TIME 1500 END 1600

COORDINATES

SKETCH OF TEST PIT CROSS SECTION
(SHOW LITHOLOGY/MATERIALS ENCOUNTERED/SAMPLE LOCATIONS)



SCALE 1" = 2 FT.
DEPTH (FT.)

NOTES:

S-1 0-.5' SILT W/GRAVEL (ML), 2.5Y 5/4 LIGHT OLIVE BROWN, DRY, MOSTLY SILT SOME MEDIUM TO FINE GRAVEL W/GRAVEL

S-2 SILT (ML) 2.5Y 5/4 LIGHT OLIVE BROWN, DRY, MOSTLY SILT WITH SOME MEDIUM GRAVEL DEBRI MOSTLY WOOD & MINE BOOSTER FUSES

S-3 GRAVEL WITH SILT (GM), 2.5Y 8/2 PALE YELLOW, DRY, MOSTLY MEDIUM GRAVEL, POORLY SORTED, WELL CEMENTED

SAMPLES OBTAINED:

No.	Depth (ft.)	Analyses Requested
S-1	.5	Dioxin / Furan
S-2	1.0	Dioxin / Furan
S-3	~~2.5~~ 2.5	Dioxin / Furan

REFERENCE: Field Book, Pg. 62

Attachments N/A

SIGNATURE:

1682FR01.DGN, 8-9-94, Rev. 01

RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT RECORDS FOR SWMU 40-AED TEST RANGE, DATA GAP FIELDWORK

TEST PIT RECORD


Area View of Test Pit- _____ Page 1 of 2

INSTALLATION TEAD N SITE/SWMU 40 AED TEST RANGE

TEST PIT ARP-95-01 DATE 11/20/95 TIME 11:00 END _____

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 40 FT.

CREW MEMBERS:

1. J.G. Wesson
2. Terry Willis
3. Billy Francis
4.
5.
6.

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	Y	N
Avail. Oxygen	Y	N
OVA	Y	N

Other _____

Photographs, Roll #2 2

Exposure #22 & #23

NOTES:

LOCATION OF ARP-95-01 IS IN THE BOTTOM OF ELONGATED TRENCH ROUGHLY 10' DEEP AND ≈ 100 FT LONG

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

TEST PIT RECORD


Profile Along Test Pit- _____ Page 2 of 2

INSTALLATION TEAD N SITE/SWMU 40 AED TEST RANGE

TEST PIT ARP-95-01 DATE 11/20/97 TIME 11:00 END _____

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = ~~10~~ 1 FT.
DEPTH : (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5		0.7 ppm
S-2	3.0		0.6 ppm
S-3	5.0'		1.7 ppm
S-4			
S-5			
S-6			
S-7			
S-8			

NOTES:

11:00 S-1 0.5 SILT (ML) 2.5Y 6/4, LIGHT YELLOWISH BROWN, DRY, MOSTLY SILT SOME FINE - MEDIUM SAND WITH TRACE ROOTS & ORGANICS

11:15 S-2 3.0 SILT (ML) 2.5Y 5/4 LIGHT OLIVE BROWN, DRY, MOSTLY SILT, LITTLE FINE SAND, LAMINATED

11:30 S-3 5.0 SILT (ML) 2.5Y 7/3 PALE YELLOW MOIST, MOSTLY SILT, LITTLE TO FEW CLAY, SLIGHTLY PLASTIC, LAMINATED ~~POSSIBLE SS~~

REFERENCE: Field Book, Pg. 58


Attachments _____

SIGNATURE: _____

1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

 — LAMINATED SILTS, FINE SAND.

TEST PIT RECORD


Area View of Test Pit- PLAN VIEW Page 1 of 2

INSTALLATION TEAD-N SITE/SWMU 40 AED

TEST PIT ARP-95-02 DATE 11/20/95 TIME 1300 END 1345

COORDINATES _____ GRID ELEMENT _____

SKETCH MAP OF TEST PIT LOCATION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 40' FT.

CREW MEMBERS:

1. J. Gillespie
2. Billy Francis
3. Terry Willis
4.
5.
6.

MONITOR EQUIPMENT:

PI Meter	(Y)	N
Explosive Gas	Y	N
Avail. Oxygen	Y	N
OVA	Y	N

Other N/A

Photographs, Roll 3

3,4,5

Exposure ~~#3,4,~~ 5,6

NOTES:

TEST PIT ARP-95-02 is LOCATED CENTERED BETWEEN 1994 TEST PITS #23 & #22 AREA is POCKED W/ DEPRESSIONS MADE BY FORMER DETONATIONS. BUT THIS TEST TRENCH DID NOT INTERSECT OR CROSS SECTION A DEPRESSION

NOTE: PHOTOS TAKEN OF ORANGE REDDISH ORANGE CHUNKS IN SIDE WALL OF PIT

TEST PIT PLAN RECORD
TOOELE ARMY DEPOT, NORTH AREA

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE

1682FR01.DGN

TEST PIT RECORD


Area View of Test Pit- PLAN VIEW Page 1 of 2

INSTALLATION TEAD-N SITE/SWMU 40 AED

TEST PIT ARP-95-03 DATE 10/20/95 TIME 1425 END 1456

COORDINATES

SKETCH MAP OF TEST PIT LOCATION
(SHOW RELATIONSHIP TO NEAREST ESTABLISHED LOCATION)



SCALE 1" = 4d FT.

CREW MEMBERS:

1. J GILLESPIE
2. BILLY FRANCIS
3. TERRY WILLIS
4.
5.
6.

MONITOR EQUIPMENT:

PID Meter	(Y)	N
Explosive Gas	Y	N
Avail. Oxygen	Y	N
OVA	Y	N

Other N/A

Photographs, Roll 3
5-6

Exposure #5 & #6

NOTES:

ARP-95-03 CROSS SECTIONS A SOUTHERN EDGE OF A DEPRESSION NO DEBRIS FOUND FROM 0-3 FT

GRAVEL BED @ 4 FT W/ POORLY GRADED SAND MEDIUM AS INTERSTITIAL

1682FR01.DGN, 8-9-94, Rev. 01

TEST PIT RECORD


Profile Along Test Pit- Cross Section Page 2 of 2

INSTALLATION TEAD-N SITE/SWMU 90 AED

TEST PIT ARP-95-02 DATE 11/20/95 TIME 1300 END 1345

COORDINATES

SKETCH OF TEST PIT CROSS SECTION
(SHOW LITHOLOGY/MATERIALS ENCOUNTERED/SAMPLE LOCATIONS)



SCALE 1" = 2 FT.
DEPTH (FT.)

NOTES:

S-1 0.5 ~~ML~~ JG SILTY SAND (ML), 2.5Y 6/4 Light Yellowish Brown, Dry, Mostly Fine Sand with some Silt, Little Fine Gravel

S-2 3.0 ~~ML~~ JG Silty Sand (ML), 2.5Y 6/4 Light Yellowish Brown, Dry Mostly Fine Sand with some Silt, Little Fine Gravel, Note ½" Diameter Orange Reddish Orange Chunks of Metal or Weathered Explosive

S-3 5.0 ~~ML~~ JG Silty Sand (ML), 2.5Y 6/4 Light Yellowish Brown, Dry Mostly Fine Sand with some Silt, Little Fine Gravel.

SAMPLES OBTAINED:

No.	Depth (ft.)	Analyses Requested
S-1	0.5	Explosives
S-2	3.0	Explosives
S-3	5.0	Explosives

REFERENCE: Field Book, Pg. 58

Attachments N/A

SIGNATURE: JG Gillespie

1682FR01.DGN, 8-9-94, Rev. 01

TEST PIT RECORD


Profile Along Test Pit- CROSS SECTION Page 2 of 2

INSTALLATION TEAD-N SITE/SWMU AED 40

TEST PIT ARR95-03 DATE 11/20/95 TIME 1425 END 1456

COORDINATES _____ GRID ELEMENT _____

SKETCH OF TEST PIT CROSS SECTION
(SHOW SURFACE MONITORING RESULTS)



SCALE 1" = 2 FT.
DEPTH (FT.)

SAMPLES OBTAINED:

No.	Depth (ft.)	Int. Ser. No.	HD. SP. VOA PPM
S-1	0.5		1.6ppm Background
S-2	3.0		1.8ppm
S-3	5.0		1.5ppm
S-4			
S-5			
S-6			
S-7			
S-8			

NOTES:

S-1 SILTY SAND (SM), 2.5Y 6/4 LIGHT YELLOWISH BROWN, DRY, MOSTLY FINE SAND WITH SOME SILT, LITTLE FINE ROUNDED GRAVEL.

S-2 SILT (ML) 2.5Y 8/4 PALE YELLOW, DRY, MOSTLY SILT, TRACE FINE SAND & GRAVEL & WELL COMPACTED JUST ABOVE GRAVEL/COBBLE LAYER

S-3 POORLY GRADED SAND WITH COBBLES (SP), 2.5Y 8/2 PALE YELLOW, DRY, MOSTLY MEDIUM QUARTZ, MAFIC SAND WITH FEW COBBLES AND GRAVEL

REFERENCE: Field Book, Pg. 59

Attachments N/A

SIGNATURE: JEGillespie


1682FR01.DGN

REV. 5/94 RUST ENVIRONMENT & INFRASTRUCTURE


TEST PIT PROFILE RECORD
TOOELE ARMY DEPOT, NORTH AREA

APPENDIX C

PHASE II FIELD INVESTIGATION PHOTOGRAPHS




SWMU 6 - Burned Zone in Test Pit OBP-95-04




SWMU 6 - Burned Zone in Test Pit OBP-95-02



SWMU 6 - Old Burn Area Test Pit Sample Location Illustrating a Contact Between the Base of a Burn Area and Stratified Gravels Below



SWMU 7 - Chemical Range Looking East Towards Firing Point from Base of Bullet Stop



SWMU 7 - Chemical Range. Test pit excavation into former trench at the Firing Point showing practice bazooka rounds.




SWMU 7 - Debris Material in Northwest Test Area Trench at Chemical Range




SWMU 8 - Small Arms Firing Range Bullet Stop



SWMU 8 - Gravel Bed Site-Wide at about 1.5 Feet



SWMU 13 - Tire Disposal Area



SWMU 22 - Drilling Location at Building 1303 Washout Pond with Old Pond Area in Foreground




SWMU 23 - Stained Soil in Outfall From Building 1343 at the Bomb and Shell Reconditioning Facility



SWMU 23 - Stained Soil Near Building 1343 at the Bomb and Shell Reconditioning Facility
(Test Pit 13 was Located at This Stained Area)



SWMU 23 - Stained Soil and Stressed Vegetation in Outfall From Building 1345
at the Bomb and Shell Reconditioning Facility (Boring 12 Located in This Area)




SWMU 32 - Drilling Location at the PCB Spill Area



SWMU 35 - Surface Water Drainage Near Stables at Wastewater Spreading Area
(Surface Water Originates from Center of Pond, Possible Broken Water Line or Spring)



SWMU 35 - Drainage Ditch with Sample Location Flagged at Wastewater Spreading Area




SWMU 35 - Test Pit Location in Drainage Ditch at Wastewater Spreading Area




SWMU 35 - Discharge Area at Wastewater Spreading Area




SWMU 36 - Test Pit Location at Old Burn Staging Area




SWMU 40 - Stained Soil and Munitions at AED Test Range




SWMU 40 - Miscellaneous Munitions at AED Test Range



SWMU 40 - Miscellaneous Wooden Ordinance Crates at AED Test Range
(Test Pit 48 was Located Under Crates)




SWMU 40 - Test Pit No. ARP-95-01



SWMU 40 - East off Line I6, UXO 90mm Heat Round (Explosive is Shaped Charge in Cone, Piezo Electric Fuse Missing)




SWMU 40 - M43A1 Bomblet with Fuse Pin Intact on Line North 07 to 06



SWMU 40 - 90mm Heat Round East of I6



SWMU 40 - M43A1 Bomblet North from Road Along Line F6 → F5



SWMU 40 - 37mm or 40mm Projectile Intact Midway
East Along F6 → G6



SWMU 40 - M43A1 Bomblet Intact 50 Feet North Along
Line from E8 → E7



SWMU 40 - M43A1 Bomblet with Fuse Pin Intact
Midway Along C6 → D6 East



SWMU 40 - M43A1 Bomblet North Along Line E8-E7



SWMU 40 - 37mm/40mm Projectile Intact Midway East E6→G6

APPENDIX D

GEOTECHNICAL SOIL TESTING AND CLASSIFICATION RESULTS

Applied Geotechnical Engineering Consultants, Inc.

GEOTECHNICAL LABORATORY TESTING

TOOELE ARMY DEPOT

TASK ORDER 0003

PREPARED FOR:

RUST ENVIROMENTAL & INFRASTRUCTURE
743 HORIZON CT., SUITE 240
GRAND JUNCTION, CO 81506

ATTENTION: KATHY DAVIS

PROJECT NO. 31394

OCTOBER 13, 1994

7109 South 185 West, Suite A • Midvale, Utah 84047 • (801) 566-6399 • FAX (801) 566-6493

TABLE OF CONTENTS

SAMPLE GROUP ARP - 94
SUMMARY OF TEST RESULTS . . . . . TABLE 1 - A
GRAIN SIZE DISTRIBUTION . . . . . FIGURES 1 - 11

SAMPLE GROUP BRB - 94
SUMMARY OF TEST RESULTS . . . . . TABLE 1 - B
GRAIN SIZE DISTRIBUTION . . . . . FIGURES 12 - 15

SAMPLE GROUP BWB - 94
SUMMARY OF TEST RESULTS . . . . . TABLE 1 - C
GRAIN SIZE DISTRIBUTION . . . . . FIGURES 16 - 17

SAMPLE GROUP CRP - 94
SUMMARY OF TEST RESULTS . . . . . TABLE 1 - D
GRAIN SIZE DISTRIBUTION . . . . . FIGURES 18 - 21

SAMPLE GROUP OBP - 94
SUMMARY OF TEST RESULTS . . . . . TABLE 1 - E
GRAIN SIZE DISTRIBUTION . . . . . FIGURES 22 - 25

SAMPLE GROUP OSP - 94
SUMMARY OF TEST RESULTS . . . . . TABLE 1 - F
GRAIN SIZE DISTRIBUTION . . . . . FIGURES 26 - 28

SAMPLE GROUP PPB - 94
SUMMARY OF TEST RESULTS . . . . . TABLE 1 - G
GRAIN SIZE DISTRIBUTION . . . . . FIGURES 29 - 30

SAMPLE GROUP SAB - 94
SUMMARY OF TEST RESULTS . . . . . TABLE 1 - H
GRAIN SIZE DISTRIBUTION . . . . . FIGURES 31 - 33

SAMPLE GROUP TBS - 94
SUMMARY OF TEST RESULTS . . . . . TABLE 1 - I
GRAIN SIZE DISTRIBUTION . . . . . FIGURES 34 - 35

SAMPLE GROUP TDP - 94
SUMMARY OF TEST RESULTS . . . . . TABLE 1 - J
GRAIN SIZE DISTRIBUTION . . . . . FIGURES 36 - 38

SAMPLE GROUP VGS - 94
SUMMARY OF TEST RESULTS . . . . . TABLE 1 - K
GRAIN SIZE DISTRIBUTION . . . . . FIGURES 39 - 40

SAMPLE GROUP WSB - 94
SUMMARY OF TEST RESULTS . . . . . TABLE 1 - L
GRAIN SIZE DISTRIBUTION . . . . . FIGURES 41 - 42

SAMPLE GROUP

ARP - 94

Applied Geotechnical Engineering Consultants, Inc.


TABLE 1 - A
SUMMARY OF LABORATORY TEST RESULTS

TAD, Task Order 0003
Project No. 31394
October 13, 1994


ARP-94

SAMPLE I.D.	GRADATION (%)							ATTERBERG LIMITS		USC CLASSIFICATION
	Gravel		SAND			SILT	CLAY			
	+19.1 mm	19.1-4.76 mm	4.76-2.00 mm	2.00-0.420 mm	0.420-0.074 mm	0.074-.005 mm	< 0.005 mm	LIQUID LIMIT (%)	PLASTICITY INDEX (%)	
ARP-94-05A @ 0.5'	2	7	4	15	42	24	6	No-Value	Non-Plastic	Silty Sand (SM)
ARP-94-05B @ 3'	8	15	7	25	11	31	3	30	14	Clayey Sand w/Gravel (SC)
ARP-94-05C @ 5'	62	6	4	11	6	10	1	24	9	Poorly Graded Gravel w/Clay & Sand (GP-GC)
ARP-94-10A @ 0.5'	0	12	6	32	35	10	5	No-Value	Non-Plastic	Silty Sand (SM)
ARP-94-10B @ 3'	0	17	12	25	29	12	5	No-Value	Non-Plastic	Silty Sand w/Gravel (SM)
ARP-94-10C @ 5'	2	24	15	25	24	7	3	No-Value	Non-Plastic	Poorly Graded Sand w/Silt & Gravel (SP-SM)
ARP-94-15A @ 0.5'	0	1	0	14	53	20	12	No-Value	Non-Plastic	Silty Sand (SM)
ARP-94-15B @ 3'	0	0	0	1	42	44	13	No-Value	Non-Plastic	Silty Sand (SM)
ARP-94-15C @ 5'	0	1	1	4	73	16	5	No-Value	Non-Plastic	Silty Sand (SM)
ARP-94-25A @ 0.5'	2	2	0	23	29	25	19	24	8	Clayey Sand (SC)
ARP-94-25B @ 3'	0	2	2	15	51	19	11	No-Value	Non-Plastic	Silty Sand (SM)
ARP-94-25C @ 5'	0	3	2	14	53	17	11	No-Value	Non-Plastic	Silty Sand (SM)
ARP-94-35A @ 0.5'	1	44	16	7	17	11	4	No-Value	Non-Plastic	Poorly Graded Gravel w/Silt & Sand (GP-GM)
ARP-94-35B @ 3'	0	2	2	12	64	14	6	No-Value	Non-Plastic	Silty Sand (SM)
ARP-94-35C @ 5'	0	2	3	10	64	16	5	No-Value	Non-Plastic	Silty Sand (SM)
ARP-94-45A @ 0.5'	0	1	0	7	38	43	11	24	7	Sandy Silty Clay (CL-ML)
ARP-94-45B @ 3'	14	3	4	38	21	15	5	20	3	Silty Sand w/Gravel (SM)
ARP-94-45C @ 5'	37	12	4	36	9	3	2	-	-	Poorly Graded Sand w/Gravel (SM)
ARP-94-55A @ 0.5'	1	8	3	18	44	18	8	No-Value	Non-Plastic	Silty Sand (SM)
ARP-94-55B @ 3'	9	8	3	23	39	15	3	No-Value	Non-Plastic	Silty Sand w/Gravel (SM)
ARP-94-55C @ 5'	3	13	5	24	39	13	3	No-Value	Non-Plastic	Silty Sand w/Gravel (SM)

Applied Geotechnical Engineering Consultants, Inc.




Gravel 9 % Sand 61 % Silt and Clay 30 %
Liquid Limit No Value % Plasticity Index Non-Plastic %
Sample of Silty Sand (SM) From ARP-94-05A @ 0.5'




Gravel 23 % Sand 43 % Silt and Clay 34 %
Liquid Limit 30 % Plasticity Index 14 %
Sample of Clayey Sand w/Gravel (SC) From ARP-94-05B @ 3'

Project No. 31394 **GRADATION TEST RESULTS** Figure 1

Applied Geotechnical Engineering Consultants, Inc.




Gravel 68 % Sand 21 % Silt and Clay 11 %
Liquid Limit 24 % Plasticity Index 9 %
Sample of Poorly Graded Gravel w/Clay and Sand (GP-GC) From ARP-94-05C @ 5'




Gravel 12 % Sand 73 % Silt and Clay 15 %
Liquid Limit No Value % Plasticity Index Non-Plastic %
Sample of Silty Sand (SM) From ARP-94-10A @ 0.5'

Project No. 31394 **GRADATION TEST RESULTS** Figure 2

Applied Geotechnical Engineering Consultants, Inc.




Gravel 17 % Sand 66 % Silt and Clay 17 %
Liquid Limit No Value % Plasticity Index Non-Plastic %
Sample of Silty Sand w/Gravel (SM) From ARP-94-10B @ 3'




Gravel 26 % Sand 64 % Silt and Clay 10 %
Liquid Limit No Value % Plasticity Index Non-Plastic %
Sample of Poorly Graded Sand w/Silt and Gravel (SP-SM) From ARP-94-10C @ 5'

Project No. 31394 **GRADATION TEST RESULTS** Figure 3

Applied Geotechnical Engineering Consultants, Inc.




Gravel 1 % Sand 67 % Silt and Clay 32 %
Liquid Limit No Value % Plasticity Index Non-Plastic %
Sample of Silty Sand (SM) From ARP-94-15A @ 0.5'



Gravel 0 % Sand 43 % Silt and Clay 57 %
Liquid Limit No Value % Plasticity Index Non-Plastic %
Sample of Sandy Silt (ML) From ARP-94-15B @ 3'

Project No. 31394 **GRADATION TEST RESULTS** Figure 4


Applied Geotechnical Engineering Consultants, Inc.



Gravel 1 % Sand 78 % Silt and Clay 21 %

Liquid Limit No Value % Plasticity Index Non-Plastic %

Sample of Silty Sand (SM) From ARP-94-15C @ 5'




Gravel 4 % Sand 52 % Silt and Clay 44 %

Liquid Limit 24 % Plasticity Index 8 %


Sample of Clayey Sand (SC) From ARP-94-25A @ 0.5'

Project No. 31394 **GRADATION TEST RESULTS** Figure 5

Applied Geotechnical Engineering Consultants, Inc.




Gravel 2 % Sand 68 % Silt and Clay 30 %
Liquid Limit No Value % Plasticity Index Non-Plastic %
Sample of Silty Sand (SM) From ARP-94-25B @ 3'




Gravel 3 % Sand 69 % Silt and Clay 28 %
Liquid Limit No Value % Plasticity Index Non-Plastic %
Sample of Silty Sand (SM) From ARP-94-25C @ 5'

Project No. 31394 **GRADATION TEST RESULTS** Figure 6

Applied Geotechnical Engineering Consultants, Inc.




Gravel 45 % Sand 40 % Silt and Clay 15 %
Liquid Limit No Value % Plasticity Index Non-Plastic %
Sample of Poorly Graded Gravel w/Silt and Sand (GP-GM) From ARP-94-35A @ 0.5'




Gravel 2 % Sand 78 % Silt and Clay 20 %
Liquid Limit No Value % Plasticity Index Non-Plastic %
Sample of Silty Sand (SM) From ARP-94-35B @ 3'

Project No. 31394 **GRADATION TEST RESULTS** Figure 7

Applied Geotechnical Engineering Consultants, Inc.




Gravel 2 % Sand 77 % Silt and Clay 21 %
Liquid Limit No Value % Plasticity Index Non-Plastic %
Sample of Silty Sand (SM) From ARP-94-35C @ 5'




Gravel 1 % Sand 45 % Silt and Clay 54 %
Liquid Limit 24 % Plasticity Index 7 %
Sample of Sandy Silty Clay (CL-ML) From ARP-94-45A @ 0.5'

Project No. 31394 **GRADATION TEST RESULTS** Figure 8

Applied Geotechnical Engineering Consultants, Inc.




Gravel 17 % Sand 63 % Silt and Clay 20 %
Liquid Limit 20 % Plasticity Index 3 %
Sample of Silty Sand W/Gravel (SM) From ARP-94-45B @ 3'




Gravel 48 % Sand 49 % Silt and Clay 3 %
Liquid Limit ____ % Plasticity Index ____ %
Sample of Poorly Graded Sand w/Gravel (SP) From ARP-94-45C @ 5'

Project No. 31394 **GRADATION TEST RESULTS** Figure 9

Applied Geotechnical Engineering Consultants, Inc.




Gravel 9 % Sand 65 % Silt and Clay 26 %
Liquid Limit No Value % Plasticity Index Non-Plastic %
Sample of Silty Sand (SM) From ARP-94-55A @ 0.5'



Gravel 17 % Sand 65 % Silt and Clay 18 %
Liquid Limit No Value % Plasticity Index Non-Plastic %
Sample of Silty Sand w/Gravel (SM) From ARP-94-55B @ 3'

Project No. 31394 **GRADATION TEST RESULTS** Figure 10


Applied Geotechnical Engineering Consultants, Inc.



Gravel 16 % Sand 68 % Silt and Clay 16 %

Liquid Limit No Value % Plasticity Index Non-Plastic %

Sample of Silty Sand w/Gravel (SM) From ARP-94-55C @ 5'



Gravel _____ % Sand _____ % Silt and Clay _____ %

Liquid Limit _____ % Plasticity Index _____ %

Sample of _____ From _____

Project No. 31394 **GRADATION TEST RESULTS** Figure 11

SAMPLE GROUP

BRB - 94

Applied Geotechnical Engineering Consultants, Inc.

TABLE 1 - B


SUMMARY OF LABORATORY TEST RESULTS

TAD, Task Order 0003
Project No. 31394
October 13, 1994


BRB-94

SAMPLE I.D.	GRADATION (%)							ATTERBERG LIMITS		USC CLASSIFICATION
	Gravel		SAND			SILT	CLAY			
	+19.1 mm	19.1-4.76 mm	4.76-2.00 mm	2.00-0.420 mm	0.420-0.074 mm	0.074-.005 mm	< 0.005 mm	LIQUID LIMIT (%)	PLASTICITY INDEX (%)	
BRB-94-05A @ 0.5'	24	29	11	13	11	7	5	No-Value	Non-Plastic	Silty Gravel w/Sand (GM)
BRB-94-05B @ 3.0'	28	35	11	12	9	5	8	-	-	Poorly Graded Gravel w/Sand & Silt (GP-GM)
BRB-94-05C @ 5'	0	28	21	20	19	8	4	No-Value	Non-Plastic	Silty Sand W/Gravel (SM)
BRB-94-10A @ 0.5'	0	19	9	24	29	13	6	20	2	Silty Sand w/Gravel (SM)
BRB-94-10B @ 3"	11	43	16	13	11	4	2	No-Value	Non-Plastic	Poorly Graded Gravel w/Sand & Silt (GP-GM)
BRB-94-15C @ 5'	13	34	15	17	13	6	2	No-Value	Non-Plastic	Poorly Graded Gravel w/Sand & Silt (GP-GM)
BRB-94-15A @ 3'	14	28	12	15	16	11	4	20	1	Silty Sand w/Gravel (SM)
BRB-94-15B @ 5'	6	41	17	15	12	6	3	No-Value	Non-Plastic	Poorly Graded Gravel w/Sand & Silt (GP-GM)

Applied Geotechnical Engineering Consultants, Inc.




Gravel 53 % Sand 35 % Silt and Clay 12 %
Liquid Limit No-Value % Plasticity Index Non-Plastic %
Sample of Silty Gravel w/Sand (GM) From BRB-94 05A @ 0.5' DSA




Gravel 63 % Sand 32 % Silt and Clay 5 %
Liquid Limit ____ % Plasticity Index ____ %
Sample of Poorly Graded Gravel w/Sand and Silt (GP-GM) From BRB-94 05B @ 3.0'

Project No. 31394 **GRADATION TEST RESULTS** Figure 12

Applied Geotechnical Engineering Consultants, Inc.




Gravel 28 % Sand 60 % Silt and Clay 12 %
Liquid Limit No-Value % Plasticity Index Non-Plastic %
Sample of Silty Sand w/Gravel (SM) From BRB-94 05C @ 5'




Gravel 19 % Sand 62 % Silt and Clay 19 %
Liquid Limit 20 % Plasticity Index 2 %
Sample of Silty Sand w/Gravel (SM) From BRB-94 10A @ 0.5'

Project No. 31394 **GRADATION TEST RESULTS** Figure 13

Applied Geotechnical Engineering Consultants, Inc.




Gravel 54 % Sand 40 % Silt and Clay 6 %
Liquid Limit No-Value % Plasticity Index Non-Plastic %
Sample of Poorly Graded Gravel w/Sand and Silt (GP-GM) From BRB-94 10B @ 3"



Gravel 47 % Sand 45 % Silt and Clay 8 %
Liquid Limit No-Value % Plasticity Index Non-Plastic %
Sample of Poorly Graded Gravel w/Sand and Silt (GP-GM) From BRB-94 15C @ 5'

Project No. 31394 **GRADATION TEST RESULTS** Figure 14


Applied Geotechnical Engineering Consultants, Inc.



Gravel 42 % Sand 43 % Silt and Clay 15 %

Liquid Limit 20 % Plasticity Index 1 %

Sample of Silty Sand w/Gravel (SM) From BRB-94 15A @ 3'



Gravel 47 % Sand 44 % Silt and Clay 9 %

Liquid Limit No-Value % Plasticity Index Non-Plastic %

Sample of Poorly Graded Gravel w/Sand and Silt (GP-GM) From BRB-94 15B @ 5'

Project No. 31394 **GRADATION TEST RESULTS** Figure 15

SAMPLE GROUP

BWB - 94

Applied Geotechnical Engineering Consultants, Inc.


TABLE 1 - C
SUMMARY OF LABORATORY TEST RESULTS

TAD, Task Order 0003
Project No. 31394
October 13, 1994


BWB-94

SAMPLE I.D.	GRADATION (%)							ATTERBERG LIMITS		USC CLASSIFICATION
	Gravel		SAND			SILT	CLAY			
	+19.1 mm	19.1-4.76 mm	4.76-2.00 mm	2.00-0.420 mm	0.420-0.074 mm	0.074-.005 mm	< 0.005 mm	LIQUID LIMIT (%)	PLASTICITY INDEX (%)	
BWB-94-01A @0.5'	0	6	1	22	53	11	7	No-Value	Non-Plastic	Silty Sand (SM)
BWB-94-01B @5.0'	39	19	4	12	18	6	2	No-Value	Non-Plastic	Poorly Graded Gravel w/Silt & Sand (GM-GP)
BWB-94-01C @ 10'	0	26	16	20	22	12	4	No-Value	Non-Plastic	Silty Sand w/Gravel (SM)

Applied Geotechnical Engineering Consultants, Inc.




Gravel 6 % Sand 76 % Silt and Clay 18 %
Liquid Limit No Value % Plasticity Index Non-Plastic %
Sample of Silty Sand (SM) From BWB-94 01A @ 0.5'



Gravel 58 % Sand 34 % Silt and Clay 8 %
Liquid Limit No-Value % Plasticity Index Non-Plastic %
Sample of Poorly Graded Gravel w/ Silt and Sand (GP-GM) From BWB-94 01B @ 5.0'

Project No. 31394 **GRADATION TEST RESULTS** Figure 16


Applied Geotechnical Engineering Consultants, Inc.



Gravel 26 % Sand 58 % Silt and Clay 16 %

Liquid Limit No-Value % Plasticity Index Non-Plastic %

Sample of Silty Sand w/Gravel (SM) From BWB-94 01C @ 10'



Gravel _____ % Sand _____ % Silt and Clay _____ %

Liquid Limit _____ % Plasticity Index _____ %

Sample of _____ From _____

Project No. 31394 **GRADATION TEST RESULTS** Figure 17

SAMPLE GROUP

CRP - 94

Applied Geotechnical Engineering Consultants, Inc.

TABLE 1 - D


SUMMARY OF LABORATORY TEST RESULTS

TAD, Task Order 0003
Project No. 31394
October 13, 1994


CRP-94

SAMPLE I.D.	GRADATION (%)							ATTERBERG LIMITS		USC CLASSIFICATION
	Gravel		SAND			SILT	CLAY			
	+19.1 mm	19.1-4.76 mm	4.76-2.00 mm	2.00-0.420 mm	0.420-0.074 mm	0.074-.005 mm	< 0.005 mm	LIQUID LIMIT (%)	PLASTICITY INDEX (%)	
CRP-94-05A @ 5'	0	0	0	1	18	68	13	24	7	Silty Clay w/Sand (CL-ML)
CRP-94-05B @ 4'	0	0	0	2	20	62	16	28	11	Lean Clay w/Sand (CL)
CRP-94-05C @ 7'	0	1	1	1	22	62	13	25	8	Lean Clay w/Sand (CL)
CRP-94-05D @ 10'	0	1	0	3	33	51	12	21	4	Sandy Silty Clay (CL-ML)
CRP-94-10A @ 0.5'	0	0	0	1	6	66	27	29	5	Silt (ML)
CRP-94-10B @ 5'	0	0	0	0	2	66	32	31	12	Lean Clay (CL)
CRP-94-10C @ 10'	0	0	0	4	10	57	29	28	10	Lean Clay (CL)

Applied Geotechnical Engineering Consultants, Inc.




Gravel 0 % Sand 19 % Silt and Clay 81 %
Liquid Limit 24 % Plasticity Index 7 %
Sample of Silty Clay w/Sand (CL-ML) From CRP-94-05A @ 5'




Gravel 0 % Sand 22 % Silt and Clay 78 %
Liquid Limit 28 % Plasticity Index 11 %
Sample of Lean Clay w/Sand (CL) From CRP-94-05B @ 4'

Project No. 31394 **GRADATION TEST RESULTS** Figure 18

Applied Geotechnical Engineering Consultants, Inc.




Gravel 1 % Sand 24 % Silt and Clay 75 %
Liquid Limit 25 % Plasticity Index 8 %
Sample of Lean Clay w/Sand (CL) From CRP-94-05C @ 7'




Gravel 1 % Sand 36 % Silt and Clay 63 %
Liquid Limit 21 % Plasticity Index 4 %
Sample of Sandy Silty Clay (CL-ML) From CRP-94-05D @ 10'

Project No. 31394 **GRADATION TEST RESULTS** Figure 19

Applied Geotechnical Engineering Consultants, Inc.




Gravel 0 % Sand 7 % Silt and Clay 93 %
Liquid Limit 29 % Plasticity Index 5 %
Sample of Silt (ML) From CRP-94-10A @ 0.5




Gravel 0 % Sand 2 % Silt and Clay 98 %
Liquid Limit 31 % Plasticity Index 12 %
Sample of Lean Clay (CL) From CRP-94-10B @ 5'

Project No. 31394 **GRADATION TEST RESULTS** Figure 20

Applied Geotechnical Engineering Consultants, Inc.



Gravel 0 % Sand 14 % Silt and Clay 86 %
Liquid Limit 28 % Plasticity Index 10 %
Sample of Lean Clay (CL) From CRP-94-10C @ 10'



Gravel _____ % Sand _____ % Silt and Clay _____ %
Liquid Limit _____ % Plasticity Index _____ %
Sample of _____ From _____

Project No. 31394 **GRADATION TEST RESULTS** Figure 21

SAMPLE GROUP

OBP - 94

Applied Geotechnical Engineering Consultants, Inc.


TABLE 1 - E
SUMMARY OF LABORATORY TEST RESULTS

TAD, Task Order 0003
Project No. 31394
October 13, 1994


OBP-94

SAMPLE I.D.	GRADATION (%)							ATTERBERG LIMITS		USC CLASSIFICATION
	Gravel		SAND			SILT	CLAY			
	+19.1 mm	19.1-4.76 mm	4.76-2.00 mm	2.00-0.420 mm	0.420-0.074 mm	0.074-.005 mm	< 0.005 mm	LIQUID LIMIT (%)	PLASTICITY INDEX (%)	
OBP-94-10A @ 0.5'	4	18	10	8	33	23	4	No-Value	Non-Plastic	Silty Sand w/Gravel (SM)
OBP-94-10B @ 2'	18	13	7	5	34	16	7	No-Value	Non-Plastic	Silty Sand w/Gravel (SM)
OBP-94-10C @ 5'	31	36	6	2	19	4	2	No-Value	Non-Plastic	Poorly Graded Gravel w/Sand & Silt (GP-GM)
OBP-94-10D @ 7'	25	63	2	2	6	0	2	-	-	Poorly Graded Gravel (GP)
OBP-94-10E @ 10'	26	44	5	12	10	0	3	-	-	Poorly Graded Gravel w/Sand (GP)
OBP-94-05C @ 5'	33	38	3	2	17	4	3	No-Value	Non-Plastic	Poorly Graded Gravel w/Sand (GP)
OBP-94-05D @ 7'	27	37	12	10	11	0	3	-	-	Poorly Graded Gravel w/Sand (GP)
OBP-94-05E @ 10'	26	35	23	12	3	0	1	-	-	Poorly Graded Gravel w/Sand (GP)

Applied Geotechnical Engineering Consultants, Inc.




Gravel 22 % Sand 51 % Silt and Clay 27 %
Liquid Limit No Value % Plasticity Index Non-Plastic %
Sample of Silty Sand w/Gravel (SM) From OBP-94-10A @ 0.5'




Gravel 31 % Sand 46 % Silt and Clay 23 %
Liquid Limit No Value % Plasticity Index Non-Plastic %
Sample of Silty Sand w/Gravel (SM) From OBP-94-10B @ 2'

Project No. 31394 **GRADATION TEST RESULTS** Figure 22

Applied Geotechnical Engineering Consultants, Inc.




Gravel 67 % Sand 27 % Silt and Clay 6 %
Liquid Limit No Value % Plasticity Index Non-Plastic %
Sample of Poorly Graded Gravel w/Sand and Silt (GP-GM) From OBP-94-10C @ 5'



Gravel 88 % Sand 10 % Silt and Clay 2 %
Liquid Limit _____ % Plasticity Index _____ %
Sample of Poorly Graded Gravel (GP) From OBP-94-10D @ 7'

Project No. 31394 **GRADATION TEST RESULTS** Figure 23


Applied Geotechnical Engineering Consultants, Inc.



Gravel 70 % Sand 27 % Silt and Clay 3 %

Liquid Limit _____ % Plasticity Index _____ %

Sample of Poorly Graded Gravel w/Sand (GP) From OBP-94-10E @ 10'




Gravel 71 % Sand 22 % Silt and Clay 7 %

Liquid Limit No Value % Plasticity Index Non-Plastic %

Sample of Poorly Graded Gravel w/Sand (GP) From OBP-94-05C @ 5'

Project No. 31394 **GRADATION TEST RESULTS** Figure 24


Applied Geotechnical Engineering Consultants, Inc.



Gravel 64 % Sand 33 % Silt and Clay 3 %

Liquid Limit ____ % Plasticity Index ____ %

Sample of Poorly Graded Gravel w/Sand (GP) From OBP-94-05D @ 7'



Gravel 61 % Sand 38 % Silt and Clay 1 %

Liquid Limit ____ % Plasticity Index ____ %

Sample of Poorly Graded Gravel w/Sand (GP) From OBP-94-05E @ 10'

Project No. 31394 **GRADATION TEST RESULTS** Figure 25

SAMPLE GROUP

OSP - 94

Applied Geotechnical Engineering Consultants, Inc.


TABLE 1 - F
SUMMARY OF LABORATORY TEST RESULTS

TAD, Task Order 0003
Project No. 31394
October 13, 1994

OSP-94

SAMPLE I.D.	GRADATION (%)							ATTERBERG LIMITS		USC CLASSIFICATION
	Gravel		SAND			SILT	CLAY			
	+19.1 mm	19.1-4.76 mm	4.76-2.00 mm	2.00-0.420 mm	0.420-0.074 mm	0.074-.005 mm	< 0.005 mm	LIQUID LIMIT (%)	PLASTICITY INDEX (%)	
OSP-94-01A @ 0.5'	13	38	16	25	7	0	1	-	-	Poorly Graded Gravel w/Sand (GP)
OSP-94-01B @ 3.0'	31	28	8	19	14	0	0	-	-	Poorly Graded Gravel w/Sand (GP)
OSP-94-01C @ 5.0'	27	30	8	19	16	0	0	-	-	Poorly Graded Gravel w/ Sand (GP)
OSP-94-05A @ 0.5'	0	12	5	26	24	27	6	23	6	Silty-Clayey Sand (SC-SM)
OSP-94-05B @ 3.0'	8	7	6	31	32	13	3	16	Non-Plastic	Silty Sand w/Gravel (SM)
OSP-94-05C @ 5.0'	24	6	6	18	42	0	4	-	-	Poorly Graded Sand w/Gravel (SP)


Applied Geotechnical Engineering Consultants, Inc.



Gravel 51 % Sand 48 % Silt and Clay 1 %

Liquid Limit ____ % Plasticity Index ____ %

Sample of Poorly Graded Gravel With Sand (GP) From OSP-94 01A @ 0.5'




Gravel 59 % Sand 41 % Silt and Clay 0 %

Liquid Limit ____ % Plasticity Index ____ %

Sample of Poorly Graded Gravel With Sand (GP) From OSP-94 01B @ 3.0'

Project No. 31394 **GRADATION TEST RESULTS** Figure 26


Applied Geotechnical Engineering Consultants, Inc.



Gravel 57 % Sand 43 % Silt and Clay 0 %

Liquid Limit ____ % Plasticity Index ____ %

Sample of Poorly Graded Gravel With Sand (GP) From OSP-94 01C @ 5.0'




Gravel 12 % Sand 55 % Silt and Clay 33 %

Liquid Limit 23 % Plasticity Index 6. %

Sample of Silty-Clayey Sand (SC-SM) From OSP-94 05A @ 0.5'

Project No. 31394 **GRADATION TEST RESULTS** Figure 27


Applied Geotechnical Engineering Consultants, Inc.



Gravel 15 % Sand 69 % Silt and Clay 16 %

Liquid Limit 16 % Plasticity Index Non-Plastic %

Sample of Silty Sand With Gravel (SM) From OSP-94 05B @ 3.0'



Gravel 30 % Sand 66 % Silt and Clay 4 %

Liquid Limit % Plasticity Index %

Sample of Poorly Graded Sand With Gravel (SP) From OSP-94 05C @ 5.0'

Project No. 31394 **GRADATION TEST RESULTS** Figure 28

SAMPLE GROUP

PPB - 94

Applied Geotechnical Engineering Consultants, Inc.


TABLE 1 - G
SUMMARY OF LABORATORY TEST RESULTS

TAD, Task Order 0003
Project No. 31394
October 13, 1994


PPB-94

SAMPLE I.D.	GRADATION (%)							ATTERBERG LIMITS		USC CLASSIFICATION
	Gravel		SAND			SILT	CLAY			
	+19.1 mm	19.1-4.76 mm	4.76-2.00 mm	2.00-0.420 mm	0.420-0.074 mm	0.074-.005 mm	< 0.005 mm	LIQUID LIMIT (%)	PLASTICITY INDEX (%)	
PPB-94-05A @ 0.5'	10	26	7	9	16	23	9	22	6	Silty Clayey Gravel w/Sand (GC-GM)
PPB-94-05B @ 5'	16	35	13	13	9	9	5	24	5	Silty Clayey Gravel w/Sand (GC-GM)
PPB-94-05C @ 11'	12	39	23	9	7	6	4	17	4	Silty Clayey Gravel w/Sand (GC-GM)

Applied Geotechnical Engineering Consultants, Inc.




Gravel 36 % Sand 32 % Silt and Clay 32 %
Liquid Limit 22 % Plasticity Index 6 %
Sample of Silty Clayey Gravel w/Sand (GC-GM) From PPB-94-05A @ 0.5'



Gravel 51 % Sand 35 % Silt and Clay 14 %
Liquid Limit 24 % Plasticity Index 5 %
Sample of Silty Clayey Gravel w/Sand (GC-GM) From PPB-94-05B @ 5'

Project No. 31394 **GRADATION TEST RESULTS** Figure 29


Applied Geotechnical Engineering Consultants, Inc.



Gravel 51 % Sand 39 % Silt and Clay 10 %

Liquid Limit 17 % Plasticity Index 4 %

Sample of Silty Clayey Gravel w/Sand (GC-GM) From PPB-94-05C @ 11'



Gravel _____ % Sand _____ % Silt and Clay _____ %

Liquid Limit _____ % Plasticity Index _____ %

Sample of _____ From _____

Project No. 31394 **GRADATION TEST RESULTS** Figure 30

SAMPLE GROUP

SAB - 94

Applied Geotechnical Engineering Consultants, Inc.


TABLE 1 - H
SUMMARY OF LABORATORY TEST RESULTS

TAD, Task Order 0003
Project No. 31394
October 13, 1994

SAB-94

SAMPLE I.D.	GRADATION (%)							ATTERBERG LIMITS		USC CLASSIFICATION
	Gravel		SAND			SILT	CLAY			
	+19.1 mm	19.1-4.76 mm	4.76-2.00 mm	2.00-0.420 mm	0.420-0.074 mm	0.074-.005 mm	< 0.005 mm	LIQUID LIMIT (%)	PLASTICITY INDEX (%)	
SAB-94-05A @ 0.5'	1	7	2	6	28	46	10	24	10	Sandy Lean Clay (CL)
SAB-94-05B @ 3'	0	0	0	0	25	56	19	25	5	Silty Clay w/Sand (CL-ML)
SAB-94-10A @ 0.5'	4	6	5	8	18	51	8	27	6	Sandy Silty Clay (CL-ML)
SAB-94-10B @ 3'	7	4	1	4	19	40	25	30	12	Lean Clay w/Sand (CL)
SAB-94-15A @ 0.5'	3	8	2	4	20	42	21	28	11	Lean Clay w/Sand (CL)
SAB-94-15B @ 2'	6	15	2	5	18	36	18	26	10	Sandy Lean Clay w/Gravel (CL)


Applied Geotechnical Engineering Consultants, Inc.



Gravel 8 % Sand 36 % Silt and Clay 56 %

Liquid Limit 24 % Plasticity Index 10 %

Sample of Sandy Lean Clay (CL) From SAB-94-05A @ 0.5'




Gravel 0 % Sand 25 % Silt and Clay 75 %

Liquid Limit 25 % Plasticity Index 5 %


Sample of Silty Clay w/Sand (CL-ML) From SAB-94-05B @ 3'

Project No. 31394 **GRADATION TEST RESULTS** Figure 31

Applied Geotechnical Engineering Consultants, Inc.




Gravel 10 % Sand 31 % Silt and Clay 59 %
Liquid Limit 27 % Plasticity Index 6 %
Sample of Sandy Silty Clay (CL-ML) From SAB-94-10A @ 0.5'



Gravel 11 % Sand 24 % Silt and Clay 65 %
Liquid Limit 30 % Plasticity Index 12 %
Sample of Lean Clay w/Sand (CL) From SAB-94-10B @ 3'

Project No. 31394 **GRADATION TEST RESULTS** Figure 32


Applied Geotechnical Engineering Consultants, Inc.



Gravel 11 % Sand 26 % Silt and Clay 63 %

Liquid Limit 28 % Plasticity Index 11 %

Sample of Lean Clay w/Sand (CL) From SAB-94-15A @ 0.5'



Gravel 21 % Sand 25 % Silt and Clay 54 %

Liquid Limit 26 % Plasticity Index 10 %

Sample of Sandy Lean Clay w/Gravel (CL) From SAB-94-15B @ 2'

Project No. 31394 **GRADATION TEST RESULTS** Figure 33

SAMPLE GROUP

TBS - 94

Applied Geotechnical Engineering Consultants, Inc.


TABLE 1 - I
SUMMARY OF LABORATORY TEST RESULTS

TAD, Task Order 0003
Project No. 31394
October 13, 1994


TBS-94

SAMPLE I.D.	GRADATION (%)							ATTERBERG LIMITS		USC CLASSIFICATION
	Gravel		SAND			SILT	CLAY			
	+19.1 mm	19.1-4.76 mm	4.76-2.00 mm	2.00-0.420 mm	0.420-0.074 mm	0.074-.005 mm	< 0.005 mm	LIQUID LIMIT (%)	PLASTICITY INDEX (%)	
TBS-94-05 @ 0.5'	4	28	15	19	19	10	5	-	-	Silty Sand w/Gravel (SM)
TBS-94-10 @ 0.5'	4	25	13	17	19	13	9	20	6	Silty Clayey Sand w/Gravel (SC-SM)
TBS-94-16 @ 0.5'	4	36	12	13	16	13	6	20	6	Silty Clayey Sand w/Gravel (SC-SM)

Applied Geotechnical Engineering Consultants, Inc.




Gravel 32 % Sand 53 % Silt and Clay 15 %
Liquid Limit _____ % Plasticity Index _____ %
Sample of Silty Sand w/Gravel (SM) From TBS-94-05 @ 0.5'



Gravel 29 % Sand 49 % Silt and Clay 22 %
Liquid Limit 20 % Plasticity Index 6 %
Sample of Silty Clayey Sand w/Gravel (SC-SM) From TBS-94-10 @ 0.5'

Project No. 31394 **GRADATION TEST RESULTS** Figure 34


Applied Geotechnical Engineering Consultants, Inc.



Gravel 40 % Sand 41 % Silt and Clay 19 %

Liquid Limit 20 % Plasticity Index 6 %

Sample of Silty Clayey Sand w/Gravel (SC-SM) From TBS-94-15 @ 0.5'



Gravel _____ % Sand _____ % Silt and Clay _____ %

Liquid Limit _____ % Plasticity Index _____ %

Sample of _____ From _____

Project No. 31394 **GRADATION TEST RESULTS** Figure 35

SAMPLE GROUP

TDP - 94

Applied Geotechnical Engineering Consultants, Inc.


TABLE 1 - J
SUMMARY OF LABORATORY TEST RESULTS

TAD, Task Order 0003
Project No. 31394
October 13, 1994


TDP-94

SAMPLE I.D.	GRADATION (%)							ATTERBERG LIMITS		USC CLASSIFICATION
	Gravel		SAND			SILT	CLAY			
	+ 19.1 mm	19.1-4.76 mm	4.76-2.00 mm	2.00-0.420 mm	0.420-0.074 mm	0.074-.005 mm	< 0.005 mm	LIQUID LIMIT (%)	PLASTICITY INDEX (%)	
TDP-94-05A @ 0.5'	5	32	16	21	12	9	5	18	3	Silty Sand w/Gravel (SM)
TDP-94-05B @ 0.5'	6	15	11	29	35	4	0	-	-	Poorly Graded Sand w/Gravel (SP)
TDP-94-10A @ 0.5'	12	23	7	21	32	4	1	No-Value	Non-Plastic	Poorly Graded Sand w/Silt & Gravel (SP-SM)
TDP-94-10B @ 5/0'	2	18	5	5	68	2	0	-	-	Poorly Graded Sand w/Gravel (SP)
TDP-94-15A @ 0.5'	14	7	4	15	52	5	3	No-Value	Non-Plastic	Poorly Graded Sand w/Silt & Gravel (SP-SM)

Applied Geotechnical Engineering Consultants, Inc.




Gravel 37 % Sand 49 % Silt and Clay 14 %
Liquid Limit 18 % Plasticity Index 3 %
Sample of Silty Sand w/Gravel (SM) From TDP-94 05A @ 0.5'




Gravel 21 % Sand 75 % Silt and Clay 4 %
Liquid Limit % Plasticity Index %
Sample of Poorly Graded Sand w/Gravel (SP) From TDP-94 05B @ 0.5'

Project No. 31394 **GRADATION TEST RESULTS** Figure 36

Applied Geotechnical Engineering Consultants, Inc.




Gravel 35 % Sand 60 % Silt and Clay 5 %
Liquid Limit No-Value % Plasticity Index Non-Plastic %
Sample of Poorly Graded Sand w/Silt and Gravel (SP-SM) From TDP-94 10A @ 0.5'




Gravel 20 % Sand 78 % Silt and Clay 2 %
Liquid Limit _____ % Plasticity Index _____ %
Sample of Poorly Graded Sand w/Gravel (SP) From TDP-94 10B @ 5.0'

Project No. 31394 **GRADATION TEST RESULTS** Figure 37

Applied Geotechnical Engineering Consultants, Inc.



Gravel 21 % Sand 71 % Silt and Clay 8 %
Liquid Limit No-Value % Plasticity Index Non-Plastic %
Sample of Poorly Graded Sand w/Silt and Gravel (SP-SM) From TDP-94 15A @ 0.5'



Gravel _____ % Sand _____ % Silt and Clay _____ %
Liquid Limit _____ % Plasticity Index _____ %
Sample of _____ From _____

Project No. 31394 **GRADATION TEST RESULTS** Figure 38

SAMPLE GROUP

VGS - 94

Applied Geotechnical Engineering Consultants, Inc.


TABLE 1 - K
SUMMARY OF LABORATORY TEST RESULTS

TAD, Task Order 0003
Project No. 31394
October 13, 1994


VGS-94

SAMPLE I.D.	GRADATION (%)							ATTERBERG LIMITS		USC CLASSIFICATION
	Gravel		SAND			SILT	CLAY			
	+19.1 mm	19.1-4.76 mm	4.76-2.00 mm	2.00-0.420 mm	0.420-0.074 mm	0.074-.005 mm	< 0.005 mm	LIQUID LIMIT (%)	PLASTICITY INDEX (%)	
VGS-94-6 @ 0.5'	15	34	11	4	3	29	4	-	-	Silty Gravel w/Sand (GM)
VGS-94-23 @ 0.5'	0	8	4	15	27	36	10	30	3	Silty Sand (SM)
VGS-94-26 @ 0.5'	0	8	5	14	46	17	10	27	6	Silty Sand (SM)
VGS-94-40 @ 0.5'	7	13	7	10	35	19	9	No-Value	Non-Plastic	Silty Sand (SM)

Applied Geotechnical Engineering Consultants, Inc.




Gravel 49 % Sand 18 % Silt and Clay 33 %
Liquid Limit ____ % Plasticity Index ____ %
Sample of Silty Gravel w/Sand (GM) From VGS-94-6 @ 0.5'




Gravel 8 % Sand 46 % Silt and Clay 46 %
Liquid Limit 30 % Plasticity Index 3 %
Sample of Silty Sand (SM) From VGS-94-23 @ 0.5'

Project No. 31394 **GRADATION TEST RESULTS** Figure 39

Applied Geotechnical Engineering Consultants, Inc.



Gravel 8 % Sand 65 % Silt and Clay 27 %
Liquid Limit 27 % Plasticity Index 6 %
Sample of Silty Sand (SM) From VGS-94-26 @ 0.5'



Gravel 20 % Sand 52 % Silt and Clay 28 %
Liquid Limit No Value % Plasticity Index Non-Plastic %
Sample of Silty Sand (SM) From VGS-94-40 @ 0.5'

Project No. 31394 **GRADATION TEST RESULTS** Figure 40

SAMPLE GROUP

WSB - 94

Applied Geotechnical Engineering Consultants, Inc.

TABLE 1 - L


SUMMARY OF LABORATORY TEST RESULTS

TAD, Task Order 0003
Project No. 31394
October 13, 1994


WSB-94

SAMPLE I.D.	GRADATION (%)							ATTERBERG LIMITS		USC CLASSIFICATION
	Gravel		SAND			SILT	CLAY			
	+19.1 mm	19.1-4.76 mm	4.76-2.00 mm	2.00-0.420 mm	0.420-0.074 mm	0.074-.005 mm	< 0.005 mm	LIQUID LIMIT (%)	PLASTICITY INDEX (%)	
WSB-94-01 @ 1.5'	39	29	3	6	11	7	5	25	9	Poorly Graded Gravel w/Clay & Sand (GP-GC)
WSB-94-05 @ 2'	0	1	0	4	31	43	21	25	8	Sandy Lean Clay (CL)
WSB-94-06 @ 4'	0	0	0	1	2	72	25	32	9	Lean Clay (CL)

Applied Geotechnical Engineering Consultants, Inc.




Gravel 68 % Sand 20 % Silt and Clay 12 %
Liquid Limit 25 % Plasticity Index 9 %
Sample of Poorly Graded Gravel w/Clay and Sand (GP-GC) From WSB-94-01 @ 1.5'



Gravel 1 % Sand 35 % Silt and Clay 64 %
Liquid Limit 25 % Plasticity Index 8 %
Sample of Sandy Lean Clay (CL) From WSB-94-05 @ 2'

Project No. 31394 **GRADATION TEST RESULTS** Figure 41


Applied Geotechnical Engineering Consultants, Inc.



Gravel 0 % Sand 3 % Silt and Clay 97 %

Liquid Limit 32 % Plasticity Index 9 %

Sample of Lean Clay (CL) From WSB-94-06 @ 4'



Gravel _____ % Sand _____ % Silt and Clay _____ %

Liquid Limit _____ % Plasticity Index _____ %

Sample of _____ From _____

Project No. 31394 **GRADATION TEST RESULTS** Figure 42

APPENDIX E

SURVEYOR'S REPORT ON LOCATIONS OF TEST PITS, OBSERVATION PITS, AND BUNKER LOCATIONS FOR THE AED RANGE SWMU 40, OLD BURN PIT NO. 2, CHEMICAL RANGE SWMU 7, AND NEW TRENCH AREA

AAA ENGINEERING & DRAFTING, INC.

PROJECT REPORT

TOOELE ARMY DEPOT
NORTH AREA

AED TEST RANGE SWMU 40
OLD BURN AREA SWMU 6
BURN AREA PIT NO. 2
CHEMICAL RANGE SWMU 7
NEW TRENCH AREA

1994

For
RUST ENVIRONMENT AND INFRASTRUCTURE, INC.
743 Horizon Court, Suite 240
Grand Junction, CO 81506

Prepared By
AAA ENGINEERING & DRAFTING, INC.
1865 South Main, Suite 12
Salt Lake City, UT 84115



November 1994

TABLE OF CONTENTS

SECTION		PAGE
I.	INTRODUCTION	1
II.	DESCRIPTION	1
III.	PROCEDURES, EQUIPMENT AND PERSONNEL USED ON PROJECT	1
IV.	KNOWN COORDINATES AND VERTICAL ELEVATIONS	2
V.	COMPUTER EQUIPMENT	2
VI.	COORDINATE AND VERTICAL LISTINGS	3
VII.	SUPPORTING DOCUMENTS	8

I. INTRODUCTION

AAA Engineering & Drafting, Inc. (AAA) is a sub-contractor to RUST ENVIRONMENT AND INFRASTRUCTURE, INC. (RUST) to provide Surveying Services for horizontal locations of Test Pits, Observation Pits, and Bunker Locations for the AED Range SWMU 40, Old Burn Pit No. 2, Chemical Range SWMU 7, and New Trench Area. The survey was completed using conventional survey methods.

II. DESCRIPTION

AAA's task was to survey locations and provide (N.A.D 1927) State Plane Coordinates for 90 Test Pits, 39 Bunker (Revetments) points, and one Building Location (4 points). The coordinates for the data is Sea Level in feet.

III. PROCEDURES, EQUIPMENT, AND PERSONNEL USED ON PROJECT

A. The horizontal surveying for test pits, bunkers, and building location was completed in accordance with Geodetic Control Network accuracy for Third Order Class II (1:5,000) surveying. The horizontal locations of Test Pit points and all other survey points are based on coordinates established for existing Monitoring Wells N-140-93 and N-137-90, which are located by the X-Ray area. AAA began a 6.08 mile Traverse at N-140-93 monitoring well then continuing west to the AED Range and then back to N-140-93. This traverse has a closure accuracy of 1:66,162. Another Traverse of 3.96 miles was extended south from N-140-93 to the Old Burn Area, then West through the Chemical Range, then west to a new storage facility (below the water tank) and then back to N-140-93. After completing the traverse, the Test Pits, Bunker Locations and the Building were surveyed by occupying one Traverse point and back sighting another Traverse point and measuring angles and distances to the various points. This Traverse has a closure of 1:9,828.

B. The horizontal control surveying was completed with a Wild T16 instrument with a top mounted Beetle 2000 EDM. Longer distances were measured with one set of triple glass prisms. All measurements were averaged from 3 separate readings and all angle measurements were accomplished through double observations. The vertical differential loops were accomplished with a SOKKISHA B2-C automatic level.

C. AAA personnel assigned to this project were:

Lynn Peterson, Project Manager and Licensed Surveyor
Chris Andersen, Rodman
Brian Manning, Rodman

IV. KNOWN COORDINATES

Horizontal coordinates are N.A.D. 1927 Sea Level (feet).

A. Known Horizontal Control Positions

Monitoring Well	State Plane 1927 N.A.D. (Feet) Northing	Easting
N-137-90	795,413.00	1,743,331.00
N-140-93	795,974.420	1,743,466.157

B. Traverse Closure

	CLOSURE
N-140-94 to AED Area (PT. 40-4) and Back - 6.08 Miles	1:66,162
N-140-93 to Old Burn Area West to Pt. 40-6 (Point in First Traverse) - 3.96 Miles	1:9,828

V. COMPUTER EQUIPMENT

AAA used a Wang Computer System with Holquin Software to complete coordinates and Balance Traverses.

VI. COORDINATES AND VERTICAL ELEVATION LISTING

TOOELE ARMY DEPOT
NORTH AREA
September 20, 1994

DESCRIPTION AND OR NO.		STATE PLANE COORDINATES N.A.D. 1927 SEA LEVEL (FEET)	
		NORTH	EAST
AED TEST RANGE SWMU 40			
1		795,413.00000	1,743,331.00000
2		795,118.00000	1,743,513.00000
3		795,974.42026	1,743,466.15674
4		793,832.92039	1,738,711.02832
5		792,704.63111	1,735,948.64857
6		795,755.19561	1,731,412.59259
7		796,970.14700	1,730,483.85158
8		797,840.66465	1,729,862.45298
9		798,298.43433	1,730,749.07109
10		799,171.63905	1,733,073.80586
11		796,337.18259	1,734,933.49163
12		794,909.78734	1,738,103.54223
13		795,974.19506	1,743,466.51410
14		799,161.08032	1,728,954.55191
15		800,066.03741	1,728,351.66745
16	SW COR BUNKER 4	801,589.80298	1,727,412.75408
17		790,726.76262	1,747,332.88068
18		788,790.22668	1,748,119.23246
19		788,657.48673	1,743,904.72859
20		789,960.80802	1,740,161.78491
21		793,832.92039	1,738,711.02832
22	SE COR BUNKER 4	801,608.52538	1,727,451.40863
23	NE END BUNKER 4	801,701.16122	1,727,426.05689
24	PIT NO. 55	801,700.14089	1,727,404.58365
25	PIT NO. 56	801,685.13654	1,727,370.39637
26	NW COR BUNKER 4	801,655.81545	1,727,361.34374
27	PIT NO. 42	801,765.92257	1,727,329.04690
28	SE COR BUNKER 1	801,907.05168	1,727,245.51550
29	SW COR BUNKER 1	801,894.87062	1,727,194.69162
30	NW COR BUNKER 1	801,972.65946	1,727,139.92862
31	PIT NO. 46	801,941.80838	1,727,196.30262
32	PIT NO. 48	801,950.89312	1,727,224.21248
33	PIT NO. 47	802,014.89009	1,727,188.03550
34	NE END BUNKER 1	802,005.67274	1,727,236.21356
35	PIT NO. 1	801,963.12134	1,727,093.73475
36	PIT NO. 2	802,037.37077	1,727,027.34691
37	PIT NO. 3	802,117.50266	1,726,969.71728
38	PIT NO. 4	802,229.33359	1,726,988.40492
39	PIT NO. 5	802,320.55277	1,727,173.53173
40	PIT NO. 6	802,276.30517	1,727,362.48774
41	PIT NO. 45	802,068.58134	1,727,330.27938
42	PIT NO. 58	802,162.24253	1,727,412.02973

TOOELE ARMY DEPOT
NORTH AREA
September 20, 1994

	DESCRIPTION AND OR NO.	STATE PLANE COORDINATES N.A.D. 1927 SEA LEVEL (FEET) NORTH	EAST
AED TEST RANGE SWMU 40			
43	PIT NO. 7	802,210.17227	1,727,513.52213
44	PIT NO. 8	802,122.90740	1,727,680.64778
45	PIT NO. 51	801,978.05594	1,727,556.44597
46	PIT NO. 50	801,992.95827	1,727,516.90036
47	PIT NO. 49	801,957.78226	1,727,492.11609
48	NW END BUNKER NO. 2	801,975.18115	1,727,440.83659
49	MIDDLE BUNKER NO. 2	801,918.87548	1,727,487.07137
50	NE END BUNKER NO. 2	801,957.02014	1,727,578.88916
51	PIT NO. 9	801,979.58250	1,727,829.84458
52	PIT NO. 10	801,838.75326	1,727,976.89618
53	PIT NO. 54	801,837.87007	1,727,831.42007
54	PIT NO. 53	801,760.25670	1,727,751.14844
55	PIT NO. 52	801,755.91782	1,727,696.56420
56	NE END BUNKER NO. 3	801,784.70824	1,727,686.15254
57	NW COR BUNKER NO. 3	801,723.91031	1,727,635.40544
58	SW COR BUNKER NO. 3	801,676.71704	1,727,667.41070
59	SE END BUNKER NO. 3	801,733.07557	1,727,740.10358
60	PIT NO. 11	801,566.72886	1,727,861.61139
61	PIT NO. 57	801,230.72928	1,727,835.14530
62	PIT NO. 12	801,438.93192	1,727,576.27693
63	PIT NO. 39	801,671.71145	1,727,532.22176
64	PIT NO. 43	801,853.80672	1,727,580.44679
65	PIT NO. 40	801,800.83693	1,727,436.08765
66	PIT NO. 41	801,967.68336	1,727,343.57085
67	PIT NO. 13	801,198.57426	1,727,372.34561
68	PIT NO. 14	801,184.36752	1,727,270.31124
69	PIT NO. 34	801,229.88528	1,727,286.13648
70	NW COR BLDG.	801,234.12209	1,727,285.58861
71	SW COR BLDG.	801,220.41785	1,727,308.70428
72	SE COR BLDG.	801,263.96501	1,727,334.08609
73	NE COR BLDG.	801,277.55407	1,727,310.83948
74	PIT NO. 35	801,283.68520	1,727,312.93914
75	SW END BUNKER NO. 5	801,350.49815	1,727,199.34554
76	SE COR BUNKER NO. 5	801,431.15485	1,727,271.10821
77	NE COR BUNKER NO. 5	801,469.69044	1,727,231.10401
78	NW END BUNKER NO. 5	801,447.03400	1,727,205.03700
79	PIT NO. 33	801,389.24868	1,727,197.65666
80	PIT NO. 15	801,433.74296	1,727,066.51988
81	PIT NO. 60	801,456.39461	1,726,790.84208
82	PIT NO. 31	801,594.72836	1,726,990.17278
83	PIT NO. 30	801,592.76415	1,727,095.30789
84	PIT NO. 29	801,649.78836	1,727,111.29418

TOOELE ARMY DEPOT
NORTH AREA
September 20, 1994

DESCRIPTION AND OR NO.	STATE PLANE COORDINATES N.A.D. 1927 SEA LEVEL (FEET)	
	NORTH	EAST
AED TEST RANGE SWMU 40		
85 PIT NO. 28	801,692.01606	1,727,089.09002
86 PIT NO. 27	801,687.63131	1,727,028.52246
87 NW END BUNKER NO. 6	801,725.50242	1,726,970.38974
88 NE COR BUNKER NO. 6	801,774.51428	1,727,081.77753
89 CENTER BUNKER NO. 6	801,706.66287	1,727,138.96017
90 SE COR BUNKER NO. 6	801,603.06913	1,727,164.54835
91 SW END BUNKER NO. 6	801,555.62647	1,727,115.04939
92 PIT NO. 32	801,490.39801	1,727,174.00116
93 PIT NO. 16	801,726.20025	1,726,844.54575
94 PIT NO. 17	801,796.63709	1,726,741.63352
95 PIT NO. 18	801,936.41821	1,726,627.32598
96 PIT NO. 59	802,273.69577	1,726,740.85091
97 SW END BUNKER NO. 8	802,123.21624	1,726,815.40073
98 NW END BUNKER NO. 8	802,145.79829	1,726,802.52010
99 NE COR BUNKER NO. 8	802,181.71801	1,726,856.11991
100 SE COR BUNKER NO. 8	802,129.07305	1,726,891.80510
101 PIT NO. 37	802,164.76550	1,726,843.80332
102 PIT NO. 36	802,142.99271	1,726,848.15110
103 PIT NO. 19	802,080.82511	1,726,750.74776
104 SO END BUNKER NO. 7	801,905.04822	1,726,754.81925
105 WEST END BUNKER NO. 7	801,951.77904	1,726,739.66315
106 BUNKER NO. 7	802,011.72136	1,726,758,89367
107 NO END BUNKER NO. 7	802,115.77295	1,726,899.72537
108 PIT NO. 20	802,021.75580	1,726,917.30156
109 PIT NO. 21	802,003.15664	1,726,836.15002
110 PIT NO. 38	801,972.88019	1,726,941.60641
111 PIT NO. 22	801,915.76504	1,726,885.28546
112 PIT NO. 25	801,883.51329	1,726,935.14803
113 PIT NO. 26	801,827.63480	1,726,987.51403
114 PIT NO. 23	801,874.13879	1,726,814.27379
115 PIT NO. 24	801,826.21527	1,726,857.62834
OLD BURN AREA SWMU 6		
116 BURN AREA PIT NO. 2	788,832.58963	1,748,191.26943
117 BURN AREA OBS. PT. NO. 2	788,894,99911	1,748,283.00631
118 BURN AREA PIT NO. 5	788,910.97486	1,748,303.11034
119 BURN AREA PIT NO. 3	788,885.84415	1,748,334.13021
120 BURN AREA PIT NO. 4	789,021.97725	1,748,314.28665
121 BURN AREA OBS. PT. NO. 1	788,970.33642	1,748,253.71862
122 BURN AREA PIT NO. 1	789,034.012	1,748,191.001
123 BURN AREA BUNKER NW END	789,073.97901	1,748,106.01510

TOOELE ARMY DEPOT
NORTH AREA
September 20, 1994

DESCRIPTION AND OR NO.		STATE PLANE COORDINATES N.A.D. 1927 SEA LEVEL (FEET) NORTH	EAST
BURN AREA PIT NO. 2			
124	BURN AREA BUNKER NW END	789,087.78387	1,748,111.80009
125	BURN AREA BUNKER NE END	789,087.60115	1,748,417.93338
126	BURN AREA BUNKER SE END	788,811.08263	1,748,403.21765
127	BURN AREA MIDDLE SOUTH BUNKER	788,766.33880	1,748,232.18409
128	SO. END W. BUNKER	788,845.48890	1,748,153.52951
129	NO. END W. BUNKER	789,038.84085	1,748,150.63851
130	BURN AREA PIT NO. 6	788,946.50916	1,747,986.88924
131	BURN AREA PIT NO. 7	789,041.32567	1,747,907.53560
132	BURN AREA PIT NO. 8	788,927.64403	1,747,886.22574
133	BURN AREA PIT NO. 9	788,948.85655	1,747,496.38543
134	BURN AREA PIT NO. 10	788,506.57969	1,747,231.80092
135	BURN AREA PIT NO. 12	788,352.07641	1,748,058.34964
CHEMICAL RANGE SWMU 7			
136	FIRING PT. PIT NO. 2	788,213.05343	1,743,221.63083
137	FIRING PT. PIT NO. 4	788,171.65260	1,743,234.73832
138	FIRING PT. PIT NO. 1	788,143.95570	1,743,239.73090
139	FIRING PT. PIT NO. 5	788,155.61006	1,743,221.74923
140	FIRING PT. PIT NO. 3	788,140.54433	1,743,211.30241
141	FIRING PT. OBS. PT. 2	788,157.93711	1,743,190.89276
142	FIRING PT. OBS. PT. 3	788,163.06392	1,743,167.75414
143	FIRING PT. OBS. PT. 1	788,163.80127	1,743,126.34610
144	FIRING PT. PIT NO. 15	788,051.82574	1,742,860.27039
NEW TRENCH AREA			
147	FIRING PT. PIT NO. 6	789,913.21925	1,739,846.00060
148	FIRING PT. PIT NO. 7	789,880.31266	1,739,928.98877
149	FIRING PT. PIT NO. 8	789,780.28110	1,740,135.02147
150	FIRING PT. PIT NO. 9	789,610.07405	1,740,220.41122
151	FIRING PT. PIT NO. 10	789,557.20347	1,740,259.22416
152	F.P. OBS. PT. NO. 01	789,636.09378	1,740,308.49757
153	FIRING PT. PIT NO. 12	789,920.71794	1,740,277.50736
154	FIRING PT. PIT NO. 14	788,167.11389	1,740,147.62740
155	FIRING PT. PIT NO. 13	788,208.12035	1,738,968.57158

VII. SUPPORTING DATA

7-6-94

↑ L. PETERSON
CH. C. KNOEPKE

RUST INF.
FOOGLE W. DEPOT

TO WKPT 40-2 SIGHT

WKPT 40-1

40-1 TO 40-2

Horiz Ds	VA	EDM	H.D.	SEA LEVEL DIST
LT 84-12-10	91-28-30	42.98	42.96	42.95
LT 141-32-50	94-00-00	112.48	112.21	112.13
LT 152-35-40	97-11-50	111.57	110.69	110.64
LT 172-18-56	97-46-00	105.33	104.36	104.32
LT 186-16-15	93-31-20	83.87	83.71	83.67
LT 173-46-50	94-50-00	195.78	195.08	195.00
LT 176-09-20	91-23-00	358.90	358.79	358.63
LT 183-55-00	91-01-30	375.22	375.16	374.99
LT 183-50-00	91-20-30	470.46	470.33	470.12
LT 179-56-50	91-46-20	413.61	413.41	413.23
LT 175-55-50	91-47-30	407.73	407.53	407.35
LT 176-13-20	91-47-30	481.28	481.04	480.83
LT 171-21-40	91-27-30	452.14	451.99	451.79
LT 188-52-30	91-47-00	491.52	491.28	491.06
LT 189-05-30	91-24-30	591.08	590.90	590.64
LT 188-22-30	91-16-00	689.50	689.33	689.02
LT 181-55-30	91-28-00	768.11	767.86	767.51
LT 166-29-10	92-03-30	769.75	769.25	768.91
LT 152-32-50	92-36-00	689.36	688.65	688.34

40-2 TO BUNKER 4

1790.92 Z 88-56-00 1790.61

SEA LEVEL 1789.81

SE END BUNKER 4

NE END BUNKER 4

PIT NO. 55

" " 56

NW END BUNKER 4

PIT NO. 42

SE BUNKER NO. 1

SW " " "

NW END BUNKER 1

PIT NO. 46

" " 48

" " 47

NE END BUNKER 1

PIT NO. 1

" " 2

" " 3

" " 4

" " 5

" " 6

SOME SIGHT

HORIZ. ∠'S	V∠	EDM	H.O.	SEA LEVEL DIST.
LT 158-08-00	92-27-30	486.50	486.05	485.83
LT 148-25-55	92-47-30	573.38	572.70	572.44
LT 139-08-00	92-35-30	629.43	628.79	628.50
LT 121-40-45	93-10-30	597.82	596.90	596.63
LT 128-03-00	92-53-20	414.20	413.67	413.49
LT 133-52-30	92-44-00	417.05	416.58	416.39
LT 136-11-20	92-47-30	377.06	376.61	376.44
LT 144-11-30	91-48-00	386.77	386.58	386.40
LT 135-38-00	91-35-00	337.64	337.51	337.36
LT 124-01-00	92-02-00	403.49	403.24	403.05
LT 101-25-15	93-08-30	571.99	571.13	570.87
LT 82-16-15	92-42-00	617.59	616.90	616.63
LT 89-00-25	92-48-00	487.44	486.86	486.64
LT 85-05-40	93-04-00	379.62	379.08	378.90
LT 88-42-00	92-51-50	329.41	329.00	328.85
LT 93-50-40	91-59-00	336.11	335.91	335.76
LT 89-25-15	91-14-00	260.10	260.04	259.92
LT 77-12-15	90-45-30	269.23	269.21	269.08
LT 81-59-50	91-41-00	357.65	357.50	357.33
LT 55-25-00	92-29-30	450.08	449.65	449.45
LT 17-59-30	90-05-00	554.64	554.64	554.39

PT	
41	PIT NO. 45
	" " 58
	" " 7
	" " 8
	" " 51
	" " 50
	" " 49
	BUNKER NO. 2 NW END
	" " " MIDDLE
	" " " NE END
	PIT NO. 9
	" " 10
	" " 54
	" " 53
	" " 52
	BUNKER NO. 3 NE END
	" " NW COR
	" " SW COR
	" " SE END
	PIT NO. 11
61	" " 57

		SAME SIGHT			
HORIZ ∠		V ∠	EDM	HD	SEA LEVEL DIST
LT	15-39-50	91-33-30	222.67	229.59	229.49
LT	92-47-40	95-31-30	145.59	144.91	144.85
LT	115-56-10	93-46-15	313.58	312.90	312.76
LT	142-03-00	94-17-5	213.02	212.42	212.32
LT	158-49-00	93-01-30	384.87	384.33	384.16
RT	37-32-15	86-51-50	393.57	393.49	393.31
RT	50-59-55	88-24-10	430.09	429.92	429.73
RT	51-01-20	88-21-10	381.87	381.71	381.54
RT	51-18-50	88-23-20	378.05	377.90	377.73
RT	47-22-20	88-23-00	384.09	383.94	383.76
RT	45-12-50	88-19-00	335.50	335.36	335.20
RT	49-43-00	88-16-00	328.76	328.61	328.46
RT	49-42-00	88-42-10	322.21	322.13	321.98
RT	73-22-00	87-24-10	321.11	320.78	320.64
RT	73-24-00	87-00-30	213.07	212.78	212.68
RT	88-10-00	87-22-00	218.10	217.87	217.77
RT	87-07-20	87-32-50	252.43	252.20	252.08
RT	78-38-40	88-25-00	294.34	294.23	294.09
RT	97-22-40	89-26-30	379.97	379.95	379.78
RT	109-32-00	88-35-40	636.54	636.35	636.06
RT	122-18-30	89-33-30	422.81	422.80	422.61

PT 68

PIT NO. 1
PIT NO. 12
" " 39
" " 43
" " 40
" " 41
" " 43
" " 14
" " 34
NW COR 320'
SW " "
SE " "
NE " "
PIT NO. 35
BUNKER NO. 5 SW END
" " " SE COR
" " " NE COR
" " " NW END
PIT NO. 33
" " 15
" " 60
" " 31

82

SAME SIGHT

Horiz ∠	V ∠	EOM	H.D.	SEA LEVEL DIST.
RT 122-10-30	89-27-00	317.62	317.61	317.46
RT 132-53-40	89-36-40	307.52	307.51	307.37
RT 139-10-00	89-45-00	339.58	339.58	339.42
RT 135-55-30	89-43-00	396.67	396.66	396.49
RT 138-41-40	89-32-00	462.95	462.92	462.71
RT 150-48-20	89-33-30	379.21	379.20	379.03
RT 144-45-15	89-07-00	297.86	297.82	297.69
RT 124-42-00	87-50-00	248.85	248.67	248.56
RT 115-05-30	88-24-00	299.91	299.79	299.66
RT 99-02-10	89-50-30	258.74	258.74	258.62
RT 135-08-20	89-52-00	584.62	584.62	584.35
RT 138-46-10	90-00-00	702.59	702.69	702.27
RT 145-27-10	90-11-40	858.90	858.89	858.51
RT 167-08-50	90-01-35	959.16	959.16	958.73
RT 163-24-15	90-51-00	801.30	801.21	800.85
RT 163-58-40	90-52-30	826.01	825.91	825.54
RT 168-24-00	91-05-00	813.04	812.89	812.53
RT 167-37-50	90-59-30	750.25	750.14	749.80
RT 166-56-30	91-07-00	809.40	809.25	808.88
RT 166-03-20	91-06-00	790.94	790.79	790.44
RT 158-12-20	90-46-00	824.68	824.61	824.23

PT
83

PIT NO. 30
" " 29
" " 28
" " 27

BUNKER NO. 6 NW END
" " NE COR
" " CENTER
" " SE COR
" " SW END

PIT NO. 32
" " 16
" " 17
" " 18
" " 59

BUNKER NO. 8 SW END
" " NW END
" " NE COR
" " SE COR

PIT NO. 37
" " 36
" " 19

103

7-06-94

T L. PETERSON

CA C. ANDERSON

WWD

72°

RUST. INF.,
TOOELE NORTH DEPOT
AED AREA

(CONTINUED FROM SURVEY
BOOK NO. 11)

	SAME SIGHT				
HORIZ ∠	V ∠	COM	H.D.	SEA LEVEL DIST
RT 147-14-30	90-06-30	729.89	729.89	729.56
RT 149-54-40	90-10-30	764.60	764.60	764.25
RT 154-28-25	90-19-00	778-53	778.52	778.17
RT 167-21-15	90-41-00	735.12	735.07	734.74
RT 162-43-25	91-04-00	657.72	657.61	657.31
RT 157-16-35	90-44-30	709.84	709.78	709.46
RT 160-45-15	91-09-00	607.63	607.51	607.23
RT 153-21-20	90-42-10	620.39	620.34	620.06
RT 153-13-50	90-41-10	560.98	560.94	560.69
RT 150-51-30	90-25-40	487.46	487.45	487.23
RT 147-03-10	90-16-00	662.89	662.89	662.59
RT 144-42-30	90-09-00	603.64	603.64	603.37
RT				

BUNKER NO. 7 - SO END
" " " 7 WEST
" " " 7
" " " 7 N. END
PIT NO. 20
" " 21
" " 38
" " 22
" " 25
" " 26
" " 23
" " 24

TO 40-1 SIGHT
40-2
∠'S RT. 177-58-10 } 177-58-06
355-56-15 }
V∠ 88-33-10
EOM 1088.22 }
1088.23 } 1088.23
1088.23 }
ND. 1087.88 S.L.O. 1087.39
TO 40-3

TO 40-3 SIGHT
40-1
∠'S RT 179-09-30 } 179-09-35
358-19-10 }
V∠ 89-17-10
EOM 1603.17 }
1603.16 } 1603.15
1603.11 }
IND 1603.02 S.L.O. 1602.43
TO 40-4

TO WKPT 40-4
SIGHT 40-3.
∠'S RT 97-12-15 } 97-12-15
194-24-30 }
V∠ 92-01-10
EOM 998.87 }
998.89 } 998.89
998.90 }
IND 998.27 S.L.O. 997.82
TO 40-5

7-7-94

TT L. PETERSON

CH C. ANDERSEN

SUNNY 68°

RUST INF.

TOOELE NORTH. DEPOT

AT @ N-140-93
SIGHT N-137-90
4's RT 52-13-10
104-26-20
V4 88-19-40
EOM 5219.66 } 5219.67
5219.67
5219.68 }
ND. 5217.45 S.L.D. 5215.10
TO 40-6

AT @ 40-6 SIGHT
N-140-93
4's LT 177-58-15 } 177-58-02
355-56-45 }
V4 87-11-00
EOM 2988.83 }
2988.89 } 2988.87
2988.88 }
ND 2985.26 S.L.D. 2983.92
TO 40-7 BY H_2O TONIC

AT @ 40-7 SIGHT 40-6
4's LT 123-51-40 } 123-51-40
247-43-20 }
V4 89-29-30
EOM 5469.19 } 5469.10
5469.01 }
ND. 5468.88 S.L.D. 5466.42
TO 40-8

AT @ 40-8 SIGHT 40-7
4's LT 161-19-00 } 161-19-00
322-38-00 }
V4 90-25-50
EOM 1529.99 }
1529.99 } 1529.99
1529.99 }
H.D. 1529.96 S.L.D. 1529.27
TO 40-9

AT @ 40-9 SIGHT 40-8
#'S LT 178-07-45 } 178-07-30
356-15-00 }
V# 90-54-50
EOM 1070.18 }
1070.17 } 1070.17
1070.17 }
ND 1070.03 S.L.O. 1069.55
TO 40-4

AT @ 40-04 SIGHT 40-9
#'S LT 81-47-10 } 81-47-15
163-34-30 }
USE PREVIOUS
DIST. = 4 TO 5

AT @ 40-5 SIGHT 40-4
#'S LT 173-17-00 } 173-16-45
346-33-30 }
V# 90-38-30
EOM 2487.09 }
2487.06 } 2487.08
2487.09 }
ND 2484.44 S.L.O. 2483.32
TO 40-10

AT @ 40-10 SIGHT 40-5
#'S LT 102-40-50 } 102-40-55
205-21-50 }
V# 89-52-30
EOM 3391.55 }
3391.64 } 3391.61
3391.65 }
ND 3391.60 S.L.O. 390.07
TO 40-11

T@ 40-11 SIGHT 40-10

∠'S LT	212-29-30	212-29-25
	64-58-50	
VA	90-26-00	
EDM	3478.28	3478.25
	3478.22	
	3478.25	
ND	3478.15	S.L.D. 3476.59

TO 40-12

T@ 40-12 SIGHT 40-11

∠'S LT	215-28-00	215-28.00
	70-56-00	
VA	91-37-30	
EDM	5472.24	5472.24
	5472.24	
	5472.24	
ND	5470.04	S.L.D. 5467.58

TO N-140-93

32,099.38

T@ N-140-93 SIGHT 40-12

∠'S LT	13-00-50	13-00-50
	26-01-40	

TO 40-6 TO CLOSE TRAVERSE

S.D. M.H.
-11.35-
FROM RIM OF MH
TO BOTTOM OF
BOX CULV.

8-09-94
T.L. PETERSON
CH. B. MANNING.
75°
WINDY & CLOUDY

RUST / INFRASTRUCTURE
TOOKE NORTH OF PT
SEP 2250

T@ NB-1 SIGHT

WELL N-140-93

∠'S LT 165-43-00 } 165-42-58
331-25-56 }

V∠ 87-05-00

EDM: 2093.85 }
2093.84 } 2093.85
2093.85 }

HO. 2091.14 S.L.D. 2090.20

TO. NB-2

T@ NB-2 SIGHT NB-1


∠'S LT 69-42-55 } 69-42-48
139-25-35 }

V∠ 90-14-36

EDM 4218.82 }
4218.76 } 4218.81
4218.85 }


HO. 4218.77 S.L.D. 4216.88

TO U.S.G.S "SOUTH



TO NB-2 SIGHT NB-1

HORIZ ∠	V∠	EDM	N.D.	SEA LEVEL DIST
RT 81-38-30	96-05-00	84.08	83.61	83.57
RT 79-29-30	93-35-00	194.89	194.51	194.42
RT 78-48-30	92-42-20	220.33	220.08	219.98
RT 88-06-50	92-59-00	235.64	235.32	235.21
RT 62-11-10	93-00-20	303.46	303.04	302.91
RT 58-50-55	93-06-00	225.21	224.88	224.78
RT 38-30-15	93-30-30	254.72	254.24	254.13
RT 19-26-00	92-16-00	284.41	284.19	284.06
RT 20-40-10	92-10-00	298.00	297.79	297.65
RT 67-13-40	91-45-00	421.88	421.68	421.49
RT 107-54-00	90-09-00	284.88	284.88	284.75
RT 104-02-30	87-31-00	115.61	115.50	115.45
RT 53-55-30	94-19-30	65.26	65.07	65.04
RT 29-18-00	92-22-30	250.92	250.70	250.59
LT 18-09-30	94-32-00	205.53	204.89	204.79
LT 18-02-00	94-06-00	329.42	328.58	328.43
LT 37-22-10	94-04-30	271.32	270.63	270.51
LT 53-36-40	91-49-30	643.35	643.02	642.73
LT 85-37-30	90-16-30	932.09	932.08	931.66
LT 149-59-20	88-40-00	442.68	442.56	442.36



AC USGS "SOUTH SIGHT NB-2

4'S LT 159-00-00
317-59-50 } 158-59-35

VA 90-28-30

EOM 3965.43
3965.47
3965.44 } 3965.45

HO 3965.31 S.L.D. 3963.51

TO NB-3.

AC USGS "SOUTH" SIGHT NB-3

HOR ANGLES	VA	EOM	N.D.	SEA LEVEL DIST.
LT 52-14-50	90-02-30	816.32	815.32	814.95
LT 55-08-45	89-48-30	827.98	827.97	827.60
LT 56-52-30	89-44-30	840.59	840.58	840.20
LT 55-30-30	89-47-30	847.94	847.93	847.55
LT 55-54-10	89-44-00	865.31	865.30	864.91
LT 54-11-00	89-43-30	871.67	871.66	871.27
LT 53-03-20	89-44-40	887.87	887.86	887.46
LT 51-35-00	89-42-00	922.17	922.16	921.74
LT 49-18-26	89-45-00	1207.91	1207.90	1207.36
LT 62-25-00	89-30-00	902.73	902.69	902.29
LT 71-49.40	8859-00	856.71	856.58	856.19

TO

FIRING POINT PIT 02
" " " 04
" " " 01
" " " 05
" " " 03

OBSERVATIONAL NO. 02
" " 03
" " 01

FIRING POINT PIT 15

FIRING PT. CONC. BLOCK

SEC. COR $\frac{5}{8}$ 19

8-11-94

PT L. PETERSON
CH B. MANNING
75°
BREEZY CLEAR

RUST INF.
TOGGLE NORTH.
PIT AREA.

AT @ NB-3 SIGHT USGS SOUTH

∠'S LT 129-44-30
359-28-30 } 129-44-15

V∠ 90-44-30

EDM 4136.97
4136.97 } 4136.97
4136.97

ND 4136.62 S.L.D. 4134.76

TO 40-6 REBAR & CAP

AT @ 40-6 SIGHT NB-3

∠'S LT 93-42-50
187-25-50 } 93-42-55

TO WELL N-140-93

AT @ WELL N-140-93
SIGHT 40-6

∠'S LT 102-08-00
204-16-05 } 102-08-03

V∠ 88-41-00


EDM 6523.19
6523.21 } 6523.20

HD 6521.48 S.L.D. 6518.55


TO NB-1

AE NB-3 SIGHT TO 40-6 (REBAR)

	Horiz ∠	V ∠	EDM	H.D.	SEA LEVEL DIST.
LT	78-01-50	90-38-00	319.51	319.49	319.35
LT	88-32-05	96-47-30	246.46	246.44	246.32
LT	151-01-40	91-04-05	182.61	182.58	182.50
LT	168-57-00	90-27-30	355.77	355.76	355.60
LT	173-02-00	90-26-10	415.40	415.39	415.20
LT	183-46-30	90-49-00	356.52	356.49	356.32
LT	230-21-10	93-34-30	122.76	122.52	122.47
LT	159-00-30	89-00-00	1794.83	1794.56	1793.75
LT	125-12-50	88-57-30	2121.60	2121.25	2120.30



D. RANGE



TRAVERSE DIAGRAMS

TRAVERSE TO AED AREA.

HOLGUIN AND ASSOCIATES, INC
EL PASO, TEXAS 79912
U.S.A
TEL - (915)-581-1171

DATE 11/08/94 BALANCED TRAVERSE PAGE 0001

BEARING	DISTANCE	N COORD	E COORD	PT#
		795974.420	1743466.157	
S 65 45 21 W	5215.054	793832.989	1738711.047	169
S 67 46 59 W	2983.952	792704.716	1735948.626	170
N 56 04 44 W	5466.501	795755.310	1731412.493	171
N 37 23 45 W	1529.290	796970.270	1730483.730	172
N 35 31 15 W	1069.564	797840.793	1729862.316	173
N 62 41 30 E	997.810	798298.569	1730748.920	174
N 69 24 45 E	2483.293	799171.789	1733073.620	175
S 33 16 06 E	3390.028	796337.353	1734933.259	176
S 65 45 33 E	3476.537	794909.979	1738103.262	177
N 78 46 25 E	5467.511	795974.420	1743466.157	178

AREA IS 26848038.485

HOLGUIN AND ASSOCIATES, INC
EL PASO, TEXAS 79912
U.S.A
TEL - (915)-581-1171

ATE 11/08/94 UNBALANCED TRAVERSE PAGE 0001

BEARING	DISTANCE	N COORD	E COORD	PT#
		795974.420	1743466.157	
S 65 45 19 W	5215.000	793832.959	1738711.120	169
S 67 46 57 W	2983.920	792704.669	1735948.741	170
N 56 04 43 W	5466.420	795755.232	1731412.684	171
N 37 23 43 W	1529.270	796970.183	1730483.942	172
N 35 31 13 W	1069.550	797840.700	1729862.543	173
N 62 41 32 E	997.820	798298.470	1730749.161	174
N 69 24 47 E	2483.320	799171.676	1733073.896	175
S 33 16 08 E	3390.070	796337.220	1734933.583	176
S 65 45 33 E	3476.590	794909.826	1738103.634	177
N 78 46 27 E	5467.580	795974.236	1743466.605	178

ANGULAR ERROR IS - 18 SECONDS OR - 1.80 SECONDS PER ANGLE
ERROR .184 N AND - .448 E OR 1 PART IN 66162.546
EFORE ANGLES ARE BALANCED
O ANGLE BALANCE REQUIRED
DISTANCE ERROR WITHIN ACCEPTABLE LIMITS

TRAVERSE TO OLD BURN AREA, CHEM RANGE AND NEW TRENCH AREA

HOLGUIN AND ASSOCIATES, INC
EL PASO, TEXAS 79912
U.S.A
TEL - (915)-581-1171

DATE 09/08/94 BALANCED TRAVERSE PAGE 0001

BEARING	DISTANCE	N COORD	E COORD	PT#	
		795974.420	1743466.157	3	
S 36 23 04 E	6518.394	790726.763	1747332.881	17	NB-1
S 22 06 01 E	2090.101	788790.227	1748119.232	18	NB-2
S 88 11 46 W	4216.594	788657.487	1743904.729	19	U.S.G.S. SOUTH.
N 70 48 05 W	3963.366	789960.808	1740161.785	20	NB-3
N 20 32 22 W	4134.967	793832.920	1738711.028	21	40-6.

HOLGUIN AND ASSOCIATES, INC
EL PASO, TEXAS 79912
U.S.A
TEL - (915)-581-1171

DATE 09/08/94 UNBALANCED TRAVERSE PAGE 0001

BEARING	DISTANCE	N COORD	E COORD	PT#
		795974.420	1743466.157	
S 36 22 44 E	6518.550	790726.255	1747332.454	17
S 22 05 42 E	2090.200	788789.556	1748118.669	18
S 88 11 30 W	4216.880	788656.488	1743903.889	19
N 70 48 25 W	3963.510	789959.500	1740160.686	20
N 20 32 40 W	4134.760	793831.291	1738709.659	21

ANGULAR ERROR IS 54 SECONDS OR 9.00 SECONDS PER ANGLE
ERROR 1.629 N AND 1.369 E OR 1 PART IN 9828.145
BEFORE ANGLES ARE BALANCED
NO ANGLE BALANCE REQUIRED
DISTANCE ERROR WITHIN ACCEPTABLE LIMITS

APPENDIX F

GEOPHYSICAL SURVEY METHODOLOGY AND RESULTS

AUG 1 2 1994

FINAL REPORT

DANS® GEOPHYSICAL SURVEY

TOOELE ARMY DEPOT (NORTH)

TOOELE, UTAH

Submitted to:

Rust Environment and Infrastructure, Inc.
15 Brendan Way
Greenville, South Carolina

Prepared by:

EODT Services, Inc.
10511 Hardin Valley Road
Knoxville , Tennessee

August 1994

TABLE OF CONTENTS

SECTION			PAGE
1.0	INTRODUCTION		1
	1.1	Description of Work	1
	1.2	Geophysical Surveys	1
	1.3	Personnel and Equipment	1
	1.4	Site Specific Safety and Health Plan (SSHP)	1
	1.5	Final Report	1
	1.6	Report Documents	1
2.0	DESCRIPTION OF THE SURVEY AREAS		2
	2.1	General	2
	2.2	Chemical Range (SWMU - 7)	2
	2.3	Firing Point	3
	2.4	Bullet Stop	3
	2.5	Newly Discovered Trench	3
3.0	GEOPHYSICAL SURVEY ACTIVITIES		3
	3.1	General	3
	3.2	Firing Point	3
	3.3	Bullet Stop	4
	3.4	Newly Discovered Trench	4
4.0	INTERPRETATION OF SURVEY RESULTS		4
	4.1	Firing Point	4
		4.1.1 EM-31 Data Analysis	4
		4.1.2 Schonstedt GA-72 Data Analysis	4
	4.2	Bullet Stop	5
	4.3	Newly Discovered Trench	5
		4.3.1 EM-31 Data Analysis	5
		4.3.2 Schonstedt GA-72 Data Analysis	5
5.0	RECOMMENDATIONS		6

APPENDIX

Appendix 1 . . . . . Firing Point-Survey Results

Appendix 2 . . . . . Bullet Stop-Survey Results

Appendix 3 . . . . . Newly Discovered Trench-Survey Results

Appendix 4 . . . . . Data Acquisition and Navigational System (DANS)

1.0 INTRODUCTION

EODT Services, Inc. (EODT-S) of Knoxville, Tennessee was issued a Task Order from Rust Environmental and Infrastructure, Inc., number 000302 dated April 13, 1994 in support of US Army contract number DAAA15-90-D-0007 Tooele Army Depot - North. EODT-S was tasked to deliver Data Acquisition and Navigation System (DANS®) Geophysical Services as follows:

1.1 Description of Work

Geophysical survey activities will be conducted at the Chemical Range site located at the Tooele Depot North and further identified as Solid Waste Management Unit (SWMU) 7. Three separate sites identified as Firing Point, Bullet Stop and Newly Discovered Trench area located within the Chemical Range area will be surveyed. Anomalous areas will be evaluated and a written interpretation of the results of these evaluation will be included in the Final Report. Information obtained from the surveys will be used to select sampling locations and support unexploded ordnance (UXO) operations.

1.2 Geophysical Surveys

Surveys shall be performed utilizing the DANS sensors, a multicomponent geophysical mapping and surveying system that can be structured to meet the needs of a particular site. The DANS is made up of sensors, positioning systems, and survey protocols established by EODT-S and proven effective for detecting subsurface anomalies. A complete description of DANS equipment and survey protocols is provided in Appendix 4.

1.3 Personnel and Equipment

EODT-S will provide all supervision, labor, material, equipment, tools, utilities, facilities, insurance, and services necessary to perform the work. Work will be performed in Level D Personal Protection Equipment (PPE).

1.4 Site Specific Safety and Health Plan (SSHP)

EODT-S will adhere to the Rust SSHP for on-site operations.

1.5 Final Report

A Final report will be prepared to evaluate and interpret survey data from each site. The Report shall contain maps, tables and/or other reproducible graphic devices on which the geophysical data from each site has been plotted or tabulated.

1.6 Report Documents

This report documents the DANS® Geophysical Survey conducted at the Tooele Depot North,

Tooele, Utah. Surveys were conducted from June 6 - 29, 1994.

During this period, surveys were conducted on twenty-three (23) grids (each grid measuring approximately 200' X 200') at the Firing Point area, four (4) grids at the Bullet Stop area and twenty-six (26) grids at the Newly Discovered Trench area. These three (3) areas are located within the Chemical Range identified as SWMU 7. This report reflects the survey coverage for each of the survey grids and documents the anomalies detected in these areas.

2.0 DESCRIPTION OF THE SURVEY AREAS

2.1 General

Tooele Army Depot - North (TEAD-N) occupies 24,700 acres of land along US Highway 36 to the south and Highway 199 to the west and north. Salt Lake City, Utah is located approximately 35 miles northeast of TEAD-N and Grantsville, Utah is located 2 miles north of the northwestern corner of TEAD-N.

The area surrounding TEAD-N exhibits typical basin and range topography with fault block mountain ranges primarily treading north - south and separated by wide, nearly level valleys. Tooele Valley is bordered to the east by the Oquirrh Mountains, to the west by the Stansbury Mountains, and to the southern end of the valley by South Mountain. The northern end of Tooele Valley opens up into the Great Salt Lake.

TEAD-N was established in 1942 for the storage of World War II supplies, munitions and vehicles. Over the years, TEAD-N has steadily grown, absorbing responsibilities of other army facilities. TEAD-N is one of the major ammunition storage and equipment maintenance installations in the United States. TEAD-N currently employs approximately 4,000 people, primarily civilians, and is the major employer in Tooele Valley.

TEAD-N has been used as a testing ground for ammunition since its purchase in 1942. A wide assortment of munitions and ordnance have been tested at TEAD-N, including propellants, mines, ammunition, cartridge cases, artillery projectiles, mortar rounds, grenades, bombs, boosters, and rockets.

Primary TEAD-N activities include the storage, surveillance, maintenance, renovation and demilitarization of ammunition and the storage, maintenance, and repair of combat vehicles and equipment. TEAD-N has also performed guided missile repair and retreading of tires.

2.2 Chemical Range (SWMU - 7)

Chemical Range (SWMU - 7) is located in the southwest corner of TEAD-N area. This range was used for the testing and disposal of munitions including riot control agents, smoke pots, projectiles, and incendiary items such as bombs, pouch and document destroyers, and flame

thrower igniters.

2.3 Firing Point

The Firing Point site is located in the southeast corner of the Chemical Range area just north of the TEAD-N south boundary road. The Firing Point was the initiation point for all ground launched/fired munitions tested on the range.

2.4 Bullet Stop

The Bullet Stop is a berm located at approximately the half-way point of the Chemical Range impact area. The Bullet Stop is down range (northwest) of the Firing Point.

2.5 Newly Discovered Trench

This trench, discovered by Rust personnel, is located directly north of the Bullet Stop. The trench is not considered part of the Chemical Range impact area.

3.0 GEOPHYSICAL SURVEY ACTIVITIES

3.1 General

Pursuant to the information provided by Rust, operational sites were established adjacent to each survey site. A grid baseline for each survey site was established utilizing the DANS® GeoDAPS® Differential Global Positioning System (DGPS). The survey was conducted using the EM-31 conductivity meter. Additionally, selected grids within the Firing Point and Newly Discovered Trench areas were surveyed with the Schonstedt GA-72 magnetic locator. The GeoDAPS® DGPS was used to establish precise data points during the survey.

3.2 Firing Point

A DANS® Geophysical Survey of twenty-three (23) grids was conducted utilizing the EM-31 Conductivity meter in conjunction with GeoDAPS® DGPS. The surveys were conducted in accordance with DANS® Survey Protocol, specifically one (1) pass over each grid using ten (10) ft. sweep lanes. DANS® Survey Protocols are provided in Appendix 4, Section 2.0. A consolidated Grid Identification which documents the area covered is provided in Appendix 1, Figure 1.

At the request of RUST personnel, a second survey of two (2) grids previously surveyed was conducted utilizing the Schonstedt GA-72 magnetic locator in conjunction with the GeoDAPS® DGPS. The survey was conducted in accordance with DANS® Survey Protocol. Specifically one (1) pass over each grid using five (5) foot sweep lanes. A consolidated Track Map which documents the area covered is provided in Appendix 1, Figure 2.

3.3 Bullet Stop

A DANS® Geophysical Survey of four (4) grids was conducted utilizing the EM-31 Conductivity meter in conjunction with GeoDAPS® DGPS. The survey was conducted in accordance with DANS® Survey Protocol. A consolidated Grid Identification Map which documents the area covered is provided in Appendix 2, Figure 1.

3.4 Newly Discovered Trench

A DANS® Geophysical Survey of twenty-six (26) grids was conducted utilizing the EM-31 Conductivity meter in conjunction with GeoDAPS® DGPS. The survey was conducted in accordance with DANS® Survey Protocol. A consolidated Grid Identification Map which documents the area covered is provided in Appendix 3, Figure 1.

At the request of RUST personnel, a second survey of two (2) grids, of the previously surveyed site, was conducted utilizing the Schonstedt GA-72 magnetic locator in conjunction with GeoDAPS® DGPS. The survey was conducted in accordance with DANS® Survey Protocol. A consolidated Track Map which documents the area surveyed is provided in Appendix 3, Figure 2.

4.0 INTERPRETATION OF SURVEY RESULTS

4.1 Firing Point

4.1.1 EM-31 Data Analysis - Data collected during the sweep of the twenty-three (23) grids at the Firing Point site was analyzed to Subsurface Anomaly Analysis Technique (SAAT) Level II. DANS SAAT Levels and definitions are provided in Appendix 4, Section 3.0. A consolidated multi-level contour map which shows the intensity of the sensor readings above background that can be identified as anomalies for In-Phase is provided in Appendix 1, Figure 3. Appendix 1, Figure 4 reflects the consolidated multi-level contour map for the Quadrature-phase of the EM-31. Color key tables for the In-Phase and the Quadrature-Phase which correlate the intensity level of the sensor to the multi-level contour maps are provided in Appendix 1, Figures 5 and 6 respectfully. Analysis of the data collected indicates three (3) Areas of Interest (AOI) for the In-phase survey as depicted in Appendix 1, Figure 7, Consolidated In-Phase Anomaly Location Map. In-Phase anomalies are identified in Appendix 1, Figure 8, In-Phase Anomaly Identification Chart. For the Quadrature-phase, three (3) anomalies are identified as depicted in Appendix 1, Figure 9, Consolidated Quad Anomaly Location Map. Quadrature-phase anomalies are identified in Appendix 1, Figure 10, Quad Anomaly Identification Chart. Suspect anomalies should be considered for future investigation.

4.1.2 Schonstedt GA-72 Data Analysis - Data obtained during the magnetometer sweep of two (2) grids at the Firing Point site was analyzed to Subsurface Anomaly Analysis Technique (SAAT) Level II. A consolidated multi-level contour map which shows the intensity of sensor

readings above background that can be identified as anomalies is provided in Appendix 1, Figure 11. A color key table which correlates the intensity level of the sensor to the multi-level contour map is provided as Appendix 1, Figure 12. Analysis of the data collected indicates six (6) Areas of Interest (AOI). Appendix 1, Figure 13, the Anomaly Location Map, identifies the location of these AOI. Known anomalies are identified in Appendix 1, Figure 14, the Anomaly Identification Chart. Unidentified anomalies should be considered for future investigation.

4.2 Bullet Stop

Data collected during the sweep of the four (4) grids at the Bullet Stop site was analyzed to Subsurface Anomaly Analysis Technique (SAAT) Level II. A consolidated multi-level contour map that shows the intensity of the sensor readings above background that can be identified as anomalies for In-Phase is provided in Appendix 2, Figure 2. Appendix 2, Figure 3 reflects the consolidated multi-level contour map for the Quadrature-phase of the EM-31. Color key tables for the In-Phase and the Quadrature-Phase which correlates the intensity level of the sensor to the multi-level contour maps are provided in Appendix 2, Figures 4 and 5 respectfully. Analysis of the data collected indicates no Areas of Interest (AOI) for the phase or quad survey.

4.3 Newly Discovered Trench

4.3.1 EM-31 Data Analysis - EM-31 data collected during the sweep of the twenty-six (26) grids at the Newly Discovered Trench site was analyzed to Subsurface Anomaly Analysis Technique (SAAT) Level II. A consolidated multi-level contour map that shows the intensity of the sensor readings above background that can be identified as anomalies for In-Phase is provided in Appendix 3, Figure 3. Appendix 3, Figure 4 reflects the consolidated multi-level contour map for the Quadrature-phase of the EM-31. Color key tables for the In-Phase and the Quadrature-Phase which correlates the intensity level of the sensor to the multi-level contour maps are provided in Appendix 3, Figures 5 and 6 respectfully. Analysis of data collected during both the phase and quad survey identifies one large area of interest (AOI). The size and shape of the AOI would indicate a large burial trench. Further detailed analysis, including magnetometer sweep, revealed no suspicious anomalies located within the suspect area. It is therefore concluded, based on detailed analysis and corporate experience, that both Phase and Quad sensors indicated a trench due to the type and disturbance of the soil. All indications are that this area is the result of backfilling operations.

4.3.2 Schonstedt GA-72 Data Analysis - Data obtained during the magnetometer sweep of the two (2) grids at the Newly Discovered Trench site was analyzed to Subsurface Anomaly Analysis Technique (SAAT) Level II. A multi-level contour map which shows the intensity of sensor readings above background that can be identified as anomalies is provided in Appendix 3 Figure 7. A color key table which correlates the intensity level of the sensor to the multi-level contour map is provided as Appendix 3, Figure 8. Analysis of the data collected indicates no areas of interest.

5.0 Recommendations

Unidentified anomalies indicate the possibility of subsurface hazardous ordnance. It is recommended that these unidentified anomalies be investigated further. It is suggested that each anomaly be re-surveyed in accordance with the DANS High Resolution Protocol and analyzed to SAAT Level IV. This level of investigation/analysis will provide information necessary to identify volume and depth of suspect anomalies.

APPENDIX 1

FIRING POINT SURVEY RESULTS

APPENDIX 1

FIGURE

Figure 1 ..... Consolidated Grid Identification Map

Figure 2 ..... Consolidated Mag Track Map

Figure 3 ..... Consolidated Phase Multi-Level Contour Map

Figure 4 ..... Consolidated Quad Multi-Level Contour Map

Figure 5 ..... Phase Color Key Tables

Figure 6 ..... Quad Color Key Tables

Figure 7 ..... Consolidated Phase Anomaly Location Map

Figure 8 ..... Phase Anomaly Identification Chart

Figure 9 ..... Consolidated Quad Anomaly Location Maps


Figure 10 ..... Quad Anomaly Identification Chart

Figure 11 ..... Consolidated Mag Multi-Level Contour Map

Figure 12 ..... Color Key Table Mag

Figure 13 ..... Mag Anomaly Location Map


Figure 14 ..... Mag Anomaly Identification Chart



TOOELE NORTH SITE FP

Figure 1

TRACK MAP



TOOELE NORTH SITE FP (MAG)

Figure 2





Figure 3

TOOELE NORTH SITE FP (PHASE)



TOOELE NORTH SITE FP (QUAD)

Figure 4

IN-PHASE COLOR KEY


Signal Level	Color
-20 - Down	Red
-15 - -20	Yellow
-10 - -15	Magenta
-5 - -10	Blue
-5 - +5	Green
+5 - +10	Blue
+10 - +15	Magenta
+15 - +20	Yellow
+20 - Up	Red

FIGURE 5

QUAD COLOR KEY

Signal Level	Color
-20 - 0	Black
0 - 5	Green
5 - 10	Blue
10 - 15	Magenta
15 - 20	Yellow
20 - Up	Red

FIGURE 6




TOOELE NORTH SITE FP (PHASE)

Figure 7

PHASE ANOMALY ID CHART

Anomaly Number	Anomaly Description
1	Unknown
2	Unknown
3	Large Metal Test Stand

Figure 8




TOOELE NORTH SITE FP (QUAD)

Figure 9

QUAD ANOMALY ID CHART

Anomaly Number	Anomaly Description
1	Unknown
2	Unknown
3	Large Metal Test Stand

Figure 10



TOOELE NORTH
SITE FP (MAG)


Figure 11

MAGNETOMETER COLOR KEY

Signal Level	Color
0 - 100	Green
100 - 200	Blue
200 - 300	Magenta
300 - 400	Yellow
400 - Up	Red

FIGURE 12

ANOMALY LOCATION MAP



TOOELE NORTH SITE FP (MAG)

Figure 13

MAG ANOMALY ID CHART

Anomaly Number	Anomaly Description
1	Metal Pole
2	Foundation
3	Unknown
4	Unknown
5	Unknown
6	Metal Frame

Figure 14

APPENDIX 2

BULLET STOP SURVEY RESULTS

APPENDIX 2

FIGURE

Figure 1 ..... Consolidated Grid Identification Map

Figure 2 ..... Consolidated Phase Multi-Level Contour Map

Figure 3 ..... Consolidated Quad Multi-Level Contour Map

Figure 4 ..... Phase Color Key Tables

Figure 5 ..... Quad Color Key Tables






Figure 1



TOOELE NORTH
SITE BS (PHASE)

Figure 2



TOOELE NORTH
SITE BS (QUAD)

Figure 3

IN-PHASE COLOR KEY

Signal Level	Color
-20 - Down	Red
-15 - -20	Yellow
-10 - -15	Magenta
-5 - -10	Blue
-5 - +5	Green
+5 - +10	Blue
+10 - +15	Magenta
+15 - +20	Yellow
+20 - Up	Red

FIGURE 4

QUAD COLOR KEY

Signal Level	Color
-20 - 0	Black
0 - 5	Green
5 - 10	Blue
10 - 15	Magenta
15 - 20	Yellow
20 - Up	Red

FIGURE 5

APPENDIX 3

NEWLY DISCOVERED TRENCH SURVEY RESULTS

APPENDIX 3

FIGURE

Figure 1 ..... Consolidated Grid Identification Map

Figure 2 ..... Consolidated Mag Track Map

Figure 3 ..... Consolidated Phase Multi-Level Contour Map

Figure 4 ..... Consolidated Quad Multi-Level Contour Map

Figure 5 ..... Phase Color Key Tables

Figure 6 ..... Quad Color Key Tables

Figure 7 ..... Consolidated Mag Multi-Level Contour Map

Figure 8 ..... Mag Color Key Table

Figure 1




B3 C3 D3 E3 F3 G3 H3 I3
A2 B2 C2 D2 E2 F2 G2 H2 I2
A1 B1 C1 D1 E1 F1 G1 H1 I1
TOOELE NORTH SITE NDT

Figure 2

TRACK MAP



NORTH TOOELE
SITE NDT (MAG)



TOOELE NORTH SITE NDT (PHASE)
3342800.00
3342600.00
3342400.00
3342200.00
3342000.00
3341800.00
1379400.00
1379800.00
1380200.00
1380600.00
1381000.00

Figure 3



TOOELE NORTH SITE NDT (QUAD)
3342800.00
3342600.00
3342400.00
3342200.00
3342000.00
3341800.00
1379400.00
1379800.00
1380200.00
1380600.00
1381000.00

Figure 4

IN-PHASE COLOR KEY

Signal Level	Color
-20 - Down	Red
-15 - -20	Yellow
-10 - -15	Magenta
-5 - -10	Blue
-5 - +5	Green
+5 - +10	Blue
+10 - +15	Magenta
+15 - +20	Yellow
+20 - Up	Red


FIGURE 5

QUAD COLOR KEY

Signal Level	Color
-20 - 0	Black
0 - 5	Green
5 - 10	Blue
10 - 15	Magenta
15 - 20	Yellow
20 - Up	Red

FIGURE 6

Figure 7



NORTH TOOELE
SITE NDT (MAG)

MAGNETOMETER COLOR KEY

Signal Level	Color
0 - 100	Green
100 - 200	Blue
200 - 300	Magenta
300 - 400	Yellow
400 - Up	Red

FIGURE 8

APPENDIX 4

DANS DESCRIPTION

DANS DESCRIPTION

TABLE OF CONTENTS

Section		Page
1.0	DANS DESCRIPTION	1
2.0	DANS PROTOCOLS	4
3.0	SUBSURFACE ANOMALY ANALYSIS TECHNIQUE (SAAT)	6
4.0	LEVEL OF SUCCESS ACHIEVED AND QA/QC PARAMETERS	6
5.0	SUMMARY	7

1.0 DANS DESCRIPTION

1.1 General. EODT-S personnel use the Data Acquisition and Navigation System (DANS) for geophysical surveying. **This is a multi-component system that can be configured to meet the particular needs of the client.** The system consists of sensing units, data acquisition and navigation units, a computer processing unit, and software specially developed to correlate all field survey data and then integrate the data into a Geographic Information System (GIS) to produce an accurate historical record of field survey activities. This system enables EODT-S to provide our clients with "before" and "after" geophysical, multi-colored, computer generated maps of an entire site. When used before any intrusive activities, it is an outstanding tool for evaluating the extent of subsurface anomalies. This system will survey an entire site, locate and identify any burial trenches/pits, disposal sites or potential subsurface UXO contamination. It can also be utilized for locating underground storage tanks (UST), underground utilities, and non-ferrous bearing trenches and pits. The system has adjustable threshold limits to eliminate background distortions such as soil bearing ferrous oxides, small pieces of fragmentation, or small arms ammunition.

1.2 Advantages of DANS. DANS can be used in any terrain. It will provide a quick survey of a large area in LESS TIME and at a LOWER COST then other methods. The sensing and transmitting unit can be one man portable or it can be mounted on an All Terrain Vehicle (ATV) for large open areas or robot mounted for toxic environments. The system will provide real time graphic output of all survey activities. Other advantages provided by DANS are:

- Real time surveys.
- Automatic data acquisition and location of survey data.
- Collection of several thousand data points per hour depending on configuration of the system.
- Automatic recording and display of all data points.
- Subsequent analysis of data on PC to discriminate between ordnance contacts and non-ordnance contacts.
- Contour map of area.
- Three-dimension display.
- The system can be used in any terrain.
- Eliminates the "human factor".
- Interface with numerous types of sensors.
- Interface into GIS.

1.3 Description of Equipment

1.3.1 DANS Sensor Units

DANS can be integrated with a variety of instrumentation for the detection and mapping of subsurface anomalies to provide the best data for interpretation. Instruments such as the EM-31 Terrain Conductivity Meter, the Whites SL-90, and various other instruments utilized to detect

unexploded ordnance (UXO) can be interfaced with DANS. This system can also be utilized for locating underground storage tanks (UST), underground utilities, and non-ferrous bearing trenches and pits.

1.3.1.1 EM-31 Terrain Conductivity Meter - The EM-31 measures an induced magnetic field in two components. The first is the quadrature-phase component which gives the terrain conductivity measurement. The second is the inphase component used primarily in the EM-31 for calibration purposes. Measurement of the ground resistivity is in ohm-centimeters.

The basic principle of operation of the EM-31 is that a transmitter coil located at one end of the instrument which induces circular eddy current loops in the earth. Under certain conditions fulfilled in the design of the EM-31 the magnitude of any one of these current loops is directly proportional to the terrain conductivity in the vicinity of that loop. Each one of the current loops generates a magnetic field which is proportional to the value of the current flowing within that loop. A part of the magnetic field from each loop is intercepted by the receiver coil in the other end on the EM-31 and results in an output voltage which is therefore also linearly related to the terrain conductivity. This output signal has been interfaced to the DANS system so that the changes can be correlated to a X, Y location.

1.3.1.2 Schonstedt Model GA-72 Magnetic Locator - The flux-gate magnetometer produced by the Schonstedt Instrument Company utilizes two sensors spaced about 20 inches apart for detecting changes in the earth's magnetic field. The instrument responds to the difference in the magnetic field by producing a change in the frequency emitted from the instrument via a loudspeaker.

The instrument normally idles at an output of approximately 40 Hz and when a difference in the field is detected by the sensors, the output frequency is increased. This output signal has been interfaced to the DANS system so that the changes can be correlated to a X, Y location.

The Schonstedt GA-52B Magnetic Locator has been evaluated and accessed by EODT Services, Inc. in controlled field trials which gave results equivalent to or better than the Forester MK-26.

1.3.2 Dans Navigation Units

DANS can be configured to use different acquisition and navigation systems to provide geophysical mapping surveys. The system that is selected is based on the needs of our client. Navigation systems such as Ultrasonic, Microwave, Sonic, and the Differential Global Positioning System (DGPS) all provide accurate and cost effective support for DANS.

1.3.2.1 UltraSonic Navigation Unit (UNS) - emits a unique ultrasonic signal from the surveyor's Data Pack each second. At precisely the same instant, an RF transmission is sent to the Command Center Computer.

Since RF transmissions travel at essentially the speed-of-light, it can be considered instantaneous when compared to the speed-of-sound. This RF transmission from the Data Pack to the Command Center Computer is used to indicate the start time or (t0) for the ultrasonic signal. Each Stationary Receiver (SR) contains both an ultrasonic receiver and a RF transmitter. If an SR hears a valid ultrasonic signal, it transmits via the RF link between that particular SR and the Command Center a signal indicating that a valid ultrasonic signal has been received. When the Command Center receives this signal, it uses it as the stop signal for that particular SR. In this manner the time required for the sound to travel from the Data Pack to a particular SR location is recorded. As each SR responds to the ultrasonic signal, corresponding stop signals are sent and the distance calculated. From this information the location of the surveyor is established each second.

To accomplish the necessary correlation between the surveyor's location and the magnetometer, the RF start signal is encoded with the data collected during the previous second. As the position is determined each second by the Command Center Computer, a dot is plotted on the computer screen in relation to the Srs that have been placed within the survey grid. The data collected for the second are displayed at the bottom of the computer screen to provide visual feedback as to the data integrity. The plotted position remains on the computer screen while the status line containing the actual data values is updated each second to conserve screen space for plotting of the surveyor's Track Map. At any time during the survey the surveyor may look at the Track Map to determine if there are any area(s) that have been missed, and if so, additional data can be collected for those area(s). Therefore, the surveyor can concentrate on obtaining full coverage of the survey grid in a minimum amount of time.

When adequate data has been collected to characterize the survey grid, the survey can be terminated and the data analyzed. The surveyor can then analyze the data using a variety of different methods to review the survey coverage and identify anomalies or other areas of interest.

1.3.2.2 GeoDAPS® - A unique Differential Global Positioning System (DGPS) used to determine the position of the survey operator. The position of the survey operator is determined in the World Geodetic System 1984 (WGS-84). WGS-84 is a reference datum, or earth model, used by DGPS to locate the position of an GeoDAPS® observer. This datum is based on an ellipsoidal model (GRS-80) of a constant gravity (i.e., geoid) representation of the surface of the earth, determines the position of the survey operator with respect to the WGS-84 datum and expresses this position in latitude, longitude and height above or below the geoid. To convert this position to another system (e.g., a state plane system), the datum and map projection of the coordinate system must be identified. Software supplied with DANS provides the capability to convert from WGS-84 to a number of local systems.

While DANS computes and saves positional information in WGS-84 latitude and longitude, it displays position information in an operator selectable grid coordinate systems.

A DGPS system includes an antenna and a receiver. The DGPS antenna receives signals from orbiting GPS satellites. The receiver processes the received signals and computes the position

of the receiving antenna based on its distance from three or more of the satellites. Many factors affect the accuracy of the resulting position (e.g., clock errors, ionospheric and atmospheric delays). DGPS errors can be reduced by using differential DGPS techniques. If the antenna of a DGPS receiver (i.e., Base Station) is placed at a known location, the difference between the Base Station's actual location and its computed location can be determined. This difference is the net DGPS error, or differential error is calculated by the Base Station Receiver and can be applied as a differential correction to the DGPS solutions obtained at remotely located GPS stations (i.e., remote Stations). This procedure significantly improves the positional accuracy of the Remote Station.

1.3.3 DANS Computer Processing Units/Software

Integration of data developed by survey activities are correlated through standard Personal Computers utilizing specially developed software to produce data tailored to meet the requirements of our clients. These computers and the data developed can be integrated into a Geographic Information System (GIS) to produce an accurate historical record of field survey activities. Processing of the electronic data to produce written documentation is conducted by a Compaq Prolinea 4/33 486 Personal Computer and a Sun Sparc Work Station, to process and analyze the collected data from the survey sites.

1.4 DANS Size and Transportability

DANS is truly one of the more mobile geophysical surveying units of it's kind. It is normally packaged in a 3/4 ton, 15 passenger size Van that has been modified to allow easy access and use. The entire DANS package can be packed into six (6) footlocker size containers for transportation via air. This system was demonstrated for the U. S. Air Force at Hill Air Force Base in May 1993. The system was transported by commercial air and mounted on the seats of a rental van for the demonstration.

2.0 DANS PROTOCOLS

Protocols will vary depending upon configuration of the system and survey requirements. Mobile platforms can easily survey up to 25 acres per day, while man carried portable platforms using the most detailed protocol will survey 1 acre per day.

2.1 EM-31 Terrain Conductivity Meter Protocol

The following protocols were developed for the EM-31 Ground Conductivity Meter utilizing a one man portable backpack system:

SURVEY PROTOCOL: A rapid initial assessment of a cleared area utilizing 10 foot sweep lanes. 4.0 acres per 8 hour day in good open flat terrain, 5.00 acres per 10 hour day, good open flat terrain.

CONFIDENCE LEVEL: Lowest because of the rapid pace of movement. This protocol will identify burial pits, burial trenches, and large ordnance items such as bombs, and large projectiles.

REMEDIATION PROTOCOL: A slower assessment of a cleared area utilizing 10 foot sweep lanes. Two passes over the same area (cross hatch) are made. 4.0 acres per 8 hour day in good open terrain. 5.0 acres per 10 hour day in good open flat terrain.

CONFIDENCE LEVEL: Very good because of the cross hatch. This protocol will identify burial pits, burial trenches, large ordnance items such as bombs, large projectiles and Underground Storage Tanks.

QC PROTOCOL: The slowest assessment of a cleared area utilizing 10 foot sweep lanes. Three passes over the same area are made. 2.0 acres per 8 hour day in good open flat terrain. 3.5 acres per 10 hour day in good open flat terrain.

CONFIDENCE LEVEL: Highest because of the double cross hatch. This protocol will identify burial pits, burial trenches, large ordnance items such as bombs, large projectiles and Underground Storage Tanks.

NOTE: TERRAIN MULTIPLIERS ARE USED TO FIGURE SWEEP RATES IN TERRAIN OTHER THEN THAT IDENTIFIED ABOVE.

2.2 Schonstedt Model GA-72 Protocol

The following protocols were developed for the Schonstedt Model GA-72 Magnetic Locator utilizing a one man portable backpack system:

SURVEY PROTOCOL: A rapid initial assessment of a cleared area utilizing 5 foot sweep lanes. 3.0 acres per 8 hour day in good open flat terrain, 3.75 acres per 10 hour day, good open flat terrain.

CONFIDENCE LEVEL: Lowest because of the rapid pace of movement. This protocol will identify burial pits, burial trenches, and large ordnance items such as bombs, and large projectiles.

REMEDIATION PROTOCOL: A slower assessment of a cleared area utilizing 5 foot sweep lanes. Two passes over the same area (cross hatch) are made. 1.5 acres per 8 hour day in good open terrain. 2.0 acres per 10 hour day in good open flat terrain.

CONFIDENCE LEVEL: Very good because of the cross hatch. This protocol will identify burial pits, burial trenches, large ordnance items such as bombs, large projectiles and smaller ordnance items such as mortars.

QC PROTOCOL: The slowest assessment of a cleared area utilizing 5 foot sweep lanes. Three passes over the same area are made. 1.0 acres per 8 hour day in good open flat terrain. 1.25 acres per 10 hour day in good open flat terrain.

CONFIDENCE LEVEL: Highest because of the double cross hatch. This protocol will identify burial pits, burial trenches, large ordnance items such as bombs, large projectiles and smaller ordnance items such as mortars, grenades and shrapnel.

NOTE: TERRAIN MULTIPLIERS ARE USED TO FIGURE SWEEP RATES IN TERRAIN OTHER THAN THAT IDENTIFIED ABOVE.

3.0 SUBSURFACE ANOMALY ANALYSIS TECHNIQUE (SAAT)

LEVEL I: Field processing providing track maps and multi-level contour maps on a grid by grid basis.

LEVEL II: (A) Post processing providing consolidated multigrid track maps and multi-level contour maps with data files in GIS compatible format.

(B) Post processing providing consolidated feature maps with data files in GIS compatible format.

LEVEL III: (A) Basic analysis and interpretation of data through GIS overlays and simple filters.

(B) Advanced analysis and interpretation of data through data combinations, multi-sensor fusion, coherent filters.

LEVEL IV: High Resolution Anomaly Analysis (HRAA) consists of advanced analysis and interpretation of data through high resolution surveys to estimate size and depth.

LEVEL V: N-SCAN - Threat analysis through identification of compounds/contaminants with advanced sensors (Neutron Probe). (Available Summer 1994).

4.0 LEVEL OF SUCCESS ACHIEVED AND QA/QC PARAMETERS

The level of success achieved by DANS is unequaled in versatility and effectiveness. DANS has been able to accurately locate and quantify subsurface anomalies by depth and volume and will

shortly be able to identify the elemental makeup of the anomaly through SAAT Level V. The DANS technology has been extensively used in support of U.S. Army Corps of Engineers UXO/OEW Characterization Contracts and is accepted technology for geophysical surveying. DANS has no equal for fielded and proven geophysical surveying technology. Intrusive investigations of DANS surveyed sites under U.S. Army Corps of Engineers UXO/OEW Remediation Contracts has validated the effectiveness of the DANS.

Quality Assurance (QA)/Quality Control (QC) Parameters for DANS insure that a high quality, consistent product is produced that accurately profiles subsurface anomalies and provides information for the site characterization of UXO/OEW sites. This product is based on the accuracy of the sensor units, navigation units, data acquisition units, and the processing of data generated. Recording and maintaining data produced from the DANS Geophysical Surveys is the vital link between field survey activities and actual characterization of sites. Detailed procedures have been developed for calibration of both DANS hardware and software.

5.0 SUMMARY

The DANS is uniquely suited for conducting geophysical surveys. It's has operated successfully in a wide range of environmental conditions. From the rain and snow of the Former Raritan Army Depot in New Jersey, to the heat of the high desert in Tooele, Utah, to the more normal operating temperatures of Fort Monroe, Virginia and Huntsville, Alabama, DANS has proven that it can operate in virtually any environment with the same high quality performance that has come to be expected in geophysical surveying activities performed by EODT-S.

APPENDIX G

HOMEGROWN VEGETABLES
SOIL TESTING RESULTS

SOIL TEST REPORT and FERTILIZER RECOMMENDATIONS

OCT 20 1994

SOIL TESTING LABORATORY
Utah State University UMC 4830
Logan, Utah 84322
(801) 797-2217

Date 10/5/94

Name LARRY FISHER

Street USAEC-ENV MGMT OFFICE
Tooele Army Depot, North

City, State TOOELE, UTAH 84074
ZIP

SAMPLE IDENT.	CROP TO BE GROWN	SOIL TEXTURE	LAB NO.
1) 40	GARDEN/FL.	LOAM	1156
2) RLA	GARDEN/FL.	SI LOAM	1157
3) 23	GARDEN/FL.	SI LOAM	1158
4) 6	GARDEN/FL.	LOAM	1159

Copy sent to Extension office in TOOELE County.

SOIL TEST RESULTS		Very Low	Low	Adequate/Normal	High	Very High	RECOMMENDATIONS	Notes
NITRATE-NITROGEN N ppm	1) 40						N lbs/A	a,b
	2) 36							a,b
	3) 2.3							a,c,b
	4) 94							a,b
PHOSPHORUS P ppm	1) 30						P_2O_5* lbs/A	b
	2) 66							b
	3) 18							b
	4) 06							b
POTASSIUM K ppm	1) 37						K_2O* lbs/A	b
	2) 400							b
	3) 54							b
	4) 48							b
SALINITY EC_e mmhos/cm	1) 7.9							d
	2) 11.0							d
	3) 4.6							d
	4) 11.8							d
pH	1) 7.6							e
	2) 7.4							e
	3) 8.0							e
	4) 7.1							e
LIME	1) ++							
	2) ++							
	3) ++							
	4) +							
%OM 1	) .8							
%OM 2	) 2.1							
%OM 3	) 4.4							
%OM 4	) 1.9							

NOTES:

* P_2O_5 x .45 = P K_2O x .82 = K

a. N recommendations tend to be high when based on N tests at non-standard soil depth. See sampling instructions.

b. See enclosed Fertilizer Guide for Gardens

c. When N in topsoil is very low, some N is needed to supply early crop needs.

d. See Note 10b on reverse.

e. At this sample's salinity level, this pH value indicates a probable sodium problem. Consult local Extension or SCS office or this lab before fertilizers are applied.

Salt levels very high.
For assistance please see your County Agent (uSLC) -
Larry Sagers - 468 - 2847

You may need to modify these recommendations in order to achieve maximum economic return under your specific conditions of weather, finances and management.

Wade Buttner - 468 - 3178

8/83

1. There is no indication that N fertilizer will increase yield or quality of alfalfa. If grain is to be seeded with new alfalfa, do not apply more than 50 lbs N/acre.

2. **Pasture and Meadows** Split N applications help to maintain yield and protein content throughout the season. Half of the year's application can be done in the fall if it is watered in immediately or injected directly into the sod (early spring application is also effective). The second half can be broadcast after the first cutting in the spring just before irrigating. Do not apply more than 75 lbs. of N at one time. See also Note 4 below.

   Mixed legume-grass pastures containing more than 1/3 legume may not benefit from added N.

3. A valid N test requires sampling at least 0-1 **and** 1-2 feet, and quick drying of the sample (see sampling instructions). If your sample did not meet these requirements, the nitrate-N value reported was not used in our recommendations unless it was unusually high. You may multiply ppm N by 4 to estimate pounds of N in 1 acre-foot of soil as tested.

4. Fertilizer N can be lost through leaching under conditions of excess irrigation or rainfall. Its management is therefore of special importance. In cases of high N rates, sandy soils, or long-season crops, split applications will increase plant use of the fertilizer N, avoid late season deficiency, and reduce leaching losses. For annual crops, split applications of N also offer the opportunity to adjust the rate during the season according to the yield prospect.

   Fall application of N is feasible on medium to heavy soils in areas of low to moderate rainfall.

5. **Potatoes** For potatoes, apply 1/3 of N preplant, the rest during the growing season. Follow petiole N. Avoid high N late in the season. See also Note 4 above.

6. **Phosphorus (P) and Potassium (K)** Plowdown or band applications are preferred for all new seedings. For established perennial crops such as alfalfa and pasture, broadcast recommended fertilizer at earliest possible date.

   Subsoil P and K levels can affect crop responses to fertilizer P or K.

7. Your soil sample is low or marginal in available potassium (K). the amount of K supplied by the irrigation water can thus be important. Mountain streams near their sources, and some city water supplies and wells are low in K. Several major Utah irrigation waters carry enough K to supply crop needs.

8. **Dryland Production** Response to fertilizer on drylands is highly dependent on available moisture. Fall applications are usually most effective.

   Phosphate must be incorporated into the soil by tillage or drilled with the seed.

   Nitrogen applied broadcast prior to planting should be incorporated by tillage as soon as possible.

   Spring applications of nitrogen can be made on unfrozen soil in March or early April, when the probability of rain is highest.

   In years of exceptionally good soil moisture, apply the highest amount of N within the range given. In average years, amounts toward the middle of the range are preferred. If winter precipitation has been unusually high, additional N should be applied in the spring.

9. **Micronutrients** Utah soils are generally well supplied with micronutrients. "Shotgun" applications of mixtures containing boron, manganese, iron and copper "for insurance" have not been shown to be effective and are not suggested.

   Zinc deficiencies have been identified in sensitive crops in some areas. Excessive phosphorus may induce zinc deficiency.

   If soil zinc is Very Low, apply 10 lbs. of zinc per acre; if Low, apply 5 lbs per acre, all preplant.

   In-season zinc deficiency may be corrected by spraying the crop with zinc sulfate solution. Consult qualified dealers for details of application methods and rates.

   Occurence of **iron** deficiency is primarily related to crop variety (root stock for orchards and vines). **Soil tests for predicting iron availability have not yet proved to be reliable.**
   Iron deficiencies occur most often in wet soils high in lime. Excessive P or overwatering may aggravate the problem. Heavy applications of manure can cause iron deficiency in sensitive plants.

   Soil application of inorganic iron compounds such as iron sulfate is not effective in Utah soils. Iron chelates vary in effectiveness, Fe EDDHA or Fe 138 being the best tested so far. Plant deficiencies may be corrected by spraying foliage with iron sulfate solution, repeating as necessary if symptoms persist. Consult specialists for details of methods and rates.

10a. This sample shows a slight to moderate accumulation of salt, sufficient to affect growth of sensitive crops. If subsoil drainage is adequate, applying an excess of good quality water can reduce salts to an acceptabie level. If pH is also HIGH, special treatmemt may be needed to reduce sodium.

10b. This sample shows a high accumulation of salt, toxic to many crops. It is also high in sodium and will require special treatment before fertilizers are applied. Seek qualified assistance.

11. The standard soil sample depth is from surface down to 12 inches (see instructions on back of Sample Description sheet) If your sample depth was much different from this, test results may be misleading.

USU Policy It is the policy of the USU Soil Testing Laboratory to recommend only those nutrients that offer a reasonable possibility of increasing the economic return for your crops, and in those amounts that should be necessary to achieve your yield capability. Ranges of nutrients are given, to permit farm operator judgment.

UTAH STATE UNIVERSITY

Agricultural Experiment Station and Extension Services
Logan, Utah 84322

FERTILIZER GUIDE

FOR HOME GARDENS FLOWERS AND VEGETABLES

Your soil test results are shown on the enclosed Analysis Report. Corresponding ratings and recommendations are marked below.

SOIL CONDITIONS

Lime:
- X Adequate. No need to add limestone.
- ____ No lime in sample; none needed.
- ____ No lime in sample; apply some.

pH:
- ____ Low; apply lime.] See "LIME REQUIREMENT"
- X Normal. No treatment needed.
- X High. May need to apply gypsum, then irrigate heavily to leach sodium salts out of root zone.

Salts:
- ____ Normal. No treatment needed.
- ____ Above normal. Apply water in excess to leach salt down below plant roots.
- X Toxic level. Leaching of salt will be necessary before crops will grow. If soil drainage is poor, install tile drains. Consult your nearest USU Extension Office.

PLANT NUTRIENTS

Nitrogen (N)
- X Apply some nitrogen each year. See CROP NITROGEN REQUIREMENTS and FERTILIZER RECOMMENDATIONS. If you use animal manure or other organic materials, adjust amount of N. See note on reverse side of this sheet. Do not add N to #4. Add small amounts of N to #1,2

Phosphorus (P)
- ____ Low. Apply phosphorus. See FERTILIZER RECOMMENDATIONS.
- 1 Adequate. No phosphorus needed.
- 2,3,4 Excessive. Withhold phosphate to prevent nutrient imbalance.

Potassium (K)
- ____ Low. Apply potassium. See FERTILIZER RECOMMENDATIONS.
- 1,3,4 Adequate. No potassium needed.
- 2 More than adequate. No potassium needed.

Other Nutrients: Utah soils are generally well supplied with micronutrients. However, some garden plants and ornamentals are susceptible to deficiency of iron. This appears first on young, rapidly growing leaves as a yellowing between veins. The problem occurs most often in wet, clay soils high in lime; excessive phosphorus may aggravate it. AVOID OVERWATERING. If symptoms persist, try soil application of either (a) a strongly acidic material such as sulfur or sulfuric acid, alone or combined with an iron compound; or (b) an iron sequestrene such as Fe 138 (FeEDDHA). Fe 330 is less effective. They are both expensive and temporary. Iron sulfate is not effective as a soil treatment in Utah.

For special conditions, foliar application can be helpful. Seek expert advice before spraying plants.

CROP NITROGEN REQUIREMENTS

LOW NITROGEN crops (bean, cucumber, melon, pea, pepper, strawberry, tomato). Reduce amounts of N fertilizer by ⅓ to ½.

MEDIUM NITROGEN crops (beet, cauliflower, lettuce, onion, spinach, turnip). Use the moderate amounts of fertilizer indicated.

HIGH NITROGEN crops (asparagus, cabbage, carrot, corn, parsnip, potato). Additional N fertilizer may be applied after the crop is up and growing well. String about ⅓ pound or ⅔ cup ammonium nitrate (33-0-0) along 50 feet of furrow before irrigation. This procedure may be repeated at two- to three-week intervals as needed to maintain healthy green color in the leaves.

If manure has been applied for 2 or more years, reduce the amount of N fertilizer applied.

For flowers, trees and shrubs, see back of this sheet.

FERTILIZER RECOMMENDATIONS

FOR 1000 SQUARE FEET OF SOIL (MEDIUM N REQUIREMENT)

- X Nitrogen only:
  7 pounds of ammonium nitrate
  or 11 pounds of ammonium sulfate
  or 5 pounds of fertilizer urea.
  See notes at left
- ____ Nitrogen and Phosphorus:
  13 to 20 pounds of ammonium phosphate.
- ____ Nitrogen, Phosphorus and Potassium:
  Apply enough "complete" fertilizer to give about 2¼ pounds of Nitrogen.

Fertilizers can be obtained from garden supply stores, nurseries or farm fertilizer dealers.

FERTILIZER APPLICATION

Broadcast the suggested amount of fertilizer, and **spade** or **plow** it into the root zone. (Nutrients on the soil surface are not available to plants, and N can be lost into the air as a gas.)

Fertilization should normally be done in early spring, but can be done in late autumn on medium to heavy soils. For perennials such as strawberries, apply the fertilizer in a furrow at least 2 inches deep and 3 inches away from the plants.

FLOWER GARDENS

If you prefer compact, low-growing plants with more flowers, avoid high levels of nitrogen (do not exceed Page 1 amounts). Excess nitrogen results in tall, leggy plants with fewer but larger flowers. Roses are the exception; they require a high nitrogen level for continuous flowering. For roses, apply 1¼ pounds of ammonium nitrate (33-0-0) per 100 square feet as the first flower buds are forming, and again a month later.

Do not apply N fertilizer to flowers after August 15.

ANIMAL MANURES

The plant nutritive value of manures depends on type of animal, means of collection, storage, protection from weather, degree of rotting, moisture content, and amount of bedding materials used. Typical amounts of nutrients in manures:

Pounds of nutrient in 100 pounds of fresh manure (%)

	N	P_2O_5	K_2O
Horse and Cow	.4 - 1.0	.2 - .7	.2 - .9
Sheep and Chicken	.5 - 1.5	.3 - 1.3	.4 - 1.7

Manure can be an excellent aid to gardening when used wisely. Excessive amounts of some manures can cause salt damage, or deficiency of N or iron or zinc in sensitive plants in the year of application. Nutrients are released as the manure decomposes in the soil. Manure may contain weed seed.

ORNAMENTAL TREES AND SHRUBS

Soil tests have not been correlated with fertilization of trees in Utah. However, most Utah soils supply adequate phosphorus and potassium for trees and shrubs.

SHRUBS: Broadcast about ½ pound of ammonium sulfate (or slightly less ammonium nitrate) per 100 square feet of area under shrubs. Water it in. Repeat each spring.

ORNAMENTAL OR SHADE TREES: Measure the trunk diameter 3 feet above the ground. In fall and early spring, apply 1/10 pound of N for each inch of diameter. For trunks with a diameter less than 3 inches, use a lower rate:

Inches Diameter	Ammonium Sulfate	(or)	Ammonium Nitrate	(or)	"Complete" Fertilizer*
1	2 oz.		1½ oz.		4 oz.
2	4 oz.		3 oz.		8 oz.
3	6 oz.		4 oz.		12 oz.
4-6	2-3 lbs.		1½-2 lbs.		4-6 lbs.
7-10	3-4 lbs.		2-3 lbs.		6-8 lbs.

Apply fertilizer evenly around the tree near the drip line, then water it in.

*Amount depends on analysis. Example is for 10-x-x. For these, place fertilizer in holes 15 to 20 inches deep, spaced 18 to 24 inches apart around the drip line.

Too much water on shrubs can aggravate disease and nutrition problems. Water heavily but not often. On deep soils, apply 4 to 5 inches of water every 3 or 4 weeks.

OTHER ORGANIC MATERIALS

Sawdust, straw and peat moss are low in plant nutrients. If you use these, add about 3 pounds of nitrogen (9 pounds of ammonium nitrate or 15 pounds of ammonium sulfate) per 100 pounds of organic material, in order to prevent nitrogen deficiency.

OTHER GROWTH FACTORS

Nutrient supply is only one factor among many that affect plant growth. If your garden performance is not satisfactory and the cause is not indicated by these tests, look for other factors such as:

inadequate irrigation
excessive water or poor drainage
poor subsoil conditions
disease or insects
too much shade
wrong variety

LIME REQUIREMENT

Only a very few soils in Utah need lime application. These are usually artificial or specialty soils. If you need to apply lime, apply:

_____lbs. ground limestone per 1000 sq. ft.

_____tons ground limestone per acre.

For special problems, consult the USU Extension Agent for your county.

APPENDIX H

RI ADDENDUM ANALYTICAL RESULTS

Contents

Page

Flagging Codes 3
Data Qualifiers 4
Old Burn Area (SWMU 6) Phase II RI Data 5
Chemical Range (SWMU 7) Phase II RI Data 61
Small Arms Firing Range (SWMU 8) Phase II RI Data 277
Tire Disposal Area (SWMU 13) Phase II RI Data 301
Building 1303 Washout Pond (SWMU 22) Phase II RI Data 419
Bomb and Shell Reconditioning Building (SWMU 23) Phase II RI Data 437
Former Transformer Boxing Area (SWMU 31) Phase II RI Data 621
Transformer PCB Spill (SWMU 32) Phase II RI Data 655
Waste Water Spreading Area (SWMU 35) Phase II RI Data 697
Old Burn Staging Area (SWMU 36) Phase II RI Data 719
AED Test Range (SWMU 40) Phase II RI Data 735
Dioxin Background Sample Data 853
Old Burn Area (SWMU 6) Phase II RI Data Gap 855
Small Arms Firing Range (SWMU 8) Phase II RI Data Gap 877
AED Test Range (SWMU 40) Phase II RI Data Gap 893
Old Burn Area (SWMU 6) Phase I RI Data 941
Chemical Range (SWMU 7) Phase I RI Data 1011
Small Arms Firing Range (SWMU 8) Phase I RI Data 1049
Building 1303 Washout Pond (SWMU 22) Phase I RI Data 1053
Bomb and Shell Reconditioning Building (SWMU 23) Phase I RI Data 1061
Waste Water Spreading Area (SWMU 35) Phase I RI Data 1103
Old Burn Staging Area (SWMU 36) Phase I RI Data 1157
AED Test Range (SWMU 40) Phase I RI Data 1181

Flagging Codes

Code	Explanation
7	Low spike recovery is not within control limits. (Should no longer exist after June 1994.)
B	Analyte found in the method blank or QC blank as well as the sample.
C	Analysis was confirmed.
D	Duplicate analysis.
F	Sample filtered prior to analysis.
H	Out of control but data accepted due to high recoveries. (Should no longer exist after June 1994.)
I	Interferences in sample make quantitation and/or identification to be suspect.
J	Value is estimated.
K	Reported results are affected by interferences or high background.
L	Out of control, data rejected due to low recoveries. (Should no longer exist after June 1994.)
Q	Sample interference obscured peak of interest.
R	Non-target compound analyzed for but not detected (GC/MS methods).
S	Non-target compound analyzed for and detected (GC/MS methods).
T	Non-target compound analyzed for but not detected (non-GC/MS methods).
U	Analysis is unconfirmed.
X	Analyte recovery outside of certified range but within acceptable limits. (As of June 1994, X should mean that analyte concentration is above the upper reporting level).
Z	Non-target compound analyzed for and detected (non-GC/MS methods).

Data Qualifiers

Qualifiers	Explanation
I	The low-spike recovery is high.
J	The low-spike recovery is low.
M	The high-spike recovery is high.
N	The high-spike recovery is low.
R	Data is rejected

Old Burn Area (SWMU 6) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **EXPLOSIVES**										
OBP-94-01A	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5	L	J
OBP-94-01A	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
OBP-94-01A	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBP-94-01A	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5		
OBP-94-01A	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBP-94-01A	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
OBP-94-01A	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
OBP-94-01A	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
OBP-94-01A	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
OBP-94-01B	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	2.0	L	J
OBP-94-01B	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	2.0		
OBP-94-01B	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	2.0		
OBP-94-01B	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	2.0		
OBP-94-01B	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	2.0		
OBP-94-01B	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	2.0		
OBP-94-01B	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	2.0		
OBP-94-01B	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	2.0		
OBP-94-01B	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	2.0		
OBP-94-01C	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	5.0	L	J
OBP-94-01C	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	5.0		
OBP-94-01C	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	5.0		
OBP-94-01C	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	5.0		
OBP-94-01C	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	5.0		
OBP-94-01C	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	5.0		
OBP-94-01C	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	5.0		
OBP-94-01C	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA		9.41000000	µg/g	5.0	C	
OBP-94-01C	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	5.0		
OBP-94-01D	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	7.0	L	J
OBP-94-01D	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	7.0		
OBP-94-01D	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	7.0		
OBP-94-01D	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	7.0		
OBP-94-01D	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	7.0		
OBP-94-01D	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	7.0		
OBP-94-01D	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	7.0		
OBP-94-01D	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	7.0		
OBP-94-01D	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	7.0		
OBP-94-02A	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5	7	
OBP-94-02A	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
OBP-94-02A	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBP-94-02A	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5	7	
OBP-94-02A	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBP-94-02A	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
OBP-94-02A	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
OBP-94-02A	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
OBP-94-02A	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
OBP-94-02B	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	2.0	7	
OBP-94-02B	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	2.0		
OBP-94-02B	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	2.0		
OBP-94-02B	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	2.0	7	
OBP-94-02B	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	2.0		
OBP-94-02B	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	2.0		

Old Burn Area (SWMU 6) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **EXPLOSIVES**										
OBP-94-02B	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	2.0		
OBP-94-02B	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	2.0		
OBP-94-02B	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	2.0		
OBP-94-02C	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	5.0	7	
OBP-94-02C	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	5.0		
OBP-94-02C	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	5.0		
OBP-94-02C	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	5.0	7	
OBP-94-02C	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	5.0		
OBP-94-02C	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	5.0		
OBP-94-02C	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	5.0		
OBP-94-02C	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	5.0		
OBP-94-02C	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	5.0		
OBP-94-02D	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	7.0	7	
OBP-94-02D	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	7.0		
OBP-94-02D	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	7.0		
OBP-94-02D	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	7.0	7	
OBP-94-02D	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	7.0		
OBP-94-02D	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	7.0		
OBP-94-02D	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	7.0		
OBP-94-02D	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	7.0		
OBP-94-02D	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	7.0		
OBP-94-02E	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	10.0	7	
OBP-94-02E	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	10.0		
OBP-94-02E	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	10.0		
OBP-94-02E	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	10.0	7	
OBP-94-02E	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	10.0		
OBP-94-02E	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	10.0		
OBP-94-02E	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	10.0		
OBP-94-02E	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	10.0		
OBP-94-02E	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	10.0		
OBP-94-02F	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	3.0	7	
OBP-94-02F	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	3.0		
OBP-94-02F	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	3.0		
OBP-94-02F	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	3.0	7	
OBP-94-02F	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	3.0		
OBP-94-02F	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	3.0		
OBP-94-02F	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	3.0		
OBP-94-02F	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	3.0		
OBP-94-02F	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	3.0		
OBP-94-03A	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5	7	
OBP-94-03A	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
OBP-94-03A	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBP-94-03A	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5	7	
OBP-94-03A	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBP-94-03A	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
OBP-94-03A	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
OBP-94-03A	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
OBP-94-03A	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
OBP-94-03B	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	2.0	7	
OBP-94-03B	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	2.0		
OBP-94-03B	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	2.0		

Old Burn Area (SWMU 6) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **EXPLOSIVES**										
OBP-94-03B	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	2.0	7	
OBP-94-03B	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	2.0		
OBP-94-03B	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	2.0		
OBP-94-03B	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	2.0		
OBP-94-03B	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	2.0		
OBP-94-03B	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	2.0		
OBP-94-03C	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	5.0	7	
OBP-94-03C	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	5.0		
OBP-94-03C	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	5.0		
OBP-94-03C	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	5.0	7	
OBP-94-03C	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	5.0		
OBP-94-03C	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	5.0		
OBP-94-03C	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	5.0		
OBP-94-03C	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	5.0		
OBP-94-03C	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	5.0		
OBP-94-03D	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	7.0	7	
OBP-94-03D	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	7.0		
OBP-94-03D	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	7.0		
OBP-94-03D	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	7.0	7	
OBP-94-03D	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	7.0		
OBP-94-03D	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	7.0		
OBP-94-03D	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	7.0		
OBP-94-03D	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	7.0		
OBP-94-03D	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	7.0		
OBP-94-04A	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5	7	
OBP-94-04A	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
OBP-94-04A	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBP-94-04A	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5	7	
OBP-94-04A	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBP-94-04A	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
OBP-94-04A	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
OBP-94-04A	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
OBP-94-04A	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
OBP-94-04B	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	2.0	7	
OBP-94-04B	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	2.0		
OBP-94-04B	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	2.0		
OBP-94-04B	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	2.0	7	
OBP-94-04B	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	2.0		
OBP-94-04B	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	2.0		
OBP-94-04B	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	2.0		
OBP-94-04B	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	2.0		
OBP-94-04B	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	2.0		
OBP-94-04C	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	5.0	7	
OBP-94-04C	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	5.0		
OBP-94-04C	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	5.0		
OBP-94-04C	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	5.0	7	
OBP-94-04C	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	5.0		
OBP-94-04C	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	5.0		
OBP-94-04C	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	5.0		
OBP-94-04C	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	5.0		
OBP-94-04C	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	5.0		

Old Burn Area (SWMU 6) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **EXPLOSIVES**										
OBP-94-04D	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	7.0	7	
OBP-94-04D	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	7.0		
OBP-94-04D	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	7.0		
OBP-94-04D	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	7.0	7	
OBP-94-04D	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	7.0		
OBP-94-04D	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	7.0		
OBP-94-04D	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	7.0		
OBP-94-04D	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	7.0		
OBP-94-04D	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	7.0		
OBP-94-05C	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	5.0	7	
OBP-94-05C	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	5.0		
OBP-94-05C	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	5.0		
OBP-94-05C	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	5.0		
OBP-94-05C	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	5.0		
OBP-94-05C	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	5.0		
OBP-94-05C	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	5.0		
OBP-94-05C	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	5.0		
OBP-94-05C	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	5.0		
OBP-94-05D	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	7.0	7	
OBP-94-05D	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	7.0		
OBP-94-05D	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	7.0		
OBP-94-05D	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	7.0		
OBP-94-05D	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	7.0		
OBP-94-05D	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	7.0		
OBP-94-05D	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	7.0		
OBP-94-05D	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	7.0		
OBP-94-05D	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	7.0		
OBP-94-05E	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	10.0	7	
OBP-94-05E	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	10.0		
OBP-94-05E	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	10.0		
OBP-94-05E	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	10.0		
OBP-94-05E	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	10.0		
OBP-94-05E	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	10.0		
OBP-94-05E	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	10.0		
OBP-94-05E	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	10.0		
OBP-94-05E	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	10.0		
OBP-94-06A	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5	7	
OBP-94-06A	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
OBP-94-06A	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBP-94-06A	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5		
OBP-94-06A	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBP-94-06A	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
OBP-94-06A	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
OBP-94-06A	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
OBP-94-06A	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
OBP-94-06B	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	2.0	7	
OBP-94-06B	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	2.0		
OBP-94-06B	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	2.0		
OBP-94-06B	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	2.0		
OBP-94-06B	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	2.0		
OBP-94-06B	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	2.0		

Old Burn Area (SWMU 6) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **EXPLOSIVES**										
OBP-94-06B	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	2.0		
OBP-94-06B	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	2.0		
OBP-94-06B	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	2.0		
OBP-94-06C	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	5.0	7	
OBP-94-06C	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	5.0		
OBP-94-06C	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	5.0		
OBP-94-06C	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	5.0		
OBP-94-06C	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	5.0		
OBP-94-06C	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	5.0		
OBP-94-06C	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	5.0		
OBP-94-06C	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	5.0		
OBP-94-06C	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	5.0		
OBP-94-06D	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	7.0	7	
OBP-94-06D	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	7.0		
OBP-94-06D	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	7.0		
OBP-94-06D	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	7.0		
OBP-94-06D	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	7.0		
OBP-94-06D	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	7.0		
OBP-94-06D	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	7.0		
OBP-94-06D	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	7.0		
OBP-94-06D	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	7.0		
OBP-94-06E	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	10.0	7	
OBP-94-06E	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	10.0		
OBP-94-06E	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	10.0		
OBP-94-06E	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	10.0		
OBP-94-06E	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	10.0		
OBP-94-06E	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	10.0		
OBP-94-06E	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	10.0		
OBP-94-06E	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	10.0		
OBP-94-06E	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	10.0		
OBP-94-07A	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5	7	
OBP-94-07A	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
OBP-94-07A	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBP-94-07A	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5		
OBP-94-07A	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBP-94-07A	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
OBP-94-07A	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
OBP-94-07A	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
OBP-94-07A	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
OBP-94-07B	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	2.0	7	
OBP-94-07B	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	2.0		
OBP-94-07B	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	2.0		
OBP-94-07B	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	2.0		
OBP-94-07B	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	2.0		
OBP-94-07B	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	2.0		
OBP-94-07B	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	2.0		
OBP-94-07B	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	2.0		
OBP-94-07B	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	2.0		
OBP-94-07C	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	5.0	7	
OBP-94-07C	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	5.0		
OBP-94-07C	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	5.0		

Old Burn Area (SWMU 6) Phase II RI Data

Chemical Class: **EXPLOSIVES**

Site ID	Site Type	Media Type	Test Name		Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
OBP-94-07C	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	5.0		
OBP-94-07C	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	5.0		
OBP-94-07C	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	5.0		
OBP-94-07C	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	5.0		
OBP-94-07C	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	5.0		
OBP-94-07C	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	5.0		
OBP-94-07D	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	7.0	7	
OBP-94-07D	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	7.0		
OBP-94-07D	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	7.0		
OBP-94-07D	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	7.0		
OBP-94-07D	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	7.0		
OBP-94-07D	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	7.0		
OBP-94-07D	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	7.0		
OBP-94-07D	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	7.0		
OBP-94-07D	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	7.0		
OBP-94-07E	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	10.0	7	
OBP-94-07E	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	10.0		
OBP-94-07E	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	10.0		
OBP-94-07E	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	10.0		
OBP-94-07E	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	10.0		
OBP-94-07E	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	10.0		
OBP-94-07E	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	10.0		
OBP-94-07E	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	10.0		
OBP-94-07E	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	10.0		
OBP-94-08A	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5	7	
OBP-94-08A	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
OBP-94-08A	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBP-94-08A	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5		
OBP-94-08A	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBP-94-08A	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
OBP-94-08A	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
OBP-94-08A	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
OBP-94-08A	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
OBP-94-08B	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	2.0	7	
OBP-94-08B	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	2.0		
OBP-94-08B	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	2.0		
OBP-94-08B	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	2.0		
OBP-94-08B	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	2.0		
OBP-94-08B	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	2.0		
OBP-94-08B	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	2.0		
OBP-94-08B	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	2.0		
OBP-94-08B	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	2.0		
OBP-94-08C	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	5.0	7	
OBP-94-08C	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	5.0		
OBP-94-08C	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	5.0		
OBP-94-08C	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	5.0		
OBP-94-08C	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	5.0		
OBP-94-08C	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	5.0		
OBP-94-08C	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	5.0		
OBP-94-08C	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	5.0		
OBP-94-08C	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	5.0		

Old Burn Area (SWMU 6) Phase II RI Data

Chemical Class: **EXPLOSIVES**

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
OBP-94-08D	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	7.0	7	
OBP-94-08D	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	7.0		
OBP-94-08D	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	7.0		
OBP-94-08D	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	7.0		
OBP-94-08D	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	7.0		
OBP-94-08D	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	7.0		
OBP-94-08D	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	7.0		
OBP-94-08D	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	7.0		
OBP-94-08D	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	7.0		
OBP-94-08E	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	10.0	7	
OBP-94-08E	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	10.0		
OBP-94-08E	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	10.0		
OBP-94-08E	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	10.0		
OBP-94-08E	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	10.0		
OBP-94-08E	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	10.0		
OBP-94-08E	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	10.0		
OBP-94-08E	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	10.0		
OBP-94-08E	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	10.0		
OBP-94-09A	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5	7D	J
OBP-94-09A	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5	7	
OBP-94-09A	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5	D	
OBP-94-09A	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
OBP-94-09A	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5	D	
OBP-94-09A	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBP-94-09A	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5	D	
OBP-94-09A	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5		
OBP-94-09A	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5	D	
OBP-94-09A	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBP-94-09A	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5	D	
OBP-94-09A	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
OBP-94-09A	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5	D	
OBP-94-09A	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
OBP-94-09A	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5	D	
OBP-94-09A	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
OBP-94-09A	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5	D	
OBP-94-09A	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
OBP-94-09B	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	2.0	7	
OBP-94-09B	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	2.0		
OBP-94-09B	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	2.0		
OBP-94-09B	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	2.0		
OBP-94-09B	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	2.0		
OBP-94-09B	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	2.0		
OBP-94-09B	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	2.0		
OBP-94-09B	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	2.0		
OBP-94-09B	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	2.0		
OBP-94-09C	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	5.0	7	J
OBP-94-09C	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	5.0	7D	J
OBP-94-09C	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	5.0		
OBP-94-09C	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	5.0	D	
OBP-94-09C	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	5.0		
OBP-94-09C	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	5.0	D	

Old Burn Area (SWMU 6) Phase II RI Data

Chemical Class: **EXPLOSIVES**

Site ID	Site Type	Media Type	Test Name		Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
OBP-94-09C	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	5.0		
OBP-94-09C	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	5.0	D	
OBP-94-09C	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	5.0		
OBP-94-09C	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	5.0	D	
OBP-94-09C	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	5.0		
OBP-94-09C	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	5.0	D	
OBP-94-09C	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	5.0		
OBP-94-09C	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	5.0	D	
OBP-94-09C	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	5.0		
OBP-94-09C	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	5.0	D	
OBP-94-09C	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	5.0		
OBP-94-09C	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	5.0	D	
OBP-94-09D	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	7.0	7	J
OBP-94-09D	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	7.0		
OBP-94-09D	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	7.0		
OBP-94-09D	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	7.0		
OBP-94-09D	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	7.0		
OBP-94-09D	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	7.0		
OBP-94-09D	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	7.0		
OBP-94-09D	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	7.0		
OBP-94-09D	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	7.0		
OBP-94-09E	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	10.0	7	J
OBP-94-09E	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	10.0	7D	J
OBP-94-09E	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	10.0		
OBP-94-09E	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	10.0	D	
OBP-94-09E	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	10.0		
OBP-94-09E	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	10.0	D	
OBP-94-09E	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	10.0		
OBP-94-09E	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	10.0	D	
OBP-94-09E	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	10.0		
OBP-94-09E	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	10.0	D	
OBP-94-09E	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	10.0		
OBP-94-09E	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	10.0	D	
OBP-94-09E	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	10.0		
OBP-94-09E	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	10.0	D	
OBP-94-09E	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	10.0		
OBP-94-09E	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	10.0	D	
OBP-94-09E	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	10.0		
OBP-94-09E	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	10.0	D	
OBP-94-10A	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5	7	J
OBP-94-10A	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
OBP-94-10A	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBP-94-10A	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5		
OBP-94-10A	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBP-94-10A	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
OBP-94-10A	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
OBP-94-10A	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
OBP-94-10A	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
OBP-94-10B	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	2.0	7	J
OBP-94-10B	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	2.0		
OBP-94-10B	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	2.0		

Old Burn Area (SWMU 6) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **EXPLOSIVES**										
OBP-94-10B	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	2.0		
OBP-94-10B	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	2.0		
OBP-94-10B	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	2.0		
OBP-94-10B	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	2.0		
OBP-94-10B	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	2.0		
OBP-94-10B	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	2.0		
OBP-94-10C	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	5.0	7	J
OBP-94-10C	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	5.0		
OBP-94-10C	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	5.0		
OBP-94-10C	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	5.0		
OBP-94-10C	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	5.0		
OBP-94-10C	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	5.0		
OBP-94-10C	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	5.0		
OBP-94-10C	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	5.0		
OBP-94-10C	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	5.0		
OBP-94-10D	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	7.0	7	J
OBP-94-10D	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	7.0		
OBP-94-10D	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	7.0		
OBP-94-10D	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	7.0		
OBP-94-10D	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	7.0		
OBP-94-10D	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	7.0		
OBP-94-10D	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	7.0		
OBP-94-10D	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	7.0		
OBP-94-10D	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	7.0		
OBP-94-10E	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	10.0	7	J
OBP-94-10E	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	10.0		
OBP-94-10E	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	10.0		
OBP-94-10E	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	10.0		
OBP-94-10E	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	10.0		
OBP-94-10E	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	10.0		
OBP-94-10E	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	10.0		
OBP-94-10E	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	10.0		
OBP-94-10E	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	10.0		
OBP-94-12A	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5	7	J
OBP-94-12A	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
OBP-94-12A	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBP-94-12A	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5		
OBP-94-12A	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBP-94-12A	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
OBP-94-12A	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
OBP-94-12A	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
OBP-94-12A	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
OBP-94-12B	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	2.0	7	J
OBP-94-12B	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	2.0		
OBP-94-12B	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	2.0		
OBP-94-12B	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	2.0		
OBP-94-12B	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	2.0		
OBP-94-12B	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	2.0		
OBP-94-12B	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	2.0		
OBP-94-12B	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	2.0		
OBP-94-12B	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	2.0		

Old Burn Area (SWMU 6) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **EXPLOSIVES**										
OBP-94-12C	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	5.0	7	J
OBP-94-12C	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	5.0		
OBP-94-12C	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	5.0		
OBP-94-12C	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	5.0		
OBP-94-12C	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	5.0		
OBP-94-12C	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	5.0		
OBP-94-12C	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	5.0		
OBP-94-12C	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	5.0		
OBP-94-12C	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	5.0		
OBP-94-12D	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	7.0	7	J
OBP-94-12D	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	7.0		
OBP-94-12D	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	7.0		
OBP-94-12D	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	7.0		
OBP-94-12D	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	7.0		
OBP-94-12D	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	7.0		
OBP-94-12D	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	7.0		
OBP-94-12D	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	7.0		
OBP-94-12D	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	7.0		
OBP-94-12E	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	10.0	7	J
OBP-94-12E	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	10.0		
OBP-94-12E	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	10.0		
OBP-94-12E	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	10.0		
OBP-94-12E	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	10.0		
OBP-94-12E	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	10.0		
OBP-94-12E	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	10.0		
OBP-94-12E	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	10.0		
OBP-94-12E	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	10.0		
OBS-94-01	SURF	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5	7	
OBS-94-01	SURF	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
OBS-94-01	SURF	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-01	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5		
OBS-94-01	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-01	SURF	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
OBS-94-01	SURF	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
OBS-94-01	SURF	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
OBS-94-01	SURF	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
OBS-94-02	SURF	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5	7	
OBS-94-02	SURF	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
OBS-94-02	SURF	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-02	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5		
OBS-94-02	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-02	SURF	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
OBS-94-02	SURF	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
OBS-94-02	SURF	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
OBS-94-02	SURF	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
OBS-94-03	SURF	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5	7	
OBS-94-03	SURF	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
OBS-94-03	SURF	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-03	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5		
OBS-94-03	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-03	SURF	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		

Old Burn Area (SWMU 6) Phase II RI Data

Chemical Class: **EXPLOSIVES**

Site ID	Site Type	Media Type	Test Name		Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
OBS-94-03	SURF	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
OBS-94-03	SURF	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
OBS-94-03	SURF	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
OBS-94-04	SURF	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5	7	
OBS-94-04	SURF	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
OBS-94-04	SURF	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-04	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5		
OBS-94-04	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-04	SURF	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
OBS-94-04	SURF	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
OBS-94-04	SURF	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
OBS-94-04	SURF	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
OBS-94-05	SURF	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5	7	
OBS-94-05	SURF	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
OBS-94-05	SURF	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-05	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5		
OBS-94-05	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-05	SURF	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
OBS-94-05	SURF	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
OBS-94-05	SURF	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
OBS-94-05	SURF	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
OBS-94-06	SURF	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5	7	
OBS-94-06	SURF	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
OBS-94-06	SURF	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-06	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5		
OBS-94-06	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-06	SURF	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
OBS-94-06	SURF	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
OBS-94-06	SURF	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
OBS-94-06	SURF	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
OBS-94-07	SURF	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5	7	
OBS-94-07	SURF	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
OBS-94-07	SURF	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-07	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5		
OBS-94-07	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-07	SURF	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
OBS-94-07	SURF	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
OBS-94-07	SURF	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
OBS-94-07	SURF	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
OBS-94-08	SURF	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5	7	
OBS-94-08	SURF	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
OBS-94-08	SURF	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-08	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5		
OBS-94-08	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-08	SURF	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
OBS-94-08	SURF	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
OBS-94-08	SURF	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
OBS-94-08	SURF	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
OBS-94-09	SURF	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5	D	
OBS-94-09	SURF	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5	7	
OBS-94-09	SURF	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		

Old Burn Area (SWMU 6) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **EXPLOSIVES**										
OBS-94-09	SURF	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5	D	
OBS-94-09	SURF	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5	D	
OBS-94-09	SURF	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-09	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5		
OBS-94-09	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5	D	
OBS-94-09	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5	D	
OBS-94-09	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-09	SURF	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5	D	
OBS-94-09	SURF	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
OBS-94-09	SURF	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
OBS-94-09	SURF	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5	D	
OBS-94-09	SURF	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5	D	
OBS-94-09	SURF	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
OBS-94-09	SURF	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
OBS-94-09	SURF	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5	D	
OBS-94-10	SURF	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5	7	
OBS-94-10	SURF	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
OBS-94-10	SURF	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-10	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5		
OBS-94-10	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-10	SURF	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
OBS-94-10	SURF	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
OBS-94-10	SURF	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
OBS-94-10	SURF	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
OBS-94-11	SURF	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5	7	
OBS-94-11	SURF	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
OBS-94-11	SURF	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-11	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5		
OBS-94-11	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-11	SURF	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
OBS-94-11	SURF	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
OBS-94-11	SURF	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
OBS-94-11	SURF	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
OBS-94-12	SURF	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5	7	
OBS-94-12	SURF	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
OBS-94-12	SURF	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-12	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5		
OBS-94-12	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-12	SURF	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
OBS-94-12	SURF	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
OBS-94-12	SURF	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
OBS-94-12	SURF	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
OBS-94-13	SURF	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5	7	
OBS-94-13	SURF	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
OBS-94-13	SURF	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-13	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5		
OBS-94-13	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-13	SURF	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
OBS-94-13	SURF	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
OBS-94-13	SURF	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
OBS-94-13	SURF	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		

Old Burn Area (SWMU 6) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **EXPLOSIVES**										
OBS-94-14	SURF	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5	7	
OBS-94-14	SURF	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
OBS-94-14	SURF	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-14	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5		
OBS-94-14	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-14	SURF	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
OBS-94-14	SURF	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
OBS-94-14	SURF	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
OBS-94-14	SURF	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
OBS-94-15	SURF	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5		
OBS-94-15	SURF	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
OBS-94-15	SURF	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-15	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5		
OBS-94-15	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-15	SURF	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
OBS-94-15	SURF	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
OBS-94-15	SURF	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
OBS-94-15	SURF	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
OBS-94-16	SURF	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5		
OBS-94-16	SURF	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
OBS-94-16	SURF	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-16	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5		
OBS-94-16	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-16	SURF	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
OBS-94-16	SURF	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
OBS-94-16	SURF	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
OBS-94-16	SURF	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
OBS-94-17	SURF	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5		
OBS-94-17	SURF	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
OBS-94-17	SURF	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-17	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5		
OBS-94-17	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-17	SURF	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
OBS-94-17	SURF	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
OBS-94-17	SURF	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
OBS-94-17	SURF	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
OBS-94-18	SURF	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5		
OBS-94-18	SURF	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
OBS-94-18	SURF	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-18	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5		
OBS-94-18	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-18	SURF	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
OBS-94-18	SURF	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
OBS-94-18	SURF	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
OBS-94-18	SURF	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
OBS-94-19	SURF	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5		
OBS-94-19	SURF	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5	D	
OBS-94-19	SURF	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
OBS-94-19	SURF	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5	D	
OBS-94-19	SURF	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-19	SURF	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5	D	

Old Burn Area (SWMU 6) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **EXPLOSIVES**										
OBS-94-19	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5		
OBS-94-19	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5	D	
OBS-94-19	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-19	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5	D	
OBS-94-19	SURF	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
OBS-94-19	SURF	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5	D	
OBS-94-19	SURF	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
OBS-94-19	SURF	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5	D	
OBS-94-19	SURF	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
OBS-94-19	SURF	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5	D	
OBS-94-19	SURF	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
OBS-94-19	SURF	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5	D	
OBS-94-20	SURF	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5		
OBS-94-20	SURF	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
OBS-94-20	SURF	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-20	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5		
OBS-94-20	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-20	SURF	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
OBS-94-20	SURF	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
OBS-94-20	SURF	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
OBS-94-20	SURF	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
OBS-94-21	SURF	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5		
OBS-94-21	SURF	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
OBS-94-21	SURF	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-21	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5		
OBS-94-21	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-21	SURF	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
OBS-94-21	SURF	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
OBS-94-21	SURF	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
OBS-94-21	SURF	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
OBS-94-22	SURF	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5		
OBS-94-22	SURF	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
OBS-94-22	SURF	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-22	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5		
OBS-94-22	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-22	SURF	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
OBS-94-22	SURF	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
OBS-94-22	SURF	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
OBS-94-22	SURF	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
OBS-94-23	SURF	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5		
OBS-94-23	SURF	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
OBS-94-23	SURF	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-23	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5		
OBS-94-23	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-23	SURF	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
OBS-94-23	SURF	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
OBS-94-23	SURF	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
OBS-94-23	SURF	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
OBS-94-24	SURF	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5		
OBS-94-24	SURF	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
OBS-94-24	SURF	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		

Old Burn Area (SWMU 6) Phase II RI Data

Chemical Class: **EXPLOSIVES**

Site ID	Site Type	Media Type	Test Name		Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
OBS-94-24	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5		
OBS-94-24	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-24	SURF	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
OBS-94-24	SURF	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
OBS-94-24	SURF	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
OBS-94-24	SURF	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
OBS-94-25	SURF	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5		
OBS-94-25	SURF	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
OBS-94-25	SURF	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-25	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5		
OBS-94-25	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-25	SURF	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
OBS-94-25	SURF	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
OBS-94-25	SURF	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
OBS-94-25	SURF	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
OBS-94-26	SURF	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5		
OBS-94-26	SURF	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
OBS-94-26	SURF	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-26	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5		
OBS-94-26	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-26	SURF	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
OBS-94-26	SURF	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
OBS-94-26	SURF	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
OBS-94-26	SURF	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
OBS-94-27	SURF	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5		
OBS-94-27	SURF	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
OBS-94-27	SURF	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-27	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5		
OBS-94-27	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-27	SURF	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
OBS-94-27	SURF	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
OBS-94-27	SURF	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
OBS-94-27	SURF	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
OBS-94-28	SURF	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5		
OBS-94-28	SURF	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
OBS-94-28	SURF	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-28	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5		
OBS-94-28	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-28	SURF	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
OBS-94-28	SURF	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
OBS-94-28	SURF	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
OBS-94-28	SURF	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
OBS-94-29	SURF	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5		
OBS-94-29	SURF	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
OBS-94-29	SURF	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-29	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5		
OBS-94-29	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-29	SURF	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
OBS-94-29	SURF	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
OBS-94-29	SURF	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
OBS-94-29	SURF	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		

Old Burn Area (SWMU 6) Phase II RI Data

Site ID	Site Type	Media Type	Test Name		Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **EXPLOSIVES**										
OBS-94-30	SURF	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5		
OBS-94-30	SURF	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
OBS-94-30	SURF	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-30	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5		
OBS-94-30	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-30	SURF	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
OBS-94-30	SURF	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
OBS-94-30	SURF	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
OBS-94-30	SURF	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
OBS-94-31	SURF	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5		
OBS-94-31	SURF	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
OBS-94-31	SURF	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-31	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5		
OBS-94-31	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-31	SURF	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
OBS-94-31	SURF	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
OBS-94-31	SURF	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
OBS-94-31	SURF	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
OBS-94-32	SURF	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5		
OBS-94-32	SURF	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
OBS-94-32	SURF	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-32	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5		
OBS-94-32	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
OBS-94-32	SURF	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
OBS-94-32	SURF	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
OBS-94-32	SURF	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
OBS-94-32	SURF	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
Chemical Class: **METALS**										
OBP-94-01A	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
OBP-94-01A	EXCV	CSO	AL	ALUMINUM		17300.00000	µg/g	0.5		
OBP-94-01A	EXCV	CSO	AS	ARSENIC		7.17000000	µg/g	0.5		
OBP-94-01A	EXCV	CSO	BA	BARIUM		344.0000000	µg/g	0.5		
OBP-94-01A	EXCV	CSO	BE	BERYLLIUM		0.72600000	µg/g	0.5		
OBP-94-01A	EXCV	CSO	CA	CALCIUM		11800.00000	µg/g	0.5		
OBP-94-01A	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
OBP-94-01A	EXCV	CSO	CO	COBALT		6.00000000	µg/g	0.5		
OBP-94-01A	EXCV	CSO	CR	CHROMIUM		39.30000000	µg/g	0.5		
OBP-94-01A	EXCV	CSO	CU	COPPER		112.0000000	µg/g	0.5		
OBP-94-01A	EXCV	CSO	FE	IRON		36500.00000	µg/g	0.5		
OBP-94-01A	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		I
OBP-94-01A	EXCV	CSO	K	POTASSIUM		4820.000000	µg/g	0.5		
OBP-94-01A	EXCV	CSO	MG	MAGNESIUM		6960.000000	µg/g	0.5		
OBP-94-01A	EXCV	CSO	MN	MANGANESE		488.0000000	µg/g	0.5		
OBP-94-01A	EXCV	CSO	NA	SODIUM		278.0000000	µg/g	0.5		
OBP-94-01A	EXCV	CSO	NI	NICKEL		23.30000000	µg/g	0.5		
OBP-94-01A	EXCV	CSO	PB	LEAD		1800.000000	µg/g	0.5		
OBP-94-01A	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5	7	
OBP-94-01A	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
OBP-94-01A	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
OBP-94-01A	EXCV	CSO	V	VANADIUM		27.80000000	µg/g	0.5		J

Old Burn Area (SWMU 6) Phase II RI Data

Site ID	Site Type	Media Type	Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**									
OBP-94-01A	EXCV	CSO	ZN ZINC		641.0000000	µg/g	0.5		
OBP-94-01B	EXCV	CSO	AG SILVER	LT	0.80300000	µg/g	2.0		
OBP-94-01B	EXCV	CSO	AL ALUMINUM		6580.000000	µg/g	2.0		
OBP-94-01B	EXCV	CSO	AS ARSENIC		9.19000000	µg/g	2.0		
OBP-94-01B	EXCV	CSO	BA BARIUM		65.20000000	µg/g	2.0		
OBP-94-01B	EXCV	CSO	BE BERYLLIUM	LT	0.42700000	µg/g	2.0		
OBP-94-01B	EXCV	CSO	CA CALCIUM		14200.00000	µg/g	2.0		
OBP-94-01B	EXCV	CSO	CD CADMIUM	LT	1.20000000	µg/g	2.0		
OBP-94-01B	EXCV	CSO	CO COBALT		2.75000000	µg/g	2.0		
OBP-94-01B	EXCV	CSO	CR CHROMIUM		11.70000000	µg/g	2.0		
OBP-94-01B	EXCV	CSO	CU COPPER		6.46000000	µg/g	2.0		
OBP-94-01B	EXCV	CSO	FE IRON		10900.00000	µg/g	2.0		
OBP-94-01B	EXCV	CSO	HG MERCURY	LT	0.05000000	µg/g	2.0		I
OBP-94-01B	EXCV	CSO	K POTASSIUM		1740.000000	µg/g	2.0		
OBP-94-01B	EXCV	CSO	MG MAGNESIUM		2220.000000	µg/g	2.0		
OBP-94-01B	EXCV	CSO	MN MANGANESE		111.0000000	µg/g	2.0		
OBP-94-01B	EXCV	CSO	NA SODIUM		160.0000000	µg/g	2.0		
OBP-94-01B	EXCV	CSO	NI NICKEL		5.19000000	µg/g	2.0		
OBP-94-01B	EXCV	CSO	PB LEAD	LT	7.44000000	µg/g	2.0		
OBP-94-01B	EXCV	CSO	SB ANTIMONY	LT	19.60000000	µg/g	2.0	7	
OBP-94-01B	EXCV	CSO	SE SELENIUM	LT	0.44900000	µg/g	2.0		
OBP-94-01B	EXCV	CSO	TL THALLIUM	LT	34.30000000	µg/g	2.0		
OBP-94-01B	EXCV	CSO	V VANADIUM		19.50000000	µg/g	2.0		J
OBP-94-01B	EXCV	CSO	ZN ZINC		21.30000000	µg/g	2.0		
OBP-94-01C	EXCV	CSO	AG SILVER	LT	0.80300000	µg/g	5.0		
OBP-94-01C	EXCV	CSO	AL ALUMINUM		3580.000000	µg/g	5.0		
OBP-94-01C	EXCV	CSO	AS ARSENIC		3.14000000	µg/g	5.0		
OBP-94-01C	EXCV	CSO	BA BARIUM		142.0000000	µg/g	5.0		
OBP-94-01C	EXCV	CSO	BE BERYLLIUM	LT	0.42700000	µg/g	5.0		
OBP-94-01C	EXCV	CSO	CA CALCIUM		120000.0000	µg/g	5.0		
OBP-94-01C	EXCV	CSO	CD CADMIUM	LT	1.20000000	µg/g	5.0		
OBP-94-01C	EXCV	CSO	CO COBALT	LT	2.50000000	µg/g	5.0		
OBP-94-01C	EXCV	CSO	CR CHROMIUM		6.05000000	µg/g	5.0		
OBP-94-01C	EXCV	CSO	CU COPPER		7.77000000	µg/g	5.0		
OBP-94-01C	EXCV	CSO	FE IRON		5330.000000	µg/g	5.0		
OBP-94-01C	EXCV	CSO	HG MERCURY		0.06840000	µg/g	5.0	7	I
OBP-94-01C	EXCV	CSO	K POTASSIUM		969.0000000	µg/g	5.0		
OBP-94-01C	EXCV	CSO	MG MAGNESIUM		5120.000000	µg/g	5.0		
OBP-94-01C	EXCV	CSO	MN MANGANESE		128.0000000	µg/g	5.0		
OBP-94-01C	EXCV	CSO	NA SODIUM		273.0000000	µg/g	5.0		
OBP-94-01C	EXCV	CSO	NI NICKEL		4.84000000	µg/g	5.0		
OBP-94-01C	EXCV	CSO	PB LEAD		17.70000000	µg/g	5.0		
OBP-94-01C	EXCV	CSO	SB ANTIMONY	LT	19.60000000	µg/g	5.0	7	
OBP-94-01C	EXCV	CSO	SE SELENIUM	LT	0.44900000	µg/g	5.0		
OBP-94-01C	EXCV	CSO	TL THALLIUM	LT	34.30000000	µg/g	5.0		
OBP-94-01C	EXCV	CSO	V VANADIUM		8.91000000	µg/g	5.0		J
OBP-94-01C	EXCV	CSO	ZN ZINC		31.90000000	µg/g	5.0		
OBP-94-01D	EXCV	CSO	AG SILVER	LT	0.80300000	µg/g	7.0		
OBP-94-01D	EXCV	CSO	AL ALUMINUM		4970.000000	µg/g	7.0		
OBP-94-01D	EXCV	CSO	AS ARSENIC		3.03000000	µg/g	7.0		
OBP-94-01D	EXCV	CSO	BA BARIUM		151.0000000	µg/g	7.0		
OBP-94-01D	EXCV	CSO	BE BERYLLIUM	LT	0.42700000	µg/g	7.0		

Old Burn Area (SWMU 6) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
OBP-94-01D	EXCV	CSO	CA	CALCIUM		100000.0000	µg/g	7.0		
OBP-94-01D	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	7.0		
OBP-94-01D	EXCV	CSO	CO	COBALT	LT	2.50000000	µg/g	7.0		
OBP-94-01D	EXCV	CSO	CR	CHROMIUM		8.16000000	µg/g	7.0		
OBP-94-01D	EXCV	CSO	CU	COPPER		9.31000000	µg/g	7.0		
OBP-94-01D	EXCV	CSO	FE	IRON		6660.000000	µg/g	7.0		
OBP-94-01D	EXCV	CSO	HG	MERCURY		0.05580000	µg/g	7.0	7	I
OBP-94-01D	EXCV	CSO	K	POTASSIUM		1420.000000	µg/g	7.0		
OBP-94-01D	EXCV	CSO	MG	MAGNESIUM		5770.000000	µg/g	7.0		
OBP-94-01D	EXCV	CSO	MN	MANGANESE		131.0000000	µg/g	7.0		
OBP-94-01D	EXCV	CSO	NA	SODIUM		315.0000000	µg/g	7.0		
OBP-94-01D	EXCV	CSO	NI	NICKEL		5.45000000	µg/g	7.0		
OBP-94-01D	EXCV	CSO	PB	LEAD		14.90000000	µg/g	7.0		
OBP-94-01D	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	7.0	7	
OBP-94-01D	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	7.0		
OBP-94-01D	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	7.0		
OBP-94-01D	EXCV	CSO	V	VANADIUM		11.80000000	µg/g	7.0		J
OBP-94-01D	EXCV	CSO	ZN	ZINC		39.60000000	µg/g	7.0		
OBP-94-02A	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
OBP-94-02A	EXCV	CSO	AL	ALUMINUM		12300.00000	µg/g	0.5		
OBP-94-02A	EXCV	CSO	AS	ARSENIC		2.68000000	µg/g	0.5		
OBP-94-02A	EXCV	CSO	BA	BARIUM		88.00000000	µg/g	0.5		
OBP-94-02A	EXCV	CSO	BE	BERYLLIUM		0.54900000	µg/g	0.5		
OBP-94-02A	EXCV	CSO	CA	CALCIUM		2220.000000	µg/g	0.5		
OBP-94-02A	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
OBP-94-02A	EXCV	CSO	CO	COBALT		3.22000000	µg/g	0.5		
OBP-94-02A	EXCV	CSO	CR	CHROMIUM		14.80000000	µg/g	0.5		
OBP-94-02A	EXCV	CSO	CU	COPPER		11.60000000	µg/g	0.5		
OBP-94-02A	EXCV	CSO	FE	IRON		11500.00000	µg/g	0.5		
OBP-94-02A	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
OBP-94-02A	EXCV	CSO	K	POTASSIUM		3230.000000	µg/g	0.5		
OBP-94-02A	EXCV	CSO	MG	MAGNESIUM		3200.000000	µg/g	0.5		
OBP-94-02A	EXCV	CSO	MN	MANGANESE		208.0000000	µg/g	0.5		
OBP-94-02A	EXCV	CSO	NA	SODIUM		174.0000000	µg/g	0.5		
OBP-94-02A	EXCV	CSO	NI	NICKEL		7.83000000	µg/g	0.5		
OBP-94-02A	EXCV	CSO	PB	LEAD		109.0000000	µg/g	0.5		
OBP-94-02A	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5	L	J
OBP-94-02A	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
OBP-94-02A	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
OBP-94-02A	EXCV	CSO	V	VANADIUM		17.70000000	µg/g	0.5		
OBP-94-02A	EXCV	CSO	ZN	ZINC		43.00000000	µg/g	0.5		
OBP-94-02B	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	2.0		
OBP-94-02B	EXCV	CSO	AL	ALUMINUM		2010.000000	µg/g	2.0		
OBP-94-02B	EXCV	CSO	AS	ARSENIC	LT	2.50000000	µg/g	2.0		
OBP-94-02B	EXCV	CSO	BA	BARIUM		13.50000000	µg/g	2.0		
OBP-94-02B	EXCV	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	2.0		
OBP-94-02B	EXCV	CSO	CA	CALCIUM		909.0000000	µg/g	2.0		
OBP-94-02B	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	2.0		
OBP-94-02B	EXCV	CSO	CO	COBALT	LT	2.50000000	µg/g	2.0		
OBP-94-02B	EXCV	CSO	CR	CHROMIUM		3.78000000	µg/g	2.0		
OBP-94-02B	EXCV	CSO	CU	COPPER	LT	2.84000000	µg/g	2.0		
OBP-94-02B	EXCV	CSO	FE	IRON		3170.000000	µg/g	2.0		

Old Burn Area (SWMU 6) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
OBP-94-02B	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	2.0		
OBP-94-02B	EXCV	CSO	K	POTASSIUM		475.0000000	µg/g	2.0		
OBP-94-02B	EXCV	CSO	MG	MAGNESIUM		466.0000000	µg/g	2.0		
OBP-94-02B	EXCV	CSO	MN	MANGANESE		44.40000000	µg/g	2.0		
OBP-94-02B	EXCV	CSO	NA	SODIUM		50.10000000	µg/g	2.0		
OBP-94-02B	EXCV	CSO	NI	NICKEL	LT	2.74000000	µg/g	2.0		
OBP-94-02B	EXCV	CSO	PB	LEAD	LT	7.44000000	µg/g	2.0		
OBP-94-02B	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	2.0	L	J
OBP-94-02B	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	2.0		
OBP-94-02B	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	2.0		
OBP-94-02B	EXCV	CSO	V	VANADIUM		5.84000000	µg/g	2.0		
OBP-94-02B	EXCV	CSO	ZN	ZINC		7.41000000	µg/g	2.0		
OBP-94-02C	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	5.0		
OBP-94-02C	EXCV	CSO	AL	ALUMINUM		1560.000000	µg/g	5.0		
OBP-94-02C	EXCV	CSO	AS	ARSENIC	LT	2.50000000	µg/g	5.0		
OBP-94-02C	EXCV	CSO	BA	BARIUM		14.10000000	µg/g	5.0		
OBP-94-02C	EXCV	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	5.0		
OBP-94-02C	EXCV	CSO	CA	CALCIUM		15500.00000	µg/g	5.0		
OBP-94-02C	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	5.0		
OBP-94-02C	EXCV	CSO	CO	COBALT	LT	2.50000000	µg/g	5.0		
OBP-94-02C	EXCV	CSO	CR	CHROMIUM		2.59000000	µg/g	5.0		
OBP-94-02C	EXCV	CSO	CU	COPPER	LT	2.84000000	µg/g	5.0		
OBP-94-02C	EXCV	CSO	FE	IRON		2590.000000	µg/g	5.0		
OBP-94-02C	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	5.0		
OBP-94-02C	EXCV	CSO	K	POTASSIUM		490.0000000	µg/g	5.0		
OBP-94-02C	EXCV	CSO	MG	MAGNESIUM		551.0000000	µg/g	5.0		
OBP-94-02C	EXCV	CSO	MN	MANGANESE		35.20000000	µg/g	5.0		
OBP-94-02C	EXCV	CSO	NA	SODIUM		51.00000000	µg/g	5.0		
OBP-94-02C	EXCV	CSO	NI	NICKEL	LT	2.74000000	µg/g	5.0		
OBP-94-02C	EXCV	CSO	PB	LEAD	LT	7.44000000	µg/g	5.0		
OBP-94-02C	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	5.0	L	J
OBP-94-02C	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	5.0		
OBP-94-02C	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	5.0		
OBP-94-02C	EXCV	CSO	V	VANADIUM		7.20000000	µg/g	5.0		
OBP-94-02C	EXCV	CSO	ZN	ZINC		6.58000000	µg/g	5.0		
OBP-94-02D	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	7.0		
OBP-94-02D	EXCV	CSO	AL	ALUMINUM		28100.00000	µg/g	7.0		
OBP-94-02D	EXCV	CSO	AS	ARSENIC		2.99000000	µg/g	7.0		
OBP-94-02D	EXCV	CSO	BA	BARIUM		141.0000000	µg/g	7.0		
OBP-94-02D	EXCV	CSO	BE	BERYLLIUM		1.08000000	µg/g	7.0		
OBP-94-02D	EXCV	CSO	CA	CALCIUM		3940.000000	µg/g	7.0		
OBP-94-02D	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	7.0		
OBP-94-02D	EXCV	CSO	CO	COBALT		9.40000000	µg/g	7.0		
OBP-94-02D	EXCV	CSO	CR	CHROMIUM		26.30000000	µg/g	7.0		
OBP-94-02D	EXCV	CSO	CU	COPPER		13.30000000	µg/g	7.0		
OBP-94-02D	EXCV	CSO	FE	IRON		22000.00000	µg/g	7.0		
OBP-94-02D	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	7.0		
OBP-94-02D	EXCV	CSO	K	POTASSIUM		7260.000000	µg/g	7.0		
OBP-94-02D	EXCV	CSO	MG	MAGNESIUM		7870.000000	µg/g	7.0		
OBP-94-02D	EXCV	CSO	MN	MANGANESE		137.0000000	µg/g	7.0		
OBP-94-02D	EXCV	CSO	NA	SODIUM		573.0000000	µg/g	7.0		
OBP-94-02D	EXCV	CSO	NI	NICKEL		12.20000000	µg/g	7.0		

Old Burn Area (SWMU 6) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
OBP-94-02D	EXCV	CSO	PB	LEAD		13.00000000	µg/g	7.0		
OBP-94-02D	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	7.0	L	J
OBP-94-02D	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	7.0		
OBP-94-02D	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	7.0		
OBP-94-02D	EXCV	CSO	V	VANADIUM		34.80000000	µg/g	7.0		
OBP-94-02D	EXCV	CSO	ZN	ZINC		48.50000000	µg/g	7.0		
OBP-94-02E	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	10.0		
OBP-94-02E	EXCV	CSO	AL	ALUMINUM		6750.000000	µg/g	10.0		
OBP-94-02E	EXCV	CSO	AS	ARSENIC		3.13000000	µg/g	10.0		
OBP-94-02E	EXCV	CSO	BA	BARIUM		79.80000000	µg/g	10.0		
OBP-94-02E	EXCV	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	10.0		
OBP-94-02E	EXCV	CSO	CA	CALCIUM		100000.0000	µg/g	10.0		
OBP-94-02E	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	10.0		
OBP-94-02E	EXCV	CSO	CO	COBALT	LT	2.50000000	µg/g	10.0		
OBP-94-02E	EXCV	CSO	CR	CHROMIUM		6.03000000	µg/g	10.0		
OBP-94-02E	EXCV	CSO	CU	COPPER		5.17000000	µg/g	10.0		
OBP-94-02E	EXCV	CSO	FE	IRON		6500.000000	µg/g	10.0		
OBP-94-02E	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	10.0		
OBP-94-02E	EXCV	CSO	K	POTASSIUM		1620.000000	µg/g	10.0		
OBP-94-02E	EXCV	CSO	MG	MAGNESIUM		5410.000000	µg/g	10.0		
OBP-94-02E	EXCV	CSO	MN	MANGANESE		87.80000000	µg/g	10.0		
OBP-94-02E	EXCV	CSO	NA	SODIUM		213.0000000	µg/g	10.0		
OBP-94-02E	EXCV	CSO	NI	NICKEL		4.02000000	µg/g	10.0		
OBP-94-02E	EXCV	CSO	PB	LEAD	LT	7.44000000	µg/g	10.0		
OBP-94-02E	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	10.0	L	J
OBP-94-02E	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	10.0		
OBP-94-02E	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	10.0		
OBP-94-02E	EXCV	CSO	V	VANADIUM		10.30000000	µg/g	10.0		
OBP-94-02E	EXCV	CSO	ZN	ZINC		16.60000000	µg/g	10.0		
OBP-94-02F	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	3.0		
OBP-94-02F	EXCV	CSO	AL	ALUMINUM		13600.00000	µg/g	3.0		
OBP-94-02F	EXCV	CSO	AS	ARSENIC		4.29000000	µg/g	3.0		
OBP-94-02F	EXCV	CSO	BA	BARIUM		99.00000000	µg/g	3.0		
OBP-94-02F	EXCV	CSO	BE	BERYLLIUM		0.54800000	µg/g	3.0		
OBP-94-02F	EXCV	CSO	CA	CALCIUM		2740.000000	µg/g	3.0		
OBP-94-02F	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	3.0		
OBP-94-02F	EXCV	CSO	CO	COBALT		4.75000000	µg/g	3.0		
OBP-94-02F	EXCV	CSO	CR	CHROMIUM		16.00000000	µg/g	3.0		
OBP-94-02F	EXCV	CSO	CU	COPPER		10.60000000	µg/g	3.0		
OBP-94-02F	EXCV	CSO	FE	IRON		11800.00000	µg/g	3.0		
OBP-94-02F	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	3.0		
OBP-94-02F	EXCV	CSO	K	POTASSIUM		3610.000000	µg/g	3.0		
OBP-94-02F	EXCV	CSO	MG	MAGNESIUM		3310.000000	µg/g	3.0		
OBP-94-02F	EXCV	CSO	MN	MANGANESE		239.0000000	µg/g	3.0		
OBP-94-02F	EXCV	CSO	NA	SODIUM		232.0000000	µg/g	3.0		
OBP-94-02F	EXCV	CSO	NI	NICKEL		7.21000000	µg/g	3.0		
OBP-94-02F	EXCV	CSO	PB	LEAD		19.10000000	µg/g	3.0		
OBP-94-02F	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	3.0	L	J
OBP-94-02F	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	3.0		
OBP-94-02F	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	3.0		
OBP-94-02F	EXCV	CSO	V	VANADIUM		19.70000000	µg/g	3.0		
OBP-94-02F	EXCV	CSO	ZN	ZINC		48.10000000	µg/g	3.0		

Old Burn Area (SWMU 6) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
OBP-94-03A	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
OBP-94-03A	EXCV	CSO	AL	ALUMINUM		6730.000000	µg/g	0.5		
OBP-94-03A	EXCV	CSO	AS	ARSENIC		3.34000000	µg/g	0.5		
OBP-94-03A	EXCV	CSO	BA	BARIUM		44.10000000	µg/g	0.5		
OBP-94-03A	EXCV	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	0.5		
OBP-94-03A	EXCV	CSO	CA	CALCIUM		4460.000000	µg/g	0.5		
OBP-94-03A	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
OBP-94-03A	EXCV	CSO	CO	COBALT	LT	2.50000000	µg/g	0.5		
OBP-94-03A	EXCV	CSO	CR	CHROMIUM		9.41000000	µg/g	0.5		
OBP-94-03A	EXCV	CSO	CU	COPPER		10.50000000	µg/g	0.5		
OBP-94-03A	EXCV	CSO	FE	IRON		7190.000000	µg/g	0.5		
OBP-94-03A	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
OBP-94-03A	EXCV	CSO	K	POTASSIUM		1720.000000	µg/g	0.5		
OBP-94-03A	EXCV	CSO	MG	MAGNESIUM		1560.000000	µg/g	0.5		
OBP-94-03A	EXCV	CSO	MN	MANGANESE		93.90000000	µg/g	0.5		
OBP-94-03A	EXCV	CSO	NA	SODIUM		151.0000000	µg/g	0.5		
OBP-94-03A	EXCV	CSO	NI	NICKEL		3.86000000	µg/g	0.5		
OBP-94-03A	EXCV	CSO	PB	LEAD		32.20000000	µg/g	0.5		
OBP-94-03A	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5	L	J
OBP-94-03A	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
OBP-94-03A	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
OBP-94-03A	EXCV	CSO	V	VANADIUM		13.10000000	µg/g	0.5		
OBP-94-03A	EXCV	CSO	ZN	ZINC		45.90000000	µg/g	0.5		
OBP-94-03B	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	2.0		
OBP-94-03B	EXCV	CSO	AL	ALUMINUM		1410.000000	µg/g	2.0		
OBP-94-03B	EXCV	CSO	AS	ARSENIC	LT	2.50000000	µg/g	2.0		
OBP-94-03B	EXCV	CSO	BA	BARIUM		8.69000000	µg/g	2.0		
OBP-94-03B	EXCV	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	2.0		
OBP-94-03B	EXCV	CSO	CA	CALCIUM		857.0000000	µg/g	2.0		
OBP-94-03B	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	2.0		
OBP-94-03B	EXCV	CSO	CO	COBALT	LT	2.50000000	µg/g	2.0		
OBP-94-03B	EXCV	CSO	CR	CHROMIUM		3.85000000	µg/g	2.0		
OBP-94-03B	EXCV	CSO	CU	COPPER	LT	2.84000000	µg/g	2.0		
OBP-94-03B	EXCV	CSO	FE	IRON		2770.000000	µg/g	2.0		
OBP-94-03B	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	2.0		
OBP-94-03B	EXCV	CSO	K	POTASSIUM		457.0000000	µg/g	2.0		
OBP-94-03B	EXCV	CSO	MG	MAGNESIUM		396.0000000	µg/g	2.0		
OBP-94-03B	EXCV	CSO	MN	MANGANESE		33.30000000	µg/g	2.0		
OBP-94-03B	EXCV	CSO	NA	SODIUM	LT	38.70000000	µg/g	2.0		
OBP-94-03B	EXCV	CSO	NI	NICKEL	LT	2.74000000	µg/g	2.0		
OBP-94-03B	EXCV	CSO	PB	LEAD	LT	7.44000000	µg/g	2.0		
OBP-94-03B	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	2.0	L	J
OBP-94-03B	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	2.0		
OBP-94-03B	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	2.0		
OBP-94-03B	EXCV	CSO	V	VANADIUM		5.83000000	µg/g	2.0		
OBP-94-03B	EXCV	CSO	ZN	ZINC		4.03000000	µg/g	2.0		
OBP-94-03C	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	5.0		
OBP-94-03C	EXCV	CSO	AL	ALUMINUM		2010.000000	µg/g	5.0		
OBP-94-03C	EXCV	CSO	AS	ARSENIC	LT	2.50000000	µg/g	5.0		
OBP-94-03C	EXCV	CSO	BA	BARIUM		18.60000000	µg/g	5.0		
OBP-94-03C	EXCV	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	5.0		
OBP-94-03C	EXCV	CSO	CA	CALCIUM		18800.00000	µg/g	5.0		

Old Burn Area (SWMU 6) Phase II RI Data

Chemical Class: **METALS**

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
OBP-94-03C	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	5.0		
OBP-94-03C	EXCV	CSO	CO	COBALT	LT	2.50000000	µg/g	5.0		
OBP-94-03C	EXCV	CSO	CR	CHROMIUM		3.64000000	µg/g	5.0		
OBP-94-03C	EXCV	CSO	CU	COPPER	LT	2.84000000	µg/g	5.0		
OBP-94-03C	EXCV	CSO	FE	IRON		3860.000000	µg/g	5.0		
OBP-94-03C	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	5.0		
OBP-94-03C	EXCV	CSO	K	POTASSIUM		470.0000000	µg/g	5.0		
OBP-94-03C	EXCV	CSO	MG	MAGNESIUM		1450.000000	µg/g	5.0		
OBP-94-03C	EXCV	CSO	MN	MANGANESE		70.40000000	µg/g	5.0		
OBP-94-03C	EXCV	CSO	NA	SODIUM		103.0000000	µg/g	5.0		
OBP-94-03C	EXCV	CSO	NI	NICKEL	LT	2.74000000	µg/g	5.0		
OBP-94-03C	EXCV	CSO	PB	LEAD		10.00000000	µg/g	5.0		
OBP-94-03C	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	5.0	L	J
OBP-94-03C	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	5.0		
OBP-94-03C	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	5.0		
OBP-94-03C	EXCV	CSO	V	VANADIUM		7.26000000	µg/g	5.0		
OBP-94-03C	EXCV	CSO	ZN	ZINC		8.31000000	µg/g	5.0		
OBP-94-03D	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	7.0		
OBP-94-03D	EXCV	CSO	AL	ALUMINUM		2960.000000	µg/g	7.0		
OBP-94-03D	EXCV	CSO	AS	ARSENIC	LT	2.50000000	µg/g	7.0		
OBP-94-03D	EXCV	CSO	BA	BARIUM		20.30000000	µg/g	7.0		
OBP-94-03D	EXCV	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	7.0		
OBP-94-03D	EXCV	CSO	CA	CALCIUM		5800.000000	µg/g	7.0		
OBP-94-03D	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	7.0		
OBP-94-03D	EXCV	CSO	CO	COBALT	LT	2.50000000	µg/g	7.0		
OBP-94-03D	EXCV	CSO	CR	CHROMIUM		4.71000000	µg/g	7.0		
OBP-94-03D	EXCV	CSO	CU	COPPER		3.54000000	µg/g	7.0		
OBP-94-03D	EXCV	CSO	FE	IRON		4750.000000	µg/g	7.0		
OBP-94-03D	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	7.0		
OBP-94-03D	EXCV	CSO	K	POTASSIUM		705.0000000	µg/g	7.0		
OBP-94-03D	EXCV	CSO	MG	MAGNESIUM		1000.000000	µg/g	7.0		
OBP-94-03D	EXCV	CSO	MN	MANGANESE		64.00000000	µg/g	7.0		
OBP-94-03D	EXCV	CSO	NA	SODIUM		252.0000000	µg/g	7.0		
OBP-94-03D	EXCV	CSO	NI	NICKEL	LT	2.74000000	µg/g	7.0		
OBP-94-03D	EXCV	CSO	PB	LEAD		19.00000000	µg/g	7.0		
OBP-94-03D	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	7.0	L	J
OBP-94-03D	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	7.0		
OBP-94-03D	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	7.0		
OBP-94-03D	EXCV	CSO	V	VANADIUM		11.30000000	µg/g	7.0		
OBP-94-03D	EXCV	CSO	ZN	ZINC		12.30000000	µg/g	7.0		
OBP-94-04A	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
OBP-94-04A	EXCV	CSO	AL	ALUMINUM		14600.00000	µg/g	0.5		
OBP-94-04A	EXCV	CSO	AS	ARSENIC		3.93000000	µg/g	0.5		
OBP-94-04A	EXCV	CSO	BA	BARIUM		205.0000000	µg/g	0.5		
OBP-94-04A	EXCV	CSO	BE	BERYLLIUM		0.57500000	µg/g	0.5		
OBP-94-04A	EXCV	CSO	CA	CALCIUM		4450.000000	µg/g	0.5		
OBP-94-04A	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
OBP-94-04A	EXCV	CSO	CO	COBALT		6.62000000	µg/g	0.5		
OBP-94-04A	EXCV	CSO	CR	CHROMIUM		34.40000000	µg/g	0.5		
OBP-94-04A	EXCV	CSO	CU	COPPER		116.0000000	µg/g	0.5		
OBP-94-04A	EXCV	CSO	FE	IRON		21600.00000	µg/g	0.5		
OBP-94-04A	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		

Old Burn Area (SWMU 6) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
OBP-94-04A	EXCV	CSO	K	POTASSIUM		4180.000000	µg/g	0.5		
OBP-94-04A	EXCV	CSO	MG	MAGNESIUM		4060.000000	µg/g	0.5		
OBP-94-04A	EXCV	CSO	MN	MANGANESE		290.0000000	µg/g	0.5		
OBP-94-04A	EXCV	CSO	NA	SODIUM		268.0000000	µg/g	0.5		
OBP-94-04A	EXCV	CSO	NI	NICKEL		10.10000000	µg/g	0.5		
OBP-94-04A	EXCV	CSO	PB	LEAD		394.0000000	µg/g	0.5		
OBP-94-04A	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5	L	J
OBP-94-04A	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
OBP-94-04A	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
OBP-94-04A	EXCV	CSO	V	VANADIUM		21.90000000	µg/g	0.5		
OBP-94-04A	EXCV	CSO	ZN	ZINC		137.0000000	µg/g	0.5		
OBP-94-04B	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	2.0		
OBP-94-04B	EXCV	CSO	AL	ALUMINUM		11500.00000	µg/g	2.0		
OBP-94-04B	EXCV	CSO	AS	ARSENIC		4.55000000	µg/g	2.0		
OBP-94-04B	EXCV	CSO	BA	BARIUM		103.0000000	µg/g	2.0		
OBP-94-04B	EXCV	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	2.0		
OBP-94-04B	EXCV	CSO	CA	CALCIUM		21000.00000	µg/g	2.0		
OBP-94-04B	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	2.0		
OBP-94-04B	EXCV	CSO	CO	COBALT		2.94000000	µg/g	2.0		
OBP-94-04B	EXCV	CSO	CR	CHROMIUM		14.70000000	µg/g	2.0		
OBP-94-04B	EXCV	CSO	CU	COPPER		16.60000000	µg/g	2.0		
OBP-94-04B	EXCV	CSO	FE	IRON		10100.00000	µg/g	2.0		
OBP-94-04B	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	2.0		
OBP-94-04B	EXCV	CSO	K	POTASSIUM		3060.000000	µg/g	2.0		
OBP-94-04B	EXCV	CSO	MG	MAGNESIUM		3430.000000	µg/g	2.0		
OBP-94-04B	EXCV	CSO	MN	MANGANESE		190.0000000	µg/g	2.0		
OBP-94-04B	EXCV	CSO	NA	SODIUM		257.0000000	µg/g	2.0		
OBP-94-04B	EXCV	CSO	NI	NICKEL		7.15000000	µg/g	2.0		
OBP-94-04B	EXCV	CSO	PB	LEAD		25.90000000	µg/g	2.0		
OBP-94-04B	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	2.0	L	J
OBP-94-04B	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	2.0		
OBP-94-04B	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	2.0		
OBP-94-04B	EXCV	CSO	V	VANADIUM		21.80000000	µg/g	2.0		
OBP-94-04B	EXCV	CSO	ZN	ZINC		87.00000000	µg/g	2.0		
OBP-94-04C	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	5.0		
OBP-94-04C	EXCV	CSO	AL	ALUMINUM		8470.000000	µg/g	5.0		
OBP-94-04C	EXCV	CSO	AS	ARSENIC		3.88000000	µg/g	5.0		
OBP-94-04C	EXCV	CSO	BA	BARIUM		59.00000000	µg/g	5.0		
OBP-94-04C	EXCV	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	5.0		
OBP-94-04C	EXCV	CSO	CA	CALCIUM		16000.00000	µg/g	5.0		
OBP-94-04C	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	5.0		
OBP-94-04C	EXCV	CSO	CO	COBALT		4.23000000	µg/g	5.0		
OBP-94-04C	EXCV	CSO	CR	CHROMIUM		11.60000000	µg/g	5.0		
OBP-94-04C	EXCV	CSO	CU	COPPER		10.00000000	µg/g	5.0		
OBP-94-04C	EXCV	CSO	FE	IRON		9780.000000	µg/g	5.0		
OBP-94-04C	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	5.0		
OBP-94-04C	EXCV	CSO	K	POTASSIUM		2250.000000	µg/g	5.0		
OBP-94-04C	EXCV	CSO	MG	MAGNESIUM		5080.000000	µg/g	5.0		
OBP-94-04C	EXCV	CSO	MN	MANGANESE		167.0000000	µg/g	5.0		
OBP-94-04C	EXCV	CSO	NA	SODIUM		205.0000000	µg/g	5.0		
OBP-94-04C	EXCV	CSO	NI	NICKEL		7.95000000	µg/g	5.0		
OBP-94-04C	EXCV	CSO	PB	LEAD		11.80000000	µg/g	5.0		

Old Burn Area (SWMU 6) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
OBP-94-04C	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	5.0	L	J
OBP-94-04C	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	5.0		
OBP-94-04C	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	5.0		
OBP-94-04C	EXCV	CSO	V	VANADIUM		17.10000000	µg/g	5.0		
OBP-94-04C	EXCV	CSO	ZN	ZINC		35.30000000	µg/g	5.0		
OBP-94-04D	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	7.0		
OBP-94-04D	EXCV	CSO	AL	ALUMINUM		7830.000000	µg/g	7.0		
OBP-94-04D	EXCV	CSO	AS	ARSENIC		3.56000000	µg/g	7.0		
OBP-94-04D	EXCV	CSO	BA	BARIUM		68.70000000	µg/g	7.0		
OBP-94-04D	EXCV	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	7.0		
OBP-94-04D	EXCV	CSO	CA	CALCIUM		36300.00000	µg/g	7.0		
OBP-94-04D	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	7.0		
OBP-94-04D	EXCV	CSO	CO	COBALT	LT	2.50000000	µg/g	7.0		
OBP-94-04D	EXCV	CSO	CR	CHROMIUM		10.20000000	µg/g	7.0		
OBP-94-04D	EXCV	CSO	CU	COPPER		5.59000000	µg/g	7.0		
OBP-94-04D	EXCV	CSO	FE	IRON		8340.000000	µg/g	7.0		
OBP-94-04D	EXCV	CSO	HG	MERCURY		0.05780000	µg/g	7.0		
OBP-94-04D	EXCV	CSO	K	POTASSIUM		2380.000000	µg/g	7.0		
OBP-94-04D	EXCV	CSO	MG	MAGNESIUM		4690.000000	µg/g	7.0		
OBP-94-04D	EXCV	CSO	MN	MANGANESE		108.0000000	µg/g	7.0		
OBP-94-04D	EXCV	CSO	NA	SODIUM		314.0000000	µg/g	7.0		
OBP-94-04D	EXCV	CSO	NI	NICKEL		4.50000000	µg/g	7.0		
OBP-94-04D	EXCV	CSO	PB	LEAD	LT	7.44000000	µg/g	7.0		
OBP-94-04D	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	7.0	L	J
OBP-94-04D	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	7.0		
OBP-94-04D	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	7.0		
OBP-94-04D	EXCV	CSO	V	VANADIUM		15.80000000	µg/g	7.0		
OBP-94-04D	EXCV	CSO	ZN	ZINC		16.20000000	µg/g	7.0		
OBP-94-05C	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	5.0		
OBP-94-05C	EXCV	CSO	AL	ALUMINUM		8780.000000	µg/g	5.0		
OBP-94-05C	EXCV	CSO	AS	ARSENIC		5.29000000	µg/g	5.0		
OBP-94-05C	EXCV	CSO	BA	BARIUM		57.70000000	µg/g	5.0		
OBP-94-05C	EXCV	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	5.0		
OBP-94-05C	EXCV	CSO	CA	CALCIUM		11100.00000	µg/g	5.0		
OBP-94-05C	EXCV	CSO	CD	CADMIUM		46.50000000	µg/g	5.0		
OBP-94-05C	EXCV	CSO	CO	COBALT	LT	2.50000000	µg/g	5.0		
OBP-94-05C	EXCV	CSO	CR	CHROMIUM		8.59000000	µg/g	5.0		
OBP-94-05C	EXCV	CSO	CU	COPPER		2600.000000	µg/g	5.0		
OBP-94-05C	EXCV	CSO	FE	IRON		8630.000000	µg/g	5.0		
OBP-94-05C	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	5.0		I
OBP-94-05C	EXCV	CSO	K	POTASSIUM		1550.000000	µg/g	5.0		
OBP-94-05C	EXCV	CSO	MG	MAGNESIUM		1610.000000	µg/g	5.0		
OBP-94-05C	EXCV	CSO	MN	MANGANESE		142.0000000	µg/g	5.0		
OBP-94-05C	EXCV	CSO	NA	SODIUM		89.50000000	µg/g	5.0		
OBP-94-05C	EXCV	CSO	NI	NICKEL		6.01000000	µg/g	5.0		
OBP-94-05C	EXCV	CSO	PB	LEAD		30.70000000	µg/g	5.0		
OBP-94-05C	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	5.0	7	
OBP-94-05C	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	5.0		
OBP-94-05C	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	5.0		
OBP-94-05C	EXCV	CSO	V	VANADIUM		13.10000000	µg/g	5.0		J
OBP-94-05C	EXCV	CSO	ZN	ZINC		2300.000000	µg/g	5.0		
OBP-94-05D	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	7.0		

Old Burn Area (SWMU 6) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
OBP-94-05D	EXCV	CSO	AL	ALUMINUM		3860.000000	µg/g	7.0		
OBP-94-05D	EXCV	CSO	AS	ARSENIC		3.97000000	µg/g	7.0		
OBP-94-05D	EXCV	CSO	BA	BARIUM		31.40000000	µg/g	7.0		
OBP-94-05D	EXCV	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	7.0		
OBP-94-05D	EXCV	CSO	CA	CALCIUM		6840.000000	µg/g	7.0		
OBP-94-05D	EXCV	CSO	CD	CADMIUM		12.60000000	µg/g	7.0		
OBP-94-05D	EXCV	CSO	CO	COBALT		2.63000000	µg/g	7.0		
OBP-94-05D	EXCV	CSO	CR	CHROMIUM		6.88000000	µg/g	7.0		
OBP-94-05D	EXCV	CSO	CU	COPPER		311.0000000	µg/g	7.0		
OBP-94-05D	EXCV	CSO	FE	IRON		4560.000000	µg/g	7.0		
OBP-94-05D	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	7.0		I
OBP-94-05D	EXCV	CSO	K	POTASSIUM		753.0000000	µg/g	7.0		
OBP-94-05D	EXCV	CSO	MG	MAGNESIUM		1050.000000	µg/g	7.0		
OBP-94-05D	EXCV	CSO	MN	MANGANESE		74.40000000	µg/g	7.0		
OBP-94-05D	EXCV	CSO	NA	SODIUM		60.50000000	µg/g	7.0		
OBP-94-05D	EXCV	CSO	NI	NICKEL		3.36000000	µg/g	7.0		
OBP-94-05D	EXCV	CSO	PB	LEAD		96.90000000	µg/g	7.0		
OBP-94-05D	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	7.0	7	
OBP-94-05D	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	7.0		
OBP-94-05D	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	7.0		
OBP-94-05D	EXCV	CSO	V	VANADIUM		7.53000000	µg/g	7.0		J
OBP-94-05D	EXCV	CSO	ZN	ZINC		380.0000000	µg/g	7.0		
OBP-94-05E	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	10.0		
OBP-94-05E	EXCV	CSO	AL	ALUMINUM		1220.000000	µg/g	10.0		
OBP-94-05E	EXCV	CSO	AS	ARSENIC	LT	2.50000000	µg/g	10.0		
OBP-94-05E	EXCV	CSO	BA	BARIUM		16.50000000	µg/g	10.0		
OBP-94-05E	EXCV	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	10.0		
OBP-94-05E	EXCV	CSO	CA	CALCIUM		20400.00000	µg/g	10.0		
OBP-94-05E	EXCV	CSO	CD	CADMIUM		3.98000000	µg/g	10.0		
OBP-94-05E	EXCV	CSO	CO	COBALT	LT	2.50000000	µg/g	10.0		
OBP-94-05E	EXCV	CSO	CR	CHROMIUM		3.31000000	µg/g	10.0		
OBP-94-05E	EXCV	CSO	CU	COPPER		16.40000000	µg/g	10.0		
OBP-94-05E	EXCV	CSO	FE	IRON		4860.000000	µg/g	10.0		
OBP-94-05E	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	10.0		I
OBP-94-05E	EXCV	CSO	K	POTASSIUM		402.0000000	µg/g	10.0		
OBP-94-05E	EXCV	CSO	MG	MAGNESIUM		2100.000000	µg/g	10.0		
OBP-94-05E	EXCV	CSO	MN	MANGANESE		59.00000000	µg/g	10.0		
OBP-94-05E	EXCV	CSO	NA	SODIUM	LT	38.70000000	µg/g	10.0		
OBP-94-05E	EXCV	CSO	NI	NICKEL	LT	2.74000000	µg/g	10.0		
OBP-94-05E	EXCV	CSO	PB	LEAD		18.30000000	µg/g	10.0		
OBP-94-05E	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	10.0	7	
OBP-94-05E	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	10.0		
OBP-94-05E	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	10.0		
OBP-94-05E	EXCV	CSO	V	VANADIUM		4.63000000	µg/g	10.0		J
OBP-94-05E	EXCV	CSO	ZN	ZINC		55.90000000	µg/g	10.0		
OBP-94-06A	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
OBP-94-06A	EXCV	CSO	AL	ALUMINUM		11500.00000	µg/g	0.5		
OBP-94-06A	EXCV	CSO	AS	ARSENIC		3.60000000	µg/g	0.5		
OBP-94-06A	EXCV	CSO	BA	BARIUM		111.0000000	µg/g	0.5		
OBP-94-06A	EXCV	CSO	BE	BERYLLIUM		0.52900000	µg/g	0.5		
OBP-94-06A	EXCV	CSO	CA	CALCIUM		3650.000000	µg/g	0.5		
OBP-94-06A	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		

Old Burn Area (SWMU 6) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
OBP-94-06A	EXCV	CSO	CO	COBALT		3.46000000	µg/g	0.5		
OBP-94-06A	EXCV	CSO	CR	CHROMIUM		13.20000000	µg/g	0.5		
OBP-94-06A	EXCV	CSO	CU	COPPER		17.00000000	µg/g	0.5		
OBP-94-06A	EXCV	CSO	FE	IRON		12600.00000	µg/g	0.5		
OBP-94-06A	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		I
OBP-94-06A	EXCV	CSO	K	POTASSIUM		3470.000000	µg/g	0.5		
OBP-94-06A	EXCV	CSO	MG	MAGNESIUM		4340.000000	µg/g	0.5		
OBP-94-06A	EXCV	CSO	MN	MANGANESE		320.0000000	µg/g	0.5		
OBP-94-06A	EXCV	CSO	NA	SODIUM		119.0000000	µg/g	0.5		
OBP-94-06A	EXCV	CSO	NI	NICKEL		8.57000000	µg/g	0.5		
OBP-94-06A	EXCV	CSO	PB	LEAD		20.80000000	µg/g	0.5		
OBP-94-06A	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5	7	
OBP-94-06A	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
OBP-94-06A	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
OBP-94-06A	EXCV	CSO	V	VANADIUM		15.90000000	µg/g	0.5		J
OBP-94-06A	EXCV	CSO	ZN	ZINC		50.10000000	µg/g	0.5		
OBP-94-06B	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	2.0		
OBP-94-06B	EXCV	CSO	AL	ALUMINUM		8920.000000	µg/g	2.0		
OBP-94-06B	EXCV	CSO	AS	ARSENIC		3.36000000	µg/g	2.0		
OBP-94-06B	EXCV	CSO	BA	BARIUM		89.70000000	µg/g	2.0		
OBP-94-06B	EXCV	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	2.0		
OBP-94-06B	EXCV	CSO	CA	CALCIUM		24600.00000	µg/g	2.0		
OBP-94-06B	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	2.0		
OBP-94-06B	EXCV	CSO	CO	COBALT		3.45000000	µg/g	2.0		
OBP-94-06B	EXCV	CSO	CR	CHROMIUM		10.50000000	µg/g	2.0		
OBP-94-06B	EXCV	CSO	CU	COPPER		7.12000000	µg/g	2.0		
OBP-94-06B	EXCV	CSO	FE	IRON		9830.000000	µg/g	2.0		
OBP-94-06B	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	2.0		I
OBP-94-06B	EXCV	CSO	K	POTASSIUM		2330.000000	µg/g	2.0		
OBP-94-06B	EXCV	CSO	MG	MAGNESIUM		3840.000000	µg/g	2.0		
OBP-94-06B	EXCV	CSO	MN	MANGANESE		192.0000000	µg/g	2.0		
OBP-94-06B	EXCV	CSO	NA	SODIUM		114.0000000	µg/g	2.0		
OBP-94-06B	EXCV	CSO	NI	NICKEL		5.66000000	µg/g	2.0		
OBP-94-06B	EXCV	CSO	PB	LEAD	LT	7.44000000	µg/g	2.0		
OBP-94-06B	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	2.0	7	
OBP-94-06B	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	2.0		
OBP-94-06B	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	2.0		
OBP-94-06B	EXCV	CSO	V	VANADIUM		16.20000000	µg/g	2.0		J
OBP-94-06B	EXCV	CSO	ZN	ZINC		29.50000000	µg/g	2.0		
OBP-94-06C	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	5.0		
OBP-94-06C	EXCV	CSO	AL	ALUMINUM		2830.000000	µg/g	5.0		
OBP-94-06C	EXCV	CSO	AS	ARSENIC		3.85000000	µg/g	5.0		
OBP-94-06C	EXCV	CSO	BA	BARIUM		61.10000000	µg/g	5.0		
OBP-94-06C	EXCV	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	5.0		
OBP-94-06C	EXCV	CSO	CA	CALCIUM		37800.00000	µg/g	5.0		
OBP-94-06C	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	5.0		
OBP-94-06C	EXCV	CSO	CO	COBALT	LT	2.50000000	µg/g	5.0		
OBP-94-06C	EXCV	CSO	CR	CHROMIUM		5.20000000	µg/g	5.0		
OBP-94-06C	EXCV	CSO	CU	COPPER		3.32000000	µg/g	5.0		
OBP-94-06C	EXCV	CSO	FE	IRON		4260.000000	µg/g	5.0		
OBP-94-06C	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	5.0		I
OBP-94-06C	EXCV	CSO	K	POTASSIUM		833.0000000	µg/g	5.0		

Old Burn Area (SWMU 6) Phase II RI Data

Site ID	Site Type	Media Type	Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**									
OBP-94-06C	EXCV	CSO	MG MAGNESIUM		4650.000000	µg/g	5.0		
OBP-94-06C	EXCV	CSO	MN MANGANESE		64.70000000	µg/g	5.0		
OBP-94-06C	EXCV	CSO	NA SODIUM		197.0000000	µg/g	5.0		
OBP-94-06C	EXCV	CSO	NI NICKEL	LT	2.74000000	µg/g	5.0		
OBP-94-06C	EXCV	CSO	PB LEAD	LT	7.44000000	µg/g	5.0		
OBP-94-06C	EXCV	CSO	SB ANTIMONY	LT	19.60000000	µg/g	5.0	7	
OBP-94-06C	EXCV	CSO	SE SELENIUM	LT	0.44900000	µg/g	5.0		
OBP-94-06C	EXCV	CSO	TL THALLIUM	LT	34.30000000	µg/g	5.0		
OBP-94-06C	EXCV	CSO	V VANADIUM		9.26000000	µg/g	5.0		J
OBP-94-06C	EXCV	CSO	ZN ZINC		10.20000000	µg/g	5.0		
OBP-94-06D	EXCV	CSO	AG SILVER	LT	0.80300000	µg/g	7.0		
OBP-94-06D	EXCV	CSO	AL ALUMINUM		4030.000000	µg/g	7.0		
OBP-94-06D	EXCV	CSO	AS ARSENIC		3.51000000	µg/g	7.0		
OBP-94-06D	EXCV	CSO	BA BARIUM		76.80000000	µg/g	7.0		
OBP-94-06D	EXCV	CSO	BE BERYLLIUM	LT	0.42700000	µg/g	7.0		
OBP-94-06D	EXCV	CSO	CA CALCIUM		54800.00000	µg/g	7.0		
OBP-94-06D	EXCV	CSO	CD CADMIUM	LT	1.20000000	µg/g	7.0		
OBP-94-06D	EXCV	CSO	CO COBALT		3.25000000	µg/g	7.0		
OBP-94-06D	EXCV	CSO	CR CHROMIUM		9.32000000	µg/g	7.0		
OBP-94-06D	EXCV	CSO	CU COPPER		4.89000000	µg/g	7.0		
OBP-94-06D	EXCV	CSO	FE IRON		6080.000000	µg/g	7.0		
OBP-94-06D	EXCV	CSO	HG MERCURY		0.05700000	µg/g	7.0	7	I
OBP-94-06D	EXCV	CSO	K POTASSIUM		1160.000000	µg/g	7.0		
OBP-94-06D	EXCV	CSO	MG MAGNESIUM		4670.000000	µg/g	7.0		
OBP-94-06D	EXCV	CSO	MN MANGANESE		99.50000000	µg/g	7.0		
OBP-94-06D	EXCV	CSO	NA SODIUM		161.0000000	µg/g	7.0		
OBP-94-06D	EXCV	CSO	NI NICKEL		4.36000000	µg/g	7.0		
OBP-94-06D	EXCV	CSO	PB LEAD	LT	7.44000000	µg/g	7.0		
OBP-94-06D	EXCV	CSO	SB ANTIMONY	LT	19.60000000	µg/g	7.0	7	
OBP-94-06D	EXCV	CSO	SE SELENIUM	LT	0.44900000	µg/g	7.0		
OBP-94-06D	EXCV	CSO	TL THALLIUM	LT	34.30000000	µg/g	7.0		
OBP-94-06D	EXCV	CSO	V VANADIUM		11.40000000	µg/g	7.0		J
OBP-94-06D	EXCV	CSO	ZN ZINC		14.40000000	µg/g	7.0		
OBP-94-06E	EXCV	CSO	AG SILVER	LT	0.80300000	µg/g	10.0		
OBP-94-06E	EXCV	CSO	AL ALUMINUM		1950.000000	µg/g	10.0		
OBP-94-06E	EXCV	CSO	AS ARSENIC	LT	2.50000000	µg/g	10.0		
OBP-94-06E	EXCV	CSO	BA BARIUM		22.20000000	µg/g	10.0		
OBP-94-06E	EXCV	CSO	BE BERYLLIUM	LT	0.42700000	µg/g	10.0		
OBP-94-06E	EXCV	CSO	CA CALCIUM		27800.00000	µg/g	10.0		
OBP-94-06E	EXCV	CSO	CD CADMIUM	LT	1.20000000	µg/g	10.0		
OBP-94-06E	EXCV	CSO	CO COBALT	LT	2.50000000	µg/g	10.0		
OBP-94-06E	EXCV	CSO	CR CHROMIUM		4.31000000	µg/g	10.0		
OBP-94-06E	EXCV	CSO	CU COPPER	LT	2.84000000	µg/g	10.0		
OBP-94-06E	EXCV	CSO	FE IRON		2790.000000	µg/g	10.0		
OBP-94-06E	EXCV	CSO	HG MERCURY	LT	0.05000000	µg/g	10.0		I
OBP-94-06E	EXCV	CSO	K POTASSIUM		640.0000000	µg/g	10.0		
OBP-94-06E	EXCV	CSO	MG MAGNESIUM		1640.000000	µg/g	10.0		
OBP-94-06E	EXCV	CSO	MN MANGANESE		44.00000000	µg/g	10.0		
OBP-94-06E	EXCV	CSO	NA SODIUM		85.50000000	µg/g	10.0		
OBP-94-06E	EXCV	CSO	NI NICKEL	LT	2.74000000	µg/g	10.0		
OBP-94-06E	EXCV	CSO	PB LEAD	LT	7.44000000	µg/g	10.0		
OBP-94-06E	EXCV	CSO	SB ANTIMONY	LT	19.60000000	µg/g	10.0	7	

Old Burn Area (SWMU 6) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
OBP-94-06E	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	10.0		
OBP-94-06E	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	10.0		
OBP-94-06E	EXCV	CSO	V	VANADIUM		5.39000000	µg/g	10.0		J
OBP-94-06E	EXCV	CSO	ZN	ZINC		6.84000000	µg/g	10.0		
OBP-94-07A	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
OBP-94-07A	EXCV	CSO	AL	ALUMINUM		16700.00000	µg/g	0.5		
OBP-94-07A	EXCV	CSO	AS	ARSENIC		6.51000000	µg/g	0.5		
OBP-94-07A	EXCV	CSO	BA	BARIUM		364.0000000	µg/g	0.5		
OBP-94-07A	EXCV	CSO	BE	BERYLLIUM		0.66900000	µg/g	0.5		
OBP-94-07A	EXCV	CSO	CA	CALCIUM		30500.00000	µg/g	0.5		
OBP-94-07A	EXCV	CSO	CD	CADMIUM		1.59000000	µg/g	0.5		
OBP-94-07A	EXCV	CSO	CO	COBALT		5.49000000	µg/g	0.5		
OBP-94-07A	EXCV	CSO	CR	CHROMIUM		30.50000000	µg/g	0.5		
OBP-94-07A	EXCV	CSO	CU	COPPER		347.0000000	µg/g	0.5		
OBP-94-07A	EXCV	CSO	FE	IRON		26100.00000	µg/g	0.5		
OBP-94-07A	EXCV	CSO	HG	MERCURY		0.10200000	µg/g	0.5		I
OBP-94-07A	EXCV	CSO	K	POTASSIUM		4990.000000	µg/g	0.5		
OBP-94-07A	EXCV	CSO	MG	MAGNESIUM		5440.000000	µg/g	0.5		
OBP-94-07A	EXCV	CSO	MN	MANGANESE		338.0000000	µg/g	0.5		
OBP-94-07A	EXCV	CSO	NA	SODIUM		277.0000000	µg/g	0.5		
OBP-94-07A	EXCV	CSO	NI	NICKEL		15.20000000	µg/g	0.5		
OBP-94-07A	EXCV	CSO	PB	LEAD		982.0000000	µg/g	0.5		
OBP-94-07A	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5	7	
OBP-94-07A	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
OBP-94-07A	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
OBP-94-07A	EXCV	CSO	V	VANADIUM		26.60000000	µg/g	0.5		J
OBP-94-07A	EXCV	CSO	ZN	ZINC		952.0000000	µg/g	0.5		
OBP-94-07B	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	2.0		
OBP-94-07B	EXCV	CSO	AL	ALUMINUM		13200.00000	µg/g	2.0		
OBP-94-07B	EXCV	CSO	AS	ARSENIC		7.99000000	µg/g	2.0		
OBP-94-07B	EXCV	CSO	BA	BARIUM		188.0000000	µg/g	2.0		
OBP-94-07B	EXCV	CSO	BE	BERYLLIUM		0.57500000	µg/g	2.0		
OBP-94-07B	EXCV	CSO	CA	CALCIUM		16700.00000	µg/g	2.0		
OBP-94-07B	EXCV	CSO	CD	CADMIUM		11.00000000	µg/g	2.0		
OBP-94-07B	EXCV	CSO	CO	COBALT		5.29000000	µg/g	2.0		
OBP-94-07B	EXCV	CSO	CR	CHROMIUM		23.20000000	µg/g	2.0		
OBP-94-07B	EXCV	CSO	CU	COPPER		85.30000000	µg/g	2.0		
OBP-94-07B	EXCV	CSO	FE	IRON		42200.00000	µg/g	2.0		
OBP-94-07B	EXCV	CSO	HG	MERCURY		0.25900000	µg/g	2.0		I
OBP-94-07B	EXCV	CSO	K	POTASSIUM		3730.000000	µg/g	2.0		
OBP-94-07B	EXCV	CSO	MG	MAGNESIUM		4840.000000	µg/g	2.0		
OBP-94-07B	EXCV	CSO	MN	MANGANESE		534.0000000	µg/g	2.0		
OBP-94-07B	EXCV	CSO	NA	SODIUM		190.0000000	µg/g	2.0		
OBP-94-07B	EXCV	CSO	NI	NICKEL		11.80000000	µg/g	2.0		
OBP-94-07B	EXCV	CSO	PB	LEAD		607.0000000	µg/g	2.0		
OBP-94-07B	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	2.0	7	
OBP-94-07B	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	2.0		
OBP-94-07B	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	2.0		
OBP-94-07B	EXCV	CSO	V	VANADIUM		24.00000000	µg/g	2.0		J
OBP-94-07B	EXCV	CSO	ZN	ZINC		248.0000000	µg/g	2.0		
OBP-94-07C	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	5.0		
OBP-94-07C	EXCV	CSO	AL	ALUMINUM		3830.000000	µg/g	5.0		

Old Burn Area (SWMU 6) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
OBP-94-07C	EXCV	CSO	AS	ARSENIC		3.31000000	µg/g	5.0		
OBP-94-07C	EXCV	CSO	BA	BARIUM		81.10000000	µg/g	5.0		
OBP-94-07C	EXCV	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	5.0		
OBP-94-07C	EXCV	CSO	CA	CALCIUM		38200.00000	µg/g	5.0		
OBP-94-07C	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	5.0		
OBP-94-07C	EXCV	CSO	CO	COBALT	LT	2.50000000	µg/g	5.0		
OBP-94-07C	EXCV	CSO	CR	CHROMIUM		7.52000000	µg/g	5.0		
OBP-94-07C	EXCV	CSO	CU	COPPER		30.50000000	µg/g	5.0		
OBP-94-07C	EXCV	CSO	FE	IRON		7160.000000	µg/g	5.0		
OBP-94-07C	EXCV	CSO	HG	MERCURY		0.17300000	µg/g	5.0		I
OBP-94-07C	EXCV	CSO	K	POTASSIUM		1200.000000	µg/g	5.0		
OBP-94-07C	EXCV	CSO	MG	MAGNESIUM		3820.000000	µg/g	5.0		
OBP-94-07C	EXCV	CSO	MN	MANGANESE		142.0000000	µg/g	5.0		
OBP-94-07C	EXCV	CSO	NA	SODIUM		114.0000000	µg/g	5.0		
OBP-94-07C	EXCV	CSO	NI	NICKEL		3.38000000	µg/g	5.0		
OBP-94-07C	EXCV	CSO	PB	LEAD		66.60000000	µg/g	5.0		
OBP-94-07C	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	5.0	7	
OBP-94-07C	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	5.0		
OBP-94-07C	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	5.0		
OBP-94-07C	EXCV	CSO	V	VANADIUM		10.70000000	µg/g	5.0		J
OBP-94-07C	EXCV	CSO	ZN	ZINC		102.0000000	µg/g	5.0		
OBP-94-07D	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	7.0		
OBP-94-07D	EXCV	CSO	AL	ALUMINUM		6270.000000	µg/g	7.0		
OBP-94-07D	EXCV	CSO	AS	ARSENIC		3.99000000	µg/g	7.0		
OBP-94-07D	EXCV	CSO	BA	BARIUM		82.60000000	µg/g	7.0		
OBP-94-07D	EXCV	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	7.0		
OBP-94-07D	EXCV	CSO	CA	CALCIUM		46700.00000	µg/g	7.0		
OBP-94-07D	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	7.0		
OBP-94-07D	EXCV	CSO	CO	COBALT		2.68000000	µg/g	7.0		
OBP-94-07D	EXCV	CSO	CR	CHROMIUM		10.10000000	µg/g	7.0		
OBP-94-07D	EXCV	CSO	CU	COPPER		31.70000000	µg/g	7.0		
OBP-94-07D	EXCV	CSO	FE	IRON		8470.000000	µg/g	7.0		
OBP-94-07D	EXCV	CSO	HG	MERCURY		0.20400000	µg/g	7.0		I
OBP-94-07D	EXCV	CSO	K	POTASSIUM		1890.000000	µg/g	7.0		
OBP-94-07D	EXCV	CSO	MG	MAGNESIUM		4700.000000	µg/g	7.0		
OBP-94-07D	EXCV	CSO	MN	MANGANESE		148.0000000	µg/g	7.0		
OBP-94-07D	EXCV	CSO	NA	SODIUM		201.0000000	µg/g	7.0		
OBP-94-07D	EXCV	CSO	NI	NICKEL		3.87000000	µg/g	7.0		
OBP-94-07D	EXCV	CSO	PB	LEAD		96.40000000	µg/g	7.0		
OBP-94-07D	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	7.0	7	
OBP-94-07D	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	7.0		
OBP-94-07D	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	7.0		
OBP-94-07D	EXCV	CSO	V	VANADIUM		14.10000000	µg/g	7.0		J
OBP-94-07D	EXCV	CSO	ZN	ZINC		116.0000000	µg/g	7.0		
OBP-94-07E	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	10.0		
OBP-94-07E	EXCV	CSO	AL	ALUMINUM		4820.000000	µg/g	10.0		
OBP-94-07E	EXCV	CSO	AS	ARSENIC		7.09000000	µg/g	10.0		
OBP-94-07E	EXCV	CSO	BA	BARIUM		56.60000000	µg/g	10.0		
OBP-94-07E	EXCV	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	10.0		
OBP-94-07E	EXCV	CSO	CA	CALCIUM		35700.00000	µg/g	10.0		
OBP-94-07E	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	10.0		
OBP-94-07E	EXCV	CSO	CO	COBALT	LT	2.50000000	µg/g	10.0		

Old Burn Area (SWMU 6) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
OBP-94-07E	EXCV	CSO	CR	CHROMIUM		8.04000000	µg/g	10.0		
OBP-94-07E	EXCV	CSO	CU	COPPER		19.10000000	µg/g	10.0		
OBP-94-07E	EXCV	CSO	FE	IRON		8220.000000	µg/g	10.0		
OBP-94-07E	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	10.0		I
OBP-94-07E	EXCV	CSO	K	POTASSIUM		1390.000000	µg/g	10.0		
OBP-94-07E	EXCV	CSO	MG	MAGNESIUM		4620.000000	µg/g	10.0		
OBP-94-07E	EXCV	CSO	MN	MANGANESE		135.0000000	µg/g	10.0		
OBP-94-07E	EXCV	CSO	NA	SODIUM		140.0000000	µg/g	10.0		
OBP-94-07E	EXCV	CSO	NI	NICKEL		6.59000000	µg/g	10.0		
OBP-94-07E	EXCV	CSO	PB	LEAD		50.90000000	µg/g	10.0		
OBP-94-07E	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	10.0	7	
OBP-94-07E	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	10.0		
OBP-94-07E	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	10.0		
OBP-94-07E	EXCV	CSO	V	VANADIUM		12.70000000	µg/g	10.0		J
OBP-94-07E	EXCV	CSO	ZN	ZINC		94.30000000	µg/g	10.0		
OBP-94-08A	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
OBP-94-08A	EXCV	CSO	AL	ALUMINUM		18400.00000	µg/g	0.5		
OBP-94-08A	EXCV	CSO	AS	ARSENIC		3.53000000	µg/g	0.5		
OBP-94-08A	EXCV	CSO	BA	BARIUM		179.0000000	µg/g	0.5		
OBP-94-08A	EXCV	CSO	BE	BERYLLIUM		0.74000000	µg/g	0.5		
OBP-94-08A	EXCV	CSO	CA	CALCIUM		7070.000000	µg/g	0.5		
OBP-94-08A	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
OBP-94-08A	EXCV	CSO	CO	COBALT		4.66000000	µg/g	0.5		
OBP-94-08A	EXCV	CSO	CR	CHROMIUM		20.60000000	µg/g	0.5		
OBP-94-08A	EXCV	CSO	CU	COPPER		81.90000000	µg/g	0.5		
OBP-94-08A	EXCV	CSO	FE	IRON		16400.00000	µg/g	0.5		
OBP-94-08A	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
OBP-94-08A	EXCV	CSO	K	POTASSIUM		5610.000000	µg/g	0.5		
OBP-94-08A	EXCV	CSO	MG	MAGNESIUM		5860.000000	µg/g	0.5		
OBP-94-08A	EXCV	CSO	MN	MANGANESE		390.0000000	µg/g	0.5		
OBP-94-08A	EXCV	CSO	NA	SODIUM		236.0000000	µg/g	0.5		
OBP-94-08A	EXCV	CSO	NI	NICKEL		8.94000000	µg/g	0.5		
OBP-94-08A	EXCV	CSO	PB	LEAD		55.90000000	µg/g	0.5		
OBP-94-08A	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5	7	
OBP-94-08A	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
OBP-94-08A	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
OBP-94-08A	EXCV	CSO	V	VANADIUM		26.40000000	µg/g	0.5		J
OBP-94-08A	EXCV	CSO	ZN	ZINC		177.0000000	µg/g	0.5		
OBP-94-08B	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	2.0		
OBP-94-08B	EXCV	CSO	AL	ALUMINUM		20300.00000	µg/g	2.0		
OBP-94-08B	EXCV	CSO	AS	ARSENIC		6.62000000	µg/g	2.0		
OBP-94-08B	EXCV	CSO	BA	BARIUM		225.0000000	µg/g	2.0		
OBP-94-08B	EXCV	CSO	BE	BERYLLIUM		0.87000000	µg/g	2.0		
OBP-94-08B	EXCV	CSO	CA	CALCIUM		12200.00000	µg/g	2.0		
OBP-94-08B	EXCV	CSO	CD	CADMIUM		5.14000000	µg/g	2.0		
OBP-94-08B	EXCV	CSO	CO	COBALT		5.21000000	µg/g	2.0		
OBP-94-08B	EXCV	CSO	CR	CHROMIUM		20.60000000	µg/g	2.0		
OBP-94-08B	EXCV	CSO	CU	COPPER		22.10000000	µg/g	2.0		
OBP-94-08B	EXCV	CSO	FE	IRON		20400.00000	µg/g	2.0		
OBP-94-08B	EXCV	CSO	HG	MERCURY		0.70600000	µg/g	2.0		
OBP-94-08B	EXCV	CSO	K	POTASSIUM		5980.000000	µg/g	2.0		
OBP-94-08B	EXCV	CSO	MG	MAGNESIUM		7730.000000	µg/g	2.0		

Old Burn Area (SWMU 6) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
OBP-94-08B	EXCV	CSO	MN	MANGANESE		472.0000000	µg/g	2.0		
OBP-94-08B	EXCV	CSO	NA	SODIUM		249.0000000	µg/g	2.0		
OBP-94-08B	EXCV	CSO	NI	NICKEL		12.60000000	µg/g	2.0		
OBP-94-08B	EXCV	CSO	PB	LEAD		25.60000000	µg/g	2.0		
OBP-94-08B	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	2.0	7	
OBP-94-08B	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	2.0		
OBP-94-08B	EXCV	CSO	TL	THALLIUM		46.70000000	µg/g	2.0		
OBP-94-08B	EXCV	CSO	V	VANADIUM		30.80000000	µg/g	2.0		J
OBP-94-08B	EXCV	CSO	ZN	ZINC		137.0000000	µg/g	2.0		
OBP-94-08C	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	5.0		
OBP-94-08C	EXCV	CSO	AL	ALUMINUM		4470.000000	µg/g	5.0		
OBP-94-08C	EXCV	CSO	AS	ARSENIC		2.68000000	µg/g	5.0		
OBP-94-08C	EXCV	CSO	BA	BARIUM		99.30000000	µg/g	5.0		
OBP-94-08C	EXCV	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	5.0		
OBP-94-08C	EXCV	CSO	CA	CALCIUM		61000.00000	µg/g	5.0		
OBP-94-08C	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	5.0		
OBP-94-08C	EXCV	CSO	CO	COBALT		3.16000000	µg/g	5.0		
OBP-94-08C	EXCV	CSO	CR	CHROMIUM		7.69000000	µg/g	5.0		
OBP-94-08C	EXCV	CSO	CU	COPPER		4.37000000	µg/g	5.0		
OBP-94-08C	EXCV	CSO	FE	IRON		5790.000000	µg/g	5.0		
OBP-94-08C	EXCV	CSO	HG	MERCURY		0.05420000	µg/g	5.0		
OBP-94-08C	EXCV	CSO	K	POTASSIUM		1280.000000	µg/g	5.0		
OBP-94-08C	EXCV	CSO	MG	MAGNESIUM		3790.000000	µg/g	5.0		
OBP-94-08C	EXCV	CSO	MN	MANGANESE		98.90000000	µg/g	5.0		
OBP-94-08C	EXCV	CSO	NA	SODIUM		223.0000000	µg/g	5.0		
OBP-94-08C	EXCV	CSO	NI	NICKEL		3.58000000	µg/g	5.0		
OBP-94-08C	EXCV	CSO	PB	LEAD	LT	7.44000000	µg/g	5.0		
OBP-94-08C	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	5.0	7	
OBP-94-08C	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	5.0		
OBP-94-08C	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	5.0		
OBP-94-08C	EXCV	CSO	V	VANADIUM		11.20000000	µg/g	5.0		J
OBP-94-08C	EXCV	CSO	ZN	ZINC		18.20000000	µg/g	5.0		
OBP-94-08D	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	7.0		
OBP-94-08D	EXCV	CSO	AL	ALUMINUM		751.0000000	µg/g	7.0		
OBP-94-08D	EXCV	CSO	AS	ARSENIC	LT	2.50000000	µg/g	7.0		
OBP-94-08D	EXCV	CSO	BA	BARIUM		9.93000000	µg/g	7.0		
OBP-94-08D	EXCV	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	7.0		
OBP-94-08D	EXCV	CSO	CA	CALCIUM		15900.00000	µg/g	7.0		
OBP-94-08D	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	7.0		
OBP-94-08D	EXCV	CSO	CO	COBALT	LT	2.50000000	µg/g	7.0		
OBP-94-08D	EXCV	CSO	CR	CHROMIUM		2.15000000	µg/g	7.0		
OBP-94-08D	EXCV	CSO	CU	COPPER	LT	2.84000000	µg/g	7.0		
OBP-94-08D	EXCV	CSO	FE	IRON		1850.000000	µg/g	7.0		
OBP-94-08D	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	7.0		
OBP-94-08D	EXCV	CSO	K	POTASSIUM		269.0000000	µg/g	7.0		
OBP-94-08D	EXCV	CSO	MG	MAGNESIUM		943.0000000	µg/g	7.0		
OBP-94-08D	EXCV	CSO	MN	MANGANESE		30.00000000	µg/g	7.0		
OBP-94-08D	EXCV	CSO	NA	SODIUM		50.20000000	µg/g	7.0		
OBP-94-08D	EXCV	CSO	NI	NICKEL	LT	2.74000000	µg/g	7.0		
OBP-94-08D	EXCV	CSO	PB	LEAD	LT	7.44000000	µg/g	7.0		
OBP-94-08D	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	7.0	7	
OBP-94-08D	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	7.0		

Old Burn Area (SWMU 6) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
OBP-94-08D	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	7.0		
OBP-94-08D	EXCV	CSO	V	VANADIUM		3.19000000	µg/g	7.0		J
OBP-94-08D	EXCV	CSO	ZN	ZINC		4.70000000	µg/g	7.0		
OBP-94-08E	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	10.0		
OBP-94-08E	EXCV	CSO	AL	ALUMINUM		2690.000000	µg/g	10.0		
OBP-94-08E	EXCV	CSO	AS	ARSENIC	LT	2.50000000	µg/g	10.0		
OBP-94-08E	EXCV	CSO	BA	BARIUM		31.70000000	µg/g	10.0		
OBP-94-08E	EXCV	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	10.0		
OBP-94-08E	EXCV	CSO	CA	CALCIUM		17100.00000	µg/g	10.0		
OBP-94-08E	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	10.0		
OBP-94-08E	EXCV	CSO	CO	COBALT	LT	2.50000000	µg/g	10.0		
OBP-94-08E	EXCV	CSO	CR	CHROMIUM		4.02000000	µg/g	10.0		
OBP-94-08E	EXCV	CSO	CU	COPPER		5.24000000	µg/g	10.0		
OBP-94-08E	EXCV	CSO	FE	IRON		3990.000000	µg/g	10.0		
OBP-94-08E	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	10.0		
OBP-94-08E	EXCV	CSO	K	POTASSIUM		825.0000000	µg/g	10.0		
OBP-94-08E	EXCV	CSO	MG	MAGNESIUM		1450.000000	µg/g	10.0		
OBP-94-08E	EXCV	CSO	MN	MANGANESE		69.90000000	µg/g	10.0		
OBP-94-08E	EXCV	CSO	NA	SODIUM		80.60000000	µg/g	10.0		
OBP-94-08E	EXCV	CSO	NI	NICKEL	LT	2.74000000	µg/g	10.0		
OBP-94-08E	EXCV	CSO	PB	LEAD	LT	7.44000000	µg/g	10.0		
OBP-94-08E	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	10.0	7	
OBP-94-08E	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	10.0		
OBP-94-08E	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	10.0		
OBP-94-08E	EXCV	CSO	V	VANADIUM		6.67000000	µg/g	10.0		J
OBP-94-08E	EXCV	CSO	ZN	ZINC		16.70000000	µg/g	10.0		
OBP-94-09A	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
OBP-94-09A	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5	D	
OBP-94-09A	EXCV	CSO	AL	ALUMINUM		18700.00000	µg/g	0.5		
OBP-94-09A	EXCV	CSO	AL	ALUMINUM		12100.00000	µg/g	0.5	D	
OBP-94-09A	EXCV	CSO	AS	ARSENIC		3.97000000	µg/g	0.5		
OBP-94-09A	EXCV	CSO	AS	ARSENIC		5.08000000	µg/g	0.5	D	
OBP-94-09A	EXCV	CSO	BA	BARIUM		158.0000000	µg/g	0.5		
OBP-94-09A	EXCV	CSO	BA	BARIUM		131.0000000	µg/g	0.5	D	
OBP-94-09A	EXCV	CSO	BE	BERYLLIUM		0.73500000	µg/g	0.5		
OBP-94-09A	EXCV	CSO	BE	BERYLLIUM		0.84800000	µg/g	0.5	D	
OBP-94-09A	EXCV	CSO	CA	CALCIUM		12000.00000	µg/g	0.5		
OBP-94-09A	EXCV	CSO	CA	CALCIUM		10400.00000	µg/g	0.5	D	
OBP-94-09A	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
OBP-94-09A	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5	D	
OBP-94-09A	EXCV	CSO	CO	COBALT		5.99000000	µg/g	0.5		
OBP-94-09A	EXCV	CSO	CO	COBALT		5.98000000	µg/g	0.5	D	
OBP-94-09A	EXCV	CSO	CR	CHROMIUM		20.00000000	µg/g	0.5		
OBP-94-09A	EXCV	CSO	CR	CHROMIUM		12.90000000	µg/g	0.5	D	
OBP-94-09A	EXCV	CSO	CU	COPPER		16.80000000	µg/g	0.5		
OBP-94-09A	EXCV	CSO	CU	COPPER		16.70000000	µg/g	0.5	DH	
OBP-94-09A	EXCV	CSO	FE	IRON		16500.00000	µg/g	0.5		
OBP-94-09A	EXCV	CSO	FE	IRON		13100.00000	µg/g	0.5	D	
OBP-94-09A	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5	D	
OBP-94-09A	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
OBP-94-09A	EXCV	CSO	K	POTASSIUM		5750.000000	µg/g	0.5		
OBP-94-09A	EXCV	CSO	K	POTASSIUM		3620.000000	µg/g	0.5	D	

Old Burn Area (SWMU 6) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
OBP-94-09A	EXCV	CSO	MG	MAGNESIUM		6580.000000	µg/g	0.5		
OBP-94-09A	EXCV	CSO	MG	MAGNESIUM		5590.000000	µg/g	0.5	D	
OBP-94-09A	EXCV	CSO	MN	MANGANESE		368.0000000	µg/g	0.5		
OBP-94-09A	EXCV	CSO	MN	MANGANESE		345.0000000	µg/g	0.5	D	
OBP-94-09A	EXCV	CSO	NA	SODIUM		237.0000000	µg/g	0.5		
OBP-94-09A	EXCV	CSO	NA	SODIUM		222.0000000	µg/g	0.5	D	
OBP-94-09A	EXCV	CSO	NI	NICKEL		9.78000000	µg/g	0.5		
OBP-94-09A	EXCV	CSO	NI	NICKEL		8.98000000	µg/g	0.5	D	
OBP-94-09A	EXCV	CSO	PB	LEAD		9.36000000	µg/g	0.5		
OBP-94-09A	EXCV	CSO	PB	LEAD	LT	7.44000000	µg/g	0.5	D	
OBP-94-09A	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5	7	
OBP-94-09A	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5	D	
OBP-94-09A	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
OBP-94-09A	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5	D	
OBP-94-09A	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
OBP-94-09A	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5	D	
OBP-94-09A	EXCV	CSO	V	VANADIUM		27.30000000	µg/g	0.5		J
OBP-94-09A	EXCV	CSO	V	VANADIUM		17.70000000	µg/g	0.5	D	
OBP-94-09A	EXCV	CSO	ZN	ZINC		85.10000000	µg/g	0.5		
OBP-94-09A	EXCV	CSO	ZN	ZINC		75.20000000	µg/g	0.5	D	
OBP-94-09B	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	2.0		
OBP-94-09B	EXCV	CSO	AL	ALUMINUM		18600.00000	µg/g	2.0		
OBP-94-09B	EXCV	CSO	AS	ARSENIC		4.51000000	µg/g	2.0		
OBP-94-09B	EXCV	CSO	BA	BARIUM		148.0000000	µg/g	2.0		
OBP-94-09B	EXCV	CSO	BE	BERYLLIUM		0.76700000	µg/g	2.0		
OBP-94-09B	EXCV	CSO	CA	CALCIUM		3940.000000	µg/g	2.0		
OBP-94-09B	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	2.0		
OBP-94-09B	EXCV	CSO	CO	COBALT		4.20000000	µg/g	2.0		
OBP-94-09B	EXCV	CSO	CR	CHROMIUM		20.60000000	µg/g	2.0		
OBP-94-09B	EXCV	CSO	CU	COPPER		13.30000000	µg/g	2.0		
OBP-94-09B	EXCV	CSO	FE	IRON		16900.00000	µg/g	2.0		
OBP-94-09B	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	2.0		
OBP-94-09B	EXCV	CSO	K	POTASSIUM		5470.000000	µg/g	2.0		
OBP-94-09B	EXCV	CSO	MG	MAGNESIUM		6180.000000	µg/g	2.0		
OBP-94-09B	EXCV	CSO	MN	MANGANESE		387.0000000	µg/g	2.0		
OBP-94-09B	EXCV	CSO	NA	SODIUM		317.0000000	µg/g	2.0		
OBP-94-09B	EXCV	CSO	NI	NICKEL		10.10000000	µg/g	2.0		
OBP-94-09B	EXCV	CSO	PB	LEAD	LT	7.44000000	µg/g	2.0		
OBP-94-09B	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	2.0	7	
OBP-94-09B	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	2.0		
OBP-94-09B	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	2.0		
OBP-94-09B	EXCV	CSO	V	VANADIUM		26.40000000	µg/g	2.0		J
OBP-94-09B	EXCV	CSO	ZN	ZINC		53.10000000	µg/g	2.0		
OBP-94-09C	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	5.0		
OBP-94-09C	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	5.0	D	
OBP-94-09C	EXCV	CSO	AL	ALUMINUM		5500.000000	µg/g	5.0		
OBP-94-09C	EXCV	CSO	AL	ALUMINUM		4580.000000	µg/g	5.0	D	
OBP-94-09C	EXCV	CSO	AS	ARSENIC		4.60000000	µg/g	5.0	D	
OBP-94-09C	EXCV	CSO	AS	ARSENIC		4.72000000	µg/g	5.0		
OBP-94-09C	EXCV	CSO	BA	BARIUM		55.90000000	µg/g	5.0		
OBP-94-09C	EXCV	CSO	BA	BARIUM		51.10000000	µg/g	5.0	D	
OBP-94-09C	EXCV	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	5.0		

Old Burn Area (SWMU 6) Phase II RI Data

Site ID	Site Type	Media Type	Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**									
OBP-94-09C	EXCV	CSO	BE BERYLLIUM	LT	0.42700000	µg/g	5.0	D	
OBP-94-09C	EXCV	CSO	CA CALCIUM		23500.00000	µg/g	5.0		
OBP-94-09C	EXCV	CSO	CA CALCIUM		21700.00000	µg/g	5.0	D	
OBP-94-09C	EXCV	CSO	CD CADMIUM	LT	1.20000000	µg/g	5.0		
OBP-94-09C	EXCV	CSO	CD CADMIUM	LT	1.20000000	µg/g	5.0	D	
OBP-94-09C	EXCV	CSO	CO COBALT		2.79000000	µg/g	5.0		
OBP-94-09C	EXCV	CSO	CO COBALT		2.96000000	µg/g	5.0	D	
OBP-94-09C	EXCV	CSO	CR CHROMIUM		8.10000000	µg/g	5.0		
OBP-94-09C	EXCV	CSO	CR CHROMIUM		7.58000000	µg/g	5.0	D	
OBP-94-09C	EXCV	CSO	CU COPPER	LT	2.84000000	µg/g	5.0	H	
OBP-94-09C	EXCV	CSO	CU COPPER		4.70000000	µg/g	5.0	DH	
OBP-94-09C	EXCV	CSO	FE IRON		7280.000000	µg/g	5.0		
OBP-94-09C	EXCV	CSO	FE IRON		6570.000000	µg/g	5.0	D	
OBP-94-09C	EXCV	CSO	HG MERCURY	LT	0.05000000	µg/g	5.0		
OBP-94-09C	EXCV	CSO	HG MERCURY	LT	0.05000000	µg/g	5.0	D	
OBP-94-09C	EXCV	CSO	K POTASSIUM		1050.000000	µg/g	5.0		
OBP-94-09C	EXCV	CSO	K POTASSIUM		902.0000000	µg/g	5.0	D	
OBP-94-09C	EXCV	CSO	MG MAGNESIUM		2520.000000	µg/g	5.0		
OBP-94-09C	EXCV	CSO	MG MAGNESIUM		2230.000000	µg/g	5.0	D	
OBP-94-09C	EXCV	CSO	MN MANGANESE		110.0000000	µg/g	5.0		
OBP-94-09C	EXCV	CSO	MN MANGANESE		102.0000000	µg/g	5.0	D	
OBP-94-09C	EXCV	CSO	NA SODIUM		188.0000000	µg/g	5.0		
OBP-94-09C	EXCV	CSO	NA SODIUM		173.0000000	µg/g	5.0	D	
OBP-94-09C	EXCV	CSO	NI NICKEL		4.74000000	µg/g	5.0		
OBP-94-09C	EXCV	CSO	NI NICKEL		5.65000000	µg/g	5.0	D	
OBP-94-09C	EXCV	CSO	PB LEAD	LT	7.44000000	µg/g	5.0		
OBP-94-09C	EXCV	CSO	PB LEAD	LT	7.44000000	µg/g	5.0	D	
OBP-94-09C	EXCV	CSO	SB ANTIMONY	LT	19.60000000	µg/g	5.0		
OBP-94-09C	EXCV	CSO	SB ANTIMONY	LT	19.60000000	µg/g	5.0	D	
OBP-94-09C	EXCV	CSO	SE SELENIUM	LT	0.44900000	µg/g	5.0		
OBP-94-09C	EXCV	CSO	SE SELENIUM	LT	0.44900000	µg/g	5.0	D	
OBP-94-09C	EXCV	CSO	TL THALLIUM	LT	34.30000000	µg/g	5.0		
OBP-94-09C	EXCV	CSO	TL THALLIUM	LT	34.30000000	µg/g	5.0	D	
OBP-94-09C	EXCV	CSO	V VANADIUM		14.00000000	µg/g	5.0		
OBP-94-09C	EXCV	CSO	V VANADIUM		12.40000000	µg/g	5.0	D	
OBP-94-09C	EXCV	CSO	ZN ZINC		18.60000000	µg/g	5.0		
OBP-94-09C	EXCV	CSO	ZN ZINC		16.10000000	µg/g	5.0	D	
OBP-94-09D	EXCV	CSO	AG SILVER	LT	0.80300000	µg/g	7.0		
OBP-94-09D	EXCV	CSO	AL ALUMINUM		7760.000000	µg/g	7.0		
OBP-94-09D	EXCV	CSO	AS ARSENIC		4.27000000	µg/g	7.0		
OBP-94-09D	EXCV	CSO	BA BARIUM		99.30000000	µg/g	7.0		
OBP-94-09D	EXCV	CSO	BE BERYLLIUM	LT	0.42700000	µg/g	7.0		
OBP-94-09D	EXCV	CSO	CA CALCIUM		22000.00000	µg/g	7.0		
OBP-94-09D	EXCV	CSO	CD CADMIUM	LT	1.20000000	µg/g	7.0		
OBP-94-09D	EXCV	CSO	CO COBALT		3.37000000	µg/g	7.0		
OBP-94-09D	EXCV	CSO	CR CHROMIUM		9.20000000	µg/g	7.0		
OBP-94-09D	EXCV	CSO	CU COPPER		17.30000000	µg/g	7.0	H	
OBP-94-09D	EXCV	CSO	FE IRON		9530.000000	µg/g	7.0		
OBP-94-09D	EXCV	CSO	HG MERCURY	LT	0.05000000	µg/g	7.0		
OBP-94-09D	EXCV	CSO	K POTASSIUM		2080.000000	µg/g	7.0		
OBP-94-09D	EXCV	CSO	MG MAGNESIUM		4180.000000	µg/g	7.0		
OBP-94-09D	EXCV	CSO	MN MANGANESE		227.0000000	µg/g	7.0		

Old Burn Area (SWMU 6) Phase II RI Data

Chemical Class: **METALS**

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
OBP-94-09D	EXCV	CSO	NA	SODIUM		215.0000000	µg/g	7.0		
OBP-94-09D	EXCV	CSO	NI	NICKEL		6.90000000	µg/g	7.0		
OBP-94-09D	EXCV	CSO	PB	LEAD		7.82000000	µg/g	7.0		
OBP-94-09D	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	7.0		
OBP-94-09D	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	7.0		
OBP-94-09D	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	7.0		
OBP-94-09D	EXCV	CSO	V	VANADIUM		15.00000000	µg/g	7.0		
OBP-94-09D	EXCV	CSO	ZN	ZINC		97.80000000	µg/g	7.0		
OBP-94-09E	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	10.0		
OBP-94-09E	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	10.0	D	
OBP-94-09E	EXCV	CSO	AL	ALUMINUM		3430.000000	µg/g	10.0		
OBP-94-09E	EXCV	CSO	AL	ALUMINUM		3800.000000	µg/g	10.0	D	
OBP-94-09E	EXCV	CSO	AS	ARSENIC		3.69000000	µg/g	10.0		
OBP-94-09E	EXCV	CSO	AS	ARSENIC		3.76000000	µg/g	10.0	D	
OBP-94-09E	EXCV	CSO	BA	BARIUM		51.80000000	µg/g	10.0		
OBP-94-09E	EXCV	CSO	BA	BARIUM		53.10000000	µg/g	10.0	D	
OBP-94-09E	EXCV	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	10.0		
OBP-94-09E	EXCV	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	10.0	D	
OBP-94-09E	EXCV	CSO	CA	CALCIUM		38500.00000	µg/g	10.0		
OBP-94-09E	EXCV	CSO	CA	CALCIUM		34700.00000	µg/g	10.0	D	
OBP-94-09E	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	10.0		
OBP-94-09E	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	10.0	D	
OBP-94-09E	EXCV	CSO	CO	COBALT	LT	2.50000000	µg/g	10.0		
OBP-94-09E	EXCV	CSO	CO	COBALT		3.11000000	µg/g	10.0	D	
OBP-94-09E	EXCV	CSO	CR	CHROMIUM		5.07000000	µg/g	10.0		
OBP-94-09E	EXCV	CSO	CR	CHROMIUM		5.24000000	µg/g	10.0	D	
OBP-94-09E	EXCV	CSO	CU	COPPER	LT	2.84000000	µg/g	10.0	H	
OBP-94-09E	EXCV	CSO	CU	COPPER		3.68000000	µg/g	10.0	DH	
OBP-94-09E	EXCV	CSO	FE	IRON		5970.000000	µg/g	10.0		
OBP-94-09E	EXCV	CSO	FE	IRON		6110.000000	µg/g	10.0	D	
OBP-94-09E	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	10.0		
OBP-94-09E	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	10.0	D	
OBP-94-09E	EXCV	CSO	K	POTASSIUM		754.0000000	µg/g	10.0		
OBP-94-09E	EXCV	CSO	K	POTASSIUM		779.0000000	µg/g	10.0	D	
OBP-94-09E	EXCV	CSO	MG	MAGNESIUM		3830.000000	µg/g	10.0		
OBP-94-09E	EXCV	CSO	MG	MAGNESIUM		3650.000000	µg/g	10.0	D	
OBP-94-09E	EXCV	CSO	MN	MANGANESE		104.0000000	µg/g	10.0		
OBP-94-09E	EXCV	CSO	MN	MANGANESE		107.0000000	µg/g	10.0	D	
OBP-94-09E	EXCV	CSO	NA	SODIUM		236.0000000	µg/g	10.0		
OBP-94-09E	EXCV	CSO	NA	SODIUM		247.0000000	µg/g	10.0	D	
OBP-94-09E	EXCV	CSO	NI	NICKEL		4.61000000	µg/g	10.0		
OBP-94-09E	EXCV	CSO	NI	NICKEL		4.95000000	µg/g	10.0	D	
OBP-94-09E	EXCV	CSO	PB	LEAD	LT	7.44000000	µg/g	10.0		
OBP-94-09E	EXCV	CSO	PB	LEAD	LT	7.44000000	µg/g	10.0	D	
OBP-94-09E	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	10.0		
OBP-94-09E	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	10.0	D	
OBP-94-09E	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	10.0		
OBP-94-09E	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	10.0	D	
OBP-94-09E	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	10.0		
OBP-94-09E	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	10.0	D	
OBP-94-09E	EXCV	CSO	V	VANADIUM		10.70000000	µg/g	10.0		
OBP-94-09E	EXCV	CSO	V	VANADIUM		11.20000000	µg/g	10.0	D	

Old Burn Area (SWMU 6) Phase II RI Data

Chemical Class: **METALS**

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
OBP-94-09E	EXCV	CSO	ZN	ZINC		16.60000000	µg/g	10.0		
OBP-94-09E	EXCV	CSO	ZN	ZINC		17.30000000	µg/g	10.0	D	
OBP-94-10A	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
OBP-94-10A	EXCV	CSO	AL	ALUMINUM		9560.000000	µg/g	0.5		
OBP-94-10A	EXCV	CSO	AS	ARSENIC		34.00000000	µg/g	0.5		
OBP-94-10A	EXCV	CSO	BA	BARIUM		167.0000000	µg/g	0.5		
OBP-94-10A	EXCV	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	0.5		
OBP-94-10A	EXCV	CSO	CA	CALCIUM		4010.000000	µg/g	0.5		
OBP-94-10A	EXCV	CSO	CD	CADMIUM		1.38000000	µg/g	0.5		
OBP-94-10A	EXCV	CSO	CO	COBALT		6.64000000	µg/g	0.5		
OBP-94-10A	EXCV	CSO	CR	CHROMIUM		26.10000000	µg/g	0.5		
OBP-94-10A	EXCV	CSO	CU	COPPER		38.70000000	µg/g	0.5	H	
OBP-94-10A	EXCV	CSO	FE	IRON		26800.00000	µg/g	0.5		
OBP-94-10A	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
OBP-94-10A	EXCV	CSO	K	POTASSIUM		3100.000000	µg/g	0.5		
OBP-94-10A	EXCV	CSO	MG	MAGNESIUM		3750.000000	µg/g	0.5		
OBP-94-10A	EXCV	CSO	MN	MANGANESE		485.0000000	µg/g	0.5		
OBP-94-10A	EXCV	CSO	NA	SODIUM		332.0000000	µg/g	0.5		
OBP-94-10A	EXCV	CSO	NI	NICKEL		15.20000000	µg/g	0.5		
OBP-94-10A	EXCV	CSO	PB	LEAD		89.40000000	µg/g	0.5		
OBP-94-10A	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
OBP-94-10A	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
OBP-94-10A	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
OBP-94-10A	EXCV	CSO	V	VANADIUM		14.70000000	µg/g	0.5		
OBP-94-10A	EXCV	CSO	ZN	ZINC		355.0000000	µg/g	0.5		
OBP-94-10B	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	2.0		
OBP-94-10B	EXCV	CSO	AL	ALUMINUM		6390.000000	µg/g	2.0		
OBP-94-10B	EXCV	CSO	AS	ARSENIC		2.97000000	µg/g	2.0		
OBP-94-10B	EXCV	CSO	BA	BARIUM		75.20000000	µg/g	2.0		
OBP-94-10B	EXCV	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	2.0		
OBP-94-10B	EXCV	CSO	CA	CALCIUM		2230.000000	µg/g	2.0		
OBP-94-10B	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	2.0		
OBP-94-10B	EXCV	CSO	CO	COBALT		4.02000000	µg/g	2.0		
OBP-94-10B	EXCV	CSO	CR	CHROMIUM		7.19000000	µg/g	2.0		
OBP-94-10B	EXCV	CSO	CU	COPPER		6.20000000	µg/g	2.0	H	
OBP-94-10B	EXCV	CSO	FE	IRON		10500.00000	µg/g	2.0		
OBP-94-10B	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	2.0		
OBP-94-10B	EXCV	CSO	K	POTASSIUM		1770.000000	µg/g	2.0		
OBP-94-10B	EXCV	CSO	MG	MAGNESIUM		2710.000000	µg/g	2.0		
OBP-94-10B	EXCV	CSO	MN	MANGANESE		225.0000000	µg/g	2.0		
OBP-94-10B	EXCV	CSO	NA	SODIUM		148.0000000	µg/g	2.0		
OBP-94-10B	EXCV	CSO	NI	NICKEL		6.71000000	µg/g	2.0		
OBP-94-10B	EXCV	CSO	PB	LEAD	LT	7.44000000	µg/g	2.0		
OBP-94-10B	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	2.0		
OBP-94-10B	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	2.0		
OBP-94-10B	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	2.0		
OBP-94-10B	EXCV	CSO	V	VANADIUM		10.60000000	µg/g	2.0		
OBP-94-10B	EXCV	CSO	ZN	ZINC		45.20000000	µg/g	2.0		
OBP-94-10C	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	5.0		
OBP-94-10C	EXCV	CSO	AL	ALUMINUM		3830.000000	µg/g	5.0		
OBP-94-10C	EXCV	CSO	AS	ARSENIC		3.60000000	µg/g	5.0		
OBP-94-10C	EXCV	CSO	BA	BARIUM		49.70000000	µg/g	5.0		

Old Burn Area (SWMU 6) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
OBP-94-10C	EXCV	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	5.0		
OBP-94-10C	EXCV	CSO	CA	CALCIUM		7540.000000	µg/g	5.0		
OBP-94-10C	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	5.0		
OBP-94-10C	EXCV	CSO	CO	COBALT	LT	2.50000000	µg/g	5.0		
OBP-94-10C	EXCV	CSO	CR	CHROMIUM		6.09000000	µg/g	5.0		
OBP-94-10C	EXCV	CSO	CU	COPPER		4.40000000	µg/g	5.0	H	
OBP-94-10C	EXCV	CSO	FE	IRON		6450.000000	µg/g	5.0		
OBP-94-10C	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	5.0		
OBP-94-10C	EXCV	CSO	K	POTASSIUM		876.0000000	µg/g	5.0		
OBP-94-10C	EXCV	CSO	MG	MAGNESIUM		1560.000000	µg/g	5.0		
OBP-94-10C	EXCV	CSO	MN	MANGANESE		143.0000000	µg/g	5.0		
OBP-94-10C	EXCV	CSO	NA	SODIUM		115.0000000	µg/g	5.0		
OBP-94-10C	EXCV	CSO	NI	NICKEL		4.49000000	µg/g	5.0		
OBP-94-10C	EXCV	CSO	PB	LEAD		8.35000000	µg/g	5.0		
OBP-94-10C	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	5.0		
OBP-94-10C	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	5.0		
OBP-94-10C	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	5.0		
OBP-94-10C	EXCV	CSO	V	VANADIUM		10.70000000	µg/g	5.0		
OBP-94-10C	EXCV	CSO	ZN	ZINC		23.10000000	µg/g	5.0		
OBP-94-10D	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	7.0		
OBP-94-10D	EXCV	CSO	AL	ALUMINUM		2570.000000	µg/g	7.0		
OBP-94-10D	EXCV	CSO	AS	ARSENIC		3.75000000	µg/g	7.0		
OBP-94-10D	EXCV	CSO	BA	BARIUM		42.40000000	µg/g	7.0		
OBP-94-10D	EXCV	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	7.0		
OBP-94-10D	EXCV	CSO	CA	CALCIUM		22800.00000	µg/g	7.0		
OBP-94-10D	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	7.0		
OBP-94-10D	EXCV	CSO	CO	COBALT		3.14000000	µg/g	7.0		
OBP-94-10D	EXCV	CSO	CR	CHROMIUM		7.20000000	µg/g	7.0		
OBP-94-10D	EXCV	CSO	CU	COPPER		21.10000000	µg/g	7.0	H	
OBP-94-10D	EXCV	CSO	FE	IRON		26400.00000	µg/g	7.0		
OBP-94-10D	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	7.0		
OBP-94-10D	EXCV	CSO	K	POTASSIUM		562.0000000	µg/g	7.0		
OBP-94-10D	EXCV	CSO	MG	MAGNESIUM		1400.000000	µg/g	7.0		
OBP-94-10D	EXCV	CSO	MN	MANGANESE		189.0000000	µg/g	7.0		
OBP-94-10D	EXCV	CSO	NA	SODIUM		115.0000000	µg/g	7.0		
OBP-94-10D	EXCV	CSO	NI	NICKEL		6.98000000	µg/g	7.0		
OBP-94-10D	EXCV	CSO	PB	LEAD	LT	7.44000000	µg/g	7.0		
OBP-94-10D	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	7.0		
OBP-94-10D	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	7.0		
OBP-94-10D	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	7.0		
OBP-94-10D	EXCV	CSO	V	VANADIUM		7.58000000	µg/g	7.0		
OBP-94-10D	EXCV	CSO	ZN	ZINC		24.10000000	µg/g	7.0		
OBP-94-10E	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	10.0		
OBP-94-10E	EXCV	CSO	AL	ALUMINUM		3000.000000	µg/g	10.0		
OBP-94-10E	EXCV	CSO	AS	ARSENIC		5.07000000	µg/g	10.0		
OBP-94-10E	EXCV	CSO	BA	BARIUM		34.30000000	µg/g	10.0		
OBP-94-10E	EXCV	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	10.0		
OBP-94-10E	EXCV	CSO	CA	CALCIUM		12900.00000	µg/g	10.0		
OBP-94-10E	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	10.0		
OBP-94-10E	EXCV	CSO	CO	COBALT	LT	2.50000000	µg/g	10.0		
OBP-94-10E	EXCV	CSO	CR	CHROMIUM		5.11000000	µg/g	10.0		
OBP-94-10E	EXCV	CSO	CU	COPPER		4.77000000	µg/g	10.0	H	

Old Burn Area (SWMU 6) Phase II RI Data

Chemical Class: **METALS**

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
OBP-94-10E	EXCV	CSO	FE	IRON		6740.000000	µg/g	10.0		
OBP-94-10E	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	10.0		
OBP-94-10E	EXCV	CSO	K	POTASSIUM		696.0000000	µg/g	10.0		
OBP-94-10E	EXCV	CSO	MG	MAGNESIUM		2060.000000	µg/g	10.0		
OBP-94-10E	EXCV	CSO	MN	MANGANESE		106.0000000	µg/g	10.0		
OBP-94-10E	EXCV	CSO	NA	SODIUM		93.00000000	µg/g	10.0		
OBP-94-10E	EXCV	CSO	NI	NICKEL		3.95000000	µg/g	10.0		
OBP-94-10E	EXCV	CSO	PB	LEAD	LT	7.44000000	µg/g	10.0		
OBP-94-10E	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	10.0		
OBP-94-10E	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	10.0		
OBP-94-10E	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	10.0		
OBP-94-10E	EXCV	CSO	V	VANADIUM		12.60000000	µg/g	10.0		
OBP-94-10E	EXCV	CSO	ZN	ZINC		12.60000000	µg/g	10.0		
OBP-94-12A	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
OBP-94-12A	EXCV	CSO	AL	ALUMINUM		12600.00000	µg/g	0.5		
OBP-94-12A	EXCV	CSO	AS	ARSENIC		4.55000000	µg/g	0.5		
OBP-94-12A	EXCV	CSO	BA	BARIUM		113.0000000	µg/g	0.5		
OBP-94-12A	EXCV	CSO	BE	BERYLLIUM		0.64700000	µg/g	0.5		
OBP-94-12A	EXCV	CSO	CA	CALCIUM		8210.000000	µg/g	0.5		
OBP-94-12A	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
OBP-94-12A	EXCV	CSO	CO	COBALT		4.72000000	µg/g	0.5		
OBP-94-12A	EXCV	CSO	CR	CHROMIUM		14.00000000	µg/g	0.5		
OBP-94-12A	EXCV	CSO	CU	COPPER		11.10000000	µg/g	0.5	H	
OBP-94-12A	EXCV	CSO	FE	IRON		12900.00000	µg/g	0.5		
OBP-94-12A	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
OBP-94-12A	EXCV	CSO	K	POTASSIUM		3650.000000	µg/g	0.5		
OBP-94-12A	EXCV	CSO	MG	MAGNESIUM		6000.000000	µg/g	0.5		
OBP-94-12A	EXCV	CSO	MN	MANGANESE		330.0000000	µg/g	0.5		
OBP-94-12A	EXCV	CSO	NA	SODIUM		239.0000000	µg/g	0.5		
OBP-94-12A	EXCV	CSO	NI	NICKEL		9.71000000	µg/g	0.5		
OBP-94-12A	EXCV	CSO	PB	LEAD	LT	7.44000000	µg/g	0.5		
OBP-94-12A	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
OBP-94-12A	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
OBP-94-12A	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
OBP-94-12A	EXCV	CSO	V	VANADIUM		17.40000000	µg/g	0.5		
OBP-94-12A	EXCV	CSO	ZN	ZINC		41.10000000	µg/g	0.5		
OBP-94-12B	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	2.0		
OBP-94-12B	EXCV	CSO	AL	ALUMINUM		7660.000000	µg/g	2.0		
OBP-94-12B	EXCV	CSO	AS	ARSENIC		3.57000000	µg/g	2.0		
OBP-94-12B	EXCV	CSO	BA	BARIUM		77.70000000	µg/g	2.0		
OBP-94-12B	EXCV	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	2.0		
OBP-94-12B	EXCV	CSO	CA	CALCIUM		29200.00000	µg/g	2.0		
OBP-94-12B	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	2.0		
OBP-94-12B	EXCV	CSO	CO	COBALT		3.76000000	µg/g	2.0		
OBP-94-12B	EXCV	CSO	CR	CHROMIUM		10.50000000	µg/g	2.0		
OBP-94-12B	EXCV	CSO	CU	COPPER		5.76000000	µg/g	2.0	H	
OBP-94-12B	EXCV	CSO	FE	IRON		9360.000000	µg/g	2.0		
OBP-94-12B	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	2.0		
OBP-94-12B	EXCV	CSO	K	POTASSIUM		1950.000000	µg/g	2.0		
OBP-94-12B	EXCV	CSO	MG	MAGNESIUM		3630.000000	µg/g	2.0		
OBP-94-12B	EXCV	CSO	MN	MANGANESE		184.0000000	µg/g	2.0		
OBP-94-12B	EXCV	CSO	NA	SODIUM		163.0000000	µg/g	2.0		

Old Burn Area (SWMU 6) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
OBP-94-12B	EXCV	CSO	NI	NICKEL		6.58000000	µg/g	2.0		
OBP-94-12B	EXCV	CSO	PB	LEAD	LT	7.44000000	µg/g	2.0		
OBP-94-12B	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	2.0		
OBP-94-12B	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	2.0		
OBP-94-12B	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	2.0		
OBP-94-12B	EXCV	CSO	V	VANADIUM		16.90000000	µg/g	2.0		
OBP-94-12B	EXCV	CSO	ZN	ZINC		24.60000000	µg/g	2.0		
OBP-94-12C	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	5.0		
OBP-94-12C	EXCV	CSO	AL	ALUMINUM		16600.00000	µg/g	5.0		
OBP-94-12C	EXCV	CSO	AS	ARSENIC		3.39000000	µg/g	5.0		
OBP-94-12C	EXCV	CSO	BA	BARIUM		165.0000000	µg/g	5.0		
OBP-94-12C	EXCV	CSO	BE	BERYLLIUM		0.72600000	µg/g	5.0		
OBP-94-12C	EXCV	CSO	CA	CALCIUM		93000.00000	µg/g	5.0		
OBP-94-12C	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	5.0		
OBP-94-12C	EXCV	CSO	CO	COBALT		5.91000000	µg/g	5.0		
OBP-94-12C	EXCV	CSO	CR	CHROMIUM		13.20000000	µg/g	5.0		
OBP-94-12C	EXCV	CSO	CU	COPPER		7.47000000	µg/g	5.0	H	
OBP-94-12C	EXCV	CSO	FE	IRON		14800.00000	µg/g	5.0		
OBP-94-12C	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	5.0		
OBP-94-12C	EXCV	CSO	K	POTASSIUM		4740.000000	µg/g	5.0		
OBP-94-12C	EXCV	CSO	MG	MAGNESIUM		14100.00000	µg/g	5.0		
OBP-94-12C	EXCV	CSO	MN	MANGANESE		182.0000000	µg/g	5.0		
OBP-94-12C	EXCV	CSO	NA	SODIUM		2300.000000	µg/g	5.0		
OBP-94-12C	EXCV	CSO	NI	NICKEL		10.90000000	µg/g	5.0		
OBP-94-12C	EXCV	CSO	PB	LEAD	LT	7.44000000	µg/g	5.0		
OBP-94-12C	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	5.0		
OBP-94-12C	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	5.0		
OBP-94-12C	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	5.0		
OBP-94-12C	EXCV	CSO	V	VANADIUM		21.70000000	µg/g	5.0		
OBP-94-12C	EXCV	CSO	ZN	ZINC		38.10000000	µg/g	5.0		
OBP-94-12D	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	7.0		
OBP-94-12D	EXCV	CSO	AL	ALUMINUM		17200.00000	µg/g	7.0		
OBP-94-12D	EXCV	CSO	AS	ARSENIC		3.94000000	µg/g	7.0		
OBP-94-12D	EXCV	CSO	BA	BARIUM		145.0000000	µg/g	7.0		
OBP-94-12D	EXCV	CSO	BE	BERYLLIUM		0.60200000	µg/g	7.0		
OBP-94-12D	EXCV	CSO	CA	CALCIUM		140000.0000	µg/g	7.0		
OBP-94-12D	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	7.0		
OBP-94-12D	EXCV	CSO	CO	COBALT		5.54000000	µg/g	7.0		
OBP-94-12D	EXCV	CSO	CR	CHROMIUM		15.40000000	µg/g	7.0		
OBP-94-12D	EXCV	CSO	CU	COPPER		9.64000000	µg/g	7.0	H	
OBP-94-12D	EXCV	CSO	FE	IRON		15300.00000	µg/g	7.0		
OBP-94-12D	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	7.0		
OBP-94-12D	EXCV	CSO	K	POTASSIUM		4820.000000	µg/g	7.0		
OBP-94-12D	EXCV	CSO	MG	MAGNESIUM		13600.00000	µg/g	7.0		
OBP-94-12D	EXCV	CSO	MN	MANGANESE		297.0000000	µg/g	7.0		
OBP-94-12D	EXCV	CSO	NA	SODIUM		2310.000000	µg/g	7.0		
OBP-94-12D	EXCV	CSO	NI	NICKEL		10.40000000	µg/g	7.0		
OBP-94-12D	EXCV	CSO	PB	LEAD	LT	7.44000000	µg/g	7.0		
OBP-94-12D	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	7.0		
OBP-94-12D	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	7.0		
OBP-94-12D	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	7.0		
OBP-94-12D	EXCV	CSO	V	VANADIUM		22.60000000	µg/g	7.0		

Old Burn Area (SWMU 6) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
OBP-94-12D	EXCV	CSO	ZN	ZINC		35.70000000	µg/g	7.0		
OBP-94-12E	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	10.0		
OBP-94-12E	EXCV	CSO	AL	ALUMINUM		6640.000000	µg/g	10.0		
OBP-94-12E	EXCV	CSO	AS	ARSENIC	LT	2.50000000	µg/g	10.0		
OBP-94-12E	EXCV	CSO	BA	BARIUM		74.20000000	µg/g	10.0		
OBP-94-12E	EXCV	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	10.0		
OBP-94-12E	EXCV	CSO	CA	CALCIUM		66000.00000	µg/g	10.0		
OBP-94-12E	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	10.0		
OBP-94-12E	EXCV	CSO	CO	COBALT		3.35000000	µg/g	10.0		
OBP-94-12E	EXCV	CSO	CR	CHROMIUM		9.77000000	µg/g	10.0		
OBP-94-12E	EXCV	CSO	CU	COPPER		3.75000000	µg/g	10.0	H	
OBP-94-12E	EXCV	CSO	FE	IRON		7110.000000	µg/g	10.0		
OBP-94-12E	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	10.0		
OBP-94-12E	EXCV	CSO	K	POTASSIUM		1610.000000	µg/g	10.0		
OBP-94-12E	EXCV	CSO	MG	MAGNESIUM		6210.000000	µg/g	10.0		
OBP-94-12E	EXCV	CSO	MN	MANGANESE		132.0000000	µg/g	10.0		
OBP-94-12E	EXCV	CSO	NA	SODIUM		769.0000000	µg/g	10.0		
OBP-94-12E	EXCV	CSO	NI	NICKEL		4.64000000	µg/g	10.0		
OBP-94-12E	EXCV	CSO	PB	LEAD	LT	7.44000000	µg/g	10.0		
OBP-94-12E	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	10.0		
OBP-94-12E	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	10.0		
OBP-94-12E	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	10.0		
OBP-94-12E	EXCV	CSO	V	VANADIUM		12.80000000	µg/g	10.0		
OBP-94-12E	EXCV	CSO	ZN	ZINC		16.10000000	µg/g	10.0		
OBS-94-01	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
OBS-94-01	SURF	CSO	AL	ALUMINUM		16500.00000	µg/g	0.5		
OBS-94-01	SURF	CSO	AS	ARSENIC		4.81000000	µg/g	0.5		
OBS-94-01	SURF	CSO	BA	BARIUM		142.0000000	µg/g	0.5		
OBS-94-01	SURF	CSO	BE	BERYLLIUM		0.76700000	µg/g	0.5		
OBS-94-01	SURF	CSO	CA	CALCIUM		4150.000000	µg/g	0.5		
OBS-94-01	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
OBS-94-01	SURF	CSO	CO	COBALT		5.32000000	µg/g	0.5		
OBS-94-01	SURF	CSO	CR	CHROMIUM		17.40000000	µg/g	0.5		
OBS-94-01	SURF	CSO	CU	COPPER		17.50000000	µg/g	0.5		
OBS-94-01	SURF	CSO	FE	IRON		15500.00000	µg/g	0.5		
OBS-94-01	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5	H	I
OBS-94-01	SURF	CSO	K	POTASSIUM		4670.000000	µg/g	0.5		
OBS-94-01	SURF	CSO	MG	MAGNESIUM		7080.000000	µg/g	0.5		
OBS-94-01	SURF	CSO	MN	MANGANESE		419.0000000	µg/g	0.5		
OBS-94-01	SURF	CSO	NA	SODIUM		318.0000000	µg/g	0.5		
OBS-94-01	SURF	CSO	NI	NICKEL		11.90000000	µg/g	0.5		
OBS-94-01	SURF	CSO	PB	LEAD		12.30000000	µg/g	0.5		
OBS-94-01	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
OBS-94-01	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
OBS-94-01	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
OBS-94-01	SURF	CSO	V	VANADIUM		21.90000000	µg/g	0.5		
OBS-94-01	SURF	CSO	ZN	ZINC		55.80000000	µg/g	0.5		
OBS-94-02	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
OBS-94-02	SURF	CSO	AL	ALUMINUM		16100.00000	µg/g	0.5		
OBS-94-02	SURF	CSO	AS	ARSENIC		5.00000000	µg/g	0.5		
OBS-94-02	SURF	CSO	BA	BARIUM		152.0000000	µg/g	0.5		
OBS-94-02	SURF	CSO	BE	BERYLLIUM		0.72500000	µg/g	0.5		

Old Burn Area (SWMU 6) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
OBS-94-02	SURF	CSO	CA	CALCIUM		7330.000000	µg/g	0.5		
OBS-94-02	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
OBS-94-02	SURF	CSO	CO	COBALT		5.32000000	µg/g	0.5		
OBS-94-02	SURF	CSO	CR	CHROMIUM		16.50000000	µg/g	0.5		
OBS-94-02	SURF	CSO	CU	COPPER		18.60000000	µg/g	0.5		
OBS-94-02	SURF	CSO	FE	IRON		14600.00000	µg/g	0.5		
OBS-94-02	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5	H	I
OBS-94-02	SURF	CSO	K	POTASSIUM		4620.000000	µg/g	0.5		
OBS-94-02	SURF	CSO	MG	MAGNESIUM		7840.000000	µg/g	0.5		
OBS-94-02	SURF	CSO	MN	MANGANESE		410.0000000	µg/g	0.5		
OBS-94-02	SURF	CSO	NA	SODIUM		328.0000000	µg/g	0.5		
OBS-94-02	SURF	CSO	NI	NICKEL		11.40000000	µg/g	0.5		
OBS-94-02	SURF	CSO	PB	LEAD		17.10000000	µg/g	0.5		
OBS-94-02	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
OBS-94-02	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
OBS-94-02	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
OBS-94-02	SURF	CSO	V	VANADIUM		20.50000000	µg/g	0.5		
OBS-94-02	SURF	CSO	ZN	ZINC		53.90000000	µg/g	0.5		
OBS-94-03	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
OBS-94-03	SURF	CSO	AL	ALUMINUM		14200.00000	µg/g	0.5		
OBS-94-03	SURF	CSO	AS	ARSENIC		4.77000000	µg/g	0.5		
OBS-94-03	SURF	CSO	BA	BARIUM		126.0000000	µg/g	0.5		
OBS-94-03	SURF	CSO	BE	BERYLLIUM		0.67400000	µg/g	0.5		
OBS-94-03	SURF	CSO	CA	CALCIUM		5110.000000	µg/g	0.5		
OBS-94-03	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
OBS-94-03	SURF	CSO	CO	COBALT		4.88000000	µg/g	0.5		
OBS-94-03	SURF	CSO	CR	CHROMIUM		15.00000000	µg/g	0.5		
OBS-94-03	SURF	CSO	CU	COPPER		13.60000000	µg/g	0.5		
OBS-94-03	SURF	CSO	FE	IRON		13700.00000	µg/g	0.5		
OBS-94-03	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5	H	I
OBS-94-03	SURF	CSO	K	POTASSIUM		3940.000000	µg/g	0.5		
OBS-94-03	SURF	CSO	MG	MAGNESIUM		6910.000000	µg/g	0.5		
OBS-94-03	SURF	CSO	MN	MANGANESE		351.0000000	µg/g	0.5		
OBS-94-03	SURF	CSO	NA	SODIUM		247.0000000	µg/g	0.5		
OBS-94-03	SURF	CSO	NI	NICKEL		10.60000000	µg/g	0.5		
OBS-94-03	SURF	CSO	PB	LEAD		11.00000000	µg/g	0.5		
OBS-94-03	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
OBS-94-03	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
OBS-94-03	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
OBS-94-03	SURF	CSO	V	VANADIUM		19.00000000	µg/g	0.5		
OBS-94-03	SURF	CSO	ZN	ZINC		46.00000000	µg/g	0.5		
OBS-94-04	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
OBS-94-04	SURF	CSO	AL	ALUMINUM		15300.00000	µg/g	0.5		
OBS-94-04	SURF	CSO	AS	ARSENIC		3.61000000	µg/g	0.5		
OBS-94-04	SURF	CSO	BA	BARIUM		120.0000000	µg/g	0.5		
OBS-94-04	SURF	CSO	BE	BERYLLIUM		0.64300000	µg/g	0.5		
OBS-94-04	SURF	CSO	CA	CALCIUM		3720.000000	µg/g	0.5		
OBS-94-04	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
OBS-94-04	SURF	CSO	CO	COBALT		3.83000000	µg/g	0.5		
OBS-94-04	SURF	CSO	CR	CHROMIUM		17.50000000	µg/g	0.5		
OBS-94-04	SURF	CSO	CU	COPPER		14.40000000	µg/g	0.5		
OBS-94-04	SURF	CSO	FE	IRON		12500.00000	µg/g	0.5		

Old Burn Area (SWMU 6) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
OBS-94-04	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5	H	I
OBS-94-04	SURF	CSO	K	POTASSIUM		4330.000000	µg/g	0.5		
OBS-94-04	SURF	CSO	MG	MAGNESIUM		5770.000000	µg/g	0.5		
OBS-94-04	SURF	CSO	MN	MANGANESE		333.0000000	µg/g	0.5		
OBS-94-04	SURF	CSO	NA	SODIUM		318.0000000	µg/g	0.5		
OBS-94-04	SURF	CSO	NI	NICKEL		9.04000000	µg/g	0.5		
OBS-94-04	SURF	CSO	PB	LEAD		14.80000000	µg/g	0.5		
OBS-94-04	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
OBS-94-04	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
OBS-94-04	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
OBS-94-04	SURF	CSO	V	VANADIUM		20.90000000	µg/g	0.5		
OBS-94-04	SURF	CSO	ZN	ZINC		43.10000000	µg/g	0.5		
OBS-94-05	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
OBS-94-05	SURF	CSO	AL	ALUMINUM		18100.00000	µg/g	0.5		
OBS-94-05	SURF	CSO	AS	ARSENIC		5.13000000	µg/g	0.5		
OBS-94-05	SURF	CSO	BA	BARIUM		162.0000000	µg/g	0.5		
OBS-94-05	SURF	CSO	BE	BERYLLIUM		0.79400000	µg/g	0.5		
OBS-94-05	SURF	CSO	CA	CALCIUM		4450.000000	µg/g	0.5		
OBS-94-05	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
OBS-94-05	SURF	CSO	CO	COBALT		5.27000000	µg/g	0.5		
OBS-94-05	SURF	CSO	CR	CHROMIUM		17.40000000	µg/g	0.5		
OBS-94-05	SURF	CSO	CU	COPPER		18.10000000	µg/g	0.5		
OBS-94-05	SURF	CSO	FE	IRON		16100.00000	µg/g	0.5		
OBS-94-05	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5	H	I
OBS-94-05	SURF	CSO	K	POTASSIUM		5120.000000	µg/g	0.5		
OBS-94-05	SURF	CSO	MG	MAGNESIUM		7820.000000	µg/g	0.5		
OBS-94-05	SURF	CSO	MN	MANGANESE		449.0000000	µg/g	0.5		
OBS-94-05	SURF	CSO	NA	SODIUM		376.0000000	µg/g	0.5		
OBS-94-05	SURF	CSO	NI	NICKEL		11.30000000	µg/g	0.5		
OBS-94-05	SURF	CSO	PB	LEAD		19.40000000	µg/g	0.5		
OBS-94-05	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
OBS-94-05	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
OBS-94-05	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
OBS-94-05	SURF	CSO	V	VANADIUM		23.10000000	µg/g	0.5		
OBS-94-05	SURF	CSO	ZN	ZINC		55.60000000	µg/g	0.5		
OBS-94-06	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
OBS-94-06	SURF	CSO	AL	ALUMINUM		11800.00000	µg/g	0.5		
OBS-94-06	SURF	CSO	AS	ARSENIC		5.41000000	µg/g	0.5		
OBS-94-06	SURF	CSO	B	BORON		14.00000000	µg/g	0.5		
OBS-94-06	SURF	CSO	BA	BARIUM		104.0000000	µg/g	0.5		
OBS-94-06	SURF	CSO	BE	BERYLLIUM		0.54800000	µg/g	0.5		
OBS-94-06	SURF	CSO	CA	CALCIUM		32000.00000	µg/g	0.5		
OBS-94-06	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
OBS-94-06	SURF	CSO	CO	COBALT		3.08000000	µg/g	0.5		
OBS-94-06	SURF	CSO	CR	CHROMIUM		13.90000000	µg/g	0.5		
OBS-94-06	SURF	CSO	CU	COPPER		15.50000000	µg/g	0.5		
OBS-94-06	SURF	CSO	FE	IRON		11200.00000	µg/g	0.5		
OBS-94-06	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5	H	I
OBS-94-06	SURF	CSO	K	POTASSIUM		3600.000000	µg/g	0.5		
OBS-94-06	SURF	CSO	MG	MAGNESIUM		9100.000000	µg/g	0.5		
OBS-94-06	SURF	CSO	MN	MANGANESE		265.0000000	µg/g	0.5		
OBS-94-06	SURF	CSO	NA	SODIUM		247.0000000	µg/g	0.5		

Old Burn Area (SWMU 6) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
OBS-94-06	SURF	CSO	NI	NICKEL		9.73000000	µg/g	0.5		
OBS-94-06	SURF	CSO	PB	LEAD		14.70000000	µg/g	0.5		
OBS-94-06	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
OBS-94-06	SURF	CSO	SE	SELENIUM	LT	4.49000000	µg/g	0.5	K	
OBS-94-06	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
OBS-94-06	SURF	CSO	V	VANADIUM		16.50000000	µg/g	0.5		
OBS-94-06	SURF	CSO	ZN	ZINC		38.30000000	µg/g	0.5		
OBS-94-07	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
OBS-94-07	SURF	CSO	AL	ALUMINUM		12600.00000	µg/g	0.5		
OBS-94-07	SURF	CSO	AS	ARSENIC		5.14000000	µg/g	0.5		
OBS-94-07	SURF	CSO	BA	BARIUM		113.0000000	µg/g	0.5		
OBS-94-07	SURF	CSO	BE	BERYLLIUM		0.51900000	µg/g	0.5		
OBS-94-07	SURF	CSO	CA	CALCIUM		3060.000000	µg/g	0.5		
OBS-94-07	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
OBS-94-07	SURF	CSO	CO	COBALT		4.17000000	µg/g	0.5		
OBS-94-07	SURF	CSO	CR	CHROMIUM		12.30000000	µg/g	0.5		
OBS-94-07	SURF	CSO	CU	COPPER		15.00000000	µg/g	0.5		
OBS-94-07	SURF	CSO	FE	IRON		11700.00000	µg/g	0.5		
OBS-94-07	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5	H	I
OBS-94-07	SURF	CSO	K	POTASSIUM		3350.000000	µg/g	0.5		
OBS-94-07	SURF	CSO	MG	MAGNESIUM		4510.000000	µg/g	0.5		
OBS-94-07	SURF	CSO	MN	MANGANESE		330.0000000	µg/g	0.5		
OBS-94-07	SURF	CSO	NA	SODIUM		264.0000000	µg/g	0.5		
OBS-94-07	SURF	CSO	NI	NICKEL		8.63000000	µg/g	0.5		
OBS-94-07	SURF	CSO	PB	LEAD		16.70000000	µg/g	0.5		
OBS-94-07	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
OBS-94-07	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
OBS-94-07	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
OBS-94-07	SURF	CSO	V	VANADIUM		16.60000000	µg/g	0.5		
OBS-94-07	SURF	CSO	ZN	ZINC		41.20000000	µg/g	0.5		
OBS-94-08	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
OBS-94-08	SURF	CSO	AL	ALUMINUM		11900.00000	µg/g	0.5		
OBS-94-08	SURF	CSO	AS	ARSENIC		4.17000000	µg/g	0.5		
OBS-94-08	SURF	CSO	BA	BARIUM		107.0000000	µg/g	0.5		
OBS-94-08	SURF	CSO	BE	BERYLLIUM		0.49500000	µg/g	0.5		
OBS-94-08	SURF	CSO	CA	CALCIUM		3060.000000	µg/g	0.5		
OBS-94-08	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
OBS-94-08	SURF	CSO	CO	COBALT		4.49000000	µg/g	0.5		
OBS-94-08	SURF	CSO	CR	CHROMIUM		12.50000000	µg/g	0.5		
OBS-94-08	SURF	CSO	CU	COPPER		20.20000000	µg/g	0.5		
OBS-94-08	SURF	CSO	FE	IRON		11100.00000	µg/g	0.5		
OBS-94-08	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5	H	I
OBS-94-08	SURF	CSO	K	POTASSIUM		3290.000000	µg/g	0.5		
OBS-94-08	SURF	CSO	MG	MAGNESIUM		4430.000000	µg/g	0.5		
OBS-94-08	SURF	CSO	MN	MANGANESE		306.0000000	µg/g	0.5		
OBS-94-08	SURF	CSO	NA	SODIUM		250.0000000	µg/g	0.5		
OBS-94-08	SURF	CSO	NI	NICKEL		7.42000000	µg/g	0.5		
OBS-94-08	SURF	CSO	PB	LEAD		22.30000000	µg/g	0.5		
OBS-94-08	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
OBS-94-08	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
OBS-94-08	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
OBS-94-08	SURF	CSO	V	VANADIUM		15.50000000	µg/g	0.5		

Old Burn Area (SWMU 6) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
OBS-94-08	SURF	CSO	ZN	ZINC		47.50000000	µg/g	0.5		
OBS-94-09	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5	D	
OBS-94-09	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
OBS-94-09	SURF	CSO	AL	ALUMINUM		11300.00000	µg/g	0.5		
OBS-94-09	SURF	CSO	AL	ALUMINUM		8280.000000	µg/g	0.5	D	
OBS-94-09	SURF	CSO	AS	ARSENIC		3.50000000	µg/g	0.5		
OBS-94-09	SURF	CSO	AS	ARSENIC		4.01000000	µg/g	0.5	D	
OBS-94-09	SURF	CSO	BA	BARIUM		86.20000000	µg/g	0.5	D	
OBS-94-09	SURF	CSO	BA	BARIUM		96.30000000	µg/g	0.5		
OBS-94-09	SURF	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	0.5		
OBS-94-09	SURF	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	0.5	D	
OBS-94-09	SURF	CSO	CA	CALCIUM		2520.000000	µg/g	0.5	D	
OBS-94-09	SURF	CSO	CA	CALCIUM		2660.000000	µg/g	0.5		
OBS-94-09	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
OBS-94-09	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5	D	
OBS-94-09	SURF	CSO	CO	COBALT		2.90000000	µg/g	0.5	D	
OBS-94-09	SURF	CSO	CO	COBALT		4.05000000	µg/g	0.5		
OBS-94-09	SURF	CSO	CR	CHROMIUM		14.10000000	µg/g	0.5		
OBS-94-09	SURF	CSO	CR	CHROMIUM		9.15000000	µg/g	0.5	D	
OBS-94-09	SURF	CSO	CU	COPPER		18.20000000	µg/g	0.5	D	
OBS-94-09	SURF	CSO	CU	COPPER		24.10000000	µg/g	0.5		
OBS-94-09	SURF	CSO	FE	IRON		9390.000000	µg/g	0.5		
OBS-94-09	SURF	CSO	FE	IRON		8800.000000	µg/g	0.5	D	
OBS-94-09	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5	H	I
OBS-94-09	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5	DH	I
OBS-94-09	SURF	CSO	K	POTASSIUM		2370.000000	µg/g	0.5	D	
OBS-94-09	SURF	CSO	K	POTASSIUM		3180.000000	µg/g	0.5		
OBS-94-09	SURF	CSO	MG	MAGNESIUM		3590.000000	µg/g	0.5		
OBS-94-09	SURF	CSO	MG	MAGNESIUM		3240.000000	µg/g	0.5	D	
OBS-94-09	SURF	CSO	MN	MANGANESE		251.0000000	µg/g	0.5	D	
OBS-94-09	SURF	CSO	MN	MANGANESE		262.0000000	µg/g	0.5		
OBS-94-09	SURF	CSO	NA	SODIUM		256.0000000	µg/g	0.5		
OBS-94-09	SURF	CSO	NA	SODIUM		178.0000000	µg/g	0.5	D	
OBS-94-09	SURF	CSO	NI	NICKEL		6.71000000	µg/g	0.5		
OBS-94-09	SURF	CSO	NI	NICKEL		6.18000000	µg/g	0.5	D	
OBS-94-09	SURF	CSO	PB	LEAD		23.20000000	µg/g	0.5	D	
OBS-94-09	SURF	CSO	PB	LEAD		31.40000000	µg/g	0.5		
OBS-94-09	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5	D	
OBS-94-09	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
OBS-94-09	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
OBS-94-09	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5	D	
OBS-94-09	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
OBS-94-09	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5	D	
OBS-94-09	SURF	CSO	V	VANADIUM		10.50000000	µg/g	0.5	D	
OBS-94-09	SURF	CSO	V	VANADIUM		15.40000000	µg/g	0.5		
OBS-94-09	SURF	CSO	ZN	ZINC		51.50000000	µg/g	0.5		
OBS-94-09	SURF	CSO	ZN	ZINC		43.20000000	µg/g	0.5	D	
OBS-94-10	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
OBS-94-10	SURF	CSO	AL	ALUMINUM		9380.000000	µg/g	0.5		
OBS-94-10	SURF	CSO	AS	ARSENIC		3.55000000	µg/g	0.5		
OBS-94-10	SURF	CSO	BA	BARIUM		87.10000000	µg/g	0.5		
OBS-94-10	SURF	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	0.5		

Old Burn Area (SWMU 6) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
OBS-94-10	SURF	CSO	CA	CALCIUM		2360.000000	µg/g	0.5		
OBS-94-10	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
OBS-94-10	SURF	CSO	CO	COBALT		3.86000000	µg/g	0.5		
OBS-94-10	SURF	CSO	CR	CHROMIUM		11.10000000	µg/g	0.5		
OBS-94-10	SURF	CSO	CU	COPPER		9.61000000	µg/g	0.5		
OBS-94-10	SURF	CSO	FE	IRON		9850.000000	µg/g	0.5		
OBS-94-10	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5	H	I
OBS-94-10	SURF	CSO	K	POTASSIUM		2510.000000	µg/g	0.5		
OBS-94-10	SURF	CSO	MG	MAGNESIUM		3370.000000	µg/g	0.5		
OBS-94-10	SURF	CSO	MN	MANGANESE		278.0000000	µg/g	0.5		
OBS-94-10	SURF	CSO	NA	SODIUM		161.0000000	µg/g	0.5		
OBS-94-10	SURF	CSO	NI	NICKEL		6.59000000	µg/g	0.5		
OBS-94-10	SURF	CSO	PB	LEAD		8.36000000	µg/g	0.5		
OBS-94-10	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
OBS-94-10	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
OBS-94-10	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
OBS-94-10	SURF	CSO	V	VANADIUM		13.50000000	µg/g	0.5		
OBS-94-10	SURF	CSO	ZN	ZINC		29.10000000	µg/g	0.5		
OBS-94-11	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
OBS-94-11	SURF	CSO	AL	ALUMINUM		14800.00000	µg/g	0.5		
OBS-94-11	SURF	CSO	AS	ARSENIC		4.77000000	µg/g	0.5		
OBS-94-11	SURF	CSO	BA	BARIUM		137.0000000	µg/g	0.5		
OBS-94-11	SURF	CSO	BE	BERYLLIUM		0.65500000	µg/g	0.5		
OBS-94-11	SURF	CSO	CA	CALCIUM		3060.000000	µg/g	0.5		
OBS-94-11	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
OBS-94-11	SURF	CSO	CO	COBALT		4.97000000	µg/g	0.5		
OBS-94-11	SURF	CSO	CR	CHROMIUM		13.80000000	µg/g	0.5		
OBS-94-11	SURF	CSO	CU	COPPER		16.80000000	µg/g	0.5		
OBS-94-11	SURF	CSO	FE	IRON		14200.00000	µg/g	0.5		
OBS-94-11	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5	H	I
OBS-94-11	SURF	CSO	K	POTASSIUM		4010.000000	µg/g	0.5		
OBS-94-11	SURF	CSO	MG	MAGNESIUM		5290.000000	µg/g	0.5		
OBS-94-11	SURF	CSO	MN	MANGANESE		351.0000000	µg/g	0.5		
OBS-94-11	SURF	CSO	NA	SODIUM		251.0000000	µg/g	0.5		
OBS-94-11	SURF	CSO	NI	NICKEL		10.40000000	µg/g	0.5		
OBS-94-11	SURF	CSO	PB	LEAD		12.20000000	µg/g	0.5		
OBS-94-11	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
OBS-94-11	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
OBS-94-11	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
OBS-94-11	SURF	CSO	V	VANADIUM		18.60000000	µg/g	0.5		
OBS-94-11	SURF	CSO	ZN	ZINC		221.0000000	µg/g	0.5		
OBS-94-12	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
OBS-94-12	SURF	CSO	AL	ALUMINUM		14800.00000	µg/g	0.5		
OBS-94-12	SURF	CSO	AS	ARSENIC		5.28000000	µg/g	0.5		
OBS-94-12	SURF	CSO	BA	BARIUM		134.0000000	µg/g	0.5		
OBS-94-12	SURF	CSO	BE	BERYLLIUM		0.60600000	µg/g	0.5		
OBS-94-12	SURF	CSO	CA	CALCIUM		3600.000000	µg/g	0.5		
OBS-94-12	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
OBS-94-12	SURF	CSO	CO	COBALT		4.40000000	µg/g	0.5		
OBS-94-12	SURF	CSO	CR	CHROMIUM		14.80000000	µg/g	0.5		
OBS-94-12	SURF	CSO	CU	COPPER		20.60000000	µg/g	0.5		
OBS-94-12	SURF	CSO	FE	IRON		13600.00000	µg/g	0.5		

Old Burn Area (SWMU 6) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
OBS-94-12	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5	H	I
OBS-94-12	SURF	CSO	K	POTASSIUM		3970.000000	µg/g	0.5		
OBS-94-12	SURF	CSO	MG	MAGNESIUM		5110.000000	µg/g	0.5		
OBS-94-12	SURF	CSO	MN	MANGANESE		365.0000000	µg/g	0.5		
OBS-94-12	SURF	CSO	NA	SODIUM		347.0000000	µg/g	0.5		
OBS-94-12	SURF	CSO	NI	NICKEL		9.34000000	µg/g	0.5		
OBS-94-12	SURF	CSO	PB	LEAD		23.20000000	µg/g	0.5		
OBS-94-12	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
OBS-94-12	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
OBS-94-12	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
OBS-94-12	SURF	CSO	V	VANADIUM		20.50000000	µg/g	0.5		
OBS-94-12	SURF	CSO	ZN	ZINC		59.70000000	µg/g	0.5		
OBS-94-13	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
OBS-94-13	SURF	CSO	AL	ALUMINUM	LT	11.20000000	µg/g	0.5		
OBS-94-13	SURF	CSO	AS	ARSENIC		17.60000000	µg/g	0.5		
OBS-94-13	SURF	CSO	BA	BARIUM	LT	3.29000000	µg/g	0.5		
OBS-94-13	SURF	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	0.5		
OBS-94-13	SURF	CSO	CA	CALCIUM	LT	25.30000000	µg/g	0.5		
OBS-94-13	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
OBS-94-13	SURF	CSO	CO	COBALT	LT	2.50000000	µg/g	0.5		
OBS-94-13	SURF	CSO	CR	CHROMIUM	LT	1.04000000	µg/g	0.5		
OBS-94-13	SURF	CSO	CU	COPPER	LT	2.84000000	µg/g	0.5		
OBS-94-13	SURF	CSO	FE	IRON	LT	6.66000000	µg/g	0.5		
OBS-94-13	SURF	CSO	HG	MERCURY		0.30400000	µg/g	0.5	H	I
OBS-94-13	SURF	CSO	K	POTASSIUM	LT	131.0000000	µg/g	0.5		
OBS-94-13	SURF	CSO	MG	MAGNESIUM	LT	10.10000000	µg/g	0.5		
OBS-94-13	SURF	CSO	MN	MANGANESE	LT	9.87000000	µg/g	0.5		
OBS-94-13	SURF	CSO	NA	SODIUM	LT	38.70000000	µg/g	0.5		
OBS-94-13	SURF	CSO	NI	NICKEL	LT	2.74000000	µg/g	0.5		
OBS-94-13	SURF	CSO	PB	LEAD	LT	7.44000000	µg/g	0.5		
OBS-94-13	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
OBS-94-13	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
OBS-94-13	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
OBS-94-13	SURF	CSO	V	VANADIUM	LT	1.41000000	µg/g	0.5		
OBS-94-13	SURF	CSO	ZN	ZINC	GT	10000.00000	µg/g	0.5		
OBS-94-14	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
OBS-94-14	SURF	CSO	AL	ALUMINUM		10200.00000	µg/g	0.5		
OBS-94-14	SURF	CSO	AS	ARSENIC		4.66000000	µg/g	0.5		
OBS-94-14	SURF	CSO	BA	BARIUM		83.20000000	µg/g	0.5		
OBS-94-14	SURF	CSO	BE	BERYLLIUM		0.47900000	µg/g	0.5		
OBS-94-14	SURF	CSO	CA	CALCIUM		2250.000000	µg/g	0.5		
OBS-94-14	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
OBS-94-14	SURF	CSO	CO	COBALT		3.83000000	µg/g	0.5		
OBS-94-14	SURF	CSO	CR	CHROMIUM		9.37000000	µg/g	0.5		
OBS-94-14	SURF	CSO	CU	COPPER		20.30000000	µg/g	0.5		
OBS-94-14	SURF	CSO	FE	IRON		11000.00000	µg/g	0.5		
OBS-94-14	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5	H	I
OBS-94-14	SURF	CSO	K	POTASSIUM		2670.000000	µg/g	0.5		
OBS-94-14	SURF	CSO	MG	MAGNESIUM		3510.000000	µg/g	0.5		
OBS-94-14	SURF	CSO	MN	MANGANESE		242.0000000	µg/g	0.5		
OBS-94-14	SURF	CSO	NA	SODIUM		110.0000000	µg/g	0.5		
OBS-94-14	SURF	CSO	NI	NICKEL		8.39000000	µg/g	0.5		

Old Burn Area (SWMU 6) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
OBS-94-14	SURF	CSO	PB	LEAD		21.30000000	µg/g	0.5		
OBS-94-14	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
OBS-94-14	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
OBS-94-14	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
OBS-94-14	SURF	CSO	V	VANADIUM		13.50000000	µg/g	0.5		
OBS-94-14	SURF	CSO	ZN	ZINC		44.30000000	µg/g	0.5		
OBS-94-15	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
OBS-94-15	SURF	CSO	AL	ALUMINUM		7970.000000	µg/g	0.5		
OBS-94-15	SURF	CSO	AS	ARSENIC		10.20000000	µg/g	0.5		
OBS-94-15	SURF	CSO	BA	BARIUM		87.80000000	µg/g	0.5		
OBS-94-15	SURF	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	0.5		
OBS-94-15	SURF	CSO	CA	CALCIUM		5350.000000	µg/g	0.5		
OBS-94-15	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
OBS-94-15	SURF	CSO	CO	COBALT		2.73000000	µg/g	0.5		
OBS-94-15	SURF	CSO	CR	CHROMIUM		9.42000000	µg/g	0.5		
OBS-94-15	SURF	CSO	CU	COPPER		16.40000000	µg/g	0.5		
OBS-94-15	SURF	CSO	FE	IRON		8270.000000	µg/g	0.5		
OBS-94-15	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5	H	I
OBS-94-15	SURF	CSO	K	POTASSIUM		2250.000000	µg/g	0.5		
OBS-94-15	SURF	CSO	MG	MAGNESIUM		3310.000000	µg/g	0.5		
OBS-94-15	SURF	CSO	MN	MANGANESE		206.0000000	µg/g	0.5		
OBS-94-15	SURF	CSO	NA	SODIUM		156.0000000	µg/g	0.5		
OBS-94-15	SURF	CSO	NI	NICKEL		5.34000000	µg/g	0.5		
OBS-94-15	SURF	CSO	PB	LEAD		270.0000000	µg/g	0.5		
OBS-94-15	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
OBS-94-15	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
OBS-94-15	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
OBS-94-15	SURF	CSO	V	VANADIUM		10.40000000	µg/g	0.5		
OBS-94-15	SURF	CSO	ZN	ZINC		75.60000000	µg/g	0.5		
OBS-94-16	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
OBS-94-16	SURF	CSO	AL	ALUMINUM		12100.00000	µg/g	0.5		
OBS-94-16	SURF	CSO	AS	ARSENIC		3.17000000	µg/g	0.5		
OBS-94-16	SURF	CSO	BA	BARIUM		93.80000000	µg/g	0.5		
OBS-94-16	SURF	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	0.5		
OBS-94-16	SURF	CSO	CA	CALCIUM		2660.000000	µg/g	0.5		
OBS-94-16	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
OBS-94-16	SURF	CSO	CO	COBALT		3.40000000	µg/g	0.5		
OBS-94-16	SURF	CSO	CR	CHROMIUM		12.70000000	µg/g	0.5		
OBS-94-16	SURF	CSO	CU	COPPER		12.50000000	µg/g	0.5		
OBS-94-16	SURF	CSO	FE	IRON		10400.00000	µg/g	0.5		
OBS-94-16	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5	H	I
OBS-94-16	SURF	CSO	K	POTASSIUM		3530.000000	µg/g	0.5		
OBS-94-16	SURF	CSO	MG	MAGNESIUM		3950.000000	µg/g	0.5		
OBS-94-16	SURF	CSO	MN	MANGANESE		270.0000000	µg/g	0.5		
OBS-94-16	SURF	CSO	NA	SODIUM		211.0000000	µg/g	0.5		
OBS-94-16	SURF	CSO	NI	NICKEL		6.42000000	µg/g	0.5		
OBS-94-16	SURF	CSO	PB	LEAD		11.70000000	µg/g	0.5		
OBS-94-16	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
OBS-94-16	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
OBS-94-16	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
OBS-94-16	SURF	CSO	V	VANADIUM		15.50000000	µg/g	0.5		
OBS-94-16	SURF	CSO	ZN	ZINC		35.90000000	µg/g	0.5		

Old Burn Area (SWMU 6) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
OBS-94-17	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
OBS-94-17	SURF	CSO	AL	ALUMINUM		10500.00000	µg/g	0.5		
OBS-94-17	SURF	CSO	AS	ARSENIC		5.03000000	µg/g	0.5		
OBS-94-17	SURF	CSO	B	BORON		21.70000000	µg/g	0.5		
OBS-94-17	SURF	CSO	BA	BARIUM		86.20000000	µg/g	0.5		
OBS-94-17	SURF	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	0.5		
OBS-94-17	SURF	CSO	CA	CALCIUM		8090.000000	µg/g	0.5		
OBS-94-17	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
OBS-94-17	SURF	CSO	CO	COBALT		4.23000000	µg/g	0.5		
OBS-94-17	SURF	CSO	CR	CHROMIUM		14.60000000	µg/g	0.5		
OBS-94-17	SURF	CSO	CU	COPPER		23.00000000	µg/g	0.5		
OBS-94-17	SURF	CSO	FE	IRON		10000.00000	µg/g	0.5		
OBS-94-17	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5	H	I
OBS-94-17	SURF	CSO	K	POTASSIUM		2420.000000	µg/g	0.5		
OBS-94-17	SURF	CSO	MG	MAGNESIUM		3130.000000	µg/g	0.5		
OBS-94-17	SURF	CSO	MN	MANGANESE		214.0000000	µg/g	0.5		
OBS-94-17	SURF	CSO	NA	SODIUM		210.0000000	µg/g	0.5		
OBS-94-17	SURF	CSO	NI	NICKEL		9.14000000	µg/g	0.5		
OBS-94-17	SURF	CSO	PB	LEAD		106.0000000	µg/g	0.5		
OBS-94-17	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
OBS-94-17	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
OBS-94-17	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
OBS-94-17	SURF	CSO	V	VANADIUM		19.50000000	µg/g	0.5		
OBS-94-17	SURF	CSO	ZN	ZINC		123.0000000	µg/g	0.5		
OBS-94-18	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
OBS-94-18	SURF	CSO	AL	ALUMINUM		25000.00000	µg/g	0.5		
OBS-94-18	SURF	CSO	AS	ARSENIC		9.05000000	µg/g	0.5		
OBS-94-18	SURF	CSO	BA	BARIUM		247.0000000	µg/g	0.5		
OBS-94-18	SURF	CSO	BE	BERYLLIUM		1.09000000	µg/g	0.5		
OBS-94-18	SURF	CSO	CA	CALCIUM		16100.00000	µg/g	0.5		
OBS-94-18	SURF	CSO	CD	CADMIUM		1.80000000	µg/g	0.5		
OBS-94-18	SURF	CSO	CO	COBALT		7.75000000	µg/g	0.5		
OBS-94-18	SURF	CSO	CR	CHROMIUM		23.20000000	µg/g	0.5		
OBS-94-18	SURF	CSO	CU	COPPER		76.90000000	µg/g	0.5		
OBS-94-18	SURF	CSO	FE	IRON		22500.00000	µg/g	0.5		
OBS-94-18	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5	H	I
OBS-94-18	SURF	CSO	K	POTASSIUM		7260.000000	µg/g	0.5		
OBS-94-18	SURF	CSO	MG	MAGNESIUM		9870.000000	µg/g	0.5		
OBS-94-18	SURF	CSO	MN	MANGANESE		555.0000000	µg/g	0.5		
OBS-94-18	SURF	CSO	NA	SODIUM		314.0000000	µg/g	0.5		
OBS-94-18	SURF	CSO	NI	NICKEL		17.00000000	µg/g	0.5		
OBS-94-18	SURF	CSO	PB	LEAD		68.20000000	µg/g	0.5		
OBS-94-18	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
OBS-94-18	SURF	CSO	SE	SELENIUM	LT	4.49000000	µg/g	0.5	K	
OBS-94-18	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
OBS-94-18	SURF	CSO	V	VANADIUM		30.30000000	µg/g	0.5		
OBS-94-18	SURF	CSO	ZN	ZINC		173.0000000	µg/g	0.5		
OBS-94-19	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
OBS-94-19	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5	D	
OBS-94-19	SURF	CSO	AL	ALUMINUM		11600.00000	µg/g	0.5		
OBS-94-19	SURF	CSO	AL	ALUMINUM		10500.00000	µg/g	0.5	D	
OBS-94-19	SURF	CSO	AS	ARSENIC		5.52000000	µg/g	0.5		

Old Burn Area (SWMU 6) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
OBS-94-19	SURF	CSO	AS	ARSENIC		5.33000000	µg/g	0.5	D	
OBS-94-19	SURF	CSO	BA	BARIUM		166.0000000	µg/g	0.5		
OBS-94-19	SURF	CSO	BA	BARIUM		152.0000000	µg/g	0.5	D	
OBS-94-19	SURF	CSO	BE	BERYLLIUM		0.51300000	µg/g	0.5		
OBS-94-19	SURF	CSO	BE	BERYLLIUM		0.47900000	µg/g	0.5	D	
OBS-94-19	SURF	CSO	CA	CALCIUM		10300.00000	µg/g	0.5		
OBS-94-19	SURF	CSO	CA	CALCIUM		8380.000000	µg/g	0.5	D	
OBS-94-19	SURF	CSO	CD	CADMIUM		5.92000000	µg/g	0.5		
OBS-94-19	SURF	CSO	CD	CADMIUM		6.98000000	µg/g	0.5	D	
OBS-94-19	SURF	CSO	CO	COBALT		3.61000000	µg/g	0.5		
OBS-94-19	SURF	CSO	CO	COBALT		4.33000000	µg/g	0.5	D	
OBS-94-19	SURF	CSO	CR	CHROMIUM		14.10000000	µg/g	0.5		
OBS-94-19	SURF	CSO	CR	CHROMIUM		12.80000000	µg/g	0.5	D	
OBS-94-19	SURF	CSO	CU	COPPER		27.50000000	µg/g	0.5		
OBS-94-19	SURF	CSO	CU	COPPER		29.20000000	µg/g	0.5	D	
OBS-94-19	SURF	CSO	FE	IRON		16200.00000	µg/g	0.5		
OBS-94-19	SURF	CSO	FE	IRON		13200.00000	µg/g	0.5	D	
OBS-94-19	SURF	CSO	HG	MERCURY		0.18700000	µg/g	0.5	H	I
OBS-94-19	SURF	CSO	HG	MERCURY		0.23800000	µg/g	0.5	DH	I
OBS-94-19	SURF	CSO	K	POTASSIUM		3260.000000	µg/g	0.5		
OBS-94-19	SURF	CSO	K	POTASSIUM		3030.000000	µg/g	0.5	D	
OBS-94-19	SURF	CSO	MG	MAGNESIUM		5750.000000	µg/g	0.5		
OBS-94-19	SURF	CSO	MG	MAGNESIUM		5050.000000	µg/g	0.5	D	
OBS-94-19	SURF	CSO	MN	MANGANESE		345.0000000	µg/g	0.5		
OBS-94-19	SURF	CSO	MN	MANGANESE		337.0000000	µg/g	0.5	D	
OBS-94-19	SURF	CSO	NA	SODIUM		279.0000000	µg/g	0.5		
OBS-94-19	SURF	CSO	NA	SODIUM		234.0000000	µg/g	0.5	D	
OBS-94-19	SURF	CSO	NI	NICKEL		9.94000000	µg/g	0.5		
OBS-94-19	SURF	CSO	NI	NICKEL		9.66000000	µg/g	0.5	D	
OBS-94-19	SURF	CSO	PB	LEAD		35.50000000	µg/g	0.5		
OBS-94-19	SURF	CSO	PB	LEAD		35.60000000	µg/g	0.5	D	
OBS-94-19	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
OBS-94-19	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5	D	
OBS-94-19	SURF	CSO	SE	SELENIUM	LT	4.49000000	µg/g	0.5	K	
OBS-94-19	SURF	CSO	SE	SELENIUM	LT	4.49000000	µg/g	0.5	KD	
OBS-94-19	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
OBS-94-19	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5	D	
OBS-94-19	SURF	CSO	V	VANADIUM		15.80000000	µg/g	0.5		
OBS-94-19	SURF	CSO	V	VANADIUM		14.10000000	µg/g	0.5	D	
OBS-94-19	SURF	CSO	ZN	ZINC		144.0000000	µg/g	0.5		
OBS-94-19	SURF	CSO	ZN	ZINC		117.0000000	µg/g	0.5	D	
OBS-94-20	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
OBS-94-20	SURF	CSO	AL	ALUMINUM		15900.00000	µg/g	0.5		
OBS-94-20	SURF	CSO	AS	ARSENIC		4.34000000	µg/g	0.5		
OBS-94-20	SURF	CSO	BA	BARIUM		119.0000000	µg/g	0.5		
OBS-94-20	SURF	CSO	BE	BERYLLIUM		0.64200000	µg/g	0.5		
OBS-94-20	SURF	CSO	CA	CALCIUM		3230.000000	µg/g	0.5		
OBS-94-20	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
OBS-94-20	SURF	CSO	CO	COBALT		5.09000000	µg/g	0.5		
OBS-94-20	SURF	CSO	CR	CHROMIUM		16.10000000	µg/g	0.5		
OBS-94-20	SURF	CSO	CU	COPPER		11.60000000	µg/g	0.5		
OBS-94-20	SURF	CSO	FE	IRON		13600.00000	µg/g	0.5		

Old Burn Area (SWMU 6) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
OBS-94-20	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5	H	I
OBS-94-20	SURF	CSO	K	POTASSIUM		4490.000000	µg/g	0.5		
OBS-94-20	SURF	CSO	MG	MAGNESIUM		4970.000000	µg/g	0.5		
OBS-94-20	SURF	CSO	MN	MANGANESE		331.0000000	µg/g	0.5		
OBS-94-20	SURF	CSO	NA	SODIUM		259.0000000	µg/g	0.5		
OBS-94-20	SURF	CSO	NI	NICKEL		10.30000000	µg/g	0.5		
OBS-94-20	SURF	CSO	PB	LEAD	LT	7.44000000	µg/g	0.5		
OBS-94-20	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
OBS-94-20	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
OBS-94-20	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
OBS-94-20	SURF	CSO	V	VANADIUM		20.70000000	µg/g	0.5		
OBS-94-20	SURF	CSO	ZN	ZINC		49.00000000	µg/g	0.5		
OBS-94-21	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
OBS-94-21	SURF	CSO	AL	ALUMINUM		9770.000000	µg/g	0.5		
OBS-94-21	SURF	CSO	AS	ARSENIC		4.11000000	µg/g	0.5		
OBS-94-21	SURF	CSO	BA	BARIUM		121.0000000	µg/g	0.5		
OBS-94-21	SURF	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	0.5		
OBS-94-21	SURF	CSO	CA	CALCIUM		5590.000000	µg/g	0.5		
OBS-94-21	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
OBS-94-21	SURF	CSO	CO	COBALT		3.39000000	µg/g	0.5		
OBS-94-21	SURF	CSO	CR	CHROMIUM		11.60000000	µg/g	0.5		
OBS-94-21	SURF	CSO	CU	COPPER		22.70000000	µg/g	0.5		
OBS-94-21	SURF	CSO	FE	IRON		10000.00000	µg/g	0.5		
OBS-94-21	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5	H	I
OBS-94-21	SURF	CSO	K	POTASSIUM		2600.000000	µg/g	0.5		
OBS-94-21	SURF	CSO	MG	MAGNESIUM		3600.000000	µg/g	0.5		
OBS-94-21	SURF	CSO	MN	MANGANESE		271.0000000	µg/g	0.5		
OBS-94-21	SURF	CSO	NA	SODIUM		170.0000000	µg/g	0.5		
OBS-94-21	SURF	CSO	NI	NICKEL		7.27000000	µg/g	0.5		
OBS-94-21	SURF	CSO	PB	LEAD		18.60000000	µg/g	0.5		
OBS-94-21	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
OBS-94-21	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
OBS-94-21	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
OBS-94-21	SURF	CSO	V	VANADIUM		12.90000000	µg/g	0.5		
OBS-94-21	SURF	CSO	ZN	ZINC		286.0000000	µg/g	0.5		
OBS-94-22	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
OBS-94-22	SURF	CSO	AL	ALUMINUM		7710.000000	µg/g	0.5		
OBS-94-22	SURF	CSO	AS	ARSENIC		4.36000000	µg/g	0.5		
OBS-94-22	SURF	CSO	BA	BARIUM		106.0000000	µg/g	0.5		
OBS-94-22	SURF	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	0.5		
OBS-94-22	SURF	CSO	CA	CALCIUM		11800.00000	µg/g	0.5		
OBS-94-22	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
OBS-94-22	SURF	CSO	CO	COBALT		2.77000000	µg/g	0.5		
OBS-94-22	SURF	CSO	CR	CHROMIUM		8.99000000	µg/g	0.5		
OBS-94-22	SURF	CSO	CU	COPPER		16.10000000	µg/g	0.5		
OBS-94-22	SURF	CSO	FE	IRON		8730.000000	µg/g	0.5		
OBS-94-22	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5	H	I
OBS-94-22	SURF	CSO	K	POTASSIUM		2130.000000	µg/g	0.5		
OBS-94-22	SURF	CSO	MG	MAGNESIUM		3000.000000	µg/g	0.5		
OBS-94-22	SURF	CSO	MN	MANGANESE		212.0000000	µg/g	0.5		
OBS-94-22	SURF	CSO	NA	SODIUM		161.0000000	µg/g	0.5		
OBS-94-22	SURF	CSO	NI	NICKEL		7.28000000	µg/g	0.5		

Old Burn Area (SWMU 6) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
OBS-94-22	SURF	CSO	PB	LEAD		13.40000000	µg/g	0.5		
OBS-94-22	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
OBS-94-22	SURF	CSO	SE	SELENIUM	LT	4.49000000	µg/g	0.5	K	
OBS-94-22	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
OBS-94-22	SURF	CSO	V	VANADIUM		11.60000000	µg/g	0.5		
OBS-94-22	SURF	CSO	ZN	ZINC		91.80000000	µg/g	0.5		
OBS-94-23	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
OBS-94-23	SURF	CSO	AL	ALUMINUM		7430.000000	µg/g	0.5		
OBS-94-23	SURF	CSO	AS	ARSENIC		3.90000000	µg/g	0.5		
OBS-94-23	SURF	CSO	BA	BARIUM		796.0000000	µg/g	0.5		
OBS-94-23	SURF	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	0.5		
OBS-94-23	SURF	CSO	CA	CALCIUM		2600.000000	µg/g	0.5		
OBS-94-23	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
OBS-94-23	SURF	CSO	CO	COBALT	LT	2.50000000	µg/g	0.5		
OBS-94-23	SURF	CSO	CR	CHROMIUM		8.60000000	µg/g	0.5		
OBS-94-23	SURF	CSO	CU	COPPER		139.0000000	µg/g	0.5		
OBS-94-23	SURF	CSO	FE	IRON		8290.000000	µg/g	0.5		
OBS-94-23	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5	H	I
OBS-94-23	SURF	CSO	K	POTASSIUM		2450.000000	µg/g	0.5		
OBS-94-23	SURF	CSO	MG	MAGNESIUM		2920.000000	µg/g	0.5		
OBS-94-23	SURF	CSO	MN	MANGANESE		228.0000000	µg/g	0.5		
OBS-94-23	SURF	CSO	NA	SODIUM		148.0000000	µg/g	0.5		
OBS-94-23	SURF	CSO	NI	NICKEL		5.81000000	µg/g	0.5		
OBS-94-23	SURF	CSO	PB	LEAD		44.10000000	µg/g	0.5		
OBS-94-23	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
OBS-94-23	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
OBS-94-23	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
OBS-94-23	SURF	CSO	V	VANADIUM		9.88000000	µg/g	0.5		
OBS-94-23	SURF	CSO	ZN	ZINC		597.0000000	µg/g	0.5		
OBS-94-24	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
OBS-94-24	SURF	CSO	AL	ALUMINUM		15600.00000	µg/g	0.5		
OBS-94-24	SURF	CSO	AS	ARSENIC		6.78000000	µg/g	0.5		
OBS-94-24	SURF	CSO	BA	BARIUM		160.0000000	µg/g	0.5		
OBS-94-24	SURF	CSO	BE	BERYLLIUM		0.77500000	µg/g	0.5		
OBS-94-24	SURF	CSO	CA	CALCIUM		3630.000000	µg/g	0.5		
OBS-94-24	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
OBS-94-24	SURF	CSO	CO	COBALT		5.80000000	µg/g	0.5		
OBS-94-24	SURF	CSO	CR	CHROMIUM		14.90000000	µg/g	0.5		
OBS-94-24	SURF	CSO	CU	COPPER		18.10000000	µg/g	0.5		
OBS-94-24	SURF	CSO	FE	IRON		16000.00000	µg/g	0.5		
OBS-94-24	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5	H	I
OBS-94-24	SURF	CSO	K	POTASSIUM		4820.000000	µg/g	0.5		
OBS-94-24	SURF	CSO	MG	MAGNESIUM		6250.000000	µg/g	0.5		
OBS-94-24	SURF	CSO	MN	MANGANESE		422.0000000	µg/g	0.5		
OBS-94-24	SURF	CSO	NA	SODIUM		241.0000000	µg/g	0.5		
OBS-94-24	SURF	CSO	NI	NICKEL		11.40000000	µg/g	0.5		
OBS-94-24	SURF	CSO	PB	LEAD		14.00000000	µg/g	0.5		
OBS-94-24	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
OBS-94-24	SURF	CSO	SE	SELENIUM	LT	4.49000000	µg/g	0.5	K	
OBS-94-24	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
OBS-94-24	SURF	CSO	V	VANADIUM		17.80000000	µg/g	0.5		
OBS-94-24	SURF	CSO	ZN	ZINC		97.60000000	µg/g	0.5		

Old Burn Area (SWMU 6) Phase II RI Data

Chemical Class: **METALS**

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
OBS-94-25	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
OBS-94-25	SURF	CSO	AL	ALUMINUM		15100.00000	µg/g	0.5		
OBS-94-25	SURF	CSO	AS	ARSENIC		6.90000000	µg/g	0.5		
OBS-94-25	SURF	CSO	BA	BARIUM		141.0000000	µg/g	0.5		
OBS-94-25	SURF	CSO	BE	BERYLLIUM		0.69100000	µg/g	0.5		
OBS-94-25	SURF	CSO	CA	CALCIUM		3340.000000	µg/g	0.5		
OBS-94-25	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
OBS-94-25	SURF	CSO	CO	COBALT		5.62000000	µg/g	0.5		
OBS-94-25	SURF	CSO	CR	CHROMIUM		14.40000000	µg/g	0.5		
OBS-94-25	SURF	CSO	CU	COPPER		25.90000000	µg/g	0.5		
OBS-94-25	SURF	CSO	FE	IRON		14900.00000	µg/g	0.5		
OBS-94-25	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5	H	I
OBS-94-25	SURF	CSO	K	POTASSIUM		4240.000000	µg/g	0.5		
OBS-94-25	SURF	CSO	MG	MAGNESIUM		5090.000000	µg/g	0.5		
OBS-94-25	SURF	CSO	MN	MANGANESE		413.0000000	µg/g	0.5		
OBS-94-25	SURF	CSO	NA	SODIUM		219.0000000	µg/g	0.5		
OBS-94-25	SURF	CSO	NI	NICKEL		10.80000000	µg/g	0.5		
OBS-94-25	SURF	CSO	PB	LEAD		26.50000000	µg/g	0.5		
OBS-94-25	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
OBS-94-25	SURF	CSO	SE	SELENIUM	LT	4.49000000	µg/g	0.5	K	
OBS-94-25	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
OBS-94-25	SURF	CSO	V	VANADIUM		17.60000000	µg/g	0.5		
OBS-94-25	SURF	CSO	ZN	ZINC		97.90000000	µg/g	0.5		
OBS-94-26	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
OBS-94-26	SURF	CSO	AL	ALUMINUM		13200.00000	µg/g	0.5		
OBS-94-26	SURF	CSO	AS	ARSENIC		6.23000000	µg/g	0.5		
OBS-94-26	SURF	CSO	BA	BARIUM		137.0000000	µg/g	0.5		
OBS-94-26	SURF	CSO	BE	BERYLLIUM		0.57600000	µg/g	0.5		
OBS-94-26	SURF	CSO	CA	CALCIUM		21600.00000	µg/g	0.5		
OBS-94-26	SURF	CSO	CD	CADMIUM		3.52000000	µg/g	0.5		
OBS-94-26	SURF	CSO	CO	COBALT		4.16000000	µg/g	0.5		
OBS-94-26	SURF	CSO	CR	CHROMIUM		14.00000000	µg/g	0.5		
OBS-94-26	SURF	CSO	CU	COPPER		23.40000000	µg/g	0.5		
OBS-94-26	SURF	CSO	FE	IRON		12300.00000	µg/g	0.5		
OBS-94-26	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5	H	I
OBS-94-26	SURF	CSO	K	POTASSIUM		3830.000000	µg/g	0.5		
OBS-94-26	SURF	CSO	MG	MAGNESIUM		5130.000000	µg/g	0.5		
OBS-94-26	SURF	CSO	MN	MANGANESE		310.0000000	µg/g	0.5		
OBS-94-26	SURF	CSO	NA	SODIUM		207.0000000	µg/g	0.5		
OBS-94-26	SURF	CSO	NI	NICKEL		9.08000000	µg/g	0.5		
OBS-94-26	SURF	CSO	PB	LEAD		36.40000000	µg/g	0.5		
OBS-94-26	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
OBS-94-26	SURF	CSO	SE	SELENIUM	LT	4.49000000	µg/g	0.5	K	
OBS-94-26	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
OBS-94-26	SURF	CSO	V	VANADIUM		18.10000000	µg/g	0.5		
OBS-94-26	SURF	CSO	ZN	ZINC		61.20000000	µg/g	0.5		
OBS-94-27	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
OBS-94-27	SURF	CSO	AL	ALUMINUM		11200.00000	µg/g	0.5		
OBS-94-27	SURF	CSO	AS	ARSENIC		5.54000000	µg/g	0.5		
OBS-94-27	SURF	CSO	BA	BARIUM		132.0000000	µg/g	0.5		
OBS-94-27	SURF	CSO	BE	BERYLLIUM		0.51500000	µg/g	0.5		
OBS-94-27	SURF	CSO	CA	CALCIUM		6740.000000	µg/g	0.5		

Old Burn Area (SWMU 6) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
OBS-94-27	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
OBS-94-27	SURF	CSO	CO	COBALT		4.95000000	µg/g	0.5		
OBS-94-27	SURF	CSO	CR	CHROMIUM		12.10000000	µg/g	0.5		
OBS-94-27	SURF	CSO	CU	COPPER		40.80000000	µg/g	0.5		
OBS-94-27	SURF	CSO	FE	IRON		13000.00000	µg/g	0.5		
OBS-94-27	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5	H	I
OBS-94-27	SURF	CSO	K	POTASSIUM		3470.000000	µg/g	0.5		
OBS-94-27	SURF	CSO	MG	MAGNESIUM		4660.000000	µg/g	0.5		
OBS-94-27	SURF	CSO	MN	MANGANESE		334.0000000	µg/g	0.5		
OBS-94-27	SURF	CSO	NA	SODIUM		207.0000000	µg/g	0.5		
OBS-94-27	SURF	CSO	NI	NICKEL		9.56000000	µg/g	0.5		
OBS-94-27	SURF	CSO	PB	LEAD		71.00000000	µg/g	0.5		
OBS-94-27	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
OBS-94-27	SURF	CSO	SE	SELENIUM	LT	4.49000000	µg/g	0.5	K	
OBS-94-27	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
OBS-94-27	SURF	CSO	V	VANADIUM		15.10000000	µg/g	0.5		
OBS-94-27	SURF	CSO	ZN	ZINC		102.0000000	µg/g	0.5		
OBS-94-28	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
OBS-94-28	SURF	CSO	AL	ALUMINUM		17700.00000	µg/g	0.5		
OBS-94-28	SURF	CSO	AS	ARSENIC		6.49000000	µg/g	0.5		
OBS-94-28	SURF	CSO	BA	BARIUM		154.0000000	µg/g	0.5		
OBS-94-28	SURF	CSO	BE	BERYLLIUM		0.81900000	µg/g	0.5		
OBS-94-28	SURF	CSO	CA	CALCIUM		4120.000000	µg/g	0.5		
OBS-94-28	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
OBS-94-28	SURF	CSO	CO	COBALT		6.24000000	µg/g	0.5		
OBS-94-28	SURF	CSO	CR	CHROMIUM		17.20000000	µg/g	0.5		
OBS-94-28	SURF	CSO	CU	COPPER		20.70000000	µg/g	0.5		
OBS-94-28	SURF	CSO	FE	IRON		17100.00000	µg/g	0.5		
OBS-94-28	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5	H	I
OBS-94-28	SURF	CSO	K	POTASSIUM		5080.000000	µg/g	0.5		
OBS-94-28	SURF	CSO	MG	MAGNESIUM		6870.000000	µg/g	0.5		
OBS-94-28	SURF	CSO	MN	MANGANESE		448.0000000	µg/g	0.5		
OBS-94-28	SURF	CSO	NA	SODIUM		265.0000000	µg/g	0.5		
OBS-94-28	SURF	CSO	NI	NICKEL		12.00000000	µg/g	0.5		
OBS-94-28	SURF	CSO	PB	LEAD		16.50000000	µg/g	0.5		
OBS-94-28	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
OBS-94-28	SURF	CSO	SE	SELENIUM	LT	4.49000000	µg/g	0.5	K	
OBS-94-28	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
OBS-94-28	SURF	CSO	V	VANADIUM		21.30000000	µg/g	0.5		
OBS-94-28	SURF	CSO	ZN	ZINC		56.70000000	µg/g	0.5		
OBS-94-29	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
OBS-94-29	SURF	CSO	AL	ALUMINUM		16100.00000	µg/g	0.5		
OBS-94-29	SURF	CSO	AS	ARSENIC		3.11000000	µg/g	0.5		
OBS-94-29	SURF	CSO	BA	BARIUM		142.0000000	µg/g	0.5		
OBS-94-29	SURF	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	0.5		
OBS-94-29	SURF	CSO	CA	CALCIUM		4580.000000	µg/g	0.5		
OBS-94-29	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
OBS-94-29	SURF	CSO	CO	COBALT		5.61000000	µg/g	0.5		
OBS-94-29	SURF	CSO	CR	CHROMIUM		22.80000000	µg/g	0.5		
OBS-94-29	SURF	CSO	CU	COPPER		16.40000000	µg/g	0.5		
OBS-94-29	SURF	CSO	FE	IRON		16500.00000	µg/g	0.5		
OBS-94-29	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		

Old Burn Area (SWMU 6) Phase II RI Data

Chemical Class: **METALS**

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
OBS-94-29	SURF	CSO	K	POTASSIUM		4300.000000	µg/g	0.5		
OBS-94-29	SURF	CSO	MG	MAGNESIUM		4940.000000	µg/g	0.5		
OBS-94-29	SURF	CSO	MN	MANGANESE		471.0000000	µg/g	0.5		
OBS-94-29	SURF	CSO	NA	SODIUM		461.0000000	µg/g	0.5		
OBS-94-29	SURF	CSO	NI	NICKEL		9.41000000	µg/g	0.5		
OBS-94-29	SURF	CSO	PB	LEAD		33.80000000	µg/g	0.5		
OBS-94-29	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
OBS-94-29	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
OBS-94-29	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
OBS-94-29	SURF	CSO	V	VANADIUM		22.20000000	µg/g	0.5		
OBS-94-29	SURF	CSO	ZN	ZINC		61.70000000	µg/g	0.5		
OBS-94-30	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
OBS-94-30	SURF	CSO	AL	ALUMINUM		12000.00000	µg/g	0.5		
OBS-94-30	SURF	CSO	AS	ARSENIC		4.39000000	µg/g	0.5		
OBS-94-30	SURF	CSO	BA	BARIUM		106.0000000	µg/g	0.5		
OBS-94-30	SURF	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	0.5		
OBS-94-30	SURF	CSO	CA	CALCIUM		3170.000000	µg/g	0.5		
OBS-94-30	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
OBS-94-30	SURF	CSO	CO	COBALT		4.53000000	µg/g	0.5		
OBS-94-30	SURF	CSO	CR	CHROMIUM		13.30000000	µg/g	0.5		
OBS-94-30	SURF	CSO	CU	COPPER		15.90000000	µg/g	0.5		
OBS-94-30	SURF	CSO	FE	IRON		12700.00000	µg/g	0.5		
OBS-94-30	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
OBS-94-30	SURF	CSO	K	POTASSIUM		2800.000000	µg/g	0.5		
OBS-94-30	SURF	CSO	MG	MAGNESIUM		3470.000000	µg/g	0.5		
OBS-94-30	SURF	CSO	MN	MANGANESE		312.0000000	µg/g	0.5		
OBS-94-30	SURF	CSO	NA	SODIUM		427.0000000	µg/g	0.5		
OBS-94-30	SURF	CSO	NI	NICKEL		7.28000000	µg/g	0.5		
OBS-94-30	SURF	CSO	PB	LEAD		17.60000000	µg/g	0.5		
OBS-94-30	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
OBS-94-30	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
OBS-94-30	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
OBS-94-30	SURF	CSO	V	VANADIUM		16.40000000	µg/g	0.5		
OBS-94-30	SURF	CSO	ZN	ZINC		48.20000000	µg/g	0.5		
OBS-94-31	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
OBS-94-31	SURF	CSO	AL	ALUMINUM		14100.00000	µg/g	0.5		
OBS-94-31	SURF	CSO	AS	ARSENIC		5.86000000	µg/g	0.5		
OBS-94-31	SURF	CSO	BA	BARIUM		170.0000000	µg/g	0.5		
OBS-94-31	SURF	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	0.5		
OBS-94-31	SURF	CSO	CA	CALCIUM		5060.000000	µg/g	0.5		
OBS-94-31	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
OBS-94-31	SURF	CSO	CO	COBALT		5.07000000	µg/g	0.5		
OBS-94-31	SURF	CSO	CR	CHROMIUM		15.50000000	µg/g	0.5		
OBS-94-31	SURF	CSO	CU	COPPER		32.10000000	µg/g	0.5		
OBS-94-31	SURF	CSO	FE	IRON		14300.00000	µg/g	0.5		
OBS-94-31	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
OBS-94-31	SURF	CSO	K	POTASSIUM		3500.000000	µg/g	0.5		
OBS-94-31	SURF	CSO	MG	MAGNESIUM		4290.000000	µg/g	0.5		
OBS-94-31	SURF	CSO	MN	MANGANESE		394.0000000	µg/g	0.5		
OBS-94-31	SURF	CSO	NA	SODIUM		497.0000000	µg/g	0.5		
OBS-94-31	SURF	CSO	NI	NICKEL		8.40000000	µg/g	0.5		
OBS-94-31	SURF	CSO	PB	LEAD		33.20000000	µg/g	0.5		

Old Burn Area (SWMU 6) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
OBS-94-31	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
OBS-94-31	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
OBS-94-31	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
OBS-94-31	SURF	CSO	V	VANADIUM		19.20000000	µg/g	0.5		
OBS-94-31	SURF	CSO	ZN	ZINC		170.0000000	µg/g	0.5		
OBS-94-32	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
OBS-94-32	SURF	CSO	AL	ALUMINUM		18000.00000	µg/g	0.5		
OBS-94-32	SURF	CSO	AS	ARSENIC		3.87000000	µg/g	0.5		
OBS-94-32	SURF	CSO	BA	BARIUM		185.0000000	µg/g	0.5		
OBS-94-32	SURF	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	0.5		
OBS-94-32	SURF	CSO	CA	CALCIUM		10300.00000	µg/g	0.5		
OBS-94-32	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
OBS-94-32	SURF	CSO	CO	COBALT		6.40000000	µg/g	0.5		
OBS-94-32	SURF	CSO	CR	CHROMIUM		18.60000000	µg/g	0.5		
OBS-94-32	SURF	CSO	CU	COPPER		20.60000000	µg/g	0.5		
OBS-94-32	SURF	CSO	FE	IRON		17700.00000	µg/g	0.5		
OBS-94-32	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
OBS-94-32	SURF	CSO	K	POTASSIUM		5050.000000	µg/g	0.5		
OBS-94-32	SURF	CSO	MG	MAGNESIUM		7860.000000	µg/g	0.5		
OBS-94-32	SURF	CSO	MN	MANGANESE		505.0000000	µg/g	0.5		
OBS-94-32	SURF	CSO	NA	SODIUM		654.0000000	µg/g	0.5		
OBS-94-32	SURF	CSO	NI	NICKEL		10.70000000	µg/g	0.5		
OBS-94-32	SURF	CSO	PB	LEAD		23.20000000	µg/g	0.5		
OBS-94-32	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
OBS-94-32	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
OBS-94-32	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
OBS-94-32	SURF	CSO	V	VANADIUM		22.70000000	µg/g	0.5		
OBS-94-32	SURF	CSO	ZN	ZINC		78.50000000	µg/g	0.5		

Chemical Class: **EXPLOSIVES**

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
CRP-94-01A	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	5.0	7	
CRP-94-01A	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	5.0		
CRP-94-01B	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	7.0	7	
CRP-94-01B	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	7.0		
CRP-94-01C	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	9.0	7	
CRP-94-01C	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	9.0		
CRP-94-01D	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	10.0	7	
CRP-94-01D	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	10.0		
CRP-94-02A	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	5.0	7	
CRP-94-02A	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	5.0		
CRP-94-02B	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	7.0	7	
CRP-94-02B	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	7.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **EXPLOSIVES**										
CRP-94-02B	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	7.0		
CRP-94-02C	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	9.0	7	
CRP-94-02C	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	9.0		
CRP-94-02D	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	10.0	7	
CRP-94-02D	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	10.0		
CRP-94-03A	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	5.0	7	J
CRP-94-03A	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	5.0	H	
CRP-94-03A	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	5.0		
CRP-94-03B	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	7.0	7	J
CRP-94-03B	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	7.0	H	
CRP-94-03B	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	7.0		
CRP-94-03C	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	9.0	7	J
CRP-94-03C	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	9.0	H	
CRP-94-03C	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	9.0		
CRP-94-03D	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	10.0	7	J
CRP-94-03D	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	10.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **EXPLOSIVES**										
CRP-94-03D	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	10.0	H	
CRP-94-03D	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	10.0		
CRP-94-04A	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	5.0	7	J
CRP-94-04A	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	5.0	H	
CRP-94-04A	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	5.0		
CRP-94-04B	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	7.0	7	J
CRP-94-04B	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	7.0	H	
CRP-94-04B	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	7.0		
CRP-94-04C	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	9.0	7	J
CRP-94-04C	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	9.0	H	
CRP-94-04C	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	9.0		
CRP-94-04D	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	10.0	7	J
CRP-94-04D	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	10.0	H	
CRP-94-04D	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	10.0		
CRP-94-05A	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	4.0	7	J
CRP-94-05A	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	4.0	H	
CRP-94-05A	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	4.0		

Chemical Range (SWMU 7) Phase II RI Data

Chemical Class: **EXPLOSIVES**

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
CRP-94-05B	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	5.0	7	J
CRP-94-05B	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	5.0	H	
CRP-94-05B	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	5.0		
CRP-94-05C	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	7.0	7	J
CRP-94-05C	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	7.0	H	
CRP-94-05C	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	7.0		
CRP-94-05D	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	10.0	7	J
CRP-94-05D	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	10.0	H	
CRP-94-05D	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	10.0		
CRP-94-06A	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5	7	J
CRP-94-06A	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		I
CRP-94-06A	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
CRP-94-06B	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	5.0	7	J
CRP-94-06B	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	5.0		I
CRP-94-06B	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	5.0		
CRP-94-06C	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	10.0	7	J
CRP-94-06C	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	10.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **EXPLOSIVES**										
CRP-94-06C	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	10.0		I
CRP-94-06C	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	10.0		
CRP-94-07A	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5	7	J
CRP-94-07A	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		I
CRP-94-07A	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
CRP-94-07B	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	5.0	7	J
CRP-94-07B	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	5.0		I
CRP-94-07B	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	5.0		
CRP-94-07C	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	10.0	7	J
CRP-94-07C	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	10.0		I
CRP-94-07C	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	10.0		
CRP-94-08A	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
CRP-94-08B	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	5.0		
CRP-94-08C	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	10.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **EXPLOSIVES**										
CRP-94-08C	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	10.0		
CRP-94-09A	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5	D	
CRP-94-09B	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	5.0	D	
CRP-94-09C	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	10.0	D	

Chemical Range (SWMU 7) Phase II RI Data

Chemical Class: **EXPLOSIVES**

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
CRP-94-09C	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	10.0	D	
CRP-94-10A	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
CRP-94-10B	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	5.0		
CRP-94-10C	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	10.0		
CRP-94-11A	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
CRP-94-11B	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	5.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **EXPLOSIVES**										
CRP-94-11B	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	5.0		
CRP-94-11C	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	9.0		
CRP-94-12A	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5	7	
CRP-94-12A	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
CRP-94-12B	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	5.0	7	
CRP-94-12B	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	5.0		
CRP-94-12C	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	10.0	7	
CRP-94-12C	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	10.0		
CRP-94-13A	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5	7	
CRP-94-13A	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
CRP-94-13B	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	5.0	7	
CRP-94-13B	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	5.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **EXPLOSIVES**										
CRP-94-13B	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	5.0		
CRP-94-13C	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	10.0	7	
CRP-94-13C	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	10.0		
CRP-94-14A	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5	7	
CRP-94-14A	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
CRP-94-14B	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	5.0	7	
CRP-94-14B	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	5.0		
CRP-94-14C	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	10.0	7	
CRP-94-14C	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	10.0		
CRP-94-15A	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5	7	
CRP-94-15A	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
CRP-94-15B	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	5.0	7	

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **EXPLOSIVES**										
CRP-94-15B	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	5.0		
CRP-94-15C	EXCV	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	10.0	7	
CRP-94-15C	EXCV	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	10.0		
CRS-94-01	SURF	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5	H	
CRS-94-01	SURF	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5	H	
CRS-94-01	SURF	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5	H	
CRS-94-01	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5	H	
CRS-94-01	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5	H	
CRS-94-01	SURF	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5	H	
CRS-94-01	SURF	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5	H	
CRS-94-01	SURF	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5	H	
CRS-94-01	SURF	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5	H	
CRS-94-02	SURF	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5	H	
CRS-94-02	SURF	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5	H	
CRS-94-02	SURF	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5	H	
CRS-94-02	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5	H	
CRS-94-02	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5	H	
CRS-94-02	SURF	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5	H	
CRS-94-02	SURF	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5	H	
CRS-94-02	SURF	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5	H	
CRS-94-02	SURF	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5	H	
CRS-94-03	SURF	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5	H	
CRS-94-03	SURF	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5	H	
CRS-94-03	SURF	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5	H	
CRS-94-03	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5	H	
CRS-94-03	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5	H	
CRS-94-03	SURF	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5	H	
CRS-94-03	SURF	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5	H	
CRS-94-03	SURF	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5	H	
CRS-94-03	SURF	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5	H	
CRS-94-04	SURF	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5	H	
CRS-94-04	SURF	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5	H	
CRS-94-04	SURF	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5	H	
CRS-94-04	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5	H	
CRS-94-04	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5	H	
CRS-94-04	SURF	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5	H	
CRS-94-04	SURF	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5	H	

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **EXPLOSIVES**										
CRS-94-04	SURF	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5	H	
CRS-94-04	SURF	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5	H	
CRS-94-05	SURF	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5	H	
CRS-94-05	SURF	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5	H	
CRS-94-05	SURF	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5	H	
CRS-94-05	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5	H	
CRS-94-05	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5	H	
CRS-94-05	SURF	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5	H	
CRS-94-05	SURF	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5	H	
CRS-94-05	SURF	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5	H	
CRS-94-05	SURF	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5	H	
CRS-94-06	SURF	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5	H	
CRS-94-06	SURF	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5	H	
CRS-94-06	SURF	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5	H	
CRS-94-06	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5	H	
CRS-94-06	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5	H	
CRS-94-06	SURF	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5	H	
CRS-94-06	SURF	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5	H	
CRS-94-06	SURF	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5	H	
CRS-94-06	SURF	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5	H	
CRS-94-07	SURF	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5	H	
CRS-94-07	SURF	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5	H	
CRS-94-07	SURF	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5	H	
CRS-94-07	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5	H	
CRS-94-07	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5	H	
CRS-94-07	SURF	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5	H	
CRS-94-07	SURF	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5	H	
CRS-94-07	SURF	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5	H	
CRS-94-07	SURF	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5	H	
CRS-94-08	SURF	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5	H	
CRS-94-08	SURF	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5	H	
CRS-94-08	SURF	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5	H	
CRS-94-08	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5	H	
CRS-94-08	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5	H	
CRS-94-08	SURF	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5	H	
CRS-94-08	SURF	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5	H	
CRS-94-08	SURF	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5	H	
CRS-94-08	SURF	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5	H	
CRS-94-09	SURF	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5	H	
CRS-94-09	SURF	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5	H	
CRS-94-09	SURF	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5	H	
CRS-94-09	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5	H	
CRS-94-09	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5	H	
CRS-94-09	SURF	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5	H	
CRS-94-09	SURF	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5	H	
CRS-94-09	SURF	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5	H	
CRS-94-09	SURF	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5	H	
CRS-94-10	SURF	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5	H	
CRS-94-10	SURF	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5	H	
CRS-94-10	SURF	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5	H	
CRS-94-10	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5	H	

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **EXPLOSIVES**										
CRS-94-10	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5	H	
CRS-94-10	SURF	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5	H	
CRS-94-10	SURF	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5	H	
CRS-94-10	SURF	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5	H	
CRS-94-10	SURF	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5	H	
CRS-94-11	SURF	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5	H	
CRS-94-11	SURF	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5	H	
CRS-94-11	SURF	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5	H	
CRS-94-11	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5	H	
CRS-94-11	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5	H	
CRS-94-11	SURF	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5	H	
CRS-94-11	SURF	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5	H	
CRS-94-11	SURF	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5	H	
CRS-94-11	SURF	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5	H	
CRS-94-12	SURF	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5	H	
CRS-94-12	SURF	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5	H	
CRS-94-12	SURF	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5	H	
CRS-94-12	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5	H	
CRS-94-12	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5	H	
CRS-94-12	SURF	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5	H	
CRS-94-12	SURF	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5	H	
CRS-94-12	SURF	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5	H	
CRS-94-12	SURF	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5	H	
CRS-94-13	SURF	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5	H	
CRS-94-13	SURF	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5	H	
CRS-94-13	SURF	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5	H	
CRS-94-13	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5	H	
CRS-94-13	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5	H	
CRS-94-13	SURF	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5	H	
CRS-94-13	SURF	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5	H	
CRS-94-13	SURF	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5	H	
CRS-94-13	SURF	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5	H	
CRS-94-14	SURF	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5		
CRS-94-14	SURF	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
CRS-94-14	SURF	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
CRS-94-14	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5		
CRS-94-14	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
CRS-94-14	SURF	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
CRS-94-14	SURF	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
CRS-94-14	SURF	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
CRS-94-14	SURF	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
CRS-94-15	SURF	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5		
CRS-94-15	SURF	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
CRS-94-15	SURF	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
CRS-94-15	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5		
CRS-94-15	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
CRS-94-15	SURF	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
CRS-94-15	SURF	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
CRS-94-15	SURF	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
CRS-94-15	SURF	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
CRS-94-16	SURF	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **EXPLOSIVES**										
CRS-94-16	SURF	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
CRS-94-16	SURF	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
CRS-94-16	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5		
CRS-94-16	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
CRS-94-16	SURF	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
CRS-94-16	SURF	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
CRS-94-16	SURF	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
CRS-94-16	SURF	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
CRS-94-17	SURF	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5		
CRS-94-17	SURF	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
CRS-94-17	SURF	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
CRS-94-17	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5		
CRS-94-17	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
CRS-94-17	SURF	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
CRS-94-17	SURF	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
CRS-94-17	SURF	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
CRS-94-17	SURF	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
CRS-94-18	SURF	CSO	135TNB	1,3,5-TRINITROBENZENE	LT	0.92200000	µg/g	0.5		
CRS-94-18	SURF	CSO	13DNB	1,3-DINITROBENZENE	LT	0.50400000	µg/g	0.5		
CRS-94-18	SURF	CSO	246TNT	2,4,6-TRINITROTOLUENE	LT	2.00000000	µg/g	0.5		
CRS-94-18	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	2.50000000	µg/g	0.5		
CRS-94-18	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	2.00000000	µg/g	0.5		
CRS-94-18	SURF	CSO	HMX	CYCLOTETRAMETHYLENETETRA	LT	2.00000000	µg/g	0.5		
CRS-94-18	SURF	CSO	NB	NITROBENZENE	LT	1.14000000	µg/g	0.5		
CRS-94-18	SURF	CSO	RDX	CYCLOTRIMETHYLENETRINITRA	LT	1.28000000	µg/g	0.5		
CRS-94-18	SURF	CSO	TETRYL	N-METHYL-N2,4,6-TETRANITROA	LT	2.11000000	µg/g	0.5		
Chemical Class: **METALS**										
CRP-94-01A	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	AL	ALUMINUM		17600.00000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	AS	ARSENIC		5.67000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	BA	BARIUM		139.0000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	BE	BERYLLIUM		0.84200000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	CA	CALCIUM		39500.00000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	CO	COBALT		8.05000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	CR	CHROMIUM		17.60000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	CU	COPPER		10.10000000	µg/g	5.0	H	
CRP-94-01A	EXCV	CSO	FE	IRON		18100.00000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	K	POTASSIUM		4260.000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	MG	MAGNESIUM		7280.000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	MN	MANGANESE		381.0000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	NA	SODIUM		333.0000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	NI	NICKEL		13.30000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	PB	LEAD	LT	7.44000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	V	VANADIUM		29.90000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	ZN	ZINC		47.70000000	µg/g	5.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
CRP-94-01B	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	AL	ALUMINUM		10800.00000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	AS	ARSENIC		4.77000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	BA	BARIUM		89.40000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	BE	BERYLLIUM		0.56200000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	CA	CALCIUM		19800.00000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	CO	COBALT		5.17000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	CR	CHROMIUM		11.40000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	CU	COPPER		12.20000000	µg/g	7.0	H	
CRP-94-01B	EXCV	CSO	FE	IRON		13200.00000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	K	POTASSIUM		2650.000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	MG	MAGNESIUM		5390.000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	MN	MANGANESE		287.0000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	NA	SODIUM		300.0000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	NI	NICKEL		9.35000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	PB	LEAD	LT	7.44000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	V	VANADIUM		19.10000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	ZN	ZINC		218.0000000	µg/g	7.0		
CRP-94-01C	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	AL	ALUMINUM		12700.00000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	AS	ARSENIC		5.85000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	BA	BARIUM		126.0000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	BE	BERYLLIUM		0.65700000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	CA	CALCIUM		25200.00000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	CD	CADMIUM		2.63000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	CO	COBALT		6.39000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	CR	CHROMIUM		18.80000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	CU	COPPER		28.80000000	µg/g	9.0	H	
CRP-94-01C	EXCV	CSO	FE	IRON		22300.00000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	K	POTASSIUM		2860.000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	MG	MAGNESIUM		5470.000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	MN	MANGANESE		326.0000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	NA	SODIUM		291.0000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	NI	NICKEL		11.90000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	PB	LEAD		48.50000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	V	VANADIUM		20.70000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	ZN	ZINC		1040.000000	µg/g	9.0		
CRP-94-01D	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	AL	ALUMINUM		4630.000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	AS	ARSENIC		3.58000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	BA	BARIUM		46.60000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	CA	CALCIUM		14500.00000	µg/g	10.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type	Test Name		Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
CRP-94-01D	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	CO	COBALT		3.06000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	CR	CHROMIUM		5.66000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	CU	COPPER		32.10000000	µg/g	10.0	H	
CRP-94-01D	EXCV	CSO	FE	IRON		10200.00000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	K	POTASSIUM		1080.000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	MG	MAGNESIUM		2300.000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	MN	MANGANESE		133.0000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	NA	SODIUM		195.0000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	NI	NICKEL		4.96000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	PB	LEAD	LT	7.44000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	V	VANADIUM		9.88000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	ZN	ZINC		697.0000000	µg/g	10.0		
CRP-94-02A	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	AL	ALUMINUM		17800.00000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	AS	ARSENIC		17.50000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	BA	BARIUM		123.0000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	BE	BERYLLIUM		0.70100000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	CA	CALCIUM		23600.00000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	CD	CADMIUM		9.48000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	CO	COBALT		7.52000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	CR	CHROMIUM		19.20000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	CU	COPPER		99.60000000	µg/g	5.0	H	
CRP-94-02A	EXCV	CSO	FE	IRON		25100.00000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	K	POTASSIUM		4370.000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	MG	MAGNESIUM		6740.000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	MN	MANGANESE		448.0000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	NA	SODIUM		249.0000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	NI	NICKEL		15.50000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	PB	LEAD		19.60000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	V	VANADIUM		26.20000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	ZN	ZINC		12000.00000	µg/g	5.0		
CRP-94-02B	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	AL	ALUMINUM		15900.00000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	AS	ARSENIC		5.02000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	BA	BARIUM		111.0000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	BE	BERYLLIUM		0.73000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	CA	CALCIUM		27200.00000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	CO	COBALT		6.70000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	CR	CHROMIUM		16.50000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	CU	COPPER		7.70000000	µg/g	7.0	H	
CRP-94-02B	EXCV	CSO	FE	IRON		15200.00000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	7.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
CRP-94-02B	EXCV	CSO	K	POTASSIUM		3290.000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	MG	MAGNESIUM		6420.000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	MN	MANGANESE		357.0000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	NA	SODIUM		488.0000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	NI	NICKEL		11.30000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	PB	LEAD	LT	7.44000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	V	VANADIUM		24.00000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	ZN	ZINC		51.70000000	µg/g	7.0		
CRP-94-02C	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	AL	ALUMINUM		13500.00000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	AS	ARSENIC		4.29000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	BA	BARIUM		103.0000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	BE	BERYLLIUM		0.73600000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	CA	CALCIUM		27500.00000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	CO	COBALT		6.06000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	CR	CHROMIUM		14.00000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	CU	COPPER		11.50000000	µg/g	9.0	H	
CRP-94-02C	EXCV	CSO	FE	IRON		12900.00000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	K	POTASSIUM		2690.000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	MG	MAGNESIUM		5070.000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	MN	MANGANESE		289.0000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	NA	SODIUM		502.0000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	NI	NICKEL		10.90000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	PB	LEAD	LT	7.44000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	V	VANADIUM		21.50000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	ZN	ZINC		178.0000000	µg/g	9.0		
CRP-94-02D	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	AL	ALUMINUM		20100.00000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	AS	ARSENIC		6.20000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	BA	BARIUM		148.0000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	BE	BERYLLIUM		1.02000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	CA	CALCIUM		27900.00000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	CO	COBALT		8.56000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	CR	CHROMIUM		20.70000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	CU	COPPER		42.50000000	µg/g	10.0	H	
CRP-94-02D	EXCV	CSO	FE	IRON		24200.00000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	K	POTASSIUM		4480.000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	MG	MAGNESIUM		7390.000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	MN	MANGANESE		413.0000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	NA	SODIUM		312.0000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	NI	NICKEL		15.20000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	PB	LEAD		12.50000000	µg/g	10.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
CRP-94-02D	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	V	VANADIUM		29.60000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	ZN	ZINC		2500.000000	µg/g	10.0		
CRP-94-03A	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	AL	ALUMINUM		16200.00000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	AS	ARSENIC		6.10000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	BA	BARIUM		119.0000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	BE	BERYLLIUM		0.74200000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	CA	CALCIUM		32200.00000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	CO	COBALT		7.26000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	CR	CHROMIUM		15.80000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	CU	COPPER		9.70000000	µg/g	5.0	H	
CRP-94-03A	EXCV	CSO	FE	IRON		15800.00000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	K	POTASSIUM		3830.000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	MG	MAGNESIUM		7210.000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	MN	MANGANESE		364.0000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	NA	SODIUM		1030.000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	NI	NICKEL		12.20000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	PB	LEAD	LT	7.44000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	V	VANADIUM		23.90000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	ZN	ZINC		43.80000000	µg/g	5.0		
CRP-94-03B	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	AL	ALUMINUM		17000.00000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	AS	ARSENIC		6.07000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	BA	BARIUM		135.0000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	CA	CALCIUM		25300.00000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	CO	COBALT		6.93000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	CR	CHROMIUM		15.80000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	CU	COPPER		8.73000000	µg/g	7.0	H	
CRP-94-03B	EXCV	CSO	FE	IRON		15100.00000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	K	POTASSIUM		3810.000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	MG	MAGNESIUM		6270.000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	MN	MANGANESE		332.0000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	NA	SODIUM		2070.000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	NI	NICKEL		11.50000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	PB	LEAD	LT	7.44000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	V	VANADIUM		25.10000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	ZN	ZINC		39.70000000	µg/g	7.0		
CRP-94-03C	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	9.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
CRP-94-03C	EXCV	CSO	AL	ALUMINUM		9420.000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	AS	ARSENIC		3.92000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	BA	BARIUM		86.20000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	CA	CALCIUM		19300.00000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	CO	COBALT		5.18000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	CR	CHROMIUM		10.70000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	CU	COPPER		4.28000000	µg/g	9.0	H	
CRP-94-03C	EXCV	CSO	FE	IRON		9600.000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	K	POTASSIUM		2070.000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	MG	MAGNESIUM		4220.000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	MN	MANGANESE		288.0000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	NA	SODIUM		996.0000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	NI	NICKEL		7.91000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	PB	LEAD	LT	7.44000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	V	VANADIUM		16.20000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	ZN	ZINC		27.90000000	µg/g	9.0		
CRP-94-03D	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	AL	ALUMINUM		17100.00000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	AS	ARSENIC		5.14000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	BA	BARIUM		138.0000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	BE	BERYLLIUM		0.73600000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	CA	CALCIUM		18300.00000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	CO	COBALT		6.38000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	CR	CHROMIUM		16.90000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	CU	COPPER		9.00000000	µg/g	10.0	H	
CRP-94-03D	EXCV	CSO	FE	IRON		16200.00000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	K	POTASSIUM		3870.000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	MG	MAGNESIUM		6970.000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	MN	MANGANESE		390.0000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	NA	SODIUM		1900.000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	NI	NICKEL		11.30000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	PB	LEAD	LT	7.44000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	V	VANADIUM		25.20000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	ZN	ZINC		46.40000000	µg/g	10.0		
CRP-94-04A	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	AL	ALUMINUM		17300.00000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	AS	ARSENIC		4.55000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	BA	BARIUM		149.0000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	BE	BERYLLIUM		0.76100000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	CA	CALCIUM		35100.00000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	CD	CADMIUM		1.81000000	µg/g	5.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type	Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**									
CRP-94-04A	EXCV	CSO	CO	COBALT		6.78000000	µg/g	5.0	
CRP-94-04A	EXCV	CSO	CR	CHROMIUM		16.50000000	µg/g	5.0	
CRP-94-04A	EXCV	CSO	CU	COPPER		8.21000000	µg/g	5.0	H
CRP-94-04A	EXCV	CSO	FE	IRON		15900.00000	µg/g	5.0	
CRP-94-04A	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	5.0	
CRP-94-04A	EXCV	CSO	K	POTASSIUM		4600.000000	µg/g	5.0	
CRP-94-04A	EXCV	CSO	MG	MAGNESIUM		6570.000000	µg/g	5.0	
CRP-94-04A	EXCV	CSO	MN	MANGANESE		364.0000000	µg/g	5.0	
CRP-94-04A	EXCV	CSO	NA	SODIUM		287.0000000	µg/g	5.0	
CRP-94-04A	EXCV	CSO	NI	NICKEL		12.30000000	µg/g	5.0	
CRP-94-04A	EXCV	CSO	PB	LEAD	LT	7.44000000	µg/g	5.0	
CRP-94-04A	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	5.0	
CRP-94-04A	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	5.0	
CRP-94-04A	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	5.0	
CRP-94-04A	EXCV	CSO	V	VANADIUM		24.70000000	µg/g	5.0	
CRP-94-04A	EXCV	CSO	ZN	ZINC		356.0000000	µg/g	5.0	
CRP-94-04B	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	7.0	
CRP-94-04B	EXCV	CSO	AL	ALUMINUM		12300.00000	µg/g	7.0	
CRP-94-04B	EXCV	CSO	AS	ARSENIC		5.23000000	µg/g	7.0	
CRP-94-04B	EXCV	CSO	BA	BARIUM		83.90000000	µg/g	7.0	
CRP-94-04B	EXCV	CSO	BE	BERYLLIUM		0.61300000	µg/g	7.0	
CRP-94-04B	EXCV	CSO	CA	CALCIUM		24800.00000	µg/g	7.0	
CRP-94-04B	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	7.0	
CRP-94-04B	EXCV	CSO	CO	COBALT		5.35000000	µg/g	7.0	
CRP-94-04B	EXCV	CSO	CR	CHROMIUM		13.40000000	µg/g	7.0	
CRP-94-04B	EXCV	CSO	CU	COPPER		5.34000000	µg/g	7.0	H
CRP-94-04B	EXCV	CSO	FE	IRON		12500.00000	µg/g	7.0	
CRP-94-04B	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	7.0	
CRP-94-04B	EXCV	CSO	K	POTASSIUM		2730.000000	µg/g	7.0	
CRP-94-04B	EXCV	CSO	MG	MAGNESIUM		4900.000000	µg/g	7.0	
CRP-94-04B	EXCV	CSO	MN	MANGANESE		296.0000000	µg/g	7.0	
CRP-94-04B	EXCV	CSO	NA	SODIUM		293.0000000	µg/g	7.0	
CRP-94-04B	EXCV	CSO	NI	NICKEL		10.30000000	µg/g	7.0	
CRP-94-04B	EXCV	CSO	PB	LEAD	LT	7.44000000	µg/g	7.0	
CRP-94-04B	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	7.0	
CRP-94-04B	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	7.0	
CRP-94-04B	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	7.0	
CRP-94-04B	EXCV	CSO	V	VANADIUM		23.00000000	µg/g	7.0	
CRP-94-04B	EXCV	CSO	ZN	ZINC		47.00000000	µg/g	7.0	
CRP-94-04C	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	9.0	
CRP-94-04C	EXCV	CSO	AL	ALUMINUM		10600.00000	µg/g	9.0	
CRP-94-04C	EXCV	CSO	AS	ARSENIC		4.26000000	µg/g	9.0	
CRP-94-04C	EXCV	CSO	BA	BARIUM		83.30000000	µg/g	9.0	
CRP-94-04C	EXCV	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	9.0	
CRP-94-04C	EXCV	CSO	CA	CALCIUM		16300.00000	µg/g	9.0	
CRP-94-04C	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	9.0	
CRP-94-04C	EXCV	CSO	CO	COBALT		4.75000000	µg/g	9.0	
CRP-94-04C	EXCV	CSO	CR	CHROMIUM		11.20000000	µg/g	9.0	
CRP-94-04C	EXCV	CSO	CU	COPPER		4.91000000	µg/g	9.0	H
CRP-94-04C	EXCV	CSO	FE	IRON		10900.00000	µg/g	9.0	
CRP-94-04C	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	9.0	
CRP-94-04C	EXCV	CSO	K	POTASSIUM		2240.000000	µg/g	9.0	

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
CRP-94-04C	EXCV	CSO	MG	MAGNESIUM		4430.000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	MN	MANGANESE		249.0000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	NA	SODIUM		493.0000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	NI	NICKEL		7.53000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	PB	LEAD	LT	7.44000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	V	VANADIUM		17.00000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	ZN	ZINC		35.10000000	µg/g	9.0		
CRP-94-04D	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	AL	ALUMINUM		7410.000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	AS	ARSENIC		3.86000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	BA	BARIUM		64.70000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	BE	BERYLLIUM		0.52100000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	CA	CALCIUM		14100.00000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	CO	COBALT		3.52000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	CR	CHROMIUM		7.92000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	CU	COPPER		10.20000000	µg/g	10.0	H	
CRP-94-04D	EXCV	CSO	FE	IRON		8390.000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	K	POTASSIUM		1730.000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	MG	MAGNESIUM		3210.000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	MN	MANGANESE		189.0000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	NA	SODIUM		252.0000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	NI	NICKEL		6.32000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	PB	LEAD	LT	7.44000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	V	VANADIUM		13.00000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	ZN	ZINC		231.0000000	µg/g	10.0		
CRP-94-05A	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	AL	ALUMINUM		16700.00000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	AS	ARSENIC		5.53000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	BA	BARIUM		152.0000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	BE	BERYLLIUM		0.84800000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	CA	CALCIUM		45100.00000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	CD	CADMIUM		21.60000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	CO	COBALT		8.68000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	CR	CHROMIUM		16.50000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	CU	COPPER		13.00000000	µg/g	4.0	H	
CRP-94-05A	EXCV	CSO	FE	IRON		16100.00000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	K	POTASSIUM		4290.000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	MG	MAGNESIUM		6730.000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	MN	MANGANESE		508.0000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	NA	SODIUM		262.0000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	NI	NICKEL		16.80000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	PB	LEAD	LT	7.44000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	4.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
CRP-94-05A	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	V	VANADIUM		25.50000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	ZN	ZINC		6300.000000	µg/g	4.0		
CRP-94-05B	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	AL	ALUMINUM		16200.00000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	AS	ARSENIC		5.57000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	BA	BARIUM		136.0000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	BE	BERYLLIUM		0.73900000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	CA	CALCIUM		38000.00000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	CD	CADMIUM		12.80000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	CO	COBALT		7.22000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	CR	CHROMIUM		15.50000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	CU	COPPER		11.00000000	µg/g	5.0	H	
CRP-94-05B	EXCV	CSO	FE	IRON		15700.00000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	K	POTASSIUM		4180.000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	MG	MAGNESIUM		6640.000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	MN	MANGANESE		430.0000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	NA	SODIUM		308.0000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	NI	NICKEL		13.80000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	PB	LEAD	LT	7.44000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	V	VANADIUM		24.90000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	ZN	ZINC		5300.000000	µg/g	5.0		
CRP-94-05C	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	AL	ALUMINUM		16200.00000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	AS	ARSENIC		5.02000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	BA	BARIUM		125.0000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	BE	BERYLLIUM		0.78500000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	CA	CALCIUM		30000.00000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	CO	COBALT		5.98000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	CR	CHROMIUM		16.10000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	CU	COPPER		11.40000000	µg/g	7.0	H	
CRP-94-05C	EXCV	CSO	FE	IRON		16000.00000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	K	POTASSIUM		3690.000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	MG	MAGNESIUM		6220.000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	MN	MANGANESE		359.0000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	NA	SODIUM		385.0000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	NI	NICKEL		12.20000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	PB	LEAD	LT	7.44000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	V	VANADIUM		25.00000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	ZN	ZINC		186.0000000	µg/g	7.0		
CRP-94-05D	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	AL	ALUMINUM		14400.00000	µg/g	10.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
CRP-94-05D	EXCV	CSO	AS	ARSENIC		4.50000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	BA	BARIUM		116.0000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	BE	BERYLLIUM		0.77000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	CA	CALCIUM		20100.00000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	CO	COBALT		6.25000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	CR	CHROMIUM		14.60000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	CU	COPPER		8.66000000	µg/g	10.0	H	
CRP-94-05D	EXCV	CSO	FE	IRON		14800.00000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	K	POTASSIUM		3070.000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	MG	MAGNESIUM		5730.000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	MN	MANGANESE		362.0000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	NA	SODIUM		394.0000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	NI	NICKEL		11.70000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	PB	LEAD	LT	7.44000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	V	VANADIUM		22.10000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	ZN	ZINC		47.40000000	µg/g	10.0		
CRP-94-06A	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	AL	ALUMINUM		23700.00000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	AS	ARSENIC		7.21000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	BA	BARIUM		220.0000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	BE	BERYLLIUM		1.11000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	CA	CALCIUM		47400.00000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	CO	COBALT		6.53000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	CR	CHROMIUM		23.20000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	CU	COPPER		20.80000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	FE	IRON		23200.00000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	K	POTASSIUM		9250.000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	MG	MAGNESIUM		14600.00000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	MN	MANGANESE		589.0000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	NA	SODIUM		657.0000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	NI	NICKEL		16.50000000	µg/g	0.5	7	I
CRP-94-06A	EXCV	CSO	PB	LEAD		22.50000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5	7	JR
CRP-94-06A	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5	7	J
CRP-94-06A	EXCV	CSO	V	VANADIUM		27.80000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	ZN	ZINC		73.00000000	µg/g	0.5		
CRP-94-06B	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	AL	ALUMINUM		40100.00000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	AS	ARSENIC		11.30000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	BA	BARIUM		245.0000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	BE	BERYLLIUM		1.79000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	CA	CALCIUM		34300.00000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	CO	COBALT		9.72000000	µg/g	5.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type	Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**									
CRP-94-06B	EXCV	CSO	CR	CHROMIUM		38.30000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	CU	COPPER		22.40000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	FE	IRON		35900.00000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	K	POTASSIUM		9440.000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	MG	MAGNESIUM		12700.00000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	MN	MANGANESE		513.0000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	NA	SODIUM		6140.000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	NI	NICKEL		27.00000000	µg/g	5.0	7	I
CRP-94-06B	EXCV	CSO	PB	LEAD		19.70000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	5.0	7	JR
CRP-94-06B	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	5.0	7	J
CRP-94-06B	EXCV	CSO	V	VANADIUM		49.40000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	ZN	ZINC		85.10000000	µg/g	5.0		
CRP-94-06C	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	AL	ALUMINUM		6110.000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	AS	ARSENIC		5.11000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	BA	BARIUM		60.00000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	BE	BERYLLIUM		0.60400000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	CA	CALCIUM		85000.00000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	CO	COBALT		4.21000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	CR	CHROMIUM		7.50000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	CU	COPPER		3.60000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	FE	IRON		7000.000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	HG	MERCURY		0.11900000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	K	POTASSIUM		1080.000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	MG	MAGNESIUM		4970.000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	MN	MANGANESE		63.80000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	NA	SODIUM		1950.000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	NI	NICKEL		5.08000000	µg/g	10.0	7	I
CRP-94-06C	EXCV	CSO	PB	LEAD		10.90000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	10.0	7	JR
CRP-94-06C	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	10.0	7	J
CRP-94-06C	EXCV	CSO	V	VANADIUM		11.90000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	ZN	ZINC		15.20000000	µg/g	10.0		
CRP-94-07A	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	AL	ALUMINUM		26300.00000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	AS	ARSENIC		7.00000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	BA	BARIUM		289.0000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	BE	BERYLLIUM		1.17000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	CA	CALCIUM		46300.00000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	CO	COBALT		8.22000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	CR	CHROMIUM		23.30000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	CU	COPPER		21.60000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	FE	IRON		25600.00000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	K	POTASSIUM		10700.00000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	MG	MAGNESIUM		16300.00000	µg/g	0.5		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
CRP-94-07A	EXCV	CSO	MN	MANGANESE		649.0000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	NA	SODIUM		731.0000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	NI	NICKEL		18.30000000	µg/g	0.5	7	I
CRP-94-07A	EXCV	CSO	PB	LEAD		20.20000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5	7	JR
CRP-94-07A	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	TL	THALLIUM		35.80000000	µg/g	0.5	7	J
CRP-94-07A	EXCV	CSO	V	VANADIUM		27.40000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	ZN	ZINC		78.40000000	µg/g	0.5		
CRP-94-07B	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	AL	ALUMINUM		42400.00000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	AS	ARSENIC		11.60000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	BA	BARIUM		265.0000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	BE	BERYLLIUM		1.77000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	CA	CALCIUM		38300.00000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	CO	COBALT		11.10000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	CR	CHROMIUM		37.90000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	CU	COPPER		24.20000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	FE	IRON		36500.00000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	K	POTASSIUM		10600.00000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	MG	MAGNESIUM		13700.00000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	MN	MANGANESE		545.0000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	NA	SODIUM		6800.000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	NI	NICKEL		26.80000000	µg/g	5.0	7	I
CRP-94-07B	EXCV	CSO	PB	LEAD		21.90000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	5.0	7	JR
CRP-94-07B	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	5.0	7	J
CRP-94-07B	EXCV	CSO	V	VANADIUM		48.50000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	ZN	ZINC		89.30000000	µg/g	5.0		
CRP-94-07C	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	AL	ALUMINUM		11200.00000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	AS	ARSENIC	LT	2.50000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	BA	BARIUM		78.40000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	BE	BERYLLIUM		0.54100000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	CA	CALCIUM		4000.000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	CO	COBALT		5.44000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	CR	CHROMIUM		12.90000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	CU	COPPER		7.87000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	FE	IRON		13100.00000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	HG	MERCURY		0.05950000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	K	POTASSIUM		1880.000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	MG	MAGNESIUM		3250.000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	MN	MANGANESE		250.0000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	NA	SODIUM		2750.000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	NI	NICKEL		11.70000000	µg/g	10.0	7	I
CRP-94-07C	EXCV	CSO	PB	LEAD		10.70000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	10.0	7	JR
CRP-94-07C	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	10.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
CRP-94-07C	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	10.0	7	J
CRP-94-07C	EXCV	CSO	V	VANADIUM		16.20000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	ZN	ZINC		36.90000000	µg/g	10.0		
CRP-94-08A	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	AL	ALUMINUM		39800.00000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	AS	ARSENIC		5.62000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	BA	BARIUM		412.0000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	BE	BERYLLIUM		1.71000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	CA	CALCIUM		49500.00000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	CO	COBALT		11.20000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	CR	CHROMIUM		34.30000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	CU	COPPER		26.60000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	FE	IRON		35000.00000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	K	POTASSIUM		15700.00000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	MG	MAGNESIUM		21300.00000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	MN	MANGANESE		732.0000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	NA	SODIUM		961.0000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	NI	NICKEL		24.20000000	µg/g	0.5	7	I
CRP-94-08A	EXCV	CSO	PB	LEAD		25.50000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5	7	JR
CRP-94-08A	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5	7	J
CRP-94-08A	EXCV	CSO	V	VANADIUM		39.90000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	ZN	ZINC		99.90000000	µg/g	0.5		
CRP-94-08B	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	AL	ALUMINUM		40100.00000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	AS	ARSENIC		9.82000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	BA	BARIUM		239.0000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	BE	BERYLLIUM		1.64000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	CA	CALCIUM		40300.00000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	CO	COBALT		10.30000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	CR	CHROMIUM		36.20000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	CU	COPPER		23.20000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	FE	IRON		34600.00000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	K	POTASSIUM		10500.00000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	MG	MAGNESIUM		13300.00000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	MN	MANGANESE		531.0000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	NA	SODIUM		6840.000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	NI	NICKEL		25.20000000	µg/g	5.0	7	I
CRP-94-08B	EXCV	CSO	PB	LEAD		19.10000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	5.0	7	JR
CRP-94-08B	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	TL	THALLIUM		55.30000000	µg/g	5.0	7	J
CRP-94-08B	EXCV	CSO	V	VANADIUM		47.80000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	ZN	ZINC		84.10000000	µg/g	5.0		
CRP-94-08C	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	AL	ALUMINUM		3280.000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	AS	ARSENIC		3.78000000	µg/g	10.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
CRP-94-08C	EXCV	CSO	BA	BARIUM		37.20000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	BE	BERYLLIUM		0.76500000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	CA	CALCIUM		140000.0000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	CO	COBALT		5.13000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	CR	CHROMIUM		3.50000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	CU	COPPER		11.90000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	FE	IRON		3670.000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	K	POTASSIUM		558.0000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	MG	MAGNESIUM		1920.000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	MN	MANGANESE		31.70000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	NA	SODIUM		1420.000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	NI	NICKEL		13.60000000	µg/g	10.0	7	I
CRP-94-08C	EXCV	CSO	PB	LEAD	LT	7.44000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	10.0	7	JR
CRP-94-08C	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	10.0	7	J
CRP-94-08C	EXCV	CSO	V	VANADIUM		3.45000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	ZN	ZINC		8.84000000	µg/g	10.0		
CRP-94-09A	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	AL	ALUMINUM		23600.00000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	AL	ALUMINUM		26500.00000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	AS	ARSENIC		5.71000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	AS	ARSENIC	LT	2.50000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	BA	BARIUM		212.0000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	BA	BARIUM		257.0000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	BE	BERYLLIUM		0.94500000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	BE	BERYLLIUM		1.11000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	CA	CALCIUM		34800.00000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	CA	CALCIUM		47800.00000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	CO	COBALT		7.62000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	CO	COBALT		8.49000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	CR	CHROMIUM		22.10000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	CR	CHROMIUM		22.80000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	CU	COPPER		26.40000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	CU	COPPER		21.50000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	FE	IRON		21400.00000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	FE	IRON		24800.00000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	K	POTASSIUM		9300.000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	K	POTASSIUM		10900.00000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	MG	MAGNESIUM		13800.00000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	MG	MAGNESIUM		16000.00000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	MN	MANGANESE		637.0000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	MN	MANGANESE		611.0000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	NA	SODIUM		780.0000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	NA	SODIUM		912.0000000	µg/g	0.5	D	

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
CRP-94-09A	EXCV	CSO	NI	NICKEL		15.80000000	µg/g	0.5	7	I
CRP-94-09A	EXCV	CSO	NI	NICKEL		17.20000000	µg/g	0.5	D7	I
CRP-94-09A	EXCV	CSO	PB	LEAD		36.30000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	PB	LEAD		19.20000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5	7	JR
CRP-94-09A	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5	D7	JR
CRP-94-09A	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	TL	THALLIUM		38.20000000	µg/g	0.5	7	J
CRP-94-09A	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5	D7	J
CRP-94-09A	EXCV	CSO	V	VANADIUM		27.80000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	V	VANADIUM		28.00000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	ZN	ZINC		70.00000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	ZN	ZINC		72.20000000	µg/g	0.5	D	
CRP-94-09B	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	AL	ALUMINUM		36900.00000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	AL	ALUMINUM		35100.00000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	AS	ARSENIC		9.39000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	AS	ARSENIC		9.16000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	BA	BARIUM		211.0000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	BA	BARIUM		236.0000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	BE	BERYLLIUM		1.55000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	BE	BERYLLIUM		1.41000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	CA	CALCIUM		45000.00000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	CA	CALCIUM		31500.00000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	CO	COBALT		10.00000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	CO	COBALT		9.19000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	CR	CHROMIUM		33.20000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	CR	CHROMIUM		32.30000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	CU	COPPER		22.70000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	CU	COPPER		21.20000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	FE	IRON		32900.00000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	FE	IRON		30400.00000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	K	POTASSIUM		10200.00000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	K	POTASSIUM		9640.000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	MG	MAGNESIUM		14000.00000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	MG	MAGNESIUM		13300.00000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	MN	MANGANESE		530.0000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	MN	MANGANESE		526.0000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	NA	SODIUM		5680.000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	NA	SODIUM		5250.000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	NI	NICKEL		24.00000000	µg/g	5.0	7	I
CRP-94-09B	EXCV	CSO	NI	NICKEL		21.80000000	µg/g	5.0	D7	I
CRP-94-09B	EXCV	CSO	PB	LEAD		18.40000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	PB	LEAD		11.70000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	5.0	7	JR
CRP-94-09B	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	5.0	D7	JR

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
CRP-94-09B	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	TL	THALLIUM		45.70000000	µg/g	5.0	7	J
CRP-94-09B	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	5.0	D7	J
CRP-94-09B	EXCV	CSO	V	VANADIUM		43.40000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	V	VANADIUM		42.30000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	ZN	ZINC		83.00000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	ZN	ZINC		77.80000000	µg/g	5.0	D	
CRP-94-09C	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	AL	ALUMINUM		29400.00000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	AL	ALUMINUM		31000.00000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	AS	ARSENIC		8.62000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	AS	ARSENIC		8.55000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	BA	BARIUM		215.0000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	BA	BARIUM		196.0000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	BE	BERYLLIUM		1.27000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	BE	BERYLLIUM		1.38000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	CA	CALCIUM		31800.00000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	CA	CALCIUM		27000.00000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	CO	COBALT		8.92000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	CO	COBALT		9.60000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	CR	CHROMIUM		29.90000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	CR	CHROMIUM		29.50000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	CU	COPPER		19.70000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	CU	COPPER		21.70000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	FE	IRON		29400.00000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	FE	IRON		31500.00000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	K	POTASSIUM		6020.000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	K	POTASSIUM		6790.000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	MG	MAGNESIUM		10400.00000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	MG	MAGNESIUM		11300.00000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	MN	MANGANESE		490.0000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	MN	MANGANESE		557.0000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	NA	SODIUM		5230.000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	NA	SODIUM		5760.000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	NI	NICKEL		23.40000000	µg/g	10.0	7	I
CRP-94-09C	EXCV	CSO	NI	NICKEL		22.60000000	µg/g	10.0	D7	I
CRP-94-09C	EXCV	CSO	PB	LEAD		13.80000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	PB	LEAD		15.50000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	10.0	7	JR
CRP-94-09C	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	10.0	D7	JR
CRP-94-09C	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	TL	THALLIUM		50.10000000	µg/g	10.0	7	J
CRP-94-09C	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	10.0	D7	J
CRP-94-09C	EXCV	CSO	V	VANADIUM		36.70000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	V	VANADIUM		38.20000000	µg/g	10.0	D	

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type	Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**									
CRP-94-09C	EXCV	CSO	ZN ZINC		73.80000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	ZN ZINC		85.00000000	µg/g	10.0	D	
CRP-94-10A	EXCV	CSO	AG SILVER	LT	0.80300000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	AL ALUMINUM		24600.00000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	AS ARSENIC		6.09000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	BA BARIUM		227.0000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	BE BERYLLIUM		1.05000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	CA CALCIUM		35700.00000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	CD CADMIUM	LT	1.20000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	CO COBALT		7.60000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	CR CHROMIUM		22.40000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	CU COPPER		21.00000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	FE IRON		24300.00000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	HG MERCURY	LT	0.05000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	K POTASSIUM		11100.00000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	MG MAGNESIUM		15500.00000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	MN MANGANESE		646.0000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	NA SODIUM		1240.000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	NI NICKEL		16.70000000	µg/g	0.5	7	I
CRP-94-10A	EXCV	CSO	PB LEAD		21.00000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	SB ANTIMONY	LT	19.60000000	µg/g	0.5	7	JR
CRP-94-10A	EXCV	CSO	SE SELENIUM	LT	0.44900000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	TL THALLIUM	LT	34.30000000	µg/g	0.5	7	J
CRP-94-10A	EXCV	CSO	V VANADIUM		26.00000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	ZN ZINC		73.40000000	µg/g	0.5		
CRP-94-10B	EXCV	CSO	AG SILVER	LT	0.80300000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	AL ALUMINUM		13800.00000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	AS ARSENIC		9.44000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	BA BARIUM		80.80000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	BE BERYLLIUM		0.63700000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	CA CALCIUM		18600.00000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	CD CADMIUM	LT	1.20000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	CO COBALT		5.87000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	CR CHROMIUM		13.50000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	CU COPPER		9.11000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	FE IRON		14200.00000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	HG MERCURY	LT	0.05000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	K POTASSIUM		3310.000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	MG MAGNESIUM		5150.000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	MN MANGANESE		215.0000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	NA SODIUM		2440.000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	NI NICKEL		11.30000000	µg/g	5.0	7	I
CRP-94-10B	EXCV	CSO	PB LEAD		9.51000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	SB ANTIMONY	LT	19.60000000	µg/g	5.0	7	JR
CRP-94-10B	EXCV	CSO	SE SELENIUM	LT	0.44900000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	TL THALLIUM	LT	34.30000000	µg/g	5.0	7	J
CRP-94-10B	EXCV	CSO	V VANADIUM		18.50000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	ZN ZINC		31.80000000	µg/g	5.0		
CRP-94-10C	EXCV	CSO	AG SILVER	LT	0.80300000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	AL ALUMINUM		11200.00000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	AS ARSENIC		3.74000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	BA BARIUM		112.0000000	µg/g	10.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
CRP-94-10C	EXCV	CSO	BE	BERYLLIUM		1.03000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	CA	CALCIUM		77000.00000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	CO	COBALT		3.81000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	CR	CHROMIUM		11.50000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	CU	COPPER		9.06000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	FE	IRON		11400.00000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	K	POTASSIUM		2400.000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	MG	MAGNESIUM		4290.000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	MN	MANGANESE		173.0000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	NA	SODIUM		2590.000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	NI	NICKEL		7.72000000	µg/g	10.0	7	I
CRP-94-10C	EXCV	CSO	PB	LEAD		13.40000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	10.0	7	JR
CRP-94-10C	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	10.0	7	J
CRP-94-10C	EXCV	CSO	V	VANADIUM		12.00000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	ZN	ZINC		38.30000000	µg/g	10.0		
CRP-94-11A	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	AL	ALUMINUM		1160.000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	AS	ARSENIC	LT	2.50000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	BA	BARIUM		11.20000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	CA	CALCIUM		100000.0000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	CO	COBALT	LT	2.50000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	CR	CHROMIUM		1.28000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	CU	COPPER		4.03000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	FE	IRON		1680.000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	K	POTASSIUM		339.0000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	MG	MAGNESIUM		901.0000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	MN	MANGANESE		34.50000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	NA	SODIUM		56.60000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	NI	NICKEL		4.53000000	µg/g	0.5	7	I
CRP-94-11A	EXCV	CSO	PB	LEAD	LT	7.44000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5	7	JR
CRP-94-11A	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5	7	J
CRP-94-11A	EXCV	CSO	V	VANADIUM		2.08000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	ZN	ZINC		11.10000000	µg/g	0.5		
CRP-94-11B	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	AL	ALUMINUM		3700.000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	AS	ARSENIC	LT	2.50000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	BA	BARIUM		34.30000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	CA	CALCIUM		65000.00000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	CO	COBALT		3.66000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	CR	CHROMIUM		3.72000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	CU	COPPER		12.90000000	µg/g	5.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
CRP-94-11B	EXCV	CSO	FE	IRON		5450.000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	K	POTASSIUM		1040.000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	MG	MAGNESIUM		1990.000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	MN	MANGANESE		158.0000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	NA	SODIUM		69.10000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	NI	NICKEL		4.61000000	µg/g	5.0	7	I
CRP-94-11B	EXCV	CSO	PB	LEAD		9.24000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	5.0	7	JR
CRP-94-11B	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	TL	THALLIUM		48.70000000	µg/g	5.0	7	J
CRP-94-11B	EXCV	CSO	V	VANADIUM		5.13000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	ZN	ZINC		33.50000000	µg/g	5.0		
CRP-94-11C	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	AL	ALUMINUM		1690.000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	AS	ARSENIC	LT	2.50000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	BA	BARIUM		14.90000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	CA	CALCIUM		20800.00000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	CO	COBALT	LT	2.50000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	CR	CHROMIUM		2.91000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	CU	COPPER		4.66000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	FE	IRON		4200.000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	K	POTASSIUM		296.0000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	MG	MAGNESIUM		2150.000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	MN	MANGANESE		46.90000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	NA	SODIUM		78.40000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	NI	NICKEL		3.50000000	µg/g	9.0	7	I
CRP-94-11C	EXCV	CSO	PB	LEAD	LT	7.44000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	9.0	7	JR
CRP-94-11C	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	9.0	7	J
CRP-94-11C	EXCV	CSO	V	VANADIUM		4.98000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	ZN	ZINC		12.40000000	µg/g	9.0		
CRP-94-12A	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	AL	ALUMINUM		274.0000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	AS	ARSENIC		9.49000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	BA	BARIUM		26.00000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	CA	CALCIUM		4900.000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	CD	CADMIUM		4.94000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	CO	COBALT		2.66000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	CR	CHROMIUM		5.41000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	CU	COPPER		10.10000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	FE	IRON		1090.000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	HG	MERCURY		0.08970000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	K	POTASSIUM		750.0000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	MG	MAGNESIUM		469.0000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	MN	MANGANESE		16.80000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	NA	SODIUM		75.60000000	µg/g	0.5		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
CRP-94-12A	EXCV	CSO	NI	NICKEL		5.81000000	µg/g	0.5	7	I
CRP-94-12A	EXCV	CSO	PB	LEAD		10.80000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5	7	JR
CRP-94-12A	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	TL	THALLIUM		37.30000000	µg/g	0.5	7	J
CRP-94-12A	EXCV	CSO	V	VANADIUM		5.01000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	ZN	ZINC		811.0000000	µg/g	0.5		
CRP-94-12B	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	AL	ALUMINUM		940.0000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	AS	ARSENIC	LT	2.50000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	BA	BARIUM		11.70000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	CA	CALCIUM		38000.00000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	CO	COBALT	LT	2.50000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	CR	CHROMIUM		2.52000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	CU	COPPER	LT	2.84000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	FE	IRON		2870.000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	K	POTASSIUM		229.0000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	MG	MAGNESIUM		1440.000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	MN	MANGANESE		32.20000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	NA	SODIUM		49.60000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	NI	NICKEL	LT	2.74000000	µg/g	5.0	7	I
CRP-94-12B	EXCV	CSO	PB	LEAD	LT	7.44000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	5.0	7	JR
CRP-94-12B	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	TL	THALLIUM		37.40000000	µg/g	5.0	7	J
CRP-94-12B	EXCV	CSO	V	VANADIUM		3.83000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	ZN	ZINC		31.70000000	µg/g	5.0		
CRP-94-12C	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	AL	ALUMINUM		1440.000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	AS	ARSENIC	LT	2.50000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	BA	BARIUM		12.90000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	CA	CALCIUM		41600.00000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	CO	COBALT	LT	2.50000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	CR	CHROMIUM		3.67000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	CU	COPPER		3.40000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	FE	IRON		4580.000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	K	POTASSIUM		352.0000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	MG	MAGNESIUM		2380.000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	MN	MANGANESE		55.80000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	NA	SODIUM		88.10000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	NI	NICKEL		3.84000000	µg/g	10.0	7	I
CRP-94-12C	EXCV	CSO	PB	LEAD	LT	7.44000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	10.0	7	JR
CRP-94-12C	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	TL	THALLIUM		45.70000000	µg/g	10.0	7	J
CRP-94-12C	EXCV	CSO	V	VANADIUM		5.44000000	µg/g	10.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
CRP-94-12C	EXCV	CSO	ZN	ZINC		14.60000000	µg/g	10.0		
CRP-94-13A	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	AL	ALUMINUM		18100.00000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	AS	ARSENIC		5.42000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	BA	BARIUM		136.0000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	BE	BERYLLIUM		0.73700000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	CA	CALCIUM		36300.00000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	CO	COBALT		5.67000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	CR	CHROMIUM		17.70000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	CU	COPPER		14.10000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	FE	IRON		17600.00000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	K	POTASSIUM		5700.000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	MG	MAGNESIUM		9740.000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	MN	MANGANESE		375.0000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	NA	SODIUM		277.0000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	NI	NICKEL		14.00000000	µg/g	0.5	7	I
CRP-94-13A	EXCV	CSO	PB	LEAD		12.80000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5	7	JR
CRP-94-13A	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	TL	THALLIUM		40.20000000	µg/g	0.5	7	J
CRP-94-13A	EXCV	CSO	V	VANADIUM		22.30000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	ZN	ZINC		50.20000000	µg/g	0.5		
CRP-94-13B	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	AL	ALUMINUM		3660.000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	AS	ARSENIC		3.96000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	BA	BARIUM		40.70000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	CA	CALCIUM		13500.00000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	CO	COBALT	LT	2.50000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	CR	CHROMIUM		4.77000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	CU	COPPER		3.99000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	FE	IRON		6850.000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	K	POTASSIUM		750.0000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	MG	MAGNESIUM		1670.000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	MN	MANGANESE		108.0000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	NA	SODIUM		102.0000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	NI	NICKEL		4.19000000	µg/g	5.0	7	I
CRP-94-13B	EXCV	CSO	PB	LEAD	LT	7.44000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	5.0	7	JR
CRP-94-13B	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	5.0	7	J
CRP-94-13B	EXCV	CSO	V	VANADIUM		9.62000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	ZN	ZINC		13.70000000	µg/g	5.0		
CRP-94-13C	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	AL	ALUMINUM		231.0000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	AS	ARSENIC		3.50000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	BA	BARIUM		19.00000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	10.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
CRP-94-13C	EXCV	CSO	CA	CALCIUM		4200.000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	CD	CADMIUM		1.56000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	CO	COBALT	LT	2.50000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	CR	CHROMIUM		3.76000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	CU	COPPER		7.00000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	FE	IRON		796.0000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	K	POTASSIUM		663.0000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	MG	MAGNESIUM		362.0000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	MN	MANGANESE		12.00000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	NA	SODIUM		64.60000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	NI	NICKEL		3.83000000	µg/g	10.0	7	I
CRP-94-13C	EXCV	CSO	PB	LEAD	LT	7.44000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	10.0	7	JR
CRP-94-13C	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	10.0	7	J
CRP-94-13C	EXCV	CSO	V	VANADIUM		4.54000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	ZN	ZINC		9900.000000	µg/g	10.0		
CRP-94-14A	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	AL	ALUMINUM		1440.000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	AS	ARSENIC		8.64000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	BA	BARIUM		13.80000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	CA	CALCIUM		34900.00000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	CO	COBALT	LT	2.50000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	CR	CHROMIUM		3.49000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	CU	COPPER	LT	2.84000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	FE	IRON		4240.000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	K	POTASSIUM		371.0000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	MG	MAGNESIUM		2150.000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	MN	MANGANESE		53.90000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	NA	SODIUM		126.0000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	NI	NICKEL		3.63000000	µg/g	0.5	7	I
CRP-94-14A	EXCV	CSO	PB	LEAD	LT	7.44000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5	7	JR
CRP-94-14A	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5	7	J
CRP-94-14A	EXCV	CSO	V	VANADIUM		4.45000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	ZN	ZINC		38.70000000	µg/g	0.5		
CRP-94-14B	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	AL	ALUMINUM		1300.000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	AS	ARSENIC		5.20000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	BA	BARIUM		10.70000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	CA	CALCIUM		20900.00000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	CO	COBALT	LT	2.50000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	CR	CHROMIUM		2.57000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	CU	COPPER	LT	2.84000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	FE	IRON		5570.000000	µg/g	5.0		

Chemical Range (SWMU 7) Phase II RI Data

Chemical Class: **METALS**

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
CRP-94-14B	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	K	POTASSIUM		382.0000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	MG	MAGNESIUM		2010.000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	MN	MANGANESE		35.40000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	NA	SODIUM		74.60000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	NI	NICKEL		3.67000000	µg/g	5.0	7	I
CRP-94-14B	EXCV	CSO	PB	LEAD	LT	7.44000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	5.0	7	JR
CRP-94-14B	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	5.0	7	J
CRP-94-14B	EXCV	CSO	V	VANADIUM		5.38000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	ZN	ZINC		15.60000000	µg/g	5.0		
CRP-94-14C	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	AL	ALUMINUM		1180.000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	AS	ARSENIC		17.60000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	BA	BARIUM		9.52000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	CA	CALCIUM		8420.000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	CO	COBALT	LT	2.50000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	CR	CHROMIUM		1.66000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	CU	COPPER	LT	2.84000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	FE	IRON		2170.000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	K	POTASSIUM		257.0000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	MG	MAGNESIUM		1200.000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	MN	MANGANESE		29.30000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	NA	SODIUM		302.0000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	NI	NICKEL	LT	2.74000000	µg/g	10.0	7	I
CRP-94-14C	EXCV	CSO	PB	LEAD	LT	7.44000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	10.0	7	JR
CRP-94-14C	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	10.0	7	J
CRP-94-14C	EXCV	CSO	V	VANADIUM		3.10000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	ZN	ZINC		24.30000000	µg/g	10.0		
CRP-94-15A	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	AL	ALUMINUM		12700.00000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	AS	ARSENIC		3.25000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	BA	BARIUM		93.60000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	BE	BERYLLIUM		0.55600000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	CA	CALCIUM		19600.00000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	CO	COBALT		3.51000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	CR	CHROMIUM		13.90000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	CU	COPPER		7.35000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	FE	IRON		13600.00000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	K	POTASSIUM		2060.000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	MG	MAGNESIUM		5970.000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	MN	MANGANESE		126.0000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	NA	SODIUM		3850.000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	NI	NICKEL		11.50000000	µg/g	0.5	7	I

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
CRP-94-15A	EXCV	CSO	PB	LEAD	LT	7.44000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5	7	JR
CRP-94-15A	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5	7	J
CRP-94-15A	EXCV	CSO	V	VANADIUM		21.50000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	ZN	ZINC		28.20000000	µg/g	0.5		
CRP-94-15B	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	AL	ALUMINUM		14500.00000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	AS	ARSENIC		4.94000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	BA	BARIUM		86.20000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	BE	BERYLLIUM		0.60400000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	CA	CALCIUM		38700.00000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	CO	COBALT		5.42000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	CR	CHROMIUM		13.00000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	CU	COPPER		8.53000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	FE	IRON		13500.00000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	K	POTASSIUM		3440.000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	MG	MAGNESIUM		6240.000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	MN	MANGANESE		286.0000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	NA	SODIUM		1790.000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	NI	NICKEL		10.70000000	µg/g	5.0	7	I
CRP-94-15B	EXCV	CSO	PB	LEAD	LT	7.44000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	5.0	7	JR
CRP-94-15B	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	5.0	7	J
CRP-94-15B	EXCV	CSO	V	VANADIUM		20.70000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	ZN	ZINC		30.00000000	µg/g	5.0		
CRP-94-15C	EXCV	CSO	AG	SILVER	LT	0.80300000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	AL	ALUMINUM		7970.000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	AS	ARSENIC		4.10000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	BA	BARIUM		72.90000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	CA	CALCIUM		37500.00000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	CD	CADMIUM	LT	1.20000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	CO	COBALT		3.37000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	CR	CHROMIUM		7.58000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	CU	COPPER		5.61000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	FE	IRON		8550.000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	HG	MERCURY	LT	0.05000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	K	POTASSIUM		1990.000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	MG	MAGNESIUM		4220.000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	MN	MANGANESE		145.0000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	NA	SODIUM		918.0000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	NI	NICKEL		5.55000000	µg/g	10.0	7	I
CRP-94-15C	EXCV	CSO	PB	LEAD	LT	7.44000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	10.0	7	JR
CRP-94-15C	EXCV	CSO	SE	SELENIUM	LT	0.44900000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	TL	THALLIUM	LT	34.30000000	µg/g	10.0	7	J
CRP-94-15C	EXCV	CSO	V	VANADIUM		13.60000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	ZN	ZINC		21.20000000	µg/g	10.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
CRS-94-01	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
CRS-94-01	SURF	CSO	AL	ALUMINUM		12600.00000	µg/g	0.5		
CRS-94-01	SURF	CSO	AS	ARSENIC		4.79000000	µg/g	0.5		
CRS-94-01	SURF	CSO	BA	BARIUM		107.0000000	µg/g	0.5		
CRS-94-01	SURF	CSO	BE	BERYLLIUM		0.63100000	µg/g	0.5		
CRS-94-01	SURF	CSO	CA	CALCIUM		7030.000000	µg/g	0.5		
CRS-94-01	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
CRS-94-01	SURF	CSO	CO	COBALT		5.23000000	µg/g	0.5		
CRS-94-01	SURF	CSO	CR	CHROMIUM		15.00000000	µg/g	0.5		
CRS-94-01	SURF	CSO	CU	COPPER		15.30000000	µg/g	0.5		
CRS-94-01	SURF	CSO	FE	IRON		14700.00000	µg/g	0.5		
CRS-94-01	SURF	CSO	HG	MERCURY		0.05340000	µg/g	0.5		
CRS-94-01	SURF	CSO	K	POTASSIUM		3370.000000	µg/g	0.5		
CRS-94-01	SURF	CSO	MG	MAGNESIUM		5100.000000	µg/g	0.5		
CRS-94-01	SURF	CSO	MN	MANGANESE		318.0000000	µg/g	0.5		
CRS-94-01	SURF	CSO	NA	SODIUM		326.0000000	µg/g	0.5		
CRS-94-01	SURF	CSO	NI	NICKEL		8.99000000	µg/g	0.5		
CRS-94-01	SURF	CSO	PB	LEAD		16.60000000	µg/g	0.5		
CRS-94-01	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
CRS-94-01	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
CRS-94-01	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
CRS-94-01	SURF	CSO	V	VANADIUM		19.00000000	µg/g	0.5		
CRS-94-01	SURF	CSO	ZN	ZINC		43.10000000	µg/g	0.5		
CRS-94-02	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
CRS-94-02	SURF	CSO	AL	ALUMINUM		23100.00000	µg/g	0.5		
CRS-94-02	SURF	CSO	AS	ARSENIC		7.09000000	µg/g	0.5		
CRS-94-02	SURF	CSO	BA	BARIUM		189.0000000	µg/g	0.5		
CRS-94-02	SURF	CSO	BE	BERYLLIUM		1.15000000	µg/g	0.5		
CRS-94-02	SURF	CSO	CA	CALCIUM		29700.00000	µg/g	0.5		
CRS-94-02	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
CRS-94-02	SURF	CSO	CO	COBALT		8.45000000	µg/g	0.5		
CRS-94-02	SURF	CSO	CR	CHROMIUM		25.10000000	µg/g	0.5		
CRS-94-02	SURF	CSO	CU	COPPER		20.80000000	µg/g	0.5		
CRS-94-02	SURF	CSO	FE	IRON		21700.00000	µg/g	0.5		
CRS-94-02	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
CRS-94-02	SURF	CSO	K	POTASSIUM		7220.000000	µg/g	0.5		
CRS-94-02	SURF	CSO	MG	MAGNESIUM		12200.00000	µg/g	0.5		
CRS-94-02	SURF	CSO	MN	MANGANESE		514.0000000	µg/g	0.5		
CRS-94-02	SURF	CSO	NA	SODIUM		501.0000000	µg/g	0.5		
CRS-94-02	SURF	CSO	NI	NICKEL		15.00000000	µg/g	0.5		
CRS-94-02	SURF	CSO	PB	LEAD		19.70000000	µg/g	0.5		
CRS-94-02	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
CRS-94-02	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
CRS-94-02	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
CRS-94-02	SURF	CSO	V	VANADIUM		31.20000000	µg/g	0.5		
CRS-94-02	SURF	CSO	ZN	ZINC		67.80000000	µg/g	0.5		
CRS-94-03	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
CRS-94-03	SURF	CSO	AL	ALUMINUM		13600.00000	µg/g	0.5		
CRS-94-03	SURF	CSO	AS	ARSENIC		4.95000000	µg/g	0.5		
CRS-94-03	SURF	CSO	BA	BARIUM		130.0000000	µg/g	0.5		
CRS-94-03	SURF	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	0.5		
CRS-94-03	SURF	CSO	CA	CALCIUM		10400.00000	µg/g	0.5		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
CRS-94-03	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
CRS-94-03	SURF	CSO	CO	COBALT		5.56000000	µg/g	0.5		
CRS-94-03	SURF	CSO	CR	CHROMIUM		14.50000000	µg/g	0.5		
CRS-94-03	SURF	CSO	CU	COPPER		21.50000000	µg/g	0.5		
CRS-94-03	SURF	CSO	FE	IRON		15100.00000	µg/g	0.5		
CRS-94-03	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
CRS-94-03	SURF	CSO	K	POTASSIUM		3860.000000	µg/g	0.5		
CRS-94-03	SURF	CSO	MG	MAGNESIUM		6980.000000	µg/g	0.5		
CRS-94-03	SURF	CSO	MN	MANGANESE		382.0000000	µg/g	0.5		
CRS-94-03	SURF	CSO	NA	SODIUM		514.0000000	µg/g	0.5		
CRS-94-03	SURF	CSO	NI	NICKEL		8.96000000	µg/g	0.5		
CRS-94-03	SURF	CSO	PB	LEAD		30.40000000	µg/g	0.5		
CRS-94-03	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
CRS-94-03	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
CRS-94-03	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
CRS-94-03	SURF	CSO	V	VANADIUM		19.10000000	µg/g	0.5		
CRS-94-03	SURF	CSO	ZN	ZINC		49.40000000	µg/g	0.5		
CRS-94-04	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
CRS-94-04	SURF	CSO	AL	ALUMINUM		22100.00000	µg/g	0.5		
CRS-94-04	SURF	CSO	AS	ARSENIC		5.64000000	µg/g	0.5		
CRS-94-04	SURF	CSO	BA	BARIUM		194.0000000	µg/g	0.5		
CRS-94-04	SURF	CSO	BE	BERYLLIUM		0.65000000	µg/g	0.5		
CRS-94-04	SURF	CSO	CA	CALCIUM		6290.000000	µg/g	0.5		
CRS-94-04	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
CRS-94-04	SURF	CSO	CO	COBALT		8.12000000	µg/g	0.5		
CRS-94-04	SURF	CSO	CR	CHROMIUM		24.60000000	µg/g	0.5		
CRS-94-04	SURF	CSO	CU	COPPER		26.30000000	µg/g	0.5		
CRS-94-04	SURF	CSO	FE	IRON		22300.00000	µg/g	0.5		
CRS-94-04	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
CRS-94-04	SURF	CSO	K	POTASSIUM		6450.000000	µg/g	0.5		
CRS-94-04	SURF	CSO	MG	MAGNESIUM		9140.000000	µg/g	0.5		
CRS-94-04	SURF	CSO	MN	MANGANESE		632.0000000	µg/g	0.5		
CRS-94-04	SURF	CSO	NA	SODIUM		574.0000000	µg/g	0.5		
CRS-94-04	SURF	CSO	NI	NICKEL		13.20000000	µg/g	0.5		
CRS-94-04	SURF	CSO	PB	LEAD		29.80000000	µg/g	0.5		
CRS-94-04	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
CRS-94-04	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
CRS-94-04	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
CRS-94-04	SURF	CSO	V	VANADIUM		32.30000000	µg/g	0.5		
CRS-94-04	SURF	CSO	ZN	ZINC		71.20000000	µg/g	0.5		
CRS-94-05	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
CRS-94-05	SURF	CSO	AL	ALUMINUM		22600.00000	µg/g	0.5		
CRS-94-05	SURF	CSO	AS	ARSENIC		6.24000000	µg/g	0.5		
CRS-94-05	SURF	CSO	BA	BARIUM		201.0000000	µg/g	0.5		
CRS-94-05	SURF	CSO	BE	BERYLLIUM		0.61700000	µg/g	0.5		
CRS-94-05	SURF	CSO	CA	CALCIUM		20400.00000	µg/g	0.5		
CRS-94-05	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
CRS-94-05	SURF	CSO	CO	COBALT		7.02000000	µg/g	0.5		
CRS-94-05	SURF	CSO	CR	CHROMIUM		24.10000000	µg/g	0.5		
CRS-94-05	SURF	CSO	CU	COPPER		20.70000000	µg/g	0.5		
CRS-94-05	SURF	CSO	FE	IRON		20000.00000	µg/g	0.5		
CRS-94-05	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
CRS-94-05	SURF	CSO	K	POTASSIUM		6920.000000	µg/g	0.5		
CRS-94-05	SURF	CSO	MG	MAGNESIUM		10900.00000	µg/g	0.5		
CRS-94-05	SURF	CSO	MN	MANGANESE		615.0000000	µg/g	0.5		
CRS-94-05	SURF	CSO	NA	SODIUM		528.0000000	µg/g	0.5		
CRS-94-05	SURF	CSO	NI	NICKEL		11.10000000	µg/g	0.5		
CRS-94-05	SURF	CSO	PB	LEAD		19.30000000	µg/g	0.5		
CRS-94-05	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
CRS-94-05	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
CRS-94-05	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
CRS-94-05	SURF	CSO	V	VANADIUM		30.40000000	µg/g	0.5		
CRS-94-05	SURF	CSO	ZN	ZINC		66.50000000	µg/g	0.5		
CRS-94-06	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
CRS-94-06	SURF	CSO	AL	ALUMINUM		18500.00000	µg/g	0.5		
CRS-94-06	SURF	CSO	AS	ARSENIC		5.42000000	µg/g	0.5		
CRS-94-06	SURF	CSO	BA	BARIUM		172.0000000	µg/g	0.5		
CRS-94-06	SURF	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	0.5		
CRS-94-06	SURF	CSO	CA	CALCIUM		20200.00000	µg/g	0.5		
CRS-94-06	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
CRS-94-06	SURF	CSO	CO	COBALT		5.68000000	µg/g	0.5		
CRS-94-06	SURF	CSO	CR	CHROMIUM		20.20000000	µg/g	0.5		
CRS-94-06	SURF	CSO	CU	COPPER		20.60000000	µg/g	0.5		
CRS-94-06	SURF	CSO	FE	IRON		16600.00000	µg/g	0.5		
CRS-94-06	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
CRS-94-06	SURF	CSO	K	POTASSIUM		5860.000000	µg/g	0.5		
CRS-94-06	SURF	CSO	MG	MAGNESIUM		9130.000000	µg/g	0.5		
CRS-94-06	SURF	CSO	MN	MANGANESE		520.0000000	µg/g	0.5		
CRS-94-06	SURF	CSO	NA	SODIUM		518.0000000	µg/g	0.5		
CRS-94-06	SURF	CSO	NI	NICKEL		10.10000000	µg/g	0.5		
CRS-94-06	SURF	CSO	PB	LEAD		24.40000000	µg/g	0.5		
CRS-94-06	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
CRS-94-06	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
CRS-94-06	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
CRS-94-06	SURF	CSO	V	VANADIUM		26.00000000	µg/g	0.5		
CRS-94-06	SURF	CSO	ZN	ZINC		59.10000000	µg/g	0.5		
CRS-94-07	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
CRS-94-07	SURF	CSO	AL	ALUMINUM		17600.00000	µg/g	0.5		
CRS-94-07	SURF	CSO	AS	ARSENIC		5.05000000	µg/g	0.5		
CRS-94-07	SURF	CSO	BA	BARIUM		147.0000000	µg/g	0.5		
CRS-94-07	SURF	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	0.5		
CRS-94-07	SURF	CSO	CA	CALCIUM		21400.00000	µg/g	0.5		
CRS-94-07	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
CRS-94-07	SURF	CSO	CO	COBALT		5.57000000	µg/g	0.5		
CRS-94-07	SURF	CSO	CR	CHROMIUM		20.60000000	µg/g	0.5		
CRS-94-07	SURF	CSO	CU	COPPER		16.20000000	µg/g	0.5		
CRS-94-07	SURF	CSO	FE	IRON		16700.00000	µg/g	0.5		
CRS-94-07	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
CRS-94-07	SURF	CSO	K	POTASSIUM		5280.000000	µg/g	0.5		
CRS-94-07	SURF	CSO	MG	MAGNESIUM		7650.000000	µg/g	0.5		
CRS-94-07	SURF	CSO	MN	MANGANESE		400.0000000	µg/g	0.5		
CRS-94-07	SURF	CSO	NA	SODIUM		421.0000000	µg/g	0.5		
CRS-94-07	SURF	CSO	NI	NICKEL		9.87000000	µg/g	0.5		
CRS-94-07	SURF	CSO	PB	LEAD		136.0000000	µg/g	0.5		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
CRS-94-07	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
CRS-94-07	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
CRS-94-07	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
CRS-94-07	SURF	CSO	V	VANADIUM		26.20000000	µg/g	0.5		
CRS-94-07	SURF	CSO	ZN	ZINC		49.40000000	µg/g	0.5		
CRS-94-08	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
CRS-94-08	SURF	CSO	AL	ALUMINUM		16100.00000	µg/g	0.5		
CRS-94-08	SURF	CSO	AS	ARSENIC		6.02000000	µg/g	0.5		
CRS-94-08	SURF	CSO	BA	BARIUM		141.0000000	µg/g	0.5		
CRS-94-08	SURF	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	0.5		
CRS-94-08	SURF	CSO	CA	CALCIUM		19400.00000	µg/g	0.5		
CRS-94-08	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
CRS-94-08	SURF	CSO	CO	COBALT		5.66000000	µg/g	0.5		
CRS-94-08	SURF	CSO	CR	CHROMIUM		17.70000000	µg/g	0.5		
CRS-94-08	SURF	CSO	CU	COPPER		19.50000000	µg/g	0.5		
CRS-94-08	SURF	CSO	FE	IRON		16500.00000	µg/g	0.5		
CRS-94-08	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
CRS-94-08	SURF	CSO	K	POTASSIUM		4640.000000	µg/g	0.5		
CRS-94-08	SURF	CSO	MG	MAGNESIUM		6190.000000	µg/g	0.5		
CRS-94-08	SURF	CSO	MN	MANGANESE		369.0000000	µg/g	0.5		
CRS-94-08	SURF	CSO	NA	SODIUM		385.0000000	µg/g	0.5		
CRS-94-08	SURF	CSO	NI	NICKEL		9.80000000	µg/g	0.5		
CRS-94-08	SURF	CSO	PB	LEAD		298.0000000	µg/g	0.5		
CRS-94-08	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
CRS-94-08	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
CRS-94-08	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
CRS-94-08	SURF	CSO	V	VANADIUM		24.60000000	µg/g	0.5		
CRS-94-08	SURF	CSO	ZN	ZINC		49.50000000	µg/g	0.5		
CRS-94-09	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
CRS-94-09	SURF	CSO	AL	ALUMINUM		10500.00000	µg/g	0.5		
CRS-94-09	SURF	CSO	AS	ARSENIC		4.18000000	µg/g	0.5		
CRS-94-09	SURF	CSO	BA	BARIUM		99.50000000	µg/g	0.5		
CRS-94-09	SURF	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	0.5		
CRS-94-09	SURF	CSO	CA	CALCIUM		16200.00000	µg/g	0.5		
CRS-94-09	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
CRS-94-09	SURF	CSO	CO	COBALT		4.32000000	µg/g	0.5		
CRS-94-09	SURF	CSO	CR	CHROMIUM		11.80000000	µg/g	0.5		
CRS-94-09	SURF	CSO	CU	COPPER		22.10000000	µg/g	0.5		
CRS-94-09	SURF	CSO	FE	IRON		11100.00000	µg/g	0.5		
CRS-94-09	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
CRS-94-09	SURF	CSO	K	POTASSIUM		2730.000000	µg/g	0.5		
CRS-94-09	SURF	CSO	MG	MAGNESIUM		4180.000000	µg/g	0.5		
CRS-94-09	SURF	CSO	MN	MANGANESE		237.0000000	µg/g	0.5		
CRS-94-09	SURF	CSO	NA	SODIUM		374.0000000	µg/g	0.5		
CRS-94-09	SURF	CSO	NI	NICKEL		7.10000000	µg/g	0.5		
CRS-94-09	SURF	CSO	PB	LEAD		164.0000000	µg/g	0.5		
CRS-94-09	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
CRS-94-09	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
CRS-94-09	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
CRS-94-09	SURF	CSO	V	VANADIUM		15.80000000	µg/g	0.5		
CRS-94-09	SURF	CSO	ZN	ZINC		34.50000000	µg/g	0.5		
CRS-94-10	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
CRS-94-10	SURF	CSO	AL	ALUMINUM		11800.00000	µg/g	0.5		
CRS-94-10	SURF	CSO	AS	ARSENIC		3.95000000	µg/g	0.5		
CRS-94-10	SURF	CSO	BA	BARIUM		98.50000000	µg/g	0.5		
CRS-94-10	SURF	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	0.5		
CRS-94-10	SURF	CSO	CA	CALCIUM		10700.00000	µg/g	0.5		
CRS-94-10	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
CRS-94-10	SURF	CSO	CO	COBALT		4.61000000	µg/g	0.5		
CRS-94-10	SURF	CSO	CR	CHROMIUM		13.50000000	µg/g	0.5		
CRS-94-10	SURF	CSO	CU	COPPER		14.00000000	µg/g	0.5		
CRS-94-10	SURF	CSO	FE	IRON		12700.00000	µg/g	0.5		
CRS-94-10	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
CRS-94-10	SURF	CSO	K	POTASSIUM		3070.000000	µg/g	0.5		
CRS-94-10	SURF	CSO	MG	MAGNESIUM		5540.000000	µg/g	0.5		
CRS-94-10	SURF	CSO	MN	MANGANESE		288.0000000	µg/g	0.5		
CRS-94-10	SURF	CSO	NA	SODIUM		424.0000000	µg/g	0.5		
CRS-94-10	SURF	CSO	NI	NICKEL		6.90000000	µg/g	0.5		
CRS-94-10	SURF	CSO	PB	LEAD		19.20000000	µg/g	0.5		
CRS-94-10	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
CRS-94-10	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
CRS-94-10	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
CRS-94-10	SURF	CSO	V	VANADIUM		18.00000000	µg/g	0.5		
CRS-94-10	SURF	CSO	ZN	ZINC		39.40000000	µg/g	0.5		
CRS-94-11	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
CRS-94-11	SURF	CSO	AL	ALUMINUM		15100.00000	µg/g	0.5		
CRS-94-11	SURF	CSO	AS	ARSENIC		4.34000000	µg/g	0.5		
CRS-94-11	SURF	CSO	BA	BARIUM		124.0000000	µg/g	0.5		
CRS-94-11	SURF	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	0.5		
CRS-94-11	SURF	CSO	CA	CALCIUM		9520.000000	µg/g	0.5		
CRS-94-11	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
CRS-94-11	SURF	CSO	CO	COBALT		5.15000000	µg/g	0.5		
CRS-94-11	SURF	CSO	CR	CHROMIUM		17.30000000	µg/g	0.5		
CRS-94-11	SURF	CSO	CU	COPPER		17.00000000	µg/g	0.5		
CRS-94-11	SURF	CSO	FE	IRON		15600.00000	µg/g	0.5		
CRS-94-11	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
CRS-94-11	SURF	CSO	K	POTASSIUM		4340.000000	µg/g	0.5		
CRS-94-11	SURF	CSO	MG	MAGNESIUM		7370.000000	µg/g	0.5		
CRS-94-11	SURF	CSO	MN	MANGANESE		390.0000000	µg/g	0.5		
CRS-94-11	SURF	CSO	NA	SODIUM		444.0000000	µg/g	0.5		
CRS-94-11	SURF	CSO	NI	NICKEL		9.74000000	µg/g	0.5		
CRS-94-11	SURF	CSO	PB	LEAD		21.60000000	µg/g	0.5		
CRS-94-11	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
CRS-94-11	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
CRS-94-11	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
CRS-94-11	SURF	CSO	V	VANADIUM		21.50000000	µg/g	0.5		
CRS-94-11	SURF	CSO	ZN	ZINC		50.40000000	µg/g	0.5		
CRS-94-12	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
CRS-94-12	SURF	CSO	AL	ALUMINUM		16100.00000	µg/g	0.5		
CRS-94-12	SURF	CSO	AS	ARSENIC		5.39000000	µg/g	0.5		
CRS-94-12	SURF	CSO	BA	BARIUM		124.0000000	µg/g	0.5		
CRS-94-12	SURF	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	0.5		
CRS-94-12	SURF	CSO	CA	CALCIUM		34400.00000	µg/g	0.5		
CRS-94-12	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
CRS-94-12	SURF	CSO	CO	COBALT		5.42000000	µg/g	0.5		
CRS-94-12	SURF	CSO	CR	CHROMIUM		19.40000000	µg/g	0.5		
CRS-94-12	SURF	CSO	CU	COPPER		19.90000000	µg/g	0.5		
CRS-94-12	SURF	CSO	FE	IRON		15900.00000	µg/g	0.5		
CRS-94-12	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
CRS-94-12	SURF	CSO	K	POTASSIUM		4420.000000	µg/g	0.5		
CRS-94-12	SURF	CSO	MG	MAGNESIUM		7880.000000	µg/g	0.5		
CRS-94-12	SURF	CSO	MN	MANGANESE		377.0000000	µg/g	0.5		
CRS-94-12	SURF	CSO	NA	SODIUM		433.0000000	µg/g	0.5		
CRS-94-12	SURF	CSO	NI	NICKEL		12.50000000	µg/g	0.5		
CRS-94-12	SURF	CSO	PB	LEAD		24.80000000	µg/g	0.5		
CRS-94-12	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
CRS-94-12	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
CRS-94-12	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
CRS-94-12	SURF	CSO	V	VANADIUM		23.50000000	µg/g	0.5		
CRS-94-12	SURF	CSO	ZN	ZINC		52.20000000	µg/g	0.5		
CRS-94-13	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
CRS-94-13	SURF	CSO	AL	ALUMINUM		21600.00000	µg/g	0.5		
CRS-94-13	SURF	CSO	AS	ARSENIC		4.80000000	µg/g	0.5		
CRS-94-13	SURF	CSO	BA	BARIUM		150.0000000	µg/g	0.5		
CRS-94-13	SURF	CSO	BE	BERYLLIUM		0.64900000	µg/g	0.5		
CRS-94-13	SURF	CSO	CA	CALCIUM		44300.00000	µg/g	0.5		
CRS-94-13	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
CRS-94-13	SURF	CSO	CO	COBALT		6.56000000	µg/g	0.5		
CRS-94-13	SURF	CSO	CR	CHROMIUM		26.00000000	µg/g	0.5		
CRS-94-13	SURF	CSO	CU	COPPER		14.80000000	µg/g	0.5		
CRS-94-13	SURF	CSO	FE	IRON		19400.00000	µg/g	0.5		
CRS-94-13	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
CRS-94-13	SURF	CSO	K	POTASSIUM		6440.000000	µg/g	0.5		
CRS-94-13	SURF	CSO	MG	MAGNESIUM		9680.000000	µg/g	0.5		
CRS-94-13	SURF	CSO	MN	MANGANESE		418.0000000	µg/g	0.5		
CRS-94-13	SURF	CSO	NA	SODIUM		372.0000000	µg/g	0.5		
CRS-94-13	SURF	CSO	NI	NICKEL		14.50000000	µg/g	0.5		
CRS-94-13	SURF	CSO	PB	LEAD		12.20000000	µg/g	0.5		
CRS-94-13	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
CRS-94-13	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
CRS-94-13	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
CRS-94-13	SURF	CSO	V	VANADIUM		30.20000000	µg/g	0.5		
CRS-94-13	SURF	CSO	ZN	ZINC		56.00000000	µg/g	0.5		
CRS-94-14	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
CRS-94-14	SURF	CSO	AL	ALUMINUM		19200.00000	µg/g	0.5		
CRS-94-14	SURF	CSO	AS	ARSENIC		5.23000000	µg/g	0.5		
CRS-94-14	SURF	CSO	BA	BARIUM		140.0000000	µg/g	0.5		
CRS-94-14	SURF	CSO	BE	BERYLLIUM		0.58200000	µg/g	0.5		
CRS-94-14	SURF	CSO	CA	CALCIUM		32900.00000	µg/g	0.5		
CRS-94-14	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
CRS-94-14	SURF	CSO	CO	COBALT		6.45000000	µg/g	0.5		
CRS-94-14	SURF	CSO	CR	CHROMIUM		22.90000000	µg/g	0.5		
CRS-94-14	SURF	CSO	CU	COPPER		17.10000000	µg/g	0.5		
CRS-94-14	SURF	CSO	FE	IRON		18000.00000	µg/g	0.5		
CRS-94-14	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
CRS-94-14	SURF	CSO	K	POTASSIUM		5530.000000	µg/g	0.5		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
CRS-94-14	SURF	CSO	MG	MAGNESIUM		9580.000000	µg/g	0.5		
CRS-94-14	SURF	CSO	MN	MANGANESE		444.0000000	µg/g	0.5		
CRS-94-14	SURF	CSO	NA	SODIUM		427.0000000	µg/g	0.5		
CRS-94-14	SURF	CSO	NI	NICKEL		13.30000000	µg/g	0.5		
CRS-94-14	SURF	CSO	PB	LEAD		15.90000000	µg/g	0.5		
CRS-94-14	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
CRS-94-14	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
CRS-94-14	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
CRS-94-14	SURF	CSO	V	VANADIUM		25.60000000	µg/g	0.5		
CRS-94-14	SURF	CSO	ZN	ZINC		56.50000000	µg/g	0.5		
CRS-94-15	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
CRS-94-15	SURF	CSO	AL	ALUMINUM		21000.00000	µg/g	0.5		
CRS-94-15	SURF	CSO	AS	ARSENIC		4.59000000	µg/g	0.5		
CRS-94-15	SURF	CSO	BA	BARIUM		173.0000000	µg/g	0.5		
CRS-94-15	SURF	CSO	BE	BERYLLIUM		0.56200000	µg/g	0.5		
CRS-94-15	SURF	CSO	CA	CALCIUM		27400.00000	µg/g	0.5		
CRS-94-15	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
CRS-94-15	SURF	CSO	CO	COBALT		6.63000000	µg/g	0.5		
CRS-94-15	SURF	CSO	CR	CHROMIUM		25.40000000	µg/g	0.5		
CRS-94-15	SURF	CSO	CU	COPPER		20.40000000	µg/g	0.5		
CRS-94-15	SURF	CSO	FE	IRON		19300.00000	µg/g	0.5		
CRS-94-15	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
CRS-94-15	SURF	CSO	K	POTASSIUM		6600.000000	µg/g	0.5		
CRS-94-15	SURF	CSO	MG	MAGNESIUM		11200.00000	µg/g	0.5		
CRS-94-15	SURF	CSO	MN	MANGANESE		502.0000000	µg/g	0.5		
CRS-94-15	SURF	CSO	NA	SODIUM		573.0000000	µg/g	0.5		
CRS-94-15	SURF	CSO	NI	NICKEL		11.90000000	µg/g	0.5		
CRS-94-15	SURF	CSO	PB	LEAD		24.40000000	µg/g	0.5		
CRS-94-15	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
CRS-94-15	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
CRS-94-15	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
CRS-94-15	SURF	CSO	V	VANADIUM		30.10000000	µg/g	0.5		
CRS-94-15	SURF	CSO	ZN	ZINC		61.70000000	µg/g	0.5		
CRS-94-16	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
CRS-94-16	SURF	CSO	AL	ALUMINUM		21400.00000	µg/g	0.5		
CRS-94-16	SURF	CSO	AS	ARSENIC		4.54000000	µg/g	0.5		
CRS-94-16	SURF	CSO	BA	BARIUM		190.0000000	µg/g	0.5		
CRS-94-16	SURF	CSO	BE	BERYLLIUM		0.69500000	µg/g	0.5		
CRS-94-16	SURF	CSO	CA	CALCIUM		26000.00000	µg/g	0.5		
CRS-94-16	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
CRS-94-16	SURF	CSO	CO	COBALT		7.60000000	µg/g	0.5		
CRS-94-16	SURF	CSO	CR	CHROMIUM		23.70000000	µg/g	0.5		
CRS-94-16	SURF	CSO	CU	COPPER		17.60000000	µg/g	0.5		
CRS-94-16	SURF	CSO	FE	IRON		20000.00000	µg/g	0.5		
CRS-94-16	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
CRS-94-16	SURF	CSO	K	POTASSIUM		6960.000000	µg/g	0.5		
CRS-94-16	SURF	CSO	MG	MAGNESIUM		11700.00000	µg/g	0.5		
CRS-94-16	SURF	CSO	MN	MANGANESE		602.0000000	µg/g	0.5		
CRS-94-16	SURF	CSO	NA	SODIUM		614.0000000	µg/g	0.5		
CRS-94-16	SURF	CSO	NI	NICKEL		13.80000000	µg/g	0.5		
CRS-94-16	SURF	CSO	PB	LEAD		16.50000000	µg/g	0.5		
CRS-94-16	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
CRS-94-16	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
CRS-94-16	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
CRS-94-16	SURF	CSO	V	VANADIUM		27.30000000	µg/g	0.5		
CRS-94-16	SURF	CSO	ZN	ZINC		61.40000000	µg/g	0.5		
CRS-94-17	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
CRS-94-17	SURF	CSO	AL	ALUMINUM		19700.00000	µg/g	0.5		
CRS-94-17	SURF	CSO	AS	ARSENIC		5.08000000	µg/g	0.5		
CRS-94-17	SURF	CSO	BA	BARIUM		143.0000000	µg/g	0.5		
CRS-94-17	SURF	CSO	BE	BERYLLIUM		0.53900000	µg/g	0.5		
CRS-94-17	SURF	CSO	CA	CALCIUM		13100.00000	µg/g	0.5		
CRS-94-17	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
CRS-94-17	SURF	CSO	CO	COBALT		6.84000000	µg/g	0.5		
CRS-94-17	SURF	CSO	CR	CHROMIUM		22.70000000	µg/g	0.5		
CRS-94-17	SURF	CSO	CU	COPPER		22.10000000	µg/g	0.5		
CRS-94-17	SURF	CSO	FE	IRON		17300.00000	µg/g	0.5		
CRS-94-17	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
CRS-94-17	SURF	CSO	K	POTASSIUM		5670.000000	µg/g	0.5		
CRS-94-17	SURF	CSO	MG	MAGNESIUM		7780.000000	µg/g	0.5		
CRS-94-17	SURF	CSO	MN	MANGANESE		480.0000000	µg/g	0.5		
CRS-94-17	SURF	CSO	NA	SODIUM		358.0000000	µg/g	0.5		
CRS-94-17	SURF	CSO	NI	NICKEL		11.40000000	µg/g	0.5		
CRS-94-17	SURF	CSO	PB	LEAD		31.20000000	µg/g	0.5		
CRS-94-17	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
CRS-94-17	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
CRS-94-17	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
CRS-94-17	SURF	CSO	V	VANADIUM		26.60000000	µg/g	0.5		
CRS-94-17	SURF	CSO	ZN	ZINC		61.50000000	µg/g	0.5		
CRS-94-18	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
CRS-94-18	SURF	CSO	AL	ALUMINUM		23200.00000	µg/g	0.5		
CRS-94-18	SURF	CSO	AS	ARSENIC		5.24000000	µg/g	0.5		
CRS-94-18	SURF	CSO	BA	BARIUM		147.0000000	µg/g	0.5		
CRS-94-18	SURF	CSO	BE	BERYLLIUM		0.71800000	µg/g	0.5		
CRS-94-18	SURF	CSO	CA	CALCIUM		15600.00000	µg/g	0.5		
CRS-94-18	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
CRS-94-18	SURF	CSO	CO	COBALT		6.95000000	µg/g	0.5		
CRS-94-18	SURF	CSO	CR	CHROMIUM		25.40000000	µg/g	0.5		
CRS-94-18	SURF	CSO	CU	COPPER		14.20000000	µg/g	0.5		
CRS-94-18	SURF	CSO	FE	IRON		19600.00000	µg/g	0.5		
CRS-94-18	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
CRS-94-18	SURF	CSO	K	POTASSIUM		6450.000000	µg/g	0.5		
CRS-94-18	SURF	CSO	MG	MAGNESIUM		8780.000000	µg/g	0.5		
CRS-94-18	SURF	CSO	MN	MANGANESE		455.0000000	µg/g	0.5		
CRS-94-18	SURF	CSO	NA	SODIUM		331.0000000	µg/g	0.5		
CRS-94-18	SURF	CSO	NI	NICKEL		13.20000000	µg/g	0.5		
CRS-94-18	SURF	CSO	PB	LEAD		11.70000000	µg/g	0.5		
CRS-94-18	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
CRS-94-18	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
CRS-94-18	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
CRS-94-18	SURF	CSO	V	VANADIUM		29.70000000	µg/g	0.5		
CRS-94-18	SURF	CSO	ZN	ZINC		56.20000000	µg/g	0.5		
Chemical Class: **SEMIVOLATILES**										

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
CRP-94-01A	EXCV	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	5.0	R	
CRP-94-01A	EXCV	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	5.0	R	
CRP-94-01A	EXCV	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	5.0	R	
CRP-94-01A	EXCV	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	5.0	R	
CRP-94-01A	EXCV	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	5.0	R	
CRP-94-01A	EXCV	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	5.0	R	
CRP-94-01A	EXCV	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	5.0	R	

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type	Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**									
CRP-94-01A	EXCV	CSO	BGHIPY BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	BKFAN BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	BZALC BENZYL ALCOHOL	LT	0.03200000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	CHRY CHRYSENE	LT	0.03200000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	CL6BZ HEXACHLOROBENZENE	LT	0.08000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	CL6CP HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	CL6ET HEXACHLOROETHANE	LT	1.80000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	CLDAN CHLORDANE	LT	0.68000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	CPMS 4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	CPMSO 4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	CPMSO2 4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	DBAHA DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	DBCP DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	DBHC DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	DBZFU DIBENZOFURAN	LT	0.38000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	DCPD DICYCLOPENTADIENE	LT	0.57000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	DDVP VAPONA	LT	0.06800000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	DEP DIETHYL PHTHALATE	LT	0.24000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	DITH DITHIANE	LT	0.06500000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	DLDRN DIELDRIN	LT	0.07900000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	DMP DIMETHYL PHTHALATE	LT	0.06300000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	DNBP DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	DNOP DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	ENDRN ENDRIN	LT	1.30000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	ENDRN ENDRIN ALDEHYDE	LT	1.80000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	ENDRN ENDRIN KETONE	ND	0.28000000	µg/g	5.0	R	
CRP-94-01A	EXCV	CSO	ESFSO4 ENDOSULFAN SULFATE	LT	1.20000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	FAMPH FAMOPHOS	ND	1.30000000	µg/g	5.0	R	
CRP-94-01A	EXCV	CSO	FANT FLUORANTHENE	LT	0.03200000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	FLRENE FLUORENE	LT	0.06500000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	HCBD HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	HPCL HEPTACHLOR	LT	0.24000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	HPCLE HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	ICDPYR INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	ISODR ISODRIN	LT	0.48000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	ISOPHR ISOPHORONE	LT	0.39000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	KEP KEPONE	ND	1.30000000	µg/g	5.0	R	
CRP-94-01A	EXCV	CSO	LIN LINDANE	LT	0.10000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	MEXCL METHOXYCHLOR	LT	0.26000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	MIREX 1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	MLTHN MALATHION	LT	0.18000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	NAP NAPHTHALENE	LT	0.74000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	NB NITROBENZENE	LT	1.80000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	NNDME N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	NNDNP N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	NNDPA N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	OXAT 1,4-OXATHIANE	LT	0.07500000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	PCB016 PCB 1016	LT	0.32000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	PCB221 POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-01A	EXCV	CSO	PCB232 POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-01A	EXCV	CSO	PCB242 POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-01A	EXCV	CSO	PCB248 POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type	Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**									
CRP-94-01A	EXCV	CSO	PCB254 POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-01A	EXCV	CSO	PCB260 PCB 1260	LT	0.79000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	PCB262 PCB 1262	LT	6.30000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	PCP PENTACHLOROPHENOL	LT	0.76000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	PHANT PHENANTHRENE	LT	0.03200000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	PHENO PHENOL	LT	0.05200000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	PPDDD 2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	PPDDE 2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	PPDDT 2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	PRTHN PARATHION	LT	1.70000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	PYR PYRENE	LT	0.08300000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	SUPON 2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	TXPHE TOXAPHENE	LT	12.00000000	µg/g	5.0		
CRP-94-01A	EXCV	CSO	UNK521 UNKNOWN		0.30000000	µg/g	5.0	S	
CRP-94-01A	EXCV	CSO	UNK531 UNKNOWN		0.30000000	µg/g	5.0	S	
CRP-94-01A	EXCV	CSO	UNK538 UNKNOWN		0.30000000	µg/g	5.0	S	
CRP-94-01A	EXCV	CSO	UNK538 UNKNOWN		2.00000000	µg/g	5.0	D	
CRP-94-01A	EXCV	CSO	UNK544 UNKNOWN		0.30000000	µg/g	5.0	S	
CRP-94-01A	EXCV	CSO	UNK610 UNKNOWN		0.60000000	µg/g	5.0	S	
CRP-94-01A	EXCV	CSO	UNK639 UNKNOWN		2.00000000	µg/g	5.0	S	
CRP-94-01A	EXCV	CSO	UNK649 UNKNOWN		0.40000000	µg/g	5.0	S	
CRP-94-01A	EXCV	CSO	UNK680 UNKNOWN		0.90000000	µg/g	5.0	S	
CRP-94-01A	EXCV	CSO	UNK706 UNKNOWN		0.30000000	µg/g	5.0	S	
CRP-94-01B	EXCV	CSO	123TCB 1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	124TCB 1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	12DCLB 1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	12DPH 1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	13DCLB 1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	13DNB 1,3-DINITROBENZENE	ND	0.63000000	µg/g	7.0	R	
CRP-94-01B	EXCV	CSO	14DCLB 1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	236TCP 2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	245TCP 2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	246TCP 2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	24DCLP 2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	24DMP 2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	24DNP 2,4-DINITROPHENOL	LT	4.70000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	24DNT 2,4-DINITROTOLUENE	LT	1.40000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	26DNA 2,6-DINITROANILINE	LT	0.57000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	26DNT 2,6-DINITROTOLUENE	LT	0.32000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	2CLP 2-CHLOROPHENOL	LT	0.05500000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	2CNAP 2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	2MNAP 2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	2MP 2-METHYLPHENOL	LT	0.09800000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	2NANIL 2-NITROANILINE	ND	3.10000000	µg/g	7.0	R	
CRP-94-01B	EXCV	CSO	2NP 2-NITROPHENOL	LT	1.10000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	33DCBD 3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	35DNA 3,5-DINITROANILINE	LT	1.60000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	3NANIL 3-NITROANILINE	LT	3.00000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	3NT 3-NITROTOLUENE	LT	0.34000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	46DN2C 4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	4BRPPE 4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	4CANIL 4-CHLOROANILINE	ND	0.63000000	µg/g	7.0	R	

Chemical Range (SWMU 7) Phase II RI Data

Chemical Class: **SEMIVOLATILES**

Site ID	Site Type	Media Type	Test Name		Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
CRP-94-01B	EXCV	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	7.0	R	
CRP-94-01B	EXCV	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	7.0	R	
CRP-94-01B	EXCV	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	7.0	R	
CRP-94-01B	EXCV	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	7.0	R	
CRP-94-01B	EXCV	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	BZALC	BENZYL ALCOHOL	LT	0.03200000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	DNBP	DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	7.0	R	
CRP-94-01B	EXCV	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	7.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-01B	EXCV	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	7.0	R	
CRP-94-01B	EXCV	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	KEP	KEPONE	ND	1.30000000	µg/g	7.0	R	
CRP-94-01B	EXCV	CSO	LIN	LINDANE	LT	0.10000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	7.0	R	
CRP-94-01B	EXCV	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	7.0	R	
CRP-94-01B	EXCV	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	7.0	R	
CRP-94-01B	EXCV	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	7.0	R	
CRP-94-01B	EXCV	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	7.0	R	
CRP-94-01B	EXCV	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	PYR	PYRENE	LT	0.08300000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	7.0		
CRP-94-01B	EXCV	CSO	UNK521	UNKNOWN		0.60000000	µg/g	7.0	S	
CRP-94-01B	EXCV	CSO	UNK531	UNKNOWN		0.30000000	µg/g	7.0	S	
CRP-94-01B	EXCV	CSO	UNK538	UNKNOWN		0.40000000	µg/g	7.0	S	
CRP-94-01B	EXCV	CSO	UNK538	UNKNOWN		2.00000000	µg/g	7.0	D	
CRP-94-01B	EXCV	CSO	UNK610	UNKNOWN		0.30000000	µg/g	7.0	S	
CRP-94-01B	EXCV	CSO	UNK639	UNKNOWN		1.00000000	µg/g	7.0	S	
CRP-94-01B	EXCV	CSO	UNK649	UNKNOWN		0.30000000	µg/g	7.0	S	
CRP-94-01B	EXCV	CSO	UNK661	UNKNOWN		0.30000000	µg/g	7.0	S	
CRP-94-01B	EXCV	CSO	UNK680	UNKNOWN		0.80000000	µg/g	7.0	S	
CRP-94-01C	EXCV	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	9.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-01C	EXCV	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	9.0	R	
CRP-94-01C	EXCV	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	9.0	R	
CRP-94-01C	EXCV	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	9.0	R	
CRP-94-01C	EXCV	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	9.0	R	
CRP-94-01C	EXCV	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	9.0	R	
CRP-94-01C	EXCV	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	9.0	R	
CRP-94-01C	EXCV	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	9.0	R	
CRP-94-01C	EXCV	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	BZALC	BENZYL ALCOHOL	LT	0.03200000	µg/g	9.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-01C	EXCV	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	DNBP	DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	9.0	R	
CRP-94-01C	EXCV	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	9.0	R	
CRP-94-01C	EXCV	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	KEP	KEPONE	ND	1.30000000	µg/g	9.0	R	
CRP-94-01C	EXCV	CSO	LIN	LINDANE	LT	0.10000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	9.0	R	
CRP-94-01C	EXCV	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	9.0	R	
CRP-94-01C	EXCV	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	9.0	R	
CRP-94-01C	EXCV	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	9.0	R	
CRP-94-01C	EXCV	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	9.0	R	
CRP-94-01C	EXCV	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	9.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-01C	EXCV	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	PYR	PYRENE	LT	0.08300000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	9.0		
CRP-94-01C	EXCV	CSO	UNK521	UNKNOWN		0.40000000	µg/g	9.0	S	
CRP-94-01C	EXCV	CSO	UNK528	UNKNOWN		0.40000000	µg/g	9.0	S	
CRP-94-01C	EXCV	CSO	UNK530	UNKNOWN		0.30000000	µg/g	9.0	S	
CRP-94-01C	EXCV	CSO	UNK531	UNKNOWN		0.30000000	µg/g	9.0	S	
CRP-94-01C	EXCV	CSO	UNK538	UNKNOWN		0.30000000	µg/g	9.0	S	
CRP-94-01C	EXCV	CSO	UNK538	UNKNOWN		2.00000000	µg/g	9.0	D	
CRP-94-01C	EXCV	CSO	UNK610	UNKNOWN		0.40000000	µg/g	9.0	S	
CRP-94-01C	EXCV	CSO	UNK639	UNKNOWN		1.00000000	µg/g	9.0	S	
CRP-94-01C	EXCV	CSO	UNK649	UNKNOWN		0.50000000	µg/g	9.0	S	
CRP-94-01C	EXCV	CSO	UNK662	UNKNOWN		0.30000000	µg/g	9.0	S	
CRP-94-01C	EXCV	CSO	UNK679	UNKNOWN		0.30000000	µg/g	9.0	S	
CRP-94-01C	EXCV	CSO	UNK680	UNKNOWN		0.90000000	µg/g	9.0	S	
CRP-94-01C	EXCV	CSO	UNK706	UNKNOWN		0.30000000	µg/g	9.0	S	
CRP-94-01D	EXCV	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	10.0	R	
CRP-94-01D	EXCV	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	10.0	R	
CRP-94-01D	EXCV	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	10.0	R	

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-01D	EXCV	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	10.0	R	
CRP-94-01D	EXCV	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	10.0	R	
CRP-94-01D	EXCV	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	10.0	R	
CRP-94-01D	EXCV	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	10.0	R	
CRP-94-01D	EXCV	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	BZALC	BENZYL ALCOHOL	LT	0.03200000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	DNBP	DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	10.0	R	
CRP-94-01D	EXCV	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	10.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-01D	EXCV	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	10.0	R	
CRP-94-01D	EXCV	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	KEP	KEPONE	ND	1.30000000	µg/g	10.0	R	
CRP-94-01D	EXCV	CSO	LIN	LINDANE	LT	0.10000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-01D	EXCV	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-01D	EXCV	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-01D	EXCV	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-01D	EXCV	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-01D	EXCV	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	PYR	PYRENE	LT	0.08300000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	10.0		
CRP-94-01D	EXCV	CSO	UNK521	UNKNOWN		0.50000000	µg/g	10.0	S	
CRP-94-01D	EXCV	CSO	UNK531	UNKNOWN		0.40000000	µg/g	10.0	S	
CRP-94-01D	EXCV	CSO	UNK538	UNKNOWN		0.40000000	µg/g	10.0	S	
CRP-94-01D	EXCV	CSO	UNK538	UNKNOWN		2.00000000	µg/g	10.0	D	
CRP-94-01D	EXCV	CSO	UNK638	UNKNOWN		0.80000000	µg/g	10.0	S	
CRP-94-01D	EXCV	CSO	UNK639	UNKNOWN		0.80000000	µg/g	10.0	S	
CRP-94-01D	EXCV	CSO	UNK667	UNKNOWN		1.00000000	µg/g	10.0	S	
CRP-94-01D	EXCV	CSO	UNK680	UNKNOWN		0.30000000	µg/g	10.0	S	
CRP-94-02A	EXCV	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	5.0	R	

Chemical Range (SWMU 7) Phase II RI Data

Chemical Class: **SEMIVOLATILES**

Site ID	Site Type	Media Type	Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
CRP-94-02A	EXCV	CSO	14DCLB 1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	236TCP 2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	245TCP 2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	246TCP 2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	24DCLP 2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	24DMP 2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	24DNP 2,4-DINITROPHENOL	LT	4.70000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	24DNT 2,4-DINITROTOLUENE	LT	1.40000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	26DNA 2,6-DINITROANILINE	LT	0.57000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	26DNT 2,6-DINITROTOLUENE	LT	0.32000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	2CLP 2-CHLOROPHENOL	LT	0.05500000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	2CNAP 2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	2MNAP 2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	2MP 2-METHYLPHENOL	LT	0.09800000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	2NANIL 2-NITROANILINE	ND	3.10000000	µg/g	5.0	R	
CRP-94-02A	EXCV	CSO	2NP 2-NITROPHENOL	LT	1.10000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	33DCBD 3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	35DNA 3,5-DINITROANILINE	LT	1.60000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	3NANIL 3-NITROANILINE	LT	3.00000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	3NT 3-NITROTOLUENE	LT	0.34000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	46DN2C 4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	4BRPPE 4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	4CANIL 4-CHLOROANILINE	ND	0.63000000	µg/g	5.0	R	
CRP-94-02A	EXCV	CSO	4CL3C 4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	4CLPPE 4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	4MP 4-METHYLPHENOL	LT	0.24000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	4NANIL 4-NITROANILINE	ND	3.10000000	µg/g	5.0	R	
CRP-94-02A	EXCV	CSO	4NP 4-NITROPHENOL	LT	3.30000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	ABHC ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	AENSLF ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	ALDRN ALDRIN	LT	1.30000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	ANAPN ACENEPHTHENE	LT	0.04100000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	ANAPY ACENAPHTHYLENE	LT	0.03300000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	ANIL ANILINE	ND	0.13000000	µg/g	5.0	R	
CRP-94-02A	EXCV	CSO	ANTRC ANTHRACENE	LT	0.71000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	ATZ ATRAZINE	LT	0.06500000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	B2CEX BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	B2CIPE BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	B2CLEE BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	B2EHP BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	BAANT BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	BAPYR BENZO [A] PYRENE	LT	1.20000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	BBFAN BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	BBHC BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	BBZP BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	BENSLF BETA-ENDOSULFAN	LT	2.40000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	BENZID BENZIDINE	ND	0.13000000	µg/g	5.0	R	
CRP-94-02A	EXCV	CSO	BENZO BENZOIC ACID	ND	3.10000000	µg/g	5.0	R	
CRP-94-02A	EXCV	CSO	BGHIPY BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	BKFAN BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	BZALC BENZYL ALCOHOL	LT	0.03200000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	CHRY CHRYSENE	LT	0.03200000	µg/g	5.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-02A	EXCV	CSO	CL6BZ	HEXACHLOROBENZENE		0.34000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	DNBP	DI-N-BUTYL PHTHALATE		2.60000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	5.0	R	
CRP-94-02A	EXCV	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	5.0	R	
CRP-94-02A	EXCV	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	KEP	KEPONE	ND	1.30000000	µg/g	5.0	R	
CRP-94-02A	EXCV	CSO	LIN	LINDANE	LT	0.10000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-02A	EXCV	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-02A	EXCV	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-02A	EXCV	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-02A	EXCV	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-02A	EXCV	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	5.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type	Test Name		Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-02A	EXCV	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	PYR	PYRENE	LT	0.08300000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	5.0		
CRP-94-02A	EXCV	CSO	UNK520	UNKNOWN		0.30000000	µg/g	5.0	S	
CRP-94-02A	EXCV	CSO	UNK521	UNKNOWN		0.40000000	µg/g	5.0	S	
CRP-94-02A	EXCV	CSO	UNK524	UNKNOWN		0.30000000	µg/g	5.0	S	
CRP-94-02A	EXCV	CSO	UNK528	UNKNOWN		0.50000000	µg/g	5.0	S	
CRP-94-02A	EXCV	CSO	UNK530	UNKNOWN		0.30000000	µg/g	5.0	S	
CRP-94-02A	EXCV	CSO	UNK531	UNKNOWN		0.40000000	µg/g	5.0	S	
CRP-94-02A	EXCV	CSO	UNK537	UNKNOWN		0.60000000	µg/g	5.0	S	
CRP-94-02A	EXCV	CSO	UNK538	UNKNOWN		0.40000000	µg/g	5.0	S	
CRP-94-02A	EXCV	CSO	UNK538	UNKNOWN		1.00000000	µg/g	5.0	D	
CRP-94-02A	EXCV	CSO	UNK610	UNKNOWN		0.50000000	µg/g	5.0	S	
CRP-94-02A	EXCV	CSO	UNK639	UNKNOWN		1.00000000	µg/g	5.0	S	
CRP-94-02A	EXCV	CSO	UNK649	UNKNOWN		0.50000000	µg/g	5.0	S	
CRP-94-02A	EXCV	CSO	UNK661	UNKNOWN		0.50000000	µg/g	5.0	S	
CRP-94-02A	EXCV	CSO	UNK662	UNKNOWN		0.30000000	µg/g	5.0	S	
CRP-94-02A	EXCV	CSO	UNK679	UNKNOWN		0.50000000	µg/g	5.0	S	
CRP-94-02A	EXCV	CSO	UNK680	UNKNOWN		1.00000000	µg/g	5.0	S	
CRP-94-02B	EXCV	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	7.0	R	
CRP-94-02B	EXCV	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	7.0	R	
CRP-94-02B	EXCV	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	7.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-02B	EXCV	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	7.0	R	
CRP-94-02B	EXCV	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	7.0	R	
CRP-94-02B	EXCV	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	7.0	R	
CRP-94-02B	EXCV	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	7.0	R	
CRP-94-02B	EXCV	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	7.0	R	
CRP-94-02B	EXCV	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	BZALC	BENZYL ALCOHOL		0.06400000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	DNBP	DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	7.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type	Test Name		Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-02B	EXCV	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	7.0	R	
CRP-94-02B	EXCV	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	7.0	R	
CRP-94-02B	EXCV	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	KEP	KEPONE	ND	1.30000000	µg/g	7.0	R	
CRP-94-02B	EXCV	CSO	LIN	LINDANE	LT	0.10000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	7.0	R	
CRP-94-02B	EXCV	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	7.0	R	
CRP-94-02B	EXCV	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	7.0	R	
CRP-94-02B	EXCV	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	7.0	R	
CRP-94-02B	EXCV	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	7.0	R	
CRP-94-02B	EXCV	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	PYR	PYRENE	LT	0.08300000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	7.0		
CRP-94-02B	EXCV	CSO	UNK521	UNKNOWN		0.40000000	µg/g	7.0	S	
CRP-94-02B	EXCV	CSO	UNK531	UNKNOWN		0.30000000	µg/g	7.0	S	
CRP-94-02B	EXCV	CSO	UNK538	UNKNOWN		1.00000000	µg/g	7.0	S	
CRP-94-02B	EXCV	CSO	UNK610	UNKNOWN		0.50000000	µg/g	7.0	S	
CRP-94-02B	EXCV	CSO	UNK639	UNKNOWN		1.00000000	µg/g	7.0	S	
CRP-94-02B	EXCV	CSO	UNK649	UNKNOWN		0.30000000	µg/g	7.0	S	
CRP-94-02B	EXCV	CSO	UNK654	UNKNOWN		0.40000000	µg/g	7.0	S	
CRP-94-02B	EXCV	CSO	UNK680	UNKNOWN		0.60000000	µg/g	7.0	S	
CRP-94-02C	EXCV	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	9.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-02C	EXCV	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	9.0	R	
CRP-94-02C	EXCV	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	9.0	R	
CRP-94-02C	EXCV	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	9.0	R	
CRP-94-02C	EXCV	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	9.0	R	
CRP-94-02C	EXCV	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	9.0	R	
CRP-94-02C	EXCV	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	9.0	R	
CRP-94-02C	EXCV	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	9.0	R	
CRP-94-02C	EXCV	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	9.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-02C	EXCV	CSO	BZALC	BENZYL ALCOHOL	LT	0.03200000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	DNBP	DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	9.0	R	
CRP-94-02C	EXCV	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	9.0	R	
CRP-94-02C	EXCV	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	KEP	KEPONE	ND	1.30000000	µg/g	9.0	R	
CRP-94-02C	EXCV	CSO	LIN	LINDANE	LT	0.10000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	9.0	R	
CRP-94-02C	EXCV	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	9.0	R	
CRP-94-02C	EXCV	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	9.0	R	
CRP-94-02C	EXCV	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	9.0	R	
CRP-94-02C	EXCV	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	9.0	R	
CRP-94-02C	EXCV	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	9.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-02C	EXCV	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	PYR	PYRENE	LT	0.08300000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	9.0		
CRP-94-02C	EXCV	CSO	UNK521	UNKNOWN		0.30000000	µg/g	9.0	S	
CRP-94-02C	EXCV	CSO	UNK531	UNKNOWN		0.30000000	µg/g	9.0	S	
CRP-94-02C	EXCV	CSO	UNK538	UNKNOWN		0.30000000	µg/g	9.0	S	
CRP-94-02C	EXCV	CSO	UNK538	UNKNOWN		2.00000000	µg/g	9.0	D	
CRP-94-02C	EXCV	CSO	UNK610	UNKNOWN		0.30000000	µg/g	9.0	S	
CRP-94-02C	EXCV	CSO	UNK639	UNKNOWN		1.00000000	µg/g	9.0	S	
CRP-94-02C	EXCV	CSO	UNK680	UNKNOWN		0.50000000	µg/g	9.0	S	
CRP-94-02D	EXCV	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	10.0	R	
CRP-94-02D	EXCV	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	10.0	R	
CRP-94-02D	EXCV	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	10.0	R	
CRP-94-02D	EXCV	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	10.0	R	
CRP-94-02D	EXCV	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	10.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-02D	EXCV	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	10.0	R	
CRP-94-02D	EXCV	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	10.0	R	
CRP-94-02D	EXCV	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	10.0	R	
CRP-94-02D	EXCV	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	BZALC	BENZYL ALCOHOL	LT	0.03200000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	DNBP	DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	10.0	R	
CRP-94-02D	EXCV	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	10.0	R	
CRP-94-02D	EXCV	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	10.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-02D	EXCV	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	KEP	KEPONE	ND	1.30000000	µg/g	10.0	R	
CRP-94-02D	EXCV	CSO	LIN	LINDANE	LT	0.10000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-02D	EXCV	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-02D	EXCV	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-02D	EXCV	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-02D	EXCV	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-02D	EXCV	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	PYR	PYRENE	LT	0.08300000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	10.0		
CRP-94-02D	EXCV	CSO	UNK521	UNKNOWN		0.50000000	µg/g	10.0	S	
CRP-94-02D	EXCV	CSO	UNK531	UNKNOWN		0.30000000	µg/g	10.0	S	
CRP-94-02D	EXCV	CSO	UNK538	UNKNOWN		0.50000000	µg/g	10.0	S	
CRP-94-02D	EXCV	CSO	UNK538	UNKNOWN		2.00000000	µg/g	10.0	D	
CRP-94-02D	EXCV	CSO	UNK610	UNKNOWN		0.30000000	µg/g	10.0	S	
CRP-94-02D	EXCV	CSO	UNK640	UNKNOWN		0.90000000	µg/g	10.0	S	
CRP-94-02D	EXCV	CSO	UNK662	UNKNOWN		0.30000000	µg/g	10.0	S	
CRP-94-02D	EXCV	CSO	UNK680	UNKNOWN		0.40000000	µg/g	10.0	S	
CRP-94-03A	EXCV	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	5.0	R	
CRP-94-03A	EXCV	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	5.0		

Chemical Range (SWMU 7) Phase II RI Data

Chemical Class: **SEMIVOLATILES**

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
CRP-94-03A	EXCV	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	5.0	R	
CRP-94-03A	EXCV	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	5.0	R	
CRP-94-03A	EXCV	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	5.0	R	
CRP-94-03A	EXCV	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	5.0	R	
CRP-94-03A	EXCV	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	5.0	R	
CRP-94-03A	EXCV	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	5.0	R	
CRP-94-03A	EXCV	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	BZALC	BENZYL ALCOHOL		0.06100000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	5.0		

Chemical Class: **SEMIVOLATILES**

Site ID	Site Type	Media Type	Test Name		Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
CRP-94-03A	EXCV	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	DNBP	DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	5.0	R	
CRP-94-03A	EXCV	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	5.0	R	
CRP-94-03A	EXCV	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	KEP	KEPONE	ND	1.30000000	µg/g	5.0	R	
CRP-94-03A	EXCV	CSO	LIN	LINDANE	LT	0.10000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-03A	EXCV	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-03A	EXCV	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-03A	EXCV	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-03A	EXCV	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-03A	EXCV	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	5.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type	Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**									
CRP-94-03A	EXCV	CSO	PRTHN PARATHION	LT	1.70000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	PYR PYRENE	LT	0.08300000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	SUPON 2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	TXPHE TOXAPHENE	LT	12.00000000	µg/g	5.0		
CRP-94-03A	EXCV	CSO	UNK530 UNKNOWN		0.40000000	µg/g	5.0	S	
CRP-94-03A	EXCV	CSO	UNK641 UNKNOWN		1.00000000	µg/g	5.0	S	
CRP-94-03A	EXCV	CSO	UNK681 UNKNOWN		0.30000000	µg/g	5.0	S	
CRP-94-03B	EXCV	CSO	123TCB 1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	124TCB 1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	12DCLB 1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	12DPH 1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	13DCLB 1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	13DNB 1,3-DINITROBENZENE	ND	0.63000000	µg/g	7.0	R	
CRP-94-03B	EXCV	CSO	14DCLB 1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	236TCP 2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	245TCP 2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	246TCP 2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	24DCLP 2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	24DMP 2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	24DNP 2,4-DINITROPHENOL	LT	4.70000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	24DNT 2,4-DINITROTOLUENE	LT	1.40000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	26DNA 2,6-DINITROANILINE	LT	0.57000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	26DNT 2,6-DINITROTOLUENE	LT	0.32000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	2CLP 2-CHLOROPHENOL	LT	0.05500000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	2CNAP 2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	2MNAP 2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	2MP 2-METHYLPHENOL	LT	0.09800000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	2NANIL 2-NITROANILINE	ND	3.10000000	µg/g	7.0	R	
CRP-94-03B	EXCV	CSO	2NP 2-NITROPHENOL	LT	1.10000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	33DCBD 3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	35DNA 3,5-DINITROANILINE	LT	1.60000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	3NANIL 3-NITROANILINE	LT	3.00000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	3NT 3-NITROTOLUENE	LT	0.34000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	46DN2C 4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	4BRPPE 4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	4CANIL 4-CHLOROANILINE	ND	0.63000000	µg/g	7.0	R	
CRP-94-03B	EXCV	CSO	4CL3C 4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	4CLPPE 4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	4MP 4-METHYLPHENOL	LT	0.24000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	4NANIL 4-NITROANILINE	ND	3.10000000	µg/g	7.0	R	
CRP-94-03B	EXCV	CSO	4NP 4-NITROPHENOL	LT	3.30000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	ABHC ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	AENSLF ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	ALDRN ALDRIN	LT	1.30000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	ANAPN ACENEPHTHENE	LT	0.04100000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	ANAPY ACENAPHTHYLENE	LT	0.03300000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	ANIL ANILINE	ND	0.13000000	µg/g	7.0	R	
CRP-94-03B	EXCV	CSO	ANTRC ANTHRACENE	LT	0.71000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	ATZ ATRAZINE	LT	0.06500000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	B2CEX BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	B2CIPE BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	B2CLEE BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	7.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type	Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**									
CRP-94-03B	EXCV	CSO	B2EHP BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	BAANT BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	BAPYR BENZO [A] PYRENE	LT	1.20000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	BBFAN BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	BBHC BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	BBZP BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	BENSLF BETA-ENDOSULFAN	LT	2.40000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	BENZID BENZIDINE	ND	0.13000000	µg/g	7.0	R	
CRP-94-03B	EXCV	CSO	BENZO BENZOIC ACID	ND	3.10000000	µg/g	7.0	R	
CRP-94-03B	EXCV	CSO	BGHIPY BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	BKFAN BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	BZALC BENZYL ALCOHOL		0.04300000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	CHRY CHRYSENE	LT	0.03200000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	CL6BZ HEXACHLOROBENZENE	LT	0.08000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	CL6CP HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	CL6ET HEXACHLOROETHANE	LT	1.80000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	CLDAN CHLORDANE	LT	0.68000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	CPMS 4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	CPMSO 4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	CPMSO2 4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	DBAHA DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	DBCP DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	DBHC DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	DBZFU DIBENZOFURAN	LT	0.38000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	DCPD DICYCLOPENTADIENE	LT	0.57000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	DDVP VAPONA	LT	0.06800000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	DEP DIETHYL PHTHALATE	LT	0.24000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	DITH DITHIANE	LT	0.06500000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	DLDRN DIELDRIN	LT	0.07900000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	DMP DIMETHYL PHTHALATE	LT	0.06300000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	DNBP DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	DNOP DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	ENDRN ENDRIN	LT	1.30000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	ENDRN ENDRIN ALDEHYDE	LT	1.80000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	ENDRN ENDRIN KETONE	ND	0.28000000	µg/g	7.0	R	
CRP-94-03B	EXCV	CSO	ESFSO4 ENDOSULFAN SULFATE	LT	1.20000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	FAMPH FAMOPHOS	ND	1.30000000	µg/g	7.0	R	
CRP-94-03B	EXCV	CSO	FANT FLUORANTHENE	LT	0.03200000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	FLRENE FLUORENE	LT	0.06500000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	HCBD HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	HPCL HEPTACHLOR	LT	0.24000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	HPCLE HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	ICDPYR INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	ISODR ISODRIN	LT	0.48000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	ISOPHR ISOPHORONE	LT	0.39000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	KEP KEPONE	ND	1.30000000	µg/g	7.0	R	
CRP-94-03B	EXCV	CSO	LIN LINDANE	LT	0.10000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	MEXCL METHOXYCHLOR	LT	0.26000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	MIREX 1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	MLTHN MALATHION	LT	0.18000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	NAP NAPHTHALENE	LT	0.74000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	NB NITROBENZENE	LT	1.80000000	µg/g	7.0		

Chemical Class: **SEMIVOLATILES**

Site ID	Site Type	Media Type	Test Name		Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
CRP-94-03B	EXCV	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	7.0	R	
CRP-94-03B	EXCV	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	7.0	R	
CRP-94-03B	EXCV	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	7.0	R	
CRP-94-03B	EXCV	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	7.0	R	
CRP-94-03B	EXCV	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	7.0	R	
CRP-94-03B	EXCV	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	PYR	PYRENE	LT	0.08300000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	7.0		
CRP-94-03B	EXCV	CSO	UNK530	UNKNOWN		0.30000000	µg/g	7.0	S	
CRP-94-03B	EXCV	CSO	UNK538	UNKNOWN		0.50000000	µg/g	7.0	S	
CRP-94-03B	EXCV	CSO	UNK641	UNKNOWN		1.00000000	µg/g	7.0	S	
CRP-94-03B	EXCV	CSO	UNK663	UNKNOWN		0.30000000	µg/g	7.0	S	
CRP-94-03B	EXCV	CSO	UNK681	UNKNOWN		0.30000000	µg/g	7.0	S	
CRP-94-03C	EXCV	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	9.0	R	
CRP-94-03C	EXCV	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	9.0	R	
CRP-94-03C	EXCV	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	9.0		

Chemical Class: **SEMIVOLATILES**

Site ID	Site Type	Media Type	Test Name		Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
CRP-94-03C	EXCV	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	9.0	R	
CRP-94-03C	EXCV	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	9.0	R	
CRP-94-03C	EXCV	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	9.0	R	
CRP-94-03C	EXCV	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	9.0	R	
CRP-94-03C	EXCV	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	9.0	R	
CRP-94-03C	EXCV	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	BZALC	BENZYL ALCOHOL	LT	0.03200000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	DNBP	DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	9.0		

Chemical Range (SWMU 7) Phase II RI Data

Chemical Class: **SEMIVOLATILES**

Site ID	Site Type	Media Type	Test Name		Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
CRP-94-03C	EXCV	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	9.0	R	
CRP-94-03C	EXCV	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	9.0	R	
CRP-94-03C	EXCV	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	KEP	KEPONE	ND	1.30000000	µg/g	9.0	R	
CRP-94-03C	EXCV	CSO	LIN	LINDANE	LT	0.10000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	9.0	R	
CRP-94-03C	EXCV	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	9.0	R	
CRP-94-03C	EXCV	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	9.0	R	
CRP-94-03C	EXCV	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	9.0	R	
CRP-94-03C	EXCV	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	9.0	R	
CRP-94-03C	EXCV	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	PYR	PYRENE	LT	0.08300000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	9.0		
CRP-94-03C	EXCV	CSO	UNK530	UNKNOWN		0.40000000	µg/g	9.0	S	
CRP-94-03C	EXCV	CSO	UNK537	UNKNOWN		0.30000000	µg/g	9.0	S	
CRP-94-03C	EXCV	CSO	UNK538	UNKNOWN		2.00000000	µg/g	9.0	S	
CRP-94-03C	EXCV	CSO	UNK641	UNKNOWN		1.00000000	µg/g	9.0	S	
CRP-94-03C	EXCV	CSO	UNK651	UNKNOWN		0.40000000	µg/g	9.0	S	
CRP-94-03C	EXCV	CSO	UNK663	UNKNOWN		0.40000000	µg/g	9.0	S	
CRP-94-03C	EXCV	CSO	UNK681	UNKNOWN		0.30000000	µg/g	9.0	S	
CRP-94-03D	EXCV	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	10.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-03D	EXCV	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	10.0	R	
CRP-94-03D	EXCV	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	10.0	R	
CRP-94-03D	EXCV	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	10.0	R	
CRP-94-03D	EXCV	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	10.0	R	
CRP-94-03D	EXCV	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	10.0	R	
CRP-94-03D	EXCV	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	10.0	R	
CRP-94-03D	EXCV	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	10.0	R	
CRP-94-03D	EXCV	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	10.0		

Site ID	Site Type	Media Type	Test Name		Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-03D	EXCV	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	BZALC	BENZYL ALCOHOL		0.07900000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	DNBP	DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	10.0	R	
CRP-94-03D	EXCV	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	10.0	R	
CRP-94-03D	EXCV	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	KEP	KEPONE	ND	1.30000000	µg/g	10.0	R	
CRP-94-03D	EXCV	CSO	LIN	LINDANE	LT	0.10000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-03D	EXCV	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-03D	EXCV	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-03D	EXCV	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-03D	EXCV	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-03D	EXCV	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	PYR	PYRENE	LT	0.08300000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	10.0		
CRP-94-03D	EXCV	CSO	UNK530	UNKNOWN		0.50000000	µg/g	10.0	S	
CRP-94-03D	EXCV	CSO	UNK538	UNKNOWN		0.50000000	µg/g	10.0	S	
CRP-94-03D	EXCV	CSO	UNK641	UNKNOWN		0.80000000	µg/g	10.0	S	
CRP-94-03D	EXCV	CSO	UNK663	UNKNOWN		0.30000000	µg/g	10.0	S	
CRP-94-04A	EXCV	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	5.0	R	
CRP-94-04A	EXCV	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	5.0	R	
CRP-94-04A	EXCV	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	5.0	R	
CRP-94-04A	EXCV	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	5.0	R	
CRP-94-04A	EXCV	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	5.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-04A	EXCV	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	5.0	R	
CRP-94-04A	EXCV	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	5.0	R	
CRP-94-04A	EXCV	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	5.0	R	
CRP-94-04A	EXCV	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	BZALC	BENZYL ALCOHOL		0.06700000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	DNBP	DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	5.0	R	
CRP-94-04A	EXCV	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	5.0	R	
CRP-94-04A	EXCV	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	5.0		

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-04A	EXCV	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	KEP	KEPONE	ND	1.30000000	µg/g	5.0	R	
CRP-94-04A	EXCV	CSO	LIN	LINDANE	LT	0.10000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-04A	EXCV	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-04A	EXCV	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-04A	EXCV	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-04A	EXCV	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-04A	EXCV	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	PYR	PYRENE	LT	0.08300000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	5.0		
CRP-94-04A	EXCV	CSO	UNK530	UNKNOWN		0.40000000	µg/g	5.0	S	
CRP-94-04A	EXCV	CSO	UNK538	UNKNOWN		0.70000000	µg/g	5.0	S	
CRP-94-04A	EXCV	CSO	UNK641	UNKNOWN		0.60000000	µg/g	5.0	S	
CRP-94-04B	EXCV	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	7.0	R	
CRP-94-04B	EXCV	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	7.0		

Chemical Range (SWMU 7) Phase II RI Data

Chemical Class: **SEMIVOLATILES**

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
CRP-94-04B	EXCV	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	7.0	R	
CRP-94-04B	EXCV	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	7.0	R	
CRP-94-04B	EXCV	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	7.0	R	
CRP-94-04B	EXCV	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	7.0	R	
CRP-94-04B	EXCV	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	7.0	R	
CRP-94-04B	EXCV	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	7.0	R	
CRP-94-04B	EXCV	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	BZALC	BENZYL ALCOHOL		0.06200000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	7.0		

Chemical Range (SWMU 7) Phase II RI Data

Chemical Class: **SEMIVOLATILES**

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
CRP-94-04B	EXCV	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	DNBP	DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	7.0	R	
CRP-94-04B	EXCV	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	7.0	R	
CRP-94-04B	EXCV	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	KEP	KEPONE	ND	1.30000000	µg/g	7.0	R	
CRP-94-04B	EXCV	CSO	LIN	LINDANE	LT	0.10000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	7.0	R	
CRP-94-04B	EXCV	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	7.0	R	
CRP-94-04B	EXCV	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	7.0	R	
CRP-94-04B	EXCV	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	7.0	R	
CRP-94-04B	EXCV	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	7.0	R	
CRP-94-04B	EXCV	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	PYR	PYRENE	LT	0.08300000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	7.0		
CRP-94-04B	EXCV	CSO	UNK530	UNKNOWN		0.60000000	µg/g	7.0	S	
CRP-94-04B	EXCV	CSO	UNK538	UNKNOWN		0.50000000	µg/g	7.0	S	
CRP-94-04B	EXCV	CSO	UNK641	UNKNOWN		0.30000000	µg/g	7.0	S	

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type	Test Name		Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-04C	EXCV	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	9.0	R	
CRP-94-04C	EXCV	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	9.0	R	
CRP-94-04C	EXCV	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	9.0	R	
CRP-94-04C	EXCV	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	9.0	R	
CRP-94-04C	EXCV	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	9.0	R	
CRP-94-04C	EXCV	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	9.0		

Site ID	Site Type	Media Type	Test Name		Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-04C	EXCV	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	9.0	R	
CRP-94-04C	EXCV	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	9.0	R	
CRP-94-04C	EXCV	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	BZALC	BENZYL ALCOHOL		0.05100000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	DNBP	DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	9.0	R	
CRP-94-04C	EXCV	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	9.0	R	
CRP-94-04C	EXCV	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	KEP	KEPONE	ND	1.30000000	µg/g	9.0	R	
CRP-94-04C	EXCV	CSO	LIN	LINDANE	LT	0.10000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	9.0	R	
CRP-94-04C	EXCV	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	9.0	R	

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-04C	EXCV	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	9.0	R	
CRP-94-04C	EXCV	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	9.0	R	
CRP-94-04C	EXCV	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	9.0	R	
CRP-94-04C	EXCV	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	PYR	PYRENE	LT	0.08300000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	9.0		
CRP-94-04C	EXCV	CSO	UNK530	UNKNOWN		0.30000000	µg/g	9.0	S	
CRP-94-04C	EXCV	CSO	UNK538	UNKNOWN		0.50000000	µg/g	9.0	S	
CRP-94-04C	EXCV	CSO	UNK641	UNKNOWN		0.90000000	µg/g	9.0	S	
CRP-94-04D	EXCV	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	10.0	R	
CRP-94-04D	EXCV	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	10.0	R	
CRP-94-04D	EXCV	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	10.0	R	
CRP-94-04D	EXCV	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	10.0	R	
CRP-94-04D	EXCV	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	10.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-04D	EXCV	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	10.0	R	
CRP-94-04D	EXCV	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	10.0	R	
CRP-94-04D	EXCV	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	10.0	R	
CRP-94-04D	EXCV	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	BZALC	BENZYL ALCOHOL		0.06500000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	DNBP	DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	10.0	R	
CRP-94-04D	EXCV	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	10.0	R	
CRP-94-04D	EXCV	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	10.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type	Test Name		Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-04D	EXCV	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	KEP	KEPONE	ND	1.30000000	µg/g	10.0	R	
CRP-94-04D	EXCV	CSO	LIN	LINDANE	LT	0.10000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-04D	EXCV	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-04D	EXCV	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-04D	EXCV	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-04D	EXCV	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-04D	EXCV	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	PYR	PYRENE	LT	0.08300000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	10.0		
CRP-94-04D	EXCV	CSO	UNK530	UNKNOWN		0.30000000	µg/g	10.0	S	
CRP-94-04D	EXCV	CSO	UNK538	UNKNOWN		0.80000000	µg/g	10.0	S	
CRP-94-04D	EXCV	CSO	UNK641	UNKNOWN		2.00000000	µg/g	10.0	S	
CRP-94-04D	EXCV	CSO	UNK651	UNKNOWN		0.30000000	µg/g	10.0	S	
CRP-94-04D	EXCV	CSO	UNK663	UNKNOWN		0.30000000	µg/g	10.0	S	
CRP-94-04D	EXCV	CSO	UNK681	UNKNOWN		0.70000000	µg/g	10.0	S	
CRP-94-05A	EXCV	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	4.0	R	
CRP-94-05A	EXCV	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	4.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-05A	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	4.0	R	
CRP-94-05A	EXCV	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	4.0	R	
CRP-94-05A	EXCV	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	4.0	R	
CRP-94-05A	EXCV	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	4.0	R	
CRP-94-05A	EXCV	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	4.0	R	
CRP-94-05A	EXCV	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	4.0	R	
CRP-94-05A	EXCV	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	BZALC	BENZYL ALCOHOL		0.04700000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	4.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type	Test Name		Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-05A	EXCV	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	DNBP	DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	4.0	R	
CRP-94-05A	EXCV	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	4.0	R	
CRP-94-05A	EXCV	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	KEP	KEPONE	ND	1.30000000	µg/g	4.0	R	
CRP-94-05A	EXCV	CSO	LIN	LINDANE	LT	0.10000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	4.0	R	
CRP-94-05A	EXCV	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	4.0	R	
CRP-94-05A	EXCV	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	4.0	R	
CRP-94-05A	EXCV	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	4.0	R	
CRP-94-05A	EXCV	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	4.0	R	
CRP-94-05A	EXCV	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	PYR	PYRENE	LT	0.08300000	µg/g	4.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type	Test Name		Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-05A	EXCV	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	4.0		
CRP-94-05A	EXCV	CSO	UNK530	UNKNOWN		0.30000000	µg/g	4.0	S	
CRP-94-05A	EXCV	CSO	UNK538	UNKNOWN		0.90000000	µg/g	4.0	S	
CRP-94-05A	EXCV	CSO	UNK641	UNKNOWN		0.80000000	µg/g	4.0	S	
CRP-94-05A	EXCV	CSO	UNK682	UNKNOWN		0.30000000	µg/g	4.0	S	
CRP-94-05B	EXCV	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	5.0	R	
CRP-94-05B	EXCV	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	5.0	R	
CRP-94-05B	EXCV	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	5.0	R	
CRP-94-05B	EXCV	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	5.0	R	
CRP-94-05B	EXCV	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	5.0	R	
CRP-94-05B	EXCV	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	5.0		

Chemical Range (SWMU 7) Phase II RI Data

Chemical Class: **SEMIVOLATILES**

Site ID	Site Type	Media Type	Test Name		Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
CRP-94-05B	EXCV	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	5.0	R	
CRP-94-05B	EXCV	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	5.0	R	
CRP-94-05B	EXCV	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	BZALC	BENZYL ALCOHOL		0.05200000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	DNBP	DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	5.0	R	
CRP-94-05B	EXCV	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	5.0	R	
CRP-94-05B	EXCV	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	KEP	KEPONE	ND	1.30000000	µg/g	5.0	R	
CRP-94-05B	EXCV	CSO	LIN	LINDANE	LT	0.10000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	5.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type	Test Name		Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-05B	EXCV	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-05B	EXCV	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-05B	EXCV	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-05B	EXCV	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-05B	EXCV	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-05B	EXCV	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	PYR	PYRENE	LT	0.08300000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	5.0		
CRP-94-05B	EXCV	CSO	UNK530	UNKNOWN		0.30000000	µg/g	5.0	S	
CRP-94-05B	EXCV	CSO	UNK538	UNKNOWN		0.50000000	µg/g	5.0	S	
CRP-94-05B	EXCV	CSO	UNK641	UNKNOWN		0.90000000	µg/g	5.0	S	
CRP-94-05C	EXCV	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	7.0	R	
CRP-94-05C	EXCV	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	7.0	R	
CRP-94-05C	EXCV	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	7.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type	Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**									
CRP-94-05C	EXCV	CSO	4CANIL 4-CHLOROANILINE	ND	0.63000000	µg/g	7.0	R	
CRP-94-05C	EXCV	CSO	4CL3C 4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	4CLPPE 4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	4MP 4-METHYLPHENOL	LT	0.24000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	4NANIL 4-NITROANILINE	ND	3.10000000	µg/g	7.0	R	
CRP-94-05C	EXCV	CSO	4NP 4-NITROPHENOL	LT	3.30000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	ABHC ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	AENSLF ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	ALDRN ALDRIN	LT	1.30000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	ANAPN ACENEPHTHENE	LT	0.04100000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	ANAPY ACENAPHTHYLENE	LT	0.03300000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	ANIL ANILINE	ND	0.13000000	µg/g	7.0	R	
CRP-94-05C	EXCV	CSO	ANTRC ANTHRACENE	LT	0.71000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	ATZ ATRAZINE	LT	0.06500000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	B2CEX BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	B2CIPE BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	B2CLEE BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	B2EHP BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	BAANT BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	BAPYR BENZO [A] PYRENE	LT	1.20000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	BBFAN BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	BBHC BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	BBZP BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	BENSLF BETA-ENDOSULFAN	LT	2.40000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	BENZID BENZIDINE	ND	0.13000000	µg/g	7.0	R	
CRP-94-05C	EXCV	CSO	BENZO BENZOIC ACID	ND	3.10000000	µg/g	7.0	R	
CRP-94-05C	EXCV	CSO	BGHIPY BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	BKFAN BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	BZALC BENZYL ALCOHOL	LT	0.03200000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	CHRY CHRYSENE	LT	0.03200000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	CL6BZ HEXACHLOROBENZENE	LT	0.08000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	CL6CP HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	CL6ET HEXACHLOROETHANE	LT	1.80000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	CLDAN CHLORDANE	LT	0.68000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	CPMS 4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	CPMSO 4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	CPMSO2 4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	DBAHA DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	DBCP DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	DBHC DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	DBZFU DIBENZOFURAN	LT	0.38000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	DCPD DICYCLOPENTADIENE	LT	0.57000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	DDVP VAPONA	LT	0.06800000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	DEP DIETHYL PHTHALATE	LT	0.24000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	DITH DITHIANE	LT	0.06500000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	DLDRN DIELDRIN	LT	0.07900000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	DMP DIMETHYL PHTHALATE	LT	0.06300000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	DNBP DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	DNOP DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	ENDRN ENDRIN	LT	1.30000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	ENDRN ENDRIN ALDEHYDE	LT	1.80000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	ENDRN ENDRIN KETONE	ND	0.28000000	µg/g	7.0	R	

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-05C	EXCV	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	7.0	R	
CRP-94-05C	EXCV	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	KEP	KEPONE	ND	1.30000000	µg/g	7.0	R	
CRP-94-05C	EXCV	CSO	LIN	LINDANE	LT	0.10000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	7.0	R	
CRP-94-05C	EXCV	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	7.0	R	
CRP-94-05C	EXCV	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	7.0	R	
CRP-94-05C	EXCV	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	7.0	R	
CRP-94-05C	EXCV	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	7.0	R	
CRP-94-05C	EXCV	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	PYR	PYRENE	LT	0.08300000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	7.0		
CRP-94-05C	EXCV	CSO	UNK530	UNKNOWN		0.50000000	µg/g	7.0	S	
CRP-94-05C	EXCV	CSO	UNK538	UNKNOWN		0.80000000	µg/g	7.0	S	
CRP-94-05C	EXCV	CSO	UNK641	UNKNOWN		0.90000000	µg/g	7.0	S	
CRP-94-05D	EXCV	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	10.0	R	
CRP-94-05D	EXCV	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	10.0		

Chemical Range (SWMU 7) Phase II RI Data

Chemical Class: **SEMIVOLATILES**

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
CRP-94-05D	EXCV	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	10.0	R	
CRP-94-05D	EXCV	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	10.0	R	
CRP-94-05D	EXCV	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	10.0	R	
CRP-94-05D	EXCV	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	10.0	R	
CRP-94-05D	EXCV	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	10.0	R	
CRP-94-05D	EXCV	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	10.0	R	
CRP-94-05D	EXCV	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	BZALC	BENZYL ALCOHOL	LT	0.03200000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	10.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type	Test Name		Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-05D	EXCV	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	DNBP	DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	10.0	R	
CRP-94-05D	EXCV	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	10.0	R	
CRP-94-05D	EXCV	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	KEP	KEPONE	ND	1.30000000	µg/g	10.0	R	
CRP-94-05D	EXCV	CSO	LIN	LINDANE	LT	0.10000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-05D	EXCV	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-05D	EXCV	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-05D	EXCV	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-05D	EXCV	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-05D	EXCV	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	10.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type	Test Name		Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-05D	EXCV	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	PYR	PYRENE	LT	0.08300000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	10.0		
CRP-94-05D	EXCV	CSO	UNK530	UNKNOWN		0.40000000	µg/g	10.0	S	
CRP-94-05D	EXCV	CSO	UNK538	UNKNOWN		0.50000000	µg/g	10.0	S	
CRP-94-05D	EXCV	CSO	UNK641	UNKNOWN		0.70000000	µg/g	10.0	S	
CRP-94-06A	EXCV	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	0.5	R	
CRP-94-06A	EXCV	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRP-94-06A	EXCV	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	0.5	R	
CRP-94-06A	EXCV	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRP-94-06A	EXCV	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	0.5	R	
CRP-94-06A	EXCV	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	0.5		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type	Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**									
CRP-94-06A	EXCV	CSO	B2CLEE BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	B2EHP BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	BAANT BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	BAPYR BENZO [A] PYRENE	LT	1.20000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	BBFAN BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	BBHC BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	BBZP BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	BENSLF BETA-ENDOSULFAN	LT	2.40000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	BENZID BENZIDINE	ND	0.13000000	µg/g	0.5	R	
CRP-94-06A	EXCV	CSO	BENZO BENZOIC ACID	ND	3.10000000	µg/g	0.5	R	
CRP-94-06A	EXCV	CSO	BGHIPY BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	BKFAN BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	BZALC BENZYL ALCOHOL	LT	0.03200000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	CHRY CHRYSENE	LT	0.03200000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	CL6BZ HEXACHLOROBENZENE	LT	0.08000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	CL6CP HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	CL6ET HEXACHLOROETHANE	LT	1.80000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	CLDAN CHLORDANE	LT	0.68000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	CPMS 4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	CPMSO 4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	CPMSO2 4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	DBAHA DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	DBCP DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	DBHC DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	DBZFU DIBENZOFURAN	LT	0.38000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	DCPD DICYCLOPENTADIENE	LT	0.57000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	DDVP VAPONA	LT	0.06800000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	DEP DIETHYL PHTHALATE	LT	0.24000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	DITH DITHIANE	LT	0.06500000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	DLDRN DIELDRIN	LT	0.07900000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	DMP DIMETHYL PHTHALATE	LT	0.06300000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	DNBP DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	DNOP DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	ENDRN ENDRIN	LT	1.30000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	ENDRN ENDRIN ALDEHYDE	LT	1.80000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	ENDRN ENDRIN KETONE	ND	0.28000000	µg/g	0.5	R	
CRP-94-06A	EXCV	CSO	ESFSO4 ENDOSULFAN SULFATE	LT	1.20000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	FAMPH FAMOPHOS	ND	1.30000000	µg/g	0.5	R	
CRP-94-06A	EXCV	CSO	FANT FLUORANTHENE	LT	0.03200000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	FLRENE FLUORENE	LT	0.06500000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	HCBD HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	HPCL HEPTACHLOR	LT	0.24000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	HPCLE HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	ICDPYR INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	ISODR ISODRIN	LT	0.48000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	ISOPHR ISOPHORONE	LT	0.39000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	KEP KEPONE	ND	1.30000000	µg/g	0.5	R	
CRP-94-06A	EXCV	CSO	LIN LINDANE	LT	0.10000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	MEXCL METHOXYCHLOR	LT	0.26000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	MIREX 1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	MLTHN MALATHION	LT	0.18000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	NAP NAPHTHALENE	LT	0.74000000	µg/g	0.5		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type	Test Name		Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-06A	EXCV	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRP-94-06A	EXCV	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRP-94-06A	EXCV	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRP-94-06A	EXCV	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRP-94-06A	EXCV	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRP-94-06A	EXCV	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	PYR	PYRENE	LT	0.08300000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	0.5		
CRP-94-06A	EXCV	CSO	UNK640	UNKNOWN		1.00000000	µg/g	0.5	S	
CRP-94-06A	EXCV	CSO	UNK650	UNKNOWN		2.00000000	µg/g	0.5	S	
CRP-94-06A	EXCV	CSO	UNK662	UNKNOWN		2.00000000	µg/g	0.5	S	
CRP-94-06A	EXCV	CSO	UNK673	UNKNOWN		0.30000000	µg/g	0.5	S	
CRP-94-06A	EXCV	CSO	UNK678	UNKNOWN		0.70000000	µg/g	0.5	S	
CRP-94-06A	EXCV	CSO	UNK679	UNKNOWN		1.00000000	µg/g	0.5	S	
CRP-94-06A	EXCV	CSO	UNK704	UNKNOWN		0.30000000	µg/g	0.5	S	
CRP-94-06A	EXCV	CSO	UNK709	UNKNOWN		1.00000000	µg/g	0.5	S	
CRP-94-06B	EXCV	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	5.0	R	
CRP-94-06B	EXCV	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	5.0	R	

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-06B	EXCV	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	5.0	R	
CRP-94-06B	EXCV	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	5.0	R	
CRP-94-06B	EXCV	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	5.0	R	
CRP-94-06B	EXCV	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	5.0	R	
CRP-94-06B	EXCV	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	5.0	R	
CRP-94-06B	EXCV	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	BZALC	BENZYL ALCOHOL	LT	0.03200000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	5.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type	Test Name		Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-06B	EXCV	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	DNBP	DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	5.0	R	
CRP-94-06B	EXCV	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	5.0	R	
CRP-94-06B	EXCV	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	KEP	KEPONE	ND	1.30000000	µg/g	5.0	R	
CRP-94-06B	EXCV	CSO	LIN	LINDANE	LT	0.10000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-06B	EXCV	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-06B	EXCV	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-06B	EXCV	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-06B	EXCV	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-06B	EXCV	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	PYR	PYRENE	LT	0.08300000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	5.0		
CRP-94-06B	EXCV	CSO	UNK610	UNKNOWN		0.70000000	µg/g	5.0	S	
CRP-94-06B	EXCV	CSO	UNK640	UNKNOWN		2.00000000	µg/g	5.0	S	
CRP-94-06B	EXCV	CSO	UNK649	UNKNOWN		0.20000000	µg/g	5.0	S	
CRP-94-06B	EXCV	CSO	UNK662	UNKNOWN		0.40000000	µg/g	5.0	S	
CRP-94-06B	EXCV	CSO	UNK679	UNKNOWN		0.60000000	µg/g	5.0	S	
CRP-94-06C	EXCV	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	10.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-06C	EXCV	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	10.0	R	
CRP-94-06C	EXCV	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	10.0	R	
CRP-94-06C	EXCV	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	10.0	R	
CRP-94-06C	EXCV	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	10.0	R	
CRP-94-06C	EXCV	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	10.0	R	
CRP-94-06C	EXCV	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	10.0	R	

Chemical Range (SWMU 7) Phase II RI Data

Chemical Class: **SEMIVOLATILES**

Site ID	Site Type	Media Type	Test Name		Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
CRP-94-06C	EXCV	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	10.0	R	
CRP-94-06C	EXCV	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	BZALC	BENZYL ALCOHOL	LT	0.03200000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	DNBP	DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	10.0	R	
CRP-94-06C	EXCV	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	10.0	R	
CRP-94-06C	EXCV	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	KEP	KEPONE	ND	1.30000000	µg/g	10.0	R	
CRP-94-06C	EXCV	CSO	LIN	LINDANE	LT	0.10000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-06C	EXCV	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-06C	EXCV	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-06C	EXCV	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-06C	EXCV	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-06C	EXCV	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	PYR	PYRENE	LT	0.08300000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	10.0		
CRP-94-06C	EXCV	CSO	UNK610	UNKNOWN		0.60000000	µg/g	10.0	S	
CRP-94-06C	EXCV	CSO	UNK640	UNKNOWN		1.00000000	µg/g	10.0	S	
CRP-94-06C	EXCV	CSO	UNK679	UNKNOWN		0.50000000	µg/g	10.0	S	
CRP-94-07A	EXCV	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	0.5	R	
CRP-94-07A	EXCV	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRP-94-07A	EXCV	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	0.5	R	
CRP-94-07A	EXCV	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRP-94-07A	EXCV	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-07A	EXCV	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	0.5	R	
CRP-94-07A	EXCV	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	0.5	R	
CRP-94-07A	EXCV	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	0.5	R	
CRP-94-07A	EXCV	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	BZALC	BENZYL ALCOHOL	LT	0.03200000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	DNBP	DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	0.5	R	
CRP-94-07A	EXCV	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	0.5	R	
CRP-94-07A	EXCV	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	0.5		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type	Test Name		Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-07A	EXCV	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	KEP	KEPONE	ND	1.30000000	µg/g	0.5	R	
CRP-94-07A	EXCV	CSO	LIN	LINDANE	LT	0.10000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRP-94-07A	EXCV	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRP-94-07A	EXCV	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRP-94-07A	EXCV	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRP-94-07A	EXCV	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRP-94-07A	EXCV	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	PYR	PYRENE	LT	0.08300000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	0.5		
CRP-94-07A	EXCV	CSO	UNK640	UNKNOWN		2.00000000	µg/g	0.5	S	
CRP-94-07A	EXCV	CSO	UNK645	UNKNOWN		0.40000000	µg/g	0.5	S	
CRP-94-07A	EXCV	CSO	UNK648	UNKNOWN		0.30000000	µg/g	0.5	S	
CRP-94-07A	EXCV	CSO	UNK650	UNKNOWN		2.00000000	µg/g	0.5	S	
CRP-94-07A	EXCV	CSO	UNK662	UNKNOWN		2.00000000	µg/g	0.5	S	
CRP-94-07A	EXCV	CSO	UNK678	UNKNOWN		0.80000000	µg/g	0.5	S	
CRP-94-07A	EXCV	CSO	UNK679	UNKNOWN		0.80000000	µg/g	0.5	S	
CRP-94-07A	EXCV	CSO	UNK700	UNKNOWN		0.40000000	µg/g	0.5	S	
CRP-94-07A	EXCV	CSO	UNK703	UNKNOWN		0.30000000	µg/g	0.5	S	
CRP-94-07A	EXCV	CSO	UNK709	UNKNOWN		1.00000000	µg/g	0.5	S	
CRP-94-07B	EXCV	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	5.0	R	
CRP-94-07B	EXCV	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	5.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-07B	EXCV	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	5.0	R	
CRP-94-07B	EXCV	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	5.0	R	
CRP-94-07B	EXCV	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	5.0	R	
CRP-94-07B	EXCV	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	5.0	R	
CRP-94-07B	EXCV	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	5.0	R	
CRP-94-07B	EXCV	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	5.0	R	
CRP-94-07B	EXCV	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	BZALC	BENZYL ALCOHOL	LT	0.03200000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	5.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-07B	EXCV	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	DNBP	DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	5.0	R	
CRP-94-07B	EXCV	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	5.0	R	
CRP-94-07B	EXCV	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	KEP	KEPONE	ND	1.30000000	µg/g	5.0	R	
CRP-94-07B	EXCV	CSO	LIN	LINDANE	LT	0.10000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-07B	EXCV	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-07B	EXCV	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-07B	EXCV	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-07B	EXCV	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-07B	EXCV	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	5.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type	Test Name		Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-07B	EXCV	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	PYR	PYRENE	LT	0.08300000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	5.0		
CRP-94-07B	EXCV	CSO	UNK610	UNKNOWN		0.50000000	µg/g	5.0	S	
CRP-94-07B	EXCV	CSO	UNK640	UNKNOWN		0.70000000	µg/g	5.0	S	
CRP-94-07C	EXCV	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	10.0	R	
CRP-94-07C	EXCV	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	10.0	R	
CRP-94-07C	EXCV	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	10.0	R	
CRP-94-07C	EXCV	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	10.0	R	
CRP-94-07C	EXCV	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	10.0	R	
CRP-94-07C	EXCV	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	10.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-07C	EXCV	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	10.0	R	
CRP-94-07C	EXCV	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	10.0	R	
CRP-94-07C	EXCV	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	BZALC	BENZYL ALCOHOL	LT	0.03200000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	DNBP	DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	10.0	R	
CRP-94-07C	EXCV	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	10.0	R	
CRP-94-07C	EXCV	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	KEP	KEPONE	ND	1.30000000	µg/g	10.0	R	
CRP-94-07C	EXCV	CSO	LIN	LINDANE	LT	0.10000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	10.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-07C	EXCV	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-07C	EXCV	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-07C	EXCV	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-07C	EXCV	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-07C	EXCV	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-07C	EXCV	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	PYR	PYRENE	LT	0.08300000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	10.0		
CRP-94-07C	EXCV	CSO	UNK610	UNKNOWN		0.40000000	µg/g	10.0	S	
CRP-94-07C	EXCV	CSO	UNK640	UNKNOWN		0.80000000	µg/g	10.0	S	
CRP-94-07C	EXCV	CSO	UNK679	UNKNOWN		0.30000000	µg/g	10.0	S	
CRP-94-08A	EXCV	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	0.5	R	
CRP-94-08A	EXCV	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRP-94-08A	EXCV	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	0.5		

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-08A	EXCV	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	0.5	R	
CRP-94-08A	EXCV	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRP-94-08A	EXCV	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	0.5	R	
CRP-94-08A	EXCV	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	0.5	R	
CRP-94-08A	EXCV	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	0.5	R	
CRP-94-08A	EXCV	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	BZALC	BENZYL ALCOHOL	LT	0.03200000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	DNBP	DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	0.5		

Chemical Range (SWMU 7) Phase II RI Data

Chemical Class: **SEMIVOLATILES**

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
CRP-94-08A	EXCV	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	0.5	R	
CRP-94-08A	EXCV	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	0.5	R	
CRP-94-08A	EXCV	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	KEP	KEPONE	ND	1.30000000	µg/g	0.5	R	
CRP-94-08A	EXCV	CSO	LIN	LINDANE	LT	0.10000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRP-94-08A	EXCV	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRP-94-08A	EXCV	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRP-94-08A	EXCV	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRP-94-08A	EXCV	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRP-94-08A	EXCV	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	PYR	PYRENE	LT	0.08300000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	0.5		
CRP-94-08A	EXCV	CSO	UNK519	UNKNOWN		0.40000000	µg/g	0.5	S	
CRP-94-08A	EXCV	CSO	UNK610	UNKNOWN		0.30000000	µg/g	0.5	S	
CRP-94-08A	EXCV	CSO	UNK631	UNKNOWN		0.30000000	µg/g	0.5	S	
CRP-94-08A	EXCV	CSO	UNK640	UNKNOWN		2.00000000	µg/g	0.5	S	
CRP-94-08A	EXCV	CSO	UNK645	UNKNOWN		0.30000000	µg/g	0.5	S	
CRP-94-08A	EXCV	CSO	UNK648	UNKNOWN		0.40000000	µg/g	0.5	S	
CRP-94-08A	EXCV	CSO	UNK650	UNKNOWN		3.00000000	µg/g	0.5	S	
CRP-94-08A	EXCV	CSO	UNK662	UNKNOWN		0.40000000	µg/g	0.5	S	
CRP-94-08A	EXCV	CSO	UNK662	UNKNOWN		0.90000000	µg/g	0.5	D	
CRP-94-08A	EXCV	CSO	UNK678	UNKNOWN		0.40000000	µg/g	0.5	S	
CRP-94-08A	EXCV	CSO	UNK679	UNKNOWN		1.00000000	µg/g	0.5	S	
CRP-94-08A	EXCV	CSO	UNK700	UNKNOWN		0.50000000	µg/g	0.5	S	

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-08A	EXCV	CSO	UNK705	UNKNOWN		0.30000000	µg/g	0.5	S	
CRP-94-08A	EXCV	CSO	UNK709	UNKNOWN		1.00000000	µg/g	0.5	S	
CRP-94-08B	EXCV	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	5.0	R	
CRP-94-08B	EXCV	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	5.0	R	
CRP-94-08B	EXCV	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	5.0	R	
CRP-94-08B	EXCV	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	5.0	R	
CRP-94-08B	EXCV	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	5.0	R	
CRP-94-08B	EXCV	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	5.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-08B	EXCV	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	5.0	R	
CRP-94-08B	EXCV	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	5.0	R	
CRP-94-08B	EXCV	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	BZALC	BENZYL ALCOHOL	LT	0.03200000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	DNBP	DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	5.0	R	
CRP-94-08B	EXCV	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	5.0	R	
CRP-94-08B	EXCV	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	KEP	KEPONE	ND	1.30000000	µg/g	5.0	R	
CRP-94-08B	EXCV	CSO	LIN	LINDANE	LT	0.10000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	5.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-08B	EXCV	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-08B	EXCV	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-08B	EXCV	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-08B	EXCV	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-08B	EXCV	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-08B	EXCV	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	PYR	PYRENE	LT	0.08300000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	5.0		
CRP-94-08B	EXCV	CSO	UNK531	UNKNOWN		0.40000000	µg/g	5.0	S	
CRP-94-08B	EXCV	CSO	UNK610	UNKNOWN		0.50000000	µg/g	5.0	S	
CRP-94-08B	EXCV	CSO	UNK640	UNKNOWN		1.00000000	µg/g	5.0	S	
CRP-94-08B	EXCV	CSO	UNK650	UNKNOWN		0.50000000	µg/g	5.0	S	
CRP-94-08B	EXCV	CSO	UNK679	UNKNOWN		0.40000000	µg/g	5.0	S	
CRP-94-08C	EXCV	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	10.0	R	
CRP-94-08C	EXCV	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	10.0	R	
CRP-94-08C	EXCV	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	10.0	R	
CRP-94-08C	EXCV	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	10.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-08C	EXCV	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	10.0	R	
CRP-94-08C	EXCV	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	10.0	R	
CRP-94-08C	EXCV	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	10.0	R	
CRP-94-08C	EXCV	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	10.0	R	
CRP-94-08C	EXCV	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	BZALC	BENZYL ALCOHOL	LT	0.03200000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	DNBP	DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	10.0	R	
CRP-94-08C	EXCV	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	10.0	R	

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type	Test Name		Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-08C	EXCV	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	KEP	KEPONE	ND	1.30000000	µg/g	10.0	R	
CRP-94-08C	EXCV	CSO	LIN	LINDANE	LT	0.10000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-08C	EXCV	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-08C	EXCV	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-08C	EXCV	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-08C	EXCV	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-08C	EXCV	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	PYR	PYRENE	LT	0.08300000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	10.0		
CRP-94-08C	EXCV	CSO	UNK531	UNKNOWN		0.40000000	µg/g	10.0	S	
CRP-94-08C	EXCV	CSO	UNK610	UNKNOWN		0.80000000	µg/g	10.0	S	
CRP-94-08C	EXCV	CSO	UNK640	UNKNOWN		0.90000000	µg/g	10.0	S	
CRP-94-09A	EXCV	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	0.5	R	
CRP-94-09A	EXCV	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	0.5	RD	

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-09A	EXCV	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	0.5	RD	
CRP-94-09A	EXCV	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRP-94-09A	EXCV	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	0.5	RD	
CRP-94-09A	EXCV	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	0.5	R	
CRP-94-09A	EXCV	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	0.5	D	

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-09A	EXCV	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	0.5	RD	
CRP-94-09A	EXCV	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRP-94-09A	EXCV	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	0.5	R	
CRP-94-09A	EXCV	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	0.5	RD	
CRP-94-09A	EXCV	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	0.5	R	
CRP-94-09A	EXCV	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	0.5	RD	
CRP-94-09A	EXCV	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	0.5	RD	
CRP-94-09A	EXCV	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	0.5	R	
CRP-94-09A	EXCV	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	BZALC	BENZYL ALCOHOL		0.05200000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	BZALC	BENZYL ALCOHOL	LT	0.03200000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	0.5		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type	Test Name		Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-09A	EXCV	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	DNBP	DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	DNBP	DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	0.5	RD	
CRP-94-09A	EXCV	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	0.5	R	
CRP-94-09A	EXCV	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	0.5	RD	
CRP-94-09A	EXCV	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	0.5	R	
CRP-94-09A	EXCV	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	0.5		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type	Test Name		Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-09A	EXCV	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	KEP	KEPONE	ND	1.30000000	µg/g	0.5	RD	
CRP-94-09A	EXCV	CSO	KEP	KEPONE	ND	1.30000000	µg/g	0.5	R	
CRP-94-09A	EXCV	CSO	LIN	LINDANE	LT	0.10000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	LIN	LINDANE	LT	0.10000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRP-94-09A	EXCV	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	RD	
CRP-94-09A	EXCV	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	RD	
CRP-94-09A	EXCV	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRP-94-09A	EXCV	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRP-94-09A	EXCV	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	RD	
CRP-94-09A	EXCV	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	RD	
CRP-94-09A	EXCV	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRP-94-09A	EXCV	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRP-94-09A	EXCV	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	RD	
CRP-94-09A	EXCV	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	0.5		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-09A	EXCV	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	PYR	PYRENE	LT	0.08300000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	PYR	PYRENE	LT	0.08300000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	0.5		
CRP-94-09A	EXCV	CSO	UNK519	UNKNOWN		0.40000000	µg/g	0.5	S	
CRP-94-09A	EXCV	CSO	UNK520	UNKNOWN		0.30000000	µg/g	0.5	S	
CRP-94-09A	EXCV	CSO	UNK640	UNKNOWN		1.00000000	µg/g	0.5	S	
CRP-94-09A	EXCV	CSO	UNK640	UNKNOWN		2.00000000	µg/g	0.5	SD	
CRP-94-09A	EXCV	CSO	UNK650	UNKNOWN		2.00000000	µg/g	0.5	SD	
CRP-94-09A	EXCV	CSO	UNK650	UNKNOWN		1.00000000	µg/g	0.5	S	
CRP-94-09A	EXCV	CSO	UNK662	UNKNOWN		0.60000000	µg/g	0.5	S	
CRP-94-09A	EXCV	CSO	UNK662	UNKNOWN		0.40000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	UNK662	UNKNOWN		0.30000000	µg/g	0.5	SD	
CRP-94-09A	EXCV	CSO	UNK662	UNKNOWN		0.60000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	UNK679	UNKNOWN		0.30000000	µg/g	0.5	SD	
CRP-94-09A	EXCV	CSO	UNK679	UNKNOWN		0.80000000	µg/g	0.5	S	
CRP-94-09A	EXCV	CSO	UNK679	UNKNOWN		0.60000000	µg/g	0.5	D	
CRP-94-09A	EXCV	CSO	UNK680	UNKNOWN		0.60000000	µg/g	0.5	SD	
CRP-94-09A	EXCV	CSO	UNK703	UNKNOWN		0.30000000	µg/g	0.5	S	
CRP-94-09A	EXCV	CSO	UNK709	UNKNOWN		0.60000000	µg/g	0.5	S	
CRP-94-09A	EXCV	CSO	UNK709	UNKNOWN		0.50000000	µg/g	0.5	SD	
CRP-94-09B	EXCV	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	5.0	R	
CRP-94-09B	EXCV	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	5.0	RD	
CRP-94-09B	EXCV	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	5.0	D	

Chemical Class: **SEMIVOLATILES**

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
CRP-94-09B	EXCV	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	5.0	RD	
CRP-94-09B	EXCV	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	5.0	R	
CRP-94-09B	EXCV	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	5.0	RD	
CRP-94-09B	EXCV	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	5.0	R	
CRP-94-09B	EXCV	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	5.0	RD	
CRP-94-09B	EXCV	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	5.0	R	
CRP-94-09B	EXCV	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	5.0	D	

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type	Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**									
CRP-94-09B	EXCV	CSO	ABHC ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	AENSLF ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	AENSLF ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	ALDRN ALDRIN	LT	1.30000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	ALDRN ALDRIN	LT	1.30000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	ANAPN ACENEPHTHENE	LT	0.04100000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	ANAPN ACENEPHTHENE	LT	0.04100000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	ANAPY ACENAPHTHYLENE	LT	0.03300000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	ANAPY ACENAPHTHYLENE	LT	0.03300000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	ANIL ANILINE	ND	0.13000000	µg/g	5.0	R	
CRP-94-09B	EXCV	CSO	ANIL ANILINE	ND	0.13000000	µg/g	5.0	RD	
CRP-94-09B	EXCV	CSO	ANTRC ANTHRACENE	LT	0.71000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	ANTRC ANTHRACENE	LT	0.71000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	ATZ ATRAZINE	LT	0.06500000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	ATZ ATRAZINE	LT	0.06500000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	B2CEX BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	B2CEX BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	B2CIPE BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	B2CIPE BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	B2CLEE BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	B2CLEE BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	B2EHP BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	B2EHP BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	BAANT BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	BAANT BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	BAPYR BENZO [A] PYRENE	LT	1.20000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	BAPYR BENZO [A] PYRENE	LT	1.20000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	BBFAN BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	BBFAN BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	BBHC BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	BBHC BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	BBZP BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	BBZP BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	BENSLF BETA-ENDOSULFAN	LT	2.40000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	BENSLF BETA-ENDOSULFAN	LT	2.40000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	BENZID BENZIDINE	ND	0.13000000	µg/g	5.0	R	
CRP-94-09B	EXCV	CSO	BENZID BENZIDINE	ND	0.13000000	µg/g	5.0	RD	
CRP-94-09B	EXCV	CSO	BENZO BENZOIC ACID	ND	3.10000000	µg/g	5.0	RD	
CRP-94-09B	EXCV	CSO	BENZO BENZOIC ACID	ND	3.10000000	µg/g	5.0	R	
CRP-94-09B	EXCV	CSO	BGHIPY BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	BGHIPY BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	BKFAN BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	BKFAN BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	BZALC BENZYL ALCOHOL		0.04900000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	BZALC BENZYL ALCOHOL	LT	0.03200000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	CHRY CHRYSENE	LT	0.03200000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	CHRY CHRYSENE	LT	0.03200000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	CL6BZ HEXACHLOROBENZENE	LT	0.08000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	CL6BZ HEXACHLOROBENZENE	LT	0.08000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	CL6CP HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	CL6CP HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	CL6ET HEXACHLOROETHANE	LT	1.80000000	µg/g	5.0		

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-09B	EXCV	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	DNBP	DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	DNBP	DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	5.0	RD	
CRP-94-09B	EXCV	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	5.0	R	
CRP-94-09B	EXCV	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	5.0	RD	
CRP-94-09B	EXCV	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	5.0	R	
CRP-94-09B	EXCV	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	5.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type	Test Name		Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-09B	EXCV	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	KEP	KEPONE	ND	1.30000000	µg/g	5.0	RD	
CRP-94-09B	EXCV	CSO	KEP	KEPONE	ND	1.30000000	µg/g	5.0	R	
CRP-94-09B	EXCV	CSO	LIN	LINDANE	LT	0.10000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	LIN	LINDANE	LT	0.10000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-09B	EXCV	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	RD	
CRP-94-09B	EXCV	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	RD	
CRP-94-09B	EXCV	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-09B	EXCV	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-09B	EXCV	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	RD	
CRP-94-09B	EXCV	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	RD	
CRP-94-09B	EXCV	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-09B	EXCV	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-09B	EXCV	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	RD	
CRP-94-09B	EXCV	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	5.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-09B	EXCV	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	PYR	PYRENE	LT	0.08300000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	PYR	PYRENE	LT	0.08300000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	5.0	D	
CRP-94-09B	EXCV	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	5.0		
CRP-94-09B	EXCV	CSO	UNK610	UNKNOWN		0.50000000	µg/g	5.0	S	
CRP-94-09B	EXCV	CSO	UNK610	UNKNOWN		0.40000000	µg/g	5.0	SD	
CRP-94-09B	EXCV	CSO	UNK640	UNKNOWN		0.80000000	µg/g	5.0	SD	
CRP-94-09B	EXCV	CSO	UNK640	UNKNOWN		0.80000000	µg/g	5.0	S	
CRP-94-09B	EXCV	CSO	UNK650	UNKNOWN		0.40000000	µg/g	5.0	S	
CRP-94-09B	EXCV	CSO	UNK650	UNKNOWN		0.40000000	µg/g	5.0	SD	
CRP-94-09C	EXCV	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	10.0	R	
CRP-94-09C	EXCV	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	10.0	RD	
CRP-94-09C	EXCV	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	10.0	D	

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-09C	EXCV	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	10.0	RD	
CRP-94-09C	EXCV	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	10.0	R	
CRP-94-09C	EXCV	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	10.0	RD	
CRP-94-09C	EXCV	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	10.0	R	
CRP-94-09C	EXCV	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	10.0	RD	
CRP-94-09C	EXCV	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	10.0	R	
CRP-94-09C	EXCV	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	10.0	R	
CRP-94-09C	EXCV	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	10.0	RD	
CRP-94-09C	EXCV	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	10.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-09C	EXCV	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	10.0	R	
CRP-94-09C	EXCV	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	10.0	RD	
CRP-94-09C	EXCV	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	10.0	RD	
CRP-94-09C	EXCV	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	10.0	R	
CRP-94-09C	EXCV	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	BZALC	BENZYL ALCOHOL		0.06100000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	BZALC	BENZYL ALCOHOL		0.05600000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	10.0		

Chemical Range (SWMU 7) Phase II RI Data

Chemical Class: **SEMIVOLATILES**

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
CRP-94-09C	EXCV	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	DNBP	DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	DNBP	DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	10.0	RD	
CRP-94-09C	EXCV	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	10.0	R	
CRP-94-09C	EXCV	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	10.0	RD	
CRP-94-09C	EXCV	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	10.0	R	
CRP-94-09C	EXCV	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	KEP	KEPONE	ND	1.30000000	µg/g	10.0	RD	
CRP-94-09C	EXCV	CSO	KEP	KEPONE	ND	1.30000000	µg/g	10.0	R	
CRP-94-09C	EXCV	CSO	LIN	LINDANE	LT	0.10000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	LIN	LINDANE	LT	0.10000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	10.0		

Chemical Range (SWMU 7) Phase II RI Data

Chemical Class: **SEMIVOLATILES**

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
CRP-94-09C	EXCV	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-09C	EXCV	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	RD	
CRP-94-09C	EXCV	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	RD	
CRP-94-09C	EXCV	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-09C	EXCV	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-09C	EXCV	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	RD	
CRP-94-09C	EXCV	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	RD	
CRP-94-09C	EXCV	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-09C	EXCV	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-09C	EXCV	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	RD	
CRP-94-09C	EXCV	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	PYR	PYRENE	LT	0.08300000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	PYR	PYRENE	LT	0.08300000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	10.0	D	
CRP-94-09C	EXCV	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	10.0		
CRP-94-09C	EXCV	CSO	UNK520	UNKNOWN		0.50000000	µg/g	10.0	S	
CRP-94-09C	EXCV	CSO	UNK531	UNKNOWN		0.50000000	µg/g	10.0	S	
CRP-94-09C	EXCV	CSO	UNK610	UNKNOWN		0.70000000	µg/g	10.0	S	

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-09C	EXCV	CSO	UNK610	UNKNOWN		0.50000000	µg/g	10.0	SD	
CRP-94-09C	EXCV	CSO	UNK640	UNKNOWN		0.60000000	µg/g	10.0	SD	
CRP-94-09C	EXCV	CSO	UNK640	UNKNOWN		1.00000000	µg/g	10.0	S	
CRP-94-09C	EXCV	CSO	UNK680	UNKNOWN		0.50000000	µg/g	10.0	S	
CRP-94-10A	EXCV	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	0.5	R	
CRP-94-10A	EXCV	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRP-94-10A	EXCV	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	0.5	R	
CRP-94-10A	EXCV	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRP-94-10A	EXCV	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	0.5	R	
CRP-94-10A	EXCV	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	0.5		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-10A	EXCV	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	0.5	R	
CRP-94-10A	EXCV	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	0.5	R	
CRP-94-10A	EXCV	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	BZALC	BENZYL ALCOHOL	LT	0.03200000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	DNBP	DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	0.5	R	
CRP-94-10A	EXCV	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	0.5	R	
CRP-94-10A	EXCV	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	KEP	KEPONE	ND	1.30000000	µg/g	0.5	R	
CRP-94-10A	EXCV	CSO	LIN	LINDANE	LT	0.10000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	0.5		

Chemical Range (SWMU 7) Phase II RI Data

Chemical Class: **SEMIVOLATILES**

Site ID	Site Type	Media Type	Test Name		Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
CRP-94-10A	EXCV	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRP-94-10A	EXCV	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRP-94-10A	EXCV	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRP-94-10A	EXCV	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRP-94-10A	EXCV	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRP-94-10A	EXCV	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	PYR	PYRENE	LT	0.08300000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	0.5		
CRP-94-10A	EXCV	CSO	UNK519	UNKNOWN		0.30000000	µg/g	0.5	S	
CRP-94-10A	EXCV	CSO	UNK640	UNKNOWN		0.90000000	µg/g	0.5	S	
CRP-94-10A	EXCV	CSO	UNK650	UNKNOWN		0.60000000	µg/g	0.5	S	
CRP-94-10A	EXCV	CSO	UNK662	UNKNOWN		0.30000000	µg/g	0.5	S	
CRP-94-10A	EXCV	CSO	UNK663	UNKNOWN		0.40000000	µg/g	0.5	S	
CRP-94-10A	EXCV	CSO	UNK678	UNKNOWN		0.40000000	µg/g	0.5	S	
CRP-94-10A	EXCV	CSO	UNK680	UNKNOWN		0.30000000	µg/g	0.5	S	
CRP-94-10A	EXCV	CSO	UNK710	UNKNOWN		0.60000000	µg/g	0.5	S	
CRP-94-10B	EXCV	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	5.0	R	
CRP-94-10B	EXCV	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	5.0	R	
CRP-94-10B	EXCV	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	5.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-10B	EXCV	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	5.0	R	
CRP-94-10B	EXCV	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	5.0	R	
CRP-94-10B	EXCV	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	5.0	R	
CRP-94-10B	EXCV	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	5.0	R	
CRP-94-10B	EXCV	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	5.0	R	
CRP-94-10B	EXCV	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	BZALC	BENZYL ALCOHOL	LT	0.03200000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	DNBP	DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	5.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-10B	EXCV	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	5.0	R	
CRP-94-10B	EXCV	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	5.0	R	
CRP-94-10B	EXCV	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	KEP	KEPONE	ND	1.30000000	µg/g	5.0	R	
CRP-94-10B	EXCV	CSO	LIN	LINDANE	LT	0.10000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-10B	EXCV	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-10B	EXCV	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-10B	EXCV	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-10B	EXCV	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-10B	EXCV	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	PYR	PYRENE	LT	0.08300000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	5.0		
CRP-94-10B	EXCV	CSO	UNK610	UNKNOWN		0.40000000	µg/g	5.0	S	
CRP-94-10B	EXCV	CSO	UNK640	UNKNOWN		1.00000000	µg/g	5.0	S	
CRP-94-10B	EXCV	CSO	UNK650	UNKNOWN		0.40000000	µg/g	5.0	S	
CRP-94-10B	EXCV	CSO	UNK661	UNKNOWN		0.70000000	µg/g	5.0	S	
CRP-94-10B	EXCV	CSO	UNK680	UNKNOWN		0.50000000	µg/g	5.0	S	
CRP-94-10C	EXCV	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	10.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-10C	EXCV	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	10.0	R	
CRP-94-10C	EXCV	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	10.0	R	
CRP-94-10C	EXCV	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	10.0	R	
CRP-94-10C	EXCV	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	10.0	R	
CRP-94-10C	EXCV	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	10.0	R	
CRP-94-10C	EXCV	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	10.0	R	
CRP-94-10C	EXCV	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	10.0	R	
CRP-94-10C	EXCV	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	BZALC	BENZYL ALCOHOL		0.05400000	µg/g	10.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-10C	EXCV	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	DNBP	DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	10.0	R	
CRP-94-10C	EXCV	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	10.0	R	
CRP-94-10C	EXCV	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	KEP	KEPONE	ND	1.30000000	µg/g	10.0	R	
CRP-94-10C	EXCV	CSO	LIN	LINDANE	LT	0.10000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-10C	EXCV	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-10C	EXCV	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-10C	EXCV	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-10C	EXCV	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-10C	EXCV	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	10.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-10C	EXCV	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	PYR	PYRENE	LT	0.08300000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	10.0		
CRP-94-10C	EXCV	CSO	UNK610	UNKNOWN		0.50000000	µg/g	10.0	S	
CRP-94-10C	EXCV	CSO	UNK640	UNKNOWN		0.60000000	µg/g	10.0	S	
CRP-94-10C	EXCV	CSO	UNK680	UNKNOWN		0.40000000	µg/g	10.0	S	
CRP-94-11A	EXCV	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	0.5	R	
CRP-94-11A	EXCV	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRP-94-11A	EXCV	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	0.5	R	
CRP-94-11A	EXCV	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRP-94-11A	EXCV	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	0.5		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type	Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**									
CRP-94-11A	EXCV	CSO	ANIL ANILINE	ND	0.13000000	µg/g	0.5	R	
CRP-94-11A	EXCV	CSO	ANTRC ANTHRACENE	LT	0.71000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	ATZ ATRAZINE	LT	0.06500000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	B2CEX BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	B2CIPE BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	B2CLEE BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	B2EHP BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	BAANT BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	BAPYR BENZO [A] PYRENE	LT	1.20000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	BBFAN BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	BBHC BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	BBZP BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	BENSLF BETA-ENDOSULFAN	LT	2.40000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	BENZID BENZIDINE	ND	0.13000000	µg/g	0.5	R	
CRP-94-11A	EXCV	CSO	BENZO BENZOIC ACID	ND	3.10000000	µg/g	0.5	R	
CRP-94-11A	EXCV	CSO	BGHIPY BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	BKFAN BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	BZALC BENZYL ALCOHOL	LT	0.03200000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	CHRY CHRYSENE	LT	0.03200000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	CL6BZ HEXACHLOROBENZENE	LT	0.08000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	CL6CP HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	CL6ET HEXACHLOROETHANE	LT	1.80000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	CLDAN CHLORDANE	LT	0.68000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	CPMS 4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	CPMSO 4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	CPMSO2 4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	DBAHA DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	DBCP DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	DBHC DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	DBZFU DIBENZOFURAN	LT	0.38000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	DCPD DICYCLOPENTADIENE	LT	0.57000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	DDVP VAPONA	LT	0.06800000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	DEP DIETHYL PHTHALATE	LT	0.24000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	DITH DITHIANE	LT	0.06500000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	DLDRN DIELDRIN	LT	0.07900000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	DMP DIMETHYL PHTHALATE	LT	0.06300000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	DNBP DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	DNOP DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	ENDRN ENDRIN	LT	1.30000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	ENDRN ENDRIN ALDEHYDE	LT	1.80000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	ENDRN ENDRIN KETONE	ND	0.28000000	µg/g	0.5	R	
CRP-94-11A	EXCV	CSO	ESFSO4 ENDOSULFAN SULFATE	LT	1.20000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	FAMPH FAMOPHOS	ND	1.30000000	µg/g	0.5	R	
CRP-94-11A	EXCV	CSO	FANT FLUORANTHENE	LT	0.03200000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	FLRENE FLUORENE	LT	0.06500000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	HCBD HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	HPCL HEPTACHLOR	LT	0.24000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	HPCLE HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	ICDPYR INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	ISODR ISODRIN	LT	0.48000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	ISOPHR ISOPHORONE	LT	0.39000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	KEP KEPONE	ND	1.30000000	µg/g	0.5	R	

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-11A	EXCV	CSO	LIN	LINDANE	LT	0.10000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRP-94-11A	EXCV	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRP-94-11A	EXCV	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRP-94-11A	EXCV	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRP-94-11A	EXCV	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRP-94-11A	EXCV	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	PYR	PYRENE	LT	0.08300000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	0.5		
CRP-94-11A	EXCV	CSO	UNK640	UNKNOWN		0.80000000	µg/g	0.5	S	
CRP-94-11A	EXCV	CSO	UNK650	UNKNOWN		0.70000000	µg/g	0.5	S	
CRP-94-11A	EXCV	CSO	UNK662	UNKNOWN		1.00000000	µg/g	0.5	S	
CRP-94-11A	EXCV	CSO	UNK663	UNKNOWN		0.50000000	µg/g	0.5	S	
CRP-94-11A	EXCV	CSO	UNK679	UNKNOWN		1.00000000	µg/g	0.5	S	
CRP-94-11A	EXCV	CSO	UNK680	UNKNOWN		0.60000000	µg/g	0.5	S	
CRP-94-11B	EXCV	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	5.0	R	
CRP-94-11B	EXCV	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	5.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-11B	EXCV	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	5.0	R	
CRP-94-11B	EXCV	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	5.0	R	
CRP-94-11B	EXCV	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	5.0	R	
CRP-94-11B	EXCV	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	5.0	R	
CRP-94-11B	EXCV	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	5.0	R	
CRP-94-11B	EXCV	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	5.0	R	
CRP-94-11B	EXCV	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	BZALC	BENZYL ALCOHOL	LT	0.03200000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	5.0		

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-11B	EXCV	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	DNBP	DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	5.0	R	
CRP-94-11B	EXCV	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	5.0	R	
CRP-94-11B	EXCV	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	KEP	KEPONE	ND	1.30000000	µg/g	5.0	R	
CRP-94-11B	EXCV	CSO	LIN	LINDANE	LT	0.10000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-11B	EXCV	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-11B	EXCV	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-11B	EXCV	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-11B	EXCV	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-11B	EXCV	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	PYR	PYRENE	LT	0.08300000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	5.0		
CRP-94-11B	EXCV	CSO	UNK527	UNKNOWN		0.30000000	µg/g	5.0	S	
CRP-94-11B	EXCV	CSO	UNK610	UNKNOWN		0.50000000	µg/g	5.0	S	
CRP-94-11B	EXCV	CSO	UNK640	UNKNOWN		2.00000000	µg/g	5.0	S	

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type	Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**									
CRP-94-11B	EXCV	CSO	UNK680 UNKNOWN		0.50000000	µg/g	5.0	S	
CRP-94-11C	EXCV	CSO	123TCB 1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	124TCB 1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	12DCLB 1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	12DPH 1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	13DCLB 1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	13DNB 1,3-DINITROBENZENE	ND	0.63000000	µg/g	9.0	R	
CRP-94-11C	EXCV	CSO	14DCLB 1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	236TCP 2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	245TCP 2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	246TCP 2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	24DCLP 2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	24DMP 2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	24DNP 2,4-DINITROPHENOL	LT	4.70000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	24DNT 2,4-DINITROTOLUENE	LT	1.40000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	26DNA 2,6-DINITROANILINE	LT	0.57000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	26DNT 2,6-DINITROTOLUENE	LT	0.32000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	2CLP 2-CHLOROPHENOL	LT	0.05500000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	2CNAP 2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	2MNAP 2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	2MP 2-METHYLPHENOL	LT	0.09800000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	2NANIL 2-NITROANILINE	ND	3.10000000	µg/g	9.0	R	
CRP-94-11C	EXCV	CSO	2NP 2-NITROPHENOL	LT	1.10000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	33DCBD 3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	35DNA 3,5-DINITROANILINE	LT	1.60000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	3NANIL 3-NITROANILINE	LT	3.00000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	3NT 3-NITROTOLUENE	LT	0.34000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	46DN2C 4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	4BRPPE 4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	4CANIL 4-CHLOROANILINE	ND	0.63000000	µg/g	9.0	R	
CRP-94-11C	EXCV	CSO	4CL3C 4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	4CLPPE 4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	4MP 4-METHYLPHENOL	LT	0.24000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	4NANIL 4-NITROANILINE	ND	3.10000000	µg/g	9.0	R	
CRP-94-11C	EXCV	CSO	4NP 4-NITROPHENOL	LT	3.30000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	ABHC ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	AENSLF ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	ALDRN ALDRIN	LT	1.30000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	ANAPN ACENEPHTHENE	LT	0.04100000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	ANAPY ACENAPHTHYLENE	LT	0.03300000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	ANIL ANILINE	ND	0.13000000	µg/g	9.0	R	
CRP-94-11C	EXCV	CSO	ANTRC ANTHRACENE	LT	0.71000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	ATZ ATRAZINE	LT	0.06500000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	B2CEX BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	B2CIPE BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	B2CLEE BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	B2EHP BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	BAANT BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	BAPYR BENZO [A] PYRENE	LT	1.20000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	BBFAN BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	BBHC BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	BBZP BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	9.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-11C	EXCV	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	9.0	R	
CRP-94-11C	EXCV	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	9.0	R	
CRP-94-11C	EXCV	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	BZALC	BENZYL ALCOHOL		0.04100000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	DNBP	DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	9.0	R	
CRP-94-11C	EXCV	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	9.0	R	
CRP-94-11C	EXCV	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	KEP	KEPONE	ND	1.30000000	µg/g	9.0	R	
CRP-94-11C	EXCV	CSO	LIN	LINDANE	LT	0.10000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	9.0	R	

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-11C	EXCV	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	9.0	R	
CRP-94-11C	EXCV	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	9.0	R	
CRP-94-11C	EXCV	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	9.0	R	
CRP-94-11C	EXCV	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	9.0	R	
CRP-94-11C	EXCV	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	PYR	PYRENE	LT	0.08300000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	9.0		
CRP-94-11C	EXCV	CSO	UNK520	UNKNOWN		0.30000000	µg/g	9.0	S	
CRP-94-11C	EXCV	CSO	UNK610	UNKNOWN		0.30000000	µg/g	9.0	S	
CRP-94-11C	EXCV	CSO	UNK640	UNKNOWN		1.00000000	µg/g	9.0	S	
CRP-94-11C	EXCV	CSO	UNK680	UNKNOWN		0.30000000	µg/g	9.0	S	
CRP-94-12A	EXCV	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	0.5	R	
CRP-94-12A	EXCV	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRP-94-12A	EXCV	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	0.5	R	
CRP-94-12A	EXCV	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	0.5		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-12A	EXCV	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRP-94-12A	EXCV	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	0.5	R	
CRP-94-12A	EXCV	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	0.5	R	
CRP-94-12A	EXCV	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	0.5	R	
CRP-94-12A	EXCV	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	BZALC	BENZYL ALCOHOL	LT	0.03200000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	DNBP	DI-N-BUTYL PHTHALATE		3.40000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	0.5	R	
CRP-94-12A	EXCV	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	0.5	R	
CRP-94-12A	EXCV	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	0.5		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-12A	EXCV	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	KEP	KEPONE	ND	1.30000000	µg/g	0.5	R	
CRP-94-12A	EXCV	CSO	LIN	LINDANE	LT	0.10000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRP-94-12A	EXCV	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRP-94-12A	EXCV	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRP-94-12A	EXCV	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRP-94-12A	EXCV	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRP-94-12A	EXCV	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	PYR	PYRENE	LT	0.08300000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	0.5		
CRP-94-12A	EXCV	CSO	UNK550	UNKNOWN		0.50000000	µg/g	0.5	S	
CRP-94-12A	EXCV	CSO	UNK580	UNKNOWN		0.60000000	µg/g	0.5	S	
CRP-94-12A	EXCV	CSO	UNK603	UNKNOWN		0.80000000	µg/g	0.5	S	
CRP-94-12A	EXCV	CSO	UNK610	UNKNOWN		0.80000000	µg/g	0.5	S	
CRP-94-12A	EXCV	CSO	UNK624	UNKNOWN		0.80000000	µg/g	0.5	S	
CRP-94-12A	EXCV	CSO	UNK625	UNKNOWN		0.30000000	µg/g	0.5	S	
CRP-94-12A	EXCV	CSO	UNK631	UNKNOWN		0.50000000	µg/g	0.5	S	
CRP-94-12A	EXCV	CSO	UNK636	UNKNOWN		0.80000000	µg/g	0.5	S	
CRP-94-12A	EXCV	CSO	UNK639	UNKNOWN		0.50000000	µg/g	0.5	S	
CRP-94-12A	EXCV	CSO	UNK640	UNKNOWN		3.00000000	µg/g	0.5	S	
CRP-94-12A	EXCV	CSO	UNK644	UNKNOWN		0.50000000	µg/g	0.5	S	
CRP-94-12A	EXCV	CSO	UNK645	UNKNOWN		0.30000000	µg/g	0.5	S	
CRP-94-12A	EXCV	CSO	UNK650	UNKNOWN		0.80000000	µg/g	0.5	S	
CRP-94-12A	EXCV	CSO	UNK659	UNKNOWN		0.60000000	µg/g	0.5	S	
CRP-94-12A	EXCV	CSO	UNK662	UNKNOWN		0.80000000	µg/g	0.5	S	
CRP-94-12A	EXCV	CSO	UNK662	UNKNOWN		0.50000000	µg/g	0.5	D	
CRP-94-12A	EXCV	CSO	UNK665	UNKNOWN		0.80000000	µg/g	0.5	S	

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type	Test Name		Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-12A	EXCV	CSO	UNK675	UNKNOWN		0.30000000	µg/g	0.5	S	
CRP-94-12A	EXCV	CSO	UNK678	UNKNOWN		0.70000000	µg/g	0.5	S	
CRP-94-12A	EXCV	CSO	UNK679	UNKNOWN		2.00000000	µg/g	0.5	S	
CRP-94-12A	EXCV	CSO	UNK681	UNKNOWN		0.40000000	µg/g	0.5	S	
CRP-94-12A	EXCV	CSO	UNK682	UNKNOWN		0.50000000	µg/g	0.5	S	
CRP-94-12A	EXCV	CSO	UNK705	UNKNOWN		0.70000000	µg/g	0.5	S	
CRP-94-12A	EXCV	CSO	UNK709	UNKNOWN		0.30000000	µg/g	0.5	S	
CRP-94-12B	EXCV	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	5.0	R	
CRP-94-12B	EXCV	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	5.0	R	
CRP-94-12B	EXCV	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	5.0	R	
CRP-94-12B	EXCV	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	5.0	R	
CRP-94-12B	EXCV	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	5.0	R	
CRP-94-12B	EXCV	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	5.0		

Chemical Range (SWMU 7) Phase II RI Data

Chemical Class: **SEMIVOLATILES**

Site ID	Site Type	Media Type	Test Name		Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
CRP-94-12B	EXCV	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	5.0	R	
CRP-94-12B	EXCV	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	5.0	R	
CRP-94-12B	EXCV	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	BZALC	BENZYL ALCOHOL	LT	0.03200000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	DNBP	DI-N-BUTYL PHTHALATE		3.10000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	5.0	R	
CRP-94-12B	EXCV	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	5.0	R	
CRP-94-12B	EXCV	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	KEP	KEPONE	ND	1.30000000	µg/g	5.0	R	
CRP-94-12B	EXCV	CSO	LIN	LINDANE	LT	0.10000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	5.0		

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-12B	EXCV	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-12B	EXCV	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-12B	EXCV	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-12B	EXCV	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-12B	EXCV	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-12B	EXCV	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	PYR	PYRENE	LT	0.08300000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	5.0		
CRP-94-12B	EXCV	CSO	UNK537	UNKNOWN		0.30000000	µg/g	5.0	S	
CRP-94-12B	EXCV	CSO	UNK603	UNKNOWN		0.70000000	µg/g	5.0	S	
CRP-94-12B	EXCV	CSO	UNK610	UNKNOWN		0.80000000	µg/g	5.0	S	
CRP-94-12B	EXCV	CSO	UNK624	UNKNOWN		0.30000000	µg/g	5.0	S	
CRP-94-12B	EXCV	CSO	UNK640	UNKNOWN		4.00000000	µg/g	5.0	S	
CRP-94-12B	EXCV	CSO	UNK650	UNKNOWN		0.40000000	µg/g	5.0	S	
CRP-94-12B	EXCV	CSO	UNK674	UNKNOWN		0.80000000	µg/g	5.0	S	
CRP-94-12B	EXCV	CSO	UNK679	UNKNOWN		1.00000000	µg/g	5.0	S	
CRP-94-12B	EXCV	CSO	UNK705	UNKNOWN		0.40000000	µg/g	5.0	S	
CRP-94-12C	EXCV	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	10.0	R	
CRP-94-12C	EXCV	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	10.0	R	

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-12C	EXCV	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	10.0	R	
CRP-94-12C	EXCV	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	10.0	R	
CRP-94-12C	EXCV	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	10.0	R	
CRP-94-12C	EXCV	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	10.0	R	
CRP-94-12C	EXCV	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	10.0	R	
CRP-94-12C	EXCV	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	BZALC	BENZYL ALCOHOL	LT	0.03200000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	10.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-12C	EXCV	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	DNBP	DI-N-BUTYL PHTHALATE		3.40000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	10.0	R	
CRP-94-12C	EXCV	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	10.0	R	
CRP-94-12C	EXCV	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	KEP	KEPONE	ND	1.30000000	µg/g	10.0	R	
CRP-94-12C	EXCV	CSO	LIN	LINDANE	LT	0.10000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-12C	EXCV	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-12C	EXCV	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-12C	EXCV	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-12C	EXCV	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-12C	EXCV	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	PYR	PYRENE	LT	0.08300000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	10.0		
CRP-94-12C	EXCV	CSO	UNK603	UNKNOWN		0.40000000	µg/g	10.0	S	
CRP-94-12C	EXCV	CSO	UNK610	UNKNOWN		0.80000000	µg/g	10.0	S	
CRP-94-12C	EXCV	CSO	UNK624	UNKNOWN		0.30000000	µg/g	10.0	S	
CRP-94-12C	EXCV	CSO	UNK640	UNKNOWN		3.00000000	µg/g	10.0	S	
CRP-94-12C	EXCV	CSO	UNK650	UNKNOWN		0.30000000	µg/g	10.0	S	
CRP-94-12C	EXCV	CSO	UNK679	UNKNOWN		1.00000000	µg/g	10.0	S	

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type	Test Name		Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-12C	EXCV	CSO	UNK705	UNKNOWN		0.30000000	µg/g	10.0	S	
CRP-94-13A	EXCV	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	0.5	R	
CRP-94-13A	EXCV	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRP-94-13A	EXCV	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	0.5	R	
CRP-94-13A	EXCV	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRP-94-13A	EXCV	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	0.5	R	
CRP-94-13A	EXCV	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	0.5		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-13A	EXCV	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	0.5	R	
CRP-94-13A	EXCV	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	0.5	R	
CRP-94-13A	EXCV	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	BZALC	BENZYL ALCOHOL	LT	0.03200000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	DNBP	DI-N-BUTYL PHTHALATE		3.20000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	0.5	R	
CRP-94-13A	EXCV	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	0.5	R	
CRP-94-13A	EXCV	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	KEP	KEPONE	ND	1.30000000	µg/g	0.5	R	
CRP-94-13A	EXCV	CSO	LIN	LINDANE	LT	0.10000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-13A	EXCV	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRP-94-13A	EXCV	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRP-94-13A	EXCV	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRP-94-13A	EXCV	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRP-94-13A	EXCV	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	PYR	PYRENE	LT	0.08300000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	0.5		
CRP-94-13A	EXCV	CSO	UNK604	UNKNOWN		0.80000000	µg/g	0.5	S	
CRP-94-13A	EXCV	CSO	UNK610	UNKNOWN		0.80000000	µg/g	0.5	S	
CRP-94-13A	EXCV	CSO	UNK640	UNKNOWN		3.00000000	µg/g	0.5	S	
CRP-94-13A	EXCV	CSO	UNK650	UNKNOWN		1.00000000	µg/g	0.5	S	
CRP-94-13A	EXCV	CSO	UNK655	UNKNOWN		0.30000000	µg/g	0.5	S	
CRP-94-13A	EXCV	CSO	UNK662	UNKNOWN		0.70000000	µg/g	0.5	S	
CRP-94-13A	EXCV	CSO	UNK662	UNKNOWN		0.30000000	µg/g	0.5	D	
CRP-94-13A	EXCV	CSO	UNK679	UNKNOWN		0.40000000	µg/g	0.5	S	
CRP-94-13A	EXCV	CSO	UNK679	UNKNOWN		1.00000000	µg/g	0.5	D	
CRP-94-13A	EXCV	CSO	UNK705	UNKNOWN		0.40000000	µg/g	0.5	S	
CRP-94-13B	EXCV	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	5.0	R	
CRP-94-13B	EXCV	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	5.0	R	
CRP-94-13B	EXCV	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	5.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-13B	EXCV	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	5.0	R	
CRP-94-13B	EXCV	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	5.0	R	
CRP-94-13B	EXCV	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	5.0	R	
CRP-94-13B	EXCV	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	5.0	R	
CRP-94-13B	EXCV	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	5.0	R	
CRP-94-13B	EXCV	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	BZALC	BENZYL ALCOHOL	LT	0.03200000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	DNBP	DI-N-BUTYL PHTHALATE		10.00000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	5.0		

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-13B	EXCV	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	5.0	R	
CRP-94-13B	EXCV	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	5.0	R	
CRP-94-13B	EXCV	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	KEP	KEPONE	ND	1.30000000	µg/g	5.0	R	
CRP-94-13B	EXCV	CSO	LIN	LINDANE	LT	0.10000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-13B	EXCV	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-13B	EXCV	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-13B	EXCV	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-13B	EXCV	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-13B	EXCV	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	PYR	PYRENE	LT	0.08300000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	5.0		
CRP-94-13B	EXCV	CSO	UNK537	UNKNOWN		0.30000000	µg/g	5.0	S	
CRP-94-13B	EXCV	CSO	UNK604	UNKNOWN		1.00000000	µg/g	5.0	S	
CRP-94-13B	EXCV	CSO	UNK607	UNKNOWN		0.30000000	µg/g	5.0	S	
CRP-94-13B	EXCV	CSO	UNK610	UNKNOWN		5.00000000	µg/g	5.0	S	
CRP-94-13B	EXCV	CSO	UNK640	UNKNOWN		3.00000000	µg/g	5.0	S	
CRP-94-13B	EXCV	CSO	UNK650	UNKNOWN		0.30000000	µg/g	5.0	S	
CRP-94-13B	EXCV	CSO	UNK679	UNKNOWN		1.00000000	µg/g	5.0	S	
CRP-94-13B	EXCV	CSO	UNK705	UNKNOWN		0.30000000	µg/g	5.0	S	
CRP-94-13C	EXCV	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	10.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-13C	EXCV	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	10.0	R	
CRP-94-13C	EXCV	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	10.0	R	
CRP-94-13C	EXCV	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	10.0	R	
CRP-94-13C	EXCV	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	10.0	R	
CRP-94-13C	EXCV	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	10.0	R	
CRP-94-13C	EXCV	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	10.0	R	
CRP-94-13C	EXCV	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	10.0	R	
CRP-94-13C	EXCV	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	10.0		

Chemical Range (SWMU 7) Phase II RI Data

Chemical Class: **SEMIVOLATILES**

Site ID	Site Type	Media Type	Test Name		Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
CRP-94-13C	EXCV	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	BZALC	BENZYL ALCOHOL	LT	0.03200000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	DNBP	DI-N-BUTYL PHTHALATE		3.40000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	10.0	R	
CRP-94-13C	EXCV	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	10.0	R	
CRP-94-13C	EXCV	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	KEP	KEPONE	ND	1.30000000	µg/g	10.0	R	
CRP-94-13C	EXCV	CSO	LIN	LINDANE	LT	0.10000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-13C	EXCV	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-13C	EXCV	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-13C	EXCV	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-13C	EXCV	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-13C	EXCV	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	PYR	PYRENE	LT	0.08300000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	10.0		
CRP-94-13C	EXCV	CSO	UNK604	UNKNOWN		0.70000000	µg/g	10.0	S	
CRP-94-13C	EXCV	CSO	UNK610	UNKNOWN		0.70000000	µg/g	10.0	S	
CRP-94-13C	EXCV	CSO	UNK640	UNKNOWN		3.00000000	µg/g	10.0	S	
CRP-94-13C	EXCV	CSO	UNK650	UNKNOWN		0.30000000	µg/g	10.0	S	
CRP-94-13C	EXCV	CSO	UNK679	UNKNOWN		0.90000000	µg/g	10.0	S	
CRP-94-13C	EXCV	CSO	UNK705	UNKNOWN		0.30000000	µg/g	10.0	S	
CRP-94-14A	EXCV	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	0.5	R	
CRP-94-14A	EXCV	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRP-94-14A	EXCV	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	0.5	R	
CRP-94-14A	EXCV	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRP-94-14A	EXCV	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	0.5		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-14A	EXCV	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	0.5	R	
CRP-94-14A	EXCV	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	0.5	R	
CRP-94-14A	EXCV	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	0.5	R	
CRP-94-14A	EXCV	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	BZALC	BENZYL ALCOHOL	LT	0.03200000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	DNBP	DI-N-BUTYL PHTHALATE		2.30000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	0.5	R	
CRP-94-14A	EXCV	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	0.5	R	
CRP-94-14A	EXCV	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	0.5		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-14A	EXCV	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	KEP	KEPONE	ND	1.30000000	µg/g	0.5	R	
CRP-94-14A	EXCV	CSO	LIN	LINDANE	LT	0.10000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRP-94-14A	EXCV	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRP-94-14A	EXCV	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRP-94-14A	EXCV	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRP-94-14A	EXCV	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRP-94-14A	EXCV	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	PYR	PYRENE	LT	0.08300000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	0.5		
CRP-94-14A	EXCV	CSO	UNK527	UNKNOWN		0.40000000	µg/g	0.5	S	
CRP-94-14A	EXCV	CSO	UNK537	UNKNOWN		0.30000000	µg/g	0.5	S	
CRP-94-14A	EXCV	CSO	UNK603	UNKNOWN		0.70000000	µg/g	0.5	S	
CRP-94-14A	EXCV	CSO	UNK610	UNKNOWN		1.00000000	µg/g	0.5	S	
CRP-94-14A	EXCV	CSO	UNK624	UNKNOWN		0.30000000	µg/g	0.5	S	
CRP-94-14A	EXCV	CSO	UNK640	UNKNOWN		3.00000000	µg/g	0.5	S	
CRP-94-14A	EXCV	CSO	UNK645	UNKNOWN		0.50000000	µg/g	0.5	S	
CRP-94-14A	EXCV	CSO	UNK650	UNKNOWN		1.00000000	µg/g	0.5	S	
CRP-94-14A	EXCV	CSO	UNK662	UNKNOWN		0.30000000	µg/g	0.5	S	
CRP-94-14A	EXCV	CSO	UNK679	UNKNOWN		1.00000000	µg/g	0.5	S	
CRP-94-14A	EXCV	CSO	UNK704	UNKNOWN		0.30000000	µg/g	0.5	S	
CRP-94-14A	EXCV	CSO	UNK709	UNKNOWN		0.50000000	µg/g	0.5	S	
CRP-94-14B	EXCV	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	5.0	R	
CRP-94-14B	EXCV	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	5.0		

Chemical Range (SWMU 7) Phase II RI Data

Chemical Class: **SEMIVOLATILES**

Site ID	Site Type	Media Type	Test Name		Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
CRP-94-14B	EXCV	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	5.0	R	
CRP-94-14B	EXCV	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	5.0	R	
CRP-94-14B	EXCV	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	5.0	R	
CRP-94-14B	EXCV	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	5.0	R	
CRP-94-14B	EXCV	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	5.0	R	
CRP-94-14B	EXCV	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	5.0	R	
CRP-94-14B	EXCV	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	BZALC	BENZYL ALCOHOL	LT	0.03200000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	5.0		

Chemical Range (SWMU 7) Phase II RI Data

Chemical Class: **SEMIVOLATILES**

Site ID	Site Type	Media Type	Test Name		Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
CRP-94-14B	EXCV	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	DNBP	DI-N-BUTYL PHTHALATE		5.00000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	5.0	R	
CRP-94-14B	EXCV	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	5.0	R	
CRP-94-14B	EXCV	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	KEP	KEPONE	ND	1.30000000	µg/g	5.0	R	
CRP-94-14B	EXCV	CSO	LIN	LINDANE	LT	0.10000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-14B	EXCV	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-14B	EXCV	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-14B	EXCV	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-14B	EXCV	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-14B	EXCV	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	5.0		

Chemical Class: **SEMIVOLATILES**

Site ID	Site Type	Media Type	Test Name		Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
CRP-94-14B	EXCV	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	PYR	PYRENE	LT	0.08300000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	5.0		
CRP-94-14B	EXCV	CSO	UNK537	UNKNOWN		0.60000000	µg/g	5.0	S	
CRP-94-14B	EXCV	CSO	UNK603	UNKNOWN		1.00000000	µg/g	5.0	S	
CRP-94-14B	EXCV	CSO	UNK610	UNKNOWN		1.00000000	µg/g	5.0	S	
CRP-94-14B	EXCV	CSO	UNK640	UNKNOWN		2.00000000	µg/g	5.0	S	
CRP-94-14B	EXCV	CSO	UNK650	UNKNOWN		0.30000000	µg/g	5.0	S	
CRP-94-14B	EXCV	CSO	UNK679	UNKNOWN		0.90000000	µg/g	5.0	S	
CRP-94-14B	EXCV	CSO	UNK704	UNKNOWN		0.30000000	µg/g	5.0	S	
CRP-94-14C	EXCV	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	10.0	R	
CRP-94-14C	EXCV	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	10.0	R	
CRP-94-14C	EXCV	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	10.0	R	
CRP-94-14C	EXCV	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	10.0	R	
CRP-94-14C	EXCV	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	10.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-14C	EXCV	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	10.0	R	
CRP-94-14C	EXCV	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	10.0	R	
CRP-94-14C	EXCV	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	10.0	R	
CRP-94-14C	EXCV	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	BZALC	BENZYL ALCOHOL	LT	0.03200000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	DNBP	DI-N-BUTYL PHTHALATE		2.80000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	10.0	R	
CRP-94-14C	EXCV	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	10.0	R	
CRP-94-14C	EXCV	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	10.0		

Chemical Class: **SEMIVOLATILES**

Site ID	Site Type	Media Type	Test Name		Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
CRP-94-14C	EXCV	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	KEP	KEPONE	ND	1.30000000	µg/g	10.0	R	
CRP-94-14C	EXCV	CSO	LIN	LINDANE	LT	0.10000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-14C	EXCV	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-14C	EXCV	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-14C	EXCV	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-14C	EXCV	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-14C	EXCV	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	PYR	PYRENE	LT	0.08300000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	10.0		
CRP-94-14C	EXCV	CSO	UNK531	UNKNOWN		0.30000000	µg/g	10.0	S	
CRP-94-14C	EXCV	CSO	UNK537	UNKNOWN		0.30000000	µg/g	10.0	S	
CRP-94-14C	EXCV	CSO	UNK604	UNKNOWN		0.70000000	µg/g	10.0	S	
CRP-94-14C	EXCV	CSO	UNK610	UNKNOWN		0.60000000	µg/g	10.0	S	
CRP-94-14C	EXCV	CSO	UNK640	UNKNOWN		2.00000000	µg/g	10.0	S	
CRP-94-14C	EXCV	CSO	UNK650	UNKNOWN		0.30000000	µg/g	10.0	S	
CRP-94-14C	EXCV	CSO	UNK680	UNKNOWN		0.80000000	µg/g	10.0	S	
CRP-94-14C	EXCV	CSO	UNK705	UNKNOWN		0.30000000	µg/g	10.0	S	
CRP-94-15A	EXCV	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	0.5	R	
CRP-94-15A	EXCV	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	0.5		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-15A	EXCV	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRP-94-15A	EXCV	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	0.5	R	
CRP-94-15A	EXCV	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRP-94-15A	EXCV	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	0.5	R	
CRP-94-15A	EXCV	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	0.5	R	
CRP-94-15A	EXCV	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	0.5	R	
CRP-94-15A	EXCV	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	BZALC	BENZYL ALCOHOL	LT	0.03200000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	0.5		

Chemical Range (SWMU 7) Phase II RI Data

Chemical Class: **SEMIVOLATILES**

Site ID	Site Type	Media Type	Test Name		Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
CRP-94-15A	EXCV	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	DNBP	DI-N-BUTYL PHTHALATE		2.90000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	0.5	R	
CRP-94-15A	EXCV	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	0.5	R	
CRP-94-15A	EXCV	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	KEP	KEPONE	ND	1.30000000	µg/g	0.5	R	
CRP-94-15A	EXCV	CSO	LIN	LINDANE	LT	0.10000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRP-94-15A	EXCV	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRP-94-15A	EXCV	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRP-94-15A	EXCV	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRP-94-15A	EXCV	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRP-94-15A	EXCV	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	PYR	PYRENE	LT	0.08300000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	0.5		

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-15A	EXCV	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	0.5		
CRP-94-15A	EXCV	CSO	UNK603	UNKNOWN		0.70000000	µg/g	0.5	S	
CRP-94-15A	EXCV	CSO	UNK610	UNKNOWN		0.50000000	µg/g	0.5	S	
CRP-94-15A	EXCV	CSO	UNK636	UNKNOWN		0.60000000	µg/g	0.5	S	
CRP-94-15A	EXCV	CSO	UNK640	UNKNOWN		3.00000000	µg/g	0.5	S	
CRP-94-15A	EXCV	CSO	UNK650	UNKNOWN		0.40000000	µg/g	0.5	S	
CRP-94-15A	EXCV	CSO	UNK679	UNKNOWN		1.00000000	µg/g	0.5	S	
CRP-94-15A	EXCV	CSO	UNK705	UNKNOWN		0.30000000	µg/g	0.5	S	
CRP-94-15B	EXCV	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	5.0	R	
CRP-94-15B	EXCV	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	5.0	R	
CRP-94-15B	EXCV	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	5.0	R	
CRP-94-15B	EXCV	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	5.0	R	
CRP-94-15B	EXCV	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	5.0	R	
CRP-94-15B	EXCV	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	5.0		

Chemical Class: **SEMIVOLATILES**

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
CRP-94-15B	EXCV	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	5.0	R	
CRP-94-15B	EXCV	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	5.0	R	
CRP-94-15B	EXCV	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	BZALC	BENZYL ALCOHOL	LT	0.03200000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	DNBP	DI-N-BUTYL PHTHALATE		2.20000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	5.0	R	
CRP-94-15B	EXCV	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	5.0	R	
CRP-94-15B	EXCV	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	KEP	KEPONE	ND	1.30000000	µg/g	5.0	R	
CRP-94-15B	EXCV	CSO	LIN	LINDANE	LT	0.10000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	5.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-15B	EXCV	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-15B	EXCV	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-15B	EXCV	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-15B	EXCV	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-15B	EXCV	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	5.0	R	
CRP-94-15B	EXCV	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	PYR	PYRENE	LT	0.08300000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	5.0		
CRP-94-15B	EXCV	CSO	UNK537	UNKNOWN		0.30000000	µg/g	5.0	S	
CRP-94-15B	EXCV	CSO	UNK603	UNKNOWN		0.40000000	µg/g	5.0	S	
CRP-94-15B	EXCV	CSO	UNK610	UNKNOWN		0.60000000	µg/g	5.0	S	
CRP-94-15B	EXCV	CSO	UNK640	UNKNOWN		3.00000000	µg/g	5.0	S	
CRP-94-15B	EXCV	CSO	UNK650	UNKNOWN		0.40000000	µg/g	5.0	S	
CRP-94-15B	EXCV	CSO	UNK679	UNKNOWN		0.90000000	µg/g	5.0	S	
CRP-94-15B	EXCV	CSO	UNK705	UNKNOWN		0.30000000	µg/g	5.0	S	
CRP-94-15C	EXCV	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	10.0	R	
CRP-94-15C	EXCV	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	10.0	R	
CRP-94-15C	EXCV	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	10.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-15C	EXCV	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	10.0	R	
CRP-94-15C	EXCV	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	10.0	R	
CRP-94-15C	EXCV	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	10.0	R	
CRP-94-15C	EXCV	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	10.0	R	
CRP-94-15C	EXCV	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	10.0	R	
CRP-94-15C	EXCV	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	BZALC	BENZYL ALCOHOL	LT	0.03200000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	10.0		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRP-94-15C	EXCV	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	DNBP	DI-N-BUTYL PHTHALATE		3.00000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	10.0	R	
CRP-94-15C	EXCV	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	10.0	R	
CRP-94-15C	EXCV	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	KEP	KEPONE	ND	1.30000000	µg/g	10.0	R	
CRP-94-15C	EXCV	CSO	LIN	LINDANE	LT	0.10000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-15C	EXCV	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-15C	EXCV	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-15C	EXCV	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-15C	EXCV	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	10.0	R	
CRP-94-15C	EXCV	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	PYR	PYRENE	LT	0.08300000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	10.0		
CRP-94-15C	EXCV	CSO	UNK537	UNKNOWN		0.30000000	µg/g	10.0	S	
CRP-94-15C	EXCV	CSO	UNK603	UNKNOWN		0.90000000	µg/g	10.0	S	
CRP-94-15C	EXCV	CSO	UNK610	UNKNOWN		0.80000000	µg/g	10.0	S	
CRP-94-15C	EXCV	CSO	UNK640	UNKNOWN		3.00000000	µg/g	10.0	S	
CRP-94-15C	EXCV	CSO	UNK650	UNKNOWN		0.50000000	µg/g	10.0	S	
CRP-94-15C	EXCV	CSO	UNK679	UNKNOWN		1.00000000	µg/g	10.0	S	
CRP-94-15C	EXCV	CSO	UNK704	UNKNOWN		0.40000000	µg/g	10.0	S	

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRS-94-01	SURF	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	0.5		
CRS-94-01	SURF	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	0.5		
CRS-94-01	SURF	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRS-94-01	SURF	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	0.5		
CRS-94-01	SURF	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRS-94-01	SURF	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	0.5	R	
CRS-94-01	SURF	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	0.5		
CRS-94-01	SURF	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	0.5		
CRS-94-01	SURF	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	0.5		
CRS-94-01	SURF	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	0.5		
CRS-94-01	SURF	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	0.5		
CRS-94-01	SURF	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	0.5		
CRS-94-01	SURF	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	0.5		
CRS-94-01	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	0.5		
CRS-94-01	SURF	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	0.5		
CRS-94-01	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	0.5		
CRS-94-01	SURF	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	0.5		
CRS-94-01	SURF	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	0.5		
CRS-94-01	SURF	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	0.5		
CRS-94-01	SURF	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	0.5		
CRS-94-01	SURF	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRS-94-01	SURF	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	0.5		
CRS-94-01	SURF	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	0.5		
CRS-94-01	SURF	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	0.5		
CRS-94-01	SURF	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	0.5		
CRS-94-01	SURF	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	0.5		
CRS-94-01	SURF	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	0.5		
CRS-94-01	SURF	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	0.5		
CRS-94-01	SURF	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	0.5	R	
CRS-94-01	SURF	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	0.5		
CRS-94-01	SURF	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	0.5		
CRS-94-01	SURF	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	0.5		
CRS-94-01	SURF	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRS-94-01	SURF	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	0.5		
CRS-94-01	SURF	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		
CRS-94-01	SURF	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	0.5		
CRS-94-01	SURF	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	0.5		
CRS-94-01	SURF	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	0.5		
CRS-94-01	SURF	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	0.5		
CRS-94-01	SURF	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	0.5	R	
CRS-94-01	SURF	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	0.5		
CRS-94-01	SURF	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	0.5		
CRS-94-01	SURF	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	0.5		
CRS-94-01	SURF	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	0.5		
CRS-94-01	SURF	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	0.5		
CRS-94-01	SURF	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	0.5		
CRS-94-01	SURF	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	0.5		
CRS-94-01	SURF	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	0.5		
CRS-94-01	SURF	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	0.5		
CRS-94-01	SURF	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		
CRS-94-01	SURF	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	0.5		
CRS-94-01	SURF	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	0.5		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRS-94-01	SURF	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	0.5	R	
CRS-94-01	SURF	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	0.5	R	
CRS-94-01	SURF	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	0.5		
CRS-94-01	SURF	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	0.5		
CRS-94-01	SURF	CSO	BZALC	BENZYL ALCOHOL	LT	0.03200000	µg/g	0.5		
CRS-94-01	SURF	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	0.5		
CRS-94-01	SURF	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	0.5		
CRS-94-01	SURF	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	0.5		
CRS-94-01	SURF	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	0.5		
CRS-94-01	SURF	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	0.5		
CRS-94-01	SURF	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	0.5		
CRS-94-01	SURF	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	0.5		
CRS-94-01	SURF	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	0.5		
CRS-94-01	SURF	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	0.5		
CRS-94-01	SURF	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	0.5		
CRS-94-01	SURF	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	0.5		
CRS-94-01	SURF	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	0.5		
CRS-94-01	SURF	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	0.5		
CRS-94-01	SURF	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	0.5		
CRS-94-01	SURF	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	0.5		
CRS-94-01	SURF	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	0.5		
CRS-94-01	SURF	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	0.5		
CRS-94-01	SURF	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	0.5		
CRS-94-01	SURF	CSO	DNBP	DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	0.5		
CRS-94-01	SURF	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	0.5		
CRS-94-01	SURF	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	0.5		
CRS-94-01	SURF	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	0.5		
CRS-94-01	SURF	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	0.5	R	
CRS-94-01	SURF	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	0.5		
CRS-94-01	SURF	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	0.5	R	
CRS-94-01	SURF	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	0.5		
CRS-94-01	SURF	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	0.5		
CRS-94-01	SURF	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	0.5		
CRS-94-01	SURF	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	0.5		
CRS-94-01	SURF	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	0.5		
CRS-94-01	SURF	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	0.5		
CRS-94-01	SURF	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	0.5		
CRS-94-01	SURF	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	0.5		
CRS-94-01	SURF	CSO	KEP	KEPONE	ND	1.30000000	µg/g	0.5	R	
CRS-94-01	SURF	CSO	LIN	LINDANE	LT	0.10000000	µg/g	0.5		
CRS-94-01	SURF	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	0.5		
CRS-94-01	SURF	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	0.5		
CRS-94-01	SURF	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	0.5		
CRS-94-01	SURF	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	0.5		
CRS-94-01	SURF	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	0.5		
CRS-94-01	SURF	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	0.5		
CRS-94-01	SURF	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	0.5		
CRS-94-01	SURF	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	0.5		
CRS-94-01	SURF	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	0.5		
CRS-94-01	SURF	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	0.5		
CRS-94-01	SURF	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-01	SURF	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRS-94-01	SURF	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-01	SURF	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-01	SURF	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-01	SURF	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	0.5		
CRS-94-01	SURF	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	0.5		
CRS-94-01	SURF	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	0.5		
CRS-94-01	SURF	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	0.5		
CRS-94-01	SURF	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	0.5		
CRS-94-01	SURF	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	0.5		
CRS-94-01	SURF	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	0.5		
CRS-94-01	SURF	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	0.5		
CRS-94-01	SURF	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	0.5		
CRS-94-01	SURF	CSO	PYR	PYRENE	LT	0.08300000	µg/g	0.5		
CRS-94-01	SURF	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	0.5		
CRS-94-01	SURF	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	0.5		
CRS-94-01	SURF	CSO	UNK640	UNKNOWN		0.60000000	µg/g	0.5	S	
CRS-94-01	SURF	CSO	UNK650	UNKNOWN		0.50000000	µg/g	0.5	S	
CRS-94-01	SURF	CSO	UNK662	UNKNOWN		1.00000000	µg/g	0.5	S	
CRS-94-01	SURF	CSO	UNK678	UNKNOWN		1.00000000	µg/g	0.5	S	
CRS-94-01	SURF	CSO	UNK679	UNKNOWN		0.50000000	µg/g	0.5	S	
CRS-94-01	SURF	CSO	UNK703	UNKNOWN		0.30000000	µg/g	0.5	S	
CRS-94-02	SURF	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	0.5		
CRS-94-02	SURF	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	0.5		
CRS-94-02	SURF	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRS-94-02	SURF	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	0.5		
CRS-94-02	SURF	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRS-94-02	SURF	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	0.5	R	
CRS-94-02	SURF	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	0.5		
CRS-94-02	SURF	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	0.5		
CRS-94-02	SURF	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	0.5		
CRS-94-02	SURF	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	0.5		
CRS-94-02	SURF	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	0.5		
CRS-94-02	SURF	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	0.5		
CRS-94-02	SURF	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	0.5		
CRS-94-02	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	0.5		
CRS-94-02	SURF	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	0.5		
CRS-94-02	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	0.5		
CRS-94-02	SURF	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	0.5		
CRS-94-02	SURF	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	0.5		
CRS-94-02	SURF	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	0.5		
CRS-94-02	SURF	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	0.5		
CRS-94-02	SURF	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRS-94-02	SURF	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	0.5		
CRS-94-02	SURF	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	0.5		
CRS-94-02	SURF	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	0.5		
CRS-94-02	SURF	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	0.5		
CRS-94-02	SURF	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	0.5		
CRS-94-02	SURF	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	0.5		
CRS-94-02	SURF	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	0.5		
CRS-94-02	SURF	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	0.5	R	
CRS-94-02	SURF	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	0.5		
CRS-94-02	SURF	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	0.5		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type	Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**									
CRS-94-02	SURF	CSO	4MP 4-METHYLPHENOL	LT	0.24000000	µg/g	0.5		
CRS-94-02	SURF	CSO	4NANIL 4-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRS-94-02	SURF	CSO	4NP 4-NITROPHENOL	LT	3.30000000	µg/g	0.5		
CRS-94-02	SURF	CSO	ABHC ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		
CRS-94-02	SURF	CSO	AENSLF ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	0.5		
CRS-94-02	SURF	CSO	ALDRN ALDRIN	LT	1.30000000	µg/g	0.5		
CRS-94-02	SURF	CSO	ANAPN ACENEPHTHENE	LT	0.04100000	µg/g	0.5		
CRS-94-02	SURF	CSO	ANAPY ACENAPHTHYLENE	LT	0.03300000	µg/g	0.5		
CRS-94-02	SURF	CSO	ANIL ANILINE	ND	0.13000000	µg/g	0.5	R	
CRS-94-02	SURF	CSO	ANTRC ANTHRACENE	LT	0.71000000	µg/g	0.5		
CRS-94-02	SURF	CSO	ATZ ATRAZINE	LT	0.06500000	µg/g	0.5		
CRS-94-02	SURF	CSO	B2CEX BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	0.5		
CRS-94-02	SURF	CSO	B2CIPE BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	0.5		
CRS-94-02	SURF	CSO	B2CLEE BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	0.5		
CRS-94-02	SURF	CSO	B2EHP BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	0.5		
CRS-94-02	SURF	CSO	BAANT BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	0.5		
CRS-94-02	SURF	CSO	BAPYR BENZO [A] PYRENE	LT	1.20000000	µg/g	0.5		
CRS-94-02	SURF	CSO	BBFAN BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	0.5		
CRS-94-02	SURF	CSO	BBHC BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		
CRS-94-02	SURF	CSO	BBZP BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	0.5		
CRS-94-02	SURF	CSO	BENSLF BETA-ENDOSULFAN	LT	2.40000000	µg/g	0.5		
CRS-94-02	SURF	CSO	BENZID BENZIDINE	ND	0.13000000	µg/g	0.5	R	
CRS-94-02	SURF	CSO	BENZO BENZOIC ACID	ND	3.10000000	µg/g	0.5	R	
CRS-94-02	SURF	CSO	BGHIPY BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	0.5		
CRS-94-02	SURF	CSO	BKFAN BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	0.5		
CRS-94-02	SURF	CSO	BZALC BENZYL ALCOHOL	LT	0.03200000	µg/g	0.5		
CRS-94-02	SURF	CSO	CHRY CHRYSENE	LT	0.03200000	µg/g	0.5		
CRS-94-02	SURF	CSO	CL6BZ HEXACHLOROBENZENE	LT	0.08000000	µg/g	0.5		
CRS-94-02	SURF	CSO	CL6CP HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	0.5		
CRS-94-02	SURF	CSO	CL6ET HEXACHLOROETHANE	LT	1.80000000	µg/g	0.5		
CRS-94-02	SURF	CSO	CLDAN CHLORDANE	LT	0.68000000	µg/g	0.5		
CRS-94-02	SURF	CSO	CPMS 4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	0.5		
CRS-94-02	SURF	CSO	CPMSO 4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	0.5		
CRS-94-02	SURF	CSO	CPMSO2 4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	0.5		
CRS-94-02	SURF	CSO	DBAHA DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	0.5		
CRS-94-02	SURF	CSO	DBCP DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	0.5		
CRS-94-02	SURF	CSO	DBHC DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	0.5		
CRS-94-02	SURF	CSO	DBZFU DIBENZOFURAN	LT	0.38000000	µg/g	0.5		
CRS-94-02	SURF	CSO	DCPD DICYCLOPENTADIENE	LT	0.57000000	µg/g	0.5		
CRS-94-02	SURF	CSO	DDVP VAPONA	LT	0.06800000	µg/g	0.5		
CRS-94-02	SURF	CSO	DEP DIETHYL PHTHALATE	LT	0.24000000	µg/g	0.5		
CRS-94-02	SURF	CSO	DITH DITHIANE	LT	0.06500000	µg/g	0.5		
CRS-94-02	SURF	CSO	DLDRN DIELDRIN	LT	0.07900000	µg/g	0.5		
CRS-94-02	SURF	CSO	DMP DIMETHYL PHTHALATE	LT	0.06300000	µg/g	0.5		
CRS-94-02	SURF	CSO	DNBP DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	0.5		
CRS-94-02	SURF	CSO	DNOP DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	0.5		
CRS-94-02	SURF	CSO	ENDRN ENDRIN	LT	1.30000000	µg/g	0.5		
CRS-94-02	SURF	CSO	ENDRN ENDRIN ALDEHYDE	LT	1.80000000	µg/g	0.5		
CRS-94-02	SURF	CSO	ENDRN ENDRIN KETONE	ND	0.28000000	µg/g	0.5	R	
CRS-94-02	SURF	CSO	ESFSO4 ENDOSULFAN SULFATE	LT	1.20000000	µg/g	0.5		
CRS-94-02	SURF	CSO	FAMPH FAMOPHOS	ND	1.30000000	µg/g	0.5	R	
CRS-94-02	SURF	CSO	FANT FLUORANTHENE	LT	0.03200000	µg/g	0.5		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRS-94-02	SURF	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	0.5		
CRS-94-02	SURF	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	0.5		
CRS-94-02	SURF	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	0.5		
CRS-94-02	SURF	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	0.5		
CRS-94-02	SURF	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	0.5		
CRS-94-02	SURF	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	0.5		
CRS-94-02	SURF	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	0.5		
CRS-94-02	SURF	CSO	KEP	KEPONE	ND	1.30000000	µg/g	0.5	R	
CRS-94-02	SURF	CSO	LIN	LINDANE	LT	0.10000000	µg/g	0.5		
CRS-94-02	SURF	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	0.5		
CRS-94-02	SURF	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	0.5		
CRS-94-02	SURF	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	0.5		
CRS-94-02	SURF	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	0.5		
CRS-94-02	SURF	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	0.5		
CRS-94-02	SURF	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	0.5		
CRS-94-02	SURF	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	0.5		
CRS-94-02	SURF	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	0.5		
CRS-94-02	SURF	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	0.5		
CRS-94-02	SURF	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	0.5		
CRS-94-02	SURF	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-02	SURF	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-02	SURF	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-02	SURF	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-02	SURF	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-02	SURF	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	0.5		
CRS-94-02	SURF	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	0.5		
CRS-94-02	SURF	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	0.5		
CRS-94-02	SURF	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	0.5		
CRS-94-02	SURF	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	0.5		
CRS-94-02	SURF	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	0.5		
CRS-94-02	SURF	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	0.5		
CRS-94-02	SURF	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	0.5		
CRS-94-02	SURF	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	0.5		
CRS-94-02	SURF	CSO	PYR	PYRENE	LT	0.08300000	µg/g	0.5		
CRS-94-02	SURF	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	0.5		
CRS-94-02	SURF	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	0.5		
CRS-94-02	SURF	CSO	UNK529	UNKNOWN		0.30000000	µg/g	0.5	S	
CRS-94-02	SURF	CSO	UNK640	UNKNOWN		0.70000000	µg/g	0.5	S	
CRS-94-02	SURF	CSO	UNK650	UNKNOWN		0.80000000	µg/g	0.5	S	
CRS-94-02	SURF	CSO	UNK662	UNKNOWN		2.00000000	µg/g	0.5	S	
CRS-94-02	SURF	CSO	UNK679	UNKNOWN		0.90000000	µg/g	0.5	S	
CRS-94-02	SURF	CSO	UNK679	UNKNOWN		0.70000000	µg/g	0.5	D	
CRS-94-02	SURF	CSO	UNK709	UNKNOWN		0.50000000	µg/g	0.5	S	
CRS-94-03	SURF	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	0.5		
CRS-94-03	SURF	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	0.5		
CRS-94-03	SURF	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRS-94-03	SURF	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	0.5		
CRS-94-03	SURF	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRS-94-03	SURF	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	0.5	R	
CRS-94-03	SURF	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	0.5		
CRS-94-03	SURF	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	0.5		
CRS-94-03	SURF	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	0.5		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRS-94-03	SURF	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	0.5		
CRS-94-03	SURF	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	0.5		
CRS-94-03	SURF	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	0.5		
CRS-94-03	SURF	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	0.5		
CRS-94-03	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	0.5		
CRS-94-03	SURF	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	0.5		
CRS-94-03	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	0.5		
CRS-94-03	SURF	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	0.5		
CRS-94-03	SURF	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	0.5		
CRS-94-03	SURF	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	0.5		
CRS-94-03	SURF	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	0.5		
CRS-94-03	SURF	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRS-94-03	SURF	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	0.5		
CRS-94-03	SURF	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	0.5		
CRS-94-03	SURF	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	0.5		
CRS-94-03	SURF	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	0.5		
CRS-94-03	SURF	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	0.5		
CRS-94-03	SURF	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	0.5		
CRS-94-03	SURF	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	0.5		
CRS-94-03	SURF	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	0.5	R	
CRS-94-03	SURF	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	0.5		
CRS-94-03	SURF	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	0.5		
CRS-94-03	SURF	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	0.5		
CRS-94-03	SURF	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRS-94-03	SURF	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	0.5		
CRS-94-03	SURF	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		
CRS-94-03	SURF	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	0.5		
CRS-94-03	SURF	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	0.5		
CRS-94-03	SURF	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	0.5		
CRS-94-03	SURF	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	0.5		
CRS-94-03	SURF	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	0.5	R	
CRS-94-03	SURF	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	0.5		
CRS-94-03	SURF	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	0.5		
CRS-94-03	SURF	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	0.5		
CRS-94-03	SURF	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	0.5		
CRS-94-03	SURF	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	0.5		
CRS-94-03	SURF	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	0.5		
CRS-94-03	SURF	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	0.5		
CRS-94-03	SURF	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	0.5		
CRS-94-03	SURF	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	0.5		
CRS-94-03	SURF	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		
CRS-94-03	SURF	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	0.5		
CRS-94-03	SURF	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	0.5		
CRS-94-03	SURF	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	0.5	R	
CRS-94-03	SURF	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	0.5	R	
CRS-94-03	SURF	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	0.5		
CRS-94-03	SURF	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	0.5		
CRS-94-03	SURF	CSO	BZALC	BENZYL ALCOHOL	LT	0.03200000	µg/g	0.5		
CRS-94-03	SURF	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	0.5		
CRS-94-03	SURF	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	0.5		
CRS-94-03	SURF	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	0.5		
CRS-94-03	SURF	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	0.5		

Site ID	Site Type	Media Type	Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**									
CRS-94-03	SURF	CSO	CLDAN CHLORDANE	LT	0.68000000	µg/g	0.5		
CRS-94-03	SURF	CSO	CPMS 4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	0.5		
CRS-94-03	SURF	CSO	CPMSO 4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	0.5		
CRS-94-03	SURF	CSO	CPMSO2 4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	0.5		
CRS-94-03	SURF	CSO	DBAHA DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	0.5		
CRS-94-03	SURF	CSO	DBCP DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	0.5		
CRS-94-03	SURF	CSO	DBHC DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	0.5		
CRS-94-03	SURF	CSO	DBZFU DIBENZOFURAN	LT	0.38000000	µg/g	0.5		
CRS-94-03	SURF	CSO	DCPD DICYCLOPENTADIENE	LT	0.57000000	µg/g	0.5		
CRS-94-03	SURF	CSO	DDVP VAPONA	LT	0.06800000	µg/g	0.5		
CRS-94-03	SURF	CSO	DEP DIETHYL PHTHALATE	LT	0.24000000	µg/g	0.5		
CRS-94-03	SURF	CSO	DITH DITHIANE	LT	0.06500000	µg/g	0.5		
CRS-94-03	SURF	CSO	DLDRN DIELDRIN	LT	0.07900000	µg/g	0.5		
CRS-94-03	SURF	CSO	DMP DIMETHYL PHTHALATE	LT	0.06300000	µg/g	0.5		
CRS-94-03	SURF	CSO	DNBP DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	0.5		
CRS-94-03	SURF	CSO	DNOP DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	0.5		
CRS-94-03	SURF	CSO	ENDRN ENDRIN	LT	1.30000000	µg/g	0.5		
CRS-94-03	SURF	CSO	ENDRN ENDRIN ALDEHYDE	LT	1.80000000	µg/g	0.5		
CRS-94-03	SURF	CSO	ENDRN ENDRIN KETONE	ND	0.28000000	µg/g	0.5	R	
CRS-94-03	SURF	CSO	ESFSO4 ENDOSULFAN SULFATE	LT	1.20000000	µg/g	0.5		
CRS-94-03	SURF	CSO	FAMPH FAMOPHOS	ND	1.30000000	µg/g	0.5	R	
CRS-94-03	SURF	CSO	FANT FLUORANTHENE	LT	0.03200000	µg/g	0.5		
CRS-94-03	SURF	CSO	FLRENE FLUORENE	LT	0.06500000	µg/g	0.5		
CRS-94-03	SURF	CSO	HCBD HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	0.5		
CRS-94-03	SURF	CSO	HPCL HEPTACHLOR	LT	0.24000000	µg/g	0.5		
CRS-94-03	SURF	CSO	HPCLE HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	0.5		
CRS-94-03	SURF	CSO	ICDPYR INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	0.5		
CRS-94-03	SURF	CSO	ISODR ISODRIN	LT	0.48000000	µg/g	0.5		
CRS-94-03	SURF	CSO	ISOPHR ISOPHORONE	LT	0.39000000	µg/g	0.5		
CRS-94-03	SURF	CSO	KEP KEPONE	ND	1.30000000	µg/g	0.5	R	
CRS-94-03	SURF	CSO	LIN LINDANE	LT	0.10000000	µg/g	0.5		
CRS-94-03	SURF	CSO	MEXCL METHOXYCHLOR	LT	0.26000000	µg/g	0.5		
CRS-94-03	SURF	CSO	MIREX 1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	0.5		
CRS-94-03	SURF	CSO	MLTHN MALATHION	LT	0.18000000	µg/g	0.5		
CRS-94-03	SURF	CSO	NAP NAPHTHALENE	LT	0.74000000	µg/g	0.5		
CRS-94-03	SURF	CSO	NB NITROBENZENE	LT	1.80000000	µg/g	0.5		
CRS-94-03	SURF	CSO	NNDME N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	0.5		
CRS-94-03	SURF	CSO	NNDNP N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	0.5		
CRS-94-03	SURF	CSO	NNDPA N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	0.5		
CRS-94-03	SURF	CSO	OXAT 1,4-OXATHIANE	LT	0.07500000	µg/g	0.5		
CRS-94-03	SURF	CSO	PCB016 PCB 1016	LT	0.32000000	µg/g	0.5		
CRS-94-03	SURF	CSO	PCB221 POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-03	SURF	CSO	PCB232 POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-03	SURF	CSO	PCB242 POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-03	SURF	CSO	PCB248 POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-03	SURF	CSO	PCB254 POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-03	SURF	CSO	PCB260 PCB 1260	LT	0.79000000	µg/g	0.5		
CRS-94-03	SURF	CSO	PCB262 PCB 1262	LT	6.30000000	µg/g	0.5		
CRS-94-03	SURF	CSO	PCP PENTACHLOROPHENOL	LT	0.76000000	µg/g	0.5		
CRS-94-03	SURF	CSO	PHANT PHENANTHRENE	LT	0.03200000	µg/g	0.5		
CRS-94-03	SURF	CSO	PHENO PHENOL	LT	0.05200000	µg/g	0.5		
CRS-94-03	SURF	CSO	PPDDD 2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	0.5		

Site ID	Site Type	Media Type	Test Name		Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRS-94-03	SURF	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	0.5		
CRS-94-03	SURF	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	0.5		
CRS-94-03	SURF	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	0.5		
CRS-94-03	SURF	CSO	PYR	PYRENE	LT	0.08300000	µg/g	0.5		
CRS-94-03	SURF	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	0.5		
CRS-94-03	SURF	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	0.5		
CRS-94-03	SURF	CSO	UNK640	UNKNOWN		0.50000000	µg/g	0.5	S	
CRS-94-03	SURF	CSO	UNK650	UNKNOWN		0.50000000	µg/g	0.5	S	
CRS-94-03	SURF	CSO	UNK662	UNKNOWN		1.00000000	µg/g	0.5	S	
CRS-94-03	SURF	CSO	UNK679	UNKNOWN		0.80000000	µg/g	0.5	S	
CRS-94-04	SURF	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	0.5		
CRS-94-04	SURF	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	0.5		
CRS-94-04	SURF	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRS-94-04	SURF	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	0.5		
CRS-94-04	SURF	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRS-94-04	SURF	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	0.5	R	
CRS-94-04	SURF	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	0.5		
CRS-94-04	SURF	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	0.5		
CRS-94-04	SURF	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	0.5		
CRS-94-04	SURF	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	0.5		
CRS-94-04	SURF	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	0.5		
CRS-94-04	SURF	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	0.5		
CRS-94-04	SURF	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	0.5		
CRS-94-04	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	0.5		
CRS-94-04	SURF	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	0.5		
CRS-94-04	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	0.5		
CRS-94-04	SURF	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	0.5		
CRS-94-04	SURF	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	0.5		
CRS-94-04	SURF	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	0.5		
CRS-94-04	SURF	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	0.5		
CRS-94-04	SURF	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRS-94-04	SURF	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	0.5		
CRS-94-04	SURF	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	0.5		
CRS-94-04	SURF	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	0.5		
CRS-94-04	SURF	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	0.5		
CRS-94-04	SURF	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	0.5		
CRS-94-04	SURF	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	0.5		
CRS-94-04	SURF	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	0.5		
CRS-94-04	SURF	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	0.5	R	
CRS-94-04	SURF	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	0.5		
CRS-94-04	SURF	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	0.5		
CRS-94-04	SURF	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	0.5		
CRS-94-04	SURF	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRS-94-04	SURF	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	0.5		
CRS-94-04	SURF	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		
CRS-94-04	SURF	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	0.5		
CRS-94-04	SURF	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	0.5		
CRS-94-04	SURF	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	0.5		
CRS-94-04	SURF	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	0.5		
CRS-94-04	SURF	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	0.5	R	
CRS-94-04	SURF	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	0.5		
CRS-94-04	SURF	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	0.5		

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRS-94-04	SURF	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	0.5		
CRS-94-04	SURF	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	0.5		
CRS-94-04	SURF	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	0.5		
CRS-94-04	SURF	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	0.5		
CRS-94-04	SURF	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	0.5		
CRS-94-04	SURF	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	0.5		
CRS-94-04	SURF	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	0.5		
CRS-94-04	SURF	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		
CRS-94-04	SURF	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	0.5		
CRS-94-04	SURF	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	0.5		
CRS-94-04	SURF	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	0.5	R	
CRS-94-04	SURF	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	0.5	R	
CRS-94-04	SURF	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	0.5		
CRS-94-04	SURF	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	0.5		
CRS-94-04	SURF	CSO	BZALC	BENZYL ALCOHOL	LT	0.03200000	µg/g	0.5		
CRS-94-04	SURF	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	0.5		
CRS-94-04	SURF	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	0.5		
CRS-94-04	SURF	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	0.5		
CRS-94-04	SURF	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	0.5		
CRS-94-04	SURF	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	0.5		
CRS-94-04	SURF	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	0.5		
CRS-94-04	SURF	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	0.5		
CRS-94-04	SURF	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	0.5		
CRS-94-04	SURF	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	0.5		
CRS-94-04	SURF	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	0.5		
CRS-94-04	SURF	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	0.5		
CRS-94-04	SURF	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	0.5		
CRS-94-04	SURF	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	0.5		
CRS-94-04	SURF	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	0.5		
CRS-94-04	SURF	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	0.5		
CRS-94-04	SURF	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	0.5		
CRS-94-04	SURF	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	0.5		
CRS-94-04	SURF	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	0.5		
CRS-94-04	SURF	CSO	DNBP	DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	0.5		
CRS-94-04	SURF	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	0.5		
CRS-94-04	SURF	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	0.5		
CRS-94-04	SURF	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	0.5		
CRS-94-04	SURF	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	0.5	R	
CRS-94-04	SURF	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	0.5		
CRS-94-04	SURF	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	0.5	R	
CRS-94-04	SURF	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	0.5		
CRS-94-04	SURF	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	0.5		
CRS-94-04	SURF	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	0.5		
CRS-94-04	SURF	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	0.5		
CRS-94-04	SURF	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	0.5		
CRS-94-04	SURF	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	0.5		
CRS-94-04	SURF	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	0.5		
CRS-94-04	SURF	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	0.5		
CRS-94-04	SURF	CSO	KEP	KEPONE	ND	1.30000000	µg/g	0.5	R	
CRS-94-04	SURF	CSO	LIN	LINDANE	LT	0.10000000	µg/g	0.5		
CRS-94-04	SURF	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	0.5		
CRS-94-04	SURF	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	0.5		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRS-94-04	SURF	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	0.5		
CRS-94-04	SURF	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	0.5		
CRS-94-04	SURF	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	0.5		
CRS-94-04	SURF	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	0.5		
CRS-94-04	SURF	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	0.5		
CRS-94-04	SURF	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	0.5		
CRS-94-04	SURF	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	0.5		
CRS-94-04	SURF	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	0.5		
CRS-94-04	SURF	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-04	SURF	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-04	SURF	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-04	SURF	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-04	SURF	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-04	SURF	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	0.5		
CRS-94-04	SURF	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	0.5		
CRS-94-04	SURF	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	0.5		
CRS-94-04	SURF	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	0.5		
CRS-94-04	SURF	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	0.5		
CRS-94-04	SURF	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	0.5		
CRS-94-04	SURF	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	0.5		
CRS-94-04	SURF	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	0.5		
CRS-94-04	SURF	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	0.5		
CRS-94-04	SURF	CSO	PYR	PYRENE	LT	0.08300000	µg/g	0.5		
CRS-94-04	SURF	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	0.5		
CRS-94-04	SURF	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	0.5		
CRS-94-04	SURF	CSO	UNK640	UNKNOWN		0.90000000	µg/g	0.5	S	
CRS-94-04	SURF	CSO	UNK650	UNKNOWN		0.70000000	µg/g	0.5	S	
CRS-94-04	SURF	CSO	UNK662	UNKNOWN		1.00000000	µg/g	0.5	S	
CRS-94-04	SURF	CSO	UNK679	UNKNOWN		0.80000000	µg/g	0.5	S	
CRS-94-04	SURF	CSO	UNK679	UNKNOWN		0.40000000	µg/g	0.5	D	
CRS-94-04	SURF	CSO	UNK703	UNKNOWN		0.30000000	µg/g	0.5	S	
CRS-94-04	SURF	CSO	UNK709	UNKNOWN		0.50000000	µg/g	0.5	S	
CRS-94-05	SURF	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	0.5		
CRS-94-05	SURF	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	0.5		
CRS-94-05	SURF	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRS-94-05	SURF	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	0.5		
CRS-94-05	SURF	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRS-94-05	SURF	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	0.5	R	
CRS-94-05	SURF	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	0.5		
CRS-94-05	SURF	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	0.5		
CRS-94-05	SURF	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	0.5		
CRS-94-05	SURF	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	0.5		
CRS-94-05	SURF	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	0.5		
CRS-94-05	SURF	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	0.5		
CRS-94-05	SURF	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	0.5		
CRS-94-05	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	0.5		
CRS-94-05	SURF	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	0.5		
CRS-94-05	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	0.5		
CRS-94-05	SURF	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	0.5		
CRS-94-05	SURF	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	0.5		
CRS-94-05	SURF	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	0.5		
CRS-94-05	SURF	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	0.5		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRS-94-05	SURF	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRS-94-05	SURF	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	0.5		
CRS-94-05	SURF	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	0.5		
CRS-94-05	SURF	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	0.5		
CRS-94-05	SURF	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	0.5		
CRS-94-05	SURF	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	0.5		
CRS-94-05	SURF	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	0.5		
CRS-94-05	SURF	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	0.5		
CRS-94-05	SURF	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	0.5	R	
CRS-94-05	SURF	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	0.5		
CRS-94-05	SURF	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	0.5		
CRS-94-05	SURF	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	0.5		
CRS-94-05	SURF	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRS-94-05	SURF	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	0.5		
CRS-94-05	SURF	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		
CRS-94-05	SURF	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	0.5		
CRS-94-05	SURF	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	0.5		
CRS-94-05	SURF	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	0.5		
CRS-94-05	SURF	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	0.5		
CRS-94-05	SURF	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	0.5	R	
CRS-94-05	SURF	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	0.5		
CRS-94-05	SURF	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	0.5		
CRS-94-05	SURF	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	0.5		
CRS-94-05	SURF	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	0.5		
CRS-94-05	SURF	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	0.5		
CRS-94-05	SURF	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	0.5		
CRS-94-05	SURF	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	0.5		
CRS-94-05	SURF	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	0.5		
CRS-94-05	SURF	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	0.5		
CRS-94-05	SURF	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		
CRS-94-05	SURF	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	0.5		
CRS-94-05	SURF	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	0.5		
CRS-94-05	SURF	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	0.5	R	
CRS-94-05	SURF	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	0.5	R	
CRS-94-05	SURF	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	0.5		
CRS-94-05	SURF	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	0.5		
CRS-94-05	SURF	CSO	BZALC	BENZYL ALCOHOL	LT	0.03200000	µg/g	0.5		
CRS-94-05	SURF	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	0.5		
CRS-94-05	SURF	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	0.5		
CRS-94-05	SURF	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	0.5		
CRS-94-05	SURF	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	0.5		
CRS-94-05	SURF	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	0.5		
CRS-94-05	SURF	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	0.5		
CRS-94-05	SURF	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	0.5		
CRS-94-05	SURF	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	0.5		
CRS-94-05	SURF	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	0.5		
CRS-94-05	SURF	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	0.5		
CRS-94-05	SURF	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	0.5		
CRS-94-05	SURF	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	0.5		
CRS-94-05	SURF	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	0.5		
CRS-94-05	SURF	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	0.5		
CRS-94-05	SURF	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	0.5		

Chemical Range (SWMU 7) Phase II RI Data

Chemical Class: **SEMIVOLATILES**

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
CRS-94-05	SURF	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	0.5		
CRS-94-05	SURF	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	0.5		
CRS-94-05	SURF	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	0.5		
CRS-94-05	SURF	CSO	DNBP	DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	0.5		
CRS-94-05	SURF	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	0.5		
CRS-94-05	SURF	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	0.5		
CRS-94-05	SURF	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	0.5		
CRS-94-05	SURF	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	0.5	R	
CRS-94-05	SURF	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	0.5		
CRS-94-05	SURF	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	0.5	R	
CRS-94-05	SURF	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	0.5		
CRS-94-05	SURF	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	0.5		
CRS-94-05	SURF	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	0.5		
CRS-94-05	SURF	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	0.5		
CRS-94-05	SURF	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	0.5		
CRS-94-05	SURF	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	0.5		
CRS-94-05	SURF	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	0.5		
CRS-94-05	SURF	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	0.5		
CRS-94-05	SURF	CSO	KEP	KEPONE	ND	1.30000000	µg/g	0.5	R	
CRS-94-05	SURF	CSO	LIN	LINDANE	LT	0.10000000	µg/g	0.5		
CRS-94-05	SURF	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	0.5		
CRS-94-05	SURF	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	0.5		
CRS-94-05	SURF	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	0.5		
CRS-94-05	SURF	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	0.5		
CRS-94-05	SURF	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	0.5		
CRS-94-05	SURF	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	0.5		
CRS-94-05	SURF	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	0.5		
CRS-94-05	SURF	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	0.5		
CRS-94-05	SURF	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	0.5		
CRS-94-05	SURF	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	0.5		
CRS-94-05	SURF	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-05	SURF	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-05	SURF	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-05	SURF	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-05	SURF	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-05	SURF	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	0.5		
CRS-94-05	SURF	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	0.5		
CRS-94-05	SURF	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	0.5		
CRS-94-05	SURF	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	0.5		
CRS-94-05	SURF	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	0.5		
CRS-94-05	SURF	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	0.5		
CRS-94-05	SURF	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	0.5		
CRS-94-05	SURF	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	0.5		
CRS-94-05	SURF	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	0.5		
CRS-94-05	SURF	CSO	PYR	PYRENE	LT	0.08300000	µg/g	0.5		
CRS-94-05	SURF	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	0.5		
CRS-94-05	SURF	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	0.5		
CRS-94-05	SURF	CSO	UNK640	UNKNOWN		0.80000000	µg/g	0.5	S	
CRS-94-05	SURF	CSO	UNK645	UNKNOWN		0.40000000	µg/g	0.5	S	
CRS-94-05	SURF	CSO	UNK650	UNKNOWN		0.60000000	µg/g	0.5	S	
CRS-94-05	SURF	CSO	UNK662	UNKNOWN		1.00000000	µg/g	0.5	S	
CRS-94-05	SURF	CSO	UNK679	UNKNOWN		0.90000000	µg/g	0.5	S	

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRS-94-05	SURF	CSO	UNK679	UNKNOWN		0.60000000	µg/g	0.5	D	
CRS-94-05	SURF	CSO	UNK703	UNKNOWN		0.30000000	µg/g	0.5	S	
CRS-94-06	SURF	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	0.5		
CRS-94-06	SURF	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	0.5		
CRS-94-06	SURF	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRS-94-06	SURF	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	0.5		
CRS-94-06	SURF	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRS-94-06	SURF	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	0.5	R	
CRS-94-06	SURF	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	0.5		
CRS-94-06	SURF	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	0.5		
CRS-94-06	SURF	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	0.5		
CRS-94-06	SURF	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	0.5		
CRS-94-06	SURF	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	0.5		
CRS-94-06	SURF	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	0.5		
CRS-94-06	SURF	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	0.5		
CRS-94-06	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	0.5		
CRS-94-06	SURF	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	0.5		
CRS-94-06	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	0.5		
CRS-94-06	SURF	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	0.5		
CRS-94-06	SURF	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	0.5		
CRS-94-06	SURF	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	0.5		
CRS-94-06	SURF	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	0.5		
CRS-94-06	SURF	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRS-94-06	SURF	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	0.5		
CRS-94-06	SURF	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	0.5		
CRS-94-06	SURF	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	0.5		
CRS-94-06	SURF	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	0.5		
CRS-94-06	SURF	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	0.5		
CRS-94-06	SURF	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	0.5		
CRS-94-06	SURF	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	0.5		
CRS-94-06	SURF	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	0.5	R	
CRS-94-06	SURF	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	0.5		
CRS-94-06	SURF	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	0.5		
CRS-94-06	SURF	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	0.5		
CRS-94-06	SURF	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRS-94-06	SURF	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	0.5		
CRS-94-06	SURF	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		
CRS-94-06	SURF	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	0.5		
CRS-94-06	SURF	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	0.5		
CRS-94-06	SURF	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	0.5		
CRS-94-06	SURF	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	0.5		
CRS-94-06	SURF	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	0.5	R	
CRS-94-06	SURF	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	0.5		
CRS-94-06	SURF	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	0.5		
CRS-94-06	SURF	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	0.5		
CRS-94-06	SURF	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	0.5		
CRS-94-06	SURF	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	0.5		
CRS-94-06	SURF	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	0.5		
CRS-94-06	SURF	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	0.5		
CRS-94-06	SURF	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	0.5		
CRS-94-06	SURF	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	0.5		
CRS-94-06	SURF	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRS-94-06	SURF	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	0.5		
CRS-94-06	SURF	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	0.5		
CRS-94-06	SURF	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	0.5	R	
CRS-94-06	SURF	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	0.5	R	
CRS-94-06	SURF	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	0.5		
CRS-94-06	SURF	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	0.5		
CRS-94-06	SURF	CSO	BZALC	BENZYL ALCOHOL	LT	0.03200000	µg/g	0.5		
CRS-94-06	SURF	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	0.5		
CRS-94-06	SURF	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	0.5		
CRS-94-06	SURF	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	0.5		
CRS-94-06	SURF	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	0.5		
CRS-94-06	SURF	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	0.5		
CRS-94-06	SURF	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	0.5		
CRS-94-06	SURF	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	0.5		
CRS-94-06	SURF	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	0.5		
CRS-94-06	SURF	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	0.5		
CRS-94-06	SURF	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	0.5		
CRS-94-06	SURF	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	0.5		
CRS-94-06	SURF	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	0.5		
CRS-94-06	SURF	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	0.5		
CRS-94-06	SURF	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	0.5		
CRS-94-06	SURF	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	0.5		
CRS-94-06	SURF	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	0.5		
CRS-94-06	SURF	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	0.5		
CRS-94-06	SURF	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	0.5		
CRS-94-06	SURF	CSO	DNBP	DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	0.5		
CRS-94-06	SURF	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	0.5		
CRS-94-06	SURF	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	0.5		
CRS-94-06	SURF	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	0.5		
CRS-94-06	SURF	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	0.5	R	
CRS-94-06	SURF	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	0.5		
CRS-94-06	SURF	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	0.5	R	
CRS-94-06	SURF	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	0.5		
CRS-94-06	SURF	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	0.5		
CRS-94-06	SURF	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	0.5		
CRS-94-06	SURF	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	0.5		
CRS-94-06	SURF	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	0.5		
CRS-94-06	SURF	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	0.5		
CRS-94-06	SURF	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	0.5		
CRS-94-06	SURF	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	0.5		
CRS-94-06	SURF	CSO	KEP	KEPONE	ND	1.30000000	µg/g	0.5	R	
CRS-94-06	SURF	CSO	LIN	LINDANE	LT	0.10000000	µg/g	0.5		
CRS-94-06	SURF	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	0.5		
CRS-94-06	SURF	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	0.5		
CRS-94-06	SURF	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	0.5		
CRS-94-06	SURF	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	0.5		
CRS-94-06	SURF	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	0.5		
CRS-94-06	SURF	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	0.5		
CRS-94-06	SURF	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	0.5		
CRS-94-06	SURF	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	0.5		
CRS-94-06	SURF	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	0.5		
CRS-94-06	SURF	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	0.5		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRS-94-06	SURF	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-06	SURF	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-06	SURF	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-06	SURF	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-06	SURF	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-06	SURF	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	0.5		
CRS-94-06	SURF	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	0.5		
CRS-94-06	SURF	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	0.5		
CRS-94-06	SURF	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	0.5		
CRS-94-06	SURF	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	0.5		
CRS-94-06	SURF	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	0.5		
CRS-94-06	SURF	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	0.5		
CRS-94-06	SURF	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	0.5		
CRS-94-06	SURF	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	0.5		
CRS-94-06	SURF	CSO	PYR	PYRENE	LT	0.08300000	µg/g	0.5		
CRS-94-06	SURF	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	0.5		
CRS-94-06	SURF	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	0.5		
CRS-94-06	SURF	CSO	UNK640	UNKNOWN		0.70000000	µg/g	0.5	S	
CRS-94-06	SURF	CSO	UNK650	UNKNOWN		0.80000000	µg/g	0.5	S	
CRS-94-06	SURF	CSO	UNK662	UNKNOWN		2.00000000	µg/g	0.5	S	
CRS-94-06	SURF	CSO	UNK673	UNKNOWN		0.40000000	µg/g	0.5	S	
CRS-94-06	SURF	CSO	UNK679	UNKNOWN		3.00000000	µg/g	0.5	S	
CRS-94-06	SURF	CSO	UNK679	UNKNOWN		2.00000000	µg/g	0.5	D	
CRS-94-06	SURF	CSO	UNK703	UNKNOWN		1.00000000	µg/g	0.5	S	
CRS-94-06	SURF	CSO	UNK709	UNKNOWN		0.80000000	µg/g	0.5	S	
CRS-94-07	SURF	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	0.5		
CRS-94-07	SURF	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	0.5		
CRS-94-07	SURF	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRS-94-07	SURF	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	0.5		
CRS-94-07	SURF	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRS-94-07	SURF	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	0.5	R	
CRS-94-07	SURF	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	0.5		
CRS-94-07	SURF	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	0.5		
CRS-94-07	SURF	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	0.5		
CRS-94-07	SURF	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	0.5		
CRS-94-07	SURF	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	0.5		
CRS-94-07	SURF	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	0.5		
CRS-94-07	SURF	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	0.5		
CRS-94-07	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	0.5		
CRS-94-07	SURF	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	0.5		
CRS-94-07	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	0.5		
CRS-94-07	SURF	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	0.5		
CRS-94-07	SURF	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	0.5		
CRS-94-07	SURF	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	0.5		
CRS-94-07	SURF	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	0.5		
CRS-94-07	SURF	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRS-94-07	SURF	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	0.5		
CRS-94-07	SURF	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	0.5		
CRS-94-07	SURF	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	0.5		
CRS-94-07	SURF	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	0.5		
CRS-94-07	SURF	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	0.5		
CRS-94-07	SURF	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	0.5		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRS-94-07	SURF	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	0.5		
CRS-94-07	SURF	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	0.5	R	
CRS-94-07	SURF	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	0.5		
CRS-94-07	SURF	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	0.5		
CRS-94-07	SURF	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	0.5		
CRS-94-07	SURF	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRS-94-07	SURF	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	0.5		
CRS-94-07	SURF	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		
CRS-94-07	SURF	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	0.5		
CRS-94-07	SURF	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	0.5		
CRS-94-07	SURF	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	0.5		
CRS-94-07	SURF	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	0.5		
CRS-94-07	SURF	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	0.5	R	
CRS-94-07	SURF	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	0.5		
CRS-94-07	SURF	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	0.5		
CRS-94-07	SURF	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	0.5		
CRS-94-07	SURF	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	0.5		
CRS-94-07	SURF	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	0.5		
CRS-94-07	SURF	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	0.5		
CRS-94-07	SURF	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	0.5		
CRS-94-07	SURF	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	0.5		
CRS-94-07	SURF	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	0.5		
CRS-94-07	SURF	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		
CRS-94-07	SURF	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	0.5		
CRS-94-07	SURF	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	0.5		
CRS-94-07	SURF	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	0.5	R	
CRS-94-07	SURF	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	0.5	R	
CRS-94-07	SURF	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	0.5		
CRS-94-07	SURF	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	0.5		
CRS-94-07	SURF	CSO	BZALC	BENZYL ALCOHOL	LT	0.03200000	µg/g	0.5		
CRS-94-07	SURF	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	0.5		
CRS-94-07	SURF	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	0.5		
CRS-94-07	SURF	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	0.5		
CRS-94-07	SURF	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	0.5		
CRS-94-07	SURF	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	0.5		
CRS-94-07	SURF	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	0.5		
CRS-94-07	SURF	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	0.5		
CRS-94-07	SURF	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	0.5		
CRS-94-07	SURF	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	0.5		
CRS-94-07	SURF	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	0.5		
CRS-94-07	SURF	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	0.5		
CRS-94-07	SURF	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	0.5		
CRS-94-07	SURF	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	0.5		
CRS-94-07	SURF	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	0.5		
CRS-94-07	SURF	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	0.5		
CRS-94-07	SURF	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	0.5		
CRS-94-07	SURF	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	0.5		
CRS-94-07	SURF	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	0.5		
CRS-94-07	SURF	CSO	DNBP	DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	0.5		
CRS-94-07	SURF	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	0.5		
CRS-94-07	SURF	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	0.5		
CRS-94-07	SURF	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	0.5		

Chemical Class: **SEMIVOLATILES**

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
CRS-94-07	SURF	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	0.5	R	
CRS-94-07	SURF	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	0.5		
CRS-94-07	SURF	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	0.5	R	
CRS-94-07	SURF	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	0.5		
CRS-94-07	SURF	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	0.5		
CRS-94-07	SURF	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	0.5		
CRS-94-07	SURF	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	0.5		
CRS-94-07	SURF	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	0.5		
CRS-94-07	SURF	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	0.5		
CRS-94-07	SURF	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	0.5		
CRS-94-07	SURF	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	0.5		
CRS-94-07	SURF	CSO	KEP	KEPONE	ND	1.30000000	µg/g	0.5	R	
CRS-94-07	SURF	CSO	LIN	LINDANE	LT	0.10000000	µg/g	0.5		
CRS-94-07	SURF	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	0.5		
CRS-94-07	SURF	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	0.5		
CRS-94-07	SURF	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	0.5		
CRS-94-07	SURF	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	0.5		
CRS-94-07	SURF	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	0.5		
CRS-94-07	SURF	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	0.5		
CRS-94-07	SURF	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	0.5		
CRS-94-07	SURF	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	0.5		
CRS-94-07	SURF	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	0.5		
CRS-94-07	SURF	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	0.5		
CRS-94-07	SURF	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-07	SURF	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-07	SURF	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-07	SURF	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-07	SURF	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-07	SURF	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	0.5		
CRS-94-07	SURF	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	0.5		
CRS-94-07	SURF	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	0.5		
CRS-94-07	SURF	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	0.5		
CRS-94-07	SURF	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	0.5		
CRS-94-07	SURF	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	0.5		
CRS-94-07	SURF	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	0.5		
CRS-94-07	SURF	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	0.5		
CRS-94-07	SURF	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	0.5		
CRS-94-07	SURF	CSO	PYR	PYRENE	LT	0.08300000	µg/g	0.5		
CRS-94-07	SURF	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	0.5		
CRS-94-07	SURF	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	0.5		
CRS-94-07	SURF	CSO	UNK640	UNKNOWN		0.60000000	µg/g	0.5	S	
CRS-94-07	SURF	CSO	UNK650	UNKNOWN		0.50000000	µg/g	0.5	S	
CRS-94-07	SURF	CSO	UNK662	UNKNOWN		1.00000000	µg/g	0.5	S	
CRS-94-07	SURF	CSO	UNK679	UNKNOWN		0.90000000	µg/g	0.5	S	
CRS-94-07	SURF	CSO	UNK679	UNKNOWN		2.00000000	µg/g	0.5	D	
CRS-94-07	SURF	CSO	UNK703	UNKNOWN		0.30000000	µg/g	0.5	S	
CRS-94-07	SURF	CSO	UNK709	UNKNOWN		0.40000000	µg/g	0.5	S	
CRS-94-08	SURF	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	0.5		
CRS-94-08	SURF	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	0.5		
CRS-94-08	SURF	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRS-94-08	SURF	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	0.5		
CRS-94-08	SURF	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type	Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**									
CRS-94-08	SURF	CSO	13DNB 1,3-DINITROBENZENE	ND	0.63000000	µg/g	0.5	R	
CRS-94-08	SURF	CSO	14DCLB 1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	0.5		
CRS-94-08	SURF	CSO	236TCP 2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	0.5		
CRS-94-08	SURF	CSO	245TCP 2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	0.5		
CRS-94-08	SURF	CSO	246TCP 2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	0.5		
CRS-94-08	SURF	CSO	24DCLP 2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	0.5		
CRS-94-08	SURF	CSO	24DMP 2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	0.5		
CRS-94-08	SURF	CSO	24DNP 2,4-DINITROPHENOL	LT	4.70000000	µg/g	0.5		
CRS-94-08	SURF	CSO	24DNT 2,4-DINITROTOLUENE	LT	1.40000000	µg/g	0.5		
CRS-94-08	SURF	CSO	26DNA 2,6-DINITROANILINE	LT	0.57000000	µg/g	0.5		
CRS-94-08	SURF	CSO	26DNT 2,6-DINITROTOLUENE	LT	0.32000000	µg/g	0.5		
CRS-94-08	SURF	CSO	2CLP 2-CHLOROPHENOL	LT	0.05500000	µg/g	0.5		
CRS-94-08	SURF	CSO	2CNAP 2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	0.5		
CRS-94-08	SURF	CSO	2MNAP 2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	0.5		
CRS-94-08	SURF	CSO	2MP 2-METHYLPHENOL	LT	0.09800000	µg/g	0.5		
CRS-94-08	SURF	CSO	2NANIL 2-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRS-94-08	SURF	CSO	2NP 2-NITROPHENOL	LT	1.10000000	µg/g	0.5		
CRS-94-08	SURF	CSO	33DCBD 3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	0.5		
CRS-94-08	SURF	CSO	35DNA 3,5-DINITROANILINE	LT	1.60000000	µg/g	0.5		
CRS-94-08	SURF	CSO	3NANIL 3-NITROANILINE	LT	3.00000000	µg/g	0.5		
CRS-94-08	SURF	CSO	3NT 3-NITROTOLUENE	LT	0.34000000	µg/g	0.5		
CRS-94-08	SURF	CSO	46DN2C 4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	0.5		
CRS-94-08	SURF	CSO	4BRPPE 4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	0.5		
CRS-94-08	SURF	CSO	4CANIL 4-CHLOROANILINE	ND	0.63000000	µg/g	0.5	R	
CRS-94-08	SURF	CSO	4CL3C 4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	0.5		
CRS-94-08	SURF	CSO	4CLPPE 4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	0.5		
CRS-94-08	SURF	CSO	4MP 4-METHYLPHENOL	LT	0.24000000	µg/g	0.5		
CRS-94-08	SURF	CSO	4NANIL 4-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRS-94-08	SURF	CSO	4NP 4-NITROPHENOL	LT	3.30000000	µg/g	0.5		
CRS-94-08	SURF	CSO	ABHC ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		
CRS-94-08	SURF	CSO	AENSLF ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	0.5		
CRS-94-08	SURF	CSO	ALDRN ALDRIN	LT	1.30000000	µg/g	0.5		
CRS-94-08	SURF	CSO	ANAPN ACENEPHTHENE	LT	0.04100000	µg/g	0.5		
CRS-94-08	SURF	CSO	ANAPY ACENAPHTHYLENE	LT	0.03300000	µg/g	0.5		
CRS-94-08	SURF	CSO	ANIL ANILINE	ND	0.13000000	µg/g	0.5	R	
CRS-94-08	SURF	CSO	ANTRC ANTHRACENE	LT	0.71000000	µg/g	0.5		
CRS-94-08	SURF	CSO	ATZ ATRAZINE	LT	0.06500000	µg/g	0.5		
CRS-94-08	SURF	CSO	B2CEX BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	0.5		
CRS-94-08	SURF	CSO	B2CIPE BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	0.5		
CRS-94-08	SURF	CSO	B2CLEE BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	0.5		
CRS-94-08	SURF	CSO	B2EHP BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	0.5		
CRS-94-08	SURF	CSO	BAANT BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	0.5		
CRS-94-08	SURF	CSO	BAPYR BENZO [A] PYRENE	LT	1.20000000	µg/g	0.5		
CRS-94-08	SURF	CSO	BBFAN BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	0.5		
CRS-94-08	SURF	CSO	BBHC BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		
CRS-94-08	SURF	CSO	BBZP BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	0.5		
CRS-94-08	SURF	CSO	BENSLF BETA-ENDOSULFAN	LT	2.40000000	µg/g	0.5		
CRS-94-08	SURF	CSO	BENZID BENZIDINE	ND	0.13000000	µg/g	0.5	R	
CRS-94-08	SURF	CSO	BENZO BENZOIC ACID	ND	3.10000000	µg/g	0.5	R	
CRS-94-08	SURF	CSO	BGHIPY BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	0.5		
CRS-94-08	SURF	CSO	BKFAN BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	0.5		
CRS-94-08	SURF	CSO	BZALC BENZYL ALCOHOL	LT	0.03200000	µg/g	0.5		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRS-94-08	SURF	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	0.5		
CRS-94-08	SURF	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	0.5		
CRS-94-08	SURF	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	0.5		
CRS-94-08	SURF	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	0.5		
CRS-94-08	SURF	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	0.5		
CRS-94-08	SURF	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	0.5		
CRS-94-08	SURF	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	0.5		
CRS-94-08	SURF	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	0.5		
CRS-94-08	SURF	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	0.5		
CRS-94-08	SURF	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	0.5		
CRS-94-08	SURF	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	0.5		
CRS-94-08	SURF	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	0.5		
CRS-94-08	SURF	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	0.5		
CRS-94-08	SURF	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	0.5		
CRS-94-08	SURF	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	0.5		
CRS-94-08	SURF	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	0.5		
CRS-94-08	SURF	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	0.5		
CRS-94-08	SURF	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	0.5		
CRS-94-08	SURF	CSO	DNBP	DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	0.5		
CRS-94-08	SURF	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	0.5		
CRS-94-08	SURF	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	0.5		
CRS-94-08	SURF	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	0.5		
CRS-94-08	SURF	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	0.5	R	
CRS-94-08	SURF	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	0.5		
CRS-94-08	SURF	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	0.5	R	
CRS-94-08	SURF	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	0.5		
CRS-94-08	SURF	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	0.5		
CRS-94-08	SURF	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	0.5		
CRS-94-08	SURF	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	0.5		
CRS-94-08	SURF	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	0.5		
CRS-94-08	SURF	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	0.5		
CRS-94-08	SURF	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	0.5		
CRS-94-08	SURF	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	0.5		
CRS-94-08	SURF	CSO	KEP	KEPONE	ND	1.30000000	µg/g	0.5	R	
CRS-94-08	SURF	CSO	LIN	LINDANE	LT	0.10000000	µg/g	0.5		
CRS-94-08	SURF	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	0.5		
CRS-94-08	SURF	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	0.5		
CRS-94-08	SURF	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	0.5		
CRS-94-08	SURF	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	0.5		
CRS-94-08	SURF	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	0.5		
CRS-94-08	SURF	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	0.5		
CRS-94-08	SURF	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	0.5		
CRS-94-08	SURF	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	0.5		
CRS-94-08	SURF	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	0.5		
CRS-94-08	SURF	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	0.5		
CRS-94-08	SURF	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-08	SURF	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-08	SURF	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-08	SURF	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-08	SURF	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-08	SURF	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	0.5		
CRS-94-08	SURF	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	0.5		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRS-94-08	SURF	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	0.5		
CRS-94-08	SURF	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	0.5		
CRS-94-08	SURF	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	0.5		
CRS-94-08	SURF	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	0.5		
CRS-94-08	SURF	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	0.5		
CRS-94-08	SURF	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	0.5		
CRS-94-08	SURF	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	0.5		
CRS-94-08	SURF	CSO	PYR	PYRENE	LT	0.08300000	µg/g	0.5		
CRS-94-08	SURF	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	0.5		
CRS-94-08	SURF	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	0.5		
CRS-94-08	SURF	CSO	UNK640	UNKNOWN		0.40000000	µg/g	0.5	S	
CRS-94-08	SURF	CSO	UNK650	UNKNOWN		0.50000000	µg/g	0.5	S	
CRS-94-08	SURF	CSO	UNK662	UNKNOWN		1.00000000	µg/g	0.5	S	
CRS-94-08	SURF	CSO	UNK678	UNKNOWN		1.00000000	µg/g	0.5	S	
CRS-94-08	SURF	CSO	UNK679	UNKNOWN		0.50000000	µg/g	0.5	S	
CRS-94-08	SURF	CSO	UNK703	UNKNOWN		0.40000000	µg/g	0.5	S	
CRS-94-09	SURF	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	0.5		
CRS-94-09	SURF	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	0.5		
CRS-94-09	SURF	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRS-94-09	SURF	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	0.5		
CRS-94-09	SURF	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRS-94-09	SURF	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	0.5	R	
CRS-94-09	SURF	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	0.5		
CRS-94-09	SURF	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	0.5		
CRS-94-09	SURF	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	0.5		
CRS-94-09	SURF	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	0.5		
CRS-94-09	SURF	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	0.5		
CRS-94-09	SURF	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	0.5		
CRS-94-09	SURF	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	0.5		
CRS-94-09	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	0.5		
CRS-94-09	SURF	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	0.5		
CRS-94-09	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	0.5		
CRS-94-09	SURF	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	0.5		
CRS-94-09	SURF	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	0.5		
CRS-94-09	SURF	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	0.5		
CRS-94-09	SURF	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	0.5		
CRS-94-09	SURF	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRS-94-09	SURF	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	0.5		
CRS-94-09	SURF	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	0.5		
CRS-94-09	SURF	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	0.5		
CRS-94-09	SURF	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	0.5		
CRS-94-09	SURF	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	0.5		
CRS-94-09	SURF	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	0.5		
CRS-94-09	SURF	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	0.5		
CRS-94-09	SURF	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	0.5	R	
CRS-94-09	SURF	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	0.5		
CRS-94-09	SURF	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	0.5		
CRS-94-09	SURF	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	0.5		
CRS-94-09	SURF	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRS-94-09	SURF	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	0.5		
CRS-94-09	SURF	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		
CRS-94-09	SURF	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	0.5		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRS-94-09	SURF	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	0.5		
CRS-94-09	SURF	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	0.5		
CRS-94-09	SURF	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	0.5		
CRS-94-09	SURF	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	0.5	R	
CRS-94-09	SURF	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	0.5		
CRS-94-09	SURF	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	0.5		
CRS-94-09	SURF	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	0.5		
CRS-94-09	SURF	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	0.5		
CRS-94-09	SURF	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	0.5		
CRS-94-09	SURF	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	0.5		
CRS-94-09	SURF	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	0.5		
CRS-94-09	SURF	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	0.5		
CRS-94-09	SURF	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	0.5		
CRS-94-09	SURF	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		
CRS-94-09	SURF	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	0.5		
CRS-94-09	SURF	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	0.5		
CRS-94-09	SURF	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	0.5	R	
CRS-94-09	SURF	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	0.5	R	
CRS-94-09	SURF	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	0.5		
CRS-94-09	SURF	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	0.5		
CRS-94-09	SURF	CSO	BZALC	BENZYL ALCOHOL	LT	0.03200000	µg/g	0.5		
CRS-94-09	SURF	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	0.5		
CRS-94-09	SURF	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	0.5		
CRS-94-09	SURF	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	0.5		
CRS-94-09	SURF	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	0.5		
CRS-94-09	SURF	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	0.5		
CRS-94-09	SURF	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	0.5		
CRS-94-09	SURF	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	0.5		
CRS-94-09	SURF	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	0.5		
CRS-94-09	SURF	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	0.5		
CRS-94-09	SURF	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	0.5		
CRS-94-09	SURF	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	0.5		
CRS-94-09	SURF	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	0.5		
CRS-94-09	SURF	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	0.5		
CRS-94-09	SURF	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	0.5		
CRS-94-09	SURF	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	0.5		
CRS-94-09	SURF	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	0.5		
CRS-94-09	SURF	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	0.5		
CRS-94-09	SURF	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	0.5		
CRS-94-09	SURF	CSO	DNBP	DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	0.5		
CRS-94-09	SURF	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	0.5		
CRS-94-09	SURF	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	0.5		
CRS-94-09	SURF	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	0.5		
CRS-94-09	SURF	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	0.5	R	
CRS-94-09	SURF	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	0.5		
CRS-94-09	SURF	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	0.5	R	
CRS-94-09	SURF	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	0.5		
CRS-94-09	SURF	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	0.5		
CRS-94-09	SURF	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	0.5		
CRS-94-09	SURF	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	0.5		
CRS-94-09	SURF	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	0.5		
CRS-94-09	SURF	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	0.5		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRS-94-09	SURF	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	0.5		
CRS-94-09	SURF	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	0.5		
CRS-94-09	SURF	CSO	KEP	KEPONE	ND	1.30000000	µg/g	0.5	R	
CRS-94-09	SURF	CSO	LIN	LINDANE	LT	0.10000000	µg/g	0.5		
CRS-94-09	SURF	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	0.5		
CRS-94-09	SURF	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	0.5		
CRS-94-09	SURF	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	0.5		
CRS-94-09	SURF	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	0.5		
CRS-94-09	SURF	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	0.5		
CRS-94-09	SURF	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	0.5		
CRS-94-09	SURF	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	0.5		
CRS-94-09	SURF	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	0.5		
CRS-94-09	SURF	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	0.5		
CRS-94-09	SURF	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	0.5		
CRS-94-09	SURF	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-09	SURF	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-09	SURF	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-09	SURF	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-09	SURF	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-09	SURF	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	0.5		
CRS-94-09	SURF	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	0.5		
CRS-94-09	SURF	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	0.5		
CRS-94-09	SURF	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	0.5		
CRS-94-09	SURF	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	0.5		
CRS-94-09	SURF	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	0.5		
CRS-94-09	SURF	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	0.5		
CRS-94-09	SURF	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	0.5		
CRS-94-09	SURF	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	0.5		
CRS-94-09	SURF	CSO	PYR	PYRENE	LT	0.08300000	µg/g	0.5		
CRS-94-09	SURF	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	0.5		
CRS-94-09	SURF	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	0.5		
CRS-94-09	SURF	CSO	UNK640	UNKNOWN		0.30000000	µg/g	0.5	S	
CRS-94-09	SURF	CSO	UNK650	UNKNOWN		0.30000000	µg/g	0.5	S	
CRS-94-09	SURF	CSO	UNK662	UNKNOWN		0.70000000	µg/g	0.5	S	
CRS-94-09	SURF	CSO	UNK678	UNKNOWN		0.60000000	µg/g	0.5	S	
CRS-94-09	SURF	CSO	UNK679	UNKNOWN		0.80000000	µg/g	0.5	S	
CRS-94-10	SURF	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	0.5		
CRS-94-10	SURF	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	0.5		
CRS-94-10	SURF	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRS-94-10	SURF	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	0.5		
CRS-94-10	SURF	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRS-94-10	SURF	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	0.5	R	
CRS-94-10	SURF	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	0.5		
CRS-94-10	SURF	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	0.5		
CRS-94-10	SURF	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	0.5		
CRS-94-10	SURF	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	0.5		
CRS-94-10	SURF	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	0.5		
CRS-94-10	SURF	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	0.5		
CRS-94-10	SURF	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	0.5		
CRS-94-10	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	0.5		
CRS-94-10	SURF	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	0.5		
CRS-94-10	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	0.5		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type	Test Name		Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRS-94-10	SURF	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	0.5		
CRS-94-10	SURF	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	0.5		
CRS-94-10	SURF	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	0.5		
CRS-94-10	SURF	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	0.5		
CRS-94-10	SURF	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRS-94-10	SURF	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	0.5		
CRS-94-10	SURF	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	0.5		
CRS-94-10	SURF	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	0.5		
CRS-94-10	SURF	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	0.5		
CRS-94-10	SURF	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	0.5		
CRS-94-10	SURF	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	0.5		
CRS-94-10	SURF	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	0.5		
CRS-94-10	SURF	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	0.5	R	
CRS-94-10	SURF	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	0.5		
CRS-94-10	SURF	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	0.5		
CRS-94-10	SURF	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	0.5		
CRS-94-10	SURF	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRS-94-10	SURF	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	0.5		
CRS-94-10	SURF	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		
CRS-94-10	SURF	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	0.5		
CRS-94-10	SURF	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	0.5		
CRS-94-10	SURF	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	0.5		
CRS-94-10	SURF	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	0.5		
CRS-94-10	SURF	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	0.5	R	
CRS-94-10	SURF	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	0.5		
CRS-94-10	SURF	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	0.5		
CRS-94-10	SURF	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	0.5		
CRS-94-10	SURF	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	0.5		
CRS-94-10	SURF	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	0.5		
CRS-94-10	SURF	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	0.5		
CRS-94-10	SURF	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	0.5		
CRS-94-10	SURF	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	0.5		
CRS-94-10	SURF	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	0.5		
CRS-94-10	SURF	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		
CRS-94-10	SURF	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	0.5		
CRS-94-10	SURF	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	0.5		
CRS-94-10	SURF	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	0.5	R	
CRS-94-10	SURF	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	0.5	R	
CRS-94-10	SURF	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	0.5		
CRS-94-10	SURF	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	0.5		
CRS-94-10	SURF	CSO	BZALC	BENZYL ALCOHOL	LT	0.03200000	µg/g	0.5		
CRS-94-10	SURF	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	0.5		
CRS-94-10	SURF	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	0.5		
CRS-94-10	SURF	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	0.5		
CRS-94-10	SURF	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	0.5		
CRS-94-10	SURF	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	0.5		
CRS-94-10	SURF	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	0.5		
CRS-94-10	SURF	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	0.5		
CRS-94-10	SURF	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	0.5		
CRS-94-10	SURF	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	0.5		
CRS-94-10	SURF	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	0.5		
CRS-94-10	SURF	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	0.5		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRS-94-10	SURF	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	0.5		
CRS-94-10	SURF	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	0.5		
CRS-94-10	SURF	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	0.5		
CRS-94-10	SURF	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	0.5		
CRS-94-10	SURF	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	0.5		
CRS-94-10	SURF	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	0.5		
CRS-94-10	SURF	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	0.5		
CRS-94-10	SURF	CSO	DNBP	DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	0.5		
CRS-94-10	SURF	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	0.5		
CRS-94-10	SURF	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	0.5		
CRS-94-10	SURF	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	0.5		
CRS-94-10	SURF	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	0.5	R	
CRS-94-10	SURF	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	0.5		
CRS-94-10	SURF	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	0.5	R	
CRS-94-10	SURF	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	0.5		
CRS-94-10	SURF	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	0.5		
CRS-94-10	SURF	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	0.5		
CRS-94-10	SURF	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	0.5		
CRS-94-10	SURF	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	0.5		
CRS-94-10	SURF	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	0.5		
CRS-94-10	SURF	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	0.5		
CRS-94-10	SURF	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	0.5		
CRS-94-10	SURF	CSO	KEP	KEPONE	ND	1.30000000	µg/g	0.5	R	
CRS-94-10	SURF	CSO	LIN	LINDANE	LT	0.10000000	µg/g	0.5		
CRS-94-10	SURF	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	0.5		
CRS-94-10	SURF	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	0.5		
CRS-94-10	SURF	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	0.5		
CRS-94-10	SURF	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	0.5		
CRS-94-10	SURF	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	0.5		
CRS-94-10	SURF	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	0.5		
CRS-94-10	SURF	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	0.5		
CRS-94-10	SURF	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	0.5		
CRS-94-10	SURF	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	0.5		
CRS-94-10	SURF	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	0.5		
CRS-94-10	SURF	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-10	SURF	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-10	SURF	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-10	SURF	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-10	SURF	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-10	SURF	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	0.5		
CRS-94-10	SURF	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	0.5		
CRS-94-10	SURF	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	0.5		
CRS-94-10	SURF	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	0.5		
CRS-94-10	SURF	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	0.5		
CRS-94-10	SURF	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	0.5		
CRS-94-10	SURF	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	0.5		
CRS-94-10	SURF	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	0.5		
CRS-94-10	SURF	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	0.5		
CRS-94-10	SURF	CSO	PYR	PYRENE	LT	0.08300000	µg/g	0.5		
CRS-94-10	SURF	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	0.5		
CRS-94-10	SURF	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	0.5		
CRS-94-10	SURF	CSO	UNK565	UNKNOWN		0.30000000	µg/g	0.5	S	

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRS-94-10	SURF	CSO	UNK625	UNKNOWN		0.30000000	µg/g	0.5	S	
CRS-94-10	SURF	CSO	UNK640	UNKNOWN		0.30000000	µg/g	0.5	S	
CRS-94-10	SURF	CSO	UNK650	UNKNOWN		0.30000000	µg/g	0.5	S	
CRS-94-10	SURF	CSO	UNK662	UNKNOWN		0.50000000	µg/g	0.5	S	
CRS-94-10	SURF	CSO	UNK679	UNKNOWN		0.40000000	µg/g	0.5	S	
CRS-94-10	SURF	CSO	UNK679	UNKNOWN		0.40000000	µg/g	0.5	D	
CRS-94-10	SURF	CSO	UNK699	UNKNOWN		0.30000000	µg/g	0.5	S	
CRS-94-11	SURF	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	0.5		
CRS-94-11	SURF	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	0.5		
CRS-94-11	SURF	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRS-94-11	SURF	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	0.5		
CRS-94-11	SURF	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRS-94-11	SURF	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	0.5	R	
CRS-94-11	SURF	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	0.5		
CRS-94-11	SURF	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	0.5		
CRS-94-11	SURF	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	0.5		
CRS-94-11	SURF	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	0.5		
CRS-94-11	SURF	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	0.5		
CRS-94-11	SURF	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	0.5		
CRS-94-11	SURF	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	0.5		
CRS-94-11	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	0.5		
CRS-94-11	SURF	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	0.5		
CRS-94-11	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	0.5		
CRS-94-11	SURF	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	0.5		
CRS-94-11	SURF	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	0.5		
CRS-94-11	SURF	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	0.5		
CRS-94-11	SURF	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	0.5		
CRS-94-11	SURF	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRS-94-11	SURF	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	0.5		
CRS-94-11	SURF	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	0.5		
CRS-94-11	SURF	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	0.5		
CRS-94-11	SURF	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	0.5		
CRS-94-11	SURF	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	0.5		
CRS-94-11	SURF	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	0.5		
CRS-94-11	SURF	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	0.5		
CRS-94-11	SURF	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	0.5	R	
CRS-94-11	SURF	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	0.5		
CRS-94-11	SURF	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	0.5		
CRS-94-11	SURF	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	0.5		
CRS-94-11	SURF	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRS-94-11	SURF	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	0.5		
CRS-94-11	SURF	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		
CRS-94-11	SURF	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	0.5		
CRS-94-11	SURF	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	0.5		
CRS-94-11	SURF	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	0.5		
CRS-94-11	SURF	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	0.5		
CRS-94-11	SURF	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	0.5	R	
CRS-94-11	SURF	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	0.5		
CRS-94-11	SURF	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	0.5		
CRS-94-11	SURF	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	0.5		
CRS-94-11	SURF	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	0.5		
CRS-94-11	SURF	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	0.5		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRS-94-11	SURF	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	0.5		
CRS-94-11	SURF	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	0.5		
CRS-94-11	SURF	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	0.5		
CRS-94-11	SURF	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	0.5		
CRS-94-11	SURF	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		
CRS-94-11	SURF	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	0.5		
CRS-94-11	SURF	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	0.5		
CRS-94-11	SURF	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	0.5	R	
CRS-94-11	SURF	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	0.5	R	
CRS-94-11	SURF	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	0.5		
CRS-94-11	SURF	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	0.5		
CRS-94-11	SURF	CSO	BZALC	BENZYL ALCOHOL	LT	0.03200000	µg/g	0.5		
CRS-94-11	SURF	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	0.5		
CRS-94-11	SURF	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	0.5		
CRS-94-11	SURF	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	0.5		
CRS-94-11	SURF	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	0.5		
CRS-94-11	SURF	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	0.5		
CRS-94-11	SURF	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	0.5		
CRS-94-11	SURF	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	0.5		
CRS-94-11	SURF	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	0.5		
CRS-94-11	SURF	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	0.5		
CRS-94-11	SURF	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	0.5		
CRS-94-11	SURF	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	0.5		
CRS-94-11	SURF	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	0.5		
CRS-94-11	SURF	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	0.5		
CRS-94-11	SURF	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	0.5		
CRS-94-11	SURF	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	0.5		
CRS-94-11	SURF	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	0.5		
CRS-94-11	SURF	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	0.5		
CRS-94-11	SURF	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	0.5		
CRS-94-11	SURF	CSO	DNBP	DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	0.5		
CRS-94-11	SURF	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	0.5		
CRS-94-11	SURF	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	0.5		
CRS-94-11	SURF	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	0.5		
CRS-94-11	SURF	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	0.5	R	
CRS-94-11	SURF	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	0.5		
CRS-94-11	SURF	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	0.5	R	
CRS-94-11	SURF	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	0.5		
CRS-94-11	SURF	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	0.5		
CRS-94-11	SURF	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	0.5		
CRS-94-11	SURF	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	0.5		
CRS-94-11	SURF	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	0.5		
CRS-94-11	SURF	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	0.5		
CRS-94-11	SURF	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	0.5		
CRS-94-11	SURF	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	0.5		
CRS-94-11	SURF	CSO	KEP	KEPONE	ND	1.30000000	µg/g	0.5	R	
CRS-94-11	SURF	CSO	LIN	LINDANE	LT	0.10000000	µg/g	0.5		
CRS-94-11	SURF	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	0.5		
CRS-94-11	SURF	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	0.5		
CRS-94-11	SURF	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	0.5		
CRS-94-11	SURF	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	0.5		
CRS-94-11	SURF	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	0.5		

Chemical Class: **SEMIVOLATILES**

Site ID	Site Type	Media Type	Test Name		Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
CRS-94-11	SURF	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	0.5		
CRS-94-11	SURF	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	0.5		
CRS-94-11	SURF	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	0.5		
CRS-94-11	SURF	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	0.5		
CRS-94-11	SURF	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	0.5		
CRS-94-11	SURF	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-11	SURF	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-11	SURF	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-11	SURF	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-11	SURF	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-11	SURF	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	0.5		
CRS-94-11	SURF	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	0.5		
CRS-94-11	SURF	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	0.5		
CRS-94-11	SURF	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	0.5		
CRS-94-11	SURF	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	0.5		
CRS-94-11	SURF	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	0.5		
CRS-94-11	SURF	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	0.5		
CRS-94-11	SURF	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	0.5		
CRS-94-11	SURF	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	0.5		
CRS-94-11	SURF	CSO	PYR	PYRENE	LT	0.08300000	µg/g	0.5		
CRS-94-11	SURF	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	0.5		
CRS-94-11	SURF	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	0.5		
CRS-94-11	SURF	CSO	UNK640	UNKNOWN		0.30000000	µg/g	0.5	S	
CRS-94-11	SURF	CSO	UNK650	UNKNOWN		0.30000000	µg/g	0.5	S	
CRS-94-11	SURF	CSO	UNK662	UNKNOWN		0.60000000	µg/g	0.5	S	
CRS-94-11	SURF	CSO	UNK678	UNKNOWN		0.60000000	µg/g	0.5	S	
CRS-94-11	SURF	CSO	UNK680	UNKNOWN		0.60000000	µg/g	0.5	S	
CRS-94-12	SURF	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	0.5		
CRS-94-12	SURF	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	0.5		
CRS-94-12	SURF	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRS-94-12	SURF	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	0.5		
CRS-94-12	SURF	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRS-94-12	SURF	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	0.5	R	
CRS-94-12	SURF	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	0.5		
CRS-94-12	SURF	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	0.5		
CRS-94-12	SURF	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	0.5		
CRS-94-12	SURF	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	0.5		
CRS-94-12	SURF	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	0.5		
CRS-94-12	SURF	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	0.5		
CRS-94-12	SURF	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	0.5		
CRS-94-12	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	0.5		
CRS-94-12	SURF	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	0.5		
CRS-94-12	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	0.5		
CRS-94-12	SURF	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	0.5		
CRS-94-12	SURF	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	0.5		
CRS-94-12	SURF	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	0.5		
CRS-94-12	SURF	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	0.5		
CRS-94-12	SURF	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRS-94-12	SURF	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	0.5		
CRS-94-12	SURF	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	0.5		
CRS-94-12	SURF	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	0.5		
CRS-94-12	SURF	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	0.5		

Chemical Class: **SEMIVOLATILES**

Site ID	Site Type	Media Type	Test Name		Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
CRS-94-12	SURF	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	0.5		
CRS-94-12	SURF	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	0.5		
CRS-94-12	SURF	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	0.5		
CRS-94-12	SURF	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	0.5	R	
CRS-94-12	SURF	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	0.5		
CRS-94-12	SURF	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	0.5		
CRS-94-12	SURF	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	0.5		
CRS-94-12	SURF	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRS-94-12	SURF	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	0.5		
CRS-94-12	SURF	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		
CRS-94-12	SURF	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	0.5		
CRS-94-12	SURF	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	0.5		
CRS-94-12	SURF	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	0.5		
CRS-94-12	SURF	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	0.5		
CRS-94-12	SURF	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	0.5	R	
CRS-94-12	SURF	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	0.5		
CRS-94-12	SURF	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	0.5		
CRS-94-12	SURF	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	0.5		
CRS-94-12	SURF	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	0.5		
CRS-94-12	SURF	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	0.5		
CRS-94-12	SURF	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	0.5		
CRS-94-12	SURF	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	0.5		
CRS-94-12	SURF	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	0.5		
CRS-94-12	SURF	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	0.5		
CRS-94-12	SURF	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		
CRS-94-12	SURF	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	0.5		
CRS-94-12	SURF	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	0.5		
CRS-94-12	SURF	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	0.5	R	
CRS-94-12	SURF	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	0.5	R	
CRS-94-12	SURF	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	0.5		
CRS-94-12	SURF	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	0.5		
CRS-94-12	SURF	CSO	BZALC	BENZYL ALCOHOL	LT	0.03200000	µg/g	0.5		
CRS-94-12	SURF	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	0.5		
CRS-94-12	SURF	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	0.5		
CRS-94-12	SURF	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	0.5		
CRS-94-12	SURF	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	0.5		
CRS-94-12	SURF	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	0.5		
CRS-94-12	SURF	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	0.5		
CRS-94-12	SURF	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	0.5		
CRS-94-12	SURF	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	0.5		
CRS-94-12	SURF	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	0.5		
CRS-94-12	SURF	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	0.5		
CRS-94-12	SURF	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	0.5		
CRS-94-12	SURF	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	0.5		
CRS-94-12	SURF	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	0.5		
CRS-94-12	SURF	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	0.5		
CRS-94-12	SURF	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	0.5		
CRS-94-12	SURF	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	0.5		
CRS-94-12	SURF	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	0.5		
CRS-94-12	SURF	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	0.5		
CRS-94-12	SURF	CSO	DNBP	DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	0.5		
CRS-94-12	SURF	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	0.5		

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRS-94-12	SURF	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	0.5		
CRS-94-12	SURF	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	0.5		
CRS-94-12	SURF	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	0.5	R	
CRS-94-12	SURF	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	0.5		
CRS-94-12	SURF	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	0.5	R	
CRS-94-12	SURF	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	0.5		
CRS-94-12	SURF	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	0.5		
CRS-94-12	SURF	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	0.5		
CRS-94-12	SURF	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	0.5		
CRS-94-12	SURF	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	0.5		
CRS-94-12	SURF	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	0.5		
CRS-94-12	SURF	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	0.5		
CRS-94-12	SURF	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	0.5		
CRS-94-12	SURF	CSO	KEP	KEPONE	ND	1.30000000	µg/g	0.5	R	
CRS-94-12	SURF	CSO	LIN	LINDANE	LT	0.10000000	µg/g	0.5		
CRS-94-12	SURF	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	0.5		
CRS-94-12	SURF	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	0.5		
CRS-94-12	SURF	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	0.5		
CRS-94-12	SURF	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	0.5		
CRS-94-12	SURF	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	0.5		
CRS-94-12	SURF	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	0.5		
CRS-94-12	SURF	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	0.5		
CRS-94-12	SURF	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	0.5		
CRS-94-12	SURF	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	0.5		
CRS-94-12	SURF	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	0.5		
CRS-94-12	SURF	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-12	SURF	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-12	SURF	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-12	SURF	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-12	SURF	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-12	SURF	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	0.5		
CRS-94-12	SURF	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	0.5		
CRS-94-12	SURF	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	0.5		
CRS-94-12	SURF	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	0.5		
CRS-94-12	SURF	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	0.5		
CRS-94-12	SURF	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	0.5		
CRS-94-12	SURF	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	0.5		
CRS-94-12	SURF	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	0.5		
CRS-94-12	SURF	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	0.5		
CRS-94-12	SURF	CSO	PYR	PYRENE	LT	0.08300000	µg/g	0.5		
CRS-94-12	SURF	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	0.5		
CRS-94-12	SURF	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	0.5		
CRS-94-12	SURF	CSO	UNK640	UNKNOWN		0.40000000	µg/g	0.5	S	
CRS-94-12	SURF	CSO	UNK650	UNKNOWN		0.30000000	µg/g	0.5	S	
CRS-94-12	SURF	CSO	UNK662	UNKNOWN		0.60000000	µg/g	0.5	S	
CRS-94-12	SURF	CSO	UNK678	UNKNOWN		0.80000000	µg/g	0.5	S	
CRS-94-12	SURF	CSO	UNK680	UNKNOWN		0.70000000	µg/g	0.5	S	
CRS-94-12	SURF	CSO	UNK703	UNKNOWN		0.40000000	µg/g	0.5	S	
CRS-94-13	SURF	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	0.5		
CRS-94-13	SURF	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	0.5		
CRS-94-13	SURF	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRS-94-13	SURF	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	0.5		

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRS-94-13	SURF	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRS-94-13	SURF	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	0.5	R	
CRS-94-13	SURF	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	0.5		
CRS-94-13	SURF	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	0.5		
CRS-94-13	SURF	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	0.5		
CRS-94-13	SURF	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	0.5		
CRS-94-13	SURF	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	0.5		
CRS-94-13	SURF	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	0.5		
CRS-94-13	SURF	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	0.5		
CRS-94-13	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	0.5		
CRS-94-13	SURF	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	0.5		
CRS-94-13	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	0.5		
CRS-94-13	SURF	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	0.5		
CRS-94-13	SURF	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	0.5		
CRS-94-13	SURF	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	0.5		
CRS-94-13	SURF	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	0.5		
CRS-94-13	SURF	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRS-94-13	SURF	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	0.5		
CRS-94-13	SURF	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	0.5		
CRS-94-13	SURF	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	0.5		
CRS-94-13	SURF	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	0.5		
CRS-94-13	SURF	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	0.5		
CRS-94-13	SURF	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	0.5		
CRS-94-13	SURF	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	0.5		
CRS-94-13	SURF	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	0.5	R	
CRS-94-13	SURF	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	0.5		
CRS-94-13	SURF	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	0.5		
CRS-94-13	SURF	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	0.5		
CRS-94-13	SURF	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRS-94-13	SURF	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	0.5		
CRS-94-13	SURF	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		
CRS-94-13	SURF	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	0.5		
CRS-94-13	SURF	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	0.5		
CRS-94-13	SURF	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	0.5		
CRS-94-13	SURF	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	0.5		
CRS-94-13	SURF	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	0.5	R	
CRS-94-13	SURF	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	0.5		
CRS-94-13	SURF	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	0.5		
CRS-94-13	SURF	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	0.5		
CRS-94-13	SURF	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	0.5		
CRS-94-13	SURF	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	0.5		
CRS-94-13	SURF	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	0.5		
CRS-94-13	SURF	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	0.5		
CRS-94-13	SURF	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	0.5		
CRS-94-13	SURF	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	0.5		
CRS-94-13	SURF	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		
CRS-94-13	SURF	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	0.5		
CRS-94-13	SURF	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	0.5		
CRS-94-13	SURF	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	0.5	R	
CRS-94-13	SURF	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	0.5	R	
CRS-94-13	SURF	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	0.5		
CRS-94-13	SURF	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	0.5		

Site ID	Site Type	Media Type	Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**									
CRS-94-13	SURF	CSO	BZALC BENZYL ALCOHOL	LT	0.03200000	µg/g	0.5		
CRS-94-13	SURF	CSO	CHRY CHRYSENE	LT	0.03200000	µg/g	0.5		
CRS-94-13	SURF	CSO	CL6BZ HEXACHLOROBENZENE	LT	0.08000000	µg/g	0.5		
CRS-94-13	SURF	CSO	CL6CP HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	0.5		
CRS-94-13	SURF	CSO	CL6ET HEXACHLOROETHANE	LT	1.80000000	µg/g	0.5		
CRS-94-13	SURF	CSO	CLDAN CHLORDANE	LT	0.68000000	µg/g	0.5		
CRS-94-13	SURF	CSO	CPMS 4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	0.5		
CRS-94-13	SURF	CSO	CPMSO 4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	0.5		
CRS-94-13	SURF	CSO	CPMSO2 4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	0.5		
CRS-94-13	SURF	CSO	DBAHA DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	0.5		
CRS-94-13	SURF	CSO	DBCP DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	0.5		
CRS-94-13	SURF	CSO	DBHC DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	0.5		
CRS-94-13	SURF	CSO	DBZFU DIBENZOFURAN	LT	0.38000000	µg/g	0.5		
CRS-94-13	SURF	CSO	DCPD DICYCLOPENTADIENE	LT	0.57000000	µg/g	0.5		
CRS-94-13	SURF	CSO	DDVP VAPONA	LT	0.06800000	µg/g	0.5		
CRS-94-13	SURF	CSO	DEP DIETHYL PHTHALATE	LT	0.24000000	µg/g	0.5		
CRS-94-13	SURF	CSO	DITH DITHIANE	LT	0.06500000	µg/g	0.5		
CRS-94-13	SURF	CSO	DLDRN DIELDRIN	LT	0.07900000	µg/g	0.5		
CRS-94-13	SURF	CSO	DMP DIMETHYL PHTHALATE	LT	0.06300000	µg/g	0.5		
CRS-94-13	SURF	CSO	DNBP DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	0.5		
CRS-94-13	SURF	CSO	DNOP DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	0.5		
CRS-94-13	SURF	CSO	ENDRN ENDRIN	LT	1.30000000	µg/g	0.5		
CRS-94-13	SURF	CSO	ENDRN ENDRIN ALDEHYDE	LT	1.80000000	µg/g	0.5		
CRS-94-13	SURF	CSO	ENDRN ENDRIN KETONE	ND	0.28000000	µg/g	0.5	R	
CRS-94-13	SURF	CSO	ESFSO4 ENDOSULFAN SULFATE	LT	1.20000000	µg/g	0.5		
CRS-94-13	SURF	CSO	FAMPH FAMOPHOS	ND	1.30000000	µg/g	0.5	R	
CRS-94-13	SURF	CSO	FANT FLUORANTHENE	LT	0.03200000	µg/g	0.5		
CRS-94-13	SURF	CSO	FLRENE FLUORENE	LT	0.06500000	µg/g	0.5		
CRS-94-13	SURF	CSO	HCBD HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	0.5		
CRS-94-13	SURF	CSO	HPCL HEPTACHLOR	LT	0.24000000	µg/g	0.5		
CRS-94-13	SURF	CSO	HPCLE HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	0.5		
CRS-94-13	SURF	CSO	ICDPYR INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	0.5		
CRS-94-13	SURF	CSO	ISODR ISODRIN	LT	0.48000000	µg/g	0.5		
CRS-94-13	SURF	CSO	ISOPHR ISOPHORONE	LT	0.39000000	µg/g	0.5		
CRS-94-13	SURF	CSO	KEP KEPONE	ND	1.30000000	µg/g	0.5	R	
CRS-94-13	SURF	CSO	LIN LINDANE	LT	0.10000000	µg/g	0.5		
CRS-94-13	SURF	CSO	MEXCL METHOXYCHLOR	LT	0.26000000	µg/g	0.5		
CRS-94-13	SURF	CSO	MIREX 1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	0.5		
CRS-94-13	SURF	CSO	MLTHN MALATHION	LT	0.18000000	µg/g	0.5		
CRS-94-13	SURF	CSO	NAP NAPHTHALENE	LT	0.74000000	µg/g	0.5		
CRS-94-13	SURF	CSO	NB NITROBENZENE	LT	1.80000000	µg/g	0.5		
CRS-94-13	SURF	CSO	NNDME N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	0.5		
CRS-94-13	SURF	CSO	NNDNP N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	0.5		
CRS-94-13	SURF	CSO	NNDPA N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	0.5		
CRS-94-13	SURF	CSO	OXAT 1,4-OXATHIANE	LT	0.07500000	µg/g	0.5		
CRS-94-13	SURF	CSO	PCB016 PCB 1016	LT	0.32000000	µg/g	0.5		
CRS-94-13	SURF	CSO	PCB221 POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-13	SURF	CSO	PCB232 POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-13	SURF	CSO	PCB242 POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-13	SURF	CSO	PCB248 POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-13	SURF	CSO	PCB254 POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-13	SURF	CSO	PCB260 PCB 1260	LT	0.79000000	µg/g	0.5		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRS-94-13	SURF	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	0.5		
CRS-94-13	SURF	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	0.5		
CRS-94-13	SURF	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	0.5		
CRS-94-13	SURF	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	0.5		
CRS-94-13	SURF	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	0.5		
CRS-94-13	SURF	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	0.5		
CRS-94-13	SURF	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	0.5		
CRS-94-13	SURF	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	0.5		
CRS-94-13	SURF	CSO	PYR	PYRENE	LT	0.08300000	µg/g	0.5		
CRS-94-13	SURF	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	0.5		
CRS-94-13	SURF	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	0.5		
CRS-94-13	SURF	CSO	UNK640	UNKNOWN		0.60000000	µg/g	0.5	S	
CRS-94-13	SURF	CSO	UNK650	UNKNOWN		0.90000000	µg/g	0.5	S	
CRS-94-13	SURF	CSO	UNK662	UNKNOWN		0.70000000	µg/g	0.5	S	
CRS-94-13	SURF	CSO	UNK663	UNKNOWN		0.30000000	µg/g	0.5	S	
CRS-94-13	SURF	CSO	UNK678	UNKNOWN		0.50000000	µg/g	0.5	S	
CRS-94-14	SURF	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	0.5		
CRS-94-14	SURF	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	0.5		
CRS-94-14	SURF	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRS-94-14	SURF	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	0.5		
CRS-94-14	SURF	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRS-94-14	SURF	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	0.5	R	
CRS-94-14	SURF	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	0.5		
CRS-94-14	SURF	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	0.5		
CRS-94-14	SURF	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	0.5		
CRS-94-14	SURF	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	0.5		
CRS-94-14	SURF	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	0.5		
CRS-94-14	SURF	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	0.5		
CRS-94-14	SURF	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	0.5		
CRS-94-14	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	0.5		
CRS-94-14	SURF	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	0.5		
CRS-94-14	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	0.5		
CRS-94-14	SURF	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	0.5		
CRS-94-14	SURF	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	0.5		
CRS-94-14	SURF	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	0.5		
CRS-94-14	SURF	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	0.5		
CRS-94-14	SURF	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRS-94-14	SURF	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	0.5		
CRS-94-14	SURF	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	0.5		
CRS-94-14	SURF	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	0.5		
CRS-94-14	SURF	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	0.5		
CRS-94-14	SURF	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	0.5		
CRS-94-14	SURF	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	0.5		
CRS-94-14	SURF	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	0.5		
CRS-94-14	SURF	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	0.5	R	
CRS-94-14	SURF	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	0.5		
CRS-94-14	SURF	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	0.5		
CRS-94-14	SURF	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	0.5		
CRS-94-14	SURF	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRS-94-14	SURF	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	0.5		
CRS-94-14	SURF	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		
CRS-94-14	SURF	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	0.5		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRS-94-14	SURF	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	0.5		
CRS-94-14	SURF	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	0.5		
CRS-94-14	SURF	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	0.5		
CRS-94-14	SURF	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	0.5	R	
CRS-94-14	SURF	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	0.5		
CRS-94-14	SURF	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	0.5		
CRS-94-14	SURF	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	0.5		
CRS-94-14	SURF	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	0.5		
CRS-94-14	SURF	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	0.5		
CRS-94-14	SURF	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	0.5		
CRS-94-14	SURF	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	0.5		
CRS-94-14	SURF	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	0.5		
CRS-94-14	SURF	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	0.5		
CRS-94-14	SURF	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		
CRS-94-14	SURF	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	0.5		
CRS-94-14	SURF	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	0.5		
CRS-94-14	SURF	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	0.5	R	
CRS-94-14	SURF	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	0.5	R	
CRS-94-14	SURF	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	0.5		
CRS-94-14	SURF	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	0.5		
CRS-94-14	SURF	CSO	BZALC	BENZYL ALCOHOL	LT	0.03200000	µg/g	0.5		
CRS-94-14	SURF	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	0.5		
CRS-94-14	SURF	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	0.5		
CRS-94-14	SURF	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	0.5		
CRS-94-14	SURF	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	0.5		
CRS-94-14	SURF	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	0.5		
CRS-94-14	SURF	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	0.5		
CRS-94-14	SURF	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	0.5		
CRS-94-14	SURF	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	0.5		
CRS-94-14	SURF	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	0.5		
CRS-94-14	SURF	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	0.5		
CRS-94-14	SURF	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	0.5		
CRS-94-14	SURF	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	0.5		
CRS-94-14	SURF	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	0.5		
CRS-94-14	SURF	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	0.5		
CRS-94-14	SURF	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	0.5		
CRS-94-14	SURF	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	0.5		
CRS-94-14	SURF	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	0.5		
CRS-94-14	SURF	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	0.5		
CRS-94-14	SURF	CSO	DNBP	DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	0.5		
CRS-94-14	SURF	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	0.5		
CRS-94-14	SURF	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	0.5		
CRS-94-14	SURF	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	0.5		
CRS-94-14	SURF	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	0.5	R	
CRS-94-14	SURF	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	0.5		
CRS-94-14	SURF	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	0.5	R	
CRS-94-14	SURF	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	0.5		
CRS-94-14	SURF	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	0.5		
CRS-94-14	SURF	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	0.5		
CRS-94-14	SURF	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	0.5		
CRS-94-14	SURF	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	0.5		
CRS-94-14	SURF	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	0.5		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type	Test Name		Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRS-94-14	SURF	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	0.5		
CRS-94-14	SURF	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	0.5		
CRS-94-14	SURF	CSO	KEP	KEPONE	ND	1.30000000	µg/g	0.5	R	
CRS-94-14	SURF	CSO	LIN	LINDANE	LT	0.10000000	µg/g	0.5		
CRS-94-14	SURF	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	0.5		
CRS-94-14	SURF	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	0.5		
CRS-94-14	SURF	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	0.5		
CRS-94-14	SURF	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	0.5		
CRS-94-14	SURF	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	0.5		
CRS-94-14	SURF	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	0.5		
CRS-94-14	SURF	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	0.5		
CRS-94-14	SURF	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	0.5		
CRS-94-14	SURF	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	0.5		
CRS-94-14	SURF	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	0.5		
CRS-94-14	SURF	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-14	SURF	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-14	SURF	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-14	SURF	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-14	SURF	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-14	SURF	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	0.5		
CRS-94-14	SURF	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	0.5		
CRS-94-14	SURF	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	0.5		
CRS-94-14	SURF	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	0.5		
CRS-94-14	SURF	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	0.5		
CRS-94-14	SURF	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	0.5		
CRS-94-14	SURF	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	0.5		
CRS-94-14	SURF	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	0.5		
CRS-94-14	SURF	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	0.5		
CRS-94-14	SURF	CSO	PYR	PYRENE	LT	0.08300000	µg/g	0.5		
CRS-94-14	SURF	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	0.5		
CRS-94-14	SURF	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	0.5		
CRS-94-14	SURF	CSO	UNK527	UNKNOWN		0.60000000	µg/g	0.5	S	
CRS-94-14	SURF	CSO	UNK605	UNKNOWN		1.00000000	µg/g	0.5	S	
CRS-94-14	SURF	CSO	UNK642	UNKNOWN		0.60000000	µg/g	0.5	S	
CRS-94-14	SURF	CSO	UNK651	UNKNOWN		0.50000000	µg/g	0.5	S	
CRS-94-14	SURF	CSO	UNK658	UNKNOWN		0.50000000	µg/g	0.5	S	
CRS-94-14	SURF	CSO	UNK663	UNKNOWN		0.90000000	µg/g	0.5	S	
CRS-94-14	SURF	CSO	UNK680	UNKNOWN		0.90000000	µg/g	0.5	S	
CRS-94-14	SURF	CSO	UNK681	UNKNOWN		0.30000000	µg/g	0.5	S	
CRS-94-14	SURF	CSO	UNK704	UNKNOWN		0.50000000	µg/g	0.5	S	
CRS-94-15	SURF	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	0.5		
CRS-94-15	SURF	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	0.5		
CRS-94-15	SURF	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRS-94-15	SURF	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	0.5		
CRS-94-15	SURF	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRS-94-15	SURF	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	0.5	R	
CRS-94-15	SURF	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	0.5		
CRS-94-15	SURF	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	0.5		
CRS-94-15	SURF	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	0.5		
CRS-94-15	SURF	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	0.5		
CRS-94-15	SURF	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	0.5		
CRS-94-15	SURF	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	0.5		

Site ID	Site Type	Media Type	Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**									
CRS-94-15	SURF	CSO	24DNP 2,4-DINITROPHENOL	LT	4.70000000	µg/g	0.5		
CRS-94-15	SURF	CSO	24DNT 2,4-DINITROTOLUENE	LT	1.40000000	µg/g	0.5		
CRS-94-15	SURF	CSO	26DNA 2,6-DINITROANILINE	LT	0.57000000	µg/g	0.5		
CRS-94-15	SURF	CSO	26DNT 2,6-DINITROTOLUENE	LT	0.32000000	µg/g	0.5		
CRS-94-15	SURF	CSO	2CLP 2-CHLOROPHENOL	LT	0.05500000	µg/g	0.5		
CRS-94-15	SURF	CSO	2CNAP 2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	0.5		
CRS-94-15	SURF	CSO	2MNAP 2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	0.5		
CRS-94-15	SURF	CSO	2MP 2-METHYLPHENOL	LT	0.09800000	µg/g	0.5		
CRS-94-15	SURF	CSO	2NANIL 2-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRS-94-15	SURF	CSO	2NP 2-NITROPHENOL	LT	1.10000000	µg/g	0.5		
CRS-94-15	SURF	CSO	33DCBD 3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	0.5		
CRS-94-15	SURF	CSO	35DNA 3,5-DINITROANILINE	LT	1.60000000	µg/g	0.5		
CRS-94-15	SURF	CSO	3NANIL 3-NITROANILINE	LT	3.00000000	µg/g	0.5		
CRS-94-15	SURF	CSO	3NT 3-NITROTOLUENE	LT	0.34000000	µg/g	0.5		
CRS-94-15	SURF	CSO	46DN2C 4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	0.5		
CRS-94-15	SURF	CSO	4BRPPE 4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	0.5		
CRS-94-15	SURF	CSO	4CANIL 4-CHLOROANILINE	ND	0.63000000	µg/g	0.5	R	
CRS-94-15	SURF	CSO	4CL3C 4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	0.5		
CRS-94-15	SURF	CSO	4CLPPE 4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	0.5		
CRS-94-15	SURF	CSO	4MP 4-METHYLPHENOL	LT	0.24000000	µg/g	0.5		
CRS-94-15	SURF	CSO	4NANIL 4-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRS-94-15	SURF	CSO	4NP 4-NITROPHENOL	LT	3.30000000	µg/g	0.5		
CRS-94-15	SURF	CSO	ABHC ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		
CRS-94-15	SURF	CSO	AENSLF ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	0.5		
CRS-94-15	SURF	CSO	ALDRN ALDRIN	LT	1.30000000	µg/g	0.5		
CRS-94-15	SURF	CSO	ANAPN ACENEPHTHENE	LT	0.04100000	µg/g	0.5		
CRS-94-15	SURF	CSO	ANAPY ACENAPHTHYLENE	LT	0.03300000	µg/g	0.5		
CRS-94-15	SURF	CSO	ANIL ANILINE	ND	0.13000000	µg/g	0.5	R	
CRS-94-15	SURF	CSO	ANTRC ANTHRACENE	LT	0.71000000	µg/g	0.5		
CRS-94-15	SURF	CSO	ATZ ATRAZINE	LT	0.06500000	µg/g	0.5		
CRS-94-15	SURF	CSO	B2CEX BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	0.5		
CRS-94-15	SURF	CSO	B2CIPE BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	0.5		
CRS-94-15	SURF	CSO	B2CLEE BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	0.5		
CRS-94-15	SURF	CSO	B2EHP BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	0.5		
CRS-94-15	SURF	CSO	BAANT BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	0.5		
CRS-94-15	SURF	CSO	BAPYR BENZO [A] PYRENE	LT	1.20000000	µg/g	0.5		
CRS-94-15	SURF	CSO	BBFAN BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	0.5		
CRS-94-15	SURF	CSO	BBHC BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		
CRS-94-15	SURF	CSO	BBZP BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	0.5		
CRS-94-15	SURF	CSO	BENSLF BETA-ENDOSULFAN	LT	2.40000000	µg/g	0.5		
CRS-94-15	SURF	CSO	BENZID BENZIDINE	ND	0.13000000	µg/g	0.5	R	
CRS-94-15	SURF	CSO	BENZO BENZOIC ACID	ND	3.10000000	µg/g	0.5	R	
CRS-94-15	SURF	CSO	BGHIPY BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	0.5		
CRS-94-15	SURF	CSO	BKFAN BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	0.5		
CRS-94-15	SURF	CSO	BZALC BENZYL ALCOHOL	LT	0.03200000	µg/g	0.5		
CRS-94-15	SURF	CSO	CHRY CHRYSENE	LT	0.03200000	µg/g	0.5		
CRS-94-15	SURF	CSO	CL6BZ HEXACHLOROBENZENE	LT	0.08000000	µg/g	0.5		
CRS-94-15	SURF	CSO	CL6CP HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	0.5		
CRS-94-15	SURF	CSO	CL6ET HEXACHLOROETHANE	LT	1.80000000	µg/g	0.5		
CRS-94-15	SURF	CSO	CLDAN CHLORDANE	LT	0.68000000	µg/g	0.5		
CRS-94-15	SURF	CSO	CPMS 4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	0.5		
CRS-94-15	SURF	CSO	CPMSO 4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	0.5		

Chemical Class: **SEMIVOLATILES**

Site ID	Site Type	Media Type	Test Name		Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
CRS-94-15	SURF	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	0.5		
CRS-94-15	SURF	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	0.5		
CRS-94-15	SURF	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	0.5		
CRS-94-15	SURF	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	0.5		
CRS-94-15	SURF	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	0.5		
CRS-94-15	SURF	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	0.5		
CRS-94-15	SURF	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	0.5		
CRS-94-15	SURF	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	0.5		
CRS-94-15	SURF	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	0.5		
CRS-94-15	SURF	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	0.5		
CRS-94-15	SURF	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	0.5		
CRS-94-15	SURF	CSO	DNBP	DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	0.5		
CRS-94-15	SURF	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	0.5		
CRS-94-15	SURF	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	0.5		
CRS-94-15	SURF	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	0.5		
CRS-94-15	SURF	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	0.5	R	
CRS-94-15	SURF	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	0.5		
CRS-94-15	SURF	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	0.5	R	
CRS-94-15	SURF	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	0.5		
CRS-94-15	SURF	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	0.5		
CRS-94-15	SURF	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	0.5		
CRS-94-15	SURF	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	0.5		
CRS-94-15	SURF	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	0.5		
CRS-94-15	SURF	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	0.5		
CRS-94-15	SURF	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	0.5		
CRS-94-15	SURF	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	0.5		
CRS-94-15	SURF	CSO	KEP	KEPONE	ND	1.30000000	µg/g	0.5	R	
CRS-94-15	SURF	CSO	LIN	LINDANE	LT	0.10000000	µg/g	0.5		
CRS-94-15	SURF	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	0.5		
CRS-94-15	SURF	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	0.5		
CRS-94-15	SURF	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	0.5		
CRS-94-15	SURF	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	0.5		
CRS-94-15	SURF	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	0.5		
CRS-94-15	SURF	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	0.5		
CRS-94-15	SURF	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	0.5		
CRS-94-15	SURF	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	0.5		
CRS-94-15	SURF	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	0.5		
CRS-94-15	SURF	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	0.5		
CRS-94-15	SURF	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-15	SURF	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-15	SURF	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-15	SURF	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-15	SURF	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-15	SURF	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	0.5		
CRS-94-15	SURF	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	0.5		
CRS-94-15	SURF	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	0.5		
CRS-94-15	SURF	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	0.5		
CRS-94-15	SURF	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	0.5		
CRS-94-15	SURF	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	0.5		
CRS-94-15	SURF	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	0.5		
CRS-94-15	SURF	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	0.5		
CRS-94-15	SURF	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	0.5		

Site ID	Site Type	Media Type	Test Name		Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRS-94-15	SURF	CSO	PYR	PYRENE	LT	0.08300000	µg/g	0.5		
CRS-94-15	SURF	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	0.5		
CRS-94-15	SURF	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	0.5		
CRS-94-15	SURF	CSO	UNK527	UNKNOWN		0.30000000	µg/g	0.5	S	
CRS-94-15	SURF	CSO	UNK530	UNKNOWN		0.30000000	µg/g	0.5	S	
CRS-94-15	SURF	CSO	UNK641	UNKNOWN		0.70000000	µg/g	0.5	S	
CRS-94-15	SURF	CSO	UNK651	UNKNOWN		0.60000000	µg/g	0.5	S	
CRS-94-15	SURF	CSO	UNK663	UNKNOWN		0.60000000	µg/g	0.5	S	
CRS-94-15	SURF	CSO	UNK680	UNKNOWN		0.40000000	µg/g	0.5	S	
CRS-94-15	SURF	CSO	UNK680	UNKNOWN		0.30000000	µg/g	0.5	D	
CRS-94-16	SURF	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	0.5		
CRS-94-16	SURF	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	0.5		
CRS-94-16	SURF	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRS-94-16	SURF	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	0.5		
CRS-94-16	SURF	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRS-94-16	SURF	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	0.5	R	
CRS-94-16	SURF	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	0.5		
CRS-94-16	SURF	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	0.5		
CRS-94-16	SURF	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	0.5		
CRS-94-16	SURF	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	0.5		
CRS-94-16	SURF	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	0.5		
CRS-94-16	SURF	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	0.5		
CRS-94-16	SURF	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	0.5		
CRS-94-16	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	0.5		
CRS-94-16	SURF	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	0.5		
CRS-94-16	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	0.5		
CRS-94-16	SURF	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	0.5		
CRS-94-16	SURF	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	0.5		
CRS-94-16	SURF	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	0.5		
CRS-94-16	SURF	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	0.5		
CRS-94-16	SURF	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRS-94-16	SURF	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	0.5		
CRS-94-16	SURF	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	0.5		
CRS-94-16	SURF	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	0.5		
CRS-94-16	SURF	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	0.5		
CRS-94-16	SURF	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	0.5		
CRS-94-16	SURF	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	0.5		
CRS-94-16	SURF	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	0.5		
CRS-94-16	SURF	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	0.5	R	
CRS-94-16	SURF	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	0.5		
CRS-94-16	SURF	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	0.5		
CRS-94-16	SURF	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	0.5		
CRS-94-16	SURF	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRS-94-16	SURF	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	0.5		
CRS-94-16	SURF	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		
CRS-94-16	SURF	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	0.5		
CRS-94-16	SURF	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	0.5		
CRS-94-16	SURF	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	0.5		
CRS-94-16	SURF	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	0.5		
CRS-94-16	SURF	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	0.5	R	
CRS-94-16	SURF	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	0.5		
CRS-94-16	SURF	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	0.5		

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRS-94-16	SURF	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	0.5		
CRS-94-16	SURF	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	0.5		
CRS-94-16	SURF	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	0.5		
CRS-94-16	SURF	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	0.5		
CRS-94-16	SURF	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	0.5		
CRS-94-16	SURF	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	0.5		
CRS-94-16	SURF	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	0.5		
CRS-94-16	SURF	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		
CRS-94-16	SURF	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	0.5		
CRS-94-16	SURF	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	0.5		
CRS-94-16	SURF	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	0.5	R	
CRS-94-16	SURF	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	0.5	R	
CRS-94-16	SURF	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	0.5		
CRS-94-16	SURF	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	0.5		
CRS-94-16	SURF	CSO	BZALC	BENZYL ALCOHOL	LT	0.03200000	µg/g	0.5		
CRS-94-16	SURF	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	0.5		
CRS-94-16	SURF	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	0.5		
CRS-94-16	SURF	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	0.5		
CRS-94-16	SURF	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	0.5		
CRS-94-16	SURF	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	0.5		
CRS-94-16	SURF	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	0.5		
CRS-94-16	SURF	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	0.5		
CRS-94-16	SURF	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	0.5		
CRS-94-16	SURF	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	0.5		
CRS-94-16	SURF	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	0.5		
CRS-94-16	SURF	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	0.5		
CRS-94-16	SURF	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	0.5		
CRS-94-16	SURF	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	0.5		
CRS-94-16	SURF	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	0.5		
CRS-94-16	SURF	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	0.5		
CRS-94-16	SURF	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	0.5		
CRS-94-16	SURF	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	0.5		
CRS-94-16	SURF	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	0.5		
CRS-94-16	SURF	CSO	DNBP	DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	0.5		
CRS-94-16	SURF	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	0.5		
CRS-94-16	SURF	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	0.5		
CRS-94-16	SURF	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	0.5		
CRS-94-16	SURF	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	0.5	R	
CRS-94-16	SURF	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	0.5		
CRS-94-16	SURF	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	0.5	R	
CRS-94-16	SURF	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	0.5		
CRS-94-16	SURF	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	0.5		
CRS-94-16	SURF	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	0.5		
CRS-94-16	SURF	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	0.5		
CRS-94-16	SURF	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	0.5		
CRS-94-16	SURF	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	0.5		
CRS-94-16	SURF	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	0.5		
CRS-94-16	SURF	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	0.5		
CRS-94-16	SURF	CSO	KEP	KEPONE	ND	1.30000000	µg/g	0.5	R	
CRS-94-16	SURF	CSO	LIN	LINDANE	LT	0.10000000	µg/g	0.5		
CRS-94-16	SURF	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	0.5		
CRS-94-16	SURF	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	0.5		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type	Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**									
CRS-94-16	SURF	CSO	MLTHN MALATHION	LT	0.18000000	µg/g	0.5		
CRS-94-16	SURF	CSO	NAP NAPHTHALENE	LT	0.74000000	µg/g	0.5		
CRS-94-16	SURF	CSO	NB NITROBENZENE	LT	1.80000000	µg/g	0.5		
CRS-94-16	SURF	CSO	NNDME N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	0.5		
CRS-94-16	SURF	CSO	NNDNP N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	0.5		
CRS-94-16	SURF	CSO	NNDPA N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	0.5		
CRS-94-16	SURF	CSO	OXAT 1,4-OXATHIANE	LT	0.07500000	µg/g	0.5		
CRS-94-16	SURF	CSO	PCB016 PCB 1016	LT	0.32000000	µg/g	0.5		
CRS-94-16	SURF	CSO	PCB221 POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-16	SURF	CSO	PCB232 POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-16	SURF	CSO	PCB242 POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-16	SURF	CSO	PCB248 POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-16	SURF	CSO	PCB254 POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-16	SURF	CSO	PCB260 PCB 1260	LT	0.79000000	µg/g	0.5		
CRS-94-16	SURF	CSO	PCB262 PCB 1262	LT	6.30000000	µg/g	0.5		
CRS-94-16	SURF	CSO	PCP PENTACHLOROPHENOL	LT	0.76000000	µg/g	0.5		
CRS-94-16	SURF	CSO	PHANT PHENANTHRENE	LT	0.03200000	µg/g	0.5		
CRS-94-16	SURF	CSO	PHENO PHENOL	LT	0.05200000	µg/g	0.5		
CRS-94-16	SURF	CSO	PPDDD 2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	0.5		
CRS-94-16	SURF	CSO	PPDDE 2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	0.5		
CRS-94-16	SURF	CSO	PPDDT 2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	0.5		
CRS-94-16	SURF	CSO	PRTHN PARATHION	LT	1.70000000	µg/g	0.5		
CRS-94-16	SURF	CSO	PYR PYRENE	LT	0.08300000	µg/g	0.5		
CRS-94-16	SURF	CSO	SUPON 2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	0.5		
CRS-94-16	SURF	CSO	TXPHE TOXAPHENE	LT	12.00000000	µg/g	0.5		
CRS-94-16	SURF	CSO	UNK530 UNKNOWN		0.30000000	µg/g	0.5	S	
CRS-94-16	SURF	CSO	UNK641 UNKNOWN		0.50000000	µg/g	0.5	S	
CRS-94-16	SURF	CSO	UNK651 UNKNOWN		0.50000000	µg/g	0.5	S	
CRS-94-16	SURF	CSO	UNK663 UNKNOWN		0.50000000	µg/g	0.5	S	
CRS-94-16	SURF	CSO	UNK680 UNKNOWN		0.40000000	µg/g	0.5	S	
CRS-94-17	SURF	CSO	123TCB 1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	0.5		
CRS-94-17	SURF	CSO	124TCB 1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	0.5		
CRS-94-17	SURF	CSO	12DCLB 1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRS-94-17	SURF	CSO	12DPH 1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	0.5		
CRS-94-17	SURF	CSO	13DCLB 1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRS-94-17	SURF	CSO	13DNB 1,3-DINITROBENZENE	ND	0.63000000	µg/g	0.5	R	
CRS-94-17	SURF	CSO	14DCLB 1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	0.5		
CRS-94-17	SURF	CSO	236TCP 2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	0.5		
CRS-94-17	SURF	CSO	245TCP 2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	0.5		
CRS-94-17	SURF	CSO	246TCP 2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	0.5		
CRS-94-17	SURF	CSO	24DCLP 2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	0.5		
CRS-94-17	SURF	CSO	24DMP 2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	0.5		
CRS-94-17	SURF	CSO	24DNP 2,4-DINITROPHENOL	LT	4.70000000	µg/g	0.5		
CRS-94-17	SURF	CSO	24DNT 2,4-DINITROTOLUENE	LT	1.40000000	µg/g	0.5		
CRS-94-17	SURF	CSO	26DNA 2,6-DINITROANILINE	LT	0.57000000	µg/g	0.5		
CRS-94-17	SURF	CSO	26DNT 2,6-DINITROTOLUENE	LT	0.32000000	µg/g	0.5		
CRS-94-17	SURF	CSO	2CLP 2-CHLOROPHENOL	LT	0.05500000	µg/g	0.5		
CRS-94-17	SURF	CSO	2CNAP 2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	0.5		
CRS-94-17	SURF	CSO	2MNAP 2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	0.5		
CRS-94-17	SURF	CSO	2MP 2-METHYLPHENOL	LT	0.09800000	µg/g	0.5		
CRS-94-17	SURF	CSO	2NANIL 2-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRS-94-17	SURF	CSO	2NP 2-NITROPHENOL	LT	1.10000000	µg/g	0.5		

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRS-94-17	SURF	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	0.5		
CRS-94-17	SURF	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	0.5		
CRS-94-17	SURF	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	0.5		
CRS-94-17	SURF	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	0.5		
CRS-94-17	SURF	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	0.5		
CRS-94-17	SURF	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	0.5		
CRS-94-17	SURF	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	0.5	R	
CRS-94-17	SURF	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	0.5		
CRS-94-17	SURF	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	0.5		
CRS-94-17	SURF	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	0.5		
CRS-94-17	SURF	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRS-94-17	SURF	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	0.5		
CRS-94-17	SURF	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		
CRS-94-17	SURF	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	0.5		
CRS-94-17	SURF	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	0.5		
CRS-94-17	SURF	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	0.5		
CRS-94-17	SURF	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	0.5		
CRS-94-17	SURF	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	0.5	R	
CRS-94-17	SURF	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	0.5		
CRS-94-17	SURF	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	0.5		
CRS-94-17	SURF	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	0.5		
CRS-94-17	SURF	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	0.5		
CRS-94-17	SURF	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	0.5		
CRS-94-17	SURF	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	0.5		
CRS-94-17	SURF	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	0.5		
CRS-94-17	SURF	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	0.5		
CRS-94-17	SURF	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	0.5		
CRS-94-17	SURF	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		
CRS-94-17	SURF	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	0.5		
CRS-94-17	SURF	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	0.5		
CRS-94-17	SURF	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	0.5	R	
CRS-94-17	SURF	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	0.5	R	
CRS-94-17	SURF	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	0.5		
CRS-94-17	SURF	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	0.5		
CRS-94-17	SURF	CSO	BZALC	BENZYL ALCOHOL	LT	0.03200000	µg/g	0.5		
CRS-94-17	SURF	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	0.5		
CRS-94-17	SURF	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	0.5		
CRS-94-17	SURF	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	0.5		
CRS-94-17	SURF	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	0.5		
CRS-94-17	SURF	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	0.5		
CRS-94-17	SURF	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	0.5		
CRS-94-17	SURF	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	0.5		
CRS-94-17	SURF	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	0.5		
CRS-94-17	SURF	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	0.5		
CRS-94-17	SURF	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	0.5		
CRS-94-17	SURF	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	0.5		
CRS-94-17	SURF	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	0.5		
CRS-94-17	SURF	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	0.5		
CRS-94-17	SURF	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	0.5		
CRS-94-17	SURF	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	0.5		
CRS-94-17	SURF	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	0.5		
CRS-94-17	SURF	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	0.5		

Site ID	Site Type	Media Type	Test Name		Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRS-94-17	SURF	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	0.5		
CRS-94-17	SURF	CSO	DNBP	DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	0.5		
CRS-94-17	SURF	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	0.5		
CRS-94-17	SURF	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	0.5		
CRS-94-17	SURF	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	0.5		
CRS-94-17	SURF	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	0.5	R	
CRS-94-17	SURF	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	0.5		
CRS-94-17	SURF	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	0.5	R	
CRS-94-17	SURF	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	0.5		
CRS-94-17	SURF	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	0.5		
CRS-94-17	SURF	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	0.5		
CRS-94-17	SURF	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	0.5		
CRS-94-17	SURF	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	0.5		
CRS-94-17	SURF	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	0.5		
CRS-94-17	SURF	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	0.5		
CRS-94-17	SURF	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	0.5		
CRS-94-17	SURF	CSO	KEP	KEPONE	ND	1.30000000	µg/g	0.5	R	
CRS-94-17	SURF	CSO	LIN	LINDANE	LT	0.10000000	µg/g	0.5		
CRS-94-17	SURF	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	0.5		
CRS-94-17	SURF	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	0.5		
CRS-94-17	SURF	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	0.5		
CRS-94-17	SURF	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	0.5		
CRS-94-17	SURF	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	0.5		
CRS-94-17	SURF	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	0.5		
CRS-94-17	SURF	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	0.5		
CRS-94-17	SURF	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	0.5		
CRS-94-17	SURF	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	0.5		
CRS-94-17	SURF	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	0.5		
CRS-94-17	SURF	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-17	SURF	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-17	SURF	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-17	SURF	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-17	SURF	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-17	SURF	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	0.5		
CRS-94-17	SURF	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	0.5		
CRS-94-17	SURF	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	0.5		
CRS-94-17	SURF	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	0.5		
CRS-94-17	SURF	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	0.5		
CRS-94-17	SURF	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	0.5		
CRS-94-17	SURF	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	0.5		
CRS-94-17	SURF	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	0.5		
CRS-94-17	SURF	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	0.5		
CRS-94-17	SURF	CSO	PYR	PYRENE	LT	0.08300000	µg/g	0.5		
CRS-94-17	SURF	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	0.5		
CRS-94-17	SURF	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	0.5		
CRS-94-17	SURF	CSO	UNK530	UNKNOWN		0.40000000	µg/g	0.5	S	
CRS-94-17	SURF	CSO	UNK537	UNKNOWN		0.30000000	µg/g	0.5	S	
CRS-94-17	SURF	CSO	UNK537	UNKNOWN		1.00000000	µg/g	0.5	D	
CRS-94-17	SURF	CSO	UNK641	UNKNOWN		1.00000000	µg/g	0.5	S	
CRS-94-17	SURF	CSO	UNK651	UNKNOWN		0.40000000	µg/g	0.5	S	
CRS-94-17	SURF	CSO	UNK663	UNKNOWN		0.70000000	µg/g	0.5	S	
CRS-94-17	SURF	CSO	UNK679	UNKNOWN		0.50000000	µg/g	0.5	S	

Chemical Range (SWMU 7) Phase II RI Data

Chemical Class: **SEMIVOLATILES**

Site ID	Site Type	Media Type	Test Name		Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
CRS-94-17	SURF	CSO	UNK680	UNKNOWN		0.30000000	µg/g	0.5	S	
CRS-94-18	SURF	CSO	123TCB	1,2,3-TRICHLOROBENZENE	LT	0.03200000	µg/g	0.5		
CRS-94-18	SURF	CSO	124TCB	1,2,4-TRICHLOROBENZENE	LT	0.22000000	µg/g	0.5		
CRS-94-18	SURF	CSO	12DCLB	1,2-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRS-94-18	SURF	CSO	12DPH	1,2-DIPHENYLHYDRAZINE	LT	0.52000000	µg/g	0.5		
CRS-94-18	SURF	CSO	13DCLB	1,3-DICHLOROBENZENE	LT	0.04200000	µg/g	0.5		
CRS-94-18	SURF	CSO	13DNB	1,3-DINITROBENZENE	ND	0.63000000	µg/g	0.5	R	
CRS-94-18	SURF	CSO	14DCLB	1,4-DICHLOROBENZENE	LT	0.03400000	µg/g	0.5		
CRS-94-18	SURF	CSO	236TCP	2,3,6-TRICHLOROPHENOL	LT	0.62000000	µg/g	0.5		
CRS-94-18	SURF	CSO	245TCP	2,4,5-TRICHLOROPHENOL	LT	0.49000000	µg/g	0.5		
CRS-94-18	SURF	CSO	246TCP	2,4,6-TRICHLOROPHENOL	LT	0.06100000	µg/g	0.5		
CRS-94-18	SURF	CSO	24DCLP	2,4-DICHLOROPHENOL	LT	0.06500000	µg/g	0.5		
CRS-94-18	SURF	CSO	24DMP	2,4-DIMETHYLPHENOL	LT	3.00000000	µg/g	0.5		
CRS-94-18	SURF	CSO	24DNP	2,4-DINITROPHENOL	LT	4.70000000	µg/g	0.5		
CRS-94-18	SURF	CSO	24DNT	2,4-DINITROTOLUENE	LT	1.40000000	µg/g	0.5		
CRS-94-18	SURF	CSO	26DNA	2,6-DINITROANILINE	LT	0.57000000	µg/g	0.5		
CRS-94-18	SURF	CSO	26DNT	2,6-DINITROTOLUENE	LT	0.32000000	µg/g	0.5		
CRS-94-18	SURF	CSO	2CLP	2-CHLOROPHENOL	LT	0.05500000	µg/g	0.5		
CRS-94-18	SURF	CSO	2CNAP	2-CHLORONAPHTHALENE	LT	0.24000000	µg/g	0.5		
CRS-94-18	SURF	CSO	2MNAP	2-METHYLNAPHTHALENE	LT	0.03200000	µg/g	0.5		
CRS-94-18	SURF	CSO	2MP	2-METHYLPHENOL	LT	0.09800000	µg/g	0.5		
CRS-94-18	SURF	CSO	2NANIL	2-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRS-94-18	SURF	CSO	2NP	2-NITROPHENOL	LT	1.10000000	µg/g	0.5		
CRS-94-18	SURF	CSO	33DCBD	3,3-CICHLOROBENZIDINE	LT	1.60000000	µg/g	0.5		
CRS-94-18	SURF	CSO	35DNA	3,5-DINITROANILINE	LT	1.60000000	µg/g	0.5		
CRS-94-18	SURF	CSO	3NANIL	3-NITROANILINE	LT	3.00000000	µg/g	0.5		
CRS-94-18	SURF	CSO	3NT	3-NITROTOLUENE	LT	0.34000000	µg/g	0.5		
CRS-94-18	SURF	CSO	46DN2C	4,6-DINITRO-2-CRESOL	LT	0.80000000	µg/g	0.5		
CRS-94-18	SURF	CSO	4BRPPE	4-BROMOPHENYLPHENYL ETHER	LT	0.04100000	µg/g	0.5		
CRS-94-18	SURF	CSO	4CANIL	4-CHLOROANILINE	ND	0.63000000	µg/g	0.5	R	
CRS-94-18	SURF	CSO	4CL3C	4-CHLORO-3-CRESOL	LT	0.93000000	µg/g	0.5		
CRS-94-18	SURF	CSO	4CLPPE	4-CHLOROPHENYLPHENYL	LT	0.17000000	µg/g	0.5		
CRS-94-18	SURF	CSO	4MP	4-METHYLPHENOL	LT	0.24000000	µg/g	0.5		
CRS-94-18	SURF	CSO	4NANIL	4-NITROANILINE	ND	3.10000000	µg/g	0.5	R	
CRS-94-18	SURF	CSO	4NP	4-NITROPHENOL	LT	3.30000000	µg/g	0.5		
CRS-94-18	SURF	CSO	ABHC	ALPHA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		
CRS-94-18	SURF	CSO	AENSLF	ALPHA-ENDOSULFAN	LT	0.40000000	µg/g	0.5		
CRS-94-18	SURF	CSO	ALDRN	ALDRIN	LT	1.30000000	µg/g	0.5		
CRS-94-18	SURF	CSO	ANAPN	ACENEPHTHENE	LT	0.04100000	µg/g	0.5		
CRS-94-18	SURF	CSO	ANAPY	ACENAPHTHYLENE	LT	0.03300000	µg/g	0.5		
CRS-94-18	SURF	CSO	ANIL	ANILINE	ND	0.13000000	µg/g	0.5	R	
CRS-94-18	SURF	CSO	ANTRC	ANTHRACENE	LT	0.71000000	µg/g	0.5		
CRS-94-18	SURF	CSO	ATZ	ATRAZINE	LT	0.06500000	µg/g	0.5		
CRS-94-18	SURF	CSO	B2CEX	BIS (2-CHLOROETHOXY)	LT	0.19000000	µg/g	0.5		
CRS-94-18	SURF	CSO	B2CIPE	BIS (2-CHLOROISOPROPYL)	LT	0.44000000	µg/g	0.5		
CRS-94-18	SURF	CSO	B2CLEE	BIS (2-CHLOROETHYL) ETHER	LT	0.36000000	µg/g	0.5		
CRS-94-18	SURF	CSO	B2EHP	BIS (2-ETHYHEXYL) PHTHALATE	LT	0.48000000	µg/g	0.5		
CRS-94-18	SURF	CSO	BAANT	BENZO [A] ANTHRACENE	LT	0.04100000	µg/g	0.5		
CRS-94-18	SURF	CSO	BAPYR	BENZO [A] PYRENE	LT	1.20000000	µg/g	0.5		
CRS-94-18	SURF	CSO	BBFAN	BENZO [B] FLUORANTHENE	LT	0.31000000	µg/g	0.5		
CRS-94-18	SURF	CSO	BBHC	BETA-BENZENEHEXACHLORIDE	LT	1.30000000	µg/g	0.5		
CRS-94-18	SURF	CSO	BBZP	BUTYLBENZYL PHTHALATE	LT	1.80000000	µg/g	0.5		

Chemical Range (SWMU 7) Phase II RI Data

Chemical Class: **SEMIVOLATILES**

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
CRS-94-18	SURF	CSO	BENSLF	BETA-ENDOSULFAN	LT	2.40000000	µg/g	0.5		
CRS-94-18	SURF	CSO	BENZID	BENZIDINE	ND	0.13000000	µg/g	0.5	R	
CRS-94-18	SURF	CSO	BENZO	BENZOIC ACID	ND	3.10000000	µg/g	0.5	R	
CRS-94-18	SURF	CSO	BGHIPY	BENZO [G,H,I] PERYLENE	LT	0.18000000	µg/g	0.5		
CRS-94-18	SURF	CSO	BKFAN	BENZO [K] FLUORANTHENE	LT	0.13000000	µg/g	0.5		
CRS-94-18	SURF	CSO	BZALC	BENZYL ALCOHOL	LT	0.03200000	µg/g	0.5		
CRS-94-18	SURF	CSO	CHRY	CHRYSENE	LT	0.03200000	µg/g	0.5		
CRS-94-18	SURF	CSO	CL6BZ	HEXACHLOROBENZENE	LT	0.08000000	µg/g	0.5		
CRS-94-18	SURF	CSO	CL6CP	HEXACHLOROCYCLOPENTADIEN	LT	0.52000000	µg/g	0.5		
CRS-94-18	SURF	CSO	CL6ET	HEXACHLOROETHANE	LT	1.80000000	µg/g	0.5		
CRS-94-18	SURF	CSO	CLDAN	CHLORDANE	LT	0.68000000	µg/g	0.5		
CRS-94-18	SURF	CSO	CPMS	4-CHLOROPHENYLMETHYL	LT	0.09700000	µg/g	0.5		
CRS-94-18	SURF	CSO	CPMSO	4-CHLOROPHENYLMETHYL	LT	0.32000000	µg/g	0.5		
CRS-94-18	SURF	CSO	CPMSO2	4-CHLOROPHENYLMETHYL	LT	0.06600000	µg/g	0.5		
CRS-94-18	SURF	CSO	DBAHA	DIBENZ [AH] ANTHRACENE	LT	0.31000000	µg/g	0.5		
CRS-94-18	SURF	CSO	DBCP	DIBROMOCHLOROPROPANE	LT	0.07100000	µg/g	0.5		
CRS-94-18	SURF	CSO	DBHC	DELTA-BENZENEHEXACHLORIDE	LT	0.21000000	µg/g	0.5		
CRS-94-18	SURF	CSO	DBZFU	DIBENZOFURAN	LT	0.38000000	µg/g	0.5		
CRS-94-18	SURF	CSO	DCPD	DICYCLOPENTADIENE	LT	0.57000000	µg/g	0.5		
CRS-94-18	SURF	CSO	DDVP	VAPONA	LT	0.06800000	µg/g	0.5		
CRS-94-18	SURF	CSO	DEP	DIETHYL PHTHALATE	LT	0.24000000	µg/g	0.5		
CRS-94-18	SURF	CSO	DITH	DITHIANE	LT	0.06500000	µg/g	0.5		
CRS-94-18	SURF	CSO	DLDRN	DIELDRIN	LT	0.07900000	µg/g	0.5		
CRS-94-18	SURF	CSO	DMP	DIMETHYL PHTHALATE	LT	0.06300000	µg/g	0.5		
CRS-94-18	SURF	CSO	DNBP	DI-N-BUTYL PHTHALATE	LT	1.30000000	µg/g	0.5		
CRS-94-18	SURF	CSO	DNOP	DI-N-OCTYL PHTHALATE	LT	0.23000000	µg/g	0.5		
CRS-94-18	SURF	CSO	ENDRN	ENDRIN	LT	1.30000000	µg/g	0.5		
CRS-94-18	SURF	CSO	ENDRN	ENDRIN ALDEHYDE	LT	1.80000000	µg/g	0.5		
CRS-94-18	SURF	CSO	ENDRN	ENDRIN KETONE	ND	0.28000000	µg/g	0.5	R	
CRS-94-18	SURF	CSO	ESFSO4	ENDOSULFAN SULFATE	LT	1.20000000	µg/g	0.5		
CRS-94-18	SURF	CSO	FAMPH	FAMOPHOS	ND	1.30000000	µg/g	0.5	R	
CRS-94-18	SURF	CSO	FANT	FLUORANTHENE	LT	0.03200000	µg/g	0.5		
CRS-94-18	SURF	CSO	FLRENE	FLUORENE	LT	0.06500000	µg/g	0.5		
CRS-94-18	SURF	CSO	HCBD	HEXACHLOROBUTADIENE	LT	0.97000000	µg/g	0.5		
CRS-94-18	SURF	CSO	HPCL	HEPTACHLOR	LT	0.24000000	µg/g	0.5		
CRS-94-18	SURF	CSO	HPCLE	HEPTACHLOREPOXIDE	LT	0.48000000	µg/g	0.5		
CRS-94-18	SURF	CSO	ICDPYR	INDENO [1,2,3-C,D] PYRENE	LT	2.40000000	µg/g	0.5		
CRS-94-18	SURF	CSO	ISODR	ISODRIN	LT	0.48000000	µg/g	0.5		
CRS-94-18	SURF	CSO	ISOPHR	ISOPHORONE	LT	0.39000000	µg/g	0.5		
CRS-94-18	SURF	CSO	KEP	KEPONE	ND	1.30000000	µg/g	0.5	R	
CRS-94-18	SURF	CSO	LIN	LINDANE	LT	0.10000000	µg/g	0.5		
CRS-94-18	SURF	CSO	MEXCL	METHOXYCHLOR	LT	0.26000000	µg/g	0.5		
CRS-94-18	SURF	CSO	MIREX	1,1A,2,2,3,3A,4,5,5,5A,5B,6-DECACH	LT	0.14000000	µg/g	0.5		
CRS-94-18	SURF	CSO	MLTHN	MALATHION	LT	0.18000000	µg/g	0.5		
CRS-94-18	SURF	CSO	NAP	NAPHTHALENE	LT	0.74000000	µg/g	0.5		
CRS-94-18	SURF	CSO	NB	NITROBENZENE	LT	1.80000000	µg/g	0.5		
CRS-94-18	SURF	CSO	NNDME	N-NITROSODIMETHYLAMINE	LT	0.46000000	µg/g	0.5		
CRS-94-18	SURF	CSO	NNDNP	N-NOTROSODI-NPROPYLAMINE	LT	1.10000000	µg/g	0.5		
CRS-94-18	SURF	CSO	NNDPA	N-NITROSO DIPHENYLAMINE	LT	0.29000000	µg/g	0.5		
CRS-94-18	SURF	CSO	OXAT	1,4-OXATHIANE	LT	0.07500000	µg/g	0.5		
CRS-94-18	SURF	CSO	PCB016	PCB 1016	LT	0.32000000	µg/g	0.5		
CRS-94-18	SURF	CSO	PCB221	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	

Chemical Range (SWMU 7) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **SEMIVOLATILES**										
CRS-94-18	SURF	CSO	PCB232	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-18	SURF	CSO	PCB242	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-18	SURF	CSO	PCB248	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-18	SURF	CSO	PCB254	POLYCHLORINATED BIPHENYL	ND	0.32000000	µg/g	0.5	R	
CRS-94-18	SURF	CSO	PCB260	PCB 1260	LT	0.79000000	µg/g	0.5		
CRS-94-18	SURF	CSO	PCB262	PCB 1262	LT	6.30000000	µg/g	0.5		
CRS-94-18	SURF	CSO	PCP	PENTACHLOROPHENOL	LT	0.76000000	µg/g	0.5		
CRS-94-18	SURF	CSO	PHANT	PHENANTHRENE	LT	0.03200000	µg/g	0.5		
CRS-94-18	SURF	CSO	PHENO	PHENOL	LT	0.05200000	µg/g	0.5		
CRS-94-18	SURF	CSO	PPDDD	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06400000	µg/g	0.5		
CRS-94-18	SURF	CSO	PPDDE	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.06800000	µg/g	0.5		
CRS-94-18	SURF	CSO	PPDDT	2,2-BIS(PARA-CHLOROPHENYL)-1,	LT	0.10000000	µg/g	0.5		
CRS-94-18	SURF	CSO	PRTHN	PARATHION	LT	1.70000000	µg/g	0.5		
CRS-94-18	SURF	CSO	PYR	PYRENE	LT	0.08300000	µg/g	0.5		
CRS-94-18	SURF	CSO	SUPON	2-CHLORO-1-(2,4-DICHLOROPHEN	LT	0.92000000	µg/g	0.5		
CRS-94-18	SURF	CSO	TXPHE	TOXAPHENE	LT	12.00000000	µg/g	0.5		
CRS-94-18	SURF	CSO	UNK530	UNKNOWN		0.30000000	µg/g	0.5	S	
CRS-94-18	SURF	CSO	UNK537	UNKNOWN		0.50000000	µg/g	0.5	S	
CRS-94-18	SURF	CSO	UNK641	UNKNOWN		1.00000000	µg/g	0.5	S	
CRS-94-18	SURF	CSO	UNK651	UNKNOWN		0.60000000	µg/g	0.5	S	
CRS-94-18	SURF	CSO	UNK663	UNKNOWN		0.70000000	µg/g	0.5	S	
CRS-94-18	SURF	CSO	UNK679	UNKNOWN		0.30000000	µg/g	0.5	S	

Small Arms Firing Range (SWMU 08) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
SAB-94-01A	AHOL	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
SAB-94-01A	AHOL	CSO	AL	ALUMINUM		10700.00000	µg/g	0.5		
SAB-94-01A	AHOL	CSO	AS	ARSENIC		7.41000000	µg/g	0.5		
SAB-94-01A	AHOL	CSO	BA	BARIUM		129.0000000	µg/g	0.5		
SAB-94-01A	AHOL	CSO	BE	BERYLLIUM		0.58100000	µg/g	0.5		
SAB-94-01A	AHOL	CSO	CA	CALCIUM		40000.00000	µg/g	0.5		
SAB-94-01A	AHOL	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
SAB-94-01A	AHOL	CSO	CO	COBALT		5.29000000	µg/g	0.5		
SAB-94-01A	AHOL	CSO	CR	CHROMIUM		12.90000000	µg/g	0.5		
SAB-94-01A	AHOL	CSO	CU	COPPER		10.70000000	µg/g	0.5		
SAB-94-01A	AHOL	CSO	FE	IRON		15900.00000	µg/g	0.5		
SAB-94-01A	AHOL	CSO	HG	MERCURY		0.05180000	µg/g	0.5		
SAB-94-01A	AHOL	CSO	K	POTASSIUM		1710.000000	µg/g	0.5		
SAB-94-01A	AHOL	CSO	MG	MAGNESIUM		9880.000000	µg/g	0.5		
SAB-94-01A	AHOL	CSO	MN	MANGANESE		317.0000000	µg/g	0.5		
SAB-94-01A	AHOL	CSO	NA	SODIUM		310.0000000	µg/g	0.5		
SAB-94-01A	AHOL	CSO	NI	NICKEL		12.30000000	µg/g	0.5		
SAB-94-01A	AHOL	CSO	PB	LEAD		12.90000000	µg/g	0.5		
SAB-94-01A	AHOL	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
SAB-94-01A	AHOL	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
SAB-94-01A	AHOL	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
SAB-94-01A	AHOL	CSO	V	VANADIUM		20.10000000	µg/g	0.5		
SAB-94-01A	AHOL	CSO	ZN	ZINC		42.70000000	µg/g	0.5		
SAB-94-01B	AHOL	CSO	AG	SILVER	LT	0.80300000	µg/g	3.0		
SAB-94-01B	AHOL	CSO	AL	ALUMINUM		18100.00000	µg/g	3.0		
SAB-94-01B	AHOL	CSO	AS	ARSENIC		6.33000000	µg/g	3.0		
SAB-94-01B	AHOL	CSO	BA	BARIUM		172.0000000	µg/g	3.0		
SAB-94-01B	AHOL	CSO	BE	BERYLLIUM		0.87500000	µg/g	3.0		
SAB-94-01B	AHOL	CSO	CA	CALCIUM		53800.00000	µg/g	3.0		
SAB-94-01B	AHOL	CSO	CD	CADMIUM	LT	1.20000000	µg/g	3.0		
SAB-94-01B	AHOL	CSO	CO	COBALT		7.74000000	µg/g	3.0		
SAB-94-01B	AHOL	CSO	CR	CHROMIUM		20.10000000	µg/g	3.0		
SAB-94-01B	AHOL	CSO	CU	COPPER		14.20000000	µg/g	3.0		
SAB-94-01B	AHOL	CSO	FE	IRON		21400.00000	µg/g	3.0		
SAB-94-01B	AHOL	CSO	HG	MERCURY		0.05870000	µg/g	3.0		
SAB-94-01B	AHOL	CSO	K	POTASSIUM		2590.000000	µg/g	3.0		
SAB-94-01B	AHOL	CSO	MG	MAGNESIUM		13500.00000	µg/g	3.0		
SAB-94-01B	AHOL	CSO	MN	MANGANESE		439.0000000	µg/g	3.0		
SAB-94-01B	AHOL	CSO	NA	SODIUM		799.0000000	µg/g	3.0		
SAB-94-01B	AHOL	CSO	NI	NICKEL		15.00000000	µg/g	3.0		
SAB-94-01B	AHOL	CSO	PB	LEAD		16.70000000	µg/g	3.0		
SAB-94-01B	AHOL	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	3.0		
SAB-94-01B	AHOL	CSO	SE	SELENIUM	LT	0.44900000	µg/g	3.0		
SAB-94-01B	AHOL	CSO	TL	THALLIUM	LT	34.30000000	µg/g	3.0		
SAB-94-01B	AHOL	CSO	V	VANADIUM		31.00000000	µg/g	3.0		
SAB-94-01B	AHOL	CSO	ZN	ZINC		60.90000000	µg/g	3.0		
SAB-94-02A	AHOL	CSO	AG	SILVER		1.22000000	µg/g	0.5		
SAB-94-02A	AHOL	CSO	AL	ALUMINUM		10100.00000	µg/g	0.5		
SAB-94-02A	AHOL	CSO	AS	ARSENIC		27.00000000	µg/g	0.5		
SAB-94-02A	AHOL	CSO	BA	BARIUM		119.0000000	µg/g	0.5		
SAB-94-02A	AHOL	CSO	BE	BERYLLIUM		0.54800000	µg/g	0.5		
SAB-94-02A	AHOL	CSO	CA	CALCIUM		36800.00000	µg/g	0.5		

Small Arms Firing Range (SWMU 08) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
SAB-94-02A	AHOL	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
SAB-94-02A	AHOL	CSO	CO	COBALT		4.35000000	µg/g	0.5		
SAB-94-02A	AHOL	CSO	CR	CHROMIUM		13.00000000	µg/g	0.5		
SAB-94-02A	AHOL	CSO	CU	COPPER		1700.000000	µg/g	0.5		
SAB-94-02A	AHOL	CSO	FE	IRON		13700.00000	µg/g	0.5		
SAB-94-02A	AHOL	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
SAB-94-02A	AHOL	CSO	K	POTASSIUM		1790.000000	µg/g	0.5		
SAB-94-02A	AHOL	CSO	MG	MAGNESIUM		8860.000000	µg/g	0.5		
SAB-94-02A	AHOL	CSO	MN	MANGANESE		267.0000000	µg/g	0.5		
SAB-94-02A	AHOL	CSO	NA	SODIUM		291.0000000	µg/g	0.5		
SAB-94-02A	AHOL	CSO	NI	NICKEL		10.90000000	µg/g	0.5		
SAB-94-02A	AHOL	CSO	PB	LEAD		33000.00000	µg/g	0.5		
SAB-94-02A	AHOL	CSO	SB	ANTIMONY		143.0000000	µg/g	0.5		
SAB-94-02A	AHOL	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
SAB-94-02A	AHOL	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
SAB-94-02A	AHOL	CSO	V	VANADIUM		17.80000000	µg/g	0.5		
SAB-94-02A	AHOL	CSO	ZN	ZINC		213.0000000	µg/g	0.5		
SAB-94-02B	AHOL	CSO	AG	SILVER	LT	0.80300000	µg/g	3.0		
SAB-94-02B	AHOL	CSO	AL	ALUMINUM		15200.00000	µg/g	3.0		
SAB-94-02B	AHOL	CSO	AS	ARSENIC		8.12000000	µg/g	3.0		
SAB-94-02B	AHOL	CSO	BA	BARIUM		199.0000000	µg/g	3.0		
SAB-94-02B	AHOL	CSO	BE	BERYLLIUM		0.82800000	µg/g	3.0		
SAB-94-02B	AHOL	CSO	CA	CALCIUM		49900.00000	µg/g	3.0		
SAB-94-02B	AHOL	CSO	CD	CADMIUM	LT	1.20000000	µg/g	3.0		
SAB-94-02B	AHOL	CSO	CO	COBALT		6.75000000	µg/g	3.0		
SAB-94-02B	AHOL	CSO	CR	CHROMIUM		19.00000000	µg/g	3.0		
SAB-94-02B	AHOL	CSO	CU	COPPER		70.40000000	µg/g	3.0		
SAB-94-02B	AHOL	CSO	FE	IRON		19500.00000	µg/g	3.0		
SAB-94-02B	AHOL	CSO	HG	MERCURY	LT	0.05000000	µg/g	3.0		
SAB-94-02B	AHOL	CSO	K	POTASSIUM		2730.000000	µg/g	3.0		
SAB-94-02B	AHOL	CSO	MG	MAGNESIUM		11800.00000	µg/g	3.0		
SAB-94-02B	AHOL	CSO	MN	MANGANESE		393.0000000	µg/g	3.0		
SAB-94-02B	AHOL	CSO	NA	SODIUM		439.0000000	µg/g	3.0		
SAB-94-02B	AHOL	CSO	NI	NICKEL		16.60000000	µg/g	3.0		
SAB-94-02B	AHOL	CSO	PB	LEAD		1500.000000	µg/g	3.0		
SAB-94-02B	AHOL	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	3.0		
SAB-94-02B	AHOL	CSO	SE	SELENIUM	LT	0.44900000	µg/g	3.0		
SAB-94-02B	AHOL	CSO	TL	THALLIUM	LT	34.30000000	µg/g	3.0		
SAB-94-02B	AHOL	CSO	V	VANADIUM		25.00000000	µg/g	3.0		
SAB-94-02B	AHOL	CSO	ZN	ZINC		71.30000000	µg/g	3.0		
SAB-94-03A	AHOL	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
SAB-94-03A	AHOL	CSO	AL	ALUMINUM		9950.000000	µg/g	0.5		
SAB-94-03A	AHOL	CSO	AS	ARSENIC		13.90000000	µg/g	0.5		
SAB-94-03A	AHOL	CSO	BA	BARIUM		120.0000000	µg/g	0.5		
SAB-94-03A	AHOL	CSO	BE	BERYLLIUM		0.51700000	µg/g	0.5		
SAB-94-03A	AHOL	CSO	CA	CALCIUM		34800.00000	µg/g	0.5		
SAB-94-03A	AHOL	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
SAB-94-03A	AHOL	CSO	CO	COBALT		4.34000000	µg/g	0.5		
SAB-94-03A	AHOL	CSO	CR	CHROMIUM		12.60000000	µg/g	0.5		
SAB-94-03A	AHOL	CSO	CU	COPPER		335.0000000	µg/g	0.5		
SAB-94-03A	AHOL	CSO	FE	IRON		13500.00000	µg/g	0.5		
SAB-94-03A	AHOL	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		

Small Arms Firing Range (SWMU 08) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
SAB-94-03A	AHOL	CSO	K	POTASSIUM		2020.000000	µg/g	0.5		
SAB-94-03A	AHOL	CSO	MG	MAGNESIUM		8100.000000	µg/g	0.5		
SAB-94-03A	AHOL	CSO	MN	MANGANESE		270.0000000	µg/g	0.5		
SAB-94-03A	AHOL	CSO	NA	SODIUM		342.0000000	µg/g	0.5		
SAB-94-03A	AHOL	CSO	NI	NICKEL		11.20000000	µg/g	0.5		
SAB-94-03A	AHOL	CSO	PB	LEAD		15000.00000	µg/g	0.5		
SAB-94-03A	AHOL	CSO	SB	ANTIMONY		62.10000000	µg/g	0.5		
SAB-94-03A	AHOL	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
SAB-94-03A	AHOL	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
SAB-94-03A	AHOL	CSO	V	VANADIUM		16.80000000	µg/g	0.5		
SAB-94-03A	AHOL	CSO	ZN	ZINC		82.70000000	µg/g	0.5		
SAB-94-03B	AHOL	CSO	AG	SILVER	LT	0.80300000	µg/g	3.0		
SAB-94-03B	AHOL	CSO	AL	ALUMINUM		18800.00000	µg/g	3.0		
SAB-94-03B	AHOL	CSO	AS	ARSENIC		7.99000000	µg/g	3.0		
SAB-94-03B	AHOL	CSO	BA	BARIUM		229.0000000	µg/g	3.0		
SAB-94-03B	AHOL	CSO	BE	BERYLLIUM		0.93300000	µg/g	3.0		
SAB-94-03B	AHOL	CSO	CA	CALCIUM		55900.00000	µg/g	3.0		
SAB-94-03B	AHOL	CSO	CD	CADMIUM	LT	1.20000000	µg/g	3.0		
SAB-94-03B	AHOL	CSO	CO	COBALT		7.45000000	µg/g	3.0		
SAB-94-03B	AHOL	CSO	CR	CHROMIUM		22.20000000	µg/g	3.0		
SAB-94-03B	AHOL	CSO	CU	COPPER		20.30000000	µg/g	3.0		
SAB-94-03B	AHOL	CSO	FE	IRON		21800.00000	µg/g	3.0		
SAB-94-03B	AHOL	CSO	HG	MERCURY	LT	0.05000000	µg/g	3.0		
SAB-94-03B	AHOL	CSO	K	POTASSIUM		3570.000000	µg/g	3.0		
SAB-94-03B	AHOL	CSO	MG	MAGNESIUM		13100.00000	µg/g	3.0		
SAB-94-03B	AHOL	CSO	MN	MANGANESE		379.0000000	µg/g	3.0		
SAB-94-03B	AHOL	CSO	NA	SODIUM		885.0000000	µg/g	3.0		
SAB-94-03B	AHOL	CSO	NI	NICKEL		17.80000000	µg/g	3.0		
SAB-94-03B	AHOL	CSO	PB	LEAD		496.0000000	µg/g	3.0		
SAB-94-03B	AHOL	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	3.0		
SAB-94-03B	AHOL	CSO	SE	SELENIUM	LT	0.44900000	µg/g	3.0		
SAB-94-03B	AHOL	CSO	TL	THALLIUM	LT	34.30000000	µg/g	3.0		
SAB-94-03B	AHOL	CSO	V	VANADIUM		29.70000000	µg/g	3.0		
SAB-94-03B	AHOL	CSO	ZN	ZINC		71.10000000	µg/g	3.0		
SAB-94-04A	AHOL	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
SAB-94-04A	AHOL	CSO	AL	ALUMINUM		6130.000000	µg/g	0.5		
SAB-94-04A	AHOL	CSO	AS	ARSENIC		7.72000000	µg/g	0.5		
SAB-94-04A	AHOL	CSO	BA	BARIUM		75.30000000	µg/g	0.5		
SAB-94-04A	AHOL	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	0.5		
SAB-94-04A	AHOL	CSO	CA	CALCIUM		27800.00000	µg/g	0.5		
SAB-94-04A	AHOL	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
SAB-94-04A	AHOL	CSO	CO	COBALT		4.00000000	µg/g	0.5		
SAB-94-04A	AHOL	CSO	CR	CHROMIUM		7.99000000	µg/g	0.5		
SAB-94-04A	AHOL	CSO	CU	COPPER		29.10000000	µg/g	0.5		
SAB-94-04A	AHOL	CSO	FE	IRON		10600.00000	µg/g	0.5		
SAB-94-04A	AHOL	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
SAB-94-04A	AHOL	CSO	K	POTASSIUM		1190.000000	µg/g	0.5		
SAB-94-04A	AHOL	CSO	MG	MAGNESIUM		5390.000000	µg/g	0.5		
SAB-94-04A	AHOL	CSO	MN	MANGANESE		167.0000000	µg/g	0.5		
SAB-94-04A	AHOL	CSO	NA	SODIUM		171.0000000	µg/g	0.5		
SAB-94-04A	AHOL	CSO	NI	NICKEL		8.47000000	µg/g	0.5		
SAB-94-04A	AHOL	CSO	PB	LEAD		788.0000000	µg/g	0.5		

Small Arms Firing Range (SWMU 08) Phase II RI Data

Site ID	Site Type	Media Type	Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**									
SAB-94-04A	AHOL	CSO	SB ANTIMONY	LT	19.60000000	µg/g	0.5		
SAB-94-04A	AHOL	CSO	SE SELENIUM	LT	0.44900000	µg/g	0.5		
SAB-94-04A	AHOL	CSO	TL THALLIUM	LT	34.30000000	µg/g	0.5		
SAB-94-04A	AHOL	CSO	V VANADIUM		10.90000000	µg/g	0.5		
SAB-94-04A	AHOL	CSO	ZN ZINC		24.50000000	µg/g	0.5		
SAB-94-04B	AHOL	CSO	AG SILVER	LT	0.80300000	µg/g	3.0		
SAB-94-04B	AHOL	CSO	AL ALUMINUM		18100.00000	µg/g	3.0		
SAB-94-04B	AHOL	CSO	AS ARSENIC		7.34000000	µg/g	3.0		
SAB-94-04B	AHOL	CSO	BA BARIUM		211.0000000	µg/g	3.0		
SAB-94-04B	AHOL	CSO	BE BERYLLIUM		0.88200000	µg/g	3.0		
SAB-94-04B	AHOL	CSO	CA CALCIUM		51100.00000	µg/g	3.0		
SAB-94-04B	AHOL	CSO	CD CADMIUM	LT	1.20000000	µg/g	3.0		
SAB-94-04B	AHOL	CSO	CO COBALT		7.34000000	µg/g	3.0		
SAB-94-04B	AHOL	CSO	CR CHROMIUM		21.80000000	µg/g	3.0		
SAB-94-04B	AHOL	CSO	CU COPPER		18.10000000	µg/g	3.0		
SAB-94-04B	AHOL	CSO	FE IRON		21000.00000	µg/g	3.0		
SAB-94-04B	AHOL	CSO	HG MERCURY	LT	0.05000000	µg/g	3.0		
SAB-94-04B	AHOL	CSO	K POTASSIUM		4290.000000	µg/g	3.0		
SAB-94-04B	AHOL	CSO	MG MAGNESIUM		12900.00000	µg/g	3.0		
SAB-94-04B	AHOL	CSO	MN MANGANESE		420.0000000	µg/g	3.0		
SAB-94-04B	AHOL	CSO	NA SODIUM		683.0000000	µg/g	3.0		
SAB-94-04B	AHOL	CSO	NI NICKEL		17.60000000	µg/g	3.0		
SAB-94-04B	AHOL	CSO	PB LEAD		45.10000000	µg/g	3.0		
SAB-94-04B	AHOL	CSO	SB ANTIMONY	LT	19.60000000	µg/g	3.0		
SAB-94-04B	AHOL	CSO	SE SELENIUM	LT	0.44900000	µg/g	3.0		
SAB-94-04B	AHOL	CSO	TL THALLIUM	LT	34.30000000	µg/g	3.0		
SAB-94-04B	AHOL	CSO	V VANADIUM		27.20000000	µg/g	3.0		
SAB-94-04B	AHOL	CSO	ZN ZINC		77.30000000	µg/g	3.0		
SAB-94-05A	AHOL	CSO	AG SILVER	LT	0.80300000	µg/g	0.5		
SAB-94-05A	AHOL	CSO	AL ALUMINUM		15200.00000	µg/g	0.5		
SAB-94-05A	AHOL	CSO	AS ARSENIC		7.10000000	µg/g	0.5		
SAB-94-05A	AHOL	CSO	BA BARIUM		203.0000000	µg/g	0.5		
SAB-94-05A	AHOL	CSO	BE BERYLLIUM		0.85000000	µg/g	0.5		
SAB-94-05A	AHOL	CSO	CA CALCIUM		45900.00000	µg/g	0.5		
SAB-94-05A	AHOL	CSO	CD CADMIUM	LT	1.20000000	µg/g	0.5		
SAB-94-05A	AHOL	CSO	CO COBALT		7.34000000	µg/g	0.5		
SAB-94-05A	AHOL	CSO	CR CHROMIUM		17.50000000	µg/g	0.5		
SAB-94-05A	AHOL	CSO	CU COPPER		15.60000000	µg/g	0.5		
SAB-94-05A	AHOL	CSO	FE IRON		20200.00000	µg/g	0.5		
SAB-94-05A	AHOL	CSO	HG MERCURY	LT	0.05000000	µg/g	0.5		
SAB-94-05A	AHOL	CSO	K POTASSIUM		2150.000000	µg/g	0.5		
SAB-94-05A	AHOL	CSO	MG MAGNESIUM		12200.00000	µg/g	0.5		
SAB-94-05A	AHOL	CSO	MN MANGANESE		413.0000000	µg/g	0.5		
SAB-94-05A	AHOL	CSO	NA SODIUM		382.0000000	µg/g	0.5		
SAB-94-05A	AHOL	CSO	NI NICKEL		14.70000000	µg/g	0.5		
SAB-94-05A	AHOL	CSO	PB LEAD		545.0000000	µg/g	0.5		
SAB-94-05A	AHOL	CSO	SB ANTIMONY	LT	19.60000000	µg/g	0.5		
SAB-94-05A	AHOL	CSO	SE SELENIUM	LT	0.44900000	µg/g	0.5		
SAB-94-05A	AHOL	CSO	TL THALLIUM	LT	34.30000000	µg/g	0.5		
SAB-94-05A	AHOL	CSO	V VANADIUM		25.90000000	µg/g	0.5		
SAB-94-05A	AHOL	CSO	ZN ZINC		58.10000000	µg/g	0.5		
SAB-94-05B	AHOL	CSO	AG SILVER	LT	0.80300000	µg/g	3.0		

Small Arms Firing Range (SWMU 08) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
SAB-94-05B	AHOL	CSO	AL	ALUMINUM		18900.00000	µg/g	3.0		
SAB-94-05B	AHOL	CSO	AS	ARSENIC		8.12000000	µg/g	3.0		
SAB-94-05B	AHOL	CSO	BA	BARIUM		189.0000000	µg/g	3.0		
SAB-94-05B	AHOL	CSO	BE	BERYLLIUM		0.96400000	µg/g	3.0		
SAB-94-05B	AHOL	CSO	CA	CALCIUM		54400.00000	µg/g	3.0		
SAB-94-05B	AHOL	CSO	CD	CADMIUM	LT	1.20000000	µg/g	3.0		
SAB-94-05B	AHOL	CSO	CO	COBALT		8.62000000	µg/g	3.0		
SAB-94-05B	AHOL	CSO	CR	CHROMIUM		28.60000000	µg/g	3.0		
SAB-94-05B	AHOL	CSO	CU	COPPER		14.70000000	µg/g	3.0		
SAB-94-05B	AHOL	CSO	FE	IRON		25400.00000	µg/g	3.0		
SAB-94-05B	AHOL	CSO	HG	MERCURY	LT	0.05000000	µg/g	3.0		
SAB-94-05B	AHOL	CSO	K	POTASSIUM		2300.000000	µg/g	3.0		
SAB-94-05B	AHOL	CSO	MG	MAGNESIUM		14500.00000	µg/g	3.0		
SAB-94-05B	AHOL	CSO	MN	MANGANESE		422.0000000	µg/g	3.0		
SAB-94-05B	AHOL	CSO	NA	SODIUM		554.0000000	µg/g	3.0		
SAB-94-05B	AHOL	CSO	NI	NICKEL		20.10000000	µg/g	3.0		
SAB-94-05B	AHOL	CSO	PB	LEAD		20.30000000	µg/g	3.0		
SAB-94-05B	AHOL	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	3.0		
SAB-94-05B	AHOL	CSO	SE	SELENIUM	LT	0.44900000	µg/g	3.0		
SAB-94-05B	AHOL	CSO	TL	THALLIUM	LT	34.30000000	µg/g	3.0		
SAB-94-05B	AHOL	CSO	V	VANADIUM		41.40000000	µg/g	3.0		
SAB-94-05B	AHOL	CSO	ZN	ZINC		71.00000000	µg/g	3.0		
SAB-94-06A	AHOL	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
SAB-94-06A	AHOL	CSO	AL	ALUMINUM		17300.00000	µg/g	0.5		
SAB-94-06A	AHOL	CSO	AS	ARSENIC		8.90000000	µg/g	0.5		
SAB-94-06A	AHOL	CSO	BA	BARIUM		215.0000000	µg/g	0.5		
SAB-94-06A	AHOL	CSO	BE	BERYLLIUM		0.83500000	µg/g	0.5		
SAB-94-06A	AHOL	CSO	CA	CALCIUM		45900.00000	µg/g	0.5		
SAB-94-06A	AHOL	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
SAB-94-06A	AHOL	CSO	CO	COBALT		6.48000000	µg/g	0.5		
SAB-94-06A	AHOL	CSO	CR	CHROMIUM		20.00000000	µg/g	0.5		
SAB-94-06A	AHOL	CSO	CU	COPPER		20.80000000	µg/g	0.5		
SAB-94-06A	AHOL	CSO	FE	IRON		19800.00000	µg/g	0.5		
SAB-94-06A	AHOL	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
SAB-94-06A	AHOL	CSO	K	POTASSIUM		2910.000000	µg/g	0.5		
SAB-94-06A	AHOL	CSO	MG	MAGNESIUM		11500.00000	µg/g	0.5		
SAB-94-06A	AHOL	CSO	MN	MANGANESE		374.0000000	µg/g	0.5		
SAB-94-06A	AHOL	CSO	NA	SODIUM		426.0000000	µg/g	0.5		
SAB-94-06A	AHOL	CSO	NI	NICKEL		15.00000000	µg/g	0.5		
SAB-94-06A	AHOL	CSO	PB	LEAD		1200.000000	µg/g	0.5		
SAB-94-06A	AHOL	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
SAB-94-06A	AHOL	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
SAB-94-06A	AHOL	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
SAB-94-06A	AHOL	CSO	V	VANADIUM		26.80000000	µg/g	0.5		
SAB-94-06A	AHOL	CSO	ZN	ZINC		62.30000000	µg/g	0.5		
SAB-94-06B	AHOL	CSO	AG	SILVER	LT	0.80300000	µg/g	3.0		
SAB-94-06B	AHOL	CSO	AL	ALUMINUM		19600.00000	µg/g	3.0		
SAB-94-06B	AHOL	CSO	AS	ARSENIC		6.68000000	µg/g	3.0		
SAB-94-06B	AHOL	CSO	BA	BARIUM		252.0000000	µg/g	3.0		
SAB-94-06B	AHOL	CSO	BE	BERYLLIUM		1.01000000	µg/g	3.0		
SAB-94-06B	AHOL	CSO	CA	CALCIUM		53900.00000	µg/g	3.0		
SAB-94-06B	AHOL	CSO	CD	CADMIUM	LT	1.20000000	µg/g	3.0		

Small Arms Firing Range (SWMU 08) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
SAB-94-06B	AHOL	CSO	CO	COBALT		8.19000000	µg/g	3.0		
SAB-94-06B	AHOL	CSO	CR	CHROMIUM		22.10000000	µg/g	3.0		
SAB-94-06B	AHOL	CSO	CU	COPPER		16.90000000	µg/g	3.0		
SAB-94-06B	AHOL	CSO	FE	IRON		23600.00000	µg/g	3.0		
SAB-94-06B	AHOL	CSO	HG	MERCURY	LT	0.05000000	µg/g	3.0		
SAB-94-06B	AHOL	CSO	K	POTASSIUM		3450.000000	µg/g	3.0		
SAB-94-06B	AHOL	CSO	MG	MAGNESIUM		13400.00000	µg/g	3.0		
SAB-94-06B	AHOL	CSO	MN	MANGANESE		461.0000000	µg/g	3.0		
SAB-94-06B	AHOL	CSO	NA	SODIUM		968.0000000	µg/g	3.0		
SAB-94-06B	AHOL	CSO	NI	NICKEL		17.70000000	µg/g	3.0		
SAB-94-06B	AHOL	CSO	PB	LEAD		22.90000000	µg/g	3.0		
SAB-94-06B	AHOL	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	3.0		
SAB-94-06B	AHOL	CSO	SE	SELENIUM	LT	0.44900000	µg/g	3.0		
SAB-94-06B	AHOL	CSO	TL	THALLIUM	LT	34.30000000	µg/g	3.0		
SAB-94-06B	AHOL	CSO	V	VANADIUM		31.30000000	µg/g	3.0		
SAB-94-06B	AHOL	CSO	ZN	ZINC		77.50000000	µg/g	3.0		
SAB-94-07A	AHOL	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
SAB-94-07A	AHOL	CSO	AL	ALUMINUM		16200.00000	µg/g	0.5		
SAB-94-07A	AHOL	CSO	AS	ARSENIC		8.81000000	µg/g	0.5		
SAB-94-07A	AHOL	CSO	BA	BARIUM		180.0000000	µg/g	0.5		
SAB-94-07A	AHOL	CSO	BE	BERYLLIUM		0.83900000	µg/g	0.5		
SAB-94-07A	AHOL	CSO	CA	CALCIUM		62000.00000	µg/g	0.5		
SAB-94-07A	AHOL	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
SAB-94-07A	AHOL	CSO	CO	COBALT		7.00000000	µg/g	0.5		
SAB-94-07A	AHOL	CSO	CR	CHROMIUM		18.80000000	µg/g	0.5		
SAB-94-07A	AHOL	CSO	CU	COPPER		178.0000000	µg/g	0.5		
SAB-94-07A	AHOL	CSO	FE	IRON		19400.00000	µg/g	0.5		
SAB-94-07A	AHOL	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
SAB-94-07A	AHOL	CSO	K	POTASSIUM		2810.000000	µg/g	0.5		
SAB-94-07A	AHOL	CSO	MG	MAGNESIUM		10900.00000	µg/g	0.5		
SAB-94-07A	AHOL	CSO	MN	MANGANESE		374.0000000	µg/g	0.5		
SAB-94-07A	AHOL	CSO	NA	SODIUM		426.0000000	µg/g	0.5		
SAB-94-07A	AHOL	CSO	NI	NICKEL		15.10000000	µg/g	0.5		
SAB-94-07A	AHOL	CSO	PB	LEAD		5900.000000	µg/g	0.5		
SAB-94-07A	AHOL	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
SAB-94-07A	AHOL	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
SAB-94-07A	AHOL	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
SAB-94-07A	AHOL	CSO	V	VANADIUM		25.00000000	µg/g	0.5		
SAB-94-07A	AHOL	CSO	ZN	ZINC		81.80000000	µg/g	0.5		
SAB-94-07B	AHOL	CSO	AG	SILVER	LT	0.80300000	µg/g	3.0		
SAB-94-07B	AHOL	CSO	AL	ALUMINUM		18900.00000	µg/g	3.0		
SAB-94-07B	AHOL	CSO	AS	ARSENIC		6.13000000	µg/g	3.0		
SAB-94-07B	AHOL	CSO	BA	BARIUM		240.0000000	µg/g	3.0		
SAB-94-07B	AHOL	CSO	BE	BERYLLIUM		0.97200000	µg/g	3.0		
SAB-94-07B	AHOL	CSO	CA	CALCIUM		46300.00000	µg/g	3.0		
SAB-94-07B	AHOL	CSO	CD	CADMIUM	LT	1.20000000	µg/g	3.0		
SAB-94-07B	AHOL	CSO	CO	COBALT		7.96000000	µg/g	3.0		
SAB-94-07B	AHOL	CSO	CR	CHROMIUM		20.70000000	µg/g	3.0		
SAB-94-07B	AHOL	CSO	CU	COPPER		15.10000000	µg/g	3.0		
SAB-94-07B	AHOL	CSO	FE	IRON		22300.00000	µg/g	3.0		
SAB-94-07B	AHOL	CSO	HG	MERCURY	LT	0.05000000	µg/g	3.0		
SAB-94-07B	AHOL	CSO	K	POTASSIUM		2750.000000	µg/g	3.0		

Chemical Class: **METALS**

Site ID	Site Type	Media Type	Test Name		Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
SAB-94-07B	AHOL	CSO	MG	MAGNESIUM		13500.00000	µg/g	3.0		
SAB-94-07B	AHOL	CSO	MN	MANGANESE		379.0000000	µg/g	3.0		
SAB-94-07B	AHOL	CSO	NA	SODIUM		1110.000000	µg/g	3.0		
SAB-94-07B	AHOL	CSO	NI	NICKEL		17.10000000	µg/g	3.0		
SAB-94-07B	AHOL	CSO	PB	LEAD		20.90000000	µg/g	3.0		
SAB-94-07B	AHOL	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	3.0		
SAB-94-07B	AHOL	CSO	SE	SELENIUM	LT	0.44900000	µg/g	3.0		
SAB-94-07B	AHOL	CSO	TL	THALLIUM	LT	34.30000000	µg/g	3.0		
SAB-94-07B	AHOL	CSO	V	VANADIUM		28.70000000	µg/g	3.0		
SAB-94-07B	AHOL	CSO	ZN	ZINC		68.00000000	µg/g	3.0		
SAB-94-08A	AHOL	CSO	AG	SILVER		0.88400000	µg/g	0.5		
SAB-94-08A	AHOL	CSO	AL	ALUMINUM		14700.00000	µg/g	0.5		
SAB-94-08A	AHOL	CSO	AS	ARSENIC		12.50000000	µg/g	0.5		
SAB-94-08A	AHOL	CSO	BA	BARIUM		192.0000000	µg/g	0.5		
SAB-94-08A	AHOL	CSO	BE	BERYLLIUM		0.79200000	µg/g	0.5		
SAB-94-08A	AHOL	CSO	CA	CALCIUM		44900.00000	µg/g	0.5		
SAB-94-08A	AHOL	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
SAB-94-08A	AHOL	CSO	CO	COBALT		6.06000000	µg/g	0.5		
SAB-94-08A	AHOL	CSO	CR	CHROMIUM		17.00000000	µg/g	0.5		
SAB-94-08A	AHOL	CSO	CU	COPPER		879.0000000	µg/g	0.5		
SAB-94-08A	AHOL	CSO	FE	IRON		18900.00000	µg/g	0.5		
SAB-94-08A	AHOL	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
SAB-94-08A	AHOL	CSO	K	POTASSIUM		2760.000000	µg/g	0.5		
SAB-94-08A	AHOL	CSO	MG	MAGNESIUM		11500.00000	µg/g	0.5		
SAB-94-08A	AHOL	CSO	MN	MANGANESE		376.0000000	µg/g	0.5		
SAB-94-08A	AHOL	CSO	NA	SODIUM		459.0000000	µg/g	0.5		
SAB-94-08A	AHOL	CSO	NI	NICKEL		15.50000000	µg/g	0.5		
SAB-94-08A	AHOL	CSO	PB	LEAD		26000.00000	µg/g	0.5		
SAB-94-08A	AHOL	CSO	SB	ANTIMONY		97.20000000	µg/g	0.5		
SAB-94-08A	AHOL	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
SAB-94-08A	AHOL	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
SAB-94-08A	AHOL	CSO	V	VANADIUM		23.30000000	µg/g	0.5		
SAB-94-08A	AHOL	CSO	ZN	ZINC		157.0000000	µg/g	0.5		
SAB-94-08B	AHOL	CSO	AG	SILVER	LT	0.80300000	µg/g	3.0		
SAB-94-08B	AHOL	CSO	AL	ALUMINUM		20600.00000	µg/g	3.0		
SAB-94-08B	AHOL	CSO	AS	ARSENIC		7.06000000	µg/g	3.0		
SAB-94-08B	AHOL	CSO	BA	BARIUM		229.0000000	µg/g	3.0		
SAB-94-08B	AHOL	CSO	BE	BERYLLIUM		1.01000000	µg/g	3.0		
SAB-94-08B	AHOL	CSO	CA	CALCIUM		55100.00000	µg/g	3.0		
SAB-94-08B	AHOL	CSO	CD	CADMIUM	LT	1.20000000	µg/g	3.0		
SAB-94-08B	AHOL	CSO	CO	COBALT		7.91000000	µg/g	3.0		
SAB-94-08B	AHOL	CSO	CR	CHROMIUM		23.50000000	µg/g	3.0		
SAB-94-08B	AHOL	CSO	CU	COPPER		19.10000000	µg/g	3.0		
SAB-94-08B	AHOL	CSO	FE	IRON		23100.00000	µg/g	3.0		
SAB-94-08B	AHOL	CSO	HG	MERCURY	LT	0.05000000	µg/g	3.0		
SAB-94-08B	AHOL	CSO	K	POTASSIUM		3820.000000	µg/g	3.0		
SAB-94-08B	AHOL	CSO	MG	MAGNESIUM		12700.00000	µg/g	3.0		
SAB-94-08B	AHOL	CSO	MN	MANGANESE		394.0000000	µg/g	3.0		
SAB-94-08B	AHOL	CSO	NA	SODIUM		1150.000000	µg/g	3.0		
SAB-94-08B	AHOL	CSO	NI	NICKEL		18.20000000	µg/g	3.0		
SAB-94-08B	AHOL	CSO	PB	LEAD		127.0000000	µg/g	3.0		
SAB-94-08B	AHOL	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	3.0		

Small Arms Firing Range (SWMU 08) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
SAB-94-08B	AHOL	CSO	SE	SELENIUM	LT	0.44900000	µg/g	3.0		
SAB-94-08B	AHOL	CSO	TL	THALLIUM	LT	34.30000000	µg/g	3.0		
SAB-94-08B	AHOL	CSO	V	VANADIUM		32.00000000	µg/g	3.0		
SAB-94-08B	AHOL	CSO	ZN	ZINC		76.50000000	µg/g	3.0		
SAB-94-09A	AHOL	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
SAB-94-09A	AHOL	CSO	AL	ALUMINUM		6020.000000	µg/g	0.5		
SAB-94-09A	AHOL	CSO	AS	ARSENIC		7.41000000	µg/g	0.5		
SAB-94-09A	AHOL	CSO	BA	BARIUM		74.50000000	µg/g	0.5		
SAB-94-09A	AHOL	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	0.5		
SAB-94-09A	AHOL	CSO	CA	CALCIUM		25300.00000	µg/g	0.5		
SAB-94-09A	AHOL	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
SAB-94-09A	AHOL	CSO	CO	COBALT		3.34000000	µg/g	0.5		
SAB-94-09A	AHOL	CSO	CR	CHROMIUM		8.20000000	µg/g	0.5		
SAB-94-09A	AHOL	CSO	CU	COPPER		89.00000000	µg/g	0.5		
SAB-94-09A	AHOL	CSO	FE	IRON		11600.00000	µg/g	0.5		
SAB-94-09A	AHOL	CSO	HG	MERCURY		0.06270000	µg/g	0.5		
SAB-94-09A	AHOL	CSO	K	POTASSIUM		1030.000000	µg/g	0.5		
SAB-94-09A	AHOL	CSO	MG	MAGNESIUM		5430.000000	µg/g	0.5		
SAB-94-09A	AHOL	CSO	MN	MANGANESE		172.0000000	µg/g	0.5		
SAB-94-09A	AHOL	CSO	NA	SODIUM		229.0000000	µg/g	0.5		
SAB-94-09A	AHOL	CSO	NI	NICKEL		7.73000000	µg/g	0.5		
SAB-94-09A	AHOL	CSO	PB	LEAD		7100.000000	µg/g	0.5		
SAB-94-09A	AHOL	CSO	SB	ANTIMONY		41.20000000	µg/g	0.5		
SAB-94-09A	AHOL	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
SAB-94-09A	AHOL	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
SAB-94-09A	AHOL	CSO	V	VANADIUM		11.40000000	µg/g	0.5		
SAB-94-09A	AHOL	CSO	ZN	ZINC		34.00000000	µg/g	0.5		
SAB-94-09B	AHOL	CSO	AG	SILVER	LT	0.80300000	µg/g	3.0		
SAB-94-09B	AHOL	CSO	AL	ALUMINUM		13000.00000	µg/g	3.0		
SAB-94-09B	AHOL	CSO	AS	ARSENIC		6.54000000	µg/g	3.0		
SAB-94-09B	AHOL	CSO	BA	BARIUM		144.0000000	µg/g	3.0		
SAB-94-09B	AHOL	CSO	BE	BERYLLIUM		0.67000000	µg/g	3.0		
SAB-94-09B	AHOL	CSO	CA	CALCIUM		38000.00000	µg/g	3.0		
SAB-94-09B	AHOL	CSO	CD	CADMIUM	LT	1.20000000	µg/g	3.0		
SAB-94-09B	AHOL	CSO	CO	COBALT		5.27000000	µg/g	3.0		
SAB-94-09B	AHOL	CSO	CR	CHROMIUM		14.30000000	µg/g	3.0		
SAB-94-09B	AHOL	CSO	CU	COPPER		11.50000000	µg/g	3.0		
SAB-94-09B	AHOL	CSO	FE	IRON		15500.00000	µg/g	3.0		
SAB-94-09B	AHOL	CSO	HG	MERCURY		0.06370000	µg/g	3.0		
SAB-94-09B	AHOL	CSO	K	POTASSIUM		2260.000000	µg/g	3.0		
SAB-94-09B	AHOL	CSO	MG	MAGNESIUM		8260.000000	µg/g	3.0		
SAB-94-09B	AHOL	CSO	MN	MANGANESE		257.0000000	µg/g	3.0		
SAB-94-09B	AHOL	CSO	NA	SODIUM		674.0000000	µg/g	3.0		
SAB-94-09B	AHOL	CSO	NI	NICKEL		11.90000000	µg/g	3.0		
SAB-94-09B	AHOL	CSO	PB	LEAD		78.90000000	µg/g	3.0		
SAB-94-09B	AHOL	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	3.0		
SAB-94-09B	AHOL	CSO	SE	SELENIUM	LT	0.44900000	µg/g	3.0		
SAB-94-09B	AHOL	CSO	TL	THALLIUM	LT	34.30000000	µg/g	3.0		
SAB-94-09B	AHOL	CSO	V	VANADIUM		18.40000000	µg/g	3.0		
SAB-94-09B	AHOL	CSO	ZN	ZINC		50.90000000	µg/g	3.0		
SAB-94-10A	AHOL	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
SAB-94-10A	AHOL	CSO	AL	ALUMINUM		4400.000000	µg/g	0.5		

Small Arms Firing Range (SWMU 08) Phase II RI Data

Chemical Class: **METALS**

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
SAB-94-10A	AHOL	CSO	AS	ARSENIC		5.77000000	µg/g	0.5		
SAB-94-10A	AHOL	CSO	BA	BARIUM		62.10000000	µg/g	0.5		
SAB-94-10A	AHOL	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	0.5		
SAB-94-10A	AHOL	CSO	CA	CALCIUM		30100.00000	µg/g	0.5		
SAB-94-10A	AHOL	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
SAB-94-10A	AHOL	CSO	CO	COBALT	LT	2.50000000	µg/g	0.5		
SAB-94-10A	AHOL	CSO	CR	CHROMIUM		6.27000000	µg/g	0.5		
SAB-94-10A	AHOL	CSO	CU	COPPER		9.25000000	µg/g	0.5		
SAB-94-10A	AHOL	CSO	FE	IRON		9100.000000	µg/g	0.5		
SAB-94-10A	AHOL	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
SAB-94-10A	AHOL	CSO	K	POTASSIUM		746.0000000	µg/g	0.5		
SAB-94-10A	AHOL	CSO	MG	MAGNESIUM		5560.000000	µg/g	0.5		
SAB-94-10A	AHOL	CSO	MN	MANGANESE		147.0000000	µg/g	0.5		
SAB-94-10A	AHOL	CSO	NA	SODIUM		215.0000000	µg/g	0.5		
SAB-94-10A	AHOL	CSO	NI	NICKEL		7.18000000	µg/g	0.5		
SAB-94-10A	AHOL	CSO	PB	LEAD		117.0000000	µg/g	0.5		
SAB-94-10A	AHOL	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
SAB-94-10A	AHOL	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
SAB-94-10A	AHOL	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
SAB-94-10A	AHOL	CSO	V	VANADIUM		8.56000000	µg/g	0.5		
SAB-94-10A	AHOL	CSO	ZN	ZINC		19.70000000	µg/g	0.5		
SAB-94-10B	AHOL	CSO	AG	SILVER	LT	0.80300000	µg/g	3.0		
SAB-94-10B	AHOL	CSO	AL	ALUMINUM		17300.00000	µg/g	3.0		
SAB-94-10B	AHOL	CSO	AS	ARSENIC		8.47000000	µg/g	3.0		
SAB-94-10B	AHOL	CSO	BA	BARIUM		229.0000000	µg/g	3.0		
SAB-94-10B	AHOL	CSO	BE	BERYLLIUM		0.93200000	µg/g	3.0		
SAB-94-10B	AHOL	CSO	CA	CALCIUM		52700.00000	µg/g	3.0		
SAB-94-10B	AHOL	CSO	CD	CADMIUM	LT	1.20000000	µg/g	3.0		
SAB-94-10B	AHOL	CSO	CO	COBALT		8.02000000	µg/g	3.0		
SAB-94-10B	AHOL	CSO	CR	CHROMIUM		20.50000000	µg/g	3.0		
SAB-94-10B	AHOL	CSO	CU	COPPER		17.80000000	µg/g	3.0		
SAB-94-10B	AHOL	CSO	FE	IRON		21700.00000	µg/g	3.0		
SAB-94-10B	AHOL	CSO	HG	MERCURY	LT	0.05000000	µg/g	3.0		
SAB-94-10B	AHOL	CSO	K	POTASSIUM		4070.000000	µg/g	3.0		
SAB-94-10B	AHOL	CSO	MG	MAGNESIUM		12900.00000	µg/g	3.0		
SAB-94-10B	AHOL	CSO	MN	MANGANESE		471.0000000	µg/g	3.0		
SAB-94-10B	AHOL	CSO	NA	SODIUM		1130.000000	µg/g	3.0		
SAB-94-10B	AHOL	CSO	NI	NICKEL		18.10000000	µg/g	3.0		
SAB-94-10B	AHOL	CSO	PB	LEAD		23.10000000	µg/g	3.0		
SAB-94-10B	AHOL	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	3.0		
SAB-94-10B	AHOL	CSO	SE	SELENIUM	LT	0.44900000	µg/g	3.0		
SAB-94-10B	AHOL	CSO	TL	THALLIUM	LT	34.30000000	µg/g	3.0		
SAB-94-10B	AHOL	CSO	V	VANADIUM		26.30000000	µg/g	3.0		
SAB-94-10B	AHOL	CSO	ZN	ZINC		82.50000000	µg/g	3.0		
SAB-94-11A	AHOL	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
SAB-94-11A	AHOL	CSO	AL	ALUMINUM		12400.00000	µg/g	0.5		
SAB-94-11A	AHOL	CSO	AS	ARSENIC		5.37000000	µg/g	0.5		
SAB-94-11A	AHOL	CSO	BA	BARIUM		156.0000000	µg/g	0.5		
SAB-94-11A	AHOL	CSO	BE	BERYLLIUM		0.70100000	µg/g	0.5		
SAB-94-11A	AHOL	CSO	CA	CALCIUM		38400.00000	µg/g	0.5		
SAB-94-11A	AHOL	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
SAB-94-11A	AHOL	CSO	CO	COBALT		5.62000000	µg/g	0.5		

Small Arms Firing Range (SWMU 08) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
SAB-94-11A	AHOL	CSO	CR	CHROMIUM		15.40000000	µg/g	0.5		
SAB-94-11A	AHOL	CSO	CU	COPPER		11.60000000	µg/g	0.5		
SAB-94-11A	AHOL	CSO	FE	IRON		18000.00000	µg/g	0.5		
SAB-94-11A	AHOL	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
SAB-94-11A	AHOL	CSO	K	POTASSIUM		1910.000000	µg/g	0.5		
SAB-94-11A	AHOL	CSO	MG	MAGNESIUM		11500.00000	µg/g	0.5		
SAB-94-11A	AHOL	CSO	MN	MANGANESE		409.0000000	µg/g	0.5		
SAB-94-11A	AHOL	CSO	NA	SODIUM		407.0000000	µg/g	0.5		
SAB-94-11A	AHOL	CSO	NI	NICKEL		13.00000000	µg/g	0.5		
SAB-94-11A	AHOL	CSO	PB	LEAD		18.80000000	µg/g	0.5		
SAB-94-11A	AHOL	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
SAB-94-11A	AHOL	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
SAB-94-11A	AHOL	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
SAB-94-11A	AHOL	CSO	V	VANADIUM		21.10000000	µg/g	0.5		
SAB-94-11A	AHOL	CSO	ZN	ZINC		51.90000000	µg/g	0.5		
SAB-94-11B	AHOL	CSO	AG	SILVER	LT	0.80300000	µg/g	1.0		
SAB-94-11B	AHOL	CSO	AL	ALUMINUM		8400.000000	µg/g	1.0		
SAB-94-11B	AHOL	CSO	AS	ARSENIC		5.52000000	µg/g	1.0		
SAB-94-11B	AHOL	CSO	BA	BARIUM		82.10000000	µg/g	1.0		
SAB-94-11B	AHOL	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	1.0		
SAB-94-11B	AHOL	CSO	CA	CALCIUM		21400.00000	µg/g	1.0		
SAB-94-11B	AHOL	CSO	CD	CADMIUM	LT	1.20000000	µg/g	1.0		
SAB-94-11B	AHOL	CSO	CO	COBALT		4.56000000	µg/g	1.0		
SAB-94-11B	AHOL	CSO	CR	CHROMIUM		13.20000000	µg/g	1.0		
SAB-94-11B	AHOL	CSO	CU	COPPER		9.21000000	µg/g	1.0		
SAB-94-11B	AHOL	CSO	FE	IRON		13800.00000	µg/g	1.0		
SAB-94-11B	AHOL	CSO	HG	MERCURY	LT	0.05000000	µg/g	1.0		
SAB-94-11B	AHOL	CSO	K	POTASSIUM		1290.000000	µg/g	1.0		
SAB-94-11B	AHOL	CSO	MG	MAGNESIUM		9040.000000	µg/g	1.0		
SAB-94-11B	AHOL	CSO	MN	MANGANESE		428.0000000	µg/g	1.0		
SAB-94-11B	AHOL	CSO	NA	SODIUM		278.0000000	µg/g	1.0		
SAB-94-11B	AHOL	CSO	NI	NICKEL		11.60000000	µg/g	1.0		
SAB-94-11B	AHOL	CSO	PB	LEAD		12.30000000	µg/g	1.0		
SAB-94-11B	AHOL	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	1.0		
SAB-94-11B	AHOL	CSO	SE	SELENIUM	LT	0.44900000	µg/g	1.0		
SAB-94-11B	AHOL	CSO	TL	THALLIUM	LT	34.30000000	µg/g	1.0		
SAB-94-11B	AHOL	CSO	V	VANADIUM		20.60000000	µg/g	1.0		
SAB-94-11B	AHOL	CSO	ZN	ZINC		40.50000000	µg/g	1.0		
SAB-94-12A	AHOL	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
SAB-94-12A	AHOL	CSO	AL	ALUMINUM		16200.00000	µg/g	0.5		
SAB-94-12A	AHOL	CSO	AS	ARSENIC		6.41000000	µg/g	0.5		
SAB-94-12A	AHOL	CSO	BA	BARIUM		161.0000000	µg/g	0.5		
SAB-94-12A	AHOL	CSO	BE	BERYLLIUM		0.96300000	µg/g	0.5		
SAB-94-12A	AHOL	CSO	CA	CALCIUM		28000.00000	µg/g	0.5		
SAB-94-12A	AHOL	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
SAB-94-12A	AHOL	CSO	CO	COBALT		7.93000000	µg/g	0.5		
SAB-94-12A	AHOL	CSO	CR	CHROMIUM		19.50000000	µg/g	0.5		
SAB-94-12A	AHOL	CSO	CU	COPPER		19.00000000	µg/g	0.5		
SAB-94-12A	AHOL	CSO	FE	IRON		21800.00000	µg/g	0.5		
SAB-94-12A	AHOL	CSO	HG	MERCURY		0.06840000	µg/g	0.5		
SAB-94-12A	AHOL	CSO	K	POTASSIUM		2890.000000	µg/g	0.5		
SAB-94-12A	AHOL	CSO	MG	MAGNESIUM		10700.00000	µg/g	0.5		

Small Arms Firing Range (SWMU 08) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
SAB-94-12A	AHOL	CSO	MN	MANGANESE		384.0000000	µg/g	0.5		
SAB-94-12A	AHOL	CSO	NA	SODIUM		496.0000000	µg/g	0.5		
SAB-94-12A	AHOL	CSO	NI	NICKEL		18.40000000	µg/g	0.5		
SAB-94-12A	AHOL	CSO	PB	LEAD		33.80000000	µg/g	0.5		
SAB-94-12A	AHOL	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
SAB-94-12A	AHOL	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
SAB-94-12A	AHOL	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
SAB-94-12A	AHOL	CSO	V	VANADIUM		24.80000000	µg/g	0.5		
SAB-94-12A	AHOL	CSO	ZN	ZINC		73.00000000	µg/g	0.5		
SAB-94-12B	AHOL	CSO	AG	SILVER	LT	0.80300000	µg/g	3.0		
SAB-94-12B	AHOL	CSO	AL	ALUMINUM		15100.00000	µg/g	3.0		
SAB-94-12B	AHOL	CSO	AS	ARSENIC		7.11000000	µg/g	3.0		
SAB-94-12B	AHOL	CSO	BA	BARIUM		163.0000000	µg/g	3.0		
SAB-94-12B	AHOL	CSO	BE	BERYLLIUM		0.87500000	µg/g	3.0		
SAB-94-12B	AHOL	CSO	CA	CALCIUM		42800.00000	µg/g	3.0		
SAB-94-12B	AHOL	CSO	CD	CADMIUM	LT	1.20000000	µg/g	3.0		
SAB-94-12B	AHOL	CSO	CO	COBALT		7.69000000	µg/g	3.0		
SAB-94-12B	AHOL	CSO	CR	CHROMIUM		18.60000000	µg/g	3.0		
SAB-94-12B	AHOL	CSO	CU	COPPER		13.50000000	µg/g	3.0		
SAB-94-12B	AHOL	CSO	FE	IRON		20700.00000	µg/g	3.0		
SAB-94-12B	AHOL	CSO	HG	MERCURY	LT	0.05000000	µg/g	3.0		
SAB-94-12B	AHOL	CSO	K	POTASSIUM		2250.000000	µg/g	3.0		
SAB-94-12B	AHOL	CSO	MG	MAGNESIUM		12100.00000	µg/g	3.0		
SAB-94-12B	AHOL	CSO	MN	MANGANESE		340.0000000	µg/g	3.0		
SAB-94-12B	AHOL	CSO	NA	SODIUM		694.0000000	µg/g	3.0		
SAB-94-12B	AHOL	CSO	NI	NICKEL		17.40000000	µg/g	3.0		
SAB-94-12B	AHOL	CSO	PB	LEAD		15.90000000	µg/g	3.0		
SAB-94-12B	AHOL	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	3.0		
SAB-94-12B	AHOL	CSO	SE	SELENIUM	LT	0.44900000	µg/g	3.0		
SAB-94-12B	AHOL	CSO	TL	THALLIUM	LT	34.30000000	µg/g	3.0		
SAB-94-12B	AHOL	CSO	V	VANADIUM		25.60000000	µg/g	3.0		
SAB-94-12B	AHOL	CSO	ZN	ZINC		67.40000000	µg/g	3.0		
SAB-94-13A	AHOL	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
SAB-94-13A	AHOL	CSO	AL	ALUMINUM		20400.00000	µg/g	0.5		
SAB-94-13A	AHOL	CSO	AS	ARSENIC		9.07000000	µg/g	0.5		
SAB-94-13A	AHOL	CSO	BA	BARIUM		295.0000000	µg/g	0.5		
SAB-94-13A	AHOL	CSO	BE	BERYLLIUM		1.14000000	µg/g	0.5		
SAB-94-13A	AHOL	CSO	CA	CALCIUM		45400.00000	µg/g	0.5		
SAB-94-13A	AHOL	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
SAB-94-13A	AHOL	CSO	CO	COBALT		10.20000000	µg/g	0.5		
SAB-94-13A	AHOL	CSO	CR	CHROMIUM		23.40000000	µg/g	0.5		
SAB-94-13A	AHOL	CSO	CU	COPPER		19.70000000	µg/g	0.5		
SAB-94-13A	AHOL	CSO	FE	IRON		27400.00000	µg/g	0.5		
SAB-94-13A	AHOL	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
SAB-94-13A	AHOL	CSO	K	POTASSIUM		3220.000000	µg/g	0.5		
SAB-94-13A	AHOL	CSO	MG	MAGNESIUM		13600.00000	µg/g	0.5		
SAB-94-13A	AHOL	CSO	MN	MANGANESE		661.0000000	µg/g	0.5		
SAB-94-13A	AHOL	CSO	NA	SODIUM		513.0000000	µg/g	0.5		
SAB-94-13A	AHOL	CSO	NI	NICKEL		24.00000000	µg/g	0.5		
SAB-94-13A	AHOL	CSO	PB	LEAD		25.50000000	µg/g	0.5		
SAB-94-13A	AHOL	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
SAB-94-13A	AHOL	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		

Small Arms Firing Range (SWMU 08) Phase II RI Data

Site ID	Site Type	Media Type	Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**									
SAB-94-13A	AHOL	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5	
SAB-94-13A	AHOL	CSO	V	VANADIUM		31.60000000	µg/g	0.5	
SAB-94-13A	AHOL	CSO	ZN	ZINC		93.60000000	µg/g	0.5	
SAB-94-13B	AHOL	CSO	AG	SILVER	LT	0.80300000	µg/g	3.0	
SAB-94-13B	AHOL	CSO	AL	ALUMINUM		18300.00000	µg/g	3.0	
SAB-94-13B	AHOL	CSO	AS	ARSENIC		9.87000000	µg/g	3.0	
SAB-94-13B	AHOL	CSO	BA	BARIUM		168.0000000	µg/g	3.0	
SAB-94-13B	AHOL	CSO	BE	BERYLLIUM		0.90200000	µg/g	3.0	
SAB-94-13B	AHOL	CSO	CA	CALCIUM		50800.00000	µg/g	3.0	
SAB-94-13B	AHOL	CSO	CD	CADMIUM	LT	1.20000000	µg/g	3.0	
SAB-94-13B	AHOL	CSO	CO	COBALT		7.61000000	µg/g	3.0	
SAB-94-13B	AHOL	CSO	CR	CHROMIUM		22.60000000	µg/g	3.0	
SAB-94-13B	AHOL	CSO	CU	COPPER		14.50000000	µg/g	3.0	
SAB-94-13B	AHOL	CSO	FE	IRON		22200.00000	µg/g	3.0	
SAB-94-13B	AHOL	CSO	HG	MERCURY	LT	0.05000000	µg/g	3.0	
SAB-94-13B	AHOL	CSO	K	POTASSIUM		2220.000000	µg/g	3.0	
SAB-94-13B	AHOL	CSO	MG	MAGNESIUM		13000.00000	µg/g	3.0	
SAB-94-13B	AHOL	CSO	MN	MANGANESE		453.0000000	µg/g	3.0	
SAB-94-13B	AHOL	CSO	NA	SODIUM		781.0000000	µg/g	3.0	
SAB-94-13B	AHOL	CSO	NI	NICKEL		16.20000000	µg/g	3.0	
SAB-94-13B	AHOL	CSO	PB	LEAD		15.70000000	µg/g	3.0	
SAB-94-13B	AHOL	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	3.0	
SAB-94-13B	AHOL	CSO	SE	SELENIUM		1.93000000	µg/g	3.0	
SAB-94-13B	AHOL	CSO	TL	THALLIUM	LT	34.30000000	µg/g	3.0	
SAB-94-13B	AHOL	CSO	V	VANADIUM		34.30000000	µg/g	3.0	
SAB-94-13B	AHOL	CSO	ZN	ZINC		55.80000000	µg/g	3.0	
SAB-94-14A	AHOL	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5	
SAB-94-14A	AHOL	CSO	AL	ALUMINUM		20000.00000	µg/g	0.5	
SAB-94-14A	AHOL	CSO	AS	ARSENIC		6.65000000	µg/g	0.5	
SAB-94-14A	AHOL	CSO	BA	BARIUM		227.0000000	µg/g	0.5	
SAB-94-14A	AHOL	CSO	BE	BERYLLIUM		0.92200000	µg/g	0.5	
SAB-94-14A	AHOL	CSO	CA	CALCIUM		43000.00000	µg/g	0.5	
SAB-94-14A	AHOL	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5	
SAB-94-14A	AHOL	CSO	CO	COBALT		7.47000000	µg/g	0.5	
SAB-94-14A	AHOL	CSO	CR	CHROMIUM		25.50000000	µg/g	0.5	
SAB-94-14A	AHOL	CSO	CU	COPPER		16.20000000	µg/g	0.5	
SAB-94-14A	AHOL	CSO	FE	IRON		22700.00000	µg/g	0.5	
SAB-94-14A	AHOL	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5	
SAB-94-14A	AHOL	CSO	K	POTASSIUM		4300.000000	µg/g	0.5	
SAB-94-14A	AHOL	CSO	MG	MAGNESIUM		12200.00000	µg/g	0.5	
SAB-94-14A	AHOL	CSO	MN	MANGANESE		398.0000000	µg/g	0.5	
SAB-94-14A	AHOL	CSO	NA	SODIUM		428.0000000	µg/g	0.5	
SAB-94-14A	AHOL	CSO	NI	NICKEL		18.20000000	µg/g	0.5	
SAB-94-14A	AHOL	CSO	PB	LEAD		19.10000000	µg/g	0.5	
SAB-94-14A	AHOL	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5	
SAB-94-14A	AHOL	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5	
SAB-94-14A	AHOL	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5	
SAB-94-14A	AHOL	CSO	V	VANADIUM		33.60000000	µg/g	0.5	
SAB-94-14A	AHOL	CSO	ZN	ZINC		74.40000000	µg/g	0.5	
SAB-94-14B	AHOL	CSO	AG	SILVER	LT	0.80300000	µg/g	2.0	
SAB-94-14B	AHOL	CSO	AL	ALUMINUM		21900.00000	µg/g	2.0	
SAB-94-14B	AHOL	CSO	AS	ARSENIC		6.03000000	µg/g	2.0	

Site ID	Site Type	Media Type	Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**									
SAB-94-14B	AHOL	CSO	BARIUM		197.0000000	µg/g	2.0		
SAB-94-14B	AHOL	CSO	BERYLLIUM		0.94400000	µg/g	2.0		
SAB-94-14B	AHOL	CSO	CALCIUM		40100.00000	µg/g	2.0		
SAB-94-14B	AHOL	CSO	CADMIUM	LT	1.20000000	µg/g	2.0		
SAB-94-14B	AHOL	CSO	COBALT		8.06000000	µg/g	2.0		
SAB-94-14B	AHOL	CSO	CHROMIUM		40.20000000	µg/g	2.0		
SAB-94-14B	AHOL	CSO	COPPER		17.00000000	µg/g	2.0		
SAB-94-14B	AHOL	CSO	IRON		22900.00000	µg/g	2.0		
SAB-94-14B	AHOL	CSO	MERCURY	LT	0.05000000	µg/g	2.0		
SAB-94-14B	AHOL	CSO	POTASSIUM		4290.000000	µg/g	2.0		
SAB-94-14B	AHOL	CSO	MAGNESIUM		12200.00000	µg/g	2.0		
SAB-94-14B	AHOL	CSO	MANGANESE		415.0000000	µg/g	2.0		
SAB-94-14B	AHOL	CSO	SODIUM		839.0000000	µg/g	2.0		
SAB-94-14B	AHOL	CSO	NICKEL		23.20000000	µg/g	2.0		
SAB-94-14B	AHOL	CSO	LEAD		18.60000000	µg/g	2.0		
SAB-94-14B	AHOL	CSO	ANTIMONY	LT	19.60000000	µg/g	2.0		
SAB-94-14B	AHOL	CSO	SELENIUM	LT	0.44900000	µg/g	2.0		
SAB-94-14B	AHOL	CSO	THALLIUM	LT	34.30000000	µg/g	2.0		
SAB-94-14B	AHOL	CSO	VANADIUM		36.90000000	µg/g	2.0		
SAB-94-14B	AHOL	CSO	ZINC		75.00000000	µg/g	2.0		
SAB-94-15A	AHOL	CSO	SILVER	LT	0.80300000	µg/g	0.5		
SAB-94-15A	AHOL	CSO	ALUMINUM		18700.00000	µg/g	0.5		
SAB-94-15A	AHOL	CSO	ARSENIC		6.03000000	µg/g	0.5		
SAB-94-15A	AHOL	CSO	BARIUM		205.0000000	µg/g	0.5		
SAB-94-15A	AHOL	CSO	BERYLLIUM		0.96900000	µg/g	0.5		
SAB-94-15A	AHOL	CSO	CALCIUM		47600.00000	µg/g	0.5		
SAB-94-15A	AHOL	CSO	CADMIUM	LT	1.20000000	µg/g	0.5		
SAB-94-15A	AHOL	CSO	COBALT		7.98000000	µg/g	0.5		
SAB-94-15A	AHOL	CSO	CHROMIUM		23.30000000	µg/g	0.5		
SAB-94-15A	AHOL	CSO	COPPER		16.50000000	µg/g	0.5		
SAB-94-15A	AHOL	CSO	IRON		23100.00000	µg/g	0.5		
SAB-94-15A	AHOL	CSO	MERCURY	LT	0.05000000	µg/g	0.5		
SAB-94-15A	AHOL	CSO	POTASSIUM		3850.000000	µg/g	0.5		
SAB-94-15A	AHOL	CSO	MAGNESIUM		13200.00000	µg/g	0.5		
SAB-94-15A	AHOL	CSO	MANGANESE		393.0000000	µg/g	0.5		
SAB-94-15A	AHOL	CSO	SODIUM		503.0000000	µg/g	0.5		
SAB-94-15A	AHOL	CSO	NICKEL		18.20000000	µg/g	0.5		
SAB-94-15A	AHOL	CSO	LEAD		19.20000000	µg/g	0.5		
SAB-94-15A	AHOL	CSO	ANTIMONY	LT	19.60000000	µg/g	0.5		
SAB-94-15A	AHOL	CSO	SELENIUM	LT	0.44900000	µg/g	0.5		
SAB-94-15A	AHOL	CSO	THALLIUM	LT	34.30000000	µg/g	0.5		
SAB-94-15A	AHOL	CSO	VANADIUM		32.60000000	µg/g	0.5		
SAB-94-15A	AHOL	CSO	ZINC		75.70000000	µg/g	0.5		
SAB-94-15B	AHOL	CSO	SILVER	LT	0.80300000	µg/g	2.0		
SAB-94-15B	AHOL	CSO	ALUMINUM		17700.00000	µg/g	2.0		
SAB-94-15B	AHOL	CSO	ARSENIC		6.37000000	µg/g	2.0		
SAB-94-15B	AHOL	CSO	BARIUM		195.0000000	µg/g	2.0		
SAB-94-15B	AHOL	CSO	BERYLLIUM		1.07000000	µg/g	2.0		
SAB-94-15B	AHOL	CSO	CALCIUM		40800.00000	µg/g	2.0		
SAB-94-15B	AHOL	CSO	CADMIUM	LT	1.20000000	µg/g	2.0		
SAB-94-15B	AHOL	CSO	COBALT		7.17000000	µg/g	2.0		
SAB-94-15B	AHOL	CSO	CHROMIUM		23.30000000	µg/g	2.0		

Small Arms Firing Range (SWMU 08) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
SAB-94-15B	AHOL	CSO	CU	COPPER		15.90000000	µg/g	2.0		
SAB-94-15B	AHOL	CSO	FE	IRON		21100.00000	µg/g	2.0		
SAB-94-15B	AHOL	CSO	HG	MERCURY	LT	0.05000000	µg/g	2.0		
SAB-94-15B	AHOL	CSO	K	POTASSIUM		3350.000000	µg/g	2.0		
SAB-94-15B	AHOL	CSO	MG	MAGNESIUM		11400.00000	µg/g	2.0		
SAB-94-15B	AHOL	CSO	MN	MANGANESE		396.0000000	µg/g	2.0		
SAB-94-15B	AHOL	CSO	NA	SODIUM		793.0000000	µg/g	2.0		
SAB-94-15B	AHOL	CSO	NI	NICKEL		17.50000000	µg/g	2.0		
SAB-94-15B	AHOL	CSO	PB	LEAD		19.30000000	µg/g	2.0		
SAB-94-15B	AHOL	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	2.0		
SAB-94-15B	AHOL	CSO	SE	SELENIUM	LT	0.44900000	µg/g	2.0		
SAB-94-15B	AHOL	CSO	TL	THALLIUM	LT	34.30000000	µg/g	2.0		
SAB-94-15B	AHOL	CSO	V	VANADIUM		29.20000000	µg/g	2.0		
SAB-94-15B	AHOL	CSO	ZN	ZINC		71.60000000	µg/g	2.0		
SAS-94-01	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
SAS-94-01	SURF	CSO	AL	ALUMINUM		12200.00000	µg/g	0.5		
SAS-94-01	SURF	CSO	AS	ARSENIC		11.90000000	µg/g	0.5		
SAS-94-01	SURF	CSO	BA	BARIUM		133.0000000	µg/g	0.5		
SAS-94-01	SURF	CSO	BE	BERYLLIUM		0.63900000	µg/g	0.5		
SAS-94-01	SURF	CSO	CA	CALCIUM		42600.00000	µg/g	0.5		
SAS-94-01	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
SAS-94-01	SURF	CSO	CO	COBALT		5.99000000	µg/g	0.5		
SAS-94-01	SURF	CSO	CR	CHROMIUM		15.00000000	µg/g	0.5		
SAS-94-01	SURF	CSO	CU	COPPER		243.0000000	µg/g	0.5		
SAS-94-01	SURF	CSO	FE	IRON		16700.00000	µg/g	0.5		
SAS-94-01	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
SAS-94-01	SURF	CSO	K	POTASSIUM		2210.000000	µg/g	0.5		
SAS-94-01	SURF	CSO	MG	MAGNESIUM		10400.00000	µg/g	0.5		
SAS-94-01	SURF	CSO	MN	MANGANESE		312.0000000	µg/g	0.5		
SAS-94-01	SURF	CSO	NA	SODIUM		188.0000000	µg/g	0.5		
SAS-94-01	SURF	CSO	NI	NICKEL		11.50000000	µg/g	0.5		
SAS-94-01	SURF	CSO	PB	LEAD		12000.00000	µg/g	0.5		
SAS-94-01	SURF	CSO	SB	ANTIMONY		42.30000000	µg/g	0.5		
SAS-94-01	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
SAS-94-01	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
SAS-94-01	SURF	CSO	V	VANADIUM		20.00000000	µg/g	0.5		
SAS-94-01	SURF	CSO	ZN	ZINC		73.60000000	µg/g	0.5		
SAS-94-02	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
SAS-94-02	SURF	CSO	AL	ALUMINUM		5900.000000	µg/g	0.5		
SAS-94-02	SURF	CSO	AS	ARSENIC		6.38000000	µg/g	0.5		
SAS-94-02	SURF	CSO	BA	BARIUM		77.80000000	µg/g	0.5		
SAS-94-02	SURF	CSO	BE	BERYLLIUM	LT	0.42700000	µg/g	0.5		
SAS-94-02	SURF	CSO	CA	CALCIUM		31200.00000	µg/g	0.5		
SAS-94-02	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
SAS-94-02	SURF	CSO	CO	COBALT		3.84000000	µg/g	0.5		
SAS-94-02	SURF	CSO	CR	CHROMIUM		8.59000000	µg/g	0.5		
SAS-94-02	SURF	CSO	CU	COPPER		14.50000000	µg/g	0.5		
SAS-94-02	SURF	CSO	FE	IRON		10500.00000	µg/g	0.5		
SAS-94-02	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
SAS-94-02	SURF	CSO	K	POTASSIUM		1120.000000	µg/g	0.5		
SAS-94-02	SURF	CSO	MG	MAGNESIUM		6440.000000	µg/g	0.5		
SAS-94-02	SURF	CSO	MN	MANGANESE		196.0000000	µg/g	0.5		

Small Arms Firing Range (SWMU 08) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
SAS-94-02	SURF	CSO	NA	SODIUM		92.70000000	µg/g	0.5		
SAS-94-02	SURF	CSO	NI	NICKEL		7.04000000	µg/g	0.5		
SAS-94-02	SURF	CSO	PB	LEAD		102.0000000	µg/g	0.5		
SAS-94-02	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
SAS-94-02	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
SAS-94-02	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
SAS-94-02	SURF	CSO	V	VANADIUM		11.70000000	µg/g	0.5		
SAS-94-02	SURF	CSO	ZN	ZINC		26.90000000	µg/g	0.5		
SAS-94-03	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
SAS-94-03	SURF	CSO	AL	ALUMINUM		11900.00000	µg/g	0.5		
SAS-94-03	SURF	CSO	AS	ARSENIC		6.50000000	µg/g	0.5		
SAS-94-03	SURF	CSO	BA	BARIUM		152.0000000	µg/g	0.5		
SAS-94-03	SURF	CSO	BE	BERYLLIUM		0.68700000	µg/g	0.5		
SAS-94-03	SURF	CSO	CA	CALCIUM		43400.00000	µg/g	0.5		
SAS-94-03	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
SAS-94-03	SURF	CSO	CO	COBALT		6.14000000	µg/g	0.5		
SAS-94-03	SURF	CSO	CR	CHROMIUM		16.10000000	µg/g	0.5		
SAS-94-03	SURF	CSO	CU	COPPER		15.40000000	µg/g	0.5		
SAS-94-03	SURF	CSO	FE	IRON		18000.00000	µg/g	0.5		
SAS-94-03	SURF	CSO	HG	MERCURY		0.05370000	µg/g	0.5		
SAS-94-03	SURF	CSO	K	POTASSIUM		2190.000000	µg/g	0.5		
SAS-94-03	SURF	CSO	MG	MAGNESIUM		11900.00000	µg/g	0.5		
SAS-94-03	SURF	CSO	MN	MANGANESE		371.0000000	µg/g	0.5		
SAS-94-03	SURF	CSO	NA	SODIUM		183.0000000	µg/g	0.5		
SAS-94-03	SURF	CSO	NI	NICKEL		13.90000000	µg/g	0.5		
SAS-94-03	SURF	CSO	PB	LEAD		39.10000000	µg/g	0.5		
SAS-94-03	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
SAS-94-03	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
SAS-94-03	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
SAS-94-03	SURF	CSO	V	VANADIUM		21.60000000	µg/g	0.5		
SAS-94-03	SURF	CSO	ZN	ZINC		56.10000000	µg/g	0.5		
SAS-94-04	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
SAS-94-04	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5	D	
SAS-94-04	SURF	CSO	AL	ALUMINUM		19000.00000	µg/g	0.5	D	
SAS-94-04	SURF	CSO	AL	ALUMINUM		15300.00000	µg/g	0.5		
SAS-94-04	SURF	CSO	AS	ARSENIC		6.55000000	µg/g	0.5		
SAS-94-04	SURF	CSO	AS	ARSENIC		6.90000000	µg/g	0.5	D	
SAS-94-04	SURF	CSO	BA	BARIUM		201.0000000	µg/g	0.5	D	
SAS-94-04	SURF	CSO	BA	BARIUM		199.0000000	µg/g	0.5		
SAS-94-04	SURF	CSO	BE	BERYLLIUM		0.85600000	µg/g	0.5		
SAS-94-04	SURF	CSO	BE	BERYLLIUM		0.91700000	µg/g	0.5	D	
SAS-94-04	SURF	CSO	CA	CALCIUM		43800.00000	µg/g	0.5	D	
SAS-94-04	SURF	CSO	CA	CALCIUM		44900.00000	µg/g	0.5		
SAS-94-04	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
SAS-94-04	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5	D	
SAS-94-04	SURF	CSO	CO	COBALT		7.98000000	µg/g	0.5	D	
SAS-94-04	SURF	CSO	CO	COBALT		7.71000000	µg/g	0.5		
SAS-94-04	SURF	CSO	CR	CHROMIUM		18.30000000	µg/g	0.5		
SAS-94-04	SURF	CSO	CR	CHROMIUM		22.10000000	µg/g	0.5	D	
SAS-94-04	SURF	CSO	CU	COPPER		15.60000000	µg/g	0.5		
SAS-94-04	SURF	CSO	CU	COPPER		16.50000000	µg/g	0.5	D	
SAS-94-04	SURF	CSO	FE	IRON		20300.00000	µg/g	0.5		

Small Arms Firing Range (SWMU 08) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
SAS-94-04	SURF	CSO	FE	IRON		21700.00000	µg/g	0.5	D	
SAS-94-04	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
SAS-94-04	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5	D	
SAS-94-04	SURF	CSO	K	POTASSIUM		2460.000000	µg/g	0.5		
SAS-94-04	SURF	CSO	K	POTASSIUM		3030.000000	µg/g	0.5	D	
SAS-94-04	SURF	CSO	MG	MAGNESIUM		12000.00000	µg/g	0.5		
SAS-94-04	SURF	CSO	MG	MAGNESIUM		12200.00000	µg/g	0.5	D	
SAS-94-04	SURF	CSO	MN	MANGANESE		405.0000000	µg/g	0.5		
SAS-94-04	SURF	CSO	MN	MANGANESE		405.0000000	µg/g	0.5	D	
SAS-94-04	SURF	CSO	NA	SODIUM		1030.000000	µg/g	0.5		
SAS-94-04	SURF	CSO	NA	SODIUM		1090.000000	µg/g	0.5	D	
SAS-94-04	SURF	CSO	NI	NICKEL		15.40000000	µg/g	0.5		
SAS-94-04	SURF	CSO	NI	NICKEL		16.30000000	µg/g	0.5	D	
SAS-94-04	SURF	CSO	PB	LEAD		45.50000000	µg/g	0.5		
SAS-94-04	SURF	CSO	PB	LEAD		71.60000000	µg/g	0.5	D	
SAS-94-04	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
SAS-94-04	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5	D	
SAS-94-04	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
SAS-94-04	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5	D	
SAS-94-04	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
SAS-94-04	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5	D	
SAS-94-04	SURF	CSO	V	VANADIUM		24.30000000	µg/g	0.5		
SAS-94-04	SURF	CSO	V	VANADIUM		29.00000000	µg/g	0.5	D	
SAS-94-04	SURF	CSO	ZN	ZINC		64.50000000	µg/g	0.5		
SAS-94-04	SURF	CSO	ZN	ZINC		67.10000000	µg/g	0.5	D	
SAS-94-05	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
SAS-94-05	SURF	CSO	AL	ALUMINUM		17000.00000	µg/g	0.5		
SAS-94-05	SURF	CSO	AS	ARSENIC		7.51000000	µg/g	0.5		
SAS-94-05	SURF	CSO	BA	BARIUM		209.0000000	µg/g	0.5		
SAS-94-05	SURF	CSO	BE	BERYLLIUM		0.94100000	µg/g	0.5		
SAS-94-05	SURF	CSO	CA	CALCIUM		45700.00000	µg/g	0.5		
SAS-94-05	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
SAS-94-05	SURF	CSO	CO	COBALT		7.91000000	µg/g	0.5		
SAS-94-05	SURF	CSO	CR	CHROMIUM		19.30000000	µg/g	0.5		
SAS-94-05	SURF	CSO	CU	COPPER		16.70000000	µg/g	0.5		
SAS-94-05	SURF	CSO	FE	IRON		21800.00000	µg/g	0.5		
SAS-94-05	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
SAS-94-05	SURF	CSO	K	POTASSIUM		2730.000000	µg/g	0.5		
SAS-94-05	SURF	CSO	MG	MAGNESIUM		12500.00000	µg/g	0.5		
SAS-94-05	SURF	CSO	MN	MANGANESE		438.0000000	µg/g	0.5		
SAS-94-05	SURF	CSO	NA	SODIUM		552.0000000	µg/g	0.5		
SAS-94-05	SURF	CSO	NI	NICKEL		17.20000000	µg/g	0.5		
SAS-94-05	SURF	CSO	PB	LEAD		204.0000000	µg/g	0.5		
SAS-94-05	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
SAS-94-05	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
SAS-94-05	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
SAS-94-05	SURF	CSO	V	VANADIUM		25.30000000	µg/g	0.5		
SAS-94-05	SURF	CSO	ZN	ZINC		70.70000000	µg/g	0.5		
SAS-94-06	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
SAS-94-06	SURF	CSO	AL	ALUMINUM		23000.00000	µg/g	0.5		
SAS-94-06	SURF	CSO	AS	ARSENIC		6.53000000	µg/g	0.5		
SAS-94-06	SURF	CSO	BA	BARIUM		250.0000000	µg/g	0.5		

Small Arms Firing Range (SWMU 08) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
SAS-94-06	SURF	CSO	BE	BERYLLIUM		1.07000000	µg/g	0.5		
SAS-94-06	SURF	CSO	CA	CALCIUM		45400.00000	µg/g	0.5		
SAS-94-06	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
SAS-94-06	SURF	CSO	CO	COBALT		8.64000000	µg/g	0.5		
SAS-94-06	SURF	CSO	CR	CHROMIUM		25.30000000	µg/g	0.5		
SAS-94-06	SURF	CSO	CU	COPPER		18.40000000	µg/g	0.5		
SAS-94-06	SURF	CSO	FE	IRON		24100.00000	µg/g	0.5		
SAS-94-06	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
SAS-94-06	SURF	CSO	K	POTASSIUM		3810.000000	µg/g	0.5		
SAS-94-06	SURF	CSO	MG	MAGNESIUM		13600.00000	µg/g	0.5		
SAS-94-06	SURF	CSO	MN	MANGANESE		434.0000000	µg/g	0.5		
SAS-94-06	SURF	CSO	NA	SODIUM		572.0000000	µg/g	0.5		
SAS-94-06	SURF	CSO	NI	NICKEL		18.80000000	µg/g	0.5		
SAS-94-06	SURF	CSO	PB	LEAD		60.50000000	µg/g	0.5		
SAS-94-06	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
SAS-94-06	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
SAS-94-06	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
SAS-94-06	SURF	CSO	V	VANADIUM		32.80000000	µg/g	0.5		
SAS-94-06	SURF	CSO	ZN	ZINC		78.00000000	µg/g	0.5		
SAS-94-07	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
SAS-94-07	SURF	CSO	AL	ALUMINUM		26600.00000	µg/g	0.5		
SAS-94-07	SURF	CSO	AS	ARSENIC		6.89000000	µg/g	0.5		
SAS-94-07	SURF	CSO	BA	BARIUM		293.0000000	µg/g	0.5		
SAS-94-07	SURF	CSO	BE	BERYLLIUM		1.27000000	µg/g	0.5		
SAS-94-07	SURF	CSO	CA	CALCIUM		38100.00000	µg/g	0.5		
SAS-94-07	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
SAS-94-07	SURF	CSO	CO	COBALT		10.20000000	µg/g	0.5		
SAS-94-07	SURF	CSO	CR	CHROMIUM		28.30000000	µg/g	0.5		
SAS-94-07	SURF	CSO	CU	COPPER		28.90000000	µg/g	0.5		
SAS-94-07	SURF	CSO	FE	IRON		26900.00000	µg/g	0.5		
SAS-94-07	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
SAS-94-07	SURF	CSO	K	POTASSIUM		3940.000000	µg/g	0.5		
SAS-94-07	SURF	CSO	MG	MAGNESIUM		13400.00000	µg/g	0.5		
SAS-94-07	SURF	CSO	MN	MANGANESE		625.0000000	µg/g	0.5		
SAS-94-07	SURF	CSO	NA	SODIUM		857.0000000	µg/g	0.5		
SAS-94-07	SURF	CSO	NI	NICKEL		20.20000000	µg/g	0.5		
SAS-94-07	SURF	CSO	PB	LEAD		205.0000000	µg/g	0.5		
SAS-94-07	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
SAS-94-07	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
SAS-94-07	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
SAS-94-07	SURF	CSO	V	VANADIUM		35.20000000	µg/g	0.5		
SAS-94-07	SURF	CSO	ZN	ZINC		89.40000000	µg/g	0.5		
SAS-94-08	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
SAS-94-08	SURF	CSO	AL	ALUMINUM		17600.00000	µg/g	0.5		
SAS-94-08	SURF	CSO	AS	ARSENIC		6.91000000	µg/g	0.5		
SAS-94-08	SURF	CSO	BA	BARIUM		215.0000000	µg/g	0.5		
SAS-94-08	SURF	CSO	BE	BERYLLIUM		0.96200000	µg/g	0.5		
SAS-94-08	SURF	CSO	CA	CALCIUM		48700.00000	µg/g	0.5		
SAS-94-08	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
SAS-94-08	SURF	CSO	CO	COBALT		8.26000000	µg/g	0.5		
SAS-94-08	SURF	CSO	CR	CHROMIUM		20.60000000	µg/g	0.5		
SAS-94-08	SURF	CSO	CU	COPPER		16.80000000	µg/g	0.5		

Small Arms Firing Range (SWMU 08) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
SAS-94-08	SURF	CSO	FE	IRON		22000.00000	µg/g	0.5		
SAS-94-08	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
SAS-94-08	SURF	CSO	K	POTASSIUM		2830.000000	µg/g	0.5		
SAS-94-08	SURF	CSO	MG	MAGNESIUM		13200.00000	µg/g	0.5		
SAS-94-08	SURF	CSO	MN	MANGANESE		438.0000000	µg/g	0.5		
SAS-94-08	SURF	CSO	NA	SODIUM		523.0000000	µg/g	0.5		
SAS-94-08	SURF	CSO	NI	NICKEL		16.80000000	µg/g	0.5		
SAS-94-08	SURF	CSO	PB	LEAD		51.30000000	µg/g	0.5		
SAS-94-08	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
SAS-94-08	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
SAS-94-08	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
SAS-94-08	SURF	CSO	V	VANADIUM		27.00000000	µg/g	0.5		
SAS-94-08	SURF	CSO	ZN	ZINC		71.40000000	µg/g	0.5		
SAS-94-09	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
SAS-94-09	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5	D	
SAS-94-09	SURF	CSO	AL	ALUMINUM		20600.00000	µg/g	0.5		
SAS-94-09	SURF	CSO	AL	ALUMINUM		19100.00000	µg/g	0.5	D	
SAS-94-09	SURF	CSO	AS	ARSENIC		6.56000000	µg/g	0.5		
SAS-94-09	SURF	CSO	AS	ARSENIC		7.03000000	µg/g	0.5	D	
SAS-94-09	SURF	CSO	BA	BARIUM		222.0000000	µg/g	0.5		
SAS-94-09	SURF	CSO	BA	BARIUM		228.0000000	µg/g	0.5	D	
SAS-94-09	SURF	CSO	BE	BERYLLIUM		0.96100000	µg/g	0.5		
SAS-94-09	SURF	CSO	BE	BERYLLIUM		0.93800000	µg/g	0.5	D	
SAS-94-09	SURF	CSO	CA	CALCIUM		46700.00000	µg/g	0.5		
SAS-94-09	SURF	CSO	CA	CALCIUM		47200.00000	µg/g	0.5	D	
SAS-94-09	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
SAS-94-09	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5	D	
SAS-94-09	SURF	CSO	CO	COBALT		7.93000000	µg/g	0.5		
SAS-94-09	SURF	CSO	CO	COBALT		8.21000000	µg/g	0.5	D	
SAS-94-09	SURF	CSO	CR	CHROMIUM		23.70000000	µg/g	0.5		
SAS-94-09	SURF	CSO	CR	CHROMIUM		21.50000000	µg/g	0.5	D	
SAS-94-09	SURF	CSO	CU	COPPER		16.00000000	µg/g	0.5		
SAS-94-09	SURF	CSO	CU	COPPER		16.00000000	µg/g	0.5	D	
SAS-94-09	SURF	CSO	FE	IRON		23000.00000	µg/g	0.5		
SAS-94-09	SURF	CSO	FE	IRON		22400.00000	µg/g	0.5	D	
SAS-94-09	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
SAS-94-09	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5	D	
SAS-94-09	SURF	CSO	K	POTASSIUM		3170.000000	µg/g	0.5		
SAS-94-09	SURF	CSO	K	POTASSIUM		2970.000000	µg/g	0.5	D	
SAS-94-09	SURF	CSO	MG	MAGNESIUM		12900.00000	µg/g	0.5		
SAS-94-09	SURF	CSO	MG	MAGNESIUM		12800.00000	µg/g	0.5	D	
SAS-94-09	SURF	CSO	MN	MANGANESE		436.0000000	µg/g	0.5		
SAS-94-09	SURF	CSO	MN	MANGANESE		455.0000000	µg/g	0.5	D	
SAS-94-09	SURF	CSO	NA	SODIUM		454.0000000	µg/g	0.5		
SAS-94-09	SURF	CSO	NA	SODIUM		436.0000000	µg/g	0.5	D	
SAS-94-09	SURF	CSO	NI	NICKEL		17.00000000	µg/g	0.5		
SAS-94-09	SURF	CSO	NI	NICKEL		16.00000000	µg/g	0.5	D	
SAS-94-09	SURF	CSO	PB	LEAD		20.10000000	µg/g	0.5		
SAS-94-09	SURF	CSO	PB	LEAD		20.00000000	µg/g	0.5	D	
SAS-94-09	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
SAS-94-09	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5	D	
SAS-94-09	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		

Small Arms Firing Range (SWMU 08) Phase II RI Data

Site ID	Site Type	Media Type	Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**									
SAS-94-09	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5	D	
SAS-94-09	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
SAS-94-09	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5	D	
SAS-94-09	SURF	CSO	V	VANADIUM		32.10000000	µg/g	0.5		
SAS-94-09	SURF	CSO	V	VANADIUM		30.20000000	µg/g	0.5	D	
SAS-94-09	SURF	CSO	ZN	ZINC		71.10000000	µg/g	0.5		
SAS-94-09	SURF	CSO	ZN	ZINC		70.30000000	µg/g	0.5	D	
SAS-94-10	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
SAS-94-10	SURF	CSO	AL	ALUMINUM		12700.00000	µg/g	0.5		
SAS-94-10	SURF	CSO	AS	ARSENIC		8.24000000	µg/g	0.5		
SAS-94-10	SURF	CSO	BA	BARIUM		171.0000000	µg/g	0.5		
SAS-94-10	SURF	CSO	BE	BERYLLIUM		0.71700000	µg/g	0.5		
SAS-94-10	SURF	CSO	CA	CALCIUM		50300.00000	µg/g	0.5		
SAS-94-10	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
SAS-94-10	SURF	CSO	CO	COBALT		6.76000000	µg/g	0.5		
SAS-94-10	SURF	CSO	CR	CHROMIUM		17.30000000	µg/g	0.5		
SAS-94-10	SURF	CSO	CU	COPPER		18.00000000	µg/g	0.5		
SAS-94-10	SURF	CSO	FE	IRON		19200.00000	µg/g	0.5		
SAS-94-10	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
SAS-94-10	SURF	CSO	K	POTASSIUM		2390.000000	µg/g	0.5		
SAS-94-10	SURF	CSO	MG	MAGNESIUM		11200.00000	µg/g	0.5		
SAS-94-10	SURF	CSO	MN	MANGANESE		418.0000000	µg/g	0.5		
SAS-94-10	SURF	CSO	NA	SODIUM		373.0000000	µg/g	0.5		
SAS-94-10	SURF	CSO	NI	NICKEL		16.20000000	µg/g	0.5		
SAS-94-10	SURF	CSO	PB	LEAD		67.30000000	µg/g	0.5		
SAS-94-10	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
SAS-94-10	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
SAS-94-10	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
SAS-94-10	SURF	CSO	V	VANADIUM		22.50000000	µg/g	0.5		
SAS-94-10	SURF	CSO	ZN	ZINC		66.20000000	µg/g	0.5		
SAS-94-11	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
SAS-94-11	SURF	CSO	AL	ALUMINUM		16600.00000	µg/g	0.5		
SAS-94-11	SURF	CSO	AS	ARSENIC		6.83000000	µg/g	0.5		
SAS-94-11	SURF	CSO	BA	BARIUM		173.0000000	µg/g	0.5		
SAS-94-11	SURF	CSO	BE	BERYLLIUM		0.79600000	µg/g	0.5		
SAS-94-11	SURF	CSO	CA	CALCIUM		47800.00000	µg/g	0.5		
SAS-94-11	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
SAS-94-11	SURF	CSO	CO	COBALT		7.17000000	µg/g	0.5		
SAS-94-11	SURF	CSO	CR	CHROMIUM		19.40000000	µg/g	0.5		
SAS-94-11	SURF	CSO	CU	COPPER		16.50000000	µg/g	0.5		
SAS-94-11	SURF	CSO	FE	IRON		19700.00000	µg/g	0.5		
SAS-94-11	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
SAS-94-11	SURF	CSO	K	POTASSIUM		2840.000000	µg/g	0.5		
SAS-94-11	SURF	CSO	MG	MAGNESIUM		12400.00000	µg/g	0.5		
SAS-94-11	SURF	CSO	MN	MANGANESE		415.0000000	µg/g	0.5		
SAS-94-11	SURF	CSO	NA	SODIUM		424.0000000	µg/g	0.5		
SAS-94-11	SURF	CSO	NI	NICKEL		14.80000000	µg/g	0.5		
SAS-94-11	SURF	CSO	PB	LEAD		33.10000000	µg/g	0.5		
SAS-94-11	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
SAS-94-11	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
SAS-94-11	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
SAS-94-11	SURF	CSO	V	VANADIUM		24.70000000	µg/g	0.5		

Small Arms Firing Range (SWMU 08) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
SAS-94-11	SURF	CSO	ZN	ZINC		66.10000000	µg/g	0.5		
SAS-94-12	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
SAS-94-12	SURF	CSO	AL	ALUMINUM		18900.00000	µg/g	0.5		
SAS-94-12	SURF	CSO	AS	ARSENIC		6.35000000	µg/g	0.5		
SAS-94-12	SURF	CSO	BA	BARIUM		234.0000000	µg/g	0.5		
SAS-94-12	SURF	CSO	BE	BERYLLIUM		0.93800000	µg/g	0.5		
SAS-94-12	SURF	CSO	CA	CALCIUM		49400.00000	µg/g	0.5		
SAS-94-12	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
SAS-94-12	SURF	CSO	CO	COBALT		8.86000000	µg/g	0.5		
SAS-94-12	SURF	CSO	CR	CHROMIUM		20.90000000	µg/g	0.5		
SAS-94-12	SURF	CSO	CU	COPPER		16.40000000	µg/g	0.5		
SAS-94-12	SURF	CSO	FE	IRON		22400.00000	µg/g	0.5		
SAS-94-12	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
SAS-94-12	SURF	CSO	K	POTASSIUM		3720.000000	µg/g	0.5		
SAS-94-12	SURF	CSO	MG	MAGNESIUM		13700.00000	µg/g	0.5		
SAS-94-12	SURF	CSO	MN	MANGANESE		341.0000000	µg/g	0.5		
SAS-94-12	SURF	CSO	NA	SODIUM		331.0000000	µg/g	0.5		
SAS-94-12	SURF	CSO	NI	NICKEL		17.50000000	µg/g	0.5		
SAS-94-12	SURF	CSO	PB	LEAD		21.70000000	µg/g	0.5		
SAS-94-12	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
SAS-94-12	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
SAS-94-12	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
SAS-94-12	SURF	CSO	V	VANADIUM		26.60000000	µg/g	0.5		
SAS-94-12	SURF	CSO	ZN	ZINC		76.50000000	µg/g	0.5		
SAS-94-13	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
SAS-94-13	SURF	CSO	AL	ALUMINUM		11200.00000	µg/g	0.5		
SAS-94-13	SURF	CSO	AS	ARSENIC		7.50000000	µg/g	0.5		
SAS-94-13	SURF	CSO	BA	BARIUM		155.0000000	µg/g	0.5		
SAS-94-13	SURF	CSO	BE	BERYLLIUM		0.59700000	µg/g	0.5		
SAS-94-13	SURF	CSO	CA	CALCIUM		52700.00000	µg/g	0.5		
SAS-94-13	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
SAS-94-13	SURF	CSO	CO	COBALT		6.32000000	µg/g	0.5		
SAS-94-13	SURF	CSO	CR	CHROMIUM		16.10000000	µg/g	0.5		
SAS-94-13	SURF	CSO	CU	COPPER		14.40000000	µg/g	0.5		
SAS-94-13	SURF	CSO	FE	IRON		18200.00000	µg/g	0.5		
SAS-94-13	SURF	CSO	HG	MERCURY		0.05360000	µg/g	0.5		
SAS-94-13	SURF	CSO	K	POTASSIUM		2140.000000	µg/g	0.5		
SAS-94-13	SURF	CSO	MG	MAGNESIUM		12900.00000	µg/g	0.5		
SAS-94-13	SURF	CSO	MN	MANGANESE		365.0000000	µg/g	0.5		
SAS-94-13	SURF	CSO	NA	SODIUM		223.0000000	µg/g	0.5		
SAS-94-13	SURF	CSO	NI	NICKEL		13.80000000	µg/g	0.5		
SAS-94-13	SURF	CSO	PB	LEAD		49.90000000	µg/g	0.5		
SAS-94-13	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
SAS-94-13	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
SAS-94-13	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
SAS-94-13	SURF	CSO	V	VANADIUM		23.30000000	µg/g	0.5		
SAS-94-13	SURF	CSO	ZN	ZINC		60.00000000	µg/g	0.5		
SAS-94-14	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
SAS-94-14	SURF	CSO	AL	ALUMINUM		18000.00000	µg/g	0.5		
SAS-94-14	SURF	CSO	AS	ARSENIC		10.10000000	µg/g	0.5		
SAS-94-14	SURF	CSO	BA	BARIUM		193.0000000	µg/g	0.5		
SAS-94-14	SURF	CSO	BE	BERYLLIUM		0.87700000	µg/g	0.5		

Small Arms Firing Range (SWMU 08) Phase II RI Data

Chemical Class: **METALS**

Site ID	Site Type	Media Type	Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
SAS-94-14	SURF	CSO	CA CALCIUM		26900.00000	µg/g	0.5		
SAS-94-14	SURF	CSO	CD CADMIUM	LT	1.20000000	µg/g	0.5		
SAS-94-14	SURF	CSO	CO COBALT		7.81000000	µg/g	0.5		
SAS-94-14	SURF	CSO	CR CHROMIUM		23.00000000	µg/g	0.5		
SAS-94-14	SURF	CSO	CU COPPER		19.10000000	µg/g	0.5		
SAS-94-14	SURF	CSO	FE IRON		22600.00000	µg/g	0.5		
SAS-94-14	SURF	CSO	HG MERCURY	LT	0.05000000	µg/g	0.5		
SAS-94-14	SURF	CSO	K POTASSIUM		4370.000000	µg/g	0.5		
SAS-94-14	SURF	CSO	MG MAGNESIUM		11100.00000	µg/g	0.5		
SAS-94-14	SURF	CSO	MN MANGANESE		513.0000000	µg/g	0.5		
SAS-94-14	SURF	CSO	NA SODIUM		272.0000000	µg/g	0.5		
SAS-94-14	SURF	CSO	NI NICKEL		18.70000000	µg/g	0.5		
SAS-94-14	SURF	CSO	PB LEAD		25.70000000	µg/g	0.5		
SAS-94-14	SURF	CSO	SB ANTIMONY	LT	19.60000000	µg/g	0.5		
SAS-94-14	SURF	CSO	SE SELENIUM	LT	0.44900000	µg/g	0.5		
SAS-94-14	SURF	CSO	TL THALLIUM	LT	34.30000000	µg/g	0.5		
SAS-94-14	SURF	CSO	V VANADIUM		30.40000000	µg/g	0.5		
SAS-94-14	SURF	CSO	ZN ZINC		88.60000000	µg/g	0.5		
SAS-94-15	SURF	CSO	AG SILVER	LT	0.80300000	µg/g	0.5		
SAS-94-15	SURF	CSO	AL ALUMINUM		9980.000000	µg/g	0.5		
SAS-94-15	SURF	CSO	AS ARSENIC		7.74000000	µg/g	0.5		
SAS-94-15	SURF	CSO	BA BARIUM		150.0000000	µg/g	0.5		
SAS-94-15	SURF	CSO	BE BERYLLIUM		0.59100000	µg/g	0.5		
SAS-94-15	SURF	CSO	CA CALCIUM		59000.00000	µg/g	0.5		
SAS-94-15	SURF	CSO	CD CADMIUM	LT	1.20000000	µg/g	0.5		
SAS-94-15	SURF	CSO	CO COBALT		6.34000000	µg/g	0.5		
SAS-94-15	SURF	CSO	CR CHROMIUM		14.80000000	µg/g	0.5		
SAS-94-15	SURF	CSO	CU COPPER		15.30000000	µg/g	0.5		
SAS-94-15	SURF	CSO	FE IRON		17300.00000	µg/g	0.5		
SAS-94-15	SURF	CSO	HG MERCURY	LT	0.05000000	µg/g	0.5		
SAS-94-15	SURF	CSO	K POTASSIUM		2260.000000	µg/g	0.5		
SAS-94-15	SURF	CSO	MG MAGNESIUM		11800.00000	µg/g	0.5		
SAS-94-15	SURF	CSO	MN MANGANESE		371.0000000	µg/g	0.5		
SAS-94-15	SURF	CSO	NA SODIUM		191.0000000	µg/g	0.5		
SAS-94-15	SURF	CSO	NI NICKEL		14.10000000	µg/g	0.5		
SAS-94-15	SURF	CSO	PB LEAD		55.50000000	µg/g	0.5		
SAS-94-15	SURF	CSO	SB ANTIMONY	LT	19.60000000	µg/g	0.5		
SAS-94-15	SURF	CSO	SE SELENIUM	LT	0.44900000	µg/g	0.5		
SAS-94-15	SURF	CSO	TL THALLIUM	LT	34.30000000	µg/g	0.5		
SAS-94-15	SURF	CSO	V VANADIUM		21.30000000	µg/g	0.5		
SAS-94-15	SURF	CSO	ZN ZINC		58.30000000	µg/g	0.5		
SAS-94-16	SURF	CSO	AG SILVER	LT	0.80300000	µg/g	0.5		
SAS-94-16	SURF	CSO	AL ALUMINUM		17600.00000	µg/g	0.5		
SAS-94-16	SURF	CSO	AS ARSENIC		9.65000000	µg/g	0.5		
SAS-94-16	SURF	CSO	BA BARIUM		200.0000000	µg/g	0.5		
SAS-94-16	SURF	CSO	BE BERYLLIUM		0.88700000	µg/g	0.5		
SAS-94-16	SURF	CSO	CA CALCIUM		42000.00000	µg/g	0.5		
SAS-94-16	SURF	CSO	CD CADMIUM	LT	1.20000000	µg/g	0.5		
SAS-94-16	SURF	CSO	CO COBALT		8.11000000	µg/g	0.5		
SAS-94-16	SURF	CSO	CR CHROMIUM		22.90000000	µg/g	0.5		
SAS-94-16	SURF	CSO	CU COPPER		18.70000000	µg/g	0.5		
SAS-94-16	SURF	CSO	FE IRON		22100.00000	µg/g	0.5		

Small Arms Firing Range (SWMU 08) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
SAS-94-16	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
SAS-94-16	SURF	CSO	K	POTASSIUM		4330.000000	µg/g	0.5		
SAS-94-16	SURF	CSO	MG	MAGNESIUM		13200.00000	µg/g	0.5		
SAS-94-16	SURF	CSO	MN	MANGANESE		446.0000000	µg/g	0.5		
SAS-94-16	SURF	CSO	NA	SODIUM		277.0000000	µg/g	0.5		
SAS-94-16	SURF	CSO	NI	NICKEL		17.80000000	µg/g	0.5		
SAS-94-16	SURF	CSO	PB	LEAD		20.90000000	µg/g	0.5		
SAS-94-16	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
SAS-94-16	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
SAS-94-16	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
SAS-94-16	SURF	CSO	V	VANADIUM		28.00000000	µg/g	0.5		
SAS-94-16	SURF	CSO	ZN	ZINC		86.80000000	µg/g	0.5		
SAS-94-17	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
SAS-94-17	SURF	CSO	AL	ALUMINUM		16000.00000	µg/g	0.5		
SAS-94-17	SURF	CSO	AS	ARSENIC		6.71000000	µg/g	0.5		
SAS-94-17	SURF	CSO	BA	BARIUM		175.0000000	µg/g	0.5		
SAS-94-17	SURF	CSO	BE	BERYLLIUM		0.77100000	µg/g	0.5		
SAS-94-17	SURF	CSO	CA	CALCIUM		28300.00000	µg/g	0.5		
SAS-94-17	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
SAS-94-17	SURF	CSO	CO	COBALT		7.00000000	µg/g	0.5		
SAS-94-17	SURF	CSO	CR	CHROMIUM		20.90000000	µg/g	0.5		
SAS-94-17	SURF	CSO	CU	COPPER		21.60000000	µg/g	0.5		
SAS-94-17	SURF	CSO	FE	IRON		20300.00000	µg/g	0.5		
SAS-94-17	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
SAS-94-17	SURF	CSO	K	POTASSIUM		5090.000000	µg/g	0.5		
SAS-94-17	SURF	CSO	MG	MAGNESIUM		13500.00000	µg/g	0.5		
SAS-94-17	SURF	CSO	MN	MANGANESE		527.0000000	µg/g	0.5		
SAS-94-17	SURF	CSO	NA	SODIUM		309.0000000	µg/g	0.5		
SAS-94-17	SURF	CSO	NI	NICKEL		13.70000000	µg/g	0.5		
SAS-94-17	SURF	CSO	PB	LEAD		20.40000000	µg/g	0.5		
SAS-94-17	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
SAS-94-17	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
SAS-94-17	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
SAS-94-17	SURF	CSO	V	VANADIUM		26.70000000	µg/g	0.5		
SAS-94-17	SURF	CSO	ZN	ZINC		87.00000000	µg/g	0.5		
SAS-94-18	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
SAS-94-18	SURF	CSO	AL	ALUMINUM		17000.00000	µg/g	0.5		
SAS-94-18	SURF	CSO	AS	ARSENIC		8.68000000	µg/g	0.5		
SAS-94-18	SURF	CSO	BA	BARIUM		197.0000000	µg/g	0.5		
SAS-94-18	SURF	CSO	BE	BERYLLIUM		0.89300000	µg/g	0.5		
SAS-94-18	SURF	CSO	CA	CALCIUM		42900.00000	µg/g	0.5		
SAS-94-18	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
SAS-94-18	SURF	CSO	CO	COBALT		8.11000000	µg/g	0.5		
SAS-94-18	SURF	CSO	CR	CHROMIUM		19.90000000	µg/g	0.5		
SAS-94-18	SURF	CSO	CU	COPPER		15.90000000	µg/g	0.5		
SAS-94-18	SURF	CSO	FE	IRON		22400.00000	µg/g	0.5		
SAS-94-18	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
SAS-94-18	SURF	CSO	K	POTASSIUM		3120.000000	µg/g	0.5		
SAS-94-18	SURF	CSO	MG	MAGNESIUM		11800.00000	µg/g	0.5		
SAS-94-18	SURF	CSO	MN	MANGANESE		429.0000000	µg/g	0.5		
SAS-94-18	SURF	CSO	NA	SODIUM		233.0000000	µg/g	0.5		
SAS-94-18	SURF	CSO	NI	NICKEL		17.40000000	µg/g	0.5		

Small Arms Firing Range (SWMU 08) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
SAS-94-18	SURF	CSO	PB	LEAD		17.90000000	µg/g	0.5		
SAS-94-18	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
SAS-94-18	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
SAS-94-18	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
SAS-94-18	SURF	CSO	V	VANADIUM		26.10000000	µg/g	0.5		
SAS-94-18	SURF	CSO	ZN	ZINC		72.20000000	µg/g	0.5		
SAS-94-19	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
SAS-94-19	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5	D	
SAS-94-19	SURF	CSO	AL	ALUMINUM		17800.00000	µg/g	0.5		
SAS-94-19	SURF	CSO	AL	ALUMINUM		16600.00000	µg/g	0.5	D	
SAS-94-19	SURF	CSO	AS	ARSENIC		7.24000000	µg/g	0.5		
SAS-94-19	SURF	CSO	AS	ARSENIC		7.24000000	µg/g	0.5	D	
SAS-94-19	SURF	CSO	BA	BARIUM		218.0000000	µg/g	0.5		
SAS-94-19	SURF	CSO	BA	BARIUM		211.0000000	µg/g	0.5	D	
SAS-94-19	SURF	CSO	BE	BERYLLIUM		0.90600000	µg/g	0.5		
SAS-94-19	SURF	CSO	BE	BERYLLIUM		0.92200000	µg/g	0.5	D	
SAS-94-19	SURF	CSO	CA	CALCIUM		58000.00000	µg/g	0.5		
SAS-94-19	SURF	CSO	CA	CALCIUM		53500.00000	µg/g	0.5	D	
SAS-94-19	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
SAS-94-19	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5	D	
SAS-94-19	SURF	CSO	CO	COBALT		7.83000000	µg/g	0.5		
SAS-94-19	SURF	CSO	CO	COBALT		7.94000000	µg/g	0.5	D	
SAS-94-19	SURF	CSO	CR	CHROMIUM		21.60000000	µg/g	0.5		
SAS-94-19	SURF	CSO	CR	CHROMIUM		19.70000000	µg/g	0.5	D	
SAS-94-19	SURF	CSO	CU	COPPER		17.40000000	µg/g	0.5		
SAS-94-19	SURF	CSO	CU	COPPER		16.50000000	µg/g	0.5	D	
SAS-94-19	SURF	CSO	FE	IRON		22300.00000	µg/g	0.5		
SAS-94-19	SURF	CSO	FE	IRON		21300.00000	µg/g	0.5	D	
SAS-94-19	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
SAS-94-19	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5	D	
SAS-94-19	SURF	CSO	K	POTASSIUM		3580.000000	µg/g	0.5		
SAS-94-19	SURF	CSO	K	POTASSIUM		3320.000000	µg/g	0.5	D	
SAS-94-19	SURF	CSO	MG	MAGNESIUM		13500.00000	µg/g	0.5		
SAS-94-19	SURF	CSO	MG	MAGNESIUM		13200.00000	µg/g	0.5	D	
SAS-94-19	SURF	CSO	MN	MANGANESE		412.0000000	µg/g	0.5		
SAS-94-19	SURF	CSO	MN	MANGANESE		413.0000000	µg/g	0.5	D	
SAS-94-19	SURF	CSO	NA	SODIUM		356.0000000	µg/g	0.5		
SAS-94-19	SURF	CSO	NA	SODIUM		339.0000000	µg/g	0.5	D	
SAS-94-19	SURF	CSO	NI	NICKEL		18.80000000	µg/g	0.5		
SAS-94-19	SURF	CSO	NI	NICKEL		17.60000000	µg/g	0.5	D	
SAS-94-19	SURF	CSO	PB	LEAD		18.70000000	µg/g	0.5		
SAS-94-19	SURF	CSO	PB	LEAD		18.10000000	µg/g	0.5	D	
SAS-94-19	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
SAS-94-19	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5	D	
SAS-94-19	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
SAS-94-19	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5	D	
SAS-94-19	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
SAS-94-19	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5	D	
SAS-94-19	SURF	CSO	V	VANADIUM		29.00000000	µg/g	0.5		
SAS-94-19	SURF	CSO	V	VANADIUM		25.50000000	µg/g	0.5	D	
SAS-94-19	SURF	CSO	ZN	ZINC		75.80000000	µg/g	0.5		
SAS-94-19	SURF	CSO	ZN	ZINC		73.50000000	µg/g	0.5	D	

Small Arms Firing Range (SWMU 08) Phase II RI Data

Site ID	Site Type	Media Type		Test Name	Meas Bool	Value	Unit Meas	Depth	Flag Code	Data Qual
Chemical Class: **METALS**										
SAS-94-20	SURF	CSO	AG	SILVER	LT	0.80300000	µg/g	0.5		
SAS-94-20	SURF	CSO	AL	ALUMINUM		16200.00000	µg/g	0.5		
SAS-94-20	SURF	CSO	AS	ARSENIC		7.01000000	µg/g	0.5		
SAS-94-20	SURF	CSO	BA	BARIUM		199.0000000	µg/g	0.5		
SAS-94-20	SURF	CSO	BE	BERYLLIUM		0.86100000	µg/g	0.5		
SAS-94-20	SURF	CSO	CA	CALCIUM		49400.00000	µg/g	0.5		
SAS-94-20	SURF	CSO	CD	CADMIUM	LT	1.20000000	µg/g	0.5		
SAS-94-20	SURF	CSO	CO	COBALT		7.36000000	µg/g	0.5		
SAS-94-20	SURF	CSO	CR	CHROMIUM		20.30000000	µg/g	0.5		
SAS-94-20	SURF	CSO	CU	COPPER		20.70000000	µg/g	0.5		
SAS-94-20	SURF	CSO	FE	IRON		20600.00000	µg/g	0.5		
SAS-94-20	SURF	CSO	HG	MERCURY	LT	0.05000000	µg/g	0.5		
SAS-94-20	SURF	CSO	K	POTASSIUM		4750.000000	µg/g	0.5		
SAS-94-20	SURF	CSO	MG	MAGNESIUM		11900.00000	µg/g	0.5		
SAS-94-20	SURF	CSO	MN	MANGANESE		394.0000000	µg/g	0.5		
SAS-94-20	SURF	CSO	NA	SODIUM		266.0000000	µg/g	0.5		
SAS-94-20	SURF	CSO	NI	NICKEL		15.90000000	µg/g	0.5		
SAS-94-20	SURF	CSO	PB	LEAD		17.00000000	µg/g	0.5		
SAS-94-20	SURF	CSO	SB	ANTIMONY	LT	19.60000000	µg/g	0.5		
SAS-94-20	SURF	CSO	SE	SELENIUM	LT	0.44900000	µg/g	0.5		
SAS-94-20	SURF	CSO	TL	THALLIUM	LT	34.30000000	µg/g	0.5		
SAS-94-20	SURF	CSO	V	VANADIUM		25.50000000	µg/g	0.5		
SAS-94-20	SURF	CSO	ZN	ZINC		73.40000000	µg/g	0.5		