AFRL-SR-BL-TR-98-

0260

REPORT DOCUMENTATION PAGE

1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE	3. REPORT TYPE AND DATES COVERED
	Feb 1998	Final Tech/11/01/96-10/31/97

4. TITLE AND SUBTITLE

Non-Fickian Diffusive Transport in Modern Polymeric Materials.

5. FUNDING NUMBERS

F49620-94-1-0044

6. AUTHOR(S)

Donald S. Cohen, Principal Investigator

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)

Applied Mathematics, 217-50
California Institute of Technology
Pasadena, CA 91125

8. PERFORMING ORGANIZATION REPORT NUMBER

9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)

Administrative Contracting Office
AFOSR/PKA
110 Duncan Avenue, Suite B115
Bolling AFB, D.C. 20332-0001

nm

10. SPONSORING/MONITORING AGENCY REPORT NUMBER

11. SUPPLEMENTARY NOTES

12a. DISTRIBUTION/AVAILABILITY STATEMENT

Approved for public release; distribution unlimited.

12b. DISTRIBUTION CODE

13. ABSTRACT *(Maximum 200 words)*

We have developed a model for the theoretical description of large classes of problems involving diffusive transport and mechanical relaxation in polymers undergoing glass-rubber transitions. The derivation and details of the model have been described in previous progress reports. In the final year of AFOSR support we proceeded simultaneously in two directions, namely to formulate and solve moving boundary problems for the penetrant fronts and to investigate the implications of the 'forbidden shock' regions for diffusive systems.

19980326 030

DTIC QUALITY INSPECTED

14. SUBJECT TERMS

diffusive transport, mechanical relaxation, polymer penetrant problems, non-Fickian diffusion.

15. NUMBER OF PAGES

2

16. PRICE CODE

17. SECURITY CLASSIFICATION OF REPORT	18. SECURITY CLASSIFICATION OF THIS PAGE	19. SECURITY CLASSIFICATION OF ABSTRACT	20. LIMITATION OF ABSTRACT
Unclassified	Unclassified	Unclassified	UNLIMITED

Final Technical Report

AFOSR Grant F49620-94-1-0044

1 November 1996 through 31 October 1997

Submitted by:

Donald S. Cohen
Applied Mathematics, 217-50
California Institute of Technology
Pasadena, CA 91125

We have developed a model for the theoretical description of large classes of problems involving diffusive transport and mechanical relaxation in polymers undergoing glass-rubber transitions. The derivation and details of the model have been described in previous progress reports. In the final year of AFOSR support we proceeded simultaneously in two directions.

(1) Particularly interesting and formidable were the new classes of moving boundary problems needed to describe the evolution of the penetrant front. Due to the inherent multiple time and space scales involved, similarity methods could not be used, and multi-scale techniques were devised for the full partial differential equations involved. With experience gained from developing our methods on several early simplified problems we have now successfully done physically realistic problems for both Case II and Super-Case II diffusion into a glassy polymer. We have isolated the parameter dependencies and controlling factors for the propagating diffusive fronts.

(2) Certain polymer-penetrant problems give rise to unusual nonlinear, non-Fickian diffusion alone or in combination with mechanical relaxation and/or reaction. The unusual nature of these new problems comes from the form of the conditions at fixed and moving boundaries. Preliminary results obtained by T. P. Witelski in his thesis research for D. S. Cohen indicated that evolution equations with interesting time dependent forcing account for the propagation of sharp interfaces and the formation of shocks. This time dependence is introduced from the original boundary conditions even when there is no time dependent forcing in the original equations. We have pursued this and studied the process by which the time dependence causes subtle changes in the shock formation process, including the creation of "forbidden regions" where shocks are expected from the more usual studies of reaction-diffusion equations subject to standard mathematical boundary conditions, but where they can not form in the present problems. This will have serious implications with regard to the fabrication and design of many polymeric materials.

Publications

D. A. Edwards, Constant Front Speed in Weakly Non-Fickian Diffusive Systems. SIAM J. Appl. Math., 55 (1995) 1039-1058.

D. S. Cohen, C.J. Durning and D.A. Edwards, Perturbation analysis of Thomas and Windle's model of Case II transport, AIChE Journal, 42 (1996) 2025-2035.

D. S. Cohen and T. P. Witelski, Inaccessible states in time-dependent reaction-diffusion, Studies in Applied Math., 97 (1996) 301-319.

D.A. Edwards and D. S. Cohen, The effect of a changing diffusion coefficient in super-case II polymer-penetrant systems." IMA J. of Applied Math.

D. A. Edwards and D. S. Cohen,A mathematical model for a dissolving polymer, AIChE Journal, 41(1995) 2345-2355.

T. P. Witelski and D. S. Cohen, Forbidden regions for shock formation in diffusive systems, Studies in Applied Math., 95 (1995) 297-317.

D. S. Cohen and T. P. Witelski, Perturbed reversible systems, Phys. Letters A, 207 (1995) 83-86.

D. S. Cohen and T. Erneux, Asymptotic limits for controlled drug release, SIAM J. Appl. Math, to appear.

CONTRIBUTED PAPER (oral presentation)
S. Xiong, C. Durning, D.S. Cohen, "Swelling and Collapse of Elastic Shells," paper 7i, 1996 Spring National Meeting of the AIChE, New Orleans LA, Feb. 1996.

CONTRIBUTED PAPER (oral presentation)
C. Durning, S. Xiong, D.S. Cohen and D.A. Edwards, "Swelling and Collapse of Elastic Shells," paper 1 session FM-E, XIIth International Congress on Rheology, Quebec CA, August 1996.

PUBLISHED EXTENDED ABSTRACT
C.J. Durning, S. Xiong, D.S. Cohen and D.A. Edwards, "Swelling and Collapse of Elastic Shells," Proc. XIIth Int. Congress on Rheology, A. Ait-Kadi, J.M. Dealy, D.F. James and M.C. Williams eds., Laval University Press, Quebec CA (1996), p.343.

Personnel suppported:

D. S. Cohen
D. A. Edwards
T. Erneux