

REPORT DOCUMENTATION PAGE			Form Approved OMB NO. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comment regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.				
1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE March 20, 1998		3. REPORT TYPE AND DATES COVERED Final Report 3/1/95-2/28/98
4. TITLE AND SUBTITLE Synthesis, Characterization and Potential Applications of New Materials from Functionalized Polyphosphazenes			5. FUNDING NUMBERS Contract/Grant Number: DAAH04-95-1-0110	
6. AUTHOR(S) Krzysztof Matyjaszewski				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Carnegie Mellon University 4400 Fifth Avenue Pittsburgh, PA 15213-2683			8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Army Research Office P.O. Box 12211 Research Triangle Park,, NC 27709-2211			10. SPONSORING / MONITORING AGENCY REPORT NUMBER ARO 33110.16-CH	
11. SUPPLEMENTARY NOTES The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision, unless so designated by other documentation.				
12a. DISTRIBUTION / AVAILABILITY STATEMENT Approved for public release; distribution unlimited.				
13. ABSTRACT (Maximum 200 words) Polyphosphazenes are a new polymers with unique properties which include a combination of high temperature stability, low temperature flexibility, low surface energy, biofriendliness, and inflammability. We focused our research on polymerization of phosphoranimines catalyzed by Lewis acids and Lewis bases and synthesis of poly(diarylphosphazenes) by silyl azide intermediates and characterized the new polymers and copolymers using various techniques. The catalyzed polymerization of phosphoranimines has been successfully used for the synthesis of random copolymers and the first block copolymers between two different polyphosphazenes. Additionally, we prepared polyphosphazene-organic polymer diblock structures using macromolecular phosphoranimines. The second part of the research was devoted to the preparation of new branched and hyperbranched polymers by controlled radical polymerization. We used atom transfer radical polymerization (ATRP) to prepare hyperbranched polystyrenes and polyacrylates. In addition, the novel class of compounds being simultaneously monomers and initiators (AB* monomers or inimers) were used successfully to design and prepare polymers and copolymers with novel topologies, compositions and functionalities. We prepared first molecular bottle-brush structures, multiarm star block and star diblock copolymers and also novel polar thermoplastic elastomers by entirely radical processes.				
14. SUBJECT TERMS DTIC QUALITY INSPECTED 2			15. NUMBER OF PAGES 4	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OR REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED	19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED	20. LIMITATION OF ABSTRACT UL	

**Synthesis, Characterization and Potential Applications
of New Materials from Functionalized
Polyphosphazenes**

FINAL REPORT

Krzysztof Matyjaszewski

March 20, 1998

U. S. Army Research Office

**ARO Proposal Number: 33110-CH
Contract / Grant Number: DAAH04-95-1-0110**

Period Covered: March 1, 1995- February 28, 1998

Carnegie Mellon University

**APPROVED FOR PUBLIC RELEASE
DISTRIBUTION UNLIMITED**

A. Statement of the problem studied

Polyphosphazenes are a new polymers with unique properties which include a combination of high temperature stability, low temperature flexibility, low surface energy, biofriendliness, and inflammability. The classic synthetic approach provides very high molecular weight polymers with broad polydispersities and with no control of end groups in low yields and under extreme conditions (a few days at temperatures above 200 °C in a highly corrosive medium). The purpose of the project investigated in our laboratories was to develop alternative routes to polyphosphazenes with control of molecular weights, polydispersities, tacticities and terminal functionalities. Especially the functionalized polyphosphazenes could be used to prepare novel hybrid materials with conventional organic polymers.

In addition, we simultaneously studied new synthetic routes towards branched and hyperbranched organic and inorganic polymers. This research was the main focus of our work during the last year of the project supported by ARO.

B. Summary of the most important results

We focused our research on polymerization of phosphoranimines catalyzed by Lewis acids and Lewis bases and synthesis of poly(diarylphosphazenes) by silyl azide intermediates. In addition to the synthesis, we characterized the new polymers and copolymers using various techniques including SEC, NMR, UV, VT SAXS and WAXS, X ray, electron diffraction, DSC, TGA, DMA, and dielectric relaxation. As discovered in our laboratories, the polymerization of phosphoranimines catalyzed by nucleophiles under mild conditions gives linear polyphosphazenes with low polydispersities ($M_w/M_n < 1.5$), moderate and tunable molecular weights ($M_n \approx 10,000$ to 200,000) and controlled end groups. It has been also shown that the catalyzed polymerization of phosphoranimines can be successfully used for the synthesis of random copolymers and the first block copolymers between two different polyphosphazenes. Additionally we were able to regulate molecular weights by adding various alkyl and macromolecular phosphoranimines as chain stoppers. The resulting products included block copolymers, first example of the polyphosphazene-organic polymer diblock structures.

The second part of the research was devoted to the preparation of new branched and hyperbranched polymers by controlled radical polymerization. We used atom transfer radical polymerization (ATRP) to prepare hyperbranched polystyrenes and polyacrylates. In addition, the novel class of compounds being simultaneously monomers and initiators (AB* monomers or inimers) was used successfully to design and prepare polymers and copolymers with novel topologies, compositions and functionalities. We prepared first molecular bottle-brush structures, multiarm star block and star diblock copolymers and also novel polar thermoplastic elastomers by entirely radical processes.

C. LIST OF MANUSCRIPTS PUBLISHED UNDER ARO SPONSORSHIP

1995:

1. "Morphology of Poly(methoxyethoxy/trifluoroethoxy)phosphazene Copolymers", M. Kojima, J. Magill, M. White, K. Matyjaszewski, *Makromol. Chem.*, **196**, 1713 (1995)
2. "The Conversion of Phosphoranimines to Polyphosphazenes in the Presence of Electrophiles", R.A. Montague, J. B. Green, K. Matyjaszewski, *J. Macromol. Sci., Pure & Appl. Chem.*, **A32**, 1497 (1995)

3. "Novel Thermotropic Behavior of (Diphenyl/Phenyl-o-tolyl Phosphazene) Random Copolymers", M. Kojima, J. Magill, U. Franz, M. L. White, K. Matyjaszewski, *Makromol. Chem.*, **196**, 1739 (1995)
4. "The Thermal Properties of Polyphosphazenes Synthesized by the Anionically Initiated Polymerization of Phosphoranimines", M. L. White, R.A. Montague, K. Matyjaszewski, T. Pakula, *Polymer*, **36**, 3493 (1995)
5. "Thermal Degradation of Polyphosphazene Homopolymers and Copolymers Prepared by the Anionic Polymerization of Phosphoranimines", M. White and K. Matyjaszewski, *J. Macromol. Sci., Chem.*, **32**, 1115 (1995)
6. "Prerequisites for the Synthesis of Well-Defined Polymers, K. Matyjaszewski, *ACS Polym. Preprints*, **36(1)**, 541 (1995)

1996:

1. "Synthesis, Isomerization and Polymerization of Mixed Phosphoranimines", M. L. White, K. Matyjaszewski, *J. Polym. Sci., Polym. Chem.*, **34**, 277 (1996)
2. "Polyphosphazene Block Copolymer", M. White, K. Matyjaszewski, *Polymeric Materials Encyclopedia*, J.C. Salomone, Ed., CRC Press, Boca Raton, 1996, vol.9, p. 6556
3. "Branched and Hyperbranched Macromolecules by Atom Transfer Radical Polymerization". S. G. Gaynor, S. Z. Edelman, A. Kulfan, K. Matyjaszewski, *ACS Polym. Preprints*, **37(2)**, 413 (1996)
4. "Homo and ABA Block Polymerizations of Acrylonitrile, n - Butyl Acrylate, and 2 - Ethylhexyl Acrylate Using ATRP" S. M. Jo, S. G. Gaynor, K. Matyjaszewski, *ACS Polym. Preprints*, **37(2)**, 272 (1996)

1997:

1. "Synthesis and Characterization of Polyphosphazene Homopolymers and Copolymers", M. White, K. Matyjaszewski, *Macromol. Chem. Phys.*, **198**, 665 (1997)
2. "Atom Transfer Radical Polymerization. Role of Various Components and Reaction Conditions" K. Matyjaszewski, *ACS Polym. Preprints*, **38 (1)**, 736 (1997)
3. "Atom Transfer Radical Polymerization: How to Make Polymer Chains of Various Shapes, Compositions and Functionalities", S.G. Gaynor, K. Matyjaszewski, *ACS Polym. Preprints*, **38 (1)**, 758 (1997)
4. "Architectural Control in Acrylic Polymers by Atom Transfer Radical Polymerization", S.G. Gaynor, P. Balchandani, A. Kulfan, M. Podwika, K. Matyjaszewski, *ACS Polym. Preprints*, **38 (1)**, 496 (1997)
5. "From Step Growth to "Living" Free Radical Polymerization: The Synthesis of ABA Block Copolymers of Vinyl and Step Growth Polymers", S. G. Gaynor, S. Z. Edelman, K. Matyjaszewski, *ACS Polym. Preprints*, **38 (1)**, 703 (1997)
6. " Graft / Comb Copolymers by Atom Transfer Radical Polymerization: Hydrogels", K. Beers, A. Kern, K. Matyjaszewski, *ACS Polym. Preprints*, **38 (1)**, 695 (1997)
7. "Metal Complexes in Controlled Radical Polymerization", J. Qiu and K. Matyjaszewski, *Acta Polymerica*, **48**, 107 (1997)

8. "Mechanistic and Synthetic Aspects of Atom Transfer Radical Polymerization", K. Matyjaszewski, *J. Macromol. Sci., Pure & Appl. Chem.*, 34, 1785 (1997)
9. "Step - Growth Polymers as Macroinitiators for "Living" Radical Polymerization: Synthesis of ABA Block Copolymers", S. G. Gaynor, K. Matyjaszewski, *Macromolecules*, 30, 4241 (1997)
10. "Preparation of Hyperbranched Polyacrylates by Atom Transfer Radical Polymerization: 1. Acrylic AB* Monomers in "Living" Radical Polymerization", S. G. Gaynor, M. Podwika, K. Matyjaszewski, *Macromolecules*, 30, 5192 (1997)
11. "Living Radical Polymerization Using AB* Monomers: Synthesis of Branched and Hyperbranched Polymers by Atom Transfer Radical Polymerization", K. Matyjaszewski, S.G. Gaynor, *Polym. Mat. Sci. Eng.*, 77, 210 (1997)
12. "Preparation of Hyperbranched Polyacrylates by Atom Transfer Radical Polymerization: 2. Kinetics and Mechanism of Chain Growth for the Self Condensing Vinyl Polymerization of 2-(2-Bromopropionyloxy)ethyl Acrylate", K. Matyjaszewski, S. G. Gaynor, Axel H. E. Müller *Macromolecules*, 30, 7034 (1997)
13. "Preparation of Hyperbranched Polyacrylates by Atom Transfer Radical Polymerization: 3. Effect of Reaction Conditions on the Self Condensing Vinyl Polymerization of 2-(2-Bromopropionyloxy)ethyl Acrylate.", *Macromolecules*, K. Matyjaszewski, S. G. Gaynor 30, 7042 (1997)

1998:

1. "Mechanistic Aspects of Atom Transfer Radical Polymerization", K. Matyjaszewski, *ACS Symp. Series*, 685, 258 (1998)
2. "How to Make Polymer Chains of Various Shapes, Compositions, and Functionalities by Atom Transfer Radical Polymerization (ATRP)", K. Matyjaszewski, S. G. Gaynor *ACS Symp. Series*, 685, 396 (1998)

D. SCIENTIFIC PERSONNEL SUPPORTED BY THIS PROJECT AND DEGREES AWARDED DURING THIS REPORTING PERIOD:

Personel supported during the reported period:

Principal investigator: K. Matyjaszewski

Graduate students: M. White, S. Gaynor, J. Sarver, K. Beers, S. Arehart

Undergraduate students: Shane Edelman, Tony Kulfan, Allison Kern, Matt Podwika

Degrees: M. White (Ph.D.), S. Gaynor (Ph.D.)

S. Edelman (B.S.), Tony Kulfan (B.S.)

Honors and Awards:

1. K. Matyjaszewski received Carl S. Marvel Creative Polymer Chemistry Award administered by Polymer Division of the American Chemical Society
2. Scott Gaynor received a William Bradbury Award administered by Plastic Institute of America

E. REPORTABLE INVENTIONS:

Two patent applications have been filed on behalf of Carnegie Mellon University for novel polymer topologies prepared by ATRP from AB* monomers.