

# REPORT DOCUMENTATION PAGE

Form Approved  
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this

1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE 07 July 1998	3. REPORT TYPE AND DATES COVERED Final Technical/01 July 95 to 30 Jun 98
----------------------------------	--------------------------------	---


4. TITLE AND SUBTITLE Moored Time Series Measurements of the Vertical Structure of Optical Properties in the Coastal Ocean	5. FUNDING NUMBERS N00014-95-1-0813
---	--

6. AUTHOR(S)  Tommy D. Dickey	
-------------------------------------	--

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)  University of Southern California Department of Earth Sciences Los Angeles, Ca 90089-0740	8. PERFORMING ORGANIZATION REPORT NUMBER  N/A
---	---

9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) Office of Naval Research Code 242:SM Ballston Tower One 800 North Quincy Street Arlington, VA 22217-5660	10. SPONSORING / MONITORING AGENCY REPORT NUMBER
---	--

11. SUPPLEMENTARY NOTES  N/A
------------------------------------

12a. DISTRIBUTION / AVAILABILITY STATEMENT 	12b. DISTRIBUTION CODE
---	------------------------

13. ABSTRACT (Maximum 200 words)  We have collected a remarkable data set with a very high percentage of data return. The eye of Hurricane Edouard passed within roughly 80 km of our mooring on September 1-2, 1996 and soon after Hurricane Hortense passed within roughly 250 km of our mooring on September 14, 1996. With the passage of Edouard, the mixed layer deepened very rapidly with temperature differences from the top to bottom (68m) decreasing from 12°C to about 2°C. Sediment resuspension was dramatic as well and is easily seen in all optical data, including the AC-9 data. The resuspension event is evident from 68m clear up to the 10m depth! Surprisingly, Hortense's passage resulted in significant sediment resuspension despite its relatively great distance from the mooring site (please see web site <a href="http://www.icess.ucsb.edu/opl/cmo.html">http://www.icess.ucsb.edu/opl/cmo.html</a> ).
--

14. SUBJECT TERMS  Moored Time Series, Vertical Mixing, Coastal Ocean	15. NUMBER OF PAGES 4
	16. PRICE CODE

17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT
---	--	---	----------------------------

# MOORED TIME SERIES MEASUREMENTS OF THE VERTICAL STRUCTURE OF OPTICAL PROPERTIES IN THE COASTAL OCEAN

Tommy D. Dickey  
Ocean Physics Group, ICESS  
University of California at Santa Barbara  
Santa Barbara, CA 93106-3060  
phone: (805) 893-7615 fax: (805) 967-5704 email: tommy@icess.ucsb.edu

**Award #: N00014-96-1-0334/N00014-95-1-0813 (AASERT)**

## LONG-TERM GOALS

The present study concerns the investigation of physical and particle relationships via optical properties as part of the ONR Coastal Mixing and Optics (CMO) program. Goals of our research are: 1) to better understand the problem of vertical mixing and transport of particles, momentum, and heat, 2) to obtain new observations which will enable us to examine and model important processes (both periodic and episodic) that affect the vertical distributions of optical properties and particle concentrations, and 3) to improve the interpretation and facilitate the utilization of emerging optical measurements taken in coastal waters.

## SCIENTIFIC OBJECTIVES

The overall objective of our research is to determine how particles and optical properties respond to physical forcing under various oceanic conditions on a broad continental shelf off the east coast of the U.S.

Specific objectives are:

- 1) To quantify the variability of optical and physical properties at time scales as short as a few minutes. Our data sets allow us to compute: power spectra, coherence, and phase functions of time series as well as wavelet transforms of spectral beam attenuation coefficient, spectral scattering coefficient, and spectral absorption coefficient, estimated particle concentration, chlorophyll fluorescence, temperature, salinity, and horizontal currents. Again, the physical data will be integrated with those of other groups for joint analysis directed toward physical aspects,
- 2) To relate physical processes (e.g., wind forced inertial and surface wave breaking mixing activity, internal and inertial waves, solitary waves, tides, advection, etc.) to observed optical variability,
- 3) To determine the relationships between vertical fluxes of particles and optical properties with respect to physical environmental conditions such as shear, stratification, and gradient Richardson number,
- 4) To examine the importance of particulate matter for diurnal cycling of the mixed layer, especially through the modulation of the penetrative component of solar radiation,
- 5) To distinguish the difference between optical variability associated with waves opposed to mixing events,

19980921 099

6) To make general distinctions among particle types and to partition their origin (e.g., biogenic from euphotic layer versus resuspended sediment),

7) To relate optical and particle variability near the ocean bottom to physical processes affecting sediment resuspension, 8) To provide time series (at several depths) of physical and optical properties to complement vertical microstructure measurements (optical and physical) to set the context for these observations and model development.

## **APPROACH**

Our approach has been to simultaneously collect time series of optical and physical data from several depths using a variety of newly developed optical (e.g., spectral capability) and physical instruments placed on a mooring at a mid-shelf location (Mid-Atlantic Bight, roughly 40.5N, 70.5W). Our choice of optical parameters enables the interpretation of the data in terms of different optically important components of seawater (biogenic particles and non-biogenic particles). We deployed 3 moored instrument packages (approximately 10, 30, and 50m) on a mid-shelf mooring (water depth of roughly 70m) and a fourth on a bottom tripod (within about 2m of the bottom) being deployed by collaborators. A total of 4 deployments were conducted between July 8, 1996 and June 7, 1997.

## **WORK COMPLETED**

Our component of the field program was coordinated with other CMO investigators through workshops and email correspondence. We completed the design, engineering, and fabrication of instrument systems for the field program. In addition to the BIOPS (AC-9 plus other optical and physical sensors), we purchased (using UCSB funds) and setup other complementary sampling systems including an ADCP, conductivity-temperature systems and a CTD/rosette system for use in the experiment.

All four deployments of the mooring, preliminary data analyses, and data reports have been completed. Highlight data may be viewed on our web site (<http://www.icess.ucsb.edu/opl/cmo.htm1>).

## **RESULTS**

We have collected a remarkable data set with a very high percentage of data return. The eye of Hurricane Edouard passed within roughly 80 km of our mooring on September 1-2, 1996 and soon after Hurricane Hortense passed within roughly 250 km of our mooring on September 14, 1996. With the passage of Edouard, the mixed layer deepened very rapidly with temperature differences from the top to bottom (68m) decreasing from 12°C to about 2°C. Sediment resuspension was dramatic as well and is easily seen in all optical data, including the AC-9 data. The resuspension event is evident from 68m clear up to the 10m depth! Surprisingly, Hortense's passage resulted in significant sediment resuspension despite its relatively great distance from the mooring site. (please see web site <http://www.icess.ucsb.edu/opl/cmo.htm1>).

## **IMPACT/APPLICATION**

It is evident that the data collected during the two hurricanes are very unique and will be most valuable for understanding major episodic perturbation of the optical properties of the coastal ocean. Sediment resuspension, modification of biomass constituents, and productivity will all be topics of intense study and modeling using this rich data set along with complementary data collected by CMO/PRIMER colleagues.

## **TRANSITIONS**

The results of our work (see impacts above) should be of interest to several levels of Navy interest.

## **RELATED PROJECTS**

Our study is highly complementary to other CMO/PRIMER activities. Several other moorings and another bottom tripod sampled in the vicinity of our mooring. A variety of shipboard observations (profile and SeaSoar) also complement our measurements. Our high resolution time series will be beneficial for the vertical and horizontal mixing efforts along with remote sensing activities and vice versa.

## **REFERENCES**

web site <http://www.icess.ucsb.edu/opl/cmo.html>