

REPORT DOCUMENTATION PAGE

AFRL-SR-BL-TR-98-

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, F

0755

and reviewing
r information

1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE		3. REPORT TYPE AND DATES COVERED Final 01 Aug 96 to 31 Jul 98	
4. TITLE AND SUBTITLE Photonic Imaging Networks				5. FUNDING NUMBERS 61103D 3484/US	
6. AUTHOR(S) Dr Fainman					
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) University of California, SD 9500 Gilman Drive La Jolla CA 92093-0934				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) AFOSR/NE 801 North Randolph St Rm 732 Arlington VA 22203-1977				10. SPONSORING/MONITORING AGENCY REPORT NUMBER F49620-96-1-0415	
11. SUPPLEMENTARY NOTES					
12a. DISTRIBUTION AVAILABILITY STATEMENT APPROVAL FOR PUBLIC RELEASE;DISTRIBUTION UNLIMITED				12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) The acquired DURIP(96) equipment was used to complement the Focused Research Initiative research project of BMDO/AFOSR on "Photonic Imaging Networks." The DURIP(96) equipment was used to carry out the research in three projects: 1. Nonlinear Space-Time Optical Signal Processing with Femtosecond Pulses 2. Robust Quantum and Classical Cryptograph for Security and Privacy in Photonic Imaging Network 3. Artificial dielectrics and diffractive optics with multifunctionality and their applications.					
<p>Reproduced From Best Available Copy</p>					
14. SUBJECT TERMS				15. NUMBER OF PAGES	
				16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED		18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED		19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED	
				20. LIMITATION OF ABSTRACT UL	

UNIVERSITY OF CALIFORNIA, SAN DIEGO

BERKELEY • DAVIS • IRVINE • LOS ANGELES • RIVERSIDE • SAN DIEGO • SAN FRANCISCO



SANTA BARBARA • SANTA CRUZ

DEPARTMENT OF ELECTRICAL AND COMPUTER ENGINEERING
9500 GILMAN DRIVE

LA JOLLA, CALIFORNIA 92093-0407

Prof. Y. Fainman
Ph: (619) 534-8909
Fax: (619) 534-1225
E-mail: fainman@ece.ucsd.edu

November 10, 1998

Dr. Alan Craig
AFOSR/NE
801 North Randolph Street, Room 732
Arlington, VA 22203-1977

Dear Alan:

Please find enclosed the final technical report for the following grant: F-49620-96-1-0415 entitled Defense University Research Instrumentation Program: "Photonic Imaging Networks." Should you have any questions about this report, please do not hesitate to contact me.

Sincerely,

A handwritten signature in cursive script that reads "Shaya".

Y. Fainman
Professor

19981127 068

Final Technical Report

for

**Defense University Research Instrumentation Program(96):
Photonic Imaging Network**

Sponsored by

Ballistic Missile Defense Organization

and

Air Force Office of Scientific Research

Under Grant F-49620-96-1-0415

for Period 08/01/96 through 07/31/98

Grantee

The Regents Of the University of California, San Diego

University of California , San Diego

La Jolla CA 92093

Principal Investigators: Y. Fainman

(619) 534-8909

Program Manager: Dr. Alan Craig

(703) 696-8573

Acquired Equipment

1. Tsunami 3941-SIS mode locked titanium-sapphire source of femtosecond pulses with 50 fsec pulsewidth option from Spectra Physics (~ \$50 K)
2. Spitfire-LCX-XK regenerative amplifier from Spectra Physics (~ \$65 K)
3. Merlin-LCX Q-switched YLF regen pump from Spectra Physics (~ \$55 K)
4. OPA 800-1 Optical Parametric Amplifier with $\chi^{(2)}$ option for 2-nd and 4-th harmonic generation and the wavelength extender from Spectra Physics (~ \$50 K)
5. Optical table top and support system from Newport Inc. was required to be able installing the lasers (item#1-4) and set up research experiments (~ \$20 K)

The total cost of the acquired DURIP(96) equipment was \$240 K consisting of \$210 K provided by the BMDO/AFOSR DURIP(96) and the \$30 K matched by UCSD.

Projects Summary using Acquired Equipment

The acquired DURIP(96) equipment was used to complement the Focused Research Initiative research project of BMDO/AFOSR on "Photonic Imaging Networks." The DURIP(96) equipment was used to carry out the research in three projects as summarized below.

Nonlinear Space-Time Optical Signal Processing with Femtosecond Pulses (Y. Fainman, Y. T. Mazurenko, P. C. Sun, K. Oba, D. Marom and D. Panasenko)

The bandwidth and the efficiency of optical communication systems exceed these of electrical cable systems. Electronic devices and systems connected to optical networks may reach bit-rates on the order of 1-10 Gb/s. In contrast, the maximum bit-rate of a photonic network may exceed 1 Tb/s. The 2-3 order-of-magnitude mismatch between fiber and electronic device capacity can be used to increase the speed, reduce latency, increase security and reliability in the transmission and distribution of image information. To implement these applications, we used the acquired DURIP(96) equipment to construct an all-optical pre-processor at the transmitter and a post-processor at the receiver which performs multiplexing and demultiplexing, respectively [1-9]. The multiplexer performing image space-to-time transformation combines relatively slow but parallel in space electronic channels into an ultrahigh bandwidth serial optical channel (i.e., parallel-to-serial conversion), whereas the demultiplexer performs the inverse time-to-image space transformation for processing and/or electronic detection (i.e., serial-to-parallel conversion). For efficient bandwidth utilization, these processors need to be operated at rates determined by the bandwidth of the optical pulses [10]. Such space-time optical processors have been analysed [11] and constructed using the equipment from this DURIP(96) grant and applied for pulse shaping, filtering, and space-to-time multiplexing and time-to-space demultiplexing [1, 2, 12-17]. We also interfaces a space-to-time multiplexing system to an optical fiber and performed transmission of a sequence of 170 fsec pulses. These pulses from the output of the fiber were then introduced into our time-to-space demultiplexing systems [18]. We also developed a new time-domain time-to-space demultiplexer [19] providing a compact and power conversion efficient design. Furthermore, we have started investigation of additional application areas such as efficient signaling using our approach of pulse position modulation for ultrahigh speed data communication [8, 9, 20], potential role of our demultiplexer for high speed A/D conversion [21], and combining our approach with CDMA technique to allow multiple users in a network environment [8, 9, 17].

Another example of using the acquired DURIP(96) equipment exploits applications that will benefit from an optical memory that will store and retrieve information in a format that is suitable for direct interface and transmission through an optical network, thereby, providing optimal performance in terms of hardware complexity, memory and network capacity, bandwidth, and latency. In this example we convert spatial image information into time domain. The corresponding data sequence in time is stored employing spectral domain 3-D volume holographic recording [22-24]. When the stored data is read out of the spectral domain storage system, the output spectrum is converted back into time sequence and sent through the all-optical fiber network to the user node. At the user node the time sequence is converted to lower rate parallel channels in space domain for optical or electronic filtering and detection [16]. Alternatively, we also explored the direct time-domain storage, which shows significantly improved SNR performance due to the fact that the rectangular boundaries of the crystal can be replaced by a smooth synthesized shape that can be established by recording mutual coherence functions of femtosecond pulses [24, 25].

In summary we introduced, analyzed and, using the acquired DURIP(96) equipment, evaluated experimentally a femtosecond pulse storage and imaging techniques useful for demultiplexing and parallel processing sequences of femtosecond pulses. We developed two pulse imaging method, based on 3-wave mixing in nonlinear crystals, one technique based on nonlinear mixing of spectral decomposition waves and the other based on nonlinear interaction directly in the time domain. The spectral domain mixing technique allows converting complex amplitude of an ultrashort temporal pulse signal to a corresponding spatial image that resembles the temporal signal in space. Unlike the commonly used autocorrelator, our method carries both amplitude and phase information of the pulses. We also demonstrate nonvolatile storage of femtosecond pulses in photorefractive LiNbO_3 by recording and readout of spectral holograms at a wavelength of 460 nm and 920 nm, respectively. No degradation was observed after 24 hours readout. The demonstrated spectral domain nonvolatile holographic storage and the femtosecond pulse imaging are useful for broadband information systems applications. We transmitted a sequence of femtosecond pulses through a fiber and detected the output pulses using out pulse imager system. We also developed a time-domain pulse imager, explored the efficient signaling using the pulse position modulation and by combining it with a CDMA methods we are exploring its operation in a network environment. Most recently we have performed nonlinear spectral domain filtering and also conducted preliminary experiments on space-to-time conversion at femtosecond rate based on 4 wave mixing between the temporal and spatial information carrying channels.

Robust Quantum and Classical Cryptography for Security and Privacy in Photonic Imaging Network. (Y. Fainman, R. Rao, L. Milstein, Y. T. Mazurenko, D. Marom, P. C. Sun, B. Slutsky, D. Panasenko)

Our research focussed on experimental realization [26-31] and information theoretic analysis of quantum cryptosystems [27-40]. On the theoretical side, we have studied the relationship between the secrecy capacity of a quantum cryptographic system and such factors as the error rate, line attenuation, and detector quality [32-34]. Quantum eavesdropping strategies and possible defenses against them were also investigated [35-38]. We have introduced and, using the acquired DURIP(96) equipment, conducted preliminary experiments on transmission of photon phase information employing frequency division technique suitable for practical realizations over free space or optical fiber network [26-31]. The advantage of our technique is related to the fact that the phase difference between two signals spectrally separated by a small amount (in our experiments, 80 MHz) is not perceptibly affected by the physical stress to which the fiber carrying them may be subjected. Measurements were performed both with classical strength signals and with photomultipliers used as single photon detectors. Appropriate interfaces between the photomultipliers and the microcomputer controller was also established using the

DURIP(96) grant. In a separate experiment, we also tested and verified that two signals with frequency separation of 80 MHz do not experience noticeable phase delay difference due to dispersion in a fiber under external temperature stress. We are currently investigating design and implementation of frequency-division long distance interferometer using all fiber components. We also continue our research on utilizing optical sources that obey sub-Poisson statistics using second order nonlinear optical crystals.

Our second approach uses classical encryption methods for privacy of next generation ultrahigh bandwidth photonic imaging networks. This work explores secure systems that make use of the large optical bandwidth of ultrashort pulses. The technique combines with optical code-division multiple access using stationary or dynamically varying time delays. We have demonstrated few components that are integral part of this system demonstration, including femtosecond laser pulse spectrum modulation using phase-only computer-generated-holograms [13, 15, 17], or a phase-only spatial light modulators. Each encrypted spectrum will be separated into two parts, and transmitted with an appropriately chosen delay between them. Coherent detection uses a complementary spectral-combining device combined with a sequence of temporal delays which allow the selection of the desired transmitter. The designated receiver will be able to compensate for the time-delay of the corresponding transmitter, combine the two complementary signals, and use the secure phase-decoder to decrypt the message. The coherent detection using three-wave mixing has been also demonstrated using the acquired DURIP(96) equipment [16-20, 22-24]. The classical encryption system for photonic imaging network privacy employing spread spectrum techniques is currently being further investigated. Our preliminary experiments are found in good agreement with the theoretical analysis.

Artificial dielectrics and diffractive optics with multifunctionality and their applications

(Y. Fainman, F. Xu, P. C. Sun, J. Thomas, R. Tyan, P. Shames, W. Nakagawa, P. Lin)

We have been investigating the diffractive optics with multifunctionality in polarization [41-47] and color [48-50] as well as programmable diffractive optics [51-65] during the last five years employing natural birefringent and electrooptic nonlinear materials. Recently we initiated research into artificial dielectric materials (nanostructures) for photonic device applications. The acquired DURIP(96) equipment also contributed to our characterization effort in the area of artificial dielectrics and diffractive optics. Modern microfabrication techniques (dry etching, electron beam lithography, patterned regrowth, epitaxial growth, laser assisted growth, laser ablation, etc.) allow to artificially fabricate sub-micron micro-structures which modify the dielectric and semiconductor properties such as birefringence, optical nonlinearity or opto-electronic interactions. For example, form birefringence or artificial birefringence effect occurs due to periodic microstructure boundary between two isotropic dielectric materials with different dielectric constants. The form birefringent microstructures possess several unique properties that make them superior compared to those of naturally birefringent materials: (i) high strength of form birefringence, $\Delta n/n$, can be obtained by selecting substrate dielectric materials with large refractive index difference (here Δn and n are the difference and the average effective indices of refraction for the two orthogonal polarizations, respectively), (ii) the magnitude of form birefringence, Δn , can be adjusted by varying the duty ratio as well as the shape of the microstructures, (iii) form birefringence can be constructed using an isotropic as well as anisotropic substrate, allowing to fine tune the anisotropic properties of naturally birefringent materials, and (iv) form birefringent microstructures can be used to modify the reflection properties of the dielectric boundaries. The artificial dielectric anisotropy due to form birefringence [66, 67] has been used to construct polarization optics components as well as polarization selective computer generated holograms [70, 71]. The form birefringence and the

form birefringent computer generated holograms were characterized experimentally using the acquired DURIP(96) equipment.

We further extend this approach by designing a new device that uses unique properties of anisotropic spectral reflectivity (ASR) characteristics of a high spatial frequency multilayer binary grating [70, 71]. The ASR mechanism is based on combining the effects of the form birefringence of a high spatial frequency grating (i.e., grating period is much less than the wavelength of the incident field) with the resonant reflectivity of a multilayer structure. With our approach, the angular field and wavelength range have been largely increased compared to conventional polarization selective beam splitter (PBS) devices. The ASR PBS combine such unique features as compactness, compatibility with semiconductor materials, negligible insertion losses, polarization selectivity for light at normal incidence, high polarization extinction ratios, and operation with waves of large angular bandwidth and from broad spectral range. Some interesting characteristics of the element with ASR characteristics cannot be found in a conventional PBS component. For instance, when our ASR device is designed to operate with normally incident light, it acts as a highly efficient polarization selective dielectric mirror [72-77]. The ASR devices have been fabricated and characterized using the acquired DURIP(96) equipment. Furthermore, our ASR device fabrication method is compatible with conventional microfabrication and can become easily integrable with other photonic devices such as VCSELs, MQW modulators, and photodetectors. Initial experiments with fabricated devices demonstrate good performance. We also extended the ASR design into the third dimension and have shown that using this approach we can design manufacturable photonic crystals [75-77]. The band structures of such photonic crystals have been calculated using our newly developed rigorous electro-magnetic wave modeling tools.

The polarization selective computer generated holograms have been constructed and used for packaging optical interconnects in an optoelectronic VLSI chip [78]. We also developed switching fabric using a transparent optical multistage interconnect network (TOMIN), based on birefringent computer generated holograms technology being developed at UCSD which forms an 8×8 nonblocking interconnection network [79]. The present embodiment of the TOMIN is based on free-space optics. Image transmission between large numbers of I/O ports, requiring switching of ultra-high bandwidths, can be performed using optical multistage interconnection networks (MIN). Polarization based switching has been proposed for 'free-space' MIN for switching and multiprocessor interconnections. We have designed, fabricated and tested a 'folded' optical MIN system that permits switching high-speed signals between multiple input and output nodes using a simple and compact arrangement of diffractive optical and polarization rotation elements. In this system, optical routing is performed using bypass-exchange switches built of polarization sensitive birefringent computer generated holograms (BCGH) combined with electrically addressed polarization rotation devices. This transparent and scalable system can switch multiple high bandwidth communication lines or permit memory access and multiprocessor interconnections.

The reconfiguration of the network is currently limited by the speed of the FLC device. However, we are developing a PLZT based [59-65] polarization rotator array having much faster response times. Advances in fiber amplifiers and polarization compensation in a single mode fiber may enable utilization of polarization dependent all-optical switches using optical fiber input and outputs.

References

1. P. C. Sun, Y. Mazurenko, W. Chang, P. Yu and Y. Fainman " All-optical parallel-to-serial conversion by holographic spatial-to-temporal frequency encoding," *Opt. Lett.*, 20, 1728-1730, 1995
2. P. C. Sun, Y. Mazurenko, and Y. Fainman, "All optical parallel-to-serial conversion by holographic spatial-to temporal requency encoding, OSA 1995 Topical Meeting on Optical Computing, Salt Lake City, Technical Digest, 1995
3. Y. Fainman, P.C. Sun, Y. Mazurenco, D. Brady, "Space-time processing with photorefractive volume holography," presented at the SPIE's 40-th Annual Meeting, San Diego, July 1995; *Proc. SPIE*, conf. 2529, 1995 (invited)
4. P. C. Sun and Y. Fainman, "Properties of holographic space-time signal processing," presented at the OSA Annual Meeting, Portland, September 1995.
5. D. Marom, P. C. Sun, Y. Fainman, "Temporal phase conjugation with space-time processors, " *Holography*, Vol.4, 1996 OSA Technical Digest Sieriers, pp. 62-65, (OSA, Washington DC, 1996).
6. P. C. Sun, Y. Mazurenko, Y. Fainman, "Space-time processing of femtosecond optical pulses for imaging through fiber," OSA Annual Meeting 1996, Rochester, New York
7. D. Marom, P. C. Sun, Y. Fainman, "Communication with ultrashort pulses and parallel-to-serial and serial-to-parallel converters," *Proc. IEEE/LEOS*, v. 1, p. 32-33, 1997, presented at the 10-th Annual Meeting of IEEE/LEOS, 1997.
8. Y. Fainman, "Optical interconnect systems for communications and computing," *Proc. IEEE/LEOS*, v. 2, p. 343-344, 1997, presented at the 10-th Annual Meeting of IEEE/LEOS, 1997 (invited).
9. Y. Fainman, " Optics in computing and communications," presentation and participation on the panel "Potential Roles of Ultrafast Optics in Communications and Information Processing" at the 10-th Annual Meeting of IEEE/LEOS, 1997 (invited)
10. Y. Fainman, " Optical Interconnections using broadband sources," *The First Workshop on Mutli-wavelength Free-Space Optoelectronic Interconnects*, Taos, NM, February 1996.
11. D. Marom, P. C. Sun, Y. Fainman, "Analysis of spatio/temporal converters for all-optical communication links," *Appl. Opt.*, 37, 2858-2868, 1998.
12. Y. Fainman, " Space-time processing with ultra-short laser pulses for holographic storage," International Symposium on Holographic Storage, Greece, May 1996 (invited paper).
13. P. C. Sun, Y. T. Mazurenko, and Y. Fainman, "Real-time space/time processing with femtosecond laser pulses," presented at the SPIE's Annual Meeting, Denver, paper 2849-40, August 1996; *Proc. SPIE*, 1996 (invited paper)
14. P. C. Sun, Y. Mazurenko, Y. Fainman, "Femtosecond pulse imaging by nonlinear three-wave mixing," *Proc. IEEE/LEOS*, V. 2, p. 215, 9-th Annual Meeting of IEEE/LEOS, 1996
15. Y. Fainman, Y. Mazurenko, and P. C. Sun, "Ultra-fast Space-Time Processing," presented at the *OSA Topical Meeting on Optics in Computing*, Incline Village, Lake Tahoe, Nevada, *Technical Digest*, p. 175-177, March 1997 (invited).
16. P. C. Sun, Y. Mazurenko, Y. Fainman, "Femtosecond pulse imaging: ultrafast optical oscilloscope," *JOSA A*, 14, 1159-1169, 1997

17. P. C. Sun, K. Oba, D. Marom, Y. Mazurenko, and Y. Fainman, "Spatio-temporal Conversion, Storage, and Processing using Femtosecond Optical Pulses," presented at the SPIE 43-rd Annual Meeting, July 1998, San Diego, California; Proc. SPIE, 3470, 1998 (Invited paper)
18. P. C. Sun, Y. Mazurenko, Y. Fainman, "Real-time 1-D Coherent Imaging Through Single-mode Fibers by Space-Time Conversion Processors," Opt. Lett., 22, 1861-1863, 1997.
19. K. Oba, X. Zhang, P. C. Sun, Y. Mazurenko and Y. Fainman, "Single shot femtosecond/picosecond autocorrelator using tilted pulse front," presented at the SPIE 43-rd Annual Meeting, July 1998, San Diego, California; Proc. SPIE, 3466, 1998.
20. Y. Fainman, "Space-time Information Processing with femtosecond Laser Pulses," presented at the International conference on Optics in Computing, June 17-20, 1998, Brugge, Belgium; Proc. SPIE, 3490, 258-261, 1998 (Invited paper).
21. Y. Fainman, "Real-time optical analog-to-digital (ROAD) converters, presented at the DARPA/ETO Workshop on A/D Converter Technology, October 1-2, Crystal City, VA, 1997
22. K. Oba, P. C. Sun, Y. Fainman, "Nonvolatile photorefractive spectral holography for time-domain storage of femtosecond pulses," CLEO'97, v. 11, 213-214, Baltimore, 1997.
23. K. Oba, P. C. Sun, and Y. Fainman, "Nonvolatile photorefractive spectral holography," Opt. Lett., 23, 915-917, 1998.
24. Y. Fainman, P. C. Sun, Y. Mazurenko, K. Oba, D. Marom, " Storage formats for ultrahigh speed communication and processing, presented at the AFOSR Workshop on Applications of Spectral Hole Burning, March 8-11, Montana State University, Bozeman, Montana, 1998.
25. Y. Mazurenko and Y. Fainman, "Cross talk of wavelength-multiplexed quasi-infinite holograms," Opt. Lett., 23, 963-965, 1998.
26. P. C. Sun, Y. Mazurenko and Y. Fainman "Long-distance frequency-division interferometer for communication and quantum cryptography," Opt. Lett., 20, 1062-1064, 1995
27. P. C. Sun, Y. Mazurenko and Y. Fainman "Transmission of optical phase information using frequency division of signals with application to quantum cryptography," Sov. Optics and Spectroscopy, v. 78, #6, 1995
28. B. Slutsky, P. C. Sun, Y. Mazurenko, R. Rao, and Y. Fainman, " Long-distance frequency-division interferometer for communication and quantum cryptography," presented at the OSA Annual Meeting, Portland, September 1995.
29. B. Slutsky, P. C. Sun, Y. Mazurenko, R. Rao, and Y. Fainman, "Quantum cryptography for secret key generation using frequency-division long distance interferometry," presented at SPIE West'96, San Jose, 1996; also Proc. SPIE, 1996.
30. B. Slutsky, P. C. Sun, Y. Mazurenko, R. Rao, and Y. Fainman, "Quantum cryptography using frequency-division transmission of optical phase", CLEO/Europe'96, 1996
31. B. Slutsky and Y. Fainman, "Quantum cryptography uses photons to establish secret key," interview article in OE Reports of SPIE, News and Commentary for the International Optical Engineering Community, No. 147/March 1996.
32. B. Slutsky, P.C.Sun, Y.Mazurenko, R.Rao, and Y.Fainman, "Effect of channel imperfection on the secrecy capacity of a quantum cryptographic system," J. of Modern Optics, 44, No. 5, 953-961, 1997.

33. B. Slutsky, P. C. Sun, Y. Mazurenko, R. Rao, and Y. Fainman, "Quantum Cryptography in the Presence of Noise and Losses" OSA Annual Meeting 1996, Rochester, New York
34. B. Slutsky, R. Rao, L. Tancevski, P. C. Sun, and Y. Fainman, "Information leakage estimates in quantum cryptography," presented at the *OSA Topical Meeting on Optics in Computing*, Incline Village, Lake Tahoe, Nevada, *Technical Digest*, p. 115-117, March 1997.
35. B. Slutsky, R. Rao, L. Tancevski, P. C. Sun, and Y. Fainman, "Defense Against Bitwise Eavesdropping Strategies in Quantum Cryptography" OSA Annual Meeting 1996, Rochester, New York
36. L. Tancevski, B. Slutsky, R. Rao, Y. Fainman, "Evaluation of the cost of error correction protocol in quantum cryptographic transmission," presented at SPIE conference on Computer and Network Security Conference, Dallas, Texas, November 1997; Proc. SPIE, 3228, 321-331, 1997.
37. B. Slutsky, R. Rao, Y. Fainman, "Security theorems in quantum cryptography," presented at SPIE conference on Computer and Network Security Conference, Dallas, Texas, November 1997; Proc. SPIE, 3228, 310-321, 1997.
38. B. Slutsky, R. Rao, P. C. Sun, L. Tancevski, and Y. Fainman, Defense Frontier Analysis of Quantum Cryptographic Systems, *Appl. Opt.*, 37, 2869-2878, 1998.
39. B. Slutsky, R. Rao, P.-C. Sun, Y. Fainman, Security of quantum cryptography against individual attacks, *Phys. Rev. A*, 57, 2383-2398, 1998.
40. B. Slutsky, R. Rao, L. Tancevski, P. C. Sun, Y. Fainman, "Quantum Cryptography: Defending against individual eavesdropping," presented at the SPIE Quantum Computing Conference, April 13-17, Orlando, Florida, 1998 (Invited paper).
41. F. Xu, J. Ford, and Y. Fainman, "Single-substrate birefringent computer-generated holograms," *Opt. Lett.*, 21, 516-518, 1996
42. Y. Fainman, "Polarization selective computer generated holograms and applications, poster presented at the 1995 Gordon Conference on Optical Signal Processing and Holography, Plymouth, June 1995. (invited)
43. R. Tyan, F. Xu and Y. Fainman, "Characterization of birefringent computer generated holograms," presented at the OSA Annual Meeting, Portland, September 1995.
44. J. Ford and Y. Fainman, "Packaging Optics for Smart Pixels," presented at the *OSA Topical Meeting on Spatial Light Modulators*, Incline Village, Lake Tahoe, Nevada, *Technical Digest*, p. 46-48, March 1997 (invited).
45. F. Xu, J. Ford, A. Krishnamoorthy, and Y. Fainman, "A 2-D VLSI/optoelectronic device packaged using a polarization selective computer generated hologram," presented at the *OSA Topical Meeting on Optics in Computing*, Incline Village, Lake Tahoe, Nevada, *Technical Digest*, PD3-1/PD3-4, March 1997 (Postdeadline paper).
46. C. C. Cheng, A. Scherer, R. C. Tyan, Y. Fainman, C. Witzgall, E. Yablonovitch, "New fabrication techniques for high quality photonic crystals," *J. of Vacuum Technology*, 15, (no.6), 2764-7, 1997.
47. Y. Fainman, F. Xu, R. Tyan, P. C. Sun, J. Ford, A. Scherer, and A. Krishnamoorthy, "Diffractive Optics with Multifunctionality for Packaging Optoelectronic Systems," Presented at the Optical Information Science and Technology, Proc. SPIE, 3348, 152-162, Russian Academy of Science, August 1997 (invited).

48. J. Ford, F. Xu and Y. Fainman, "Wavelength-selective planar holograms," *Opt. Lett.*, **21**, 80-82, 1996
49. J. Ford, F. Xu and Y. Fainman "Color-selective planar gratings," presented at LEOS'95, San Francisco, November 1995.
50. F. Xu, R.-C. Tyan, J.E. Ford, and Y. Fainman, "Multiple order delay holograms for polarization and color selectivity," *Diffractive Optics and Micro-Optics*, Vol.5, 1996 OSA Technical Digest Series, pp. 356-359, (OSA, Washington DC, 1996).
51. J. Thomas and Y. Fainman "Programmable diffractive optical element using a multichannel PLZT phase modulator," *Opt. Lett.*, **20**, 1510-1512, 1995
52. J. Thomas and Y. Fainman, "Programmable diffractive optical element using a multi-channel PLZT phase modulator," presented at the OSA Annual Meeting, Portland, September 1995.
53. P. Shames and Y. Fainman, "Modeling of index of refraction variation in electro-optic materials with pattern electrodes," presented at the OSA Annual Meeting, Portland, September 1995.
54. P. Shames, P. C. Sun, Y. Fainman, "Modeling and optimization of electro-optic phase modulator," presented at SPIE West'96, San Jose, 1996; also Proc. SPIE, 1996.
55. P. Shames, P. C. Sun, Y. Fainman, "Modeling and characterization of PLZT-based array of polarization rotators," OSA Annual Meeting 1996, Rochester, New York
56. P. Shames, P. C. Sun, and Y. Fainman, "Empirically-based modeling for design of PLZT electro-optic devices," presented at the *OSA Topical Meeting on Spatial Light Modulators*, Incline Village, Lake Tahoe, Nevada, *Technical Digest*, p. 168-170, March 1997.
57. J. Thomas and Y. Fainman, "A multistage arrangement for programmable diffractive optical elements providing simplified array control," presented at the *OSA Topical Meeting on Spatial Light Modulators*, Incline Village, Lake Tahoe, Nevada, *Technical Digest*, p. 171-173, March 1997.
58. J. Thomas, M. Lasher, Y. Fainman, and Z. Parviz, "A PLZT-based dynamic diffractive optical element for high speed, random-access beam steering," to be presented at the SPIE's 1997 Annual Meeting, San Diego, 1997.
59. C3. P. Shames, P. C. Sun, Y. Fainman, "Modeling electric field induced effects in PLZT EO devices," OSA Topics in Optics and Photonics, vol. 14, 121-123, 1997.
60. P. Shames, P. C. Sun, Y. Fainman, "Modeling of scattering and depolarizing EO devices. Part I: PLZT characterization," *Appl. Opt.*, **37**, 3717-3725, 1998.
61. P. Shames, P. C. Sun, Y. Fainman, "Modeling of scattering and depolarizing EO devices. Part II: Device simulation" *Appl. Opt.*, **37**, 3726-3734, 1998.
62. J. Thomas, M. Lasher, Y. Fainman, and Z. Parviz, "A PLZT-based dynamic diffractive optical element for high speed, random-access beam steering," presented at the SPIE's 1997 Annual Meeting, San Diego, 1997.
63. J. Thomas, Y. Fainman, M. Lasher, P. Zoltan, "Electro-optic programmable diffractive optical element with use of PLZT," OSA Annual Meeting, Long Beach, California, 1997.
64. P. Lin, L. Zhu, P. C. Sun, J. Thomas, Y. Fainman, "Depth-section imaging by chromatic confocal microscopy using diffractive optics," OSA Annual Meeting, Long Beach, California, 1997.
65. P. Shames, E. Takeuchi, Y. Fainman, "High-speed large-signal; response of bulk PLZT," OSA Annual Meeting, Long Beach, California, 1997.

66. F. Xu, R. Tyan, P. C. Sun, C. Cheng, A. Scherer and Y. Fainman, "Form birefringence of periodic dielectric nanostructures," *Opt. Lett.*, 20, 2457-2459, 1995
67. F. Xu, C. Cheng, A. Scherer, R. Tyan, P. C. Sun and Y. Fainman "Form birefringence of high-spatial frequency microstructures," presented at the OSA Annual Meeting, Portland, September 1995.
68. F. Xu, R. Tyan, , P. C. Sun, Y. Fainman, C. Cheng, A. Scherer, "Form-birefringent computer-generated holograms," *Opt. Lett.*, 21, 1513-1515, 1996
69. F. Xu, R. Tyan, P. C. Sun, C. C. Chen, A. Scherer, and Y. Fainman, "Design of form birefringent computer-generated holograms," presented at the *OSA Topical Meeting on Optics in Computing*, Incline Village, Lake Tahoe, Nevada, *Technical Digest*, p. 246-248, March 1997.
70. R. Tyan, P. C. Sun, A. Scherer and Y. Fainman, "Polarizing beam splitter based on the anisotropic spectral reflectivity characteristic of form-birefringent multilayer grating," *Opt. Lett.*, 21, 761-763, 1996
71. R. Tyan, P. C. Sun, Y. Fainman, "Polarizing beam splitters constructed of form-birefringent multilayer gratings," presented at SPIE West'96, San Jose, 1996; also Proc. SPIE, 1996.
72. R. Tyan, A. Salvekar, H. Chou, C. Cheng and A. Scherer, F. Xu, P. C. Sun and Y. Fainman, "Design, Fabrication and Characterization of Form-Birefringent Multilayer Polarizing Beam Splitter" *JOSA A*, 14, No 7, 1627-1636, 1997.
73. R. Tyan, A. Salvekar, C. Cheng, A. Scherer, P. C. Sun, F. Xu, Y. Fainman, "Characterization of polarizing beam splitter constructed of form-birefringent multilayer grating," OSA Annual Meeting 1996, Rochester, New York
74. Y. Fainman, "Artificial Dielectric Materials and Devices," Workshop on Functional Meso-Optics, Crested Butte, Colorado, January 26-27, 1997.
75. R. C. Tyan, P. C. Sun, F. Xu, A. Salvekar, H. Chou, C. C. Cheng, A. Scherer and Y. Fainman, "Subwavelength multilayer binary grating design for implementing photonic crystals," presented at the *OSA Topical Meeting on Quantum Optoelectronics*, Incline Village, Lake Tahoe, Nevada, *Technical Digest*, p. 35-37, March 1997.
76. Y. Fainman, F. Xu, R. Tyan, D. Marom, P. Shames, P. C. Sun, J. Ford, A. Scherer, and A. Krishnamoorthy, "Polarization selective diffractive optical elements and applications," presented at the 1998 OSA Topical Meeting on Diffractive Optics, Technical Digest, v. 10, 50-52, June 8-11, Kona, Hawaii, 1998.(Invited paper)
77. A. Scherer, A. Yariv, Y. Fainman, E. Yablonovitch, B. Urso, O. Painter, C. Cheng, "Fabrication of functional optical structures based on photonic crystals, presented at the 1998 OSA Topical Meeting on Diffractive Optics, Technical Digest, v. 10, 84, June 8-11, Kona, Hawaii, 1998.(Invited paper)
78. F. Xu, J. Ford, A. Krishnamoorthy, and Y. Fainman, "A 2-D VLSI/optoelectronic device packaged using a polarization selective computer generated hologram," *Opt. Lett.*, 22, 1095-1097, 1997.
79. D. M. Marom, P.E. Shames, F. Xu, and Y. Fainman, "Folded free-space polarization-controlled multistage interconnection network", *Appl. Opt.*, 37,6884-6891, 1998.