

AD _____

Award Number DAMD17-98-1-8616

TITLE: Cognitive Changes in Presymptomatic Parkinson's Disease

PRINCIPAL INVESTIGATOR: Kenneth M. Heilman, M.D.

CONTRACTING ORGANIZATION: The University of Florida
Gainesville, Florida 32611-5500

REPORT DATE: September 1999

TYPE OF REPORT: Annual

PREPARED FOR: U.S. Army Medical Research and Materiel Command
Fort Detrick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Approved for Public Release;
Distribution Unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

20000405 134

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 074-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503

1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE September 1999	3. REPORT TYPE AND DATES COVERED Annual (1 Sep 98 - 31 Aug 99)	
4. TITLE AND SUBTITLE Cognitive Changes in Presymptomatic Parkinson's Disease			5. FUNDING NUMBERS DAMD17-98-1-8616	
6. AUTHOR(S) Kenneth M. Heilman, M.D.			8. PERFORMING ORGANIZATION REPORT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) The University of Florida Gainesville, Florida 32611-5500 E-MAIL:				
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Army Medical Research and Materiel Command Fort Detrick, Maryland 21702-5012			10. SPONSORING / MONITORING AGENCY REPORT NUMBER	
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION / AVAILABILITY STATEMENT Approved for public release; distribution unlimited				12b. DISTRIBUTION CODE
13. ABSTRACT (Maximum 200 Words) Patients do not typically develop Parkinson's Disease (PD) until they lose approximately 70% of their dopaminergic neurons. This neural degeneration typically manifests as motor symptoms. Yet, it is possible that subtle cognitive symptoms may precede the onset of these motor symptoms. However, it remains unclear as to what the early cognitive symptoms might be. Many of the neuropsychological changes reported with PD are not typically seen early in the disease and they are not seen in all subjects. Therefore, there is a need to develop new cognitive tests of PD that precede the motor symptoms, are easy to administer and are valid early predictors. In order to develop cognitive tests that predict the onset of the motor deficits associated with Parkinson's Disease it is important to understand the effect of the dopaminergic system on the cortex. One possible action of dopamine on the cerebral cortex is that it increases the signal to noise ratio. Changing this ratio may influence activation of semantic networks. Thus, we intend to study the semantic organization of verbal information in PD patients and matched controls. We will also induce dopamine blockade using Haldol in normal subjects, and assess these subjects for changes in the function of their semantic network.				
14. SUBJECT TERMS Parkinson's Disease, dopamine, semantic network, cognitive symptoms				15. NUMBER OF PAGES 7
				16. PRICE CODE
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT Unlimited	

NSN 7540-01-280-5500

Standard Form 298 (Rev. 2-89)
Prescribed by ANSI Std. Z39-18
298-102

FOREWORD

Opinions, interpretations, conclusions and recommendations are those of the author and are not necessarily endorsed by the U.S. Army.

___ Where copyrighted material is quoted, permission has been obtained to use such material.

___ Where material from documents designated for limited distribution is quoted, permission has been obtained to use the material.

___ Citations of commercial organizations and trade names in this report do not constitute an official Department of Army endorsement or approval of the products or services of these organizations.

N/A In conducting research using animals, the investigator(s) adhered to the "Guide for the Care and Use of Laboratory Animals," prepared by the Committee on Care and use of Laboratory Animals of the Institute of Laboratory Resources, national Research Council (NIH Publication No. 86-23, Revised 1985).

X For the protection of human subjects, the investigator(s) adhered to policies of applicable Federal Law 45 CFR 46.

N/A In conducting research utilizing recombinant DNA technology, the investigator(s) adhered to current guidelines promulgated by the National Institutes of Health.

N/A In the conduct of research utilizing recombinant DNA, the investigator(s) adhered to the NIH Guidelines for Research Involving Recombinant DNA Molecules.

N/A In the conduct of research involving hazardous organisms, the investigator(s) adhered to the CDC-NIH Guide for Biosafety in Microbiological and Biomedical Laboratories.



PI - Signature

Date

Table of Contents

	Page
Front Cover - Accession Document	1
Standard Form (SF) 298 - Report Documentation Page	2
Foreword	3
Table of Contents	4
Introduction	5
Body	6
References	7

Introduction

Patients do not typically develop Parkinson's Disease (PD) until they lose approximately 70% of their dopaminergic neurons. This neural degeneration typically manifests as the motor symptoms which are characteristic of PD. Yet, it is possible that subtle cognitive symptoms may precede the onset of the motor symptoms. In addition, screening for cognitive symptoms may be logistically easier than screening for motor deficits. However, it remains unclear as to what the early cognitive symptoms might be. There have been many excellent neuropsychological studies of patients with PD. These studies have revealed that patients with PD do have neuropsychological defects such as visuospatial disorders and evidence of frontal subcortical dysfunction. However, many of the neuropsychological changes reported with PD are not typically seen early in the disease and they are not seen in all subjects. Therefore, there is a need to develop new cognitive tests of PD that precede the motor symptoms, are easy to administer and are valid early predictors. In our research proposal we plan to develop cognitive tests that may be valid and reliable indicators of impending PD. In order to develop cognitive tests that predict the onset of the motor deficits associated with Parkinson's disease it is important to understand the effect of the dopaminergic system on the cortex. One possible action of dopamine on the cerebral cortex is that it increases the signal to noise ratio. Changing this ratio may influence activation of the semantic networks. If cortical levels of dopamine are influencing priming, one would expect that patients with PD would have stronger priming for indirect words than would controls. In addition, the direct relationship may also be weakened in patients with PD. In this study, we will attempt to learn if patients with PD, when compared to control subjects, prime differently. We also plan to learn if PD performance is different when they are on and off L-dopa. We will further assess relationships in the semantic net by having experimental and control subjects judge the relatedness of words. To test self activation of the semantic net, we will assess word generation in these subjects. We will also study PD patients and matched controls ability to inhibit the semantic net through their ability to complete sentences with unrelated words and generate unrelated words. Finally, we will induce dopamine blockade using Haldol in normal subjects, and test these subjects for changes in the function of their semantic network using the same tasks discussed above.

Body

We have spent the first year of this grant in test development. This activity involved reviewing the current literature on verbal and semantic priming, and deriving appropriate tasks to address our hypotheses regarding semantic priming in PD. This review culminated in a selection of word pairs and word primes (Balota & Lorch, 1986, Bennett & McEvoy, in press, McNamara, 1992, McRae & Boisvert, 1998, Nelson et al., 1998, Shelton & Martin, 1992) for our relatedness judgment task and word generation tasks, which have some normative basis, and will allow us to assess differences in strength of verbal relatedness, and differences in strength of verbal mediation. These tests include a word priming task which requires the subject to identify a stimulus as either a real word or a nonsense word. Another test involves having the subject determine the degree of relatedness between words that have been preselected based on normative-based judgments of relatedness. A third task involves having the subject generate a single word to a stimulus cue that has been preselected based on a normative-based assessment of semantic activation of that cue. This review has also provided us with a list of semantic categories that have normative data for our additional word generation tasks (Battig and Montague, 1969). The tests derived from this list of categories require the subject to generate exemplars that either match or do not match the target category. As part of this process, we have developed computer programs for the administration of some of these tasks that will facilitate data collection and analysis. We have also begun developing referral sources from which to recruit subjects for this study. We have recently initiated data collection. However, we do not have any reportable data at this time.

References

- Balota, D.A. & Lorch, R. F., Jr. (1986). Depth of automatic spreading activation: Mediated priming effects in pronunciation but not lexical decision. *Journal of Experimental Psychology: Learning, Memory and Cognition*, 12 (3), 336-345.
- Battig, W.F. & Montague, W.E. (1969). Category norms for verbal items in 56 categories: A replication and extension of the Connecticut category norms. *Journal of Experimental Psychology*, 80 (3), 1-45.
- Bennett, D.J. & McEvoy, C.L. Mediated priming in younger and older adults. *Experimental Aging Research* (in press).
- McNamara, T. (1992). Theories of priming: I. Associative distance and lag. *Journal of Experimental Psychology: Learning, Memory and Cognition*, 18 (6), 1173-1190.
- McRae, K. & Boisvert, S. (1998). Automatic semantic similarity priming. *Journal of Experimental Psychology: Learning, Memory and Cognition*, 24 (3), 558- 572.
- Nelson, D. L., McEvoy, C. L., & Schreiber, T. A. (1998). The University of South Florida word association, rhyme, and word fragment norms. <http://www.usf.edu/FreeAssociation/>.
- Shelton, J.R. & Martin, R.C. (1992). How semantic is automatic semantic priming? *Journal of Experimental Psychology: Learning, Memory and Cognition*, 18 (6), 1191-1210.