

FINAL REPORT

March 1, 1996 to August 31, 1999

A New High Mass, High Sensitivity, High Resolution Ion Chromatography Instrument AFOSR Grant F49620-98-1-0195

Michael T. Bowers
Department of Chemistry
University of California
Santa Barbara, CA 93106

I. Abstract/Status

The design of a complex instrument intended to probe the generation, structure and reactivity of a wide variety of new material types has been completed. The instrument is composed of a laser desorption ion source, a combination linear/reflectron time of flight mass analyzer, a novel high resolution ion mobility/reactivity cell and a 4000 amu quadrupole mass filter. Construction of the instrument is underway with completion expected in Spring, 2000. This instrument will support research funded under AFOSR Grant F49620-99-1-0048.

II. Objectives

Design and construction of a novel, state-of-the-art instrument to probe the generation, structure and reactivity of a wide class of new materials.

III. Progress/Accomplishments

The instrument has been designed and construction is underway. The instrument eventually will have a number of novel ion sources but we will begin with combination laser desorption/MALDI source. Since there are so many novel aspects of the rest of the design we expect a larger than usual period of initial testing experiments and wanted a dependable ion source during this period. We will add a molecular beam source and electrospray source in due course.

The time-of-flight front end is both a reflectron version for high resolution analysis of the source material and a linear version for mass selected injection into the mobility cell. The mobility cell is a completely new design, 20 cm in length, with high transmission screens 1 cm from the inlet and exit holes. The mobility will be measured between the two screens. The initial 1 cm of the cell will be useful in removing penetration effects and the final cm will allow refocusing of the ion cloud on the exit hole. An annular glass shroud with an interior copper maze will allow temperature variation from 80 to 800 K. This should be both a high resolution and high transmission cell. Finally, a 4000 amu quadrupole mass filter following the mobility cell will be used in reaction studies and to confirm no chemistry occurred in mobility studies.

IV. Papers Published or Submitted for Publication

None to date.

V. Personnel Supported

A. Senior

Dr. Paul Kemper

VI. Papers Presented

None to date

VII. Honors and Awards

See Final Report for "Cluster Ions" AFOSR Grant F49620-96-1-0033

VIII. Transitions

Work continues in collaboration with the group at ICI Ltd.

IX. New Discoveries, Inventions or Patent Disclosures

None to date.

REPORT DOCUMENTATION PAGE

AFRL-SR-BL-TR-00-

8

Public reporting burden for this collection of information is estimated to average 1 hour per response, including gathering and maintaining the data needed, and completing and reviewing the collection of information, including suggestions for reducing this burden, to Washington Headquarters, Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget.

data sources,
aspect of this
215 Jefferson
0503.

0156

1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE	3. FINAL -1 MAR 96 - 31 AUG 99
4. TITLE AND SUBTITLE A NEW HIGH MASS, HIGH SENSITIVITY, HIGH RESOLUTION ION CHROMOTOGRAPHY INSTRUMENT			5. FUNDING NUMBERS F49620-98-1-0195
6. AUTHOR(S) Dr Michael T. Bowers			
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) University of California Department of Chemistry Santa Barbara CA 93106			8. PERFORMING ORGANIZATION REPORT NUMBER F49620-98-1-0195
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) AFOSR/NL 801 N Randolph St., Rm 732 Arlington VA 22203-1977			10. SPONSORING/MONITORING AGENCY REPORT NUMBER
11. SUPPLEMENTARY NOTES			
12a. DISTRIBUTION AVAILABILITY STATEMENT Approved for public release; Distribution unlimited			12b. DISTRIBUTION CODE
13. ABSTRACT (Maximum 200 words) The design of a complex instrument intended to probe the generation, structure and reactivity of a wide variety of new material types has been completed. The instrument is composed of a laser desorption ion source, a combination linear/reflectron time of flight mass analyzer, a novel high resolution ion mobility/reactivity cell and a 4000 amu quadrupole mass filter. Construction of the instrument is underway with completion expected in Spring, 2000. This instrument will support research funded under AFOSR Grant F49620-99-1-0048.			
14. SUBJECT TERMS Laser Desorption analyzer			15. NUMBER OF PAGES 2
			16. PRICE CODE
17. SECURITY CLASSIFICATION OF REPORT UNCLASS	18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASS	19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASS	20. LIMITATION OF ABSTRACT