

LOAN DOCUMENT

PHOTOGRAPH THIS SHEET

DTIC ACCESSION NUMBER

LEVEL

INVENTORY

Remedial measures for downstream but let wait
DOCUMENT IDENTIFICATION

DISTRIBUTION STATEMENT A
Approved for Public Release
Distribution Unlimited

DISTRIBUTION STATEMENT

ACCESSION FOR	
NTIS	GRAM
DTIC	TRAC
UNANNOUNCED	
JUSTIFICATION	
BY	
DISTRIBUTION/	
AVAILABILITY CODES	
DISTRIBUTION	AVAILABILITY AND/OR SPECIAL
A-1	

DISTRIBUTION STAMP

DATE ACCESSIONED

DATE RETURNED

20001006 043

DATE RECEIVED IN DTIC

REGISTERED OR CERTIFIED NUMBER

PHOTOGRAPH THIS SHEET AND RETURN TO DTIC-FDAC

H
A
N
D
L
E

W
I
T
H

C
A
R
E

HOPKINTON DAM
MERRIMACK RIVER BASIN, NH

**DESIGN LETTER REPORT
HOPKINTON DAM**

**REMEDIAL MEASURES FOR
DOWNSTREAM OUTLET WALL**

JULY 1997



**US Army Corps
of Engineers**
New England District

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE JULY 1997	3. REPORT TYPE AND DATES COVERED DESIGN LETTER REPORT	
4. TITLE AND SUBTITLE DESIGN LETTER REPORT REMEDIAL MEASURES FOR DOWNSTREAM OUTLET WALL HOPKINTON DAM, MERRIMACK RIVER BASIN, NH			5. FUNDING NUMBERS	
6. AUTHOR(S) REGINALD PRETTO CIVIL ENGINEER - USACE - NAE				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) US ARMY CORPS OF ENGINEERS NEW ENGLAND DISTRICT GEOTECHNICAL ENGINEERING SECTION 424 TRAPELO ROAD WALTHAM, MA 02254			8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)			10. SPONSORING/MONITORING AGENCY REPORT NUMBER	
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION AVAILABILITY STATEMENT DISTRIBUTION UNLIMITED			12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) The right side (east) outlet wall which separates the forebay pool from the stilling basin has been displaying consistent movement since construction of the dam. Measurements taken have shown that the movement is a combination of both frost action and lateral loading due to earth pressure. This report describes the types of measurements taken, the results and conclusions drawn from those measurements, and a discussion of alternatives for correcting the problem.				
14. SUBJECT TERMS Frost, Frost heave, Ground freezing, Hopkinton Dam, Lateral earth pressure, Merrimack River Basin, Retaining Walls, Tilt Plates, Wall Deformation			15. NUMBER OF PAGES 118	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED	19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED	20. LIMITATION OF ABSTRACT UL	

TABLE OF CONTENTS

1. Summary.....	1
2. Description and History of Project.....	1
a. General.....	1
b. Topography & Geology.....	1
(1) General.....	1
(2) Site Geology.....	2
c. Embankment and Appurtenant Structures Description.....	2
(1) Dam Embankment.....	2
(2) Stilling Basin.....	2
(3)Hoague-Sprague Dam.....	3
(4) Outlet Portal for Forebay Conduit.	3
(5) Outlet Channel for Conduits No. 1 & 2.....	3
(6) Spillway.....	4
d. Foundation Conditions at Outlet Works	4
e. Outlet Wall Problem	4
f. Forebay Dike Erosion.....	4
3. Reservoir Regulation Events.....	5
a. General Reservoir Regulation.....	5
b. Maximum Impoundments.....	5
(1) 1987 Flood Event.....	5
(2) June 1984 Flood.....	5
(3) March 1990 Pool.....	5
(4) August 1991 Pool.....	6
4. Outlet Wall History and Monitoring.....	6
a. Original Wall Design.....	6
b. Investigations of Movement.....	7
(1) General.....	7

(2) Surveys.....	7
(3) Tilt Plates.....	7
(a) Data Collection.....	7
(b) Interpretation and Evaluation.....	8
5. Conclusions.....	10
a. Extent of Movement.....	10
b. Influence of Forebay Pool.....	11
c. Frost Effects.....	11
d. Structural Analysis.....	11
6. Discussion of Alternatives.....	12
a. General.....	12
b. Repair Alternatives.....	12
(1) Thermal Membrane.....	12
(2) Replacement of Impervious Fill.....	12
7. Recommendations.....	12
a. Soil Materials.....	13
(1) Impervious Fill Material.....	13
(2) Pervious Fill Material.....	13
(3) Stone Protection Materials.....	14
(4) Gravel Bedding.....	14
(5) 3/4" Crushed Stone Bedding for Drains.....	14
(6) Crushed Stone Material.....	15
b. Pipe Material.....	15
8. References.....	15

Appendix A -- Structural Analysis

Appendix B -- Tilt Plate and Survey Data

Appendix C -- CRREL Report

LIST OF PLATES

<u>Plate No.</u>	<u>Title</u>
1	Project Location & Vicinity map
2	Hopkinton Dam General Plan
3	Outlet Works Plan and Section
4	Exploration & Instrumentation Plan
5	Hopkinton Outlet Wall - Engineering Log Profile A-A
6	Hopkinton Outlet Wall - Engineering Log Profile B-B
7	Hopkinton Outlet Wall - Profile - Right Side (East) Outlet Wall
8	Hopkinton Outlet Wall - Section C
9	Hopkinton Outlet Wall - Section D
10	Hopkinton Outlet Wall - Section E
11	Hopkinton Outlet Wall - Section F
12	Hopkinton Outlet Wall - Section G
13	Hopkinton Outlet Wall - Section H
14	Hopkinton Outlet Wall - Section I and Detail A
15	Surveyed and Horizontal Deflections
16	Tilt Plate and Survey Data-Plates 2 and 3
17	Tilt Plate and Survey Data- Plates 4 and 5
18	Tilt Plate and Survey Data- Plates 6 and 7
19	Tilt Plate and Survey Data- Plates 8 and 9
20	Tilt Plate and Survey Data- Plates 10 and 11
21	Tilt Plate and Survey Data- Plates 12 and 13
22	Tilt Plate Data: 1 & 15 and Survey Data: 1 & 14

LETTER REPORT

Remedial Measures for Downstream Outlet Wall

1. Summary

The right side (east) outlet wall which separates the forebay pool from the stilling basin has been displaying consistent movement since construction of the dam. Measurements taken have shown that the movement is a combination of both frost action and lateral loading due to earth pressure. This report describes the types of measurements taken, the results and conclusions drawn from those measurements, and an analysis of alternatives for correcting the problem.

2. Description and History of Project

a. General

The Hopkinton Lake Project is part of one of the four reservoir projects that have been constructed in the Merrimack River Basin by the Corps of Engineers for flood control and other purposes.

Hopkinton Lake is located in the town of Hopkinton on the Contoocook River, approximately eighteen miles southwest from the confluence of the Contoocook and Merrimack Rivers at Penacook, New Hampshire (Plate 1). Construction of the project was started in November 1959 and completed in July 1963. An upstream permanent pool is kept at approximately El. 382 ft NGVD, stage 16 ft. The downstream forebay pool created by the Hoague-Sprague Dam, has an average spring and summer elevation near 380 ft NGVD and elevation 382 ft NGVD during the fall and winter. The Hopkinton Lake project was designed and built as part of the overall Hopkinton-Everett reservoir system.

b. Topography & Geology

(1) General

The Hopkinton Reservoir occupies low, flat, relatively wide areas in the pre-glacial Contoocook Valley which has been generally deeply filled with out wash deposits and till. The entire reservoir was occupied during the recessional phase of the last glaciation by connected pools or sluggish-current lakes impounded behind ice and debris barriers which caused temporary damming and diversion of the natural drainage. In the areas occupied by the transient pools, deposits of sand, silt and gravel occur. Till and till covered bedrock hills which rise above the lowlands form the perimeter of the reservoir. (Ref Periodic Inspection No. 1)

(2) Site Geology

The Contoocook River flows in a deep, narrow valley entrenched in glacial tills. The right abutment rises steeply from the river's edge, the left abutment is less steep and rises from a narrow flood plain which occupies the left side of the valley bottom. Bedrock is deeply buried at the site occurring throughout at depths of up to 90 feet. The overburden is generally till which is overlain on the abutments by a thin blanket of silt or fine sand and in the valley bottom by variable, thin deposits of recent alluvium, mostly sands and gravels. Occurring in and under the till are erratic deposits of laminated fine sand and clay, and stratified sands and gravels. The overburden at the dam site, both in the abutments and valley bottom consist mainly of till composed of gravelly, silty sand with cobbles and boulders. The till is characteristically variable, however clayey and gravelly phases are fairly common. All the till is very compact and relatively impervious. Within the limits of usual variability, the till in the abutments is generally homogeneous. In the valley bottom, however, where the till is overlain by superficial deposits of recent, river-washed silty sands and gravelly sands, numerous deposits of laminated silt and clay, stratified sands and laminated silt and clay intimately mixed with the till occur scattered within the main till mass. These deposits generally range from less than one foot to as much as eight feet in thickness but appear to have only limited horizontal continuity and are considered to be isolated lenses in the till.

c. Embankment and Appurtenant Structures Description

(1) Dam Embankment

The dam embankment is a rolled earth filled with rock fill slope protection. It is 790 feet long with a maximum height of 76 feet above stream bed. The top minimum elevation is 437.0 ft NGVD. The dam consists of a homogeneous section of impervious fill, with its slopes protected with a quarry-run type rock on gravel bedding. Embankment seepage is controlled by a vertical pervious fill gravel chimney drain located near the center of the embankment and connected to a horizontal downstream pervious blanket. The dam slopes are 1 on 2 and 1 on 2.5, with a 10-foot berm on the upstream slope at elevation 400, providing an access to the trash rack bars, and a downstream berm at elevation 384, providing an access for maintenance to the stilling basin structure. A rock toe is provided downstream with gravel toe drains at both abutments. Foundation relief wells were provided at the downstream toe to control potential seepage and uplift development. The outlet works, located on a glacial till foundation on the left bank of the river, consists of an approach channel, gate tower, three conduits, stilling basins, an outlet channel, and a forebay pool.

(2) Stilling Basin.

The stilling basin for the two flood control conduits (No. 1 and No. 2) is partitioned by a concrete wall 85 feet long. Each conduit barrel discharges into a single U shaped concrete outlet,

whose invert at the conduit exit is EL. 365.5 ft NGVD. The invert of each outlet drops a height of 15.5 ft. in 50 ft. into the stilling basin to an elevation of 350.0 ft NGVD and at the same time merges into a single section (see plate 3). The end of the stilling basin is approximately 117 ft. from the exit of the conduits and at this point is a single U section whose inside width is approximately 66 feet with a sidewall on the right 35 feet above the floor of the stilling basin and on the left 22 feet above the floor. The stilling basin length is 65.0 feet. The outside walls of the stilling basin are parallel to the centerline of the two floor control conduits. Two rows of concrete baffles and stepped end sill were provided. The elevation at top of the right side (east) concrete wall adjacent to the head water at Hoague-Sprague Dam, is 385.0 ft NGVD, 5 feet higher than the dam's flash boards. The top of the left side (west) wall of the stilling basin is elevation 377.0 ft NGVD.

(3) Effects of Hoague-Sprague Dam

The presence of the downstream Hoague-Sprague Corporation Dam, which has a normal operating pool elevation of 380.0 ft NGVD (winter pool el. 382 ft NGVD), introduces a hydrostatic loading condition in the design of the stilling basin. The right U-wall and T-wall adjacent to the pond have been designed as cantilevers off the base and loaded with the full hydrostatic pressure from the pond. Although drainage has been provided under the slab of the stilling basin, it has been neglected in the design due to the possibility of freezing or clogging of the weep holes with a resulting full hydrostatic head being applied to the underside of the base slab. The left wall has also been designed as a cantilever from the base but with hydrostatic pressure varying from full head at the base to zero at elevation 371 ft NGVD. Projections of the base slab were found to be necessary on each side of the stilling basin slab at the end section in order to maintain a balance of loads to keep the structure from floating under the full hydrostatic pressure.

(4) Outlet Portal for Forebay Conduit.

The forebay conduit (conduit No. 3) and outlet channel discharges into the downstream Hoague Sprague dam pool. The forebay outlet channel that is a 55-foot long U-shaped section. The wall which is adjacent to the stilling basin is extended 51 feet beyond the 55-foot long channel. The channel walls are reinforced concrete cantilever type walls with a common mat. The head wall is supported by the retaining walls on each side and the walls are butted against the head wall. The Hoague Sprague Dam located downstream of the dam is used to supply water to the nearby paper mill and hydropower unit. (See plate 4)

(5) Outlet Channel for Conduits No. 1 & 2

Below the stilling basin the outlet channel slopes up from elevation 353 ft NGVD, at a

rate of 3.0 feet in 100 feet to meet the existing river channel. The outlet channel bottom and side slopes are protected by quarry run type rock fill on gravel bedding.

(6) Spillway

The spillway is a concrete trapezoidal weir (ogee section) founded on bedrock and is located in Dike H-3. Weir crest elevation is El. 416 ft NGVD and the crest length is 300 feet.

d. Foundation Conditions at Outlet Works

The outlet structures were constructed along the left side of the valley bottom. As a result of the required elevation for the invert of the conduit, the conduits and the gate tower structures were founded on a zone of very compact gravelly silty sand (glacial till) at least 5 ft. thick. Below this zone are lenses, bands or strata of various soils interspersed in compact glacial till. It is indicated by available data that these interspersed zones are numerous in the foundation overburden for the conduit but that the soils in the zones are very compact. The foundation conditions for the gate tower were explored by three bore holes, FD-142, FD-145 and FD-155. At these locations, good continuous samples were obtained. Some zones of silt laminated with sandy silt and silty fine sand occur below the upper foundation zone of very compact till. The soils in these zones are compact and well consolidated. Data indicate that no significant sand zones exist in the upper 25 ft. of foundation overburden at the tower structure.

e. Right Side Outlet Wall Problem

The outlet retaining wall (T-wall and portions of the Stilling Basin U-wall) on the east side of the discharge channel is tilting outward into the outlet channel. Since 1967 movement of the wall has been realized. In May of 1973 two brass survey disks were installed on each monolith in order to monitor this movement. Tilt plates were installed in 1989 adjacent to the survey disk to further monitor the movements. Extensive movement has been recorded (see plates 15). The extent of this movement is discussed in the conclusion section of this report.

f. Forebay Dike Erosion

The downstream Forebay Pool is regulated by the Hoague-Sprague Dam. The pool is maintained at elevation 380 ft NGVD during the spring and summer months. In the fall flash boards are added in order to raise the pool two feet to elevation 382 ft NGVD. During the April 1987 event the rock slope protection in the forebay pool was eroded and deposited into the center of the discharge channel. The displaced rock was later placed back onto the slope using a backhoe.

3. Reservoir Regulation Events

a. General Reservoir Regulation

Hopkinton Lake is one of five flood control projects that have been constructed in the Merrimack River basin by the Corps. Located on the Contoocook River in the town of Hopkinton, New Hampshire. It is operated to reduce flooding in downstream communities and to maintain recreational activities. The recreation pool at elevation 380 ft NGVD contains 700 acre feet of storage. This pool is maintained at a depth of about 14 feet and creates a 220-acre permanent pool. The flood control storage amounts to 70,100 acre feet with the pool filled to spillway crest. Since being placed in operation in 1963, the maximum impoundment at Hopkinton Lake occurred in April 1987, when the project was filled to elevation 415.8 ft NGVD (95 Percent full), or 0.2 feet below spillway crest elevation, 416.0 ft NGVD.

b. Maximum Impoundments

(1) 1987 Flood Event

The embankment was subjected to its highest impoundment to date with a maximum water surface elevation of 415.8 ft NGVD, stage 49.8 feet (0.2 feet below the spillway crest), 95% full. The embankment performed satisfactorily during this impoundment. The dam was inspected at the time of the flood by an Emergency Response Team from Geotechnical Engineering Division (GED). Several small clear seeps were observed emerging along the base of the downstream left abutment above El. 384 ft NGVD. These seepage flows were attributed to ground water draining off the left abutment and not seepage through the dam embankment. No abnormal seepage conditions such as piping, boils from through seepage, or sinkholes were observed by the team or reported by the Project Manager.

(2) June 1984 Flood

During June 1984, the embankment was subjected to its second highest impoundment to date with a maximum water surface of 407.5 ft NGVD, stage 41.5 feet (8.5 feet below spillway crest). The dam was inspected at the time of the flood by an Emergency Response Team from GED. No abnormal seepage conditions such as piping, boils, or sinkholes were observed then by the team or subsequently reported by the Project Manager.

(3) March 1990 Pool

During March 1990, the embankment was subjected to its highest impoundment since piezometers three through 11 were installed in 1987 and 1988. The maximum water surface

during this small event was at El. 397.2 ft NGVD, stage 31.2 (18.8 feet below the spillway crest).

(4) August 1991 Pool

During the August 1991 event, the embankment was subjected to an impoundment of 394.6 ft NGVD, Stage 28.6 ft (21.4 feet below spill way crest). The dam was inspected at the time of the flood by an Emergency Response Team from GED. No abnormal seepage conditions such as piping, boils, or sinkholes were observed then by the team or subsequently reported by the Project Manager. During this time the forebay pool was empty (9 July to 24 October) for maintenance which caused the water elevations in the piezometers and relief wells on the left side of the outlet channel to drop.

4. Outlet Wall History and Monitoring

a. Original Wall Design

The right side (east) outlet retaining wall is a reinforced concrete cantilever type T-wall with a seepage and shear key at the heel (see plates 5 thru 11). The top of the east wall is at elevation 385.0 ft NGVD. The total length of the wall is 114.75 feet and it is divided into six monoliths with expansion joints. Monoliths No. 2 through No. 6 have tilted toward the outlet channel. Maximum tilt was observed at the top of the monoliths. The monoliths retain an impervious fill embankment designed to retain the forebay pool for the Hoague-Sprague Dam. The cantilever walls are analyzed based on the assumption that the wall stems will yield and they will experience active earth pressure. The wall thickness-height ratio shows that the walls are relatively less rigid compared to other structures. The 3' x 6' shear key at the heel will be mobilized and it will resist the passive pressure provided by the bearing pressure of the subgrade foundation materials. The passive resistance of the backfill developed at the toe is not considered because the constant water flow in the stilling basin may erode the backfill. Impervious material for the dam and dikes was obtained from required excavations in glacial till for Canal No. 1. The excavated till was very compact, gravelly, silty and clayey sand with only occasional boulders.

The loading conditions considered for the analysis of the outlet channel east wall are as follows: The structure satisfies all stability criteria for overturning, sliding and foundation bearing pressure, except for loading case R3 which is normal condition with seismic. During, the seismic condition the foundation bearing pressure at the toe exceeds the allowable bearing pressure of 8 ksf for monoliths No.2 and No.6. The resultant does not fall within the middle third of the foundation base. For monolith No.6 the factor of safety against sliding during an earthquake is less than 1.3. The loading conditions considered for the analysis of the outlet structure are as follows:

Case R1 Usual Loading: Backfill in place to final elevation. Surcharge (not applicable). Lateral and uplift pressures due to water (normal operating pool elevation 382.0 ft NGVD for Hoague-Sprague Dam and tail water elevation 365.5 ft NGVD in stilling basin).

Case R2 Extreme Loading: Flood condition is not applicable since structure is located at the end of the downstream side of the dam.

Case R3 Earthquake Loading: Load Case R1 with induced lateral load added (Refer to EM 111.225.2: Retaining Walls for description of Earthquake Loading).

b. Investigations of Movement

(1) General

Initial instrumentation for monitoring wall movement consisted of scribe marks at adjoining ends of monoliths No.11 and No.12. The set of scribe marks has shown a maximum relative movement of approximately 3-15/16 inches. In May of 1973, a survey was performed to establish a baseline along the top of the wall which has been used for measuring lateral movement of each monolith periodically. The tilt plates were installed in November 1989 to measure the cumulative rotation of the top of the wall (see plate 4). Tilt plate readings were taken simultaneously with periodic surveys when possible to facilitate a comparison between rotation and lateral movement. (See plates 16 thru 22)

(2) Surveys

The baseline which was established in the May 1973 survey runs along the top of the wall from the east concrete abutment of Hoague-Sprague Dam to the outlet works (see plate 4). The baseline comprises of 14 brass survey disks set horizontally on the top of the wall adjacent to the tilt plates. Surveys have been performed which have recorded the horizontal and vertical movement of each disk.

(3) Tilt Plates

(a) Data Collection

Seventeen tilt plates have been installed on the east and west stilling basin and outlet channel walls which are used to measure the movement of the wall. A Terra Tilt Meter, Model TT-2 is placed in the grooves of the tilt plate in each of the four directions known as A+, A- (A axis), B+, and B- (B axis) and data is recorded for each direction. The A axis is perpendicular to the wall, and the B axis is parallel to the wall. The data read from the tilt meter is $2 \sin \theta$, where θ is the angle of deflection. The readings are then entered on a Lotus 1-2-3 spreadsheet and the deflection angle θ is calculated. A negative deflection angle of the A axis indicates the wall is

rotating toward the stilling basin/outlet channel; a positive deflection angle of the A axis indicates the wall is rotating away from the stilling basin/outlet channel. Rotation of the B axis indicates the wall is rotating side to side.

Temperature data is also collected which is then converted into freezing and thawing degree days; a degree day being the average of the daily maximum and minimum temperatures minus 32 degrees F. Negative numbers represent freezing degree days and positive numbers represent thawing degree days.

(b) Interpretation and Evaluation

(i) Tilt Plates 1 & 15. (Plate 22)

Tilt Plates TP1 and TP15 are located on the east stilling basin U-wall. Plate 22 shows that the highest angle of deflection of TP1 occurred in March 1994 and for TP15 in January 1990 with rotations of -0.2636 and -0.2063 degrees respectively outward of the A axis, toward the stilling basin. The survey data shows the maximum horizontal movement at the top of the wall occurred in November 1994 and was close to 0.16 ft (1.92 in) for TP 1. Some of the horizontal movement and rotation noted occurred during December 1989/January 1990, the coldest month on record, with freezing degree days consistently near -17 (Max -31.5) for over a month. There is no survey data for TP 15. By May 1992 TP15 had rotated inward +0.0516 degrees; rotation then reversed back outwards towards the stilling basin to -0.0516 degrees. No rotation readings were taken during the 1990-91 and 1991-92 winters. TP1 had a maximum vertical movement in May 1994 of 0.068 ft (0.82 in) of heave.

(ii) Tilt Plates 2 & 3. (Plate 16)

TP2 and TP3 located on the east outlet retaining wall and both are on monolith No.6; TP2 is adjacent to the upstream construction joint and TP3 is adjacent to the downstream construction joint. Plate 16 shows TP2 and TP3 having maximum rotations of the A axis of -0.3037 and -0.3266 degrees respectively in January 1990. Rotation of the B axis was minimal as was the vertical movement. Horizontal movement at the top of the wall showed both moved 0.212 ft and 0.224 ft (2.5 inches and 2.9 inches). The maximum rotation and horizontal movement occurred during December 1989/January 1990. There was minimal rotation and movement, relative to December 1989, during the next two winters. Maximum vertical movements were 0.070 ft (0.84 in) and 0.066 ft (0.79 in) of heave respectively occurring in May 1994.

(iii) Tilt Plates 4 & 5. (Plate 17)

TP4 and TP5 are located on the east outlet retaining wall and both are on monolith No. 5; TP4 being on the upstream end and TP5 on the downstream end. Maximum rotation of the A

axis and maximum horizontal movement occurred in January 1990 (Plate 17). Maximum rotation of the A axis was -0.3266 degrees for both TP4 & 5 with corresponding horizontal movement of 0.216 and 0.203 ft (2.6 inches and 2.4 inches) outward toward the stilling basin. TP5's rotation of the A axis retreated back to -0.12 degrees by May 1990 and stayed there until April 1992, by March 1994 it moved outward to -0.3209 degrees. TP4's rotation of the A axis rotated back to near 0 degrees by April 1992 and then back to -0.1948 by March 1994. But TP4's rotation of the B axis gradually moved to near -0.0573 degrees while TP5's B axis rotation was near +0.0115. Maximum vertical movement was 0.067 ft (0.80 in) of heave for both TPs occurring in May 1994.

(iv) Tilt Plates 6 & 7. (Plate 18)

TP6 is located on the upstream end and TP7 is on the downstream end of monolith No. 4 of the east outlet retaining wall. Plate 18 shows maximum horizontal movement toward the outlet channel of TP6 and 7 was 0.21 ft and 0.197 ft (2.5 inches and 2.4 inches) respectively with -0.3266 degrees rotation of the A axis for both tilt plates in December 1989/January 1990. TP6 rotated back to near -0.1 degrees and TP7 rotated close to +0.0344 degrees by April 1992; by March 1994 TP6 reached -0.2521 degrees and TP7 was at -0.1776 degrees. As with TP4, TP7's B axis gradually rotated to -0.0745 degrees by April 1992 while TP6's B axis stayed near 0.0401 degrees. Maximum vertical movements were 0.040 ft (0.48 in) and 0.070 ft (0.84 in) of heave respectively.

(v) Tilt Plates 8 & 9. (Plate 19)

Data for TP8 and 9 is shown on Plate 19; TP8 is on the upstream side and TP9 is on the downstream side of monolith No. 3 on the east outlet retaining wall. Maximum horizontal movement and rotation of the A axis occurred during December 1989/January 1990 when the degree days were consistently freezing for over a month. Rotation of the A axis was maximum in January 1990 with -0.2979 and -0.2922 degrees for TP 8 & 9. Maximum horizontal movement was 0.183 ft (2.2 in) for TP8 and 0.201 ft (2.4 in) for TP9 in January 1990. Maximum vertical movement was 0.067 ft (0.80 in) of heave for both TP's occurring in May 1994.

(vi) Tilt Plates 10 & 11. (Plate 20)

Plate 20 shows the data for TP10, upstream, and TP11, downstream, both on monolith No. 2 on the east outlet retaining wall. Maximum horizontal movement was 0.221 ft in January 1990 and 0.200 ft in March 1996, for TP10 and 11 respectively, outward. Maximum rotation of the A axis for TP10 was -0.2349 degrees and for TP11 -0.2120 degrees. TP10's B axis gradually rotated to -0.0745 degrees, while TP11's B axis gradually rotated to 0.0630 degrees, both by

March 1996. Maximum vertical movements were 0.068 ft (0.82 in) and 0.060 ft (0.72 in) of heave respectively occurring in May 1994.

(vii) Tilt Plates 12 & 13. (Plate 21)

Data for tilt plates 12 and 13 are shown on Plate 21. TP12 and 13 did not respond as significantly to the December 1989/January 1990 winter temperatures as with the other tilt plates. Maximum horizontal movement of TP 12 occurred in January 1990 and was 0.063 ft (0.75 in) while TP13's maximum horizontal movement was 0.035 ft (0.42 in) both occurring in December 1989 and both moving horizontally toward the outlet channel. In December 1989/January 1990, both tilt plates' A axis rotated -0.0802 degrees. By April 1992, TP12's A axis had rotated to +0.0859 degrees inward; TP13 had also rotated toward the forebay pool to +0.0573 degrees. Both plates' B axis rotated to near +0.05 degrees in October 1990; TP12 then rotated back toward -0.0172 degrees and TP13 to near -0.0516 degrees by March 1996. Maximum vertical movements were 0.055 ft (0.66 in) and 0.052 ft (0.62 in) of heave respectively both occurring in May 1994.

(viii) Tilt Plates 14, 16 & 17.

TP14 is located on the east abutment of the Hoague-Sprague Dam adjacent to TP13, TP16 is located on the west stilling basin wall, and 17 is located on the west outlet retaining wall. Maximum horizontal movement of TP14 is 0.035 ft (0.42 in) which occurred in December 1989/January 1990; vertical movement over time has been minimal. Survey data for TP's 16 and 17 is not available. Maximum rotation of the A axis for TP14 is -0.0344 degrees outward and of the B axis is -0.0516 degrees; both occurring in October 1990. Maximum rotation of the A axis of TP16 and 17 was +0.0516 and +0.0458 away from the spillway respectively occurring in March 1995. Maximum rotation of the B axis was +0.0344 degrees in March 1995 for TP16 and +0.0401 degrees in August 1990 for TP17. These three tilt plates were not affected as adversely as TP 1-15 in December 1989/January 1990 possible because the backfill materials are very pervious and non frost susceptible.

5. Conclusions

a. Extent of Movement

Relative to their position on 15 May 1973, all of the monoliths, except for the first (No.1) upstream of the Hoague-Sprague dam abutment, have moved horizontally an average of almost 2-1/2 inches outward toward the stilling basin and outlet channel (see plate 15). During the fifth Periodic Inspection it was observed that monolith No. 2, upstream of the Hoague-Sprague dam abutment had tilted outward relative to monolith No. 1 by 3-15/16 inches at the top of the wall.

Relative movements from zero to 9/32 inch were also noted between other monoliths along the wall during Periodic Inspection No. 4. These monoliths have been steadily moving at a rate of about 1/2-inch every five years since monitoring was initiated in 1967.

b. Influence of Forebay Pool

It has been determined that the change in pool elevation between summer (elev. 380 ft NGVD) and winter (elev. 382 ft NGVD) has little effect on the outlet wall. The two foot change in pool elevation represents a negligible force acting on the wall.

c. Frost Effects

In December 1994 personnel from the Cold Region Research and Engineering Laboratory (CRREL) installed various instrumentation to monitor frost effects. The installed instrumentation includes 31 thermistor-type temperature sensors, one load cell, a vibrating wire inclinometer assembly and two linear motion potentiometers. As of 14 August 1996, maximum pressures in the load cell had reached 26 psi and total deflections of more than 3/4 inches have been measured along the wall. CRREL's inclinometer data suggest that the movement in the wall may be a combination of rotation about a point and deflection of the wall. The thermocouple data indicates that the limits of soil freezing behind the wall are as follows (see appendix C):

- at the top of the clay layer (approx. elev. 383 ft NGVD) frost reaches at least 6' east of the inside of the wall.

- at 8' down from the top of the wall (approx. elev. 377 ft NGVD) frost reaches between 2' and 4' east of the wall.

- at 12' down from the top of the wall (approx. elev. 373 ft NGVD) frost reaches 1 foot east of the wall.

d. Structural Analysis

A complete structural analysis of the outlet wall was performed by the design division. The analysis takes into account that the wall is cracked and assumes uniform frost loading. It is not anticipated that any repairs will be required on the wall. Measured deflections caused by soil and frost loading generally compare to the expected theoretical deflections. See Appendix A for the structural report.

6. Discussion of Alternatives

a. General

The alternatives considered for this project were, the replacement of the special impervious material with a pervious fill and drainage, install a thermal membrane for insulation against freezing, and the do nothing alternative. It has been determined from monitoring that the do nothing alternate would be unacceptable. If movement continues at the current rate, the stem of the outlet wall can produce severe cracks and break. Current movement in the wall would require an alternative that would relieve frost pressures behind the outlet wall, prevent frost from reaching the existing soils behind the wall or both.

b. Repair Alternatives

(1) Thermal Membrane

This alternative considers the installation of a thermal membrane between the outlet wall and the existing special impervious soils. This membrane would, for the most part, prevent frost which crosses the wall from reaching the soil behind it. However, for extended periods of freezing weather, it is not reasonable to expect no frost to penetrate the membrane into the impervious soil region. In addition, water is always present behind the wall stem and ice lenses may still develop behind the wall. For this reason a thermal membrane by itself would not be sufficient protection against frost.

(2) Replacement of Impervious Fill

This alternative would require removal of the special impervious fill behind the outlet wall and placement of a pervious non-frost susceptible fill with a drainage system. This design would prevent frost loads from building up by allowing the water to drain freely. This would prevent the formation of ice lenses in the zone immediately behind the wall. However, if frost was to consume the entire pervious zone and reach the back side of the embankment section, frost loading could reoccur on the wall. The wall may also have frost loading problems if the drainage system were to freeze. However, based on the thermocouple data and further studies done by CRREL it is not likely that either one of these would occur.

7. Recommendations

The recommended action is the replacement of the impervious fill with a 4 foot wide pervious zone and drainage system (see plates 7 thru 14). Based on studies done by CRREL, this design would provide protection for up to a one hundred year event. Construction of this option would require coordination with the Hoague-Sprague Dam, as the forebay pool would have to be drained. Furthermore the design would require specific material specifications.

a. Soil Materials

In general, excavated materials will be reused if they meet the required specification. A description of the necessary materials follows.

(1) Impervious Fill Material

Materials excavated from the existing impervious fill area will be reused in the areas designated for impervious fill material. Impervious fill will consist of a well-graded, natural, unprocessed soil containing sand, and silt or clay sizes. Impervious fill materials should be reasonably well-graded within the following limits.

<u>Sieve Size</u> <u>(U.S. Standard)</u>	<u>Percent Passing</u> <u>by Dry Weight</u>
6-inch	100
3-inch	85-100
No. 4	60-95
No. 40	35-75
No. 200	20-50

(2) Pervious Fill Material

Pervious fill material will be furnished by the contractor in accordance with Section 520, Fine Aggregate, of the State of New Hampshire Department of Transportation's, Standard Specifications for Road and Bridge Construction. Pervious fill material should be a uniformly graded washed sand and conform to the following gradation:

<u>Sieve Size</u> <u>(US Standard)</u>	<u>Percent Passing</u> <u>by Dry Weight</u>
3/8"	100
No. 4	95-100
No. 16	45-80
No. 50	10-30
No. 100	2-10
No. 200	0-3

(3) Stone Protection Materials

The Contractor can reuse existing suitable stone protection materials. Stone protection material should be well graded between the maximum and minimum stone sizes. The maximum and minimum sizes should produce a material without "skip gradation" with stone sizes within the limits specified. The rock will be placed so that the entire finished surface of stone protection will be of uniform appearance.

(4) Gravel Bedding

Gravel bedding materials will be furnished by the contractor and will consist of sand, gravel or crushed stone composed of tough, durable particles. Gravel bedding will be in accordance with Section 304, Item No. 304.2, of the State of New Hampshire Department of Transportation's, Standard Specifications for Road and Bridge Construction. The materials should be graded within the limits specified below:

<u>Sieve Size</u> <u>(U.S. Standard)</u>	<u>Percent Passing</u> <u>by Dry Weight</u>
6-inch	100
No. 4	25-70
No. 200	0-12

(5) 3/4"Crushed Stone Bedding for Drains

Bedding shall be furnished by the contractor and in accordance with Section 703, Standard Stone Size #67, of the State of New Hampshire Department of Transportation's, Standard Specifications for Road and Bridge Construction. Bedding should conform to the following gradation:

<u>Sieve Size</u> <u>(U.S. Standard)</u>	<u>Percent Passing</u> <u>by Dry Weight</u>
1"	100
3/4"	90-100
3/8"	20-55
No. 4	0-10
No. 8	0-5

(6) Crushed Stone Material on Top of Dike

Crushed stone will be contractor furnished material composed of hard, durable, and sound particles. Crushed stone will be in accordance with Section 304, Item No. 304.5, of the State of New Hampshire Department of Transportation's, Standard Specifications for Road and Bridge Construction. The material should be well-graded within the following limits:

Sieve Size (U.S. Standard)	Percent Passing by Dry Weight
3-1/2-inch	100
3 inch	85-100
1-1/2-inch	60-90
3/4 inch	40-70
No. 4	15-40
No. 200	0-5

b. Pipe Material

8" Corrugated Polyethylene (PE) pipe will be used for the drainage system (see plate 14). Circumferential slots shall be cleanly cut so as not to restrict the inflow of water and uniformly spaced along the length and circumference of the tubing. Width of slots shall not exceed 1/8 inch or be less than 1/32 inch. Rows of slots shall be symmetrically spaced so that they are fully contained in quadrants of the pipe.

8. References

Reference is made to the following documents pertinent to the basic design and construction of the dam and its operational history:


- a. Design Memorandum No. V, Hopkinton- Everett Reservoir, Geology and Soils, Part B: Hopkinton Reservoir, February 1959.
- b. Design Memorandum No. VIII, Hopkinton- Everett Reservoir, Detailed Design for Spillway Weir, Outlet Works, and Miscellaneous Structures, February 1959.
- c. Periodic Inspection Report No. 4, Hopkinton Lake, April 1992.
- d. Master Water Control Manual, Merrimack River Basin, August 1977.
- e. Periodic Inspection Report No. 1, Hopkinton Lake, March 1973.


f. Review of Structural Stability, Hopkinton Lake Dam. Hydraulic & Water Resources Engineers, Inc., October 1989.

g. State of New Hampshire - Department of Transportation, Standard Specification for Road and Bridge Construction, 1990

HOPKINTON-EVERETT LAKES NEW HAMPSHIRE

VICINITY MAP





NOTES:
 1. Plans coordinated with New Hampshire
 Transverse Measuring Grid Control.
 Elevations refer to Mean Sea Level Datum
 under which drawings will be made from numbers
 For Elevation Sections, see Sheet Nos. 218-219
 For Outlet Works, Plan and Sections
 see Sheet Nos. 222, 224, 224
 For Details of Chain Link Fence, see
 Sheet Nos. 143-200
 For Details of Gate Gate Rail, see
 Sheet Nos. 295 and 297
 For Detail of New Concrete Abutment of
 Merrimack Dam, see Sheet No. 220
 For Details of Outlet Works, see Sheet No. 220
 For Details of Outlet Works, see Sheet No. 220
 For Details of Outlet Works, see Sheet No. 220

Record Drawing
 CONTROL NO. DA-13-DIG-CIV-ENG-60-2



LEGEND
 ● Pileway
 ● Relief Wall

Location of Relief Walls to be determined in the field

PLAN
 SCALE 1"=100'

NO. 14	NO. 15	NO. 16	NO. 17	NO. 18	NO. 19	NO. 20	NO. 21	NO. 22	NO. 23	NO. 24	NO. 25	NO. 26	NO. 27	NO. 28	NO. 29	NO. 30	NO. 31	NO. 32	NO. 33	NO. 34	NO. 35	NO. 36	NO. 37	NO. 38	NO. 39	NO. 40	NO. 41	NO. 42	NO. 43	NO. 44	NO. 45	NO. 46	NO. 47	NO. 48	NO. 49	NO. 50	NO. 51	NO. 52	NO. 53	NO. 54	NO. 55	NO. 56	NO. 57	NO. 58	NO. 59	NO. 60	NO. 61	NO. 62	NO. 63	NO. 64	NO. 65	NO. 66	NO. 67	NO. 68	NO. 69	NO. 70	NO. 71	NO. 72	NO. 73	NO. 74	NO. 75	NO. 76	NO. 77	NO. 78	NO. 79	NO. 80	NO. 81	NO. 82	NO. 83	NO. 84	NO. 85	NO. 86	NO. 87	NO. 88	NO. 89	NO. 90	NO. 91	NO. 92	NO. 93	NO. 94	NO. 95	NO. 96	NO. 97	NO. 98	NO. 99	NO. 100
--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	--------	---------


U. S. ARMY ENGINEER BUREAU, NEW ENGLAND
 CORPS OF ENGINEERS
 MERRIMACK RIVER FLOOD CONTROL
 HOPKINTON-EVERETT RESERVOIR
 DAM AND OUTLET WORKS
 GENERAL LAYOUT
 COMPTON & FISCHER, INC., NEW HAMPSHIRE
 DRAWN BY: [Signature]
 CHECKED BY: [Signature]
 DATE: JULY 1953
 SCALE: AS SHOWN
 SHEET NO. 218
 MER-11279




LEGEND

- TP-1 Tilt Plate w/ adjacent survey Disk
- FD-88-2 Boring No. (Piez. No.)
- PI-1 Old Piezometer
- ◆ Survey Control Point

DEPARTMENT OF THE ARMY WATERWAYS DIVISION WATERWAYS CONSTRUCTION DISTRICT	
PROJECT NO.	W-1000-1-100
DATE	APRIL 1997
EXPLORATION & INSTRUMENTATION PLAN	
SCALE	AS SHOWN
DATE	APRIL 1997





ENGINEERING LOG PROFILE A-A ALONG RIGHT SIDE (EAST) OUTLET WALL

LEGEND FOR GRAPHIC LOG

FD87-6	Type, year, and number of exploration
EL. 494.7	Elev. of ground surface
SM	Group letter symbol according to ASTM D2487 and ASTM D2488
NR	No recovery or unsatisfactory soil sample recovered
NS	Not sampled
Subsurface water level in boring during	
Number of blows per foot of penetration using a 14 lbs. hammer falling freely on a 2" D x 1-3/8" I.D. in size	
Blow count not recorded or not considered representative	

	Cobble or boulders or concrete (Core-filled)
	Cobble or boulders continuous or nested
	EI. 488.6 Elevation of bedrock surface
	Rock core recovery 0 - 25 %
	Rock core recovery 25 - 50 %
	Rock core recovery 50 - 75 %
	Rock core recovery 75 - 90 %
	Rock core recovery 90 - 100 %
	EI. 488.6 Elevation at bottom of exploration


DEPARTMENT OF THE ARMY
 WASHINGTON, D.C. 20315
 ENGINEERING LOG PROFILE A-A

FD 87-6
 EL. 494.7
 100' of 1:10 2:20
 100' of 1:10 2:20

Hackittman Outlet Wall
 Engineering Log Profile A-A

DATE: 10/1/77
 DRAWN BY: [Name]
 CHECKED BY: [Name]

ELEVATION FT., NGVD



ELEVATION FT., NGVD


ENGINEERING LOG PROFILE B-B ALONG RIGHT SIDE (EAST) OUTLET WALL

LEGEND FOR GRAPHIC LOG

- █ Cobble, boulders or concrete (Core-drilled)
- █ Cobble or boulders, continuous or nested.
- █ El. 488.6 Elevation of bedrock surface
- █ Rock core recovery 0 - 25 %
- █ Rock core recovery 25 - 50 %
- █ Rock core recovery 50 - 75 %
- █ Rock core recovery 75 - 90 %
- █ Rock core recovery 90 - 100 %
- █ El. 488.6 Elevation at bottom of exploration.

FD87-6 Type, year, and number of exploration
 EL. 494.7 Elev. of ground surface
 SW Group letter symbol according to ASTM D2487 and ASTM D2488
 NR No recovery or unsatisfactory soil sample recovered
 NS Not sampled
 Blow count level in boring during time of exploration
 Number of blows per foot of penetration using a 140 lbs. hammer falling freely an 0.25' O.D. - 1.36" I.D. in size
 Blow count not recorded
 or not considered representative

PROJECT NO.	100-100-100-100
DATE	10/10/10
SCALE	AS SHOWN
DESIGNED BY	J. J. J.
CHECKED BY	J. J. J.
APPROVED BY	J. J. J.
Harkinton Outlet Wall Engineering Log Profile B-B	



PROFILE OF PROPOSED REMEDIAL WORK - ALONG INSIDE FACE OF RIGHT SIDE (EAST) CONCRETE WALL

SCALE: 1" = 10'


GRAPHIC SCALES:



Legend

- New Work
- Existing

DEPARTMENT OF THE ARMY	
NEW BRIDGE DIVISION	
CORPS OF ENGINEERS	
WALTHAM, MASSACHUSETTS	
DESIGN BY	RP
CHECK BY	MAV
DRAWN BY	RP
MERRIMACK VALLEY FLOOD CONTROL	
HOPKINTON DAM	
HOPKINTON OUTLET WALL	
Profile Right Side(East) Outlet Wall	
CONTOODUCK RIVER NEW HAMPSHIRE	
GEOTECH. ENG. DIV.	SCALE: AS SHOWN
PLATE NO. 7	DATE: APRIL 1997



Legend
 --- Existing
 — New


PROPOSED REMEDIAL WORK — SECTION C
 STATION 1+50
 SCALE: 1"=10'

GRAPHIC SCALES:



Note:
 For 8" perforated pipe installation detail,
 see Detail A on plate 14

DEPARTMENT OF THE ARMY NEW ENGLAND DIVISION CORPS OF ENGINEERS WALTHAM, MASSACHUSETTS	
DESIGNED BY RP	MERRIMACK VALLEY FLOOD CONTROL
CHECKED BY MAV	HOPKINTON DAM
DRAWN BY RP	HOPKINTON OUTLET WALL Section C
CONTOODCOOK RIVER NEW HAMPSHIRE	
GEOTECH. ENG. DIV. PLATE NO. 8	SCALE: AS SHOWN DATE: APRIL 1997



Legend
 --- Existing
 — New


PROPOSED REMEDIAL WORK - SECTION D
STATION 1+90
 SCALE: 1" = 10'

Note:
 For 8" perforated pipe installation detail,
 see Detail A on plate 14.

GRAPHIC SCALES:



DEPARTMENT OF THE ARMY NEW ENGLAND DIVISION CORPS OF ENGINEERS WALTHAM, MASSACHUSETTS	
RP	MERRIMACK VALLEY FLOOD CONTROL
DESIGN BY	HOPKINTON DAM
MAV	HOPKINTON OUTLET WALL
CHECK BY	SECTION D
RP	CONTOODUCK RIVER
DRAWN BY	NEW HAMPSHIRE
GEOTECH. ENG. DIV.	SCALE: AS SHOWN
PLATE NO. 9	DATE: APRIL 1997



Legend
 --- Existing
 — New


PROPOSED REMEDIAL WORK - SECTION E
STATION 2+25
 SCALE: 1"=10'

Note:
 For 8" perforated pipe installation detail,
 see Detail A on plate 14.

GRAPHIC SCALES:



DEPARTMENT OF THE ARMY	
NEW ENGLAND DIVISION	
CORPS OF ENGINEERS	
WALTHAM, MASSACHUSETTS	
RP	MERRIMACK VALLEY FLOOD CONTROL
DESIGN BY	HOPKINTON DAM
MAV	HOPKINTON OUTLET WALL
CHECK BY	Section E
RP	CONTOCOCK RIVER
DRAWN BY	NEW HAMPSHIRE
GEOTECH. ENG. DIV.	SCALE: AS SHOWN
PLATE NO. 10	DATE: APRIL 1997



NOTE:

For new 8" perforate pipe section detail, see Detail "A".

PROPOSED REMEDIAL WORK - SECTION G
STATION 0+40


SCALE: 1"=10'

GRAPHIC SCALES:



DEPARTMENT OF THE ARMY NEW ENGLAND DIVISION CONTOODCOOK RIVER WALTHAM, MASSACHUSETTS	
DESIGN BY	RP
CHECK BY	MAY
DRAWN BY	RP
MERRIMACK VALLEY FLOOD CONTROL HOPKINTON DAM HOPKINTON OUTLET WALL Section G CONTOODCOOK RIVER NEW HAMPSHIRE	
GEOTECH. ENG. DIV.	SCALE: AS SHOWN
PLATE NO. 12	DATE: APRIL 1997

ELEVATIONS (MSL)
 390
 380
 370
 360
 350
 340



Legend
 --- Existing
 — New

PROPOSED REMEDIAL WORK - SECTION H
 STATION 0+60


SCALE: 1"=10'

GRAPHIC SCALES:



Note:
 For 8" perforated pipe installation detail,
 see Detail A on plate 14

DEPARTMENT OF THE ARMY NEW ENGLAND DIVISION WASHINGTON FIELD OFFICE WALTHAM, MASSACHUSETTS	
DESIGN BY	RP
CHECKED BY	MAV
DRAWN BY	RP
MERRIMACK VALLEY FLOOD CONTROL HOPKINTON DAM HOPKINTON OUTLET WALL Section H CONTOODUCK RIVER NEW HAMPSHIRE	
GEOTECH. ENG. DIV.	SCALE: AS SHOWN
PLATE NO. 13	DATE: APRIL 1997



Stilling Basin

DETAIL A
SCALE: 1" = 5'

PROPOSED REMEDIAL WORK - SECTION I

STATION 0+86

SCALE: 1" = 10'


GRAPHIC SCALES:

DEPARTMENT OF THE ARMY NEW ENGLAND DIVISION CORPS OF ENGINEERS WALTHAM, MASSACHUSETTS	
DESIGN BY RP	MERRIMACK VALLEY FLOOD CONTROL
CHECK BY MAV	HOPKINTON DAM
DRAWN BY RP	HOPKINTON DAM PROJECT
CONTRACT NO. GEO TECH. ENG. DIV.	CONTOODCOK RIVER NEW HAMPSHIRE
PLATE NO. 14	SCALE: AS SHOWN DATE: APRIL 199

FOREBAY
POOL

Baseline Survey
May 1973

STILLING
BASIN



LEGEND

- ◆ 29 January 1974
- 25 June 1975
- 28 April 1976
- ▼ 3 November 1977
- 23 May 1978
- ▲ 15 November 1987
- ◇ 26 April 1989
- ◇ 8 December 1989
- 17 January 1990
- ▽ 3 May 1990
- 23 April 1991
- 23 May 1994
- 9 November 1994
- ▷ 15 March 1996

GRAPHIC SCALES




SURVEYED HORIZONTAL DEFLECTIONS
DISC 1 thru DISC 15

APRIL 1997

Tilt Plate Data: Plate Nos. 2 & 3

Hopkinton Outlet Wall - Monolith #6



- Tilt plate 2, A Rot'n
- ◇ Tilt plate 2, B Rot'n
- ▲ Tilt plate 3, A Rot'n
- Tilt plate 3, B Rot'n



Survey Data: Disk Nos. 2 & 3

Hopkinton Outlet Wall

- Disk No. 2, Horiz. Mvmt.
- ◇ Disk No. 2, Elev. Change
- ▲ Disk No. 3, Horiz. Mvmt.
- Disk No. 3, Elev. Change




TYPICAL TILT PLATE

DEPARTMENT OF THE ARMY NEW ENGLAND DIVISION CORPS OF ENGINEERS WALTHAM, MASSACHUSETTS	
RP DESIGN BY MAV CHECK BY RP DRAWN BY	MERRIMACK VALLEY FLOOD CONTROL HOPKINTON DAM TILT PLATE AND SURVEY DATA 2 & 3 CONTOOCCOOK RIVER NEW HAMPSHIRE
GEOTECH. ENG. DIV. PLATE NO. 16	SCALE: NO SCALE DATE: APRIL 1997

Tilt Plate Data: Plate Nos. 4 & 5

Hopkinton Outlet Wall - Monolith #5



- Tilt plate 4, A Rot'n
- ◇ Tilt plate 4, B Rot'n
- ▲ Tilt plate 5, A Rot'n
- ▬ Tilt plate 5, B Rot'n



Survey Data: Disk Nos. 4 & 5

Hopkinton Outlet Wall


- Disk No. 4, Horiz. Mvmt.
- ◇ Disk No. 4, Elev. Change
- ▲ Disk No. 5, Horiz. Mvmt.
- ▬ Disk No. 5, Elev. Change



DEPARTMENT OF THE ARMY NEW ENGLAND DIVISION CORPS OF ENGINEERS WALTHAM, MASSACHUSETTS	
RP DESIGN BY MAV CHECK BY RP DRAWN BY	MERRIMACK VALLEY FLOOD CONTROL HOPKINTON DAM TILT PLATE AND SURVEY DATA 4 & 5 CONTOCOOK RIVER NEW HAMPSHIRE
GEOTECH. ENG. DIV. PLATE NO. 17	SCALE: NO SCALE DATE: APRIL 1997



Tilt Plate Data: Plate Nos. 6 & 7 Hopkinton Outlet Wall - Monolith #4

- Tilt plate 6, A Rot'n
- ◇ Tilt plate 6, B Rot'n
- ▲ Tilt plate 7, A Rot'n
- Tilt plate 7, B Rot'n



Survey Data: Disk Nos. 6 & 7 Hopkinton Outlet Wall

- Disk No. 6, Horiz. Mvmt.
- ◇ Disk No. 6, Elev. Change
- ▲ Disk No. 7, Horiz. Mvmt.
- Disk No. 7, Elev. Change



DEPARTMENT OF THE ARMY
NEW ENGLAND DIVISION
CORPS OF ENGINEERS
WALTHAM, MASSACHUSETTS

RP
DESIGN BY
MAV
CHECK BY
RP
DRAWN BY

MERRIMACK VALLEY FLOOD CONTROL
HOPKINTON DAM
TILT PLATE AND SURVEY DATA
6 & 7
CONTOOCCOOK RIVER NEW HAMPSHIRE


GEOTECH. ENG. DIV.
PLATE NO. 18

SCALE: NO SCALE
DATE: APRIL 1997

Tilt Plate Data: Plate Nos. 8 & 9

Hopkinton Outlet Wall - Monolith #3



- Tilt plate 8, A Rot'n
- ◇ Tilt plate 8, B Rot'n
- ▲ Tilt plate 9, A Rot'n
- ≡ Tilt plate 9, B Rot'n



Survey Data: Disk Nos. 8 & 9

Hopkinton Outlet Wall

- Disk No. 8, Horiz. Mvmt.
- ◇ Disk No. 8, Elev. Change
- ▲ Disk No. 9, Horiz. Mvmt
- ≡ Disk No. 9, Elev. Change



TYPICAL TILT PLATE

DEPARTMENT OF THE ARMY
NEW ENGLAND DIVISION
CORPS OF ENGINEERS
WALTHAM, MASSACHUSETTS

RP
DESIGN BY
MAV
CHECK BY
RP
DRAWN BY

MERRIMACK VALLEY FLOOD CONTROL
HOPKINTON DAM
TILT PLATE AND SURVEY DATA
8 & 9
CONTOOCCOOK RIVER NEW HAMPSHIRE


GEOTECH. ENG. DIV.
PLATE NO. 19

SCALE: NO SCALE
DATE: APRIL 1997

Tilt Plate Data: Plate Nos. 10 & 11

Hopkinton Outlet Wall - Monolith #2



- Tilt plate 10, A Rot'n
- ◇ Tilt plate 10, B Rot'n
- ▲ Tilt plate 11, A Rot'n
- Tilt plate 11, B Rot'n



Survey Data: Disk Nos. 10 & 11

Hopkinton Outlet Wall

- Disk No. 10, Horiz. Mvmt.
- ◇ Disk No. 10, Elev. Change
- ▲ Disk No. 11, Horiz. Mvmt.
- Disk No. 11, Elev. Change



TYPICAL TILT PLATE


DEPARTMENT OF THE ARMY
NEW ENGLAND DIVISION
CORPS OF ENGINEERS
WALTHAM, MASSACHUSETTS

RP	MERRIMACK VALLEY FLOOD CONTROL	
DESIGN BY		
MAV	HOPKINTON DAM	
CHECK BY		
RP	TILT PLATE AND SURVEY DATA	
DRAWN BY		
	CONTOOCCOOK RIVER	NEW HAMPSHIRE
GEOTECH. ENG. DIV.		SCALE: NO SCALE
PLATE NO. 20		DATE: APRIL 1997

Tilt Plate Data: Plate Nos. 12 & 13

Hopkinton Outlet Wall - Monolith #1



- Tilt plate 12, A Rot'n
- ◇ Tilt plate 12, B Rot'n
- ▲ Tilt plate 13, A Rot'n
- ≡ Tilt plate 13, B Rot'n



Survey Data: Disk Nos. 12 & 13

Hopkinton Outlet Wall

- Disk No. 12, Horiz. Mvmt.
- ◇ Disk No. 12, Elev. Change
- ▲ Disk No. 13, Horiz. Mvmt.
- ≡ Disk No. 13, Elev. Change





DEPARTMENT OF THE ARMY
NEW ENGLAND DIVISION
CORPS OF ENGINEERS
WALTHAM, MASSACHUSETTS

RP	MERRIMACK VALLEY FLOOD CONTROL
DESIGN BY	
MAV	HOPKINTON DAM
CHECK BY	
RP	TILT PLATE AND SURVEY DATA
DRAWN BY	
	12 & 13
	CONTOOCCOOK RIVER
	NEW HAMPSHIRE
GEOTECH. ENG. DIV.	SCALE: NO SCALE
PLATE NO. 21	DATE: APRIL 1997

Tilt Plate Data: Plate Nos. 1 & 15

Hopkinton Outlet Wall




- Tilt plate 1, A Rot'n
- ◇ Tilt plate 1, B Rot'n
- ▲ Tilt plate 15, A Rot'n
- Tilt plate 15, B Rot'n



Survey Data: Disk Nos. 1 & 14

Hopkinton Outlet Wall

- Disk No. 1, Horiz. Mvmt.
- ◇ Disk No. 1, Elev. Change
- ▲ Disk No. 14, Horiz. Mvmt.
- Disk No. 14, Elev. Change



TYPICAL TILT PLATE

DEPARTMENT OF THE ARMY
NEW ENGLAND DIVISION
CORPS OF ENGINEERS
WALTHAM, MASSACHUSETTS

RP
DESIGN BY
MAV
CHECK BY
RP
DRAWN BY

MERRIMACK VALLEY FLOOD CONTROL
HOPKINTON DAM
TILT PLATE DATA: 1 & 15
SURVEY DATA: 1 & 14
CONTOOCOOK RIVER NEW HAMPSHIRE

GEOTECH. ENG. DIV.
PLATE NO. 22

SCALE: NO SCALE
DATE: APRIL 1997

APPENDIX A -- STRUCTURAL ANALYSIS

HOPKINTON RETAINING WALL - STRUCTURAL ANALYSIS

PURPOSE AND SCOPE

Frost loads on the east outlet retaining walls were calculated from the measured deflections and the assumptions of limits of frost loading on the walls. Forces acting on representative wall sections were analyzed to determine the theoretical deflection of the walls due to frost and soil loadings. Analysis for overturning and bearing pressures was performed utilizing values of soil, wall and water pressures.

ASSUMPTIONS

CONCRETE

Compressive Strength of Concrete, $f_c = 3000$ psi
Modulus of Elasticity of Concrete, $E_c = 3.12 \times 10^6$ psi

STEEL

Yield Strength of Steel, $f_y = 60,000$ psi
Development of reinforcement at base into stem of wall.

DEAD LOADS

Rock	135 P.C.F.
Impervious Fill	140 P.C.F.
Concrete	150 P.C.F.
Gravel	150 P.C.F.

PROCEDURE

Calculations were based on actual design information obtained from the existing retaining walls from project drawings and loadings, deflections and soil properties supplied by the Geotechnical Engineering Division.

Maximum and frost deflections of the east walls, as shown on Geotechnical Plate No. 2 - Outlet Wall Plan, were used to back calculate the frost force acting on the walls within the frost zone specified by Plates 3 to 6 - Earth Pressure Diagrams.

Active and pore pressures per unit length of the wall were determined in order to assess soil pressures on the walls. Moments due to active and pore pressures (M_{act}) were calculated for the full depth of each wall at 0.5 ft intervals. The theoretical moment capacity (M_u) was calculated based upon the available information about the concrete properties and the reinforcement size and location as obtained from the record drawings for the existing project. The moments due to the frost loadings (M_{ice}) were determined from the previously calculated frost forces and their area of influence. Cracking moments (M_{cr}) were calculated for the walls

based on available geometric information of the existing wall sections. If the moment due to the frost loadings plus the moment due to the earth pressures on the wall were greater than the cracking moment, then it was assumed that the section of wall is cracked at that location. Allowable moment due to frost loadings (Mall ice) on the wall is the difference between the theoretical moment capacity and actual moment due to active soil and pore pressures on the wall. Deflections at each wall interval due to frost and earth pressure were calculated and summed for a total theoretical deflection of the wall due to those forces.

To check the stability of the retaining walls, overturning analyses were performed. Overturning analysis included the calculations of pressures exerting overturning moments on the walls. Horizontal overturning forces included the active soil (Pa) and the frost pressures (Pice). The vertical overturning pressures were caused by uplift forces (U1). For calculation of the resisting moments, the weight of the soil above the heel and the weight of the concrete were calculated. The resisting forces include the horizontal water pressure on the toe side of the walls (Pw1) and the vertical forces exerted by the weight of the walls (C1, 2, 3, 4) and rock, gravel and soil behind them (WS).

The vertical pressures as transmitted to the soil by the base slab of the retaining walls were determined for comparison to the ultimate bearing capacity of the soil. Bearing pressure left and right are the maximum and minimum pressures occurring at the toe and heel sections, respectively.

SUMMARY OF RESULTS

Frost loads for each wall were calculated from the measured deflections of the retaining walls. Theoretical deflections for full depth of the walls determined from the calculated values of frost load generally compare well to the observed values and are summarized as follows:

	Frost Load (plf)	Deflections due to Frost (inch)	Deflections due to Frost and Soil Pressure (inch)	Measured Deflections due to Frost (inch)	Measured Deflections due to Frost and Soil Pressure (inch)
Wall A	615	1.19	2.48	0.91-1.19	2.44-2.69
Wall B	620	1.10	2.20	0.78-0.97	2.20-2.65
Wall C	200	0.45	1.70	0.59	2.24
Stilling Basin Wall	620	0.81	1.65	0.68	1.74

The value of frost load calculated for Wall C was comparatively low. The calculated actual moment exceeded the ultimate moment at elevation 360.0 at Wall C. The steel reinforcement size and the quantities obtained from the project drawings for this section are presumed incorrect and would result in the values obtained.

Resisting moments exceed overturning moments with the following factors of safety with respect to overturning:

	Factor of Safety
Wall A	1.58
Wall B	1.55
Wall C	1.98

The usual minimum desirable value for the factor of safety with respect to overturning is 1.5 to 2.0.

The maximum and minimum bearing pressures for the toe and heel sections are as follows:

	q_{max} (ksf)	q_{min} (ksf)
Wall A	4.45	0.61
Wall B	4.94	0.02
Wall C	3.35	1.15



Sample calculations, spreadsheets and summaries of all work are attached.

SUBJECT HOPKINTON EAST RETAINING WALL

COMPUTATION BASIC CALCULATIONS

COMPUTED BY NAD CHECKED BY JDC DATE 1/14/94

WALL A SEC B-B



PRESSURE @ 350.5

$$A \frac{918.0}{38} \times 33.5 = 809.3$$

$$R \frac{1399}{38} \times 33.5 = 1233.6$$

$$\begin{aligned} \text{ACTIVE + PORE PRESSURE} &= 809.3 + 1747.2 = 2556.5 \text{ 16/FT} \\ \text{AT REST + PORE PRESSURE} &= 1233.6 + 1747.2 = 2980.8 \text{ 16/FT.} \end{aligned}$$

27 Sept 49

CORPS OF ENGINEERS, U.S. ARMY

SUBJECT HOPKINTON FIRST RETAINING WALL


COMPUTATION BACKUP CALCULATIONS

COMPUTED BY MAD CHECKED BY JAC DATE 1/14/94

USE ACTIVE PRESSURE DUE TO MOVEMENT OF THE WALL

- CALCULATE MOMENT DUE TO ACTIVE PRESSURE + PORE PRESSURE
- SEGMENT WALL INTO 0.5' INTERVALS

ACTIVE + PORE PRESSURE = 2556.5 lb/ft



$$W = \frac{wl}{2} = \frac{2556.5(33.5)}{2} = 42821.4$$


$$M_x = \frac{Wx^3}{3l^2}$$

$$M @ 33.5 = \frac{(42821.4)(33.5 \times 12)^3}{3(33.5 \times 12)^2} = 5,738,067 \text{ lb.in} = 5.7 \times 10^6 \text{ lb.in}$$

CALCULATE THEORETICAL MOMENT CAPACITY OF THE WALL @ 0.5' INTERVALS

ASSUME DEVELOPMENT OF #11 @ 1'-0" AT BASE 5'-5" INTO STEM

#11 @ 1'-0" $A_s = 1.56 \text{ in}^2$
 #11 @ 6" $A_s = 3.12 \text{ in}^2$



$$A_s = 3.12 + 1.56 = 4.68 \text{ in}^2$$

$$\gamma = 0$$

A	d	Ad
3.14	71.25	223.73
1.56	65.25	101.75
4.7		325.52

$$d = 65.25"$$

27 Sept 49

CORPS OF ENGINEERS, U. S. ARMY

PAGE 3

SUBJECT HOPKINTON EAST RETAINING WALLCOMPUTATION BACKUP CALCULATIONSCOMPUTED BY M.A.D.CHECKED BY J.P.C.DATE 1/14/94

$$M_u = \phi M_n$$

$$= 0.9 A_s f_y (d - a/2)$$

$$a = \frac{T}{0.85 f'_c b} = \frac{A_s f_y}{0.85 f'_c b} = \frac{4.68(60)}{0.85(3)(12)} = 9.176 \text{ in}$$

$$M_u = 0.9(4.68)(60)(69.25 - 9.176/2)$$

$$= (0.9)18157 \text{ k.in}$$

$$= 16,341,321 \text{ lb.in}$$

$$= 16 \times 10^6 \text{ lb.in}$$

CALCULATE CRACKING MOMENT.

$$M_{cr} = \frac{f'_c I_g}{y_t}$$

@ EL 350.5 $f'_c = 3000 \text{ psi}$

$$f'_c = 7.5 \sqrt{f'_c} = 411 \text{ psi}$$

$$I_g = \frac{bh^3}{12} = \frac{12 \times 12^3}{12} = h^3 (A.25)^3 = 409345$$

$y_t =$ DIST FROM CENTROID TO EXTREME TENSION FIBER OF UNCRACKED SECTION.

$$= 4/2 = 74.25/2 = 37.125$$

$$M_{cr} = \frac{(411)(409345)}{37.125} = 4,531,738 \text{ lb.in}$$

SUBJECT HOPKINTON EAST RETAINING WALL

COMPUTATION BACKUP CALCULATIONS

COMPUTED BY M.A.D. CHECKED BY [Signature] DATE 1/14/54

$$M_{(ICE)} + M_{(ACTIVE EARTH PRESSURE)} > M_{CR}$$

- THEN ASSUME SECTION IS CRACKED AT THAT POINT
- IGNORE I_{EFF} DUE TO CANTILEVER BEAM & POSSIBILITY OF EXTENSIVE CRACKING

IF $M_{ICE} + M_{ACT} > M_{CR}$ USE I_{CR} FOR I_{EFF} .

CALCULATE I_{CR} .


CALCULATE NEUTRAL AXIS.

$$E_c = 57000 \sqrt{f_c} = 3.12 \times 10^6$$

$$n = \frac{29 \times 10^6}{3.12 \times 10^6} = 9.3$$

$$A_{s1}(n) = (3.12)(9.3) = 29.0$$

$$A_{s2}(n) = (1.56)(9.3) = 14.5$$



LOCATION OF C

ZONE	AREA	\bar{y}	$A\bar{y}$
COMPRESSION	$12c$	$\frac{c}{2}$	$6c^2$
A_{s1}	29.0	$c - 71.25$	$29c - 2066.25$
A_{s2}	14.5	$c - 65.25$	$14.5c - 946.13$

① NEUTRAL AXIS $\sum A\bar{y} = 0 \quad \therefore 6c^2 + 43.5c - 3012.38$

$$c = \frac{-b \pm \sqrt{b^2 - 4AC}}{2A} = \frac{-43.5 \pm \sqrt{(43.5)^2 - 4(6)(-3012.38)}}{12}$$

$c = 19.073$ ←
 $c = -26.32$ SINCE c CANT BE NEG.

27 Sept 49

CORPS OF ENGINEERS, U.S. ARMY

SUBJECT HOPKINTON - EAST RETAINING WALL

COMPUTATION BACK UP CALCULATIONS

COMPUTED BY M.A.D.

CHECKED BY [Signature]

DATE 1/14/94


CALCULATE ICE CRACKED MOMENT OF INERTIA.

I

ZONE	AREA	\bar{Y}	I	A_y^2
COMPRESSION	228.9	9.54	6938.4	20750.6
AS ₁	29	-52.18	—	78959.8
AS ₂	14.5	-46.18	—	30918.6

$I_{cr} = 137567 \text{ in}^4$

CALCULATE ICE FORCE. - ASSUME UNIFORM DISTRIBUTED LOAD.



EL 382.0 MOMENT AT BASE

$$(wL) \left(363 - 350.5 + \frac{L}{2} \right)$$

USING ICE FORCE OF 620 PLF

$$\left(\frac{620}{12} \right) (19 \times 12) \left((363.0 - 350.5 + \frac{19}{2}) \times 12 \right)$$

$$(11780) (264)$$

$$= 3109920 \text{ lb}\cdot\text{in}$$

27 Sept 49

CORPS OF ENGINEERS, U.S. ARMY

PAGE 6SUBJECT HOPKINTON - EAST RETAINING WALLCOMPUTATION BACKUP CALCULATION:COMPUTED BY M.A.D.CHECKED BY JTCDATE 1/14/94

DEFL OF WALL DUE TO ICE LOAD

$$\frac{M_{ICE}}{EI} = \frac{3109920}{(3.12 \times 10^4)(137567)} = 7.24 \times 10^{-6}$$

$$AREA = \left(\left(\frac{M}{EI_A} + \frac{M}{EI_B} \right) / 2 \right) \times 6''$$

$$MOMENT ARM = DIST FROM END - 3''$$

$$\Delta = AREA \frac{M}{EI} \times MOMENT ARM.$$

REMAINING CALCULATIONS ARE ITERATIVE RECALCULATIONS OF ABOVE CALCULATIONS FOR EACH SECTION AT 6" SECTIONS

HOPKINTON EAST RETAINING WALL
WALL A - SEC. B-B

Ice Load 615 plf
Ice Deflection 1.19 in
Total Deflection 2.48 in
Overload 0 points exceeding %.

EL.	HEIGHT	I	WIDTH	Icr	yt	Ycr	Mact	Mu	Mall	Ice force	I	EI
	FT.	IN ⁴	in	IN ⁴		lb-in	lb-in	lb-in	lb-in	615		
350.5	0	409345	74.25	137552	37.13	4551737	5738064	16341321	10603257	3084840	137552	4.3E+11
351.0	0.5	389017	73.00	132155	36.50	4360438	5484952	16025421	10540470	3014730	132155	4.1E+11
351.5	1.0	365773	71.75	126872	35.88	4231707	5239394	15709521	10470127	2944620	126872	4.0E+11
352.0	1.5	350403	70.50	121703	35.25	4085546	5001277	15393621	10392344	2874510	121703	3.8E+11
352.5	2.0	332093	69.25	116648	34.63	3941952	4770486	15077721	10307235	2804400	116648	3.6E+11
353.0	2.5	314432	68.00	111706	34.00	3800929	4546907	14761821	10214914	2734290	111706	3.5E+11
353.5	3.0	297409	66.75	106877	33.38	3662472	4330425	14445921	10115496	2664180	106877	3.3E+11
354.0	3.5	281011	65.50	102161	32.75	3526586	4120925	14130021	10009096	2594070	102161	3.2E+11
354.5	4.0	265228	64.25	97557	32.13	3393267	3918294	13814121	9895827	2523960	97557	3.0E+11
355.0	4.5	250047	63.00	93067	31.50	3262518	3722417	13498221	9775805	2453850	93067	2.9E+11
355.5	5.0	235457	61.75	88682	30.88	3134337	3533178	13182321	9649143	2383740	88682	2.8E+11
356.0	5.5	221445	60.50	84421	30.25	3008726	3350465	12866421	9515956	2313630	84421	2.6E+11
356.5	6.0	208001	59.25	80297	29.63	2885682	3174162	12546449	9378488	2243520	80297	2.0E+11
357.0	6.5	195112	58.00	76293	29.00	2765208	3004155	12231049	9246895	2173410	76293	1.9E+11
357.5	7.0	182767	56.75	72405	28.38	2647302	2840329	11920449	9100121	2103300	72405	1.8E+11
358.0	7.5	170954	55.50	68635	27.75	2531966	2682570	116029849	8947280	2033190	68635	1.7E+11
358.5	8.0	159651	54.25	65082	27.13	2419197	2530763	1129249	8783486	1963080	65082	1.6E+11
359.0	8.5	148877	53.00	61645	26.50	2308998	2384795	1098849	8623855	1892970	61645	1.5E+11
359.5	9.0	138590	51.75	58325	25.88	2201367	2244550	1069049	8453500	1822860	58325	1.4E+11
360.0	9.5	128788	50.50	55122	25.25	2095306	2109914	10407449	8277536	1752750	55122	1.4E+11
360.5	10.0	119459	49.25	52037	24.63	1993812	1980772	1002095	8021322	1682640	52037	1.1E+11
361.0	10.5	110592	48.00	49061	24.00	1893888	1857011	9650645	7736334	1612530	49061	1.0E+11
361.5	11.0	102175	46.75	46196	23.38	1795332	1738515	9259195	7420679	1542420	46196	9.6E+10
362.0	11.5	94196	45.50	43442	22.75	1701746	1625171	8837745	7082574	1472310	43442	9.0E+10
362.5	12.0	86644	44.25	40893	22.13	1609527	1514863	836295	6799432	1402200	40893	8.4E+10
363.0	12.5	79507	43.00	38448	21.50	1519578	1413477	7844845	631367	1332090	38448	7.9E+10
363.5	13.0	72773	41.75	36100	20.88	1432797	1314500	733395	588495	1262903	36100	7.3E+10
364.0	13.5	66430	40.50	33856	20.25	1348286	1221015	681945	5380930	1193560	33856	6.8E+10
364.5	14.0	60467	39.25	31715	19.63	1265342	1131709	630495	498786	1130063	31715	6.3E+10
365.0	14.5	54872	38.00	29676	19.00	1183968	1046868	58045	442177	1066410	29676	5.9E+10
365.5	15.0	49633	36.75	27737	18.38	1104162	963376	4287595	3821219	1004603	27737	5.4E+10
366.0	15.5	44739	35.50	25891	17.75	1025926	890120	4116145	3226025	944640	25891	5.0E+10
366.5	16.0	40177	34.25	24158	17.13	949257	817985	3944695	2626710	884523	24158	4.6E+10
367.0	16.5	35937	33.00	22526	16.50	875158	749956	3773245	2023389	830250	22526	4.2E+10
367.5	17.0	32006	31.75	21000	15.88	802627	685619	3601795	1416176	775623	21000	3.8E+10
368.0	17.5	28273	30.50	19577	15.25	744666	625160	3430345	105185	723240	19577	3.4E+10
368.5	18.0	25025	29.25	18252	14.63	703272	568363	3258995	2690531	672503	18252	3.1E+10
369.0	18.5	21952	28.00	17021	14.00	644448	515116	3087445	2572329	623610	17021	2.8E+10
369.5	19.0	19141	26.75	15889	13.38	588192	465302	2915995	2450693	574563	15889	2.5E+10
370.0	19.5	16581	25.50	14844	12.75	534506	418908	2744545	2325737	531360	14844	2.2E+10
370.5	20.0	14098	25.25	13893	12.63	524076	375519	1148559	773039	488003	13893	1.0E+10
371.0	20.5	11625	25.00	13034	12.50	513750	335321	1135059	799738	446490	13034	9.9E+09
371.5	21.0	10161	24.75	12266	12.38	503526	298099	1121559	823459	406823	12266	9.7E+09
372.0	21.5	14706	24.50	11589	12.25	493406	263739	1108059	844320	369000	11589	9.5E+09
372.5	22.0	14261	24.25	10993	12.13	483387	232126	1094559	862432	333023	10993	9.2E+09
373.0	22.5	13824	24.00	10478	12.00	473472	203146	1081059	877912	298890	10478	9.0E+09
373.5	23.0	13396	23.75	10044	11.88	463659	176685	1067559	890874	266603	10044	4.2E+10
374.0	23.5	12978	23.50	9681	11.75	453950	152627	1054059	901432	236160	12978	4.1E+10
374.5	24.0	12568	23.25	9388	11.63	444342	130858	1040559	909700	207563	12568	3.9E+10
375.0	24.5	12167	23.00	9156	11.50	434838	111265	1027059	915794	180810	12167	3.8E+10
375.5	25.0	11775	22.75	8981	11.38	425436	93732	1013559	919827	155903	11775	3.7E+10

377.5	27.5	10189	21.75	2249	10.86	383327	41915	958559	917444	74723	10289	3.2E+10
378.0	27.5	9938	21.50	2184	10.75	373970	32967	946059	913091	59040	9938	3.1E+10
378.5	28.0	9596	21.25	2120	10.63	371184	25393	932559	907166	45203	9596	3.0E+10
379.0	28.5	9261	21.00	2057	10.50	362532	19078	919059	899980	33210	9261	2.9E+10
379.5	29.0	8934	20.75	1995	10.38	353922	13908	905559	891651	23063	8934	2.8E+10
380.0	29.5	8615	20.50	1934	10.25	345446	9768	892059	882291	14760	8615	2.7E+10
380.5	30.0	8304	20.25	1874	10.13	337071	6544	878559	872015	8303	8304	2.6E+10
381.0	30.5	8000	20.00	1815	10.00	328800	4121	865059	860938	3690	8000	2.5E+10
381.5	31.0	7704	19.75	1757	9.88	320631	2385	851559	849174	923	7704	2.4E+10
382.0	31.5	7415	19.50	1700	9.75	312566	1221	838059	836838	0	7415	2.3E+10
382.5	32.0	7133	19.25	1645	9.63	304602	515	824559	824044		7133	2.2E+10
383.0	32.5	6859	19.00	1589	9.50	296742	153	811059	810906		6859	2.1E+10
383.5	33.0	6592	18.75	1535	9.38	288984	19	797559	797540		6592	2.1E+10
384.0	33.5	6332	18.50	1482	9.25	281330	0	784059	784059		6332	2.0E+10
384.5	34.0	6078	18.25	1430	9.13	273777		770559	770559		6078	1.9E+10
385.0	34.5	5832	18.00	1379	9.00	266322		757059	757059		5832	1.8E+10

HOPKINTON EAST RETAINING WALL
 WALL A - SEC. B-B

HEIGHT FT	I IN ⁴	MOMENT (LB-IN) ACTIVE	HEIGHT ft	WIDTH in	d in	As in	Fy ksi	a in	Mn k-in	Mu lb-in
0	469346	5738064.	0	74.250	59.250	4.68	60	9.176	15157.02	16541321
0.5	369017	5484951.	0.5	73.000	58.000	4.62	60	9.176	17805.02	15025421
1.0	369373	5239394.	1.0	71.750	56.750	4.68	60	9.176	17483.02	15709521
1.5	350403	5001277.	1.5	70.500	55.500	4.68	60	9.176	17104.02	15393521
2.0	332093	4770486.	2.0	69.250	54.250	4.68	60	9.176	15753.02	15077721
2.5	314432	4546706.	2.5	68.000	53.000	4.68	60	9.176	16402.02	14761521
3.0	297409	4330424.	3.0	66.750	51.750	4.68	60	9.176	15051.02	14445721
3.5	281011	4120928.	3.5	65.500	50.500	4.68	60	9.176	15700.02	14130021
4.0	265228	3918294.	4.0	64.250	49.250	4.68	60	9.176	15349.02	13814121
4.5	250047	3722416.	4.5	63.000	48.000	4.68	60	9.176	14998.02	13498221
5.0	235457	3533178.	5.0	61.750	46.750	4.68	60	9.176	14647.02	13182321
5.5	221445	3350464.	5.5	60.500	45.500	4.68	60	9.176	14296.02	12866421
6.0	208011	3174161.	6.0	59.250	44.250	3.12	60	6.118	9957.388	3961649
6.5	195112	3004154.	6.5	58.000	43.000	3.12	60	6.118	9723.388	3751049
7.0	182767	2840328.	7.0	56.750	41.750	3.12	60	6.118	9489.388	3540449
7.5	170954	2682869.	7.5	55.500	40.500	3.12	60	6.118	9255.388	3329849
8.0	159661	2530763.	8.0	54.250	39.250	3.12	60	6.118	9021.388	3119249
8.5	148877	2384794.	8.5	53.000	38.000	3.12	60	6.118	8787.388	2908649
9.0	138590	2244849.	9.0	51.750	36.750	3.12	60	6.118	8553.388	2698049
9.5	128788	2109913.	9.5	50.500	35.500	3.12	60	6.118	8319.388	2487449
10.0	119459	1980772.	10.0	49.250	34.250	2.54	60	4.980	6668.994	6002095
10.5	110592	1857011.	10.5	48.000	33.000	2.54	60	4.980	6478.494	5830645
11.0	102175	1738515.	11.0	46.750	31.750	2.54	60	4.980	6287.994	5659195
11.5	94196	1625170.	11.5	45.500	30.500	2.54	60	4.980	6097.494	5487745
12.0	86644	1516863.	12.0	44.250	29.250	2.54	60	4.980	5906.994	5316295
12.5	79507	1413477.	12.5	43.000	28.000	2.54	60	4.980	5716.494	5144845
13.0	72773	1314899.	13.0	41.750	26.750	2.54	60	4.980	5525.994	4973395
13.5	66430	1221014.	13.5	40.500	25.500	2.54	60	4.980	5335.494	4801945
14.0	60467	1131709.	14.0	39.250	24.250	2.54	60	4.980	5144.994	4630495
14.5	54872	1046867.	14.5	38.000	23.000	2.54	60	4.980	4954.494	4459045
15.0	49630	966376.0	15.0	36.750	21.750	2.54	60	4.980	4763.994	4287595
15.5	44739	890119.8	15.5	35.500	20.500	2.54	60	4.980	4573.494	4116145
16.0	40177	817984.6	16.0	34.250	19.250	2.54	60	4.980	4382.994	3944695
16.5	35937	749855.7	16.5	33.000	18.000	2.54	60	4.980	4192.494	3773245
17.0	32006	685618.9	17.0	31.750	16.750	2.54	60	4.980	4001.994	3601795
17.5	28373	625159.6	17.5	30.500	15.500	2.54	60	4.980	3811.494	3430345
18.0	25025	568363.3	18.0	29.250	14.250	2.54	60	4.980	3620.994	3258895
18.5	21952	515115.6	18.5	28.000	13.000	2.54	60	4.980	3430.494	3087445
19.0	19141	465302.0	19.0	26.750	11.750	2.54	60	4.980	3239.994	2915995
19.5	16581	418808.1	19.5	25.500	10.500	2.54	60	4.980	3049.494	2744545
20.0	14098	375519.3	20.0	24.250	9.250	1.00	60	1.961	1276.176	1148559
20.5	13625	335321.2	20.5	23.000	8.000	1.00	60	1.961	1261.176	1135059
21.0	13161	298099.3	21.0	21.750	6.750	1.00	60	1.961	1246.176	1121559
21.5	14706	263739.2	21.5	20.500	5.500	1.00	60	1.961	1231.176	1108059
22.0	14261	232126.3	22.0	19.250	4.250	1.00	60	1.961	1216.176	1094559
22.5	13824	203146.3	22.5	18.000	3.000	1.00	60	1.961	1201.176	1081059
23.0	13396	176694.6	23.0	16.750	1.750	1.00	60	1.961	1186.176	1067559
23.5	12978	152626.8	23.5	15.500	500	1.00	60	1.961	1171.176	1054059
24.0	12560	130858.4	24.0	14.250	250	1.00	60	1.961	1156.176	1040559
24.5	12167	111264.9	24.5	13.000	100	1.00	60	1.961	1141.176	1027059
25.0	11775	93731.97	25.0	11.750	0	1.00	60	1.961	1126.176	1013559

27.5	9938	32967.40	27.5	21.500	18.500	1.00	60	1.961	1051.176	946359
28.0	9596	25393.29	28.0	21.250	18.250	1.00	60	1.961	1036.175	932359
28.5	9261	19078.35	28.5	21.000	18.000	1.00	60	1.961	1021.176	919059
29.0	8934	13908.12	29.0	20.750	17.750	1.00	60	1.961	1006.176	905559
29.5	8615	9762.119	29.5	20.500	17.500	1.00	60	1.961	991.1764	892059
30.0	8304	6543.876	30.0	20.250	17.250	1.00	60	1.961	976.1764	878559
30.5	8000	4120.925	30.5	20.000	17.000	1.00	60	1.961	961.1764	865059
31.0	7704	2384.794	31.0	19.750	16.750	1.00	60	1.961	946.1764	851559
31.5	7415	1221.014	31.5	19.500	16.500	1.00	60	1.961	931.1764	838059
32.0	7133	515.1156	32.0	19.250	16.250	1.00	60	1.961	916.1764	824559
32.5	6859	152.6268	32.5	19.000	16.000	1.00	60	1.961	901.1764	811059
33.0	6592	19.07835	33.0	18.750	15.750	1.00	60	1.961	886.1764	797559
33.5	6332	0	33.5	18.500	15.500	1.00	60	1.961	871.1764	784059
34.0	6078		34.0	18.250	15.250	1.00	60	1.961	856.1764	770559
34.5	5832		34.5	18.000	15.000	1.00	60	1.961	841.1764	757059

SPKINTON EAST RETAINING WALL
 ALL A - SEC. B-B

EL.	HEIGHT FT	WIDTH in	d in	Icr IN ⁴	As	Trans As	As	c	As2
50.5	0	74.250	71.250	137552	3.12	28.98	19.07	14.49	
51.0	0.5	73.000	70.000	132155	3.12	28.98	18.87	14.49	
51.5	1.0	71.750	68.750	126872	3.12	28.98	18.67	14.49	
52.0	1.5	70.500	67.500	121703	3.12	28.98	18.46	14.49	
52.5	2.0	69.250	66.250	116648	3.12	28.98	18.26	14.49	
53.0	2.5	68.000	65.000	111704	3.12	28.98	18.05	14.49	
53.5	3.0	66.750	63.750	106877	3.12	28.98	17.84	14.49	
54.0	3.5	65.500	62.500	102151	3.12	28.98	17.63	14.49	
54.5	4.0	64.250	61.250	97557	3.12	28.98	17.41	14.49	
55.0	4.5	63.000	60.000	93067	3.12	28.98	17.19	14.49	
55.5	5.0	61.750	58.750	88683	3.12	28.98	16.98	14.49	
56.0	5.5	60.500	57.500	84421	3.12	28.98	16.75	14.49	
56.5	6.0	59.250	56.250	80297	3.12	28.98	16.54	14.49	
57.0	6.5	58.000	55.000	76293	3.12	28.98	16.32	14.49	
57.5	7.0	56.750	53.750	72405	3.12	28.98	16.10	14.49	
58.0	7.5	55.500	52.500	68625	3.12	28.98	15.88	14.49	
58.5	8.0	54.250	51.250	64957	3.12	28.98	15.66	14.49	
59.0	8.5	53.000	50.000	61405	3.12	28.98	15.44	14.49	
59.5	9.0	51.750	48.750	57965	3.12	28.98	15.22	14.49	
60.0	9.5	50.500	47.500	54632	3.12	28.98	15.00	14.49	
60.5	10.0	49.250	46.250	51401	2.54	23.59	14.78	14.49	
61.0	10.5	48.000	45.000	48268	2.54	23.59	14.56	14.49	
61.5	11.0	46.750	43.750	45230	2.54	23.59	14.34	14.49	
62.0	11.5	45.500	42.500	42283	2.54	23.59	14.12	14.49	
62.5	12.0	44.250	41.250	39424	2.54	23.59	13.90	14.49	
63.0	12.5	43.000	40.000	36649	2.54	23.59	13.68	14.49	
63.5	13.0	41.750	38.750	33955	2.54	23.59	13.46	14.49	
64.0	13.5	40.500	37.500	31339	2.54	23.59	13.24	14.49	
64.5	14.0	39.250	36.250	28798	2.54	23.59	13.02	14.49	
65.0	14.5	38.000	35.000	26329	2.54	23.59	12.80	14.49	
65.5	15.0	36.750	33.750	23929	2.54	23.59	12.58	14.49	
66.0	15.5	35.500	32.500	21595	2.54	23.59	12.36	14.49	
66.5	16.0	34.250	31.250	19324	2.54	23.59	12.14	14.49	
67.0	16.5	33.000	30.000	17113	2.54	23.59	11.92	14.49	
67.5	17.0	31.750	28.750	14960	2.54	23.59	11.70	14.49	
68.0	17.5	30.500	27.500	12863	2.54	23.59	11.48	14.49	
68.5	18.0	29.250	26.250	10820	2.54	23.59	11.26	14.49	
69.0	18.5	28.000	25.000	8830	2.54	23.59	11.04	14.49	
69.5	19.0	26.750	23.750	6893	2.54	23.59	10.82	14.49	
70.0	19.5	25.500	22.500	5008	2.54	23.59	10.60	14.49	
70.5	20.0	24.250	22.250	3173	1.00	9.29	5.15	14.49	
71.0	20.5	23.000	22.000	1387	1.00	9.29	3.11	14.49	
71.5	21.0	21.750	21.750	600	1.00	9.29	5.08	14.49	
72.0	21.5	20.500	21.500	163	1.00	9.29	5.05	14.49	
72.5	22.0	19.250	21.250	163	1.00	9.29	5.01	14.49	
73.0	22.5	18.000	21.000	163	1.00	9.29	4.98	14.49	
73.5	23.0	16.750	20.750	163	1.00	9.29	4.95	14.49	
74.0	23.5	15.500	20.500	163	1.00	9.29	4.91	14.49	
74.5	24.0	14.250	20.250	163	1.00	9.29	4.88	14.49	
75.0	24.5	13.000	20.000	163	1.00	9.29	4.84	14.49	

75.5	25.0	22.750	19.750	2518	1.00	9.29	4.81
76.0	25.5	22.500	19.500	2450	1.00	9.29	4.77
76.5	26.0	22.250	19.250	2382	1.00	9.29	4.74
77.0	26.5	22.000	19.000	2315	1.00	9.29	4.70
77.5	27.0	21.750	18.750	2249	1.00	9.29	4.67
78.0	27.5	21.500	18.500	2184	1.00	9.29	4.63
78.5	28.0	21.250	18.250	2120	1.00	9.29	4.60
79.0	28.5	21.000	18.000	2057	1.00	9.29	4.56
79.5	29.0	20.750	17.750	1995	1.00	9.29	4.52
80.0	29.5	20.500	17.500	1934	1.00	9.29	4.49
80.5	30.0	20.250	17.250	1874	1.00	9.29	4.45
81.0	30.5	20.000	17.000	1815	1.00	9.29	4.41
81.5	31.0	19.750	16.750	1757	1.00	9.29	4.38
82.0	31.5	19.500	16.500	1700	1.00	9.29	4.34
82.5	32.0	19.250	16.250	1645	1.00	9.29	4.30
83.0	32.5	19.000	16.000	1589	1.00	9.29	4.26
83.5	33.0	18.750	15.750	1535	1.00	9.29	4.22
84.0	33.5	18.500	15.500	1482	1.00	9.29	4.19
84.5	34.0	18.250	15.250	1430	1.00	9.29	4.15
85.0	34.5	18.000	15.000	1379	1.00	9.29	4.11

SUBJECT HOPKINTON EAST WALL B



COMPUTATION BACKUP CALCULATIONS

COMPUTED BY MAD.

CHECKED BY [Signature]

DATE 1/14/94

WALL B SEC C-C.



$$A \frac{845}{35} \times 31 = 748.4$$

$$\text{ACTIVE + POKE PRESSURE} = 748.4 + 2320.9 = 2320.9$$

ACTIVE

PASSIVE PRESSURE

SUBJECT HOPKINTON EAST WALL B
COMPUTATION BEARER CALCULATIONS
COMPUTED BY M.A.D. CHECKED BY JRC DATE 1/14/94

CALCULATE MOMENT DUE TO ACTIVE PRESSURE + POOR PRESSURE


$$W = \frac{wL}{2} = \frac{2320.9(31.)}{2} = 35974.4$$

$$M_x = \frac{Wx^3}{3L^2}$$

@ x = 31

$$M @ 31' = \frac{(35974.4)(31 \times 12)^3}{3(31 \times 12)^2} = 4,460,825 \text{ lb.in}$$

CALCULATE THEORETICAL MOMENT CAPACITY OF THE WALL @ .5' INCR
CHECK @ EL 353.0



#11 @ 5" O.C.
As = 3.74 in²

$$M_u = \phi M_n$$
$$= \phi A_s f_y (d - a/2)$$

$$A = \frac{A_s f_y}{\phi f_c' b} = \frac{3.74(60)}{.85(3)(12)} = 7.33$$

$$M_u = 0.9(3.74)(60) / (65 - 7.33/2)$$
$$= 12386.88$$

$$= 12,386,880 \text{ lb.in}$$

$$= 12 \times 10^6 \text{ lb.in}$$

SUBJECT HOPKINTON EAST RETAINING WALL B

COMPUTATION BACKUP CALCULATIONS

COMPUTED BY M.A.D.

CHECKED BY [Signature]

DATE 1/19/54

CALCULATE CRACKING MOMENT.

$M_{CR} = \frac{f_{ct} I_g}{y_t}$ @ EL 453.0 $f'_c = 3000 \text{ psi}$
 $f_{ct} = 7.5 \sqrt{f'_c} = 411 \text{ psi}$

$I_g = \frac{bh^3}{12} = \frac{12h^3}{12} = h^3 = (68.0)^3 = 314432$

y_t DIST FROM CENTROID TO EXTREME TENSION FIBER OF UNCRACKED SECTION.
 $= \frac{1}{2} \cdot 68 = 34$

$M_{CR} = \frac{411(314432)}{34} = 3.8 \times 10^6 \text{ lb.in}$

IF $M_{ACTIVE} + M_{ICE} > M_{CR}$

THEN ASSUME FULLY CRACKED SECTION $I = I_{CR}$


CALCULATE I_{CR}

CALCULATE NEUTRAL AXIS

$E_c = 57000 \sqrt{f'_c}$
 $= 3.12 \times 10^6$

$n = \frac{29 \times 10^6}{3.12 \times 10^6} = 9.3$

$A_s = 3.74 \times 9.3 = 34.8$



LOCATION OF C

ZONE	AREA	\bar{y}	$A\bar{y}$
COMPRESSION	12C	C/2	6C ²
A_s	34.8	C-65	34.8C - 2260.8

$\sum A\bar{y} = 0 \quad 6C^2 + 34.8C - 2260.8 = 0$

$C = \frac{-34.8 \pm \sqrt{(34.8)^2 - 4(6)(-2260.8)}}{2(6)} = 16.72$

27 Sept 49

CORPS OF ENGINEERS, U.S. ARMY

SUBJECT HOPKINTON EAST RETAINING WALL B

COMPUTATION BACKUP CALCULATIONS

COMPUTED BY M.A.D.

CHECKED BY [Signature]


DATE 1/19/93

CALCULATE I_{cr} CRACKED MOMENT OF INERTIA @ EL 353.

ZONE	AREA	\bar{Y}	I	$A\bar{Y}^2$
COMPRESSION	200.64	8.36	4674	14022
STEEL	34.8	48.28	—	8117

$I_{cr} = 99813 \text{ in}^4$

CALCULATE ICE FORCE.



MOMENT AT BASE

$Wl \left(363 - 353 + \frac{l}{2} \right)$

USING ICE FORCE 620 PLF

$\left(\frac{620}{12} \right) (19 \times 12) \left(363 - 353 + \frac{19}{2} \right) (12)$

2756520 lb.in

HOPKINTON EAST RETAINING WALL
WALL B SEC C-C

Ice Load 620 plf
Ice Deflection 1.10 in
Total Deflection 2.20 in
Overload 0 points exceeding Mu

EL.	HEIGHT	I	WIDTH	Icr	yt	Mcr	Mact	Mu	Mall ice	Ice force	I	EI
	FT	IN ⁴	in	IN ⁴		lb-in	lb-in	lb-in	lb-in	620		
353.0	0.0	314432	68.00	99675.1	34.00	3800928	4465767	12399335	7933568	2756520	99675	3.1E+11
353.5	0.5	297409	66.75	95528.2	33.38	3662472	4253148	12146615	7893467	2685840	95528	3.0E+11
354.0	1.0	281011	65.50	91473.6	32.75	3526586	4047387	11893895	7846508	2615160	91474	2.9E+11
354.5	1.5	265228	64.25	87511.3	32.13	3393267	3848372	11641175	7792803	2544480	87511	2.7E+11
355.0	2.0	250047	63.00	83641.0	31.50	3262518	3655990	11388455	7732465	2473800	83641	2.6E+11
355.5	2.5	235457	61.75	79862.7	30.88	3134337	3470129	11135735	7665607	2403120	79863	2.5E+11
356.0	3.0	221445	60.50	76176.0	30.25	3008726	3290676	10883015	7592340	2332440	76176	2.4E+11
356.5	3.5	208001	59.25	72580.9	29.63	2885682	3117519	10630295	7512777	2261760	72581	2.3E+11
357.0	4.0	195112	58.00	69077.2	29.00	2765208	2950545	10377575	7427030	2191080	69077	2.2E+11
357.5	4.5	182767	56.75	65664.7	28.38	2647302	2789643	10124855	7335212	2120400	65665	2.1E+11
358.0	5.0	170954	55.50	62343.1	27.75	2531966	2634699	9872135	7237436	2049720	62343	1.9E+11
358.5	5.5	159661	54.25	59112.3	27.13	2419197	2485602	9619415	7133814	1979040	59112	1.8E+11
359.0	6.0	148877	53.00	55972.1	26.50	2308998	2342238	9366695	7024457	1908360	55972	1.7E+11
359.5	6.5	138590	51.75	52922.3	25.88	2201367	2204496	9113975	6909480	1837680	52922	1.7E+11
360.0	7.0	128788	50.50	49962.6	25.25	2096306	2072262	8861255	6788993	1767000	49963	1.6E+11
360.5	7.5	119459	49.25	47070.0	24.63	1993812	1945425	8602094	6656669	1696320	47070	1.1E+11
361.0	8.0	110592	48.00	44328.4	24.00	1893888	1823873	8360644	6506772	1625640	44328	1.0E+11
361.5	8.5	102175	46.75	41758.8	23.38	1796532	1707491	8129194	6351703	1554960	41758	9.6E+10
362.0	9.0	94196	45.50	39332.9	22.75	1701746	1596170	7897744	6191575	1484280	39333	9.0E+10
362.5	9.5	86644	44.25	36912.7	22.13	1609527	1489794	7682294	6026500	1413600	36913	8.4E+10
363.0	10.0	79507	43.00	34555.0	21.50	1519878	1388254	7484844	5856591	1342920	34555	7.9E+10
363.5	10.5	72773	41.75	32259.5	20.88	1432797	1291435	7293394	5681960	1273170	32260	7.3E+10
364.0	11.0	66430	40.50	29926.2	20.25	1348286	1199226	7101944	5502719	1205280	29926	6.8E+10
364.5	11.5	60467	39.25	27654.9	19.63	1266342	1111514	6904944	5318981	1139250	27655	6.3E+10
365.0	12.0	54872	38.00	25445.3	19.00	1186968	1028186	6709044	5130858	1075080	25445	5.9E+10
365.5	12.5	49633	36.75	23297.2	18.38	1110162	949131	6527594	4938464	1012770	23297	5.4E+10
366.0	13.0	44739	35.50	21210.5	17.75	1035926	874236	6351144	4741909	952320	21210	5.0E+10
366.5	13.5	40177	34.25	19184.9	17.13	964257	803388	6174694	4541307	893730	19185	4.6E+10
367.0	14.0	35937	33.00	17220.1	16.50	895158	736475	6003244	4336770	837000	17220	4.2E+10
367.5	14.5	32006	31.75	15315.9	15.88	828627	673384	5801794	4128411	782130	15316	3.8E+10
368.0	15.0	28373	30.50	13472.0	15.25	764656	614004	5600344	3916341	729120	13472	3.4E+10
368.5	15.5	25025	29.25	11688.26	14.63	703272	558221	5408894	3700674	677970	11688	3.1E+10
369.0	16.0	21952	28.00	9964.15	14.00	644448	505923	5207444	3501521	628680	9964	2.8E+10
369.5	16.5	19141	26.75	8399.42	13.38	588192	456999	5015994	3308996	581250	8399	2.5E+10
370.0	17.0	16581	25.50	6993.72	12.75	534506	411334	4824544	3133210	535680	6994	2.2E+10
370.5	17.5	14098	25.25	5662.51	12.63	484076	368818	4648558	297741	491970	5663	1.9E+10
371.0	18.0	11625	25.00	4383.58	12.50	433750	329337	448058	280721	450120	4384	1.6E+10
371.5	18.5	10161	24.75	3105.65	12.38	393526	292780	431558	262779	410130	3106	1.4E+10
372.0	19.0	8706	24.50	1828.73	12.25	353406	259033	4148058	2449026	372000	3029	1.2E+10
372.5	19.5	7261	24.25	522.82	12.13	313387	227984	398558	227984	335730	2953	1.0E+10
373.0	20.0	5824	24.00	277.92	12.00	273472	199521	381058	210158	301320	2878	9.0E+09
373.5	20.5	4396	23.75	204.02	11.88	233659	173532	364558	194027	268770	23396	8.2E+09
374.0	21.0	2978	23.50	131.12	11.75	193950	149903	348058	174156	238080	19396	7.4E+09
374.5	21.5	1568	23.25	659.22	11.63	154342	128523	331558	152036	209250	1568	6.6E+09
375.0	22.0	12167	23.00	288.33	11.50	114838	109279	315058	131779	182280	12167	5.8E+09
375.5	22.5	8775	22.75	218.44	11.38	75436	92059	298558	111500	157170	8775	5.0E+09
376.0	23.0	5391	22.50	149.55	11.25	416138	76750	281058	923308	133920	5391	4.2E+09
376.5	23.5	4015	22.25	101.66	11.13	406941	63240	264558	923318	112530	4015	3.4E+09
377.0	24.0	2648	22.00	2314.77	11.00	397848	51417	248058	921642	93000	2648	2.6E+09
377.5	24.5	10289	21.75	2248.87	10.88	388857	41167	231558	918392	75330	10289	1.8E+09
378.0	25.0	6939	21.50	1583.97	10.75	380070	30770	215058	917400	60000	6939	1.0E+09

375.5	26.5	8934	20.75	1975.23	10.38	353922	12660	905058.8	891899	23250	8934	2.8E+10
380.0	27.0	8615	20.50	1934.50	10.25	345444	5594	892058.8	882455	14880	8615	2.7E+10
380.5	27.5	8304	20.25	1874.37	10.13	337071	6427	870558.8	872132	8370	8304	2.6E+10
381.0	28.0	8000	20.00	1815.42	10.00	329800	4047	865058.8	861011	3720	8000	2.5E+10
381.5	28.5	7704	19.75	1757.46	9.88	320631	2342	851558.8	849217	930	7704	2.4E+10
382.0	29.0	7415	19.50	1700.48	9.75	312566	1199	839058.8	836860	0	7415	2.3E+10
382.5	29.5	7133	19.25	1644.50	9.63	304602	506	824558.8	824053		7133	2.2E+10
383.0	30.0	6859	19.00	1589.49	9.50	296742	150	811058.8	810909		6859	2.1E+10
383.5	30.5	6592	18.75	1535.47	9.38	288984	19	797558.8	797540		6592	2.1E+10
384.0	31.0	6332	18.50	1482.43	9.25	281330	0	784058.8	784059		6332	2.0E+10
384.5	31.5	6078	18.25	1430.37	9.13	273777		770558.8	770559		6078	1.9E+10
385.0	32.0	5832	18.00	1379.29	9.00	266328		757058.8	757059		5832	1.8E+10

HOPKINTON EAST RETAINING WALL
WALL B SEC. C-C

EL.	HEIGHT FT	Ig IN ⁴	MOMENT (LB-IN) ACTIVE	HEIGHT ft	WIDTH in	d in	As in	fy ksi	a in	Mn k-in	oMn lb-in
353.0	0.0	314432	4465767	0.0	68.000	65.000	3.74	60	7.341	13777	12399335
353.5	0.5	297409	4253148	0.5	66.750	63.750	3.74	60	7.341	13496	12146615
354.0	1.0	281011	4047387	1.0	65.500	62.500	3.74	60	7.341	13215	11893895
354.5	1.5	265228	3848372	1.5	64.250	61.250	3.74	60	7.341	12935	11641175
355.0	2.0	250047	3655990	2.0	63.000	60.000	3.74	60	7.341	12654	11388455
355.5	2.5	235457	3470129	2.5	61.750	58.750	3.74	60	7.341	12373	11135735
356.0	3.0	221445	3290676	3.0	60.500	57.500	3.74	60	7.341	12092	10883015
356.5	3.5	208001	3117519	3.5	59.250	56.250	3.74	60	7.341	11811	10630295
357.0	4.0	195112	2950545	4.0	58.000	55.000	3.74	60	7.341	11531	10377575
357.5	4.5	182767	2789643	4.5	56.750	53.750	3.74	60	7.341	11250	10124855
358.0	5.0	170934	2634699	5.0	55.500	52.500	3.74	60	7.341	10969	9872135
358.5	5.5	159661	2485602	5.5	54.250	51.250	3.74	60	7.341	10688	9619415
359.0	6.0	148877	2342238	6.0	53.000	50.000	3.74	60	7.341	10407	9366695
359.5	6.5	138590	2204496	6.5	51.750	48.750	3.74	60	7.341	10127	9113975
360.0	7.0	128788	2072262	7.0	50.500	47.500	3.74	60	7.341	9846	8861255
360.5	7.5	119459	1945425	7.5	49.250	46.250	2.54	60	4.980	6669	6002095
361.0	8.0	110592	1823873	8.0	48.000	45.000	2.54	60	4.980	6478	5830645
361.5	8.5	102175	1707491	8.5	46.750	43.750	2.54	60	4.980	6288	5659195
362.0	9.0	94196	1596170	9.0	45.500	42.500	2.54	60	4.980	6097	5487745
362.5	9.5	86644	1489794	9.5	44.250	41.250	2.54	60	4.980	5907	5316295
363.0	10.0	79507	1388254	10.0	43.000	40.000	2.54	60	4.980	5716	5144845
363.5	10.5	72773	1291435	10.5	41.750	38.750	2.54	60	4.980	5526	4973395
364.0	11.0	66430	1199226	11.0	40.500	37.500	2.54	60	4.980	5335	4801945
364.5	11.5	60467	1111514	11.5	39.250	36.250	2.54	60	4.980	5145	4630495
365.0	12.0	54872	1028186	12.0	38.000	35.000	2.54	60	4.980	4954	4459045
365.5	12.5	49633	949131	12.5	36.750	33.750	2.54	60	4.980	4764	4287595
366.0	13.0	44739	874236	13.0	35.500	32.500	2.54	60	4.980	4573	4116145
366.5	13.5	40177	803388	13.5	34.250	31.250	2.54	60	4.980	4383	3944695
367.0	14.0	35937	736475	14.0	33.000	30.000	2.54	60	4.980	4192	3773245
367.5	14.5	32006	673384	14.5	31.750	28.750	2.54	60	4.980	4002	3601795
368.0	15.0	28373	614004	15.0	30.500	27.500	2.54	60	4.980	3811	3430345
368.5	15.5	25025	558221	15.5	29.250	26.250	2.54	60	4.980	3621	3258895
369.0	16.0	21952	505923	16.0	28.000	25.000	2.54	60	4.980	3430	3087445
369.5	16.5	19141	456999	16.5	26.750	23.750	2.54	60	4.980	3240	2915995
370.0	17.0	16581	411334	17.0	25.500	22.500	2.54	60	4.980	3049	2744545
370.5	17.5	14098	368818	17.5	25.250	22.250	1.00	60	1.961	1276	1148559
371.0	18.0	15625	329337	18.0	25.000	22.000	1.00	60	1.961	1261	1135059
371.5	18.5	15161	292780	18.5	24.750	21.750	1.00	60	1.961	1246	1121559
372.0	19.0	14706	259033	19.0	24.500	21.500	1.00	60	1.961	1231	1108059
372.5	19.5	14261	227984	19.5	24.250	21.250	1.00	60	1.961	1216	1094559
373.0	20.0	13824	199521	20.0	24.000	21.000	1.00	60	1.961	1201	1081059
373.5	20.5	13396	173532	20.5	23.750	20.750	1.00	60	1.961	1186	1067559
374.0	21.0	12978	149903	21.0	23.500	20.500	1.00	60	1.961	1171	1054059
374.5	21.5	12568	128523	21.5	23.250	20.250	1.00	60	1.961	1156	1040559
375.0	22.0	12167	109279	22.0	23.000	20.000	1.00	60	1.961	1141	1027059
375.5	22.5	11775	92059	22.5	22.750	19.750	1.00	60	1.961	1126	1013559
376.0	23.0	11391	76750	23.0	22.500	19.500	1.00	60	1.961	1111	1000059
376.5	23.5	11015	63240	23.5	22.250	19.250	1.00	60	1.961	1096	986559
377.0	24.0	10648	51417	24.0	22.000	19.000	1.00	60	1.961	1081	973059
377.5	24.5	10289	41167	24.5	21.750	18.750	1.00	60	1.961	1066	959559
378.0	25.0	9938	32379	25.0	21.500	18.500	1.00	60	1.961	1051	946059
378.5	25.5	9596	24940	25.5	21.250	18.250	1.00	60	1.961	1036	932559
379.0	26.0	9264	18770	26.0	21.000	18.000	1.00	60	1.961	1021	919059

380.5	27.5	8504	8427	27.5	20.250	17.250	1.00	60	1.961	976	878559
381.0	28.0	8000	4047	28.0	20.000	17.000	1.00	60	1.961	961	865059
381.5	28.5	7704	2342	28.5	19.750	16.750	1.00	60	1.961	946	851559
382.0	29.0	7415	1199	29.0	19.500	16.500	1.00	60	1.961	931	838059
382.5	29.5	7133	506	29.5	19.250	16.250	1.00	60	1.961	916	824559
383.0	30.0	6859	150	30.0	19.000	16.000	1.00	60	1.961	901	811059
383.5	30.5	6592	19	30.5	18.750	15.750	1.00	60	1.961	886	797559
384.0	31.0	6332	0	31.0	18.500	15.500	1.00	60	1.961	871	784059
384.5	31.5	6078	-19	31.5	18.250	15.250	1.00	60	1.961	856	770559
385.0	32.0	5832	-150	32.0	18.000	15.000	1.00	60	1.961	841	757059

KINTON EAST RETAINING WALL

L B - SEC. C-C

EL.	HEIGHT FT	WIDTH in	d in	Icr IN ⁴	As	Trans Ay	c
353.0	0.0	68.000	65.000	99675.16	3.74	34.74034	16.72
353.5	0.5	66.750	63.750	95528.21	3.74	34.74034	16.53
354.0	1.0	65.500	62.500	91473.65	3.74	34.74034	16.35
354.5	1.5	64.250	61.250	87511.32	3.74	34.74034	16.16
355.0	2.0	63.000	60.000	83641.06	3.74	34.74034	15.97
355.5	2.5	61.750	58.750	79862.70	3.74	34.74034	15.77
356.0	3.0	60.500	57.500	76176.06	3.74	34.74034	15.58
356.5	3.5	59.250	56.250	72580.98	3.74	34.74034	15.38
357.0	4.0	58.000	55.000	69077.26	3.74	34.74034	15.18
357.5	4.5	56.750	53.750	65664.73	3.74	34.74034	14.98
358.0	5.0	55.500	52.500	62343.17	3.74	34.74034	14.78
358.5	5.5	54.250	51.250	59112.39	3.74	34.74034	14.57
359.0	6.0	53.000	50.000	55972.19	3.74	34.74034	14.36
359.5	6.5	51.750	48.750	52922.34	3.74	34.74034	14.15
360.0	7.0	50.500	47.500	49962.61	3.74	34.74034	13.94
360.5	7.5	49.250	46.250	47070.08	2.54	23.59370	11.66
361.0	8.0	48.000	45.000	44241.48	2.54	23.59370	11.48
361.5	8.5	46.750	43.750	41473.82	2.54	23.59370	11.30
362.0	9.0	45.500	42.500	38763.96	2.54	23.59370	11.11
362.5	9.5	44.250	41.250	36112.74	2.54	23.59370	10.92
363.0	10.0	43.000	40.000	33515.01	2.54	23.59370	10.73
363.5	10.5	41.750	38.750	30975.58	2.54	23.59370	10.53
364.0	11.0	40.500	37.500	28489.29	2.54	23.59370	10.34
364.5	11.5	39.250	36.250	26054.94	2.54	23.59370	10.13
365.0	12.0	38.000	35.000	23670.34	2.54	23.59370	9.93
365.5	12.5	36.750	33.750	21334.29	2.54	23.59370	9.72
366.0	13.0	35.500	32.500	19045.56	2.54	23.59370	9.51
366.5	13.5	34.250	31.250	16802.92	2.54	23.59370	9.29
367.0	14.0	33.000	30.000	14605.14	2.54	23.59370	9.07
367.5	14.5	31.750	28.750	12451.96	2.54	23.59370	8.85
368.0	15.0	30.500	27.500	10342.09	2.54	23.59370	8.62
368.5	15.5	29.250	26.250	8275.263	2.54	23.59370	8.38
369.0	16.0	28.000	25.000	6251.150	2.54	23.59370	8.14
369.5	16.5	26.750	23.750	4269.424	2.54	23.59370	7.90
370.0	17.0	25.500	22.500	2330.727	2.54	23.59370	7.64
370.5	17.5	25.250	22.250	2262.518	1.00	9.288862	5.15
371.0	18.0	25.000	22.000	2183.583	1.00	9.288862	5.11
371.5	18.5	24.750	21.750	2105.657	1.00	9.288862	5.08
372.0	19.0	24.500	21.500	2028.739	1.00	9.288862	5.05
372.5	19.5	24.250	21.250	1952.827	1.00	9.288862	5.01
373.0	20.0	24.000	21.000	1877.921	1.00	9.288862	4.98
373.5	20.5	23.750	20.750	1804.020	1.00	9.288862	4.95
374.0	21.0	23.500	20.500	1731.122	1.00	9.288862	4.91
374.5	21.5	23.250	20.250	1659.228	1.00	9.288862	4.88
375.0	22.0	23.000	20.000	1588.336	1.00	9.288862	4.84
375.5	22.5	22.750	19.750	1518.445	1.00	9.288862	4.81
376.0	23.0	22.500	19.500	1449.555	1.00	9.288862	4.77
376.5	23.5	22.250	19.250	1381.663	1.00	9.288862	4.74
377.0	24.0	22.000	19.000	1314.770	1.00	9.288862	4.70
377.5	24.5	21.750	18.750	1248.873	1.00	9.288862	4.67

378.0	25.0	21.500	18.500	2183.973	1.00	9.288862	4.63
378.5	25.5	21.250	18.250	2120.067	1.00	9.288862	4.60
379.0	26.0	21.000	18.000	2057.155	1.00	9.288862	4.56
379.5	26.5	20.750	17.750	1995.236	1.00	9.288862	4.52
380.0	27.0	20.500	17.500	1934.308	1.00	9.288862	4.49
380.5	27.5	20.250	17.250	1874.371	1.00	9.288862	4.45
381.0	28.0	20.000	17.000	1815.423	1.00	9.288862	4.41
381.5	28.5	19.750	16.750	1757.462	1.00	9.288862	4.38
382.0	29.0	19.500	16.500	1700.489	1.00	9.288862	4.34
382.5	29.5	19.250	16.250	1644.500	1.00	9.288862	4.30
383.0	30.0	19.000	16.000	1589.496	1.00	9.288862	4.26
383.5	30.5	18.750	15.750	1535.474	1.00	9.288862	4.22
384.0	31.0	18.500	15.500	1482.433	1.00	9.288862	4.19
384.5	31.5	18.250	15.250	1430.373	1.00	9.288862	4.15
385.0	32.0	18.000	15.000	1379.291	1.00	9.288862	4.11


SUBJECT HOPKINTON EAST WALL C

COMPUTATION BACK UP CALCULATIONS

COMPUTED BY M. D.

CHECKED BY _____

DATE 1/19/94



ACTIVE + PORE PRESSURE = 1135.2 + 579.6 ACTIVE PORE PRESSURE
 = 1714.8 lb/ft

CALCULATE MOMENT DUE TO ACTIVE + PORE PRESSURES

$$W = W R_{\frac{1}{2}} = (1714.8) \frac{24}{2} = 20577.6 \text{ lb}$$

$$M = \frac{WR^2}{3L^2} \quad M @ 25' = \frac{20577.6 (24 \times 12)^2}{3(24 \times 12)^2} = 1975449 \text{ lb.in}$$

SUBJECT HODKINTON EAST WALL C

COMPUTATION BACKUP CALCULATIONS

COMPUTED BY M.D. CHECKED BY _____ DATE 1/19/94

CALCULATE THEORETICAL MOMENT CAPACITY AT EL 360.0
2.5' INCR.

$$M_u = \phi M_n = 0.9 (A_s f_y) (d - a/2) \quad a = \frac{A_s f_y}{.85 f'_c b} = \frac{1.0(60)}{.85(3)(12)} = 1.96$$

$$M_u = 0.9(1)(60)(47.5 - 1.96/2) = 2512080 \text{ in}\cdot\text{lb} = -2.5 \times 10^6 \text{ in}\cdot\text{lb} \leftarrow \text{LOW}$$

CALCULATE CRACKING MOMENT

$$M_{cr} = \frac{f'_c I_g}{y_t} \quad f_{ct} = 7.5 \sqrt{f'_c} = 411 \quad I_g = (50.5)^3 = 128787 \text{ in}^4$$

CALCULATE I_{CR}

LOCATION OF C

ZONE	AREA	\bar{Y}	$A\bar{Y}$
COMPRESSION	120	4/2	600
A.S	9.3	C-47.5	9.3C - 441.8

$$\sum A\bar{Y} = 0 \quad 600 + 9.3C - 441.8 = 0$$

$$C = \frac{-9.3 \pm \sqrt{(9.3)^2 - 4(6)(-441.8)}}{12} = 7.84$$

27 Sept 49

CORPS OF ENGINEERS, U.S. ARMY

SUBJECT HOPKINTON EAST WALL C

COMPUTATION BACKUP CALCULATIONS

COMPUTED BY M.A.D

CHECKED BY _____


DATE 1/19/94

Ice

ZONE	AREA	\bar{y}	I	$A\bar{y}^2$
COMPRESSION	94.08	3.92	481.9	1445.7
STEEL	9.3	35.66	—	14628

$$I_{ice} = 16556 \text{ in}^4$$

CALCULATE ICE FORCE



$$WR (363 - 360 + \frac{1}{2})$$

$$\text{using } ICE = 200 \text{ lbs}$$

$$\left(\frac{200}{12}\right) (19 \times 12) \left(363 - 360 + \frac{1}{2}\right) 12$$

$$= 570,000 \text{ in}\cdot\text{lb}$$

HOPKINTON EAST RETAINING WALL
WALL C. - SEC. D-D

Ice Load 200 plf
Ice Deflection 0.45 in
Total Deflection 1.70 in
Overload 1 points exceeding Mu

EL.	HEIGHT	I	WIDTH	Icr	yt	Mcr	Mact	Mu	Mall ice	Ice force	I	EI
	FT	IN ⁴	in	IN ⁴		lb-in	lb-in	lb-in	lb-in	200		
360.0	0.0	128788	50.50	16538.1	25.25	2096306	1975450	2512058.	536609	570000	16538	5.2E+10
360.5	0.5	119459	49.25	15630.2	24.63	1993812	1854538	2444558.	590020	547200	15630	4.9E+10
361.0	1.0	110592	48.00	14743.7	24.00	1893888	1738664	2377058.	638395	524400	14749	4.6E+10
361.5	1.5	102175	46.75	13893.6	23.38	1796532	1627720	2309558.	681839	501600	13894	4.3E+10
362.0	2.0	94196	45.50	13064.8	22.75	1701746	1521599	2242058.	720460	478800	13065	4.1E+10
362.5	2.5	86644	44.25	12262.2	22.13	1609527	1420194	2174558.	754365	456000	12262	3.8E+10
363.0	3.0	79507	43.00	11485.8	21.50	1519878	1323397	2107058.	783662	433200	11486	3.6E+10
363.5	3.5	72773	41.75	10716.1	20.88	1432797	1231101	2135462.	1904361	410700	10716	4.9E+10
364.0	4.0	66420	40.50	10041.5	20.25	1348286	1143200	3030162.	1866962	388800	10642	4.6E+10
364.5	4.5	60467	39.25	9360.6	19.63	1266342	1059586	2924662.	1865277	367500	13607	4.2E+10
365.0	5.0	54872	38.00	8681.1	19.00	1186968	980151	2819562.	1839411	346800	12611	3.9E+10
365.5	5.5	49633	36.75	8005.1	18.38	1110162	904789	2714262.	1809473	326700	11655	3.6E+10
366.0	6.0	44739	35.50	7338.3	17.75	1035926	833393	2608962.	1775570	307200	10738	3.4E+10
366.5	6.5	40177	34.25	6680.69	17.13	964257	765855	2503662.	1737808	288300	9861	3.1E+10
367.0	7.0	35937	33.00	6022.11	16.50	895158	702068	2398362.	1696295	270000	9022	2.8E+10
367.5	7.5	32006	31.75	5362.45	15.88	828627	641925	2293062.	1651138	252300	8222	2.6E+10
368.0	8.0	28373	30.50	4701.59	15.25	764666	585318	2187762.	1602444	235200	7462	2.3E+10
368.5	8.5	25025	29.25	4039.36	14.63	703272	532142	2082462.	1550321	218700	6739	2.1E+10
369.0	9.0	21952	28.00	3385.63	14.00	644448	482287	1977162.	1494875	202800	6056	1.9E+10
369.5	9.5	19141	26.75	2724.23	13.38	588192	435649	1871862.	1436214	187500	5410	1.7E+10
370.0	10.0	16581	25.50	2062.97	12.75	534506	392113	1766562.	1374445	172800	4803	1.5E+10
370.5	10.5	14098	25.25	1402.51	12.13	484076	351588	1148558.	796971	158700	16098	5.0E+10
371.0	11.0	11625	25.00	743.58	12.50	433750	313951	1135058.	921108	145200	15625	4.9E+10
371.5	11.5	10161	24.75	685.65	12.38	393526	279102	1121558.	842457	132300	15161	4.7E+10
372.0	12.0	8706	24.50	628.73	12.25	353406	246931	1108058.	861128	120000	14706	4.6E+10
372.5	12.5	7261	24.25	572.82	12.13	313287	217333	1094558.	877226	108300	14261	4.5E+10
373.0	13.0	5824	24.00	517.92	12.00	273472	190200	1081058.	890859	97200	13824	4.3E+10
373.5	13.5	4396	23.75	460.02	11.88	233659	165425	1067558.	902134	86700	13396	4.2E+10
374.0	14.0	2978	23.50	403.12	11.75	193750	142900	1054058.	911159	76800	12978	4.1E+10
374.5	14.5	1568	23.25	346.22	11.63	153842	122519	1040558.	918040	67500	12568	3.9E+10
375.0	15.0	12167	23.00	289.33	11.50	113938	104174	1027058.	922885	58800	12167	3.8E+10
375.5	15.5	11775	22.75	231.44	11.38	74036	87758	1013558.	925800	50700	11775	3.7E+10
376.0	16.0	11391	22.50	173.55	11.25	34138	73165	1000058.	926894	43200	11391	3.6E+10
376.5	16.5	11015	22.25	115.66	11.13	406941	60286	986558.8	926273	36300	11015	3.4E+10
377.0	17.0	10648	22.00	57.77	11.00	397848	49015	973058.8	924044	30000	10648	3.3E+10
377.5	17.5	10289	21.75	248.87	10.88	388857	39244	959858.8	920315	24300	10289	3.2E+10
378.0	18.0	9938	21.50	190.97	10.75	379970	30866	946058.8	915192	19200	9938	3.1E+10
378.5	18.5	9596	21.25	132.06	10.63	371184	23775	932558.8	908784	14700	9596	3.0E+10
379.0	19.0	9261	21.00	73.15	10.50	362502	17863	919058.8	901196	10800	9261	2.9E+10
379.5	19.5	8934	20.75	13.23	10.38	353922	13022	905358.8	892537	7500	8934	2.8E+10
380.0	20.0	8615	20.50	53.30	10.25	345446	9146	892058.8	882913	4800	8615	2.7E+10
380.5	20.5	8304	20.25	174.37	10.13	337071	6127	878558.8	872432	2700	8304	2.6E+10
381.0	21.0	8000	20.00	115.42	10.00	328800	3858	865058.8	861201	1200	8000	2.5E+10
381.5	21.5	7704	19.75	57.46	9.88	320631	2233	851558.8	849326	300	7704	2.4E+10
382.0	22.0	7415	19.50	1700.48	9.75	312566	1143	838058.8	836916	0	7415	2.3E+10
382.5	22.5	7133	19.25	1644.50	9.63	304602	482	824558.8	824077		7133	2.2E+10
383.0	23.0	6859	19.00	1589.49	9.50	296742	143	811058.8	810916		6859	2.1E+10
383.5	23.5	6592	18.75	1535.47	9.38	288984	18	797558.8	797541		6592	2.1E+10
384.0	24.0	6332	18.50	1482.43	9.25	281330	0	784058.8	784059		6332	2.0E+10
384.5	24.5	6078	18.25	1430.37	9.13	273777	-18	770558.8	770577		6078	1.9E+10
385.0	25.0	5830	18.00	1378.30	9.00	266328	-143	757058.8	757060		5830	1.8E+10

HOPKINTON EAST RETAINING WALL
WALL C. - SEC.D-D


	HEIGHT FT	I _c IN ⁴	MOMENT (LB-IN) ACTIVE	HEIGHT ft	WIDTH in	d in	A _s in	f _y ksi	a in	M _n k-in	cM _n lb-in	
	360.0	0.0	128788	1975450	0.0	50.500	47.500	1.00	60	1.961	2791.176	2512058.
	360.5	0.5	119459	1854538	0.5	49.250	46.250	1.00	60	1.961	2716.176	2444558.
	361.0	1.0	110592	1738664	1.0	48.000	45.000	1.00	60	1.961	2641.176	2377058.
	361.5	1.5	102175	1627720	1.5	46.750	43.750	1.00	60	1.961	2566.176	2309558.
	362.0	2.0	94196	1521599	2.0	45.500	42.500	1.00	60	1.961	2491.176	2242058.
	362.5	2.5	86644	1420194	2.5	44.250	41.250	1.00	60	1.961	2416.176	2174558.
	363.0	3.0	79507	1323397	3.0	43.000	40.000	1.00	60	1.961	2341.176	2107058.
	363.5	3.5	72773	1231101	3.5	41.750	38.750	1.56	60	3.059	3483.847	3135462.
	364.0	4.0	66430	1143200	4.0	40.500	37.500	1.56	60	3.059	3366.847	3030162.
	364.5	4.5	60467	1059586	4.5	39.250	36.250	1.56	60	3.059	3249.847	2924862.
	365.0	5.0	54872	980151	5.0	38.000	35.000	1.56	60	3.059	3132.847	2819562.
	365.5	5.5	49633	904789	5.5	36.750	33.750	1.56	60	3.059	3015.847	2714262.
	366.0	6.0	44739	833393	6.0	35.500	32.500	1.56	60	3.059	2898.847	2608962.
	366.5	6.5	40177	765855	6.5	34.250	31.250	1.56	60	3.059	2781.847	2503662.
	367.0	7.0	35937	702068	7.0	33.000	30.000	1.56	60	3.059	2664.847	2398362.
	367.5	7.5	32006	641925	7.5	31.750	28.750	1.56	60	3.059	2547.847	2293062.
	368.0	8.0	28373	585318	8.0	30.500	27.500	1.56	60	3.059	2430.847	2187762.
	368.5	8.5	25025	532142	8.5	29.250	26.250	1.56	60	3.059	2313.847	2082462.
	369.0	9.0	21952	482287	9.0	28.000	25.000	1.56	60	3.059	2196.847	1977162.
	369.5	9.5	19141	435649	9.5	26.750	23.750	1.56	60	3.059	2079.847	1871862.
	370.0	10.0	16581	392118	10.0	25.500	22.500	1.56	60	3.059	1962.847	1766562.
	370.5	10.5	14098	351588	10.5	25.250	22.250	1.00	60	1.961	1276.176	1148558.
	371.0	11.0	15625	313951	11.0	25.000	22.000	1.00	60	1.961	1261.176	1135058.
	371.5	11.5	15161	279102	11.5	24.750	21.750	1.00	60	1.961	1246.176	1121558.
	372.0	12.0	14706	246931	12.0	24.500	21.500	1.00	60	1.961	1231.176	1108058.
	372.5	12.5	14261	217333	12.5	24.250	21.250	1.00	60	1.961	1216.176	1094558.
	373.0	13.0	13824	190200	13.0	24.000	21.000	1.00	60	1.961	1201.176	1081058.
	373.5	13.5	13396	165425	13.5	23.750	20.750	1.00	60	1.961	1186.176	1067558.
	374.0	14.0	12978	142900	14.0	23.500	20.500	1.00	60	1.961	1171.176	1054058.
	374.5	14.5	12562	122519	14.5	23.250	20.250	1.00	60	1.961	1156.176	1040558.
	375.0	15.0	12167	104174	15.0	23.000	20.000	1.00	60	1.961	1141.176	1027058.
	375.5	15.5	11775	87758	15.5	22.750	19.750	1.00	60	1.961	1126.176	1013558.
	376.0	16.0	11391	73165	16.0	22.500	19.500	1.00	60	1.961	1111.176	1000058.
	376.5	16.5	11015	60286	16.5	22.250	19.250	1.00	60	1.961	1096.176	986558.8
	377.0	17.0	10648	49015	17.0	22.000	19.000	1.00	60	1.961	1081.176	973058.8
	377.5	17.5	10289	39244	17.5	21.750	18.750	1.00	60	1.961	1066.176	959558.8
	378.0	18.0	9938	30866	18.0	21.500	18.500	1.00	60	1.961	1051.176	946058.8
	378.5	18.5	9596	23775	18.5	21.250	18.250	1.00	60	1.961	1036.176	932558.8
	379.0	19.0	9261	17863	19.0	21.000	18.000	1.00	60	1.961	1021.176	919058.8
	379.5	19.5	8934	13022	19.5	20.750	17.750	1.00	60	1.961	1006.176	905558.8
	380.0	20.0	8615	9146	20.0	20.500	17.500	1.00	60	1.961	991.1764	892058.8
	380.5	20.5	8304	6127	20.5	20.250	17.250	1.00	60	1.961	976.1764	878558.8
	381.0	21.0	8000	3858	21.0	20.000	17.000	1.00	60	1.961	961.1764	865058.8
	381.5	21.5	7704	2233	21.5	19.750	16.750	1.00	60	1.961	946.1764	851558.8
	382.0	22.0	7415	1143	22.0	19.500	16.500	1.00	60	1.961	931.1764	838058.8
	382.5	22.5	7133	482	22.5	19.250	16.250	1.00	60	1.961	916.1764	824558.8
	383.0	23.0	6859	143	23.0	19.000	16.000	1.00	60	1.961	901.1764	811058.8
	383.5	23.5	6592	18	23.5	18.750	15.750	1.00	60	1.961	886.1764	797558.8
	384.0	24.0	6332	0	24.0	18.500	15.500	1.00	60	1.961	871.1764	784058.8
	384.5	24.5	6078	-18	24.5	18.250	15.250	1.00	60	1.961	856.1764	770558.8
	385.0	25.0	5832	-143	25.0	18.000	15.000	1.00	60	1.961	841.1764	757058.8

WOPKINTON EAST RETAINING WALL
WALL C. - SEC. D-D

EL.	HEIGHT FT	WIDTH in	d in	Icr IN ⁴	As	Trans Ay	c
360.0	0.0	50.500	47.500	16538.15	1.00	9.288862	7.84
360.5	0.5	49.250	46.250	15630.27	1.00	9.288862	7.72
361.0	1.0	48.000	45.000	14748.78	1.00	9.288862	7.61
361.5	1.5	46.750	43.750	13893.63	1.00	9.288862	7.49
362.0	2.0	45.500	42.500	13064.80	1.00	9.288862	7.37
362.5	2.5	44.250	41.250	12262.23	1.00	9.288862	7.25
363.0	3.0	43.000	40.000	11485.89	1.00	9.288862	7.13
363.5	3.5	41.750	38.750	10716.12	1.56	14.49062	8.54
364.0	4.0	40.500	37.500	10000.59	1.56	14.49062	8.39
364.5	4.5	39.250	36.250	9340.65	1.56	14.49062	8.23
365.0	5.0	38.000	35.000	8726.19	1.56	14.49062	8.07
365.5	5.5	36.750	33.750	8155.11	1.56	14.49062	7.90
366.0	6.0	35.500	32.500	7625.32	1.56	14.49062	7.73
366.5	6.5	34.250	31.250	7135.695	1.56	14.49062	7.56
367.0	7.0	33.000	30.000	6685.116	1.56	14.49062	7.39
367.5	7.5	31.750	28.750	6272.459	1.56	14.49062	7.21
368.0	8.0	30.500	27.500	5896.590	1.56	14.49062	7.03
368.5	8.5	29.250	26.250	5556.366	1.56	14.49062	6.85
369.0	9.0	28.000	25.000	5250.634	1.56	14.49062	6.66
369.5	9.5	26.750	23.750	4978.231	1.56	14.49062	6.46
370.0	10.0	25.500	22.500	4738.979	1.56	14.49062	6.26
370.5	10.5	25.250	22.250	4622.518	1.00	9.288862	5.15
371.0	11.0	25.000	22.000	4528.583	1.00	9.288862	5.11
371.5	11.5	24.750	21.750	4445.657	1.00	9.288862	5.08
372.0	12.0	24.500	21.500	4373.739	1.00	9.288862	5.05
372.5	12.5	24.250	21.250	4312.827	1.00	9.288862	5.01
373.0	13.0	24.000	21.000	4262.921	1.00	9.288862	4.98
373.5	13.5	23.750	20.750	4223.020	1.00	9.288862	4.95
374.0	14.0	23.500	20.500	4193.122	1.00	9.288862	4.91
374.5	14.5	23.250	20.250	4173.228	1.00	9.288862	4.88
375.0	15.0	23.000	20.000	4163.336	1.00	9.288862	4.84
375.5	15.5	22.750	19.750	4163.445	1.00	9.288862	4.81
376.0	16.0	22.500	19.500	4173.555	1.00	9.288862	4.77
376.5	16.5	22.250	19.250	4193.663	1.00	9.288862	4.74
377.0	17.0	22.000	19.000	4223.770	1.00	9.288862	4.70
377.5	17.5	21.750	18.750	4263.873	1.00	9.288862	4.67
378.0	18.0	21.500	18.500	4313.973	1.00	9.288862	4.63
378.5	18.5	21.250	18.250	4374.067	1.00	9.288862	4.60
379.0	19.0	21.000	18.000	4444.155	1.00	9.288862	4.56
379.5	19.5	20.750	17.750	4524.236	1.00	9.288862	4.52
380.0	20.0	20.500	17.500	4614.308	1.00	9.288862	4.49
380.5	20.5	20.250	17.250	4714.371	1.00	9.288862	4.45
381.0	21.0	20.000	17.000	4824.423	1.00	9.288862	4.41
381.5	21.5	19.750	16.750	4944.462	1.00	9.288862	4.38
382.0	22.0	19.500	16.500	5074.489	1.00	9.288862	4.34
382.5	22.5	19.250	16.250	5214.500	1.00	9.288862	4.30
383.0	23.0	19.000	16.000	5364.496	1.00	9.288862	4.26
383.5	23.5	18.750	15.750	5524.474	1.00	9.288862	4.22
384.0	24.0	18.500	15.500	5694.433	1.00	9.288862	4.19
384.5	24.5	18.250	15.250	5874.373	1.00	9.288862	4.15
385.0	25.0	18.000	15.000	6064.291	1.00	9.288862	4.11

SUBJECT HOPKINTON EAST RETAINING WALL
COMPUTATION BACKUP CALCULATIONS STILLING BASIN WALL
COMPUTED BY M.A.D. CHECKED BY [Signature] DATE 11/21/94

WALL - STILLING BASIN.



ACTIVE PRESSURE → POLE PRESSURE

$$W = \frac{wL}{2} = \frac{2298.3(34)}{2} = 39071.1$$

$$M_x = \frac{Wx^2}{2L} \quad M @ 34 = \frac{(39071.1)(34 \times 12)^2}{2(34 \times 12)^2} = 5313669$$

27 Sept 49

CORPS OF ENGINEERS, U.S. ARMY

SUBJECT HOPKINTON EAST RETAINING WALL


COMPUTATION BACKUP CALCULATIONS STILLING BASIN WALL

COMPUTED BY MAD

CHECKED BY _____

DATE 1/21/94

CALCULATE THEORETICAL MOMENT CAPACITY



	d	A_s	
A_{s1}	3.12	70	218.4
A_{s2}	2.54	64	162.6
	<u>5.66</u>		<u>381.0</u>
	$d = 67.307$		

$$M_u = \phi m_n = 0.9 A_s f_y (d - \frac{a}{2})$$

$$a = \frac{A_s f_y}{0.85 f'_c b} = \frac{5.66(60)}{0.85(13)(12)}$$

$$\phi m_n = 0.9(5.66)(60)(67.307 - \frac{11.078}{2}) = 18875715 \text{ lb. in}$$

$$M_u = 18875715 \text{ lb. in}$$

$$= 18.8 \times 10^6 \text{ lb. in}$$

CALCULATE CRACKING MOMENT M_{cr}

$$M_{cr} = \frac{f_{cr} I_g}{y_c}$$

$$f_{cr} = 7.5 \sqrt{f'_c} = 7.5 \sqrt{3000} = 411$$

$$I_g = \frac{12(73)^3}{12} = 389017 \text{ in}^4$$

$$y_c = 73/2 = 36.5$$

$$M_{cr} = \frac{(411)(389017)}{36.5} = 4380438 \text{ lb. in}$$

SUBJECT HOPKINTON EAST RETAINING WALL
COMPUTATION BACKUP CALCULATION STILLING BASIN
COMPUTED BY M.A.D. CHECKED BY [Signature] DATE 1/21/94

CALCULATE I_{CK}

$$E_C = 57000 T F_c = 3.12 \times 10^6$$

$$n = 9.28$$

$$A_{s1} = 3.12 \times 9.28 = 28.91$$

$$A_{s2} = 2.54 \times 9.28 = 23.59$$

LOCATION OF C

ZONE	AREA	\bar{Y}	$A\bar{Y}$
COMPRESSION	12c	c/2	Lc^2
A_{s1}	28.91	c-70	$28.91c - 2023.7$
A_{s2}	23.59	c-64	$23.59c - 1509.76$

$$6c^2 = 52.5 - 3533.46$$

$$c = \frac{-b \pm \sqrt{b^2 - 4AC}}{2A} = \frac{-52.5 \pm \sqrt{(52.5)^2 + 4(6)(3533.46)}}{12}$$

$$c = 20.3$$

CALCULATE I_{CR}

ZONE	AREA	\bar{Y}	I	$A\bar{Y}^2$
COMPRESSION	243.4	10.15	8365	25075.7
A_{s1}	28.9	49.7	-	71385.6
A_{s2}	23.6	43.7	-	45068.7
				<u>149895</u>

$$I_{CR} = 149895 \text{ in}^4$$

CALCULATE ICE FORCE

MOMENT AT BASE $W(L/363 - 350 + 1/2)$

USING ICE FORCE 620 lb

$$(620)(19)(363 - 350 + 1/2)(12) = 3180600 \text{ lb-in}$$

HOPKINTON EAST RETAINING WALL
 STILLING BASIN WALL

Ice Load 620 plf
 Ice Deflection 0.81 in
 Total Deflection 1.65 in
 Overload 0 points exceeding Mu

EL. N.G.V.	HEIGHT FT	I IN ⁴	WIDTH in	Icr IN ⁴	yt in	Mcr lb-in	Mact lb-in	Mu lb-in	Mall ice lb-in	Ice force 620	I	EI
350.0	0	369017	73.00	150105	36.50	4380438	5313670	18975838	13562168	3180600	150105	4.7E+11
350.5	0.5	373248	72.00	145205	36.00	4261248	5082674	18570198	13487524	3109920	145205	4.5E+11
351.0	1.0	357911	71.00	140391	35.50	4143702	4858471	18264558	13406087	3039240	140391	4.4E+11
351.5	1.5	343000	70.00	135664	35.00	4027800	4640961	17958918	13317957	2968560	135664	4.2E+11
352.0	2.0	328509	69.00	131022	34.50	3913542	4430041	17653278	13223237	2897880	131022	4.1E+11
352.5	2.5	314432	68.00	126467	34.00	3800928	4225610	17347638	13122027	2827200	126467	3.9E+11
353.0	3.0	300763	67.00	121997	33.50	3689958	4027568	17041998	13014430	2756520	121997	3.8E+11
353.5	3.5	287496	66.00	117613	33.00	3580632	3835812	16736358	12900546	2685840	117613	3.7E+11
354.0	4.0	274625	65.00	113314	32.50	3472950	3650241	16430718	12780476	2615160	113314	3.5E+11
354.5	4.5	262144	64.00	109101	32.00	3366912	3470754	16125078	12654324	2544480	109101	3.4E+11
355.0	5.0	250047	63.00	104973	31.50	3262518	3297249	15819438	12522188	2473800	104973	3.3E+11
355.5	5.5	238328	62.00	100930	31.00	3159768	3129626	15513798	12384172	2403120	100930	3.2E+11
356.0	6.0	226981	61.00	96971	30.50	3058662	2967781	15208158	12240376	2332440	96971	3.0E+11
356.5	6.5	216000	60.00	93199	30.00	2959200	2811615	14902518	12090902	2261760	93199	2.1E+11
357.0	7.0	205379	59.00	89649	29.50	2861382	2661026	14596878	11935852	2191080	89649	2.0E+11
357.5	7.5	195112	58.00	86250	29.00	2765208	2515912	14291238	11775326	2120400	86250	1.9E+11
358.0	8.0	185193	57.00	82972	28.50	2670678	2376172	13985598	11609426	2049720	82972	1.9E+11
358.5	8.5	175616	56.00	79805	28.00	2577792	2241704	13679958	11438253	1979040	79805	1.8E+11
359.0	9.0	166375	55.00	76749	27.50	2486550	2112408	13374318	11261910	1908360	76749	1.7E+11
359.5	9.5	157464	54.00	73704	27.00	2396952	1988182	13068678	11080496	1837680	73704	1.6E+11
360.0	10.0	148877	53.00	70670	26.50	2308998	1868923	12763038	10894114	1767000	70670	1.6E+11
360.5	10.5	140608	52.00	67647	26.00	2222688	1754532	12457398	10702865	1696320	67647	1.5E+11
361.0	11.0	132651	51.00	64634	25.50	2138022	1644907	12151758	10506851	1625640	64634	1.4E+11
361.5	11.5	125000	50.00	61631	25.00	2055000	1539945	11846118	10306172	1554960	61631	1.4E+11
362.0	12.0	117649	49.00	58638	24.50	1973622	1439547	11540478	10100931	1484280	58638	1.3E+11
362.5	12.5	110592	48.00	55655	24.00	1893888	1343610	11234838	9895290	1413600	55655	1.1E+11
363.0	13.0	103823	47.00	52682	23.50	1815798	1252033	10929298	9680079	1342920	52682	1.1E+11
363.5	13.5	97336	46.00	49719	23.00	1739352	1164714	10623658	9464868	1273170	49719	1.0E+11
364.0	14.0	91125	45.00	46766	22.50	1664550	1081553	10317978	9249657	1203510	46766	9.5E+10
364.5	14.5	85184	44.00	43823	22.00	1591392	1002447	10012298	9034446	1132850	43823	9.0E+10
365.0	15.0	79507	43.00	40880	21.50	1519878	927296	9706658	8819235	1062190	40880	8.6E+10
365.5	15.5	74088	42.00	37937	21.00	1450008	855998	9400868	8604024	1012770	37937	8.1E+10
366.0	16.0	68921	41.00	35004	20.50	1381782	788452	9092078	8388813	952320	35004	7.6E+10
366.5	16.5	64000	40.00	32083	20.00	1315200	724556	8783288	8173602	893730	32083	7.2E+10
367.0	17.0	59319	39.00	29172	19.50	1250262	664209	8473498	7958391	837000	29172	6.8E+10
367.5	17.5	54872	38.00	26271	19.00	1186968	607309	8163708	7743180	782130	26271	6.4E+10
368.0	18.0	50653	37.00	23380	18.50	1125318	553755	7853918	7527969	729120	23380	6.0E+10
368.5	18.5	46656	36.00	20489	18.00	1065312	503446	7544128	7312758	677970	20489	5.6E+10
369.0	19.0	42875	35.00	17608	17.50	1006950	456280	7234338	7097547	628680	17608	5.2E+10
369.5	19.5	39304	34.00	14727	17.00	950232	412156	6924548	6882136	581250	14727	4.8E+10
370.0	20.0	35937	33.00	11846	16.50	895158	370973	6614758	6666925	535680	11846	4.4E+10
370.5	20.5	32768	32.00	8965	16.00	841728	332628	6304968	6451714	491970	8965	4.0E+10
371.0	21.0	29791	31.00	6084	15.50	789942	297021	6005178	6236503	450120	6084	3.6E+10
371.5	21.5	27000	30.00	3203	15.00	739800	264051	5705388	6067092	410130	27000	3.2E+10
372.0	22.0	24389	29.00	317	14.50	691302	233615	5405598	5938081	372000	24389	2.8E+10
372.5	22.5	21952	28.00	276	14.00	644448	205613	5105808	5819070	335730	21952	2.4E+10
373.0	23.0	19683	27.00	235	13.50	599238	179943	4806018	5720059	301320	19683	2.0E+10
373.5	23.5	17576	26.00	194	13.00	555672	156504	4506228	5631048	268770	17576	1.6E+10
374.0	24.0	15625	25.00	153	12.50	513750	135194	4206438	5542037	238080	15625	1.2E+10
374.5	24.5	13824	24.00	112	12.00	473472	115912	3906648	5453026	209250	13824	8.0E+9
375.0	25.0	12167	23.00	71	11.50	434938	98557	3606858	5364015	182280	12167	3.8E+9
375.5	25.5	11775	22.75	30	11.25	425000	87024	3407068	5275004	157170	11775	3.7E+9

377.0	27.0	10648	22.00	1507	11.00	397848	46372	596541	350170	93000	10648	3.3E+10
377.5	27.5	10289	21.75	1465	10.88	388857	37128	588441	551313	75330	10289	3.2E+10
378.0	28.0	9938	21.50	1423	10.75	379970	29202	580341	551139	59520	9938	3.1E+10
378.5	28.5	9596	21.25	1382	10.63	371184	22493	572241	549748	45570	9596	3.0E+10
379.0	29.0	9261	21.00	1342	10.50	362502	16899	564141	547242	33480	9261	2.9E+10
379.5	29.5	8934	20.75	1303	10.38	353922	12320	556041	543722	23250	8934	2.8E+10
380.0	30.0	8615	20.50	1263	10.25	345446	8652	547941	539289	14880	8615	2.7E+10
380.5	30.5	8304	20.25	1225	10.13	337071	5796	539841	534045	8370	8304	2.6E+10
381.0	31.0	8000	20.00	1187	10.00	328800	3650	531741	528091	3720	8000	2.5E+10
381.5	31.5	7704	19.75	1150	9.88	320631	2112	523641	521529	930	7704	2.4E+10
382.0	32.0	7415	19.50	1113	9.75	312566	1082	515541	514460	0	7415	2.3E+10
382.5	32.5	7133	19.25	1077	9.63	304602	456	507441	506985		7133	2.2E+10
383.0	33.0	6859	19.00	1042	9.50	296742	135	499341	499206		6859	2.1E+10
383.5	33.5	6592	18.75	1007	9.38	288984	17	491241	491224		6592	2.1E+10
384.0	34.0	6332	18.50	973	9.25	281330	0	483141	483141		6332	2.0E+10
384.5	34.5	6078	18.25	940	9.13	273777		475041	475041		6078	1.9E+10
385.0	35.0	5832	18.00	907	9.00	266328		466941	466941		5832	1.8E+10

HOPKINTON EAST RETAINING WALL
 STILLING BASIN WALL

EL. N.G.V.D	HEIGHT FT	Ig IN ⁴	MOMENT (LB-IN) ACTIVE	HEIGHT ft	WIDTH in	d in	As in	fy ksi	a in	Mn k-in	Mu lb-in
350.0	0	389017	5313670	0	73.000	67.307	5.66	60	11.098	20973.15	18875838
350.5	0.5	373248	5082674	0.5	72.000	66.307	5.66	60	11.098	20633.55	18570198
351.0	1.0	357911	4858471	1.0	71.000	65.307	5.66	60	11.098	20293.95	18264558
351.5	1.5	343000	4640961	1.5	70.000	64.307	5.66	60	11.098	19954.35	17958918
352.0	2.0	328509	4430041	2.0	69.000	63.307	5.66	60	11.098	19614.75	17653278
352.5	2.5	314432	4225610	2.5	68.000	62.307	5.66	60	11.098	19275.15	17347638
353.0	3.0	300763	4027566	3.0	67.000	61.307	5.66	60	11.098	18935.55	17041998
353.5	3.5	287496	3835812	3.5	66.000	60.307	5.66	60	11.098	18595.95	16736358
354.0	4.0	274625	3650241	4.0	65.000	59.307	5.66	60	11.098	18256.35	16430718
354.5	4.5	262144	3470754	4.5	64.000	58.307	5.66	60	11.098	17916.75	16125078
355.0	5.0	250047	3297249	5.0	63.000	57.307	5.66	60	11.098	17577.15	15819438
355.5	5.5	238328	3129626	5.5	62.000	56.307	5.66	60	11.098	17237.55	15513798
356.0	6.0	226981	2967781	6.0	61.000	55.307	5.66	60	11.098	16897.95	15208158
356.5	6.5	216000	2811615	6.5	60.000	54.307	5.66	60	11.098	16558.35	14902518
357.0	7.0	205379	2661026	7.0	59.000	53.307	5.66	60	11.098	16218.75	14596878
357.5	7.5	195112	2515912	7.5	58.000	52.307	5.66	60	11.098	15879.15	14291238
358.0	8.0	185193	2376172	8.0	57.000	51.307	5.66	60	11.098	15539.55	13985598
358.5	8.5	175616	2241704	8.5	56.000	50.307	5.66	60	11.098	15199.95	13679958
359.0	9.0	166375	2112408	9.0	55.000	49.307	5.66	60	11.098	14860.35	13374318
359.5	9.5	157464	1988182	9.5	54.000	48.307	5.66	60	11.098	14520.75	13068678
360.0	10.0	148877	1868923	10.0	53.000	47.307	5.66	60	11.098	14181.15	12763038
360.5	10.5	140608	1754532	10.5	52.000	46.307	5.66	60	11.098	13841.55	12457398
361.0	11.0	132651	1644907	11.0	51.000	45.307	5.66	60	11.098	13501.95	12151758
361.5	11.5	125000	1539945	11.5	50.000	44.307	5.66	60	11.098	13162.35	11846118
362.0	12.0	117649	1439547	12.0	49.000	43.307	5.66	60	11.098	12822.75	11540478
362.5	12.5	110592	1343610	12.5	48.000	42.307	2.83	60	5.549	7169.888	6452899
363.0	13.0	103823	1252033	13.0	47.000	41.307	2.83	60	5.549	7000.088	6300079
363.5	13.5	97336	1164714	13.5	46.000	40.307	2.83	60	5.549	6830.288	6147259
364.0	14.0	91125	1081553	14.0	45.000	39.307	2.83	60	5.549	6660.488	5994439
364.5	14.5	85184	1002447	14.5	44.000	38.307	2.83	60	5.549	6490.688	5841619
365.0	15.0	79507	927296	15.0	43.000	37.307	2.83	60	5.549	6320.888	5688799
365.5	15.5	74088	855998	15.5	42.000	36.307	2.83	60	5.549	6151.088	5535979
366.0	16.0	68921	788452	16.0	41.000	35.307	2.83	60	5.549	5981.288	5383159
366.5	16.5	64000	724556	16.5	40.000	34.307	2.83	60	5.549	5811.488	5230339
367.0	17.0	59319	664209	17.0	39.000	33.307	2.83	60	5.549	5641.688	5077519
367.5	17.5	54872	607309	17.5	38.000	32.307	2.83	60	5.549	5471.888	4924699
368.0	18.0	50653	553755	18.0	37.000	31.307	2.83	60	5.549	5302.088	4771879
368.5	18.5	46656	503446	18.5	36.000	30.307	1.27	60	2.490	2419.723	2177751
369.0	19.0	42875	456280	19.0	35.000	29.307	1.27	60	2.490	2343.523	2109171
369.5	19.5	39304	412156	19.5	34.000	28.307	1.27	60	2.490	2267.323	2040591
370.0	20.0	35937	370973	20.0	33.000	27.307	1.27	60	2.490	2191.123	1972011
370.5	20.5	32768	332628	20.5	32.000	26.307	1.27	60	2.490	2114.923	1903431
371.0	21.0	29791	297021	21.0	31.000	25.307	1.27	60	2.490	2038.723	1834851
371.5	21.5	27000	264051	21.5	30.000	24.307	1.27	60	2.490	1962.523	1766271
372.0	22.0	24389	233615	22.0	29.000	23.307	1.27	60	2.490	1886.323	1697691
372.5	22.5	21952	205613	22.5	28.000	22.307	0.60	60	1.176	878.8235	790941
373.0	23.0	19683	179943	23.0	27.000	21.307	0.60	60	1.176	842.8235	758541
373.5	23.5	17576	156504	23.5	26.000	20.307	0.60	60	1.176	806.8235	726141
374.0	24.0	15625	135194	24.0	25.000	19.307	0.60	60	1.176	770.8235	693741
374.5	24.5	13824	115912	24.5	24.000	18.307	0.60	60	1.176	734.8235	661341
375.0	25.0	12167	98557	25.0	23.000	17.307	0.60	60	1.176	698.8235	628941
375.5	25.5	11775	83026	25.5	22.750	17.000	0.60	60	1.176	689.8235	620841
376.0	26.0	11391	69219	26.0	22.500	16.500	0.60	60	1.176	680.8235	612741
376.5	26.5	11015	57078	26.5	22.250	16.000	0.60	60	1.176	671.8235	604641

378.0	28.0	9938	29202	28.0	21.500	18.500	0.60	60	1.176	644.8235	580341
378.5	28.5	9596	22493	28.5	21.250	18.250	0.60	60	1.176	635.8235	572241
379.0	29.0	9261	16899	29.0	21.000	18.000	0.60	60	1.176	626.8235	564141
379.5	29.5	8934	12320	29.5	20.750	17.750	0.60	60	1.176	617.8235	556041
380.0	30.0	8615	8652	30.0	20.500	17.500	0.60	60	1.176	608.8235	547941
380.5	30.5	8304	5796	30.5	20.250	17.250	0.60	60	1.176	599.8235	539841
381.0	31.0	8000	3650	31.0	20.000	17.000	0.60	60	1.176	590.8235	531741
381.5	31.5	7704	2112	31.5	19.750	16.750	0.60	60	1.176	581.8235	523641
382.0	32.0	7415	1082	32.0	19.500	16.500	0.60	60	1.176	572.8235	515541
382.5	32.5	7133	456	32.5	19.250	16.250	0.60	60	1.176	563.8235	507441
383.0	33.0	6859	135	33.0	19.000	16.000	0.60	60	1.176	554.8235	499341
383.5	33.5	6592	17	33.5	18.750	15.750	0.60	60	1.176	545.8235	491241
384.0	34.0	6332	0	34.0	18.500	15.500	0.60	60	1.176	536.8235	483141
384.5	34.5	6078		34.5	18.250	15.250	0.60	60	1.176	527.8235	475041
385.0	35.0	5832		35.0	18.000	15.000	0.60	60	1.176	518.8235	466941


ROPKINTON EAST RETAINING WALL
 STILLING BASIN WALL

EL.	HEIGHT	WIDTH	d	Icr	As1	Trans A	c	As2	Trans As2
	FT	in	in	IN ⁴					
350.0	0	73.000	70.000	150105	3.12	28.98	20.30	2.54	23.59
350.5	0.5	72.000	69.000	145205	3.12	28.98	20.12	2.54	23.59
351.0	1.0	71.000	68.000	140391	3.12	28.98	19.94	2.54	23.59
351.5	1.5	70.000	67.000	135664	3.12	28.98	19.76	2.54	23.59
352.0	2.0	69.000	66.000	131022	3.12	28.98	19.58	2.54	23.59
352.5	2.5	68.000	65.000	126467	3.12	28.98	19.39	2.54	23.59
353.0	3.0	67.000	64.000	121997	3.12	28.98	19.21	2.54	23.59
353.5	3.5	66.000	63.000	117613	3.12	28.98	19.02	2.54	23.59
354.0	4.0	65.000	62.000	113314	3.12	28.98	18.83	2.54	23.59
354.5	4.5	64.000	61.000	109101	3.12	28.98	18.64	2.54	23.59
355.0	5.0	63.000	60.000	104973	3.12	28.98	18.45	2.54	23.59
355.5	5.5	62.000	59.000	100930	3.12	28.98	18.26	2.54	23.59
356.0	6.0	61.000	58.000	96971	3.12	28.98	18.06	2.54	23.59
356.5	6.5	60.000	57.000	93199	3.12	28.98	17.87	2.54	23.59
357.0	7.0	59.000	56.000	89649	3.12	28.98	17.67	2.54	23.59
357.5	7.5	58.000	55.000	86215	3.12	28.98	17.47	2.54	23.59
358.0	8.0	57.000	54.000	82902	3.12	28.98	17.27	2.54	23.59
358.5	8.5	56.000	53.000	79705	3.12	28.98	17.07	2.54	23.59
359.0	9.0	55.000	52.000	76629	3.12	28.98	16.86	2.54	23.59
359.5	9.5	54.000	51.000	73664	3.12	28.98	16.65	2.54	23.59
360.0	10.0	53.000	50.000	70820	3.12	28.98	16.44	2.54	23.59
360.5	10.5	52.000	49.000	68227	3.12	28.98	16.23	2.54	23.59
361.0	11.0	51.000	48.000	65885	3.12	28.98	16.02	2.54	23.59
361.5	11.5	50.000	47.000	63693	3.12	28.98	15.80	2.54	23.59
362.0	12.0	49.000	46.000	61652	3.12	28.98	15.59	2.54	23.59
362.5	12.5	48.000	45.000	59739	2.83	26.29	12.02		
363.0	13.0	47.000	44.000	57927	2.83	26.29	11.87		
363.5	13.5	46.000	43.000	56216	2.83	26.29	11.71		
364.0	14.0	45.000	42.000	54637	2.83	26.29	11.55		
364.5	14.5	44.000	41.000	53158	2.83	26.29	11.39		
365.0	15.0	43.000	40.000	51743	2.83	26.29	11.23		
365.5	15.5	42.000	39.000	50393	2.83	26.29	11.06		
366.0	16.0	41.000	38.000	49106	2.83	26.29	10.90		
366.5	16.5	40.000	37.000	47883	2.83	26.29	10.73		
367.0	17.0	39.000	36.000	46723	2.83	26.29	10.56		
367.5	17.5	38.000	35.000	45628	2.83	26.29	10.38		
368.0	18.0	37.000	34.000	44593	2.83	26.29	10.21		
368.5	18.5	36.000	33.000	43615	1.27	11.80	7.13		
369.0	19.0	35.000	32.000	42693	1.27	11.80	7.01		
369.5	19.5	34.000	31.000	41816	1.27	11.80	6.89		
370.0	20.0	33.000	30.000	40977	1.27	11.80	6.76		
370.5	20.5	32.000	29.000	40169	1.27	11.80	6.63		
371.0	21.0	31.000	28.000	39392	1.27	11.80	6.50		
371.5	21.5	30.000	27.000	38635	1.27	11.80	6.37		
372.0	22.0	29.000	26.000	37908	1.27	11.80	6.23		
372.5	22.5	28.000	25.000	37206	0.60	5.57	4.38		
373.0	23.0	27.000	24.000	36521	0.60	5.57	4.28		
373.5	23.5	26.000	23.000	35866	0.60	5.57	4.18		
374.0	24.0	25.000	22.000	35241	0.60	5.57	4.08		
374.5	24.5	24.000	21.000	34637	0.60	5.57	3.98		
375.0	25.0	23.000	20.000	34052	0.60	5.57	3.87		
375.5	25.5	22.750	19.750	33487	0.60	5.57	3.84		
376.0	26.0	22.500	19.500	32933	0.60	5.57	3.82		
376.5	26.5	22.250	19.250	32390	0.60	5.57	3.79		
377.0	27.0	22.000	19.000	31857	0.60	5.57	3.76		

79.0	29.0	21.000	18.000	1342	0.60	5.57	3.65
79.5	29.5	20.750	17.750	1303	0.60	5.57	3.62
80.0	30.0	20.500	17.500	1263	0.60	5.57	3.59
80.5	30.5	20.250	17.250	1225	0.60	5.57	3.57
81.0	31.0	20.000	17.000	1187	0.60	5.57	3.54
81.5	31.5	19.750	16.750	1150	0.60	5.57	3.51
82.0	32.0	19.500	16.500	1113	0.60	5.57	3.48
82.5	32.5	19.250	16.250	1077	0.60	5.57	3.45
83.0	33.0	19.000	16.000	1042	0.60	5.57	3.42
83.5	33.5	18.750	15.750	1007	0.60	5.57	3.39
84.0	34.0	18.500	15.500	973	0.60	5.57	3.36
84.5	34.5	18.250	15.250	940	0.60	5.57	3.33
85.0	35.0	18.000	15.000	907	0.60	5.57	3.30

SUBJECT HOPKINTON EAST WALL
COMPUTATION OVERTURNING ANALYSIS
COMPUTED BY MAD CHECKED BY JTC DATE 1/20/54

ACTIVE SOIL PRESSURE.



APPROX PORE PRESSURE

CENTROID OF AREA. WALL A

EL 346

	AREA	\bar{A}	\bar{Y}	$A\bar{Y}$
A ₁	$\frac{1}{2}(50.6)(2)$	2217	36.67	1179.7
A ₂	$\frac{1}{2}(21.1)(1)$	10.5	35.33	370.9
A ₃	$(36)(50.6)$	1821.6	18	32788.8
A ₄	$(35)(21.1)$	738.5	17.5	12923.8
A ₅	$(246)(35)\frac{1}{2}$	14752.5	11.67	17214.7
		<u>17355.3</u>		<u>219424.9</u>

$\bar{Y} = 12.6'$


SUBJECT HOPKINGTON EAST WALL
COMPUTATION OVER TURNING ANALYSIS
COMPUTED BY MAD CHECKED BY JAC DATE 1/26/54



C₁
 $A_1 = (1.5)(1.5) = 22.5$
 $\frac{1}{2}(1.5)(.625) = 4.68$
27.18
 $\bar{y} = 0.91$

\bar{y}
 .75
1.708

A_2
 16.875
8
 24.87



$A_1 = (3.28)(19.5)(\frac{1}{2}) = 31.98$
 $A_2 = (2.125)(19.5) = 41.43$
 $A_3 = (.781)(19.5)(\frac{1}{2}) = 7.61$
81.0

\bar{y}
 2.18
 4.43
 5.67
12.28
 $A\bar{y}$
 69.7
 171.8
 43.1
292.7

$\bar{y} = 3.61$

27 Sept 49

CORPS OF ENGINEERS, U. S. ARMY

SUBJECT HOPKINTON EAST WALL

COMPUTATION CURVE TURNING ANALYSIS

COMPUTED BY M. A. D.


CHECKED BY J. C.

DATE 1/20/54

FORCE FROM WATER

A_A	17355.3	12.6	219424.9
A_W	$(30 \times 1537 \times 1/2)$	12	418382.0
	<u>34866</u>		<u>637816.9</u>
	52221.3		

$\bar{y} = 12.21$



UPRIGHT WALL A.

$$A_1 = \frac{1}{2}(1166.9 + 1579.0)(30) = 41188.5$$

$$\bar{y} = \frac{30((2(1579.0)) + 1166.9)}{3(1166.9 + 1579.0)} = 15.7$$

} 648735

$$A_2 = \frac{1}{2}(2082.9 + 2190.9)(30) = 6410.7$$

$$\bar{y} = \frac{3(2(2190.9) + 2082.9)}{3(2082.9 + 2190.9)} + 30 = 31.52$$

} 202109.7

ΣA 47599.2 $\Sigma A\bar{y}$ 850844

$\bar{y} = 17.87$

WT OF SOIL

ASSUME FULL WIDTH

				A	\bar{y}
ROCK	20.28	2	135	27378	23.55
GRAVEL	20.28	1	150	3042	
INTERLARS	20.28	30.5	140	6595.6	
CONC	$1/2(3.28 \times 11.5)$			- 2994	
				<u>89880.8</u>	

TABLE OF FORCES FOR RETAINING WALL DESIGN

PROJECT: HOPKINTON EAST RETAINING WALL
 DESCRIPTION: WALL A
 LOCATION: HOPKINTON DAM, NH
 DATE:

SIZE OF BASE: 33 FEET

ALL UNITS IN KIPS AND/OR FEET

NO.	HORIZ. RESIS	HORIZ. OVER	VERT. RESIS	VERT. OVER	MOMENT ARM	RESULTANT MOMENT
C1			12.15		12.1	147.0150
C2			4.08		11.52	47.0016
C3			20.25		15	303.7500
C4			4.73		31.5	148.9950
WS			89.88		23.55	2116.6740
Pa		52.2			12.21	-637.3620
U1				47.6	17.87	-850.6120
Pw1	9.91				5.7	56.4870
Pice		11.4			26.5	-302.1000
						0.0000
						0.0000
	SUM OF HORIZ	-53.69	SUM OF VERT	83.49	SUM OF MOMENTS	1029.85

ICE LOAD IN PSF 600

SUM OF MOMENTS OVERTURNING 1790.07
 SUM OF MOMENTS RESISTING 2819.92

FACTOR OF SAFETY AGAINST OVERTURNING 1.58
 LOCATION OF THE RESULTANT 12.33
 ECCENTRICITY: 4.17
 BEARING PRESSURE LEFT (KSF): 4.45
 BEARING PRESSURE RIGHT (KSF): 0.61

SUBJECT HOPKINTON EAST WALL

COMPUTATION DETERMINING ANALYSIS WALL B

COMPUTED BY M.A.D.

CHECKED BY JTC

DATE 1/21/97


CENTROID OF AREA WALL SOIL PRESSURE WALL B.

EL 349.0

	Δ	\bar{Y}	$A\bar{Y}$
A_1	$\frac{1}{2}(50.6)(2)$	32.17	33.67
A_2	$\frac{1}{2}(21.1)(1)$	10.5	32.33
A_3	$33(50.6)$	1667.8	16.5
A_4	$32(21.1)$	675.2	16.0
A_5	$\frac{1}{2}(32)(773.3)$	12380.8	10.67
P_w	$\frac{1}{2}(1727.3)(33)$	28500.5	11
	<u>43229.0</u>		<u>495386.2</u>

$\bar{Y} = 11.21$

CONCRETE



C_1	$A_1 (1.5)(15)$	$\times .75$	16.875
	$A_2 (2.25)(15)(\frac{1}{2})$	$\times 1.708$	-8
			<u>24.875</u>
			27.18
			$\bar{Y} = 0.91$

	A	\bar{Y}	$A\bar{Y}$
C_2	$A_1 (2.125)(17)$	36.125	3.89
	$A_2 \frac{1}{2}(2.83)(17)$	24.06	1.89
	$A_3 \frac{1}{2}(7.08)(17)$	6.02	5.19
	<u>66.205</u>		<u>31.24</u>
			217.26

$\bar{Y} = 3.28$

	F	\bar{Y}
C_1	$(27.18)(.15)$	4.08
C_2	$(66.21)(.15)$	9.93
C_3	$(26.67)(.15)(4)$	16.00
C_4	$(10.43)(.15)$	4.5
		28.17

SUBJECT HOPEINGTON EAST WALL


COMPUTATION OVERTURNING ANALYSIS WALL B

COMPUTED BY M.A.D.

CHECKED BY JJC

DATE 1/21/93

UPLIFT PRESSURE WALL B



$$A_1 = \frac{1}{2}(873.6 + 1310.4)(26.67) = 29123$$

$$\bar{Y} = \frac{26.67(2(1310.4) + 873.6)}{3(873.6 + 1310.4)} = 14.22$$

$$\left. \begin{array}{l} A_1 = 29123 \\ \bar{Y} = 14.22 \end{array} \right\} A_1 \bar{Y} = 414138$$

$$A_2 = \frac{1}{2}(1840.8 + 1959.4)(36) = 5700$$

$$\bar{Y} = \frac{3(2(1959.4) + 1840.8)}{3(1840.8 + 1959.4)} + 26.67 = 28.18$$

$$\left. \begin{array}{l} A_2 = 5700 \\ \bar{Y} = 28.18 \end{array} \right\} = 160640$$

$$\Sigma A = 34823$$

$$\Sigma A \bar{Y} = 574778$$

$$\bar{Y} = 16.5$$

$$U = \begin{array}{cc} F & Y \\ 348 & 16.5 \end{array}$$

$$P_w = (0.873)(14)(\frac{1}{2}) = \begin{array}{cc} F & Y \\ 6.11 & 4.67 \end{array}$$

$W_3 =$	ROCK	17.83	2	135	4814.1	\bar{Y} 20.75
	GRAVEL	17.83	1	150	2674.5	
	IMPERVIOUS	17.83	28	140	69893.6	
	- COMPACT	$\frac{1}{2}(17)(293)(.15)$	-		(3608)	
					<u>73774.2</u>	
					= 73.8	

TABLE OF FORCES FOR RETAINING WALL DESIGN

PROJECT: HOPKINTON EAST RETAINING WALL
 DESCRIPTION: WALL B
 LOCATION: HOPKINTON DAM, NH
 DATE:

SIZE OF BASE: 29.67 FEET

ALL UNITS IN KIPS AND/OR FEET

NO.	HORIZ. RESIS	HORIZ. OVER	VERT. RESIS	VERT. OVER	MOMENT ARM	RESULTANT MOMENT
C1			4.08		10.93	44.5944
C2			9.93		11.38	113.0034
C3			16		13.3	212.8000
C4			4.5		28.17	126.7650
WS			73.8		20.75	1531.3500
Pa		43.3			11.21	-485.3930
U1				34.8	16.5	-574.2000
Pw1	6.11				4.67	28.5337
Pice		11.4			23.5	-267.9000
						0.0000
						0.0000
	SUM OF HORIZ	-48.59	SUM OF VERT	73.51	SUM OF MOMENTS	729.55

ICE LOAD IN PSF 600

SUM OF MOMENTS OVERTURNING 1327.49
 SUM OF MOMENTS RESISTING 2057.05

FACTOR OF SAFETY AGAINST OVERTURNING 1.55
 LOCATION OF THE RESULTANT
 ECCENTRICITY: 4.91
 BEARING PRESSURE LEFT (KSF): 4.94
 BEARING PRESSURE RIGHT (KSF): 0.02

SUBJECT HOPKINTON EAST WALL

COMPUTATION OVERTURNING ANALYSIS WALL C

COMPUTED BY N. A. D.

CHECKED BY J. J. C.

DATE 1/21/53

WALL C


EL 356.0

	A	\bar{Y}	$A\bar{Y}$
A ₁ $\frac{1}{2}(50.6)(2)$	= 32.17	26.67	858.0
A ₂ $\frac{1}{2}(21.1)(1)$	= 10.5	25.33	266.0
A ₃ 26(50.6)	= 1315.6	13	17102.8
A ₄ 25(21.1)	= 527.5	12.5	6593.8
A ₅ $\frac{1}{2}(25)604.5$	= 7562.25	8.3	62716.9
F ₁ $\frac{1}{2}(1301.6)(26)$	= 16920.8	8.67	146696.4
	<u>26362.8</u>		<u>234233.9</u>

$\bar{Y} = 8.9'$

CONCRETE

$C_1 = \bar{Y} = 8.91$



	A	\bar{Y}	$A\bar{Y}$
A ₁ (2.125)(10)	21.25	2.73	58.1
A ₂ $\frac{1}{2}(1.67)(10)$	8.35	1.11	9.3
A ₃ $\frac{1}{2}(.416)(10)$	2.08	3.93	8.18
	<u>31.7</u>		<u>75.6</u>


$\bar{Y} = 2.4'$

	F	\bar{Y}
C ₁ (27.10)(.15)	4.08	9.42
C ₂ (31.7)(.15)	4.8	9.6
C ₃ (22)(4)(.15)	13.2	11
C ₄ (10)(3)(.15)	4.5	23.5

				\bar{Y}
W ₅ = ROCK	14.67	2	135	3960.9
GRAVEL	14.67	1	150	2200.5
IMPERVIOUS	14.67	21	140	43129.8
- CONCRETE	$\frac{1}{2}(1.67)(10)(.15)$			(1252.5)
			<u>48038.7</u>	<u>17.67</u>
			48,0K	

SUBJECT HOPKINTON EAST WALL
COMPUTATION OVERTURNING ANALYSIS WALL
COMPUTED BY U.A.D CHECKED BY JAC DATE 1/21/53

UPLIFT PRESSURE WALL



$$A_1 \frac{1}{2} (436.8 + 850.1)(22) = 14155.9$$

$$\bar{y} = \frac{22 (2(850.1) + 436.8)}{3 (436.8 + 850.1)} = 12.18$$

$$172384.7$$

$$A_2 \frac{1}{2} (1404.0 + 1551.3)(3) = 4432.95$$

$$\bar{y} = \frac{3 (2(1551.3) + 1404.0)}{3 (1404 + 1551.3)} = 1.52$$

$$6759.9$$

$$\Sigma A = 18588.9$$

$$\Sigma Ay = 179144.6$$

$$\bar{y} = 9.6$$

$$F = 18.6 \quad \bar{y} = 9.6$$

$$P_w = 0.4368 (7) (\frac{1}{2}) = 1.53 \quad \bar{y} = 2.33$$

$$P_{ice} \text{ Mom } \bar{y} = (363 + 19/2) - 356 = 16.5$$

TABLE OF FORCES FOR RETAINING WALL DESIGN

PROJECT: HOPKINTON EAST RETAINING WALL
DESCRIPTION: WALL C
LOCATION: HOPKINTON DAM, NH
DATE:

SIZE OF BASE: 25 FEET

ALL UNITS IN KIPS AND/OR FEET

NO.	HORIZ. RESIS	HORIZ. OVER	VERT. RESIS	VERT. OVER	MOMENT ARM	RESULTANT MOMENT
C1			4.08		9.42	38.4336
C2			-4.8		9.6	46.0800
C3			13.2		11	145.2000
C4			4.5		23.5	105.7500
WS			48		17.67	848.1600
Pa		26.4			8.9	-234.9600
U1				18.4	9.6	-176.6400
Pw1	1.53				2.33	3.5649
Pice		11.4			16.5	-188.1000
						0.0000
						0.0000
	SUM OF HORIZ	-36.27	SUM OF VERT	56.18	SUM OF MOMENTS	567.49

ICE LOAD IN PSF 600

SUM OF MOMENTS OVERTURNING 599.70
SUM OF MOMENTS RESISTING 1187.19

FACTOR OF SAFETY AGAINST OVERTURNING 1.98
LOCATION OF THE RESULTANT ECCENTRICITY: 10.46
BEARING PRESSURE LEFT (KSF): 2.04
BEARING PRESSURE RIGHT (KSF): 3.35
1.15

APPENDIX B -- TILT PLATE AND SURVEY DATA

TILT PLATE DATA

Terra Tilt Field Data Sheet
 Project: Hopkinton Dam - Outlet Channel East Wall
 Plate No: 1
 Initial Date: Nov. 30, 1989

Mo. Dy. Yr.	Date	Ao rdg	A180 rdg	Bo rdg	B180 rdg	Ao	A180	A avg	A cum.	Bo	B180	B avg.	B cum.	A Rot'n	B Rot'n
11 30 89	30-Nov-89	-0.0119	-0.0038	0.0282	-0.0433	-0.0060	-0.0019	-0.0021	0.0000	0.0141	-0.0217	0.0179	0.0000	0.0000	0.0000
1 3 90	03-Jan-90	-0.0202	0.0043	0.0281	-0.0438	-0.0101	0.0022	-0.0062	-0.0041	0.0141	-0.0219	0.0180	0.0001	-0.2349	0.0057
1 19 90	19-Jan-90	-0.0207	0.0056	0.0288	-0.0435	-0.0104	0.0028	-0.0066	-0.0045	0.0144	-0.0218	0.0181	0.0002	-0.2578	0.0115
3 2 90	02-Mar-90	-0.0156	0.0007	0.0288	-0.0434	-0.0078	0.0004	-0.0041	-0.0020	0.0144	-0.0217	0.0181	0.0002	-0.1146	0.0115
4 27 90	27-Apr-90	-0.0160	-0.0030	0.0266	-0.0452	-0.0080	-0.0015	-0.0033	-0.0012	0.0133	-0.0226	0.0180	0.0001	-0.0688	0.0057
5 14 90	14-May-90	-0.0161	-0.0020	0.0268	-0.0449	-0.0081	-0.0010	-0.0036	-0.0015	0.0134	-0.0225	0.0180	0.0001	-0.0859	0.0057
8 20 90	20-Aug-90	-0.0180	-0.0002	0.0265	-0.0444	-0.0090	-0.0001	-0.0045	-0.0024	0.0133	-0.0222	0.0178	-0.0001	-0.1375	-0.0057
10 29 90	29-Oct-90	-0.0162	0.0011	0.0282	-0.0432	-0.0081	0.0006	-0.0044	-0.0023	0.0141	-0.0216	0.0179	0.0000	-0.1318	0.0000
4 26 91	26-Apr-91	-0.0164	-0.0020	0.0261	-0.0440	-0.0082	-0.0010	-0.0036	-0.0015	0.0131	-0.0220	0.0176	-0.0003	-0.0859	-0.0172
8 7 91	07-Aug-91	-0.0157	0.0040	0.0243	-0.0437	-0.0079	-0.0020	-0.0030	-0.0009	0.0122	-0.0219	0.0171	-0.0008	-0.0516	-0.0458
4 20 92	20-Apr-92	-0.0150	-0.0014	0.0257	-0.0417	-0.0075	-0.0007	-0.0034	-0.0013	0.0129	-0.0209	0.0169	-0.0010	-0.0745	-0.0573
3 28 94	28-Mar-94	-0.0212	0.0055	0.0248	-0.0403	-0.0106	0.0028	-0.0067	-0.0046	0.0124	-0.0202	0.0163	-0.0016	-0.2636	-0.0917
11 10 94	10-Nov-94	-0.0184	0.0027	0.0245	-0.0400	-0.0092	0.0014	-0.0053	-0.0032	0.0123	-0.0200	0.0162	-0.0017	-0.1833	-0.0974
3 30 95	30-Mar-95	-0.0184	0.0014	0.0237	-0.0405	-0.0092	0.0007	-0.0050	-0.0029	0.0119	-0.0203	0.0161	-0.0018	-0.1662	-0.1031
3 25 96	25-Mar-96	-0.0198	0.0017	0.0233	-0.0412	-0.0099	0.0009	-0.0054	-0.0033	0.0117	-0.0206	0.0162	-0.0017	-0.1891	-0.0974

Terra Tilt Field Data Sheet
 Project: Hopkinton Dam - Outlet Channel East Wall
 Plate No: 2
 Initial Date: Nov. 30, 1989

Mo. Dy. Yr.	Date	Ao rdg	A180 rdg	Bo rdg	B180 rdg	Ao	A180	A avg	A cum.	Bo	B180	B avg.	B cum.	A Rot'n	B Rot'n
Initial		0.0107	-0.0260	0.0097	-0.0248	0.0054	-0.0130	0.0092	0.0000	0.0049	-0.0124	0.0087	0.0000	0.0000	0.0000
1 3 90	03-Jan-90	0.0010	-0.0167	0.0099	-0.0255	0.0005	-0.0084	0.0045	-0.0047	0.0050	-0.0128	0.0089	0.0002	-0.2693	0.0115
1 19 90	19-Jan-90	0.0004	-0.0152	0.0104	-0.0251	0.0002	-0.0076	0.0039	-0.0053	0.0052	-0.0126	0.0089	0.0002	-0.3037	0.0115
3 2 90	02-Mar-90	0.0045	-0.0196	0.0101	-0.0254	0.0023	-0.0098	0.0061	-0.0031	0.0051	-0.0127	0.0089	0.0002	-0.1776	0.0115
4 27 90	27-Apr-90	0.0079	-0.0268	0.0086	-0.0274	0.0040	-0.0134	0.0087	-0.0005	0.0043	-0.0137	0.0090	0.0003	-0.0286	0.0172
5 14 90	14-May-90	0.0081	-0.0280	0.0089	-0.0272	0.0041	-0.0140	0.0091	-0.0001	0.0045	-0.0136	0.0091	0.0004	-0.0057	0.0229
8 20 90	20-Aug-90	0.0082	-0.0264	0.0093	-0.0273	0.0041	-0.0132	0.0087	-0.0005	0.0047	-0.0137	0.0092	0.0005	-0.0286	0.0286
10 29 90	29-Oct-90	0.0100	-0.0292	0.0105	-0.0255	0.0050	-0.0126	0.0088	-0.0004	0.0053	-0.0128	0.0091	0.0004	-0.0229	0.0229
4 26 91	26-Apr-91	0.0082	-0.0266	0.0090	-0.0275	0.0041	-0.0133	0.0087	-0.0005	0.0045	-0.0138	0.0092	0.0005	-0.0286	0.0286
8 7 91	07-Aug-91	0.0081	-0.0278	0.0088	-0.0285	0.0041	-0.0139	0.0090	-0.0002	0.0044	-0.0143	0.0094	0.0007	-0.0115	0.0401
4 20 92	20-Apr-92	0.0100	-0.0260	0.0104	-0.0264	0.0050	-0.0130	0.0090	-0.0002	0.0052	-0.0132	0.0092	0.0005	-0.0115	0.0286
3 28 94	28-Mar-94	0.0013	-0.0170	0.0110	-0.0270	0.0007	-0.0085	0.0046	-0.0046	0.0055	-0.0135	0.0095	0.0008	-0.2636	0.0458
11 10 94	10-Nov-94	0.0053	-0.0214	0.0111	-0.0270	0.0027	-0.0107	0.0067	-0.0025	0.0056	-0.0135	0.0096	0.0009	-0.1432	0.0516
3 30 95	30-Mar-95	0.0055	-0.0220	0.0105	-0.0268	0.0028	-0.0110	0.0069	-0.0023	0.0053	-0.0134	0.0094	0.0007	-0.1318	0.0401
3 25 96	25-Mar-96	0.0026	-0.0204	0.0106	-0.0284	0.0013	-0.0102	0.0058	-0.0034	0.0053	-0.0142	0.0098	0.0011	-0.1948	0.0630

TILT PLATE DATA

Terra Tilt Field Data Sheet
 Project: Hopkinton Dam - Outlet Channel East Wall
 Plate No: 3
 Initial Date: Nov. 30, 1989

Mo. Dy. Yr.	Date	Ao rdg	A180 rdg	Bo rdg	B180 rdg	Ao	A180	A avg	A cum.	Bo	B180	B avg.	B cum.	A Rot'n	B Rot'n
Initial		-0.0177	0.0024	-0.0251	0.0098	-0.0089	0.0012	-0.0051	0.0000	-0.0126	0.0049	-0.0088	0.0000	0.0000	0.0000
1 3 90	03-Jan-90	-0.0279	0.0125	-0.0251	0.0092	-0.0140	0.0063	-0.0102	-0.0051	-0.0126	0.0046	-0.0086	0.0002	-0.2922	0.0115
1 19 90	19-Jan-90	-0.0285	0.0140	-0.0249	0.0099	-0.0143	0.0070	-0.0107	-0.0056	-0.0125	0.0050	-0.0088	0.0000	-0.3209	0.0000
3 2 90	02-Mar-90	-0.0246	0.0095	-0.0257	0.0099	-0.0123	0.0048	-0.0086	-0.0035	-0.0129	0.0050	-0.0090	-0.0002	-0.2005	-0.0115
4 27 90	27-Apr-90	-0.0209	0.0025	-0.0274	0.0085	-0.0105	0.0013	-0.0086	-0.0008	-0.0137	0.0043	-0.0090	-0.0002	-0.0458	-0.0115
5 14 90	14-May-90	-0.0213	0.0028	-0.0271	0.0081	-0.0107	0.0014	-0.0061	-0.0010	-0.0136	0.0041	-0.0089	-0.0001	-0.0573	-0.0057
8 20 90	20-Aug-90	-0.0208	0.0030	-0.0258	0.0073	-0.0104	0.0015	-0.0060	-0.0009	-0.0129	0.0037	-0.0083	0.0005	-0.0516	0.0286
10 29 90	29-Oct-90	-0.0186	0.0040	-0.0240	0.0089	-0.0093	0.0020	-0.0057	-0.0006	-0.0120	0.0045	-0.0083	0.0005	-0.0344	0.0286
4 26 91	26-Apr-91	-0.0204	0.0026	-0.0259	0.0076	-0.0102	0.0013	-0.0058	-0.0007	-0.0130	0.0038	-0.0084	0.0004	-0.0401	0.0229
8 7 91	07-Aug-91	-0.0205	0.0011	-0.0268	0.0070	-0.0103	0.0006	-0.0055	-0.0004	-0.0134	0.0035	-0.0085	0.0003	-0.0229	0.0172
4 20 92	20-Apr-92	-0.0185	0.0028	-0.0251	0.0090	-0.0093	0.0014	-0.0054	-0.0003	-0.0126	0.0045	-0.0086	0.0002	-0.0172	0.0115
3 28 94	28-Mar-94	-0.0267	0.0111	-0.0246	0.0091	-0.0134	0.0056	-0.0095	-0.0044	-0.0123	0.0046	-0.0085	0.0003	-0.2521	0.0172
11 10 94	10-Nov-94	-0.0227	0.0071	-0.0253	0.0092	-0.0114	0.0036	-0.0075	-0.0024	-0.0127	0.0046	-0.0087	0.0001	-0.1375	0.0057
3 30 95	30-Mar-95	-0.0223	0.0059	-0.0255	0.0088	-0.0112	0.0030	-0.0071	-0.0020	-0.0128	0.0044	-0.0086	0.0002	-0.1146	0.0115
3 25 96	25-Mar-96	-0.0258	0.0086	-0.0266	0.0089	-0.0129	0.0043	-0.0086	-0.0035	-0.0133	0.0045	-0.0089	-0.0001	-0.2005	-0.0057

Terra Tilt Field Data Sheet
 Project: Hopkinton Dam - Outlet Channel East Wall
 Plate No: 4
 Initial Date: Nov. 30, 1989

Mo. Dy. Yr.	Date	Ao rdg	A180 rdg	Bo rdg	B180 rdg	Ao	A180	A avg	A cum.	Bo	B180	B avg.	B cum.	A Rot'n	B Rot'n
Initial		-0.0182	0.0030	-0.0086	-0.0069	-0.0091	0.0015	-0.0053	0.0000	-0.0043	-0.0035	-0.0004	0.0000	0.0000	0.0000
1 3 90	03-Jan-90	-0.0289	0.0131	-0.0089	-0.0071	-0.0145	0.0066	-0.0106	-0.0053	-0.0045	-0.0036	-0.0005	-0.0001	-0.3037	-0.0057
1 19 90	19-Jan-90	-0.0293	0.0145	-0.0082	-0.0066	-0.0147	0.0073	-0.0110	-0.0057	-0.0041	-0.0033	-0.0004	0.0000	-0.3266	0.0000
3 2 90	02-Mar-90	-0.0247	0.0092	-0.0084	-0.0073	-0.0124	0.0046	-0.0085	-0.0032	-0.0042	-0.0037	-0.0003	0.0001	-0.1833	0.0057
4 27 90	27-Apr-90	-0.0215	0.0029	-0.0103	-0.0086	-0.0108	0.0015	-0.0062	-0.0009	-0.0052	-0.0043	-0.0005	-0.0001	-0.0516	-0.0057
5 14 90	14-May-90	-0.0215	0.0031	-0.0103	-0.0084	-0.0108	0.0016	-0.0062	-0.0009	-0.0052	-0.0042	-0.0005	-0.0001	-0.0516	-0.0057
8 20 90	20-Aug-90	-0.0210	0.0026	-0.0111	-0.0076	-0.0105	0.0013	-0.0059	-0.0006	-0.0056	-0.0038	-0.0009	-0.0005	-0.0344	-0.0286
10 29 90	29-Oct-90	-0.0184	0.0036	-0.0096	-0.0052	-0.0092	0.0018	-0.0055	-0.0002	-0.0048	-0.0026	-0.0011	-0.0007	-0.0115	-0.0401
4 26 91	26-Apr-91	-0.0204	0.0024	-0.0112	-0.0072	-0.0102	0.0012	-0.0057	-0.0004	-0.0056	-0.0036	-0.0010	-0.0006	-0.0229	-0.0344
8 7 91	07-Aug-91	-0.0207	0.0009	-0.0126	-0.0074	-0.0104	0.0005	-0.0055	-0.0002	-0.0063	-0.0037	-0.0013	-0.0009	-0.0115	-0.0516
4 20 92	20-Apr-92	-0.0185	0.0025	-0.0108	-0.0054	-0.0093	0.0013	-0.0053	0.0000	-0.0054	-0.0027	-0.0014	-0.0010	0.0000	-0.0573
3 28 94	28-Mar-94	-0.0250	0.0095	-0.0110	-0.0042	-0.0125	0.0048	-0.0087	-0.0034	-0.0055	-0.0021	-0.0017	-0.0013	-0.1948	-0.0745
11 10 94	10-Nov-94	-0.0214	0.0055	-0.0113	-0.0042	-0.0107	0.0028	-0.0068	-0.0015	-0.0057	-0.0021	-0.0018	-0.0014	-0.0859	-0.0802
3 30 95	30-Mar-95	-0.0214	0.0056	-0.0115	-0.0044	-0.0107	0.0028	-0.0068	-0.0015	-0.0008	-0.0022	0.0007	0.0011	-0.0859	0.0630
3 25 96	25-Mar-96	-0.0242	0.0066	-0.0127	-0.0054	-0.0121	0.0033	-0.0077	-0.0024	-0.0064	-0.0027	-0.0019	-0.0015	-0.1375	-0.0859

TILT PLATE DATA

Terra Tilt Field Data Sheet
 Project: Hopkinton Dam - Outlet Channel East Wall
 Plate No: 5
 Initial Date: Nov. 30, 1989

Mo. Dy. Yr.	Date	Ao rdg	A180 rdg	Bo rdg	B180 rdg	Ao	A180	A avg	A cum.	Bo	B180	B avg.	B cum.	A Rot'n	B Rot'n
Initial															
1 3 90	03-Jan-90	-0.0593	0.0451	0.0248	-0.0399	-0.0297	0.0226	-0.0262	0.0000	0.0124	-0.0200	0.0162	0.0000	0.0000	0.0000
1 19 90	19-Jan-90	-0.0698	0.0551	0.0244	-0.0402	-0.0349	0.0276	-0.0313	-0.0051	0.0122	-0.0201	0.0162	0.0000	-0.2922	0.0000
3 2 90	02-Mar-90	-0.0705	0.0568	0.0248	-0.0393	-0.0353	0.0284	-0.0319	-0.0057	0.0124	-0.0197	0.0161	-0.0001	-0.3266	-0.0057
4 27 90	27-Apr-90	-0.0667	0.0521	0.0245	-0.0403	-0.0334	0.0261	-0.0298	-0.0036	0.0123	-0.0202	0.0163	0.0001	-0.2063	0.0057
5 14 90	14-May-90	-0.0652	0.0475	0.0230	-0.0418	-0.0326	0.0238	-0.0282	-0.0020	0.0115	-0.0209	0.0162	0.0000	-0.1146	0.0000
8 20 90	20-Aug-90	-0.0662	0.0487	0.0229	-0.0415	-0.0331	0.0244	-0.0288	-0.0026	0.0115	-0.0208	0.0162	0.0000	-0.1490	0.0000
10 29 90	29-Oct-90	-0.0632	0.0496	0.0246	-0.0393	-0.0316	0.0248	-0.0282	-0.0020	0.0123	-0.0197	0.0160	-0.0002	-0.1146	-0.0115
4 26 91	26-Apr-91	-0.0653	0.0484	0.0234	-0.0415	-0.0327	0.0242	-0.0285	-0.0023	0.0117	-0.0208	0.0163	0.0001	-0.1318	0.0057
8 7 91	07-Aug-91	-0.0658	0.0472	0.0229	-0.0427	-0.0329	0.0236	-0.0283	-0.0021	0.0115	-0.0214	0.0165	0.0003	-0.1203	0.0172
4 20 92	20-Apr-92	-0.0635	0.0487	0.0248	-0.0408	-0.0318	0.0244	-0.0281	-0.0019	0.0124	-0.0204	0.0164	0.0002	-0.1089	0.0115
3 28 94	28-Mar-94	-0.0710	0.0559	0.0240	-0.0400	-0.0355	0.0280	-0.0318	-0.0056	0.0120	-0.0200	0.0160	-0.0002	-0.3209	-0.0115
11 10 94	10-Nov-94	-0.0670	0.0527	0.0241	-0.0400	-0.0335	0.0264	-0.0300	-0.0038	0.0121	-0.0200	0.0161	-0.0001	-0.2177	-0.0057
3 30 95	30-Mar-95	-0.0671	0.0515	0.0234	-0.0403	-0.0336	0.0258	-0.0297	-0.0035	0.0117	-0.0202	0.0160	-0.0002	-0.2005	-0.0115
3 25 96	25-Mar-96	-0.0698	0.0533	0.0228	-0.0404	-0.0349	0.0267	-0.0308	-0.0046	0.0114	-0.0202	0.0158	-0.0004	-0.2636	-0.0229

Terra Tilt Field Data Sheet
 Project: Hopkinton Dam - Outlet Channel East Wall
 Plate No: 6
 Initial Date: Nov. 30, 1989

Mo. Dy. Yr.	Date	Ao rdg	A180 rdg	Bo rdg	B180 rdg	Ao	A180	A avg	A cum.	Bo	B180	B avg.	B cum.	A Rot'n	B Rot'n
Initial															
1 3 90	03-Jan-90	-0.0515	0.0364	-0.0458	0.0308	-0.0258	0.0182	-0.0220	0.0000	-0.0229	0.0154	-0.0192	0.0000	0.0000	0.0000
1 19 90	19-Jan-90	-0.0621	0.0461	-0.0459	0.0300	-0.0311	0.0231	-0.0271	-0.0051	-0.0230	0.0150	-0.0190	0.0002	-0.2922	0.0115
3 2 90	02-Mar-90	-0.0628	0.0478	-0.0450	0.0302	-0.0314	0.0239	-0.0277	-0.0057	-0.0225	0.0151	-0.0188	0.0004	-0.3266	0.0229
4 27 90	27-Apr-90	-0.0592	0.0433	-0.0456	0.0300	-0.0296	0.0217	-0.0257	-0.0037	-0.0228	0.0150	-0.0189	0.0003	-0.2120	0.0172
5 14 90	14-May-90	-0.0563	0.0372	-0.0480	0.0290	-0.0282	0.0186	-0.0234	-0.0014	-0.0240	0.0145	-0.0193	-0.0001	-0.0802	-0.0057
8 20 90	20-Aug-90	-0.0578	0.0378	-0.0479	0.0294	-0.0282	0.0189	-0.0236	-0.0016	-0.0240	0.0147	-0.0194	-0.0002	-0.0917	-0.0115
10 29 90	29-Oct-90	-0.0547	0.0398	-0.0482	0.0293	-0.0289	0.0192	-0.0241	-0.0021	-0.0241	0.0147	-0.0194	-0.0002	-0.1203	-0.0115
4 26 91	26-Apr-91	-0.0571	0.0391	-0.0478	0.0313	-0.0274	0.0199	-0.0237	-0.0017	-0.0231	0.0157	-0.0194	-0.0002	-0.0974	-0.0115
8 7 91	07-Aug-91	-0.0573	0.0375	-0.0492	0.0295	-0.0286	0.0196	-0.0241	-0.0021	-0.0239	0.0150	-0.0195	-0.0003	-0.1203	-0.0172
4 20 92	20-Apr-92	-0.0550	0.0389	-0.0468	0.0307	-0.0275	0.0195	-0.0235	-0.0015	-0.0234	0.0154	-0.0194	-0.0002	-0.0859	-0.0115
3 28 94	28-Mar-94	-0.0608	0.0448	-0.0456	0.0297	-0.0304	0.0224	-0.0264	-0.0044	-0.0228	0.0149	-0.0189	0.0003	-0.2521	0.0172
11 10 94	10-Nov-94	-0.0570	0.0410	-0.0450	0.0295	-0.0285	0.0205	-0.0245	-0.0025	-0.0225	0.0148	-0.0187	0.0005	-0.1432	0.0286
3 30 95	30-Mar-95	-0.0571	0.0398	-0.0458	0.0291	-0.0286	0.0199	-0.0243	-0.0023	-0.0229	0.0146	-0.0188	0.0004	-0.1318	0.0229
3 25 96	25-Mar-96	-0.0595	0.0418	-0.0457	0.0280	-0.0298	0.0209	-0.0254	-0.0034	-0.0229	0.0140	-0.0185	0.0007	-0.1948	0.0401

TILT PLATE DATA

Terra Tilt Field Data Sheet
 Project: Hopkinton Dam - Outlet Channel East Wall
 Plate No: 7
 Initial Date: Nov. 30, 1989

Mo. Dy. Yr.	Date	Ao rdg	A180 rdg	Bo rdg	B180 rdg	Ao	A180	A avg	A cum.	Bo	B180	B avg.	B cum.	A Rot'n	B Rot'n
Initial															
1 3 90	03-Jan-90	0.0195	-0.0345	-0.0167	0.0014	0.0098	-0.0173	0.0136	0.0000	-0.0084	0.0007	-0.0046	0.0000	0.0000	0.0000
1 19 90	19-Jan-90	0.0092	-0.0248	-0.0173	0.0011	0.0046	-0.0124	0.0085	-0.0051	-0.0087	0.0006	-0.0047	-0.0001	-0.2922	-0.0057
3 2 90	02-Mar-90	0.0084	-0.0230	-0.0170	0.0020	0.0042	-0.0115	0.0079	-0.0057	-0.0085	0.0010	-0.0048	-0.0002	-0.3266	-0.0115
4 27 90	27-Apr-90	0.0153	-0.0277	-0.0175	0.0015	0.0061	-0.0139	0.0100	-0.0036	-0.0088	0.0008	-0.0048	-0.0002	-0.2063	-0.0115
5 14 90	14-May-90	0.0156	-0.0342	-0.0202	0.0011	0.0077	-0.0171	0.0124	-0.0012	-0.0101	0.0006	-0.0054	-0.0008	-0.0688	-0.0458
8 20 90	20-Aug-90	0.0167	-0.0354	-0.0201	0.0012	0.0078	-0.0171	0.0125	-0.0011	-0.0101	0.0006	-0.0054	-0.0008	-0.0630	-0.0458
10 29 90	29-Oct-90	0.0199	-0.0345	-0.0214	0.0023	0.0084	-0.0177	0.0131	-0.0005	-0.0107	0.0012	-0.0060	-0.0014	-0.0286	-0.0802
4 26 91	26-Apr-91	0.0184	-0.0362	-0.0212	0.0028	0.0092	-0.0173	0.0137	0.0001	-0.0097	0.0022	-0.0060	-0.0014	0.0057	-0.0802
8 7 91	07-Aug-91	0.0184	-0.0380	-0.0217	0.0016	0.0092	-0.0181	0.0137	0.0001	-0.0106	0.0014	-0.0060	-0.0014	0.0057	-0.0802
4 20 92	20-Apr-92	0.0202	-0.0363	-0.0199	0.0034	0.0101	-0.0182	0.0141	0.0005	-0.0109	0.0008	-0.0059	-0.0013	0.0286	-0.0745
3 28 94	28-Mar-94	0.0129	-0.0290	-0.0190	0.0027	0.0065	-0.0145	0.0105	0.0006	-0.0100	0.0017	-0.0059	-0.0013	0.0344	-0.0745
11 10 94	10-Nov-94	0.0169	-0.0326	-0.0187	0.0024	0.0085	-0.0163	0.0124	-0.0031	-0.0095	0.0014	-0.0055	-0.0009	-0.1776	-0.0516
3 30 95	30-Mar-95	0.0160	-0.0340	-0.0198	0.0014	0.0080	-0.0170	0.0125	-0.0012	-0.0094	0.0012	-0.0053	-0.0007	-0.0688	-0.0401
3 25 96	25-Mar-96	0.0145	-0.0323	-0.0203	0.0021	0.0073	-0.0162	0.0118	-0.0018	-0.0102	0.0011	-0.0057	-0.0011	-0.0630	-0.0401

Terra Tilt Field Data Sheet
 Project: Hopkinton Dam - Outlet Channel East Wall
 Plate No: 8
 Initial Date: Nov. 30, 1989

Mo. Dy. Yr.	Date	Ao rdg	A180 rdg	Bo rdg	B180 rdg	Ao	A180	A avg	A cum.	Bo	B180	B avg.	B cum.	A Rot'n	B Rot'n
Initial															
1 3 90	03-Jan-90	0.0272	-0.0423	-0.0152	0.0002	0.0136	-0.0212	0.0174	0.0000	-0.0076	0.0001	-0.0039	0.0000	0.0000	0.0000
1 19 90	19-Jan-90	0.0174	-0.0332	-0.0150	-0.0008	0.0087	-0.0166	0.0127	-0.0047	-0.0075	-0.0004	-0.0036	0.0003	-0.2693	0.0172
3 2 90	02-Mar-90	0.0218	-0.0318	-0.0146	0.0000	0.0086	-0.0159	0.0123	-0.0051	-0.0073	0.0000	-0.0037	0.0002	-0.2922	0.0115
4 27 90	27-Apr-90	0.0250	-0.0375	-0.0146	-0.0012	0.0109	-0.0188	0.0149	-0.0025	-0.0073	-0.0006	-0.0034	0.0005	-0.1432	0.0286
5 14 90	14-May-90	0.0249	-0.0435	-0.0170	-0.0021	0.0125	-0.0219	0.0172	-0.0002	-0.0085	-0.0011	-0.0037	0.0002	-0.0115	0.0115
8 20 90	20-Aug-90	0.0249	-0.0435	-0.0170	-0.0019	0.0125	-0.0218	0.0172	-0.0002	-0.0085	-0.0010	-0.0038	0.0001	-0.0115	0.0057
10 29 90	29-Oct-90	0.0273	-0.0419	-0.0184	-0.0004	0.0125	-0.0218	0.0172	-0.0002	-0.0092	-0.0002	-0.0045	-0.0006	-0.0115	-0.0344
4 26 91	26-Apr-91	0.0261	-0.0438	-0.0165	0.0018	0.0137	-0.0210	0.0174	0.0000	-0.0083	0.0009	-0.0046	-0.0007	0.0000	-0.0401
8 7 91	07-Aug-91	0.0262	-0.0459	-0.0171	-0.0011	0.0131	-0.0219	0.0175	0.0001	-0.0086	-0.0006	-0.0040	-0.0001	0.0057	-0.0057
4 20 92	20-Apr-92	0.0277	-0.0439	-0.0193	-0.0007	0.0131	-0.0230	0.0181	0.0007	-0.0097	-0.0004	-0.0047	-0.0008	0.0401	-0.0458
3 28 94	28-Mar-94	0.0206	-0.0364	-0.0173	0.0010	0.0139	-0.0220	0.0180	0.0006	-0.0087	0.0005	-0.0046	-0.0007	0.0344	-0.0401
11 10 94	10-Nov-94	0.0241	-0.0400	-0.0180	0.0020	0.0103	-0.0182	0.0143	-0.0031	-0.0090	0.0010	-0.0050	-0.0011	-0.1776	-0.0630
3 30 95	30-Mar-95	0.0236	-0.0415	-0.0187	0.0025	0.0121	-0.0200	0.0161	-0.0013	-0.0094	0.0013	-0.0054	-0.0015	-0.0745	-0.0859
3 25 96	25-Mar-96	0.0229	-0.0405	-0.0194	0.0014	0.0118	-0.0208	0.0163	-0.0011	-0.0097	0.0007	-0.0052	-0.0013	-0.0630	-0.0745
3 25 96	25-Mar-96	0.0229	-0.0405	-0.0193	0.0015	0.0115	-0.0203	0.0159	-0.0015	-0.0097	0.0008	-0.0053	-0.0014	-0.0859	-0.0802

TILT PLATE DATA

Terra Tilt Field Data Sheet
 Project: Hopkinton Dam - Outlet Channel East Wall
 Plate No: 9
 Initial Date: Nov. 30, 1989

Mo. Dy. Yr.	Date	Ao rdg	A180 rdg	Bo rdg	B180 rdg	Ao	A180	A avg	A cum.	Bo	B180	B avg.	B cum.	A Rot'n	B Rot'n
Initial		-0.0265	0.0112	0.0130	-0.0280	-0.0133	0.0056	-0.0095	0.0000	0.0065	-0.0140	0.0103	0.0000	0.0000	0.0000
1 3 90	03-Jan-90	-0.0360	0.0198	0.0128	-0.0283	-0.0180	0.0099	-0.0140	-0.0045	0.0064	-0.0142	0.0103	0.0000	-0.2578	0.0000
1 19 90	19-Jan-90	-0.0365	0.0215	0.0132	-0.0277	-0.0183	0.0108	-0.0146	-0.0051	0.0066	-0.0139	0.0103	0.0000	-0.2922	0.0000
3 2 90	02-Mar-90	-0.0331	0.0170	0.0123	-0.0279	-0.0166	0.0085	-0.0126	-0.0031	0.0062	-0.0140	0.0101	-0.0002	-0.1776	-0.0115
4 27 90	27-Apr-90	-0.0296	0.0106	0.0099	-0.0288	-0.0148	0.0053	-0.0101	-0.0006	0.0050	-0.0144	0.0097	-0.0005	-0.0344	-0.0344
5 14 90	14-May-90	-0.0297	0.0107	0.0100	-0.0290	-0.0149	0.0054	-0.0102	-0.0007	0.0050	-0.0145	0.0098	-0.0005	-0.0401	-0.0286
8 20 90	20-Aug-90	-0.0296	0.0109	0.0098	-0.0283	-0.0148	0.0055	-0.0102	-0.0007	0.0049	-0.0142	0.0096	-0.0007	-0.0401	-0.0401
10 29 90	29-Oct-90	-0.0270	0.0121	0.0119	-0.0266	-0.0135	0.0061	-0.0098	-0.0003	0.0060	-0.0133	0.0097	-0.0006	-0.0172	-0.0344
4 26 91	26-Apr-91	-0.0289	0.0108	0.0104	-0.0281	-0.0145	0.0054	-0.0100	-0.0005	0.0052	-0.0141	0.0097	-0.0006	-0.0286	-0.0344
8 7 91	07-Aug-91	-0.0298	0.0096	0.0096	-0.0294	-0.0149	0.0048	-0.0099	-0.0004	0.0048	-0.0147	0.0098	-0.0005	-0.0229	-0.0229
4 20 92	20-Apr-92	-0.0280	0.0115	0.0115	-0.0278	-0.0140	0.0058	-0.0099	-0.0004	0.0058	-0.0139	0.0099	-0.0004	-0.0229	-0.0229
3 28 94	28-Mar-94	-0.0350	0.0188	0.0118	-0.0282	-0.0175	0.0094	-0.0135	-0.0040	0.0059	-0.0141	0.0100	-0.0003	-0.2292	-0.0172
11 10 94	10-Nov-94	-0.0316	0.0157	0.0120	-0.0282	-0.0158	0.0079	-0.0119	-0.0024	0.0060	-0.0141	0.0101	-0.0002	-0.1375	-0.0115
3 30 95	30-Mar-95	-0.0325	0.0147	0.0112	-0.0290	-0.0163	0.0074	-0.0119	-0.0024	0.0056	-0.0145	0.0101	-0.0002	-0.1375	-0.0115
3 25 96	25-Mar-96	-0.0338	0.0161	0.0111	-0.0291	-0.0169	0.0081	-0.0125	-0.0030	0.0056	-0.0146	0.0101	-0.0002	-0.1719	-0.0115

Terra Tilt Field Data Sheet
 Project: Hopkinton Dam - Outlet Channel East Wall
 Plate No: 10
 Initial Date: Nov. 30, 1989

Mo. Dy. Yr.	Date	Ao rdg	A180 rdg	Bo rdg	B180 rdg	Ao	A180	A avg	A cum.	Bo	B180	B avg.	B cum.	A Rot'n	B Rot'n
Initial		-0.0484	0.0335	-0.0696	0.0543	-0.0242	0.0168	-0.0205	0.0000	-0.0348	0.0272	-0.0310	0.0000	0.0000	0.0000
1 3 90	03-Jan-90	-0.0564	0.0406	-0.0701	0.0543	-0.0282	0.0203	-0.0243	-0.0038	-0.0351	0.0272	-0.0312	-0.0002	-0.2177	-0.0115
1 19 90	19-Jan-90	-0.0565	0.0418	-0.0697	0.0548	-0.0283	0.0209	-0.0246	-0.0041	-0.0349	0.0274	-0.0312	-0.0002	-0.2349	-0.0115
3 2 90	02-Mar-90	-0.0531	0.0375	-0.0700	0.0543	-0.0266	0.0188	-0.0227	-0.0022	-0.0350	0.0272	-0.0311	-0.0001	-0.1261	-0.0057
4 27 90	27-Apr-90	-0.0511	0.0323	-0.0726	0.0533	-0.0256	0.0162	-0.0209	-0.0004	-0.0363	0.0267	-0.0315	-0.0005	-0.0229	-0.0286
5 14 90	14-May-90	-0.0512	0.0326	-0.0727	0.0539	-0.0256	0.0163	-0.0210	-0.0005	-0.0364	0.0270	-0.0317	-0.0007	-0.0286	-0.0401
8 20 90	20-Aug-90	-0.0517	0.0331	-0.0736	0.0551	-0.0259	0.0166	-0.0213	-0.0008	-0.0368	0.0276	-0.0322	-0.0012	-0.0458	-0.0688
10 29 90	29-Oct-90	-0.0490	0.0346	-0.0714	0.0565	-0.0245	0.0173	-0.0209	-0.0004	-0.0357	0.0283	-0.0320	-0.0010	-0.0229	-0.0573
4 26 91	26-Apr-91	-0.0508	0.0330	-0.0731	0.0552	-0.0254	0.0165	-0.0210	-0.0005	-0.0366	0.0276	-0.0321	-0.0011	-0.0286	-0.0630
8 7 91	07-Aug-91	-0.0516	0.0322	-0.0746	0.0546	-0.0258	0.0161	-0.0210	-0.0005	-0.0373	0.0273	-0.0323	-0.0013	-0.0286	-0.0745
4 20 92	20-Apr-92	-0.0502	0.0338	-0.0726	0.0561	-0.0251	0.0169	-0.0210	-0.0005	-0.0363	0.0281	-0.0322	-0.0012	-0.0286	-0.0688
3 28 94	28-Mar-94	-0.0560	0.0401	-0.0720	0.0561	-0.0280	0.0201	-0.0241	-0.0036	-0.0360	0.0281	-0.0321	-0.0011	-0.2063	-0.0630
11 10 94	10-Nov-94	-0.0546	0.0388	-0.0725	0.0562	-0.0273	0.0194	-0.0234	-0.0029	-0.0363	0.0281	-0.0322	-0.0012	-0.1662	-0.0688
3 30 95	30-Mar-95	-0.0554	0.0380	-0.0730	0.0555	-0.0277	0.0190	-0.0234	-0.0029	-0.0365	0.0278	-0.0322	-0.0012	-0.1662	-0.0688
3 25 96	25-Mar-96	-0.0571	0.0394	-0.0735	0.0555	-0.0286	0.0197	-0.0242	-0.0037	-0.0368	0.0278	-0.0323	-0.0013	-0.2120	-0.0745

TILT PLATE DATA

Terra Tilt Field Data Sheet
 Project: Hopkinton Dam - Outlet Channel East Wall
 Plate No: 11
 Initial Date: Nov. 30, 1989

Mo. Dy. Yr.	Date	Ao rdg	A180 rdg	Bo rdg	B180 rdg	Ao	A180	A avg	A cum.	Bo	B180	B avg.	B cum.	A Rot'n	B Rot'n
Initial		-0.0541	0.0389	-0.0022	-0.0132	-0.0271	0.0195	-0.0233	0.0000	-0.0011	-0.0066	0.0028	0.0000	0.0000	0.0000
1 3 90	03-Jan-90	-0.0605	0.0447	-0.0031	-0.0125	-0.0303	0.0224	-0.0264	-0.0031	-0.0016	-0.0063	0.0024	-0.0004	-0.1776	-0.0229
1 19 90	19-Jan-90	-0.0613	0.0465	-0.0027	-0.0122	-0.0307	0.0233	-0.0270	-0.0037	-0.0014	-0.0061	0.0024	-0.0004	-0.2120	-0.0229
3 2 90	02-Mar-90	-0.0589	0.0431	-0.0025	-0.0135	-0.0295	0.0216	-0.0256	-0.0023	-0.0013	-0.0068	0.0028	0.0000	-0.1318	0.0000
4 27 90	27-Apr-90	-0.0577	0.0385	-0.0039	-0.0154	-0.0289	0.0193	-0.0241	-0.0008	-0.0020	-0.0077	0.0029	0.0001	-0.0458	0.0057
5 14 90	14-May-90	-0.0577	0.0389	-0.0037	-0.0152	-0.0289	0.0195	-0.0242	-0.0009	-0.0019	-0.0076	0.0029	0.0001	-0.0516	0.0057
8 20 90	30-Mar-90	-0.0587	0.0398	-0.0040	-0.0150	-0.0294	0.0199	-0.0247	-0.0014	-0.0020	-0.0075	0.0028	0.0000	-0.0902	0.0000
10 29 90	29-Oct-90	-0.0556	0.0407	-0.0019	-0.0130	-0.0278	0.0204	-0.0241	-0.0008	-0.0010	-0.0065	0.0028	0.0000	-0.0458	0.0000
4 26 91	26-Apr-91	-0.0580	0.0399	-0.0038	-0.0142	-0.0290	0.0200	-0.0245	-0.0012	-0.0019	-0.0071	0.0026	-0.0002	-0.0688	-0.0115
8 7 91	07-Aug-91	-0.0581	0.0381	-0.0042	-0.0158	-0.0291	0.0191	-0.0241	-0.0008	-0.0021	-0.0079	0.0029	0.0001	-0.0458	0.0057
4 20 92	20-Apr-92	-0.0564	0.0398	-0.0022	-0.0142	-0.0282	0.0199	-0.0241	-0.0008	-0.0011	-0.0071	0.0030	0.0002	-0.0458	0.0115
3 28 94	28-Mar-94	-0.0602	0.0442	-0.0010	-0.0145	-0.0301	0.0221	-0.0261	-0.0028	-0.0005	-0.0073	0.0034	0.0006	-0.1604	0.0344
11 10 94	10-Nov-94	-0.0583	0.0420	-0.0010	-0.0149	-0.0292	0.0210	-0.0251	-0.0018	-0.0005	-0.0075	0.0035	0.0007	-0.1031	0.0401
3 30 95	30-Mar-95	-0.0590	0.0414	-0.0015	-0.0160	-0.0295	0.0207	-0.0251	-0.0018	-0.0008	-0.0080	0.0036	0.0008	-0.1031	0.0458
3 25 96	25-Mar-96	-0.0601	0.0426	-0.0012	-0.0165	-0.0301	0.0213	-0.0257	-0.0024	-0.0006	-0.0083	0.0039	0.0011	-0.1375	0.0630

Terra Tilt Field Data Sheet
 Project: Hopkinton Dam - Outlet Channel East Wall
 Plate No: 12
 Initial Date: Nov. 30, 1989

Mo. Dy. Yr.	Date	Ao rdg	A180 rdg	Bo rdg	B180 rdg	Ao	A180	A avg	A cum.	Bo	B180	B avg.	B cum.	A Rot'n	B Rot'n
Initial		-0.0032	-0.0118	-0.0092	-0.0068	-0.0016	-0.0059	0.0022	0.0000	-0.0046	-0.0034	-0.0006	0.0000	0.0000	0.0000
1 3 90	03-Jan-90	-0.0062	-0.0095	-0.0098	-0.0065	-0.0031	-0.0048	0.0009	-0.0013	-0.0049	-0.0033	-0.0008	-0.0002	-0.0745	-0.0115
1 19 90	19-Jan-90	-0.0058	-0.0088	-0.0089	-0.0066	-0.0029	-0.0044	0.0008	-0.0014	-0.0045	-0.0033	-0.0006	0.0000	-0.0802	0.0000
3 2 90	02-Mar-90	-0.0048	-0.0111	-0.0090	-0.0066	-0.0024	-0.0056	0.0016	-0.0006	-0.0045	-0.0033	-0.0006	0.0000	-0.0344	0.0000
4 27 90	27-Apr-90	-0.0045	-0.0147	-0.0101	-0.0096	-0.0023	-0.0074	0.0026	0.0004	-0.0051	-0.0048	-0.0002	0.0004	0.0229	0.0229
5 14 90	14-May-90	-0.0043	-0.0144	-0.0098	-0.0102	-0.0022	-0.0072	0.0025	0.0003	-0.0049	-0.0051	0.0001	0.0007	0.0172	0.0401
8 20 90	20-Aug-90	-0.0040	-0.0149	-0.0091	-0.0102	-0.0020	-0.0075	0.0028	0.0006	-0.0046	-0.0051	0.0002	0.0008	0.0344	0.0458
10 29 90	29-Oct-90	-0.0023	-0.0133	-0.0069	-0.0081	-0.0012	-0.0067	0.0028	0.0006	-0.0035	-0.0041	0.0003	0.0009	0.0344	0.0516
4 26 91	26-Apr-91	-0.0032	-0.0148	-0.0086	-0.0097	-0.0016	-0.0074	0.0029	0.0007	-0.0043	-0.0049	0.0003	0.0009	0.0401	0.0516
8 7 91	07-Aug-91	-0.0031	-0.0168	-0.0101	-0.0102	-0.0016	-0.0084	0.0034	0.0012	-0.0051	-0.0051	0.0000	0.0006	0.0344	0.0516
4 20 92	20-Apr-92	-0.0009	-0.0153	-0.0085	-0.0082	-0.0005	-0.0077	0.0036	0.0014	-0.0043	-0.0041	-0.0001	0.0005	0.0802	0.0286
3 28 94	28-Mar-94	-0.0019	-0.0138	-0.0100	-0.0067	-0.0010	-0.0069	0.0030	0.0008	-0.0050	-0.0034	-0.0008	-0.0002	0.0458	-0.0115
11 10 94	10-Nov-94	-0.0022	-0.0153	-0.0099	-0.0064	-0.0011	-0.0077	0.0033	0.0011	-0.0050	-0.0032	-0.0009	-0.0003	0.0630	-0.0172
3 30 95	30-Mar-95	-0.0010	-0.0157	-0.0103	-0.0070	-0.0005	-0.0079	0.0037	0.0015	-0.0052	-0.0035	-0.0009	-0.0003	0.0859	-0.0172
3 25 96	25-Mar-96	-0.0016	-0.0157	-0.0106	-0.0071	-0.0008	-0.0079	0.0036	0.0014	-0.0053	-0.0036	-0.0009	-0.0003	0.0802	-0.0172

TILT PLATE DATA

Terra Tilt Field Data Sheet
 Project: Hopkinton Dam - Outlet Channel East Wall
 Plate No: 13
 Initial Date: Nov. 30, 1989

Mo. Dy. Yr.	Date	Ao rdg	A180 rdg	Bo rdg	B180 rdg	Ao	A180	A avg	A cum.	Bo	B180	B avg.	B cum.	A Rot'n	B Rot'n
Initial		0.0219	-0.0431	0.0208	-0.0328	0.0110	-0.0216	0.0163	0.0000	0.0104	-0.0164	0.0134	0.0000	0.0000	0.0000
1 3 90	03-Jan-90	0.0198	-0.0416	0.0200	-0.0325	0.0099	-0.0208	0.0154	-0.0009	0.0100	-0.0163	0.0132	-0.0002	-0.0516	-0.0115
1 19 90	19-Jan-90	0.0192	-0.0402	0.0205	-0.0322	0.0096	-0.0201	0.0149	-0.0014	0.0103	-0.0161	0.0132	-0.0002	-0.0802	-0.0115
3 2 90	02-Mar-90	0.0197	-0.0416	0.0206	-0.0330	0.0099	-0.0208	0.0154	-0.0009	0.0103	-0.0165	0.0134	0.0000	-0.0516	0.0000
4 27 90	27-Apr-90	0.0197	-0.0451	0.0194	-0.0353	0.0099	-0.0226	0.0163	0.0000	0.0097	-0.0177	0.0137	0.0003	0.0000	0.0172
5 14 90	14-May-90	0.0196	-0.0444	0.0196	-0.0352	0.0098	-0.0222	0.0160	-0.0003	0.0098	-0.0176	0.0137	0.0003	0.0000	0.0172
8 20 90	20-Aug-90	0.0198	-0.0448	0.0203	-0.0360	0.0099	-0.0224	0.0162	-0.0001	0.0102	-0.0180	0.0141	0.0007	-0.0057	0.0401
10 29 90	29-Oct-90	0.0222	-0.0430	0.0225	-0.0339	0.0111	-0.0215	0.0163	0.0000	0.0113	-0.0170	0.0142	0.0008	0.0000	0.0458
4 26 91	26-Apr-91	0.0206	-0.0448	0.0202	-0.0351	0.0103	-0.0224	0.0164	0.0001	0.0101	-0.0176	0.0139	0.0005	0.0057	0.0286
8 7 91	07-Aug-91	0.0212	-0.0476	0.0181	-0.0351	0.0106	-0.0238	0.0172	0.0009	0.0091	-0.0176	0.0134	0.0000	0.0516	0.0000
4 20 92	20-Apr-92	0.0231	-0.0458	0.0197	-0.0330	0.0116	-0.0229	0.0173	0.0010	0.0099	-0.0165	0.0132	-0.0002	0.0573	-0.0115
3 28 94	28-Mar-94	0.0219	-0.0442	0.0189	-0.0320	0.0110	-0.0221	0.0166	0.0003	0.0095	-0.0160	0.0128	-0.0006	0.0172	-0.0344
11 10 94	10-Nov-94	0.0234	-0.0454	0.0184	-0.0318	0.0117	-0.0227	0.0172	0.0009	0.0092	-0.0159	0.0126	-0.0008	0.0516	-0.0458
3 30 95	30-Mar-95	0.0230	-0.0462	0.0179	-0.0321	0.0115	-0.0231	0.0173	0.0010	0.0090	-0.0161	0.0126	-0.0008	0.0573	-0.0458
3 25 96	25-Mar-96	0.0227	-0.0463	0.0170	-0.0327	0.0114	-0.0232	0.0173	0.0010	0.0085	-0.0164	0.0125	-0.0009	0.0573	-0.0516

Terra Tilt Field Data Sheet
 Project: Hopkinton Dam - Outlet Channel East Wall
 Plate No: 14
 Initial Date: Nov. 30, 1989

Mo. Dy. Yr.	Date	Ao rdg	A180 rdg	Bo rdg	B180 rdg	Ao	A180	A avg	A cum.	Bo	B180	B avg.	B cum.	A Rot'n	B Rot'n
Initial		-0.0631	0.0477	0.0007	-0.0161	-0.0316	0.0239	-0.0278	0.0000	0.0004	-0.0081	0.0043	0.0000	0.0000	0.0000
1 3 90	03-Jan-90	-0.0632	0.0472	0.0002	-0.0161	-0.0316	0.0236	-0.0276	0.0002	0.0001	-0.0081	0.0041	-0.0002	0.0115	-0.0115
1 19 90	19-Jan-90	-0.0629	0.0479	0.0004	-0.0154	-0.0315	0.0240	-0.0278	0.0000	0.0002	-0.0077	0.0040	-0.0003	0.0000	-0.0172
3 2 90	02-Mar-90	-0.0640	0.0478	0.0000	-0.0161	-0.0320	0.0239	-0.0280	-0.0002	0.0000	-0.0081	0.0041	-0.0002	-0.0115	-0.0115
4 27 90	27-Apr-90	-0.0659	0.0464	-0.0021	-0.0174	-0.0330	0.0232	-0.0281	-0.0003	-0.0011	-0.0087	0.0038	-0.0005	-0.0172	-0.0286
5 14 90	14-May-90	-0.0656	0.0468	-0.0018	-0.0175	-0.0328	0.0234	-0.0281	-0.0003	-0.0009	-0.0088	0.0040	-0.0003	-0.0172	-0.0286
8 20 90	20-Aug-90	-0.0659	0.0469	-0.0026	-0.0169	-0.0330	0.0235	-0.0283	-0.0005	-0.0013	-0.0085	0.0036	-0.0007	-0.0286	-0.0401
10 29 90	29-Oct-90	-0.0641	0.0491	-0.0008	-0.0143	-0.0321	0.0246	-0.0284	-0.0006	-0.0004	-0.0072	0.0034	-0.0009	-0.0344	-0.0516
4 26 91	26-Apr-91	-0.0657	0.0474	-0.0021	-0.0165	-0.0329	0.0237	-0.0283	-0.0005	-0.0011	-0.0083	0.0036	-0.0007	-0.0286	-0.0401
8 7 91	07-Aug-91	-0.0662	0.0458	-0.0028	-0.0177	-0.0331	0.0229	-0.0280	-0.0002	-0.0014	-0.0089	0.0038	-0.0005	-0.0115	-0.0286
4 20 92	20-Apr-92	-0.0643	0.0476	-0.0016	-0.0152	-0.0322	0.0238	-0.0280	-0.0002	-0.0008	-0.0076	0.0034	-0.0009	-0.0115	-0.0516
3 28 94	28-Mar-94	-0.0632	0.0467	0.0000	-0.0163	-0.0316	0.0234	-0.0275	0.0003	0.0000	-0.0082	0.0041	-0.0002	0.0172	-0.0115
11 10 94	10-Nov-94	-0.0637	0.0474	0.0000	-0.0169	-0.0319	0.0237	-0.0278	0.0000	0.0000	-0.0085	0.0043	0.0000	0.0000	0.0000
3 30 95	30-Mar-95	-0.0645	0.0465	-0.0002	-0.0175	-0.0323	0.0233	-0.0278	0.0000	-0.0001	-0.0088	0.0044	0.0001	0.0000	0.0057
3 25 96	25-Mar-96	-0.0642	0.0466	-0.0007	-0.0175	-0.0321	0.0233	-0.0277	0.0001	-0.0004	-0.0088	0.0042	-0.0001	0.0057	-0.0057

TILT PLATE DATA

Terra Tilt Field Data Sheet
 Project: Hopkinton Dam - Outlet Channel East Wall
 Plate No: 15
 Initial Date: Nov. 30, 1989

Mo. Dy. Yr.	Date	Ao rdg	A180 rdg	Bo rdg	B180 rdg	Ao	A180	A avg	A cum.	Bo	B180	B avg.	B cum.	A Rot'n	B Rot'n
Initial															
1 3 90	03-Jan-90	-0.0750	0.0599	-0.0112	-0.0045	-0.0375	0.0300	-0.0338	0.0000	-0.0056	-0.0023	-0.0017	0.0000	0.0000	0.0000
1 19 90	19-Jan-90	-0.0823	0.0670	-0.0115	-0.0046	-0.0412	0.0335	-0.0374	-0.0036	-0.0058	-0.0023	-0.0018	-0.0001	-0.2063	-0.0057
3 2 90	02-Mar-90	-0.0815	0.0669	-0.0110	-0.0041	-0.0408	0.0335	-0.0372	-0.0034	-0.0055	-0.0021	-0.0017	0.0000	-0.1948	0.0000
4 27 90	27-Apr-90	-0.0782	0.0626	-0.0112	-0.0049	-0.0391	0.0313	-0.0352	-0.0014	-0.0056	-0.0025	-0.0016	0.0000	-0.0802	0.0057
5 14 90	14-May-90	-0.0784	0.0595	-0.0131	-0.0063	-0.0392	0.0298	-0.0345	-0.0007	-0.0066	-0.0032	-0.0017	0.0000	-0.0401	0.0000
8 20 90	20-Aug-90	-0.0781	0.0598	-0.0127	-0.0061	-0.0391	0.0299	-0.0345	-0.0007	-0.0064	-0.0031	-0.0017	0.0000	-0.0401	0.0000
10 29 90	29-Oct-90	-0.0784	0.0597	-0.0133	-0.0058	-0.0392	0.0299	-0.0346	-0.0008	-0.0067	-0.0029	-0.0019	-0.0002	-0.0458	-0.0115
4 26 91	26-Apr-91	-0.0756	0.0607	-0.0113	-0.0042	-0.0378	0.0304	-0.0341	-0.0003	-0.0057	-0.0021	-0.0018	-0.0001	-0.0172	-0.0229
8 7 91	07-Aug-91	-0.0769	0.0594	-0.0132	-0.0050	-0.0385	0.0297	-0.0341	-0.0003	-0.0066	-0.0025	-0.0021	-0.0004	-0.0172	-0.0229
4 20 92	20-Apr-92	-0.0764	0.0568	-0.0144	-0.0056	-0.0382	0.0284	-0.0333	0.0005	-0.0072	-0.0028	-0.0022	-0.0005	0.0286	-0.0286
3 28 94	28-Mar-94	-0.0740	0.0576	-0.0125	-0.0043	-0.0370	0.0288	-0.0329	0.0009	-0.0063	-0.0022	-0.0021	-0.0004	0.0516	-0.0229
11 10 94	10-Nov-94	-0.0787	0.0633	-0.0128	-0.0033	-0.0394	0.0317	-0.0356	-0.0018	-0.0064	-0.0017	-0.0024	-0.0007	-0.1031	-0.0401
3 30 95	30-Mar-95	-0.0768	0.0612	-0.0127	-0.0030	-0.0384	0.0306	-0.0345	-0.0007	-0.0064	-0.0015	-0.0025	-0.0008	-0.0401	-0.0458
3 25 96	25-Mar-96	-0.0767	0.0603	-0.0133	-0.0036	-0.0384	0.0302	-0.0343	-0.0005	-0.0067	-0.0018	-0.0025	-0.0008	-0.0286	-0.0458
		-0.0779	0.0606	-0.0146	-0.0041	-0.0390	0.0303	-0.0347	-0.0009	-0.0073	-0.0021	-0.0026	-0.0009	-0.0516	-0.0516

Terra Tilt Field Data Sheet
 Project: Hopkinton Dam - Outlet Channel East Wall
 Plate No: 16
 Initial Date: Nov. 30, 1989

Mo. Dy. Yr.	Date	Ao rdg	A180 rdg	Bo rdg	B180 rdg	Ao	A180	A avg	A cum.	Bo	B180	B avg.	B cum.	A Rot'n	B Rot'n
Initial															
1 3 90	03-Jan-90	-0.0240	0.0088	0.0057	-0.0211	-0.0120	0.0044	-0.0082	0.0000	0.0029	-0.0106	0.0068	0.0000	0.0000	0.0000
1 19 90	19-Jan-90	-0.0240	0.0086	0.0056	-0.0211	-0.0120	0.0043	-0.0082	0.0000	0.0028	-0.0106	0.0067	-0.0001	0.0000	-0.0057
3 2 90	02-Mar-90	-0.0239	0.0087	0.0059	-0.0210	-0.0120	0.0044	-0.0082	0.0000	0.0030	-0.0105	0.0068	0.0000	0.0000	0.0000
4 27 90	27-Apr-90	-0.0239	0.0080	0.0056	-0.0214	-0.0120	0.0040	-0.0080	0.0002	0.0028	-0.0107	0.0068	0.0000	0.0115	0.0000
5 14 90	14-May-90	-0.0245	0.0050	0.0036	-0.0230	-0.0123	0.0025	-0.0074	0.0008	0.0018	-0.0115	0.0067	-0.0001	0.0458	-0.0057
8 20 90	20-Aug-90	-0.0239	0.0054	0.0043	-0.0226	-0.0120	0.0027	-0.0074	0.0008	0.0022	-0.0113	0.0068	0.0000	0.0458	0.0000
10 29 90	29-Oct-90	-0.0237	0.0088	0.0036	-0.0224	-0.0125	0.0031	-0.0078	0.0004	0.0018	-0.0112	0.0065	-0.0003	0.0229	-0.0172
4 26 91	26-Apr-91	-0.0237	0.0088	0.0059	-0.0207	-0.0119	0.0044	-0.0082	0.0000	0.0030	-0.0104	0.0067	-0.0001	0.0000	-0.0057
8 7 91	07-Aug-91	-0.0250	0.0061	0.0041	-0.0232	-0.0125	0.0031	-0.0078	0.0004	0.0021	-0.0116	0.0069	0.0001	0.0229	0.0057
4 20 92	20-Apr-92	-0.0264	0.0068	0.0041	-0.0237	-0.0132	0.0034	-0.0083	-0.0001	0.0021	-0.0119	0.0070	0.0002	-0.0057	0.0115
3 28 94	28-Mar-94	-0.0231	0.0064	0.0060	-0.0226	-0.0116	0.0032	-0.0074	0.0008	0.0030	-0.0113	0.0072	0.0004	0.0458	0.0229
11 10 94	10-Nov-94	-0.0232	0.0062	0.006	-0.0227	-0.0115	0.0031	-0.0073	0.0009	0.0034	-0.0114	0.0072	0.0004	0.0516	0.0229
3 30 95	30-Mar-95	-0.0232	0.0070	0.0067	-0.0226	-0.0119	0.0035	-0.0076	0.0006	0.0030	-0.0113	0.0074	0.0006	0.0344	0.0229
3 25 96	25-Mar-96	-0.0237	0.0053	0.0059	-0.0235	-0.0116	0.0027	-0.0073	0.0009	0.0030	-0.0118	0.0074	0.0006	0.0516	0.0344
		-0.0233	0.0060	0.0057	-0.0233	-0.0117	0.0030	-0.0074	0.0008	0.0029	-0.0117	0.0073	0.0005	0.0458	0.0286

TILT PLATE DATA

Terra Tilt Field Data Sheet
 Project: Hopkinton Dam - Outlet Channel East Wall
 Plate No: 17
 Initial Date: Nov. 30, 1989

Mo. Dy. Yr.	Date	Ao rdg	A180 rdg	Bo rdg	B180 rdg	Ao	A180	A avg	A cum.	Bo	B180	B avg.	B cum.	A Rot'n	B Rot'n
Initial															
1 3 90	03-Jan-90	-0.0456	0.0307	0.0816	-0.0970	-0.0228	0.0154	-0.0191	0.0000	0.0408	-0.0485	0.0447	0.0000	0.0000	0.0000
1 19 90	19-Jan-90	-0.0450	0.0304	0.0816	-0.0970	-0.0225	0.0152	-0.0189	0.0002	0.0408	-0.0485	0.0447	0.0000	0.0115	0.0000
3 2 90	02-Mar-90	-0.0452	0.0305	0.0818	-0.0970	-0.0226	0.0153	-0.0190	0.0001	0.0409	-0.0485	0.0447	0.0000	0.0057	0.0000
4 27 90	27-Apr-90	-0.0453	0.0299	0.0816	-0.0974	-0.0227	0.0150	-0.0189	0.0002	0.0408	-0.0487	0.0448	0.0001	0.0115	0.0057
5 14 90	14-May-90	-0.0470	0.0278	0.0805	-0.1000	-0.0235	0.0139	-0.0187	0.0004	0.0403	-0.0500	0.0452	0.0005	0.0229	0.0286
8 20 90	20-Aug-90	-0.0471	0.0290	0.0808	-0.0993	-0.0236	0.0145	-0.0191	0.0000	0.0404	-0.0497	0.0451	0.0004	0.0000	0.0229
10 29 90	29-Oct-90	-0.0481	0.0296	0.0813	-0.1000	-0.0241	0.0148	-0.0195	-0.0004	0.0407	-0.0500	0.0454	0.0007	-0.0229	0.0401
4 26 91	26-Apr-91	-0.0460	0.0316	0.0827	-0.0975	-0.0230	0.0158	-0.0194	-0.0003	0.0414	-0.0488	0.0451	0.0004	-0.0172	0.0229
8 7 91	07-Aug-91	-0.0472	0.0295	0.0813	-0.0997	-0.0236	0.0148	-0.0192	-0.0001	0.0407	-0.0499	0.0453	0.0006	-0.0057	0.0344
4 20 92	20-Apr-92	-0.0475	0.0283	0.0807	-0.1002	-0.0238	0.0142	-0.0190	0.0001	0.0404	-0.0501	0.0453	0.0006	0.0057	0.0344
3 28 94	28-Mar-94	-0.0453	0.0289	0.0818	-0.0985	-0.0227	0.0145	-0.0186	0.0005	0.0409	-0.0493	0.0451	0.0004	0.0286	0.0229
11 10 94	10-Nov-94	-0.0449	0.0286	0.0817	-0.0982	-0.0225	0.0143	-0.0184	0.0007	0.0409	-0.0491	0.0450	0.0003	0.0401	0.0172
3 30 95	30-Mar-95	-0.0454	0.029	0.0814	-0.0981	-0.0227	0.0145	-0.0186	0.0005	0.0407	-0.0491	0.0449	0.0002	0.0286	0.0115
3 25 96	25-Mar-96	-0.0451	0.0278	0.0810	-0.0985	-0.0226	0.0139	-0.0183	0.0008	0.0405	-0.0493	0.0449	0.0002	0.0458	0.0115
3 25 96	25-Mar-96	-0.0457	0.0282	0.0810	-0.0988	-0.0229	0.0141	-0.0185	0.0006	0.0405	-0.0494	0.0450	0.0003	0.0344	0.0172

SURVEY DATA

Project: Hopkinton Dam - Outlet Channel East Wall
 Survey Data

Date Printed: Mar-97

Plate No. 1			Plate No. 2			Plate No. 3			Plate No. 4			Plate No. 5						
Mo.	Dy.	Yr.	Date	elev.	elev. chg	delta x	elev.	elev. chg	delta x	elev.	elev. chg	delta x	elev.	elev. chg	delta x	elev.	elev. chg	delta x
5	15	73	15-May-73	385.351	0.000	0.000	385.360	0.000	0.000	385.265	0.000	0.000	385.283	0.000	0.000	385.212	0.000	0.000
1	29	74	29-Jan-74	385.359	0.008	0.030	385.366	0.006	0.020	385.270	0.005	0.020	385.270	0.007	0.010	385.219	0.007	0.010
6	25	75	25-Jun-75															
4	28	76	28-Apr-76	385.365	0.014	0.010	385.376	0.016	0.020	385.276	0.011	0.010	385.274	0.011	0.010	385.226	0.014	0.010
11	3	77	03-Nov-77	385.349	-0.002	0.000	385.356	-0.004	0.000	385.271	0.006	0.000	385.256	-0.007	0.000	385.208	-0.004	0.000
5	23	78	23-May-78	385.354	0.003	0.030	385.364	0.004	0.050	385.266	0.001	0.050	385.266	0.004	0.020	385.216	0.004	0.020
11	15	87	15-Nov-87	385.360	0.009	0.010	385.370	0.010	0.080	385.270	0.005	0.099	385.270	0.007	0.070	385.220	0.008	0.080
4	26	89	26-Apr-89	385.350	-0.001	0.115	385.370	0.005	0.115	385.270	0.005	0.115	385.270	0.007	0.095	385.220	0.008	0.095
12	8	89	08-Dec-89	385.353	0.002	0.125	385.361	0.001	0.125	385.269	0.004	0.140	385.268	0.005	0.117	385.218	0.006	0.117
1	17	90	17-Jan-90	385.350	-0.001	0.212	385.366	0.006	0.224	385.269	0.004	0.216	385.268	0.005	0.203	385.219	0.007	0.203
5	3	90	03-May-90	385.357	0.006	0.130	385.366	0.006	0.135	385.268	0.003	0.125	385.266	0.003	0.123	385.217	0.005	0.123
4	23	91	23-Apr-91	385.365	0.014	0.112	385.375	0.015	0.112	385.280	0.015	0.108	385.275	0.012	0.102	385.230	0.018	0.102
5	23	94	23-May-94	385.419	0.068	0.170	385.430	0.070	0.170	385.331	0.066	0.160	385.330	0.067	0.160	385.279	0.067	0.160
11	9	94	09-Nov-94	385.392	0.041	0.205	385.401	0.041	0.170	385.306	0.041	0.185	385.305	0.042	0.160	385.253	0.041	0.160
3	15	96	15-Mar-96	385.371	0.020	0.220	385.384	0.024	0.210	385.291	0.026	0.220	385.289	0.026	0.190	385.242	0.030	0.190

Plate No. 6			Plate No. 7			Plate No. 8			Plate No. 9			Plate No. 10						
Mo.	Dy.	Yr.	Date	elev.	elev. chg	delta x	elev.	elev. chg	delta x	elev.	elev. chg	delta x	elev.	elev. chg	delta x	elev.	elev. chg	delta x
5	15	73	15-May-73	385.221	0.000	0.000	385.103	0.000	0.000	385.091	0.000	0.000	385.090	0.000	0.000	385.113	0.000	0.000
1	29	74	29-Jan-74	385.222	0.001	0.000	385.109	0.006	0.000	385.094	0.003	0.010	385.092	0.002	0.010	385.118	0.005	0.010
6	25	75	25-Jun-75	385.214	-0.007	0.015	385.101	-0.002	0.010	385.088	-0.003	0.015	385.083	-0.007	0.022	385.110	-0.003	0.022
4	28	76	28-Apr-76	385.226	0.005	0.000	385.115	0.012	0.010	385.100	0.009	0.020	385.098	0.008	0.030	385.123	0.010	0.030
11	3	77	03-Nov-77	385.208	-0.013	-0.010	385.099	-0.004	-0.010	385.086	-0.005	-0.010	385.082	-0.008	0.020	385.115	0.002	0.020
5	23	78	23-May-78	385.220	-0.001	0.050	385.109	0.006	0.020	385.094	0.003	0.040	385.096	0.006	0.055	385.120	0.007	0.055
11	15	87	15-Nov-87	385.220	-0.001	0.089	385.110	0.007	0.090	385.100	0.009	0.120	385.100	0.010	0.130	385.120	0.007	0.130
4	26	89	26-Apr-89	385.220	-0.001	0.100	385.110	0.007	0.118	385.098	0.007	0.130	385.096	0.006	0.140	385.121	0.008	0.140
12	8	89	08-Dec-89	385.220	-0.001	0.118	385.110	0.011	0.118	385.098	0.007	0.201	385.098	0.009	0.221	385.128	0.008	0.221
1	17	90	17-Jan-90	385.226	0.005	0.197	385.114	0.011	0.183	385.099	0.004	0.136	385.098	0.008	0.145	385.119	0.006	0.145
5	3	90	03-May-90	385.221	0.000	0.121	385.109	0.006	0.119	385.095	0.004	0.115	385.110	0.020	0.112	385.135	0.022	0.112
4	23	91	23-Apr-91	385.235	0.014	0.105	385.125	0.022	0.095	385.110	0.019	0.115	385.110	0.020	0.102	385.181	0.068	0.102
5	23	94	23-May-94	385.251	0.030	0.170	385.173	0.070	0.160	385.158	0.067	0.160	385.157	0.067	0.200	385.153	0.040	0.200
11	9	94	09-Nov-94	385.261	0.040	0.180	385.146	0.043	0.160	385.131	0.040	0.190	385.126	0.036	0.205	385.153	0.040	0.205
3	15	96	15-Mar-96	385.244	0.023	0.190	385.135	0.032	0.180	385.120	0.029	0.200	385.121	0.031	0.210	385.148	0.035	0.210

Plate No. 11			Plate No. 12			Plate No. 13			Plate No. 14						
Mo.	Dy.	Yr.	Date	elev.	elev. chg	delta x	elev.	elev. chg	delta x	elev.	elev. chg	delta x	elev.	elev. chg	delta x
5	15	73	15-May-73	385.120	0.000	0.000	385.085	0.000	0.000	385.083	0.000	0.000	385.070	0.000	0.000
1	29	74	29-Jan-74	385.121	0.001	0.000	385.088	0.003	0.000	385.083	0.000	0.010	385.067	-0.003	0.000
6	25	75	25-Jun-75	385.114	-0.006	0.011	385.083	-0.002	0.011	385.081	-0.002	0.027	385.063	-0.007	0.027
4	28	76	28-Apr-76	385.121	0.001	0.050	385.091	0.006	0.015	385.089	0.006	0.035	385.074	0.004	0.035
11	3	77	03-Nov-77	385.113	-0.007	-0.010	385.079	-0.006	-0.030	385.079	-0.004	0.000	385.060	-0.010	0.000
5	23	78	23-May-78	385.123	0.003	0.020	385.076	-0.009	0.010	385.084	0.001	0.025	385.069	-0.001	0.025
11	15	87	15-Nov-87	385.130	0.010	0.020	385.090	0.005	0.000	385.090	0.007	0.020	385.070	0.000	0.020
4	26	89	26-Apr-89	385.130	0.010	0.010	385.090	0.004	0.028	385.085	0.002	0.035	385.070	0.000	0.035
12	8	89	08-Dec-89	385.129	0.009	0.063	385.089	0.004	0.015	385.087	0.004	0.021	385.068	-0.002	0.021
1	17	90	17-Jan-90	385.129	0.009	0.063	385.089	0.004	0.015	385.084	0.001	0.015	385.070	0.000	0.015
5	3	90	03-May-90	385.122	0.002	0.017	385.088	0.003	0.003	385.088	0.001	0.015	385.068	0.000	0.015
4	23	91	23-Apr-91	385.140	0.020	0.040	385.105	0.020	0.005	385.100	0.017	0.015	385.090	0.010	0.015
5	23	94	23-May-94	385.180	0.060	0.040	385.140	0.055	0.010	385.135	0.052	0.020	385.120	0.050	0.020
11	9	94	09-Nov-94	385.150	0.030	0.030	385.114	0.029	0.035	385.108	0.025	0.015	385.089	0.019	0.015
3	15	96	15-Mar-96	385.153	0.033	0.030	385.108	0.023	0.020	385.108	0.025	0.020	385.084	0.014	0.020

APPENDIX C -- CRREL REPORT

Deformation of a retaining wall by ground freezing

Lawrence S. Danyluk and Stephen A. Ketcham

US Army Cold Regions Research and Engineering Laboratory, Hanover, NH, USA

ABSTRACT: Field measurements were made of the horizontal movement of a large retaining wall in Hopkinton, NH, USA. The reinforced concrete retaining wall is part of an earthen dike on the downstream side of an earth-filled dam. The dike is used to separate an existing wood-cribbed dam and its associated forebay pool from the outlet channel of the earth dam. The wall, completed in 1963, is 71 m long and varies in height from 5.7 to 10.7 m. Previous surveys have indicated that outward displacements at the top of the wall occur during the winter and rebound partially during the spring. Observations of the wall show severe, permanent deformation. The owner of the dam—the US Army Engineer Division, New England—is concerned about the stability of the wall and plans on doing remedial work shortly. Prior to the 1995–96 winter season, the US Army Cold Regions Research and Engineering Laboratory installed various sensors on and behind the wall to continuously measure these displacements and to provide information for the repair strategy. The measurements indicate that the movement is frost related. Horizontal movement at the top of the wall of 20 mm, and increased earth pressure behind the wall of almost 200 kPa, were measured during the period of frost penetration. As the frost subsided in the spring, the earth pressure approached pre-winter values. Although the displacement at the top of the wall did rebound, it did not recover completely. This paper will present and discuss data recorded during the 1995–96 winter. These will include temperatures on the face of the wall, as well as the soil behind it, pressure between the wall and backfill material, lateral displacement at the top of the wall, and the angle of rotation along the face of the wall.

1 BACKGROUND

1.1 Site

The retaining wall is part of the Hopkinton-Everett reservoir system and is located in the town of Hopkinton, NH, on the Contoocook River, approximately 15 km west of Concord, NH. Construction of the project was started in November 1959 and completed in July 1963. The dam is rolled earth-fill with rockfill slope protection and is approximately 240 m long by 22 m high. Figure 1a shows the outlet works being separated by a concrete retaining wall (71 m long) and a rock-filled crib-type timber dam (100 m long) with the stilling basin on the west side of the dike and the forebay pool on the east. The forebay pool is used to supply water to a nearby paper mill. Figure 1b shows the difference in elevation of the stilling basin and forebay pool of approximately 10 m.


The site has an elevation of 118 m and a mean annual precipitation of 945 mm. The mean annual air temperature is 7.1°C. The mean annual air freezing index, and the 1-in-100-year index, are 14,800 h°C and 21,300 h°C, respectively.

1.2 Retaining wall and fill material

Figure 2 illustrates a section of the retaining wall. The wall is made of reinforced concrete and is 0.46 m thick at the top and increases to 1.98 m at its base. The wall sits on a keyed base that is 2 m thick. There are construction joints every 3.66 m vertically and expansion joints that separate the wall into monoliths every 6.1 m horizontally. The bulk of the soil behind the wall is specified on construction drawings to be a locally available “impervious fill.” The soil placed within a meter of the wall is specified as a “special fill,” indicating that it was compacted by hand-tamping only. Above these materials is a layer of gravel and a layer of rockfill. Inspection during this project revealed the surfaces depicted in Figure 2. While the forebay pool level is varied slightly throughout the year, the fill soil remains below the water table.

1.3 Wall movement

Between inspections in 1967 and 1972, it was found that the wall at the second monolith upstream of the wooden crib dam had displaced outward at its top 20



a. Outlet works, looking south.



b. Retaining wall, looking west.

Figure 1. Hopkinton Dam.

mm relative to the first monolith, which is prevented from large movements by its rigid connection to the abutment shown in Figure 1. Similar movements were noted in other monoliths. In 1972 a baseline survey was established using permanently mounted monuments. Since then, the top of the wall has displaced outward 60 mm (see Figure 3), averaging 2–3 mm each year. Surveys performed in winter and subsequent spring months revealed that the maximum annual displacement occurred during the winter, with a partial rebound during the spring. Observations and additional measurements indicated that these movements result from tilting or flexural deformation of the wall

The owner of the dam had concerns that the base of the wall may be sliding or tilting and had several exploratory borings drilled. It was found that the soil under the footings was a very dense glacial till and that there was no indication of footing movement. It was concluded that the tilting was taking place within the wall itself. However, it was not known if the movement was frost related.

1.4 Instrumentation

During the fall of 1994, the second monolith was instrumented to examine the seasonal variation and pro-




Figure 2. Typical section of retaining wall and instrumentation locations.



Figure 3. Horizontal displacement between the first and second monoliths.

files of its displacements. Of interest also were the temperatures of the air, wall, soil, and water, and the magnitude of the pressure causing the movement.

Figure 2, which depicts the second monolith section, illustrates the locations of the sensors: 30 thermistor-type temperature sensors were installed, 26 of these being placed in the upper 2.5 m of impervious fill immediately behind the wall (a silty clay with a dry density of 2066 kg/m^3), and 4 being placed on the face of the wall. An additional thermistor was installed during October 1995 in the forebay pool at a depth of 1–2 m. Air temperature is recorded approximately 0.5 km from the wall, independently from this instrumentation.

Two linear motion potentiometers (LMP) were installed to monitor the horizontal movement at the top of the wall. Each LMP was anchored to the wall at one end and to a piezometer casing at the other. Since the LMPs measure the relative movement between their anchor points, movements of the piezometer casings—the reference points—are of concern. To provide a comparison of wall section movements, one LMP (LMP-North) was attached to the second monolith from the abutment and the other (LMP-South) was attached to the fourth monolith.

To establish profiles of the wall displacements, a vibrating-wire inclinometer assembly was installed on the face of the second monolith. The assembly contains three 1.95-m inclinometer sections, each with a sensor to independently measure rotation at its top relative to its bottom. The assembly is housed within a tube (seen as a vertical line in Figure 1b) that is connected to the wall at the ends of the sections. The des-

ignations "top," "middle," or "bottom" inclinometer identify their relative positions.

One vibrating-wire earth pressure cell was installed between the wall and the fill of the second monolith. It was placed approximately 0.5 m below the surface of the impervious fill. Care was taken during installation that there was firm contact between the soil and wall.

All sensors are connected to a solar-powered data recorder that is set to provide readings every 2 hours. Technical difficulties with this system delayed its start-up until March of 1995, while further difficulties have caused only minor interruptions.



2 INSTRUMENT MEASUREMENTS FOR THE 1995-96 WINTER SEASON

Measurements illustrating climatic data and wall and soil response histories from the 1995-96 winter season are presented in Figures 4 through 6. Figure 4 contains nine graphs (parts a-i) showing temperature, pressure, and deflection data for the period August 1995 to August 1996. The air and forebay pool water

temperatures are presented in Figures 4a and b, respectively, while data from the pressure cell is depicted in Figure 4c. Deflections at the top of the wall relative to the piezometer casings are shown in the LMP readings in Figures 4d and e. Deflections calculated from the inclinometer rotational measurements are shown in the remaining parts. Figures 4g-i contain deflections from the top, middle, and bottom inclinometers, respectively, while Figure 4f totals the three inclinometer deflections, providing a displacement measure for the top of the wall relative to the base of the bottom inclinometer. Zero values in the pressure cell, LMP, and inclinometer graphs correspond to the initial readings at the time of installation during the Fall of 1994; positive deflections in the LMP and inclinometer graphs correspond to outward movements of the wall.

Contours of temperature calculated from the in-soil thermistor measurements are shown in Figure 5, which has 11 graphs presenting soil temperatures at 2-week intervals from 6 December through 24 April. The contours are superimposed on a cross section showing the upper 4 m of the wall and the adjacent fill within 2-2.5 m of the wall.

A sequence of wall profiles is shown in the shaded region in Figure 6. The profiles were calculated from the inclinometer readings at weekly intervals from 6 December through 24 April. Figure 6 gives 21 pro-






Figure 5. Temperature contours behind the second monolith.

files, either whole or in-part, depending upon their position in the sequence. Each profile comprises three line segments representing the sections of the inclinometer assembly—the bottom, middle, and top. The deflections indicated are those relative to the wall position on 6 December and to the base of the bottom inclinometer.




Figure 6. Retaining wall profile.

3 DISCUSSION

The winter of 1995–96 was warmer than usual at the site, having a freezing index of approximately 14,000 h°C, which is slightly below the mean. The air temperatures and forebay pool water temperatures indicated in Figures 4a and b further characterize the season, but also provide “driving” temperatures for heat transfer through the wall and the saturated fill behind the wall. Of particular interest are the number of thawing events revealed by the wintertime air temperature data and the lack of variation in the water temperature from the beginning of December to the end of March. The influx of new water into the forebay pool and its latent heat capacity appear to have kept the temperature at the sensor location just slightly above freezing. Visual observations further indicated that the forebay pool never froze during the winter.

The temperature contours in Figure 5 highlight the upper 2.5 m of the impervious fill in which the thermistors were placed behind the wall. A greater susceptibility to heat loss is evident in this corner area as the soil against the wall and immediately below the gravel is the first to freeze, reflecting losses through the narrow upper portion of the wall and upward through the gravel and rockfill layer. This is also the area that, later in the season, had the greatest frost penetration horizontally away from the wall, and the area in which the pressure cell was installed.

The pressure cell measurements shown in Figure 4c are relatively constant until early December when frost first penetrates into the soil behind the wall. The pressure generally increases with the progression of the freezing front to a maximum pressure of 170 kPa in early February relative to the early December value. Most of the peaks and valleys of the graph correspond to changes in the air temperature and associated freezing or thawing of the backfill. The highest peak occurs during an especially cold period in February, while the prominent valleys follow or coincide with mid-winter thawing events. The complexity of the soil-wall interaction is hinted at by the lack of similar peaks and valleys in the deflection histories (Figure 4d–e), which reveal that wall movements are less frequent and less dramatic than the variations of pressure at the location of the pressure cell. It is interesting to note that the pressure returns to pre-freezing values before the frost is totally out of the soil, but only after the thaw does the wall rebound.

The individual inclinometer graphs in Figure 4g–i show deflection histories with similar magnitudes and variations. Each reveals a seasonally induced permanent deflection by a comparison of the reading after thaw to the early December value. The top and bot-

tom inclinometer data indicate the largest permanent deflection—1 to 2 mm—while the middle inclinometer shows less than 1 mm deflection. In the total inclinometer graph of Figure 4f, a permanent total deflection of nearly 4 mm is indicated.

Deflections at the top of the wall from the LMPs (Figure 4d and e) indicate a maximum measured deflection of 20 mm for LMP-South relative to its early December value. This occurred in mid-January, when the total relative deflection of the inclinometers was 5–10 mm less in magnitude. The inclinometer maximum deflection occurred during late February, but was at this time nearly equal to the LMP-South deflection, again considering relative values. A reason for this difference is not apparent, although movement of the piezometer casing (the LMP-South anchor), or the complexity of the soil-wall interaction, may be causes. Permanent seasonal deflections indicated by the LMPs are similar to the magnitude shown by the inclinometer total—nearly 4 mm. However, fluctuations in the post-thaw readings obscure a distinct measure of this.

The wall profile sequence in Figure 6 illustrates the outward and retracting movements of the wall during the freezing season. While bending is evident in the profiles, the figure shows the week-by-week deformations to be predominantly rotational, especially following positive movements. This indicates that the wall deformations are associated more with tilting—at least relative to the base of the bottom inclinometer—than with flexure. The permanent deformation reflected in the final profile shows a “bulge” at

the base of the middle inclinometer. This is likely due to deformations around a construction joint located midway between the top and bottom of this inclinometer section. Indeed, visual inspections show a slight outward permanent deflection at the location of this joint.

4 CONCLUSION

Measurements taken during the 1995–96 winter indicate that the wall deflection is caused by ground freezing. While there have been no investigations to determine the existence of ice lenses during the winter season, the loading causing the deflection is apparently due to frost heaving pressures within the saturated silty clay behind the wall. When the soil freezes, there is an almost immediate increase in the pressure and deflection out of the wall. Wall deflections appear to be at their greatest when the frost is at its deepest point. As the soil thaws, the pressure decreases to pre-season values and the wall rebounds except for a permanent deflection of 3–4 mm. This agrees reasonably well with historical averages of 2–3 mm per year.

The indications that the deformation of the wall is more tilting than bending is of great interest to the owners of the wall, as they work to identify the structural behavior of the wall prior to initiating remedial work. The owners characterize the ratchetting deformations of the wall as serious, and are using the measurements described here to plan their remedial work appropriately.