

W. W. W.
DOWNGRADED TO

UNCLASSIFIED

~~RESTRICTED~~



PROJECT THOR

TECHNICAL REPORT NO. 6

MARCH 1952

PRESENTED AREAS OF AN AVERAGE PRONE CHINESE INFANTRYMAN

PHYSICAL
SCIENCES

BIOLOGICAL
SCIENCES

SOCIAL
SCIENCES

MEDICAL
SCIENCES

ENGINEERING

APPROVED FOR PUBLIC RELEASE;
DISTRIBUTION IS UNLIMITED

Contract DA-36-034-CRD-375RD
Philadelphia Ordnance District
Philadelphia 2, Pennsylvania

Project TP3-0238A
Ballistic Research Laboratories
Aberdeen Proving Ground, Md.

~~RESTRICTED~~

Reproduced From
Best Available Copy

DOWNGRADED TO

~~RESTRICTED~~

20001124 129

UNCLASSIFIED

~~RESTRICTED~~

PRESENTED AREAS OF AN AVERAGE
PRONE CHINESE INFANTRYMAN

PROJECT THOR TECHNICAL REPORT NO. 6
March, 1952

The Johns Hopkins University
Institute for Cooperative Research
1315 St. Paul Street
Baltimore 2, Maryland

Contract DA-36-034-ORD-375RD
Philadelphia Ordnance District
1500 Chestnut Street
Philadelphia 2, Pennsylvania

Project TE3-0238A
Ballistic Research Laboratories
Aberdeen Proving Ground, Maryland

~~RESTRICTED~~

UNCLASSIFIED

UNCLASSIFIED

PRESENTED AREAS OF AN AVERAGE
PRONE CHINESE INFANTRYMAN

ABSTRACT

For evaluation of weapons used against personnel, the average presented area of a typical Chinese infantryman prone on the ground is given as a function of the angle of arrival of fragment or bullet. World War I dimensions of the average United States infantryman were scaled by a relative stature factor to represent those of the average Chinese infantryman. Some applications of the results are suggested.

UNCLASSIFIED

~~RESTRICTED~~

TABLE OF CONTENTS

	Page
ABSTRACT	
INTRODUCTION	1
METHOD OF SOLUTION	1
Determination of Chinese Infantryman Dimensions.	1
Definition of Angle of Elevation and Azimuth . .	2
Experimental Techniques and Results.	2
APPLICATIONS	4
APPENDIX	6
Physical Dimensions. Figure	1
Mean Dimensions of Infantrymen "	2
Silhouettes of Wooden Model. "	3
Scaling Factor "	4
Table of Presented Areas "	5
Variation of Presented Area with Aspect. "	6
Average Presented Area of Prone Chinese Infantryman. "	7
REFERENCES	
DISTRIBUTION LIST.	

PRESENTED AREAS OF AN AVERAGE
PRONE CHINESE INFANTRYMAN

INTRODUCTION

Studies of the effectiveness of weapons for attack of ground troops require knowledge of the target presented area. The presented area of the infantryman is a function of his dimensions, his position on the ground, and the angle of arrival of the fragment or bullet. The purpose of this report is to determine for a prone posture the average presented area of a typical Chinese infantryman as a function of the angle of arrival. Previously, an estimated value of the vulnerable area has been used.

METHOD OF SOLUTION


Determination of Chinese Infantryman Dimensions

The physical characteristics of a typical Chinese infantryman were not available. However, physical dimensions of the mean United States infantryman of World War I (Ref. 1)

and the mean Japanese infantryman stature of the same period were located (Ref. 2). The assumption was made that the typical Japanese and Chinese prone infantrymen are dimensionally identical. In studies made of the physical characteristics of man, particular emphasis has been placed on stature. Therefore, the average U.S. infantryman measurements were scaled (App.: Fig. 2) by a factor (0.9200) representing the ratio of mean statures of the Japanese and U.S. infantrymen.

Definition of Angle of Elevation and Azimuth

The angle of elevation E , i.e. the angle of arrival of the fragment or bullet, is defined as the angle QOP made by the line of approach PO of the fragment or bullet and the XY plane. Azimuth A is the angle YOQ between the projection QO of the path of the bullet on the XY plane and the longitudinal axis of the target. Directions are defined below.



Experimental Techniques and Results

To determine the presented areas of the Chinese infantryman, photographs were taken of a model and the results planimetered. The model was constructed of wood to the scale one to ten. It represents the target in a prone position with legs fairly straight and arms wound about the head for protection. Lines were drawn on the model to indicate head, torso, limbs, and abdomen. This marking will facilitate the computation of vulnerable areas when kill probabilities for these portions of the body are available.

The presented area of the target is a function f of the azimuth and the angle of elevation. With respect to presented area the target is symmetrical about its longitudinal axis, that is

$$f(A,E) = f(A + 180^\circ, - E).$$

Furthermore, the presented area is taken to be symmetrical about a vertical plane passing through this longitudinal axis, that is

$$f(A,E) = f(360^\circ - A, E).$$

Photographs of the model were taken for selected values of azimuth and elevation at a fixed distance of four feet from the model centroid. Because of the symmetry mentioned above, these selections were made in the region $0 \leq A \leq 180^\circ$, $0 \leq E \leq 90^\circ$ covering in effect the entire

surface of the sphere. The silhouettes (App.: Fig. 3) were planimetered and the areas obtained were multiplied (App.: Fig. 5) by appropriate factors to give the presented area (sq ft) of the Chinese infantryman.

For each fixed angle of elevation the presented area of the Chinese infantryman was plotted (App.: Fig. 6) as a continuous function of azimuth and an average area was computed. A graph (App.: Fig. 7) of average presented area as a function of angle of elevation was then constructed.

APPLICATIONS

The material presented here can be adapted for several applications, of which the following are examples:

A. If the height¹ of the characteristic member of another racial group is known, then the presented area of this individual in a prone position for a particular aspect can be found by multiplying the corresponding result in the text by the square of the relative stature factor.

B. To determine the effect of shielding by terrain or equipment, the exposed area may be altered on the photographs and the unshielded areas planimetered.

¹ Mean heights of men from a wide variety of racial groups have been compiled in Reference No. 3.

C. To obtain the vulnerable area of the prone Chinese infantryman, the photographs can be examined to find the presented areas of the bodily portions. Then the corresponding conditional kill probabilities can be applied, and the products summed.

D. To approximate roughly the average presented area of the characteristic Chinese infantryman in an upright position as a function of the angle of arrival of fragment or bullet, the graph of presented area as a function of aspect (App.: Fig. 6) can be used. The aspects (a,e) selected for the standing man are transformed into the corresponding aspects (A,E) for the prone man and the associated presented areas averaged.

~~XXXXXXXXXX~~

APPENDIX

~~XXXXXXXXXX~~

VERTICAL DIMENSIONS

1. Stature
2. Sternal Notch
3. Sitting Height
4. Pubis

LIMB LENGTHS

5. Arm (spine to wrist, forearm flexed)
6. Leg
7. Knee Height (when seated)
8. Forearm

CIRCUMFERENCES


9. Chest
10. Waist
11. Thigh (maximum)
12. Kneecap
13. Neck
14. Calf (maximum)

TRANSVERSE DIAMETERS

15. Span (Maximum)
16. Shoulder
17. Hip
18. Chest

FORE AND AFT DIAMETER

19. Chest



~~SECRET~~

MEAN DIMENSIONS OF INFANTRYMEN

Dimension Number (See Fig. 1)	American ¹ Infantryman, World War I (in.)	Chinese ² Infantryman, 1915 (in.)	Specifications ³ for Chinese Infantryman Wooden Model (in.)
1	67.72	62.30	6.23
2	55.58	51.13	5.11
3	35.59	32.74	3.27
4	34.18	31.45	3.14
5	30.87	28.40	2.84
6	28.22	25.96	2.60
7	18.54	17.06	1.71
8	10.59	9.74	0.97
9	34.96	32.16	3.22
10	30.66	28.21	2.82
11	20.75	19.09	1.91
12	14.26	13.12	1.31
13	14.16	13.03	1.30
14	13.42	12.35	1.24
15	69.13	63.60	6.36
16	16.46	15.14	1.51
17	11.59	10.66	1.07
18	11.42	10.51	1.05
19	8.50	7.82	0.78

¹ Approximately 100,000 sample size (Ref. 1)

² Computed by application of relative stature factor (0.9200)

³ Scale one to ten

~~SECRET~~



- Fig. 3

SILHOUETTES OF WOODEN MODEL





ELEVATION 0

AZIMUTH 0


RESTRICTED



ELEVATION 0

AZIMUTH 30

RESTRICTED



ELEVATION 0

AZIMUTH 60

RESTRICTED



ELEVATION 0

AZIMUTH 90

RESTRICTED



ELEVATION 0

AZIMUTH 120


RESTRICTED



ELEVATION 0

AZIMUTH 150

RESTRICTED




ELEVATION 0

AZIMUTH 180

RESTRICTED

ELEVATION 10


AZIMUTH 0



RESTRICTED

ELEVATION 10


AZIMUTH 30



RESTRICTED

ELEVATION 10


AZIMUTH 60



RESTRICTED

ELEVATION 10


AZIMUTH 90



RESTRICTED

ELEVATION 10


AZIMUTH 120



RESTRICTED


ELEVATION 10

AZIMUTH 150



ELEVATION 10


AZIMUTH 180



RESTRICTED

ELEVATION 20


AZIMUTH 30



RESTRICTED

ELEVATION 20


AZIMUTH 0



RESTRICTED

ELEVATION 20


AZIMUTH 60



RESTRICTED

ELEVATION 20


AZIMUTH 90



ELEVATION 20


AZIMUTH 120

RESTRICTED



ELEVATION 20


AZIMUTH 150



RESTRICTED

ELEVATION 20


AZIMUTH 180



RESTRICTED

ELEVATION 30


AZIMUTH 0



RESTRICTED

ELEVATION 30


AZIMUTH 30



RESTRICTED

ELEVATION 30


AZIMUTH 60



RESTRICTED

ELEVATION 30


AZIMUTH 90



RESTRICTED

ELEVATION 30


AZIMUTH 120



RESTRICTED

ELEVATION 30


AZIMUTH 150



RESTRICTED

ELEVATION 30


AZIMUTH 180



RESTRICTED

ELEVATION 40


AZIMUTH 0



RESTRICTED

ELEVATION 40


AZIMUTH 30



RESTRICTED

ELEVATION 40


AZIMUTH 60



RESTRICTED

ELEVATION 40


AZIMUTH 90




RESTRICTED

ELEVATION 40

AZIMUTH 120




RESTRICTED



ELEVATION 40

AZIMUTH 150

RESTRICTED




ELEVATION 55

AZIMUTH 0

RESTRICTED

ELEVATION 40


AZIMUTH 180



RESTRICTED

ELEVATION 55


AZIMUTH 45




RESTRICTED

ELEVATION 55

AZIMUTH 90



RESTRICTED




ELEVATION 55

AZIMUTH 180

RESTRICTED

ELEVATION 55


AZIMUTH 135



RESTRICTED

ELEVATION 70


AZIMUTH 0



RESTRICTED

ELEVATION 70



AZIMUTH 45




RESTRICTED

ELEVATION 70

AZIMUTH 90






ELEVATION 70

AZIMUTH 135


RESTRICTED



ELEVATION 70

AZIMUTH 180

RESTRICTED



ELEVATION 90

RESTRICTED

~~XXXXXXXXXX~~

SCALING FACTOR

It was impractical to control the duplication processes such that each silhouette (Fig. 3) would have the same scale as the model. Consequently a scaling factor F has been introduced to obtain the presented area of the model, as follows:

$$W = S \cdot F$$


where $F = \left(\frac{c}{d}\right)^2$

and W = presented area of wooden model (1/10 full size)

S = planimetered area of silhouette (From Fig. 3)

d = distance between markers on the reproduction (see below)

c = constant distance between markers during photographing (8 inches for all aspects).



~~RESTRICTED~~

PRESENTED AREAS

Elevation (deg)	Azimuth (deg)	S Planimetered Area of Silhouette (Fig. 3) (sq in)	F Scaling Factor (Fig. 4)	S·F Presented Area of Wooden Model (sq in)	100(S·F)	$\frac{100(S·F)}{144}$
					Presented Area of Chinese Infantry- man (sq in)	Presented Area of Chinese Infantry- man (sq ft)
0	0	1.04	0.985	1.02	102	0.71
0	30	2.52	1.032	2.60	260	1.81
0	60	3.75	1.000	3.75	375	2.60
0	90	3.90	0.985	3.84	384	2.67
0	120	3.78	0.985	3.72	372	2.58
0	150	2.75	0.985	2.71	271	1.88
0	180	0.99	1.032	1.02	102	0.71
					(Avg.)	2.04
10	0	1.81	0.969	1.75	175	1.22
10	30	3.06	1.000	3.06	306	2.12
10	60	4.24	0.969	4.11	411	2.85
10	90	4.47	0.969	4.33	433	3.01
10	120	4.15	0.969	4.02	402	2.79
10	150	2.91	0.969	2.82	282	1.96
10	180	1.67	0.969	1.62	162	1.12
					(Avg.)	2.32


~~RESTRICTED~~

RESTRICTED


Elevation (deg)	Azimuth (deg)	S	F	S·F	100(S·F)	$\frac{100(S·F)}{144}$
		Planimetered Area of Silhouette (Fig. 3) (sq in.)	Scaling Factor (Fig. 4)	Presented Area of Wooden Model (sq in.)	Presented Area of Chinese Infantry- man (sq in.)	Presented Area of Chinese Infantry- man (sq ft)
20	0	3.00	0.969	2.91	291	2.02
20	30	3.73	0.969	3.61	361	2.51
20	60	4.60	0.969	4.46	446	3.10
20	90	5.10	0.955	4.87	487	3.38
20	120	4.63	0.969	4.49	449	3.12
20	150	3.70	0.955	3.53	353	2.45
20	180	2.76	0.969	2.67	267	1.85
					(Avg.)	2.75
30	0	3.91	0.969	3.79	379	2.63
30	30	4.36	0.969	4.22	422	2.93
30	60	5.14	0.969	4.98	498	3.46
30	90	5.52	0.969	5.35	535	3.72
30	120	5.20	0.955	4.97	497	3.45
30	150	4.10	1.016	4.17	417	2.90
30	180	3.74	0.969	3.62	362	2.51
					(Avg.)	3.17

RESTRICTED

Elevation (deg)	Azimuth (deg)	Planimetered Area of Silhouette (Fig. 3) (sq in.)	Scaling Factor (Fig. 4)	S·F Presented Area of Wooden Model (sq in.)	100(S·F) Presented Area of Chinese Infantry- man (sq in.)	$\frac{100(S·F)}{144}$ Presented Area of Chinese Infantry- man (sq ft)
40	0	4.75	0.985	4.68	468	3.25
40	30	5.23	0.969	5.07	507	3.52
40	60	5.67	0.985	5.58	558	3.87
40	90	5.98	0.985	5.89	589	4.09
40	120	5.58	0.985	5.50	550	3.82
40	150	4.96	0.969	4.81	481	3.34
40	180	4.39	0.969	4.25	425	2.95
					(Avg.)	3.62
55	0	5.82	0.969	5.64	564	3.92
55	45	5.64	1.000	5.64	564	3.92
55	90	6.38	0.985	6.28	628	4.36
55	135	6.01	0.985	5.92	592	4.11
55	180	5.62	0.985	5.54	554	3.85
					(Avg.)	4.06




Elevation (deg)	Azimuth (deg)	Planimetered Area of Silhouette (Fig. 3) (sq in.)	Scaling Factor (Fig. 4)	Presented Area of Wooden Model (sq in.)	Presented Area of Chinese Infantry- man (sq in.)	Presented Area of Chinese Infantry- man (sq ft)
70	0	6.20	1.000	6.20	620	4.31
70	45	6.40	1.000	6.40	640	4.44
70	90	6.50	0.985	6.40	640	4.44
70	135	6.41	0.985	6.31	631	4.38
70	180	6.30	0.985	6.21	621	4.31
						(Avg.) 4.40
90	-	6.72	0.985	6.62	662	4.60
						(Avg.) 4.60



RESTRICTED

FIG. 6



VARIATION OF PRESENTED AREA
OF PRONE CHINESE INFANTRYMAN
WITH ASPECT


399-11 KEUFFEL & ESSER CO.
10 X 10 to the 1/4 inch, 5th lines accounted.
MADE IN U.S.A.

RESTRICTED

395-11 KEUFFEL & ESSER CO.
10 x 10 to the 1/2 inch, 1/4 inch lines accented.
MADE IN U. S. A.

RESTRICTED

FIG. 7



RESTRICTED

~~RESTRICTED~~

DISTRIBUTION LIST

Number of Copies	Organization
10	Chief of Ordnance Washington 25, D.C. Attn: ORDTE-Ballistic Section
Balance of reports after distribution has been made.	Commanding Genral Aberdeen Proving Ground Maryland Attn: Pallistic Research Laboratories
2	Directorate of Research and Development Deputy Chief of Staff U. S. Air Force Washington 25, D.C. Attn: Chief Armament Division
2	Commanding General Air Materiel Command Wright-Patterson Air Force Base Dayton, Ohio Attn: MCRBON
1	Commanding General Air Materiel Command Wright-Patterson Air Force Base Dayton, Ohio Attn: MCRBNG
1	Commanding General Air University Maxwell Field Alabama Attn: Air University Library
1	District Chief Philadelphia Ordnance District 1500 Chestnut Street Philadelphia 2, Pennsylvania Attn: Chief, Special Projects Branch
1	Chief, Bureau of Ordnance Navy Department Washington 25, D.C. Attn: Fe3

~~RESTRICTED~~

Number of Copies	Organization
1	Chief, Bureau of Ordnance Navy Department Washington 25, D.C. Attn: Re8
1	Antiaircraft and Guided Missile Branch of the Artillery School Fort Bliss, Texas
1	President Army Ground Force Board No. 4 Fort Bliss, Texas
2	Ordnance Research No. 1 University of Chicago Chicago 37, Illinois
1	Director of Research & Development Hq., United States Air Force AFDRD-Re-1 Washington 25, D.C.
1	Chief of Bureau of Aeronautics Navy Department Washington 25, D.C. Attn: Armament Section
1	Commanding Officer U. S. Naval Ordnance Test Station China Lake, California
1	Applied Physics Laboratory Johns Hopkins University Silver Spring, Maryland Attn: Dr. C. F. Meyer
1	Special Products Division Westinghouse Electric Corporation 1844 Ardmore Boulevard Pittsburgh 21, Pa. Attn: J. A. Csepely
1	Commanding Officer Picatinny Arsenal Dover, New Jersey
1	Commanding Officer Naval Proving Ground Dahlgren, Virginia

UNCLASSIFIED

Number of Copies	Organization
1	Director, Research & Development Division Air Tactical School Tyndell Field, Florida
1	Armour Research Foundation 33rd and Dearborn Streets Chicago, Illinois
1	Office of Naval Research Navy Department Washington 25, D.C. Attn: Scientific Literature Branch(N482)
1	Operation Evaluation Group (OP 342E) Room 3827 Department of the Navy Washington 25, D.C. Attn: Mr. McGrew
1	University of Denver Denver, Colorado Attn: Mr. Thomas Zandstra, Project Supervisor
1	Dean W. L. Ayers Purdue University Lafayette, Indiana
1	Project Fund 1500 - 4th Street Santa Monica, California Attn: Mr. Habley
1	Commander Naval Ordnance Laboratory White Oaks Silver Spring, Maryland Attn: Dr. H. C. Plumley
1	Bell Telephone Laboratories Murray Hill, New Jersey Attn: Dr. D. P. Ling
1	Headquarters United States Air Force Operations Analysis Washington 25, D.C.

UNCLASSIFIED

UNCLASSIFIED

~~RESTRICTED~~

Number of Copies	Organization
1	Douglas Aircraft Co., Inc. Santa Monica, California Attn: E. F. Furton, Chief Engr.
1	Commanding Officer Naval Air Development Station Johnsville, Pennsylvania
1	Radiation Laboratory Institute for Cooperative Research The Johns Hopkins University 1315 St. Paul Street Baltimore 2, Maryland Attn: Dr. Donald King, Director
1	Office of the Chief of Ordnance Attn: Lt. Col. J. A. Ulrich, ORDTA Washington 25, D.C.

UNCLASSIFIED

~~RESTRICTED~~