

**REPORT DOCUMENTATION PAGE**

Form Approved  
OMB NO. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comment regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE	3. REPORT TYPE AND DATES COVERED June 1, 1997 - May 31, 2000	
4. TITLE AND SUBTITLE Molecular Genetic Approaches to Biomolecular Materials		5. FUNDING NUMBERS DAAG 55-97-1-0173	
6. AUTHOR(S) Hagan Bayley			
7. PERFORMING ORGANIZATION NAMES(S) AND ADDRESS(ES)		8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Army Research Office P.O. Box 12211 Research Triangle Park,, NC 27709-2211		10. SPONSORING / MONITORING AGENCY REPORT NUMBER ARO 36953.1-LS-AAS	

11. SUPPLEMENTARY NOTES  
The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision, unless so designated by other documentation.

12a. DISTRIBUTION / AVAILABILITY STATEMENT Approved for public release; distribution unlimited.	12 b. DISTRIBUTION CODE
--	-------------------------

13. ABSTRACT (Maximum 200 words)

The leukocidins are bicomponent pore-forming toxins that are structurally related to staphylococcal alpha-hemolysin, a single component toxin. alpha-Hemolysin has many applications in the area of biomolecular materials. Therefore, leukocidins have now been characterized to expand the set of tools available for materials engineering. The approach taken in the AASERT project was to obtain genes for the two components of the toxin, to express them in *E. coli*, to characterize the heterologously expressed pores by bilayer recording, and to use molecular genetic technology to explore structure- function relationships in these proteins. The first three of the four objectives have been accomplished.

**DRUG QUALITY IMPROVED 4**  
**20010117 094**

14. SUBJECT TERMS channel/pore/pore-forming toxin/leukocidin/hemolysin/protein expression/ protein engineering		15. NUMBER OF PAGES	
		16. PRICE CODE	
17. SECURITY CLASSIFICATION OR REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED	19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED	20. LIMITATION OF ABSTRACT UL

**MEMORANDUM TRANSMITTAL**

U. S. Army Research Office  
ATTN: AMXRO-ICA (Hall)  
P. O. Box 12211  
Research Triangle Park, NC 27709-2211

Reprint (Orig + 2 copies)

Technical Report (Orig + 2 copies)

Manuscript (1 copy)

Final Progress Report (Orig + 2 copies)

Other (1 copy)

CONTRACT/GRANT NUMBER: DAAG5597-0173


REPORT TITLE: Molecular Genetic Approaches to Biomolecular Materials

is forwarded for your information.

SUBMITTED FOR PUBLICATION TO (applicable only if report is manuscript):

\_\_\_\_\_  
\_\_\_\_\_

Sincerely,



Hagan Bayley, Ph.D.  
Professor

MOLECULAR GENETIC APPROACHES TO BIOMOLECULAR MATERIALS

FINAL PROGRESS REPORT

HAGAN BAYLEY

NOVEMBER 15, 2000

DAAG5597-0173

THE TEXAS A&M UNIVERSITY SYSTEM HEALTH SCIENCE CENTER

APPROVED FOR PUBLIC RELEASE;

DISTRIBUTION UNLIMITED.

THE VIEWS, OPINIONS, AND/OR FINDINGS CONTAINED IN THIS REPORT ARE THOSE OF THE AUTHOR(S) AND SHOULD NOT BE CONSTRUED AS AN OFFICIAL DEPARTMENT OF THE ARMY POSITION, POLICY, OR DECISION, UNLESS SO DESIGNATED BY OTHER DOCUMENTATION.

## FINAL REPORT

GRANT #: DAAG5597-0173

PRINCIPAL INVESTIGATOR: Hagan Bayley, PhD; AASERT student:  
George Miles

INSTITUTION: The Texas A&M University System Health Science  
Center

GRANT TITLE: The student was engaged in research under the  
ARO grant DAAG5597-0173: Molecular genetical approaches to  
biomolecular materials

AWARD PERIOD: June 1 1997 - May 31 2000

OBJECTIVE: The leukocidins are bicomponent pore-forming  
toxins that are structurally related to staphylococcal alpha-  
hemolysin, a single component toxin that has been studied in  
detail by the Bayley group. alpha-Hemolysin has many  
applications in the area of biomolecular materials.  
Therefore, leukocidins have been characterized to expand the  
set of tools available for materials engineering.

APPROACH: Staphylococcal LukF and LukS together form  
transmembrane pores in lipid bilayers. The approach taken in  
the AASERT project was to obtain genes for the two components  
of the toxin, to express them in E. coli, to characterize the  
heterologously expressed pores by bilayer recording, and to  
use molecular genetic technology to explore structure-  
function relationships in these proteins.

ACCOMPLISHMENTS: The first three of the four objectives have  
been accomplished and have written up as a paper for  
Biochemistry. The genes for LukF and LukS were amplified from  
Staphylococcus aureus genomic DNA, placed in expression  
vectors and sequenced. The genes were also constructed by  
using synthetic oligonucleotides as building blocks. The  
latter was done so that the sequence homology at the  
nucleotide level could be increased, while maintaining the  
original amino acid sequences. This will allow gene shuffling  
experiments to be performed. The LukF and LukS genes were  
expressed in E. coli cells or by in vitro translation in an  
E. coli S30 system. The products were purified either in  
native or His-tagged form. The electrical properties of  
various combinations of subunits were explored by single-  
channel recording. The LukF/ LukS pore is larger than that  
formed by alpha-hemolysin and has other distinct properties  
including ion selectivity and gating characteristics.

CONCLUSIONS & SIGNIFICANCE: The availability of milligram  
amounts of the leukocidins will be useful for membrane  
protein engineering studies that will increase the diversity

of pores that can be formed by alpha-hemolysin and its relatives.

PATENT INFORMATION: not applicable

AWARD INFORMATION: none

PUBLICATIONS:

Miles, G., Braha, O., Cheley, S. and Bayley, H. (2000) Biochemical and biophysical characterization of recombinant LukF/ LukS, a bicomponent pore-forming toxin, Biochemistry, submitted