
Estimating Supplies Program


Version 1.00

User's Guide

Oct 2000

DIC QUALITY INSPECTED 4

20010122 043



Copyright © 2000

by Anne Tropeano

An easy-to-use Windows®-based software program for military medical providers, planners, and trainers that calculates the amount of supplies and equipment required to treat a patient stream.

Technical Document No. 00-4D, supported by the Bureau of Medicine and Surgery, BUMED-26, Washington, D.C., the Office of Naval Research, Arlington VA, Department of the Navy, and the Marine Corps Systems Command, Quantico, VA under the Work Unit No. 63706N M0095.005-6809. The views expressed in this manual are those of the authors and do not reflect the official policy or position of the Department of the Navy, Department of Defense, or the U.S. Government. Approved for public release; distribution unlimited.



Marine Corps Systems Command
2033 Barnett Avenue, Suite 315
Quantico, VA 22134-5010

Naval Health Research Center
P.O. Box 85122
San Diego, CA 92186-5122



Contributors

The following members of the Naval Health Research Center's Modeling and Simulation team are responsible for the design and development of the ESP database and computer application. Their medical and logistics knowledge, research expertise, and technical writing skills contributed to the success of the ESP project and this document. They also provided encouragement and teamwork, as well as significant creative support for the project.

Paula Konoske
Timothy Daly
Michael Galarneau
Eleanor Gauker
Donna Kaner
Gerald Pang
Janet Roberts
Anne Tropeano

To learn more about the Naval Health Research Center, please visit our website at www.nhrc.navy.mil.

Acknowledgments

Many organizations and individuals contributed their expertise and time to the development of ESP.

Headquarters, Marine Corps recognized the need to validate the medical and dental supplies carried into forward deployed environments and provided support for the project.

The Marine Corps Systems Command and the Marine Corps Combat Development and Doctrine Center helped set the stage for the many expert review panels by providing the vision and by defining the mission for current and future operational scenarios.

The Joint Readiness Clinical Advisory Board (JRCAB) shared their treatment protocols and databases, attended the expert panels, and provided the joint perspective. The JRCAB encouraged standardization of items and facilitated identification of supply numbers.

The Naval Medical Logistics Command and Blount Island Command attended the subject matter expert panels and provided guidance and clarification in the many logistical issues.

More than 130 medical providers representing a variety of specialties and commands provided their operational and medical expertise to the development of the databases.

COL Sandra Brunken (JRCAB), a major proponent for joint standardization, participated in the expert panels and contributed her many years of operational nursing experience and her joint perspective on clinical requirements.

Finally, we would like to acknowledge **Chief Douglas Lowe (HMC, FMF)** for his commitment to ensuring that our review process met the high standards needed to provide the best quality medical care. His efforts resulted in the incorporation of the latest technology, and his enthusiasm was inspiring and greatly appreciated.

Table of Contents

1 Introduction

Welcome to the Realm of ESP!	1-1
Background Information on ESP	1-2
Uses for ESP	1-3
A Program Overview.....	1-3
The Casualty Estimation Program for You	1-4
How to Use This Manual.....	1-6

2 Getting Started

Installing ESP.....	2-1
Starting ESP	2-2
Quitting ESP	2-4
The Parts of the Main Screen	2-5
Viewing Tables.....	2-7
Viewing JRCAB Treatment Briefs.....	2-7
Understanding the Menu Bar.....	2-8
Maneuvering Through Screens	2-10
Saving Your Work.....	2-11
Restarting the Program.....	2-11
Undocking and Closing the Toolbar.....	2-12
Getting Help	2-13

3 Choosing a Scenario

What's the Scenario?.....	3-1
Using a Listed Scenario.....	3-2
Copying a Listed Scenario.....	3-3
Building a Scenario by Patient Condition	3-4
Building a Scenario by Injury/Disease	3-5
Importing a Scenario.....	3-6
Deleting a Scenario.....	3-8
Ordering Your Scenarios	3-8

4 Selecting Functional Areas

About Level of Care and Functional Area.....	4-1
The Parts of the Select Functional Areas Screen.....	4-4
Choosing Level of Care	4-5
Choosing Functional Areas.....	4-5
Deselecting Functional Areas	4-6
Viewing Your Selections	4-6

5 Building by PC

What to Know About Building by PC	5-1
The Parts of the Build Scenario by PC Screen.....	5-2
Adding New PCs to the Patient Stream.....	5-3
Deleting PCs From the Patient Stream	5-4
Increasing or Decreasing a PC in the Patient Stream	5-5
Sorting PCs.....	5-5
Viewing the Patient Stream by Category	5-6
Adding PCs by Category	5-7

6 Building by Injury/Disease

What Is Building by Injury/Disease?	6-1
The Parts of the Build Scenario by Injury/Disease Screen.....	6-2
Adding New Casualties to the Patient Stream.....	6-3
Deleting Casualties From the Patient Stream	6-4
Increasing a Casualty Type in the Patient Stream	6-4
Decreasing a Casualty Type in the Patient Stream.....	6-5
Sorting the Patient Stream.....	6-5

7 Selecting Your Output

What Are Reports and Queries?.....	7-1
The Parts of the Choose Output Screen	7-2
Selecting the Output	7-2
Output That Orders and Subtotals.....	7-3
How to Order and Subtotal Your Output.....	7-4
Deselecting Your Order and Subtotal Choices.....	7-5
Output That Reports on Functional Area.....	7-6
How to Report on Functional Area.....	7-7

8 Viewing Your Output

ESP Output Options.....	8-1
How to Read the Output	8-3
Using Tables When Querying.....	8-7
Providing a PC, Supply, or Task for Your Query	8-8
Previewing Your Output.....	8-9
Saving and Sending Your Output as a File via Email.....	8-11
Printing the Output.....	8-12
Choosing a Printer and Selecting Pages to Print	8-14


9 Quick Reference Guide

Program Flow Chart.....	9-1
Quick Step-by-Step Instructions	9-1

Appendix A - References.....A-1

Appendix B - Patient Condition Codes.....B-1

Appendix C - Sample Output..... C-1




Welcome to the Realm of ESP!

The Estimating Supplies Program (ESP) is a user-friendly computer program designed to calculate the amount of supplies required by an operational scenario. Under the sponsorship of the Marine Corps Systems Command, the Naval Health Research Center (NHRC) developed this program for medical providers, trainers, and planners.

ESP offers different ways to get the information you need. One option is to handpick a medical mission scenario by manually entering casualty flow data into ESP. Another option is to import a patient stream from a casualty estimation program. You can also generate the supply requirements for one of ESP's predefined casualty streams. ESP then produces output in the form of easy to read reports that detail supply quantity, weight, cube, and cost. By using casualty estimates, level of care, and functional area, ESP generates the supplies and equipment necessary to treat the given patient distribution.

In addition, ESP offers a query function. This tool is helpful in understanding the relationship among patient conditions (PCs), medical tasks, supplies, and equipment. By querying the ESP database, you can obtain output that lists the supplies and equipment required to perform a task or to treat a specific PC.



Background Information on ESP

NHRC designed, developed, and utilized a systematic process to review the Marine Corps medical supply requirements. This approach consisted of identifying the medical tasks required to treat patients with specific injuries and illnesses and determining the supplies and equipment required by each task. More than 130 Subject Matter Experts (SMEs) with operational experience participated in this process by reviewing treatment briefs, tasks, supplies, and equipment, and by examining their usefulness for Marine Corps medical providers in forward areas of care. To determine the amount of consumable supply requirements, a patient-generating model was used to project the frequency of specific injuries and illnesses likely to occur in theater. Substantial reductions (approximately 30%) in the number of items, weight, and cube were achieved. By establishing the clinical requirement for each item pushed forward, the NHRC model was able to reduce the logistical burden carried by



These are the supplies removed from the Battalion Aid Station AMAL after review, significantly reducing weight, cube, and cost.

Marine Corps units and enhance far-forward clinical capability.¹⁻⁵ The result of this effort is a database that can be accessed to estimate supplies and equipment based on a given patient stream distribution. It is this database that provides the structure of ESP.

Establishing a clinical requirement for each supply produces an audit trail for each item, and allows existing Authorized Medical Allowance List/Authorized Dental Allowance List (AMAL/ADAL) configurations to be optimized for more current scenarios or revised as Marine Corps policy and doctrine change. This review process was recently used to evaluate a far-forward resuscitative surgical capability.⁶ Additional efforts are under way to examine the supply requirements of shipboard medical departments, pharmacy, and dental departments.⁷⁻¹⁰

NHRC has incorporated this research and these databases into ESP to provide you with the ability to calculate the supplies and equipment needed to treat a particular patient distribution.

Uses for ESP

- ✓ Generate the supplies and equipment, including weight, cube, and cost, needed to treat a user-defined patient distribution.
- ✓ Identify the patient distribution and calculate the supplies needed for a specific operational deployment or training exercise.
- ✓ Query the database when conducting an AMAL review to help understand the relationship among PCs, medical tasks, supplies, and equipment.
- ✓ Query the database to understand the relationship among the level of care, medical tasks, and supplies, and to develop training guidelines.

A Program Overview

ESP basically works like this:


- ① Log on by providing a user name and password.
- ② Select an operational scenario. You may choose from several developed scenarios, design your own patient stream, or import one.
- ③ Specify the level of care and functional areas. For example, if you choose surgical company as your level of care, you can select the following functional areas: the operating room, triage, ward, x-ray, pharmacy, laboratory, dental, or preventive medicine.
- ④ If you are designing your own scenario in ESP, enter a patient distribution. You are able to either identify the PCs or identify the patient injury and disease type.
- ⑤ Select the output. You can choose from reports that summarize supplies, equipment, weight, cube, and cost, as well as other details. You can query the database to see the relationship among PCs, tasks, and supplies.
- ⑥ View your output. The report or query can be directed to the screen, to various file formats, to the printer, or sent to a colleague via email.

The Casualty Estimation Program for You

Currently in ESP, you must create your patient stream in a casualty estimation program separately and import it into ESP. Because the ESP databases are constructed according to PC codes, it is important that the patient streams be in this format as well. Ultimately, though, NHRC is working toward updated versions of ESP that offer the ability to go directly into one of the following casualty estimation programs to create your patient stream.

Several casualty estimation programs are available:

The Patient Workload Generator (PATGEN)




Developed by the Army, PATGEN generates a workload of patients and models their movement through various echelons of care until they leave the system. The PATGEN model generates casualties by day, patient category, PC code, and operational region for a given major regional conflict. The calculations are based on population at risk and rate data. PATGEN also projects the number of patients who are evacuated to the next echelon of care, who return to duty, or who die.

Ground Casualty Projection System (FORECAS)




Designed by NHRC, FORECAS is a ground casualty forecasting system. It provides estimates of the average daily rates of medical admissions during a given scenario and indicates the maximum daily patient loads for which planning is necessary. The user identifies the casualty types to be projected, the battle intensity, category of troops, the specific adversary, and length of operation. FORECAS then provides graphic and tabular displays of the overall numbers of patient admissions, as well as the numbers of admissions expected for each PC code.

Shipboard Casualty Projection System (SHIPCAS)



NHRC built SHIPCAS to estimate the numbers of casualties that may be incurred by shipboard forces. The user enters U.S. task force composition, weapons systems possessed by the adversary, expected battle intensity, length of the operation, and whether the operation is littoral or open ocean. SHIPCAS projects the likely numbers of ships that sustain hits by enemy forces, the incidence of casualties aboard the individual ships, and the breakdown of the patient load by PCs.

Automated Patient Stream Estimator (APSE)



APSE is a software program created by the Air Force that generates casualty streams based on a specific scenario and wounded-in-action rates.

It is used to generate air base attack casualty streams based on wartime environments for the evaluation of wartime medical systems and assemblages. However, this model is limited in that only battle casualties resulting from air-delivered conventional weapons are included.

NOTE: *Casualty Estimation Process, a model for projecting total casualties and personnel replacements at an operational level of detail, currently does not generate a patient stream that ESP can use. Casualty Estimation Process provides estimates of scenario-based battlefield casualties by type, period, grade, and military occupation specialty. Reports tabulate the estimated casualties by date, time, phase, and force deployed, not by PC code.*

How to Use This Manual

This manual illustrates how to run ESP without complex technical language. No matter what your level of computer skill is, you can understand this guide.

ESP is basically a sequence of screens in which you enter information. Therefore, the manual is written in the same order and should be read from beginning to end. ESP is supported by an extensive database and can perform a variety of functions. Use the manual to help explore all the exciting capabilities that ESP offers.

The chapters in this book follow the sequence of ESP. Chapter 2 shows you ESP basic operations and how to maneuver through the program. Chapter 3 discusses what a scenario is and how to choose the one that suits your needs. Chapter 4 gives you the definitions of levels of care and functional areas, and explains how to select them for your scenario. Chapters 5 and 6 describe the step-by-step process of building your scenario by PC and building your scenario by injury and disease type, respectively. Chapter 7 details the report and query options that ESP offers and how to select one. Chapter 8 explains how to read your output, as well as how to print, save, and send it via email. Appendix A includes a list of references if you want to learn more about the AMAL/ADAL review process. Appendix B lists the PCs that you are able to include in your patient stream. Appendix C is a collection of sample reports.

A Quick Reference is included at the end of the manual so that you can look something up quickly without searching through the document.

So go ahead—explore all ESP has to offer!



getting started



Installing ESP
Starting ESP
Quitting ESP
The Parts of the Main Screen
Viewing Tables
Viewing JRCAB Treatment Briefs
Understanding the Menu Bar
Maneuvering Through Screens
Saving Your Work
Restarting the Program
Undocking and Closing the Toolbar
Getting Help

Installing ESP

Installing ESP is very easy—the Installer Wizard does all the work for you. Before you install ESP, check to see if your system meets the following requirements:

System Requirements


- ✓ IBM or 100% compatible PC with a Pentium processor
- ✓ Windows NT®, Windows® 95, or Windows® 98
- ✓ 32 MB of application RAM minimum
- ✓ 20 MB free hard disk space

- ① Close all applications.
- ② If you have a Zip™ disk, insert it into the Zip™ drive. If you have a CD, insert the CD into the CD-ROM drive.
- ③ Double-click the My Computer icon located on your desktop. Double-click the  icon to  open the Zip™ disk or the drive to open the CD-ROM.
- ④ Drag the espsetup.exe icon located on the disk or CD onto the C:/ icon. Next, double-click the C:/ icon. Then double-click the espsetup.exe icon. The Installation Wizard walks you through the installation process. Follow the dialog boxes.
- ⑤ Restart your computer.

NOTE: If ESP does not install correctly, a potential source of problems is the virus checker. Contact your system administrator to disable it.

Starting ESP

- ① Click the *Start* button in the lower left corner of your screen.
- ② Open the Programs folder then open the Main folder.
- ③ Click the ESP icon to open the Login screen.
- ④ Type your name into the User Name field and press Enter or Tab.
- ⑤ Type your password into the Enter Password field and press Enter or Tab.




NOTE: You have three chances to enter your information correctly. After the third incorrect entry, ESP automatically terminates. Start at Step 1 to try again.

TIP: Adding a New User

- ① Type a new user name and password into the fields in the Login Window and press Enter or Tab.
- ② A dialog box opens that reads "Would you like to add [user name] as a new user?" Click Yes.
- ③ Type your password in the Confirm field and press Enter. ESP does not accept a new user unless the password matches in both the Password and Confirm fields.


For your convenience, adding a new user is simple. However, your information is still protected because ESP only allows each user to delete or modify his or her own scenario. This safeguards your work from being mistakenly altered or deleted.



NOTE: If you decide you do not want to add a new user after you clicked Yes in Step 2, press the ESC key to exit the program.

Quitting ESP


- 1 Click on the File menu located in the top left corner of the screen.
- 2 Choose Exit.



NOTE: You cannot exit the program by clicking the X located in the upper right corner of the ESP window. You must exit through the File menu.

TIP: Closing the Active Window

In ESP you have the option to open more than one window at once (i.e., treatment brief, table, or scenario). If you just want to close the active window without quitting ESP, click *Close* on the toolbar. This prevents you from having to Login again.



The Parts of the Main Screen

The toolbar offers a quick way to perform frequently used commands.

The menu bar offers the complete commands of ESP.

The name field displays the name of the selected scenario.

The scenario banner displays the name of the scenario in use.

Use the radio buttons to select a process.

Menu buttons provide quick, easy maneuvering through ESP.

Through the drop-down menu, you can view the scenarios by group in the scenario window.

The status bar tells you what records ESP is using.

The description box provides a space for you to enter information relevant to the scenario (location, date, etc.).

By clicking on the gray box, you can change the order of the scenarios.


The scenario window lists the scenarios saved in ESP.

TIP: Grayed-Out Commands

Words that are grayed out in ESP indicate inactive commands. The status of grayed-out commands changes as you progress through the program.

For example, when the program opens, every option except the *Start* and *Choose Output* buttons is grayed out, or inactive. However, as soon as you choose a radio button, certain buttons change from grayed out to active.

If you try to activate a grayed-out command, ESP does not respond. You do not see an error message. Continue to an active button with your mouse or click *Next* on the toolbar to open the next available screen.



NOTE: Some functions in ESP are in red typeface. Red type signifies that the functions are currently under construction.

Understanding the Menu Bar

There are eight menus located on the menu bar at the top of the screen.


File

Allows you to open the Scenario Wizard, view treatment briefs for each PC, or exit the program. Page Setup is for report maintenance and is only available to NHRC users.




Tables

Allows you to view tables that show which PCs, tasks, and supplies are applicable to each functional area.




Maintain

Allows only NHRC users to update ESP program and database files.




Toolbar

Allows you to perform the frequently used ESP commands that help you maneuver through the program. These are also available on the toolbar.




Edit

Allows you to perform simple editing procedures when working in text fields.




View

Allows you to view or close the toolbar. Also allows you to show or hide ToolTips, which are help banners that appear with information about certain items on the screen.




Window

Allows you to perform basic commands that organize the windows you are working in. Cycle brings the back window to the front. The Arrange All command places all open windows side by side.




Help

Allows you to get help with the program. Also, offers background information on ESP that includes the website addresses for NHRC and the Marine Corps Systems Command.



Maneuvering Through Screens

There are two ways to maneuver through ESP.



Option #1: Menu Buttons

The menu buttons on the left side of the screen are used to move through ESP. Each button indicates a different screen. Using your mouse, click the active button that indicates the screen you would like to view. For example, if you click the *Choose Output* button, you open the screen that allows you to pick your desired output.

Menu buttons allow you to move freely to any active screen. You do not have to proceed in any particular order. However, it is strongly recommended that you follow the sequence provided by the active buttons.

Option #2: Toolbar

The toolbar located at the top left of the screen can also be used to maneuver through ESP. The toolbar only allows you to move to the next active screen or back to the previous screen. You cannot jump to any active screen as when using the menu buttons. Using your mouse, click *Next* to move one screen forward or *Back* to move to the previous screen.

NOTE: The screen you are operating in is indicated by blue text in the menu buttons.

Saving Your Work


Saving your work is easy with ESP because you never have to. ESP saves your information as you work; this feature prevents you from losing any of your data.

Restarting the Program

The *Restart* button is located in the toolbar and is functional at any point in ESP. Clicking *Restart* returns you to the Start screen. The Start screen is reset, with many of the menu buttons grayed out as when you first open ESP.

The *Restart* button does not clear the information entered in the scenario in use when the restart feature is activated. For example, if you create a new scenario called "New," enter the functional areas, and press *Restart*, the scenario "New" still exists, complete with the functional areas.

In other words, restarting does not delete or clear information; it simply gives you the opportunity to start using ESP from the beginning.



Undocking and Closing the Toolbar

The toolbar is docked at the top of the ESP screen by default. However, the toolbar can be undocked or closed, according to your preference.

Undocking the Toolbar


Double-click on any area of the toolbar that is not active.

Closing the Toolbar

Undock the toolbar. Click on the X in the upper right corner of the toolbar. The toolbar's commands are available through the Toolbar menu on the menu bar.

Opening the Toolbar

Click View on the menu bar and select Main Toolbar.




Getting Help

ESP offers three different kinds of help.


ToolTips

ToolTips are flags of information that appear when you pass your mouse over certain items on the ESP screen. ToolTips are helpful for simple explanations of ESP items and operations.


Just place your mouse near the item in question to view the Tooltip. If you continue to move your mouse once the Tooltip becomes visible, it disappears.



NOTE: To shut off ToolTips, go to the View menu and select Show ToolTips. This removes the check mark on the menu, deselecting ToolTips help.



3



choosing a scenario

What's the Scenario?
Using a Listed Scenario
Copying a Listed Scenario
Building a Scenario by Patient Condition
Building a Scenario by Injury/Disease
Importing a Scenario
Deleting a Scenario
Ordering Your Scenarios

What's the Scenario?

The first thing you need to do when working in ESP is select a scenario. You have several choices.

Use a Listed Scenario

Choose a scenario that has already been created and is named in the scenario window of the Start screen. ESP comes with ten canned scenarios. East West Scenarios Combined was generated in PATGEN; NE Asia Heavy Battle Intensity, SW Asia Moderate Battle Intensity, European Low Battle Intensity, SSC/SLOC, SW Asia Halt, MTW-SBL, and OMFTS were generated in FORECAS. The Mogadishu scenario consists of data gathered from the Mogadishu raid, and the Kernel Blitz 99 scenario was generated by trainers for the Kernel Blitz exercises in 1999.

Copy a Listed Scenario

Modify a scenario that another user created by copying the listed scenario.

Build a Scenario by Patient Condition

Handpick the patient stream for a scenario by selecting PCs.

Build a Scenario by Injury/Disease

Build the patient stream by selecting the injury or disease type. PC codes are not necessary for this option.

Import a Scenario


Import a patient stream created outside ESP:

- ✓ PATGEN, FORECAS, SHIPCAS, or APSE scenarios
- ✓ .DBF files (Access, Excel, and FoxPro create .DBF files)
- ✓ ASCII text files (.TXT)
- ✓ Excel files (.XLS)

NOTE: ESP provides a space for you to type in a description of your scenario. Details may include battle intensity, dates, location, etc.

Using a Listed Scenario

- 1 Click the radio button that reads *Use a Listed Scenario*.
- 2 Click the scenario that you want to use.
- 3 Click the *Select Functional Areas for the Scenario* button or click *Next* on the toolbar.



TIP: Modifying a Listed Scenario

By making your choice on the Start screen, certain grayed-out buttons are now active. You can only modify the listed scenario if you were the one to create it. If this is the case, the next step depends on the amount of modification you want to do. For example, to modify the functional areas, click the *Select Functional Areas for Scenario* button. To add PCs, click the *Build Scenario by PC* button. However, it is strongly recommended that you first read the manual to understand how ESP works.


If you did not create the listed scenario, then you can only report on the existing data. Click the *Choose Output* button to select the report or query of your choice. To modify a scenario you did not create, use the *Copy a Listed Scenario* option on the following page.

NOTE: If you are unsure which screen to proceed to, click *Next* on the toolbar.

Copying a Listed Scenario

- 1 Click the radio button that reads *Copy a Listed Scenario*.
- 2 Type in a name.
- 3 Click the scenario you want to copy.
- 4 Modify the description, if desired.
- 5 Click the *Select Functional Areas for the Scenario* button or click *Next* on the toolbar.


Once you complete Step 3, certain menu buttons become activated. The next step depends on the amount of modification you want to do. For example, to modify the functional areas, click the *Select Functional Areas for Scenario* button. To add PCs, click the *Build Scenario by PC* button. However, it is strongly recommended that you first read the manual to understand how ESP works.



NOTE: ESP includes ten scenarios created by NHRC. You cannot directly alter these scenarios. Instead, copy the desired scenario to a new name to modify.


Building a Scenario by Patient Condition

- 1 Select the radio button labeled *Build Scenario by Patient Condition*.
- 2 Type in the name of your new scenario and press Enter.
- 3 Enter a description of the scenario.
- 4 Click the *Select Functional Areas for the Scenario* button or click *Next* on the toolbar.




Building a Scenario by Injury/Disease

- ① Select the radio button labeled *Build Scenario by Injury/Disease* with your mouse.
- ② Type in the name of your new scenario and press Enter.
- ③ Enter a description of the scenario.
- ④ Click the *Select Functional Areas for the Scenario* button or click *Next* on the toolbar.



Importing a Scenario

- 1 Click the radio button that reads *Import a Scenario (patient stream)*.
- 2 Type in the name you want to call the new scenario once it is imported (it does not automatically call up the name you gave your electronic file). Press Enter.
- 3 Click the *Import Scenario* button or click *Next* on the toolbar to open the Import Scenario screen.




ESP automatically generates a description for your imported scenario that states the name of the electronic file from which the scenario was imported. If you want to add to this description, you must first finish the import process described on the next page.

NOTE: The file that you import should be designed so that one column in the spreadsheet corresponds to PC code and another column corresponds to the number of patients with that PC.

Importing Your File

- ① To import an Excel (.XLS), ASCII (.TXT), or .DBF file, click the *Browse* button and double-click the file to import.
- ② The columns in your file are displayed in the Columns from File box. Click *View* to display the information contained in these columns (optional). When finished, click the X in the upper right corner to Close.
- ③ Drag the column (in the Columns from File box) that corresponds to PC Code to the area labeled Columns for Patient Stream. Next, drag the column that corresponds to the Number of Patients field.
- ④ Click *Process*.
- ⑤ Click the *Select Functional Areas for the Scenario* button or click *Next* on the toolbar.




If you want to modify the description, click the *ESPStart* button and click the scenario you just imported. Next, click your mouse in the description box and type your information. Then click the *Select Functional Areas for the Scenario* button.

NOTE: When importing an Excel or ASCII text file, a dialog box opens. For Excel, select the version of the imported file. Also, if your file has more than one worksheet, type in the name of the one to import. For an ASCII text file, select the type of character used to separate the values (i.e., comma, space, tab) in the file and what character surrounds the text value (i.e., quotes). Click the appropriate radio buttons. **Click Close on the toolbar when you are finished.**

Deleting a Scenario

- 1 Select the scenario you want to delete.
- 2 Click the *Delete* button located in the toolbar, or select delete from the Toolbar menu.





NOTE: You cannot delete scenarios that are created by another user or by NHRC.

Ordering Your Scenarios

ESP allows you to change the order of your scenarios. However, you can not reorder NHRC scenarios.

- 1 Click the little gray box next to the scenario you want to move. The box shows a double-sided arrow.
- 2 Clicking and holding your mouse down, move the item up or down to the desired position and release the mouse.





selecting functional areas

About Level of Care and Functional Area
The Parts of the Select Functional Areas Screen
Choosing Level of Care
Choosing Functional Areas
Deselecting Functional Areas
Viewing Your Selections

About Level of Care and Functional Area

ESP allows you to select level of care and functional area for your scenario. However, when selecting functional area, keep in mind that different PCs require treatment at different functional areas. An explanation of the levels of care, followed by a short description of the functional areas, is provided below.

LEVELS OF CARE

First Responder

The Company Corpsman is the first to administer medical treatment to a casualty, performing first aid and emergency procedures.

Battalion Aid Station (BAS)

BAS is positioned as close as possible to forward line troops and offers clinical assessment. The treatment administered here includes the use of intravenous fluids, antibiotics, preservation of the airway by surgical procedure, and application of more secure splints and/or bandages. BAS provides initial resuscitation and routine health services. Theater sick call supplies are carried by BAS.

Forward Resuscitative Surgery (FRS)/Shock Trauma Platoon (STP)

FRS can serve as a forward element of the surgical company or as a stand-alone surgical element co-located with a BAS. FRS provides limited triage/preoperative trauma management and postoperative holding capability, and it is equipped to provide life- and limb-saving staged surgical procedures. Includes triage, operating room* (OR), and ward. STP can serve as a beach evacuation station, reinforce a BAS, operate as an intermediary casualty collecting and clearing point between forward elements and the surgical company, or serve as the forward element of a surgical company (i.e., triage/evacuation platoon) preparing to relocate. FRS includes triage, OR*, and ward.

**Any level of care that includes OR capabilities is assumed to have one OR with two tables. You cannot select for more than one OR.*

Surgical Company (SC)

The object of care is to save life and limb, provide initial resuscitative treatment, and perform stabilization for evacuation for those casualties whose medical requirements exceed SC capabilities. SC has greater surgical and medical capabilities than BAS, including OR*, triage, ward, x-ray, pharmacy, laboratory (lab), dental, and preventive medicine.

Small Ships/Independent Duty Corpsman (IDC)

The IDC is the first to administer medical treatment to a casualty on a small ship, providing first aid and emergency procedures. Ship capabilities also include sick call, lab, battle dressing station (BDS), portable medical locker (PML), antidote locker, first-aid box, emergency response kit, and preventive medicine.

Submarines

These nuclear-powered warships are designed for under-the-surface operations with sick call, lab, BDS, PML, antidote locker, first-aid box, emergency response kit, and preventive medicine.

Landing Ship Dock (LSDs)/General Medical Officer (GMO)

LSD is a ship designed to transport and launch loaded amphibious craft and/or amphibian vehicles and to render limited docking and repair services to small ships and craft. The GMO is the first to administer medical treatment to a casualty on the LSD. LSD offers clinical assessment and initial resuscitation. The treatment administered here includes the use of intravenous fluids, antibiotics, preservation of the airway by surgical procedure, and application of more secure splints and/or bandages. Additional capabilities include sick call, lab, BDS, PML, antidote locker, first aid box, emergency response kit, and junior emergency response kit.

LHAs/LHDs

An LHA is a general-purpose amphibious assault ship and an LHD is a general-purpose amphibious assault ship with internal dock. The object of care is to save life and limb, provide initial resuscitative treatment, and perform stabilization for evacuation for those casualties whose medical requirements exceed LHA/LHD capabilities. The ships' capabilities include triage, lab, x-ray, OR*, ward, pharmacy, dental, BDS, PML, antidote locker, first-aid box, emergency response kit, junior emergency response kit, and preventive medicine.

Aircraft Carriers

Aircraft carrier capabilities include triage, lab, x-ray, OR*, ward, pharmacy, dental, BDS, PML, antidote locker, first aid box, emergency response kit, junior emergency response kit, and preventive medicine.

**Any level of care that includes OR capabilities is assumed to have one OR with two tables. You cannot select for more than one OR.*

FUNCTIONAL AREAS:

Triage/SST provides receipt, resuscitation, and sorting of casualties and treats casualties with battle injuries, nonbattle injuries, and those who can return to duty within 72 hours. The Triage/SST is configured to render general surgical support and pre-operative clinical functions. Supplies are also configured to provide resupply to line corpsmen.

Operating Room* provides resuscitative/stabilizing surgery to casualties unlikely to survive medevac.

Ward provides monitoring and recuperative care to postoperative patients and those that can return to duty within 72 hours.

X-ray provides x-ray section and processing capabilities.

Lab provides hematology, microbiology, blood chemistry, and urinalysis capabilities.

Battle Dressing Station provides triage, resuscitation, and initial stabilization to casualties wounded in action.

Portable Medical Locker provides mobile, flexible casualty care to casualties wounded in action.

First-Aid Boxes provides crew members with supplies to manage casualties wounded in action and those with serious nonbattle injuries.


Emergency Response Kits provides mobile, flexible casualty care.

Junior Emergency Response Kits provides mobile, flexible casualty care.

Dental provides emergent and force-sustaining dental care.

**Any level of care that includes OR capabilities is assumed to have one OR with two tables. You cannot select for more than one OR.*

The Parts of the Select Functional Areas Screen



A Drop-Down Menu

This menu allows you to choose the level(s) of care for your scenario.

B Checklist


The checklist shows the functional areas available at the level of care chosen in the drop-down menu. The functional area options change with what you select as the level of care. For example, if you choose SC in the drop-down menu, then the checklist includes OR, triage, x-ray, ward, and so on. If you choose First Responder as the level of care, First Responder is listed as the only functional area available.

C Selected for Scenario box

This box keeps track of the functional areas you choose. At any point during the program, you can refer to this box for a list of your selections.


Choosing Level of Care

- ① Point your mouse on the small arrow to the right of the drop-down menu and click once.
- ② Use the scroll bar on the right to find your choice.
- ③ Click your choice on the list.



Choosing Functional Areas

- ① Click the small checkbox to the left of each functional area you want to include.
- ② Click *Next* on the toolbar. ESP opens either the Build Scenario by Injury/Disease screen or the Build Scenario by PC screen.



NOTE: To select all the functional areas listed, click the *Select All* button.

Deselecting Functional Areas

Deselect one or more functional areas by clicking the small checkbox to the left of each item. The check mark disappears to indicate that the item is deselected. If all of the functional areas within a level of care are checked and you would like to clear all your choices, click the *Deselect All* button.

You can also deselect the functional areas through the Selected for Scenario box. Just double-click on the item to delete it. When finished, click *Next* on the toolbar.

Viewing Your Selections

All of the functional areas you select are displayed in the Selected for Scenario box. The level of care of the functional area is indicated by an abbreviation before its name. For example, x-ray is noted in the Selected for Scenario box as SC X-ray. SC indicates surgical company, which is located in the drop-down menu.

Select a Level of Care

Surgical Company

Select Functional Areas

Yes	Functional Area
<input checked="" type="checkbox"/>	Triage/SST
<input checked="" type="checkbox"/>	Operating Room
<input checked="" type="checkbox"/>	Ward
<input checked="" type="checkbox"/>	X-ray
<input type="checkbox"/>	Laboratory
<input type="checkbox"/>	Pharmacy
<input type="checkbox"/>	Dental
<input type="checkbox"/>	Preventive Medicine
<input type="checkbox"/>	
<input type="checkbox"/>	
<input type="checkbox"/>	
<input type="checkbox"/>	

Selected for Scenario

- SC Triage/SST
- SC Operating Room
- SC Ward
- SC X-ray



building by pc

What to Know About Building by PC
The Parts of the Build Scenario by PC Screen
Adding New PCs to the Patient Stream
Deleting PCs From the Patient Stream
Increasing or Decreasing a PC in the Patient Stream
Sorting PCs
Viewing the Patient Stream by Category
Adding PCs by Category

What to Know About Building by PC

To build your patient stream by PC, all you have to do is choose the PC codes to include in your scenario, along with the number of each one (Appendix B lists the PC codes).

There are a couple of things to remember when building your scenario by PC. First, remember that not all PCs are treated at all functional areas. Therefore, when you are adding PCs to your patient stream, keep in mind which functional areas you selected. The functional areas may change the PCs that are available for your patient stream. For example, if you choose BAS/Sick Call, you view all PCs when adding. However, if you choose Emergency Response Kits, you view only the emergent, nonambulatory PCs.

Second, if you want to add PCs to a scenario with more than one functional area, ESP shows you a combined list of the PCs treated at the selected functional areas. You do not see an individual list of PCs treated by each area.

Third, the functional areas you select do not affect the patients you have already entered into ESP. For example, say you select BAS for your functional area and add sexually transmitted disease PCs to your patient stream. If you decide to change your functional area to FRS, the patients with STD PCs are still in your patient stream although FRS does not treat them. If you report only on the FRS, ESP does not display the supplies required to treat the patients with STD PCs. Therefore, ESP provides you with only the data relevant to the selected functional areas.

The Parts of the Build Scenario by PC Screen

Category Menu allows you to view the PCs in your patient stream by category.

PC code column

PC Description column

Utility buttons that sort, add, and delete PCs.

Click here to open.

Number column displays the number of patients with that PC.

Arrows to increase or decrease the number of patients with that PC.

Scroll arrows to view the PC description.

Scroll bar to view your patient stream.

PC	Number	Patient Condition Description
001	5	CEREBRAL CONCUSSION CLOSED WITH/WITHOUT NONDEPRESSED LINEAR SKULL FRACTURE SEVERE - LOSS OF CONSCIOUSNESS FROM 2
002	7	CEREBRAL CONCUSSION CLOSED WITH/WITHOUT NONDEPRESSED LINEAR SKULL FRACTURE MODERATE - LOSS OF CONSCIOUSNESS
003	6	CEREBRAL CONTUSION CLOSED WITH/WITHOUT NONDEPRESSED LINEAR SKULL FRACTURE SEVERE - LOSS OF CONSCIOUSNESS
004	15	CEREBRAL CONTUSION CLOSED WITH/WITHOUT NONDEPRESSED LINEAR SKULL FRACTURE MODERATE - LOSS OF CONSCIOUSNESS
005	2	CEREBRAL CONTUSION CLOSED WITH INTRACRANIAL HEMATOMA WITH/WITHOUT NON- DEPRESSED LINEAR SKULL FRACTURE - SEVERE -
006	3	CEREBRAL CONTUSION CLOSED WITH NONDEPRESSED LINEAR SKULL FRACTURE SEVERE - LOSS OF CONSCIOUSNESS GREATER THAN 24
007	9	CEREBRAL CONTUSION CLOSED WITH DEPRESSED SKULL FRACTURE MODERATE - NO ASSOCIATED HEMATOMA OR SIGNIFICANT EFFECT

TIP: Selecting All Patient Conditions


To select one of every PC on the list, press the *Select All* button. The number “1” appears in the Add box of each PC.

Once used, the *Select All* button changes to read *Select None*. If you want to undo the *Select All* feature, press the *Select None* button.



Deleting PCs From the Patient Stream

- 1 In the Build Scenario by Patient Condition screen, click the PC you wish to delete.
- 2 Click the *Delete* button located in the upper right corner of the screen.
- 3 A dialog box opens to ask if you would like to delete the PC. Click *Yes*. Repeat the process for as many PCs as you want.
- 4 When finished, click the *Choose Output* button or click *Next* on the toolbar.




NOTE: You can only delete one PC at a time.

Increasing or Decreasing a PC in the Patient Stream

To change the quantity of a PC already in your patient stream, click the up arrow to increase the quantity and the down arrow to decrease it. You can also type in the quantity. When you are finished, click the *Choose Output* button or click *Next*.


Click here to increase or decrease.



NOTE: You do not have to click Add unless you are adding a PC that is not in your patient stream.

Sorting PCs

To sort the PCs by PC code in ascending order, simply press the *Sort* button.




NOTE: After you use the sort feature, the Sort button grays out. This is to let you know that you have already sorted and cannot use the feature at the present time.

Adding PCs by Category


ESP also gives you the option to add PCs by category. When you select a category, you are choosing to view only the PCs in that category treated at the selected functional areas. You can only add by one category at a time.

To add PCs by category:

- ① Click the drop-down menu and select the category.
- ② Click *Add*. The PCs listed in the new window belong only to the chosen category.
- ③ Select the PCs to add and click *Done*.
- ④ Repeat the process for as many categories as you would like. When finished, click the *Choose Output* button or click *Next* on the toolbar.



NOTE: You may try to add PCs when filtering by a category that is not treated at the selected functional area. For example, there are no STD PCs treated by FRS. In this case, a warning box opens. Click OK and select a different category.





building by injury/disease

What Is Building by Injury/Disease?
The Parts of the Build Scenario by Injury/Disease Screen
Adding New Casualties to the Patient Stream
Deleting Casualties From the Patient Stream
Increasing a Casualty Type in the Patient Stream
Decreasing a Casualty Type in the Patient Stream
Sorting the Patient Stream

What Is Building by Injury/Disease?

ESP allows you to enter your patient stream by injury and disease type. When entering an injury, you can choose how specific you want to be when entering its location.

The more specific you are when entering injuries, the more accurate ESP is. For example, say you generate a report showing the patient stream for a scenario that was built by injury/disease type. There may be some instances where ESP lists more casualties than the total number you entered. This is because ESP uses casualty estimate probabilities to generate your patient stream. If you enter one patient with a sprain/strain but don't specify location, this injury could be in any number of places. Therefore, ESP assigns one of each possible injury location to that one casualty because there is a possibility that any one of those injuries could occur. Accounting for one of each sprain/strain injury, ESP generates the supplies you need to successfully treat all of those cases. Therefore, you may end up with a *slightly* higher number of casualties and a *slightly* larger quantity of supplies. If you need to be more accurate, it is recommended that you build your patient stream by PC.

Unlike when building by PC, ESP does not filter by functional area when selecting injury and disease type. Therefore, you may enter an injury or disease type that is not treated at the functional areas you selected for your scenario. Although the casualties are included in the patient stream, the report does not include supply information that is not relevant to the functional areas you selected.

Lastly, if you decide to run the Patient Stream for Current Scenario report on a scenario built by injury/disease type, please note that the categories listed on the first page of the report differ from the categories on the Build Scenario by Injury/Disease screen. This is because ESP maps each injury and disease type you enter to a PC Code. PC Codes fall into the categories listed on page 5-6; these are the categories listed on the front of the report.

The Parts of the Build Scenario by Injury/Disease Screen

Classify the type of injury or disease by choosing from the categories wounded in action (WIA), non-battle injuries, or disease.

Use the right arrow to add the injury/disease type to your patient stream.

Viewing window displays the number and type of patients.

Enter the total number of casualties.

Choose the region to base your patient stream probability on.

Enter the type of disease or injury.

When you select an injury, choose the location and specific location of the injury (i.e., Upper Limb, Hand/Wrist).

Choose the number or percentage of patients with the injury/disease.

Use the left arrow to remove patients from the patient stream.

The Total Selected box displays a running numeric and percentage total of the casualties you select.

Click *Build* when you finish entering your patient stream.

Number	Inj/Dis	Type	Location	Specific
2	Disease	Eye		
4	Disease	Gastrointestinal		
3	Injury	Burn	Inhalation	
2	Injury	Closed Fracture	Lower Limb	Femur
3	Injury	Crushing	Upper Limb	Arm
2	Injury	Amputation	Lower Limb	Below knee
2	Injury	Soft Tissue	Abdomen	Intestine

Adding New Casualties to the Patient Stream

- ① Enter the total number of casualties for your patient stream (optional). If you choose to leave the Total Casualties field blank, the Total Selected percentage field at the bottom of the screen is always 100%.
- ② Choose a region and select a type of patient. Region is only selected once when building your scenario; it can not be changed once you enter a casualty.
- ③ Enter the type of injury or disease.
- ④ When entering an injury, you have the option to select location and specific location. You may leave these fields blank.
- ⑤ Select the number or percentage of patients with this injury or disease.
- ⑥ Click the right arrow to include the patients in the patient stream.
- ⑦ Repeat steps 2-6 until you have entered 100% of the casualties. Click the *Build* button.
- ⑧ Click the *Choose Output* button or click *Next* on the toolbar.

Estimating Supplies Program (ESP)

File Tables Buttons Toolbar Edit View Window Help

Restart Back Next Close

Scenario by Injury/Disease

Select the number of casualties and each injury or disease type for the scenario.

Total Casualties: 140

NE Asia
 SW Asia
 NATO
 WIA
 NBI
 Disease

Injury: Blast

Location: Head

Specific Location: Eat


Number: 3 (Total Selected: 142%)

Number	Type	Location	Specific
2	Disease	Eye	
4	Disease	Gastrointestina	
3	Injury	Burn	Inhalation
2	Injury	Closed Fractur	Lower Limb, Femur
3	Injury	Crushing	Upper Limb, Arm
2	Injury	Amputation	Lower Limb, Below knee
2	Injury	Soft Tissue	Abdomen & Intestine

Build

Deleting Casualties From the Patient Stream


- ① Select the casualty you want to delete.
- ② Click the left arrow. Repeat this process for as many casualties as you want.
- ③ When finished, click the *Choose Output* button or click *Next* on the toolbar.



Increasing a Casualty Type in the Patient Stream

You may enter a number for a particular casualty type and later want to increase it.


- ① Re-enter the injury/disease type and location.
- ② Click the right arrow. Now you have two identical items in the viewing window.
- ③ Click the *Choose Output* button or click *Next* on the toolbar.



In this scenario, 4 casualties with a sprained ankle were entered. Next, 6 more casualties with the same wound were included, giving a total of 10 casualties with a sprained ankle.

Decreasing a Casualty Type in the Patient Stream

- 1 Select the item you want to decrease.
- 2 Click the left arrow.
- 3 Re-enter the injury/disease type and location with the desired number.
- 4 Click the right arrow to re-enter into the patient stream.
- 5 Click the *Choose Output* button or click *Next* on the toolbar.




Sorting the Patient Stream

ESP gives you the option to sort your patient stream in descending order by number, or in alphabetical order by injury/disease type or location.

To sort, click the column heading by which to sort. You can only sort by one category at a time.

Click one of the column headings to sort.

Number	Inj/Dis	Type	Location	Specific
--------	---------	------	----------	----------



selecting your output

What Are Reports and Queries?
The Parts of the Choose Output Screen
Selecting the Output
Output That Orders and Subtotals
How to Order and Subtotal Your Output
Deselecting Your Order and Subtotal Choices
Output That Reports on Functional Area
How to Report on Functional Area

What Are Reports and Queries?

You may **report** on a scenario or **query** the database's information (see Appendix C for sample output).


Reporting on a Scenario

- ✓ **Supplies for Current Scenario** generates a list of the supplies needed to treat the scenario's given patient distribution. The list includes weight, cube, and cost information.
- ✓ **Detailed Analysis of Supplies** generates a list of tasks and PCs that require each supply needed to treat the scenario's patient stream. This is an *extremely lengthy* report.
- ✓ **Patient Stream for Current Scenario** generates the number of patients associated with each PC in the scenario.

Querying the Database's Information

- ✓ **Patient Conditions Requiring a Supply** generates a list of the PCs that need the supply you select.
- ✓ **Tasks Requiring a Supply** generates a list of the tasks that use the supply you select.
- ✓ **Patient Conditions and Tasks for a Supply** generates a list of the PCs and tasks that need the selected supply.
- ✓ **Task Profile for a Patient Condition** generates a list of the tasks required by the PC you select.
- ✓ **Supplies for a Patient Condition** generates a list of the supplies required to treat the PC you select.
- ✓ **Tasks and Supplies for a Patient Condition** generates a list of the tasks and supplies required by the PC you select.
- ✓ **Patient Conditions for a Selected Task** generates a list of the PCs requiring the task you select.
- ✓ **Supplies for a Selected Task** generates a list of the supplies needed to accomplish the task you select.
- ✓ **PCs and Supplies for a Selected Task** generates a list of the PCs requiring the task you select and the supplies needed to accomplish that task.

The Parts of the Choose Output Screen



Selecting the Output

- ① Select the radio button that corresponds to the report or query you want to run.
- ② Click *Next* on the toolbar. Each report and query offer different output options. The *Select Order and Subtotal* screen, the *Select Functional Areas to Report* screen, or the *Produce Output* screen opens, depending upon the available options of the output you selected.

When querying the database, you must enter the information relevant to the query in the *Produce Output* screen. For example, if you select *Supplies* for a *Selected Task*, you must enter the task in the *Produce Output* screen. This is addressed in the next Chapter on page 8-6.

Output That Orders and Subtotals

Many of the ESP reports and queries are organized in a clear, easy-to-read format and generally do not need to be sorted. For example, many of the queries (i.e., Task Profile for a PC, PCs Requiring a Supply) report only one type of information and therefore do not need further organization.

However, three reports and two queries offer Ordering and Subtotaling options. The Ordering option organizes output data alphabetically or numerically, according to your choice. If you want to order by more than one item, ESP sorts the data by the first order item first, the second order item second, and so on. Subtotaling organizes the data by group. When subtotaling, order is modified to subtotal correctly. For example, say you subtotal a Patient Stream for Current Scenario report by category and order it by number of patients. The report groups the patients in descending order within each category, as opposed to a simple list of patients in descending order or a simple grouping of patients by category.

The following is a description of the available Ordering and Subtotaling options.

Supplies for Current Scenario Report

Ordering options are Supply Description (Nomen); National Stock Number (NSN); Equip, Consumable, Durable; Package Weight; Package Cube; and Package Cost. There are currently no Subtotaling options.

Detailed Analysis of Supplies Report

Ordering options are Supply Description (Nomen) and NSN. There are currently no Subtotaling options.

Patient Stream for the Current Scenario Report

Ordering options are PC and Number of Patients. Subtotaling option is Category.

Supplies for a Patient Condition Query

Ordering options are Supply Description (Nomen) and NSN. There are currently no Subtotaling options available.


Supplies for a Selected Task Query

Ordering options are Supply Description (Nomen) and NSN. There are currently no Subtotaling options available.

How to Order and Subtotal Your Output

To Order and/or Subtotal:


- 1 Click the Order category of your choice.
- 2 Click the right arrow to move your selection to the Selected for Order box.
- 3 Select the Subtotal category of your choice.
- 4 Click the right arrow to move your selection to the Selected for Subtotal area.
- 5 Click *Next* on the toolbar. Either the Select Functional Areas to Report screen or the Produce Output screen opens, depending upon the available options for the output you selected.



NOTE: It is possible to operate the Order and Subtotal features independently of one another. If you only want to order, follow Steps 1 and 2. If you only want to Subtotal, follow Steps 3 and 4.


Deselecting Your Order and Subtotal Choices

- ① Click on the item you wish to deselect.
- ② Click on the left arrow.
- ③ When finished deselecting, click *Next* on the toolbar. Either the Select Functional Areas to Report screen or the Produce Output screen opens, depending upon the available options for the output you selected.



TIP: Rearranging Your Order and Subtotal Selections

- ① Click the little gray box to the left of the item you wish to move. The box shows a double-sided arrow.
- ② Clicking and holding your mouse down, move the item up or down to the desired position and release the mouse.
- ③ Click *Next* on the toolbar when finished.



Output That Reports on Functional Area

ESP gives you the option to report on the functional areas of your choice. This comes in handy if, for example, you select four different functional areas for your scenario but only want to see the supplies needed for one of those areas.

The Select Functional Areas to Report feature is available for the following reports/queries:

- ✓ Supplies for Current Scenario (Report)
- ✓ Task Profile for a Patient Condition (Query)
- ✓ Supplies for a Patient Condition (Query)
- ✓ Tasks and Supplies for a Patient Condition (Query)
- ✓ Patient Conditions for Selected Task (Query)
- ✓ Supplies for Selected Task (Query)
- ✓ PCs and Supplies for a Selected Task (Query)
- ✓ Tasks Requiring a Supply (Query)
- ✓ Patient Conditions Requiring a Supply (Query)
- ✓ PCs and Tasks Requiring a Supply (Query)

There is one thing to keep in mind if you select the Supplies for Current Scenario report and want to report on selected functional areas. Only the functional areas chosen as part of your scenario earlier in the program are available for reporting. In other words, if you select BAS and SC, you do not report on First Responder. This safety feature is designed to prevent the selection of functional areas that don't apply to your scenario.


NOTE: Reporting on functional area is different from ordering by functional area. If you report on functional area, ESP lists only the information relative to that area. When ordering by functional area, ESP lists the information grouped by each selected functional area.

How to Report on Functional Area

When working in a scenario, the functional areas chosen on the Select Functional Areas for the Scenario screen are automatically selected on the Select Functional Areas to Report screen. When you query the ESP database, there are no pre-selected functional areas on the Select Functional Areas to Report screen. The screen is clear by default.

To select/deselect functional areas:

- 1 Click the drop down menu to select the level of care.
- 2 Click the checkboxes of the functional areas you want to report on. If you are deselecting, just click the checkbox of the item you want to deselect.
- 3 View the item in the Selected for Report box to be sure it is selected. If you are deselecting, make sure the item is no longer listed in the Selected for Report box.
- 4 Click the *Produce Output* button or click *Next* on the toolbar.



NOTE: You can also deselect the functional areas through the Selected for Report box. Just double-click on the item to delete it.

8



viewing your output

ESP Output Options
How to Read the Output
Using Tables When Querying
Providing a PC, Supply, or Task for Your Query
Previewing Your Output
Saving and Sending Your Output as a File via Email
Printing the Output
Choosing a Printer and Selecting Pages to Print

ESP Output Options

You are now ready to view your output. ESP offers several ways to obtain your information.

Report Style or Data Style

First, you must choose to view your information in report style or in data style.

Report style shows a FORMATTED version of your information with headings, bolded words, and columns that make the information easier to read. You will probably use report style the most. There are three report style options:

- ✓ ESP Report Format (unavailable for saving)
- ✓ ASCII Text Report (.TXT)-formatted
- ✓ Microsoft Word Document (.DOC)

Data style displays an UNFORMATTED version of your information in a table, a spreadsheet, or separated by commas. Data style files are suitable as input for another program. There are four data style options:

- ✓ Database File (.DBF)
- ✓ ASCII Text File (.TXT)-unformatted
- ✓ Excel Worksheet (.XLS)
- ✓ HTML Table (.HTM)

The column headings used in data files are explained in the ESP System Documentation. Email ESP@NHRC.NAVY.MIL for more information.

Preview your output

You can currently preview your report or query in both report and data style.

Save your output as a file

When using report style, you can save your output to your hard drive in two different formats:

- ✓ ASCII Text Report (.TXT)-formatted
- ✓ Microsoft Word (.DOC)

When using data style, you can save your output to your hard drive in four different formats:

- ✓ Database File (.DBF)
- ✓ ASCII Text File (.TXT)-unformatted
- ✓ Excel Worksheet (.XLS)
- ✓ HTML Table (. HTM)

Send your file via email

You can also send the above files via email. If you use Microsoft Outlook, Outlook Express, Eudora, or MSMail, your mail automatically opens as part of the ESP email function. ESP attaches the saved output file to a new email message and composes a generic memo that describes the contents of the attachment.

Print your output

How you print your information varies with output type. You can print directly to your printer in some instances; in others, you must print through another software program. Furthermore, you have the ability to choose a new printer as well as to select certain pages of the report/query to print.

How to Read the Output

Most ESP reports/queries are self-explanatory. However, there are terms and abbreviations that you need to know:

<i>ALOS</i>	<i>Average Length of Stay in hours</i>
<i>EDC</i>	<i>Equipment, Durable, Consumable</i>
<i>Day 1</i>	<i>Number of times a task is performed on day 1</i>
<i>Day 2+</i>	<i>Number of times task is performed each day after day 1</i>
<i>%PTS</i>	<i>Percent of patients who receive a task</i>
<i>QtyUM</i>	<i>Minimum amount of the supply needed to treat the patient stream</i>
<i>QtyTot</i>	<i>Quantity of the supply needed for total (Day 1, Day 2+ and %PTS) doses/uses</i>
<i>QtyPat</i>	<i>Quantity of the supply needed for a single dose or use</i>
<i>QtyPkg</i>	<i>Sum quantity of packaging needed to treat the patient stream</i>
<i>Patients</i>	<i>Number of patients who need the supply</i>
<i>Units</i>	<i>Unit of packaging</i>
<i>UM</i>	<i>Unit of measure</i>

The Qty UM Column

There is a possibility that the supply amount calculated is less than the amount needed to treat one patient. This happens when ESP probabilities dictate that the occurrence of a particular type of casualty is less than 1%. However, the Units column reflects at least one package to ensure that at least one patient can be treated.

Understanding Supplies

Supplies are consumable items that are used only once and then discarded. Therefore, the quantity listed for a supply varies with the patient stream.

Understanding Equipment

Equipment items are those items that can be reused; therefore the number of an equipment item does not vary. Equipment quantity reflects the amount of equipment needed to establish one of each functional area.

Understanding Equipment Sets

Some of the equipment required by BAS, FRS Triage, FRS OR, SC Triage/SST, and SC OR functional areas is issued in sets. The reports and queries list equipment sets by displaying the set name and the number of sets required for that functional area, followed by the nomen and predefined quantity of each item included in that set. The dental and shipboard OR functional areas are also issued equipment in sets. However, these areas are currently under construction.

The following table is a list of the set names and the quantities needed for BAS, FRS Triage, FRS OR, SC Triage/SST, and SC OR functional areas.

Battalion Aid Station	
<i>Chest Tube</i>	4
<i>Central Venous Line</i>	2
<i>Minor Surgical</i>	1
Forward Resuscitative Surgery Triage	
<i>Chest Tube</i>	2
<i>Peritoneal Lavage</i>	2
Forward Resuscitative Surgery OR	
<i>Basic OR Equipment</i>	1
<i>Basic Major OR Instrument</i>	3
<i>Extremity Instrument</i>	3
<i>Burr Hole Instrument</i>	1
<i>General Anesthesia Equipment</i>	2
Surgical Company Triage/SST	
<i>Minor Surgical</i>	16
Surgical Company OR	
<i>Basic OR Equipment</i>	2
<i>Basic Major OR Instrument</i>	4
<i>Basic Minor Instrument</i>	8
<i>Burr Hole Instrument</i>	1
<i>General Anesthesia Equipment</i>	2

NOTE: Although the set names are similar for the FRS and SC ORs, the equipment contained in each set is different.

More About Sets

To get a list of the equipment items in a particular set, you must first know which tasks correspond to the equipment sets.

BAS

Task Z042 Insert Chest Tube
Task 065 Insert Central Venous Lines Large Bore Access
Task 108 Minor Surgical Procedure (Debride/Suture/Incision)

FRS Triage

Task Z042 Insert Chest Tube
Task Z177 Diagnostic Peritoneal Lavage

FRS OR

Task ZZ35 Issue Basic Operating Room Equipment
Task ZZ36 Issue Basic Major OR Instrument Set
Task ZZ37 Issue Extremity Instrument Set
Task ZZ38 Issue Burr Hole Instrument Set
Task ZZ39 Issue General Anesthesia Equipment Set

SC Triage/SST

Four tasks use the Minor Surgical Set; they are tasks Z042, 065, Z177, 108 (all mentioned above). However, unlike BAS, SC Triage/SST doesn't have individual equipment sets for these tasks. For example, if you select task Z042 Insert Chest Tube, the minor surgical set plus items specific to that task are listed in the query.

SC OR

The task numbers for SC OR are the same as FRS OR except for one. In FRS OR, the minor set is named the Extremity Instrument Set (task ZZ37). However, in SC OR, the minor set is named the Basic Minor Equipment Set; therefore use task ZZ44. But remember, although most tasks are the same in both the FRS OR and SC OR, the equipment contained in each set is different.

Using the information above, follow these steps to get a list of the equipment items in a particular set.

- ① Click *Choose Output* button. Choose the Supplies for a Selected Task query (page 7-2). Click *Next*.
- ② Select Ordering options (page 7-4). Click *Next*.
- ③ Select the functional area that is relevant to the equipment set (page 7-8). For example, if you want a list of the items in the Basic OR Equipment, you must select either FRS OR or SC OR. Click *Next*.
- ④ Select the task of your choice from the drop down menu (page 8-8). Check the Preview output box and click *Go*.

More Than One Type of Supply for a Task

There are also instances when more than one type of supply is available to complete a task. For example, say you are treating PC 149 (Sprain Ankle Closed Acute Grade 2 Incomplete Ligament Rupture). The supplies needed to apply an elastic bandage (task 092) are:

NOMEN	QUANT	UM
BANDAGE ELASTIC COBAN BRN 3"X5YDS 24S	0.50	RL
BANDAGE ELASTIC ACE ROLLED 4"x4.5YDS 12S	0.50	RL

As shown, two equivalent choices for this task exist; however, only one bandage is actually used. To prevent overestimation of supply estimates, probabilities that add up to one are assigned to supplies when there is more than one supply that can be used to do the same task. For example, using the above task and a patient stream of 10, ESP would project 5 of each bandage rather than 10 of each.

NOTE: An "S" after a number in the supply's nomen indicates the quantity of that supply in its package (i.e., 24S indicates there are 24 items in one package).

Using Tables When Querying

Not all PCs, tasks, and supplies are applicable to every functional area. This is important when you are querying the ESP database. If you enter a PC, task, or supply that is not applicable to the functional area you selected, an error message opens. You have the option to open a table that displays the valid functional areas for your selection.

For example, say you run the Task Profile for a Patient Condition query for PC 203 and select SC Triage as the functional area for reporting. Because PC203 is not treated by SC, the error message opens to show you the functional areas that do treat PC 203.

If the error message opens when you are on the Produce Output screen, you must either:

- ✓ Re-select a functional area that is relevant to the PC, task, or supply (p. 7-8).
- or
- ✓ Re-select a PC, task, or supply that applies to the functional area you select (p. 8-5).

Use the table to determine which PCs, tasks, and supplies are relevant to each functional area. When you are finished with the table, click *Close* on the toolbar.

Level 1	FRSS	Surgical Company	Description
1PSP/BAS	Triage OR	PC	001 CEREBRAL CONCUSSION CLOSED WITH/WITHOUT
			002 CEREBRAL CONCUSSION CLOSED WITH/WITHOUT
			003 CEREBRAL CONCUSSION CLOSED WITH/WITHOUT
			004 CEREBRAL CONCUSSION CLOSED WITH/WITHOUT
			005 CEREBRAL CONCUSSION CLOSED WITH
			006 CEREBRAL CONCUSSION CLOSED WITH
			007 CEREBRAL CONCUSSION CLOSED WITH DEPRESSED

NOTE: You can access these tables at any point through the Tables menu on the menu bar.

Providing a PC, Supply, or Task for Your Query

Before choosing the output options for your query, you must provide ESP with the relevant query data in the Produce Output screen (this does not apply when reporting on a scenario).

Input	Query Name
PC	Task Profile for a PC Supplies for a PC Tasks and Supplies for a PC
Task	PCs for a Selected Task Supplies for a Selected Task PCs and Supplies for a Selected Task
Supply	PCs Requiring a Supply Tasks Requiring a Supply PCs and Tasks for a Supply

To enter the required input:

- ① Click the drop-down menu.
- ② Select the PC, task, or supply you want to query.

NOTE: To use ESP's searching capabilities for a PC or task, type in text to search by in the box marked *Locate* and press *Enter*. For a supply, type in the last four digits of the NSN and press *Enter*. ESP performs a search to call up the PCs or tasks including that text, or the supplies with the same last four digits. Click the drop-down menu to select your choice.


Type in text and click *Enter*.

Previewing Your Output

To preview your information, click the Preview output checkbox located near the top of the screen before choosing the type of output.


Previewing in ESP Report Format

When previewing in ESP report format, that is, when the Print Output radio button is selected, a new window opens to display the output. This ESP document cannot be saved or sent via email.



New window opens with a new toolbar.


When the new window opens, you have access to a new toolbar. Use this toolbar to move from page to page, to zoom in and out, and to print or close the output.



Previewing Other Files

ESP automatically opens the software program necessary to view the selected format. When you preview an ASCII text report or a Microsoft Word document, the file opens up in Microsoft Word. Database (.DBF) files are previewed in a table and .XLS files are previewed in Excel. When you preview an HTML table, the data are displayed in a web browser, such as Internet Explorer, and ASCII text files are opened in a simple text window.

For example, when Excel spreadsheet is selected, ESP opens Excel to display the information.




NOTE: You must have the software associated with the selected output in order to use the ESP preview function for that file type. For example, without Microsoft Excel, you cannot preview Excel worksheets.

Saving and Sending Your Output as a File via Email

You can save all the output formats except for the ESP report format.


- ① Click the Reports or Data radio button.
- ② Click the radio button that corresponds to the type of file to save as (.TXT, .DOC, .DBF, .XLS, or .HTM).
- ③ Type in a file name. The file is saved by default to the folder labeled ESP located on your hard drive (C:\).
- ④ To specify a new file location, click the *Browse* button. A new window opens. Locate the folder you want to save the file in. Type in a file name and click *OK*.
- ⑤ **If you are sending the file via email**, click the checkbox that reads *Email to:* and type in the email address.
- ⑥ Click *Go*.
- ⑦ ESP opens your email software automatically. A new message with the file attached is already composed for you. Type in any additional message and click *Send*.



Printing the Output


ESP report format:

- 1 Click the Reports radio button and select the radio button that reads Print Output.
- 2 Click Go. (If the Preview output button is selected, click the printer button on the preview window's toolbar when you are ready to print.)




ASCII text report, Microsoft Word, Excel, or HTML format:

- 1 Click Preview output checkbox.
- 2 Click the radio button corresponding to the type of output you want.
- 3 Type in the file name.
- 4 Click Go. A new window opens in Microsoft Word (for ASCII text report and Microsoft Word document), Microsoft Excel (for Excel spreadsheet), or a web browser (for HTML table). Go to the File menu in the application, click print. The print dialog box opens. Click OK.




.DBF file or ASCII text file:


- 1 Click the radio button that corresponds to the type of format you want.
- 2 Type in the file name.
- 3 Click *Go*.
- 4 Click the *Start* button located in the lower left corner of your screen. Move your mouse up to the Programs folder. Move your mouse to and click the Windows Explorer icon.



- 5 Locate your file in Explorer. The file is placed by default in the folder labeled ESP located on your hard drive (C:). Double-click on the file icon.



- 6 When the file opens in the new application, go to the File menu and click print.




NOTE: .DBF files are opened with FoxPro software. If you do not have FoxPro, you can read the .DBF file as a conversion document in Microsoft Excel or Access.

Choosing a Printer and Selecting Pages to Print

Sometimes you may want to choose a different printer or only print certain pages of the report.

ESP report format:


- 1 Click the Reports radio button and Print Output radio button.
- 2 Click the Select printer options checkbox.
- 3 Click *Go*. If you are previewing your output, click the Printer button on the toolbar when you are ready to print.
- 4 A print dialog box opens. Click the drop-down menu and select a printer.
- 5 To select pages, click the Pages radio button and type in the pages to print.
- 6 Click *OK*.



ASCII text report, Microsoft Word, .DBF, Excel, or HTML format:

- 1 Follow steps to print (pages 8-12–8-13), according to file type.
- 2 When print dialog box opens, click the drop-down menu and select a printer.
- 3 To select pages, click the Pages radio button and type in the pages to print.
- 4 Click *OK*.


NOTE: This option is not available for ASCII text file.



quick reference guide

Program Flow Chart Quick Step-by-Step Instructions

Program Flow Chart



Dotted lines indicate functions that are conditionally operational. The availability of these functions depends on the choice made in the previous step.

Step-by-Step Instructions

① Start

- Select one of the following choices:
 - Use a Listed Scenario
 - Copy a Listed Scenario
 - Build a Scenario by PC
 - Build a Scenario by Injury/Disease
 - Import a Scenario
- Click *Next*.

If you choose to Import a Scenario:

- Click the *Browse* button. In the new window, double-click the file you want to import.
- The columns of your file are displayed in the Columns from File box. Click *View* to display the information contained in these columns (optional).
- Drag the column that corresponds to the PC Code field over to the area labeled Columns for Patient Stream. Next, drag the column that corresponds to the Number of Patients field.
- Click *Process*.
- Click *Next*.

② Select Functional Areas

- Select level of care from the drop-down menu.
- Select functional area from the checklist by clicking on the checkboxes.
- Click *Next*.

③a Build Scenario by PC

- Click *Add*.
- Enter the number of each PC by typing in the number or using the arrows.
- Click *Done*.
- Click *Next*.

③b Build Scenario by Injury/Disease

- Enter the total number of casualties and select the region.
- Select the type and number of each casualty.
- Click the right arrow.
- After entering all casualties, click *Build*.
- Click *Next*.

④ Choose Output

- Select output type (report or query).
- Select the report or query you want to run.
- Click *Next*.

There are three reports and two queries that offer ordering and subtotaling options.

- Click an Order item. Click the right arrow.
- Click a Subtotal item. Click the right arrow.
- Click *Next*.

There are nine queries and one report that report on functional area.

- Select the level of care from the drop-down menu.
- Select functional area by clicking the checkboxes.
- Click *Next*.

⑤ Produce Output

- Select the radio buttons to preview, print, save, and/or email the report/query data.
- If saving or emailing, enter the file name.
- If emailing, click the "Email to:" checkbox and type in the email address.
- Click *Go*.



references

1. Galarneau MR, Mahoney KJ, Konoske PJ, Emens-Hesslink KE. *Development of a Model for Predicting Medical Supply Requirements at the Forward Echelons of Care: Preliminary Findings for Echelon II Laboratory and X-Ray Ancillaries*. San Diego, Calif: Naval Health Research Center; 1997. NHRC Tech. Rep. No. 97-3.
2. Galarneau MR, Konoske PJ, Emens-Hesslink KE, Pang G, Gauker E. *Model for Predicting Medical Supply Requirements at the Forward Echelons of Care: Findings for the Battalion Aid Station*. San Diego, Calif: Naval Health Research Center; 1997. NHRC Tech. Rep. No. 97-28.
3. Galarneau MR, Konoske PJ, Emens-Hesslink KE, Pang G. *Reducing the Logistical Footprint of Forward Resuscitative Surgical Units Using a Patient-Driven Model of Clinical Events*. San Diego, Calif: Naval Health Research Center; 1998. NHRC Tech. Rep. No. 98-1.
4. Galarneau MR, Pang G, Konoske P, Gauker E. *Using a Model of Clinical Events to Determine Supply Requirements for Marine Corps Shock Surgical Team/Triage (SST) and Acute Care Ward Units*. San Diego, Calif: Naval Health Research Center; 1998. NHRC Tech. Rep. No. 98-15.
5. Emens-Hesslink KE, Galarneau MR, Lowe DJ, Konoske PJ. *Development of a Medical Supply Set for Corpsmen in the Field*. San Diego, Calif: Naval Health Research Center; 1998. NHRC Tech. Rep. No. 98-26.
6. Galarneau MR, Pang G, Konoske PJ. *Projecting Medical Supply Requirements for a Far Forward Resuscitative Surgery System*. San Diego, Calif: Naval Health Research Center; 1999. NHRC Tech. Rep. No. 99-29.
7. Galarneau MR, Konoske PJ, Pang G, Alvarez E. *Identifying Clinical Requirements for Independent Duty Corpsman Shipboard Medical Materiel*. San Diego, Calif: Naval Health Research Center; 1999. NHRC Tech. Rep. No. 99-15.
8. Galarneau MR, Konoske PJ, Pang G, Alvarez E. *Establishing Materiel Clinical Requirements for Shipboard Trauma Care*. San Diego, Calif: Naval Health Research Center; 1999. NHRC Tech. Rep. No. 99-18.
9. Gauker ED, Galarneau MR, Konoske PJ. *Evaluation of Pharmacy Supplies as a Function of Surgical Company Clinical Requirements*. San Diego, Calif: Naval Health Research Center; 1999. NHRC Tech. Rep. No. 99-9.
10. Roberts JE, Emens-Hesslink KE, Konoske PJ. *A Descriptive Analysis of Dental Conditions Occurring During Conflicts, Deployments, and Field Training Exercises*. San Diego, Calif: Naval Health Research Center; 1999. NHRC Tech. Rep. No. 99-33.



patient condition codes

PC	PC DESCRIPTION
001	CEREBRAL CONCUSSION CLOSED WITH/WITHOUT NONDEPRESSED LINEAR SKULL FRACTURE SEVERE—LOSS OF CONSCIOUSNESS FROM 2 TO 12 HOURS
002	CEREBRAL CONCUSSION CLOSED WITH/WITHOUT NONDEPRESSED LINEAR SKULL FRACTURE MODERATE—LOSS OF CONSCIOUSNESS LESS THAN 2 HOURS
003	CEREBRAL CONCUSSION CLOSED WITH/WITHOUT NONDEPRESSED LINEAR SKULL FRACTURE SEVERE—LOSS OF CONSCIOUSNESS GREATER THAN 24 HOURS WITH FOCAL NEUROLOGICAL DEFICIT
004	CEREBRAL CONCUSSION CLOSED WITH/WITHOUT NONDEPRESSED LINEAR SKULL FRACTURE MODERATE—LOSS OF CONSCIOUSNESS FROM 12-24 HOURS WITHOUT FOCAL NEUROLOGICAL DEFICIT
005	CEREBRAL CONCUSSION CLOSED WITH INTRACRANIAL HEMATOMA WITH/WITHOUT NON- DEPRESSED LINEAR SKULL FRACTURE— SEVERE - LARGE HEMATOMA (INCLUDING EPIDURAL HEMATOMA) WITH RAPIDLY DETERIORATING COMATOSE PATIENT
006	CEREBRAL CONCUSSION CLOSED WITH NONDEPRESSED LINEAR SKULL FRACTURE SEVERE—LOSS OF CONSCIOUSNESS GREATER THAN 24 HOURS WITH/WITHOUT FOCAL NEUROLOGICAL DEFICIT
007	CEREBRAL CONCUSSION CLOSED WITH DEPRESSED SKULL FRACTURE SEVERE—WITH ASSOCIATED INTRACEREBRAL HEMATOMA AND/OR MASSIVE DEPRESSION
008	CEREBRAL CONCUSSION CLOSED WITH DEPRESSED SKULL FRACTURE MODERATE—NO ASSOCIATED HEMATOMA OR SIGNIFICANT EFFECT FROM DEPRESSION
009	CEREBRAL CONCUSSION WITH OPEN SKULL FRACTURE SEVERE—WITH INTRACRANIAL FRAGMENTS AND/OR DEPRESSED SKULL FRACTURE; EYELID AND EYEBALL LACERATION WITH RETAINED INTRAOCULAR FOREIGN BODY
010	CEREBRAL CONCUSSION WITH OPEN SKULL FRACTURE MODERATE—WITHOUT INTRACRANIAL FRAGMENTS AND/OR DEPRESSED SKULL FRACTURE
011	INTRACRANIAL HEMORRHAGE SPONTANEOUS NONTRAUMATIC ALL CASES
012	NOT ASSIGNED
013	WOUND SCALP OPEN WITHOUT CEREBRAL INJURY OR SKULL FRACTURE SEVERE—SCALPED WITH AVULSION OF TISSUE
014	WOUND SCALP OPEN WITHOUT CEREBRAL INJURY OR SKULL FRACTURE MODERATE—SCALP LACERATION
015	FRACTURE FACIAL BONES CLOSED EXCLUSIVE OF MANDIBLE SEVERE—MULTIPLE FRACTURES
016	FRACTURE FACIAL BONES CLOSED EXCLUSIVE OF MANDIBLE MODERATE—SINGLE FRACTURE
017	WOUND FACE JAWS AND NECK OPEN LACERATED WITH ASSOCIATED FRACTURES EXCLUDING SPINAL FRACTURES SEVERE—WITH AIRWAY OBSTRUCTION

PC DESCRIPTION

PC	PC DESCRIPTION
018	WOUND FACE JAWS AND NECK OPEN LACERATED WITH ASSOCIATED FRACTURES EXCLUDING SPINAL FRACTURES MODERATE—WITHOUT AIRWAY OBSTRUCTION; EYELID AND EYEBALL LACERATION WITH RETAINED INTRAOCULAR FOREIGN BODY
019	WOUND FACE AND NECK OPEN LACERATED WITHOUT FRACTURES SEVERE—WITH AIRWAY OBSTRUCTIONS AND/OR MAJOR VESSEL INVOLVEMENT
020	WOUND FACE AND NECK OPEN LACERATED WITHOUT FRACTURES MODERATE—WITHOUT AIRWAY OBSTRUCTION OR MAJOR VESSEL INVOLVEMENT
021	EYE WOUND SEVERE—LOSS OF INTRAOCULAR FLUID WITH/WITHOUT RETINAL DETACHMENT, WITH SEVERE LID LACERATION, EYE NOT SALVAGEABLE
022	EYE WOUND LACERATED MODERATE—WITHOUT RETINAL DETACHMENT OR RETINAL INJURY NO FOREIGN BODY RETAINED WITHOUT LOSS OF VITREOUS FLUID PATIENT HAS HYPHEMA EYE SALVAGEABLE
023	HEARING IMPAIRMENT SEVERE
024	HEARING IMPAIRMENT MODERATE
025	FRACTURE SPINE CLOSED WITHOUT CORD DAMAGE UNSTABLE LESION
026	FRACTURE SPINE CLOSED WITHOUT CORD DAMAGE STABLE LESION
027	FRACTURE SPINE CLOSED WITH CORD DAMAGE CERVICAL SPINE WITH RESPIRATORY INVOLVEMENT
028	FRACTURE SPINE CLOSED WITH CORD DAMAGE BELOW CERVICAL SPINE (PROGRESSIVE)
029	FRACTURE SPINE OPEN WITH CORD DAMAGE CERVICAL SPINE WITH RESPIRATORY DISTRESS
030	FRACTURE SPINE OPEN WITH CORD DAMAGE BELOW CERVICAL SPINE (PROGRESSIVE)
031	INTERVERTEBRAL DISC DISORDERS WITH NERVE ROOT COMPRESSION RESISTANT TO BED REST/TRACTION
032	INTERVERTEBRAL DISC DISORDERS WITH NERVE ROOT COMPRESSION RESPONDING TO BED REST/TRACTION
033	STRAINS AND SPRAINS SACROILIAC REGION SEVERE—NON-AMBULATORY
034	STRAINS AND SPRAINS SACROILIAC REGION MODERATE—AMBULATORY
035	BURN THERMAL SUPERFICIAL HEAD AND NECK GREATER THAN 5% BUT LESS THAN 10% OF TOTAL BODY AREA AND/OR EYE INVOLVEMENT
036	BURN THERMAL SUPERFICIAL HEAD AND NECK LESS THAN 5% OF TOTAL BODY AREA AND NO EYE INVOLVEMENT
037	BURN THERMAL PARTIAL THICKNESS HEAD AND NECK GREATER THAN 5% BUT LESS THAN 10% OF TOTAL BODY AREA AND/OR EYE INVOLVEMENT
038	BURN THERMAL PARTIAL THICKNESS HEAD AND NECK LESS THAN 5% OF TOTAL BODY AREA AND NO EYE INVOLVEMENT
039	BURN THERMAL FULL THICKNESS HEAD AND NECK GREATER THAN 5% BUT LESS THAN 10% OF TOTAL BODY AREA WITH EYE INVOLVEMENT
040	BURN THERMAL FULL THICKNESS HEAD AND NECK LESS THAN 5% OF TOTAL BODY AREA AND NO EYE INVOLVEMENT
041	FRACTURE CLAVICLE CLOSED ALL CASES
042	WOUND SHOULDER GIRDLE OPEN WITH BONE INJURY SEVERE—JOINT INVOLVEMENT
043	WOUND SHOULDER GIRDLE OPEN WITH BONE INJURY MODERATE—NO JOINT INVOLVEMENT
044	FRACTURE HUMERUS CLOSED UPPER SHAFT ALL CASES
045	WOUND UPPER ARM OPEN PENETRATING LACERATED WITHOUT FRACTURE SEVERE—WITH NERVE AND/OR VASCULAR

PC DESCRIPTION

PC

INJURY

046 WOUND UPPER ARM OPEN PENETRATING LACERATED WITHOUT FRACTURE MODERATE—WITHOUT NERVE OR VASCULAR INJURY

047 WOUND UPPER ARM OPEN WITH FRACTURES AND NERVE AND VASCULAR INJURY ARM NON-SALVAGEABLE

048 WOUND UPPER ARM OPEN WITH FRACTURES AND NERVE INJURY NO VASCULAR INJURY ARM SALVAGEABLE

049 FRACTURE RADIUS AND ULNA CLOSED SEVERE—SHAFTS OF BONES

050 FRACTURE RADIUS AND ULNA CLOSED MODERATE—COLLES FRACTURE

051 WOUND FOREARM OPEN LACERATED PENETRATING WITHOUT BONE NERVE OR VASCULAR INJURY WITH MAJOR LOSS OF MUSCLE TISSUE SEVERE—REQUIRING MAJOR DEBRIDEMENT

052 WOUND FOREARM OPEN LACERATED PENETRATING WITHOUT BONE NERVE OR VASCULAR INJURY MODERATE—NOT REQUIRING MAJOR DEBRIDEMENT

053 WOUND FOREARM OPEN LACERATED PENETRATING WITH FRACTURE AND WITH NERVE AND VASCULAR INJURY FOREARM NOT SALVAGEABLE

054 WOUND FOREARM OPEN LACERATED PENETRATING WITH FRACTURE AND WITH NERVE AND VASCULAR INJURY FOREARM SALVAGEABLE

055 FRACTURE HAND OR FINGERS CLOSED SEVERE—REQUIRING OPEN REDUCTION

056 FRACTURE HAND AND/OR FINGERS CLOSED MODERATE—NOT REQUIRING CLOSED REDUCTION

057 WOUND HAND AND/OR FINGERS OPEN LACERATED WITHOUT FRACTURES SEVERE—SUPERFICIAL AND DEEP TENDON INVOLVEMENT

058 WOUND HAND AND/OR FINGERS OPEN LACERATED WITHOUT FRACTURES MODERATE—NO TENDON INVOLVEMENT OR LIMITED TO SUBLIMIS TENDON INVOLVEMENT

059 WOUND HAND OPEN LACERATED CONTUSED CRUSHED WITH FRACTURE(S) ALL CASES—INVOLVING FRACTURES OF CARPALS AND/OR METACARPALS

060 WOUND FINGERS OPEN LACERATED CONTUSED CRUSHED WITH FRACTURE(S) OF PHALANGEALS REQUIRING REHABILITATION

061 CRUSH INJURY UPPER EXTREMITY SEVERE—LIMB NOT SALVAGEABLE

062 CRUSH INJURY UPPER EXTREMITY MODERATE—LIMB SALVAGEABLE

063 NOT ASSIGNED

064 DISLOCATION SHOULDER CLOSED ALL CASES

065 DISLOCATION/FRACTURE ELBOW CLOSED ACUTE ALL CASES

066 NOT ASSIGNED

067 DISLOCATION HAND OR WRIST CLOSED ACUTE

068 DISLOCATION FINGERS CLOSED ACUTE

069 AMPUTATION HAND TRAUMATIC COMPLETE ALL CASES

070 AMPUTATION FOREARM TRAUMATIC COMPLETE ALL CASES

071 AMPUTATION FULL ARM TRAUMATIC COMPLETE ALL CASES

072 SPRAIN WRIST CLOSED ACUTE ALL CASES

PC DESCRIPTION

PC	PC DESCRIPTION
073	SPRAIN THUMB CLOSED ACUTE SEVERE
074	SPRAIN FINGERS CLOSED ACUTE MODERATE—NO THUMB INVOLVEMENT
075	BURN THERMAL SUPERFICIAL UPPER EXTREMITIES GREATER THAN 10% BUT LESS THAN 20% OF TOTAL BODY AREA INVOLVED
076	BURN THERMAL SUPERFICIAL UPPER EXTREMITY LESS THAN 10% OF TOTAL BODY AREA INVOLVED
077	BURN THERMAL PARTIAL THICKNESS UPPER EXTREMITIES GREATER THAN 10% BUT LESS THAN 20% OF TOTAL BODY AREA INVOLVED
078	BURN THERMAL PARTIAL THICKNESS UPPER EXTREMITY LESS THAN 10% OF TOTAL BODY AREA INVOLVED
079	BURN THERMAL FULL THICKNESS UPPER EXTREMITIES GREATER THAN 10% BUT LESS THAN 20% OF TOTAL BODY AREA INVOLVED
080	BURN THERMAL FULL THICKNESS UPPER EXTREMITY LESS THAN 10% OF TOTAL BODY AREA INVOLVED
081	FRACTURE RIBS CLOSED SEVERE—MULTIPLE FRACTURES
082	FRACTURE RIB(S) CLOSED MODERATE
083	INJURY LUNG CLOSED (BLAST CRUSH) WITH PNEUMOTHORAX SEVERE—ONE LUNG WITH PULMONARY CONTUSION AND ACUTE SEVERE RESPIRATORY DISTRESS
084	INJURY LUNG CLOSED (BLAST CRUSH) WITH PNEUMOTHORAX MODERATE—ONE LUNG WITH PULMONARY CONTUSION AND RESPIRATORY DISTRESS
085	WOUND THORAX (ANTERIOR OR POSTERIOR) OPEN SUPERFICIAL LACERATED CONTUSED ABRADED AVULSED REQUIRING MAJOR DEBRIDEMENT
086	WOUND THORAX (ANTERIOR OR POSTERIOR) OPEN SUPERFICIAL LACERATED CONTUSED ABRADED AVULSED NOT REQUIRING MAJOR DEBRIDEMENT
087	WOUND THORAX (ANTERIOR OR POSTERIOR) OPEN PENETRATING WITH ASSOCIATED RIB FRACTURES AND PNEUMOTHORAX ACUTE SEVERE RESPIRATORY DISTRESS
088	WOUND THORAX (ANTERIOR OR POSTERIOR) OPEN PENETRATING WITH ASSOCIATED RIB FRACTURES AND PNEUMOTHORAX MODERATE RESPIRATORY DISTRESS
089	NOT ASSIGNED
090	BURN THERMAL SUPERFICIAL TRUNK GREATER THAN 20% BUT LESS THAN 30% OF TOTAL BODY AREA INVOLVED
091	BURN THERMAL SUPERFICIAL TRUNK GREATER THAN 10% BUT LESS THAN 20% OF TOTAL BODY AREA INVOLVED
092	BURN THERMAL PARTIAL THICKNESS TRUNK GREATER THAN 20% BUT LESS THAN 30% OF TOTAL BODY AREA INVOLVED
093	BURN THERMAL PARTIAL THICKNESS TRUNK GREATER THAN 10% BUT LESS THAN 20% OF TOTAL BODY AREA INVOLVED
094	BURN THERMAL FULL THICKNESS TRUNK GREATER THAN 20% BUT LESS THAN 30% OF TOTAL BODY AREA INVOLVED
095	BURN THERMAL FULL THICKNESS TRUNK GREATER THAN 10% BUT LESS THAN 20% OF TOTAL BODY AREA INVOLVED
096	WOUND ABDOMINAL WALL (ANTERIOR OR POSTERIOR) LACERATED ABRADED CONTUSED AVULSED WITHOUT ENTERING ABDOMINAL CAVITY SEVERE - REQUIRING MAJOR DEBRIDEMENT
097	WOUND ABDOMINAL WALL (ANTERIOR OR POSTERIOR) LACERATED ABRADED CONTUSED AVULSED WITHOUT ENTERING ABDOMINAL CAVITY NOT REQUIRING MAJOR DEBRIDEMENT
098	WOUND LIVER CLOSED ACUTE (CRUSH FRACTURE) MAJOR LIVER DAMAGE
099	WOUND LIVER CLOSED ACUTE (CRUSH FRACTURE) MINOR LIVER DAMAGE

PC DESCRIPTION

PC

100	WOUND SPLEEN CLOSED ACUTE (CRUSH FRACTURE) ALL CASES
101	WOUND ABDOMINAL CAVITY OPEN WITH LACERATING PENETRATING PERFORATING WOUND TO THE LARGE BOWEL
102	WOUND ABDOMINAL CAVITY OPEN WITH LACERATING PENETRATING PERFORATING WOUND TO SMALL BOWEL WITHOUT MAJOR OR MULTIPLE RESECTIONS
103	WOUND ABDOMINAL CAVITY OPEN WITH PENETRATING PERFORATING WOUND OF LIVER MAJOR DAMAGE
104	WOUND ABDOMINAL CAVITY OPEN WITH PENETRATING PERFORATING ABDOMINAL WOUND WITH LACERATED LIVER
105	WOUND ABDOMINAL CAVITY OPEN WITH PENETRATING PERFORATING WOUND OF SPLEEN
106	WOUND ABDOMINAL CAVITY OPEN WITH LACERATED PENETRATED PERFORATED WOUND WITH SHATTERED KIDNEY
107	WOUND ABDOMINAL CAVITY OPEN WITH LACERATED PENETRATING PERFORATING WOUND WITH LACERATED KIDNEY INITIALLY REPAIRED BUT SUBSEQUENT NEPHRECTOMY
108	WOUND ABDOMINAL CAVITY OPEN WITH LACERATED PENETRATING PERFORATING WOUND WITH SHATTERED BLADDER
109	WOUND ABDOMINAL CAVITY OPEN WITH LACERATED PENETRATING PERFORATING WOUND WITH LACERATED BLADDER
110	WOUND BUTTOCKS SEVERE—OPEN LACERATED PENETRATING PERFORATING AND AVULSED
111	WOUND BUTTOCKS MODERATE—OPEN LACERATED CONTUSED AND ABRADED
112	DISPLACED FRACTURE OF PELVIS CLOSED WITH ASSOCIATED SOFT TISSUE DAMAGE AND PELVIC ORGAN DAMAGE
113	NON-DISPLACED FRACTURE OF PELVIS CLOSED WITH ASSOCIATED SOFT TISSUE DAMAGE
114	WOUND ABDOMEN OPEN WITH PELVIC FRACTURE AND PENETRATING PERFORATING WOUNDS TO MULTIPLE PELVIC STRUCTURES (MALE OR FEMALE)
115	WOUND ABDOMEN OPEN WITH PELVIC FRACTURE AND PENETRATING PERFORATING WOUNDS TO PELVIC COLON ONLY (MALE OR FEMALE)
116	WOUND EXTERNAL GENITALIA MALE SEVERE—LACERATED AVULSED CRUSHED
117	WOUND EXTERNAL GENITALIA MALE MODERATE—ABRADED AND CONTUSED
118	WOUND EXTERNAL GENITALIA FEMALE SEVERE—LACERATED AVULSED CRUSHED
119	WOUND EXTERNAL GENITALIA FEMALE MODERATE—ABRADED CONTUSED
120	FRACTURE CLOSED FEMUR SHAFT ALL CASES
121	WOUND THIGH OPEN WITHOUT FRACTURE NERVE OR VASCULAR INJURY REQUIRING MAJOR DEBRIDEMENT
122	WOUND THIGH OPEN WITHOUT FRACTURE NERVE OR VASCULAR INJURY NOT REQUIRING MAJOR DEBRIDEMENT
123	WOUND THIGH OPEN LACERATED PENETRATING PERFORATING WITH FRACTURE AND NERVE/VASCULAR INJURY LIMB NOT SALVAGEABLE
124	WOUND THIGH OPEN LACERATED PENETRATING PERFORATING WITH FRACTURE AND NERVE AND/OR VASCULAR INJURY LIMB SALVAGEABLE
125	WOUND KNEE OPEN LACERATED PENETRATING PERFORATING WITH JOINT SPACE PENETRATION SHATTERED KNEE
126	WOUND KNEE OPEN LACERATED PENETRATING PERFORATING WITH JOINT SPACE PENETRATION ARTICULAR CARTILAGE DAMAGE NO BONE INJURY
127	FRACTURE CLOSED TIBIA AND FIBULA SHAFT ALL CASES
128	WOUND LOWER LEG OPEN LACERATED PENETRATING PERFORATING WITHOUT FRACTURES REQUIRING MAJOR DEBRIDEMENT

PC DESCRIPTION

PC	PC DESCRIPTION
129	WOUND LOWER LEG OPEN LACERATED PENETRATING PERFORATING WITHOUT FRACTURES NOT REQUIRING MAJOR DEBRIDEMENT
130	WOUND LOWER LEG OPEN LACERATED PENETRATING PERFORATING WITH FRACTURE AND NERVE/VASCULAR INJURY LIMB NOT SALVAGEABLE
131	WOUND LOWER LEG OPEN LACERATED PENETRATING PERFORATING WITH FRACTURE AND NERVE AND/OR VASCULAR INJURY LIMB SALVAGEABLE
132	FRACTURE ANKLE/FOOT CLOSED DISPLACED REQUIRING REDUCTION
133	FRACTURE ANKLE/FOOT CLOSED NONDISPLACED NOT REQUIRING REDUCTION
134	WOUND ANKLE FOOT TOES OPEN LACERATED CONTUSED WITHOUT FRACTURES BUT REQUIRING MAJOR DEBRIDEMENT
135	WOUND ANKLE FOOT TOES OPEN LACERATED CONTUSED WITHOUT FRACTURES NOT REQUIRING MAJOR DEBRIDEMENT
136	WOUND ANKLE FOOT TOES OPEN PENETRATING PERFORATING WITH FRACTURES AND NERVE/VASCULAR INJURY LIMB NOT SALVAGEABLE
137	WOUND ANKLE FOOT TOES OPEN PENETRATING PERFORATING WITH FRACTURES AND NERVE AND/OR VASCULAR INJURY LIMB SALVAGEABLE
138	CRUSH INJURY LOWER EXTREMITY LIMB NOT SALVAGEABLE
139	CRUSH INJURY LOWER EXTREMITY LIMB SALVAGEABLE
140	DISLOCATION HIP CLOSED ACUTE ALL CASES
141	TEAR LIGAMENTS KNEE ACUTE COMPLETE RUPTURE
142	TEAR LIGAMENTS KNEE ACUTE INCOMPLETE RUPTURE
143	DISLOCATION TOES CLOSED ACUTE ALL CASES
144	AMPUTATION FOOT TRAUMATIC COMPLETE ALL CASES
145	AMPUTATION BELOW KNEE TRAUMATIC COMPLETE ALL CASES
146	AMPUTATION TRAUMATIC COMPLETE REQUIRING HIP DISARTICULATION
147	AMPUTATION ABOVE KNEE TRAUMATIC COMPLETE
148	SPRAIN ANKLE CLOSED ACUTE WITH COMPLETE LIGAMENT RUPTURE
149	SPRAIN ANKLE CLOSED ACUTE GRADE 2 INCOMPLETE LIGAMENT RUPTURE
150	BURN THERMAL SUPERFICIAL LOWER EXTREMITIES AND GENITALIA GREATER THAN 30% BUT LESS THAN 40% OF TOTAL BODY AREA INVOLVED
151	BURN THERMAL SUPERFICIAL LOWER EXTREMITY AND GENITALIA GREATER THAN 15% BUT LESS THAN 30% OF TOTAL BODY AREA INVOLVED
152	BURN THERMAL PARTIAL THICKNESS LOWER EXTREMITIES AND GENITALIA GREATER THAN 30% BUT LESS THAN 40% OF TOTAL BODY AREA INVOLVED
153	BURN THERMAL PARTIAL THICKNESS LOWER EXTREMITY AND GENITALIA GREATER THAN 15% BUT LESS THAN 30% OF TOTAL BODY AREA INVOLVED
154	BURN THERMAL FULL THICKNESS LOWER EXTREMITIES AND GENITALIA GREATER THAN 30% BUT LESS THAN 40% OF TOTAL BODY AREA INVOLVED
155	BURN THERMAL FULL THICKNESS LOWER EXTREMITY AND GENITALIA GREATER THAN 15% BUT LESS THAN 30% OF TOTAL

PC DESCRIPTION

PC

BODY AREA INVOLVED

- 156 BLISTERS HAND FINGERS FOOT TOES DUE TO FRICTION ACUTE MODERATE—ALL CASES
- 157 INSECT BITES AND STINGS (UNSPECIFIED BODY AREA) WITH SYSTEMIC SYMPTOMS AND/OR RESPIRATORY DIFFICULTY
- 158 BITES AND STINGS (UNSPECIFIED BODY AREA) MODERATE—LOCALIZED SYMPTOMS
- 159 MIW BRAIN AND CHEST WITH SUCKING CHEST WOUND AND PNEUMOHEMOTHORAX
- 160 MIW BRAIN AND ABDOMEN WITH PENETRATING PERFORATING WOUND COLON
- 161 MIW BRAIN AND ABDOMEN WITH PENETRATING PERFORATING WOUND KIDNEY
- 162 MIW BRAIN AND ABDOMEN WITH PENETRATING PERFORATING WOUND BLADDER
- 163 MIW BRAIN AND ABDOMEN WITH SHOCK AND PENETRATING PERFORATING WOUND SPLEEN
- 164 MIW BRAIN AND ABDOMEN WITH SHOCK AND PENETRATING PERFORATING WOUND LIVER
- 165 MIW BRAIN AND LOWER LIMBS REQUIRING BILATERAL ABOVE KNEE AMPUTATIONS
- 166 MIW CHEST WITH PNEUMOHEMOTHORAX AND ABDOMEN WITH PENETRATING WOUND COLON
- 167 MIW CHEST WITH PNEUMOHEMOTHORAX AND ABDOMEN WITH PENETRATING PERFORATING WOUND KIDNEY
- 168 MIW CHEST WITH PNEUMOHEMOTHORAX AND ABDOMEN WITH PERFORATING WOUND BLADDER
- 169 MIW CHEST WITH PNEUMOHEMOTHORAX AND ABDOMEN WITH PENETRATING PERFORATING WOUND SPLEEN
- 170 MIW CHEST WITH PNEUMOHEMOTHORAX AND ABDOMEN WITH PENETRATING PERFORATING WOUND LIVER
- 171 MIW CHEST WITH PNEUMOHEMOTHORAX AND LIMBS WITH FRACTURE AND VASCULAR INJURY
- 172 MIW ABDOMEN WITH PENETRATING PERFORATING WOUND OF COLON AND BLADDER
- 173 MIW ABDOMEN WITH PENETRATING PERFORATING WOUND OF COLON AND SPLEEN
- 174 MIW ABDOMEN WITH PENETRATING PERFORATING WOUND OF COLON AND LIVER
- 175 MIW ABDOMEN AND LIMBS WITH PENETRATING PERFORATING WOUND OF COLON AND OPEN FRACTURE AND NEUROVASCULAR INJURY OF SALVAGEABLE LOWER LIMB
- 176 MIW ABDOMEN AND PELVIS WITH PENETRATING PERFORATING WOUND OF LIVER AND KIDNEY
- 177 MIW ABDOMEN AND PELVIS WITH PENETRATING PERFORATING WOUNDS OF SPLEEN AND BLADDER
- 178 MIW ABDOMEN PELVIS LIMBS WITH FRACTURE AND NEUROVASCULAR INJURY LIMB SALVAGEABLE AND PENETRATING WOUND KIDNEY
- 179 MIW ABDOMEN PELVIS LIMBS WITHOUT FRACTURE OR NEUROVASCULAR INJURY AND PENETRATING PERFORATING WOUND BLADDER
- 180 MIW ABDOMEN AND LOWER LIMBS WITH FRACTURE AND NERVE INJURY WITH PENETRATING WOUND OF SPLEEN WITH FULL THICKNESS BURNS TO GREATER THAN 20% OF TBSA
- 181 MIW ABDOMEN AND LIMBS WITHOUT FRACTURE OR NERVE INJURY WITH PENETRATING WOUND OF LIVER
- 182 MIW CHEST WITH PNEUMOHEMOTHORAX SOFT TISSUE INJURY TO UPPER LIMBS AND PENETRATING WOUND OF BRAIN
- 183 MIW CHEST WITH PNEUMOHEMOTHORAX SOFT TISSUE INJURY TO UPPER LIMBS AND ABDOMEN WITH WOUND OF COLON
- 184 MIW CHEST WITH PNEUMOHEMOTHORAX PELVIS AND ABDOMEN WITH WOUND OF COLON AND BLADDER
- 185 MIW ABDOMEN AND CHEST WITH MULTIPLE ORGAN DAMAGE
- 186 MULTIPLE NONPERFORATING FRAGMENT WOUNDS OF SKIN AND SOFT TISSUE
- 187 TRENCH FOOT IMMERSION FOOT SEVERE—VESICLE FORMATION

PC DESCRIPTION

PC	PC DESCRIPTION
188	TRENCH FOOT IMMERSION FOOT MODERATE—NO VESICLE FORMATION
189	NOT ASSIGNED
190	FROSTBITE FULL SKIN THICKNESS OR DEEPER INVOLVEMENT
191	FROSTBITE LESS THAN FULL SKIN THICKNESS
192	HYPOTHERMIA ALL CASES
193	HEAT STROKE
194	HEAT EXHAUSTION
195	HEAT CRAMPS ALL CASES
196	APPENDICITIS ACUTE WITH PERFORATION RUPTURE PERITONITIS
197	APPENDICITIS ACUTE WITHOUT PERFORATION RUPTURE PERITONITIS
198	INGUINAL HERNIA COMPLICATED DIRECT OR INDIRECT SLIDING INCARCERATION OF BOWEL
199	INGUINAL HERNIA UNCOMPLICATED DIRECT OR INDIRECT NO SLIDING NO INCARCERATION OF BOWEL OR BLADDER
200	INTERNAL DERANGEMENT OF KNEE CHRONIC WITH TORN MENISCUS AND/OR LIGAMENT LAXITY
201	STRAIN LUMBOSACRAL SACROILIAC JOINT CHRONIC ALL CASES
202	ECZEMA DERMATITIS SEBORRHEIC CONTACT OTHERS AFFECTING WEIGHT BEARING OR PRESSURE AREAS
203	ECZEMA DERMATITIS SEBORRHEIC CONTACT OTHERS NOT AFFECTING WEIGHT BEARING AREAS
204	BOILS FURUNCLES PYODERMA REQUIRING SURGERY
205	BOILS FURUNCLES PYODERMA ALL OTHER CASES CALLUSES CORNS FOLLICULITIS ERYTHRASMA
206	CELLULITIS INVOLVING FACE OR WEIGHT BEARING AREAS
207	CELLULITIS OTHER THAN FACE OR WEIGHT BEARING AREAS
208	DERMATOPHYTOSIS SEVERE—AFFECTING FEET
209	DERMATOPHYTOSIS ALL OTHER CASES (TINEAS/CANDIDAS/YEASTS)
210	PEDICULOSIS ALL CASES
211	SCABIES ALL CASES
212	PILONIDAL CYST/ABSCESS REQUIRING MAJOR EXCISION
213	CYST/ABSCESS ALL CASES INCLUDING MINOR INCISION
214	INGROWN TOENAILS BILATERAL WITH SECONDARY INFECTIONS UNRESOLVABLE AT ECHELON 2
215	INGROWN TOENAILS WITHOUT SECONDARY INFECTION
216	HERPES SIMPLEX AND ZOSTER WITHOUT ENCEPHALITIS ALL TYPES OF VIRAL DERMATITIS
217	NOT ASSIGNED
218	NOT ASSIGNED
219	HYPERHIDROSIS ALL CASES
220	BLEPHARITIS ALL CASES
221	CONJUNCTIVITIS SEVERE—ALL CASES
222	CONJUNCTIVITIS MODERATE—ALL CASES
223	CORNEAL ULCER

PC	PC DESCRIPTION
224	CORNEAL ABRASION
225	IRIDOCYCLITIS ACUTE MARKED VISUAL IMPAIRMENT
226	IRIDOCYCLITIS ACUTE MINIMAL VISUAL IMPAIRMENT
227	REFRACTION AND ACCOMMODATION DISORDERS REFRACTION REQUIRED
228	REFRACTION AND ACCOMMODATION DISORDERS REPLACEMENT OF SPECTACLES REQUIRED
229	OTITIS EXTERNA ALL CASES
230	OTITIS MEDIA ACUTE SUPPURATIVE INCLUDING EUSTACIAN TUBES
231	MASTOIDITIS CHRONIC ALL CASES
232	INFECTIONS OF THE NOSE & PARANASAL SINUSES INCLUDING VIRAL RHINITIS
233	UPPER RESPIRATORY INFECTIONS ACUTE ALL CASES
234	BRONCHITIS ACUTE ALL CASES
235	ASTHMA WITH DISABLING SYMPTOMS OR REPEATED ATTACKS
236	ASTHMA OTHER CASES
237	NOT ASSIGNED
238	NOT ASSIGNED
239	ACUTE RESPIRATORY DISEASE SEVERE
240	ACUTE RESPIRATORY DISEASE MODERATE
241	NOT ASSIGNED
242	NOT ASSIGNED
243	FOOD POISONING ALL ORGANISMS DISABLING SYMPTOMS
244	FOOD POISONING ALL ORGANISMS MODERATE SYMPTOMS
245	DIARRHEAL DISEASE SEVERE
246	DIARRHEAL DISEASE MODERATE
247	NOT ASSIGNED
248	GASTRITIS ACUTE ALL CASES
249	PEPTIC ULCER GASTRIC OR DUODENAL PENETRATING AND/OR PERFORATING
250	PEPTIC ULCER GASTRIC OR DUODENAL UNCOMPLICATED
251	REGIONAL ILEITIS DISABLING SYMPTOMS UNRESPONSIVE TO TREATMENT
252	REGIONAL ILEITIS RESPONDS TO TREATMENT
253	HELMINTHIC DISEASE INCLUDING TRICHINOSIS ASCARIASIS GIARDIASIS TAPEWORM HOOKWORM PINWORM
254	NOT ASSIGNED
255	MIGRAINE ALL CASES
256	HEMORRHOIDAL DISEASE ALL CASES
257	NOT ASSIGNED
258	SEVERE HYPERTENSION
259	ISCHEMIC HEART DISEASE

PC DESCRIPTION

PC	PC DESCRIPTION
260	PHLEBITIS DEEP VEIN INVOLVEMENT
261	NOT ASSIGNED
262	TENOSYNOVITIS TENDONITIS BURSITIS EPICONDYLITIS
263	MENINGO-ENCEPHALITIS UNCOMPLICATED
264	MENINGO-ENCEPHALITIS COMPLICATED
265	NEAR DROWNING WITHOUT CERVICAL SPINE INJURY OR HYPOTHERMIA ALL CASES
266	TOXIC INHALATION INCLUDING BURN-RELATED RESPIRATORY INJURIES SEVERE--ALL CASES
267	NOT ASSIGNED
268	WHITE PHOSPHORUS BURNS RESULTANT PARTIAL THICKNESS BURNS < 40% TBSA ALL CASES
269	SEXUALLY TRANSMITTED DISEASE, NSU, MACUPURULENT, CERVICITIS, TRICOMONAS
270	SEXUALLY TRANSMITTED DISEASE, GENITAL ULCERS, ADENOPATHY, CHANCROID, GENITAL HERPES SIMPLEX, LYMPHOGRANULOMA, VENEREUM, SYPHILLIS
271	SEXUALLY TRANSMITTED DISEASE, GONORRHEA, CHLAMYDIA, SEPTIC ARTHRITIS, PID
272	GLOMERULONEPHRITIS ACUTE
273	GLOMERULONEPHRITIS CHRONIC
274	PYELONEPHRITIS ACUTE SECONDARY TO OBSTRUCTION
275	PYELONEPHRITIS ACUTE NO OBSTRUCTION
276	NEPHROTIC SYNDROME/RENAL FAILURE ALL CASES
277	RENAL/URETERAL CALCULUS CAUSING OBSTRUCTION IMPACTED
278	RENAL/URETERAL CALCULUS NOT CAUSING OBSTRUCTION
279	EPIDIDYMITIS, CYSTITIS, PROSTATITIS, ORCHITIS, INCLUDING TESTICULAR TORSION, ALL CASES
280	BALANOPOSTHITIS ALL CASES
281	NOT ASSIGNED
282	INFECTIOUS MONONUCLEOSIS ALL CASES
283	HEPATITIS INFECTIOUS VIRAL ALL CASES
284	NOT ASSIGNED
285	CHOLECYSTITIS ACUTE WITH STONES/CHOLECYSTITIS ALL CASES
286	PANCREATITIS ACUTE ALL CASES
287	CIRRHOISIS ALL CASES
288	NOT ASSIGNED
289	NEOPLASMS MALIGNANT
290	NEOPLASMS BENIGN
291	ABNORMAL UTERINE BLEEDING
292	DYSMENORRHEA AMENORRHEA
293	PELVIC INFLAMMATORY DISEASE (PID) ALL CASES
294	CERVICITIS ENDOCERVICITIS WITH SYMPTOMATIC LEUKORRHEA

PC DESCRIPTION

PC	
295	VULVOVAGINITIS
296	NOT ASSIGNED
297	TUBAL PREGNANCY ALL CASES
298	NOT ASSIGNED
299	ABORTION SPONTANEOUS WITH HEMORRHAGE
300	NOT ASSIGNED
301	PSYCHOSIS
302	CONDUCT DISORDERS
303	NON-PSYCHOTIC MENTAL DISORDERS
304	STRESS REACTION SEVERE UNSTABLE SLOW IMPROVEMENT
305	STRESS REACTION SEVERE STABLE SLOW IMPROVEMENT
306	ALCOHOL DEPENDENCY SYNDROME MODERATE
307	ALCOHOL MISUSE SIMPLE INTOXICATION
308	DRUG DEPENDENCY (OTHER THAN ALCOHOL) SEVERE
309	DRUG MISUSE (OTHER THAN ALCOHOL) MILD OR MODERATE
310	STRESS REACTION MILD/MODERATE
311	EYE WOUND LACERATED PENETRATED WITH RETINAL INJURY EYE SALVAGEABLE
312	WOUND KNEE OPEN LACERATED PENETRATING PERFORATING WITH JOINT SPACE PENETRATION NO BONE OR ARTICULAR CARTILAGE INJURY
313	WOUND ABDOMINAL CAVITY OPEN WITH LACERATED PENETRATING PERFORATING WOUND KIDNEY MODERATE—KIDNEY SALVAGEABLE
314	STRESS REACTION SEVERE UNSTABLE DELAYED IMPROVEMENT
315	STRESS REACTION SEVERE UNSTABLE PERSISTING
316	ALCOHOL DEPENDENCY SEVERE—IMPENDING OR ACTUAL DTS
317	DRUG MISUSE (OTHER THAN ALCOHOL) SEVERE—ATYPICAL NO DEPENDENCY
318	STRESS REACTION SEVERE—RAPID IMPROVEMENT
319	WOUND FINGERS OPEN LACERATED CONTUSED CRUSHED WITH FRACTURE(S) OF PHALANGEALS NOT REQUIRING REHABILITATION
320	DISLOCATION/SUBLUXATION TEMPOROMANDIBULAR JOINT WITHOUT FRACTURE CHRONIC REQUIRING CORRECTION
321	DISLOCATION/SUBLUXATION TEMPOROMANDIBULAR JOINT WITHOUT FRACTURE ACUTE INITIAL INJURY
322	FRACTURE MANDIBLE WITH/WITHOUT ORAL LACERATION WITHOUT AIRWAY INVOLVEMENT UNSTABLE SEVERE REQUIRING OPEN REDUCTION
323	FRACTURE MANDIBLE WITH/WITHOUT ORAL LACERATION WITHOUT AIRWAY INVOLVEMENT MILD DISPLACEMENT STABLE
324	STRESS REACTION SEVERE STABLE—DELAYED IMPROVEMENT
325	STRESS REACTION SEVERE STABLE PERSISTING
326	NOT ASSIGNED
327	NOT ASSIGNED

PC DESCRIPTION

PC	PC DESCRIPTION
328	ANIMAL BITES AND RABIES EXPOSURE
329	TRACHOMA ALL CASES
330	SCHISTOSOMIASIS ALL CASES
331	MALARIA SEVERE--ALL SPECIES
332	MALARIA MODERATE--ALL SPECIES
333	FEBRILE ILLNESS ACUTE SEVERE--EXCEPT MALARIA AND PNEUMONIA
334	FEBRILE ILLNESS ACUTE MODERATE
335	SNAKE BITE
336	NOT ASSIGNED
337	NOT ASSIGNED
338	NOT ASSIGNED
339	CUTANEOUS ULCERS INCLUDING LEISHMANIASIS
340	NOT ASSIGNED
341	NOT ASSIGNED
342	NOT ASSIGNED
343	NOT ASSIGNED
344	NOT ASSIGNED
345	NOT ASSIGNED
346	EYE WOUND DIRECTED ENERGY INDUCED (LASER) SEVERE OF MACULA AND/OR OPTIC NERVE, WITH VITREOUS BLOOD, SEVERE VISUAL LOSE, ONE OR BOTH EYES
347	EYE WOUND DIRECTED ENERGY INDUCED (LASER/RFR) MODERATE TO SEVERE, POSTERIOR, NONMACULAR, NONOPTIC NERVE, VISUAL LOSS SECONDARY TO VITREOUS BLOOD
348	EYE WOUND DIRECTED ENERGY INDUCED (LASER) MODERATE NONMACULAR, NONOPTIC NERVE, NO VITREOUS BLOOD
349	EYE WOUND DIRECTED ENERGY INDUCED (LASER/RFR) MILD TO MODERATE, ANTERIOR, PAIN WITH PHOTOPHOBIA AND DISRUPTION OF CORNEAL INTEGRITY
350	EYE WOUND DIRECTED ENERGY INDUCED (LASER/RFR) MILD FLASH BLINDNESS NO PERMANENT INJURY
	CHEMICAL BIOLOGICAL RADIOLOGICAL:
351	ANTHRAX, INHALATION, NON-VACCINATED ¹ , INCUBATING, ASYMPTOMATIC
352	ANTHRAX, INHALATION, NON-VACCINATED, PRODROMAL
353	ANTHRAX, INHALATION, NON-VACCINATED, ACUTE
354	ANTHRAX, INHALATION, VACCINATED, ASYMPTOMATIC
355	ANTHRAX, INHALATION, VACCINATED, PRODROMAL
356	ANTHRAX, INHALATION, VACCINATED, ACUTE

¹ Vaccinated assumes received at least three doses of vaccine for anthrax and is up to date on vaccine/booster schedule

PC DESCRIPTION

PC	PC DESCRIPTION
357	PLAGUE, INHALATION, INCUBATING, ASYMPTOMATIC
358	PLAGUE, INHALATION, ACUTE
359	PLAGUE MENINGITIS
360	BOTULISM WITH RESPIRATORY FAILURE
361	BOTULISM WITHOUT RESPIRATORY FAILURE
361A	BOTULISM EXPOSURE WITHOUT SYMPTOMS
362	STAPHYLOCOCCAL ENTEROTOXIN B WITH RESPIRATORY FAILURE
363	STAPHYLOCOCCAL ENTEROTOXIN B WITHOUT RESPIRATORY FAILURE
364	VENEZUELAN EQUINE ENCEPHALITIS WITH CENTRAL NERVOUS SYSTEM INVOLVEMENT
365	SMALLPOX, INCUBATING, ASYMPTOMATIC
366	SMALLPOX, SYMPTOMATIC
367	TULAREMIA, INHALATION, INCUBATING ASYMPTOMATIC
368	TULAREMIA, INHALATION, ACUTE
369	RICIN, INHALATION
370	Q FEVER, INHALATION, INCUBATING, ASYMPTOMATIC
371	Q FEVER, INHALATION, ACUTE
382	NERVE AGENT VAPOR ONLY (INHALATION) MILD
383	NERVE AGENT VAPOR MODERATE
384	NERVE AGENT VAPOR SEVERE
385	NERVE AGENT LIQUID MILD
386	NERVE AGENT LIQUID MODERATE
387	NERVE AGENT LIQUID MODERATELY SEVERE
388	NERVE AGENT LIQUID SEVERE
389	WOUND, LOWER LEG, OPEN, LACERATED, PENETRATING, WITHOUT FRACTURES, REQUIRING MAJOR DEBRIDEMENT, MODERATELY CONTAMINATED WITH LIQUID NERVE AGENT
390	NERVE AGENT COMBINED PENETRATING ABDOMINAL WOUND
391	MUSTARD LIQUID/VAPOR MILD
392	MUSTARD LIQUID/VAPOR MODERATE
393	MUSTARD LIQUID/VAPOR SEVERE
394	HD/LEWISITE COMBINATION, MILD
395	PHOSGENE OXIME
396	CYANIDE (AC) INHALATION, MILD
397	CYANIDE (AC) INHALATION, SEVERE
398	PULMONARY AGENT WITH EARLY (<4HOURS) SYMPTOMS
399	PULMONARY AGENT WITH DELAYED (>4 HOURS) SYMPTOMS
400	ANTICHOLINERGIC INCAPACITATING AGENT
401	WHITE PHOSPHORUS INJURY, SKIN EXPOSURE

PC	PC DESCRIPTION
	PREVENTIVE MEDICINE:
501	WATER SANITATION
502	PEST CONTROL
503	HEAT/COLD INJURY PREVENTION
504	INFECTIOUS DISEASE PREVENTION
505	FOOD SANITATION
506	COMMON AREA SANITATION
507	BERTHING AREA SANITATION
508	WASTE MANAGEMENT
509	FORCE TRAINING
510	HEARING CONSERVATION
	SHIPBOARD INJURY:
600	HYPHEMA ALL CASES
601	VERRUCA, PLANTAR WARTS, ANAL, GENITAL CONDYLOMAS
602	COMMON DERMATITIS—PURITIS, UTICARIA
603	SMOKE INHALATION
604	ELECTRICAL SHOCK
605	ARTHRITIS
606	CONSTIPATION, FECAL IMPACTION
607	MOTION SICKNESS, VERTIGO
608	GASTROENTERITIS
609	STROKE
610	DIABETES
611	ACNE, SEBACEOUS GLAND CONDITION
612	RICKETTSIAL DISEASE INCLUDING ROCKY MOUNTAIN SPOOTED FEVER, SSCRUB TYPHUS
613	POISONING, INCLUDING INGESTION, INHALATION, CONTACT
614	DECOMPRESSION SICKNESS
615	SYNCOPE, VASOVAGAL
616	AIRCRAFT ACCIDENT (COLLECT BLOOD, URINE SAMPLES ONLY)
	DENTAL:
800	ACUTE NECROTIZING GINGIVITIS (ANUG)—AN INFLAMMATION OF THE GINGIVA CHARACTERIZED BY NECROSIS OF THE PAPILLAE, ULCERATION OF THE GINGIVAL MARGINS, APPEARANCE OF A PSEUDOMEMBRANE, PAIN, AND A FETID MOUTH ODOR
801	ALVEOLITIS/ALVEOLAR OSTEITIS (LOCALIZED)—INFECTION OF AN EXTRACTION SITE (DRY SOCKET, LOCALIZED OSTEITIS)
802	APICAL ABSCESS/PERIAPICAL ABSCESS—COLLECTION OF PURULENT EXUDATE AROUND THE AREA OF THE TOOTH THAT


PC DESCRIPTION

PC

	SURROUNDS THE ROOT TIP
803	AVULSED, MOBILE, DISPLACED TOOTH—SEPARATION OR DISPLACEMENT OF AN ENTIRE TOOTH STRUCTURE FROM ITS SUPPORTING AND ATTACHING TISSUES
804	CANDIDIASIS—FUNGAL INFECTION
805	CARIES NO PULP INVOLVEMENT—DETERIORATION OF ENAMEL BY DECAY THAT DOES NOT EXTEND TO THE PULP
806	CARIES PULP INVOLVEMENT—DETERIORATION OF ENAMEL BY DECAY THAT EXTENDS TO THE PULP
807	CELLULITIS—INFLAMMATION OF THE SUBCUTANEOUS TISSUE CAUSED BY GROUP A BETA HEMOLYTIC STREPTOCOCCI
808	CROWN LOOSE—LOOSE TOOTH CAP
809	CROWN BROKEN/MISSING—BROKEN OR FRACTURE OF TOOTH CAP
810	DEFECTIVE RESTORATION—DETERIORATION, FRACTURE, OR LOSS OF PERMANENT OR TEMPORARY NON-CAST RESTORATION
811	DENTIN HYPERSENSITIVITY—A PORTION OF THE PROTECTIVE COVERING FROM THE HARD ENAMEL COATING OF THE TOOTH IS LOST CAUSING THE ODONTOBLASTS TO BE EXPOSED AND HYPERSENSITIVE TO HOT AND COLD SUBSTANCES
812	FOOD IMPACTION/FOREIGN BODY REMOVAL—FOOD OR OBJECT THAT IS LODGED IN GUMS
813	FRACTURED ALVEOLAR BONE—A BREAK IN THE BONE SURROUNDING A TOOTH
814	FRACTURED MANDIBLE—FRACTURE OR BREAK OF THE LOWER JAW
815	FRACTURED MAXILLA—FRACTURE OR BREAK OF THE UPPER JAW
816	FRACTURED TOOTH—FRACTURE OR BREAK IN THE TOOTH WITH OR WITHOUT THE LOSS OF A PORTION OF THE TOOTHENAMEL CROWN
817	GINGIVITIS—ACUTE OR CHRONIC INFLAMMATION OF THE GINGIVA
818	MAXILLARY SINUSITIS—INFECTION OF SINUS AREA ACCOMPANIED BY INFLAMMATION AND DRAINAGE CONDITIONS MAY MIMIC TOOTHACHE
819	OCCLUSAL TRAUMA—TRAUMA TO THE INCISAL SURFACE OR OCCLUSION OF TEETH
820	ORAL ULCERS : (COLD SORES, ORAL HERPES, APTHOUS ULCERS, CANKER SORES, VESICULO-BULLOUS)—ULCERS THAT AFFECT THE ORAL CAVITY
821	OSSEOUS SEQUESTRUM—BONE SPLINTERS
822	OSTEOMYELITIS—MICROBIAL INFECTION OF BONE MARROW
823	SOFT TISSUE TRAUMA, LACERATION—ORAL OR FACIAL SOFT TISSUE ABRASION, CONTUSION, OR BURN
824	PERICORONITIS/ERUPTING TOOTH—ACUTE INFLAMMATION OF TISSUE AREA SURROUNDING TOOTH, MOST COMMONLY ASSOCIATED WITH ERUPTING THIRD MOLARS
825	PERIODONTITIS/PERIODONTAL ABSCESS—ADVANCED GUM DISEASE AND INFLAMMATION WHICH CAUSES BONE LOSS RESULTING IN TOOTH LOSS IF UNTREATED
826	POST OPERATIVE PROBLEM—CONDITIONS ASSOCIATED WITH PREVIOUS OPERATIVE TREATMENT SUCH AS BITE ADJUSTMENT, ETC
827	POST SURGICAL PROBLEM—CONDITIONS ASSOCIATED WITH PREVIOUS SURGICAL TREATMENT SUCH AS SWELLING FROM TOOTH EXTRACTION, ETC
828	PROSTHESIS LOOSE—DETERIORATION OF ADHESION OF A FIXED OR REMOVABLE APPLIANCE THAT REPLACES MISSING TEETH (FOR EXAMPLE BRIDGES, DENTURES AND PARTIALS)

PC DESCRIPTION

PC	PC DESCRIPTION
829	PROSTHESIS (BROKEN/MISSING)—ABSENCE, DETERIORATION DEFECT, OR FRACTURE OF A FIXED OR REMOVABLE APPLIANCE THAT REPLACES MISSING TEETH (FOR EXAMPLE BRIDGES, DENTURES AND PARTIALS)
830	PULPITIS (IRREVERSIBLE)—INFLAMMATION OF THE DENTAL PULP OR NERVE ASSOCIATED WITH THROBBING CONTINUOUS PAIN THAT IS SPONTANEOUS THAT LINGERS EVEN AFTER THE STIMULUS IS REMOVED
831	PULPITIS (REVERSIBLE)—INFLAMMATION OF THE DENTAL PULP OR NERVE ASSOCIATED WITH SHORT LIVED PAIN FOLLOWING APPLICATION OF HOT, COLD, SWEET, OR BITING STIMULUS
832	ROOT FRACTURE—FRACTURE OR BREAK IN PART OF THE TOOTH BELOW THE CROWN
833	SPACE INFECTION



sample output

- Supplies for Current Scenario
- Detailed Analysis of Supplies
- Patient Stream for Current Scenario
- Patient Conditions Requiring a Supply
- Tasks Requiring a Supply
- Patient Conditions and Tasks for a Supply
- Task Profile for a Patient Condition
- Supplies for a Patient Condition
- Tasks and Supplies for a Patient Condition
- Patient Conditions for a Selected Task
- Supplies for a Selected Task
- Patient Conditions and Supplies for a Selected Task

Supplies for Current Scenario

SWA Halt Scenario

Selected functional areas for the report:
First Responder and BAS

Report Designer - supp1.frx - Page 6 - Estimating Supplies Program (ESP)

File Tables Maintain Toolbar Edit View Window Help

75%

Supplies for Current Scenario

SWA Halt

Battalion Aid Station/Sick Call

Men	Women	QtyUM	UM	QtyPkg	UI	ECD	Weight	Cube	Cost
660601210447Z	TRIAZEMOLONE ACETONIDE 505P 40MG/ML SOLN VI	140.0	MC	1	PKG	X	0.007	0.002	8.28
660600753961E	TRIFLUORIDE 4 PEROXOPEROXIDE TABS 100E	72.0	TE	1	PKG	X	0.160	0.006	2.15
6606010082054	UNDECYLENIC 4 ZINC UNDECYLENIC POWDER 6CM	1.0	CO	1	CD	X	0.190	0.008	1.20
6606005434048	WATER FOR INJ STERILE USP 6FL ANVUL 25/EX	36.0	AE	2	PKG	X	1.300	0.068	19.62
6606014731170	ALUMINUM HALOGENIDE TABS 100E	63.0	TE	1	PKG	X	0.350	0.110	2.98
Total for Medications							508.966	26.922	16,288.24
Consumables									
6510002036010	ADHESIVE TAPE 3/4" X 1/2" 200YDS POLYESTER	0.1	RL	1	RL	C	2.590	0.167	12.96
6515013215211	AIRWAY KIT OROPHARYNGEAL EMERGENCY ADULT 1S	0.8	RL	1	PKG	C	0.200	0.050	176.66
6515011676637	AIRWAY NASOPHARYNGEAL ROBERTAZZI 30PR 12S	0.8	RL	1	PKG	C	3.000	0.200	59.23
651500958223E	AIRWAY PHARYNGEAL REDMAN DESIGN 30PR 12S	4.0	RL	1	PKG	C	0.260	0.026	3.97
6515011649637	AIRWAY PHARYNGEAL CUT AWAY PLASTIC 30PR 50E	4.0	RL	1	PKG	C	1.000	0.010	31.57
6510012404514	APPLICATOR BREVETED FINGER 5/16" 4IN 500E	4.0	RL	1	PKG	C	0.800	0.001	87.64
651500951473E	APPLICATOR PLASTIC/WOOD ROD 6IN LC 2000E	90.8	RL	1	PKG	C	0.650	0.650	19.40
651000201175E	BANDAGE NYLON COMP. CASH 57"X37"X52"	31.8	RL	32	EA	C	4.160	0.256	46.08
6510009137909	BANDAGE ADHESIVE FLESH 3" X 1/2" 300E	35.0	RL	1	PKG	C	0.670	0.051	5.22
651000105807	BANDAGE ELASTIC COBAY FLESH 3" X 5/8" 24E	52.7	RL	3	PKG	C	20.820	0.398	213.03
651000955822	BANDAGE ELASTIC ROLLED ACE 4INX4.5YDS 12E	37.8	RL	4	PKG	C	8.000	0.752	31.40
651000955823E	BANDAGE ELASTIC ROLLED ACE 4INX4.5YDS 12E	14.4	RL	2	PKG	C	6.500	0.568	42.50
651000583047	BANDAGE GAUZE NYLON 4.5YDS X 4YDS 100E	220.7	RL	3	PKG	C	3.450	0.078	295.65
651000955804	BANDAGE GAUZE TUBULAR FINGER 1.5INX250E	4.0	YD	1	PKG	C	0.560	0.039	12.62
651000200701E	BANDAGE GAUZE TUBULAR FINGER 7/8INX250 YDS	4.0	YD	1	PKG	C	0.780	0.064	20.78
6515006600011	BLADE SURGICAL FORCEPS DETACHABLE #10 6S	20.3	RL	4	PKG	C	0.120	0.008	5.20
6515006600010	BLADE SURGICAL FORCEPS DETACHABLE #11 6S	10.3	RL	2	PKG	C	0.060	0.002	1.78
721000955665E	BLANKET CASUALTY 84X55IN BLAST HOLD TARD	62.0	RL	62	EA	C	47.740	4.340	482.98

Temp 9 Record: 175/249 Exclusive NUM

Detailed Analysis of Supplies

Mogadishu Scenario

Selected functional areas for the report:
FRS Triage, FRS OR, FRS Post-op

Report Designer - suppdet.frx - Page 6 - Estimating Supplies Program (ESP)							
File Tables Help Toolbar Edit View Window Help							
75%							
Supplies for Mogadishu							
VASCULAR INJURY LIMB SALVAGEABLE							
163	NEW HEAD AND NECK/NECK WITH SHOCK AND PENETRATING PERFORATING WOUND SPLEEN	0.350 EA	1	1	0	100	1
Total for 6530011075798							18
6510001055807	BANDAGE ELASTIC COBAN FLESK 3" X 5YD 249	Consumables					
Task: APPLY SPLINE/IMMOBILIZE INJURY							
FA:Triage (FRS)							
Patient Conditions							
054	WOUND FOREARM OPEN LACERATED PENETRATING WITH FRACTURE AND WITH NERVE AND VASCULAR INJURY FOREARM SALVAGEABLE	5.000 RL	4	1	0	125	5
124	WOUND THIGH OPEN LACERATED PENETRATING PERFORATING WITH FRACTURE AND NERVE AND/OR VASCULAR INJURY LIMB SALVAGEABLE	6.000 RL	4	1	0	150	6
131	WOUND LOWER LEG OPEN LACERATED PENETRATING PERFORATING WITH FRACTURE AND NERVE AND/OR VASCULAR INJURY LIMB SALVAGEABLE	4.000 RL	4	1	0	100	4
137	WOUND ANKLE FOOT TOE OPEN PENETRATING PERFORATING WITH FRACTURE AND NERVE AND/OR VASCULAR INJURY LIMB SALVAGEABLE	1.000 RL	1	1	0	100	1
Total for 6510001055807							16
6510000583047	BANDAGE GAUZE KERLIX 4.5YDS X 4YDS 100S	Consumables					
Task: EMERGENCY CONTROL OF HEMORRHAGE							
FA:Triage (FRS)							
Patient Conditions							
017	WOUND FACE JAW AND NECK OPEN LACERATED WITH ASSOCIATED FRACTURES EXCLUDING SPINAL FRACTURES SPINE - WITH AIRWAY OBSTRUCTION	1.000 RL	1	1	0	100	1
054	WOUND FOREARM OPEN LACERATED PENETRATING WITH FRACTURE AND WITH NERVE AND VASCULAR INJURY FOREARM SALVAGEABLE	4.000 RL	4	1	0	100	4
124	WOUND THIGH OPEN LACERATED PENETRATING PERFORATING WITH FRACTURE AND NERVE AND/OR VASCULAR INJURY LIMB SALVAGEABLE	8.000 RL	4	1	0	100	8
131	WOUND LOWER LEG OPEN LACERATED PENETRATING PERFORATING WITH FRACTURE AND NERVE AND/OR VASCULAR INJURY LIMB SALVAGEABLE	8.000 RL	4	1	0	100	8
137	WOUND ANKLE FOOT TOE OPEN PENETRATING PERFORATING WITH FRACTURE AND NERVE AND/OR VASCULAR INJURY LIMB SALVAGEABLE	1.000 RL	1	1	0	100	1
Tmp_9 Record: 70/1798 Exclusive NUM							

Patient Stream for Current Scenario

Kernel Blitz 99 Scenario

Selected functional area for the report:
First Responder and BAS

Report Designer - patstrm.frx - Page 1 - Estimating Supplies Program (ESP)

File Tables Maintain Toolbar Edit View Window Help

75%

Casualties: 266

Patience by Categories

Category	Number	%
Abdomen & Pelvis	21	7.89
Burns	16	6.02
Environmental	3	1.13
Female Specific	1	0.38
Gastrointestinal	9	3.38
Genito Urinary	1	0.38
Head	22	8.27
Infectious/Parasitic	29	9.02
Lower Limbs	41	15.41
Multiple Injury Wounds	52	19.55
Neuropsychiatric	3	1.13
Not Assigned	2	0.75
Respiratory	10	3.76
Spine	6	2.26
Sprains & Strains	5	1.88
Superficial/Soft Tissue	21	7.89
Surgical	3	1.13
Thorax	7	2.63
Upper Limbs	16	6.02
Ophthalmological	3	1.13
Total	266	100.00

Patient Stream for Kernel Blitz 99

PC	Number of Patients	Patient Condition Description
001	1	CEREBRAL CONCUSSION CLOSED WITH/WITHOUT NONDEPRESSED LINEAR SKULL FRACTURE SEVERE - LOSS OF CONSCIOUSNESS FROM 2 TO 12 HOURS
002	3	CEREBRAL CONCUSSION CLOSED WITH/WITHOUT NONDEPRESSED LINEAR SKULL FRACTURE MODERATE - LOSS OF CONSCIOUSNESS LESS THAN 2 HOURS
003	2	CEREBRAL CONCUSSION CLOSED WITH/WITHOUT NONDEPRESSED LINEAR SKULL FRACTURE SEVERE - LOSS OF CONSCIOUSNESS EXCEEDED MORE THAN 24 HOURS WITH

Temp_4 Record 6/111 Exclusive NUM

Patient Conditions Requiring a Supply

Supply 6505013329024
Phenytoin Sodium Inj 50 MG/ML VI 25S

Selected functional areas for the query:
SC Triage/SST, SC OR, SC Ward, SC X-ray, SC Lab

Report Designer - pcsupp.frx - Page 1 - Estimating Supplies Program (ESP)

File Tables Maintain Toolbar Edit View Window Help

SPD

pcsupp

Functional Areas: SC Triage/SST, SC Operating Room, SC Ward, SC X-ray, SC Laboratory

Patient Conditions Requiring Supply 6505013329024
PHENYTOIN SODIUM INJ 50MG/ML 5ML VI 25S

Triage/SST (SC)

Patient Conditions	% Patients
001 CEREBRAL CONCUSSION CLOSED WITH/WITHOUT NONDEPRESSED LINEAR SKULL FRACTURE SEVERE - LOSS OF CONSCIOUSNESS FROM 2 TO 12 HOURS	100
002 CEREBRAL CONCUSSION CLOSED WITH/WITHOUT NONDEPRESSED LINEAR SKULL FRACTURE MODERATE - LOSS OF CONSCIOUSNESS LESS THAN 2 HOURS	100
004 CEREBRAL CONCUSSION CLOSED WITH/WITHOUT NONDEPRESSED LINEAR SKULL FRACTURE MODERATE - LOSS OF CONSCIOUSNESS FROM 12-24 HOURS WITHOUT FOCAL NEUROLOGICAL DEFICIT	100
005 CEREBRAL CONTUSION CLOSED WITH INTRACRANIAL HEMATOMA WITH/WITHOUT NON-DEPRESSED LINEAR SKULL FRACTURE - SEVERE - LARGE HEMATOMA (INCLUDING EPIDURAL HEMATOMA) WITH RAPIDLY DETERIORATING COMATOSE PATIENT	100
006 CEREBRAL CONCUSSION CLOSED WITH NONDEPRESSED LINEAR SKULL FRACTURE SEVERE	100

Tmp_9 Record: EDF/15 Exclusive NUM

Tasks Requiring a Supply


Supply 6510000583047
Bandage Gauze Kerlix 4.5 YDS X 4 YDS 100S

Selected functional areas for the query:
First Responder, BAS, FRS Triage, FRS OR, FRS Post-op,
SC Triage/SST, SC OR, SC Ward, SC X-ray, SC Lab

Report Designer - tasksupp.frx - Page 1 - Estimating Supplies Program (ESP)

File Tables Maintain Toolbar Edit View Window Help

75%

 tasksupp

Tasks Requiring Supply 6510000583047 BANDAGE GAUZE KERLIX
4.5YDS X 4YDS 100S

Functional Areas: 1RSP First Responder, BAS Battalion Aid Station, FRS
Triage, FRS OR, FRS Post-op, SC Triage/SST, SC Operating Room, SC
Ward, SC X-ray, SC Laboratory

First Responder (1RSP)

Tasks

- 018 RECOGNIZE AND RESPOND TO HEMORRHAGE
- 086 CLEAN AND DRESS WOUND
- 098 APPLY SPLINT/IMMOBILIZE INJURY
- 108 MINOR SURGICAL PROCEDURE (DEBRIDE/SUTURE/INCISION)
- 126 SEIZURE CARE/PRECAUTIONS
- 127 PATIENT RESTRAINT (GAUZE, TIES)

Battalion Aid Station (BAS)

Tasks

- 019 EMERGENCY CONTROL OF HEMORRHAGE
- 086 CLEAN AND DRESS WOUND
- 098 APPLY SPLINT/IMMOBILIZE INJURY
- 108 MINOR SURGICAL PROCEDURE (DEBRIDE/SUTURE/INCISION)
- 126 SEIZURE CARE/PRECAUTIONS
- 127 PATIENT RESTRAINT (GAUZE, TIES)
- 799 REDUCE FRACTURE

Triage (FRS)

Tasks

- 019 EMERGENCY CONTROL OF HEMORRHAGE
- 126 SEIZURE CARE/PRECAUTIONS

tmp_9 Record: 20/39 Exclusive NUM

Patient Conditions and Tasks for a Supply

Supply 6515013215211
Airway Kit Percutaneous Emergency Adult IS

Selected functional areas for the query:
SC Triage/SST, SC Ward, SC X-ray

Report Designer - pctksupp.frx - Page 1 - Estimating Supplies Program (ESP)

File Tables Maintain ToolBar Edit View Window Help

100%

pctksupp

Functional Areas: SC Triage/SST, SC Ward, SC X-ray

Tasks and Patient Conditions for Supply 6515013215211
AIRWAY KIT PERCUTANEOUS EMERGENCY ADULT IS

Triage/SST (SC)		% Patients
007	EMERGENCY CRICOTHYROIDOTOMY	
Patient Conditions		
015	FRACTURE FACIAL BONES CLOSED EXCLUSIVE OF MANDIBLE SEVERE - MULTIPLE FRACTURES	10
017	WOUND FACE JAWS AND NECK OPEN LACERATED WITH ASSOCIATED FRACTURES EXCLUDING SPINAL FRACTURES SEVERE - WITH AIRWAY OBSTRUCTION	10
019	WOUND FACE AND NECK OPEN LACERATED CONTUSED WITHOUT FRACTURES SEVERE - WITH AIRWAY OBSTRUCTIONS AND/OR MAJOR VESSEL INVOLVEMENT	50
027	FRACTURE SPINE CLOSED WITH CORD DAMAGE CERVICAL SPINE WITH RESPIRATORY INVOLVEMENT	10
029	FRACTURE SPINE OPEN WITH CORD DAMAGE CERVICAL SPINE WITH RESPIRATORY DISTRESS	50

Imp_9 Record EOF/9 Exclusive NUM

Task Profile for a Patient Condition

PC 045

Wound Upper Arm Open Penetrating Lacerated Without Fracture Severe
With Nerve and/or Vascular Injury

Selected functional area for the query:
BAS

Report Designer - taskprof.frx - Page 1 - Estimating Supplies Program (ESP)

File Tables Maintain Toolbar Edit View Window Help

taskprof

Functional Areas: BAS Battalion Aid Station

Task Profile for Patient Condition 045 WOUND UPPER ARM
OPEN PENETRATING LACERATED WITHOUT FRACTURE SEVERE -
WITH NERVE AND/OR VASCULAR INJURY

Battalion Aid Station (BAS)

Tasks	% Patients
001 TRIAGE	100
002 ASSESSMENT AND EVALUATION OF PATIENT STATUS	100
005 REMOVE AND COLLECT BELONGINGS, VALUABLES AND EQUIPMENT	100
019 EMERGENCY CONTROL OF HEMORRHAGE	100
024 VITAL SIGNS	100
049 START/CHANGE IV INFUSION SITE	100
050 ADMINISTER IV FLUID	100
085 WOUND IRRIGATION	50
096 APPLY SLING	100
103 CIRCULATION CHECK	100
145 ADMINISTER APPROPRIATE MEDICATION	100
278 ARRANGE FOR PATIENT EVACUATION	100

Imp_9 Record: EGF/14 Exclusive NUM

Supplies for a Patient Condition

PC 172
 Min Abdomen with Penetrating Perforating
 Wound of Colon and Bladder

Selected functional area for the query:
 FRS Triage

Report Designer - supp3.frx - Page 1 - Estimating Supplies Program [ESP]

File Tables Maintain Toolbar Edit View Window Help

75%

supp3

Functional Area: FRS Triage

Supplies for Patient Condition 172 MIN ABDOMEN WITH
 PENETRATING PERFORATING WOUND OF COLON AND BLADDER

Triage (FRS)	QtyUM	UH	Day1	Day2+	%PTS	QtyTot
Equipment						
6630014112405 ANALYZER CLINICAL CHEMISTRY I-STAT	1.000	EA	1	0	100	1.00
6515014604685 BLADE LARYNGOSCOPE MACINTOSH NO. 3 PLAS	1.000	EA	1	0	50	1.00
6515014604672 BLADE LARYNGOSCOPE MACINTOSH NO. 4 PLAS	1.000	EA	1	0	50	1.00
6515014604681 BLADE LARYNGOSCOPE ADULT MILLER #3 PLAS	1.000	EA	1	0	50	1.00
7210009356666 BLANKET CASUALTY PLAST FILM & ALUM 95X56IN	1.000	EA	1	0	100	1.00
7530003223527 BOOK RECORD 14X8.5IN 288 PAGES	1.000	PG	1	0	100	1.00
6515012908163 INFUSOR PRESSURE BLOOD/IV 14X6IN 1000ML	1.000	EA	2	0	100	1.00
6515013408487 INJECTOR TUBE REUSABLE 1ML & 2ML MDL UNITS	1.000	EA	1	0	1	1.00
6515014509790 LARYNGOSCOPE SET POCKET-SIZE SOFTCASE	1.000	EA	1	0	50	1.00
6530014325114 LITTER RIGID FOLDING RAVEN POLYPROPYLENE	1.000	EA	1	0	100	1.00
6530007926000 ROD IV BAG HANGING STEEL	1.000	EA	2	0	100	1.00
6515003694100 SAW FINGER RING .75IN BLADE 6IN DIA	0.100	EA	1	0	100	0.10
6515009357136 SCISSORS BANDAGE 7.25IN ANGLE TO HDL	1.000	EA	1	0	100	1.00
6515010394884 SPHYGMOMANOMETER AMERDOL 300MM MAX	1.000	EA	2	0	100	1.00
6515013146694 STETHOSCOPE LITTMAN CLASSIC II 2BIN LG	1.000	EA	1	0	100	1.00
6515014350050 SUCTION APPARATUS SURGICAL PORTABLE	1.000	EA	1	0	100	1.00
XXXXXXXXXXXX12 ULTRASOUND UNIT HAND-HELD PORT SONOSITE	1.000	EA	1	0	100	1.00
7240014643773 PAIL UTILITY PLASTIC 14QT CAPACITY 6S	1.000	EA	1	0	100	1.00
Medications						
6515002338175 ALUMINUM HYDROXIDE USP 25% 100ML CAN	2.000	CM	1	0	100	15.00
651501156005 CEFIXITIN SODIUM 150VIAL 35%	1.000	VI	1	0	100	5.00

Temp 9 Record: 30/65 Exclusive NUM

Tasks and Supplies for a Patient Condition

PC 070
Amputation Forearm Traumatic Complete All Cases

Selected functional area for the query:
First Responder

Report Designer - supp2.frx - Page 1 - Estimating Supplies Program (ESP)

File Tables Reports Tools Edit View Window Help

75%

supp2

Tasks and Supplies for Patient Condition 070 AMPUTATION FOREARM
TRAUMATIC COMPLETE ALL CASES

First Responder (1RSP)

Task: A2	REMOVE CASUALTY FROM DANGER	Qty	UH	Day1	Day2+	PTS	QtyTot
XXXXXXXXXXXX25	NO SUPPLIES ASSIGNED THIS TASK	1.000	XX	1	0	100	1.00
Task: A6	APPLY TOURNIQUET	Qty	UH	Day1	Day2+	PTS	QtyTot
6515003630565	TOURNIQUET NONPNEUMATIC 41.5-42.5 X 1.469-1.5	1.000	EA	1	0	100	1.00
Task: 001	TRIAGE	Qty	UH	Day1	Day2+	PTS	QtyTot
6530007837510	LITTER NONRIGID POLELESS NYLON 76X26IN	1.000	EA	1	0	100	1.00
0465013376792	TAG TRIAGE CARDBOARD 20DS	1.000	EA	1	0	100	1.00
Task: 002	ASSESSMENT AND EVALUATION OF PATIENT STATUS	Qty	UH	Day1	Day2+	PTS	QtyTot
XXXXXXXXXXXX09	VISUAL TASK-NO ASSIGNED SUPPLIES	1.000	XX	1	0	100	1.00
Task: 018	RECOGNIZE AND RESPOND TO HEMORRHAGE	Qty	UH	Day1	Day2+	PTS	QtyTot
651000583047	BANDAGE GAUZE KERLIX 4.5YDS X 4YDS 10DS	1.000	EA	1	0	100	1.00
6510002017430	DRESSING FIRST AID FIELD CAMO 7x8IN 12	1.000	EA	1	0	100	1.00
6510007219808	SPONGE SURG COTTONGAUZE 4x4IN STERILE 120DS	3.000	EA	1	0	100	3.00
6510007622699	SPONGE SURG 12-PLY GAUZE 8x8IN NONSTER 200S	2.000	EA	1	0	100	2.00
6510009260882	TAPE ADHESIVE SURG WOVEN LINX12YD 12S	0.500	EA	1	0	100	0.50
Task: 024	VITAL SIGNS	Qty	UH	Day1	Day2+	PTS	QtyTot
6515010390164	CASE SPHYGMOMANOMETER 8"x4.5"x 2.5"	1.000	EA	1	0	100	1.00
6515010394884	SPHYGMOMANOMETER ANEROID 300MM HgX	1.000	EA	1	0	100	1.00
6515013146694	STETHOSCOPE LITTMAN CLASSIC II 26IN LG	1.000	EA	1	0	100	1.00
Task: 049	START/CHANGE IV INFUSION SITE	Qty	UH	Day1	Day2+	PTS	QtyTot

Imp_10 Record: 19/25 Exclusive

Patient Conditions for a Selected Task

Task Z177 Diagnostic Peritoneal Lavage

Selected functional areas for the query:
First Responder, BAS, FRS Triage, FRS OR, FRS Post-op,
SC Triage/SST, SC OR, SC Ward, SC X-ray, SC Lab

Report Designer - pctask.frx - Page 1 - Estimating Supplies Program (ESP)

File Tables Maintain Toolbar Edit View Window Help

75%

Functional Areas: 1RSP First Responder, BAS Battalion Aid Station, FRS Triage, FRS OR, FRS Post-op, SC Triage/SST, SC Operating Room, SC Ward, SC X-ray, SC Laboratory

Patient Conditions Requiring Task Z177 DIAGNOSTIC PERITONEAL LAVAGE

Triage (FRS)

Patient Conditions	% Patients
098 WOUND LIVER CLOSED ACUTE (CRUSH FRACTURE) MAJOR LIVER DAMAGE	75
099 WOUND LIVER CLOSED ACUTE (CRUSH FRACTURE) MINOR LIVER DAMAGE	75
100 WOUND SPLEEN CLOSED ACUTE (CRUSH FRACTURE) ALL CASES	50
183 NIW CHEST WITH PNEUMOTHORAX SOFT TISSUE INJURY TO UPPER LIMBS AND ABDOMEN WITH WOUND OF COLON	75
184 NIW CHEST WITH PNEUMOTHORAX PELVIS AND ABDOMEN WITH WOUND OF COLON AND BLADDER	75
185 NIW ABDOMEN AND CHEST WITH MULTIPLE ORGAN DAMAGE	75

Triage/SST (SC)

Patient Conditions	% Patients
098 WOUND LIVER CLOSED ACUTE (CRUSH FRACTURE) MAJOR LIVER DAMAGE	75
099 WOUND LIVER CLOSED ACUTE (CRUSH FRACTURE) MINOR LIVER DAMAGE	75
100 WOUND SPLEEN CLOSED ACUTE (CRUSH FRACTURE) ALL CASES	75
112 DISPLACED FRACTURE OF PELVIS CLOSED WITH ASSOCIATED SOFT TISSUE DAMAGE AND PELVIC ORGAN DAMAGE	25
183 NIW CHEST WITH PNEUMOTHORAX SOFT TISSUE INJURY TO UPPER LIMBS AND ABDOMEN WITH WOUND OF COLON	75
184 NIW CHEST WITH PNEUMOTHORAX PELVIS AND ABDOMEN WITH WOUND OF COLON AND BLADDER	75
185 NIW ABDOMEN AND CHEST WITH MULTIPLE ORGAN DAMAGE	75

Trp_9 Record: EOF/13 Exclusive NUM

Supplies for a Selected Task

Task 019 Emergency Control of Hemorrhage

Selected functional areas for the query:
First Responder, BAS, FRS Triage, FRS OR, FRS Post-op,
SC Triage/SST, SC OR, SC Ward, SC X-ray, SC Lab

Report Designer - supptask.frx - Page 1 - Estimating Supplies Program (ESP)

File Tables Maintain Toolbar Edit View Window Help

75%

supptask

Functional Areas: 1RSP First Responder, BAS Battalion Aid Station, FRS Triage, FRS OR, FRS Post-op, SC Triage/SST, SC Operating Room, SC Ward, SC X-ray, SC Laboratory

Supplies for Task 019 EMERGENCY CONTROL OF HEMORRHAGE

Battalion Aid Station (BAS)

Supplies and supply quantities for this task vary by Patient Condition

Consumables

6510002011755	BANDAGE MUSLIN COMP. CASHM. 37"X37"X52"
6510001055807	BANDAGE ELASTIC COBAN FLESH 3" X 5YD 243
6510009355832	BANDAGE ELASTIC ROLLED ACE 4INX4.5YDS 125
6510000583047	BANDAGE GAUZE KERLIX 4.5YDS X 4YDS 1005
6510009355904	BANDAGE GAUZE TUBULAR FINGER 1.5INX2.5YDS
6510002007015	BANDAGE GAUZE TUBULAR FINGER 7/8INX50 YDS
6510012435894	DRESSING BURN 4x16IN w/WATER GEL 285
6510014081920	DRESSING CHEST WOUND SEAL ASHERMAN 105
6510002017425	DRESSING FIRST AID FIELD CAMO 11x12IN
6510002017430	DRESSING FIRST AID FIELD CAMO 7x8IN 15
6510000835578	DRESSING FIRST AID FIELD WHITE 4x6IN PLEATED
6510005596130	PAD POST-SURG OBSTETRICAL SUPER SIZE 125
6510007822699	SPONGE SURG 12-PLY GAUZE 8x4IN MONSTER 2005
6510007219808	SPONGE SURG COTTONGAUZE 4x4IN STERILE 12005
6510009268882	TAPE ADHESIVE SURG WOVEN 1INX12YD 125
6515003830565	TOURNIQUET NONPNEUMATIC 41.5-42.5 X L.459-1.5

Triage (FRS)

Imp 10 Record: 25/35 Exclusive NUM

Patient Conditions and Supplies for a Selected Task

Task ZZ39
Nasal Packing

Selected functional area for the query:
SC Triage/SST

Report Designer - supctask.frx - Page 1 - Estimating Supplies Program (ESP)

File Tables Window Toolbar Edit View Window Help

75%

SPD

supccask

Patient Conditions and Supplies for Task ZZ39 NASAL PACKING

Triage/SST (SC)

The supplies for this task are the same for all Patient Conditions

PC	Patient Conditions	Patients
015	FRACTURE FACIAL BONES CLOSED EXCLUSIVE OF MANDIBLE SEVERE - MULTIPLE FRACTURES	100
017	WOUND FACE JAWS AND NECK OPEN LACERATED WITH ASSOCIATED FRACTURES EXCLUDING SPINAL FRACTURES SEVERE - WITH AIRWAY OBSTRUCTION	100
019	WOUND FACE AND NECK OPEN LACERATED CONTUSED WITHOUT FRACTURES SEVERE - WITH AIRWAY OBSTRUCTIONS AND/OR MAJOR VESSEL INVOLVEMENT	100

Consumables

Consumables	Quantity	Unit
6510002020800 GAUZE PETROLATUM ACCORDION 18x31E 12E	1.000	EA

Record EOF/1 Exclusive

REPORT DOCUMENTATION PAGE

The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB Control number. **PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.**

1. Report Date (DD MM YY) Oct 2000	2. Report Type Final	3. DATES COVERED (from - to) Oct 1999 to Oct 2000
4. TITLE AND SUBTITLE Estimating Supplies Program (ESP) Users Manual		5a. Contract Number:
6. AUTHORS Anne Topeano		5b. Grant Number:
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Naval Health Research Center P.O. Box 85122 San Diego, CA 92186-5122		5c. Program Element: 63706N
8. SPONSORING/MONITORING AGENCY NAMES(S) AND ADDRESS(ES) Chief, Bureau of Medicine and Surgery MED-02 2600 E St NW Washington DC 20372-5300		5d. Project Number: M0095
		5e. Task Number: 005
		5f. Work Unit Number: 6809
		9. PERFORMING ORGANIZATION REPORT NUMBER Report No. TD-00-4D
		10. Sponsor/Monitor's Acronyms(s) BUMED, ONR, MARCORSSYSCOM
		11. Sponsor/Monitor's Report Number(s)

12 DISTRIBUTION/AVAILABILITY STATEMENT
Approved for public release; distribution unlimited.

13. SUPPLEMENTARY NOTES

14. ABSTRACT (maximum 200 words)

The Estimating Supplies Program (ESP) is a user-friendly computer program designed to calculate the amount of supplies required by an operational scenario. Under the sponsorship of the Marine Corps Systems Command, the Naval Health Research Center (NHRC) developed the program for medical providers, trainers, and planners. The ESP User's Guide illustrates how to run ESP without complex technical language. The user selects a medical mission scenario by entering casualty flow data into ESP or by importing a patient stream from a casualty estimation program, such as FORECAS. ESP uses casualty estimates, level of care, and functional area to generate the supplies and equipment necessary to treat the given patient distribution.

NHRC designed, developed, and utilized a systematic process to review the Marine Corps medical supply requirements. This approach consisted of identifying the medical tasks required to treat patients with specific injuries and illnesses and determining the supplies and equipment required by each task. Over 130 Subject Matter Experts (SMEs) with operational experience participated in this process by reviewing treatment briefs, tasks, supplies, and equipment, and by examining their usefulness for Marine Corps medical providers in forward areas of care. To determine the amount of consumable supply requirements, a patient generating model was used to project the frequency of specific injuries and illnesses likely to occur in theater. Substantial reductions (approximately 30%) in the number of items, weight, and cube were achieved. By establishing the clinical requirement for each item pushed forward, the NHRC model was able to reduce the logistical burden carried by Marine Corps units and enhance far forward clinical capability. The result of this effort is a database that can be accessed to estimate supplies and equipment based on a given patient stream distribution.

NHRC has incorporated this research and the databases into ESP to provide medical planners, providers, trainers and logisticians with the ability to calculate the supplies and equipment needed to treat a particular patient distribution.

15. SUBJECT TERMS

16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT UNCL	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON Commanding Officer
a. REPORT UNCL	b. ABSTRACT UNCL	c. THIS PAGE UNCL			19b. TELEPHONE NUMBER (INCLUDING AREA CODE) COMM/DSN: (619) 553-8429