

Received STAN 01, Accepted 25 Jan 01 f.d.3

REPORT DOCUMENTATION PAGE

AFRL-SR-BL-TR-01-

0126

The public reporting burden for this collection of information is estimated to average 1 hour per response, including gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments or information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters (0704 0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202 4302. Respondents should be aware that providing information for this collection of information is not required if it does not display a currently valid OMB number. **PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.**

1. REPORT DATE (DD-MM-YYYY) 31-05-2000		2. REPORT TYPE Final		3. DATES COVERED (From - To) Jan 1996 - May 2000	
4. TITLE AND SUBTITLE Coupling of Earth's Magnetosphere and Ionosphere in a Realistic Magnetic Field				5. CONTRACT NUMBER	
				5b. GRANT NUMBER F49620-96-1-0236	
				5c. PROGRAM ELEMENT NUMBER n/a	
				5d. PROJECT NUMBER n/a	
6. AUTHOR(S) Huang, Tian-Sen Le-Sager, Philippe Petrov, Yuri, V				5e. TASK NUMBER n/a	
				5f. WORK UNIT NUMBER n/a	
				5g. PERFORMING ORGANIZATION REPORT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Prairie View A&M University P. O. Box 667 Prairie View, Texas 77446				8. PERFORMING ORGANIZATION REPORT NUMBER Acct: 555300	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Office of Sponsored Programs PVAMU P. O. Box 667 Prairie View, Texas 77446				10. SPONSOR/MONITOR'S ACRONYM(S) O S P	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S) n/a	
12. DISTRIBUTION/AVAILABILITY STATEMENT not for public release				AIR FORCE OFFICE OF SCIENTIFIC RESEARCH (AFOSR) NOTICE OF TRANSMITTAL DTIC. THIS TECHNICAL REPORT HAS BEEN REVIEWED AND IS APPROVED FOR PUBLIC RELEASE LAW AFR 190-12. DISTRIBUTION IS UNLIMITED.	
13. SUPPLEMENTARY NOTES n/a					
14. ABSTRACT This was a two part performance proposal consisting of 1. Completion of a computer simulation code to model the Earth's magnetosphere and ionosphere coupling in a realistic magnetic field; 2. development of a new plasma kinetic theory, the guiding field line approximation, and application of it to the calculation of plasma current in a steady state. We started with the ionospheric electrodynamics for a realistic magnetic field to solve Vasyliunas' coupling equation which represents the coupling of the Earth's magnetosphere and ionosphere. Model was constructed on the basis of International Geomagnetic Reference Field, we assumed that no electric potential drop along field lines and no magnetospheric current exist except for a birkeland current that flows along a flux tube from one hemisphere to another.					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT uu	18. NUMBER OF PAGES 3	19a. NAME OF RESPONSIBLE PERSON Tian-Sen Huang
a. REPORT U	b. ABSTRACT U	c. THIS PAGE U			19b. TELEPHONE NUMBER (Include area code) 936-857-2859

**FINAL REPORT OF THE PROPOSAL "COUPLING OF
EARTH'S MAGNETOSPHERE AND IONOSPHERE IN A
REALISTIC MAGNETIC FIELD"
(January 1, 1996 — May 31, 2000)**

GRANT NUMBER: F49620-96-1-0236

PRINCIPAL INVESTIGATOR: Tian-Sen Huang

INSTITUTION: Prairie View A&M University

1. Summary of the research performance:

The research performance of this proposal consists of two parts: (1) Completion of a computer simulation code to model the Earth's magnetosphere and ionosphere coupling in a realistic magnetic field; (2) development of a new plasma kinetic theory, the guiding field line approximation, and application of it to the calculation of plasma current in a steady state. The work was conducted mainly by the Principal Investigator of this proposal, Tian-Sen Huang, his associate Philippe Le Sager, and his student Shan Gao with participation of other research staff and students.

In the first part of the performance, we started with the ionospheric electrodynamics for a realistic magnetic field to solve *Vasyliunas'* coupling equation which represents the coupling of the Earth's magnetosphere and ionosphere. For a preliminary magnetosphere-ionosphere coupling model constructed on the basis of International Geomagnetic Reference Field (IGRF), we assumed that no electric potential drop along field lines and no magnetospheric current exist except for a Birkeland current that flows along a flux tube from one hemisphere to other one and ionospheric Pederson and Hall conductances are constant. For the magnetic field we took the Euler potentials (α , β) as the coordinates. Spent several years, a code of the ionosphere-magnetosphere coupling in IGRF is completed. The code has been tested carefully, and been used to investigate the effects of higher magnetic moments (quadrupole, octupole, etc.) on the ionospheric current and Birkeland current driven by a neutral wind rotating with a constant angular velocity that is parallel to that of the solid Earth. IN addition, the code with some modification applied to study the ionospheric dynamo effects, and the magnetic field perturbation caused by the ionospheric current and Birkeland current on the Earth's surface. This code is one of a few similar code in the US, and the only one that uses the Euler potentials as the magnetic field coordinates. Some results have been reported in AGU (American Geophysical Union)

1997 Fall Meeting, AGU 1998 Fall Meeting, AGU 1999 Spring Meeting, and Air Force P. I. Meeting. The work on the calculation of the magnetic field perturbation with the ionosphere-magnetosphere coupling code will be given in the coming AGU 2000 Fall Meeting.

A piece of work to incorporate Prairie View magnetosphere-ionosphere coupling code into a more sophisticated and more practical space plasma code, the Rice Convection Model, is in progress.

The second part of our performance is a development in space plasma theory by introducing a new physics quantity of wobble magnetic moment and forming a new model for charged particle motion and plasma behavior, the guiding field line approximation. It is a significant contribution to the space plasma theory after the guiding center model. This approximation has been used to calculate the Birkeland current in the magnetospheric plasma and shown great advantage in comparison with other theories including MHD theory and drift kinetic theory. Some results have been reported in AGU 1999 Spring Meeting and Air Force P. I. 1999 Meeting, and published in Journal of Geophysical Research.

The new theoretical model is not limited to the application for space plasma physics, but also applicable for fusion plasma physics. A paper on the calculation of tokamak plasma currents has been published in Physics of Plasma.

2. Performance in education

There are two undergraduate students and one graduate student who participated in the proposed work. Through the participation in this project, the undergraduate students learned basic knowledge on space plasma physics and basic skills in running computer simulation code. The graduate student finished his master degree with the work on this project.

3. Research Capability Improvement

During the performance of this proposal, we added several computer work stations and set up a computer work station cluster. The computer system were equipped with many packages of scientific software such as IDL, IMSL and Matlab. In addition, several computers were improved by adding more ram and hard disk memories.

4. Publications and reports

T. S. Huang al., Coupling between ionosphere and magnetosphere in a realistic magnetic field: Distribution of electric field driven by a rotating neutral wind in ionosphere, AGU 1997 Fall Meeting.

P. Le Sager and T. S. Huang, Ionospheric current driven by a neutral wind: comparison between the tilted dipole and the realistic magnetic field, AGU 1998 Fall Meeting.

T. S. Huang, Birkeland current in a convecting plasma in a 2D dipole field: An application of the guiding field line model, AGU 1999 Spring Meeting.


P. Le Sager and T. S. Huang, Ionospheric current driven by a stripe neutral wind: A comparison between the tilted dipole and the realistic magnetic field, AGU 1999 Spring Meeting.

T. S. Huang, Coupling the magnetosphere and ionosphere in a realistic magnetic field, AFOSR Space Sciences Spring 1999 Review.

T. S. Huang, Wobble motion of a particle's guiding center and the related magnetic moment, Journal of Geophysical Research, Vol. 105, 5541, 2000.

Yu. Petrov and T. S. Huang, Plasma current in tokamak conditions: An application of the guiding field line model, Physics of Plasmas, Vol. 7, 4095, 2000.

P. Le Sager and T. S. Huang, Ground magnetic perturbations due to ionospheric dynamo: Important of the Earth non-magnetic distortions, AGU 2000 Fall Meeting.

A handwritten signature in black ink, appearing to read 'T. S. Huang', is located in the lower right quadrant of the page. The signature is written in a cursive style with a long horizontal stroke at the end.