

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.

1. REPORT DATE (DD-MM-YYYY)

2. REPORT TYPE
Technical Papers

3. DATES COVERED (From - To)

4. TITLE AND SUBTITLE

5a. CONTRACT NUMBER

5b. GRANT NUMBER

5c. PROGRAM ELEMENT NUMBER

6. AUTHOR(S)

5d. PROJECT NUMBER
2303

5e. TASK NUMBER
m2c8

5f. WORK UNIT NUMBER

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)

Air Force Research Laboratory (AFMC)
AFRL/PRS
5 Pollux Drive
Edwards AFB CA 93524-7048

8. PERFORMING ORGANIZATION REPORT

9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES)

Air Force Research Laboratory (AFMC)
AFRL/PRS
5 Pollux Drive
Edwards AFB CA 93524-7048

10. SPONSOR/MONITOR'S ACRONYM(S)

11. SPONSOR/MONITOR'S NUMBER(S)

12. DISTRIBUTION / AVAILABILITY STATEMENT

Approved for public release; distribution unlimited.

13. SUPPLEMENTARY NOTES

14. ABSTRACT

1121032

15. SUBJECT TERMS

16. SECURITY CLASSIFICATION OF:

17. LIMITATION OF ABSTRACT

18. NUMBER OF PAGES

19a. NAME OF RESPONSIBLE PERSON

a. REPORT

b. ABSTRACT

c. THIS PAGE

Unclassified

Unclassified

Unclassified

A

Leilani Richardson

19b. TELEPHONE NUMBER

(include area code)

(661) 275-5015

62

semirate items are enclosed

2303 MRC 8

TP-FY99-0111

✓ Spreadsheet
✓ DTS

navy
used
twice

MEMORANDUM FOR PRR (Contractor/In-House Publication)

1 June 1999

FROM: PROI (TI) (STINFO)

SUBJECT: Authorization for Release of Technical Information, Control Number: AFRL-PR-ED-TP-FY99-0111
Fajardo, "Cryosolid Propellants - The Last "Revolutionary" HEDM Concept"
Presentation HEDM CONFERENCE

(Public Release)

Cryosolid Propellants The Last “Revolutionary” HEDM Concept

Mario E. Fajardo

US Air Force Research Laboratory, Propulsion Directorate
(AFRL/PRSP Bldg. 8451, Edwards AFB, CA 93524-7680)

mario_fajardo@ple.af.mil

Introduction

“Revolutionary” vs. “Evolutionary” HEDMs
HEDM Cryosolid Propellants

— AFRL/Edwards Experimental Effort

- + HEDM Dopant Source Development
- + Dopant Source Characterization
- + Cryosolids Characterization
(thick, concentrated samples)

Summary

DISTRIBUTION STATEMENT A
Approved for Public Release
Distribution Unlimited

20021121 032

“Revolutionary” vs. “Evolutionary” HEDM

“Revolutionary” means better than LOX/LH₂

LOX/LH₂ $\Delta H_{\text{sp}} = 12.6 \text{ MJ/kg}$ (3.0 kcal/g)

HEDM Target: $\Delta H_{\text{sp}} > 15.0 \text{ MJ/kg}$ (3.6 kcal/g)

Early (c1990) Revolutionary HEDM Concepts:

tetrahydrogen (H₄)

metastable triplet helium (He* and He₂*)

spin-polarized atomic hydrogen (H↑)

high-spin species (⁵CO)

dications (AB⁺⁺, ABC⁺⁺)

“non-metallics” (e.g. O₄/H₂, N₄, N₈, N₂₀)

metallic hydrogen

metal atoms and clusters in solid H₂

HEDM Cryosolid Propellants Objectives

- * Trap 5% molar concentration of energetic additives in solid hydrogen.
- * Demonstrate size-scalable sample production method.

V
SAMI
0

HEDM Cryosolid Propellants Payoffs

Increased Specific Impulse

$$I_{sp} \propto \sqrt{\Delta H_{sp}}$$

$$\text{LOX/LH}_2 : I_{sp} = 390 \text{ s}$$

$$5\% \text{ B/sH}_2 + \text{LOX} : I_{sp} = 500 \text{ s (+30%)*}$$

350 → 650

* calculated for $P_{\text{chamber}} = 1000 \text{ ~~PSIA~~}^{\text{psia}}$, $P_{\text{exhaust}} = 14.7 \text{ ~~PSIA~~}^{\text{psia}}$


Greater Propellant Density

liquid H_2 @ 20 K : $\rho = 0.070 \text{ g/cm}^3$


solid H_2 @ 2 K : $\rho = 0.087 \text{ g/cm}^3$ (+25%)

50/50 liquid He/solid H_2 : $\rho = 0.105 \text{ g/cm}^3$ (+50%)


Experimental Diagram (c.1993)



Li/H₂ T=3K




M.E. FAJANO, J. Chem. Phys. 98, 110 (1993).



S. TAM + M. E. FASANO, UNPUBLISHED.

B/H2 raw data (c1993)



Optical Scattering in Solid Hydrogen

Crystal Growing and Quality (p. 81)

“There is a considerable art to growing hydrogen crystals of high quality. Good crystals are always grown slowly from the melt; a rapid freeze from the gas produces snow.”


Crystallite Light Scattering (p. 83)

“The reason that a good hydrogen crystal is so hard to see is its low refractive index...an estimated 1.16!


Yet a 1mm-thick layer of hydrogen crystallites can be a completely opaque brown-black.”

P.C. Souers,
Hydrogen Properties for Fusion Energy
(UC Press, Berkeley, 1986).

Deposition Cartoon




Ortho and Para Hydrogen




I.F. Silvera,
 Rev. Mod. Phys. **52**, 393 (1980).

Experimental Diagram (c1997)


M.E. Fajardo and S. Tam, J. Chem. Phys. **108**, 4237 (1998)
S. Tam and M.E. Fajardo, Rev. Sci. Instrum. **70**, 1926 (1999)



UV Transmission of 1-mm Thick B/pH₂ Sample



B/pH₂ LIF
 $\lambda_{\text{exc}} = 207, 210, 217, \text{ and } 220 \text{ nm}$



HEDM Cryosolid Propellants Status

~~Prof. D. H. F. F. F.~~

- * Demonstrated trapping of several energetic additives in solid hydrogen at concentrations below $\sim 0.1\%$.
- * Demonstrated gram-scale sample production method.

Outstanding Issues


- * Increase energetic dopant concentrations above 1 %.
- * Develop diagnostics for thick, concentrated samples.

AFRL/Edwards Experimental Approach




- * Develop high-flux HEDM dopant sources.
materials compatibility with liquid B or Al
Bill Larson's poster
- * Characterize gas-phase products of HEDM sources.
MPI/TOFMS
know species before & after deposition
Michelle DeRose's poster
- * Develop IR absorption diagnostics.
dopant induced IR absorptions
Simon Tam's poster
high-resolution IR spectroscopy in solid pH₂
My poster and this talk

HEDM dopant recombination/reaction

* ideally:



* in practice:



MR/SON
Area 7B
© Macmillan

The Perils of Calorimetry

A.M. Bass and H.P. Broida, "Formation and Trapping of Free Radicals" (Academic, New York, 1960).

108

GEORGE C. PIMENTEL


TABLE IX
CONCENTRATIONS OF FREE RADICALS REPORTED

Radical	Matrix	Mole per cent radicals	Method of production and estimate ^a	Reference
O	O ₂	4-20	Gas, cal	Minkoff <i>et al.</i> (1959).
		<3	Gas, IR	Harvey and Bass (1958)
		~1	Gas, cal	Broida and Lutes (1956)
OH	Ca(OH) ₂	0.6	γ, ESR	R. Livingston ^b
N	N ₂	4	Gas, cal	Minkoff <i>et al.</i> (1959)
		0.2	Gas, cal	Broida and Lutes (1956)
		0.03	γ, ESR	Wall <i>et al.</i> (1959b)
		>0.03	Gas, cal	Fontana (1958)
		0.01-0.04	Gas, MS	Fontana ^c
OH(?)	HCOOH	0.2	γ, ESR	Matheson and Smaller (1955)
CH ₃	CH ₄	0.14	γ, ESR	Wall <i>et al.</i> (1959a)
H	CH ₄	0.1	γ, ESR	Wall <i>et al.</i> (1959a)
N	NH ₃	0.1	Gas, ESR	Cole and Harding (1958)
H	HClO ₄ -H ₂ O	0.1	γ, ESR	Livingston <i>et al.</i> (1955)
H	H ₂ O	0.01	γ, ESR	Matheson and Smaller (1955)
H, NH ₂ (?)	NH ₃	0.01	γ, ESR	Matheson and Smaller (1955)
ROH	Alcohols	~0.01	UV, ESR	D. Ingram ^b
H	H ₂	0.0006	γ, ESR	Wall <i>et al.</i> (1959a)


^a Abbreviations: gas = rapid condensation of gaseous radicals; γ = gamma ray *in situ* production; UV = photolytic *in situ* production; IR = infrared analysis; cal = calorimetry; MS = magnetic susceptibility.

^b Private communication.





^c Fontana, B. J. (1959). *J. Chem. Phys.* **31**, 148.



ν_4 CH₄/pH₂ absorptions




ν_4 CH₄/pH₂ Absorptions



CH₄/pH₂ Energy Levels

S. Tam, M.E. Fajardo, H. Katsuki, H. Hoshina, T. Wakabashi, and T. Momose, J. Chem. Phys., submitted.



HEDM Cryosolids Accomplishments

(a list of “things that I’ll never work.”)

- * Trapped Li, B, Na, Mg, Al atoms in solid hydrogen.
- * Demonstrated production of gram-scale transparent pH_2 solids by rapid vapor deposition.
- * Demonstrated that vapor deposited pH_2 solids are densest close-packed solids, NOT amorphous.
- * Generalized phenomenon of dopant induced IR activity in pH_2 host; diagnostic for thick, concentrated samples.

Future Directions

- * Develop high-flux HEDM dopant sources.
- * Characterize gas-phase products of HEDM sources.
- * Develop IR absorption diagnostics.
dopant induced IR absorptions
high-resolution IR spectroscopy in solid pH_2

~~Handwritten signature~~

National Research Council (1998)

Report: "Maintaining U.S. Leadership in Aeronautics -- Breakthrough Technologies to Meet Future Air and Space Transportation Needs and Goals"

Assessment:

"Steady progress has been made in research on cryogenic solid propellants. Laboratory experiments have demonstrated the feasibility of ingredient storage, albeit at low concentrations, and small thruster experiments have demonstrated the stable combustion of pure cryo-solid propellants in a hybrid configuration. Much more research will be necessary before this can be called a breakthrough technology and before its readiness for transition into real launch systems can be demonstrated. Research areas are listed below:"

National Research Council (1998)

Report: "Maintaining U.S. Leadership in Aeronautics -- Breakthrough Technologies to Meet Future Air and Space Transportation Needs and Goals"

Recommended Future Research Areas:

- * computational studies of the dynamics, thermodynamics, and spectroscopy of energetic additives to cryogenic solids
- * spectroscopic characterization of highly energetic species trapped in energetic matrices at concentrations of at least 1 percent
- * production methods for energetic species
- * scale-up production of cryogenic solid propellants with energetic species concentrations of at least 1 percent
- * methods of transporting and combusting doped cryogenic solids"