

AD \_\_\_\_\_

Award Number: DAMD17-02-1-0033

TITLE: Angiogenesis and Invasiveness in Prostate Cancer Detected  
with Spectral and Spatial Resolution MRI

PRINCIPAL INVESTIGATOR: Gregory S. Karczmar, Ph.D.

CONTRACTING ORGANIZATION: The University of Chicago  
Chicago, Illinois 60637

REPORT DATE: January 2003

TYPE OF REPORT: Annual

PREPARED FOR: U.S. Army Medical Research and Materiel Command  
Fort Detrick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Approved for Public Release;  
Distribution Unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

20030904 049

**REPORT DOCUMENTATION PAGE**Form Approved  
OMB No. 074-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503

**1. AGENCY USE ONLY**  
(Leave blank)**2. REPORT DATE**  
January 2003**3. REPORT TYPE AND DATES COVERED**  
Annual (24 Dec 01 - 23 Dec 02)**4. TITLE AND SUBTITLE**

Angiogenesis and Invasiveness in Prostate Cancer Detected with Spectral and Spatial Resolution MRI

**5. FUNDING NUMBERS**

DAMD17-02-1-0033

**6. AUTHOR(S)**

Gregory S. Karczmar, Ph.D.

**7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)**The University of Chicago  
Chicago, Illinois 60637

E-Mail: gskarcz@midway.uchicago.edu

**8. PERFORMING ORGANIZATION REPORT NUMBER****9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES)**U.S. Army Medical Research and Materiel Command  
Fort Detrick, Maryland 21702-5012**10. SPONSORING / MONITORING AGENCY REPORT NUMBER****11. SUPPLEMENTARY NOTES****12a. DISTRIBUTION / AVAILABILITY STATEMENT**

Approved for Public Release; Distribution Unlimited

**12b. DISTRIBUTION CODE****13. ABSTRACT (Maximum 200 Words)**

No Abstract Provided.

**14. SUBJECT TERMS**

Prostate Cancer

**15. NUMBER OF PAGES**

7

**16. PRICE CODE****17. SECURITY CLASSIFICATION OF REPORT**

Unclassified

**18. SECURITY CLASSIFICATION OF THIS PAGE**

Unclassified

**19. SECURITY CLASSIFICATION OF ABSTRACT**

Unclassified

**20. LIMITATION OF ABSTRACT**

Unlimited

## Table of Contents

<b>Cover.....</b>	<b>1</b>
<b>SF 298.....</b>	<b>2</b>
<b>Table of Contents.....</b>	<b>3</b>
<b>Introduction.....</b>	<b>4</b>
<b>Body.....</b>	<b>5</b>
<b>Key Research Accomplishments.....</b>	<b>5</b>
<b>Reportable Outcomes.....</b>	<b>6</b>
<b>Conclusions.....</b>	<b>6</b>
<b>References.....</b>	<b>6</b>

## Annual report: **DAMD17-02-1-0033**

**(1) INTRODUCTION:** Narrative that briefly (one paragraph) describes the subject, purpose, and scope of the research.

The goal of this research is to use high spectral and spatial resolution (HiSS) MR imaging to improve images of human and murine prostate. Our work on the application of HiSS to improve anatomic and functional imaging was first described in a paper in Academic Radiology [1]. Related work from this laboratory is presented in a number of other publications [2-9]. Work from other laboratories shows that closely related methods also provide advantages for anatomic [10] and functional [11-14] MRI.

This significant body of work provides support for the feasibility of ongoing experiments in this laboratory. Specifically, we expect to 1) improve separation of water and fat signals 2) increase image contrast 3) increase sensitivity to contrast agents and to local physiology – and as a result improve detection of suspicious lesions such as cancers and particularly delineation of tumor edges. We expect that this will increase the sensitivity and specificity of MR scans for prostate cancer. To achieve these goals our original 'statement of work' is summarized as follows:

**A. Develop high spectral and spatial resolution (HiSS) magnetic resonance imaging (MRI):** We will implement fast, high-resolution, high-spectral bandwidth imaging on a 4.7 Tesla (T) scanner. The 4.7 Tesla scanner will be upgraded with a next-generation control console during the next six months. K-space trajectories of HiSS pulse sequences will be corrected for eddy-current effects. Spectral data will be processed to obtain pure absorption spectra in which truncation artifacts are minimized in each voxel. Images will be synthesized in which intensity is proportional to water resonance peak height, line width, integral, resonance frequency, number of resolved components of the water signal, and other features of the water and fat signals. To test whether the methods are working properly we will image phantoms that are constructed to provide complicated structures with differing susceptibility. In addition, we will test the methods by imaging rat brains – the brain, unlike tumor tissue, has a precisely defined and well-characterized anatomy.

**B. CAD (computer-aided diagnosis) techniques** developed by Dr. Jiang and colleagues will be adapted for use with HiSS MRI datasets. The texture of images derived from HiSS datasets, i.e., the spatial variation in image intensity, will be measured quantitatively. Tumor edges will be analyzed to determine their degree of irregularity. Changes in HiSS data following contrast media injection will be measured. These methods will be developed iteratively and in parallel with MR studies of metastatic and non-metastatic rodent tumors (see below). Each new version of the CAD method will be evaluated based on its ability to discriminate between metastatic and non-metastatic tumors.

**C. Evaluation of HiSS MRI and use of HiSS MRI to compare metastatic and non-metastatic rodent tumors implanted in murine hind limb and in murine prostate.**

**D. Studies of human prostate cancer:** We will evaluate the accuracy of HiSS imaging of patients with prostate abnormalities.

### **(3) BODY:**

**SOW A.** We implemented several different versions of HiSS on our 4.7 Tesla scanner including gradient echo echo-planar spectroscopic imaging and spin echo echo-planar spectroscopic imaging using both sinusoidal and trapezoidal gradients to sample k-space. HiSS MRI images obtained using EPSI were compared to conventional spin echo and gradient echo imaging and conventional spectroscopic imaging. In many cases HiSS showed improved detail compared to conventional imaging and in particular delineated tumors and blood vessels associated with tumors more clearly. HiSS data acquired using EPSI were very similar to HiSS data acquired using conventional SI - suggesting the eddy current effects were not significant. We acquired data from both metastatic and non-metastatic tumors implanted orthotopically and in the hind-limb.

**SOW B:** With Dr. Yulei Jiang, we are developing CAD methods for analyzing contrast enhanced MRI data. An abstract by Yahui Peng describing this work has been submitted to the RSNA. Application of neural network methods allowed improved differentiation of metastatic and non-metastatic rodent prostate tumors.

**SOW C: We do not yet have sufficient data to perform a statistically valid comparison of metastatic and non-metastatic cancers.**

**SOW D: Studies of human cancer:** We have implemented high resolution EPSI with our pelvic array coil on two of the clinical scanners. We have tested it in phantoms and have performed a number of scans of prostates of volunteers and these scans show interesting and potentially useful contrast that is not available in conventional images. We have not yet begun to scan patients because our institution is negotiating with the DOD regarding some provisions of the consent form. We hope an agreement will be reached in the next month or two. Then we will amend our IRB protocol accordingly and proceed with patient scans.

**4) KEY RESEARCH ACCOMPLISHMENTS:** Bulleted list of key research accomplishments emanating from this research

- We demonstrated advantages of HiSS imaging of orthotopic prostate cancer in mouse and we are preparing an abstract and paper describing this work.
- We demonstrated advantages of HiSS imaging of prostate tumors implanted in murine hind limb and imaged contrast media uptake in these tumors.
- Developed a protocol incorporating HiSS imaging into routine scans of human prostate.
- Developed a new approach to improving contrast in MR images based on analysis of the Fourier components of inhomogeneously broadened resonances.
- We developed new approaches to suppressing noise and accurately reconstructing EPSI image data.
- Begun to develop CAD methods for MRI data

## **(5) REPORTABLE OUTCOMES:**

- a. Karczmar GS, Fan X, Al-Hallaq HA, River JN, Tarlo K, Kellar K, Zamora M, Rinker-Schaeffer C, and Lipton MJ. Functional and anatomic imaging of tumor vasculature: High-resolution MR spectroscopic imaging combined with a superparamagnetic contrast agent. *Academic Radiology* **9**: S352-4, 2002.
- b. Fan X, Du W, Zamora M, MacEneaney PM, and Karczmar GS. "Structure of the water resonance in small voxels in rat brain detected with high spectral and spatial resolution MRI," in press, *Journal of Magnetic Resonance Imaging* **16**: 547 - 552 2002.
- c. Du W, Karczmar G, Pan X. "Effects of constant frequency noise in magnetic resonance imaging with non-uniform sampling", *Journal of Medical Physics, Med Phys* **29**:1832-1838, 2002.
- d. Du W, Du Y, Fan X, Zamora M, Karczmar G. "Reduction in Spectral Ghost Artifacts in high resolution EPSI using post processing algorithms", *Magnetic Resonance in Medicine, in press*.

### **– Degrees obtained that were/are supported by this award;**

**Weiliang Du, PhD. In Medical Physics expected 2002**

### **– Funding applied for based on work supported by this award;**

**(6) CONCLUSIONS:** Our results to date demonstrate quantitatively that there are significant advantages associated with high spectral and spatial resolution imaging of the prostate. During the next year we will begin quantitative comparison of HiSS and conventional images in metastatic and non-metastatic murine tumors and continue to improve our methods for data acquisition and analysis. We also expect to receive approval for scanning prostate patients and scan 5 – 10 patients who are scheduled for radical prostatectomy. We will compare the MR images to biopsy results.

## **REFERENCES:**

1. Kovar, D. A.; Al-Hallaq, H. A.; Zamora, M. A.; River, J. N.; Karczmar, G. S. Fast spectroscopic imaging of water and fat resonances to improve the quality of MR images. *Acad Radiol* **5**(4):269-275; 1998.
2. Kuperman, V.; River, J. N.; Karczmar, G. S. High Resolution Spectroscopic Images of Tumors. *International Society for Magnetic Resonance in Medicine* ; 1995.
3. Al-Hallaq, H. A.; Zamora, M.; Fish, B. L.; Farrell, A.; Moulder, J. E.; Karczmar, G. S. MRI measurements correctly predict the relative effect of tumor oxygenating agents on hypoxic fraction in rodent BA1112 tumors. *Int J Radiat Oncol Biol Phys* in press; 2000.
4. Al-Hallaq, H. A.; Karczmar, G. High resolution <sup>1</sup>H spectroscopic imaging of the water and fat resonances in human breast. *International Society for Magnetic Resonance in Medicine* **2**; 1997.

5. Al-Hallaq, H. A.; River, J. N.; Zamora, M.; Oikawa, H.; Karczmar, G. S. Correlation of magnetic resonance and oxygen microelectrode measurements of carbogen-induced changes in tumor oxygenation. *Int J Radiat Oncol Biol Phys* 41(1):151-159; 1998.
6. Karczmar, G. S.; Fan1, X.; Al-Hallaq1, H. A.; Zamora, M.; River, J. N.; Rinker-Schaeffer, C.; Zaucha, M.; Tarlo, K.; Kellar, K. Uptake of a Superparamagnetic Contrast Agent Imaged by MR with High Spectral and Spatial Resolution. *Magnetic Resonance in Medicine* 43:633-639; 2000.
7. Fan, X.; River, J. N.; Zamora, M.; Tarlo, K.; Kellar, K.; Rinker-Schaeffer, C.; Karczmar, G. S. Differentiation of Non-Metastatic and Metastatic Rodent Prostate Tumors with High Spectral and Spatial Resolution MRI. *Magnetic Resonance in Medicine* in press; 2001.
8. Karczmar, G.; X Fan1, H. A.-H.; River, J.; Tarlo, K.; Kellar, K.; Zamora, M.; Rinker-Schaeffer, C.; Lipton, M. J. Functional and Anatomic Imaging of Tumor Vasculature: High Resolution MR Spectroscopic Imaging Combined with a Superparamagnetic Contrast Agent. *Academic Radiology* in press; 2001.
9. Oikawa, H.; Al-Hallaq, H. A.; Lewis, M. Z.; River, J. N.; Kovar, D. A.; Karczmar, G. S. Spectroscopic imaging of the water resonance with short repetition time to study tumor response to hyperoxia. *Magn Reson Med* 38(1):27-32; 1997.
10. Sarkar, S.; Heberlein, K.; Metzger, G. J.; Zhang, X.; Hu, X. Applications of high-resolution echoplanar spectroscopic imaging for structural imaging. *J Magn Reson Imaging* 10(1):1-7; 1999.
11. Zhong, J.; Kennan, R.; Schaub, M.; Gore, J. C. Measurements of transient contrast enhancement by localized water NMR spectroscopy. *J Magn Reson B* 104(2):111-118; 1994.
12. Zhong, K.; Li, X.; Shachar-Hill, Y.; Picart, F.; Wishnia, A.; Springer, C. S. Magnetic susceptibility shift selected imaging (MESSI) and localized (1)H(2)O spectroscopy in living plant tissues. *NMR Biomed* 13(7):392-397; 2000.
13. Posse, S.; Wiese, S.; Gembris, D.; Mathiak, K.; Kessler, C.; Grosse-Ruyken, M. L.; Elghahwagi, B.; Richards, T.; Dager, S. R.; Kiselev, V. G. Enhancement of BOLD-contrast sensitivity by single-shot multi-echo functional MR imaging [In Process Citation]. *Magn Reson Med* 42(1):87-97; 1999.
14. Posse, S.; Dager, S. Using Functional Proton Spectroscopic Imaging. *International Society for Magnetic Resonance in Medicine* ; 1995.