

NAVAL HEALTH RESEARCH CENTER

COGNITIVE MEASURES OF VIETNAM-ERA PRISONERS OF WAR

*D. Williams
S. Hilton
J. Moore*

20040105 029

Report No. 02-01

Approved for public release; distribution unlimited.

NAVAL HEALTH RESEARCH CENTER
P. O. BOX 85122
SAN DIEGO, CA 92186-5122

BUREAU OF MEDICINE AND SURGERY (MED-02)
2300 E ST. NW
WASHINGTON, DC 20372-5300



RESEARCH LETTERS

Cognitive Measures of Vietnam-Era Prisoners of War

To the Editor: Although some studies have found decreased cognitive performance in repatriated prisoners of war (POWs),^{1,2} other studies have not found such deficits.^{3,4} Many of the studies that have found an intellectual decrement in POWs have methodological limitations, including failure to control for concurrent depression, posttraumatic stress disorder, or other mental illness; nonrandom selection of participants who were unmotivated to malingering; lack of a control group; and insufficient matching between POWs and controls.⁴ In contrast, the largest investigation,³ which studied more than 2500 World War II and Korean War POWs, noted that evidence of organic brain syndrome was "conspicuously absent" from the diagnoses differentiating POWs from controls. More recently, no cognitive differences were found on any cognitive test or on the computed axial tomography scans of POWs and controls.⁴ We assessed the relative cognitive status of US Navy Vietnam-era POWs using data gathered by the Naval Operational Medicine Institute's ongoing POW research program.

Methods. Case subjects were 138 naval aviator POWs who were repatriated from North Vietnam in 1973. In 1976, the Navy invited 138 control subjects to participate in the annual examination program. The controls were matched for age, year of commission, job code, education level, marital status, rank, number of flight hours, type of aircraft flown, and specific months flying combat missions. Informed consent was obtained prior to participation.⁵ During some years' annual examinations, cognitive assessment was also included.

Performance was compared between POWs and controls on 3 cognitive batteries: the Halstead-Reitan Neuropsychological Battery (HRNB), the Wechsler Adult Intelligence Scale (WAIS), and the CogScreen-Aeromedical Edition (AE). Although all POWs did not complete all 3 tests, each control was administered the same tests as his matched POW. The cases that had both matched-pair members with data on any of the 7 administrations of the 3 tests (117 matched pairs) were included in the study. Differences between groups and test sessions were assessed by multivariate analysis of variance. To assess whether POWs differed from controls on depression, the Minnesota Multiphasic Personality Inventory (MMPI) D score, which was obtained in the same testing session as the cognitive tests, was analyzed using an independent groups *t* test procedure. All analyses were conducted using SPSS v10.1.0 (SPSS Inc, Chicago, Ill).

Results. A comparison of the POWs and controls on 11 demographic variables revealed only 1 significant difference, with the control group having a mean of 0.4 more years of education (15.7 vs 16.1; $P = .03$). The results of the MMPI D score analyses indicated the groups did not differ significantly on depression except for the subgroup that completed the CogScreen-AE. The POW group had a significantly higher D score (20.00 vs 17.67; $P = .002$). There were no significant differences in baseline characteristics, however, between either POWs or controls who did or did not complete the CogScreen AE. However, both group means were well below the score differentiating clinical depression from normal variability.

Problems with colinearity, missing data, or inadequate sample sizes led to exclusion of 14 subtests of the HRNB. Multivariate results using the remaining 9 subtests indicated significant differences ($P < .001$) between cases and controls, with controls having worse performance on 6 of the 9 subtests.

Analysis of WAIS data revealed a significant difference in average scores (129.9 vs 128.4; $P = .048$) between POWs and controls, as well as significant differences between the test sessions for both groups but no interaction. In both digit-span and picture completion subtests, POWs performed better than controls. Univariate tests revealed significant between-session differences for arithmetic, vocabulary, picture completion, and block design, with performance improving over time.

Results of initial multivariate analysis of 64 CogScreen-AE subtests showed no significant between-group difference. A more detailed presentation of these results is available.⁶

Comment. The few statistically significant differences between repatriated POWs and controls showed better intellectual functioning in the POWs. The failure to find a significant decrement in POWs was likely not due to lack of statistical power. Although it is possible that the sample size had insufficient power to detect real differences between groups, the very small observed differences suggest that such an effect would not be of a large magnitude. The direction of the means suggested that the POWs may have slightly better intellectual performance than their matched controls.

Diane Williams, PhD
Susan M. Hilton, MA
Naval Health Research Center
San Diego, Calif

Jeffrey Moore, PhD
Naval Operational Medicine Institute
Robert E. Mitchell Center for Prisoner of War Studies
Pensacola, Fla

Funding/Support: This work was funded by the Center for Naval Analyses, Alexandria, Va, and supported in data collection and documentation by the Naval Operational Medicine Institute (NOMI), Pensacola, Fla.

Disclaimer: The views expressed in this article are those of the authors and do not reflect the official policy or position of the Department of the Navy, the Department of Defense, or the US Government. Approved for public release; distribution unlimited. This research has been conducted in compliance with all applicable Federal Regulations governing the protection of human subjects in research.

Acknowledgment: The authors thank Dr Joyce McMahon of the Center for Naval Analyses and CAPT Michael Ambrose of NOMI, Robert E. Mitchell Center for POW Studies, and Dr Laurel Hourani of the Research Triangle Institute for securing funding; Patti Flowers of NOMI for data documentation; Drs Cedric Garland and Lex Merrill of Naval Health Research Center for study supervision; and the Operation Homecoming Vietnam veterans for their dedication to and participation in the POW research program.

1. Sutker PB, Winstread DK, Galina ZH, Allain AN. Cognitive deficits and psychopathology among former prisoners of war and combat veterans of the Korean conflict. *Am J Psychiatry*. 1991;148:67-72.
2. Thygesen P, Hermann K, Willanger R. Concentration camp survivors in Denmark: persecution, disease, disability, compensation. *Dan Med Bull*. 1970;17:65-108.
3. Beebe GW. Follow-up studies of World War II and Korean War prisoners, II. morbidity, disability, and maladjustments. *Am J Epidemiol*. 1975;101:400-422.
4. Sulway MR, Broe GA, Creasey H, et al. Are malnutrition and stress risk factors for accelerated cognitive decline? a prisoner of war study. *Neurology*. 1996;46:650-655.
5. Nice S, Garland CF, Hilton SM, Baggett JC, Mitchell RE. Long-term health outcomes and medical effects of torture among US Navy prisoners of war in Vietnam. *JAMA*. 1996;276:375-381.
6. Williams D, Hilton SM. Cognitive consequences of the Vietnam prisoner of war experience. San Diego, Calif: Naval Health Research Center; 2002. Report No. 02-01.

REPORT DOCUMENTATION PAGE

The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB Control number. **PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.**

1. Report Date (DD MM YY) 04 01 02		2. Report Type Final		3. DATES COVERED (from - to) June - December 2001	
4. TITLE AND SUBTITLE Cognitive Consequences of the Vietnam Prisoner of War Experience				5a. Contract Number:	
6. AUTHORS Diane Williams, Ph.D., Susan Hilton, M.A.				5b. Grant Number:	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Naval Health Research Center P.O. Box 85122 San Diego, CA 92186-5122				5c. Program Element:	
8. SPONSORING/MONITORING AGENCY NAMES(S) AND ADDRESS(ES) Chief, Bureau of Medicine and Surgery MED-02 2300 E Street NW Washington DC 20372-5300				5d. Project Number:	
				5e. Task Number:	
				5f. Work Unit Number: 60005	
				9. PERFORMING ORGANIZATION REPORT NUMBER Report No. 02-01	
				10. Sponsor/Monitor's Acronyms(s) CNA, NOMI	
				11. Sponsor/Monitor's Report Number(s)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited.					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT (maximum 200 words) Experience as a prisoner of war (POW) could lead to cognitive impairment because of the injuries, including head trauma, and other stressors endured preceding and during capture, and during incarceration. Some research has reported decreased cognitive performance in repatriated POWs (RPOWs), while other research has found no cognitive impairment. The objective of this research is to assess the relative cognitive status of U.S. Navy Vietnam-era RPOWs using extant data from the Naval Operational Medicine Institute. Performance on 3 cognitive batteries was compared between RPOWs and a control group. These batteries were the Halstead-Reitan Neuropsychological Battery (HRNB), the Wechsler Adult Intelligence Scale (WAIS), and the CogScreen-Aeromedical Edition (AE). The HRNB and WAIS were each administered 3 times across 20 years, and the CogScreen-AE was administered once. The few significant differences between the cognitive performance of RPOWs and their matched controls did not indicate evidence of performance decrement for RPOWs on any cognitive measure. Results suggest that this group of RPOWs did not experience cognitive impairment as a result of their experience as POWs.					
15. SUBJECT TERMS POW, WAIS, Halstead-Reitan, CogScreen, cognitive impairment, stressor, depression, head injury, torture					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT	b. ABSTRACT	c. THIS PAGE			Commanding Officer
UNCL	UNCL	UNCL	UNCL	2	19b. TELEPHONE NUMBER (INCLUDING AREA CODE) COMM/DSN: (619) 553-8429