

MOORED OBSERVATIONS OF INTERNAL SOLITONS IN THE NORTHEASTERN SOUTH CHINA SEA





By

Steven R. Ramp

and the ASIAEX Moorings Group:

David Tang, Jim Lynch, Ching-Sang Chiu, Tim
Duda, Neal Pettigrew, Y. J. Yang, and Tony Liu

Report Documentation Page			Form Approved OMB No. 0704-0188		
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 01 DEC 2002		2. REPORT TYPE N/A		3. DATES COVERED -	
4. TITLE AND SUBTITLE Moored Observations of Internal Solitions in the Northeastern South China Sea				5a. CONTRACT NUMBER N00014-99-1-0275	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) ASIAEX Moorings Group				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release, distribution unlimited					
13. SUPPLEMENTARY NOTES Also see: M001452, The original document contains color images.					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT UU	18. NUMBER OF PAGES 41	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			



- ◆ *Loco moorings*
- ◆ *PO moorings*
- ◆ *Panda moorings*
- ◆ *Acoustical moorings*
- ★ *Wind Buoys*


ASIAEX

Mooring Positions


April – May 2001

Base graphic courtesy of David Tang,
National Taiwan University

#306




ASIAEX Mooring S7 Bottom Pressure




A Sample Wave

ASIAEX MOORING S7 (350 m) TEMPERATURE



MOORING S7 u-VELOCITY


(2-Hour High-Pass Data)



GMT Hour May 9, 2001

MOORING S7 v-VELOCITY

(2-Hour High-Pass Data)



GMT Hour May 9, 2001


MOORING S7 w-VELOCITY

(2-Hour High-Pass Data)

10 m


58 m

94 m



GMT Hour May 8, 2001


Solitons and surface roughness: How it works




[From Hsu and Liu, 2000]

Where Are They Generated?





Direction




Polar Direction




Speed







Direction




Polar Direction




Speed





Soliton Ray Traces from ASIAEX Moorings






How Do They Propagate?

SOLITON PROPAGATION: U-COMPONENT AT 60 M DEPTH

S7 (350 m)




S6 (275 m)

S5 (184 m)

SOLITON PHASE SPEED CALCULATIONS


<u>Date</u>	<u>S7 time</u>	<u>S5 time</u>	<u>dt(hrs)</u>	<u>x(km)</u>	<u>speed(m/s)</u>
May 6 2001	126.34351	126.49999	3.7555	16.6	1.22
May 6 2001	126.80453	126.95345	3.5741	16.6	1.29
May 7 2001	127.32942	127.49513	3.9770	16.6	1.16
May 7 2001	127.81335	127.96595	3.6624	16.6	1.26
May 8 2001	128.33130	128.51666	4.4486	16.6	1.03
May 9 2001	129.32694	129.51666	4.5533	16.6	1.01
May 9 2001	129.45191	129.63332	4.3538	16.6	1.06
May 9 2001	129.92265	130.09234	4.0726	16.6	1.13
May 12 2001	132.00210	132.13331	3.1490	16.6	1.46
May 12 2001	132.33189	132.46874	3.2844	16.6	1.40
May 13 2001	133.36571	133.48888	2.9561	16.6	1.56
May 14 2001	134.43980	134.57152	3.1613	16.6	1.46

So, at 4.5 days to propagate from the Luzon Strait to the ASIAX Site, the true phase relation of the “groups” with the tide looks like this!




What Happens When They Hit The Continental Shelf?


[With Application to Elevation Waves]





ASIAEX Temperature May 6, 2001

Wave Evolution Towards Shallower Water











ASIAEX Temperature May 8, 2001



Wave Evolution Towards Shallower Water





120 m



200 m




350 m




Hours on May 8 (GMT)

ASIAEX Temperature May 11, 2001


Wave Evolution Towards Shallower Water







Direction



Polar Direction



Speed



SUMMARY

- **At least three soliton generation regions for the continental shelf in the northeastern SCS**
 - Luzon Strait
 - Dongsha Island (Pratis Reef)
 - Local Continental Shelf Break
- **Luzon Strait waves**
 - Generated on neap tide when semidiurnal
 - Travel WNW towards 282° at about $1\text{--}1.4\text{ m s}^{-1}$
- **Mode-1 Waves Dominant**
- **Wave field on shelf very complicated, multiple sources interacting**


Future Work

- Need Full-Year Time Series for Predictability
 - Waves generated year-round?
- Need Concurrent Observations at Generation Site
 - Relationship between generation and barotropic tide
- Need Mid-Basin Observations
 - Spatial variation in propagation speed and vertical structure


Extra Slides for Questions

ASIAEX
Temperature
May 12, 2001


Wave Evolution
Towards
Shallower
Water







Direction




Polar Direction




Speed




ASIAEX SCS MOORED ARRAY: MEAN VELOCITY COMPONENTS FROM ALL MOORINGS




ASIAEX MOORINGS: MEAN CURRENT VECTORS



ASIAEX MOORINGS: VARIANCE ALONG PRINCIPAL AXES






WIND VECTORS FROM TUNGSHA AND OCEAN BUOY



ASIAEX




MOORING S4

(120 m Depth)



Tidal
Constituent
Ellipses

ASIAEX MOORING S4 (120 m Depth)



Tidal
Constituent
Ellipses