

REPORT DOCUMENTATION PAGE

AFRL-SR-AR-TR-05-

CC

0719

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, gathering existing data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Washington Headquarters Services, Directorate for Information Operations and Reports (0704-014302). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to provide information unless it is required by a valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.

1. REPORT DATE (DD-MM-YYYY) 03/03/2005		2. REPORT TYPE FINAL		3. DATES COVERED (From - To) 01/01/02 - 02/28/05	
4. TITLE AND SUBTITLE The Detection of Hostile Structures				5a. CONTRACT NUMBER F49620-02-1-0071	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S) David Colton and Peter B. Monk				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) University of Delaware Office of Vice Provost for Research 210 HULLIHEN HALL NEWARK, DE 19716				8. PERFORMING ORGANIZATION REPORT NUMBER Math 332112	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) USAF, AFRL AF Office of Scientific Resch 4015 Wilson Blvd Room 713 Arlington, VA 22203-1954				10. SPONSOR/MONITOR'S ACRONYM(S) AFOSR	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION / AVAILABILITY STATEMENT Distribution Statement A : Approved for public release. Distribution unlimited.					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT This grant was concerned with the development of the linear sampling method to determine the location and shape of hostile structures hidden in a known background medium from measured electromagnetic scattering data. The research included the numerical investigation of the ultra-weak variational formulation for Maxwell's equations and the solution of the inverse scattering problem for partially coated obstacles. Since it has previously been shown that the scattering due to the background can be subtracted off in a rigorous manner, for theoretical purposes it suffices to consider these problems for obstacles in a homogeneous background medium.					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT	b. ABSTRACT	c. THIS PAGE			David Colton / Peter Monk
U	U	U	UU	4	19b. TELEPHONE NUMBER (include area code) 302-831-1863

**AFOSR Grant F49620-02-1-0071
Final Performance Report**

DISTRIBUTION STATEMENT A
Approved for Public Release
Distribution Unlimited

January 1, 2002 – December 31, 2004

Principal Investigators

Dr. David Colton
University of Delaware
Newark, Delaware 19716
Phone: 302-831-1863
FAX: 302-831-4511
Email: colton@math.udel.edu

Dr. Peter Monk
University of Delaware
Newark, Delaware 19716
Phone: 302-831-1873
FAX: 302-831-4511
monk@math.udel.edu

Objectives

This grant is concerned with the development of the linear sampling method to determine the location and shape of hostile structures hidden in a known background medium from measured electromagnetic scattering data. The proposed research includes the numerical investigation of the ultra-weak variational formulation for Maxwell's equations and the solution of the inverse scattering problem for partially coated obstacles. Since it has previously been shown that the scattering due to the background can be subtracted off in a rigorous manner, for theoretical purposes it suffices to consider these problems for obstacles in a homogeneous background medium.

Status of Effort

The major objective of this proposal was to derive the linear sampling method for Maxwell's equations and to demonstrate its utility in the detection of partially coated objects. In particular, in order to avoid detection, hostile structures are typically partially coated with complex dielectric materials whereas decoys such as wooden "missiles" or "tanks" are partially coated by a thin metallic sheet in order to appear hostile. The presence of such a coating and the fact that its material properties are unknown, makes the problem of target identification particularly difficult using traditional inverse scattering techniques. However, the linear sampling method [14] is particularly well suited to such applications and hence was the method of choice for achieving the goals of this proposal.

We began by considering the inverse scattering problem for perfect conductors and imperfectly conducting obstacles and gave numerical examples of the viability of the linear sampling method in these cases [13]. We then proceeded to show how the linear sampling method can also be used to determine the support of an isotropic inhomogeneous medium from a knowledge of the far field pattern of the scattered electromagnetic wave [16]. The important practical case of limited aperture far field data was considered in [1]. Having examined the above "classical" inverse scattering

20050325 133

problems for Maxwell's equations, we then turned our attention to target identification problems for partially coated objects. We first considered the case of a perfect conductor that is partially coated by a thin dielectric layer and showed how both the shape and the surface impedance of the layer can be determined from far field data [7], [9]. Here the basic mathematical difficulty is to successfully treat mixed boundary value problems in inverse electromagnetic scattering theory where it is not known a priori whether or not the unknown object is partially coated and, if so, what are the material properties and extent of the coating. Finally, in [3] and [11], we turned our attention to the inverse scattering problem for a dielectric that is partially coated by a thin layer of a highly conducting material and showed how both the shape and surface conductivity can be determined from the far field data.

For testing the inversion algorithms mentioned above we needed to compute far field data from complex scatterers (i.e. multiply connected with coatings). We therefore needed a high order and flexible solver for the time-harmonic Maxwell system. We have investigated finite element methods for some time and the results of this investigation have appeared in a book [20]. However, for testing the above inversion procedures we have relied on the ultra weak variational formulation of Maxwell's equations using a plane wave basis on a sharply graded finite element grid. This method has good dispersion properties, and is easier to compute than the finite element method, but can suffer from conditioning limitations and is not fully understood theoretically. In [15] we have shown that the method converges, for a fixed grid, as the number of plane waves per element is increased.

Accomplishments/New Findings

The main accomplishments during the period of this report were 1) the successful use of the linear sampling method to determine the support of an isotropic inhomogeneous medium and the shape of a (possibly) partially coated perfect conductor or dielectric and 2) the derivation of an explicit formula giving the surface impedance of a partially coated perfect conductor from a knowledge of the far field pattern of the scattered electromagnetic wave and an analogous formula giving a lower bound for the surface conductivity of a partially coated dielectric.

Personnel Supported

1. Faculty
D. Colton and P. Monk (Principal Investigators)
2. Graduate Student
W. Muniz (supported by the University of Delaware)
3. Post Doctoral student
E. Darrigrand (supported by the University of Delaware)

Publications

1. F. Cakoni and D. Colton, Combined far field operators in electromagnetic inverse scattering theory, *Math. Methods Applied Science* **26** (2003), 413-429.
2. F. Cakoni and D. Colton, On the mathematical basis of the linear sampling method, *Georgian Math. Journal* **10** (2003), 411-425.
3. F. Cakoni and D. Colton, A uniqueness theorem for an inverse electromagnetic scattering problem in inhomogeneous anisotropic media, *Proc. Edinburgh Math. Soc.* **46** (2003), 293-314.
4. F. Cakoni, D. Colton and H. Haddar, The linear sampling method for anisotropic media, *J. Comp. Applied Math.* **146** (2002), 285-299.
5. F. Cakoni and D. Colton. The linear sampling method for cracks, *Inverse Problems* **19** (2003), 279-295.
6. F. Cakoni, D. Colton and E. Darrigrand, The inverse electromagnetic scattering problem for screens, *Inverse Problems* **19** (2003), 627-642.
7. F. Cakoni, D. Colton and P. Monk, The electromagnetic inverse scattering problem for partially coated Lipschitz domains, *Proc. Royal Soc. Edinburgh* **134A** (2004), 661-682.
8. F. Cakoni and D. Colton, A target signature for distinguishing perfect conductors from anisotropic media of finite conductivity, *Journal Math. Computers in Simulation* **66** (2004), 325-335.
9. F. Cakoni and D. Colton, The determination of the surface impedance of a partially coated obstacle from far field data, *SIAM J. Appl. Math.* **64** (2004), 709-723.
10. F. Cakoni and D. Colton, Mixed boundary value problems in inverse electromagnetic scattering, *Advances in Scattering Theory and Biomedical Engineering*, World Scientific Publishing, 2004, 60-70.
11. F. Cakoni, D. Colton and P. Monk, The determination of the surface conductivity of a partially coated dielectric, *SIAM J. Appl. Math.*, to appear.
12. D. Colton, Inverse acoustic and electromagnetic scattering theory, *Inside Out*, Cambridge University Press, 2003, 67-110.
13. D. Colton, H. Haddar and P. Monk, The linear sampling method for solving the electromagnetic inverse scattering problem, *SIAM J. Scientific Computation* **24** (2002), 719-731.
14. D. Colton, H. Haddar and M. Piana, The linear sampling method in inverse electromagnetic scattering theory, *Inverse Problems* **19** (2003), S105-S137.
15. D. Colton and P. Monk, Herglotz Wave Functions in Inverse Electromagnetic Scattering Theory, *Topics in Computational Wave Propagation: Direct and Inverse Problems*, Springer-Verlag, 2003, 367-394.
16. H. Haddar and P. Monk, The linear sampling method for solving the electromagnetic inverse medium problem, *Inverse Problems* **18** (2002), 891-906.
17. T. Huttunen, J.P. Kaipio and P. Monk, Computational aspects of the ultra weak variational formulation, *J. Comput. Phys.* **182** (2002), 27-46.
18. T. Huttunen, P. Monk, F. Collino and J.P. Kaipio, The ultra weak variational formulation for elastic wave problems, *SIAM J. Sci. Comput.*, **25** (2004), 1717-42.

19. T. Huttunen, P. Monk and J.P. Kaipio, The perfectly matched layer for the ultra weak variational formulation of the 3D Helmholtz equation, *Int. Jour. Numerical Methods Engineering* **61** (2004), 1072-1092.
20. P. Monk, Finite Element Methods for Maxwell's Equations, Oxford University Press, 2003.
21. P. Monk, I. Perugia and D. Schötzau, Stabilized interior penalty methods for the time-harmonic Maxwell equations, *Computer Methods in Applied Mechanics and Engineering* **192**, 4675-4697.
22. J. Sun, F. Collino, P. Monk and L. Wang, An eddy current and micromagnetism model with applications to disk write heads, *International Journal of Numerical Methods in Engineering* **60** (2004), 1673-98.

Interactions/Transitions

Professors Colton and Monk have attended numerous conferences and seminars as invited speakers both in this country and in Europe.