

SHIP PRODUCTION COMMITTEE
FACILITIES AND ENVIRONMENTAL EFFECTS
SURFACE PREPARATION AND COATINGS
DESIGN/PRODUCTION INTEGRATION
HUMAN RESOURCE INNOVATION
MARINE INDUSTRY STANDARDS
WELDING
INDUSTRIAL ENGINEERING
EDUCATION AND TRAINING

June 1976
NSRP 0002

THE NATIONAL SHIPBUILDING RESEARCH PROGRAM

Proceedings of the REAPS Technical Symposium

Paper No. 15: Use of PRELIKON at Zigler Shipyards

U.S. DEPARTMENT OF THE NAVY
CARDEROCK DIVISION,
NAVAL SURFACE WARFARE CENTER

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE JUN 1976		2. REPORT TYPE N/A		3. DATES COVERED -	
4. TITLE AND SUBTITLE The National Shipbuilding Research Program: Proceedings of the REAPS Technical Symposium Paper No. 15: Use of Prelikon at Zigler Shipyards				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Naval Surface Warfare Center CD Code 2230 - Design Integration Tools Building 192, Room 128 9500 MacArthur Blvd Bethesda, MD 20817-5700				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release, distribution unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT SAR	18. NUMBER OF PAGES 15	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

DISCLAIMER

These reports were prepared as an account of government-sponsored work. Neither the United States, nor the United States Navy, nor any person acting on behalf of the United States Navy (A) makes any warranty or representation, expressed or implied, with respect to the accuracy, completeness or usefulness of the information contained in this report/manual, or that the use of any information, apparatus, method, or process disclosed in this report may not infringe privately owned rights; or (B) assumes any liabilities with respect to the use of or for damages resulting from the use of any information, apparatus, method, or process disclosed in the report. As used in the above, "Persons acting on behalf of the United States Navy" includes any employee, contractor, or subcontractor to the contractor of the United States Navy to the extent that such employee, contractor, or subcontractor to the contractor prepares, handles, or distributes, or provides access to any information pursuant to his employment or contract or subcontract to the contractor with the United States Navy. ANY POSSIBLE IMPLIED WARRANTIES OF MERCHANTABILITY AND/OR FITNESS FOR PURPOSE ARE SPECIFICALLY DISCLAIMED.



UMTRI

70060

**Proceedings of the
REAPS Technical Symposium
June 15-16, 1976
Atlanta, Georgia**

Research and
Engineering for
Automation and
Productivity in
Shipbuilding

**IIT RESEARCH INSTITUTE
10 WEST 35 STREET
CHICAGO, ILLINOIS 60616**

**Transportation
Research Institute**

© 1976

IIT RESEARCH INSTITUTE

ALL RIGHTS RESERVED - NO PART OF
THIS BOOK MAY BE REPRODUCED IN ANY
FORM WITHOUT PERMISSION IN WRITING
FROM IIT RESEARCH INSTITUTE EXCEPT
TO QUOTE BRIEF PASSAGES IN CONNECTION
WITH A REVIEW FOR A TRADE PUBLICATION
OR THE PRESS

USE OF PRELIKON AT ZIGLER SHIPYARDS

Syed Mohammad
Zigler Shipyards, Inc.
Jennings, Louisiana

At present, Mr. Mohammad is Manager of Engineering at Zigler Shipyards. He received his bachelor and master degrees in naval architecture and marine engineering from the University of Michigan.

ABSTRACT

The objective of this paper is to demonstrate to its readers that it is possible for a shipyard, the size of Zigler, to maintain a small but an effective engineering group provided it is supported by a powerful tool like PRELIKON. Further, an inhouse engineering department in a shipyard reduces communication gaps between engineering and production, thus giving rise to increased productivity.

INTRODUCTION

The advent of computers is having and will continue to have a profound effect on the practice of Naval Architecture and the Art of Shipbuilding. The introduction of computers in general, as an aid to ship design in particular, has been widely accepted by the profession particularly in its simplest mode, as a sophisticated tool to perform routine tasks of a repetitive nature. Such applications are generally of immediate economic return, as they allow substantial reduction in manhours together with greater accuracy and thoroughness. Professor Horst Nowacki, in his paper, "Modern Approach to Integrated Ship Design," says, "The aspect of ship production must be treated as an integral part of ship design. The effects of production methods, time, and cost upon design decisions must be taken into careful consideration from the earliest design stage on. No artificial barriers must be permitted to exist between design and production decisions." I fully agree with Professor Nowacki's statement, and further believe, that this statement can be most effectively realized if the ship built by the shipyard is designed by its people too. At Zigler Shipyard, we do the complete design and engineering from the owner's requirements, with the aid of integrated computer programs called PRELIKON.

DISCUSSION

The Shipyard and Its Capabilities.

Zigler Shipyard, Division of Lee-Vac, Ltd. is situated on an 83 acre tract off the Mermentau River in Jennings, Louisiana. The shipyard was founded in 1913 for shipbuilding and repair as a Division of the G. B. Zigler Company, and started off building wooden barges. In 1967, the name of G. B. Zigler Company changed to Zigler Shipyard. Today, Zigler continues its knowledge and skills gained throughout its long period of operation with its commitment to utilize modern technology in its multi-phased construction efforts. Computer applications in the area of planning, scheduling, warehouse and material control, budgeting, and recently in the field of engineering, have contributed immensely to streamlining and making the shipyard more efficient-

The shipyard employs about 300 persons who build and repair barges, tugs, towboats, menhaden vessels, offshore supply vessels and seismographic vessels. Three years ago, the yard was building simple 150 ft. supply vessels for the Gulf of Mexico at the rate of three to four boats per year. Today, we are designing and building over 210 ft. offshore tug/supply vessels for North Sea operations, and delivering them at the rate of six to eight ships per year.

The Necessity For a System Such as PRELIKON.

Just a few years ago, the supply vessels that were built in the Gulf Coast Shipyards were small and simple, and were built mainly for use in the Gulf of Mexico. The owners of these vessels were easy to please, and there was plenty of work waiting for this new breed of vessels. The contract specifications for these vessels were thin, and the owners were happy as long as the overall dimensions of the vessel conformed to the specifications. As the supply vessels increased in number, the competition for work grew more keen. This prompted the owners and the operators to think in terms of required freight rate, and therefore, cargo deadweight.

The severe competition in the supply vessel business made the owners more demanding in the cargo carrying capacity, and the general performance of the vessel. Several owners and operators hired Naval Architects and Marine Engineers to write the specifications and act as owner's representatives. This transformed the contract specifications which formerly consisted of a few pages into a bound volume, with guarantees on deadweight, minimum deck cargo capacity, fuel capacity, speed and bollard pull. During the same period, a few supply vessels capsized while working the North Sea and other

rough waters. As a result, the classification societies and the United States Coast Guard imposed stiff statical stability requirements upon these vessels. The vessels for which no cross curves were prepared before, now had to be analyzed taking into account the effect of trim at various angles of heels. In the near future, cross curves will have to be prepared taking into account the effect of waves at various positions. All these events gave a small shipbuilder a clear choice of having its own inhouse design and engineering department or using the services of a design agent. The management at Zigler Shipyard decided to have its own design department rather than work at the leisure of an outside design agent.

At Zigler, the engineering staff comprises seven people, four of which are draftsmen. Without the aid of a system such as PRELIKON, which was made available to Zigler Shipyard in April, 1975, through the Maritime Administration, it would be very difficult, tedious and time consuming if one attempted to design a ship and analyze the hull as required.

However, with the aid of PRELIKON, we have designed one ship, and analyzed four other ships that were already in progress, and we are currently working on the design of a 300 ft. ocean going vessel. A small shipyard can have its own effective design and engineering department, maintaining total independence, provided it is backed by a powerful tool such as PRELIKON.

PRELIKON and Its Capabilities.

The PRELIKON system was developed jointly by Bergen Shipyard of the Aker Group and Det Norske Veritas in Norway. The system was released in 1970. The Maritime Administration (U. S. Department of Commerce) purchased PRELIKON as a part of AUTOKON-71 system in 1973. Realizing that the greater segment of the potential users of PRELIKON were not necessarily potential AUTOKON users, MarAd negotiated with SRS to free PRELIKON from proprietary status, thus making it available to all parties in the United States without restriction.

PRELIKON system consists of a number of applications programs covering a major part of the total design spiral. PRELIKON has its own central data base through which the various program modules communicate. New hull forms may be generated from scratch by reading in offsets or by systematic distortion of a previously designed hull.

The PRELIKON system is divided into three logical groups as follows:

- The Input Modules: Define the Hull Form
- The Working Modules: Perform the Calculations and Prepare the Output
- The Service Modules: Perform Mainly the Data Utility Functions

The Input Modules Consist of:

- BV101 : The Main HULL DEFINITION Module
- BV102 : The LINK AUTOKON-PRELIKON Module
- BV105 : The HULL VARIATION Module

The Working Modules Consist of:


- BV110: The HYDROSTATIC Module
- Bv125: The LOAD AND BALANCING Module
- BV130: The RESISTANCE Module
- NV208/NV209C: The BONJEAN Module
- NV210/NV212c: The TRANSVERSE STABILITY Module
- NV215 : The FLOODABLE LENGTH Module
- NV220 : The LAUNCHING Module
- NV241/NV242C : The TRIM TABLE Module
- NV251/NV252: The CAPACITY ULLAGE & SOUNDING Module
- NV253: The COMPARTMENT DATA Module
- NV260 : The LONGITUDINAL STRENGTH Module

The Service Modules Consist of:

- NV202 : **The** TAPE STORAGE & RETRIEVAL Module
- NV270 : **The** HULL DATA TRANSFORMATION Module
- SR500: The DATA BASE UTILITY Module

A general description of each of the modules is given in Appendix A of the paper "PRELIKON CAPABILITIES" presented at the REAPS meeting, June 26, 1974, by Mr. Svein Hansen of SRS.

PRELIKON



CONCLUSION

Computer applications in shipbuilding are here to stay. Just as Zigler Shipyard has taken advantage of PRELIKON, several other small shipyards can take similar advantage and maintain total independence by having their own design and engineering staff. An inhouse engineering department in a shipyard designs with the particular shipyard practices and constraints in mind. This reduces the communication gap between engineering and production which results in increased productivity.

ACKNOWLEDGEMENTS

It is a pleasure to acknowledge all the help, stimulation and encouragement that I received from Mr. Jack O. Pirozzolo, the President of Zigler Shipyard. My thanks to Mrs. Vicki Hebert for her excellent work in typing the paper.

REFERENCES

1. Nowacki, Horst, Modern Approach to Integrated Ship Design, The Department of Naval Architecture and Marine Engineering Report No. 141, The University of Michigan.
2. Nowacki, Horst, Computer-Aided Ship Design Lecture Notes, The Department of Naval Architecture and Marine Engineering Report No. 018, The University of Michigan.
3. Hansen, S. A., New PRELIKON Capabilities, Proceeding of the REAPS Technical Meeting, June 25-26, 1974.
4. Johnson, Fred T.; Castrinakis, Emmaneul N., PRELIKON at MarAd, Proceedings of the REAPS Technical Symposium, June 24-25, 1975.
5. REAPS PRELIKON Course Notes.

Additional copies of this report can be obtained from the
National Shipbuilding Research and Documentation Center:

<http://www.nsnet.com/docctr/>

Documentation Center
The University of Michigan
Transportation Research Institute
Marine Systems Division
2901 Baxter Road
Ann Arbor, MI 48109-2150

Phone: 734-763-2465
Fax: 734-763-4862
E-mail: Doc.Center@umich.edu