

OBSTACLE MARKING AND VEHICLE GUIDANCE SCIENCE AND TECHNOLOGY OBJECTIVE (OMVG-STO) AUGMENTED REALITY FOR ENHANCED COMMAND AND CONTROL AND MOBILITY

Sheila L. Jaszlics* Author, Scot Sanders Coauthor
Pathfinder Systems, Inc.
Lakewood, CO 80228, USA

Andy Culkin Coauthor
US Army Tank Automotive R&D Center
Warren, MI, 48937

1. THE CHALLENGE

Advances in technology, improved communications and rapidly changing conditions create an operational environment in which decisions must be made quickly and momentum, once achieved, must be sustained. The increase in Joint and Combined operations has increased the need for real-time coordination among diverse units. This demanding environment requires new display paradigms that facilitate rapid decision making, movement and command and control.

2. PROGRAM OVERVIEW

The OMVG-STO effort is creating a low-cost technology to enhance situational awareness by integrating the current tactical picture into real-world views in real time. The system provides additional, intuitive displays to support precision navigation around obstacles and through restricted terrain. The OMVG-STO system is equipped with a capability to realistically inject simulated enemy forces into real-world views to support mission rehearsal and gunnery training applications. Once fully developed, the technology will be transitioned to the Objective Force for integration into a variety of U.S. Army systems.

3. TECHNOLOGY DESCRIPTION

The OMVG-STO system uses a unique implementation of the Augmented/Enhanced Reality technology to produce real-time “combined views”. The demonstrator system uses a Kalman filter suite to obtain real-time vehicle position and orientation from data provided by a group of COTS instruments. This position and orientation information is used to align representations of the real world with a computer-generated virtual world, which contains a 3-D graphic representation of current command and control information. An imaging software/hardware

component uses a variety of masking and rendering routines to integrate the two pictures into the combined views shown in the figures.

The current OMVG-STO system supports the generation of these real-time combined displays from static and moving platforms. The current strap-on demonstrator system has been used to support smooth combined image generation on static vehicles as well as vehicles moving at speeds in excess of 60 mph. We have demonstrated an absolute fixed positional accuracy of +/- 3 to 5 meters coupled with a relative positional accuracy of +/- 2 centimeters.

4. TECHNOLOGY APPLICATIONS

The four figures in this article represent views that can be achieved using current demonstrator systems. In Figure 1 route markers are integrated into the real world view from a moving vehicle. As the vehicle moves, cones pass overhead, marking the route to be followed. Phase lines, objectives, signs, rally points and other graphics can be similarly integrated into the scene. Such a display can be used to mark out mission supply routes or contingency routes.




Figure 1: Virtual route markers generated in real-time

Report Documentation Page			Form Approved OMB No. 0704-0188		
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 2006		2. REPORT TYPE		3. DATES COVERED 00-00-2006 to 00-00-2006	
4. TITLE AND SUBTITLE Obstacle Marking and Vehicle Guidance Science and Technology Objective (OMVG-STO) Augmented Reality for Enhanced Command and Control and Mobility				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Army Tank Automotive R&D Center, Warren, MI, 48937				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES 2	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

In Figure 2 virtual markers are used to identify a cleared lane through a minefield. While we do not envision that the Objective Force will frequently construct breaches, this same technique can be used to facilitate obstacle avoidance. Precision, on-board, vehicle navigation facilitates movement through severely restricted areas, should the tactical situation mandate such maneuvers.



Figure 2: Virtual lane markers in real world

In Figure 2, the marking of the minefield breach can augment actual physical markers. If the physical markers are destroyed, the ability to navigate the breach is still retained. The marking of routes and obstacles using this technology will work in all environmental conditions to include night and limited visibility situations.

In Figure 3, a virtual target is injected into a Mark 38 gunner's real world view, using a strap-on gunnery training demonstrator. This system allows Navy personnel to engage virtual targets in a live fire or dry fire mode with the Mark 38 machine gun, while at sea. This use of the technology is being pursued in our Virtual Target Gunnery System (VTAGS) program.



Figure 3: Virtual targets support training at sea

In Figure 4 a T-80 tank is injected into the real-world view to support activities such as mission rehearsal, reconnaissance training and vehicle identification. The OMVG-STO technology can greatly improve

upon the realism of current field training by injecting a realistic virtual force into the exercise.



Figure 4: Virtual target integrated into real world, real-time scene

5. ANTICIPATED BENEFITS & CONCLUSION

The OMVG-STO enhanced reality technology is a promising method that can help the Objective Force reduce decision cycle times by integrating command and control information into real-world views. It can eliminate the time currently required to correlate separate displays with "out-of the window" views. The technology can increase overall lethality, by aiding in coordinated strikes and other cooperative activities among disparate units. The technology described here can be used to support a more agile force by increasing the realism and frequency of training. The application of this technology can lead to the ability to realistically rehearse future operations on short notice on actual terrain in actual combat vehicles. Finally, the technology can be used to increase force survivability by providing precision navigation when maneuver through constricted areas or during periods of low visibility are required.

6. ACKNOWLEDGMENTS

Our thanks to the following organizations for their support of this research over the past decade: US Army Tank Automotive R&D Center, Live Fire Test and Training Program (OSD), US Army STRICOM and DARPA.

Pathfinder Systems' technology for the insertion of virtual entities into real world, real time views is covered under US Patent 6,166,744

Use of the technology in US Government programs is covered under license agreement number STRICOM-02-L-0001.