

Award Number: DAMD17-03-1-0385

TITLE: Suppression of Breast Cancer Progression by Tissue Factor

PRINCIPAL INVESTIGATOR: Wolfram Ruf, M.D.

CONTRACTING ORGANIZATION: The Scripps Research Institute
La Jolla, CA 92037

REPORT DATE: June 2006

TYPE OF REPORT: Final

PREPARED FOR: U.S. Army Medical Research and Materiel Command
Fort Detrick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Approved for Public Release;
Distribution Unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. **PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.**

1. REPORT DATE 01-06-2006			2. REPORT TYPE Final		3. DATES COVERED 5 May 2003 – 4 May 2006	
4. TITLE AND SUBTITLE Suppression of Breast Cancer Progression by Tissue Factor					5a. CONTRACT NUMBER	
					5b. GRANT NUMBER DAMD17-03-1-0385	
					5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S) Wolfram Ruf, M.D.					5d. PROJECT NUMBER	
					5e. TASK NUMBER	
					5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) The Scripps Research Institute La Jolla, CA 92037					8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Army Medical Research and Materiel Command Fort Detrick, Maryland 21702-5012						
10. SPONSOR/MONITOR'S ACRONYM(S)					11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
13. SUPPLEMENTARY NOTES Original contains colored plates: ALL DTIC reproductions will be in black and white.						
14. ABSTRACT Tissue Factor (TF) is the cell surface receptor that activates coagulation by binding the serine protease coagulation factor VIIa (VIIa). The activation of the coagulation cascade leads to thrombin generation, fibrin formation and platelet activation which together aide tumor growth and metastasis. While the role of TF in metastasis through thrombin pathways is well established, evidence is increasing that TF may drive tumor development dependent on cell signaling pathways. A newly developed breast cancer model with a tetracycline regulated TF expression cassette shows TF enhances breast cancer tumor growth. This model will be useful to mechanisms by which TF enhances breast cancer progressssion. In this grant, we further evaluated the role of the TF cytoplasmic domain in breast cancer progressssion. We established tumor prone transgenic models in the C57Bl/6 background and compared tumor development in TF cytoplasmic domain deleted mice with wild-type animals. Consistent with a recent report, we found that the C57Bl/6 C3-TAg model is unsuitable for studying breast cancer, because mice developed debilitating chondromatosis prior to the appearance of breast tumors. Experiments are ongoing to evaluate the role of the TF cytoplasmic domain in breast cancer development and progression to metastatic disease in the PyMT model.						
15. SUBJECT TERMS Pathobiology, tumor pregression, tumor suppression, cell signaling, immunology, angiogenesis						
16. SECURITY CLASSIFICATION OF:				UU	18. NUMBER OF PAGES 7	19a. NAME OF RESPONSIBLE PERSON USAMRMC
a. REPORT U	b. ABSTRACT U	c. THIS PAGE U	19b. TELEPHONE NUMBER (include area code)			


Table of Contents

Cover.....	1
SF 298.....	2
Introduction.....	4
Body.....	4
Key Research Accomplishments.....	6
Reportable Outcomes.....	6
Conclusions.....	7
References.....	N/A
Appendices.....	N/A

Introduction

Tissue Factor (TF) is the cell surface receptor that activates coagulation by binding the serine protease coagulation factor VIIa (VIIa). The activation of the coagulation cascade leads to thrombin generation, fibrin formation and platelet activation which together may aid tumor growth and metastasis. How TF signaling pathways influence tumor progression is poorly understood. This grant specifically addressed the question whether the TF cytoplasmic domain acts as a brake of breast cancer progression or whether the TF cytoplasmic domain participates in tumor progression, utilizing TF cytoplasmic domain deleted mice as a rigorous genetic model.

Body



This application has two specific aims. Aim 1 is to analyze the role of the TF cytoplasmic domain by transfecting TF negative breast cancer cells. Preliminary data with melanoma cells showed that transfection with full-length, but not cytoplasmic domain deleted TF suppressed tumor growth, indicating a regulatory role of the TF cytoplasmic domain in certain tumor cells. In response to the suggestions of the review committees, we identified TF negative breast cancer cells and transfected these cells with human TF under the control of tetracycline regulated promoters. Tumors cells were injected subcutaneously into immunodeficient Scid/Scid mice. Mice were treated with or without tetracycline in their drinking water. Tetracycline administration

lead to the expected loss of human TF expression in the tumors. Contrary to the melanoma model, TF expression enhanced tumor growth of breast cancer cells ($p < 0.05$ using a two-tailed t-test). We could not detect phosphorylation of the TF cytoplasmic domain in these tumors and conclude that there is no apparent role for the TF cytoplasmic domain in suppressing tumor development in this breast cancer model. However, we have recently found TF phosphorylation in primary isolates of breast cancer and continue a clinical collaboration to evaluate the prognostic predictive value of this posttranslational modification of TF. Remaining tasks on Aim 1 were to test whether overexpression of WW-domains can release suppression of tumor growth by the TF cytoplasmic domain which was not feasible in the established breast cancer model. We have established by NMR experiments that the WW-domain of the prolyl isomerase Pin-1 which is required for breast cancer development in mice is a ligand for phosphorylated TF cytoplasmic domain. It is therefore possible that in breast cancer, the TF cytoplasmic domain contributes to tumor development. In conclusion, we established a breast cancer model that is suitable to study TF enhanced breast cancer growth, but this model did not show a suppression of breast cancer development by TF cytoplasmic domain signaling.




Fig. 2: Pathological cartilage in trachea (upper panels) and eyelids (lower panels) of wild-type (left) and C3-TAg (right) C57BL/6 mice.

Aim 2 is to generate tumor prone animals that lack the TF cytoplasmic domain. The first strategy was to cross hormone regulated C3-TAg mice with TF cytoplasmic domain deleted ($TF^{\Delta CD\Delta CD}$) mice. As proposed, we generated 56 mutant and 40 littermate-derived wild-type control mice that were transgene carriers and followed the cohort. Cancer free survival was up to 9 month which is longer than described in the literature for the same transgene on the FVB/N background. Most mice died from progressive weight loss between 7-9 months of age. Pathological examination revealed that these mice suffered from widespread cartilage dysplasia (achondroplasia, chondrodysplasia) in all major sites, including articular cartilage, growth plates of long bones and trachea. Fig. 2 shows examples of normal and C3-TAg trachea and eyelid cartilage. This pathology has recently been attributed to a rearrangement of the insertion site of the transgene during the backcrossing into the C57BL6 strain (Toxicol Pathol. (2004) 32:22-5).

We had originally proposed to use FVB/N-TgN(MMTVneu)202Mul mice as an alternative strategy. In considering the difficulties to control for strain effects in immunocompetent mice resulting from the cross of the FVB strain with $TF^{\Delta CD\Delta CD}$ in the C57BL/6 background, we decided to follow an alternative strategy. PyMT mice became available last year to us in the C57BL/6 genetic background. Breast cancer development in this model has been documented and the breast cancer pathology of polyoma middle T transgenic animals mirrors the stages of human breast cancer progression. We have generated the crosses between $TF^{\Delta CD\Delta CD}$ mice and PyMT mice in the C57BL6 background in the last year. We are approaching a cohort size of 20 animals that will be followed as originally proposed. We expect to have the analysis completed by the end of this calendar year.

Key Research Accomplishments

- Demonstrated enhanced tumor growth upon TF expression in breast cancer cells using a tetracyclin regulated expression cassette
- Generated and followed $TF^{\Delta CD\Delta CD}/C3-TAg$ cohort. A strain specific cartilages pathology in the C57BL/6 C3-TAg transgenic line was detected and tumor progression could not be analyzed due to the limited lifespan of the animals
- Generated $TF^{\Delta CD\Delta CD}/PyMT$ C57BL/6 mice and established a cohort with the goal to characterize breast cancer development in 20 mice in comparison to 20 wild-type mice

Reportable Outcomes

Versteeg, H. H. , Mueller, B. M., and Ruf, W. The role of tissue factor in breast cancer. Era of Hope meeting for the Department of Defense (DOD) Breast Cancer Research Program (BCRP), June 8-11, 2005, Philadelphia, Pennsylvania.

Conclusions

We have identified a strain specific reduction in breast cancer development in C3-TAg mice. We have acquired strain matched PyMT mice that in preliminary analysis develop tumors within the expected time frames of experiments published with this strain. Completion of these experiments will provide conclusive evidence for a role of the TF cytoplasmic domain in breast cancer progression.