

AD _____

Award Number: W81XWH-04-1-0700

TITLE: Nuclear Dynamics of BRCA1-Dependent Transcription Regulation

PRINCIPAL INVESTIGATOR: Zelton Dave Sharp, Ph.D.

CONTRACTING ORGANIZATION: The University of Texas Health Science Center
San Antonio TX 78229

REPORT DATE: August 2005

TYPE OF REPORT: Annual

PREPARED FOR: U.S. Army Medical Research and Materiel Command
Fort Detrick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Approved for Public Release;
Distribution Unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

REPORT DOCUMENTATION PAGE				Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.					
1. REPORT DATE 01-08-2005		2. REPORT TYPE Annual		3. DATES COVERED 15 Jul 2004 – 14 Jul 2005	
4. TITLE AND SUBTITLE Nuclear Dynamics of BRCA1-Dependent Transcription Regulation				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER W81XWH-04-1-0700	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S) Zelton Dave Sharp, Ph.D.				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) The University of Texas Health Science Center San Antonio TX 78229				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Army Medical Research and Materiel Command Fort Detrick, Maryland 21702-5012				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION / AVAILABILITY STATEMENT Approved for Public Release; Distribution Unlimited					
13. SUPPLEMENTARY NOTES Original contains colored plates: ALL DTIC reproductions will be in black and white.					
14. ABSTRACT BRCA1 coordinates cellular responses to DNA damage. It functions as a co-repressor of GADD45a transcription through interactions with a DNA-binding protein termed ZBRK1. Our goal is to develop a biosensor system to visualize transcription control by ZBRK1 and BRCA1 in single living and/or fixed cells. The rationale is to use integrated DNA binding sites to obtain real time, multiplex-based data. The reportable outcomes for the period are: 1) UAS and ZREarray-bearing plasmids have been constructed; 2) Transient and stable reporter expression have been demonstrated; 3) Stable cell lines with G20, G40 and Z32 are on line for studies; 4) Construction of fluorescent GAL4-DBD and ZBRK1 fusion protein has been achieved, and BRCA1 derivatives are in progress. When operational, this system will document real time nucleardynamics of ZBRK1/BRCA1-dependent chromatin modification systems, as cells mount transcriptional responses to genotoxins.					
15. SUBJECT TERMS BRCA1; ZBRK1; Breast Cancer, Nuclear Dynamics					
16. SECURITY CLASSIFICATION OF:			UU	18. NUMBER OF PAGES 8	19a. NAME OF RESPONSIBLE PERSON USAMRMC
a. REPORT U	b. ABSTRACT U	c. THIS PAGE U			19b. TELEPHONE NUMBER (include area code)

Table of Contents

Cover.....	
SF 298.....	2
Table of Contents.....	3
Introduction.....	4
Body.....	4
Key Research Accomplishments.....	5
Reportable Outcomes.....	5
Conclusions.....	7
References.....	7

This is a revised report to comply with formatting requirements noted by the reviewer. We apologize for this error and appreciate the opportunity to rectify this mistake in reporting. The data in the PowerPoint presentation is now included in the body of the report.

Introduction:

Families carrying defective *breast cancer 1 (BRCA1)* genes have a cumulative lifetime risk of breast and ovarian cancer (Hall et al., 1990; Miki et al., 1994; Wooster and Weber, 2003). BRCA1 coordinates cellular responses to DNA damage (Rosen et al., 2003; Zheng et al., 2000a). Functions attributed to BRCA1 include chromatin modification, ubiquitinylation, and transcription regulation. Regarding transcription, BRCA1 has been implicated in both activation and repression (Monteiro, 2000). One notable target is the growth arrest and DNA damage-inducible gene, GADD45 (Harkin et al., 1999; Jin et al., 2000; Li et al., 2000; MacLachlan et al., 2000; Sheikh et al., 2000), important in cell cycle arrest and apoptosis in response to cell stress (Sheikh et al., 2000; Taylor and Stark, 2001). BRCA1 functions as a co-repressor of GADD45 transcription by way of interactions with a DNA-binding protein termed zinc finger and BRCA1-interacting protein with a KRAB domain 1, ZBRK1 (Zheng et al., 2000b), a member of the Kruppel-associated box-zinc finger protein (KRAB-ZFP) family of transcription repressors (Collins et al., 2001). The latest evidence indicates that ZBRK1 has a BRCA1-independent repressor function by way of its KRAB domain, and a C-terminal BRCA1-dependent repressor activity, ZBRK1₅₋₉ (Tan et al., 2004).

Our goal is to develop a biosensor system to visualize transcription control by ZBRK1 and BRCA1 in single living and/or fixed cells. The rationale is to use integrated DNA binding sites to obtain real time, multiplex-based data. When operational, this system would be capable of documenting real time nuclear dynamics of ZBRK1/BRCA1-dependent chromatin modification systems, as cells mount transcriptional responses to genotoxins.

Body:

Included with this report is a PowerPoint Presentation for the recent Era of Hope meeting in Philadelphia. This is provided to document the methodology and preliminary results. Also appended is a presentation by a student, Tiffany Jones, who worked on this project as a rotation student in my laboratory.

Negative findings are that expression of the GFP-Gal4DBD has not been found to localize at fluorescent foci in the nuclei of any of our G-series cell lines. The expression of ZBRK1-GFP has also not resulted in any fluorescent nuclear foci in any of the Z-series lines. We have attempted this screen in live cells, which has lower microscopic resolution than fixed cells, which we will try next.

Finally, our first attempt at securing funding to keep this project going was not successful (see attached application for an Idea Award). We are currently looking for alternative funding sources. Since this is a technology development project, there have been, as yet, no publications.

Key Research Accomplishments:

Key research accomplishments are the establishment of several cell lines (G-series and Z-series documented in the Body and appended PowerPoint files. We have also constructed a key screening reagent, GFP-GAL4-DBD, which is the green fluorescent protein fused to the DNA-binding domain of the GAL4 activator. Also, we have finished re-engineering ZBRK1-GFP fusion to a more modern enhanced green fluorescent protein.

Reportable Outcomes:

- UAS and ZRE array-bearing plasmids have been constructed.
- Transient and stable reporter expression have been demonstrated.
- Stable lines with G20, G40 and Z32 are on line for studies.
- Construction of fluorescent GAL4-DBD and ZBRK1 and BRCA1 derivatives are underway.

Data generated:

Figure 1. ZBRK1-GFP expression plasmid. In this experiment, a plasmid constructed by a student, Tiffany Jones, was being tested for functionality. The plasmid encodes a translational fusion of ZBRK1 and the green fluorescent protein (GFP). The purpose of constructing this plasmid is to test for binding to the Z-series clones containing multimerized ZBRK1-binding sites integrated into the chromosomes. DAPI staining identifies nuclei of three cells (one is partially in the field on the lower left) and green fluorescence in nuclei (right) identifies two transiently transfected cells, indicating the expression plasmid is working properly.




Figure 2. *GAL4-DBD-GFP*

expression plasmid. In this experiment, another plasmid constructed by a student, Tiffany Jones, was also being tested for functionality. The plasmid encodes a translational fusion of the GAL4 DNA-binding domain and the green

fluorescent protein (GFP). The purpose of constructing this plasmid is to test for binding to the G-series (UAS) clones containing multimerized GAL4-binding sites integrated into the chromosomes. DAPI staining identifies nuclei of three cells (one is partially in the field on the lower left) and green fluorescence in nuclei (right) identifies two transiently transfected cells, indicating the expression plasmid is working properly. These images are taken from living cells.





Figure 3. *GAL4-DBD-GFP* expression in G-series cells. In this experiment, we conducted the first test to determine if we could visualize a nuclear focus of green fluorescence in a one clonal line stably expressing dsRED in the cytoplasm (peroxisome targeted) and presumably bearing an integrated UAS GAL4 array of binding sites. None could be detected at this resolution or upon fixation and higher resolution analysis (not shown). On the left are dsRed expressing cells, which shows peroxisome-targeted fluorescence. The panel labeled GFP shows a transiently transfected cell expressing GFP-GAL4-DBD, which is predominantly nuclear in location. The right hand panel shows a merged image.

A bidirectional expression vector that contains a cDNA encoding BRCA1 translationally fused to GFP was also completed and sequenced for verification. Transient transfections will be used to verify the functionality of this construct.

Conclusion:

We envision our array-bearing lines as single cell biosensors for responses to DNA damage and other macromolecular trauma. For the first time it will be possible to obtain multiplex data both in real time and in high resolution fixed cell experiments. Thus, we can begin putting together a comprehensive picture of the high precision chromatin transactions involving ZBRK1 and BRCA1. This novel approach also has the potential to be adapted for other types of damage response transactions including repair and recombination. Finally, we think our cells will be extremely useful in high throughput microscopic screening that is currently coming on line in several laboratories (Perlman et al., 2004) using image cytometry. This could be important in identifying new compounds that will either up or down regulate the genotoxic response system.

References:

- Collins, T., J.R. Stone, and A.J. Williams. 2001. All in the family: the BTB/POZ, KRAB, and SCAN domains. *Mol Cell Biol.* 21:3609-15.
- Hall, J.M., M.K. Lee, B. Newman, J.E. Morrow, L.A. Anderson, B. Huey, and M.C. King. 1990. Linkage of early-onset familial breast cancer to chromosome 17q21. *Science.* 250:1684-1689.
- Harkin, D.P., J.M. Bean, D. Miklos, Y.H. Song, V.B. Truong, C. Englert, F.C. Christians, L.W. Ellisen, S. Maheswaran, J.D. Oliner, and D.A. Haber. 1999. Induction of GADD45 and JNK/SAPK-dependent apoptosis following inducible expression of BRCA1. *Cell.* 97:575-86.
- Jin, S., H. Zhao, F. Fan, P. Blanck, W. Fan, A.B. Colchagie, A.J. Fornace, Jr., and Q. Zhan. 2000. BRCA1 activation of the GADD45 promoter. *Oncogene.* 19:4050-7.
- Li, S., N.S. Ting, L. Zheng, P.L. Chen, Y. Ziv, Y. Shiloh, E.Y. Lee, and W.H. Lee. 2000. Functional link of BRCA1 and ataxia telangiectasia gene product in DNA damage response. *Nature.* 406:210-5.
- MacLachlan, T.K., K. Somasundaram, M. Sgagias, Y. Shifman, R.J. Muschel, K.H. Cowan, and W.S. El-Deiry. 2000. BRCA1 effects on the cell cycle and the DNA damage response are linked to altered gene expression. *J Biol Chem.* 275:2777-85.
- Miki, Y., J. Swensen, D. Shattuck-Eidens, P.A. Futreal, K. Harshman, S. Tavtigian, Q. Liu, C. Cochran, L.M. Bennett, W. Ding, R. Bell, J. Rosenthal, C. Hussey, T. Tran, M. McClure, C. Frye, T. Hattier, R. Phelps, A. Haugen-Strano, J. Katcher, K. Yakumo, Z. Gholalmi, D. Shaffer, S. Stone, S. Bayer, C. Wray, R. Bogden, P. Dayananth, J. Ward, P. Tonin, S. Narod, P.K. Bristow, F.J. Norris, L. Helvering, P. Morrison, P. Rostek, M. Lai, J.C. Barrett, C. Lewis, S. Neuhausen, L. Cannon-Albright, D. Goldgar, R. Wiseman, A. Kamb, and M.H. Skolnick. 1994. A strong candidate for the breast and ovarian cancer susceptibility gene BRCA1. *Science.* 266:66-71.
- Monteiro, A.N. 2000. BRCA1: exploring the links to transcription. *Trends Biochem Sci.* 25:469-74.
- Perlman, Z.E., M.D. Slack, Y. Feng, T.J. Mitchison, L.F. Wu, and S.J. Altschuler. 2004. Multidimensional drug profiling by automated microscopy. *Science.* 306:1194-8.

- Rosen, E.M., S. Fan, R.G. Pestell, and I.D. Goldberg. 2003. BRCA1 gene in breast cancer. *J Cell Physiol.* 196:19-41.
- Sheikh, M.S., M.C. Hollander, and A.J. Fornance, Jr. 2000. Role of Gadd45 in apoptosis. *Biochem Pharmacol.* 59:43-5.
- Tan, W., L. Zheng, W.H. Lee, and T.G. Boyer. 2004. Functional dissection of transcription factor ZBRK1 reveals zinc fingers with dual roles in DNA-binding and BRCA1-dependent transcriptional repression. *J Biol Chem.* 279:6576-87.
- Taylor, W.R., and G.R. Stark. 2001. Regulation of the G2/M transition by p53. *Oncogene.* 20:1803-15.
- Wooster, R., and B.L. Weber. 2003. Breast and ovarian cancer. *N Engl J Med.* 348:2339-47.
- Zheng, L., S. Li, T.G. Boyer, and W.H. Lee. 2000a. Lessons learned from BRCA1 and BRCA2. *Oncogene.* 19:6159-75.
- Zheng, L., H. Pan, S. Li, A. Flesken-Nikitin, P.L. Chen, T.G. Boyer, and W.H. Lee. 2000b. Sequence-specific transcriptional corepressor function for BRCA1 through a novel zinc finger protein, ZBRK1. *Mol Cell.* 6:757-68.