



Defence Research and  
Development Canada

Recherche et développement  
pour la défense Canada



# **Trials Lessons Learned: DRDC Ottawa Propagation Measurements and Support for DLCSPM Trials 9-10 January 06**

Shawn Charland

The scientific or technical validity of this contract is entirely the responsibility of the contractor and the contents do not necessarily have the approval or endorsement of Defence R&D Canada.

**Defence R&D Canada – Ottawa**

CONTRACT REPORT

DRDC Ottawa CR 2006-207

August 2006

Canada

| Report Documentation Page                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                    |                                     |                                          | Form Approved<br>OMB No. 0704-0188       |                                 |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------|-------------------------------------|------------------------------------------|------------------------------------------|---------------------------------|
| Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. |                                    |                                     |                                          |                                          |                                 |
| 1. REPORT DATE<br><b>AUG 2006</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                    | 2. REPORT TYPE<br><b>N/A</b>        |                                          | 3. DATES COVERED<br><b>-</b>             |                                 |
| 4. TITLE AND SUBTITLE<br><b>Trials Lessons Learned: DRDC Ottawa Propagation Measurements and Support for DLCSPM Tirals 9-10 January 06</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                    |                                     |                                          | 5a. CONTRACT NUMBER                      |                                 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                    |                                     |                                          | 5b. GRANT NUMBER                         |                                 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                    |                                     |                                          | 5c. PROGRAM ELEMENT NUMBER               |                                 |
| 6. AUTHOR(S)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                    |                                     |                                          | 5d. PROJECT NUMBER                       |                                 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                    |                                     |                                          | 5e. TASK NUMBER                          |                                 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                    |                                     |                                          | 5f. WORK UNIT NUMBER                     |                                 |
| 7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)<br><b>Defence R&amp;D Canada - Ottawa Technical Memorandum DRDC Ottawa TM 2006-207 Canada</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                    |                                     |                                          | 8. PERFORMING ORGANIZATION REPORT NUMBER |                                 |
| 9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                    |                                     |                                          | 10. SPONSOR/MONITOR'S ACRONYM(S)         |                                 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                    |                                     |                                          | 11. SPONSOR/MONITOR'S REPORT NUMBER(S)   |                                 |
| 12. DISTRIBUTION/AVAILABILITY STATEMENT<br><b>Approved for public release, distribution unlimited</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                    |                                     |                                          |                                          |                                 |
| 13. SUPPLEMENTARY NOTES<br><b>The original document contains color images.</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                    |                                     |                                          |                                          |                                 |
| 14. ABSTRACT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                    |                                     |                                          |                                          |                                 |
| 15. SUBJECT TERMS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                    |                                     |                                          |                                          |                                 |
| 16. SECURITY CLASSIFICATION OF:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                    |                                     | 17. LIMITATION OF ABSTRACT<br><b>SAR</b> | 18. NUMBER OF PAGES<br><b>44</b>         | 19a. NAME OF RESPONSIBLE PERSON |
| a. REPORT<br><b>unclassified</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | b. ABSTRACT<br><b>unclassified</b> | c. THIS PAGE<br><b>unclassified</b> |                                          |                                          |                                 |

# **Trials Lessons Learned: DRDC Ottawa Propagation Measurements and Support for DLCSPM Trials 9-10 January 06**

Shawn Charland

Prepared by:

Sky Industries Inc.  
2956 McCarthy Rd.  
Ottawa ON Canada  
K1V 8K6

Project Manager: Andrew Mudry  
Contract number: W7714-5-09780  
Contract Scientific Authority: Sean Stamplecoskie, 613-998-8807

The scientific or technical validity of this Contract Report is entirely the responsibility of the contractor and the contents do not necessarily have the approval or endorsement of Defence R&D Canada.

## **Defence R&D Canada – Ottawa**

Contract Report  
DRDC Ottawa CR 2006-207  
August 2006

Principal Author

Original signed by Sean Stamplecoskie

---

Sean Stamplecoskie

Scientific Authority

Approved by

Original signed by Darren Baker

---

Darren Baker

A/Head Communications Navigation Electronic Warfare Section

Approved for release by

Original signed by Cam Boulet

---

Cam Boulet

Chair, Document Review Panel

© Her Majesty the Queen as represented by the Minister of National Defence, 2006

© Sa Majesté la Reine, représentée par le ministre de la Défense nationale, 2006

## **Abstract**

---

This report presents a brief summary of lessons learned from experimental field trials conducted by Defence Research and Development Agency-Ottawa (DRDC Ottawa) from September 2005 to January 2006. The purpose of this report is to provide a record of trials-related issues and related procedural solutions which were found to work well, in order to advise the planning of similar future trials.

Thirteen separate items of advice are presented to improve confidence of success and efficiency, including inexpensive protection of test equipment from extreme cold, the use of visual signaling methods when radio communication is not possible, and the use of generators to provide electrical power at remote locations.

## **Résumé**

---

Le présent compte rendu contient un bref résumé des leçons tirées des essais expérimentaux menés sur le terrain par Recherche et développement pour la défense Canada – Ottawa (RDDC-Ottawa), de septembre 2005 à janvier 2006. Le but du rapport est de produire un dossier qui renferme des problèmes liés aux essais et des solutions procédurales éprouvées, afin de guider la planification d'essais futurs similaires.

Treize recommandations distinctes sont proposées afin d'améliorer l'assurance de la réussite et l'efficacité des essais, notamment la protection peu coûteuse de l'équipement de mesure contre le froid extrême, l'utilisation de modes de communication visuelle lorsque la radiocommunication est impossible et l'utilisation de génératrices pour la production d'électricité dans les endroits éloignés.

This page intentionally left blank.

## **Executive summary**

---

### **Trials Lessons Learned: DRDC Ottawa Propagation Measurements and Support for DLCSPM Trials 9-10 January 06**

Charland, Shawn; DRDC Ottawa CR 2006-207; Defence R&D Canada – Ottawa; August 2006.

### **Introduction or background**

This report presents a brief summary of lessons learned from experimental field trials conducted by Defence R&D Canada-Ottawa (DRDC Ottawa) from September 2005 to January 2006. The purpose of this report is to provide a record of trials-related issues and related procedural solutions which were found to work well, in order to advise the planning of similar future trials.

### **Results**

This report presents solutions to field trials challenges related to adverse environmental effects on test equipment and personnel, the provision of prime power for test equipment, and sundry other issues. The report also addresses communication issues between various test sites and presents potential solutions. Several recommendations are made in the area of automation, rehearsals and test procedures, which will increase the efficiency, accuracy and confidence of success in trials activities.

### **Significance**

The recommendations in this report will increase the efficiency, repeatability and accuracy of the measurements performed by the test team in all-weather conditions.

### **Future plans**

No future work is planned in this area.

This page intentionally left blank.

# Sommaire

---

## **Trials Lessons Learned: DRDC Ottawa Propagation Measurements and Support for DLCSPM Trials 9-10 January 06**

Charland, Shawn; DRDC Ottawa CR 2006-207; R & D pour la défense Canada – Ottawa; August 2006.

### **Introduction ou contexte**

Le présent compte rendu contient un bref résumé des leçons tirées des essais expérimentaux menés sur le terrain par R&D pour la défense Canada – Ottawa (RDDC Ottawa), de septembre 2005 à janvier 2006. Le but du rapport est de produire un dossier qui renferme des problèmes liés aux essais et des solutions procédurales éprouvées, afin de guider la planification d'essais futurs similaires.

### **Résultats**

Le compte rendu propose des solutions à l'égard des essais sur le terrain dont les effets sont néfastes pour l'environnement, du problème de fourniture d'électricité pour l'équipement de mesure et de divers autres problèmes. Il porte également sur les problèmes de communications entre divers emplacements d'essai et propose des solutions. Plusieurs recommandations sont formulées dans le domaine de l'automatisation, des répétitions et du déroulement des essais afin d'accroître l'efficacité, la précision et l'assurance de la réussite des activités liées aux essais.

### **Importance**

Les recommandations formulées dans ce rapport permettront d'accroître l'efficacité, la répétabilité et la précision des mesures réalisées par l'équipe d'essai, sans égard aux conditions météorologiques.

### **Perspectives**

Aucun travail n'est prévu dans ce domaine.

This page intentionally left blank.

## Table of contents

---

|                                                             |     |
|-------------------------------------------------------------|-----|
| Abstract .....                                              | i   |
| Résumé .....                                                | i   |
| Executive summary .....                                     | iii |
| Sommaire.....                                               | v   |
| Table of contents .....                                     | vii |
| List of figures .....                                       | ix  |
| List of tables .....                                        | xi  |
| 1. Introduction.....                                        | 1   |
| 2. Overview of Trial Plans .....                            | 2   |
| 2.1 Short Range Propagation Tests .....                     | 2   |
| 2.2 COTS Equipment Evaluation .....                         | 2   |
| 3. Lessons Learned .....                                    | 3   |
| 3.1 Effect of Cold Weather Testing on Test Equipment .....  | 3   |
| 3.2 Instrumentation of Distance on Test Range .....         | 3   |
| 3.3 Reduction of Setup Time.....                            | 5   |
| 3.4 Repeatability of Measurements .....                     | 5   |
| 3.5 Signalling Protocol During Testing.....                 | 6   |
| 3.6 Requirement for Assistants.....                         | 10  |
| 3.7 Provision for Remote Electrical Power .....             | 10  |
| 3.8 Data Recording.....                                     | 13  |
| 3.9 Constant Vehicle Speed.....                             | 14  |
| 3.10 Requirement for Environmental Enclosures.....          | 16  |
| 3.11 Photography.....                                       | 17  |
| 3.12 Importance of Rehearsals .....                         | 17  |
| 3.13 In-House Personnel Resources .....                     | 17  |
| 4. Conclusion .....                                         | 18  |
| 4.1 Effect of Cold Weather Testing on Test Equipment: ..... | 18  |
| 4.2 Instrumentation of Distance on Test Range: .....        | 18  |
| 4.3 Reduction of Setup Time:.....                           | 18  |
| 4.4 Repeatability of Measurements: .....                    | 18  |
| 4.5 Signalling Protocol During Testing:.....                | 18  |
| 4.6 Requirement for Assistants: .....                       | 19  |
| 4.7 Provision for Remote Electrical Power: .....            | 19  |
| 4.8 Data Recording:.....                                    | 19  |
| 4.9 Constant Vehicle Speed:.....                            | 19  |

|      |                                                 |    |
|------|-------------------------------------------------|----|
| 4.10 | Requirement for Environmental Enclosures: ..... | 19 |
| 4.11 | Photography: .....                              | 19 |
| 4.12 | Importance of Rehearsals: .....                 | 20 |
| 4.13 | In-House Personnel Resources: .....             | 20 |

## List of figures

---

|                                                                                                    |    |
|----------------------------------------------------------------------------------------------------|----|
| Figure 1: Test range for short-range propagation measurements. ....                                | 2  |
| Figure 2: Chemical heating pad with aftermarket camera case. ....                                  | 3  |
| Figure 3: Electromechanical switch for range measurement.....                                      | 4  |
| Figure 4: Vehicle position marking.....                                                            | 5  |
| Figure 5: Communications requirements during trials.....                                           | 7  |
| Figure 6: Lights used for communication between Test Directory and Communications<br>Officer ..... | 8  |
| Figure 7: Communication protocol .....                                                             | 9  |
| Figure 8: Mobile test equipment.....                                                               | 11 |
| Figure 9: Portable power supplies unsuitable for mobile testing .....                              | 12 |
| Figure 10: Large size gasoline powered generator suitable for mobile testing .....                 | 13 |
| Figure 11: Spectrum Explorer RF signal recording system.....                                       | 14 |
| Figure 12: Vehicle used in propagation measurements.....                                           | 15 |
| Figure 13: Speed limiting bolt in Gator.....                                                       | 15 |
| Figure 14: Commercially available environmental enclosures .....                                   | 16 |

This page intentionally left blank.

## List of tables

---

|                                                                             |   |
|-----------------------------------------------------------------------------|---|
| Table 1: Summary of required coordinating communications during trials..... | 6 |
|-----------------------------------------------------------------------------|---|

This page intentionally left blank.

# **1. Introduction**

---

This report presents a brief summary of lessons learned from experimental field trials conducted by Defence R&D Canada-Ottawa (DRDC Ottawa) from September 2005 to January 2006. The purpose of this report is to provide a record of trials-related issues and related procedural solutions which were found to work well, in order to advise the planning of similar future trials.

The trials experiences referenced in this report fall into two categories: propagation testing, and evaluation of commercial off-the-shelf (COTS) equipment. The relevant trials events are listed below:

1. short-range radio frequency (RF) propagation measurements conducted at DRDC Ottawa 22 Sept/05 - 4 Oct/05.
2. short-range RF propagation measurements conducted at a test range provided by the Royal Canadian Mounted Police (RCMP), in Ottawa, Ontario, 28 - 30 Nov/05.
3. field testing the performance of selected COTS equipment at the aforementioned RCMP test range, 9 - 10 Jan/06.

## 2. Overview of Trial Plans

---

### 2.1 Short Range Propagation Tests

Short range propagation tests involved using a gasoline powered vehicle to traverse a test range while carrying a RF transmitter and transmit antenna. A notionally identical receive antenna was placed at the centre of the test range, attached to a receiver. By measuring the RF power at the receiver and the location of the vehicle, patterns of constructive and destructive interference (propagation effects, also referred to as multipath) were measured. The equipment configuration and test range setup are presented in Figure 1.




Figure 1: Test range for short-range propagation measurements.

### 2.2 COTS Equipment Evaluation

COTS equipment evaluation involved testing communications service between a transmitter-receiver pair (Tx-Rx pair). The receiver station was located at the centre of the test range. The associated transmitter was located on a tower 150 m from the receiver station. The COTS equipment was positioned on the test range at a specified distance from the receiver station and remained stationary for all tests. Tests involved following procedure:

1. Demonstrate and record communications performance of the Tx-Rx pair.
2. Activate the COTS system.
3. Demonstrate and record communications performance of the Tx-Rx pair.

### 3. Lessons Learned

---

#### 3.1 Effect of Cold Weather Testing on Test Equipment

Issue: Some equipment stops working at low temperature, e.g. one Tx-Rx pair ceased functioning at an ambient air temperature of approximately -10 C.

Solution: Chemical heating pouches can be used with specially selected equipment enclosures (e.g. aftermarket camera bags) to hold test equipment (Figure 2).



*Figure 2: Chemical heating pad with aftermarket camera case.*

#### 3.2 Instrumentation of Distance on Test Range

Issue: Vehicle position on the test range must be accurately measured in order to use propagation measurement data to validate software models. The required accuracy is dependent on radio frequency, vehicle position, transmitter and receiver antenna heights, ground conditions and the location of nearby scatterers. GPS position measurements were found to be insufficiently due to (a) poor repeatability and (b) insufficient accuracy.

Solution: GPS time was used as a reference for vehicle position and received RF power, in order to relate vehicle position and Rx power.

The vehicle was equipped with an electromechanical switch triggered by mechanical contact with bumpers laid at measured locations along the driving course (Figure 3).



(a) range bumpers



(b) vehicle-mounted switch

*Figure 3: Electromechanical switch for range measurement*

The switch was interfaced to a laptop computer equipped with a GPS time recorder. As the vehicle moved down the test range, GPS time was recorded by the laptop computer each time the switch was closed by contacting a range bumper. Rx power level at the receiver antenna was recorded simultaneously at approximately 6 Hz, with all measurements stamped with GPS time. Rx power level was thus correlated with vehicle position.

### 3.3 Reduction of Setup Time

Issue: Placement of range bumpers involves a significant labour effort to measure regular distances across the test range.

Solution: The road surface was marked with spray paint at each range bumper position. Because the test range is relatively long (240 m end-to-end), it was necessary to make approximate lateral measurements relative to the pavement edge to prevent sideways drift of the range positions (Figure 3 (a)). It is useful to mark the midpoint of the range bumper position on the road surface to allow the range bumpers to be easily aligned with each other on subsequent test days.

### 3.4 Repeatability of Measurements

Issue: There is a requirement to restore equipment at precise locations at the test site for repeated measurements to confirm and/or expand on earlier measurements.

Solution: Spray paint was used to mark the positions of range bumpers and the receiver station, and the nearby equipment van (Figure 4).



*Figure 4: Vehicle position marking*

### 3.5 Signalling Protocol During Testing

Issue: Communication is necessary between all trials participants in order to coordinate the participant's actions during testing. The principle participants are:

- Trials Director: responsible for execution of the test plan
- Communications Officer: responsible for initiating Tx-Rx communications
- COTS Officer: responsible for operating COTS equipment

A summary of communications signals between the Trials Director, the Communications Officer, and the COTS Officer is presented in Table 1.

*Table 1: Summary of required coordinating communications during trials*

| <b>From</b>            | <b>To</b>              | <b>Message</b>                               |
|------------------------|------------------------|----------------------------------------------|
| Trials Director        | Communications Officer | Request to initiate Communications           |
| Communications Officer | Trials Director        | Confirmation of initiation of communications |
| Trials Director        | Communications Officer | Request to cease communications              |
| Communications Officer | Trials Director        | Confirm Communications has ceased            |
| Trials Director        | COTS Officer           | Request to activate COTS system              |
| COTS Officer           | Trials Director        | Confirmation of activation of COTS system    |
| Trials Director        | COTS Officer           | Request to deactivate COTS system            |
| COTS Officer           | Trials Director        | Confirmation of deactivation of COTS system  |

The communications signals of Table 1 are presented diagrammatically in Figure 5.




Figure 5: Communications requirements during trials

Communications during trials is complicated by a number of factors:

1. physical distance between trials personnel,
2. background acoustic noise (e.g. wind, electrical generators powered by gasoline motors), and
3. electromagnetic noise.

Unaided voice communication was found to be ineffective because of relatively large distances between trials personnel, and the proximity of one or both trials personnel to a source of acoustic noise. Radio communication was found to be ineffective because of the presence of electromagnetic and acoustic noise.

Solution: A combination of lights and hand signals were used for communication. The Test Director and Communications Officer communicated by each using a red coloured light (Figure 6). The Test Director communicated with the COTS Officer by using a green coloured light. The COTS Officer communicated with the Test Director by hand signals, since it was judged impractical for the System Officer to transport both a power supply for a light and the COTS system.



*Figure 6: Lights used for communication between Test Directory and Communications Officer*

The communication protocol is summarized in Figure 7.

| From           | To             | Message                     | Test Director Red Light                                                           | Communications Officer Red Light                                                  | Test Director Green Light                                                           | COTS Officer Hand Signal                                                             |
|----------------|----------------|-----------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| Test Director  | Comm's Officer | request start of comm's     |  |  |                                                                                     |                                                                                      |
| Comm's Officer | Test Director  | confirm start of comm's     |  |  |                                                                                     |                                                                                      |
| Test Director  | Comm's Officer | request cease comm's        |  |  |                                                                                     |                                                                                      |
| Comm's Officer | Test Director  | confirm comm's ceased       |  |  |                                                                                     |                                                                                      |
| Test Director  | COTS Officer   | request system activation   |                                                                                   |                                                                                   |  |   |
| COTS Officer   | Test Director  | confirm system activation   |                                                                                   |                                                                                   |  |   |
| Test Director  | COTS Officer   | request system deactivation |                                                                                   |                                                                                   |  |   |
| COTS Officer   | Test Director  | confirm system deactivation |                                                                                   |                                                                                   |  |  |

*Figure 7: Communication protocol*

The protocol between the Trials Director and the Communications Officer depends on which of two types of communications are required for the test. These are:

- 1) Type 1: communications attempts are repetitive during an interval controlled by the Trials Director.
- 2) Type 2: a single communications attempt is requested by the Trials Director.

The communication sequence for Type 1 communications is:

1. Trials Director activates red light to request start of communications attempts.
2. Communications Officer activates red light to confirm communications attempts have begun.
3. Trials Director extinguishes red light to request that communications attempts cease.
4. Communications Officer extinguishes red light to confirm that communications attempts have ceased.

The communications sequence for Type 2 communications is:

1. Trials Director activates red light to request a communications attempt.
2. Communications Officer activates red light to confirm the start of a single communications attempt.
3. Communications Officer extinguishes red light to signal the completion of a single communications attempt.
4. Trials Director extinguishes red light to acknowledge that the communications attempt is complete.

### **3.6 Requirement for Assistants**

Issue: The work load at the Trials Director and Communications Officer stations is sporadic but can be excessive, interfering with trials progress, effectiveness and efficiency. It is necessary to coordinate (a) signalling to request actions from various trials personnel,(b) execution of the requested actions, and (c) logging of actions and observations.

Solution: The Trials Director and Communications Officer each require an assistant. The assistant manages the signalling protocol, and maintains a written log of trials events and observations.

### **3.7 Provision for Remote Electrical Power**

Issue: Electrical power is required on moving vehicle and at remote locations. The mobile test equipment comprises the following (Figure 8):

- HP Signal Generator 8648C (power consumption 170 VA, 120 V)
- Panasonic Toughbook CF-29 Laptop Computer, power supply model CF-AA1653A, (120v/1.2A)

## Toughbook power supply specifications



Figure 8: Mobile test equipment

A small gasoline powered generators (Honda EU2000i, Figure 9) was found to work well for stationary testing, but movement can caused it to turn itself off, possibly due to false indications of low oil level caused by sloshing in the oil reservoir.

| Specifications                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  | Physical Specifications                                                                                                                                                                                                                                                          |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| <b>AC Power Section</b><br>Output power<br>• Continuous output power 320 W<br>• Five minute AC output power 400 W<br>• AC output surge capacity 600 W<br>Output voltage 115 ± 10 VAC RMS<br>Output frequency 60 Hz ± 1 Hz<br>Output wave form modified sinewave<br>No load current draw <0.20 A DC<br>Input voltage range 10.5 to 15.0 VDC<br>Low battery alarm 11.0 VDC<br>Low battery shutdown 10.5 VDC<br>High battery voltage shutdown Yes, automatic reset<br>Over temperature shutdown Yes, automatic reset<br>Overload shutdown Yes, automatic reset<br>AC output short circuit protection Yes, automatic reset<br>Fuse (internal) 2 x 25 A<br>Operating temperature range 0 – 40 °C (32 – 104 °F)<br>Storage temperature range 0 – 30 °C (32 – 86°F) |  | <b>Air Compressor</b><br>Pressure 250 PSI (lb/in <sup>2</sup> )<br><b>Accessories</b><br>Boosting cables 24" (0.61 m), 6 AWG wire with black and red battery clamps<br>DC charge cable 39" (1 m) 18 AWG with male to male lighter plugs<br>AC Charger input 120 ± 10 V AC, 60 Hz |  |
| <b>Internal Battery Charging Controller System</b><br>AC Charger bulk charging current 700 mA<br>Peak charging voltage (nominal) 14.2 V<br>Charge restart voltage (nominal) 12.9 V<br>Float charge after full charge is completed (nominal) 1 mA<br>AC Charger input socket maximum current 2.5 A                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  | <b>Physical Specifications</b><br>Physical specifications<br>Depth 8" (20.3 cm)<br>Width 16" (40.6 cm)<br>Height 9 1/2" (24.1 cm)<br>Weight 23 lb (10.5 kg)                                                                                                                      |  |
| <b>Important:</b> All specifications are subject to change without notice.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  | <b>Motomaster inverter specifications</b>                                                                                                                                                                                                                                        |  |



Figure 9: Portable power supplies unsuitable for mobile testing

A battery powered inverter (Motomaster Eliminator Power Box, Figure 9) was able to power the mobile test equipment, but could provide only 15 minutes of test time. The short duration is primarily due to the relatively high power consumption of the signal generator.

Solution: A large-size gasoline powered generator (Honda EM500S, Figure 10) was found to be suitable for use in the moving vehicle, provided the road surface was level.



*Figure 10: Large size gasoline powered generator suitable for mobile testing*

### **3.8 Data Recording**

**Issue:** Propagation measurements require RF power levels to be recorded at various frequencies. The sampling rate must be sufficient that the range separation of power measurements is close enough to resolve the structure of multipath interference. The required sampling rate depends on vehicle speed and antenna geometry.

**Solution:** Spectrum Explorer (Figure 11) was used to record the RF power level at the receive antenna. The update rate was approximately 160 ms. For a nominal vehicle speed of 4 kph (1.11 m/sec), the ground spacing of samples was approximately 0.18 m.



*Figure 11: Spectrum Explorer RF signal recording system*


### **3.9 Constant Vehicle Speed**

Issue: The vehicle used in propagation measurements was a John Deere Gator (Figure 12). Vehicle speed and data sampling rate determines spatial separation of propagation data points. Slow constant speed is desirable since vehicle position must be inferred from a combination of GPS time stamps and ground-truth vehicle location data, intermittently provided by range bumpers (section 3.2). This approach requires the vehicle speed to be approximately constant between range bumpers. The test vehicle speed could not be controlled with sufficient accuracy using the accelerator pedal.



*Figure 12: Vehicle used in propagation measurements*

Solution: The Gator's maximum speed can be limited by adjusting the position of a manufacturer-supplied bolt (Figure 13) under the accelerator pedal. The bolt limits the maximum depressed pedal position, limiting the maximum demanded speed. However, analysis of trials data indicates that there is a small but tolerable (i.e. roughly linear between range bumpers (section 3.2)) residual acceleration even with the pedal depressed to the limit.



*Figure 13: Speed limiting bolt in Gator*

### 3.10 Requirement for Environmental Enclosures

Issue: Some test team members and test equipment are stationary during trials, and can be exposed to harsh environmental conditions. Shielding is required from wind, precipitation and sun.

Solution: Temporary environmental enclosures are recommended to mitigate wind, precipitation, and sun. Environmental enclosures must be large enough to house the test team, visitors, and equipment. Enclosures are required at both transmit and receive stations. Examples of commercially available environmental enclosures are presented in Figure 14.



*Figure 14: Commercially available environmental enclosures*

### **3.11 Photography**

Issue: Precise information regarding equipment configuration may be necessary during post-trials data analysis. This information may also be critical in allowing various tests to be repeated for verification. This information includes surface conditions during propagation measurements, location and orientation of antennas, specific test equipment used, arrangement of cabling and equipment layout, local environment, weather conditions during testing, etc.

Solution: A camera is required during all trials for documentation of trials setup and conduct, as well as unanticipated photos of opportunity. Additionally, the DRDC Ottawa photo unit can provide these services. Photography has the potential to provide a complete and objective record of the physical elements of the trial.

### **3.12 Importance of Rehearsals**

Issue: Trials schedules become jeopardized if setup, conduct, or cleanup times exceed allocated time budgets.

Solution: Trials setup, execution and cleanup times can be dramatically reduced by rehearsing procedures. Equipment inventory check lists can reduce the risk of delays caused by the need to recover missing equipment. Procedure check lists can reduce the risk of delays caused by incorrect equipment configuration or procedural errors.

### **3.13 In-House Personnel Resources**

Issue: Trials can require new procedures to deal with unexpected environmental conditions, data generation and/or recording functions, equipment configuration, etc.

Solution: There is considerable in-house expertise in various areas including cold-weather testing, hot weather testing, as well as photographic and graphics support.

## **4. Conclusion**

---

This report summarizes lessons learned regarding RF propagation measurements and commercial off-the-shelf (COTS) equipment testing. Issues and recommended solutions are presented below.

### **4.1 Effect of Cold Weather Testing on Test Equipment:**

Issue: Some equipment stops working at low temperature (one example at -10 C).

Solution: Use environmental enclosures and chemical warmers to keep vulnerable equipment warm.

### **4.2 Instrumentation of Distance on Test Range:**

Issue: Vehicle position on the test range must be accurately measured.

Solution: A vehicle mounted mechanical switch, range bumpers and GPS time synchronization were used to establish vehicle position.

### **4.3 Reduction of Setup Time:**

Issue: Placement of range bumpers involves a significant labour effort to measure regular distances across the test range.

Solution: The road surface was marked with spray paint at each range bumper position.

### **4.4 Repeatability of Measurements:**

Issue: Restoration of test equipment at precise locations at the test site for repeated measurements to confirm and/or expand on earlier measurements.

Solution: Mark the equipment positions using spray paint.

### **4.5 Signalling Protocol During Testing:**

Issue: Communication is necessary between all trials participants in order to coordinate the participant's actions during testing.

Solution: A system of lights and hand signals was used to implement a communications protocol.

## **4.6 Requirement for Assistants:**

Issue: The work load at the Trials Director and Communications Officer stations is sporadic but can be excessive, interfering with trials progress, effectiveness and efficiency.

Solution: The Trials Director and Communications Officer each require an assistant.

## **4.7 Provision for Remote Electrical Power:**

Issue: Electrical power is required on moving vehicle and at remote locations.

Solution: A large-size gasoline powered generator (Honda EM500S, fig. 3.7-3) was found to be suitable for use in the moving vehicle, provided the road surface was level.

## **4.8 Data Recording:**

Issue: It is necessary to record RF power levels at various frequencies.

Solution: Spectrum Explorer was used to record the RF power level at the receive antenna.

## **4.9 Constant Vehicle Speed:**

Issue: The test vehicle speed could not be controlled with sufficient accuracy using the accelerator pedal.

Solution: The vehicle's maximum speed was limited by adjusting the position of a manufacturer-supplied bolt under the accelerator pedal.

## **4.10 Requirement for Environmental Enclosures:**

Issue: Some test team members and test equipment can be exposed to harsh environmental conditions; shielding is required from wind, precipitation and sun.

Solution: Temporary environmental enclosures are recommended to mitigate wind, precipitation, and sun.

## **4.11 Photography:**

Issue: Precise information may be necessary during post-trials data analysis regarding equipment configuration.

Solution: Bring a camera to all trials for incidental photos of opportunity and photograph everything.

#### **4.12 Importance of Rehearsals:**

Issue: It is generally necessary to economize time on the test range.

Solution: Trials setup and execution times can be dramatically reduced by rehearsing procedures.

#### **4.13 In-House Personnel Resources:**

Issue: Trials often require that new procedures be developed to deal with unexpected environmental conditions, data generation and/or recording functions, equipment configuration,

Solution: There is considerable in-house expertise in various areas including cold-weather testing, hot weather testing, as well as photographic and graphics support.

## List of symbols/abbreviations/acronyms/initialisms

---

|      |                                  |
|------|----------------------------------|
| C    | celsius                          |
| COTS | Commercial Off-the-Shelf         |
| DRDC | Defence Research and Development |
| GPS  | Global Positioning System        |
| kph  | Kilometres per hour              |
| RCMP | Royal Canadian Mounted Police    |
| RF   | Radio frequency                  |
| Rx   | Receive                          |
| Tx   | Transmit                         |

This page intentionally left blank.

# Distribution list

---

## Department of National Defence

### **General**

- 1 - NDHQ-DGRDP
- 1 - NDHQ/J2 STI 5
- 1 - DHTC/Tech Eng – Sgt. V. Dunsmore

### **Land**

- 1 - CFEWC/Land ISS
- 1 - DLCSPM
- 1 - DLCSPM/Mike Neale
- 1 - DLCSPM 4-10/DPM ISTAR EW
- 1 - CFB Kingston, CO 2 EW Sqn

## Other Government Departments

- 1 - Royal Canadian Mounted Police, Explosives Disposal and Technology Section, 1426 St. Joseph Blvd., Gloucester, ON K1A 0R2. Attention Sgt. Sylvain Fiset

## Internal

- 2 - Library
- 1 - Author(s)
- 1 - Andrew Mudry
- 1 - Sean Stamplecoskie
- 1 - Alain Joyal

## **DISTRIBUTION SUMMARY**

| DRDKIM Distribution | DRDC Ottawa Distribution | Total |
|---------------------|--------------------------|-------|
| 9                   | 6                        | 15    |

This page intentionally left blank.

| DOCUMENT CONTROL DATA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                      |                                                                                                                                |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| (Security classification of title, body of abstract and indexing annotation must be entered when the overall document is classified)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                      |                                                                                                                                |
| 1. ORIGINATOR (The name and address of the organization preparing the document. Organizations for whom the document was prepared, e.g. Centre sponsoring a contractor's report, or tasking agency, are entered in section 8.)<br><br><b>Sky Industries Inc.<br/>2956 McCarthy Rd.<br/>Ottawa ON Canada<br/>K1V 8K6</b>                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                      | 2. SECURITY CLASSIFICATION<br>(Overall security classification of the document including special warning terms if applicable.) |
| 3. TITLE (The complete document title as indicated on the title page. Its classification should be indicated by the appropriate abbreviation (S, C, R or U) in parentheses after the title.)<br><br><b>Trials Lessons Learned: DRDC Ottawa Propagation Measurements and Support for DLCSPM Trials 9-10 January 06</b>                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                      |                                                                                                                                |
| 4. AUTHORS (last name, followed by initials – ranks, titles, etc. not to be used)<br><br><b>Charland, Shawn</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                      |                                                                                                                                |
| 5. DATE OF PUBLICATION<br>(Month and year of publication of document.)<br><br><b>August 2006</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 6a. NO. OF PAGES<br>(Total containing information, including Annexes, Appendices, etc.)<br><br><b>19</b>                                                             | 6b. NO. OF REFS<br>(Total cited in document.)<br><br><b>0</b>                                                                  |
| 7. DESCRIPTIVE NOTES (The category of the document, e.g. technical report, technical note or memorandum. If appropriate, enter the type of report, e.g. interim, progress, summary, annual or final. Give the inclusive dates when a specific reporting period is covered.)<br><br><b>Contract Report</b>                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                      |                                                                                                                                |
| 8. SPONSORING ACTIVITY (The name of the department project office or laboratory sponsoring the research and development – include address.)<br><br><b>Directorate of Land Command Systems Program Management.</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                      |                                                                                                                                |
| 9a. PROJECT OR GRANT NO. (If appropriate, the applicable research and development project or grant number under which the document was written. Please specify whether project or grant.)<br><br><b>12RK</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 9b. CONTRACT NO. (If appropriate, the applicable number under which the document was written.)<br><br><b>W7714-6-09780</b>                                           |                                                                                                                                |
| 10a. ORIGINATOR'S DOCUMENT NUMBER (The official document number by which the document is identified by the originating activity. This number must be unique to this document.)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 10b. OTHER DOCUMENT NO(s). (Any other numbers which may be assigned this document either by the originator or by the sponsor.)<br><br><b>DRDC Ottawa CR 2006-207</b> |                                                                                                                                |
| 11. DOCUMENT AVAILABILITY (Any limitations on further dissemination of the document, other than those imposed by security classification.)<br><br><input checked="" type="checkbox"/> ( X ) Unlimited distribution<br><input type="checkbox"/> ( ) Defence departments and defence contractors; further distribution only as approved<br><input type="checkbox"/> ( ) Defence departments and Canadian defence contractors; further distribution only as approved<br><input type="checkbox"/> ( ) Government departments and agencies; further distribution only as approved<br><input type="checkbox"/> ( ) Defence departments; further distribution only as approved<br><input type="checkbox"/> ( ) Other (please specify): |                                                                                                                                                                      |                                                                                                                                |
| 12. DOCUMENT ANNOUNCEMENT (Any limitation to the bibliographic announcement of this document. This will normally correspond to the Document Availability (11). However, where further distribution (beyond the audience specified in (11) is possible, a wider announcement audience may be selected.)                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                      |                                                                                                                                |

13. **ABSTRACT** (A brief and factual summary of the document. It may also appear elsewhere in the body of the document itself. It is highly desirable that the abstract of classified documents be unclassified. Each paragraph of the abstract shall begin with an indication of the security classification of the information in the paragraph (unless the document itself is unclassified) represented as (S), (C), (R), or (U). It is not necessary to include here abstracts in both official languages unless the text is bilingual.)

This report presents a brief summary of lessons learned from experimental field trials conducted by Defence Research and Development Agency-Ottawa (DRDC Ottawa) from September 2005 to January 2006. The purpose of this report is to provide a record of trials-related issues and related procedural solutions which were found to work well, in order to advise the planning of similar future trials.

Thirteen separate items of advice are presented to improve confidence of success and efficiency, including inexpensive protection of test equipment from extreme cold, the use of visual signaling methods when radio communication is not possible, and the use of generators to provide electrical power at remote locations.

14. **KEYWORDS, DESCRIPTORS or IDENTIFIERS** (Technically meaningful terms or short phrases that characterize a document and could be helpful in cataloguing the document. They should be selected so that no security classification is required. Identifiers, such as equipment model designation, trade name, military project code name, geographic location may also be included. If possible keywords should be selected from a published thesaurus, e.g. Thesaurus of Engineering and Scientific Terms (TEST) and that thesaurus identified. If it is not possible to select indexing terms which are Unclassified, the classification of each should be indicated as with the title.)

trials, lessons learned, propagation



## **Defence R&D Canada**

Canada's leader in Defence  
and National Security  
Science and Technology

## **R & D pour la défense Canada**

Chef de file au Canada en matière  
de science et de technologie pour  
la défense et la sécurité nationale



[www.drdc-rddc.gc.ca](http://www.drdc-rddc.gc.ca)