

Dynamic Network Flow Methods for Manoeuvre Path Planning

Yue-Jin Wang
Maritime Operations Division
DSTO, Sydney

Report Documentation Page

Form Approved
OMB No. 0704-0188


Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

1. REPORT DATE 01 OCT 2003		2. REPORT TYPE N/A		3. DATES COVERED -	
4. TITLE AND SUBTITLE Dynamic Network Flow Methods for Manoeuvre Path Planning				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Maritime Operations Division DSTO, Sydney				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release, distribution unlimited					
13. SUPPLEMENTARY NOTES See also ADM001929. Proceedings, Held in Sydney, Australia on July 8-10, 2003., The original document contains color images.					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

Introduction




- **Objectives**
 - To explore the application of Network Flow modelling to quantifying manoeuvre space
- **Scope**
 - Manoeuvre Operations
 - Dynamic Network Flow Modelling for Manoeuvre Path Planning
 - Risk Modelling
 - Mine Threat Example
 - Summary

Manoeuvre Operations - OODA Loop



Dynamic Network Flow Model for Manoeuvre Path Planning

- Manoeuvre space represented by a Grid Graph (nodes, edges)
- Risk (cost) r_{ij}
- Travelling Time (weight) w_{ij}



Multi-objectives Optimisation

- Path Risk

$$\sum_{i=1}^P r_{ij}$$



- Path Length

$$\sum_{i=1}^P w_{ij}$$

- (Time-to-Goal)



Modelling

(1) Min linear combination of time and risk

$$\alpha \sum_{k=1}^p r_{i_{k-1}i_k} + (1-\alpha) \sum_{k=1}^p w_{i_{k-1}i_k}$$

(2) Min path length with fixed constraint on risk


$$\sum_{k=1}^p w_{i_{k-1}i_k}$$

S.t. $r_{i_{k-1}i_k} \leq R$

Modelling (continue)

- Min risk with fixed constraint on path length

$$\begin{aligned} \text{min.} \quad & \sum_{k=1}^p r_{i_{k-1}i_k} \\ \text{s.t.} \quad & \sum_{k=1}^p w_{i_{k-1}i_k} \leq W_0 \end{aligned}$$




Weight Constrained Shortest Path Problem (WCSSP)

- Way-points and multiple goals



Algorithms for WCSPP

- Label-setting algorithms based on dynamic programming methods
- Scaling algorithms, and
- Algorithms based on the Lagrangean relaxation approach.




Risk Modelling

- A responsive and reliable Intelligence Surveillance and Reconnaissance (ISR) system is a prerequisite for risk modelling
- Dynamic manoeuvre space modelling requires dynamic ISR tasking, integration and dissemination.
- Risk modelling involves incorporating spatial and time-dependant uncertainties



An Example of Path Planning Through Mine Fields



Perimeter Minefield

(50 nautical miles from shore, and in 40 to 200 ft of water. moored contact mines and big bottom influence mines)

Main Minefield

(7 to 9 nautical miles from shore, and, again, in 40 to 200 ft of water. moored contact mines and bottom influence mines)

Very Shallow Water Minefield

(located 0.5 nautical miles from the surf zone (SZ). small moored contact mines, Manta bottom influence mines.

Beach Barrier

The final barrier covers the SZ (10 to 0 ft) and the craft landing zone (CLZ) (high-water mark (HWM) to the beach exit zone (BEZ)). hardwood logs, telephone poles, or railroad rails driven into the offshore bar and angled seaward



Moored contact mines



Beach Barrier

WCSPS modelling for mine threat

- Point Risk:
$$r(x) = 1 - \prod_{i=1}^N (1 - r_i(x))$$


 $r_i(x)$ = probability of getting killed by the i^{th} mine at point x

- Path Risk ($P = \{x_1, x_2, \dots, x_p\}$)


$$r(P) = 1 - \prod_{j=1}^P (1 - r(x_j))$$

- WCSS Model:
 minimise $r(P)$
 with constraints
$$\sum_{k=1}^p w_{i_{k-1}i_k} \leq W_0$$

Simulation of Alternate Paths



- Path total weight = 10.9927
- Path total cost = 57%
-



- Path total weight = 10.4832
- Path total cost = 8.3%

Summary

- Littoral domain is described with a grid directed graph
- Maritime manoeuvre operations are quantitatively formulated as a Weight Constrained Shortest Path Problem with the solution providing a command decision-aid tool
- A mine threat example is presented
- Further work include
 - To expand the scope to cover land-based manoeuvre
 - To include air and submarine threat modelling