



## A Primer for the Linkage between Unstructured Water Quality Model CE-QUAL-ICM and Structured Three-Dimensional Hydrodynamic Model CH3D-WES

*by Sung-Chan Kim*

---

**PURPOSE:** This Water Quality Research Program (WQRP) Technical Note (TN) describes the linkages between water quality model CE-QUAL-ICM (ICM) and three-dimensional hydrodynamic model CH3D-WES: CH3D. This TN also presents a primer for the linkages through a set of MATLAB programs. The created linkage files enable seamless operation from CH3D to ICM.

**BACKGROUND:** CE-QUAL-ICM was developed for a eutrophication study of Chesapeake Bay. This model, which operates in one-, two-, or three-dimensional configurations, originally had 22 state variables that can be independently activated, and is configured to interact with a fully predictive sediment diagenesis model (Cerco and Cole 1993). Currently, the number of state variables was expanded to 36. Hydrodynamic information required for ICM is generated externally prior to water quality simulations using a hydrodynamic model. Hydrodynamic information required by ICM consists of horizontal and vertical flows, cell volumes, cell dimensions, cell surface areas, and horizontal and vertical flow face areas.

The hydrodynamic model most frequently used to link to CE-QUAL-ICM is CH3D-WES. Since the inception of the Chesapeake Bay eutrophication modeling study (Johnson et al. 1993), it has been used in subsequent studies (Cerco and Noel 2004) as well as applications to other surface water systems such as Lake Washington (Kim et al. 2006, Cerco et al. 2006).

**Grid Structures.** CH3D uses a grid in which cells are identified in the model by their locations in a boundary-fitted Cartesian coordinate system. This type of grid is referred to as a structured grid since there is a direct relationship between a cell's identity and its location. Both the z-grid and  $\sigma$ -grid versions of CH3D use this approach in identifying cells and flow faces.

CH3D-z allows a different number of layers below each surface cell. All subsurface layers have a constant thickness and only the depth of the surface layer is allowed to change (Figure 1). Consequently, any change in water surface elevation results in a change in the surface layer's thickness. The water column at a given location has the same shape as the surface cell, which results in all subsurface cells having the same length and width as the surface cell. Deeper portions of a system have more layers than shallow portions, which results in the number of cells within a layer decreasing with increasing depth.

| Report Documentation Page                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                    |                                     | Form Approved<br>OMB No. 0704-0188                        |                                                     |                                 |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------|-------------------------------------|-----------------------------------------------------------|-----------------------------------------------------|---------------------------------|
| Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. |                                    |                                     |                                                           |                                                     |                                 |
| 1. REPORT DATE<br><b>OCT 2007</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                    | 2. REPORT TYPE                      |                                                           | 3. DATES COVERED<br><b>00-00-2007 to 00-00-2007</b> |                                 |
| 4. TITLE AND SUBTITLE<br><b>A Primer for the Linkage Between Unstructured Water Quality Model CE-QUAL-ICM and Structured Three-Dimensional Hydrodynamic Model CH3D-WES</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                    |                                     | 5a. CONTRACT NUMBER                                       |                                                     |                                 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                    |                                     | 5b. GRANT NUMBER                                          |                                                     |                                 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                    |                                     | 5c. PROGRAM ELEMENT NUMBER                                |                                                     |                                 |
| 6. AUTHOR(S)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                    |                                     | 5d. PROJECT NUMBER                                        |                                                     |                                 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                    |                                     | 5e. TASK NUMBER                                           |                                                     |                                 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                    |                                     | 5f. WORK UNIT NUMBER                                      |                                                     |                                 |
| 7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)<br><b>U.S. Army Engineer Research and Development Center, Geotechnical and Structures Laboratory and Information Technology Lab, 3909 Halls Ferry Road, Vicksburg, MS, 39180-6199</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                    |                                     | 8. PERFORMING ORGANIZATION REPORT NUMBER                  |                                                     |                                 |
| 9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                    |                                     | 10. SPONSOR/MONITOR'S ACRONYM(S)                          |                                                     |                                 |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                    |                                     | 11. SPONSOR/MONITOR'S REPORT NUMBER(S)                    |                                                     |                                 |
| 12. DISTRIBUTION/AVAILABILITY STATEMENT<br><b>Approved for public release; distribution unlimited</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                    |                                     |                                                           |                                                     |                                 |
| 13. SUPPLEMENTARY NOTES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                    |                                     |                                                           |                                                     |                                 |
| 14. ABSTRACT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                    |                                     |                                                           |                                                     |                                 |
| 15. SUBJECT TERMS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                    |                                     |                                                           |                                                     |                                 |
| 16. SECURITY CLASSIFICATION OF:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                    |                                     | 17. LIMITATION OF ABSTRACT<br><b>Same as Report (SAR)</b> | 18. NUMBER OF PAGES<br><b>58</b>                    | 19a. NAME OF RESPONSIBLE PERSON |
| a. REPORT<br><b>unclassified</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | b. ABSTRACT<br><b>unclassified</b> | c. THIS PAGE<br><b>unclassified</b> |                                                           |                                                     |                                 |




Figure 1. Elevation of Z-grid.

CH3D- $\sigma$  uses a vertically  $\sigma$ -coordinate. Thus all the cells have the same number of subsurface layers. The water column for each cell is divided among all layers in a pre-specified ratio (Figure 2). Therefore, the thickness of all layers in a column fluctuates in response to changes in water surface elevation. CH3D- $\sigma$  will have the same number of cells in all layers, which typically results in more cells than a z-grid version for the same water body.

ICM utilizes an unstructured grid in which cells are identified by a unique number referred to as a cell or box number (Figure 3). Flow faces in an unstructured grid are also identified by a unique integer number. There are no requirements concerning the methods used to assign box numbers or flow face numbers other than they be unique integer values. However, it is suggested that an orderly method be used for clarity.

**Linkage Files.** In a structured grid, the location of one cell in relation to another is easily determined by comparing their locations in computational domain (i.e. on i-j-k coordinate). In an unstructured grid, each cell is identified by a box (or cell) number and no such comparison is possible based upon box number information alone.

A system comprised of three ASCII data files has been developed to link CE-QUAL-ICM and CH3D-WES cells. A cell information file (e.g. "fort.94") contains the relationships between ICM box and CH3D cell and is used by CH3D (Figure 3). A file for face information (e.g. "fort.95" or "map.inp") shows relationships of a box face to adjacent boxes and is used by both CH3D and ICM (Figure 4). Because ICM's advection scheme includes both Upwind and QUICKEST, two cells must be known in both the upstream and downstream directions relative to the face. A file for the location information of ICM boxes (e.g. 'wqmgeo.inp') contains the relative location of boxes for a water column, which is used by ICM in calculating vertical dimensions. Distribution of boxes for the water column is also saved into a file (e.g. 'wqmcpl.inp') for post-processing purposes. A subroutine

“WQS.F” (appended in CH3D) uses two of these linkage files (“fort.94” and “fort.95”) to pass hydrodynamic information from CH3D to ICM.




Figure 2. Elevation of  $\sigma$ -grid.




Figure 3. Diagram for cell information file.




Figure 4. Diagram for face information file.

**MATLAB UTILITY PROGRAMS:** A program—“read\_ch3d\_grid\_sigma.m”—was created to provide a seamless linkage between a three-dimensional hydrodynamic model (CH3D- $\sigma$ ) and a water quality model (CE-QUAL-ICM). For CH3D-z, a separate program—“read\_ch3d\_grid\_z.m”—was created. Both utilize a function—plot\_grid—supplied by a separate program “plot\_grid.m.”

CH3D is on a structured grid, i.e. on  $(i,j,k)$  grid, whereas ICM is on an unstructured grid. A linkage file should relate an ICM cell (or box) to CH3D  $(i,j,k)$  cell. The volume change calculated by CH3D is passed to ICM. An ICM cell also needs fluxes around the cell, which should be calculated by CH3D. Previously, a set of utility programs was written to make linkages and other files for pre- and post-processing. It requires an input file that has to be edited whenever there is a modification in the CH3D grid and configuration. It is cumbersome to go into the file for editing every time a change is made and also prone to error.

Development of this program accommodates any change in CH3D to generate linkage files. In addition, it has been proven to be useful to view grid information on GIS. This set of programs will work as a primer for future development of utility programs in CH3D and ICM linkages as well as ICM pre- and post-processing.

**CH3D Input Files Used in Linkage Development.** Three input files are needed to create linkage files for CH3D- $\sigma$  and two input files are needed for CH3D-z. CH3D- $\sigma$  uses separate files for the grid setup and for the model run control, respectively. In CH3D-z, these are combined into one file. Thus, z-version combines file 1 and file 2, as indicated below. Depth data (file 3) is common in both models. An additional input file (file 4) for grid information is required to prepare for a GIS application.

1. CH3D grid configuration file. This file describes the CH3D model grid setup, such as dimension and boundary conditions. Typically, it bears a name like “blk01.inp.” An example is given in Appendix A.
  - a. Parameters needed for linkage from the CH3D model grid dimension (ICELLS, JCELLS, KCELLS).
  - b. River boundaries provide flux boundary conditions:
    - (1) NRIVER: number of river boundaries. This should not be confused with the actual number of river boundaries. This number only states how many lines follow to describe boundaries.
    - (2) IJDIR: direction of river boundary relative to a cell. For a cell, 1 is set at the left (west) side of the cell. Numbers increase counterclockwise along the cell edges. The bottom is 2, the right side is 3, and the top is 4. All directions are relative to the ( $i, j$ ) coordinate,  $i$  varying in the left-right direction and  $j$  varying in the bottom-top direction.
    - (3) IJROW: fixed coordinate. If IJDIR=1 or 3,  $i$  is fixed. If IJDIR=2 or 4,  $j$  is fixed.
    - (4) IJRSTR: starting point in varying coordinate. If IJDIR=1 or 3, this is the  $j$  location. If IJDIR=2 or 4, this is the  $i$  location.
    - (5) IJREND: ending point in varying coordinate (similar to IJRSTR)

The program utilizes the names of the rivers (two words recommended).

- c. Bars:
  - (1) NBAR: number of bars to block flows across the faces.
  - (2) IJBDIR: direction of bar. For a cell, 1 is set at lower (south) side of the cell and 2 is set at the left (west) side of the cell.
  - (3) IJBROW: fixed coordinate. If IJBDIR=1,  $j$  is fixed. If IJBDIR=2,  $i$  is fixed.
  - (4) IJBSTR: starting point in varying coordinate. If IJBDIR=1, this is  $i$  location. If IJBDIR=2, this is  $j$  location.
  - (5) IJBEND: ending point in varying coordinate (similar to IJBSTR)
- d. Ocean boundaries provide mass (or volume) boundary conditions:
  - (1) TIDBND: number of lines for tide boundary conditions.
  - (2) IJTDIR: location of the boundary cell relative to successive water cell(s). It follows the convention of IJRDIR. It should be noted that this is for a cell, not for a face. Thus the flow face directions for open boundary conditions should be orthogonal to those of river boundaries. Thus, IJTDIR=1 is fixed along  $i=IJTROW+1$ . IJTDIR=2 is fixed along  $j=IJTROW+1$ . Similarly, IJTDIR=3 is fixed along  $i=IJTROW$  and IJTDIR=4 is fixed along  $j=IJTROW$ .
  - (3) IJTROW: fixed coordinate for the boundary cells.
  - (4) IJTSTR: starting point on varying coordinate.
  - (5) IJTEND: ending point on varying coordinate.

An open boundary should not be placed at a land cell. This has happened occasionally because the CH3D model can be run with this condition, but this is not correct. If this happens, the program will not run.

2. CH3D run control file. This file controls the CH3D run. Typically it is called “main.inp.” Appendix B shows an example of this file. Relevant parameters in this file needed for linkage development include the following:
  - a. DT: time step (in seconds)
  - b. IT1: time step for starting run
  - c. IT2: time step for ending run
  - d. ITSALT: time step for spin-up. It is recommended this will be the same as the beginning of hydrodynamic information archiving from CH3D.
  - e. XMAP: map scale (in centimeters per unit)

In the z-version, there is only one file (default name is “fort.4”) corresponding to combined information of block control (file 1) and run control (file 2).

3. Depth data. Depth data (in centimeters) are arranged as (ICELLS×JCELLS) matrix. Typically this is called “fort.23” for the  $\sigma$ -version and “fort.50” for the z-version.
4. Grid data. This file contains locations of grid points and includes information on the matrix size (IMAX×JMAX). This should be the same as ((ICELLS+1)×(JCELLS+1)). Inactive nodes have very big numbers such as  $9 \times 10^{19}$ . This file is typically known as “grid.inp” for the sigma version and “fort.15” for the z version.

**Output Files.** These programs create six output files. The first two are required by CH3D. The second and third files are required by ICM. The second file is common to both CH3D and ICM. The fourth file is useful in creating boundary conditions and the fifth file is used by post-processing programs. The sixth file is to be used in ArcView GIS.

1. Cell information file. This file is used by CH3D subroutine “WQMOUT.f” to create a hydrodynamic file for ICM. Figure 3 is a diagram of relationships between CH3D cells and ICM boxes. The most commonly known file name is “fort.94”. Appendix C shows an example of this file. Important key words are as follows:
  - a. NSB: number of surface boxes
  - b. NAVG: number of time-steps for averaging (default is set for 1 hr)
  - c. ITWQS: time-step to begin hydrodynamic file archiving (default is the same as spin-up time-step)
  - d. TBOX: total number of boxes
  - e. BOX\_NO: box number
  - f. IFIRST: i coordinate
  - g. ILAST: i+1 coordinate
  - h. JFIRST: j coordinate
  - i. JLAST: j+1 coordinate
  - j. K: k coordinate
2. Face information file. This file is also used in the CH3D subroutine “WQMOUT.f” as well as by ICM. Figure 4 shows the conceptual framework of this map file (commonly known as either “fort.95” or “map.inp”). Figure 4 shows the conceptual diagram for this file. Appendix D shows an example of this file. Key words are as follows:
  - a. NHQFT: total number of horizontal faces

- b. NQF: total number of faces. Thus, number of vertical faces becomes NQF-NHQFT
- c. NHQF: number of horizontal faces in surface layer
- d. F: face number
- e. QD: flow direction (1: i-direction, 2: j-direction, 3:k-direction)
- f. ILB: box number of second upstream cell
- g. IB: box number of immediate upstream cell
- h. JB: box number of immediate downstream cell
- i. JRB: box number of second downstream cell
- j. KP: i coordinate if QD=1. j coordinate if QD=2 or 3
- k. KF, KL: j coordinate if QD=1. i coordinate if QD=2 or 3
- l. LAYER: k coordinate if QD=1 or 2. If Q=3, two numbers show the k coordinates of boxes beneath and on the face.
- m. SFC BOX #: number of surface boxes
- n. NVF: number of faces orthogonal to vertical direction
- o. BOT BOX #: number of bottom box
- p. VFN: face numbers orthogonal to vertical direction (upward from bottom)

Boundary faces are identified by either (ILB=0 and IB=0) or (JB=0 and JRB=0).

3. ICM box location file. This file shows locations of ICM boxes in three dimensions (Figure 5). Appendix E shows an example (“wqmgeo.inp”). The left column is a box number and the right column is the box number above the box. At the surface layer, no box exists above a box; thus, the right column becomes 0.




Figure 5. Box location information files.

4. ICM boundary face data file. This is used in preprocessing of ICM boundary conditions. Appendix F shows an example (“bndface.inp”). The first set of the file contains six columns of data.
  - a. Column 1: boundary face number count
  - b. Column 2: face number



- c. Column 3, 4, 5: (i,j,k) coordinate of the face
- d. Column 6: name of the boundary (if any)

The second set of the file arranges boundary sequences according to specific boundaries; that is, a specific river boundary or an ocean boundary.

- 5. File utilized for CH3D-ICM postprocessing. This file (“wqmcop.inp”) is used by many post-processing programs. The first two columns contain (i,j) coordinates of corresponding CH3D cells. The next column is the number of boxes in the vertical direction, followed by the box numbers. They are arranged from surface to bottom.
- 6. File utilized for ET GeoWizards to create a shape file. ET GeoWizards™ is a utility program to be used in ESRI ArcView. It can import text files to create shape files. This Matlab program generates a text file that can be used by ET GeoWizards. The default name is “CH3D\_ICM\_GIS.txt.”

**Running the Program.** First, one should open the MATLAB program. Next, change the directory to the program location. Then, type in “read\_ch3d\_grid\_sigma” or “read\_ch3d\_grid\_z” (Figure 6). An alternative is to bring in the source code to MATLAB editor and run by invoking “debug.”




Figure 6. Initializing the program.

The program will ask for the CH3D grid configuration file (Figure 7). In this example, “blk01.inp” is selected. The file is shown in Appendix A. Next, the program will ask for CH3D run control file (Figure 8). In this example, it is “main.inp.” For the z-grid version, it will ask for only one file (“fort.4”). This file is shown in Appendix B. The third input file is the depth data (Figure 9). In this example, it is “fort.23.”




Figure 7. Selecting CH3D grid configuration file.




Figure 8. Selecting CH3D run control file.

The program will generate a plot of the grid (Figure 10). All the active cells are represented by blue boxes. This also depicts the locations of river boundaries as red arrows (Figure 11). Note that a flux condition is set by CH3D input file (“fort.13”) when an arrow crosses a face of a cell. CH3D also reads in temperature conditions at these faces (“fort.78”). Ocean boundaries are depicted as red squares with a cross inside (Figure 12). The water levels are set at these cells in CH3D (“fort.16”). CH3D also sets salinity and temperature at these boundary cells (“fort.76”).




Figure 9. Selecting depth data.




Figure 10. Plot grid with boundary conditions. Blue boxes represent water cell. Red crosses represent open boundaries and red arrows represent river boundaries.




Figure 11. Zoomed in grid to depict river boundaries (red arrows).




Figure 12. Zoomed in grid to show open boundary cells (red boxes with cross inside).

The following user inputs (see Figures 13 through 17) are to name output files for linkage. To prepare for GIS application, a grid file for input (Figure 18) and a text output file (Figure 19) need to be set.




Figure 13. User input for box-cell linkage file (file 94 for CH3D).




Figure 14. User input for map file (file95 for CH3D).




Figure 15. User input for ICM box location file.




Figure 16. User input for boundary face information file to aid ICM preprocessing.




Figure 17. User input for ICM post processing water column information file.




Figure 18. Opening CH3D grid information ("grid.inp").




Figure 19. User input for a text file to be utilized by ET GeoWizard to create ArcView shape file.

Figures 20 through 23 show how to create a shape file using ET GeoWizards inside ArcMap from the file generated, “CH3D\_ICM\_GIS.txt.” The “Generate (import from text)” menu is selected (Figure 21). Then, input and output files are specified (Figure 22). Note that “Polygon” type is selected. Check the box for “Data contains attributes” (Figure 23). “CH3D” is (i,j) location of surface cell (=1000\*i+j). “Depth” is the water depth of the cell. “L1” is the surface box number for ICM. “Ln” is the ICM box number on n-th layer (surface is 1). Figure 24 shows a created shape file layout.




Figure 20. Initial screen for ArcMap.






Figure 21. Initialize ET GeoWizard.




Figure 22. Import prepared text file to make a shape file.

**Generate Wizard**

**ET Geo Wizards**

☒ The data contains attributes

| Field | Type    | Precision | Scale |
|-------|---------|-----------|-------|
| CH3D  | String  | 10        | 0     |
| DEPTH | Integer | 10        | 0     |
| L1    | String  | 10        | 0     |
| L2    | String  | 10        | 0     |
| L3    | String  | 10        | 0     |
| L4    | String  | 10        | 0     |
| L5    | String  | 10        | 0     |

**Generate**  
Generates a shapefile from an ArcInfo generate format text file.  
NOTES:  
\* The user can select the type of shapefile to be created.  
\* The text file can contain attribute information.  
\* visit: <http://www.ian-ko.com>  
==> ET GeoWizards ==>  
Online UserGuide for text file format info

Help Cancel < Back Next > Finish

Figure 23. Set attributes.




Figure 24. Example of a created GIS shape file.

Appendix G is the source code to deal with CH3D- $\sigma$ , “read\_ch3d\_sigma.m.” Appendix H is the source code to deal with CH3D-z, “read\_ch3d\_z.m.” Appendix I is the source code for function “plot\_grid\_1.”

**SUMMARY:** A set of MATLAB programs were developed to generate seamless linkages from CH3D-WES to CE-QUAL-ICM. Extra features such as files to aid in pre- and post-processing and files to be used in creating a GIS file are included. User instructions are also provided.

**POINT OF CONTACT:** This technical note was written by Dr. Sung-Chan Kim ([sung-chan.kim@erdc.usace.army.mil](mailto:sung-chan.kim@erdc.usace.army.mil), 601-634-3783) of the U.S. Army Engineer Research and Development Center, Environmental Laboratory. Questions about this technical note can be addressed to Dr. Kim or to the manager of the Water Operations Technical Support (WOTS) Program, Robert C. Gunkel (601-634-3722, [Robert.C.Gunkel@erdc.usace.army.mil](mailto:Robert.C.Gunkel@erdc.usace.army.mil)). This technical note should be cited as follows:

Kim, S.-C. 2007. *A Primer for the linkage between unstructured water quality model CE-QUAL-ICM and structured three-dimensional hydrodynamic model CH3D-WES*. Water Quality Technical Notes Collection (ERDC WQTN-AM-15), Vicksburg, MS: U.S. Army Engineer Research and Development Center. An electronic copy of this TN is available at <http://el.erdc.usace.army.mil/publications.cfm?Topic=technote&Code=watqual>.

## REFERENCES

- Cerco, C. F., and T. Cole. 1993. Three-dimensional eutrophication model of Chesapeake Bay. *J. Environ. Eng.* 119:1006-1025.
- Cerco, C. F., and M. Noel. 2004. *The 2002 Chesapeake Bay eutrophication model*. EPA 903-R-04-004. Annapolis, MD: Chesapeake Bay Program Office, U.S. Environmental Protection Agency.
- Cerco, C. F., M. Noel, and S.-C. Kim. 2006. Three-dimensional management model for Lake Washington, Part II: Eutrophication modeling and skill assessment. *Lake and Reserv. Manage.* 22:115-131.
- Johnson, B. H., K. W. Kim, R. E. Heath, B. B. Hsieh, and H. L. Butler. 1993. Validation of a three-dimensional hydrodynamic model of Chesapeake Bay. *J. Hydraul. Eng.* 119: 2-20.
- Kim, S.-C., C. F. Cerco, and B. H. Johnson. 2006. Three-dimensional management model for Lake Washington, Part I: Introduction and hydrodynamic modeling. *Lake and Reserv. Manage.* 22: 103-114.

*NOTE: The contents of this technical note are not to be used for advertising, publication, or promotional purposes. Citation of trade names does not constitute an official endorsement or approval of the use of such products.*

## Appendix A. Example CH3D grid configuration file

```

Grid 405x172 MSSOUND Study
ICELLS JCELLS KCELLS
404 171 5
NRANG
0
RANGDR RPOS1 RPOS2 RPOS3 RRNAME
NSTA NFREQ NSTART (CURRENT STATIONS)
0 99929 999991 89.01166,30.22833
IST JST STATID(K) (2I4,A48) ( ONE CARD FOR EACH STATION )
NSTAS NFREQS NSTRTS (TIDE STATIONS)
0 99929 999991 89.01166,30.22833
IST JST STATID(K) (2I4,A48) ( ONE CARD FOR EACH STATION )
MSTA MFREQ MSTART (SALINITY STATIONS)
0 99999 999999
IST JST STATID(K) (2I4,A48) ( ONE CARD FOR EACH STATION )
NRIVER
11
IJRDIR IJRROW IJRSTR IJREND ( ONE CARD FOR EACH RIVER )
2 25 6 10 S-W Lake Pont River
4 90 13 13 Tickfaw River
4 90 15 15 Tangipahoa River
4 90 20 20 Tchekfuncta River
4 162 126 127 Pearl River
4 166 177 177 Jordan River
3 203 165 166 Wolf River
3 257 168 170 Biloxi River
4 171 320 320 West Pascagula River
4 171 328 328 East Pascagula River
4 171 386 390 Mobile Rivers
I J QRIVER ( ONE CARD FOR EACH CELL )
NBAR NBARU KU NBARV KV
0 0 0 0 0
IJBDir IJBrow IJBstr IJBend ( ONE CARD FOR EACH BAR )
TIDFNO TIDBND
6 5
TIDSTR 2 3 4 5 6 7 8 9 10
1 1 1 1 1 1 1 1 1
IJTDIR IJTROW IJTSTR IJTEND TIDTYP TIDFN1 TIDFN2
2 1 135 231INTERP 2 3
2 1 231 325CONSTANT 3 3
2 1 325 403INTERP 3 4
3 404 2 39INTERP 4 5
3 404 39 68INTERP 5 6
RESET HS(I,J) TO ZERO AT THE FOLLOWING CELLS
RESET HU(I,J) TO ZERO AT THE FOLLOWING CELLS
RESET HV(I,J) TO ZERO AT THE FOLLOWING CELLS
RESET HS(I,J) TO THE FOLLOWING DEPTHS
END OF DATA
END OF FILE

```

## Appendix B. Example of CH3D run control file

---

```

MS Sound Study 01-31 March 1998 DT60=044640
DT                                     DT30=089280
60.0
IT1   IT2   ISTART   ITSALT   IHOT   IADI   IFREQP   IWQ
1   044640       0   001440       0       0   999999       1
XREF   ZREF   UREF   COR       GR   RO0   ROR   T0   TR
11000  2000   50.0  0.00004  981.0  1.0   2.0   10   20
THETA
1.0
ITEMP   ISALT   IFI   IFD
0       -1       0       0
TWE     TWH     FKB
10      10      1
IEXP    IAV     AVR     AV1     AV2     AVM     AVM1     AHR
1       0       1       0       0       50.0    0.001    500
GAMAX   GBMAX
1000    10
IWIND   TAUX     TAUY
3       0.00    0.00
ISPAC(I), I=1,10
0       0       0       1       0       0       0       0       0
JSPAC(I), I=1,10
0       0       -1      1       0       0       0       0       0
RSPAC(I), I=1,10
0.020  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0  0.0
HADD    HMIN     H1     H2     SSS0
0.0     1.0     0.0     0.0     0.0
ISMAIL  ISF      ITB    ZREFBN  CTB    BZ1    ZREFTN  TZ1
1       0       2      10.0   0.00125  1.00   1.0     1.0
XMAP    ALXREF   ALYREF
100.00  0       0

```

## Appendix C. Example of header lines for cell information ("fort.94")

---

File 94: box info for CH3D

SCK

09-May-2007

|        |        |       |        |       |   |
|--------|--------|-------|--------|-------|---|
| NSB    | NAVG   | ITWQS | TBOX   |       |   |
| 40406  | 60     | 1440  | 202030 |       |   |
| BOX_NO | IFIRST | ILAST | JFIRST | JLAST | K |
| 1      | 125    | 126   | 2      | 3     | 5 |
| 2      | 126    | 127   | 2      | 3     | 5 |
| 3      | 127    | 128   | 2      | 3     | 5 |
| 4      | 128    | 129   | 2      | 3     | 5 |
| 5      | 129    | 130   | 2      | 3     | 5 |
| 6      | 130    | 131   | 2      | 3     | 5 |
| 7      | 131    | 132   | 2      | 3     | 5 |
| 8      | 132    | 133   | 2      | 3     | 5 |
| 9      | 133    | 134   | 2      | 3     | 5 |
| 10     | 134    | 135   | 2      | 3     | 5 |
| 11     | 135    | 136   | 2      | 3     | 5 |
| 12     | 136    | 137   | 2      | 3     | 5 |
| 13     | 137    | 138   | 2      | 3     | 5 |
| 14     | 138    | 139   | 2      | 3     | 5 |
| 15     | 139    | 140   | 2      | 3     | 5 |
| 16     | 140    | 141   | 2      | 3     | 5 |
| 17     | 141    | 142   | 2      | 3     | 5 |
| 18     | 142    | 143   | 2      | 3     | 5 |
| 19     | 143    | 144   | 2      | 3     | 5 |

## Appendix D. Example map file ("fort.95")

File 95: Face info for CH3D and ICM

SCK

09-May-2007

:

:

| NHQFT       | NQF                          | NHQF   |        |        |        |     |     |     |       |   |
|-------------|------------------------------|--------|--------|--------|--------|-----|-----|-----|-------|---|
| 395335      | 556959                       | 79067  |        |        |        |     |     |     |       |   |
| F           | QD                           | ILB    | IB     | JB     | JRB    | KP  | KF  | KL  | LAYER |   |
| 1           | 1                            | 0      | 1      | 2      | 3      | 126 | 2   | 2   | 5     |   |
| 2           | 1                            | 1      | 2      | 3      | 4      | 127 | 2   | 2   | 5     |   |
| 3           | 1                            | 2      | 3      | 4      | 5      | 128 | 2   | 2   | 5     |   |
| 39522       | 1                            | 40404  | 40405  | 40406  | 0      | 390 | 171 | 171 | 5     |   |
| 39523       | 2                            | 0      | 11212  | 11554  | 11896  | 44  | 3   | 3   | 5     |   |
| 39524       | 2                            | 11212  | 11554  | 11896  | 12234  | 45  | 3   | 3   | 5     |   |
| 39525       | 2                            | 11554  | 11896  | 12234  | 12570  | 46  | 3   | 3   | 5     |   |
| 39526       | 2                            | 11896  | 12234  | 12570  | 12909  | 47  | 3   | 3   | 5     |   |
| 39527       | 2                            | 12234  | 12570  | 12909  | 13266  | 48  | 3   | 3   | 5     |   |
| 39528       | 2                            | 12570  | 12909  | 13266  | 13637  | 49  | 3   | 3   | 5     |   |
| 39529       | 2                            | 12909  | 13266  | 13637  | 14002  | 50  | 3   | 3   | 5     |   |
| 39530       | 2                            | 13266  | 13637  | 14002  | 14368  | 51  | 3   | 3   | 5     |   |
| 39531       | 2                            | 13637  | 14002  | 14368  | 14742  | 52  | 3   | 3   | 5     |   |
| 39532       | 2                            | 14002  | 14368  | 14742  | 15118  | 53  | 3   | 3   | 5     |   |
| 39533       | 2                            | 14368  | 14742  | 15118  | 15503  | 54  | 3   | 3   | 5     |   |
| 39534       | 2                            | 14742  | 15118  | 15503  | 15891  | 55  | 3   | 3   | 5     |   |
| 39535       | 2                            | 15118  | 15503  | 15891  | 16277  | 56  | 3   | 3   | 5     |   |
| 39536       | 2                            | 15503  | 15891  | 16277  | 16660  | 57  | 3   | 3   | 5     |   |
| 39537       | 2                            | 15891  | 16277  | 16660  | 17035  | 58  | 3   | 3   | 5     |   |
| 39538       | 2                            | 16277  | 16660  | 17035  | 17411  | 59  | 3   | 3   | 5     |   |
| 39539       | 2                            | 16660  | 17035  | 17411  | 17790  | 60  | 3   | 3   | 5     |   |
| 39540       | 2                            | 17035  | 17411  | 17790  | 18166  | 61  | 3   | 3   | 5     |   |
| 39541       | 2                            | 17411  | 17790  | 18166  | 18543  | 62  | 3   | 3   | 5     |   |
| 395335      | 2                            | 190682 | 190926 | 191165 | 161624 | 95  | 403 | 403 | 1     |   |
| 395336      | 3                            | 0      | 161625 | 121219 | 80813  | 2   | 125 | 125 | 1     | 2 |
| 395337      | 3                            | 161625 | 121219 | 80813  | 40407  | 2   | 125 | 125 | 2     | 3 |
| 395338      | 3                            | 121219 | 80813  | 40407  | 1      | 2   | 125 | 125 | 3     | 4 |
| 395339      | 3                            | 80813  | 40407  | 1      | 0      | 2   | 125 | 125 | 4     | 5 |
| 395340      | 3                            | 0      | 161626 | 121220 | 80814  | 2   | 126 | 126 | 1     | 2 |
| 395341      | 3                            | 161626 | 121220 | 80814  | 40408  | 2   | 126 | 126 | 2     | 3 |
| 395342      | 3                            | 121220 | 80814  | 40408  | 2      | 2   | 126 | 126 | 3     | 4 |
| 395343      | 3                            | 80814  | 40408  | 2      | 0      | 2   | 126 | 126 | 4     | 5 |
| 395344      | 3                            | 0      | 161627 | 121221 | 80815  | 2   | 127 | 127 | 1     | 2 |
| 395345      | 3                            | 161627 | 121221 | 80815  | 40409  | 2   | 127 | 127 | 2     | 3 |
| 395346      | 3                            | 121221 | 80815  | 40409  | 3      | 2   | 127 | 127 | 3     | 4 |
| 395347      | 3                            | 80815  | 40409  | 3      | 0      | 2   | 127 | 127 | 4     | 5 |
| 556958      | 3                            | 161624 | 121218 | 80812  | 40406  | 171 | 390 | 390 | 3     | 4 |
| 556959      | 3                            | 121218 | 80812  | 40406  | 0      | 171 | 390 | 390 | 4     | 5 |
| SFC BOX #   | (NVF (SB) , SB=1, NSB)       |        |        |        |        |     |     |     |       |   |
| 1- 8        | 4                            | 4      | 4      | 4      | 4      | 4   | 4   | 4   | 4     |   |
| 9- 16       | 4                            | 4      | 4      | 4      | 4      | 4   | 4   | 4   | 4     |   |
| 17- 24      | 4                            | 4      | 4      | 4      | 4      | 4   | 4   | 4   | 4     |   |
| 25- 32      | 4                            | 4      | 4      | 4      | 4      | 4   | 4   | 4   | 4     |   |
| 33- 40      | 4                            | 4      | 4      | 4      | 4      | 4   | 4   | 4   | 4     |   |
| 41- 48      | 4                            | 4      | 4      | 4      | 4      | 4   | 4   | 4   | 4     |   |
| 40393-40400 | 4                            | 4      | 4      | 4      | 4      | 4   | 4   | 4   | 4     |   |
| 40401-40406 | 4                            | 4      | 4      | 4      | 4      | 4   | 4   | 4   | 4     |   |
| BOT BOX #   | (VFN (F, SB) , F=1, NVF (SB) |        |        |        |        |     |     |     |       |   |
| 161625      | 395336                       | 395337 | 395338 | 395339 |        |     |     |     |       |   |
| 161626      | 395340                       | 395341 | 395342 | 395343 |        |     |     |     |       |   |
| 161627      | 395344                       | 395345 | 395346 | 395347 |        |     |     |     |       |   |
| 161628      | 395348                       | 395349 | 395350 | 395351 |        |     |     |     |       |   |

|        |        |        |        |        |
|--------|--------|--------|--------|--------|
| 161629 | 395352 | 395353 | 395354 | 395355 |
| 161630 | 395356 | 395357 | 395358 | 395359 |



## Appendix E. Example water column information file ("wqmgeo.inp")

---

C: GEO input file for ICM

C: SCK, 09-May-2007

BOX #    B#\_K+1

|    |   |
|----|---|
| 1  | 0 |
| 2  | 0 |
| 3  | 0 |
| 4  | 0 |
| 5  | 0 |
| 6  | 0 |
| 7  | 0 |
| 8  | 0 |
| 9  | 0 |
| 10 | 0 |
| 11 | 0 |
| 12 | 0 |
| 13 | 0 |
| 14 | 0 |
| 15 | 0 |
| 16 | 0 |
| 17 | 0 |
| 18 | 0 |
| 19 | 0 |

---

|       |        |
|-------|--------|
| 40390 | 202014 |
| 40391 | 202015 |
| 40392 | 202016 |
| 40393 | 202017 |
| 40394 | 202018 |
| 40395 | 202019 |
| 40396 | 202020 |
| 40397 | 202021 |
| 40398 | 202022 |
| 40399 | 202023 |
| 40400 | 202024 |
| 40401 | 202025 |
| 40402 | 202026 |
| 40403 | 202027 |
| 40404 | 202028 |
| 40405 | 202029 |
| 40406 | 202030 |

## Appendix F. Example for boundary face information

|                  |       |      |      |      |                   |      |      |  |
|------------------|-------|------|------|------|-------------------|------|------|--|
| 50               | 14103 | 404  | 51   | 5    | Ocean             |      |      |  |
| 51               | 14474 | 404  | 52   | 5    | Ocean             |      |      |  |
| 52               | 14847 | 404  | 53   | 5    | Ocean             |      |      |  |
| 53               | 15229 | 404  | 54   | 5    | Ocean             |      |      |  |
| 54               | 15615 | 404  | 55   | 5    | Ocean             |      |      |  |
| 55               | 15999 | 404  | 56   | 5    | Ocean             |      |      |  |
| 56               | 16379 | 404  | 57   | 5    | Ocean             |      |      |  |
| 57               | 16749 | 404  | 58   | 5    | Ocean             |      |      |  |
| 58               | 17120 | 404  | 59   | 5    | Ocean             |      |      |  |
| 59               | 17495 | 404  | 60   | 5    | Ocean             |      |      |  |
| 60               | 17866 | 404  | 61   | 5    | Ocean             |      |      |  |
| 61               | 18238 | 404  | 62   | 5    | Ocean             |      |      |  |
| 62               | 18609 | 404  | 63   | 5    | Ocean             |      |      |  |
| 63               | 18979 | 404  | 64   | 5    | Ocean             |      |      |  |
| 64               | 19349 | 404  | 65   | 5    | Ocean             |      |      |  |
| 65               | 19719 | 404  | 66   | 5    | Ocean             |      |      |  |
| 66               | 20087 | 404  | 67   | 5    | Ocean             |      |      |  |
| 67               | 20454 | 404  | 68   | 5    | Ocean             |      |      |  |
| 68               | 39335 | 204  | 165  | 5    | Wolf_River        |      |      |  |
| 69               | 39373 | 204  | 166  | 5    |                   |      |      |  |
| 70               | 39445 | 258  | 168  | 5    | Biloxi_River      |      |      |  |
| 71               | 39475 | 258  | 169  | 5    |                   |      |      |  |
| 72               | 39502 | 258  | 170  | 5    |                   |      |      |  |
| 73               | 39664 | 6    | 25   | 5    | Pont_River        |      |      |  |
| 74               | 39730 | 7    | 25   | 5    |                   |      |      |  |
| 75               | 39796 | 8    | 25   | 5    |                   |      |      |  |
| 76               | 39862 | 9    | 25   | 5    |                   |      |      |  |
| 77               | 39928 | 10   | 25   | 5    |                   |      |      |  |
| 78               | 40135 | 13   | 91   | 5    | Tickfaw_River     |      |      |  |
| 79               | 40230 | 15   | 91   | 5    | Tangipahoa_River  |      |      |  |
| 80               | 40466 | 20   | 91   | 5    | Tchekfuncta_River |      |      |  |
| 81               | 45391 | 126  | 163  | 5    | Pearl_River       |      |      |  |
| 82               | 45521 | 127  | 163  | 5    |                   |      |      |  |
| 83               | 46012 | 135  | 2    | 5    | Ocean             |      |      |  |
| 84               | 46084 | 136  | 2    | 5    | Ocean             |      |      |  |
| 85               | 46156 | 137  | 2    | 5    | Ocean             |      |      |  |
| 86               | 46226 | 138  | 2    | 5    | Ocean             |      |      |  |
| 87               | 46289 | 139  | 2    | 5    | Ocean             |      |      |  |
| 88               | 46346 | 140  | 2    | 5    | Ocean             |      |      |  |
| 89               | 46400 | 141  | 2    | 5    | Ocean             |      |      |  |
| 90               | 46454 | 142  | 2    | 5    | Ocean             |      |      |  |
| .....            |       |      |      |      |                   |      |      |  |
| Pont_River       |       |      |      |      |                   |      |      |  |
| 25               |       |      |      |      |                   |      |      |  |
| 73               | 74    | 75   | 76   | 77   | 432               | 433  | 434  |  |
| 435              | 436   | 791  | 792  | 793  | 794               | 795  | 1150 |  |
| 1151             | 1152  | 1153 | 1154 | 1509 | 1510              | 1511 | 1512 |  |
| 1513             |       |      |      |      |                   |      |      |  |
| Tickfaw_River    |       |      |      |      |                   |      |      |  |
| 5                |       |      |      |      |                   |      |      |  |
| 78               | 437   | 796  | 1155 | 1514 |                   |      |      |  |
| Tangipahoa_River |       |      |      |      |                   |      |      |  |

ERDC WQTN-AM-15  
October 2007

|                   |      |      |      |      |      |      |      |  |
|-------------------|------|------|------|------|------|------|------|--|
| 5                 |      |      |      |      |      |      |      |  |
| 79                | 438  | 797  | 1156 | 1515 |      |      |      |  |
| Tchekfuncta_River |      |      |      |      |      |      |      |  |
| 5                 |      |      |      |      |      |      |      |  |
| 80                | 439  | 798  | 1157 | 1516 |      |      |      |  |
| Pearl_River       |      |      |      |      |      |      |      |  |
| 10                |      |      |      |      |      |      |      |  |
| 81                | 82   | 440  | 441  | 799  | 800  | 1158 | 1159 |  |
| 1517              | 1518 |      |      |      |      |      |      |  |
| Jordan_River      |      |      |      |      |      |      |      |  |
| 5                 |      |      |      |      |      |      |      |  |
| 126               | 485  | 844  | 1203 | 1562 |      |      |      |  |
| Wolf_River        |      |      |      |      |      |      |      |  |
| 10                |      |      |      |      |      |      |      |  |
| 68                | 69   | 427  | 428  | 786  | 787  | 1145 | 1146 |  |
| 1504              | 1505 |      |      |      |      |      |      |  |
| Biloxi_River      |      |      |      |      |      |      |      |  |
| 15                |      |      |      |      |      |      |      |  |
| 70                | 71   | 72   | 429  | 430  | 431  | 788  | 789  |  |
| 790               | 1147 | 1148 | 1149 | 1506 | 1507 | 1508 |      |  |
| Pascagula_River   |      |      |      |      |      |      |      |  |
| 5                 |      |      |      |      |      |      |      |  |
| 270               | 629  | 988  | 1347 | 1706 |      |      |      |  |
| Pascagula_River   |      |      |      |      |      |      |      |  |
| 5                 |      |      |      |      |      |      |      |  |
| 279               | 638  | 997  | 1356 | 1715 |      |      |      |  |
| Mobile_Rivers     |      |      |      |      |      |      |      |  |
| 25                |      |      |      |      |      |      |      |  |
| 338               | 340  | 342  | 344  | 346  | 697  | 699  | 701  |  |
| 703               | 705  | 1056 | 1058 | 1060 | 1062 | 1064 | 1415 |  |
| 1417              | 1419 | 1421 | 1423 | 1774 | 1776 | 1778 | 1780 |  |
| 1782              |      |      |      |      |      |      |      |  |
| Ocean             |      |      |      |      |      |      |      |  |
| 1680              |      |      |      |      |      |      |      |  |
| 1                 | 2    | 3    | 4    | 5    | 6    | 7    | 8    |  |
| 9                 | 10   | 11   | 12   | 13   | 14   | 15   | 16   |  |
| 17                | 18   | 19   | 20   | 21   | 22   | 23   | 24   |  |

..... • .....

## Appendix G. Program “read\_ch3d\_grid\_sigma.m”

---

```

%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
%
% Matlab program to create ICM linkage files
%   from CH3D-Sigma
%
% Input files:
%   file15 - grid data
%   file50 - depth data
%   file4 - CH3D block input control file
%   filem - CH3D main input control file
% Output files:
%   file94 - cell info (used by CH3D)
%   file95 - face info (used by CH3D and ICM)
%   filegeo - cell layout (used by ICM)
%   filecol - cell layout (used in ICM Postprocessing)
%   filebnd - boundary face data (used by ICM Preprocessing)
%   filegis - input to ArcView ET
%
%   May 2007
%   S. Kim
%
%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
%
%-----
%
% read in CH3D input control file
%
[file4, pathname]=uigetfile('*.','CH3D Block Data');
fid4=fopen([pathname file4], 'rt');
%fid4=fopen('blk01.inp', 'rt');
%
% get CH3D grid setup
%
tline=fgets(fid4);
itest=1;
while (itest>0)
    hdrf=fscanf(fid4, '%s', 1);
    icell=str2num(hdrf);
    if (~isempty(icell))
        break;
    end;
end;
jcell=fscanf(fid4, '%g', 1);
kcell=fscanf(fid4, '%g', 1);
kmax=kcell;
imax=icell+1;
jmax=jcell+1;
%
% set zero for boxes
%
bexist=zeros(imax, jmax, kmax);

```

```

boxnum=bexist;
obox=zeros(imax-1,jmax-1);
%
% set zero for default boundary face
%
river=zeros(imax,jmax,2);
bar=river;
ocean=river;
rbnd=river;
%
% river boundaries
%
nriver=0;
itest=1;
while (itest>0)
    hdr=fscanf(fid4,'%s',1);
    nc=str2num(hdr);
    if isempty(nc)
        if (strcmp(hdr,'NRIVER',6))
            break;
        end;
    end;
end;
nriver=fscanf(fid4,'%g',1);
if(nriver>0)
    tline=fgets(fid4);
    tline=fgets(fid4);
    river=zeros(imax,jmax);
    for ir=1:nriver
        tline=fgets(fid4);
        rinfo=sscanf(tline,'%g %g %g %g',[1,4]);
        ttext=strread(tline,'%s');
        [m n]=size(ttext);
        switch rinfo(1)
            case 1
                i=rinfo(2);
                j=rinfo(3);
                je=rinfo(4);
                river(i,j:je,1)=1;
                rtext(i,j:je,1)=strcat(ttext(m-1),'_',ttext(m));
                rbnd(i,j:je,1)=ir;
                nrtext(ir)=rtext(i,j,1);
            case 2
                i=rinfo(3);
                j=rinfo(2);
                je=rinfo(4);
                river(i:je,j,2)=2;
                rtext(i:je,j,2)=strcat(ttext(m-1),'_',ttext(m));
                rbnd(i:je,j,2)=ir;
                nrtext(ir)=rtext(i,j,2);
            case 3
                i=rinfo(2)+1;
                j=rinfo(3);
                je=rinfo(4);
                river(i,j:je,1)=1;
                rtext(i,j:je,1)=strcat(ttext(m-1),'_',ttext(m));
                rbnd(i,j:je,1)=ir;
                nrtext(ir)=rtext(i,j,1);
            case 4
                i=rinfo(3);
                j=rinfo(2)+1;

```

```

        je=rinfo(4);
        river(i:je,j,2)=2;
        rtext(i:je,j,2)=strcat(ttext(m-1),'_',ttext(m));
        rbnd(i:je,j,2)=ir;
        nrtext(ir)=rtext(i,j,2);
    end;
end;
ir=nriver+1;
nrtext{ir}='Ocean';
%
% bar
%
itest=1;
while (itest>0)
    hdrf=fscanf(fid4,'%s',1);
    nc=str2num(hdrf);
    if isempty(nc)
        if (strcmp(hdrf,'NBAR',4))
            break;
        end;
    end;
end;
tline=fgets(fid4);
nbar=fscanf(fid4,'%g',1);
if (nbar>0)
    tline=fgets(fid4);
    tline=fgets(fid4);
    for ibar=1:nbar
        tline=fgets(fid4);
        barinfo=sscanf(tline,'%g %g %g %g',[1,4]);
        switch barinfo(1)
            case 1
                j=barinfo(2);
                i1=barinfo(3);
                i2=barinfo(4);
                bar(i1:i2,j,2)=1;
            case 2
                j1=rinfo(3);
                j2=rinfo(4);
                i=rinfo(2);
                bar(i,j1:i2,1)=2;
        end;
    end;
end;
%
% ocean boundaries
%
itest=1;
while (itest>0)
    hdrf=fscanf(fid4,'%s',1);
    nc=str2num(hdrf);
    if isempty(nc)
        if (strcmp(hdrf,'TIDFN2',6))
            itest=2;
            break;
        end;
    end;
end;
if (itest==2)
    tline=fgets(fid4);

```

```

ioc=0;
while (itest>0)
    tline=fgets(fid4);
    i1=str2num(tline(1:8));
    if isempty(i1)
        break;
    end;
    ioc=ioc+1;
    i2=str2num(tline(9:16));
    i3=str2num(tline(17:24));
    i4=str2num(tline(25:32));
    switch i1
        case 1
            ocean(i2+1,i3:i4,1)=1;
            obox(i2,i3:i4)=1;
            for j=i3:i4
                rtext{i1+1,j,1}='Ocean';
            end;
            rbnd(i2+1,i3:i4,1)=ir;
        case 2
            ocean(i3:i4,i2+1,2)=1;
            obox(i3:i4,i2)=1;
            for j=i3:i4
                rtext{j,i2+1,2}='Ocean';
            end;
            rbnd(i3:i4,i2+1,2)=ir;
        case 3
            ocean(i2,i3:i4,1)=1;
            obox(i2,i3:i4)=1;
            for j=i3:i4
                rtext{i2,j,1}='Ocean';
            end;
            rbnd(i2,i3:i4,1)=ir;
        case 4
            ocean(i3:i4,i2,2)=1;
            obox(i3:i4,i2)=1;
            for j=i3:i4
                rtext{j,i2,2}='Ocean';
            end;
            rbnd(i3:i4,i2,2)=ir;
    end;
end;
fclose(fid4);
%
%-----
%
%
%   read in depth data
%
[file50, pathname]=uigetfile('*.','Depth Data File');
fid_50=fopen([pathname file50],'rt');
%fid_50=fopen('fort.23','rt');
X=fscanf(fid_50,'%g');
depth=reshape(X,[imax-1 jmax-1]);
depth(imax,1:jmax)=0;
depth(1:imax,jmax)=0;
clear X;
fclose(fid_50);
nlayer=kmax*(depth./depth);
km=1;

```

```

nbox=nansum(nansum(nlayer));
%
% plot grid
%
plot_grid_1(imax,jmax,depth,obox,river,bar);
%
%-----
%
%
% read in CH3D main input control file
%
[file, pathname]=uigetfile('*.','CH3D Main Input');
fidm=fopen([pathname file],'rt');
%fidm=fopen('main.inp','rt');
%
%
%
tline=fgets(fidm);
tline=fgets(fidm);
itest=1;
while (itest>0)
    hdrf=fscanf(fidm,'%s',1);
    dt=str2num(hdrf);
    if(~isempty(dt))
        break;
    end;
end;
while (itest>0)
    hdrf=fscanf(fidm,'%s',1);
    it1=str2num(hdrf);
    if(~isempty(it1))
        break;
    end;
end;
it2=fscanf(fidm,'%g',1);
istart=fscanf(fidm,'%g',1);
itsalt=fscanf(fidm,'%g',1);
itsalt=max(itsalt,1);
ihot=fscanf(fidm,'%g',1);
iadi=fscanf(fidm,'%g',1);
fclose(fidm);
%
% find boxes
%
% find boxes
%
ibox=zeros(nbox);
%jbox=ibox;
%kbox=ibox;
bexist=zeros(imax,jmax);
nb=0;
k=kmax;
for j=1:jmax-1
    for i=1:imax-1
        if(depth(i,j)>0)&&(obox(i,j)==0)
            nb=nb+1;
            ibox(nb)=i;
            jbox(nb)=j;
            kbox(nb)=k;
            bexist(i,j)=1;
        end;
    end;
end;

```



```

        end;
    end;
end;
nsb=nb;
for k=kmax-1:-1:1
    ibeg=nb+1;
    iend=ibeg+nsb-1;
    ibox(ibeg:iend)=ibox(1:nsb);
    jbox(ibeg:iend)=jbox(1:nsb);
    kbox(ibeg:iend)=k;
    nb=iend;
end;
boxnum=zeros(imax,jmax,kmax);
for ib=1:nb
    boxnum(ibox(ib),jbox(ib),kbox(ib))=ib;
end;
%
%-----
%
%
% write to file94
%
[file94, pathname]=uinputfile('*.94','Cell Info File');
fid94=fopen([pathname file94],'wt');
%fid94=fopen('fort.94','wt');
%
%
%
fprintf(fid94,'File 94: box info for CH3D\n');
fprintf(fid94,'SCK\n');
fprintf(fid94,date);
fprintf(fid94,'\n');
%
%
%
fprintf(fid94,'      NSB      NAVG      ITWQS      TBOX\n');
navg=3600/dt;
fprintf(fid94,'%8d',nsb);
fprintf(fid94,'%8d',navg);
fprintf(fid94,'%8d',itsalt);
fprintf(fid94,'%8d\n',nb);
%
%
%
fprintf(fid94,' BOX_NO  IFIRST  ILAST  JFIRST  JLAST      K\n');
for i=1:nb
    fprintf(fid94,'%8d',i);
    fprintf(fid94,'%8d',ibox(i));
    fprintf(fid94,'%8d',ibox(i)+1);
    fprintf(fid94,'%8d',jbox(i));
    fprintf(fid94,'%8d',jbox(i)+1);
    fprintf(fid94,'%8d\n',kbox(i));
end;
fclose(fid94);
%
%-----
%
%
% find faces
%
nhqft=0;

```

```

bndfn=0;
k=kmax;
%
% x-sweep
%
for j=1:jmax-1
    for i=1:imax
        if (bexist(i,j)>0)
            if (i>1)
                if (bexist(i-1,j)>0)
                    if (bar(i,j,1)==0)
                        nhqft=nhqft+1;
                        qd(nhqft)=1;
                        ib(nhqft)=boxnum(i-1,j,k);
                        jb(nhqft)=boxnum(i,j,k);
                        jrb(nhqft)=boxnum(i+1,j,k);
                        if (i>2)
                            ilb(nhqft)=boxnum(i-2,j,k);
                        else
                            ilb(nhqft)=0;
                        end;
                        iface(nhqft)=i;
                        jface(nhqft)=j;
                        kface(nhqft)=k;
                    end;
                elseif (river(i,j,1)>0 || ocean(i,j,1)>0)
                    nhqft=nhqft+1;
                    qd(nhqft)=1;
                    ib(nhqft)=boxnum(i-1,j,k);
                    jb(nhqft)=boxnum(i,j,k);
                    jrb(nhqft)=boxnum(i+1,j,k);
                    if (i>2)
                        ilb(nhqft)=boxnum(i-2,j,k);
                    else
                        ilb(nhqft)=0;
                    end;
                    iface(nhqft)=i;
                    jface(nhqft)=j;
                    kface(nhqft)=k;
                    bndfn=bndfn+1;
                    bndfce(bndfn)=nhqft;
                    bndtxt(bndfn)=rtext(i,j,1);
                    bndid(bndfn)=rbnd(i,j,1);
                end;
            elseif (river(i,j,1)>0 || ocean(i,j,1)>0)
                nhqft=nhqft+1;
                qd(nhqft)=1;
                ib(nhqft)=0;
                ilb(nhqft)=0;
                jb(nhqft)=boxnum(i,j,k);
                jrb(nhqft)=boxnum(i+1,j,k);
                iface(nhqft)=i;
                jface(nhqft)=j;
                kface(nhqft)=k;
                bndfn=bndfn+1;
                bndfce(bndfn)=nhqft;
                bndtxt(bndfn)=rtext(i,j,1);
                bndid(bndfn)=rbnd(i,j,1);
            end;
        elseif (river(i,j,1)>0 || ocean(i,j,1)>0)
            nhqft=nhqft+1;

```

```

        qd(nhqft)=1;
        ib(nhqft)=boxnum(i-1,j,k);
        if(i==2)
            ilb(nhqft)=0;
        else
            ilb(nhqft)=boxnum(i-2,j,k);
        end;
        jb(nhqft)=0;
        jrb(nhqft)=0;
        iface(nhqft)=i;
        jface(nhqft)=j;
        kface(nhqft)=k;
        bndfn=bndfn+1;
        bndfce(bndfn)=nhqft;
        bndtxt(bndfn)=rtext(i,j,1);
        bndid(bndfn)=rbnd(i,j,1);
    end;
end;
%
% y-sweep
%
for i=1:imax-1
    for j=1:jmax
        if(bexist(i,j)>0)
            if(j>1)
                if(bexist(i,j-1)>0)
                    if(bar(i,j,2)==0)
                        nhqft=nhqft+1;
                        qd(nhqft)=2;
                        ib(nhqft)=boxnum(i,j-1,k);
                        jb(nhqft)=boxnum(i,j,k);
                        jrb(nhqft)=boxnum(i,j+1,k);
                        if(j>2)
                            ilb(nhqft)=boxnum(i,j-2,k);
                        else
                            ilb(nhqft)=0;
                        end;
                        iface(nhqft)=i;
                        jface(nhqft)=j;
                        kface(nhqft)=k;
                    end;
                elseif(river(i,j,2)>0||ocean(i,j,2)>0)
                    nhqft=nhqft+1;
                    qd(nhqft)=2;
                    ib(nhqft)=boxnum(i,j-1,k);
                    jb(nhqft)=boxnum(i,j,k);
                    jrb(nhqft)=boxnum(i,j+1,k);
                    if(j>2)
                        ilb(nhqft)=boxnum(i,j-2,k);
                    else
                        ilb(nhqft)=0;
                    end;
                    iface(nhqft)=i;
                    jface(nhqft)=j;
                    kface(nhqft)=k;
                    bndfn=bndfn+1;
                    bndfce(bndfn)=nhqft;
                    bndtxt(bndfn)=rtext(i,j,2);
                    bndid(bndfn)=rbnd(i,j,2);
                end;
            end;
        end;
    end;
end;

```

```

elseif (river(i,j,2)>0 || ocean(i,j,2)>0)
    nhqft=nhqft+1;
    qd(nhqft)=2;
    ib(nhqft)=0;
    ilb(nhqft)=0;
    jb(nhqft)=boxnum(i,j,k);
    jrb(nhqft)=boxnum(i,j+1,k);
    iface(nhqft)=i;
    jface(nhqft)=j;
    kface(nhqft)=k;
    bndfn=bndfn+1;
    bndfce(bndfn)=nhqft;
    bndtxt(bndfn)=rtext(i,j,2);
    bndid(bndfn)=rbnd(i,j,2);
end;
elseif (river(i,j,2)>0 || ocean(i,j,2)>0)
    nhqft=nhqft+1;
    qd(nhqft)=2;
    ib(nhqft)=boxnum(i,j-1,k);
    if(j==2)
        ilb(nhqft)=0;
    else
        ilb(nhqft)=boxnum(i,j-2,k);
    end;
    jb(nhqft)=0;
    jrb(nhqft)=0;
    iface(nhqft)=i;
    jface(nhqft)=j;
    kface(nhqft)=k;
    bndfn=bndfn+1;
    bndfce(bndfn)=nhqft;
    bndtxt(bndfn)=rtext(i,j,2);
    bndid(bndfn)=rbnd(i,j,2);
end;
end;
end;
bndsfn=bndfn;
nhqf=nhqft;
for k=kmax-1:-1:1
    ibeg=nhqft+1;
    iend=ibeg+nhqf-1;
    qd(ibeg:iend)=qd(1:nhqf);
    ilb(ibeg:iend)=ilb(1:nhqf)+nsb*(kmax-k);
    ib(ibeg:iend)=ib(1:nhqf)+nsb*(kmax-k);
    jb(ibeg:iend)=jb(1:nhqf)+nsb*(kmax-k);
    jrb(ibeg:iend)=jrb(1:nhqf)+nsb*(kmax-k);
    iface(ibeg:iend)=iface(1:nhqf);
    jface(ibeg:iend)=jface(1:nhqf);
    kface(ibeg:iend)=k;
    nhqft=iend;
    jbeg=bndfn+1;
    jend=jbeg+bndsfn-1;
    bndfce(jbeg:jend)=bndfce(1:bndsfn)+nhqf*(kmax-k);
    bndtxt(jbeg:jend)=bndtxt(1:bndsfn);
    bndid(jbeg:jend)=bndid(1:bndsfn);
    bndfn=jend;
end;
nqf=nhqft+nsb*(kmax-1);
%
%-----
%
```

```
%
% write to file95
%
[file95, pathname]=uiputfile('*.95','Map Info File');
fid95=fopen([pathname file95],'wt');
%fid95=fopen('fort.95','wt');
%
%
%
fprintf(fid95,'File 95: Face info for CH3D and ICM\n');
fprintf(fid95,'SCK\n');
fprintf(fid95,date);
fprintf(fid95,'\n');
fprintf(fid95,':\n');
fprintf(fid95,':\n');
%
%
%
fprintf(fid95,'    NHQFT      NQF      NHQF\n');
fprintf(fid95,'%8d',nhqft);
fprintf(fid95,'%8d',nqf);
fprintf(fid95,'%8d\n',nhqf);
%
%
%
fprintf(fid95,'          F      QD      ILB      IB      JB      JRB');
fprintf(fid95,'          KP      KF      KL      LAYER\n');
for i=1:nhqft
    fprintf(fid95,'%8d',i);
    fprintf(fid95,'%8d',qd(i));
    fprintf(fid95,'%8d',ilb(i));
    fprintf(fid95,'%8d',ib(i));
    fprintf(fid95,'%8d',jb(i));
    fprintf(fid95,'%8d',jrb(i));
    switch qd(i)
        case 1
            if(jb(i)==0)
                inum=ibox(ib(i))+1;
                jnum=jbox(ib(i));
                knum=kbox(ib(i));
            else
                inum=ibox(jb(i));
                jnum=jbox(jb(i));
                knum=kbox(jb(i));
            end;
            fprintf(fid95,'%8d',inum);
            fprintf(fid95,'%8d',jnum);
            fprintf(fid95,'%8d',jnum);
            fprintf(fid95,'%8d',knum);
            fprintf(fid95,'\n');
        case 2
            if(jb(i)==0)
                inum=ibox(ib(i));
                jnum=jbox(ib(i))+1;
                knum=kbox(ib(i));
            else
                inum=ibox(jb(i));
                jnum=jbox(jb(i));
                knum=kbox(jb(i));
            end;
            fprintf(fid95,'%8d',jnum);
```

```

        fprintf(fid95,'%8d',inum);
        fprintf(fid95,'%8d',inum);
        fprintf(fid95,'%8d',knum);
        fprintf(fid95,'\n');
    end;
end;
i=nhqft;
for ibx=1:nsb
    for k=2:kmax
        i=i+1;
        vfn(ibx,k)=i;
        fprintf(fid95,'%8d',i);
        fprintf(fid95,'%8d',3);
        if(k==2)
            ib1=0;
        else
            ib1=(kmax-k+2)*nsb+ibx;
        end;
        ib2=(kmax-k+1)*nsb+ibx;
        ib3=(kmax-k)*nsb+ibx;
        if(k==kmax)
            ib4=0;
        else
            ib4=(kmax-k-1)*nsb+ibx;
        end;
        fprintf(fid95,'%8d',ib1);
        fprintf(fid95,'%8d',ib2);
        fprintf(fid95,'%8d',ib3);
        fprintf(fid95,'%8d',ib4);
        fprintf(fid95,'%8d',jbox(ibx));
        fprintf(fid95,'%8d',ibox(ibx));
        fprintf(fid95,'%8d',ibox(ibx));
        fprintf(fid95,'%8d',k-1);
        fprintf(fid95,'%8d',k);
        fprintf(fid95,'\n');
    end;
end;
%
%
%
nvf=kmax-1;
fprintf(fid95,'\n');
fprintf(fid95,' SFC BOX #      (NVF(SB), SB=1,NSB)\n');
nline=floor(nsb/8);
nextra=mod(nsb,8);
for il=1:nline
    ibeg=(il-1)*8+1;
    iend=ibeg+7;
    fprintf(fid95,'%5d',ibeg);
    fprintf(fid95,'-');
    fprintf(fid95,'%5d',iend);
    for k=ibeg:iend
        fprintf(fid95,'%8d',nvf);
    end;
    fprintf(fid95,'\n');
end;
if (nextra>0)
    ibeg=iend+1;
    iend=ibeg+nextra-1;
    fprintf(fid95,'%5d',ibeg);
    fprintf(fid95,'-');

```

```

        fprintf(fid95,'%5d',iend);
        for k=ibeg:iend
            fprintf(fid95,'%8d',nvf);
        end;
        fprintf(fid95,'\n');
end;
%
%
%
fprintf(fid95,'\n');
fprintf(fid95,'  BOT BOX #      (VFN(F,SB), F=1,NVF(SB)\n');
bbstart=nsb*(kmax-1);
for i=1:nsb
    fprintf(fid95,'%8d',bbstart+i);
    iprcnt=0;
    for k=nvf:-1:1
        iprcnt=iprcnt+1;
        if (iprcnt>1&&mod(iprcnt,9)==1)
            fprintf(fid95,'\n      ');
        end;
        fprintf(fid95,'%8d',vfn(i,kmax-k+1));
    end;
    fprintf(fid95,'\n');
end;
%
%
%
fclose(fid95);
%
%-----
%
%
% write to filegeo
%
[filegeo, pathname]=uinputfile('wqmgeo.*','Geo File for ICM');
fidgeo=fopen([pathname filegeo],'wt');
%fidgeo=fopen('wqmgeo.inp','wt');
%
%
%
fprintf(fidgeo,'C: GEO input file for ICM\n');
fprintf(fidgeo,'C: SCK, ');
fprintf(fidgeo,date);
fprintf(fidgeo,'\n');
fprintf(fidgeo,'  BOX #   B#_K+1\n');
fprintf(fidgeo,'\n');
for i=1:nsb
    fprintf(fidgeo,'%8d%8d\n',i,0);
end;
for i=nsb+1:nb
    fprintf(fidgeo,'%8d%8d\n',i,...
        boxnum(ibox(i),jbox(i),kbox(i)+1));
end;
fprintf(fidgeo,'\n');
fprintf(fidgeo,'      SBOX      BBOX\n');
for i=1:nsb
    inum=ibox(i);
    jnum=jbox(i);
    knum=km;
    fprintf(fidgeo,'%8d%8d\n',i,boxnum(inum,jnum,knum));
end;

```

```

fclose(fidgeo);
%
%-----
%
%
% write to filecol
%
[filecol, pathname]=uiputfile('wqmc col.*','Postprocessing Column File');
fidcol=fopen([pathname filecol], 'wt');
%fidcol=fopen('wqmc col.inp', 'wt');
%
%
%
for i=1:nsb
    inum=ibox(i);
    jnum=jbox(i);
    fprintf(fidcol, '%3d %3d', inum, jnum);
    fprintf(fidcol, ' %2d', nlayer(inum, jnum));
    for k=kmax:-1:km
        fprintf(fidcol, '%7d', boxnum(inum, jnum, k));
    end;
    fprintf(fidcol, '\n');
end;
fclose(fidcol);
%
%-----
%
%
% write to filebnd
%
[filebnd, pathname]=uiputfile('bndface.*','Boundary Face File');
fidbnd=fopen([pathname filebnd], 'wt');
%fidbnd=fopen('bndface.inp', 'wt');
%
%
%
ncbnd=zeros(ir,1);
for i=1:bndfn
    fnum=bndfci(i);
    fprintf(fidbnd, '%5d %5d %3d %3d %2d', i, fnum, ...
        iface(fnum), jface(fnum), kface(fnum));
    fprintf(fidbnd, ' %s\n', bndtxt{i});
    j=bndid(i);
    ncbnd(j)=ncbnd(j)+1;
    k=ncbnd(j);
    bndfid(j,k)=i;
end;
for j=1:ir
    fprintf(fidbnd, '%s\n', nrtext{j});
    fprintf(fidbnd, '%5d\n', ncbnd(j));
    nline=floor(ncbnd(j)/8);
    nextra=mod(ncbnd(j),8);
    ibeg=0;
    iend=0;
    if(nline>0)
        for il=1:nline
            ibeg=(il-1)*8+1;
            iend=ibeg+7;
            for k=ibeg:iend
                fprintf(fidbnd, '%8d', bndfid(j,k));
            end;
        end;
    end;
end;

```



```

        fprintf(fidbnd, '\n');
    end;
end;
if (nextra>0)
    ibeg=iend+1;
    iend=ibeg+nextra-1;
    for k=ibeg:iend
        fprintf(fidbnd, '%8d', bndfid(j,k));
    end;
    fprintf(fidbnd, '\n');
end;
end;
fclose(fidbnd);
%
%
%
%-----
%
%
% read in grid data
%
[file15, pathname]=uigetfile('*.','Grid File');
fid_15=fopen([pathname file15], 'rt');
%fid_15=fopen('grid.inp', 'rt');
%
%
%
tline=fgets(fid_15);
itest=1;
while (itest>0)
    hdrt=fscanf(fid_15, '%s', 1);
    imax=str2num(hdrt);
    if (~isempty(imax))
        break;
    end;
end;
jmax=fscanf(fid_15, '%g', 1);
tline=fgets(fid_15);
for j=1:jmax
    for i=1:imax
        tline=fgets(fid_15);
        X=sscanf(tline, '%g %g', [1,2]);
        x(i,j)=X(1);
        y(i,j)=X(2);
    end;
end;
clear X;
fclose(fid_15);
%
%-----
%
%
% write to filebnd
%
[filegis, pathname]=uiputfile('CH3D_ICM_GIS.*', 'Boundary Face File');
fidgis=fopen([pathname filegis], 'wt');
%fidgis=fopen('CH3D_ICM_GIS.txt', 'wt');
%
%
%
```

```
fprintf(fidgis,'%s','CH3D');
fprintf(fidgis,'%s','DEPTH');
for k=1:kmax
    fprintf(fidgis,',%s',strcat('L',num2str(k)));
end;
fprintf(fidgis,'\n');
%hold on;
for ib=1:nsb
    i=ibox(ib);
    j=jbox(ib);
    ij=i*1000+j;
    fprintf(fidgis,'%6.6d',ij);
    fprintf(fidgis,'%g',depth(i,j));
    for k=kmax:-1:1
        fprintf(fidgis',%g',boxnum(i,j,k));
    end;
    fprintf(fidgis,'\n');
    xx(1)=x(i,j);yy(1)=y(i,j);
    xx(2)=x(i+1,j);yy(2)=y(i+1,j);
    xx(3)=x(i+1,j+1);yy(3)=y(i+1,j+1);
    xx(4)=x(i,j+1);yy(4)=y(i,j+1);
    xx(5)=xx(1);yy(5)=yy(1);
    for l=1:5
        fprintf(fidgis,'%g,%g\n',xx(l),yy(l));
    end;
    fprintf(fidgis,'%s\n','END');
end;
fprintf(fidgis,'END\n');
fclose(fidgis);
```

## Appendix H. Program “read\_ch3d\_z.m”

---

```
%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
%
% Matlab program to create ICM linkage files
%   from CH3D-Z
%
%   Input files:
%       file15 - grid data
%       file50 - depth data
%       file4  - CH3D input control file
%   Output files:
%       file94 - cell info (used by CH3D)
%       file95 - face info (used by CH3D and ICM)
%       filegeo - cell layout (used by ICM)
%       filecol - cell layout (used in ICM Postprocessing)
%       filebnd - boundary face data (used by ICM Preprocessing)
%       filegis - input to ArcView ET
%
%   May 2007
%   S. Kim
%
%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
%
clear;
%
%
%   read in CH3D input control file
%
[file4, pathname]=uigetfile('*.','CH3D Input Control File');
fid4=fopen([pathname file4], 'rt');
%
%   get CH3D run info
%
tline=fgets(fid4);
tline=fgets(fid4);
itest=1;
while (itest>0)
    hdrt=fscanf(fid4,'%s',1);
    it1=str2num(hdrt);
    if(~isempty(it1))
        break;
    end;
end;
it2=fscanf(fid4,'%g',1);
dt=fscanf(fid4,'%g',1);
istart=fscanf(fid4,'%g',1);
itest=fscanf(fid4,'%g',1);
itsalt=fscanf(fid4,'%g',1);
littorl=fscanf(fid4,'%g',1);
laterl=fscanf(fid4,'%g',1);
%
%   get CH3D grid setup
%
```

```

itest=1;
while (itest>0)
    hdrf=fscanf(fid4,'%s',1);
    nc=str2num(hdrf);
    if isempty(nc)
        if (strncmp(hdrf,'KD',2))
            break;
        end;
    end;
end;
ipa=fscanf(fid4,'%g',1);
ipb=fscanf(fid4,'%g',1);
id=fscanf(fid4,'%g',1);
jpa=fscanf(fid4,'%g',1);
jpb=fscanf(fid4,'%g',1);
jd=fscanf(fid4,'%g',1);
kpa=fscanf(fid4,'%g',1);
kpb=fscanf(fid4,'%g',1);
kd=fscanf(fid4,'%g',1);
%
% set grid dimension
%
imax=ipb+1;
jmax=jpb+1;
kmax=kpb;
%
% set zero for boxes
%
bexist=zeros(imax,jmax,kmax);
boxnum=bexist;
obox=zeros(imax-1,jmax-1);
%
% set zero for default boundary face
%
river=zeros(imax,jmax,2);
bar=river;
ocean=river;
%
% read in deltaz
%
itest=1;
while (itest>0)
    hdrf=fscanf(fid4,'%s',1);
    nc=str2num(hdrf);
    if isempty(nc)
        if (strncmp(hdrf,'DELTAZM',7))
            break;
        end;
    end;
end;
deltaz=fscanf(fid4,'%g',1);
%
% read in map scale
%
itest=1;
while (itest>0)
    hdrf=fscanf(fid4,'%s',1);
    nc=str2num(hdrf);
    if isempty(nc)
        if (strncmp(hdrf,'YMAP',4))
            break;

```

```

        end;
    end;
end;
xscale=fscanf(fid4,'%g',1);
deltaz=int32(deltaz/xscale);
xscale=.01*xscale;
%
% check river boundaries
%
itest=1;
while (itest>0)
    hdrf=fscanf(fid4,'%s',1);
    nc=str2num(hdrf);
    if isempty(nc)
        if (strncmp(hdrf,'NRIVER',6))
            break;
        end;
    end;
end;
nriver=fscanf(fid4,'%g',1);
if(nriver>0)
    tline=fgets(fid4);
    tline=fgets(fid4);
    for ir=1:nriver
        tline=fgets(fid4);
        rinfo=sscanf(tline,'%g %g %g %g',[1,4]);
        ttext=strread(tline,'%s');
        switch rinfo(1)
            case 1
                i=rinfo(2);
                j1=rinfo(3);
                j2=rinfo(4);
                river(i,j1:j2,1)=1;
                [m n]=size(ttext);
                rtext(i,j1:j2,1:2)=strcat(ttext(m-1),'_',ttext(m));
                rbnd(i,j1:j2,1:2)=ir;
                nrtext(ir)=rtext(i,j1,1);
            case 2
                i1=rinfo(3);
                i2=rinfo(4);
                j=rinfo(2);
                river(i1:i2,j,2)=2;
                [m n]=size(ttext);
                rtext(i1:i2,j,1:2)=strcat(ttext(m-1),'_',ttext(m));
                rbnd(i1:i2,j,1:2)=ir;
                nrtext(ir)=rtext(i1,j,1);
            case 3
                i=rinfo(2)+1;
                j1=rinfo(3);
                j2=rinfo(4);
                river(i,j1:j2,1)=1;
                [m n]=size(ttext);
                rtext(i,j1:j2,1:2)=strcat(ttext(m-1),'_',ttext(m));
                rbnd(i,j1:j2,1:2)=ir;
                nrtext(ir)=rtext(i,j1,1);
            case 4
                i1=rinfo(3);
                i2=rinfo(4);
                j=rinfo(2)+1;
                river(i1:i2,j,2)=2;
                [m n]=size(ttext);

```

```

        rtext(i1:i2,j,1:2)=strcat(ttext(m-1),'_',ttext(m));
        rbnd(i1:i2,j,1:2)=ir;
        nrtext(ir)=rtext(i1,j,1);
    end;
end;
end;
%ir=nrriver+1;
%nrtext{ir}='Ocean';
%
% bar
%
itest=1;
while (itest>0)
    hdrt=fscanf(fid4,'%s',1);
    nc=str2num(hdrt);
    if isempty(nc)
        if(strncmp(hdrt,'NBAR',4))
            break;
        end;
    end;
end;
end;
nbar=fscanf(fid4,'%g',1);
if(nbar>0)
    tline=fgets(fid4);
    tline=fgets(fid4);
    for ibar=1:nbar
        tline=fgets(fid4);
        barinfo=sscanf(tline,'%g %g %g %g',[1,4]);
        switch barinfo(1)
            case 1
                j=barinfo(2);
                i1=barinfo(3);
                i2=barinfo(4);
                bar(i1:i2,j,2)=1;
            case 2
                j1=rinfo(3);
                j2=rinfo(4);
                i=rinfo(2);
                bar(i,j1:i2,1)=2;
        end;
    end;
end;
end;
%
% ocean boundaries
%
ir=nrriver;
itest=1;
while (itest>0)
    hdrt=fscanf(fid4,'%s',1);
    nc=str2num(hdrt);
    if isempty(nc)
        if(strncmp(hdrt,'TIDFN2',6))
            break;
        end;
    end;
end;
end;
tline=fgets(fid4);
ioc=0;
while (itest>0)
    tline=fgets(fid4);
    i1=str2num(tline(1:8));

```

```

        if isempty(i1))
            break;
        end;
        ioc=ioc+1;
        ir=ir+1;
        nrtext{ir}=strcat('Ocean',num2str(ioc));
        i2=str2num(tline(9:16));
        i3=str2num(tline(17:24));
        i4=str2num(tline(25:32));
        switch i1
            case 1
                ocean(i2+1,i3:i4,1)=1;
                obox(i2,i3:i4)=1;
                for j=i3:i4
                    rtext{i2+1,j,1}=strcat('Ocean',num2str(ioc));
                end;
                rbnd(i2+1,i3:i4,1)=ir;
            case 2
                ocean(i3:i4,i2+1,2)=1;
                obox(i3:i4,i2)=1;
                for j=i3:i4
                    rtext{j,i2+1,2}=strcat('Ocean',num2str(ioc));
                end;
                rbnd(i3:i4,i2+1,2)=ir;
            case 3
                ocean(i2,i3:i4,1)=1;
                obox(i2,i3:i4)=1;
                for j=i3:i4
                    rtext{i2,j,1}=strcat('Ocean',num2str(ioc));
                end;
                rbnd(i2,i3:i4,1)=ir;
            case 4
                ocean(i3:i4,i2,2)=1;
                obox(i3:i4,i2)=1;
                for j=i3:i4
                    rtext{j,i2,2}=strcat('Ocean',num2str(ioc));
                end;
                rbnd(i3:i4,i2,2)=ir;
        end;
    end;
    fclose(fid4);
    %
    %-----
    %
    % read in depth data
    %
    [file50, pathname]=uigetfile('*.','Depth Data File');
    fid_50=fopen([pathname file50],'rt');
    %fid_50=fopen('..\fort.50','rt');
    X=fscanf(fid_50,'%g');
    depth=reshape(X,[imax-1 jmax-1]);
    depth(imax,1:jmax)=0;
    depth(1:imax,jmax)=0;
    nlayer=depth/5; % each layer is 5 ft thick
    km=kmax-nlayer+1;
    clear X;
    fclose(fid_50);
    %
    % plot grid
    %
    plot_grid_1(imax,jmax,depth,obox,river,bar);

```

```
%
% find boxes
%
nb=0;
for k=kmax:-1:1
    if(k==kmax)
        nsb=0;
    end;
    for j=1:jmax-1
        for i=1:imax-1
            if(depth(i,j)>0)&&(obox(i,j)==0)
                if (k>=km(i,j))
                    nb=nb+1;
                    if(k==kmax)
                        nsb=nsb+1;
                    end;
                    ibox(nb)=i;
                    jbox(nb)=j;
                    kbox(nb)=k;
                    bexist(i,j,k)=1;
                    boxnum(i,j,k)=nb;
                end;
            end;
        end;
    end;
end;
save ch3d_input imax jmax kmax deltaz xscale dt it1 it2 itsalt;
save ch3d_depth depth nlayer km;
save ch3d_bc ir obox ocean river rtext rbnd nrtext bar;
save ch3d_box nb nsb ibox jbox kbox bexist boxnum;
%
%-----
%
%
% write to file94
%
[file94, pathname]=uinputfile('*.94','Cell Info File');
fid94=fopen([pathname file94],'wt');
%
%
%
fprintf(fid94,'File 94: box info for CH3D\n');
fprintf(fid94,'SCK\n');
fprintf(fid94,date);
fprintf(fid94,'\n');
%
%
%
fprintf(fid94,'      NSB      NAVG      ITWQS      TBOX\n');
navg=3600/dt;
fprintf(fid94,'%8d',nsb);
fprintf(fid94,'%8d',navg);
fprintf(fid94,'%8d',itsalt);
fprintf(fid94,'%8d\n',nb);
%
%
%
fprintf(fid94,' BOX_NO  IFIRST  ILAST  JFIRST  JLAST      K\n');
for i=1:nb
    fprintf(fid94,'%8d',i);
    fprintf(fid94,'%8d',ibox(i));
```



```

        fprintf(fid94,'%8d',ibox(i)+1);
        fprintf(fid94,'%8d',jbox(i));
        fprintf(fid94,'%8d',jbox(i)+1);
        fprintf(fid94,'%8d\n',kbox(i));
end;
fclose(fid94);
%
%-----
%
%
% find faces
%
nhqft=0;
bndfn=0;
for k=kmax:-1:1
    if(k==kmax)
        nhqf=0;
    end;
%
% x-sweep
%
    for j=1:jmax-1
        for i=1:imax
            if(bexist(i,j,k)>0)
                if(i>1)
                    if(bexist(i-1,j,k)>0)
                        if(bar(i,j,1)==0)
                            nhqft=nhqft+1;
                            if(k==kmax)
                                nhqf=nhqf+1;
                            end;
                            qd(nhqft)=1;
                            ib(nhqft)=boxnum(i-1,j,k);
                            jb(nhqft)=boxnum(i,j,k);
                            jrb(nhqft)=boxnum(i+1,j,k);
                            if(i>2)
                                ilb(nhqft)=boxnum(i-2,j,k);
                            else
                                ilb(nhqft)=0;
                            end;
                            iface(nhqft)=i;
                            jface(nhqft)=j;
                            kface(nhqft)=k;
                        end;
                    elseif(river(i,j,1)>0||ocean(i,j,1)>0)
                        if(k>=km(i,j))
                            nhqft=nhqft+1;
                            if(k==kmax)
                                nhqf=nhqf+1;
                            end;
                            qd(nhqft)=1;
                            ib(nhqft)=boxnum(i-1,j,k);
                            jb(nhqft)=boxnum(i,j,k);
                            jrb(nhqft)=boxnum(i+1,j,k);
                            if(i>2)
                                ilb(nhqft)=boxnum(i-2,j,k);
                            else
                                ilb(nhqft)=0;
                            end;
                            iface(nhqft)=i;
                            jface(nhqft)=j;

```

```

        kface(nhqft)=k;
        bndfn=bndfn+1;
        bndfce(bndfn)=nhqft;
        bndtxt(bndfn)=rtext(i,j,1);
        bndid(bndfn)=rbnd(i,j,1);
    end;
end;
elseif(river(i,j,1)>0||ocean(i,j,1)>0)
    if(k>=km(i,j))
        nhqft=nhqft+1;
        if(k==kmax)
            nhqf=nhqf+1;
        end;
        qd(nhqft)=1;
        ib(nhqft)=0;
        ilb(nhqft)=0;
        jb(nhqft)=boxnum(i,j,k);
        jrb(nhqft)=boxnum(i+1,j,k);
        iface(nhqft)=i;
        jface(nhqft)=j;
        kface(nhqft)=k;
        bndfn=bndfn+1;
        bndfce(bndfn)=nhqft;
        bndtxt(bndfn)=rtext(i,j,1);
        bndid(bndfn)=rbnd(i,j,1);
    end;
end;
elseif(river(i,j,1)>0||ocean(i,j,1)>0)
    if(k>=km(i-1,j))
        nhqft=nhqft+1;
        if(k==kmax)
            nhqf=nhqf+1;
        end;
        qd(nhqft)=1;
        ib(nhqft)=boxnum(i-1,j,k);
        ilb(nhqft)=boxnum(i-2,j,k);
        jb(nhqft)=0;
        jrb(nhqft)=0;
        iface(nhqft)=i;
        jface(nhqft)=j;
        kface(nhqft)=k;
        bndfn=bndfn+1;
        bndfce(bndfn)=nhqft;
        bndtxt(bndfn)=rtext(i,j,1);
        bndid(bndfn)=rbnd(i,j,1);
    end;
end;
end;
end;
end;
%
% y-sweep
%
for i=1:imax-1
    for j=1:jmax
        if(bexist(i,j,k)>0)
            if(j>1)
                if(bexist(i,j-1,k)>0)
                    if(bar(i,j,2)==0)
                        nhqft=nhqft+1;
                        if(k==kmax)
                            nhqf=nhqf+1;

```

```

        end;
        qd(nhqft)=2;
        ib(nhqft)=boxnum(i,j-1,k);
        jb(nhqft)=boxnum(i,j,k);
        jrb(nhqft)=boxnum(i,j+1,k);
        if(j>2)
            ilb(nhqft)=boxnum(i,j-2,k);
        else
            ilb(nhqft)=0;
        end;
        iface(nhqft)=i;
        jface(nhqft)=j;
        kface(nhqft)=k;
    end;
elseif(river(i,j,2)>0||ocean(i,j,2)>0)
    if(k>=km(i,j))
        nhqft=nhqft+1;
        if(k==kmax)
            nhqf=nhqf+1;
        end;
        qd(nhqft)=2;
        ib(nhqft)=boxnum(i,j-1,k);
        jb(nhqft)=boxnum(i,j,k);
        jrb(nhqft)=boxnum(i,j+1,k);
        if(j>2)
            ilb(nhqft)=boxnum(i,j-2,k);
        else
            ilb(nhqft)=0;
        end;
        iface(nhqft)=i;
        jface(nhqft)=j;
        kface(nhqft)=k;
        bndfn=bndfn+1;
        bndfce(bndfn)=nhqft;
        bndtxt(bndfn)=rtext(i,j,2);
        bndid(bndfn)=rbnd(i,j,2);
    end;
end;
elseif(river(i,j,2)>0||ocean(i,j,2)>0)
    if(k>=km(i,j))
        nhqft=nhqft+1;
        if(k==kmax)
            nhqf=nhqf+1;
        end;
        qd(nhqft)=2;
        ib(nhqft)=0;
        ilb(nhqft)=0;
        jb(nhqft)=boxnum(i,j,k);
        jrb(nhqft)=boxnum(i,j+1,k);
        iface(nhqft)=i;
        jface(nhqft)=j;
        kface(nhqft)=k;
        bndfn=bndfn+1;
        bndfce(bndfn)=nhqft;
        bndtxt(bndfn)=rtext(i,j,2);
        bndid(bndfn)=rbnd(i,j,2);
    end;
end;
elseif(river(i,j,2)>0||ocean(i,j,2)>0)
    if(j>1&&k>=km(i,j-1))
        nhqft=nhqft+1;
    end;
end;

```

```

        if (k==kmax)
            nhqf=nhqf+1;
        end;
        qd(nhqft)=2;
        ib(nhqft)=boxnum(i,j-1,k);
        ilb(nhqft)=boxnum(i,j-2,k);
        jb(nhqft)=0;
        jrb(nhqft)=0;
        iface(nhqft)=i;
        jface(nhqft)=j;
        kface(nhqft)=k;
        bndfn=bndfn+1;
        bndfce(bndfn)=nhqft;
        bndtxt(bndfn)=rtext(i,j,2);
        bndid(bndfn)=rbnd(i,j,2);
    end;
end;
end;
end;
%
%   vertical faces
%
nqf=nhqft;
for j=1:jmax-1
    for i=1:imax-1
        if (bexist(i,j,kmax)>0)
            sfbbox=boxnum(i,j,kmax);
            bbox(sfbbox)=boxnum(i,j,km(i,j));
            nvf(sfbbox)=kmax-km(i,j);
            if (km(i,j)<kmax)
                for k=km(i,j)+1:kmax
                    nqf=nqf+1;
                    if (k==km(i,j)+1)
                        ilb(nqf)=0;
                    else
                        ilb(nqf)=boxnum(i,j,k-2);
                    end;
                    ib(nqf)=boxnum(i,j,k-1);
                    jb(nqf)=boxnum(i,j,k);
                    if (k==kmax)
                        jrb(nqf)=0;
                    else
                        jrb(nqf)=boxnum(i,j,k+1);
                    end;
                    qd(nqf)=3;
                    vfn(sfbbox,k)=nqf;
                end;
            end;
        end;
    end;
end;
%
%-----
%
%
%   write to file95
%
[file95, pathname]=uinputfile('*.95','Map Info File');
fid95=fopen([pathname file95],'wt');
%
```

```
%
%
fprintf(fid95,'File 95: Face info for CH3D and ICM\n');
fprintf(fid95,'SCK\n');
fprintf(fid95,date);
fprintf(fid95,'\n');
fprintf(fid95,':\n');
fprintf(fid95,':\n');
%
%
%
fprintf(fid95,'    NHQFT      NQF      NHQF\n');
fprintf(fid95,'%8d',nhqft);
fprintf(fid95,'%8d',nqf);
fprintf(fid95,'%8d\n',nhqf);
%
%
%
fprintf(fid95,'          F      QD      ILB      IB      JB      JRB');
fprintf(fid95,'          KP      KF      KL      LAYER\n');
%for i=1:nhqft
for i=1:nqf
    fprintf(fid95,'%8d',i);
    fprintf(fid95,'%8d',qd(i));
    fprintf(fid95,'%8d',ilb(i));
    fprintf(fid95,'%8d',ib(i));
    fprintf(fid95,'%8d',jb(i));
    fprintf(fid95,'%8d',jrb(i));
    switch qd(i)
        case 1
            if(jb(i)==0)
                inum=ibox(ib(i))+1;
                jnum=jbox(ib(i));
                knum=kbox(ib(i));
            else
                inum=ibox(jb(i));
                jnum=jbox(jb(i));
                knum=kbox(jb(i));
            end;
            fprintf(fid95,'%8d',inum);
            fprintf(fid95,'%8d',jnum);
            fprintf(fid95,'%8d',jnum);
            fprintf(fid95,'%8d',knum);
            fprintf(fid95,'\n');
        case 2
            if(jb(i)==0)
                inum=ibox(ib(i));
                jnum=jbox(ib(i))+1;
                knum=kbox(ib(i));
            else
                inum=ibox(jb(i));
                jnum=jbox(jb(i));
                knum=kbox(jb(i));
            end;
            fprintf(fid95,'%8d',jnum);
            fprintf(fid95,'%8d',inum);
            fprintf(fid95,'%8d',inum);
            fprintf(fid95,'%8d',knum);
            fprintf(fid95,'\n');
        case 3
            fprintf(fid95,'%8d',jbox(jb(i)));
    end
end
end
end
```

```

        fprintf(fid95,'%8d',ibox(jb(i)));
        fprintf(fid95,'%8d',ibox(jb(i)));
        fprintf(fid95,'%8d',kbox(jb(i))-1);
        fprintf(fid95,'%8d',kbox(jb(i)));
        fprintf(fid95,'\n');
    end;
end;
%
%
%
fprintf(fid95,'\n');
fprintf(fid95,'    SFC BOX #          (NVF(SB), SB=1,NSB)\n');
nline=floor(nsb/8);
nextra=mod(nsb,8);
for il=1:nline
    ibeg=(il-1)*8+1;
    iend=ibeg+7;
    fprintf(fid95,'%5d',ibeg);
    fprintf(fid95,'-');
    fprintf(fid95,'%5d',iend);
    for k=ibeg:iend
        fprintf(fid95,'%8d',nvf(k));
    end;
    fprintf(fid95,'\n');
end;
if (nextra>0)
    ibeg=iend+1;
    iend=ibeg+nextra-1;
    fprintf(fid95,'%5d',ibeg);
    fprintf(fid95,'-');
    fprintf(fid95,'%5d',iend);
    for k=ibeg:iend
        fprintf(fid95,'%8d',nvf(k));
    end;
    fprintf(fid95,'\n');
end;
%
%
%
fprintf(fid95,'\n');
fprintf(fid95,'    BOT BOX #          (VFN(F,SB), F=1,NVF(SB)\n');
for i=1:nsb
    fprintf(fid95,'%8d',bbox(i));
    if(nvf(i)>0)
        iprcnt=0;
        for k=nvf(i):-1:1
            iprcnt=iprcnt+1;
            if(iprcnt>1&&mod(iprcnt,9)==1)
                fprintf(fid95,'\n          ');
            end;
            fprintf(fid95,'%8d',vfn(i,kmax-k+1));
        end;
    end;
    fprintf(fid95,'\n');
end;
%
%
%
fclose(fid95);
%
%-----

```

```
%
%
% write to filegeo
%
[filegeo, pathname]=uiputfile('wqmgeo.*','Geo File for ICM');
fidgeo=fopen([pathname filegeo],'wt');
%
%
fprintf(fidgeo,'C: GEO input file for ICM\n');
fprintf(fidgeo,'C: SCK, ');
fprintf(fidgeo,date);
fprintf(fidgeo,'\n');
fprintf(fidgeo,'    BOX #    B#_K+1\n');
fprintf(fidgeo,'\n');
for i=1:nsb
    fprintf(fidgeo,'%8d%8d\n',i,0);
end;
for i=nsb+1:nb
    fprintf(fidgeo,'%8d%8d\n',i,...
        boxnum(ibox(i),jbox(i),kbox(i)+1));
end;
fprintf(fidgeo,'\n');
fprintf(fidgeo,'    SBOX    BBOX\n');
for i=1:nsb
    inum=ibox(i);
    jnum=jbox(i);
    knum=km(inum,jnum);
    fprintf(fidgeo,'%8d%8d\n',i,boxnum(inum,jnum,knum));
end;
fclose(fidgeo);
%
%-----
%
%
% write to filecol
%
[filecol, pathname]=uiputfile('wqmcol.*','Postprocessing Column File');
fidcol=fopen([pathname filecol],'wt');
%
%
%
for i=1:nsb
    inum=ibox(i);
    jnum=jbox(i);
    fprintf(fidcol,'%3d %3d',inum,jnum);
    fprintf(fidcol,' %2d',nlayer(inum,jnum));
    for k=kmax:-1:km(inum,jnum)
        fprintf(fidcol,'%6d',boxnum(inum,jnum,k));
    end;
    fprintf(fidcol,'\n');
end;
fclose(fidcol);
%
%-----
%
%
% write to filebnd
%
[filebnd, pathname]=uiputfile('bndface.*','Boundary Face File');
fidbnd=fopen([pathname filebnd],'wt');
```

```

%
%
%
ncbnd=zeros(ir,1);
for i=1:bndfn
    fnum=bndfce(i);
    fprintf(fidbnd,'%5d %6d %3d %3d %2d',i,fnum,...
        iface(fnum),jface(fnum),kface(fnum));
    fprintf(fidbnd,' %s\n',bndtxt{i});
    j=bndid(i);
    ncbnd(j)=ncbnd(j)+1;
    k=ncbnd(j);
    bndfid(j,k)=i;
end;
for j=1:ir
    fprintf(fidbnd,'%s\n',nrtext{j});
    fprintf(fidbnd,'%5d\n',ncbnd(j));
    nline=floor(ncbnd(j)/8);
    nextra=mod(ncbnd(j),8);
    ibeg=0;
    iend=0;
    if(nline>0)
        for il=1:nline
            ibeg=(il-1)*8+1;
            iend=ibeg+7;
            for k=ibeg:iend
                fprintf(fidbnd,'%8d',bndfid(j,k));
            end;
            fprintf(fidbnd,'\n');
        end;
    end;
    if (nextra>0)
        ibeg=iend+1;
        iend=ibeg+nextra-1;
        for k=ibeg:iend
            fprintf(fidbnd,'%8d',bndfid(j,k));
        end;
        fprintf(fidbnd,'\n');
    end;
end;
fclose(fidbnd);
%
%
%
%-----
%
%
% read in grid data
%
[file15, pathname]=uigetfile('*.','Grid File');
fid_15=fopen([pathname file15],'rt');
%
%
%
itest=1;
while (itest>0)
    hdrt=fscanf(fid_15,'%s',1);
    imax=str2num(hdrt);
    if(~isempty(imax))
        break;
    end;
end;

```



```

        end;
    end;
    jmax=fscanf(fid_15,'%g',1);
    tline=fgets(fid_15);
    for j=1:jmax
        for i=1:imax
            tline=fgets(fid_15);
            X=sscanf(tline,'%g %g',[1,2]);
            x(i,j)=xscale*X(1);
            y(i,j)=xscale*X(2);
        end;
    end;
    clear X;
    fclose(fid_15);
    %
    %-----
    %
    %
    %
    % write to GIS
    %
    [filegis, pathname]=uiputfile('CH3D_ICM_GIS.*','Boundary Face File');
    fidgis=fopen([pathname filegis],'wt');
    %
    %
    %
    fprintf(fidgis,'%s','CH3D');
    fprintf(fidgis,'%s','DEPTH');
    for k=1:kmax
        fprintf(fidgis,'%s',strcat('L',num2str(k)));
    end;
    fprintf(fidgis,'\n');
    %hold on;
    for ib=1:nsb
        i=ibox(ib);
        j=jbox(ib);
        ij=i*1000+j;
        fprintf(fidgis,'%6.6d',ij);
        fprintf(fidgis,'%g',depth(i,j));
        for k=kmax:-1:1
            fprintf(fidgis,'%g',boxnum(i,j,k));
        end;
        fprintf(fidgis,'\n');
        xx(1)=x(i,j);yy(1)=y(i,j);
        xx(2)=x(i+1,j);yy(2)=y(i+1,j);
        xx(3)=x(i+1,j+1);yy(3)=y(i+1,j+1);
        xx(4)=x(i,j+1);yy(4)=y(i,j+1);
        xx(5)=xx(1);yy(5)=yy(1);
        for l=1:5
            fprintf(fidgis,'%g,%g\n',xx(l),yy(l));
        end;
        fprintf(fidgis,'%s\n','END');
    end;
    fprintf(fidgis,'END\n');
    fclose(fidgis);

```

## Appendix I. Function “plot\_grid”

---

```

%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
%
% plot_grid 1
%
function plot_grid_1(imax,jmax,depth,obox,river,bar)

    hl=figure;
    hold on;
    for j=1:jmax-1
        for i=1:imax-1
            if(depth(i,j)>0)
                xl(1)=i;
                yl(1)=j;
                xl(2)=i+1;
                yl(2)=j;
                xl(3)=i+1;
                yl(3)=j+1;
                xl(4)=i;
                yl(4)=j+1;
                xl(5)=xl(1);
                yl(5)=yl(1);
                plot(xl,yl);
            end;
            if(obox(i,j)>0)
                xl(1)=i;
                yl(1)=j;
                xl(2)=i+1;
                yl(2)=j;
                xl(3)=i+1;
                yl(3)=j+1;
                xl(4)=i;
                yl(4)=j+1;
                xl(5)=xl(1);
                yl(5)=yl(1);
                plot(xl,yl,'r');
                plot([xl(1) xl(3)], [yl(1) yl(3)], 'r');
                plot([xl(2) xl(4)], [yl(2) yl(4)], 'r');
            end;
        end;
    end;
    clear xl yl;
    for j=1:jmax
        for i=1:imax
            if(river(i,j,1)>0)
                xl(1)=i-0.5;
                yl(1)=j+0.5;
                xl(2)=i+0.5;
                yl(2)=yl(1);
                plot(xl,yl,'r');
                xl(1)=xl(2)-0.3;
                yl(1)=yl(2)+0.3;
                plot(xl,yl,'r');
                yl(1)=yl(2)-0.3;
            end;
        end;
    end;
end

```

```
        plot(xl,yl,'r');
    end;
    if(bar(i,j,1)>0)
        xl(1)=i;
        yl(1)=j;
        xl(2)=i;
        yl(2)=j+1;
        plot(xl(1:2),yl(1:2),'g');
    end;
end;
for i=1:imax
    for j=1:jmax
        if(river(i,j,2)>0)
            xl(1)=i+0.5;
            yl(1)=j-0.5;
            xl(2)=xl(1);
            yl(2)=j+0.5;
            plot(xl,yl,'r');
            xl(1)=xl(2)-0.3;
            yl(1)=yl(2)-0.3;
            plot(xl,yl,'r');
            xl(1)=xl(2)+0.3;
            plot(xl,yl,'r');
        end;
        if(bar(i,j,2)>0)
            xl(1)=i;
            yl(1)=j;
            xl(2)=i+1;
            yl(2)=j;
            plot(xl(1:2),yl(1:2),'g');
        end;
    end;
end;
axis equal;
drawnow;
```