



TARDEC



Tank-**A**utomotive **R**esearch, **D**evelopment and **E**ngineering **C**enter

Assured Mobility Simulator

Given by:

Keith Kamysiak

KamysiakK@tacom.army.mil

586-574-6386

03/08/04

Committed to Excellence

16121

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 08 MAR 2004		2. REPORT TYPE N/A		3. DATES COVERED -	
4. TITLE AND SUBTITLE Assured Mobility Simulator				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S) Kamysiak,Keith				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) US Army RDECOM-TARDEC 6501 E 11 Mile Rd Warren, MI 48397-5000				8. PERFORMING ORGANIZATION REPORT NUMBER 16121	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S) TACOM/TARDEC	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S) 16121	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release, distribution unlimited					
13. SUPPLEMENTARY NOTES The original document contains color images.					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT SAR	18. NUMBER OF PAGES 5	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			




Assured Mobility Simulator

UNCLASSIFIED



- The Assured Mobility Simulator (formerly the Full Spectrum Route Clearance Simulator) is a high resolution, real time simulation environment used to simulate the SABRE system in various mission scenarios for engineering and training purposes
- The simulator provides both visual and haptic (motion based) simulation of the SABRE system.
- The Full Spectrum Route Clearance Simulator (FSRC Sim) was developed as an update to an existing Simulator, the Grizzly Engineering and Training Simulator (GETS)



Existing Trailer was re-used to provide a mobile platform for the simulator



• Previous GETS System

- The GETS Mobile Simulator was built specifically for the Grizzly Program was cut of funding at the termination of the Grizzly Program
- A Functional Trailer with a full motion base was completed, and a partial virtual environment was created on the remaining budget
- The system utilized an outdated, proprietary hardware system based on a Silicon Graphics Onyx2 Image Generation Server
- The unfinished simulation environment provided little to no mission specific engineering or tactical feedback.
- Mine blast simulation was not completed due to the termination of the project, leaving the virtual environment with a total lack of threats.
- Problematic Hardware caused a severe reduction in uptime. Common errors included flashing display screen, total loss of vehicle control, and the disabling of motion based simulation due to overextension of the motion base actuators.
- An incomplete Dynamic Terrain algorithm produced tessellation errors, causing jagged breaks in the ground plane, and allowed the vehicle to often fall through the ground plane, terminating the simulation.

UNCLASSIFIED



Assured Mobility Simulator

UNCLASSIFIED



Vehicle Model and Menu System Capabilities



On-Route SABRE

Model

•The Mine Detection Robot

- Tele-operation of the mobility, action, and camera controls
- Mine detection and marking capability through a virtual paint system
- Autonomous Lead Follow Capability



Stryker Model



Mine Detection Robot

•The Stryker Vehicle

- Autonomous Lead Follow Capability
- Capability to display a simulated UAV viewpoint
- Capability to display a simulated real time updated mission map
- Haptically rendered vehicle dynamics

•The SABRE On-Route

- Tele-operation of the mobility, action, and camera controls
- Simulation of an AT mine roller
- Autonomous Lead Follow Capability
- Ability to clear urban rubble objects by pushing with the vehicle body.

•The SABRE Off-Route

(in addition to the capabilities of the On Route System)

- Ability to deploy FWMCB to plow terrain with a rudimentary plowed lane 2D visual effect.

Menu System

Provides symbology overlay content to monitor and control the following:

- Selection of vehicle to be controlled or monitored at each crew input station
- Selected vehicle movements
- individual vehicle camera selection and position
- Robotic mine detection and marking functionality
- SABRE FWMCB.



Off-Route SABRE



Main Menu

Stryker Cams	ONR Cams	OFR Cams	GST Cams			UAV Cam	Global Cam
Mission Objectives				Current Camera			
Stryker Manual Control	ONR Manual Control	OFR Manual Control	Gstamids Manual Control		Mine Hunter Enable		Cal Menu
Stryker Leader	ONR Leader	OFR Leader	GST Leader		Mine Killer Enable		
Stryker Follow Distance	ONR Follow Distance	OFR Follow Distance	GST Follow Distance		ERO Enable		

UNCLASSIFIED




Assured Mobility Simulator


UNCLASSIFIED



TRADOC Vignettes



-TO
 A Mobile, Motion-
 Based Simulator



Environment Data



Threat Characteristics



Vehicle Platform Models



Future Improvements to Simulation Environment

- Movement to CMCB-TOPS, an IED focused simulator used to quickly react to new IED threats and tactics by allowing a rapid of new TTPs in response to these emerging threats
- Inclusion of IED simulation with command detonated option controlled by secondary system operator
- Inclusion of Live Fire simulation capability
- Improved Urban Terrain Mission Scenarios
- Development of Dynamic Terrain for mine blast, IED detonation, mine clearing, and plowing simulation with realistic reaction of ground surface
- Inclusion of Vehicle Component FEA analysis data for use in vehicle dynamics simulation including reaction to mine blast
- Ability to easily extract meaningful engineering data (Component Forces, Vehicle Component Load experienced, Vehicle Component Stresses, Failure Modes, Etc.) in real time

UNCLASSIFIED



Assured Mobility Simulator

UNCLASSIFIED



Live Demonstration

The PC on the Table is running the current version of the FSRC Simulation Program for public use.

The on-screen menu system is usable through the touch-screen interface.

From the Main Screen, choose a vehicle to manually control. Using the onscreen menu, release the parking brake, start the engine, and place the transmission in drive.

The joystick can then be used to control the throttle and steering of the vehicle. Camera position on the vehicle can be changed using the blue buttons.

The white markers represent the location of buried landmines. The application is currently set to allow you to drive over mines detonating them, without causing permanent damage to the vehicle

UNCLASSIFIED