

Report Documentation Page			Form Approved OMB No. 0704-0188		
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 2007		2. REPORT TYPE		3. DATES COVERED 00-00-2007 to 00-00-2007	
4. TITLE AND SUBTITLE Helical Magnetic Fields in the Jet of 3C273				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) United States Naval Observatory, 3450 Massachusetts Avenue, NW, Washington, DC, 20392-5420				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT Using the VLBA we confirm the presence of a Faraday rotation measure gradient transverse to the jet axis of 3C273. A rotation measure gradient is expected to be the signature of a helical magnetic field wrapping around the relativistic jet.					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 2	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

Helical Magnetic Fields in the Jet of 3C 273

R. T. Zavala

United States Naval Observatory

G. B. Taylor

Department of Physics and Astronomy, University of New Mexico

G. Giovannini

INAF-Instituto di Radioastronomia and Univ. Bologna

Abstract. Using the VLBA we confirm the presence of a Faraday rotation measure gradient transverse to the jet axis of 3C 273. A rotation measure gradient is expected to be the signature of a helical magnetic field wrapping around the relativistic jet.

1. The Case for Helical Magnetic Fields in 3C 273

The role of magnetic fields in relativistic jets in AGN is a subject of considerable interest. Simulations have produced results that suggest that a helical magnetic field may wind around the jet (Meier et al. 2001; Koide et al. 2002). Before these simulations took place Blandford (1993) suggested that observers look for evidence of a rotation measure (RM) gradient transverse to the jet axis. Such a gradient is expected if a helical or toroidal field is present in the jet and if such a field embedded in a plasma can act as a Faraday rotating screen. Asada et al. (2002) reported the detection of such an RM gradient transverse to the jet axis in 3C 273. These 5 and 8 GHz VLBA observations just began to resolve the jet. We examined higher frequency data and confirmed the presence of the RM gradient over two epochs separated by six months (Zavala & Taylor 2005). We showed that the transverse RM gradient persists over two epochs separated by 6 months. In our poster we reproduced Figures 1 and 3 from Zavala & Taylor (2005). The sense of RM gradient detected in Asada et al. (2002) and Zavala & Taylor (2005) was confirmed by Attridge et al. (2005) at less than 3 pc from the core. This gradient appears to change in magnitude as one proceeds along the jet (Wardle et al. 2006).

This result led us to search for other sources that may exhibit an RM gradient transverse to the jet axis. Other investigators have reported such gradients. However, the amplitude of the gradient is less than that observed in 3C 273 (e.g., Gabuzda et al. 2004). We observed four sources that have broad, polarized jets with the VLBA. Here we present preliminary results for the blazar Mrk 501.

2. Mrk 501

Our VLBA observation of Mrk 501 used frequencies from 8–22 GHz. The RM map is in Fig. 1, and the black line indicates the cut along which we plot the RM in the right panel. No significant gradient in the RM transverse to the jet




Figure 1. Left panel shows the RM map of Mrk 501 overlaid on total intensity contours. The black line represents the slice across the RM distribution. The slice is shown in the right panel as Kilo rad/m² and mas along the slice.

is seen in Mrk 501. As Mrk 501 is a TeV blazar the jet we observe may be significantly different from that in 3C 273. A blazar jet more aligned to our line-of-sight may produce very different Faraday rotation effects from that seen in a more inclined quasar jet. A blazar jet could clear out some of the thermal gas of a Faraday screen. At the scale of Fig. 1 the jet in Mrk 501 changes its orientation angle significantly, which may complicate the picture we see in the RM maps (Giroletti et al. 2004). However, Croke et al. (2005) report an RM gradient suggestive of a helical B field from earlier VLBA epochs.

Acknowledgments. R.T.Z. received an International Travel Grant from the American Astronomical Society.

References

- Attridge, J. M., Wardle, J. F. C., & Homan, D. C. 2005, *ApJ*, 633, L85
 Asada, K., et al. 2002, *PASJ*, 54, L39
 Blandford, R. D. 1993, in *Astrophysical Jets*, ed. D. Burgarella, M. Livio & C. P. O'Dea (Cambridge: Cambridge University Press), 15
 Croke, S., Charlot, P., Gabuzda, D., & Sol, H. 2005, *Baltic Astronomy*, 14, 367
 Gabuzda, D. C., Murray, É., & Cronin, P. 2004, *MNRAS*, 351, L89
 Giroletti, M., et al. 2004, *ApJ*, 600, 127
 Koide, S., et al. 2002, *Science*, 295, 1688
 Meier, D. L., Koide, S., & Uchida, Y. 2001, *Science*, 291, 84
 Wardle, J. et al. 2006, in online proceedings of the conference Challenges of Relativistic Jets, ed. M. Ostrowski & L. Stawarz (<http://www.oa.uj.edu.pl/2006jets>)
 Zavala, R. T., & Taylor, G. B. 2005, *ApJ*, 626, L73