

**13th International Command & Control Research and Technology Symposium
C2 for Complex Endeavors**

**A SENSEMAKING VISUALIZATION TOOL WITH MILITARY DOCTRINAL
ELEMENTS**

Celestine A. Ntuen & Kim Gwang-Myung ¹

¹Army Center for Human-Centric Command & Control Decision Making
The Institute for Human-Machine Studies
419 McNair Hall
North Carolina A&T State University
Greensboro, NC 27411
Phone: 336-334-7780; Fax: 336-334-7729
Email: Ntuen@ncat.edu

**Topical Areas: (3) Modeling and Simulation; (4) Cognitive & Social Issues; (9)
Collaborative technology for Network-Centric Operations**

Abstract

The Army's Center of Battlefield Excellence in Human-Centric Command & Control Decision Making is exploring how to use information visualization to enable collaborative sensemaking. The goal is to provide a common operating picture with shared situation awareness in the context of dynamic task situations. We have developed a Sensemaking Support System (S3), a prototype sensemaking visualization tool with situation understanding capability and knowledge discovery components. We experimentally validate the utility of the tool through series of experiments from a set of minimally constructed stories (MCS) that contain the salencies of unstructured battlefield information dynamics. The results show the followings: (a) the perception rating of S3 with respect to sensemaking cognitive measures was highly significant; b) the problem scenarios (MCS) were highly significant; and there were noticeable interaction effects between the cognitive measures and the problem types. Generally, the S3 software needs further improvement in representation fidelity of problems that mimic battle field situations. This is shown by the poor weighted ratings in a more chaotic scenario MCS3.

INTRODUCTION

The Backdrop

Within the Department of Defense (DOD), team decision making, shared situational awareness (SSA), and common operating picture (COP) have become the dominant paradigms or lexicons for Command and Control (C2) decision making process. This is clearly stated in the Army's FM 3.0 doctrine handbook. The FM 3.0, *Operations*, refers to battle space visualization in several ways. Doctrinally, these characteristics generally apply to visualization in any type of operational situation. Hence, they serve to frame any sort of analysis that might be undertaken to identify key training objectives (Leedom, 2006). As noted in the FM 3.0, visualization is a purposeful activity since it enables people to detect the elements of a situation before making any decision. That is, one engages in battle space visualization for the specific purpose of

Report Documentation Page			Form Approved OMB No. 0704-0188		
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE JUN 2008		2. REPORT TYPE		3. DATES COVERED 00-00-2008 to 00-00-2008	
4. TITLE AND SUBTITLE A Sensemaking Visualization Tool with Military Doctrinal Elements			5a. CONTRACT NUMBER		
			5b. GRANT NUMBER		
			5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S)			5d. PROJECT NUMBER		
			5e. TASK NUMBER		
			5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Army Center for Human-Centric Command & Control Decision Making, The Institute for Human-Machine Studies, 419 McNair Hall, Greensboro, NC, 27411			8. PERFORMING ORGANIZATION REPORT NUMBER		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)			10. SPONSOR/MONITOR'S ACRONYM(S)		
			11. SPONSOR/MONITOR'S REPORT NUMBER(S)		
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES 13th International Command and Control Research and Technology Symposia (ICCRTS 2008), 17-19 Jun 2008, Seattle, WA					
14. ABSTRACT The Army's Center of Battlefield Excellence in Human-Centric Command & Control Decision Making is exploring how to use information visualization to enable collaborative sensemaking. The goal is to provide a common operating picture with shared situation awareness in the context of dynamic task situations. We have developed a Sensemaking Support System (S3), a prototype sensemaking visualization tool with situation understanding capability and knowledge discovery components. We experimentally validate the utility of the tool through series of experiments from a set of minimally constructed stories (MCS) that contain the salencies of unstructured battlefield information dynamics. The results show the followings: (a) the perception rating of S3 with respect to sensemaking cognitive measures was highly significant; b) the problem scenarios (MCS) were highly significant; and there were noticeable interaction effects between the cognitive measures and the problem types. Generally, the S3 software needs further improvement in representation fidelity of problems that mimic battle field situations. This is shown by the poor weighted ratings in a more chaotic scenario MCS3.					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 44	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

identifying specific actions that can be taken to influence the present situation and move it toward an intended objective or end state:

... Commanders, assisted by the staff, visualize the operation, describe it in terms of intent and guidance, and direct the actions of subordinates within their intent...

... The volume of available information challenges all leaders. They assimilate enormous amounts of information as they visualize the operation, describe their intent, and direct their subordinates' actions. Visualizing the operation is continuous. It requires commanders to understand the current situation, broadly define the future situation, assess the difference between the two, and envision major actions that link them.

The Challenge

With major combat operations in both Afghanistan and Iraq, coalition forces face a much more complex challenge in the furtherance of its national security objectives –the emergence of what Colonel T.X. Hammes¹ has termed fourth-generation warfare. One of the several problems in this kind of war dimension is managing information equivocality and responding to fast-space changes of battle space dynamics. This leads to the requirement of changes in the current training paradigms to include sensemaking in which individuals and teams of soldiers (platoons, units, etc) are taught to visualize changing and emerging battle field dynamic and develop situation understanding of such situations. A common operating picture (COP) that can provide dynamic situation awareness must be provided.

Research has indicated that group decision making participants have difficulty in sharing their uniquely held information or tacit knowledge and in integrating unique information from other participants. In the military context, or even in the business environment, no single individual can claim to know how to make sense of information from environments that change over time, and for which no one meaning can be assigned to a contextual piece of information. In a typical C2 environment, shared information items might include rules of engagement, order of battle, Commander's Intent, the OPLAN, etc. In a business environment, these might include items such as news report by a television network, newspapers, widely circulated company documents, ticker quotes, etc. The battle staff working in groups will use the shared information in context to develop a sensemaking process so as to derive actionable intelligence or a situation understanding necessary to inform for command decision making.

SENSEMAKING

Asymmetric warfare has some elements of complexity, dynamism, uncertainty, and other characteristics that defy conventional planning. It begs for deeper cognitive analysis that is grounded on both ontological and epistemological reasoning—seeking answers to “why”, “when”, “where”, “how”, so on. For example, in the September 11, 1991 terrorist attack report, so many questions have been asked -- What happened? When? Where? Says who? Was it a terrorist act? Did it involve an intelligent failure? Trying to make sense of the situation has, and will continue to hunt human rationality. The process of gaining an insight into- and an understanding of- a situation is known as making sense. When the understanding is translated into actionable intelligence, a

¹ COL T. X. Hammes (2004). Hammes, T.X. (2004). 4th-generation warfare. *Armed Forces Journal*.

situation understanding is said to have occurred (Ntuen, 2006). Sensemaking is then, a process, a design, or a technique of fusing information in context to derive understanding from fragmentary pieces of information.

Sensemaking can be viewed as a paradigm, a tool, a process, or a theory of how people reduce uncertainty or ambiguity; socially negotiate meaning during decision making events. Weick (1995) states that sensemaking refers to how meaning is constructed at both the individual and the group levels. Through the accurate construction of meaning, clarity increases and confusion decreases. Leedom (2002) indicates that battle rhythms can best be understood through the sensemaking process. A poor sensemaking process often leads to poorly understood objectives, missions, and visions. This in turn can lead to poor framing of plans, and consequently, poor decisions. Sensemaking involves the collective application of individual “intuition”—experience-based, sub-consciously processed judgment and imagination—to identify changes in existing patterns or the emergence of new patterns (Weick, 1995). A peruse of literature on sensemaking can be summarized as follows: How are meanings and understanding of situations, events, objects of discourse, or contextual information produced and represented in a collective context?

THE CURRENT STATE-OF-THE ART

There is a recent interest in using display and visualization technology to enable the sensemaking process. In describing the overall process of battle command as an art, Army doctrine infers that battle space visualization is frequently an intuitive process—that is, one governed largely by automatic cue recognition and the activation of tacit knowledge:

...Using judgment acquired from experience, training, study, and creative thinking, commanders visualize the situation and make decisions. In unclear situations, informed intuition may help commanders make effective decisions by bridging gaps in information. Through the art of command, commanders apply their values, attributes, skills, and actions to lead and motivate their soldiers and units...

Figure 1 below portrays this doctrinal representation.

The development of the current generation Common Operating Picture (COP) was motivated by the desire to improve situation awareness within a military command organization—thus leading to faster and better synchronized planning and execution decisions. Like many information management systems found in corporate industry, the COP was built on the same philosophy used for managing physical assets: capture information and put it in a place where it can easily accessed. The next generation COP must be built upon a clear understanding of the socio-cognitive processes employed within the military command organizations to translate available information into timely and focused action. This has been the premise of sensemaking support systems; much of which has been developed implicitly into decision support tools.

The major difference between sensemaking support system (S3) tools and decision support systems (DSS) is that S3s support sensemaking activities, while DSS support decision making activities. DSS has matured in its constructs and theories; S3s are relatively nascent and universally lack acceptable theoretical frameworks, and constructs. Nevertheless, attempts to create S3s date back to the late 1980s (“NoteCards”

by Halasz, Moran, & Trigg; “gIBIS” by Conklin & Begeman) in the areas of Human Computer Interaction and Computer Supported Cooperative Work. Other influential early systems are SEPIA (Streitz, Hanneman, & Thuring, 1989) and SIBYL (Lee, 1990). The systems previously mentioned are all based on graphical hypertext and were definitely a force of movement towards what we called S3s. Another influential tool was QuestMap, developed in 1990. It was created to support sensemaking and group activities. QuestMap enjoyed success as a commercial tool, but the success was limited and the system did not




Figure 1. Army's Doctrinal & Operational Support (FM 3.0, pp. 5-4)

stay in the market too long. Taking advantage of the lessons learned through QuestMap, the Compendium (Selvin et al., 2001) methodology was initially developed by Verizon research labs, and it was first released as a computer technology in 2003. Compendium seeks to improve the knowledge management and sensemaking ability of groups and individuals. These systems are representative of some of the most influential developments in the area of S3. Table 1 shows some selected S3 related tools over the past years. It should be noted that most of the systems listed above are purely theoretical, and addressed well designed problems in context. The last five rows of the table only

provide paradigms for design. Therefore, we need a support system that can handle the characteristics of modern battlefield information management.

Table 1. Some selected related S3 software tool and paradigms

Name/Year	Developer/s
NoteCards (1987)	<i>Halasz F, Moran T, Trigg R</i>
gIBIS (1987)	<i>Conklin, J., and Begeman, M.L.</i>
Working by Wire SM (1996)	<i>Gundry & Metes</i>
Sensemaker (1997)	<i>Baldonado and Winograd</i>
KnowledgeX - KORE (1998)	<i>IBM</i>
VxInsight (1998)	<i>Davidson, Hendrickson, Johnson, Meyers, & Wylie</i>
KIE Sensemaker Tool (1998)	<i>Bell, P</i>
PowerBookmarks (1999)	<i>Li,W.,Vu Q., Agrawal ,D., Hara,Y., Takano,H.</i>
Raven (1994)	<i>Finkelstein et al.</i>
ClaimSpotter (2004)	<i>Sereno, Shum, & Motta</i>
Mission Mate (2004)	<i>Cheah, Chew, and Tan</i>
eKnowledge Suite (2004)	<i>NewHyperG</i>
Confrontation Manager (2005)	<i>Crannell, Howard, Norwood, Tait</i>
Joint Battle space Infosphere (2005)	<i>Milligan and Ahmed</i>
ClaiMaker, ClaiMapper, & ClaimFinder (2005)	<i>Uren, Buckingham Shum, Bachler, & Li</i>
KnowledgeMiner (2006)	<i>Knowledge Miner</i>
VantagePoint CommonKADS Methodology (1999)	<i>Search Technology Schreiber et al.</i>
Compendium (2001)	<i>Selvin et al.</i>
Cynefin Framework (2003)	<i>Kurtz & Snowden</i>
SSIGS: Sensemaking-supporting Information Framework (2003)	<i>Qu, Yan</i>
Data/Frame Model (2004)	<i>Klein et al.</i>
Issue-Hypothesis-Evidence framework (2004)	<i>Leedom, D.K.</i>
Three-part Workspace Awareness framework	<i>Gutwin and Greenberg</i>
COLAB (2005)	<i>Morrison and Cohen</i>

SENSEMAKING SUPPORT SYSTEM (S3) DESIGN

Foundation Cognitive Theory

According to the Army's FM 3.0, "Commander's visualization is the mental process of achieving a clear understanding of the force's current state with relation to the enemy and environment." This alludes to the fact that sensemaking is a cognitive task (Ntuen, 2006). To design S3, we capture this doctrinal statement in terms of cognitive abstraction hierarchy that consists of four macro level cognitive elements. These are: 1) the operator's experience as retrospective knowledge, 2) a situation awareness model that enables spatial knowledge and affordance for noticing information, 3) a knowledge

discovery model build around a network of human visualization and pattern recognition mental models, and 4) a situation understanding model to enable the process of translating information in context to actionable intelligence. This cognitive hierarchy is portrayed in Figure 2.




Figure 2. Cognitive information hierarchy in S3

THE SENSEMAKING VISUALIZATION MODEL

According to Leedom (2006), visualization is structurally framed by doctrine and intuition (*i.e.*, tacit knowledge) plays an important role in framing the battle space visualization process. These visualization models should be able to capture the commanders' experience as well as the doctrinal guidance. S3 attempts to capture these knowledge elements in three ways: (a) The Commanders' perspective and the things they emphasize when trying to understand a situation; (b) The elements or features of battlefield knowledge as visualized by the commanders and the battle staff. This could take various forms that include the explication of commander's intent, Commander's critical information requirements (CCIRs), and priority intelligence requirement (PIR); and (c) the operational resource requirements, time, purpose, and perceived actions as defined by such doctrinal elements as METT-TC (Mission, Enemy, Time, Terrain; Tactics and Civil affairs). These requirements may differ from contexts to contexts and in operational echelons; *e.g.*, a context may be urban warfare in which pursuit tracking display elements are used to identify the adversary, a stability operation in which behaviors of local insurgents are to be monitored; at the tactical level, display and visualization elements may be designed to support a real-time understanding of the battlefield dynamics and the requirements to map actionable intelligence to bring the desired effects; at the operational level, such visualization elements may be designed to allow the commanders to conduct "what if" and "what next" simulation exercises to assess task and resource requirements, and the levels of effects likely to result from the simulation.

S3 is aimed primarily at the team sensemaking exercises. The S3 design is to enable information sharing in a community of battle staffs. As noted by Eppler and Burkhard (2004), knowledge visualization allows visual representations to improve the creation and transfer of knowledge between people by sharing what they know and what they need to know through perspective making and sharing. This collaborative knowledge sharing is crucial to the battle staff that must collectively connect their experiences and share their perspectives on how the battlefield information is related to the mission and the commander's intent. Visualization is then used to encourage these shared beliefs, values, experiences, individual intentions, and the meanings that each battle staff gives to context information. On this note, visualization can be constructed as a social interaction model in which group cultural cognition can emerge. As a community, the battle staff can use visualization aids to create and reproduce knowledge through social relationships and interactions defined by common standard operating pictures, doctrines, and tactics, techniques, and procedures (TTP). However, notes Novak and Wurst (2004), "*in order to make sense out of information and construct knowledge, one need to contextualize it within one's own existing knowledge and thought world.*"

Our S3 architecture is constructed around the above mentioned collaborative cognitive requirements of the commanders and the battle staffs. The visualization model is driven by task contexts defined at different strata of operational doctrines. Figure 3

illustrates the theoretical hierarchy of information flow and their model elements. As shown in Figure 3, S3 uses situation stories to trigger the sensemaking process. We use minimally constructed story (MCS) for each exercise because we want to represent




Figure 3. The information model components of S3

different levels of complexity to simulate battlefield dynamics and their evolving information contexts. We use the Cynefin model of complexity (Kurtz & Snowden, 2003) as a paradigm for this purpose. Like the Cynefin model, S3 structures problems into four quadrants: (1) ordered domain with known causes and effects, (2) ordered domain with knowable causes and effects, (3) un-ordered domain with complex relationships, and (4) un-ordered domain with chaotic situations. Exhibit 1 shows examples of MCS used in S3. As shown in Exhibit 1, the cases are minimal in terms of the description (completely open-ended) and vagueness (no specificity). The battle staffs and the intelligent analysts usually encounter these kinds of situations. In reality, the stories may be more detailed and comprehensive, and can be obtained from the descriptions of the commander's intent or operation plan. In any case, the sensemaking process requires a collaboration between the battle staffs as each individual knowledge are processed to obtain a global situation understanding of the courses of actions and their execution orders.

MCS 1: A battalion XO in his TOC just received an intelligence report on possible attacks on critical infrastructures including kidnapping key political and religious leaders in Basra, Iraq.

MCS 2: A group of terrorists has been arrested in node K of the battle network. Intel shows that they have spread to other cells in the network, but are not identifiable.


Exhibit 1. Sample MCS cases

S3 Software Tool

Objective: The purpose of S3 is to create display and visualization capabilities for use in collaborative sensemaking process. The intent is to allow a team of sensemakers to (1) share their tacit knowledge; (2) perform critical thinking on unstructured problems; (3) have a common operating picture or situation awareness of the problem situation; (4) allow teams to propose and negotiate solutions through a convergence of shared mental models; and (5) allow teams to visualize alternatives perspectives from other team members so as to reach a common understanding of the battle situation. These objectives support many of the core C2 functions stated by Alberts & Hayes (2006)².

The current features in S3 allows up to three users to conduct sensemaking based on an MCS (See left window, upper hand corner of Exhibit 2). Each user logs into S3 with a protected password and first completes team dynamic survey (TDS). The right side of Exhibit 2 allows the team leader to show maps, and by using a white board capability, can illustrate possible locations of the enemies (red bar), possible plans of engagement (blue), and avenues of approach. S3 also allows the user to search for information using text browsing on the web. Other decision information can be displayed through use of statistical analysis tools on Excel spreadsheet (See Exhibit 3). For example, the user may want to look for doctrinal information on the Army's web page or CNN news report on a terrorist bombing in Iraq. S3 has both text and voice capability. The user may decide to turn off the voice part. During a session, the users go through the sensemaking process of framing the context of discourse, selecting issues, agreeing on a position of discourse, and presenting arguments to validate their claims. The user can use maps, annotations, and graphics to illustrate facts or clarify arguments as in Exhibit 3.

I



2 David S. Alberts and Richard E. Hayes (2006). Understanding Command and Control. CCRP Publication Series (<http://www.dodccrp>

Exhibit 2. S3 Screen capture




Exhibit 3. S3 screen with information search (file and web browsing)

In the left hand side of the figures below (Exhibit 4), the user can visualize areas of interests and likely IED routes. The risk levels are classified using data fusion using coded symbols. On the right hand side, the user can visualize situation updates by browsing through daily events, including link analysis to other C2 centers (or cities), and specific areas of interest that were targeted (e.g., mosques). The last screen shot in Exhibit 5 is an example of information link network processed through likelihood relationship metric..




Exhibit 4. Visualized area of interest



Exhibit 5. Information linkage network

EXPERIMENT

Subjects:

Six experienced military commanders participated in the study. The participants consisted of four Lt. Colonels and two Majors. The subject population had one female with the rank of Lt. Colonel in the Air Force and also the commander of North Carolina A&T State University (NCA&T)'s ROTC Air Force Regiment. There were 5 males: 4 of the male participants are retired (3. COL and 1 Major). The retired Major is on a reserve. The female officer had command experience with Special Air Force Command, and all the male participants with the rank of Lt. Colonel had experience commanding either field artillery or infantry battalions. All participants had a combined military experience of 116 man years.

Apparatus:

The apparatus consisted of S3 software, a personal computer, and 18" TV monitor

Procedure:

Each officer participated as team of two "battle staffs" sequenced in a permutation of 6 objects taken 2 at a time to yield 15 trials with 3 repetitions per trial. Each team received each of the cases shown in Exhibit 1 in a random order that precludes learning effect. Each person serves in a different team during a trial. The study took five days of one hour per session per team. The participant was told to use the S3 software to communicate their sensemaking thoughts and situation analysis with each other. Each team was given sufficient time as needed to complete the task. An example transcript is shown in Exhibit 6. Each transaction between team members was saved to S3 spreadsheet and Excel files for future analysis. At the end of a scenario, the participants were asked to subjectively rate the effectiveness of S3 as a sensemaking tool. This is the analysis presented in this report. The sample questionnaire measures sensemaking (SM) capability, situation awareness (SA), and situation understanding (SU). A sample given below:

How would you rate the sensemaking software (S3) on the following (use a scale of 1-7: 1 = absolutely very poor and 7 = absolutely very good and useful):

1. Sensemaking:

- a. Information presentation allows for concept mapping:
- b. Promotes contextual reasoning for sharing ideas and concepts:
- c. Allow users to see different interpretation of situation:
- d. Promotes retrospective information search:
- e. Promotes prospective sensemaking through predictive analysis:

2. Situation awareness:

- f. Can see common operating pictures of the situation:
- g. Allows me to see area of interest:
- h. Allows me to see information changes over time:
- i. Encourages team information sharing and dialogs:
- j. Captures how our team view the same situation in different ways:

3. Situation understanding:

- k. I can explain situation based on my experience and the information displayed:
- l. I can describe the situation in terms of expectations
- m. I can visualize the courses of action more rapidly.

Result of Experiment

The experimental data was stratified into three categories of cognitive measures; namely, sensemaking, situation awareness, and situation understanding, respectively. Basic statics for each cognitive measure was summarized in terms of average scores across 45 trials (15 grouping * 3 replicates). Tables 2-4 show the results for minimal constructed scenario (MCS) number 2 shown in Exhibit 1. For each cognitive measure, a factor loading in terms of percentage variance contribution of each element within the measure was obtained using Statistical Analysis Software (Dobson, 2003); the result was then used to obtain a weighted score of each measure as a linear relationship.

Table 2. Statistical Analysis for Sensemaking Score (rating: 1= min; 7=max)

Elements	Min score	Average	Max score	Standard deviation	% variance contribution (factor loading) ^a
Allows for concept mapping	2.6	3.2	5.1	1.5	0.12
Contextual reasoning for ideas sharing	1.1	2.8	4.7	0.8	0.1
Interpretation of situation	2.4	4.3	6.5	1.3	0.32
Retrospective information search	2.0	4.5	6.8	0.67	0.26
Predictive analysis	1.9	3.1	4.3	0.96	0.2

^aThis gives the weighted linear composite score for sensemaking of 3.84 and a standard deviation of 1.04 (linear weighted product column 6 and column 3 (for average) and column 5 (for standard deviation)).

Table 3. Statistical Analysis for Situation Awareness Score (rating: 1= min; 7=max)

Elements	Min score	Average	Max score	Standard deviation	% variance contribution (factor loading) ^b
Common operating picture	4.2	6.6	7.0	0.6	0.27
See area of interest	3.3	4.8	6.5	0.91	0.16
See information changes over time	2.0	3.5	5.8	1.2	0.07

Team information sharing and dialog	4.6	6.8	7.0	0.2	0.38
Team situation awareness	3.1	3.9	5.4	1.3	0.12

^bThis gives the weighted linear composite score for sensemaking of 5.85 and a standard deviation of 0.46 (linear weighted product column 6 and column 3 (for average) and column 5 (for standard deviation)).

Table 3. Statistical Analysis for Situation Understanding Score (rating: 1= min; 7=max)

Elements	Min score	Average	Max score	Standard deviation	% variance contribution (factor loading) ^c
Explain situation	1.5	3.2	4.9	1.6	0.3
Describe situation	2.0	3.4	4.7	1.3	0.22
Visualize courses of action	4.8	6.1	7.0	0.08	0.48

^cThis gives the weighted linear composite score for sensemaking of 4.64 and a standard deviation of 0.8 (linear weighted product column 6 and column 3 (for average) and column 5 (for standard deviation)).

Data was analyzed for all three scenarios—simple, complex, and chaos problems, respectively. Analysis of variance (ANOVA) was used to investigate any interaction effect between problem scenarios and the three cognitive measures. An ANOVA with 3 by 3 randomized block design was used to evaluate any different in average scores across cognitive levels and problem types. The results show the followings: (a) the perception rating of S3 with respect to the cognitive measures was highly significant, $F(2, 37) = 2.4 < 5.8$ compute value; (b) the problem scenarios were highly significant, $F(2, 37) = 2.4 < 3.23$; and there was noticeable interaction effect between the cognitive measures and the problem types, $F(4, 37) = 2.09 < 11.3$ computer value. All tests were conducted with 5% level of significant. Figure 4 shows the weighted average scores for each cognitive score across the three problem types (MCS1, MCS2, and MCS3).




Figure 3. Weighted mean scores for cognitive measures by problem type.

SUMMARY

This paper has described an on-going effort to develop operational visualization concepts and their technical implementations to support sensemaking skills based on the Army's FM3.0 doctrinal information on "Visualization, Detection, and Decide" requirements. First, visualization is our attempt to allow the sensemakers to "see the same thing" in place and time so as to gain real-time situation awareness. Through visualization, the team members can share their mental models, present their perspectives either textually or graphically. S3 also satisfies the doctrinal requirement by using signs, symbols, and signals to invoke informational cues, which through display, allows real-time noticing emerging information features for enhancement of decision clues to the sensemaker. Finally, the S3 software provides the decision maker with macro-level cognition useful for building situation understanding relevance to tasks, doctrines, and the requirements for a mission or goals. We have started the validation of S3 using Army cadets from Fort Leavenworth. The results show the followings: (a) the perception rating of S3 with respect to sensemaking cognitive measures was highly significant; b) the problem scenarios (MCS) were highly significant; and there were noticeable interaction effects between the cognitive measures and the problem types. Generally, the S3 software needs further improvement in representation fidelity of problems that mimic battle field situations. This is shown by the poor weighted ratings in a more chaotic scenario MCS3.

ACKNOWLEDGMENT:

This project is supported by ARO Grant # W911NF-04-2-0052 under Battle Center of Excellence initiative. Dr. Celestine Ntuen is the project PI. The opinions presented in this report are not those of ARO and are solely those of the authors.

REFERENCES

- Baldonado, M.Q.W. & Winograd, T. (1997). SenseMaker: An Information-Exploration Interface Supporting the Contextual Evolution of a User's Interests. *Proceedings of the ACM Conference on Human Factors in Computing Systems (CHI '97)*, Atlanta, Georgia, April 1997, pp. 11-18.
- Bransford, J., & Stein, B. (1984). The IDEAL problem solver. New York: W. H. Freeman
- Cheah, M., Thunholm, P., & Chew, L.P. (2005). C2 Team Collaboration Experiment – A Joint Research by Sweden and Singapore on Teams in a CPoF environment. *Proceedings of the Tenth International Command and Control Research and Technology Symposium*, McLean, VA, 13-16 June 2005
- Computer Desktop Encyclopedia. (2006). The Computer Language Company Inc. Answers.com Sep. 2006. <http://www.answers.com/topic/standards-software>
- Conklin, J., Begeman, M. L. (1987): gIBIS: A Hypertext Tool for Team Design Deliberation. In: Weiss, Stephen, Schwartz, Mayer (ed.): *Proceedings of ACM Hypertext 87 Conference*. November 13-15, 1987, Chapel Hill, North Carolina. p.247-251.
- Crannell M., Howard N., Norwood G., Tait A. (2005). A C2 system for 'winning hearts and minds': tools for Confrontation and Collaboration Analysis. *Proceedings of*

- the Tenth International Command and Control Research and Technology Symposium*, McLean, VA, 13-16 June 2005
- Davidson, G.S., Hendrickson, B., Johnson, D.K., Meyers, C.E. & Wylie, B.N. (1998). Knowledge mining with VxInsight: discovery through interaction. *Journal of Intelligent Information Systems* 11, 259-285.
- Dobson, A.J. (2003). An Introduction to Generalized Linear Models, end Edition.
- Eppler, M., and Burkhard, R. (2004). Knowledge visualization: Towards a new discipline and its fields of applications, referenced in Novak and Wurst (2004).
- Gundry, J., and Metes, G. (1996). *Team Knowledge Management: A computer-mediated approach*, Virtual Learning Systems Inc, Manchester NH, USA, December
- Gutwin, C., and Greenberg, S. (2004). The Importance of Awareness for Team Cognition in Distributed Collaboration. In E. Salas and S. M. Fiore (Editors) *Team Cognition: Understanding the Factors that Drive Process and Performance*, pp. 177-201, Washington: APA Press.
- Halasz et al, 1987] Halasz, F.G., Moran, T.P. and Trigg, R.H. Notecards in a Nutshell. In *Proceedings of CHI and GI'87: Human Factors in Computing Systems and Graphic Interface*, 1987, ACM: New York, pp. 45-52
- Klein, G., Seick, W., Peluso, D., Smith, J., Harris-Thompson, D. (2004). FOCUS: A Model of Sensemaking. *Klein Associates Inc.* Fairborn, OH.
- Kurtz, C.F. , and Snowden, D.J. (2003), The new dynamics of strategy: Sense-making in a complex and complicated world, *IBM Systems Journal*, Vol. 42, No. 3
- Lee, J. (1990). SIBYL: A qualitative design management system. In P.H. Winston and S. Shellard (eds), *Artificial Intelligence at MIT: Expanding Frontiers*, Cambridge MA: MIT Press, pp. 104-133.
- Leedom, D. (2006). Battlespace visualization skill summary. Working Draft, DRC Sub ARL-EBR-04-002. *Evidence Based Research, Inc.*, Vienna, Virginia.
- Li, W. S., Vu, Q., Agrawal, D. Hara, Y., & Takano, H. (1999). PowerBookmarks: A system for personalizable web information organization, sharing, and management. In *Proceedings of the Eighth International World Wide Web Conference*, Toronto, Canada.
- Milligan, J.R., & Ahmed, N.O. (2005). Decision-support Infosphere Services for Collaborative Operations and Virtual Environmental Requirements (DISCOVER). *Proceedings of the Tenth International Command and Control Research and Technology Symposium*, McLean, VA, 13-16 June 2005.
- Morrison, C.T. & Cohen, P.R. (2005). *COLAB: A Laboratory Environment for Studying Analyst Sensemaking and Collaboration*. Center for Research on Unexpected Events (CRUE), USC Information Sciences Institute, Marina del Rey, California
- Novak, J. and Wurst, M. (2004). Collaborative knowledge visualization for cross-community learning.
- Ntuen, C. A. (2006). Cognitive Constructs and the Sensemaking Process. *Proceedings for 11th International Command & Control Research and Technology Symposium*. San Diego, CA.
- Qu, Y. (2003). Sensemaking-Supporting Information Gathering System. ACM *CHI'2003*. Extended Abstracts, 906-907.
- Selvin, A., Buckingham Shum, S., Sierhuis, M., Conklin, J., Zimmermann, B., Palus, C., Drath, W., Horth, D., Domingue, J., Motta, E., and Li, G (2001) Compendium:

- Making Meetings into Knowledge Events. In *Proceedings Knowledge Technologies 2001*, Austin, TX.
- Sereno, B., Shum, S.B., Motta, E. (2004). *ClaimSpotter: an Environment to Support Sensemaking with Knowledge Triples*. Knowledge Media Institute, The Open University, Milton Keynes, UK
- Uren, V., Buckingham Shum, S., Bachler, M. & Li, G. (2005). Sensemaking Tools for Understanding Research Literatures: Design, Implementation and User Evaluation. *International Journal of Human Computer Studies*.
- Weick, K.E. (1995). *Sensemaking in Organizations*. Thousand Oaks, CA: Sage Publications
- Wiig, K. M. (2003). A knowledge model for situation-handling (Vol. 7, pp. 6-24): Emerald Group Publishing Limited.

APPENDIX

Sample text transaction between two intended uses of S3

Listening to port: 1007

Connection request id 780 from 152.8.96.23

Gwang is Logged on.

ntuen: Major Gwang, we have a problem

Gwang: What is the problem...?

ntuen: Najaf attacked. 100 killed. new group claim responsibility

Gwang: What should we do....?

ntuen: Sensemaking. major, find this people, their name, affiliation, sponsor, let's go after them

Gwang: Do you know that location?

ntuen: See the marked area of interest in the mark. And direction of their movement

Gwang: I am by Kuwait border. See my marking with rectangle.

ntuen: I can see you major. get your men. What is the best way to get there?

Gwang: See map with the red arrows....

ntuen: Bad choice, IED and AlQ group are everywhere

Gwang: I look for alternative way...

ntuen: I am checking with Alpha 3. I have sent the map with your routes 1 & 2 to him

Gwang: How long can I wait....?

ntuen: Start at 1400 hours. That is 4 hours from now to get your men

Gwang: What is the probability of attack in Najaf?

ntuen: My intel and record up till 3 days ago is about 65%

Gwang: Can you tell me more about attack statistics on IED, Mortar, VIED?

ntuen: OK, Alpha has it right in the TOC: IED is 90%, Mortar is daily and about 90%, VIED is about 55%

Gwang: OK, I will run my Sensemaking program...

ntuen: Good, get your COAs in order and be prepared to encounter trouble on the way

Gwang: OK, three other locations marked in red from south of Turkey, Al Anbar province, and Baghdad.

ntuen: Good major, I will notify the commanders over there. So now we have to involve 5 commands, including mine. right?

Gwang: Yes, Sir.

ntuen: Ok, get back to me at 1 hour before your men leave to Najaf

Gwang: Talk to you then...



A SENSEMAKING VISUALIZATION TOOL WITH MILITARY DOCTRINAL ELEMENTS

Celestine A. Ntuen, Ph.D

Distinguished University Professor

The Army Center for Human-Centric C2 Decision Making

ntuen@ncat.edu

<http://gandalf.ncat.edu/ihms>

+1-336-334-7780 (X531): phone

+1-336-334-7729: fax

This project is supported by ARO grant #W911NF-04-2-0052 under Battle Center of Excellence initiative. The opinions presented here are not those from ARO, and are solely those of the authors.





Presentation Outline

1. Introduction
2. Military doctrinal elements: Cognition and visualization
3. The theory for display design and visualization
4. The sensemaking visualization model
5. Model validation
6. Results and Summary
7. Research extensions



INTRODUCTION

What is
sensemaking?



1. What is relevance in what they see?
2. Are they seeing the same thing?
3. Do they have the same interpretation in context?
4. How does the situation understanding enable action?



Sensemaking Challenge

To create a *systematic, widespread and persistent* **Cognitive Edge** for the warfighter




Effect

Target



Sensemaking: An End-to-End Approach



Adapted from "Understanding Information Age Warfare" (CCRP, 2001)



**Search is the mind's eye,
But sensemaking is the mind's muscle.**

Stuart Card
PARC

Collection without sense-making, both
automated and human,
is both wasteful and falsely reassuring.

Robert David Steele, CEO of OSS.Net,
March 25, 2006



It would sure be
nice if we had
some clear idea
what it was we
were trying to do
first





What is sensemaking?

DERIVING MEANING FROM FRAGMENTARY CUES—
(DARPA'S Information Awareness Project)

COLLECTING “DOTS” and BRIDGING MEANING TO
HUGE VOLUME OF DATA---INQ-Tel (Arlington-based
company).

A SYSTEM OF ACTIONS, SYMBOLS AND PROCESSES
THAT ENABLES AN ORGANIZATION TO TRANSFORM
INFORMATION INTO VALUED KNOWLEDGE WHICH
INTURN INCREASES ITS LONG-RUN ADAPTIVE
CAPACITY – (Schandt, 1997; pp. 8)



According to Franks, battle command means seeing what is now, visualizing the future state or what needs to be done to accomplish the mission and then knowing how to get your organization from one state to the other at least cost against a given enemy on a given piece of terrain. The primary components of battle command that depend directly on the commander's intuition are decision making, visualizing, concept formulation and battlefield awareness--selecting the critical time and place to act, and knowing how and when to make adjustments during the fight.

Using judgment acquired from experience, training, study, and creative thinking, commanders visualize the situation and make decisions. In unclear situations, informed intuition may help commanders make effective decisions by bridging gaps in information. Through the art of command, commanders apply their values, attributes, skills, and actions to lead and motivate their soldiers and units... (FM 3.0)



Military
Doctrinal
Elements





Military Doctrinal Elements



The sheer volume of information can camouflage the critical information we need. We're still working on our ability to glean through this information and find the necessary information nuggets that will aid in decision making (MG. Kamiya, 2007)




Joint Training Directorate

**Military
Doctrinal
Elements**

Reality of the Battle Field
Mission/Enemy/Terrain +weather/Troops/
Time available/Civil (METT-TC)




Theoretical
expected human
& technology
endeavors



Doctrines


Mission Command
•CDR intents, Order
•Guidance, PIR
•CCIR, EEFI
•Staff initiatives



Analytical
Support:, e.g
OODA &
DSS for
Planning

Decision
Support
Systems

Optimized COA &
Running estimates



Executions

Measurements

After-fact
Report/Review

Decision Superiority
Assessment
Meter (DESAM)



Human:
Adaptive, insightful
Collaborative,
leadership
Decision quality

Information:
Relevancy, timeliness
Availability, reliability
Trust, quality, etc

Technology:
Resiliency, robust,
Reliable, adaptable
Adaptive,



Lead

- Doctrine
- Principles of war
- Operational themes
- Experience and judgment

PMESII-PT

METT-TC

Understand

The Problem

- Operational Environment
- Enemy

Visualize

The End State and
the Nature and
Design of the
Operation

- Offense
- Defense
- Stability
- Civil Support

Describe

Time, Space,
Resources,
Purpose, and
Action

- Decisive Operations
- Shaping Operations
- Sustaining Operations

Direct

Warfighting
Functions

- Movement and Maneuver
- Intelligence
- Fires
- Sustainment
- Command and Control
- Protection

Continuous Learning

Running estimates

Elements of operational design


- Initial commander's intent
- Planning guidance
- Commander's critical information requirements
- Essential elements of friendly information

- Plans and orders
- Branches and sequels
- Preparation
- Execution


Assess

BATTLE COMMAND

The Art and Science of Battle Command



LandWarNet provides the full spectrum of connectivity – from the deployed Soldier to Home Station Operations Centers, National/Strategic Intel Centers and Logistic Support & Sustainment locations – encompassing Joint, Interagency, and Multinational capabilities.





THE THEORY FOR DISPLAY DESIGN & VISUALIZATION


1. Human cognitive processes
2. Display theories
3. Visualization modalities & techniques
4. Decision performance

A TETRAHEDRAL MODEL LINKING VISUALIZATION, COGNITION, DISPLAY, AND SU

Mission, commander intents, doctrines,
focus, effects, intuition/tacit knowledge,
insights, hindsight, foresights

Commanders
describe
operations in
terms suited to
experience and
mission

Deliberate
process,
Mnemonic
devices,
enable
first-level SA.
Provide
sampled data
elements




Focal knowledge sharing
Critical thinking
Organized knowledge

- Card, et al. (1999):
1. Increase cognitive resources
 2. Reducing search
 3. Enhance pattern recognition
 4. Easy perceptual monitoring
 5. Seeing the features of on-going events
 6. Provide a manipulable medium


High level SA that the mind cannot
perceive, organized knowledge, map
actionable knowledge to goals,
causal linkages, understand risks,
provide running estimates, etc.

Envision the
Problem space
With critical features

Cognition and Visualization in Situational Understanding: An Abstraction Model




How Visualization Enables the Commander's Cognitive Process






THE SENSEMAKING VISUALIZATION MODEL

Building The Visualization Ontology



Doctrinal Thinking

Visualize,
Detect,
Decide



Sensemaking Support Software (S3)

Scenario Dialog

Node	No. of Events	Risk	Prob. of Attack	Node Int.
1	2	0.5	0.5	
2	3	0.3	0.8	
3	1	0.6	0.7	
4	3	0.7	0.7	
		0.5		
		0.9		

Dialog - ID1928

Listening to port: 1907

Host: BANNERJET
IP Address: 152.8.114.234
Connection: 1

September 6, 2007

Assessing the 'Surge': A Survey of Baghdad


To study the ground-level effects of the American troop buildup, reporters and The New York Times visited Baghdad's neighborhoods, interviewing residents and Iraqi officials. To explore the videos and written reports, select a neighborhood.

Kadhimiya
Muhallabiyah
Huriya

Map - Iraq

Legend:

- Friendly Unit
- Enemy Unit
- Friendly Move
- Enemy Move



Sensemaking Support System (S3) - Situation Report

Arbil

Risk Constraints: 1/1

1. Risk: 0.4

2. Comments: Shoulder-fired Rocket Propelled Granades.

Profile: 1/4

1. Events: Traffic Jam 05-Jul-06 09:30 - 11:00

2. Comments: Usually there is traffic jam in downtown area around this time.

Legend:

- Baghdad
- Karbala
- Najaf
- Mosul
- Arbil
- Basrah
- Fallujah

Risk Level

- 0.8 - 1.0
- 0.6 - 0.8
- 0.4 - 0.6
- 0.2 - 0.4
- 0.0 - 0.2

Our Current S3 (version 1.0) for Collaborative Sensemaking and information fusion capability

Sample MCS (Minimally Constructed Stories)

Case-1

Captain XX just receive intelligence reports on possible attacks on critical infrastructure including kidnapping key political and religious leaders.

Prepare a sensemaking and inform the commander on the available courses of action to respond.


Case-2

General Haltrack is informed that a group of terrorists has been arrested in node K south of the adversary network. Intel showed that they have spread to other cells in the network, but are not identifiable.

Use a sensemaking model to analyze the situation. Include information on the terrorists cell—who they are, sponsors, their strategies, how the evolve, their motives, etc. Work with all intelligent organizations.



PRELIMINARY VALIDATION RESULTS



6 Experienced military officers:
4 LTC, 2 Majors; 5 males, 1 female.
2 from ROTC; 2 from BCBL;
1 reserved component; 1 retired.
116 man years of service.

Minimal Constructed Scenarios
Developed from Cynefin Problem
Typologies:

MCS1: Knowable
MCS2: Complex
MCS3: Chaos

SM = Sensemaking perception
SA: Situation awareness perception
SU: Situation understanding perception



PRELIMINARY VALIDATION RESULTS: Sensemaking perception score (1-7: 1- absolutely not useful ;7 = absolutely very useful)

Elements	Min score	Average	Max score	Standard deviation	% variance contribution (factor loading)
Allows for concept mapping	2.6	3.2	5.1	1.5	0.12
Contextual reasoning for ideas sharing	1.1	2.8	4.7	0.8	0.1
Interpretation of situation	2.4	4.3	6.5	1.3	0.32
Retrospective information search	2.0	4.5	6.8	0.67	0.26
Predictive analysis	1.9	3.1	4.3	0.96	0.2

**PRELIMINARY VALIDATION RESULTS: Situation Awareness perception score (1-7: 1-absolutely not useful ;7 = absolutely very useful)**

Elements	Min score	Average	Max score	Standard deviation	% variance contribution (factor loading)
Common operating picture	4.2	6.6	7.0	0.6	0.27
See area of interest	3.3	4.8	6.5	0.91	0.16
See information changes over time	2.0	3.5	5.8	1.2	0.07
Team information sharing and dialog	4.6	6.8	7.0	0.2	0.38
Team situation awareness	3.1	3.9	5.4	1.3	0.12



PRELIMINARY VALIDATION RESULTS: Situation Understanding perception score (1-7: 1-absolutely not useful ;7 = absolutely very useful)

Elements	Min score	Average	Max score	Standard deviation	% variance contribution (factor loading)
Explain situation	1.5	3.2	4.9	1.6	0.3
Describe situation	2.0	3.4	4.7	1.3	0.22
Visualize courses of action	4.8	6.1	7.0	0.08	0.48



Summary and Results

The results show the followings:

(a) the perception rating of S3 with respect to the cognitive measures was highly significant, $F(2, 37) = 2.4 < 5.8$ computed value;

(b) the problem scenarios were highly significant, $F(2, 37) = 2.4 < 3.23$;

(c) there was noticeable interaction effect between the cognitive measures and the problem types, $F(4, 37) = 2.09 < 11.3$

Research Extension to SASO Planning

Sense-making Support Software (S3)

SASO



1.0. Mission Alert

1 - Strongly Agree	4 - Undecided	7 - Strongly Disagree
2 - Agree	5 - Disagree Somewhat	
3 - Agree Somewhat	6 - Disagree	

- ☐ Stabilize Government
- ☐ Provide Safety and Security
- ☐ Defeat Insurgency
- ☐ Provide Self-Sustaining Economy

1.1. Non-military Tactical Elements

- ☐ Gain Trust
- ☐ Adapt Attitude and Beliefs
- ☐ Know Key Players
- ☐ Minimum Language Skill

1.2. Measure of Performance (MOP)

1. Casualties

- To Blue Force
 - ☐ Death
 - ☐ Wounded
- To Civilians
 - ☐ Death
 - ☐ Wounded

2. Displacements

- ☐ Refugee Camps Within
- ☐ Evaluated Outside
- ☐ Asylums

3. Stable Government

- ☐ Stabilize Government

Status: Listening... (Connected)

start S3_Client - Microsoft ... Sense-making Suppor... SASO S3_Client_Multi EN 4:35 PM

