

712CD

75TH MORSS CD Cover Page

If you would like your presentation included in the 75th MORSS Final Report CD it must :

1. Be unclassified, approved for public release, distribution unlimited, and is exempt from U.S. export licensing and other export approvals including the International Traffic in Arms Regulations (22CFR120 et seq.);
2. Include MORS Form 712CD as the first page of the presentation;
3. Have an approved MORS form 712 A/B and
4. Be turned into the MORS office no later than: **DEADLINE: 14 June 2007 (Late submissions will not be included.)**

Author Request (To be completed by applicant) - The following author(s) request authority to disclose the following presentation in the MORSS Final Report, for inclusion on the MORSS CD and/or posting on the MORS web site.

Name of Principal Author and all other author(s):

Dr. Joseph G. Kovalchik, Ph.D.

Mr. Jonathan W. Labin

Mr. Eric R. Rosenlof

Principal Author's Organization and address:

Mail Stop 13-N408

11100 Johns Hopkins Road

Laurel, MD 20723

Phone: 240-228-6264

Fax: 240-228-5910

Email: joseph.kovalchik@jhuapl.edu

Please use the same title listed on the 75TH MORSS Disclosure Form 712 A/B. If the title of the presentation has changed please list both.)

Original title on 712 A/B:

Simulating the Commander's Decision Process

If the title was revised please list the original title above and the revised title here:

PRESENTED IN:

WORKING GROUP:	WG-6	DEMONSTRATION:	
COMPOSITE GROUP:		POSTER:	
SPECIAL SESSION 1:		TUTORIAL:	
SPECIAL SESSION 2:		OTHER:	
SPECIAL SESSION 3:			

This presentation is believed to be: **Unclassified, approved for public release, distribution unlimited, and is exempt from U.S. export licensing and other export approvals including the International Traffic in Arms Regulations (22CFR120 et seq.)**

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 01 JUN 2007		2. REPORT TYPE N/A		3. DATES COVERED -	
4. TITLE AND SUBTITLE Simulating the Commander's Decision Process				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) The John Hopkins University Applied Physics Laboratory				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release, distribution unlimited					
13. SUPPLEMENTARY NOTES See also ADM202526. Military Operations Research Society Symposium (75th) Held in Annapolis, Maryland on June 12-14, 2007, The original document contains color images.					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT UU	18. NUMBER OF PAGES 33	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

75th MORSS CD Cover Page

For office use only 41205

UNCLASSIFIED DISCLOSURE FORM CD Presentation

12-14 June 2007, at US Naval Academy, Annapolis, MD

Name of Principal Author and all other author(s):

Dr. Joseph G. Kovalchik, Ph.D.

Mr. Jonathan W. Labin

Mr. Eric R. Rosenlof

Phone: 240-228-6264

Fax: 240-228-5910

Email: Joseph.Kovalchik@jhuapl.edu

Principal Author's Organization and address:

11100 Johns Hopkins Road

Laurel, MD 20723

Original title on 712 A/B:

Simulating the Commander's Decision Process

Presented in: **WG-6**

This presentation is believed to be:
UNCLASSIFIED AND APPROVED FOR PUBLIC RELEASE

Simulating the Commander's Decision Process

13 June 2007



Prepared By:

Dr. Joseph G. Kovalchik

Joseph.Kovalchik@jhuapl.edu

(Voice) 240-228-6264

(FAX) 240-228-5910

Mr. Jonathan W. Labin

Jonathan.Labin@jhuapl.edu

(Voice) 240-228-7111

Mr. Eric R. Rosenlof

Eric.Rosenlof@jhuapl.edu

(Voice) 240-228-8670

APL

The Johns Hopkins University
APPLIED PHYSICS LABORATORY

Outline


- **Background**
 - Previous analysis
 - Why multi-warfare
 - AIMS objectives
- **AIMS Federation**
 - Architecture
 - Command mapping
- **Commander Federate Details**
 - Responsibilities
 - Technologies
- **Decision Process**
 - Agent structure
 - Example scenario
 - Algorithm summaries
- **Summary**

Background: Previous Analysis

- Complexity of multi-warfare analysis has led to:
 - Abstraction upward to campaign-level simulations in which there is:
 - A reduction in the ability to properly account for the interactions in multi-warfare situations
 - A reduction in the ability to simulate operational and tactical details
 - Artificially stove-piped analyses in which:
 - The best models are used independently for each warfare area with the following limitations:
 - No single model can replace specialized mission-level simulations
 - Outputs of one model are fed as inputs to the next
 - Difficult to “integrate” results
 - Difficult to address inter-warfare area resource conflicts
 - Difficult to simulate appropriate responses to emerging events
 - The process is lengthy and manpower-intensive

Background: Why multi-warfare analysis?

- The defense community shows growing interest in multi-warfare analysis for:
 - Capabilities-based acquisition
 - Multi-mission structures (e.g., Sea Shield)
 - Assessment of multi-mission platforms (e.g., DDG1000)
 - Competition for multiple-missions capable assets (e.g., helicopters, for ASW and SUW)




Background: Project Objectives


- **APL Integrated Multi-warfare Simulation (AIMS)**
 - Incorporate simulations of choice based on the analysis task
 - Incorporate reasoning technologies into a Commander federate to
 - Consider the effects of competing resources across multi-warfare areas and the warfare area dependencies
 - Simulate a Commander's proactive planning
 - Provide a Single Point of Entry (SPE) for scenario data
 - Coordinate execution of scenario runs and data collection
 - Visualize the scenario interactions
 - Assist in post-run analysis

AIMS Federation Architecture

- Simulations tied together with HLA RunTime Infrastructure (RTI) 1.3 Next Generation version 6.0
- Existing HLA compliant tools used (e.g., results collection: hlaResults)
- Simulations executed on Windows desktop systems




AIMS Federation Command Mapping




**Simulation in federation that is “controlling” a particular platform will change, e.g., as mission priorities change due to events; this is accomplished by “transfer of ownership” from one simulation to another*

Commander Federate Responsibilities

- Performs basic federation management
- Manages warfare priorities
- Performs inter-warfare area conflict resolution for asset allocation
- Directs transfer of ownership of assets between simulations
- Conducts proactive planning based on observed events




Commander Federate reasoning technologies



M&S Process

- Create a domain specific file using reasoning software GUI editor
- Export domain specific file
- Agents load specific files as needed for their function, provide problem specific inputs, and use the generic engine to create solution outputs

Commander Decision Making Structure (Within the Carrier Strike Group - CSG)




Note: CSG Warfare Commander's and structure are nominal and illustrative example only. It is realized that CSG organizations can vary.

Agent Roles

- Carrier Strike Group (CSG) Commander
 - Readiness
 - Overall Mission planning and execution
 - Asset allocation
 - Movement and stationing of the force
 - Rules of Engagement determination
 - Warfare priority setting
 - Defense of the force
 - Warning and weapons status
- Each Warfare Commander
 - Within assigned mission
 - Readiness
 - Assigned mission planning and execution
 - Asset requirements
 - Asset movement and stationing
 - Defense of assigned units
 - Warning and weapons status
 - Cross-mission cooperation
 - Multi-warfare mission planning and execution
 - Movement and stationing of the force
 - Asset priorities
 - Defense of the force
 - Warning and weapons status


Example Problem



Main Decision Algorithm: Agent Interactions

1. CSG Commander (Commander Module) receives tasking message from higher authority.
2. CSG Commander breaks tasking into phases
3. For each phase
 - a. CSG Commander orders subordinate warfare commanders to develop a CONOPs
 - b. The warfare commander (WC) with the highest warfare priority submits a “candidate ” CONOP to all other WC
 - c. Repeat until no further mitigations are submitted or minimum success rates are achieved for each mission area
 1. Other WC respond to the current “candidate ” CONOP with the risk assessment on their warfare area and a “mitigation” CONOP to lower its risk if necessary.
 2. CSG Commander then chooses a new “proposed” CONOP from among the “mitigation” CONOPs and asks the WCs for a risk assessment
 3. WC send risk assessments to the CSG Commander
 4. CSG Commander then chooses a new “candidate ” CONOP if it results in less risk than the previous “candidate ”

Agent Interaction Flowchart



Tasking Message Details

- **Tasking messages provide the following information to the CSG Commander**
 - **Time Ordered List of missions**
 - **Targets and their respective value**
 - **List of candidate CVOAs**
 - **Start/end time**
 - **Start/end locations**
 - **Start/end times**

Decompose Tasking Message into Phases

- If a transit is necessary, a separate transit phase is identified
- For each mission in tasking message
 - If location after previous phase is not within the CVOA for the next mission, CSG Commander creates a transit phase to CVOA for next mission
 - Then creates a mission execution phase

Order Candidate CONOPs Generation

- CSG Commander orders that a CONOP be constructed for the phase currently being planned
- The following phase information is provided to the Warfare Commanders
 - Targets and respective weights
 - Inter-phase dependencies
 - Probability of each asset surviving the previous phases (execution order)
 - Mission weights for each WC
 - WC risk thresholds

Construct Candidate CONOPs

- WC analyzes combinations of routes that are valid for the provided CVOAs, Inter-phase dependencies, asset assignments, and threats
 - Start with current asset assignments and daylight environment
 - Search for a CONOP that satisfies the risk tolerance threshold
 - Selected Motion* Plan
 - Time of start
 - Time of end (decided by time of start and motion plan)
 - Blue asset allocation to Warfare Areas / Formation


* Depending on operational situation, motion could alternatively refer to PIM, patrol, sector, grid, or formation but is used to convey location, direction and speed of each asset.

Assess Candidate CONOP Risks and Propose Alternatives

- Each WC assesses candidate CONOPs and calculates asset and mission risk affecting his mission area
- If risks unacceptable, each WC proposes mitigating CONOPs that reduces risks for his warfare area by varying:
 - Motion plan
 - Time of start
 - Asset ownership assignments / Formation
- Each WC uses a steepest decent algorithm to choose his proposed mitigation CONOP

Select an Alternative CONOPs for Comparison to Candidate

- The CSG Commander, considering all alternative WC CONOPs, selects the CONOPs developed by the WC whose assets and mission risk are the most above his minimum acceptable risk for the candidate CONOPs.
 - First CONOPs consideration is the WC who has determined that the CSG is at most risk to threats from his mission area if the candidate CONOPs is executed.
- Tie breaking algorithms consider the alternative that generated the largest decrease in WC calculated risk and warfare priority



Calculate Risk for Proposed CONOPs

- CSG Commander broadcasts the selected alternative CONOPs as the newly proposed CONOPs
- WC's perform risk calculations for proposed CONOP and returns asset and mission risk to CSG Commander

Determine Candidate CONOP

- CSG Commander calculates total risk to the proposed CONOP and compares it to the Candidate
 - If Risk(Proposed CONOP) > Risk(Candidate CONOP)
 - The Candidate remains
 - If Risk(Proposed CONOP) < Risk(Candidate CONOP)
 - The Proposed CONOP becomes the new Candidate
 - CSG Commander distributes the Candidate and queries for mitigations
- The above repeats until no further mitigations are submitted or threshold risk levels are achieved for each mission area

AIMS Value Added to Warfare Analysis

- Eliminates sequential, time-consuming data transfers between “stove-piped” single-warfare analysis simulations when conducting multi-warfare studies
- Enhances integrated warfare analysis through selective use of appropriate simulations which have been used in individual warfare area analyses
- Incorporates reasoning technologies into a Commander federate to
 - Consider the effects of competing resources across multi-warfare areas and the warfare area dependencies
 - Simulate a Commander’s decision processes
- Focuses several warfare areas to a common scenario selection across all warfare areas
- Preserves the ability for each model to be used in a stand-alone mode
- Streamlines development of three-dimensional visualization of common OPSITs/TACSITs
- Single Point of Entry reduces duplication of effort and data entry errors by using a single interface for scenario creation

Summary

- **APL Integrated Multi-warfare Simulation (AIMS) provides a flexible architecture to conduct analysis on the execution of integrated warfare in multiple mission areas**
- **Commander Federate simulates the human decision process by employing**
 - **A fuzzy expert system to set warfare priorities either by time or event and provides inter-warfare area conflict resolution for asset allocation**
 - **Simulates human decision processes through cooperative agents using a framework of reasoning technologies either in integrated or stand-alone warfare analysis**

Backup Slides

WC Risk Calc

$$\text{WCRisk(CON OPs)} = \text{lossWeight}_{\text{WC}} * \text{lossRisk(C ONOPs)} \\ + \text{missionWei ght}_{\text{WC}} * \text{missionRis k(CONOPS)}$$

$$\text{lossWeight}_{\text{WC}} + \text{missonWeight}_{\text{WC}} = 1.0$$

Loss Risk (for one phase)

$$\text{lossRisk}(\text{CONOPs}) = \sum_{\text{blueAssets}} (\text{assetWeights}[\text{blueAsset}] * \text{pLoss}(\text{blueAsset}, \text{CONOPs}))$$

$$\text{blueAssets} = \{\text{blueAssets} \mid \text{pAlive}(\text{asset}) \geq \text{threshold}\}$$

$$\sum_{\text{blueAssets}} (\text{assetWeights}[\text{blueAsset}]) = 1.0$$

$\text{pAlive}(\text{dp}) \equiv$ probability delivery platform (dp) is alive after previous phase in execution order

$$\text{pLoss}(\text{asset}, \text{CONOPs}) = \text{pLossAfter}(\text{asset}, \text{lastSegment})$$

$$\text{pLossAfter}(\text{asset segment})$$

$$= \text{pLossDuring}(\text{asset}, \text{segment})$$

if segment is first in sequence

$$= \text{pLossDuring}(\text{asset}, \text{segment})$$

$$* (1 - \text{pLossAfter}(\text{asset}, \text{segment} - 1))$$

$$+ \text{pLossAfter}(\text{asset}, \text{segment} - 1)$$


otherwise

where

$$\text{pLossDuring}(\text{asset}, \text{segment}) = \forall \text{ red } \text{dp}_1 \dots \text{dp}_k \text{ with blue asset in their red Area of Influence}$$

$$P(\text{pAlive}(\text{dp}_1) * \text{pk}(\text{dp}_1, \text{asset}, \text{segment}) \vee \dots \vee \text{pAlive}(\text{dp}_k) * \text{pk}(\text{dp}_k, \text{asset}, \text{segment}))$$

$$\text{Note : } P(a \vee b) = P(a) + P(b) - P(a \wedge b)$$



Loss Risk

$pk(dp, asset, segment) = pDefenseFails(asset, dp) * pk(dp, asset, numWeaponFires(segment))$

$pk(threat, asset, weaponFire) =$

$pDefenseFails(asset, weapon) * pk(weapon, asset)$ If weaponFire is first of sequence

$pDefenseFails(asset, weapon) * pk(weapon, asset)$

$* (1 - pk(dp, asset, weaponFire - 1))$

where $+ pk(dp, asset, weaponFire - 1)$ otherwise

$pDefenseFails(asset, threat) = (1 - pk(asset, threat))$

$* \sum_{angularSegments} (\min(angle / threatConeAngle, 1))$

$* pMiss(closestDefense, threat))$

where

$pMiss(defense, threat) = (1 - pd(defense, threat))$

$* pk(defense, threat))$

if defense is furthest

$= (1 - pd(defense, threat))$

$* pk(defense, threat))$

$* pMiss(defense + 1, threat)$

otherwise

closestDefense and furthestDefense determined by lookup of range where red will shoot weapon

$numWeaponFires(segment) =$ number of weapons threat can fire at asset over

the provided segment assuming onlt that asset is within range

Mission Risk

$$\text{missionRisk(CONOPs)} = \text{offenseWeight} * \text{offenseMissionRisk(CONOPs)} \\ + \text{defenseWeight} * \text{defenseMissionRisk(CONOPs)}$$

where

$$\text{offenseWeight} + \text{defenseWeight} = 1.0$$

$$\text{offenseMissionRisk(CONOPs)} = \sum_{\text{targets}} (\text{targetWeights}[\text{target}] * \text{pSurvive}(\text{target}, \text{CONOPs}))$$

where

$$\text{pSurvive}(\text{target}, \text{CONOPs}) = \text{for blue asset}_1 \dots \text{asset}_k \text{ assigned to this target} \\ P(\text{pSurviveAttack}(\text{target}, \text{asset}_1) \wedge \dots \wedge \text{pSurviveAttack}(\text{target}, \text{asset}_k))$$

$$\text{pSurviveAttack}(\text{target}, \text{asset}) = \\ \text{pLossAfter}(\text{asset}, \text{attackSegment}) \\ + (1 - \text{pLossAfter}(\text{asset}, \text{attackSegment})) \\ * (1 - \text{pk}(\text{asset}, \text{target}))$$

Mission Risk

$$\begin{aligned}
 \text{defenseMissionRisk(CONOPs)} = & (\text{defensiveAssetsWeight} \\
 & * \sum_{\text{MissionAssets}} (\text{missionAssets}(\text{missionAssetWeights}[\text{missionAsset}] \\
 & \quad * \text{pLoss}(\text{missionAsset}, \text{CONOPs})) \\
 & + \\
 & (\text{defendedAssetsWeight} \\
 & * \sum_{\text{DefendedAssets}} (\text{defendedAssets}(\text{assetWeights}[\text{defendedAsset}] \\
 & \quad * \text{pLoss}(\text{defendedAsset}, \text{CONOPs}))
 \end{aligned}$$

where

$$\text{defensiveAssetsWeight} + \text{defendedAssetsWeight} = 1$$

$$\sum_{\text{MissionAssets}} \text{missionAssetsmissionAssetWeights}[\text{missionAsset}] = 1$$

$$\sum_{\text{DefendedAssets}} \text{defendedAssetsassetWeights}[\text{defendedAsset}] = 1$$