



CONTRACTOR DISCLOSURE FORM

712A

MORS P#: (if known)

P-024-118

DEADLINE: 2 MAY 08

Fax to: 703-933-9066

Raytheon

Missile Systems

PART I**Author Request** - The following author(s) request authority to disclose the following presentation at the next MORS Symposium with subsequent publication in the MORSS Final Report, for inclusion on the MORSS CD and/or posting on the MORS web site.

Principal Author:

Jon Peoble

Other Author(s):

James Rodrigue

Principal Author's Organization and address:

Raytheon Missile Systems
PO Box 11337 Tucson, AZ 85734-1337

Phone: (520) 545-7841

Fax: (520) 794-8625

Principal Author's

Signature and date: **X**

04/30/08

Email: Jon_E_Peoble@raytheon.com

Title of Presentation:

Benefits of Steeper Angle of Fall for Precision ProjectilesThis presentation is believed to be: ☐ SECRET ☐ CONFIDENTIAL ☒ UNCLASSIFIED and will be presented in:☐ Special Session ☐ Tutorial ☐ Demo ☐ CG: A-B-C-D-E-F (Circle one) ☒ List all WG(s) #: **12**This work was performed in connection with a government contract. ☐ YES (Complete Parts I, II, & III)This presentation is based on material developed by the author as part of company-approved research e.g. IR&D. ☐ YES (Complete Parts I & III)This presentation was NOT done under a government contract, contains no government information, is my own work and is approved for public release. ☒ YES (Complete Part I only)**PART II****Contractor Security Officer Endorsement** - The Contractor Security Officer concurs in the assigned classification and consents to the disclosure. A copy of the presentation, as made, will be provided to the Contracting Officer for approval.

This work was performed in connection with Contract #:

let by (Activity):

Dated:

Contractor Security Officers Title:

Organization:

Printed name:

Complete mailing address:

X

Contractor Security Officer's Signature:

Date:

Phone:

FAX:

PART III**Releasing Official/GOV'T Contracting Officer OR Study Sponsor** and DoD Directive 5230.24 - Required Applicable Distribution Statement

The Releasing Official/Government Contracting Officer or Study Sponsor, with the understanding that MORS Symposia are supervised by the OCNO N81, that all attendees have current security clearances of at least SECRET and that no foreign nationals will be present confirms that the overall classification of the presentation is:

☐ SECRET ☐ CONFIDENTIAL ☐ UNCLASSIFIED ☐ OTHER: _____ and authorizes disclosure at the meeting.

Classified by:

Declassified by:

Downgrade to:

On:

**Distribution statement A:**

This presentation/paper is unclassified, approved for public release, distribution unlimited, and is exempt from U.S. export licensing and other export approvals under the International Traffic in Arms Regulations (22 CFR 120 et seq.)

**Other distribution statement:** (List here or attach separate sheet)

Releasing Official/Gov't Contracting Officer or Study Sponsor's:

Organization:

Title:

Complete mailing address:

Name:

Signature: **X**

Date:

Email:

Phone:

FAX:

Report Documentation Page				Form Approved OMB No. 0704-0188		
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.						
1. REPORT DATE 01 JUN 2008		2. REPORT TYPE N/A		3. DATES COVERED -		
4. TITLE AND SUBTITLE Benefits of Steeper Angle of Fall for Precision Projectiles				5a. CONTRACT NUMBER		
				5b. GRANT NUMBER		
				5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S)				5d. PROJECT NUMBER		
				5e. TASK NUMBER		
				5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Raytheon Company				8. PERFORMING ORGANIZATION REPORT NUMBER		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)		
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)		
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release, distribution unlimited						
13. SUPPLEMENTARY NOTES See also ADM202527. Military Operations Research Society Symposium (76th) Held in New London, Connecticut on June 10-12, 2008, The original document contains color images.						
14. ABSTRACT						
15. SUBJECT TERMS						
16. SECURITY CLASSIFICATION OF:				17. LIMITATION OF ABSTRACT UU	18. NUMBER OF PAGES 15	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified				



Benefits of Steeper Angle of Fall for Precision Projectiles

Jon Peoble
Jim M Rodrigue

June 2008

Background and Study Objective

Background

- Battlefield has changed since initial requirements for precision projectiles were developed:
 - Counterinsurgency vs. Mobile Armored Warfare
 - Combat among the population vs. on unoccupied terrain
 - Collateral Damage relationship to strategic outcome
- FA is again relevant: cannon-delivered precision fires have been achieved, demonstrated in combat, and early expectations surpassed
- Requirements have not yet reflected technology capability for AOF.



Study Objective

- Quantify benefits of having steeper Angle of Fall (AOF) for precision projectiles within urban terrain
- Measure of Merits include Engageable Area, Lethality, Operational Effectiveness, and Cost

Effects of Angle of Fall on Engageability of Different Urban Terrains


Methodology: Measuring Effects of Angle of Fall

1. Build urban terrain based on real-world measurements of street width, building height, and block sizes




2. Calculate Safe Footprint shadow created by each building vs AoF

3. Apply Safe Footprints Shadows to urban terrain for two gun-target lines



4. Measure how much of open terrain is still engageable





Urban Terrain Types

City Core	Commercial	Core Periphery	Residential	Industrial
				
• Block Size: 340 x 430 meters • # Roads: 2 (vert.) 3 (horiz) • Avg. Road Size: 18.5 meters • Avg. Building Size: 20 x 20 meters • Avg. Building Height: 12.2 meters • Height Std Dev: 6.1 meters • Avg. Distance Between Buildings 8 meters	• Block Size: 80 x 330 meters • # Roads: 2 (vert.) 4 (horiz) • Avg. Road Size: 18.5 meters • Avg. Building Size: 15 x 15 meters • Avg. Building Height: 6.1 meters • Height Std Dev: 3.05 meters • Avg. Distance Between Buildings 7 meters	• Block Size: 320 x 260 meters • # Roads: 3 (vert.) 4 (horiz) • Avg. Road Size: 16 meters • Avg. Building Size: 18 x 18 meters • Avg. Building Height: 7.6 meters • Height Std Dev: 1.525 meters • Avg. Distance Between Buildings 7 meters	• Block Size: 270 x 330 meters • # Roads: 3 (vert.) 7 (horiz) • Avg. Road Size: 10 meters • Avg. Building Size: 10 x 10 meters • Avg. Building Height: 4.5 meters • Height Std Dev: 1.525 meters • Avg. Distance Between Buildings 5 meters	• Block Size: 610 x 610 meters • # Roads: 3 (vert.) 3 (horiz) • Avg. Road Size: 18.5 meters • Avg. Building Size: 25 x 25 meters • Avg. Building Height: 9.2 meters • Height Std Dev: 6.1 meters • Avg. Distance Between Buildings 10 meters

1. Building size/height, road size, and distance between buildings from Marine Corps Warfighting Pub (MCWP) 3-35.3 – Military Operations in Urban Terrain

2. Block size and number of roads obtained from observations of Baghdad terrain using Google Earth

Analysis: Effects of Angle of Fall on Engageability



Urban Terrain Type	
Commercial Ribbon	Outlying Industrial Areas
Residential Sprawl	City Core
Core Periphery	

- **MoE:** Measure what percentage of the open area is engageable by indirect fire
 - Open Area is any area not occupied by a building
 - Indirect Fire cannot engage open area if round's angle of fall would clip the nearby building
- **Results:**
 - Steeper AoF can engage more open area in all urban terrain types:
 - % more open area engageable in worst case vs. 60°

– <u>City Core:</u>	75°: +57.5%	90°: +107.3%
– <u>Industrial:</u>	75°: +28.5%	90°: +53.2%
– <u>Core Periph:</u>	75°: +24.5%	90°: +45.8%
– <u>Residential:</u>	75°: +21.9%	90°: +40.9%
– <u>Commercial:</u>	75°: +8.8%	90°: +16.3%

Steeper Angle of Fall enables Indirect Fire to engage significantly more Urban Terrain, especially if ideal Gun Placement is not possible

Methodology: Measuring Effects of Angle of Fall in a Real City

Analysis Questions: Does a steeper Angle of Fall (AoF) provide a tactical advantage in an urban area? How much area is “hidden” by buildings, providing safe havens?



1. Use a real-life example of terrain with varying urban areas (Al Fallujah):

— **Residential Sprawl**

Many small buildings, close together

— **City Core (downtown)**

Large / tall buildings

— **Commercial District**

Large buildings / warehouses

See middle picture for examples

2. Convert terrain into a 3d model.

— Building size based on high-resolution satellite images

— Building height based on shadow analysis of satellite images and from aggregate data collected from various urban areas



3. Use sophisticated graphics programs to cast light down on model at desired AoF.

4. Measure the amount of area still engageable

— Non-Engageable “Safe Footprint” Shadows in red

— Engageable area in green

Analysis: Effects of Angle of Fall on Engageability



• **MoE:** Measure what percentage of the open area is engageable by indirect fire

- Open Area is any area not occupied by a building
- Indirect Fire cannot engage the open area if the round's angle of fall would clip the nearby building
- Area Composure:

– Residential:	37% Buildings	63% Open
– City Core:	35% Buildings	65% Open
– Commercial:	37% Buildings	63% Open
– Entire City:	31% Buildings	69% Open

• **Results:**

- Steeper angles of fall can consistently engage more open area in all Al Fallujah terrain types
- % more open area engageable vs. 60°

– <u>Residential:</u>	75°: +15.2%	90°: +38.6%
– <u>City Core:</u>	75°: +10.9%	90°: +25.9%
– <u>Commercial:</u>	75°: +9.4%	90°: +21.3%
– <u>Entire City:</u>	75°: +8.4%	90°: +19.7%

In central Al Fallujah, a round with a steep Angle of Fall enables Indirect Fire to engage significantly more of the city's open area


***Effects of Angle of Fall on Lethality,
Operational Effectiveness, and Cost***

Analysis: Effects of Angle of Fall on Lethality


Example
Pk Map

P_K


1.0-0.8
0.8-0.6
0.6-0.4
0.4-0.2
0.2-0.05



AOF = 60°



AOF = 75°



AOF = 90°

Gun-Target
Line
↓

Comparison of Lethality vs. 60° AoF

AoF	75°	90°
Total Area	+61%	+206%
Lethal Area	+62%	+141%
$P_k > .8$	+120%	+180%
$.8 > P_k > .6$	+33%	+189%
$.6 > P_k > .4$	+58%	+67%
$.4 > P_k > .2$	+39%	+21%
$.2 > P_k > .05$	+67%	+272%




Total Area = Area affected by munition

Lethal Area = Measure of effectiveness for particular target/weapon pairing. Computed as the sum of ($P_k \times \text{Area}$) across all individual cells in the PkMap.

**Increased Angle of Fall results in
significantly Increased Lethality**

Methodology: Measuring effects of AoF on Operational Effectiveness

Analysis Questions: In urban terrain, what Angle of Fall (AoF) is necessary to put effects on target and to minimize structural collateral damage?



1. Build the 5 urban terrain templates into JCATS :

- City Core (downtown)
- Commercial District
- Core Periphery
- Residential Area
- Industrial Area

• Results based on average across all terrains


2. Place primary targets behind buildings in the different terrains.

- Targets placed in alleys 0.5 – 1.5m away from building
- Represents truck “parked” next to building and infantry hugging building wall
- Assume reporting TLE is 10m

3. Launch rounds at the targets with varying CEP and AoF. Measure rounds to reach 30% EFD and measure collateral damage.

- Aimpoints offset from target = ½ lethal radius (or middle of Alley if lethal radius too large)
- Lessens chance of impacting nearby buildings
- Clipping buildings played

Analysis: Effects of Angle of Fall on Operational Effectiveness



• Building Heights:

- **Average building height** comes from the 5 Urban Terrain Templates
- **Max building height** is average + 3-sigma variance
 - *Sigma values provided in the Urban Terrain templates*
- **Tactical building height** is between average and max
 - *Threat would realize capability of projectiles to come over buildings*
 - *Threat would tactically choose a taller than average building to mitigate this advantage*

• MoE: Rounds needed to reach EFD of 30%; Collateral Damage produced from rounds impacting on/near buildings

- Assumes 10m TLE
- Rounds will clip building if AoF is too shallow


• Results for the Tactical Case:

- Comparison to 60° Angle of Fall

– <u>% fewer rounds vs. Truck:</u>	75°: -36%	90°: -66%
– <u>% fewer rounds vs. Dismnt:</u>	75°: -35%	90°: -62%
– <u>% Less Structural Damage:</u>	75°: -34%	90°: -66%

Steeper Angle of Fall provides significant Operational benefits against targets in Urban Terrain;
Targets are eliminated with fewer rounds and less Structural Damage is created

Analysis: Effects of Angle of Fall on Cost



- **Methodology:** Apply costs to the number of rounds required to reach EFD computed by JCATS


- **Assumptions:**

- Tactical building height results used
- 75° round costs 20% more than 60° round
- 90° round costs 40% more than 60° round

- **Results:**

- Steeper angle of fall results in significantly less cost
 - Steep angle of fall maximizes lethality
 - Steep angle of fall avoids clipping of buildings
- If 10 missions are fired on each target daily:
 - 75° will save \$363.8k per day
 - 90° will save \$812.7k per day
- To be as cost effective as a round with 90°:
 - A round with 60° would need a unit cost 64% less than the 90° round
 - A round with 75° would need a unit cost 45% less than the 90° round

Steeper Angle of Fall achieves effects for less cost; Cost per Kill much more affordable



Questions?

Raytheon

Jim Rodrigue
(520) 794-1349
jmrodrigue@raytheon.com

Jon Peoble
(520) 545-7841
Jon_E_Peoble@raytheon.com