

# ARMY *Communicator*

Voice of the Signal Regiment • PB 11-07-1 Winter 2007 Vol. 32 No. 1

Approved for public release;  
distribution is unlimited.  
Headquarters,  
Department of the Army



## OPMS

### REALIGNMENT

Changes to officer promotion system based on new force structure and operational requirements of the War on Terrorism

# Report Documentation Page

Form Approved  
OMB No. 0704-0188

Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

1. REPORT DATE <b>2007</b>		2. REPORT TYPE		3. DATES COVERED <b>00-00-2007 to 00-00-2007</b>	
4. TITLE AND SUBTITLE <b>Army Communicator. Voice of the Signal Regiment. Vol. 32 No. 1, Winter 2007</b>				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) <b>U.S. Army Signal Center and Fort Gordon, Army Communicator, ATTN: ATZH-POM, Fort Gordon, GA, 30905-5301</b>				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT <b>Approved for public release; distribution unlimited</b>					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT <b>unclassified</b>	b. ABSTRACT <b>unclassified</b>	c. THIS PAGE <b>unclassified</b>			

# Chief of Signal's Comments

## Signal Regiment officer leadership

Regiment, this edition's comments will focus on our officers – branch, functional, and warrant.


The officers of the Signal Regiment are the commanders, leaders, and managers of Information Technology Warriors in today's "Army Strong" force.

Since the Army Chief of Staff GEN Peter J. Schoomaker directed the most aggressive and fundamental transformation of the Army since World War II, the Signal Regiment has embraced the challenge of networking the force and providing LandWarNet capabilities throughout the depth and breadth of the enterprise, not only for the Army but also joint and coalition forces.

Leading these efforts are the officers of the Signal Regiment; consisting of six closely related fields – Signal Officer (BR25), the Telecommunications Engineer (FA24), the Information Systems Officer (FA53), the Network Management Technician (250N), the Information Management Technician (251A), and the Signal Systems Support Technician (254A).

The holistic capabilities of the Signal Regiment officer team provide the Army with dedicated C4I (Command, Control, Communications, Computers and Intelligence) leaders who, together with the enlisted Signal Soldiers they lead, ensure knowledge dominance for the warfighter.

As the Army has undergone transformation, so too has the Officer Personnel Management System – over the last eight years we've gone from



**BG Randolph P. Strong**  
Chief of Signal

OPMS II to OPMS XXI then OPMS III and now we're back to just OPMS. Behind these seemingly minor acronym changes are significant differences in the way we manage our officers. I want to highlight a few of the differences that have the most dramatic impact on our current leaders.

First, the Army is reorganizing the four officer career fields into three functional groupings for management and promotion. The three groupings are Maneuver, Fires and Effects; Operations Support; and Sustainment. Branches and functional areas will be grouped together. Signal and Military Intelligence, for example, are grouped together with Space Operations, Telecommunications Systems Engineer-

ing, Information Systems Management, Strategic Intelligence and more.

Signal Branch at Human Resources Command has already organized along these lines – BR25, FA24, FA53 and Signal Warrant Officer Assignments' officers have all been consolidated – it's now Networks and Space Operations Branch in the Operations Support Branch in the Operations Support Directorate.

Second, the focus of leader development is shifting from command-centric branch qualifying requirements to broader, less prescriptive, competency-based experiences.

The S6 and the G6 are evolving to equal importance with executive officer/S3 and battalion commander as the Army moves to a brigade-centric, modular force. Battalion and brigade S6s have increased responsibility and importance, and these positions are now key developmental positions for Signal captains and majors.

At division, the G6 is the premier Signal assignment—a "key billet" filled through the central selection board process. An officer's goal today should be to seek assignments at all levels and in different environments to develop a broad range of skills.

Third, is the implementation of Early Functional Designation to alleviate functional area captain shortages. These shortages are exacerbated for Signal by dramatic increases in the numbers of FA24 and FA53 captain

*See Chief of Signal Comments continued on Inside Back Cover*



***Behind these seemingly minor acronym changes (we've gone from OPMS II to OPMS XXI then OPMS III and now were back to just OPMS) are significant differences in the way we manage our officers.***

**COMMAND**

**Commander/Commandant**

BG Randolph P. Strong

**Command Sergeant Major**

CSM Michael Terry

**EDITORIAL STAFF**

**Editor-in-Chief/Graphic Designer**

Janet A. McElmurray

**Senior Adviser**

Susan Wood

**Illustrator**

Billy Cheney

**Photography**

Stephen Larsen, 2LT Ronald Carter, SPC Keith Logan, SPC Ryan Bock, SGT Daniel Thompson, Bill McPherson, Luke Morgan

By Order of the Secretary of the Army:

**PETER J. SCHOOMAKER**  
*General, United States Army*  
Chief of Staff

Official:



JOYCE E. MORROW  
*Administrative Assistant to the Secretary of the Army*

**Army Communicator** (ISSN 0362-5745) (USPS 305-470) is an authorized, official quarterly professional bulletin of the U.S. Army Signal Center, Fort Gordon, Ga. 30905-5301. Second-class official mail postage paid by Department of the Army (DOD 314) at Augusta, Ga. 30901 and additional mailing offices.

**POSTMASTER:** Send address changes to **Army Communicator**, U.S. Army Signal Center, Fort Gordon, Ga. 30905-5301.

**OFFICIAL DISTRIBUTION:** **Army Communicator** is available to all Signal and Signal-related units, including staff agencies and service schools. Written requests for the magazine should be submitted to Editor, **Army Communicator**, U.S. Army Signal Center, Fort Gordon, Ga. 30905-5301.

This publication presents professional information, but the views expressed herein are those of the authors, not the Department of Defense or its elements. The content does not necessarily reflect the official U.S. Army position and does not change or supersede any information in other official U.S. Army publications. Use of news items constitutes neither affirmation of their accuracy nor product endorsement.

**Army Communicator** reserves the right to edit material.

**CORRESPONDENCE:** Address all correspondence to **Army Communicator**, U.S. Army Signal Center and Fort Gordon, Signal Towers (Building 29808), Room 713, Fort Gordon, Ga. 30905-5301. Telephone DSN 780-7204 or commercial (706) 791-7204. Fax number (706) 791-3917.

Unless otherwise stated, material does not represent official policy, thinking, or endorsement by an agency of the U.S. Army. This publication contains no advertising.

U.S. Government Printing Office: 1984-746-045/1429-S.

**Army Communicator** is not a copyrighted publication. Individual author's copyrights can be protected by special arrangement. Acceptance by **Army Communicator** conveys the right for subsequent reproduction and use of published material. Credit should be given to **Army Communicator**.

# Army Communicator

## Voice of the Signal Regiment

### Table of Contents

#### Focus: OPMS Realignment

- 2 **LTC board to be first to use alignment system**  
Jim Tice
- 3 **Information management in Joint Multinational Operations: Principles and Practices**  
MAJ Oliver F. Mintz
- 8 **The Mosul Story**  
CPT Robert J. Harrison
- 14 **Fulfilling the promise of HF**  
Mike Flynn
- 18 **Modularity & the Signal Network One company's success story**  
1LT James Simpson and 2LT Chad McMillen
- 19 **Americans, Iraqis communicate together**  
2LT Ronald Carter
- 42 **Brigade Network Operations and Security Cell – where does it belong?**  
CPT Reggie K. Evans
- 43 **New quasi LOS system provides flexible solution to modular 3IBCT/25ID network**  
CW2 Billy F. Schultze and SGT Ashley Stalvey

**Cover:** This issue takes a look at OPM Realignment. Cover by Billy Cheney

### Departments

- 21 2006 Index
- 29 Doctrine Update
- 31 TCM update
- 39 Training Update
- 45 Circuit Check

## Make the connection with Army Communicator's Winter 07 Circuit Check



Get the rest of the story in the Winter 2007 Circuit Check found on page 45.

**COL Thomas Hopkins, JCSE commander, passes the 4th JCS Squadron's colors to LTC Richard DuBreuil, incoming commander of the newly formed Army Reserve Element Squadron.**

-- Circuit Check Winter 2007

# LTC board to be first to use alignment system

By Jim Tice

*Editor's Note: This article was originally run Nov. 27, 2006 in the Army Times.*

The annual basic branch lieutenant colonel board that meets in February and March will be the first to use guidance based on a new specialty alignment system.

GEN Peter Schoomaker, Army chief of staff, approved changes to the Officer Personnel Management System in September based on new force structure and the operational requirements of the war on terrorism.

Specific details for each of the branches and functional areas of OPMS will be included in an upcoming revision to DA Pam 600-3, the officer career guide.

But, the biggest realignment of OPMS in more than 20 years moves 19 basic branches and 16 functional areas under three "functional categories," a new term for the career fields that have been at the center of the field-grade promotion and assignment system since the late 1990s.

Under the previous alignment, the promotion selection objectives provided to boards were based on branch and functional area requirements in the Operations, Operational Support, Information Operations, and Institutional Support career fields.

The operations career field was comprised primarily of majors, lieutenant colonels, and colonels who were single-tracking in their basic branch. Officers in the three specialty career fields held non-branch functional areas.

The inventory of branches and functional areas has been retained, but they have been redistributed to better reflect their roles within the Army.

Unlike the previous system, complementary branches and functional areas are aligned under appropriate functional categories.

For example, the maneuver branches of Infantry, Aviation, and Armor; the fires branches of Field Artillery and Air Defense; the maneuver support branches of Engineer, Military Police, and Chemical; the special operations branches of Special Forces, Psychological Operations, and Civil Affairs; and functional areas of Public Affairs and Information Operations are aligned under the new Maneuver, Fires, and Effects functional grouping.

Transition to the new alignment began late last summer with a reorganization of the officer assign-

ment divisions at Human Resources Command.

Maneuver, Fires, and Effects replaces the Combat Arms Division. Operational Support replaces the Combat Support Division, and Force Sustainment replaces the Combat Service Support Division.

Officer record briefs will be amended to reflect an officer's functional category, which in the future could influence assignments.

## Officer management system

Schoomaker and other Army leaders are striving for an officer management system that will cultivate multi-skilled leaders.

Two recent initiatives are designed to jump-start the process.

One authorizes the assignment of officers outside their primary specialty to gain experience in joint, interagency, intergovernmental, and multinational operations.

A second allows officers to



**CALL TO DUTY**  
BOOTS ON THE GROUND

## Functionally Aligned OPMS Design

<p><b>Maneuver, Fires &amp; Effects</b>                  Maneuver (AR, IN, AV)                  Fires (FA, AD)                  Maneuver Support (EN, CM, MP)                  SOF (SF, PO, CA)                  Effects (IO, PAO)</p>	<p><b>Force Sustainment</b>                  Logistics (TC, QM, OD, Multi-Functional Logistics)                  Soldier Support (AG, Human Resources, FI, Comptroller)                  Special Branches (VC, MS, AN, SP, MC, DC, CH, JA)                  Acquisition</p>
<p><b>Operations Support</b>                  Network &amp; Space Operations (SC, Telecomms, Automation, Space Ops)                  ISR &amp; Area Expertise (MI, Strat Intel, FAO)                  Plans Development (Strat Plans &amp; Policy, Nuclear &amp; Counterproliferation)                  Forces Development (Force Management, ORSA, Simulation Operations)                  Training &amp; Education (Permanent/Academy Professor)</p>	<p><b>Supports:</b>                  - Joint &amp; Army doctrine                  - Broader officer development, including development of expeditionary competencies                  - Broader experiences, beyond an officer's branch or functional area</p>

serve 90-day details to a joint, interagency, intergovernmental, or multinational organization enroute to, or during, an assignment to a life-cycle unit.

“Some officers who are available to move next summer may be offered an opportunity to broaden their career development by working in another branch or functional area,” said COL Pat Stallings, director of the OPMS Task Force.

The new management philosophy also is reflected in command selections where Schoomaker has expanded the key billet system for operational support and force sustainment officers, while authorizing increased brigade and battalion command opportunities for officers in selected branches.

For example, infantry and armor lieutenant colonels now can compete for command of Stryker

battalions, combined arms battalions in heavy brigades, and reconnaissance, surveillance, and target acquisition battalions in all brigade combat teams.

The new system will be reflected in the zones of consideration and selection guidance provided to the Army Competitive Category major (April 10 to May 4), lieutenant colonel (Feb. 27 to March 23) and colonel (July 17 to Aug. 10) boards that meet in 2007.

Officers will compete for selection only against other members of their functional category.

“What we have modeled and seen in our testing is that this system will give the Army the best-qualified, multi-skilled leaders it needs in the future,” Stallings said.

“The Army will continue to promote officers by branch and functional area to meet require-

ments, and all officers will have a reasonable chance for promotion.

“What we won’t be doing is returning to the old system that gave officers selection opportunity in both a branch and functional area,” he said.

Officers of the special branches – Chaplain Corps, Judge Advocate General’s Corps, and the six health services branches – will continue to have separate categories for promotions and assignments.

*Mr. Tice is a staff writer for Army Times.*

## ACRONYM QUICKSCAN

OPMS – Officer Personnel Management System

# Information management in Joint Multinational Operations: Principles and Practices

By MAJ Oliver F. Mintz

*Where is the wisdom we have lost in knowledge?*

*Where is the knowledge we have lost in information?*

– T. S. Eliot

In the modern age, information is a commodity too often measured in gigabytes rather than quality. Unlike many other commodities, it can be distributed across the globe in seconds, with little effort or cost. The larger and more diverse the organization, the more assets are required to handle this commodity. Failure to have efficient systems will quickly lead to lost opportunities and poor organizational performance. Military organizations in a joint peacekeeping environment are particularly suscep-

tible to the problems of information management and information saturation. Varying requirements, organizational practices, language barriers, and a high rate of personnel turnover all contribute to this susceptibility. It is essential these organizations create systems to facilitate rapid extraction and understanding of key information by individual users. This article seeks to examine some causes and solutions for military IM challenges and enable organizations to get the right information in front of the right person at the right time.

## I. Defining and understanding “information”

It is wise to begin this discussion with a definition of terms. The

word “information” has different meanings to different audiences. The engineer would likely define information as empirical measurements related to a given problem, while an executive manager would more likely view summarized and analyzed writing as good information. For purposes here, information will be defined as interpreted data. Interpreted data is factual events, places, and times (i.e. a SALUTE Report), placed in a larger context with analysis of surrounding circumstances in time, space, and linkage.

Before discussing systems to manage information it is important to understand the strata and development of information encountered in a military environment. Information in military operations generally

falls into four categories: Non-routine, Routine, Background, and Reference. An understanding of each of these categories is necessary, by both system designers and users. Non-routine information typically involves incident reporting as the result of an unplanned activity. Most often these reports follow a SITREP (situation report), SALUTE (Size, Activity, Location, Unit, Time, Equipment), or SALT (Size, Activity, Location, Time) format and are transmitted to a higher headquarters via a voice or data link. The defining qualities of this type of information are its relative brevity, and close relation in time to the event it describes. These reports often change as more information becomes available to clarify the initial report.

Routine information is that which is produced on a predictable basis with greater detail and analysis than non-routine information. Routine information includes daily and weekly SITREPS, intelligence rollups, and other specified reports that are produced on a defined schedule to account for information accumulated over a period of time. This information will continue to be amended as details, assessment, and analysis become available.

Background information is not used during daily operations, but is used as a foundation upon which decisions can be made based on recent reported activity. Generally it is readily accessible and used with a fairly high frequency. Examples include intelligence reports, developed target packages, and municipal assessments. Background information has a long shelf life, but does require updating on a periodic basis.

Reference information is the most basic and fundamental body of knowledge that an organization possesses. It is created from the three previous types of information and has a much longer shelf life than all other types. Typically it is referenced less frequently than background information and tends to consist of regulations and technical data that are unlikely to change frequently. Examples of reference information are manuals, mapping

and geographic data, and strategic plans or intelligence. Much of what is currently classified reference information was, at one time, non-routine, routine, or background information.

## II. Information transformation

Over time, information changes form. What begins as an incident report, when combined with others, becomes a weekly rollup. These rollups show patterns and trends. These patterns and trends can then be used to drive operations, as well as provide needed background to decision-makers and operators. When background information becomes so dependable and unchanging, it then moves into the realm of reference information. Both background and reference will become, to varying degrees, tacit knowledge.

Each strata of information can be related in terms of detail, timeliness, and changeability. As information ages it becomes more refined as additional details are collected and analyzed by intelligence personnel. As this detail emerges it becomes internalized and codified as part of the organization. Much as malleable coal compresses down to an unchanging diamond, so does information over time become more truth than perception or interpretation.

Information changes from one stratum to the next as it is processed through an organization's IM cycle. In generic terms an effective cycle moves through the following stages:<sup>1</sup>

- ◆ Capture/Acquire
- ◆ Organize
- ◆ Access/Search/Disseminate
- ◆ Use/Discover
- ◆ Share/Learn
- ◆ Create

This cycle transforms, filters, and develops the most rudimentary information into knowledge and practices that become part of the organization's backbone.

IM begins with the initial capture and acquisition, most likely via the Soldier on the ground seeing one incident through a very narrow

field of view, and subsequently transmitting that data in the form of an incident report. This information is captured, organized, and confirmed or denied to become part of a daily or weekly SITREP. This SITREP is combined with other intelligence and operations reports to form a body of knowledge that is timely in nature, and relevant to current and future operations. This information is disseminated and used by those in need of that particular information. The use of the selected information is done through IM tools and techniques which is discussed later. Over time, information either ceases to be used, as it is neither timely nor relevant, or it is distilled and combined with other existing information to become part of the body of reference that is used far into the future.

Initial reports contain more data than analysis. As these reports are analyzed, developed, and combined with existing reporting the information becomes less data intensive, and more a depiction of trends, patterns, and expectations. Routine reporting contains the first level of analysis. As this information becomes background information used in current and future operations, the analysis and trend development continues. As the information passes out of current usage and is determined to be important enough to move into the organization's body of reference, it becomes more codified and factual, in effect returning to the form of hard data that lives in publications, long term assessments, and possibly even doctrine.

## III. Challenges of a Joint Multinational Environment

No matter what the operation or organization, there will undoubtedly be agencies or nations who will have to be integrated into operations. These agencies will often have different systems and technologies, as well as existing procedures and processes. This problem is particularly acute in a joint multinational environment as currently exists in Iraq, Afghanistan, and the Balkans.

An understanding of these particular challenges is essential in the design of an IM process.

Multinational systems, by their nature, are different. Each nation or agency has a different format, frequency, and expectation in reporting, the first step of the IM cycle. Different players, based on their internal structures, expect reports to be submitted at different times, in different formats, in different languages, with different expectations in terms of detail and description. Additionally, these requirements may change with some frequency as the turnover among multinational units and some United States services range between four to six months. This creates a situation where new units adapt their processes to the existing one. More often than not this results in additions to existing formats and procedures, without the removal of that which is no longer needed. Organizations abhor change, and fear the removal of data even if it is not required, read, or acted upon. This fear is a result of being new to a situation and not wanting to change a process that they do not understand, or because new commanders have certain expectations of their staff. These expectations rarely call for a reduction in information, especially when coming into an unfamiliar situation. Thus, additions to reports and other requirements are constantly increasing. When examining a multinational IM process it is essential to accurately identify what is critical data and how it is reported and processed to ensure it captures that data which will become information. Failure to do this results in the processing of a large volume of unneeded data.

United States forces typically bring proven automation systems to all types of operation. Tools such as the U.S. SIPRN, Blue Force Tracker, ASAS, and MCS are often the gold standard. However, none of these systems are designed to be plugged into a multinational network. When entering a multinational or multiagency operation do not expect the integration of secure U.S. sys-

tems to be seamless. While this is problematic, it is far less so if planned for in the system design. One effective method to bridge this gap is the use of liaison officers at all levels. LNOs should be equipped with a full communications suite to have the ability to pass information through both systems. This is especially true when units or agencies are assigned on a temporary basis, or when the integration of specialized assets such as aviation are involved.

Communications and existing processes are the two largest obstacles to multinational and multiagency operations. Advance consideration of these potential problems will help in the effective design of processes that account for and create early solutions to avoid drastic changes during operational deployments.

#### IV. Building the process

Let's begin by defining what an IM process is and is not. IM is a comprehensive process, spanning all subunits and activities within an organization, that manages capture, flow, transformation, dissemination, and storage of all types of information to include electronic, written, voice, and tacit. IM is an *organizational function*. IM is *not* technology, although technology is a vital tool. An effective IM strategy to manage all information formats consists of three components:

- ◆ Tools
- ◆ Process
- ◆ Practices

An IM process must involve all individuals in the organization and must have the support and emphasis of the command. Each organization is different, and there is no blueprint for specific IM structure and practice. Furthermore, as the Army transforms, the rigid force structures which have characterized past deployments will no longer exist. Just as modular units will be configured to meet needs from Baghdad, to Kabul, to New Orleans, so must our organizations build processes based

on principles, practices, and needs.

System design is not a task for one person or even a group of people. Typically it is left to a G/J6 with moderate oversight from operations. In fact, the opposite is the best path. By constructing a system based on your operations, and then applying technical expertise to meet the needs the customers is the most effective method. Design should be based on needs, not technology. Furthermore, for the IM system to function, all individual users must not only understand the operation, but also how and why the system functions. All users are stewards of the system.

#### a. Tools – web based and flexible

The tools in modern IM are based on computer networks and are adaptable to many situations. Given the large geographic span of modern military organizations, computer networks and web based systems are uniquely suited to this task. An IM system should be *web based but not web centric*. Web based systems are a tool, they are not the system. Building a website or database that collects, organizes, and indexes information is certainly useful, but there are many other components. A web-based system is part of a larger suite including, but not limited to an integrated communications system that allows real-time transfer of data and voice. Many of these tools are commercially available (if not already owned by the government), and are common enough that most users are already familiar with their operation. Such applications include the Microsoft Windows, Microsoft Office, Microsoft Server 2003, and Microsoft Share Point.

The design of network and computer systems is as much art as science. All systems should be designed to grow and change. As previously mentioned a high turnover will result in changing systems which will require flexibility and adaptability. Once a network system is in place you have reached the starting line. The network designer, especially one with a compressed timeline, will have to make assump-

tions based on experience and expectations. Undoubtedly they will be correct on some assumptions and wrong on others. Users will need new capabilities and will not use some that the designers thought useful. By closely monitoring user input and site statistics administrators and designers can streamline the system. These changes from the initial system highlight the need for flexibility.

Clearly defining the uses of each tool (email, shared folders, and web sites) is part of the system implementation and must receive command sponsorship. This sponsorship will ensure that users do not bypass things for their convenience, such as sending a mass email instead of posting an item to a website. This erodes the capabilities of the system and weakens the abilities of the technology. Using the system in its intended manner also ensures that information is distributed in a useful manner. The goal of any IM system is to get actionable information in front of the right person, at the right time to make a decision. This is a fine balance, and too often organizations err on the side of moving information “just in case.” This creates a backlog of information, particularly at critical points, and often results in none of the information being received.

Too much information is as dangerous as too little. Leaders experiencing information saturation tend to read and digest little. Leaders receiving less tend to read and digest more. Technology can both create and solve these problems. However, technology will never accomplish this task without the involvement and understanding of the whole organization. IM is fundamentally an organizational function; far more so than the computers that help it run. When system users understand the concept of the right information in front of the right person at the right time they will use the system with that in mind. A strong command sponsorship ensures compliance with the rules of the system. The old FM 101-5, Appendix 1 stated that “Informa-

tion management narrows the gap, as much as possible, between the information the commander requires and the information available to him.” The IM process removes the difference between “available” and “required.”

#### b. The process – four principles

As previously stated, there is no blueprint for an IM process.

## Four principles

- recognize complexity
- define priorities
- deliver immediate tangible benefits
- command emphasis

Given the broad spectrum of operations and the multitude of players and systems involved, process design is as much art as science. However, there are principles that can guide the design of such integrated systems. Volumes have been written on IM, often called knowledge management, and future designers would do well to read on the subject in depth.

Despite this vast body of knowledge there are three principles<sup>2</sup> that seem to thread their way through current thought and are applicable to the military. The first of these axioms is to **recognize complexity**. Multinational and multi-agency operations are complex. The goals are complex. Each player is complex. The constraints of each player are complex and are exponentially more so when combined. IM process engineers should not expect a seamless and complete integration, but rather one that is nearly seamless, limited by law and technology, and facilitated by planning and ingenuity. Furthermore, expect the complexity of the situation to change; not necessarily for the worse, but simply to change.

To mitigate this complexity, clearly **define priorities**. As with any military operation these priorities will be dictated by the commander. Typically these requirements would be contained in the Commander’s Critical Information Requirements. While this may be true, there may be many other requirements beyond the CCIR. IM process designers must take into consideration the needs of staffs and subordinate commanders. For example, in the current conflict there is a need to closely monitor civil-military operations, although it may or may not be part of the CCIR. The requirement to define priorities for an IM process again highlights the need to have operators and members of other staff sections involved in the planning process, not simply those managing the communications infrastructure. Ultimately, if the system does not meet the needs of the users (since the users are the stewards of the system) it will not be as effective as it could be, if it is effective at all.

In order to move a new or improved system forward and truly show the users the value of the endeavor there must be a WIIFM (What’s In It for Me). The process must be user friendly and effective. In short, it must **deliver immediate tangible benefits**. This principle dovetails tightly with the need for priorities. The priority of work must meet the commander’s needs as well as show the users benefit. When the users see benefit they will be more likely to use the system, thus improving its utility. Additionally, the commander whose needs are met will be incented to continue an emphasis on the process.

While it is important throughout the life cycle of the process, **command emphasis** is essential at the beginning. Most importantly sponsorship during all phases will show the organization the importance of the process and make implementation far easier. IM planners must have the endorsement and support of the command from the planning stage. This is important so that the project is properly

supported in terms of material, but also so it is integrated into the training cycle, and eventually becomes part of the conduct of daily operations. This inclusion into training, if possible, is very valuable as it will allow designers and stakeholders to further refine the system prior to actual deployment.

While the aforementioned principles apply universally the actual complexities and nuances of an IM process will depend on the specific situation, organization, personalities, technologies, and skill sets of the players.

### c. Practices – every user’s responsibility

Hopefully, the role of the user has been sufficiently emphasized in effective IM implementation. As the true power plant of a good IM strategy the user must not only use the system as designed but must employ some specific practices during the course of their daily duties. Due to the commoditization of information, data is cheap.<sup>3</sup> Numbers, spreadsheets, and databases have made data ubiquitous. It is the human interpretation that adds value to the raw data. The availability of data has placed a high premium on those who can effectively **communicate using clear and concise prose** and apply thought and analysis to a given set of facts. This is made much easier when the facts are complete. Some staff functions require a complete set of raw data. Some commanders prefer to see data when making their decisions. Thus, the clear concise analysis should be the first thing seen, but the more complete set of facts made available as well.

In order to retain a high quality of information, **reporting must be complete, accurate, and concise**. This completeness will permit a thorough analysis, as well as enabling the person reading the information to continue to move forward without have to go back to get the complete set of facts. Clear, accurate, and concise reports of routine and non-routine information lead to complete reporting. Al-

though web forms can be designed to validate the data entered they are not foolproof. Ultimately the user’s attention to detail determines the accuracy of the data input.

Within well written and complete reports the structure should **enable quick scanning** by readers. Complex operations inevitably generate a large amount of both data and information. IM processes

### User’s responsibility

- **communicate using clear and concise prose**
- **reporting must be complete, accurate, and concise**
- **enable quick scanning**
- **practice email discipline**

seek to sort the information on importance and relevance to give the reader the ability to internalize the most important information first. This practice includes using abstracts and executive summaries in both report headers and the subject lines of email.

While email can be an effective tool, it can also be a detractor from the comprehensive system, place unnecessary burden on the digital architecture, and waste the time of users thus counteracting the very goal of the system. In the days before email sending a message placed the burden on the sender (i.e. go to the post office, get a stamp). Now the burden is on the recipient to sort through the mountains of digital flotsam awaiting the average user. Users must understand and **practice email discipline**. Email creates records that are not searchable across the system by the average user. For this reason it is important that files be shared via a website or database where they are searchable and can run the course of information transformation. Furthermore, this reduces the stress on the infra-

structure caused by mass emailing which as a rule should not be done. Before sending an email the sender should have a clearly defined task and purpose for each recipient. If not they should not receive the missive. The requirement for well written, complete information still exists.

### V. Summary

Multinational and multiagency operations are increasing in scope, frequency, and complexity. The success of these operations is closely related to their ability to process information. There are no hard and fast blueprints for IM within these organizations. However, there are principles for both designers and users to follow that will enable the success of IM processes that integrate nations, agencies, technologies, and systems. No matter the exact application or situation, the goal remains to facilitate the ability to extract the pertinent information and deliver it to the right person at the right time.

### Footnotes

<sup>1</sup> S.G. McIntyre, M. Gauvin, B. Waruszynski. “Knowledge Management in the Military Context” Canadian Military Journal, Spring 2003, p 35-40.

<sup>2</sup> Robertson, James. “10 Principles of Effective Information Management”, [www.steptwo.com.au/papers/kmc\\_effectiveim/index.html](http://www.steptwo.com.au/papers/kmc_effectiveim/index.html), accessed Feb. 18, 2006.

<sup>3</sup> Prusak, L. “Where Did Knowledge

### ACRONYM QUICKSCAN

ASAS – All Source Analysis System  
CCIR – Commander’s Critical Information Requirements  
IM – information management  
LNO – Liaison Officer  
MCS – Maneuver Control System  
SIPR – Secret Internet Protocol, Routed  
SITREP – Situation Report  
SALT – Size, Activity, Location, Time  
SALUTE – Size, Activity, Location, Unit, Time, Equipment  
U.S. – United States  
WIIFM – What’s In It for Me

Come From?"  
IBM Systems Journal, Vol 40, No 4,  
2001, p1002-1007.

MAJ Mintz is a 1996 graduate of  
the United States Military Academy

and currently serves as the battalion S3  
for 1-141 IN (TXARNG) in Kosovo.  
Prior to his current assignment he  
served as the MNB-E (Kosovo) battle  
captain and designed the current  
information management system in use

in MNB-E. Prior assignments include  
command of HHC 1-141 IN, trainer for  
the Afghan National Army, and assign-  
ments from Platoon Leader to Assistant  
S3 in 2-7 CAV (M), 1st Cavalry  
Division.


# The Mosul story

By CPT Robert J. Harrison

In early December 2005, more than 600 Soldiers of the 29th Signal Battalion hit the ground in the Northwest Region of Iraq for Operation Iraqi Freedom 2005-07. After a 10-month turnaround, the 29th was back in Iraq following a one year rotation in OIF II where they maintained and improved mobile subscriber equipment tactical communications systems. In contrast to their previous experience, the 29th was tasked to commercialize the greater Mosul area. The ensuing months would take meticulous planning, precise coordination, and a "Team of Teams," to accomplish a task foreign to traditional tactical signal battalions.

## A fleeting home and insufficient equipment

The 29th Signal Battalion Task Force consisted of a specially organized version of the five organic Modified Table of Organization and Equipment companies plus the U.S. Army Reserve 842nd Signal Company for long-range transmissions capability. The 29th settled at Forward Operating Base Courage, FOB Diamondback, FOB Marez, FOB Sykes and FOB Endurance



## Iraq

(Q'West) supporting the Multinational Brigade – Northwest battle space headed by Task Force Freedom at FOB Courage. Shortly after the arrival of the 29th, TFF was postured for redeployment with no replacement. With no incoming headquarters, the MNB-NW battle space would be assimilated by Multinational Division – North under the direction of the 101st Air Assault Division (TF Band of Brothers or simply TF BoB) from Continuous Operating Base Speicher. The departure of TFF also left FOB Courage without a mission, and the base was scheduled for

closure in the early summer. As if the logistics of moving the 29th's entire network operations center, also located on FOB Courage, were not intimidating enough, the closure also meant the relocation of many strategic communications links in the volatile greater Mosul area.

In addition to the confluence of these external forces, the 29th faced more challenges. The unit's predecessor, the 16th Signal Battalion of Fort Hood, Texas, had been an asynchronous transfer mode MSE signal battalion with much greater bandwidth capabilities. Despite the tactical nature of their communica-



**SGT Frank Ferguson, SSG Lonnie Colvin, and SPC Justin Rubio from the 842nd Signal Company conduct fiber training with Brad Smoczyk and Paul Johnson from the Anteon engineering and installation team.**

tions assemblages, the 16th was able to provide a quality of service beyond the capability of the 29th's older Tactical High Speed Data Network flavor of MSE. Supported units had grown accustomed to far more demanding applications such as Voice over Internet Protocol, Wave Radio (a multicast IP version of combat net radio), Info-workspace collaboration suite and other high bandwidth or real-time applications. The 29th was not able to provide the level of service commensurate with the demand of these applications. The evidence of this fact came just days after the relief in place wherein the node center's THSDN-fielded routers' memory reached 98 percent utilization and frequently stalled communications. The message was clear: something had to be done. The leaders and Soldiers of the 29th together with TF Adler (22nd Signal Brigade), the unit's higher headquarters, proved to be up to the challenge.

With evidence of the THSDN architecture's inability to meet war fighter demands displayed on the network monitoring tools at TF Adler's network operations center every day, momentum to improve the situation quickly formed. TF Adler's network engineers decided

to field a newer, enhanced router to replace the lagging THSDN equipment to alleviate the immediate strain on the network while a broader strategy was formed. Meanwhile, Soldiers from Alpha Company, 29th came up with solutions of their own. They teamed with the battalion network technician and upgraded key small extension nodes supporting the end-user and Node Center routers. This upgrade would boost the constricted bandwidth links by fifty percent.

While not a final solution by any means, these two upgrades lifted the network out of despair and allowed supported units to conduct business. Still the fact remained; the 29th's area of operations desperately needed an overhaul.

***"We had no options but to learn and train outside our doctrinal MSE skills and change the way we executed network business on the Iraqi Battlefield."***

**— SPC Riley Pacheco, Delta Company, 29th Signal Battalion**

Because of the impending restructure of the MNB-NW/MND-N battlespace and the 29th's stressed equipment, the TF Adler leadership decided the thrust of the early commercialization effort would

center on Mosul. The 29th Signal Battalion Task Force commander ensured his organization aligned with TF Adler, issuing a revised commander's intent emphasizing that a, "transition from a tactical to a commercial network for FOBs Diamondback / Marez, Sykes and Q'west hinges on our detailed planning and coordination with 22nd Signal Brigade." Nothing less would suffice.

The stage was set and the requirements were in place – build a new strategic presence at Mosul and get the users off the tactical systems and onto a yet-to-be constructed strategic local area network. In middle January 2006, transmission, circuits, and data engineers and planners set out to propose appropriate solutions to the obvious problems.

### **Executing the plan**

The 29th Signal Battalion operations officer and staff seized the initiative – a theme that resonates throughout operations conducted by the 29th – and guided the Mosul commercialization effort. The battalion submitted a plan to TF Adler engineers and network operations staff and sought concurrence from TF BoB G-6. The plan contained eight major phases that were generally conditions-based and executed in logical sequence.

1. Restructure long-range transmissions
2. Stand up TCF with data presence and LOS link to FOB Courage
3. Move strategic links to the new technical control facility
4. Install voice links
5. Install data connectivity
6. Install Vantage switch at FOB Diamondback
7. Swing links from FOB Courage to FOB Marez
8. Withdraw all remaining personnel from FOB Courage

The plan was not complicated nor a significant departure from what had already been discussed during informal planning dialogues. But it did weave together several separate planning threads address-

ing the limitations of the 29th capabilities, logistic challenges, and operational requirements. The engineers then presented the plan to the TF Adler commander who summarily approved it. With an approved plan on paper, the 29th was ready to get to work.

### **Training**

TF Adler and 29th leaders laid plans that required the 29th to run a strategic technical control facility, a mission for which a tactical signal battalion and troposcatter signal company were not doctrinally trained. Back at the battalion's home station, Fort Lewis, Wash., the unit had shown great foresight by deploying with two Promina P400 nodes and sending a team of Soldiers, designated as the Promina Section, to a training course. These Soldiers formed the core around which a TCF team was built. In addition to the Promina skills, Soldiers from the battalion needed more knowledge in order to operate and maintain a strategic TCF.

***“Fiber training proved absolutely valuable to the success of providing responsive and reliable service to our customers.”***

**– SSG Trevor Smith Delta Company, 29th Signal Battalion**

The 29th prepared for the installation and operation of the LAN and TCF by training the Soldiers on commercial-off-the-shelf equipment and fiber installation. TF Adler leveraged resources in the 29th's favor by offering courses from Baghdad Signal University. The 29th quickly filled training slots, beginning in January, in anticipation of the upcoming mission. This training covered the operation of the TCF and much of the troubleshooting the team needed to complete, but installation of the fiber backbone would take an entirely different set of skills. Task Force Adler leveraged available assets by opening up training offered by the Kuwait Iraq C4 Commercialization project and Anteon contracted fiber experts. The

29th turned to their cable and wire installer/maintainers (MOS 25L) to receive this training and prepare to spearhead the installation of the LAN on FOB Diamondback and other locations. Through these courses, TF Adler and the 29th successfully provided MSE Soldiers with skills needed to operate and maintain the TCF and to install the LAN.

### **TCF planning and installation**

Building a TCF from the ground up would be difficult enough, but building it in the logistically challenged Northwest region of Iraq was an extraordinarily demanding task. The facilities on FOB Diamondback at the outset of the transition were in no condition to house a strategic TCF. To remedy the situation, the 29th logisticians, led by the battalion executive officer, began acquiring and allocating resources. To renovate the ailing building designated for the TCF, the battalion enlisted the support of the 557th Expeditionary REDHORSE Squadron to renovate the heating, ventilating, and air conditioning systems as well as the structure itself. Kellogg, Brown, and Root, a commercial contractor, was brought in to make the building power infrastructure more robust and reliable.

Creating a hub around which the new LAN infrastructure could be built presented just one of the many tasks in planning for the migration of strategic services. The LAN itself needed to be constructed. For this task, TF Adler hedged its bet prior to approval of the final Mosul plan and dispatched the Anteon team, under the direction of the TF Adler commercialization officer, who conducted a site survey of Mosul. The survey yielded a plan for the fiber runs that would form the LAN as well as an estimate of materials needed to complete the project. Armed with this information, TF Adler provided the 29th with materials on-hand and submitted a purchase request for the balance.

As the project became more complicated, the 29th assigned a

project manager to organize the disparate parts of the project that ultimately lead to the full commercialization of Mosul. The project manager facilitated information flow between the fiber team, the TCF team, the TF Adler commercialization team, 29th logisticians, and 29th operations. This link proved crucial to the success of the commercialization mission.

***“Learning how to operate and maintain a technical control facility proved to be the best technical training I’ve ever received in the Army.”***

**– 1LT Manuel Landron, 842nd Signal Company**

Mosul was not the only location in the 29th's AO that required a TCF. Q'West already had a TCF in place from commercialization efforts predating the 29th's tenure. With the loss of contractor support at the TCF, the mission fell on the 842nd Signal Company, the only communicators assigned to the base. But the 842nd is a troposcatter transmission signal company that is neither tasked nor prepared to manage a strategic TCF. As a U.S. Army Reserve unit, the 842nd brought unique skills from the civilian world that proved to be extremely useful. Many Reservists held jobs with major telecommunications companies such as BellSouth, Verizon, and L3. They brought expertise and experience in maintaining local and wide-area communications networks. The 29th and TF Adler augmented the skills of the 842nd personnel with training at BSU to specialize individuals on circuit-switched voice, Promina multiplexing, VOIP, and IP networking. From automation to strategic circuits, the Q'West TCF team provided a broad range of communications support to Q'West, including installation of more than five-and-a-half miles of fiber optic cable to complete the LAN infrastructure. Within the first two months of operation, the 842nd Soldiers installed three new tier one circuits and a new Non-Secure Internet Protocol Routing VOIP call manager

– tasks far beyond the scope of typical TROPO operators. Operating this TCF also yielded valuable insight into some of the training, equipment, and manning challenges the 29th would face in establishing a new facility at FOB Diamondback. As iron sharpens iron, the 842nd team helped make the greater 29th team and the new TCF a success.

### Outside Plant/Inside Plant infrastructure and installation

After the migration of the first strategic circuits to the FOB Diamondback TCF in early March, the 29th's focus shifted to extension of these services onto a strategic LAN rather than tactical assemblages. During preparations for the TCF initialization, the OSP team had been training hard under the direction of the Anteon group to install the area distribution node backbone at FOB Diamondback and FOB Marez. With that plan in mind and the training under their belt, the cable and wire team, the Anteon team, and the 557th ERHS (who provided the trenching and digging capability) broke ground on a project that would be completed in record time.

Concurrently, the cable and wire team conducted an extensive cable cleanup project on Diamond-



### Soldiers from Delta Company, 29th Signal Battalion conduct Cable Cleanup on FOB Diamondback (Before & After).

back and Marez to make room for the new architecture and to improve services. It was not uncommon to encounter "rat's nests" of abandoned or damaged cable throughout the FOBs, leftovers from three years of previous tenants. Soldiers worked tirelessly to remove haphazardly installed and aging cable and wire from buildings, ground runs, and aerial runs. As a result, the Soldiers recovered 30 miles of WF-16 field wire and five miles of Category 5 UTP cable.

Meanwhile, the cable and wire team made remarkable progress on the backbone, though work was often stalled by equipment shortages and broken trenching equipment. Despite these obstacles, the cable and wire team pressed ahead with installation of the new backbone. By the time all the ADNs became operational, the Soldiers had lifted approximately 2,600 lbs. of CAT5 cable and installed nearly 23 miles. And the team laid another 14 miles of fiber-optic cable to complete the LAN.

### Information services

During the intensive LAN construction project, the 29th staff continued to plan for the development of informa-

tion services to be provided by the TCF. Microsoft Domain, Microsoft Exchange, and anti-virus services fell into the realm of Multinational Corps Iraq Enterprise Services division of the communications staff (C-6). The progress in Mosul fit right in with MNC-I's concurrent but separate enterprise-wide effort to migrate off of un-trusted domains to a common IRAQ domain. With MNC-I Enterprise Services located at Camp Victory, the TF Adler automations OIC would serve as the link between the 29th and Enterprise Services and this broader plan. Back at Mosul, a SEN platoon became the newly formed Domain Transition Team to handle the installation and operation of the information system servers in the TCF as well as to ease users' transition off of the MNBNW domain onto the IRAQ domain.

The team experienced early setbacks, but quickly gained experience and momentum tackling each set of customers in two days – one day for preparation and validation, the second for execution. The domain migration team spent countless hours validating user-level connectivity, deploying baseline images to customers' computers, and assisting in setting up the users' new e-mail accounts. In fourteen days, the migration team had transitioned over 350 computers and 2,000 user accounts to the IRAQ domain. In approximately four months, TF Adler and the 29th had taken the FOB Diamondback TCF from concept to completion.

**SGT Richard Venson and SPC Jorge Vasquez from Delta Company, 29th Signal Battalion conduct inside plant operations inside a U.S. facility.**





**(Above) SGT Steve Achten Delta Company, 29th Signal Battalion installs aerial fiber at FOB Marez.**

**(Left) SGT Richard Venson, D Company, 29th Signal Company tests fiber at an ADN site.**

### FOB Sykes

With the completion of a fully-functional TCF, the 29th shifted focus westward towards FOB Sykes. Although FOBs Diamondback and Marez still required attention and improvement, the bulk of the planning and supplying for those projects had been completed, and all that remained was execution. The role of FOB Sykes, meanwhile, changed continuously over the course of the Mosul commercialization. The 3rd Armored Cavalry Regiment originally occupied FOB Sykes, and was later replaced by 1st

Brigade, 1st Armored Division. Their stay proved to be short-lived as elements of the 172nd Stryker Brigade Combat Team, based in Mosul, replaced them after only a few months. Amid these changing operational requirements, the Diamondback TCF continued to mature and extend more services. Under these new circumstances, TF Adler engineers and the 29th worked together to create a plan for Sykes. Ultimately, the engineers and 29th decided the best way to serve FOB Sykes, given the existing

constraints, would be to extend services from Mosul as a tier two campus extension.

The Anteon contractors diligently working at Mosul visited FOB Sykes during the original site survey of the region, and had prepared a commercial architecture for the requirements there. In light of the equipment shortfalls faced at Mosul, the 29th would not complete a new commercial architecture at FOB Sykes. The TF Adler commercialization team and 29th found solutions to the problems at Sykes with tactical commercialization. With the commercial assets they had on hand and a combination of MSE transmission systems, the team would install transmission data cases consisting of routers, switches, and encryption equipment to support the end users. This strategy would help reduce the number of tactical assemblages and enhance the services provided to the customer.

The 29th set out to install as much commercial architecture as they could out of the new FOB Sykes TCF, including nearly three miles of fiber, NIPR/SIPR data stacks, and NIPR/SIPR VOIP call managers. This TCF housed circuits tying directly into the strategic services offered by the Diamondback TCF. These services enabled the 29th to



**(Left) SPC Veronica Gordon, SGT Detric Edwards, and SPC Cole Bennet from Bravo Company, 29th Signal Battalion, install fiber at FOB Sykes in the vicinity of Tal Afar. (Right) SPC James Kenimer and SGT Windon Copwood from Bravo Company, 29th Signal Battalion, configure switches to replace small extension nodes located at combat outposts near the Syrian border.**

deploy a total of eleven transmission data cases. Some of these data cases were deployed to the tumultuous city of Tal Afar on a short-notice mission to support TF BoB combat elements. This mission required training on free-space optics, another new piece of COTS equipment as yet unemplotted by the 29th. The 29th met the challenge head-on and quickly trained Soldiers to set up this equipment. Without the timely extension of services from Mosul onto Sykes' burgeoning commercial infrastructure, this mission would have been far more difficult to complete.

***“Units we support, Cavalry Regiments, tank battalions, military transition teams, border transition teams, and governmental agencies recognized a significant improvement in the network speed and reliability compared to mobile subscriber equipment.”***

***– SGT Kathy Barbosa, Bravo Company, 29th Signal Battalion***

#### **End of the road**

Looking back on the situation the 29th encountered after arriving in Mosul, it is astonishing to see the

vast improvements that have been made to the greater Mosul network. A tactical signal battalion, untrained for the majority of the tasks they were asked to undertake and with limited resources, transformed itself to meet the demands of the modern warfighter. Through their efforts, the 29th effectively reduced their tactical footprint from 132 to 36 tactical assemblages and reduced the manpower footprint by 80 percent.

As TF Adler and the 29th near their redeployment dates, many smaller projects remain and constant improvements to the LAN and TCF continue. FOB Diamondback, FOB Sykes and Q'west TCFs will remain testaments to the superior teamwork, ingenuity, and tenacity of the 29th Signal Battalion, the 842nd Signal Company, and TF Adler as long as there is an U.S. presence in the Ninewa province of Iraq.

*CPT Harrison is currently assigned to the S3 section of HHC, 29th Signal Battalion. His previous duty assignments include nodal platoon leader, company executive officer, liaison officer, and brigade data engineer. Harrison holds a Bachelor of Science degree from the United States Military Academy in Computer Science.*

## ACRONYM QUICKSCAN

AC – Army Communicator  
 ACR – Armored Cavalry Regiment  
 ADN – area distribution node  
 AO – area of operations  
 ATM – asynchronous transfer mode  
 BSU – Baghdad Signal University  
 COB – Continuous Operating Base  
 COTS – commercial off-the-shelf  
 ERHS – Expeditionary REDHORSE Squadron  
 FOB – Forward Operating Base  
 FSO – free-space optics  
 ISP – inside plant  
 IWS – Infoworkspace  
 KBR – Kellogg Brown and Root  
 KICC – Kuwait Iraq C4 Commercialization  
 LAN – local area network  
 MNC-I – Multinational Corps – Iraq  
 MND-N – Multinational Division – North  
 MNB-NW – Multinational Brigade – Northwest  
 MSE – Mobile Subscriber Equipment  
 MTOE – Modified Table of Organization and Equipment  
 NETOPS – network operations  
 NIPR – Non-secure Internet Protocol Router  
 OIC – officer-in-charge  
 OIF – Operation Iraqi Freedom  
 OSP – outside plant  
 QoS – quality of service  
 RIP – relief in place  
 SBCT – Stryker Brigade Combat Team  
 SEN – small extension node  
 SIRP – Secure Internet Protocol Router  
 TCF – technical control facility  
 THSDN – Tactical High Speed Data Network  
 TF BoB – TF Band of Brothers  
 TFF – Task Force Freedom  
 TROPO – troposcatter  
 U.S. – United States  
 VOIP – Voice over Internet Protocol

# Fulfilling the promise of HF

By Mike Flynn

In 1987, FM 24-18, Tactical Single-Channel Radios Techniques, Appendix M, described how to use high frequency radio and the near-vertical incidence sky-wave mode to communicate throughout the brigade area. The radio technology and the number of radios available were not sufficient to do the job. The radios were large complex fixed frequency radio systems that required trained operators. Too few radios were fielded to provide adequate coverage throughout the brigade.

Today, brigade-sized units rapidly deploy over great distances communicating continuously throughout the battle area. The distances exceed the line-of-sight distances provided by tactical single channel radios. All brigades are now being equipped with new digital software programmable HF radios, that provide secure long distance voice and data communications. The purpose of this article is to relate some success stories and provide availability of a template when implementing HF networks.

HF radio communications have historically been either a love or hate system. Most units avoid it because of the mistaken impression it is too difficult to set up, requires highly skilled operators, or is so effected by atmospheric conditions that it is un-useable. Believing this, the Army was aggressive in implementing tactical satellite systems to solve long-range battlefield communications requirements. Soon, satellite access became a major problem as too many users and systems competed for limited bandwidth and satellite access.

The promise of HF Radio has been long range, beyond line-of-sight secure, voice, and data communications. HF radio did provide good service up until the mid 1980s, when the Army's long-range tactical

communications switched to satellite. The Signal Center then stopped teaching HF radio and the Army's HF radios skills quickly deteriorated. By 1991, the Army's tactical beyond-line-of-sight on the move capability at the brigade and below had ceased to exist. This was partly because of the lack of training and more importantly because the technology of HF radio had not kept pace with the rapid advances in computer technology.

By the end of the 1990s, HF radio technology caught up and the promise of secure continuous long-range voice and data, BLOS/OTM became a reality. We began to relearn how to set up antennas so that HF radio can provide very effective short-range omni-directional communications coverage from zero to greater than 300 miles. Radios are now computers that receive and transmit. Automatic link establishment and link quality analysis functions in the radio provide the capability to automatically scan and select the best frequency and connect to remote radios. These new capabilities reduce the technical skill required for operators.

The HF radio currently is being implemented as commercial off-the-shelf, non-developmental item. The preferred HF radio is the Harris AN/PRC-150, Falcon II series radios. The radio comes in a 20-watt man pack, a 20-watt and 150-watt vehicu-

lar, and a 150-watt and 400-watt base station. These radios are fielded normally at battalion, brigade, and division levels but some of the reconnaissance surveillance and target acquisition squadrons have them distributed down to scout squad level. The guiding principle on who should get these radios is: *"Does the unit need communications beyond the normal SINCGARS range that is not covered by retrans?"*

Normally a brigade will require short range omni-directional, mobile HF communications (0 - >300 miles), while a division will need the long range point-to-point (500-2000 miles) reach back HF communications capabilities. Each of these networks requires a different approach to frequency and antenna selection. The division and above will normally employ a fixed site with point-to-point shots to higher, subordinate, and adjacent units while the brigade will want a more mobile omni-directional system that does not rely on fixed site infrastructure.

HF communications requires a good amount of fore thought, planning, and practice. Nets, frequency, antennas, station locations, and radio power are all components of successful long range communications.

## NETS:

The table below (Figure 1.)

UNIT	AN/PRC-150 Radio	AN/VRC-104(V)1 20W Vehicular	AN/VRC-104(V)3 150W Vehicular	Man Pack	AN/TRC-209 150W T Case	AN/TRC-210 400W T Case
Division	19	0	18	0	0	1
Infantry BCT	84	0	53	25	6	0
Heavy BCT	77	0	66	4	7	0
Stryker BCT	75	7	34	33	0	1
Sustainment	19	0	19	0	0	0
Aviation	9	0	9	0	0	0
Fires	29	0	29	0	0	0
ME Bde	TBD	TBD	TBD	TBD	TBD	TBD
BFSB	60	TBD	TBD	TBD	TBD	TBD

Figure 1.

shows the expected distribution of HF radios by type. Since these are not on the Modified Table of Organization and Equipment and the number of systems exceeds the older fixed-channel HF radios, the brigade S6 and the force modernization officer have to develop the detailed distribution based on the commander's guidance. The distribution plan starts with what nets do you need and who should be in them.

The traditional HF nets are command and control, administration and logistics, operations and intelligence, fires, and other specialty uses such as reconnaissance. These nets were limited due to the small number of radios. Now a brigade has between 70 to 80 HF radios and can establish nets down to company and lower levels when the situation warrants it.

It is not uncommon to have four to six HF nets in the brigade in addition to battalion nets. Network membership becomes the issue because HF automatic link establishment networks are limited to 30 stations. Plan on keeping the number of stations down to the people who need mobile secure BLOS communications.

**Frequencies:**

HF radio propagation changes as the sun rises and sets lower frequencies work at night and higher frequencies work during the day. Frequencies need to be selected based on the type of network and the distance between radios.

Brigades normally will operate

omni-directional mobile nets, requiring frequencies between 2.0 MHz and 8.0 MHz. The new HF radios are programmable with a range of frequencies and they scan all of the assigned frequencies listening for a call and establish the link on the best available frequency for that time of day. As such, each net requires more than just a day time and night time frequency. Depending upon the range between stations it is not uncommon to use between five and seven frequencies per net. A brigade with 10 nets could require between 50 to 70 frequencies to provide adequate coverage.

Additionally, to effectively implement NVIS the highest useable frequency is normally 8.0 MHz which eliminates roughly 2/3rds of the HF spectrum. Spectrum managers will have a difficult time meeting the demand for frequencies from their existing frequency sets.

In order to determine the correct frequencies, a propagation prediction program like "Speed" or "VOACAP" should be used to determine the frequencies that will provide 24-hour coverage between all stations in the net. The plot below (Figure 2.) shows a 5 Mhz plot prediction of one point-to-point link. The green line indicates the best frequency for that time-of-day. Similar plots would be run for all locations until a common set of frequencies is found that will maintain 24-hour communications with all stations in the net.

**Antennas:**

Several types of antennas are

available in the brigade. The type of antenna used depends on the network architecture and frequencies. Normally the brigade uses a horizontally polarized dipole antenna system to take advantage of the NVIS and antenna gain. Stationary sites should set up a horizontal dipole that is less than 30-feet off the ground. These antennas dramatically improve the strength of the signal and can have a doubling effect on the relative power of a system. The selected length of the dipole antenna should provide resonance near the middle of the frequencies available. If possible, the fan dipole, that comes with the base station Harris RF-1912 should be used because it provides broader frequency coverage and more reliable communications.


Vehicles are equipped with a 16/32 foot vertical whip antenna create a horizontal antenna when the antenna is tied down over the top of the vehicle. This provides for the horizontally polarized near vertical incident sky wave while on the move. At the halt the antenna should be extended to 32 feet, flipped to the rear and the vehicle and the radio grounded, transforming the vehicle and the antenna into a horizontal polarized dipole.

The figure below depicts the signal patterns created by a fan dipole less than 30 feet off the ground, as you vary the frequency from 2 MHz to 16 MHz. The radiation patterns change dramatically making the dipole bi-directional above about 10 MHz. To get the near vertical incidence omni directional coverage, the frequency has to be kept below 8 MHz. Frequencies higher than this will pass through the ionosphere and not reflect back to earth.


Several excellent examples of reliable HF Radio communications being implemented over short to medium distances in mountainous terrain follow. The successes were predominately due to proper frequency and antenna selection.

**First Example:**


The 2nd Brigade, 2nd Infantry Division conducted a communica-



**Figure 2.**



**Figure 3. RF-1912 E/T Antenna -- Transit Case configuration**




**Figure 4. Fan Dipole Signal Patterns**

tions exercise in preparation for deployment to the National Training Center. Each of the battalions rotated to the Pinion Canyon training area roughly 100 miles south of Fort Carson. HF communications were established between the brigade headquarters at Fort Carson and each battalion at Pinion Canyon. The frequencies selected allowed 24-hour BLOS/OTM communications but because of the newness of these radios to the brigade they were neither relied upon nor integrated well into the overall communications plan for the brigade. During the NTC the brigade again attempted HF communications, this time with great success. They used HF for the initial movement to the field and successfully communicated throughout the brigade operational area at NTC area without retrans. In both cases 2/2 ID set up their AN/TRC-209 base station and the Harris RF-1912 fan dipole antenna at their TOC. All of the radios, equipment

and antennas used are items that are being fielded to all the brigades

**Second Example:**




**Figure 5. Three-element field-expedient fan dipole antenna**

During a class for the 56th Brigade SBCT-6 at Fort Indiantown Gap a three-element field-expedient fan dipole antenna was used to establish communications with Fort Monmouth, N.J.; Rochester, N.Y.; Norfolk, Va., and Fort Gordon, Ga., with 20 watt man pack AN/PRC-150 radio. 100 percent successful communications were achieved with both voice and data. Frequencies ranged from 2.3600 to 9.1200 MHZ and the antenna tested at 1.0:1 22 watts on all frequencies. (That is perfect.)

The antenna support poles were OE-254 masts. Care was taken to put the top tie down rings close to the top of the masts to be able to support the weight of the antenna elements. Additionally we made sure that one of the tie-down rope sets was placed to pull away from the line of the antenna.

The elements were made from three RF-1941 Harris Dipole antennas attached to a single cobra head. The cords from the elements were passed through extra tie-down rings and used as halyards to raise and lower the antenna after the poles were erected. We did install the cords before erecting the poles. Care needs to be taken to avoid tangling the elements and cords when raising the poles. The counterpoise was not



**Figure 6. Map of network station contacts.**

used because we had such a strong signal from each station.

Antenna elements were selected that were 2.5 MHz (187 feet), 3.0 MHz (156 feet) and 5 MHz (93.6 feet) long to make this antenna. We selected these lengths to give us good broadband coverage across the 2.0 MHz to 8 MHz range.

The radio used was an AN/PRC-150(C) 20 watt man pack radio operating in 3rd generation automatic link establishment mode. (3G ALE) The strength and quality of the signal was amazing. Most of the remote stations were AN/TRC-209 150 watt base stations and one was a AN/TRC-210 400 watt base station. All of the radios in this test used some form of horizontal dipole antenna. All of these radios and antennas are typically found in the maneuver battalions, brigades, and division headquarters. All of the dipole antennas were less than a quarter wave off the ground at the frequencies being used. This ensured that we were getting omni-directional, NVIS.

The ALE feature of the AN/PRC-150 scans the list of frequencies provided, listening for a call from another station. The radios link on the best available frequency. A series of six frequencies between 2.0 and 8.0 Mhz insured continuous coverage. In a properly architected ALE

network the HF network manager (usually the brigade S6) and the brigade frequency manager analyze the possible locations for the various stations and determine which frequencies and antennas will provide continuous coverage. In an ALE network, between six and eight frequencies are normally needed to provide adequate coverage to all locations day and night.

Because we used 3G ALE on all of our nets, the initial contacts between all stations were requests for synchronization. We needed to set our radio to with in seven minutes of the time server to be able to get a successful synchronization. This was done by setting all radios to Zulu time with no offsets.

We subsequently established both voice and then data communications using TacChat software that comes with the radios. Calls to each station were initiated and linked quite quickly because of the synchronized scanning provided by 3G ALE. Voice connectivity was established with all of the remote stations using the digital voice encoder which is part of the radio. We did not use encryption because all stations did not have access to the current fill. Data transmissions were done point-to-point.

Finally with the phone feature we called Rochester and were able to call a cell phone in the class. As you can see from the map all of these links are a challenge for a 20 watt HF radio, but we received link quality scores of 40 percent to 50 percent on several of the channels on each of the links

Omni-directional communications over 200 miles with the vehicular AN/VRC-104(V)3 150 Watt HF radio can easily provide a maneuver brigade with excellent secure voice communications when other systems can not.

Emphasis needs to be on establishing and maintaining the brigade HF network control stations. Habitually, the NCS for the FM command net has been the brigade S3, the FM admin log net, the support battalion. These are the

logical candidates to act as the HF NCS stations.

### Conclusion:

HF communications is a viable and effective means of communication in the maneuver brigade. It provides reliable omni-directional secure, beyond line-of-sight on-the-move communications in critical command and control, administrative, logistical and fires networks. It has the ability to pass digital traffic and interface with other Army voice and data systems. Advanced software programmable radio design takes a lot of the technical difficulty out of HF, while at the same time enhancing the capability of the radio to use the ionosphere. Brigade signal officers and the S6 section are responsible for planning and designing High Frequency networks but it is up to all of the radio users in the brigade to effectively implement these systems.

*Mr. Flynn III is a retired New Jersey National Guard Infantry and Armor colonel who has been working on the PM-TRCS High Frequency and Multi Band Radios fielding team for the past four years. He received his commission from Infantry OCS at Fort Benning in 1967. He was an Infantry platoon leader with 25th Infantry in Vietnam. He has served in numerous command and staff positions from battalion to division and was a Communications Electronics staff officer in an Infantry battalion. Flynn is a 1990 War College Graduate and has commanded both Armored and Infantry Battalions.*

### ACRONYM QUICKSCAN

ALE – Automatic Link Establishment  
 BLOS – beyond-line-of-sight  
 COTS – Commercial off-the-Shelf  
 FM – Frequency Modulation  
 HF – High Frequency  
 LOS – line-of-sight  
 NCS – network control stations  
 NDI – Non-Developmental item  
 NVIS – Near Vertical Incidence Skywave  
 OTM – on-the-move  
 RSTA – Reconnaissance Surveillance and Target Acquisition

# Modularity & the Signal Network

## One company's success story



By 1LT James Simpson and 2LT Chad McMillen

**A Bravo Company Soldier inspects the KU band terminals.**

When the 4th Infantry Division redeployed from Operation Iraqi Freedom in 2004, the leadership immediately began preparation for its next deployment. Among numerous tasks was modularizing maneuver brigades into Brigade Combat Teams under the Army's new brigade-based doctrine. This task had a large impact on the division's Signal battalion. Each Signal company was sent from the Signal battalion to a Special Troops Battalion within a BCT. B Company, 1st STB is the Signal company for 1BCT in 4ID. The company became a permanent part of 1st Brigade in late 2004. This new modular organization successfully provides Signal support and vastly contributes to the brigade's self reliance and improved functionality.

Bravo Company moved to the Special Troops Battalion while simultaneously resetting and maintaining legacy equipment and fielding new signal assets. The Joint Network Node was fielded prior to the National Training Center rota-

tion in preparation for OIF 2005-07. Signal leaders were concerned whether adequate resources would be made available to field this new communications equipment. This challenge required leadership and vision on the part of commanders. The 1st Brigade Commander, COL James F. Pasquarette showed a firm commitment to the Joint Network Node's success from the day it was purchased. He ensured its involvement in practically every exercise prior to deployment. During NTC training, the 1st Special Troops Battalion successfully integrated the JNN and its components into the brigade's communications architecture and worked out any "kinks" in the system. By the time the Signal company deployed in December, 2005, its Soldiers were extremely confident in JNN. The legacy signal equipment was left behind and the challenge remained to employ a large signal network in a combat zone.

Upon arrival in theater, the Signal Company Commander, CPT Alfredo Rodriguez III prepared the

JNNs and all KU-band elements for the brigade's network during RSOI. Before leaving Kuwait every link was rehearsed and every fault repaired. The company then deployed its equipment to Camp Taji, Iraq. The company commander and the brigade network technician, WO1 Anthony Collins personally managed every KU Port Terminal and line-of-site terminal in the brigade. The network soon included every organic battalion, the 9th Iraqi Army, and several patrol bases. As the battlefield continually changed, the network expanded. By June, 1st Brigade owned the largest deployed signal network. The 1st STB Commander LTC John Cross allowed his Signal commander the flexibility and the resources requisite for success on the battlefield. At the one year anniversary of the battalion's existence, the unit was praised by the entire chain of command.

In July, 2006 CPT Reginald Evans took command of Bravo Company and the success continued throughout the deployment. Under his leadership are two JNN platoons,

KU operators, LOS operators, EPLRS operators and a highly competent net operations and security cell. The company also provides a Tiger Team who provide 24-hour support to any communication's failure on the battlefield. The company has overcome each communication's obstacle to the 1st BCT and has supported every significant operation. With civilian support from General Dynamics and Datapath, the Signal company mastered the JNN and is ready for any upgrades and additional equipment. They contribute to 1st Brigade's superior C2 advantage over anti-Iraqi Forces and prove the overall benefit of the BCT concept.

As the deployment draws to a close, 1st Brigade leaders once again face the task of resetting equipment in preparation for future deployments. The challenges posed to the

BCT's Signal network by modularity have been largely overcome. Quiet professionals who maintain highly technical equipment have brought the Army into the 21st century. If the same commitment is made to signal elements in future transformation, modularity can be a true success. The benefit of organic signal elements to train and deploy with the BCT comes at a cost. STB commanders must continue to support the Signal company in garrison by planning and implementing the essential training opportunities once provided by a Signal battalion. The Soldiers who lead the world in communications must stay abreast on the latest technology to be the highly specialized support required for future battles.

*1LT Simpson and 2LT McMillen*

*are Company Executive Officer and JNN Platoon Leader in B Company 1st Special Troops Battalion, 1st Brigade Combat Team, 4th Infantry Division (Mechanized). Their unit is currently stationed at Camp Taji, Iraq, and serving in support of multi-National Division Baghdad for OIF 2005-07.*

### ACRONYM QUICKSCAN

BCT – Brigade Combat Team  
 C2 – Command and Control  
 EPLRS – Enhanced Position Location and Reporting System  
 ID – Infantry Division  
 JNN – Joint Network Node  
 LOS – Line-of-Sight  
 NTC – National Training Center  
 OIF – Operation Iraqi Freedom  
 RSOI – Reception, Staging, Onward-movement & Integration  
 STB – Special Troops Battalion

# Americans, Iraqis communicate together

*By 2LT Ronald Carter*

As 1st Brigade 4th Infantry Division strives to build a capable Iraqi Army, a continual effort is maintained to provide adequate communications to the 9th Iraqi Division. In order for the mission to be a success, the American and Iraqi units must be able to effectively "communicate together". This is a difficult task due to the wide range communications abilities of each unit's communications equipment.

The Iraqi Army relies mainly on hand-held radios which are capable of networking together allowing them to communicate the span of the area of operation, while the Americans possess a more robust communications architecture. In order to bridge the communications gap, 1st Brigade imbedded one of its Joint Network Node Platoons with the 9th Iraqi Division.

"The JNN (Joint Network Node) platoon serves a vital role in the overall operation of the Iraqi 9th Division," said SFC Joseph Gonzalez, platoon sergeant, Company B, 1st Special Troops Battalion, 1st Brigade Combat Team, 4th Infantry Division. Bravo Company's 2nd Joint Network Node platoon is responsible for providing communications and technical



**SPC Ryan Bock, Eustis, Fla., native, serves as a Network Switching System Operator, Company B, 1st Special Troops Battalion, 1st Brigade Combat Team, 4th Infantry Division, above with an Iraqi Soldier from 9th Iraqi Division.**



**SPC Nathan Thompson, a Stout Mills, W.V., native, who serves as a Satellite Communications System Operator, Company B, 1st Special Troops Battalion, 1st Brigade Combat Team, 4th Infantry Division, performs maintenance on a KU Band Satellite Sub-System Aug. 30.**

support for the entire 9th Iraqi Division. This includes both 1st and 2nd Battalion 9th Iraqi Army Brigade tactical operations centers. The Joint Network Node platoon provides the 9th Iraqi Army the same secure and non-secure communications as provided to our own American forces. This allows Iraqi and American forces to effectively execute cooperative missions.

"I am proud of what I do everyday," said SPC Ryan Bock, Network Switching System Operator, Company B, 1st Special Troops Battalion, 1st Brigade Combat Team, 4th Infantry Division. The JNN platoon operates 24 hours-a-day, seven days-a-week, continually providing ready and reliable communications and technical support.

Due to the communications support of the JNN Platoon, the Iraqi Army is not only able to effectively manage cooperative missions with coalition forces, but is also able to



**Iraqi Soldiers, 9th Iraqi Division, working in the 9th Iraqi Division headquarters TOC Aug. 30.**

take the lead as the main effort for their area of operations in Iraq.

*2LT Carter is the JNN Platoon Leader from Enterprise, Ala.*

#### ACRONYM QUICKSCAN

JNN – Joint Network Node

# INDEX 2006

2006 Index  
Army Communicator  
Voice of the Signal Regiment

For Volume 31, Issues 1-4

Title Index ... Page 21-23  
Author Index ... Page 23-25  
Subject Index ... Page 25-29

## Editorial/support staff

Editor-in-chief/graphic designer ... Janet A. McElmurray (31: 1-4)  
Senior advisor ... Susan Wood (31: 1-4)

## Illustrator

Billy Cheney (31: 1-4)

## Photography

22 Signal Brigade; 31:2; David Brackmann; 31:4; Billy Cheney; 31:4; Josh Davidson; 31:4; Kristy Davies; 31:2,3; Eric Hortin; 31:4; Shannon Jones; 31:4; Stephen Larsen; 31:1,2,3,4; CPT Greg Majewski; 31:4; Richard Mattox; 31:2; Tony Medici; 31:1,2,3; Members of the 30<sup>th</sup> Signal Battalion; 31:3; LTC Stephan Middleton; 31:1; Anthony Ricchiazzi; 31:1,2,3; John Shotwell; 31:4; SFC Ty Sloan; 31:3; Marlene Thompson; 31:1; SSG Jeff Troth; 31:3,4; White House Photo; 31:1; SFC Gregory Ziglia; 31:3

## Titles

11<sup>th</sup> Signal Brigade's Audie Murphy Inductees; Eric Hortin; 31:4  
16 team Signaleers deploy to Thailand for Cobra Gold; 1LT Adam C. Wagner; 31:3  
101<sup>st</sup> fields new JNN communication system; 1LT Jacqui Pruszczinski; 31:2  
1000<sup>th</sup> new survival radio ready; 31:3  
2006 Army Deployment Excellence Awards; Charles K. Ledebuhr; 31:3  
324<sup>th</sup> fighting Phoenix activated; CPT Michael V. Bush; 31:4  
324<sup>th</sup> ITSB pre-deployment training; CPT Greg Majewski; 31:4  
\$5 billion World-Wide Satellite Systems contract will offer on-stop shopping for federal agencies; Stephen Larsen; 31:1  
551<sup>st</sup> CAPSTONE Exercise; CPT Dave Richards; 31:2  
56<sup>th</sup> Sig Bn assists in Katrina disaster relief; 1LT Sharron Stewart; 31:1  
59<sup>th</sup> Signal Soldiers take brigade titles; Bill McPherson; 31:3  
67<sup>th</sup> does their best: communications; Kristy Davies; 31:1  
Advance your career as an Army warrant officer; CW3 A.J. Williams; 31:2  
After AIT: Advanced Immersion; CPT Shannon Sanford; 31:2  
'A new strategy' An update on the Joint Network Management; Russell Benoit and Billy Rogers; 31:4  
Announcing the Inaugural Combined Arms Center Commanding General's 2006; 31:1  
AN/TSC-156A, SHF tri-band SATCOM Terminal – 'Phoenix'; Bill Campbell; 31:2  
Army announces Unit Designations in the Modular Army; U.S. Army Public Affairs; 31:1  
Army Deployment Excellence Award open for competition; Henry Johnson; 31:2  
Army Key Management System – Update; Al Walton; 31:2  
Army National Guard prepares for hurricane season with 'Connect Army Logisticians' comms; Stephen Larsen; 31:3  
Army takes first step toward implementing area processing centers; Gordon Van Vleet; 31:2

**Basic Officer Leader Course;** John R. Turns; 31:2  
**Battalion & Brigade S6 Course;** MAJ James W. Bryant Jr.; 31:2  
**BG Tucker: JNN-N is making a contribution to the deployed force;** Josh Davidson and David Brackmann; 31:4  
**Black Network proves its mettle during Ulchi Focus Lens 2005;** COL Robert Belthea Jr., MAJ Edward P. Mattison, Jared Shepard, and CPT Kevin Knowlen; 31:1  
**Bouchard receives first star;** Charmain Brackett; 31:2  
**Change is one constant for F53 officer training;** LTC Bruce Caulkins and MAJ Allen Berry; 31:2  
**Close combat teaches discipline, self confidence;** 1LT Kalin M. Reardon; 31:2  
**Commercializing comms in a 'Come-as-You-are' stability operation;** LTC Michael R. McCaffery; 31:4  
**Commercial technologies in Iraq;** MAJ Mike Parsons; 31:1  
**Communications validation;** MAJ Anthony Roper; 31:4  
**Critical Task Site Selection Boards: Vital to the Army;** Myrtle C. Alexander and Patrick S. Baker; 31:2  
**Current Force Network IPT involves 'everybody';** Josh Davidson; 31:4  
**Deployed COMSEC worker excels, earns medal;** Kevin Toolan; 31:3  
**Depot gives TSC-86A new lease on life;** Jacqueline Boucher; 31:2  
**Depot Resets Black Hawk avionics systems;** Anthony Ricchiazzi; 31:3  
**Depot's computer warranty repair aids war on terrorism;** Anthony Ricchiazzi; 31:1  
**'DITSCAP Me!' The necessary of security engineering;** Jaqueline B. Tegre and Theodore Hendy; 31:2  
**Doctrinal challenges with implementation of two-levels of maintenance in C&E arena;** Tim Landreth; 31:3  
**DoD, industry leaders meet to support Joint Warfighter;** Anthony Ricchiazzi; 31:1  
**Eighth U.S. Army hosts 2006 LandWarNet Training Conference;** Jim Arrowood; 31:4  
**Every classroom a command post;** Kristy Davies; 31:3  
**Fielding Underway AN Update on the Joint Network Management System (AN/USQ-176A (V) 1 and (V)2);** Billy Rogers and Russell Benoit; 31:2  
**Four Distinguished Members inducted into Regiment;** Susan Wood; 31:4  
**G6, 35<sup>th</sup> Division's participation in Hurricane Katrina relief efforts;** MAJ Francis Polashek; 31:1  
**Great ideas start in the Balkans: High Frequency Tracker Initiative;** MAJ Karen Dill; 31:3  
**Integrated System Control Update;** Ed Duffy; 31:4  
**IPs provide JNN-N community timely, relevant CM data;** Josh Davidson; 31:4  
**ISYSCON (V)4 Update;** Ed Duffy; 31:2  
**JNN-N advances the Army towards modularity;** Josh Davidson; 31:4  
**JNN-N selected as: IDGA Network Centric Warfare Award winner;** Michael J. Golden; 31:4  
**JNN-N simulation continues transformation;** Tammy Moehlman; 31:1  
**JNN-N support continues beyond production/fielding;** Josh Davidson; 31:4  
**Joint Network Management System (AN/USQ-176 [V] 1 and [V] 2);** Russell Benoit and Billy Rogers; 31:3  
**Joint Network Node-Network;** Barbara Carter; 31:2  
**Joint Network Node-Network;** Camilla Wood; 31:4  
**Joint Staff J6 planners course;** CW4 Joe Anderson; 31:2  
**Joint Tactical Radio System;** COL Carole Best; 31:3  
**JTRS and FCS synchronization;** COL Carole Best; 31:4  
**JTRS Program restructuring;** COL Carole Best; 31:2  
**JTRS Program Update;** Douglas A. Wilson; 31:1  
**JUICE allows JNN-N staff to solve interoperability issues of future;** Josh Davidson; 31:4  
**Katrina task force volunteer meets President Bush;** Stephen Larsen; 31:1  
**LandWarNet – University redefines way Soldiers train;** Steve Brady; 31:3  
**'Let the Fielding Begin' An update on the Joint Network Management System (AN/USQ-176A (V) 1 and (V) 2);** Billy Rogers; 30:1  
**Lifelong Learning – Enabler for LandWarNet;** UIT members; 31:3  
**Lifelong Learning – Future for training and education;** UIT members; 31:2  
**'Load Balancing' RC modular force signal training requirement;** MAJ Jan C. Norris; 31:2  
**Logistician's recommendations save nearly \$23 million in MILSATCOM terminal Life Cycle costs;** Stephen Larsen; 31:4  
**LWN-U trains for global communication;** Kristy Davies; 31:3  
**MG Gombacher funeral service held at Huachuca;** 31:4  
**MG James C. Hylton – exit interview;** Eric Hortin; 31:1  
**Modular communication solutions in the 2ID;** CPT Benjamin Genthner; 31:1  
**National Communications Architecture: Required capabilities to support a JTF, challenges to USNORTHCOM;** LTC Reginald T. Cox and Retired COL Keith H. Snook; 31:4  
**NETCOM Soldiers aim for top honors;** SSG Jeff Troth; 31:3  
**NetOps evolves from staff, Warfighter, Signal support;** Josh Davidson; 31:4  
**Network management training for warrant officers;** CW3(P) Kevin Hanner and CW3 Adian King; 31:2  
**New Signal doctrine manuals approved;** Rick San Miguel and Shawn P. Sweeney; 31:4  
**New Vehicle Intercom System production facility helps meet growing demand from Iraq, total force units;** Stephen Larsen; 31:3  
**NSC-T provides: JNN-N training support, remote troubleshooting, Soldier training;** Josh Davidson; 31:4  
**Part I: Joint Network Node-Network;** MAJ Camilla Wood and Douglas Kuehl; 31:3  
**Part II: Integrated System Control;** MAJ Frederick

Hollis; 31:3  
**Part III: Army Key Management System;** Allen Walton; 31:3  
**PM DWTS' Devine honored for 'Connect Army Logisticians' solution with Army Acquisition Excellence;** Stephen Larsen; 30:1  
**PM DWTS provides critical power for Joint communications in Japan;** Stephen Larsen; 31:2  
**Redesign Conference addresses Signal future Part I;** Kristy Davies; 31:1  
**Redesign Conference addresses Signal future Part II;** Kristy Davies; 31:1  
**SEC provides tools to maintain JNN-N;** Josh Davidson; 31:4  
**Signal Captains Career Course;** CPT Brian North; 31:3  
**Signal Center offers hands-on learning of systems like JNN-N;** Josh Davidson; 31:4  
**Signal Corps Army Lineage Series;** Rebecca Raines; 31:3  
**Signal Museum opens new exhibit with 1918 wire cart;** Kristy Davies; 31:3  
**Signal Museum outreach;** Robert Anzuoni; 31:1  
**Signal's 'Army Communicator' goes digital on AKO;** CW5 Wayne H. Jensen Jr.; 31:4  
**Signal training may add Marines;** Charmain Z. Brackett; 31:3  
**Signal Soldier proves blood IS thicker than water;** SPC Brandon Aird; 31:1  
**Soldiers build careers through education;** Josh Davidson; 31:4  
**Soldiers: JNN-N transmits more information, faster – saves lives;** Josh Davidson; 31:4  
**Soldiers test network skills for 21<sup>st</sup> Century Warfare;** 31:3  
**Strange Signals: Muzak – thanks to George O. Squire;** Mike Rodgers; 31:1  
**Tactical COTS concept used for GWOT;** CPT Jack Sander; 31:1  
**Tactics, tips, procedures from observer controllers;** CPT Brian "Jake" Jacobson, MSG Adrian Borel, SFC Wyman Rosener, and SFC Brian Lowman; 31:4  
**Telecommunications service distribution in an expeditionary Army;** CPT Ross W. Charton and 1LT (P) James R. Minicozzi; 31:1  
**Telecommunications Systems Engineering Course;** CPT Frank Ranero; 31:2  
**Texas Citizen Soldiers keeping the comms;** SSG Mark Wojciechowski; 31:2  
**The Army Key Management System Update;** Allen Walton and Tim Kirkland; 31:4  
**Tobyhanna improves military digital satellite terminals;** Anthony Richiazzi; 31:2  
**Tobyhanna welcomes DDTP commander;** Jacqueline Boucher; 31:1  
**Trust within C-E LCMC helps programs like JNN succeed;** Nada Brackmann; 31:4  
**TSM-SATCOM Update Ka-Band Satellite Transmit and Receive System AN-GSC-70(V);** Debbie Linton; 31:1  
**USARSO provides new communications package;** 1LT Andrew Thompson; 31:3

**V Corps Signal Company working to put itself out of business in Iraq;** CPT Herbert Brychta; 31: 2  
**V Corps Signal Soldiers in Iraq learn fine art of fiber optics;** CPT Dan Burns; 30; 2  
**V Corps Signal Team keeps Coalition Forces at remote Iraq camp talking;** SSG Engels Tejada; 31:2  
**Veterans reflects how technology has evolved since WWII;** Josh Davidson; 31:4  
**What Soldiers are saying about JNN-N: As viewed by S6 currently deployed in Iraq;** Josh Davidson; 31:4  
**World-wide Satellite Systems contract awarded, will support all federal communications missions;** Stephen Larsen; 31:4

## Authors

**Aird, SPC Brandon;** Signal Soldier proves blood IS thicker than water; 30:1  
**Alexander, Myrtle C.;** Critical Task Site Selection Boards: Vital to the Army; 31:2  
**Anderson, CW4 Joe;** Joint Staff J6 planners course; 31:2  
**Anzouni, Robert;** Signal Museum outreach; 31:1  
**Arrowood, Jim;** Eighth U.S. Army hosts 2006 LandWarNet Training Conference; 31:4  
**Baker, Patrick S.;** Critical Task Site Selection Boards: Vital to the Army; 31:2  
**Belthea, COL Robert;** Black Network proves its mettle during Ulchi Focus Lens 2005; 31:1  
**Benoit, Russell;** 'A new strategy' An update on the Joint Network Management; 31:4  
**Fielding Underway AN Update on the Joint Network Management System (AN/USQ-176A (V) 1 and (V)2);** 31:2  
**Joint Network Management System (AN/USQ-176 [V] 1 and [V] 2);** 31:3  
**Berry, MAJ Allen;** Change is one constant for F53 officer training; 31:2  
**Best, COL Carole;** Joint Tactical Radio System; 31:3  
**JTRS and FCS synchronization;** 31:4  
**JTRS Program restructuring;** 31:2  
**Borel, MSG Adrian;** Tactics, tips, procedures from observer controllers; SFC Wyman Rosener, 31:4  
**Boucher, Jacqueline;** Depot gives TSC-86A new lease on life; 31:2  
**Tobyhanna welcomes DDTP commander;** 31:1  
**Brackett, Charmain;** Bouchard receives first star; 31:2  
**Signal training may add Marines;** 31:3  
**Brackmann, David;** BG Tucker: JNN-N is making a contribution to the deployed force; 31:4  
**Brackmann, Nada;** Trust within C-E LCMC helps programs like JNN succeed; 31:4  
**Brady, Steve;** LandWarNet – University redefines way Soldiers train; 31:3  
**Bryant Jr., MAJ James W.;** Battalion & Brigade S6 Course; 31:2  
**Burns, CPT Dan;** V Corps Signal Soldiers in Iraq learn fine art of fiber optics; 31; 2  
**Bush, CPT Michael V.;** 324<sup>th</sup> fighting Phoenix activated; 31:4  
**Campbell, Bill;** AN/TSC-156A, SHF tri-band SATCOM

- Terminal – ‘Phoenix’; 31:2
- Carter, Barbara;** Joint Network Node-Network; 31:2
- Caulkins, LTC Bruce;** Change is one constant for F53 officer training; 31:2
- Charton, CPT Ross W.;** Telecommunications service distribution in an expeditionary Army; 31:1
- Cox, LTC Reginald T.;** National Communications Architecture: Required capabilities to support a JTF, challenges to USNORTHCOM; 31:4
- Davidson, Josh;** BG Tucker: JNN-N is making a contribution to the deployed force; 31:4  
Current Force Network IPT involves ‘every body’; 31:4  
IPs provide JNN-N community timely, relevant CM data; 31:4  
JNN-N advances the Army towards modularity; 31:4  
JNN-N support continues beyond production/fielding; 31:4  
JUICE allows JNN-N staff to solve interoperability issues of future; 31:4  
NetOps evolves from staff, Warfighter, Signal support; 31:4  
NSC-T provides: JNN-N training support, remote troubleshooting, Soldier training; 31:4  
SEC provides tools to maintain JNN-N; 31:4  
Signal Center offers hands-on learning of systems like JNN-N; 31:4  
Soldiers build careers through education; 31:4  
Soldiers: JNN-N transmits more information, faster – saves lives; 31:4  
Veterans reflects how technology has evolved since WWII; 31:4  
What Soldiers are saying about JNN-N: As viewed by S6 currently deployed in Iraq; 31:4
- Davies, Kristy;** 67<sup>th</sup> does their best: communications; 31:1  
Every classroom a command post; 31:3  
LWN-U trains for global communication; 31:3  
Redesign Conference addresses Signal future Part I; 31:1  
Redesign Conference addresses Signal future Part II; 31:1  
Signal Museum opens new exhibit with 1918 wire cart; 31:3
- Dill, MAJ Karen;** Great ideas start in the Balkans: High Frequency Tracker Initiative; 31:3
- Duffy, Ed;** Integrated System Control Update; 31:4  
ISYSCON (V)4 Update; 31:2
- Genthner, CPT Benjamin;** Modular communication solutions in the 2ID; 31:1
- Golden, Michael;** JNN-N selected as: IDGA Network Centric Warfare Award winner; 31:4
- Hanner, CW3(P) Kevin;** Network management training for warrant officers; Hanner and CW3 Adian King; 31:2
- Hendy, Theodore;** ‘DITSCAP Me!’ The necessary of security engineering; 31:2
- Hollis, MAJ Frederick;** Part II: Integrated System Control; 31:3
- Hortin, Eric;** 11<sup>th</sup> Signal Brigade’s Audie Murphy Inductees; 31:4  
MG James C. Hylton – exit interview; 31:1
- Jacobson, CPT Brian “Jake”;** Tactics, tips, procedures from observer controllers; 31:4
- Jensen Jr., CW5 Wayne H.;** Signal’s ‘Army Communicator’ goes digital on AKO; 31:4
- Johnson, Henry;** Army Deployment Excellence Award open for competition; 31:2
- King, CW3 Adian;** Network management training for warrant officers; 31:2
- Knowlen, CPT Kevin;** Black Network proves its mettle during Ulchi Focus Lens 2005; 31:1
- Kuehl, Douglas;** Part I: Joint Network Node-Network; 31:3
- Kirkland, Tim;** The Army Key Management System Update; 31:4
- Landreth, Tom;** Doctrinal challenges with implementation of two-levels of maintenance in C&E arena; 31:3
- Larsen, Stephen;** \$5 billion World-Wide Satellite Systems contract will offer on-stop shopping for federal agencies; 31:1  
Army National Guard prepares for hurricane season with ‘Connect Army Logisticians’ comms; 31:3  
Katrina task force volunteer meets President Bush; 31:1  
Logistician’s recommendations save nearly \$23 million in MILSATCOM terminal Life Cycle costs; 31:4  
New Vehicle Intercom System production facility helps meet growing demand from Iraq, total force units; 31:3  
PM DWTS’ Devine honored for ‘Connect Army Logisticians’ solution with Army Acquisition Excellence; 31:1  
PM DWTS provides critical power for Joint communications in Japan; 31:2  
World-wide Satellite Systems contract awarded, will support all federal communications missions; 31:4
- Ledebuhr, Charles K.;** 2006 Army Deployment Excellence Awards; 31:3
- Linton, Debbie;** TSM-SATCOM Update Ka-Band Satellite Transmit and Receive System AN-GSC-70(V); 31:1
- Lowman, SFC Brian;** Tactics, tips, procedures from observer controllers; 31:4
- Majewski, CPT Greg;** 324<sup>th</sup> ITSB pre-deployment training; 31:4
- Mattison, MAJ Edward P.;** Black Network proves its mettle during Ulchi Focus Lens 2005; 31:1
- McCaffery, LTC Michael R.;** Commercializing comms in a ‘Come-as-You-are’ stability operation; 31:4  
McPherson, Bill; 59<sup>th</sup> Signal Soldiers take brigade titles; 31:3
- Miguel, Rick San;** New Signal doctrine manuals approved; 31:4

- Minicozzi, 1LT James R.;** Telecommunications service distribution in an expeditionary Army; 31:1
- Moehlman, Tammy;** JNN-N simulation continues transformation; 31:1
- Norris, MAJ Jan C.;** 'Load Balancing' RC modular force signal training requirement; 31:2
- North, CPT Brian;** Signal Captains Career Course; 31:3
- Parsons, MAJ Mike;** Commercial technologies in Iraq; 31:1
- Polashek, MAJ Francis;** G6, 35<sup>th</sup> Division's participation in Hurricane Katrina relief efforts; 31:1
- Pruszczinski, 1LT Jacqui;** 101<sup>st</sup> fields new JNN communication system; 31:2
- Reardon, 1LT Kalin M.;** Close combat teaches discipline, self confidence; 31:2
- Raines, Rebecca;** Signal Corps Army Lineage Series; 31:3
- Ranero, CPT Frank;** Telecommunications Systems Engineering Course; 31:2
- Ricchiazzi, Anthony;** Depot Resets Black Hawk avionics systems; 31:3  
Depot's computer warranty repair aids war on terrorism; 31:1  
DoD, industry leaders meet to support Joint Warfighter; 31:1
- Richards, CPT Dave;** 551<sup>st</sup> CAPSTONE Exercise; 31:2
- Rodgers, Mike;** Strange Signals: Muzak – thanks to George O. Squire; 31:1
- Rogers, Billy;** 'A new strategy' An update on the Joint Network Management; 31:4  
Fielding Underway AN Update on the Joint Network Management System (AN/USQ-176A (V) 1 and (V)2); 31:2  
'Let the Fielding Begin' An update on the Joint Network Management System (AN/USQ-176A (V) 1 and (V) 2); 31:1  
Joint Network Management System (AN/USQ-176 [V] 1 and [V] 2); 31:3
- Roper, MAJ Anthony;** Communications validation; 31:4
- Rosener; SFC Wyman;** Tactics, tips, procedures from observer controllers; 31:4
- Sander; CPT Jack;** Tactical COTS concept used for GWOT; 31:1
- Sanford, CPT Shannon;** After AIT: Advanced Immersion; 31:2
- Shepard, Jared;** Black Network proves its mettle during Ulchi Focus Lens 2005; 31:1
- Snook, Retired COL Keith H.;** National Communications Architecture: Required capabilities to support a JTF, challenges to USNORTHCOM; 31:4
- Stewart, 1LT Sharron;** 56<sup>th</sup> Sig Bn assists in Katrina disaster relief; 31:1
- Sweeney, Shawn;** New Signal doctrine manuals approved; 31:4
- Tegre, Jaqueline B.;** 'DITSCAP Me!' The necessary of security engineering; 31:2
- Tejeda, SSG Engels;** V Corps Signal Team keeps Coalition Forces at remote Iraq camp talking; 31:2
- Toolan, Kevin;** Deployed COMSEC worker excels, earns medal; 31:3
- Troth, SSG Jeff;** NETCOM Soldiers aim for top honors; 31:3
- Turns, John R.;** Basic Officer Leader Course; 31:2
- UIT members;** Lifelong Learning – Enabler for LandWarNet; 31:3  
Lifelong Learning – Future for training and education; 31:2
- U.S. Army Public Affairs;** Army announces Unit Designations in the Modular Army; 31:1
- Van Vleet, Gordon;** Army takes first step toward implementing area processing centers; 31:2
- Wagner, 1LT Adam C.;** 16 team Signaleers deploy to Thailand for Cobra Gold; 31:3
- Walton, Al;** Army Key Management System – Update; 31:2  
Part III: Army Key Management System; 31:3  
The Army Key Management System Update; 31:4
- Williams, CW3 A.J.;** Advance your career as an Army warrant officer; 31:2
- Wilson, Douglas;** JTRS Program Update; 31:1
- Wojciechowski, SSG Mark;** Texas Citizen Soldiers keeping the comms; 31:2
- Wood, Camilla;** Joint Network Node-Network; 31:4  
Part I: Joint Network Node-Network; 31:3
- Wood, Susan;** Four Distinguished Members inducted into Regiment; 31:4

## Subjects

### 101<sup>st</sup> Airborne Division

101<sup>st</sup> fields new JNN communication system; 1LT Jacqui Pruszczinski; 31:2

### 8<sup>th</sup> Army

Eighth U.S. Army hosts 2006 LandWarNet Training Conference; Jim Arrowood; 31:4

### 11<sup>th</sup> Signal Brigade

11<sup>th</sup> Signal Brigade's Audie Murphy Inductees; Eric Hortin; 31:4

### 3<sup>rd</sup> Signal Brigade

Black Network proves its mettle during Ulchi Focus Lens 2005; COL Robert Belthea Jr., MAJ Edward P. Mattison, Jared Shepard, and CPT Kevin Knowlen; 31:1

### 324<sup>th</sup> Network Support Company

324<sup>th</sup> fighting Phoenix activated; CPT Michael V. Bush; 31:4

324<sup>th</sup> ITSB pre-deployment training; CPT Greg Majewski; 31:4

### 35<sup>th</sup> Division

G6, 35<sup>th</sup> Division's participation in Hurricane Katrina

relief efforts; MAJ Francis Polashek; 31:1

### **56<sup>th</sup> Signal Battalion**

56<sup>th</sup> Sig Bn assists in Katrina disaster relief; 1LT Sharron Stewart; 31:1

### **59<sup>th</sup> Signal Battalion**

59<sup>th</sup> Signal Soldiers take brigade titles; Bill McPherson; 31:3

### **67<sup>th</sup> Signal Battalion**

67<sup>th</sup> does their best: communications; Kristy Davies; 31:1

### **AKMS**

Army Key Management System – Update; Al Walton; 31:2

Part III: Army Key Management System; Allen Walton; 31:3

### **Army Knowledge Online**

Signal's 'Army Communicator' goes digital on AKO; CW5 Wayne H. Jensen Jr.; 31:4

### **Army National Guard**

Army National Guard prepares for hurricane season with 'Connect Army Logisticians' comms; Stephen Larsen; 31:3

Texas Citizen Soldiers keeping the comms; SSG Mark Wojciechowski; 31:2

### **Awards and Recognition**

2006 Army Deployment Excellence Awards; Charles K. Ledebuhr; 31:3

11<sup>th</sup> Signal Brigade's Audie Murphy Inductees; Eric Hortin; 31:4

59<sup>th</sup> Signal Soldiers take brigade titles; Bill McPherson; 31:3

Army Deployment Excellence Award open for competition; Henry Johnson; 31:2

Bouchard receives first star; Charmain Brackett; 31:2

Four Distinguished Members inducted into Regiment; Susan Wood; 31:4

Deployed COMSEC worker excels, earns medal; Kevin Toolan; 31:3

JNN-N selected as: IDGA Network Centric Warfare Award winner; Michael J. Golden; 31:4

MG Gombacher funeral service held at Huachuca; 31:4

MG James C. Hylton – exit interview; Eric Hortin; 31:1  
NETCOM Soldiers aim for top honors; SSG Jeff Troth; 31:3

PM DWTS' Devine honored for 'Connect Army Logisticians' solution with Army Acquisition Excellence; Stephen Larsen; 31:1

Tobyhanna welcomes DDTP commander; Jacqueline Boucher; 31:1

### **Book Review**

Signal Corps Army Lineage Series; Rebecca Raines; 31:3

### **Black Network**

Black Network proves its mettle during Ulchi Focus Lens 2005; COL Robert Belthea Jr., MAJ Edward P. Mattison, Jared Shepard, and CPT Kevin Knowlen; 31:1

### **Colbra Gold**

16 team Signaleers deploy to Thailand for Cobra Gold; 1LT Adam C. Wagner; 31:3

### **Combined Arms Center**

Announcing the Inaugural Combined Arms Center Commanding General's 2006 writing competition; 31:1

### **Communications**

Commercializing comms in a 'Come-as-You-are' stability operation; LTC Michael R. McCaffery; 31:4

Commercial technologies in Iraq; MAJ Mike Parsons; 31:1

Communications validation; MAJ Anthony Roper; 31:4  
LWN-U trains for global communication; Kristy Davies; 31:3

National Communications Architecture: Required capabilities to support a JTF, challenges to

USNORTHCOM; LTC Reginald T. Cox and Retired COL Keith H. Snook; 31:4

Telecommunications service distribution in an expeditionary Army; CPT Ross W. Charton and 1LT (P) James R. Minicozzi; 31:1

Texas Citizen Soldiers keeping the comms; SSG Mark Wojciechowski; 31:2

TSM-SATCOM Update Ka-Band Satellite Transmit and Receive System AN-GSC-70(V); Debbie Linton; 31:1

USARSO provides new communications package; 1LT Andrew Thompson; 31:3

### **COTS**

Tactical COTS concept used for GWOT; CPT Jack Sander; 31:1

### **Defense Information Security**

Army takes first step toward implementing area processing centers; Gordon Van Vleet; 31:2

### **Disaster relief**

56<sup>th</sup> Sig Bn assists in Katrina disaster relief; 1LT Sharron Stewart; 31:1

67<sup>th</sup> does their best: communications; Kristy Davies; 31:1

Army National Guard prepares for hurricane season with 'Connect Army Logisticians' comms; Stephen Larsen; 31:3

G6, 35<sup>th</sup> Division's participation in Hurricane Katrina relief efforts; MAJ Francis Polashek; 31:1

Katrina task force volunteer meets President Bush; Stephen Larsen; 31:1

Signal Soldier proves blood IS thicker than water; SPC Brandon Aird; 31:1

## **Distance Learning**

**LWN-U trains for global communication;** Kristy Davies; 31:3

## **Doctrine**

**Doctrinal challenges with implementation of two-levels of maintenance in C&E arena;** Tim Landreth; 31:3

**New Signal doctrine manuals approved;** Rick San Miguel and Shawn P. Sweeney; 31:4

## **Internet Protocol**

**IPs provide JNN-N community timely, relevant CM data;** Josh Davidson; 31:4

## **ISYSCON**

**Part II: Integrated System Control;** MAJ Frederick Hollis; 31:3

## **ITSB**

**324<sup>th</sup> ITSB pre-deployment training;** CPT Greg Majewski; 31:4

## **HF Tracker Initiative**

**Great ideas start in the Balkans: High Frequency Tracker Initiative;** MAJ Karen Dill; 31:3

## **JNMS**

**'A new strategy' An update on the Joint Network Management;** Russell Benoit and Billy Rogers; 31:4  
**Fielding Underway AN Update on the Joint Network Management System (AN/USQ-176A (V) 1 and (V)2);** Billy Rogers and Russell Benoit; 31:2  
**Joint Network Management System (AN/USQ-176 [V] 1 and [V] 2);** Russell Benoit and Billy Rogers; 31:3  
**'Let the Fielding Begin' An update on the Joint Network Management System (AN/USQ-176A (V) 1 and (V) 2);** Billy Rogers; 31:1

## **JNN**

**101<sup>st</sup> fields new JNN communication system;** 1LT Jacqui Pruszczinski; 31:2

## **JNN-N**

**BG Tucker: JNN-N is making a contribution to the deployed force;** Josh Davidson and David Brackmann; 30:4

**Current Force Network IPT involves 'everybody';** Josh Davidson; 31:4

**IPs provide JNN-N community timely, relevant CM data;** Josh Davidson; 31:4

**JNN-N advances the Army towards modularity;** Josh Davidson; 31:4

**JNN-N selected as: IDGA Network Centric Warfare Award winner;** Michael J. Golden; 31:4

**JNN-N simulation continues transformation;** Tammy Moehlman; 31:1

**JNN-N support continues beyond production/fielding;** Josh Davidson; 31:4

**Joint Network Node-Network;** Barbara Carter; 31:2

**Joint Network Node-Network;** Camilla Wood; 31:4

**JUICE allows JNN-N staff to solve interoperability issues of future;** Josh Davidson; 31:4

**NetOps evolves from staff, Warfighter, Signal support;** Josh Davidson; 31:4

**NSC-T provides: JNN-N training support, remote troubleshooting, Soldier training;** Josh Davidson; 31:4

**Part I: Joint Network Node-Network;** MAJ Camilla Wood and Douglas Kuehl; 31:3

**Soldiers build careers through education;** Josh Davidson; 31:4

**Soldiers: JNN-N transmits more information, faster – saves lives;** Josh Davidson; 31:4

**SEC provides tools to maintain JNN-N;** Josh Davidson; 31:4

**Trust within C-E LCMC helps programs like JNN succeed;** Nada Brackmann; 31:4

**What Soldiers are saying about JNN-N: As viewed by S6 currently deployed in Iraq;** Josh Davidson; 31:4

## **JTF**

**National Communications Architecture: Required capabilities to support a JTF, challenges to USNORTHCOM;** LTC Reginald T. Cox and Retired COL Keith H. Snook; 31:4

## **JTRS**

**Joint Tactical Radio System;** COL Carole Best; 31:3

**JTRS and FCS synchronization;** COL Carole Best; 31:4

**JTRS Program restructuring;** COL Carole Best; 31:2

**JTRS Program Update;** Douglas A. Wilson; 31:1

## **LandWarNet**

**Eighth U.S. Army hosts 2006 LandWarNet Training Conference;** Jim Arrowood; 31:4

**LandWarNet – University redefines way Soldiers train;** Steve Brady; 31:3

**Lifelong Learning – Enabler for LandWarNet;** UIT members; 31:3

**Lifelong Learning – Future for training and education;** UIT members; 31:2

**LWN-U trains for global communication;** Kristy Davies; 31:3

**Signal training may add Marines;** Charmain Z. Brackett; 31:3

## **Life-Long Learning**

**LandWarNet – University redefines way Soldiers train;** Steve Brady; 31:3

**Lifelong Learning – Enabler for LandWarNet;** UIT members; 31:3

**Lifelong Learning – Future for training and education;** UIT members; 31:2

## **Military History**

**Signal Museum opens new exhibit with 1918 wire cart;** Kristy Davies; 31:3

**Signal Museum outreach;** Robert Anzuoni; 31:1

**Strange Signals: Muzak – thanks to George O. Squire;** Mike Rodgers; 31:1  
**Veterans reflects how technology has evolved since WWII;** Josh Davidson; 31:4

### **Modular Force**

**Army announces Unit Designations in the Modular Army;** U.S. Army Public Affairs; 31:1  
**'Load Balancing' RC modular force signal training requirement;** MAJ Jan C. Norris; 31:2

### **NETCOM**

**NETCOM Soldiers aim for top honors;** SSG Jeff Troth; 31:3

### **NETOPS**

**NetOps evolves from staff, Warfighter, Signal support;** Josh Davidson; 31:4

### **Observer Controller**

**Tactics, tips, procedures from observer controllers;** CPT Brian "Jake" Jacobson, MSG Adrian Borel, SFC Wyman Rosener, and SFC Brian Lowman; 31:4

### **Officer Training**

**551<sup>st</sup> CAPSTONE Exercise;** CPT Dave Richards; 31:2  
**Advance your career as an Army warrant officer;** CW3 A.J. Williams; 31:2  
**Basic Officer Leader Course;** John R. Turns; 31:2  
**Battalion & Brigade S6 Course;** MAJ James W. Bryant Jr.; 31:2  
**Change is one constant for F53 officer training;** LTC Bruce Caulkins and MAJ Allen Berry; 31:2  
**Critical Task Site Selection Boards: Vital to the Army;** Myrtle C. Alexander and Patrick S. Baker; 31:2  
**Signal Captains Career Course;** CPT Brian North; 31:3  
**Telecommunications Systems Engineering Course;** CPT Frank Ranero; 31:2

### **PM DWTS**

**PM DWTS' Devine honored for 'Connect Army Logisticians' solution with Army Acquisition Excellence;** Stephen Larsen; 31:1  
**PM DWTS provides critical power for Joint communications in Japan;** Stephen Larsen; 31:2

### **Redesign Conference**

**Redesign Conference addresses Signal future Part I;** Kristy Davies; 31:1  
**Redesign Conference addresses Signal future Part II;** Kristy Davies; 31:1

### **SATCOM**

**\$5 billion World-Wide Satellite Systems contract will offer on-stop shopping for federal agencies;** Stephen Larsen; 31:1

**AN/TSC-156A, SHF tri-band SATCOM Terminal – 'Phoenix';** Bill Campbell; 31:2  
**Logistician's recommendations save nearly \$23 million in MILSATCOM terminal Life Cycle costs;** Stephen Larsen; 31:4

**Tobyhanna improves military digital satellite terminals;** Anthony Richiazzi; 31:2

**TSM-SATCOM Update Ka-Band Satellite Transmit and Receive System AN-GSC-70(V);** Debbie Linton; 31:1

**World-wide Satellite Systems contract awarded, will support all federal communications missions;** Stephen Larsen; 31:4

### **Security Engineering**

**'DITSCAP Me!' The necessary of security engineering;** Jaqueline B. Tegre and Theodore Hendy; 31:2

### **Signal Corps Lineage**

**Signal Corps Army Lineage Series;** Rebecca Raines; 31:3

### **Signal Corps Museum**

**Signal Museum opens new exhibit with 1918 wire cart;** Kristy Davies; 31:3  
**Signal Museum outreach;** Robert Anzuoni; 31:1

### **Signal Training**

**Every classroom a command post;** Kristy Davies; 31:3  
**Signal training may add Marines;** Charmain Z. Brackett; 31:3  
**Soldiers build careers through education;** Josh Davidson; 31:4  
**Soldiers test network skills for 21<sup>st</sup> Century Warfare;** 31:3

### **Soldier Training**

**After AIT: Advanced Immersion;** CPT Shannon Sanford; 31:2  
**Close combat teaches discipline, self confidence;** 1LT Kalin M. Reardon; 31:2

### **Tobyhanna**

**1000<sup>th</sup> new survival radio ready;** 31:3  
**Depot gives TSC-86A new lease on life;** Jacqueline Boucher; 31:2  
**Depot Resets Black Hawk avionics systems;** Anthony Ricchiazzi; 31:3  
**Depot's computer warranty repair aids war on terrorism;** Anthony Ricchiazzi; 31:1  
**Tobyhanna improves military digital satellite terminals;** Anthony Richiazzi; 31:2

### **Ulchi Focus Lens 2005**

**Black Network proves its mettle during Ulchi Focus Lens 2005;** COL Robert Belthea Jr., MAJ Edward P. Mattison, Jared Shepard, and CPT Kevin Knowlen; 31:1

### **V Corps**

**V Corps Signal Company working to put itself out of**

business in Iraq; CPT Herbert Brychta; 31: 2  
 V Corps Signal Soldiers in Iraq learn fine art of fiber optics; CPT Dan Burns; 31; 2  
 V Corps Signal Team keeps Coalition Forces at remote Iraq camp talking; SSG Engels Tejeda; 31:2

**Warfighter**  
 DoD, industry leaders meet to support Joint Warfighter; Anthony Ricchiazzi; 31:1  
 NetOps evolves from staff, Warfighter, Signal support; Josh Davidson; 31:4

**Vehicle Intercom System**  
 New Vehicle Intercom System production facility helps meet growing demand from Iraq, total force units; Stephen Larsen; 31:3

**War on Terrorism**  
 Depot's computer warranty repair aids war on terrorism; Anthony Ricchiazzi; 31:1  
 Tactical COTS concept used for GWOT; CPT Jack Sander; 31:1

2006 Index

# Doctrine update


Updates in Signal doctrine from Directorate of Combat Developments, Army Signal Center, Fort Gordon, Ga.

## CONCEPT CAPABILITY PLANS SHAPE EMERGING SIGNAL DOCTRINE

By Richard C. Breakiron and MAJ Jim Lopez

The Signal Regiment's Capabilities Development and Integration Directorate<sup>1</sup> is designated under an Integrated Concept Development Team charter to lead the development of two Concept Capability Plans: the Network Transport and Services, and the Electromagnetic Spectrum Operations. The CCPs must support the full span of operational conditions: Garrison, Alert/Mobilization, Enroute/Deploy, Initial Entry, Decisive Operations, and Stability and Sustainment. Implicit in this analysis is the net-centric operational environment requirement for a standard of minimal to no interruption of network services.

The Network Transport and Services CCP will focus on a knowledge-based network of networks that ensures decision and information superiority and the synchronization of activities necessary for decisive mission accomplishment. The network is defined as all end-to-end information capabilities, associated processes, and personnel for collecting, processing, storing, disseminating, and managing information on



**Figure 1.** demand to warfighters, policy makers, and support personnel across the Joint Force unhindered by distance, terrain, weather, or hostile activity. Information will include all media types of voice, data, and video. This CCP will integrate network transport, network services, network communications relay, assured mobility communications, Future Force Network, and the federation of networks.

To ensure its effectiveness, the CCP must focus on the role of the commanders and key decision

makers in the field who depend on this information to make critical combat decisions. Upon its completion, the Network Transport and Services CCP will outline the necessary details and architecture to allow for testing and experimentation of all facets of the networks associated with the stated capabilities.

The Electromagnetic Spectrum Operations CCP will focus on the tactical deployed unit that incorporates spectrum management, frequency assignments, policy, and host

# Signal Doctrine Access

Approved Doctrine on AKO (<https://www.us.army.mil>)

Access Signal Doctrine for review on AKO.

Go to [www.gordon.army.mil/doctrine](http://www.gordon.army.mil/doctrine)  
Login with AKO Username and Password  
Draft Doctrine for Review and Downloading

ACCESS FMIs & FMIIs Signal Doctrine on AKO:

- FMI 6-02.43, *Signal Leaders Guide*
- FMI 6-02.45, *Signal Support to Theater Operations*
- FMI 6-02.50, *Corps, Division and Brigade Level Units*
- FMI 6-02.53, *Combat Radios*
- FMI 6-02.71, *Network Operations*

Approved Doctrine Reimer Digital Library <https://atiam.train.army.mil/soldierPortal>

- FMI 6-02.60, *TTPs for the JNN-N*
- FMI 6-02.70, *Army Electromagnetic Spectrum Management Operations*

POC [signal.doctrine@us.army.mil](mailto:signal.doctrine@us.army.mil) or [doctrine@gordon.army.mil](mailto:doctrine@gordon.army.mil) DSN 780-6506



The Signal Regiment is making every effort to meet the doctrinal needs of our forward-deployed forces. Commanders and forward-deployed forces are encouraged to view and download current approved doctrine on the Reimer Digital Library and Army Knowledge Online Doctrine knowledge areas (see Figure 2).

## Footnotes:

<sup>1</sup>*Concepts and Doctrine Branch, now part of the CDID, formerly known as Combat Development Directorate.*

*Mr. Breakiron, retired Signal Corps major now employed by Janus Research Group, is working in the Concepts and Doctrine Branch, Capability Development and Integration Directorate. He has been a consultant for numerous Department of Defense and federal agency projects including the development of the Management Information Systems, Decision Theory, and Management Control Systems, and Capstone courses for the Defense Leadership and Management Program. His final active duty assignments were as Associate Professor for Economics, Department of Social Science, at the United States Military Academy and as the director of 5<sup>th</sup> Signal Command's first Theater Network Operations Center.*

*MAJ Lopez is a Signal Officer and a graduate of the Combat Developers Course with more than 25 years experience. He has served in a myriad of Signal units to include tactical, strategic, and training. He is currently assigned to Fort Gordon's Concepts, Requirements & Doctrine Division, CDID.*

Figure 2.

nation coordination to enable the efficient use of the electromagnetic spectrum battlespace for combat operations. Spectrum operations consider both military and non-military applications for the future modular force. Electromagnetic spectrum operations enable and support network operations for communications systems and all domains of electronic warfare. It consists of planning, coordinating, and managing joint use of the electromagnetic spectrum through operational, engineering, and administrative procedures. The Electromagnetic Spectrum Operations CCP will provide the necessary detail and framework for the Capabilities Based Assessment to ensure that capability gaps are overcome and that electronic systems are able to perform their functions in the intended environment without causing or suffering unacceptable frequency interference.

Approved CCPs are the foundation for the capabilities-based assessments, which upon completion initiate either a Doctrine Change Request or an Initial Capabilities Document. The DCR is used for a non-materiel solution, and the ICD is

used when a materiel solution is required. Upon completion of the CBA process, the analysis is submitted to Training and Doctrine Command for a Post Independent Analysis to determine whether a DCR, ICD, or both DCR and ICD are implemented. Figure 1 outlines the process a concept takes from strategic assessment to doctrine development.

When the doctrine process is initiated, a field manual is updated or a field manual interim is written to meet the organizational changes that have been developed due to new threats. The FMI provides an expedited delivery of urgently needed doctrine that the proponent has approved for use without placing it through the standard development process. The FMI will continue to evolve to meet the rapidly changing operational environment and will eventually become an approved FM within two years. FMI 6-02.60, Tactics Techniques and Procedures for the Joint Network Node-Network, and FMI 6-02.70, Army Electromagnetic Spectrum Management Operations, will be significantly impacted by the development of these two CCPs.

## ACRONYM QUICKSCAN

CBA – capabilities -based assessments  
CCP – concept capabilities plans  
CDID – Concepts and Doctrine Branch, Capability Development and Integration Directorate  
DCR – Doctrine Change Request  
FM – frequency modulation  
ICD – Initial Capabilities Document

# TCM update

Updates from Training and Doctrine Command Capability Manager for networks and services including satellite communications, tactical radio and Warfighter Information Network-Tactical

## TCM-SATCOM

### TCM-SNE UPDATE (SATCOM)

By LTC Gene E. Griffin and TCM SNE Action Officers

We have a name change! By the time this article is published, we will no longer be TSM SATCOM. Under the Training and Doctrine Command Center of Excellence reorganization, we become TRADOC Capability Manager for Satellite Communications and Network Extension or TCM SNE. Meanwhile, we are heavily engaged in a variety of Doctrine, Organization, Training, Materiel, Leadership and Education, Personnel and Facilities or DOTMLPF actions to ensure the current and future forces are equipped with the best beyond line-of-sight communications available.

This update will focus on the status of several SATCOM programs important to the modular force, to include AN/TSC-154 Secure Mobile Anti-Jam Reliable Tactical Terminal, Global Broadcast Service, AN/TSC-156 Phoenix, AN/TSC-85/93DGMF terminals, AN/PSC-5C Shadowfire, Defense Advanced GPS Receiver, and AN/PRQ-7 Combat Survivor Evader Locator.

Intense coordination between our office, Forces Command, Headquarters Department of the Army G-3/CIO-G6/G-8, Army Test and Evaluation Command, Army Materiel Command, ASA(ALT), and Program Executive Office/Program Manager community has ensured that SATCOM systems are delivered in time for modular unit conversions, unit training and pre-deployment readiness exercises, and ultimate deployment in accordance with the Army Forces Generation model.

#### AN/TSC-154 Secure Mobile

**Anti-Jam Reliable Tactical Terminal:** Provides a protected (Low Probability of Intercept, Low Probability of Detect, Low Probability of Intercept, Anti-Jam) beyond line-of-sight command and control communications capability in threat environments with a medium data rate (up to 1.544 Mbps). This terminal operates on the MILSTAR satellite constellation. The requirement is two per brigade and three at division; however, available funding limits us to an authorization of one per brigade and three per division. The AN/PSQ-17 Extremely High Frequency Communication Planning System is fielded with the Secure Mobile Anti-Jam Reliable Tactical Terminal which allows decentralized control and resource allocation. To date, all active duty units have been fielded SMART-T and Communication Planning System, with the exception of pending changes for modular 1st Armored Division units. Current actions include: fielding SMART-T to Army National Guard units; force design update to add two SMART-T systems for Corps; and system redesign to comply with the Up-Armored Highly Mobile Multi-wheeled Vehicle mandate. The SMART-T will be upgraded beginning in fiscal year 2008 to coincide with the Advanced Extremely High Frequency constellation launch. The upgrade will include improved protection, higher data rates (up to 8.192 Mbps), and an improved communication planning tool (AEHF Mission Planning Element).

Point of contact on this subject is Dean Hokrein; DSN: 780-8156.

**Global Broadcast Service:** Provides a high data rate (23.5 Mbps) one-way broadcast of data and video down to the battalion command post. The system consists of a primary injection point, a



SMART-T

theater injection point, and the AN/TRS-8 Tactical Ground Receive Suite. The previously fielded ATM-based Tactical Ground Receive Suite is being replaced with a lighter, more capable Internet Protocol version. This terminal operates on the Ka-capable UHF Follow On satellites and commercial Ku satellites. The system is still in testing and is not yet approved for full rate



GBS TGRS

production. However, in response to several unit-generated operational needs statements, the system is currently being fielded in limited quantities to deploying units under an urgent materiel release. To date, 120 TGRS have been issued, with a projected 60 more in FY07. Current actions include: detailed planning for a Multi-Service Operational Test and Evaluation (April 07) in preparation for a full rate production decision in FY08; and force design update to increase basis of issue authorizations to meet Modularity requirements.

Point of contact for this subject is: Lynn Epperson; DSN: 780-2352.

### AN/TSC-156 Quad-Band

**Phoenix:** Provides quad band (C, X, Ku and Ka) range extension, transport capability with high data rates (Block 1=10 Mbps; Block 2=20 Mbps). This rugged commercial based system is mounted on an M-1113 Enhanced Capability Vehicle (Block 1 & early Block 2) or M-1152 ECV (production Block 2). It is being fielded to the Integrated Theater Signal Battalions based on Major Army Commands initiated Operational Needs Statements. Based on the ITSB doctrine, the Phoenix can provide range extension transport to Joint Task Force Headquarters, Echelons above Corps support, or provide task organized support down to brigades (see previous editions of *Army Communicator* for Phoenix details).



AN/TSC-156 Quad-Band Phoenix

Current actions include: upgrading previously fielded Block 1 systems to Block 2 (Ka capable) standard (AN/TSC-156A); fielding remaining units with production Block 2 systems mounted on M-1152 Enhanced Capability Vehicles (AN/TSC-156B) and reconfiguring the system to comply with the long term up-armored strategy.

Phoenix Block 2 terminals are also being procured for use as the Global Broadcast Service Theater Injection Point Radio Frequency function.

Point of contact for this subject is: Bill Campbell; DSN: 780-7886.

### AN/TSC 85D & 93D Ground Mobile Forces SATCOM Terminals:

As units convert to modular formations, the Department of the Army directs units to return their existing AN/TSC 85/93s to depot for refurbishment,



**AN/TSC-85** bishment, an upgrade to the D Model, and then cascaded to the Active, Reserve, and National Guard EAC units, to include the ITSBs. A total of 81 AN/TSC 85 and 121 AN/TSC 93 will be upgraded and fielded across the force. To date, more than 50 percent of the total fielding is complete. The fielding is projected to be completed in September 2008. The



AN/TSC-85

systems will be upgraded with armor in accordance with the Long Term Armor Strategy.

Point of contact for this subject is: Paul Chernek; DSN: 780-7490.

### Defense

**Advanced GPS Receiver:** The Defense Advanced GPS Receiver is the latest handheld military GPS receiver. Selective Availability Anti-Spoofing Module technology allows the DAGR to



function much more effectively in an electronic warfare environment than its predecessor, the Precision Lightweight GPS Receiver, and much better than current commercial GPS receivers. The DAGR was designed to not only work effectively during electronic warfare conditions but its user-friendly design also allows it to fit into a standard ammunition pouch and to use standard AA batteries as the primary power source. To date, more than 52,000 DAGRs are fielded with thousands of troops receiving training on the use of the DAGR. Fielding for the next couple of years will see an additional 31,000 DAGRs going to members of all United States armed forces.

Point of contact for this subject is: MAJ Robert Cannaday; DSN: 780-4242.

### AN/PSC-5C SHADOWFIRE:

The SHADOWFIRE is the upgrade to the previously fielded AN/PSC-5 Spitfire radios. The SHADOWFIRE provides the additional capabilities of single channelled air-to-ground radio system or single-channelled ground to air radio system, HaveQuick I and II, and Maritime operating modes, increased data rates up to 48 kbps, and vastly increased communications

security capabilities to include Over-the-Air Rekey and Over-the-Air Transmit. The upgrade includes an embedded ViaSat Personal Data Controller capability, eliminating the need for a Personal Computer Memory Card International Association card to transmit data. Fielding of the upgrade kits is ongoing, with the objective being all terminals upgraded after funding is received from the FY07 supplemental budget. Currently, approximately 2100 upgrade kits have been purchased to upgrade terminals fielded (approximately 3435 – radios and spares).

To date, almost 100 of the kits have been fielded to units.

Point of contact for this subject is: Cori Braswell: DSN: 780-7934.

### AN/PRQ-7 Combat Survivor

**Evader Locator:** The Combat Survivor Evader Locator radio is being fielded to replace the old survivor radios which include the AN/PRC-90 and AN/PRC-112. The radio provides enhanced features to the LOS voice of the old radios. It can do six programmable UHF unencrypted voice frequencies along with the standard four emergency frequencies. It provides data messaging in Ultra High Frequency SATCOM mode and embedded Selective Availability Anti-Spoof Module GPS functions. It also has beacon capabilities that include the new 406 MHz satellite beacon mode. The radio is being fielded to 70 percent of the documented requirements for the Army Aviation and Special Forces units. This provides approximately one radio per aircraft for the Aviation units and 70 percent of the Soldiers in a Special Forces Group. To date approximately 3,552 of the 8,505 funded terminals have been fielded or in the process of being fielded.



**CSEL**



**AN/PSC-5C SHADOWFIRE**

## ACRONYM QUICKSCAN

AD – Armored Division	IAW – in accordance with
AEHF – Advanced Extremely High Frequency	ITSB – Integrated Theater Signal Battalions
AJ – Anti-Jam	JTF – Joint Task Force
AMC – Army Materiel Command	LOS – line-of-sight
AMPE – AEHF Mission Planning Element	LPD – Low Probability of Detect
ARFORGEN – Army Forces Generation	LPI – Low Probability of Intercept
ASA (ALT) – Assistant Secretary of the Army (Acquisition, Logistics, and Technology)	MACOM – Major Command
ATEC – Army Test and Evaluation Command	ONS – Operational Needs Statements
ATM – Asynchronous Transfer Mode	OTAR – Over-the-Air Rekey
C2 – Command and Control	OTAT – Over-the-Air Transmit
COMSEC – communications security	PCMCIA – Personal Computer Memory Card International Association
CP – Command Post	PDC – Personal Data Controller
CPS – Communication Planning System	PEO – Program Executive Office
CSEL – Combat Survivor Evader Locator	PIP – primary injection point
DAGR – Defense Advanced GPS Receiver	PLGR – Precision Lightweight GPS Receiver
DOTMLPF – Doctrine, Organization, Training, Materiel, Leadership and Education, Personnel and Facilities	PM – Program Manager
EAC – Echelons above Corps	POC – point of contact
ECV – Enhanced Capability Vehicle	RF – Radio Frequency
EHF – Extremely High Frequency	SAAAM – Selective Availability Anti-Spoof Module
EW – electronic warfare	SATCOM – satellite communications
FORSCOM – Forces Command	SINCGARS – single-channeled ground to air radio system
FY – fiscal year	SMART-T – Secure Mobile Anti-Jam Reliable Tactical Terminal
GBS – Global Broadcast Service	TCM SNE – TRADOC Capability Manager for Satellite
GMF – Ground Mobile Forces	Communication and Network Extension
GPS – Global Positioning System	TGRS – Tactical Ground Receive Suite
HMMWV – Highly Mobile Multi-wheeled Vehicle	TIP – theater injection point
HQDA – Headquarters, Department of the Army	TRADOC – Training and Doctrine Command
	UFO – UHF Follow On
	UHF – Ultra High Frequency
	UMR – urgent materiel release

Point of contact for this subject is: Cori Braswell: DSN: 780-7934.

LTC Griffin is currently assigned as the military deputy for TCM-SNE, SATCOM, Fort Gordon, Ga. He is an acquisition corps officer with various assignments and certifications in program management, test and evaluation, and research and development. His operational experience consists of typical command and staff assignments as a combat engineer. Griffin graduated from USMA in 1987 with a B.S. in Mechanical Engineering and received a masters in acquisition management from Florida Institute of Technology in 1996. Updates for this article were prepared by TCM-SNE action officers.

## TCM-WIN-T

### TCM NS (WIN-T)

By Russell Benoit

TSM WIN-T is now part of the Capabilities Development Integration Directorate organization and our name has changed to the Training and Doctrine Command Capabilities Manager Networks and Services.

As part of the CDID restructuring, TCM NS assumes all program responsibilities after the Initial Capabilities Document is complete (milestone A) for the following: Warfighter Information Network – Tactical; Bridge to Future Network (Joint Network Transport Capability – Spiral and Joint Network Node); Integrated System Control; Army Key Management System, Local Key Management System, Army Communications Engineering System, and Simple Key Loader; Joint Network Management System; Common Management System; LandWarNet Network Transport and Services Mission area; integration of separate networks into one LandWarNet; Tactical Operation Center, Army Battle Command Information Services, and other common servers migration to network provided services; Army implementation of Global Information Grid Enterprise Services; Network Operations Systems; and the integration of all Army, joint, strategic, interagency,

multinational, combined, and commercial information systems. TCMs will continue to provide life-cycle-support through the life of the system addressing unit concerns and represent user at Configuration Control Boards and Post Deployment Software Support/Post Production Software Support reviews.

Information provided by Russell Benoit, TCM NS, 706-791-7501. DSN prefix is 780. Email addresses are benoitr@gordon.army.mil

Mr. Benoit is currently an assistant TCM and senior telecommunications specialist for TCM NS. Benoit has been working Network Operations and JNMS since 1997.

## ACRONYM QUICKSCAN

ACES – Army Communications Engineering System  
AKMS – Army Key Management System  
BFN – Bridge to Future Network  
CCB – Configuration Control Boards  
CDID – Capabilities Development Integration Directorate  
CMS – Common Management System  
GIG – Global Information Grid  
ICD – Initial Capabilities Document  
ISYCON – Integrated System Control  
JNCT-S – Joint Network Transport Capability – Spiral  
JNMS – Joint Network Management System  
JNN – Joint Network Node  
LCMS – Local Key Management System  
PDSS – Post Deployment Software Support  
PPSS – Post Production Software Support  
SKL – Simple Key Loader  
TCM NS – TRADOC Capabilities Manager Networks and Services  
TOC – Tactical Operation Center  
TRADOC – Training and Doctrine Command  
WIN-T – Warfighter Information Network – Tactical

## TCM-JNMS

### UPDATE ON THE JOINT NETWORK MANAGEMENT SYSTEM

By Russell Benoit and Billy Rogers

The Joint Network Management System planning and management functionalities are being separated in the next software release (Version 1.4). The overall system footprint will also be reduced by implementing the software on laptop computers; replacing the transit cased mounted servers. The software is currently in contractor Functional Qualification Testing in Piscataway, N.J. The FQT is scheduled for completion in February 2007. The Army's Test and Evaluation Command will then conduct an independent government assessment of the new software baselines using military communications planners and managers. Upon successful completion of the Government Assessment, the JNMS Product Manager, NetOps-Current Force, will obtain approval from the Milestone Decision Authority to begin fielding in 2nd quarter fiscal year 2008. The joint fielding plan is currently being revised to reflect the changes in which units will be getting which functionality (planning, management or both). The Army fielding plan will be prioritized and approved by HQDA G3. The Army fielding plan has now been validated and approved by Department of the Army, G3.


The Inter-Service Training Review Organization study that was conducted to determine the feasibility of consolidating all Service's resident JNMS training at Fort Gordon was approved in October. Personnel actions to obtain the required instructors from each of the Services have been initiated. Equipment installation is scheduled for May 2007 followed by instructor training in the June/July timeframe. The first iteration of JNMS training is scheduled to begin in 1st quarter FY08.

For further information on JNMS, contact Russell Benoit or Billy Rogers, TCM NS, 706-791-7501/2334, respectively. DSN prefix is 780. Email addresses are benoitr@gordon.army.mil or rogersb@gordon.army.mil.

Mr. Benoit is currently an assistant TCM and senior telecommunications specialist for TCM NS. Benoit has been working Network Operations and JNMS since 1997.

Mr. Rogers is a Senior Systems Analyst with Femme Comp, Inc. and provides TSM NS (formerly TSM WIN-T) with contract support services for the JNMS program. Mr. Rogers has been the primary TRADOC point of contact for the JNMS since 1998. He managed the development of network management programs for the Defense Information Systems Agency prior to his retirement from the Army and also provided contract support services to TSM Network Management before its merger with TSM WIN-T in 2001.

## JTRS Integrated Architecture View



### ACRONYM QUICKSCAN

- A TEC – Army's Test and Evaluation Command
- FQT – Functional Qualification Testing
- FY – Fiscal year
- GA – government assessment
- ITRO – Inter-Service Training Review Organization
- JTMS – Joint Network Management System
- MDA – Milestone Decision Authority
- TSM NS – TRADOC System Manager for Networks and Services

### TCM-TACTICAL RADIO

## JOINT TACTICAL RADIO SYSTEM UPDATE: TACTICAL NETWORKING

By COL John K. Dewey

The Joint Tactical Radio System is a transformational communications capability that will bring the "network" to brigade and below, mounted and dismounted, Soldiers. JTRS will connect the warfighter on the ground into the networking capabilities that are delivered through the Global Information Grid.

A Joint Tactical Radio set is a software-defined radio allowing it to be reprogrammed via software to alter its basic functions. The main software in a JTR is the waveform. A waveform is a set of radio and communications functions performed on inputs before transmitted as radio frequency output. In a JTR the waveform is implemented software. The reprogrammable nature of the software waveform giving it multiple radio and networking capabilities, including legacy capabilities in one JTR set.

Wireless tactical networking is one of the most critical capabilities a JTRS software-defined radio will provide to the warfighter. The new JTRS networking waveforms enable extension of networking to the battalion, company, and dismounted soldiers. These new networking waveforms cover a wide range of needs in the tactical domain and include the following: Wideband Networking Waveform; Soldier Radio Waveform; Joint Airborne Network – Tactical Edge and Mobile User Objective System. Each of these waveforms fills a particular operational need in the tactical environment, yet each provides a common transport function for Internet Protocol – based traffic.

Figure 1 illustrates how the new JTRS networking waveforms interoperate to extend the network below battalion to the dismounted Soldier.

### The Waveforms

WNW supports the ground vehicular environment and provides mobile, backbone routing capabilities. WNW's adaptive networking architecture is optimized for network routing performance, network stability, and higher data throughput. SRW is optimized for dismounted applications and small form factors (severe size, weight, and power constraints). SRW forms stub networks (small clusters of terminals with limited transit capability to other SRW networks that rely on WNW for backbone services). SRW extends the network to battery-powered platforms including dismounted soldiers and unmanned systems. The JAN-TE waveform supports the tactical airborne domain of weapons platforms that require very low-latency traffic. The MUOS Common Air Interface waveform provides beyond line-of-sight satellite communications.

### The Environment

The employment of IP net-

<b>Capability</b>	<b>WNW</b>	<b>SRW</b>
<b>Intended Waveform Applications</b>	High capacity backbone network	Battery powered applications – Land Warrior, Sensors, Intelligent Munitions, UAVs, UGVs
<b>Maximum Data Rate</b>	2 Mbps	2 Mbps
<b>Signals in Space / Modes</b>	1) OFDM - Wideband, bandwidth efficient 2) LPI/LPD-Low data rate spread waveform 3) AJ - Wideband anti-jam, less efficient 4) BEAM - Narrowband applications	1) Combat Comms – wideband, bandwidth efficient 2) LPI/LPD spread featureless 3) Electronic Warfare – wideband anti-jam
<b>Special features for SWAP</b>	Waveform designed for vehicular use, no features in support of SWAP	Energy based routing metrics, power management
<b>Algorithm Complexity and Processing Load</b>	USAP/TDMA and Routing - <u>930 MIPS</u>	Hybrid CSMA/TDMA MAC and Routing - <u>200 MIPS</u>
<b>Network Size</b>	Up to 1630 nodes	Up to 800 nodes
<b>Range Requirement</b>	10 km ground vehicle to ground vehicle	1 – 5 km dismounted SFF user to dismounted SFF user.

**Table 1 Capabilities of WNW and SRW**

working at the tactical edge is challenging because most commercial IP networks are static and operate over very high bandwidth transport connections. The opposite is true in JTRS. Network nodes physically and logically move and the bandwidth of connections between nodes is limited. Mobile ad-hoc networking protocols are designed to handle these mobile environments. Each JTRS networking waveform employs a MANET protocol designed for a particular environment. These protocols interact with the IP layers in the radios to enable terminal mobility and mask the network dynamics from the host applications to facilitate end-to-end connectivity.

**Wideband Networking Waveform**

The JTRS WNW provides a wideband interoperable waveform supporting key mobile backbone subscribers and joint service communication needs. The Army’s operational objective for WNW is three-fold. The primary objective is to perform backbone routing and re-transmission, to include range extension for the Soldier Radio

Waveform nets, and the legacy radio nets (SINCGARS, EPLRS). Secondly, WNW will serve as a GIG access point (Gateway) for all IP-capable, tactical, radio nets. Third, the JTRS WNW will augment the Joint Network Node-Network and Warfighters Information Network – Tactical Tactical Operation Centers to TOC communication requirements. The Army is targeting WNW for vehicular configurations (HMMWV, Abrams, Bradley, etc.), Class IV Unmanned Aerial Vehicles, and rotary-wing aircraft such as the Apache, Chinook, and Blackhawk. WNW will be used to provide a connected backbone between the ground and airborne domains.

**WNW Features / Technical Characteristics**

WNW is targeted to provide a voice capability as well as a robust IP data delivery capability (2-Mbps minimum / 5 Mbps desired). WNW uses common IP-based networking concepts, as well as, new mobile ad-hoc networking technology to integrate voice, video, and data communications. WNW occupies the following bands of the frequency

spectrum: 225-450 MHz, 1350-1390 MHz, and 1755-1850 MHz. In addition it has the following minimum transmission ranges: Air-to-Air (370 km), Air-to-Ground /Surface (370 km), Ground-to-Ground (10 km), Ship-to-Ship (28 km), and Ship-to-Shore (at least 28 km).

A heterogeneous networking core is the main component of the waveform. It provides a common set of standardized protocol elements that integrate the wireless network into an interoperable, connected, IP network. The HETNET core provides IP support, internet routing (unicast - point to point, multicast - point to multipoint), Quality of Service, directory services (Domain Name Services, Dynamic Host Configuration Protocol), network management, communication security (High Assurance Internet Protocol Encryption, Public Key Infrastructure), and information assurance. The HETNET core uses industry standard routing protocols (non-proprietary) such as Open Shortest Path First and Border Gateway Protocol that are interoperable with our current force. The HETNET core provides a black core routing capability. The black core routing permits encrypted IP packets from one Radio Frequency subnet to be directly routed to another RF subnet without an intermediate encryption and decryption process. The transit networking capability of WNW uses black core routing between its RF subnets to form a common heterogeneous network. The black core network can be extended to other external networks or the encrypted packets can be unencrypted via HAIPE and passed to red-side networks that carry user traffic. User traffic at different security levels will be cryptographically separated by the HAIPE and the radio platform’s security architecture. The JAN-TE and SRW networks are intended to serve as stub networks for their end-user applications. As stub networks, these networks will have minimal inherent routing capability and will connect to WNW transit networks via

external gateway devices.

The Mobile Intranet layer of WNW performs the mobile ad-hoc networking function by maintaining a multi-level link state routing topology of the network. The MI layer manages network resources to ensure the waveform maintains a connected topology that can be quickly sent to the routing table for IP delivery. In addition the MI layer controls data flow to maintain quality of service.

The Mobile Data Link layer provides Media Access Control and logical link control services. This layer is where data time slotting is allocated and controlled by the waveform. The MDL uses a hybrid Time Division Multiple Access / Frequency Domain Multiple Access technique called Orthogonal Domain Multiple Access in combination with a protocol named Unifying Slot Allocation Protocol. These features allow the waveform to fully distribute the negotiation of time slots and to adapt the data rate to channel conditions.

The Signals In Space layer of the WNW has four different signals in space. They are Orthogonal Frequency Domain Multiple Access (OFDM - wideband), Anti-jam (wideband), BEAM (narrowband), and LPI/LPD (Low Probability of Intercept/Detection - Narrowband). The SIS layer covers a variety of bandwidths and data rates. Each signal in space is a unique signaling method. However, a single transmission security design supports all signals in space.

### **Soldier Radio Waveform**

The Soldier Radio Waveform is a JTRS software-defined waveform that will operate on the HandHeld, Man-Pack and Small Form Fit JTR sets to provide a networked battlefield communications capability for disadvantaged users engaged in land combat operations. SRW will provide network functions and communications services to support delivery of classified and unclassified voice, video, and data communications to the immediate battlefield. SRW is targeted to operate on

the following types of platforms: vehicles (manned and unmanned), rotary wing aircraft, dismounted Soldiers, munitions, sensors, and Unmanned Aerial Vehicles. Functional software applications will use SRW-enabled JTR sets for information transport over IP-capable networks. SRW will be interoperable with WNW and use this higher-throughput, networking waveform for backbone routing.

This connectivity will enable information exchanges through the Global Information Grid to the soldier and provide entirely new capabilities for battlefield communications and information sharing. SRW has a push-to-talk Combat Net Radio capability as well as a point-to-point calling capability.

These services are provided through the global and local CNR applications running on the red side of the waveform stack. SRW will provide a throughput data rate from 50 Kbps up to 2 Mbps depending on the operational mode of the waveform.

In addition to SRW's new voice and data capability, it will also be backward compatible and interoperable with EPLRS, SINCGARS, HF, and UHF SATCOM legacy radio nets through the route and retransmission functions that reside on the JTR set.

### **SRW Features / Technical Characteristics**

SRW supports frequency channels with discrete bandwidths for Combat Communications, Electronic Warfare, and LPI / LPD modes of operation. It occupies frequency bands 225-420 MHz and 1350-2500 MHz.

Transmission ranges of the SRW waveform are dependant upon the JTR form factor and the operational mode of the waveform. The MP variant has a Line-of-Sight range of up to 10 Km while the HH JTR transmission range is five Km. The SFF variants (B, C, and I), which are used in the Ground Soldier System, have a minimum transmission requirement of five Km. SRW operating on the one channel SFF-A

for Intelligent Munitions Systems and Unattended Ground Sensors has a minimum requirement of five Km, while the two channel SFF-H has a one Km requirement.

SRW has three operational modes. They are CC, EW, and LPI / LPD. SRW communication modes are configurable with respect to operating frequency, bandwidth, modulation, coding, and transmit power to support spectrum management policies and worldwide regulations for over-the-air operation.

The SRW waveform parameters will automatically adapt to traffic loading, propagation, interference, and electronic warfare threat conditions. CC mode is the primary mode of operation at startup and is used to support Soldier System, Non Line-of-Sight Launch System, and UAV / UGV domains.

This mode is primarily intended to provide networked and point-to-point communications between the SRW embedded systems platforms. SRW will dynamically adapt the links based on channel propagation conditions through mechanisms such as adaptive data rates, and Forward Error Correction.

In this mode of operation, SRW will perform network control handshaking / signaling to support network join functions. Point-to-point and point-to-relay-to-point connections will receive between one Mbps and two Mbps throughput in the CC mode. The EW mode is the normal start up mode for the UGS and IMS domains. This mode will provide an additional 10 dB signal-to-jammer margin over the CC mode, while still providing a network throughput of 100 to 300 Kbps for its nodes.

The SRW Featureless LPI / LPD operating mode will support covert operations using LPI / LPD techniques and has the capability to be networked with a minimum of 10 nodes per subset. Table 1 displays the key capabilities of the WNW and SRW waveforms.

### **Multiple Waveforms – Network of**

## Networks

Each JTRS product is designed with a basic networking architecture to enable it to support specific tactical operations. The combination of MANET technologies, black core IP routing, HAIPE and multiple levels of red IP networks, and network management are the basic components of the JTRS networking architecture. This networking architecture will use each of the new networking waveforms in concert with the legacy radio waveforms to create a dynamic, interoperable network-of-networks. The JTRS network is a truly transformational communications capability for the warfighter.

*COL Dewey became TRADOC Capability Manager for Tactical Radios at Fort Gordon, Ga., as of Oct. 20, 2006.*

## ACRONYM QUICKSCAN

BGP – Border Gateway Protocol	MDL – Mobile Data Link
CAI – Common Air Interface	MI – Mobile Intranet
CC – Combat Communications	MP – Man-Pack
CNR – Combat Net Radio	MUOS – Mobile User Objective System
DHCP – Dynamic Host Configuration Protocol	NLOS-LS Non Line-Of-Sight Launch
DNS – Domain Name Services	ODMA – Orthogonal Domain Multiple Access
EPLRS – Enhanced Position Location and Reporting System	OFDM – Orthogonal Frequency Domain Multiple Access
EW – Electronic Warfare	OSPF – Open Shortest Path First
FEC – Forward Error Correction	PKI – Public Key Infrastructure
FDMA – Frequency Domain Multiple Access	QoS – Quality of Service
GIG – Global Information Grid	RF – radio frequency
GSS – Ground Soldier System	SFF – Small Form Fit
HAIPE – High Assurance Internet Protocol Encryption	SINGARS – Single-Channeled Ground-to-Air Radio Systems
HETNET – heterogeneous networking	SIS – Signals In Space
HH – Hand Held	SRW – Soldier Radio Waveform
IP – Internet Protocol	SS – Soldier System
JAN-TE – Joint Airborne Network – Tactical Edge	SAP – severe size, weight, and power
JNN-N – Joint Network Node-Network	TDMA – Time Division Multiple Access
JTR – Joint Tactical Radio	TOC – Tactical Operation Centers
JTRS – Joint Tactical Radio System	UAV – Unmanned Aerial Vehicles
LLC – logical link control	UGS – Unattended Ground Sensors
LOS – Line-Of-Sight	UHF SATCOM – Ultra High Frequency SATCOM
LPI – Low Probability of Intercept	USAP – Unifying Slot Allocation Protocol
LPD – Low Probability of Detection	WIN-T – Warfighters Information Network – Tactical
IMS – Intelligent Munitions Systems	WNW – Wideband Networking Waveform
MAC – Media Access Control	
MANET – Mobile ad-hoc networking	

# Training update

Training updates from the Directorate of Training, 15th Signal Brigade and Leader College of Information Technology, Fort Gordon, Ga.

## KNOWLEDGE MANAGEMENT EFFORTS EXPANDED AT LANDWARNET eUNIVERSITY

The Signal School has partnered with the Battle Command Knowledge System out of Fort Leavenworth, to foster collaboration among Soldiers and units in order to share expertise and experience. Battle Command Knowledge System provides training on Knowledge Management to select personnel in each unit on their role and responsibilities as members of their Unit's Knowledge Management Cell. We are also expanding our outreach to unit trainers in other areas through our Extension Campus program to provide customized training content throughout the Army on demand.

### LandWarNet eUniversity Signal Extension Campus provides an on-line training resource to commanders.

The LandWarNet eUniversity Signal Extension Campus has grown significantly and now enables commanders to tailor and manage their unit training using individual virtual extension campuses. The virtual extension campuses are created and administered by Lifelong Learning Center personnel at Fort Gordon and contain training products and courses tailored to each unit's training requirements; providing sustainment training on Signal military occupational specialties, information technology and communications equipment. This on-line training is MOS based

classroom training material developed by Fort Gordon training developers and approved by the Fort Gordon Directorate of Training.

The virtual extension campus sites also provide quick access to the latest Interactive Courseware and Simulator products available for download via LandWarNet eUniversity. In addition to the training provided by Fort Gordon,

Reserve, or National Guard Unit regardless of size. Recent additions to the LWN-eU Extension Campus include: 335th Signal Command (Theater), 359th Signal Brigade, 93rd Signal Brigade, and 392nd Signal Battalion. Other unit relationships have been established to provide units deployed in Iraq and Kuwait with training via LandWarNet eUniversity Signal Extension Campus.

For more information on, or to request a virtual extension campus, contact Floyd Orial, Lifelong Learning Center LWN-eU Signal Extension Campus Coordinator, (contractor

- General Dynamics Information Technology), [floyd.orial@us.army.mil](mailto:floyd.orial@us.army.mil), DSN 780-2571 or commercial (706) 791-2571.

### Support training and education during all phases of the Army Force Generation.

The support of education and training is a prime objective of the University of Information Technology Division. Evaluation of Interactive Courseware and Virtual/PC-Based Simulators is a pivotal process in making this objective a reality. The process of evaluation is vital in getting distributed learning products to the force. This becomes more critical as greater reliance is placed on distributed learning products to train the force and enhance the skillsets of Soldiers and civilians. The courseware evaluation process is the cornerstone of quality training.

UIT provides oversight of the validation phase of the evaluation process for ICW and Virtual/PC-Based Simulators released to the force. Validation was completed for



unit training personnel can load unit specific training created by their unit onto virtual extension campuses. Incorporated into every virtual extension campus are tools for leaders to manage and monitor the progress of the unit's training down to the individual Soldier level. Unit Soldiers can access their virtual extension campus training from any computer that has access to the internet.

Examples of training that can be immediately loaded on your individual virtual extension campus site include Information Technology/Networking, Promina, Force XXI Battle Command, Brigade-and-Below, Network Management, ISYSCON, Joint Network Node, Tactical Radios, Multiplexing, Multi-channel Systems, and Satellite Communications Systems. To request the creation of specific training for your unit use the virtual extension campuses.

Virtual Extension Campuses can be established for any Active,

the following ICW and Simulators fielded in FY06:

- ♦ 25S10 Satellite Systems Operator/Maintainer Course ICW (Target audience: 25S10)
- ♦ Signal Captains Career Course Phase 2 ICW (Target audience: Signal Captains)

Validation is underway for the following ICW and Simulators scheduled for FY07 fielding:


- ♦ SCCC Phase 4 ICW (Target audience: Signal Captains)
- ♦ LAN/WAN Simulator (Target audience: 25B30 TATS-C)
- ♦ SATCOM System Operator-Maintainer Common Core (SCP) ICW (Target audience: 25S10)
- ♦ Phoenix (AN/TSC-156) Simulator (TGT Audience: 25S10)
- ♦ SATCOM Hub (AN/TSC-169) Simulator (Target audience: 25S10)
- ♦ 85/93 (AN/TSC-85/93) Simulator (TGT Audience: 25S10)

Validation will occur for the following Simulators scheduled for FY08 fielding:

- S6 Simulator (Target audience: 25A, FA53, 250N, 254A, 25U50)
- JNN-N Simulator Upgrades (From Spirals 1-4, To Spirals 5-7 and Spiral 8)

Validation will occur for the Nodal Network Simulator (Target audience: All JNN-N officers, warrant officers, NCOs and Soldiers) in FY09.

During the validation process, subject matter experts, instructors,




**LWN-U training assists Soldiers and leaders to be ready through synchronized progressive training.**

training developers, and Active and/or Reserve Component Soldiers who represent members of the "target audience" for courseware work together to ensure a "Fully Functional" product is delivered to Soldiers in a resident school or field environment prior to final delivery of the product. In short, the validation phase checks the products for usability, efficiency, effectiveness, doctrinal and technical correctness, and compliance with current Army/TRADOC policy and TRADOC Technical Media Standards. This is akin to the "Final Exam" for courseware in the final phases of development.

In addition to the aforementioned ICW and Simulators scheduled for validation and fielding in FY 07-09, the following 11 Simulators are currently available for download from LandWarNet eUniversity:

- ♦ JNN/BDE Transit Cases (AN/

- TSC-59, Spiral 1) Simulator (Target audience: 25N10)
- ♦ BNCPN (OM/87-T, Spiral 1) Simulator (Target audience: 25B10)
- ♦ KU BAND Trailer (AN/TSC-167, Spiral 1) Simulator (Target audience: 25Q10)
- ♦ Digital Tactical Operations (DTC) Simulator (Target audience: 25B10)
- ♦ Tactical Internet Management System (TIMS) Simulator (TGT Audience: 25B10)
- ♦ HCLOS (AN/GRC-245, V3) Simulator (Target audience: 25Q10)
- ♦ TRC-173 (AN/TRC-173B) Simulator (Target audience: 25P10, 25Q10)
- ♦ FBCB2 (AN/UYK-128) Simulator (Target audience: 25U10)
- ♦ GSC-52 (An/GSC-52A) Simulator (Target audience: 25S10)
- ♦ BSN (AN/TYC-25) Simula-



**LWN-U classroom**

tor (Target audience: 25F10, 25Q10, 25P10)

For resident training and distributed learning these Signal Center Simulators are used in lieu of actual equipment, for concurrent training, remedial training, and practical exercises. As a non-resident training tool these Signal Center Simulators support

Sergeant's Time Training, Soldier sustainment training and professional development.

For more information on the status of ICW and Simulator training products, contact Bennita Freeman, chief, Distance Education Branch at DSN 780-2303 or MAJ Chuck Dugle, chief, Simulations Branch at DSN 780-8681 or commercial at (706) 791-8681.

### ACRONYM QUICKSCAN

BCKS – Battle Command Knowledge System  
 FBCB2 – Force XXI Battle Command, Brigade-and-Below  
 FY – fiscal year  
 ICW – Interactive Courseware  
 LWN-eU – LandWarNet eUniversity  
 MOS – military occupational specialties  
 SCCC – Signal Captains Career Course  
 TRADOC – Training and Doctrine Command  
 UIT – University of Information Technology

# Brigade Network Operations and Security Cell — *where does it belong?*

By CPT Reggie K. Evans

Where to locate the Network Operations and Security Cell in the Brigade Combat Team creates a discussion among Signaleers. Prior to modularity, the Network Systems Control Section operated under the supervision of the Signal Battalion.

Under the modular Modified Table of Organization and Equipment, the Brigade Network Operations Cell assumes all network responsibilities.

After first-hand experience with Bravo Company, 1st Special Troops Battalion, 1BCT, 4th Infantry Division (M) (Signal Company), the recommendation is that the Network Operations and Security Cell integrates with the brigade S6 section, but the company commander maintains operational control. The following article points support this recommendation.

## Command influence

Locating the Network Operations and Security Cell at the company level, allows the Signal Company to easily integrate and solve network issues with the full weight of the company. This technique, used with B/1STB, 1BCT, 4ID(M) during OIF 05-07, benefited from heavy involvement from the command team. This relationship allowed the commander to easily solve maintenance and personnel issues at the lowest level before they affected the brigade's network. For instance, the company executed seamless transition for shift changing, generator maintenance, and tasking management, all of which require command influence or supervision.

The S6 should not concern himself with coordination for

generator mechanics to conduct services or discussion of troop-to-task issues with the Brigade Special Troops Battalion S3. Sustain the NETOPS and Security Cell under the command of the company commander; thus, empowering the commander with direct influence on day to day execution of network operations.

## Integration of S6 Operations and Signal Company Network Operations

The S6 Operations and the Signal Company Network Operations must be no more than 150 meters apart; however, the two entities must still operate independently.

This brigade has had success with co-locating these two operations cells in previous training events. During the tactical training phase at the NTC, the Network Operations Cell occupied a separate compartment in the brigade's TOC. Throughout the exercise, the brigade S6 readily maintained situational awareness on the network status.

While deployed in Iraq, the brigade allocated physical space to an S6/Network Operations Center located near the Brigade Tactical Operations Center, approximately 100 meters away. This facilitated communications and coordination, greatly enhancing the C4I capabilities of the brigade. Continue to operate the brigade S6 operations and Signal Company Network Operations physically as close as possible.

The brigade S3 operations section allocates the physical space and must acknowledge that integrating S6 operations and the Signal Company Network Operations is vital to the Tactical Operations

Center support team.

## Network Situational Awareness

A closed NETOPS structure supervised solely by the brigade S6 does not facilitate open and free-flowing communication. Control by the company enhances situational awareness among all key personnel. For instance, platoon leaders act as the liaison between the users and JNNs, keeping users informed about the network status, scheduled outages, and network upgrades.

The NETOPS corresponds directly with the JNN operators and platoon leaders for all information requirements and updated statuses on maintenance issues. The NETOPS Technician routes information and reporting requirements to the division NETOPS, the brigade S6, and the commander, thus ensuring continuous information flow across the network. Additionally, the NETOPS issues telecommunications service orders to the platoon leaders, through the company chain of command, with the brigade S6's guidance and input, with productive results. Sustain the NETOPS and Security Cell under the Signal Company to ensure communications flow across the mesh through total involvement of key personnel.

## Signal Company Maintenance

The brigade S6 lacks the assets necessary to support signal maintenance. Maintenance is conducted at the company level or higher; therefore, is a function of the company commander to ensure maintenance is conducted to standard. Through coordination with the Brigade Special Troops Battalion staff and the division's Communications and Electronics Shop, the Signal Company maintains the network. The NETOPS commands and controls

the network. The company maintains the network and reports to the brigade S6.

Sustain network maintenance as a function of the company commander. Ensure the Signal Company contains organic communications and electronic maintenance support personnel.

The command influence required to operate the brigade's NETOPS and Security Cell can only be fulfilled by the Signal company commander. The commander and brigade S6 both share an inherent

responsibility to integrate company operations and S6 operations. Under the control of the Signal Company, operators, platoon leaders, the S6, and division NETOPS maintain situational awareness on the brigade's network status. The Brigade Network Operations and Security Cell should remain under the command of the Signal company in order to maximize the efficiency of all assets engaged in the network.

*CPT Evans is the commander of B Company, 1st Special Troops Battalion,*

*1st Brigade Combat Team, 4th Infantry Division (Mechanized). He and his unit are currently stationed at Camp Taji, Iraq, and serve with Multi-National Division Baghdad in support of Operation Iraqi Freedom 05-07.*

## ACRONYM QUICKSCAN

BCT – Brigade Combat Team  
C4I – Command, Control, Communications, Computers  
JNN – Joint Network Node  
NETOPS – Network Operations

# New quasi LOS system provides flexible solution to modular 3IBCT/25ID network

*By CW2 Billy F. Schultze and SGT Ashley Stalvey*

Operation Iraqi Freedom presents the challenge of providing access to secure voice and large amounts of data to multi-training teams, patrol bases, and forward operating bases across the 3rd Infantry Brigade Combat Team's vast area of operation. One solution 3IBCT is employing is the Orthogon Systems: OS Spectra. This quasi line-of-sight system is used by itself or integrated into the command post network, as part of the Joint Network Transport Capabilities System, to allow commanders and MiTT leaders faster access to collaboration tools like File Transfer Protocol servers; real-time intelligence like Unmanned Aerial Vehicle feeds; and COPs like Maneuver Control System.

Currently 3IBCT has been fielded with the JNTCS and even though the JNTCS is proving itself to be a valuable C4I asset, it has limitations. The primary limitation is the amount of CPNs 3IBCT was fielded to support their operations. They simply do not have enough CPNs to maintain connectivity with the FOBs and also support the growing number of PBs and MiTTs in their AO. Another limitation is the

growing need for faster access to larger amounts of data that is surpassing JNTC's bandwidth capabilities. These limitations have the 3IBCT S6 aggressively pursuing a flexible solution.

The solution came in the form of the Orthogon Systems: OS Spectra. These light weight and easily deployable terminals increased the network capabilities by providing secure voice and data connectivity to 3IBCT MiTTs and PBs; and alternate and redundant connectivity to the CPNs at the FOBs. After some optimization by the 3IBCT S6 and network integration by General Dynamics, the OS Spectra has been the flexible network solution for the 3IBCT AO.

The OS Spectra was procured by the 101st Infantry Division and transported to their MiTTs, PBs, and FOBs but was not setup or integrated into their network. It wasn't until 3IBCT, 25th ID assumed control of the 101st ID AO, that 3IBCT realized it needed to provide faster data and redundant connectivity to their MiTTs, PBs, and FOBs. In order to do this 3IBCT S6 ran a trial setup of the OS Spectra at 3IBCT S6 NOSC where it was configured, tested, and optimized, then deployed with an installation/training team to 3IBCT

MiTTs, PBs, and FOBs where the OS Spectras have provided that data connectivity solution 3IBCT needed.

What makes the OS Spectra a flexible tool is its versatile configurations. The Antennae Section consists of an outdoor unit, mast, and powered indoor unit. The OS Spectra local area network section can be configured to meet the unique demands of the network. In the 3IBCT MiTT and PB configuration, where there is no CPN, the LAN section consists of a KG175 TACLANE, which tunnels Secure Internet Protocol Routing through Non-Secure IP Routing, and to two routers and two switches which control and distribute connectivity throughout the MiTT or PB. In the FOB configuration, where there is a CPN, the KG-175 TACLANE encrypts the signal coming from and to the distant end PIDU/ODU and sends it to the CPN where routing and signal distribution occur for the JNTCS and/or OS Spectra.

Compared to other network transport alternatives, the OS Spectra provides greater deployability. Depending upon how far you are from the distant end depends on how accurate your LOS shot must be. In distances under 100m the ODU's can be totally



**(Left) SGT Karl Vinson, C BSTB/3IBCT/25ID, hoist an antenna mast with an OS Spectra: ODU mounted on it. SGT Daniel Thompson**

Simple Network Management Protocol /SNMP. With the KG-175 Tactical Local Area Network Encryptor /TACLANE, the OS Spectra is capable of operating at SIPR, RIPR, and NIPR or any combination of the three classification levels or all three classification levels simultaneously.

The OS Spectra has some limitations. The main limitations come from terrain. Since the system is LOS based, depending on distance, the more mountainous the terrain the harder to achieve an LOS

shot. This is not the case for the 3IBCT AO that is predominately flat and also lacks abundant foliage to hinder connectivity. Another limitation is tying into the WAN backbone. Currently all OS Spectra in 3IBCT are integrated into the JNN for WAN backbone connectivity. A final limitation is the point-to-point configuration 3IBCT is using but this can be remedied with the employment of an OS MUX that will allow one ODU at the JNN to be used as a hub for other OS Spectra spokes.

In conclusion, with the ever growing demand for access to secure voice and data in the form of collaboration tools, real-time intelligence, and the COP; as well as a need to share this large amount of data with PBs, MiTTs, FOBs, and other specialized units; 3IBCT S6 and General Dynamics have employed the use of improved LOS technology to the unique problems of their AO. The OS Spectra had proven to be a solution as either a stand alone system allowing connectivity into the network or a redundant secondary link to supplement

the JNTC. 3IBCT has plans to integrate more OS Spectra links into its network as more MiTTs and PBs open up to increase the "Bronco's Hoof print."

*CW2 Schultze and SGT Stalvey are currently assigned to 3IBCT/25ID where they work in the S6 Network Operations Support Center based out of FOB Warrior and are part of the OS Spectra Installation Team. Schultze was previously assigned to the 2ID-G6 where he served as a Signal systems support technician. Stalvey was previously assigned to 1IBCT/82ABN where he served as a Signal systems support specialist.*

## ACRONYM QUICKSCAN

3IBCT – 3rd Infantry Brigade Combat Team  
 AO – Area of Operation  
 C4I – command, control, communications, computers, and intelligence  
 COP – Common Operation Pictures  
 CPN – Command Post Network  
 FOB – Forward Operating Base  
 FTP – File Transfer Protocol  
 HTML – Hyper Text Markup Language  
 ID – Infantry Division  
 i\_DFS – intelligent\_Dynamic Frequency Selection  
 IP – Internet Protocol  
 JNN – Joint Node Network  
 JNTCS – Joint Network Transport Capabilities System  
 LAN – Local Area Network  
 LOS – Line Of Sight  
 MAC – Media Access Control  
 MCS – Maneuver Control System  
 MiTT – Multi-Training Team  
 MUX – multiplexer  
 NIPR – Non-Secure IP Routing  
 NOSC – Network Operations Support Center  
 ODU – Outdoor Unit  
 OIF – Operation Iraqi Freedom  
 PB – Patrol Base  
 PIDU – Powered Indoor Unit  
 RIPR – Releasable IP Routing  
 SIPR – Secure IP Routing  
 SNMP – Simple Network Management Protocol  
 TACLANE – Tactical Local Area Network Encryptor  
 UAV – Unmanned Aerial Vehicle  
 WAN – Wide Area Network

obscured from each other and still provide connectivity. In distances over 100m to 200km (maximum range) your LOS shot must be more accurate. Once ODUs are aligned it takes 15 minutes for ODUs/PIDUs to exchange MAC addresses and for i\_DFS to begin. i\_DFS scans the 5.8Ghz spectrum to find the channel and co-channel with the lowest level interference and uses those channels to transmit. Control of i\_DFS through Spectrum Management as well as installation and diagnostic software tools are built into the PIDU/ODU and can be accessed in HTML format through web browsing software programs like Internet Explorer.

The OS Spectra is fully scalable and modular frequency quasi LOS terminal approved for broadband transmission at the 5.8Ghz license exempt band. It has been tested and currently transmits in the 3IBCT AO at an Aggregate Data Rate4 of 150.1 Mbit/s. These data rates can be controlled by the system administrator through remote access using

# Circuit check

News and trends of interest to the Signal Regiment

## ARMY RESERVE ACTIVATES NEW 4TH JOINT COMMUNICATIONS SQUADRON

By LTC Richard DuBreuil

The Joint Communications Support Element in conjunction with United States Army Reserve Command recently activated the 4th Joint Communications Squadron at MacDill Air Force Base in Tampa, Fla.

MG Steve Read, commander of United States Army Reserve Readiness Command and COL Thomas G. Hopkins, commander of JCSE hosted the activation and assumption of command ceremony. USARRC CSM Posey Grier and 4th JCS CSM Robert Sims uncased the organization's colors as LTC Rich DuBreuil took the reins as 4th JCS commander.

This one-of-a-kind Army Reserve unit will be fully integrated into current deployment operations as part of the Joint Communications Support Element, which is composed of Army, Marine Corps, Navy, and Air Force servicemembers to include two Air National Guard units. Currently, JCSE has three active-duty communication squadrons, a headquarters squadron, one communications support detachment and two Air National Guard units.

The 4th JCS is also an airborne unit with a mission of providing Joint Task Force and Joint Special Operations Task Force C4 support for America's premier warfighting commands and the Joint Staff. The squadron is comprised of three troop units and one Headquarters Support Section.

The 1st Troop, 4th Squadron, commanded by CPT Maritza Garrigapadilla, also activated on Oct. 15, 2006. The 4th JCS will activate the 2nd and 3rd Troop units in September 2007 and 2008. The 4th Squadron was created as part of



(Above) COL Thomas Hopkins, JCSE commander, hands the 4th JCS guidon to LTC Richard DuBreuil, incoming 4th JCS commander, in assumption of command of the newly formed Army Reserve Element Squadron."



(Left) Troops of the newly formed 4th JCS don maroon berets, signifying their presence as an airborne unit.

JCSE's transformation to expand its expertise and capabilities in the realm of state-of-the-art deployable communications throughout the Department of Defense.

The formation of the a 4th Squadron is both timely and prudent. It is timely from the standpoint of the Army's transformation efforts and the Army Reserve's direction toward building a joint expeditionary force and a "train-mobilize-deploy" philosophy.

It is also prudent in meeting the joint communications needs of the combatant commanders. The squadron is accepting applications for interested Soldiers, non-commissioned officers, and officers. For

more information on the 4th Joint Communications Squadron, please contact Michael Papol, unit administrator, at 813-828-1697.

*LTC DuBreuil is commander, USAR Element Joint Communications Support Element MacDill Air Force Base, Fla.*

## 311TH RESERVE/ACTIVE UNIT BRINGS SIGNAL EXPERTISE

*311th Signal Command News Release*

FORT SHAFTER, Hawaii – When a new combined active and reserve-component Signal unit

planted its flag in the sand Sept. 15, 2006, Hawaii got more than just a new Army patch.

The 311th Signal Command (Theater) is transforming into an operational Reserve unit, a combination of active duty Soldiers, Army Reserve Soldiers and civilians designed to become an integral part of the U.S. Army Pacific's round-the-clock, 365-day mission.

"We are here to enhance the USARPAC's ability to provide reliable networked communications to warfighters in the Pacific theater," said MG Donna L. Dacier, commander of the 311th.

The 311th's arrival marks another step in the transformation of USARPAC to a 21st century operational force. Since 1995, the 311th has been a Ready Reserve Theater Signal Command with the mission to deploy and provide command and control to signal units operating in a theater. As the 311th becomes an operational unit, USARPAC will be able to count on its support year-round.

The unit will eventually include almost 400 Soldiers and civilians. It is commanded by a Reserve major general; a brigadier general serves as deputy. While supporting USARPAC in Hawaii, the 311th will retain its mission to support contingency operations in Korea. A detachment of Reserve Soldiers will remain at Fort Meade, Md.

The multi-component configuration allows USARPAC to take advantage of the Reserve Soldiers' expertise in their civilian positions. Many work in the computer or communications industries.

For more information, contact LTC Louis Leto, 808-438-2546 or 571-749-8787 or email at louis.letto@us.army.mil.

## **422ND DESIGNATED ITSB IN ARMY WEST OF MISSISSIPPI**

*By CPT Brad Martino*

The culmination of a year-long equipment transition within the Nevada Army National Guard's



### **In August Army National Guard's 422nd Signal Battalion was designated as an Integrated Theatre Signal Battalion in ceremony.**

422nd Signal Battalion was marked with a ceremony in August officially designating the organization as an Integrated Theatre Signal Battalion.

The 422nd is now the only ITSB in the Army National Guard and the only ITSB in the Army west of the Mississippi. The primary mission of an ITSB is to provide battlefield communications including voice, data, and video to various operations centers, camps, and units.

The ceremony also marked a significant reorganization of the battalion. The main body of the battalion became 422nd Signal Battalion, Charlie Company. At the same time, the 422nd folded the flags of two of its subordinate companies, the 321st Signal Company and the 440th Cable and Wire Company, and those companies dissolved into the Headquarters and Headquarters Detachment and Charlie Company. The 422nd will remain headquartered in Reno, Nev., and will work in conjunction with its Bravo Company in Alabama and Alpha Company in Arizona.

"These changes move us onto the front lines of the new, net-centric battlefield," said battalion commander LTC Pete Menicucci. "We are the military equivalent to AT&T working on battlefield."

In the previous 422nd configuration, the main communication pipeline was received through a troposcattering antenna. Dependent on both line-of-sight and atmospheric bouncing, this equipment would transfer up to 4.6Mbps of service. Troposcatter radios will remain a part of the ITSB in the future, but unless upgrades take place, this means of communication will be confined to short haul communications in low-traffic areas.

The new pack mule of the signal battalion is the satellite receiving units. These units handle 1-4 separate streams of data with bandwidth up to 8Mbps, enough to service three major command points, six medium command points and seven small command points (15 total).

This is good news for the ground forces as new services such as Internet Protocol telephones, networked-databases and video teleconferences require higher bandwidths than previously provided.

Another core-equipment piece is the data package. Comprised of a router, a promina multiplexor, an intrusion-detection system and some switches, the data package handles the digital traffic sent and received

through the satellite. A separate data package exists for both the Secure and Non-secure Internet Protocol Router Nets (commonly known as the NIPR and SIPR nets).

The data packages act as a field Network Operations Center. Any IP-based traffic can be routed through the Satellite uplinks and to any location in the world. Recent experiments headed by 1st LT Dave Waller show that IP telephones can be attached to the call manager hanging off of the data package. The IP phones can be configured to act as an office extension and allows a Soldier to literally move his phone from the desk in garrison to the middle of the desert.

The 422nd Signal Battalion has not always had state-of-the-art equipment.

During the dawn of the digital age in 1981, the Dept. of the Army directed organization of the 321st Messenger Company. Battlefield commanders, hesitant to trust the new electronic messaging systems, relied on hand-delivered messages. Training exercises, such as "Golden Bear" and "Corps Defender", vigorously sought the services of 321st Signal Company.

Advances in technology resulted in a more dependable electronic communications. New technology and a new battlefield required a more serious approach to communications.

From 1989-1993, the 321st was converted to a light troposcatter signal company with the High Mobility Multi-purpose Wheeled Vehicle mounted AN/TRC-170 V3 tropospheric radio systems.

As the millennium came to a close, an additional company within the battalion – the 440th Cable and Wire – was formed with the 422nd becoming their higher headquarters company. The once-humble messenger company had become an entire battalion.

Since 1990, the 422nd Signal Battalion has participated in many exercises, including Grecian Firebolt, Joint Thunder, and exercises in Korea, Japan, Iceland, and the Global War on Terrorism.

The battalion has also contributed humanitarian aid and relief both locally and nationally.

Since Sept. 11, 2001, the battalion has continually supported the Global War on Terror with volunteers and participation in the state's annual New Year's mission. In August and September 2005, the unit activated to support the citizens of Louisiana following the Hurricane Katrina and Rita catastrophes in New Orleans.

In March 2004, the 321st Signal Company deployed with the 143rd Signal Company (Heavy TROPO) from Colorado to relieve in place the 356th and 114th during Operation Iraqi Freedom.

*CPT Martino is a training and operations officer in the Nevada Army Guard's 422nd Integrated Theater Signal Battalion. He is also a federal technician serving as the Nevada National Guard's Information Assurance Manager. He received his commission from the Indiana National Guard in 2001 and has lived in Northern Nevada for more than four years.*

### **307TH INTEGRATED THEATER SIGNAL BATTALION JOINS USARPAC AND 516TH SIGNAL BRIGADE** *By Bill McPherson*

SCHOFIELD BARRACKS, Hawaii — Marking a significant transformation initiative for the Signal Corps in the Pacific, the 307th Integrated Theater Signal Battalion re-stationed from its former location in South Korea to Hawaii and Alaska in October and November.

The 307th ITSB, a tactical unit with three line companies and a headquarters company, officially stood up as a subordinate command of the 516th Signal Brigade at a Schofield Barracks ceremony Nov. 17.

On Oct. 13, the 307th "cased" its battalion colors at a ceremony at Camp Carroll, Korea, signifying the unit's move out of the Korean peninsula. The 307th had reported to the 1st Signal Brigade since March

16, 1988, supporting the United Nations Command, Combined Forces Command, U.S. Forces Korea, and Eighth Army.

The 307th's new mission is to "install, operate, maintain and defend tactical theater level communications systems in support of U.S. Army Pacific, combined and joint task forces, and combatant commanders to support the full range of military operations."

USARPAC is currently transforming into a theater warfighting command, and the re-stationing here of the 307th ITSB is only the latest of several new deployable commands to support modularity in USARPAC's future missions.

Other recent USARPAC activation ceremonies include the 311th Signal Command (Theater), 8th Theater Sustainment Command, and 94th Air and Missile Defense Command.

"The re-stationing of the 307th ITSB to USARPAC is a history-making event for our Army," said COL Edric A. Kirkman, commander, 516th Sig. Bde., at the Nov. 17 ceremony.

"As part of ongoing transformation efforts, the 307th became the Army's very first Integrated Theater Signal Battalion on Oct. 15, 2005. Today's re-stationing of the 307th ITSB adds a major warfighting command, control, communications, and computers capability in USARPAC's and the 516th Signal Brigade's future operations, whenever and wherever directed by our component commander."

Three of the 307th's companies are now located in Hawaii, with its fourth "Alpha" Company now stationed at Fort Richardson, Alaska.

The 307th's command team, battalion commander LTC Timothy W. Walrod and CSM Herman Badger, uncased the battalion colors signifying the battalion's transfer to the 516th and USARPAC.

"Moving from Korea to Hawaii and Alaska was a major feat for all concerned," Walrod observed. "Most of our personnel and equipment have now safely arrived at their respective new locations."



LTC Timothy W. Walrod and CSM Herman Badger of the 307th ITSB salute the national and battalion colors following the uncasing of the 307th's colors, signifying its transfer from 1st Signal Brigade (Korea) to 516th Signal Brigade (Hawaii and Alaska).



Officiating the 307th Integrated Theater Signal Battalion re-stationing ceremony were COL Edric A. Kirkman (left), commander, 516th Signal Brigade, and LTC Timothy W. Walrod, commander, 307th ITSB.

"It was always COL Kirkman's and my goal to reset and reconstitute the 307th with safety and taking care of Soldiers and their families during the transition as our very top priorities," Walrod added.

"We've had the full cooperation and proactive support by members of the 516th headquarters staff and our sister battalions in Hawaii (30th Sig. Bn.) and Alaska (59th Sig. Bn.), and I thank them for their commitment to this significant task," Walrod continued.

"We are now on track for reaching initial operational capability, situating materiel, training and certifying teams and crews, and assuming warrior tasks and battle drills as quickly as possible," Walrod said.

The 307th Signal Battalion was constituted on May 27, 1942, as the 313th Coastal Artillery Barrage Balloon Battalion, and activated June 15, 1942, at Fort Randolph, Canal Zone.

Its distinctive unit insignia refers to its service in the Rhineland during World War II and to service in Vietnam from 1970 to 1971. Its motto is "*Optime Merenti*," which translates to "Providing the Best."

Also participating at the re-stationing ceremony was the 307th's S-3/operations officer, MAJ Karl

Muego, as commander of troops. Soldiers from the 307th ITSB represented the battalion's four



## Instructor of the Year Recognition

(Pictured left) SSG Amy Williams is the Signal Center and Fort Gordon Instructor of the Year FY 2006. She is assigned to Headquarters and Alpha Company, 551st Signal Battalion. Williams is an instructor/writer for the Information Systems Operator Analyst Course and the Telecommunications Operator Maintainer Course in the Information Technology Warfighter Division. (Pictured Right) Outgoing Instructor of the Year for FY2005 is SFC Michael January. He is currently an Instructor at the Tactical Single Channel Radio Operators Course at Fort Gordon. (Pictured center) SGM Ulysses W. Mays, Dean of Academics sergeant major for the 15th Signal Brigade stands with the honored instructors.

companies, which include Headquarters and Headquarters Company, commanded by CPT Eva Palacios, with SFC Valerie Kitchens as first sergeant; Alpha Company, commanded by CPT William Griffin, with 1SGT William West as first sergeant; Bravo Company, commanded by CPT Benjamin Afeku, with 1SGT Mark Frye as first sergeant; and Charlie Company, commanded by CPT Anthony Whitfield, with 1SGT Dexter Monroe as first sergeant.

*Mr. McPherson is a public affairs officer with 516th Signal Brigade*

## **CENTRAL IRAQ MICROWAVE SYSTEM SUPPORTS MNF-I COMMUNICATIONS MISSIONS**

*By Stephen Larsen*

It's difficult enough managing telecommunications infrastructure projects under normal circumstances, trying to juggle cost, schedule and performance to provide the best possible system. When you're managing a managing telecommunications infrastructure projects in Iraq, though, you have to factor in the problems inherent in working in a war zone.

But with diligence and perseverance, you can overcome these obstacles and deliver a high-quality system, as MAJ Kevin Messer proved during his recently-ended year-long deployment to Iraq, where he led a team from the Project Manager, Defense Communications and Army Transmission Systems, part of the Army's Program Executive Office Enterprise Information Systems, in implementing the Central Iraq Microwave System, which provides near-real-time point-to-point, point-to-multipoint, and multipoint-to-multipoint data transmission services with multiple layers of redundancy for the Multi-National Force-Iraq.

CIMS, with SONET (synchronous optical network) communications links in the International Zone, Camp Victory, Camp Slayer, Taji



**Luke Morgan, an engineer from the U. S. Army Information Systems Engineering Command, is high atop the Central Iraq Microwave System microwave tower at Taji, Iraq.**

and Camp Anaconda, provides OC-3 (155 Mbps) bandwidth to support warfighters' critical C4I (command, control, communications, computers and intelligence) missions.

Messer said that the links in the International Zone, Camp Victory and Camp Slayer became operational in December 2005, with the Taji and Camp Anaconda links becoming operational in April 2006.

CIMS allows MNF-I personnel to tap into NIPRNET (Nonsecure Internet Protocol Router Network), SIPRNET (Secret Internet Protocol Router Network), CENTRIXS (the Combined Enterprise Regional Information Exchange System), voice, VTC (video teleconferencing) and JWICS (the Joint Worldwide Intelligence Communications System).

"Because CIMS is a low-latency, high-speed, high-bandwidth system," said Messer, "it allows MNF-I personnel to transmit near-real-time data to support strategic or operational missions – whatever the user needs it for. CIMS will allow us to relieve one DKET (deployable KU-band earth terminal) and to re-

deploy that DKET elsewhere."

"CIMS is a major asset to forces in Iraq for providing lower-cost and higher-speed interconnectivity versus traditional satellite deployments," added Luke Morgan, an engineer from the U. S. Army Information Systems Engineering Command, who worked on the CIMS project.

### **Overcoming engineering challenges plus the Rule of 3 and 6**

Despite considerable pressure from the users to deliver CIMS, Messer steadfastly insisted on straightening out the kinks in the system before turning it over. He said a major engineering challenge was that CIMS – which includes microwave radios, ATM (asynchronous transfer mode) switches and high-speed encryption devices – couldn't be tested before being fielded. Instead, they had to install the system and then fine-tune it from end-to-end. After exhaustive testing, with participation from ISEC engineers, the gaining O&M (operations and maintenance) command and coordinated support from vendors



**The CIMS microwave tower at Taji, Iraq rises 500 feet high.**

and contractors, CIMS' performance far exceeded commercial standards.

"We had to learn on the ground," said Messer. "We could not assume conditions would be as they should be, or as we might expect they should be. We could not assume tech control facilities had stable power or grounding – sometimes they did, sometimes they didn't. We could not assume wiring was properly installed or insulated. We, as the PM (project manager), or the O&M folks, had to do the upgrades to fix the problems as we encountered them. Whatever it took, that's what we did."

"Everything is more difficult in Iraq," echoed SFC Arthur Lee of PM DCATS, who assisted on the project. "While managing your project in Iraq, the 'Rule of 3 and 6' governs operations – meaning, it takes three times longer to get anything done in Iraq on a 'normal' day, and six times longer when things get hot with increased insurgent activity."

Some 'normal day' challenges? The climate, for one. Messer said there were temperatures of 120 degrees-plus in the summer, and there were torrential deluges during the rainy season in the winter, when

rainwater would fill the pits excavated for the concrete pads to support microwave towers – which the CIMS team then had to have pumped out.

"We also had three sandstorms when I was there," added Messer. "You would see a mountain of sand stretching across the horizon, hundreds of feet high, and watch as it approached you. The only thing you could do then was to wait it out until it passed over you."

Another challenge was getting Iraqi workers and vehicles on and off bases.

"You had to get the local nationals (Iraqi workers) badged," said Messer, "then it could take a couple of hours as they waited on line to get through the gate. Then you had to get them back off the base at the end of the day. This limited the number of hours they could work in a day."

Lee told of the adventure of getting a water truck onto a base – the water was needed to make the concrete pad for a microwave tower. After the truck waited in the queue for some hours and finally reached the gate, the checkpoint guards made the driver empty the water

tank for a security inspection, to ensure there were no explosives, weapons or insurgents hidden in the tank.

"Luckily, we were able to refill the water tank from a stream near the work site," said Lee.

And then there was the problem of the height of some of the microwave towers, up to 500 feet at some locations – which was a problem when the Iraqi cranes went only 100 feet high, and sometimes bent when lifting sections of towers. The solution there, Messer said, was to get a gen pole and winch from the U.S. to do the heavy lifting.

And what about when things got hot with increased insurgent activity?

"We lost one local national to a terrorist attack," said Messer.

Morgan said that there were several incidents of small arms fire at the microwave tower sites during construction.

"One morning," Morgan added, "an unexploded rocket was found 60 feet from the base of one of the towers sites."

If it really got hot, Lee said the crew could get locked-down 'inside the wire,' behind the concrete walls and barbed wire of the base's security perimeter, as they waited for things to cool off.

"That could bring the project to a halt," said Lee, "until it became safe enough for the Iraqi workers to travel and get back to the base, or for us to get off the base to go to other bases."

Yet they made it work, they implemented the CIMS project despite these challenges. Messer gives high marks to the CIMS team, singling out ISEC engineers Morgan and Brock Tucker for kudos. "I had those guys working 18 hour days for almost three months straight," said Messer. "When we ran into problems, they'd stop, troubleshoot and fix the problems."

Messer also praised the performance of his contractor CIMS project coordinator on the ground in Iraq, Robert Delaski of CACI International, Inc.

"Robert Delaski was amazing,"



**MAJ Kevin Messer (left) and SFC Arthur Lee (right) of the Project Manager, Defense Communications and Army Transmission Systems show some of the smaller components of the Central Iraq Microwave System. Messer holds an anchor bolt of the type used in a microwave tower and Lee holds a piece of fiber-optic cable. Note the Multi-National Force-Iraq patch on Messer's sleeve, which when BG Gary Connor, MNF-I's Deputy Chief of Staff, Communications and Information Systems (C6), presented to Messer, along with a commander's coin, in appreciation of Messer's work to implement CIMS.**

said Messer, "he was my 'go-to' parts guy. If we needed material – fiber, antennas, whatever we needed to be successful – you would see Delaski driving a forklift across Victory base with it."

The bottom line? Despite the obstacles, they delivered CIMS just ahead of the mid-April date that they promised. The operation of the system exceeded expectations, and the customer was pleased with the result. This was evident on April 17, when BG Gary Connor, MNF-I's Deputy Chief of Staff, Communications and Information Systems (C6), stopped a high-level video teleconference meeting of officers representing MNF-I, the Multi-National Force-Iraq, the Coalition Forces Land Component Command, the 335th Theater Signal Command and the 160th Signal Brigade to publicly recognize Messer for his work on CIMS and other infrastructure projects in Iraq. Connor presented Messer with an MNF-I commander's coin and an MNF-I patch for his uniform.

"I felt appreciated – no, make

that vindicated," said Messer. "I would not turn over the system to the customer unless it was right. Despite the challenges, we met the date and delivered what we promised."

*Mr. Larsen is a public affairs officer with Program Executive Office for Enterprise Information Systems, Program Manager, Defense Communications and Army Transmission Systems at Fort Monmouth, N.J.*

## **TOBYHANNA HELPS DEVELOP NEW COMMUNICATIONS SHELTER FOR MISSILE DEFENSE**

*by Anthony Ricchiazzi*

TOBYHANNA ARMY DEPOT, Pa. — America's missile defense system got a boost from Tobyhanna Army Depot's ability to produce new satellite communications support systems.

In six months, engineers and technicians here designed and integrated an Auxiliary Communica-

tions Shelter valued at about \$5 million that supports the homeland defense Ballistic Missile Defense System. It usually takes at least one or two years to produce a system of this complexity, says Mark Capitano, chief of the Satellite Communications Systems Engineering Division, Production Engineering Directorate.

"The shelter provides communications capability for the FBX-T (Forward Based X-Band Radar Transportable) radar system," he said. "The FBX radar system provides situational awareness to joint service (Army, Marines, Air Force) units manning missile defense sites."

The Missile Defense National Team is fielding the FBX-T. When integrated into the Ballistic Missile Defense System Network Interface, it provides forward-based sensor capability for early acquisition, tracking and identification information of intercontinental and intermediate range ballistic missiles in support of homeland and host nation defense.

"What is unique about the ACS is that it provides similar services as DOIM (the depot's Information Management Directorate) here," said Tom Terpak, lead electronics technician. "It has DISN (Defense Information Systems Network) services, which are Internet-related capabilities that include computer networking and worldwide e-mail. It also has DSN (Defense Switched Network for telephones), commercial and secure telephone services, and an uninterruptible power source."

The mission began in 2005 when the Missile Defense Agency, Washington, D.C., and the Defense Communications and Army Transmission Systems, Product Director Satellite Communications Systems, Fort Monmouth, N.J., began working with Tobyhanna to develop advanced capability based on a new concept of providing multiple communications capability in one shelter.

"Tobyhanna Army Depot really took the initiative on this short-fused mission and produced



**Ken Stackhouse, left, and Stephen Koval, configure an Internet interface router rack in the Auxiliary Communications Shelter at Tobyhanna Army Depot. The shelter supports the homeland defense Ballistic Missile Defense System. Stackhouse and Koval are electronics technicians in the depot's Production Engineering Directorate.**

outstanding results," said Scott Ervin, ACS project leader, PD SCS. "Everyone is extremely pleased with the quick turnaround and superior workmanship."

The shelter complements the FBX-T radar system, which is a transportable radar. "The sites are very remote," explained Tom Musso, chief of the Tactical Satellite Design and Support Division, PED. "This first shelter is now in Southeast Asia."

The shelter, a 40-foot trailer, was integrated by the Communications Systems Directorate's Satellite Communications Division. "Primarily by the Strategic Systems Branch," Capitano noted. "The van was completely rebuilt by the Systems Integration and Support Directorate. Contracting (Directorate) purchased the materials and Production Management (Directorate) coordinated the processes. DOIM provided guidance and technical expertise in the early stages of the design and development of the ACS. They helped identify hardware and software to be integrated into the shelter, and reduced project risk with their advice. We were also assisted by DDTP (Defense Distribution Depot Tobyhanna)."

There were several challenges for the depot during the fabrication and fielding phases.

"Once the shelter was designed, getting the material, making the usual customer changes and dealing with the technical problems became the most difficult issues," Capitano said. "But this is the kind of mission that Tobyhanna excels in. There are a lot of talented folks here and they deserve accolades for

working under a very hectic schedule with a challenging production deadline."

The shelter was completed in April and tested by depot and U.S. Army Information Systems Engineering Command personnel from Fort Huachuca, Ariz., and Tobyhanna personnel. It was fielded in a very rural environment in Southeast Asia, which turned out to be the second main challenge.

"It's like a field environment; we had to match the area's infrastructure to the shelters electronics," Terpak said. "We had to figure out how to interface with their power cables and fiber optics systems."

The system went online June 30. Capitano said the system currently communicates with strategic sites and through the DISN Asynchronous Transfer Mode network, with built-in capability to connect to a tactical Defense Satellite Communications Systems terminal for redundant communications.

Tobyhanna Army Depot is the Defense Department's largest center for the repair, overhaul and fabrication of a wide variety of electronics systems and components, from tactical field radios to the ground terminals for the defense satellite communications network. Tobyhanna's missions support all branches of the Armed Forces.

Tobyhanna Army Depot is part of the U.S. Army Communications-Electronics Life Cycle Management Command. Headquartered at Fort Monmouth, N.J., C-E LCMC's mission is to research, develop, acquire, field and sustain communications, command, control computer, intelligence, electronic warfare and

sensors capabilities for the Armed Forces.

*Mr. Ricchiazzi is a writer with Tobyhanna Army Depot Public Affairs Office, Tobyhanna, Pa.*

## ACRONYM QUICKSCAN

ACS – Auxiliary Communications Shelter  
 ARE – Army Reserve Element  
 AT&T – American Telephone and Telegraph  
 C4I – command, control, communications, computers and intelligence  
 C-E LCMC – Communications-Electronics Life Cycle Management Command  
 CENTRIXS – the Combined Enterprise Regional Information Exchange System  
 CFLCC – Coalition Forces Land Component Command  
 CIMF – Central Iraq Microwave System  
 HMMWV – High Mobility Multi-purpose Wheeled Vehicle  
 IP – Internet Protocol  
 ISEC – Information Systems Engineering Command  
 ITSB – an Integrated Theatre Signal Battalion  
 JCS – Joint Communications Squadron  
 JCSE – Joint Communications Support Element  
 JWICS -- Joint Worldwide Intelligence Communications System  
 MNF-1 – Multi-National Force-Iraq  
 NIPR – Non-secure Internet Protocol Router Nets  
 NIPRNET – Nonsecure Internet Protocol Router Network  
 PD SCS – Product Director Satellite Communications Systems  
 PED – Production Engineering Directorate  
 PEO EIS – Program Executive Office for Enterprise Information Systems  
 PM DCATS – Project Manager, Defense Communications and Army Transmission Systems  
 SIPR – Secure Internet Protocol Router Nets  
 SIPRNET – Secret Internet Protocol Router Network  
 TROP – Troposphere  
 USARPAC – U.S. Army Pacific Command  
 USARRC – United States Army Reserve Readiness Command  
 VTC -- video teleconferencing

Chief of Signal Comments continued from Inside Front Cover

authorizations at brigade and division. To overcome this systemic shortfall, the Army is accessing candidates to fill Modified Table of Equipment requirements at the fourth and then again at the seventh year of service. Captains selected for FA24 and FA 53 will attend the Signal Captains Career Course followed by functional area qualification training and follow-on assignments to TOE units.

Fourth, is the implementation of a number of initiatives to improve the number and quality of warrant officers across all branches. Signal proactively initiated several of these initiatives four years ago allowing us to expand our accession pool significantly. This resulted in the average accession point for Signal warrant officers to move from the twelfth year to the ninth year of

active federal service, with a target of the seventh year. In addition warrant officers now attend career courses earlier and Signal warrant officers receive more in-depth hands-on training and education tailored to their military occupational specialty. This coupled with the new compressed promotion timelines, promises to eliminate critical senior warrant officers shortages. Collectively, these initiatives provide the force with better qualified, more agile and adaptive Signal warrant officers able to serve longer.

The officers of the Regiment are adapting well to these changes and stepping up to the challenges of the Global War on Terrorism. We have a great leadership team and I'm proud of what you and your Soldiers accomplish every day.

In future editions, we will publish more information about our officers

and will include changes to our enlisted force as well.

Thanks for all you do. Army Strong.

**BG Randolph P. Strong**  
Chief of Signal



**ACRONYM QUICKSCAN**

- HRC – Human Resources Command
- OPMS – Officer Personnel Management System
- MTOE – Modified Table of Organization and Equipment

United States Postal Service		Statement of Ownership, Management, and Circulation	
1. Publication Title <b>Army Communicator</b>	2. Publication Number 3 0 5 - 4 7 0	3. Filing Date 21 Dec 06	13. Publication Title <b>Army Communicator</b>
4. Issue Frequency Quarterly	5. Number of Issues Published Annually 3	6. Annual Subscription Price N/A	14. Issue Date for Circulation Data Below Winter 06/Spring 06/(no summer)/Fall 06
7. Complete Mailing Address of Known Office of Publication (Not printer) (Street, city, county, state, and ZIP+4) U.S. Army Signal Center, Bldg 29808A, Rm 713 Fort Gordon (Richmond County), GA 30905		8. Complete Mailing Address of Headquarters or General Business Office of Publisher (Not printer) Department of the Army, Commander, U.S. Army Signal Center & Fort Gordon Bldg 29808A, Rm 713, Fort Gordon, GA 30905	
9. Full Names and Complete Mailing Addresses of Publisher, Editor, and Managing Editor (Do not leave blank)		10. Owner (Do not leave blank. If the publication is owned by a corporation, give the name and address of the corporation immediately followed by the names and addresses of all stockholders owning or holding 1 percent or more of the total amount of stock. If not owned by a corporation, give the names and addresses of the individual owners. If owned by a partnership or other unincorporated firm, give its name and address as well as those of each individual owner. If the publication is published by a nonprofit organization, give its name and address.)	
Publisher (Name and complete mailing address) Commander, U.S. Army Signal Center and Fort Gordon, Bldg 29808A, Rm 713 Fort Gordon, GA 30905		Full Name Department of the Army Complete Mailing Address Washington, D.C. 22331	
Editor (Name and complete mailing address) Janet McElmurray, U.S. Army Signal Center and Fort Gordon, Bldg 29808A, Rm 713, Fort Gordon, GA 30905		11. Known Bondholders, Mortgagees, and Other Security Holders Owning or Holding 1 Percent or More of Total Amount of Bonds, Mortgages, or Other Securities. If none, check box <input checked="" type="checkbox"/> None	
Managing Editor (Name and complete mailing address) N/A		Full Name None Complete Mailing Address	
12. Tax Status (For completion by nonprofit organizations authorized to mail at nonprofit rates) (Check one) <input checked="" type="checkbox"/> Has Not Changed During Preceding 12 Months <input type="checkbox"/> Has Changed During Preceding 12 Months (Publisher must submit explanation of change with this statement)			
15. Extent and Nature of Circulation		16. Publication of Statement of Ownership <input type="checkbox"/> Publication required. Will be printed in the <b>Winter 2007</b> issue of this publication. <input type="checkbox"/> Publication not required.	
a. Total Number of Copies (Net press run)		17. Signature and Title of Editor, Publisher, Business Manager, or Owner <i>Janet A. McElmurray</i> Editor-in-Chief Date <b>Dec 21, 2006</b>	
b. Paid and/or Requested Circulation		18. I certify that all information furnished on this form is true and complete. I understand that anyone who furnishes false or misleading information on this form or who omits material or information requested on the form may be subject to criminal sanctions (including fines and imprisonment) and/or civil sanctions (providing civil penalties).	
(1) Paid/Requested Outside-County Mail Subscriptions Stated on Form 3541 (Include advertiser's proof and exchange copies)		Instructions to Publishers	
(2) Paid In-County Subscriptions Stated on Form 3541 (Include advertiser's proof and exchange copies)		1. Complete and file one copy of this form with your postmaster annually on or before October 1. Keep a copy of the completed form for your records.	
(3) Sales Through Dealers and Carriers, Street Vendors, Counter Sales, and Other Non-USPS Paid Distribution		2. In cases where the stockholder or security holder is a trustee, include in items 10 and 11 the name of the person or corporation for whom the trustee is acting. Also include the names and addresses of individuals who are stockholders who own or hold 1 percent or more of the total amount of bonds, mortgages, or other securities of the publishing corporation. In item 11, if none, check the box. Use blank sheets if more space is required.	
(4) Other Classes Mailed Through the USPS		3. Be sure to furnish all circulation information called for in item 15. Free circulation must be shown in items 15d, e, and f.	
c. Total Paid and/or Requested Circulation (Sum of 15b (1), (2), (3), and (4))		4. Item 15h, Copies not Distributed, must include (1) newsstand copies originally stated on Form 3541, and returned to the publisher; (2) estimated returns from news agents, and (3), copies for office use, leftovers, spoiled, and all other copies not distributed.	
d. Free Distribution by Mail (Samples, complimentary and other free)		5. If the publication had Periodicals authorization as a general or requester publication, this Statement of Ownership, Management, and Circulation must be published; it must be printed in any issue in October or, if the publication is not published during October, the first issue printed after October.	
(1) Outside-County as Stated on Form 3541		6. In item 16, indicate the date of the issue in which this Statement of Ownership will be published.	
(2) In-County as Stated on Form 3541		7. Item 17 must be signed.	
(3) Other Classes Mailed Through the USPS		Failure to file or publish a statement of ownership may lead to suspension of Periodicals authorization.	
e. Free Distribution Outside the Mail (Carriers or other means)		PS Form 3526, October 1999 (Reverse)	
f. Total Free Distribution (Sum of 15d and 15e)			
g. Total Distribution (Sum of 15c and 15f)			
h. Copies not Distributed			
i. Total (Sum of 15g and h.)			
j. Percent Paid and/or Requested Circulation (15c divided by 15g times 100)			

**Army Communicator Statement of Ownership**



DEPARTMENT OF THE ARMY  
ARMY COMMUNICATOR  
USASC&FG  
ATTN: ATZH-POM  
Fort Gordon, Georgia 30905-5301

PERIODICALS  
Postage and fees paid  
at Augusta, Georgia and  
additional cities

---

OFFICIAL BUSINESS  
ISSN 0362-5745

**ARMY**  
*Communicator*

Signal Towers, Room 713  
Fort Gordon, Georgia 30905-5301

PIN: 083749-000