



Training and Tactical ORS Operations (TATOO)

Robert Strunce, Thomas Mann
Star Technologies Corporation

Barbara Sorensen
AFRL (HE)



5th Responsive Space Conference
April 23–26, 2007
Los Angeles, CA

Report Documentation Page			Form Approved OMB No. 0704-0188		
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE APR 2007		2. REPORT TYPE Final		3. DATES COVERED 01-01-2006 to 31-03-2007	
4. TITLE AND SUBTITLE Training and Tactical ORS Operations (TATOO)			5a. CONTRACT NUMBER FA8650-06-C-6737		
			5b. GRANT NUMBER		
			5c. PROGRAM ELEMENT NUMBER 62202F		
6. AUTHOR(S) Robert Strunce; Barbara Sorensen; Thomas Mann			5d. PROJECT NUMBER 1123		
			5e. TASK NUMBER AT		
			5f. WORK UNIT NUMBER 1123AT07		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Air Force Research Laboratory/RHA,Warfighter Readiness Research Division,6030 South Kent Street,Mesa,AZ,85212-6061			8. PERFORMING ORGANIZATION REPORT NUMBER AFRL; AFRL/RHA		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Air Force Research Laboratory/RHA, Warfighter Readiness Research Division, 6030 South Kent Street, Mesa, AZ, 85212-6061			10. SPONSOR/MONITOR'S ACRONYM(S) AFRL; AFRL/RHA		
			11. SPONSOR/MONITOR'S REPORT NUMBER(S) AFRL-RH-AZ-PR-2007-0002		
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES Paper presented at the 5th Responsive Space Conference, Los Angeles CA, 23-26 Apr 2007					
14. ABSTRACT Star Technologies Corporation is developing a ?Training and Tactical ORS Operations? (TATOO) Classroom/Laboratory under the direction of the Air Force Research Laboratory / Human Effectiveness (AFRL/HE) Division. This paper will discuss the laboratory hardware and software being created to give voice to the Warfighter?s interaction with Operationally Responsive Space (ORS) satellites. The goal of the TATOO laboratory is to provide an environment for the development of procedures and protocol for tasking tactical satellites as well as an environment for training the Warfighter on the tasking process.					
15. SUBJECT TERMS Operationally Responsive Space; ORS; Training and Tactical ORS Operations; TATOO; Tactical satellites; Training;					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Public Release	18. NUMBER OF PAGES 6	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

TRAINING AND TACTICAL ORS OPERATIONS (TATOO)

Robert Strunce, President, Star Technologies Inc, Great Falls VA

Dr. Barbara Sorensen, AFRL (HE), Mesa AZ

Thomas Mann, Project Manager, Star Technologies Inc, Great Falls VA

ABSTRACT

Star Technologies Corporation is developing a "Training and Tactical ORS Operations" (TATOO) Classroom/Laboratory under the direction of the Air Force Research Laboratory / Human Effectiveness (AFRL/HE) Division. This paper will discuss the laboratory hardware and software being created to give voice to the Warfighter's interaction with Operationally Responsive Space (ORS) satellites. The goal of the TATOO laboratory is to provide an environment for the development of procedures and protocol for tasking tactical satellites as well as an environment for training the Warfighter on the tasking process.

ORS systems aim to provide operational space capabilities, flexibility and responsiveness to the theater that do not exist today. ORS communication, navigation and ISR (Intelligence, Surveillance, and Reconnaissance) satellites are designed to replace or supplement existing systems in order to enhance the current space force. They intend to rapidly meet near term space needs of the tactical forces. The ORS concept includes new tactical satellites specifically designed to support contingency operations such as increased communication bandwidth, and ISR imagery over the theater for a limited period to support air, ground, and naval force missions. The full potential of ORS is to support in-theater tactical forces to develop satellite tasking, data retrieval and interface capabilities for mission operations from a Warfighter centered perspective, and to develop realistic training and simulation that allows development, demonstration, and assessment of ORS tactical CONOPS (Concept of Operations).

The TATOO Objectives are to support in-theater commanders & Warfighters by revising and exercising the Operationally Responsive Space mission CONOPS for in-theater tasking, scheduling, interface and data retrieval for tactical satellites. TATOO provides a laboratory/classroom environment for the development, testing, and evaluation of ORS Tactical Mission CONOPS for in-theater ORS operations to:

- Develop a user interface and protocol for the easy tasking of ORS Satellites.
- Emulate major in-theater satellite mission control components including-Tactical Ground Stations, Tactical Mission Tasking Operations, & Warfighter support systems.
- Emulate in-theater communications with local area network to provide connectivity.
- Simulate tactical satellite operations, dynamics, and data collection with Spacecraft Design Tool.

The potential TATOO benefits are

- Develop training materials and a process for the tasking of ORS Satellites by the Warfighter.
- Working with the Warfighter to ensure that their needs are met.
- Support the ability to rapidly design, fabricate, test and launch a responsive tactical satellite within a six day window.
- Provide realistic training and simulation capabilities that will allow development, demonstration, and assessment of ORS tactical CONOPS.
- Allow distributed mission teams to interact in day-to-day satellite operational control through VMOC (Virtual Mission Operations Center).
- Support the operational side of ORS and merge with the revolutionary ORS spacecraft development and deployment processes to make the ORS paradigm a reality.
- Enable in-theater interactive training exercises that promote training of in-theater personnel.

INTRODUCTION

This paper will discuss the TATOO Lab, a computer-based simulation environment (Figure 1: The TATOO Laboratory) being built at Star Technologies' Great Falls, VA facility. The purpose of the TATOO Lab is to assist in developing an ORS CONOPS, to exercise and optimize the ORS CONOPS, and to train Warfighters and support personnel in ORS tactical satellite tasking and operations. Training is usually an afterthought, and the TATOO Lab attempts to put focus on the Warfighter, the Warfighter's needs (under ORS), and the training materials for the Warfighter before ORS becomes a reality.

The TATOO Lab will allow users to exercise training scenarios to demonstrate how ORS satellites can quickly assist in mission needs.

Users of the lab will use Star Technologies developed software to task space assets and to monitor satellite health and status. Delays that emulate communication transmissions will be modeled to illustrate bottlenecks. The effect of changes in the ORS CONOPS can be demonstrated in the lab, and operational enhancements that are discovered in the lab can, in turn, be used to refine and redefine the ORS CONOPS.



Figure 1: The TATOO Laboratory

The TATOO lab includes the software necessary to emulate aspects of proposed ORS operations, from the Warfighter applications to satellites. The lab is designed to train both the Warfighter and spacecraft operator, fostering an environment where a standard operational approach can be developed to benefit both the Warfighter and operator.

TATOO LAB USERS AND COMPONENTS

The TATOO Lab is being designed to accommodate several groups of users. The Warfighter and theater commander represent the theater node. Software at this node includes ESRI's ArcView programs, FalconView, and the Satellite Tasking Manager plug-in (described later in this paper). In the case of TATOO, the Warfighter is a member of Special Operations Forces and we envision that they would undergo certification before gaining access to the tools to task directly. Special Ops would need situational awareness capabilities in remote locations where traditional communications methods might not exist.

The satellite emulation node contains the ORS satellite(s) as modeled by Star Technologies' Spacecraft Design Tool (SDT). For different training exercises, the satellites can operate at realtime or significantly faster.

Satellite Systems Operators (SSO) are the users at the VMOC node. The number of ORS satellites can be dynamically changed to allow experimentation with constellation size and the resulting effects on the timeliness on meeting battlefield requests. AGI's STK with coverage module is used for the SSOs to experiment with different orbits to prepare for the launch of a new ORS satellite. New orbital information can be published to SDT from STK.

The Reachback node contains the Image Product Library (IPL), the repository of images saved from ORS Satellite collections. Personnel at this node include imagery analysts whose expertise can be called upon by the theater or VMOC nodes. Analysts can annotate imagery and publish it to the IPL so that the theater can access it.

Each node can broadcast its video output to any combination of eight 45" high definition LCD TVs. Prewired ports for video and network access and wireless allow for future expansion.

ORS SATELLITE SIMULATION WITH SDT

The Satellites are emulated with Spacecraft Design Tool (SDT), a high fidelity spacecraft 6 degree-of-freedom (6DOF) simulation tool developed by Star Technologies, Inc. SDT (Figure 2: Spacecraft Design Tool) is based on Microsoft's .NET framework, thereby providing true software plug-and-play components.

The modeled satellites are addressable individually via a TCP/IP port. Each contains an Activity Manager; a mechanism to reconcile Warfighter requests with battery charging and other autonomous state-of-health activities. An on-board Targeting component is responsible for organizing the requests and developing a slewing approach¹.




Figure 2: Spacecraft Design Tool

SDT is the software application that provides an open framework for Responsive Space's rapid design concept spanning mission capture to deployment. SDT is the core 6DOF high- fidelity simulation currently

in the AFRL's Responsive Space Test Bed. SDT is integrated into the Mission Design phase and the real time HITL test cells and it provides an environment for rapid prototyping of spacecraft using true software Plug-n-Play of components, environment and subsystems².

SATELLITE/WARFIGHTER COMMUNICATION

We are researching two ways for Warfighters to directly communicate with ORS satellites: by RF and SIPRNet.

The first approach is with the PRC-117 military radio. This method is how Star Technologies is proceeding in AFRL's Plug-n-Play satellite effort. In this case, a Warfighter can send tasking requests directly to the satellite and receive products directly via a 9600bps downlink stream. The RF downlink speed limits the type of products available to the Warfighter, but text-based, lightweight information is feasible. Image processing algorithms envisioned for AFRL's Plug and Play satellite effort and possible with High Performance On Orbit Computing (HPOOC) can generate these messages that can be interpreted by the Warfighter's software. Larger data can be broken up and received from different ORS satellites at different times. Expected data transmission times, errors, and retries are emulated via components built into SDT.

The SIPRNet approach assumes that a satellite is a node on the SIPRNet addressable with TCP/IP and that the Warfighter has SIPRNet access. Satellite products can be returned to him almost instantly after a collection occurs, and the high downlink speed increases the scope of products available. We recognize that this approach is possibly not-feasible with today's technology, but should be considered for the future.

It is also possible that a Warfighter might request satellite support by sending a request to the JTAC (Joint Terminal Attack Controller). Star Technologies is working with Air Force Special Operations Command to create a training methodology for JTACS for ORS Satellite tasking.

ORS SERVICE

To support the concept of direct tasking by in-theater Warfighters, there is a need for an ORS Service. The ORS Service would run in a distributed fashion on-board each satellite in the ORS constellation, maintaining information about each satellite and determining which satellite is best suited to fulfill a tasking request. The ORS Service would maintain information such as position, attitude, slew rates, expected housekeeping times, as well as availability. This information would be sent to the ground terminal – the Satellite Tasking Manager (see the next section), effectively sending almanac data.

Tasking can be accomplished by using the ORS Service as a "broker": tasking can be sent in advance to any satellite in the constellation, and the ORS Service would determine which satellite would be tasked.

SATELLITE TASKING MANAGER (STM)

The Satellite Tasking Manager (STM) is software that enables the Warfighter to task a satellite by using a point and click interface. STM is constructed as a plug-in and can be accessed by a toolbar button in ArcMap and FalconView. STM interfaces with the selection, drawing, and annotation capabilities in both tools.

Working with the ORS Service, STM displays a projected ground trace of each ORS satellite over a location with their expected pass time, current tasking load, and capabilities. This data is updated on an as-needed basis when STM connects with the ORS Service, and kept fresh using a propagator. Using this information, the Warfighter can point and click to task a specific satellite.

STM allows a user to select an area of interest on a map, resulting in a coordinate set corresponding to an area. Additional constraints such as date, time of day, look angle, and cloud cover can also be entered.

One example is “Bomb Damage Assessment”. In this exercise, a Warfighter requests information to ensure that a facility and access to the facility has been damaged beyond easy repair. It is assumed that the Warfighter already has existing maps and imagery of the area. Accessing the Satellite Tasking Manager (an icon in the ArcMap or FalconView toolbar), the Warfighter gets access to drawing tools and can select the area of interest, constraints, and also what types of objects that should be identified by the on-board image processing algorithms. An example would be to highlight any bridges that are no longer usable. As a result of a previous synching with the ORS Service and STM’s built-in propagator, STM displays a current position of each satellite in the ORS Constellation. The task is turned into a message that can be transmitted directly to the satellite using a PRC-117 military radio. The satellite sends text-based messages directly to the Warfighter that are interpreted by STM. The messages create symbols and are drawn on the Warfighter’s existing maps using FalconView and ArcMap’s built-in drawing tools.

Receiving imagery is also possible, but due to the 9600bps transmission limit, the imagery product would probably have to be received in multiple tries, and pieced together with STM.

If SIPRNet access exists for both the tasking and the product retrieval, the satellite product could be high-resolution imagery and received immediately after a collection. The Warfighter can then compare it against his existing image library. If needed, he can initiate reachback through VMOC to request an Imagery Analyst’s assistance.

CONCLUSION

The TATOO Laboratory provides a flexible environment for the development of unique Warfighter CONOPS. TATOO can rapidly prototype multiple satellites and their respective constellation using SDT to simulate a variety of ORS tactical satellite scenarios. TATOO provides the training and simulation capability necessary to certify the Warfighter in direct tasking of tactical satellites.

ACKNOWLEDGMENTS

We would like to thank Armin Blueggel, 2nd Lt and Brian Dieffenderfer, 1st Lt with AFRL/HEAT for their assistance and help in understanding the “boots-on-the-ground” perspective.

Thanks to Don Fronterhouse for leading up the PnPSat effort and his vision for enabling the Warfighter.

Also, thanks to Sal Diaz del Valle, GySgt with ESRI.

REFERENCES

1. M. Frayman, R. Strunce, “Spacecraft Slewing/Guidance Algorithm for Hyperspectral Imagers”, *AIAA Fifth Responsive Space Conference*, 2007.
2. R. Strunce, F. Eckert, C. Eddy, “Responsive Space’s Spacecraft Design Tool (SDT)”, *AIAA Fourth Responsive Space Conference*, 2006.