



GLEEM Testing Fixture

by David Gray

ARL-TN-360

July 2009

NOTICES

Disclaimers

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.

Citation of manufacturer's or trade names does not constitute an official endorsement or approval of the use thereof.

Destroy this report when it is no longer needed. Do not return it to the originator.

Army Research Laboratory

Aberdeen Proving Ground, MD 21005-5069

ARL-TN-360

July 2009

GLEEM Testing Fixture

David Gray

Weapons and Materials Research Directorate, ARL

REPORT DOCUMENTATION PAGE				Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.					
1. REPORT DATE (DD-MM-YYYY)		2. REPORT TYPE		3. DATES COVERED (From - To)	
July 2009		Final		November 2007–May 2009	
4. TITLE AND SUBTITLE GLEEM Testing Fixture				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S) David Gray				5d. PROJECT NUMBER	
				98M428	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) U.S. Army Research Laboratory ATTN: RDRL-WMM-B Aberdeen Proving Ground, MD 21005-5069				8. PERFORMING ORGANIZATION REPORT NUMBER ARL-TN-360	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution is unlimited.					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT A test method was used to develop a process to emplace a refractory metal liner inside a gun tube as a part of an effort at the U.S. Army Research Laboratory to develop an autofrettage gun barrel application. The process consisted of filling the liner with an elastomeric material and then slipping this arrangement into the gun tube. The ends of the liner were plugged with plastic disks, and pressure was applied to the elastomeric material by a load frame. A test fixture was developed to facilitate containment and alignment of the gun barrel during testing. The fixture is described in this report, and preliminary data is provided to show the utility of the fixture.					
15. SUBJECT TERMS GLEEM testing fixture, tech note, autofrettage, gun liner emplacement by elastomeric material					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT	b. ABSTRACT	c. THIS PAGE			David Gray
Unclassified	Unclassified	Unclassified	UU	20	19b. TELEPHONE NUMBER (Include area code) 410-306-0852

Contents

List of Figures	iv
1. Introduction	1
2. Testing Assembly and Load Frame Installation	2
3. Fixture Description	5
4. Test Procedure	6
5. Conclusions and Recommendations	7
Distribution List	8

List of Figures

Figure 1. GLEEM 100,000-lb compression fixture.	1
Figure 2. Schematic of GLEEM application setup.	2
Figure 3. Four-inch test coupon assembly.	3
Figure 4. Assembled 4-inch test coupon.	3
Figure 5. MTS 100,000-lb load frame with single top compression platen.	4
Figure 6. GLEEM fixture 12-inch test sample adaptation.	4
Figure 7. GLEEM fixture with 12-inch test sample.	5
Figure 8. GLEEM fixture drawing.	5
Figure 9. Complete assembly prior to testing.	6
Figure 10. Hoop strain vs. internal pressure.	7

1. Introduction

The term GLEEM (patent pending) is derived from “Gun Liner Emplacement by Elastomeric Material” developed by Drs. Robert Carter, U.S. Army Research Laboratory, and Bill de Rosset, Dynamic Science, Inc., as a potential economic way to apply liners to and/or induce a state of autofrettage in gun barrel applications. By compressing an elastomeric material inside the tube, plastic deformation of the gun tube was produced, resulting in a compressive residual stress near the surface of the liner/gun tube interface. This strengthened the gun tube and allowed higher operating pressures and longer fatigue life.¹ In order to achieve the compressive loads required to obtain the desired bond strength, a fixture was made to constrain test coupons (see figure 1). Previously, there was no fixture available for the GLEEM process.




Figure 1. GLEEM 100,000-lb compression fixture.

¹Carter, R. H.; Gray, D. M.; de Rosset, W. GLEEM – A New Composite Gun Tube Processing Technology. ASC paper; U.S. Army Research Laboratory: Aberdeen Proving Ground, MD, 2008.

2. Testing Assembly and Load Frame Installation

The fixture was designed to restrain only the steel barrel while allowing the insert material to plastically deform unhindered, via the expansion of the elastomeric plug, as loads increased. A schematic of a GLEEM process is shown in figure 2. Without the restraints, the liner and gun tube move, causing the sealing discs to fail and allowing the elastomeric plug to blow out of the bottom. A typical coupon assembled in fixture is shown in figures 3 and 4.

The fixture threads into the lower ram actuator of a Material Test Systems (MTS)/Instron load frame. The upper load cell has a threaded platen to drive the piston down into the sealing caps of the test coupon. The MTS load frame control software is used to compress at an inch/minute rate and hold at a final predetermined load set by Drs. Robert Carter and Bill de Rosset. The MTS 100,000-lb hydraulic model load frame installation is shown in figure 5. By changing length of the restraining rods, the GLEEM fixture is also capable of testing a longer steel tube sample, as can be seen in figures 6 and 7.




Figure 2. Schematic of GLEEM application setup.¹



Figure 3. Four-inch test coupon assembly.



Figure 4. Assembled 4-inch test coupon.




Figure 5. MTS 100,000-lb load frame with single top compression platen.




Figure 6. GLEEM fixture 12-inch test sample adaptation.



Figure 7. GLEEM fixture with 12-inch test sample.

3. Fixture Description

Figures 8 and 9 describe the components of the GLEEM fixture and their purposes.




Figure 8. GLEEM fixture drawing.



Figure 9. Complete assembly prior to testing.

4. Test Procedure

The load frame used was the MTS 100,000-lb maximum load with a cross head rate of 0.1 in/min. To allow internal pressure equalization, the software was configured to ramp to 90,000 lb and hold. The specimen was placed in the fixture according to the procedure described in the fixture description in section 3.

Tests were considered complete when the controls detected a 40% load drop from peak compressive load or 1 hr of static state. Load ram was returned to 0 after the test was completed. Figure 10 is a typical test graph showing calculated internal pressure vs. measured hoop strain on the outer surface of the jacket while constrained in the GLEEM fixture. The steel yield strength was 160 ksi. The pressure was calculated by dividing the load by the surface area of the piston. The gage used was in the center of a 4-in cylinder, minimizing the frictional effects affecting the pressure.




Figure 10. Hoop strain vs. internal pressure.

5. Conclusions and Recommendations

A functional test fixture was designed and fabricated to hold and align GLEEM specimens, providing desired test data and bond strength results consistently between the various experimental liner materials.

NO. OF
COPIES ORGANIZATION

1 DEFENSE TECHNICAL
 (PDF INFORMATION CTR
 only) DTIC OCA
 8725 JOHN J KINGMAN RD
 STE 0944
 FORT BELVOIR VA 22060-6218

1 DIRECTOR
 US ARMY RESEARCH LAB
 IMNE ALC HRR
 2800 POWDER MILL RD
 ADELPHI MD 20783-1197

1 DIRECTOR
 US ARMY RESEARCH LAB
 RDRL CIM L
 2800 POWDER MILL RD
 ADELPHI MD 20783-1197

1 DIRECTOR
 US ARMY RESEARCH LAB
 RDRL CIM P
 2800 POWDER MILL RD
 ADELPHI MD 20783-1197

ABERDEEN PROVING GROUND

1 DIR USARL
 RDRL CIM G (BLDG 4600)

NO. OF
COPIES ORGANIZATION

1 DIRECTOR
US ARMY RSRCH LAB
RDRL SED E
R ATKINSON
2800 POWDER MILL RD
ADELPHI MD 20783-1197

6 DIRECTOR
US ARMY RSRCH LAB
RDRL WMM B
A ABRAHAMIAN
M BERMAN
M CHOWDHURY
A FRYDMAN
R KARGUS
T LI
2800 POWDER MILL RD
ADELPHI MD 20783-1197

1 COMMANDER
US ARMY MATRL CMND
AMXMI INT
9301 CHAPEK RD
FORT BELVOIR VA 22060-5527

1 COMMANDER
US ARMY TACOM ARDEC
AMSRD AAR EM
J HEDDERICH BLDG 94
PICATINNY ARSENAL NJ 07806-5000

1 COMMANDER
US ARMY TACOM ARDEC
AMSRD AAR EMT
B MACHAK BLDG 1
PICATINNY ARSENAL NJ 07806-5000

4 COMMANDER
US ARMY TACOM ARDEC
AMSRD AAR AEP E
K LAUGHLIN
S GROESCHLER
J LEE
J VEGA
BLDG 94
PICATINNY ARSENAL NJ 07806-5000

1 COMMANDER
US ARMY TACOM ARDEC
AMSRD AAR AEM J
G FLEMING BLDG 65N
PICATINNY ARSENAL NJ 07806-5000

NO. OF
COPIES ORGANIZATION

1 COMMANDER
US ARMY TACOM ARDEC
AMSRD AAR EBM
R CARR BLDG 65N
PICATINNY ARSENAL NJ 07806-5000

1 COMMANDER
US ARMY TACOM ARDEC
AMSRD AAR EBM
W SHARPE
BLDG 1
PICATINNY ARSENAL NJ 07806-5000

3 COMMANDER
US ARMY TACOM ARDEC
SFAE AMO MAS LC
R DARCY
R JOINSON
D RIGOGLIOSO
BLDG 354
PICATINNY ARSENAL NJ 07806-5000

1 COMMANDER
US ARMY TACOM ARDEC
AMSRD AAR AEM L
P DONADIA
BLDG 65 S
PICATINNY ARSENAL NJ 07806-5000

2 COMMANDER
US ARMY TACOM ARDEC
AMSRD AAR AEM
A VELLA BLDG 354
J LUTZ BLDG 354
PICATINNY ARSENAL NJ 07806-5000

1 COMMANDER
US ARMY TACOM ARDEC
AMSRD AAR AEM
T LOUZEIRO 65
PICATINNY ARSENAL NJ 07806-5000

1 COMMANDER
US ARMY TACOM ARDEC
AMSRD AAR AEM
L MANOLE BLDG 65N
PICATINNY ARSENAL NJ 07806-5000

NO. OF
COPIES ORGANIZATION

3 COMMANDER
US ARMY TACOM ARDEC
AMSRD AAR AEM
S MUSALLI BLDG 65S
M LUCIANO BLDG 65S
E LOGSDEN BLDG 65S
PICATINNY ARSENAL NJ 07806-5000

1 COMMANDER
US ARMY TACOM ARDEC
AMSRD AAR AEE P
D KAPOOR BLDG 25
PICATINNY ARSENAL NJ 07806-5000

1 COMMANDER
US ARMY TACOM ARDEC
AMSRD AAR AEE P
S KERWIEN BLDG 60
PICATINNY ARSENAL NJ 07806-5000

1 COMMANDER
US ARMY TACOM ARDEC
AMSRD AAR AIP
M LOS BLDG 1
PICATINNY ARSENAL NJ 07806-5000

2 SFSJM CDL
AMMUN TEAM
AMSIO SMT
R CRAWFORD
W HARRIS
1 ROCK ISLAND ARSENAL
ROCK ISLAND IL 61299-6000

7 BENET LABS
AMSTA AR CCB
M SOJA
E KATHE
G SPENCER
P WHEELER
S KRUPSKI
J VASILAKIS
G FRIAR
WATERVLIET NY 12189-4050

5 BENET LABS
AMSTA CCB R
S SOPOK
E HYLAND
D CRAYON
R DILLON
G VIGILANTE
WATERVLIET NY 12189-4050

NO. OF
COPIES ORGANIZATION

1 US ARMY TARDEC
AMSRD TAR R
D TEMPLETON
6501 E 11 MILE RD MS 263
WARREN MI 48397-5000

1 PEO GROUND COMBAT SYS
SFAE GCS BCT/MS 325
M RYZYI
6501 ELEVEN MILE RD
WARREN MI 48397-5000

2 USA RDECOM
AMSRD AMR AE F T
F RUMPF
J CHANG
BLDG 488 B247
REDSTONE ARSENAL AL 35898

1 USA RDECOM
AMSRD AMR AE F A
M ROGERS
BLDG 4488 B244
REDSTONE ARSENAL AL 35898

3 USA RDECOM
AMSRD AMR AE F M
K BHANSALI
G LIU
R MCFARLAND
BLDG 4488 B272
REDSTONE ARSENAL AL 35898

4 US ARMY RSRCH OFC
J PRATER
D STEPP
D KISEROW
W MULLINS
PO BOX 12211
RESEARCH TRIANGLE PARK NC
27709-2211

1 COMMANDER
US ARMY TACOM ARDEC
AMSTA AR CCL B
J MIDDLETON
BLDG 65N
PICATINNY ARSENAL NJ 07806-5000

1 COMMANDER
US ARMY TACOM ARDEC
ASIC PRGM INTEGRATION OFC
J RESCH
BLDG 1
PICATINNY ARSENAL NJ 07806-5000

NO. OF
COPIES ORGANIZATION

1 COMMANDER
US ARMY TACOM ARDEC
AMSRD AAR AEW M(D)
M MINISI
BLDG 65 N
PICATINNY ARSENAL NJ 07806-5000

1 US ARMY TACOM ARDEC
AMSRD AR CCL C
S SPICKERT-FULTON
BLDG 65 N
PICATINNY ARSENAL NJ 07806-5000

1 US ARMY ARDEC
AMSRD AAR AEM I
D CONWAY
BLDG 65 N
PICATINNY ARSENAL NJ 07806-5000

3 PM ARMS
SFAE AMO MAS SMC
R KOWALSKI
F HANZL
P RIGGS
BLDG 354
PICATINNY ARSENAL NJ 07806-5000

1 PM ARMS
SFAE AMO MAS MC
BLDG 354
PICATINNY ARSENAL NJ 07806-5000

7 FORT SILL FIELD ARTILLERY
S COFFMAN
G LEMONS
B LEWIS
J HALL
D CARLSON
R NELSON
C NIEDERHAUSER
BUILDING 700 (KNOX HALL)
FORT SILL OK 73503

1 FORT SILL FIELD ARTILLERY
FDIC USAFAC
D BROWN
BUILDING 700 (KNOX HALL)
FORT SILL OK 73503

1 FORT SILL FIELD ARTILLERY
HQ US ARMY FIRES CTR
R HADDOCK
640 MCBRIDE AVE
FORT SILL OK 73503

NO. OF
COPIES ORGANIZATION

1 FORT SILL FIELD ARTILLERY
TSM CANNON
J TANZI
FORT SILL OK 73503

1 FORT SILL FIELD ARTILLERY
TCM FSC3
J HAITHCOCK
569 CRUIKSHANK CIR
FORT SILL OK 73503

1 DARPA
S WAX
3701 N FAIRFAX DR
ARLINGTON VA 22203-1714

3 INST FOR ADVANCD TECH
H FAIR
I MCNAB
S BLESS
3925 W BRAKER LN
AUSTIN TX 78759-5316

3 ALLIANT TECHSYSTEMS INC
C AAKHUS
D KAMDAR
R DOHRN
MN07 LW54
5050 LINCOLN DR
EDINA MN 55436

1 ATK
M JANTSCHER
MN07 LW54
4700 NATHAN LN N
PLYMOUTH MN 55442

1 ALLIANT TECHSYSTEMS INC
R BECKER
MN11 2626
5050 LINCOLN DR
EDINA MN 55340-1097

2 ATK LAKE CITY
SMALL CALIBER AMMUN
LAKE CITY ARMY AMMUN PLANT
K ENLOW
D MANSFIELD
PO BOX 1000
INDEPENDENCE MO 64051-1000

NO. OF
COPIES ORGANIZATION

1 ATK LAKE CITY
LAKE CITY ARMY AMMUN PLANT
SMALL CALIBER AMMUN
J WESTBROOK
MO10 003
PO BOX 1000
INDEPENDENCE MO 64051-1000

2 DIRECTOR
LLNL
S DETERESA
F MAGNESS
PO BOX 808
LIVERMORE CA 94550

1 ARMTEC DEFENSE PRODUCTS
S DYER
85 901 AVE 53
PO BOX 848
COACHELLA CA 92236

3 PACIFIC NORTHWEST LAB
M SMITH
G VAN ARSDALE
R SHIPPELL
PO BOX 999
RICHLAND WA 99352

1 CUSTOM ANALYTICAL
ENG SYS INC
A ALEXANDER
13000 TENSOR LANE NE
FLINTSTONE MD 21530

3 ALLIANT TECHSYSTEMS INC
J CONDON
E LYNAM
J GERHARD
WV01 16 STATE RT 956
PO BOX 210
ROCKET CENTER WV 26726-0210

2 GENERAL DYNAMICS OTS
FLINCHBAUGH DIV
K LINDE
G KURZIK
PO BOX 127
RED LION PA 17356

1 ARROW TECH ASSOC
1233 SHELBURNE RD STE D8
SOUTH BURLINGTON VT 05403-7700

NO. OF
COPIES ORGANIZATION

1 UNIV OF CINCINNATI
DEPT OF AEROSPACE ENG & ENG
MECHANICS
A TABIEI
722 RHODES HALL
PO BOX 210070
CINCINNATI OH 45221-0070

4 UNIV OF DELAWARE
CTR OF COMPOSITE MTRLS
J GILLESPIE
S LOPATNIKOV
S YARLAGADDA
S ADVANI
215 COMPOSITES MANUFAC SCI LAB
NEWARK DE 19716

1 UNIV OF DELAWARE
CTR OF COMPOSITE MTRLS
M SANTARE
126 SPENCER LAB
NEWARK DE 19716

1 DEPT OF MECH ENG
UNIV OF NEVADA LAS VEGAS
M TRABIA
4505 MARYLAND PKWY
BOX 454027
LAS VEGAS NV 89154-4027

ABERDEEN PROVING GROUND

1 US ARMY ATC
CSTE DTC AT AD I
W FRAZER
400 COLLERAN RD
APG MD 21005-5059

63 DIR USARL
RDRL CI
RDRL D
R SKAGGS
RDRL LOA F
M ADAMSON
RDRL SL
R COATES
RDRL WMB C
J SMITH
RDRL WM
S KARNA
J MCCAULEY

NO. OF COPIES	ORGANIZATION
	P PLOSTINS
	T WRIGHT
	RDRL WMB
	M ZOLTOSKI
	J NEWILL
	RDRL WMB A
	D LYON
	RDRL WMB C
	P WEINACHT
	RDRL WM
	L BURTON
	J COLBURN
	B FORCH
	RDRL WMB D
	P CONROY
	RDRL WMB F
	W OBERLE
	RDRL WMM
	H MAUPIN
	S MCKNIGHT
	J BEATTY
	R DOWDING
	RDRL WMM A
	M VANLANDINGHAM
	RDRL WMM B
	J BENDER
	T BOGETTI
	R CARTER
	W DE ROSSET
	W DRYSDALE
	R EMERSON
	D HOPKINS
	R KASTE
	L KECSKES
	E KLIER
	M MINNICINO
	B POWERS
	D SNOHA
	J SOUTH
	J SWAB
	J TZENG
	RDRL WMM C
	M MAHER
	W SPURGEON
	RDRL WMM D
	E CHIN
	J ADAMS
	B CHEESEMAN
	J MONTGOMERY
	RDRL WMT
	P BAKER

NO. OF COPIES	ORGANIZATION
	RDRL WMT A
	S SCHOENFELD
	D HACKBARTH
	RDRL WMT
	C HOPPEL
	RDRL WMT B
	R GUPTA
	B MCANDREW
	RDRL WMT C
	T BJERKE
	G BOYCE
	K KIMSEY
	L MAGNESS
	B SCHUSTER
	B SORENSEN
	R SUMMERS
	B WALTERS
	RDRL WMT D
	N GNIAZDOWSKI
	RDRL WMT D
	D CASEM
	T WEERASOORIYA
	RDRL WMT E
	B RINGERS

INTENTIONALLY LEFT BLANK.