



Aging Aircraft Branch Overview

U.S. ARMY
CORROSION
SUMMIT
2009



AMTC Steve Smith

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE FEB 2009		2. REPORT TYPE		3. DATES COVERED 00-00-2009 to 00-00-2009	
4. TITLE AND SUBTITLE Aging Aircraft Branch Overview				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) U.S. Coast Guard,Aging Aircraft Branch,Elizabeth City,NC,27909				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES 2009 U.S. Army Corrosion Summit, 3-5 Feb, Clearwater Beach, FL					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 28	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			



Corrosion Cell/AAB

**U.S. ARMY
CORROSION
SUMMIT
2009**

Working specifically on supporting programs like sheltering, dehumidification and other corrosion prevention methods. Leveraging DoD and industry on joint initiatives to mitigate corrosion

Coordinate with CG Headquarters and Aviation Facility Manager to support initiatives which improve mission readiness and reduce life cycle costs



Among the challenges the services face in keeping their equipment and supplies in good operating condition is corrosion caused by exposure to the environment. GAO-06-709



Coast Guard Corrosion Program Goals

U.S. ARMY
CORROSION
SUMMIT
2009

Where the Rubber Meets the Road.....

Identify and Implement Real Time Corrosion Mitigation Initiatives.

- Introduce State-of-the Art Technology.
- Institute a Continuing Comprehensive Corrosion Training Program.
- Establish an Extensive Corrosion Mapping Program.
- Cultivate an Aggressive Corrosion Preventative Advocate Program.
- Construct Environmental Severity Indices.
- Implement a Dehumidification Program.
- Drive PDM and MPC Schedules.





U.S. Coast Guard Aircraft

U.S. ARMY
CORROSION
SUMMIT
2009



HH60
41 Aircraft
8 Air Stations



HH65
99 Aircraft
17 Air Stations

Total Aircraft: 199

Total Air Stations: 27
(Including HITRON & APO)



HU25
23 Aircraft
5 Air Stations



HC144
3 Aircraft
(5 additional on order)
1 Air Station



HC130
33 Aircraft
(incl. 6 "J" models)
5 Air Stations



Corrosion in Coast Guard Aviation

U.S. ARMY
CORROSION
SUMMIT
2009

- Age of Aircraft
- Environmental Severity
- Operational Demands
- Remote Deployments
- Hanger Deck Experience Level
- Rescue Swimmer Ops
- New Deepwater/Homeland Security Challenges





Corrosion Prevention Advocate

U.S. ARMY
CORROSION
SUMMIT
2009

Drives the Air Station Corrosion Program...

- Ownership
- Prime Duty
- Billet (E7/E6)
- Water Testing
- Provide Training
- Approved Chemical List
- Station TIMI / Eng Instruction
- Report Directly to Engineering Officer





Logistics Compliance Inspections

Ensure Your House is in Order ...

- Evaluate Effectiveness of Corrosion Control Program
- CPA Involvement
- Engineering Instruction
- Adherence to Process Guide
- Aircraft Inspections





Water Analysis

Tested Semi-Annually by CPA

Aircraft Computerized Maintenance System (ACMS)

- Dissolved Solvents < 500 ppm
- Chlorides < 50 ppm
- pH: 6 – 8
- HH65C Turbomeca requirements

MPC – GS 159001.0





Aircraft Cleaning

Most Effective Tool in Preventing Corrosion

Required: Hot Water (120-140 Degrees) & Foamers

C-130

Wash: 2 Weeks (Flap/Wheel Wells)

Wash: Monthly (Fuselage)

HU-25

Wash: Weekly

Rinse: Daily (Engines)

HH-60

Wash: Daily & 14 Day Detail Inspection

Rinse: 50' Salt Water Hover

HH-65

Wash: After last flight of day/Post Flight

Rinse: Flights below 500 feet

Wash: For 7, 14, 30 inspections





Corrosion Prevention Compounds

U.S. ARMY
CORROSION
SUMMIT
2009

C-130

ACF-50: Fogging airframe application /Amalguard

HH60 / HH65

Fluid Film - Fogging w/ Liquid A

HU-25

Mil-PRF-81309 Type 1 - Fogging

New Revision

MIL-PRF-81309

Mil-PRF-85054





Corrosion Training

➤ Aircraft Corrosion Control - Pensacola FL. (Air Force)

Course Code # 500783

(Resident and Exportable)

➤ Advanced Composite Technology - Sparks, NV

Course Code # 140200

(Resident and Exportable)

➤ Aging Aircraft Corrosion Control

(Fills requirement for Corrosion Process Guide)

➤ Annual CPA Seminar (Sandia Natl. Labs)

Now includes training for Student

Engineering Officers





Sheltering & Dehumidification

U.S. ARMY
CORROSION
SUMMIT
2009



GAO-06-709 Report

Reports to Congressional Committees June 2006

Higher rates of corrosion result in increased repairs and replacements, drive up costs, and take critical systems out of action, reducing mission readiness. Corrosion can also reduce the safety of equipment items. Although reliable cost data are not available, estimates of corrosion costs DOD-wide have ranged from \$10 billion to \$20 billion annually.

3 Month Study Elizabeth City



One Army study showed that sheltering equipment in a humidity-controlled facility had a return on investment, at minimum, of \$8 for every \$1 invested.



Battelle Corrosion Severity Test Results



**3 Month Outdoor
Exposure
E-City Air Station**



**12 Month Indoor Exposure
E-City HH-60 Hanger**




**12 Month Indoor Exposure
HMF Environmentally
Controlled**



Corrosion Mapping

U.S. ARMY
CORROSION
SUMMIT
2009

- Physical Airframe inspections
- Target Specific Grid/Zones
- Currently Depot Only
 - Light – 7,684
 - Moderate – 1,988
 - Severe – 3,840
 - Other – 2,746
 - Total – 16,258
- ACMS - ALMIS Data Base
- Pictorial & Data Views






Dehumidification Program

U.S. ARMY
CORROSION
SUMMIT
2009



Bringin' Arizona to the Air Stations



USCG Air Stations



Maintaining low humidity levels reduces corrosion because moisture is a primary cause of corrosion.

GAO-06-709




DH & Corrosion Rates/Avionic Benefits

U.S. ARMY
CORROSION
SUMMIT
2009


- **Why use Dehumidification? Reduction in Relative Humidity (moisture). A dry airframe is a happy airframe.**
- **Corrosion increases at RH levels above 60%. Below 45% RH, corrosion process virtually ceases.**

(Source: Naval Audit Service 025-95)



¹ Vernon, W. H. J. (1926).

MTBF greatly reduced with humidity levels below 50%



² Sandia National Laboratories



Dehumidification Efforts

Site assessments complete at all CG Prime Units.

Requirements:

- Ease of use – On /off in 5 minutes
 - Lower relative humidity in 1 hour to at or below 40% RH
 - Hangar / ramp operations
 - Temperature / Relative Humidity
-
- C130/HH60 – Elizabeth City, NC
 - HH65 – Atlantic City, NJ
 - HU25 – Mobile Alabama

Units have been delivered to all Prime Units, OT&E underway.

Note: One Army study showed that sheltering equipment in a humidity-controlled facility had a return on investment, at minimum, of \$8 for every \$1 invested.





Dehumidification Increases Readiness & Availability

U.S. ARMY
CORROSION
SUMMIT
2009

- 20% increase in aircraft availability.
- 24% decrease in “no fault found discrepancies.
- 15% decrease in unit level maintenance of avionics*

* Source: United Kingdom testing on the Tornado aircraft.



Higher rates of corrosion result in increased repairs and replacements, drive up costs, and take critical systems out of action, reducing mission readiness.


GAO-06-709






DH Metrics

- **Exceeding 8 hrs/day**




- **Increased Reliability**

CGAS Atlantic City Average RH
In each HH-65 & Hangar



Summary 10 May - 31 August 2006



**Data that could help
reduce corrosion of
pre-positioned assets are not
available. They are not available
because the services consider this
information to be a low priority
and do not systematically collect it.
GAO-06-709**

* Avionics composite average of APC-80M, APA-80M, 618M-3A, SCC-807, ADC-80, and SCD



New DH Carts from

U.S. ARMY
CORROSION
SUMMIT
2009






Wiring Corrosion Prevention

U.S. ARMY
CORROSION
SUMMIT
2009

- Use CPCs like MIL-C-81309 to prevent cannon plug corrosion. Develop a training program for aircraft aging wiring.
- Implemented the use of Avdec SLG to prevent cannon plug corrosion.
- Implemented the use of Avdec antenna gaskets to prevent corrosion.






Vibration Lab (Technical Capabilities)

U.S. ARMY
CORROSION
SUMMIT
2009

- Helitune Field Support
- Real-Time Dynamic Data Acquisition and Analysis
- Historical Data Archive & Trending
- Model Testing



**Commanding Officer
US Coast Guard ARSC
Engineering Vibration Lab
Hwy 34, Bldg 100
Elizabeth City, NC 27909**

**Attn: AMTC Ramirez or Jim Cowgill
Phone No. 252-335-6620/6835
D05-SMB-ARSC_Vibe_Lab@uscg.mil**



USCG Nondestructive Inspection

U.S. ARMY
CORROSION
SUMMIT
2009

Tools used to detect metallic and non-metallic defects and evaluate / monitor for limitations after repairs



Bond master style instrument to determine Unbond, debonding and disbonding in composite materials.



Ultrasonic Method currently being trained To detect corrosion and measure material thicknesses

Rusty Waldrop
USCG NDI Program Manager
Rusty.G.Waldrop@USCG.MIL
252-335-6935



Radiography Currently in use at ARSC



Thermal Imaging acquisition system Currently being reviewed for depot level Maintenance



Staveley Eddy current machines, Currently being used in the fleet..



Partnership Industry Sister Services

U.S. ARMY
CORROSION
SUMMIT
2009

Ongoing relationship with Joint Council of Aging Aircraft (JCAA) provides unique opportunities through Corrosion Steering Group (CSG)

- Funding for HH60 AvDec gaskets
- Funding for magnesium coating evaluation

Interaction with Office Secretary Defense (OSD)

- Guidance through a focused corrosion Team effort

Army/Air Force Corrosion Office / NAVAIR



Control or Prevention

U.S. ARMY
CORROSION
SUMMIT
2009





Control or Prevention

U.S. ARMY
CORROSION
SUMMIT
2009





No Magic Bullet

Basic Maintenance Practices

Ownership / Buy In

Attention to detail

Pride in your efforts





Questions?

U.S. ARMY
CORROSION
SUMMIT
2009

CWO Erick Ludwigson
Corrosion Program Manager
PH: (252) 335-6953
EMAIL: Erick.J.Ludwigson@uscg.mil

AMTC Steve Smith
Asst. Corrosion Program Manager
PH: (252) 334-5017
EMAIL: Steven.M.Smith@uscg.mil



Website: http://cgweb.arsc.uscg.mil/eisd/content/corrosion_control/corrosion_control.cfm

FAX: (252) 334-5034

Mr. Bryant Denning
Rotary Wing Corrosion Prevention Advocate
PH: (252) 335-6802
EMAIL: Bryant.A.Denning@uscg.mil

Mr. Jim Valky
Fixed Wing Corrosion Prevention Advocate
PH: (252) 334-5013
EMAIL: James.Valky@uscg.mil