

FINAL REPORT

A Research Program on Ultrawideband Electromagnetic Pulse Propagation Through the Ionosphere

Dr. Natalie Cartwright

State University of New York at New Paltz

1. ACCOMPLISHMENTS

The research done under the AFOSR grant "A Research Program on Ultrawideband Electromagnetic Pulse Propagation Through the Ionosphere" lies in the following three areas: The description of ultrawideband pulse propagation through a homogeneous, lossy plasma. Ultra-wideband pulse propagation through a material whose dielectric permittivity may be characterized as a Debye model with static levels of conductivity. The effect of conductivity on the peak amplitude of the Brillouin precursor. The significant work accomplished in each of these areas is presented in the following summary.

UWB Propagation in a Homogeneous, Isotropic, Lossy Plasma.

In our previous grant of the same title (AFOSR grant FA9550-07-1-0112), closed-form uniform asymptotic expansions were derived that describe a step modulated sine wave of fixed carrier frequency that propagates through a homogeneous, isotropic, lossy plasma. This type of material describes the ionosphere under the assumption that the ionization is independent of altitude, the Earth's magnetic field is ignored, and the collision frequency of electrons is assumed constant. Under the present grant, these results were collected into the manuscript "Ultrawideband pulse propagation through a homogeneous, isotropic, lossy plasma," which was then published in the journal *Radio Science* [1]. These closed-form solutions may be used to calculate the propagated field at any distance into the material, unlike computer simulations that require small step sizes thereby rendering large propagations distances computationally impossible. In this work, the propagated field of the pulse is expressed as the sum of three terms: the Sommerfeld precursor, the Brillouin precursor, and the signal contribution. The peak amplitudes of the Sommerfeld and Brillouin precursors were shown to

REPORT DOCUMENTATION PAGE				<i>Form Approved</i> <i>OMB No. 0704-0188</i>	
The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ORGANIZATION.					
1. REPORT DATE (DD-MM-YYYY) 22-02-2010		2. REPORT TYPE Final		3. DATES COVERED (From - To) 1 February 2008 - 30 November 2009	
4. TITLE AND SUBTITLE A Research Program on Ultrawideband Electromagnetic Pulse Propagation Through the Ionosphere				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER FA9550-08-1-0051	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S) Cartwright, Natalie A.				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) The Research Foundation of SUNY Natalie Cartwright 1 Hawk Drive				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Air Force Office of Scientific Research 875 North Randolph Street Suite 325, Rm 3112 Arlington, VA 22203				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S) AFRL-SR-AR-TR-10-0101	
12. DISTRIBUTION/AVAILABILITY STATEMENT Distribution A: Approved for Public Release					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT The research done under the AFOSR grant "A Research Program on Ultrawideband Electromagnetic Pulse Propagation Through the Ionosphere" lies in the following three areas: The description of ultra-wideband pulse propagation through a homogeneous, lossy plasma. Ultra-wideband pulse propagation through a material whose dielectric permittivity may be characterized as a Debye model with static levels of conductivity. The effect of conductivity on the peak amplitude of the Brillouin precursor. The significant work accomplished in each of these areas is presented in the following summary.					
15. SUBJECT TERMS Ultrawideband electromagnetic pulse propagation, dispersion, precursors					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON Natalie A. Cartwright
a. REPORT	b. ABSTRACT	c. THIS PAGE			19b. TELEPHONE NUMBER (Include area code) 845 257-3513

Reset

decay algebraically as $z^{-3/4}$ and z^{-2} , respectively, for large, yet finite, propagation distances z , whereas the signal contribution decays exponentially with propagation distance.

UWB Propagation in Dielectric Material with Static Levels of Conductivity. The second research area considered was UWB pulse propagation through dielectric material with static levels of conductivity σ_0 . Specifically, the material considered is one in which the dielectric permittivity may be described by a Debye model with static levels of conductivity. Such materials include water, blood, and concrete. The input pulse is a step modulated sine wave of fixed carrier frequency. An asymptotic approximation to the propagated field is then sought. In this problem, there are three relevant saddle points of the complex phase function whose locations in the complex plane move in a region about which there are branch cuts of the complex phase function. Only nonuniform asymptotic expansions have been obtained thus far. For a plane wave that is a step function modulated sine wave of fixed carrier frequency $\omega_c = 1 \times 10^9$ rad/s, nonuniform expansions have been provided for low levels of static conductivity (which roughly satisfies the inequality $0 \leq \sigma_0 \leq 10^{-9}$ S/m) and for high levels of static conductivity (which roughly satisfies the inequality $\sigma_0 > 1 \times 10^{-2}$ S/m).

The research accomplishments in this area were published in the Proceedings of the 2009 International Antennas and Propagation and USNC/URSI National Radio Science Meeting [2] and presented at European Electromagnetics (EUROEM) 2008 in Lausanne, Switzerland, the Joint Mathematics Meeting 2009 in Washington, DC, as well as at the 2009 International Antennas and Propagation and USNC/URSI National Radio Science Meeting in Charlotte, SC.

The Effect of Conductivity on the Peak Amplitude of the Brillouin Precursor. It is known from previous research [3, 4, 5, 6] that when an UWB pulse travels through a causal, dispersive, dielectric material, the propagated field consists of the Brillouin precursor and, if present, the Sommerfeld precursor and the signal contribution. The peak amplitude point of the Brillouin precursor decays algebraically with propagation distance, whereas the Sommerfeld precursor and the signal contribution decay exponentially with propagation distance. This attribute of the Brillouin precursor makes it an ideal candidate for improving interrogative technologies such as radar. However, the decay rate of the Brillouin precursor in materials with conductivity had not been studied. In this work, asymptotic analysis was used to show that the presence of conductivity does decrease the decay rate

of the Brillouin precursor. This is because the conductivity introduces a pole at the origin in the complex phase function via the dielectric permittivity. This pole prohibits a saddle point of the complex phase function from crossing the origin, which is the point that gives rise to the nonexponential decay of the peak amplitude point of the Brillouin precursor. For practical purposes though, this decay rate remains less than that of the signal contribution so that again, the Brillouin precursor may be better suited for application purposes.

The research accomplishments in this area were presented at the Progress in Electromagnetics Research Symposium (PIERS) 2008 held in Cambridge, MA.

REFERENCES

- [1] N. A. Cartwright and K. E. Oughstun, "Ultrawideband pulse propagation through a lossy plasma," *Radio Sci.*, vol. 44, 2009, doi:10.1029/2009RS004201.
- [2] —, "Pulse propagation in a Debye medium with static conductivity," in *Proceedings of the 2009 IEEE International Antennas and Propagation Symposium and USNC/URSI National Radio Science Meeting*, 2009.
- [3] K. E. Oughstun and G. C. Sherman, "Uniform asymptotic theory of pulse propagation in Lorentz media," in *Proc. of the 1977 URSI Symposium on Electromagnetic Wave Theory*, 1977.
- [4] —, *Pulse Propagation in Causal Dielectrics*. Berlin: Springer-Verlag, 1994.
- [5] N. A. Cartwright and K. E. Oughstun, "Uniform asymptotics applied to ultrawideband pulse propagation," *SIAM Rev.*, vol. 49, no. 4, pp. 628–648, 2006.
- [6] K. E. Oughstun, *Electromagnetic and Optical Pulse Propagation 2*. New York: Springer, 2009.