

Modeling Ocean Mixed Layer Flow Under Multiple Lead Fields in Sea Ice

David Smith
Environmental Fluid Dynamics
Mechanical and Aerospace Engineering
Arizona State University
Tempe, AZ 85287
602-727-6659 fax 602-965-8746 email: dcsiv@asu.edu
Award #: N00014-97-1-0920

LONG-TERM GOAL

A major goal of my current high latitude oceanographic research is to improve understanding of thermodynamic coupling of the atmosphere and ocean when sea ice is present. Improved understanding of the physical processes will ultimately lead to improved parameterization of small scale processes in larger scale general circulation models and thus to a better assessment of the role of the Arctic Ocean in climate change.

OBJECTIVES

Leads are small scale cracks in sea ice where important buoyancy flux processes occur between the Arctic atmosphere and ocean. They represent a small percentage of overall ice extent and are subgrid scale phenomena for Arctic general circulation models. Because of their subgrid scale nature, the impact of these important air sea fluxes must be parameterized in the larger models. The goal of this research is to develop a better understanding of Arctic Ocean mixed layer modification by buoyancy flux from multiple leads in sea ice.

APPROACH

A high resolution numerical model, in conjunction with coordinated laboratory experimentation, is used to examine convectively driven circulation in the shallow Arctic mixed layer. The nonhydrostatic numerical model (reported in Smith and Morison, 1998) has been used to examine mixed layer circulations under stationary and moving winter lead buoyancy sources. An important consideration in recently evolving nonhydrostatic ocean models of this type is the subgrid scale mixing parameterization used. An assessment of the importance of these schemes can be found by careful comparison of numerical results with comparable laboratory experiments. This type of comparison (Lavelle and Smith, 1996) has shown that the importance of the subgrid scale mixing scheme in getting agreement between numerical and lab results.

WORK COMPLETED

Based on the conclusions of Lavelle and Smith (1996) it was decided to reexamine the results reported in Smith and Morison (1998) with an improved representation of the subgrid scale mixing. That model has thus been recently modified to incorporate Smagorinsky mixing that was also used in the Lavelle and Smith study. New experiments are presently being explored. Figure 1 shows a preliminary simulation of circulation under two adjacent stationary leads and the associated Smagorinsky mixing.

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 1998		2. REPORT TYPE		3. DATES COVERED 00-00-1998 to 00-00-1998	
4. TITLE AND SUBTITLE Modeling Ocean Mixed Layer Flow Under Multiple Lead Fields in Sea Ice				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Arizona State University ,Department of Mechanical & Aerospace Engineering,Environmental Fluid Dynamics Program,Tempe,AZ,85287-9809				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES See also ADM002252.					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 3	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			




Figure 1

RESULTS

This being my first year at ASU, I am still exploring the means by which numerical and laboratory intercomparison can aid in understanding of physical processes and ocean model representation of these. An overview paper exploring this approach of small scale mixing processes in lab and numerical studies has been submitted (Fernando and Smith,1998) upon we will build our future intercomparisons.

IMPACT/IMPLICATIONS

It is hoped that this type of lab/numerical experimentation will lead to the improved parameterization of small scale air sea buoyancy flux in Arctic Ocean general circulation models. I have been in contact with researchers at NCAR who work with these types of models in hopes of establishing a direct link between this research and those who use those models.

TRANSITIONS RELATED PROJECTS

The descent of negatively buoyant fluid from distributed sources in laboratory experiments is presently being studied at ASU by Fernando and Colmer. Three dimensional, nonhydrostatic, high resolution numerical simulations are presently being executed for comparison with these experiments. We are contrasting numerical and lab experiments in both rotating and nonrotating systems.

REFERENCES

Lavelle W.J. and D.C.Smith, 1996: Effects of rotation on convective plumes from line segment sources. *J. Phys. Oceanogr.*, 26, 863-872.

PUBLICATIONS

Fernando, H.J.S. and D.C.Smith, 1998: Small Scale Processes in Geophysical Flows chapter to appear in "Mixing in Geophysical Flows" Linden and Redondo, ed. Barcelona.

Smith, D.C. and J.H. Morison, 1998: Nonhydrostatic circulation under leads in sea ice *J. Geophys. Res.*, 103, 3233-3247.