



UNCLASSIFIED. DISTRIBUTION STATEMENT A. Approved for public release;
unlimited public distribution.



TECHNOLOGY DRIVEN. WARFIGHTER FOCUSED.

A Perspective of Joint Agency Collaboration on Fischer-Tropsch Fuels (2003-2005)

Federal Laboratory Consortium 2008 Midwest Regional Conference, St. Louis
August 13, 2008

unclassified

Report Documentation Page

Form Approved
OMB No. 0704-0188

Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

1. REPORT DATE 13 AUG 2008	2. REPORT TYPE N/A	3. DATES COVERED -	
4. TITLE AND SUBTITLE A Perspective of Joint Agency Collaboration on Fischer-Tropsch Fuels (2003-2005)		5a. CONTRACT NUMBER	
		5b. GRANT NUMBER	
		5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S) Eric Sattler		5d. PROJECT NUMBER	
		5e. TASK NUMBER	
		5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) US Army RDECOM-TARDEC 6501 E 11 Mile Rd Warren, MI 48397-5000, USA		8. PERFORMING ORGANIZATION REPORT NUMBER 18976	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) US Army RDECOM-TARDEC 6501 E 11 Mile Rd Warren, MI 48397-5000, USA		10. SPONSOR/MONITOR'S ACRONYM(S) TACOM/TARDEC	
		11. SPONSOR/MONITOR'S REPORT NUMBER(S) 18976	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release, distribution unlimited			
13. SUPPLEMENTARY NOTES Presented at the Federal Laboratory Consortium 2008 Midwest Regional Conference, St. Louis, August 13, 2008, The original document contains color images.			
14. ABSTRACT			
15. SUBJECT TERMS			
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT SAR
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	
19a. NAME OF RESPONSIBLE PERSON			

- **DoD-DOE coordinated study of Fischer-Tropsch fuels**
 - Under the Flexible JP-8 Pilot Plant Program (2003-2005)
 - FY02, FY04, FY05 funding (congressional)
 - Syntroleum Corp. (prime contractor)
 - Managed by Tank Automotive Research, Development and Engineering Center (TARDEC-National Automotive Center)
 - Office of Secretary of Defense (OSD) oversight



Photo courtesy of Syntroleum Corp.

- **Catoosa Demonstration Facility (Syntroleum FT Plant)**
 - Co-funded by DOE
 - Ultra-Clean Transportation Fuels Demonstration Program
 - Produced jet/diesel fuels from natural gas
 - Fuel source for DoD, DOE, DOT RDT&E projects
 - Achieved demonstration goals, shutdown in 2006

“Leveraging Opportunities to Fill Technology Gaps.”



- **Air Force**
 - **Air Force Research Laboratory, Propulsion Directorate**
 - University of Dayton Research Institute
- **Army**
 - **Tank Automotive Research, Development and Engineering Center, Fuels & Lubricants Laboratory**
 - TARDEC Fuels and Lubricants Research Facility, Southwest Research Institute
- **Navy**
 - **Naval Air Systems Command, Fuels & Lubricants Division Laboratory**
- **DOE**
 - **National Energy Technology Laboratory**
- **Syntroleum Corporation**



“Leveraging Opportunities to Fill Technology Gaps.”

- **Established purpose**
 - Collaborative R&D of alternative fuels, especially synthetic fuel produced from Fischer-Tropsch (FT) technology and JP-8 Flexible JP-8 Pilot Plant Program
- **Established a goal**
 - Develop synthetic fuel spec for all JP-8/JP-5 fueled equipment
- **Defined forms of collaborative activities**
 - Exchange program plans information
 - Consultations by senior policy/program officials for joint planning/program execution
 - Routine exchange of current scientific and technical information, including results and methodologies of ongoing relevant RDT&E activities
 - Conducting seminars, symposia, other scientific/technical meetings for agreed upon topics
 - Joint or individual Party publications, papers, reports, etc.
 - Site visits to locations where work of mutual interest is being performed
 - Joint projects to share the analysis, research, and costs
- **Intended benefits**
 - More efficient resource utilization and capitalization
 - Avert duplication
 - More advanced technology development

“Leveraging Opportunities to Fill Technology Gaps.”

- **Topics**

- Research and development of alternative FT technology
- Research and development of sealing materials compatibility with synthetic fuel specification (JP-8/JP-5 type fuel)
- Evaluation of synthetic fuel
- Component, system, and/or fuel certification and testing
- Emission tests
- Lubricity evaluations
- Development of a synthetic fuel specification

Coordination with industry established as a tenet of the Flexible JP-8 Pilot Plant Program (outside of the MOA).

- **Key arrangements**

- Performance by third parties allowed (government, industry, academic, or non-profit institutions)
- TARDEC responsible for overall management and reporting to OSD
- Coordinated synthetic fuel specification development with Coordinating Research Council (CRC) Aviation Committee – key aviation industry stakeholder group influencing commercial jet fuel spec (ASTM D1655)

“Leveraging Opportunities to Fill Technology Gaps.”

• DOE – NETL

- In-depth chemical analysis of synthetic and conventional fuels
- Analysis of lubricity-enhancing components of petroleum-derived fuels
- Molecular modeling and experimental studies of elastomer-aromatic systems
- Ab initio energetic calculations of fuel-elastomer molecule combinations

• DoD – Army

- Compatibility (of synthetic fuel) with Army equipment, incl. fuel storage, distr., and handling
- Elastomer (seal) compatibility study
- Lubricity testing (bench-top and components)
- Exhaust emissions testing and fuel economy effects (compression ignition engine)

• DoD – Air Force

- Compatibility with aviation equipment, including thermal stability
- Exhaust emissions testing (aviation turbine engine)
- Compatibility with elastomer materials (incl. sealants and coatings)
- Research of non-aromatic compounds impacting elastomers, such as high molecular weight alcohols

• DoD – Navy

- Compatibility of synthetic fuel with Navy equipment, including long-term storage
- Additive requirements
- Lubricity evaluations

“Leveraging Opportunities to Fill Technology Gaps.”

Partial list

American Chemical Society

2003	<ul style="list-style-type: none"> Ab Initio Study of Interaction of a Model Nitrile Polymer with Various Model Fuel Molecules" (R.A. Glenn Award Nomination) 	
2004	<ul style="list-style-type: none"> Production and Characterization of Synthetic Jet Fuel Produced from Fischer-Tropsch Hydrocarbons Composition of Syntroleum S-5 and Conformance to JP-5 Specification Evaluation of Fischer-Tropsch Synthetic Fuels for United States Naval Applications Separation and Identification of Oxygenates as Suspected Performance-Enhancers for Synthetic Jet Fuels The Swelling of Selected O-ring Materials in Jet Propulsion and Fischer-Tropsch Fuels 	<p>Jet Fuel Symposium and session on the Chemistry of FT Jet Fuels organized and chaired by DoD</p>
2005	<ul style="list-style-type: none"> Reduction of Turbine Engine Particulate Emissions Using Synthetic Jet Fuel Effects of Aromatic Jet Fuel Concentration on the Emissions of a T63 Engine 	

Society of Automotive Engineers

2004	<ul style="list-style-type: none"> Alternative Fuels: Assessment of Fischer-Tropsch Fuel for Military Use in 6.5L Diesel Engine (SAE Transactions selection) 	
2005	<ul style="list-style-type: none"> Fischer-Tropsch Fuels: Why Are They of Interest to the United States Military? Bench-top Lubricity Evaluator Correlation with Military Rotary Fuel Injection Pump Test Rig 	
2006	<ul style="list-style-type: none"> Properties of Fischer-Tropsch (FT) Blends for Use in Military Equipment (SAE Transactions selection) 	


American Institute of Aeronautics and Astronautics

2004	<ul style="list-style-type: none"> Fischer-Tropsch Jet Fuels – Characterization for Advanced Aerospace Applications 	
------	--	--

Energy & Fuels 2005

2005	<ul style="list-style-type: none"> Extraction, Separation, and Identification of Polar Oxygen Species in Jet Fuel 	
------	--	--

“Leveraging Opportunities to Fill Technology Gaps.”




	% Abundance* (% Std. Dev.)			
	Normal	(Std. Dev.)	Branched	(Std. Dev.)
<C8	--	--	0.01	(0.00)
C8	0.01	(0.00)	--	--
C9	0.07	(0.00)	0.04	(0.01)
C10	1.47	(0.04)	1.02	(0.03)
C11	1.45	(0.02)	10.52	(0.17)
C12	1.14	(0.00)	11.66	(0.06)
C13	0.68	(0.00)	12.29	(0.02)
C14	0.57	(0.00)	12.81	(0.04)
C15	0.42	(0.01)	12.94	(0.05)
C16	0.53	(0.00)	12.21	(0.06)
C17	0.27	(0.00)	9.02	(0.05)
>C17	--	--	10.88	(0.13)
Total	6.61		93.39	

* Results an average of 3 separate measurements

Data courtesy NETL

Mostly methyl-substitued isoparaffins, progressively less substitution by ethyl+ longer chain groups (S-5, Syntroleum Corp.)



"Leveraging Opportunities to Fill Technology Gaps."

- **Rotary fuel injection pump testing**
 - Rotary fuel injection pump is fuel-lubricated, used in tactical ground vehicles (High Mobility Multi-Purpose Wheeled Vehicle)
 - FT fuel additized with military-approved lubricity improver test results indicative of acceptable performance of fuel pump in field
 - Both at min. and max. treat rates per Qualified Products List (QPL-25017)
 - Reference: SAE Paper 2004-01-2961




Photo courtesy of TARDEC F&L Research Facility, SwRI™

Test	Pump	Duration (hours)	Change ¹ (mm)	FT Fuel CI/LI (mg/L)
1	1	95.6	0.096	Untreated
	2	150.7	0.068	
2	3	500	0.007	12
	4	500	-0.006	(Min. ²)
3	5	500	0.005	22.5
	6	500	0.002	(Max. ²)

¹ Change in roller-to-roller dimension pre- & post- test.

² Min. and Max. treat rates per QPL-25017.


Data courtesy TARDEC F&L Research Facility, SwRI™

Poor lubricity of FT fuel is improved with standard lubricity improver additive used in petroleum fuel (JP-8/JP-5).

“Leveraging Opportunities to Fill Technology Gaps.”

Relative Total Deposition – ECAT (6 Hrs)

Data courtesy AFRL



FT fuel has excellent thermal stability as compared to petroleum fuels.

“Leveraging Opportunities to Fill Technology Gaps.”

Storage Stability Test Results (Syntroleum S-5)

w/o AO	0 Hr	24Hrs	48Hrs	72Hrs	96Hrs
Saybolt Color	30	29	24	19	22
Peroxide, ppm	0	>240	>240	>240	>240
Gums, mg/100ml	0	0	0.1	1	7.9

20 ppm AO	0 Hr	24Hrs	48Hrs	72Hrs	96Hrs
Saybolt Color	30	30	30	30	30
Peroxide, ppm	0	0	0	0	0
Gums, mg/100ml	0.4	0.3	0.4	0.5	1.3
Antioxidant ppm	22.2	9.5	8.7	7.6	9.1

30 ppm AO	0 Hr	24Hrs	48Hrs	72Hrs	96Hrs
Saybolt Color	30	30	30	30	30
Peroxide, ppm	0	0	0	0	0
Gums, mg/100ml	0.1	0.3	0.3	0.3	0.4
Antioxidant ppm	33.3	33	33.7	33	33.3



Compatibility Evaluation Test Results (2 FT fuels: F-T 1 and F-T 2)




Photo courtesy of NAVAIR F&L Lab

Data courtesy
NAVAIR F&L Lab

FT fuel exhibits excellent long-term storage stability; responds well to standard anti-oxidants used in petroleum fuel (JP-5 / JP-8) and is compatible with Cu-Ni alloy used in shipboard fuel distribution systems

“Leveraging Opportunities to Fill Technology Gaps.”

- **Key factors leading to success**
 - Strong team of Federal lab researchers and partners, augmented by technical expertise of FT fuel provider
 - Well-constructed MOA established a purpose and common goal, defined roles and responsibilities of Parties
 - Parties implemented all forms collaborative activities defined in MOA
- **Key achievements**
 - Early achievements of this collaboration established a cornerstone of the OSD Assured Fuels Initiative launched in late 2004; goals under this initiative are still being pursued today

Vision

DoD/AT&L intends to catalyze commercial industry to produce clean fuels for the military from secure domestic resources using environmentally sensitive processes as a bridge to the future.

- Draft synthetic fuel specification resulting from collaboration issued in 2006; formed basis of recent modification of JP-8 specification to allow blends of FT kerosene and JP-8

“Leveraging Opportunities to Fill Technology Gaps.”