



Unmanned Systems  
Research and Development  
at  
Unmanned Systems Branch, Code 7171  
SPAWAR Systems Center Pacific

San Diego, CA

<http://www.spawar.navy.mil/robots/>

# Report Documentation Page

*Form Approved  
OMB No. 0704-0188*

Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

1. REPORT DATE <b>2010</b>	2. REPORT TYPE	3. DATES COVERED <b>00-00-2010 to 00-00-2010</b>			
4. TITLE AND SUBTITLE <b>Unmanned Systems Research And Development At Unmanned Systems Branch, Code 7171 SPAWAR Systems Center Pacific</b>		5a. CONTRACT NUMBER			
		5b. GRANT NUMBER			
		5c. PROGRAM ELEMENT NUMBER			
6. AUTHOR(S)		5d. PROJECT NUMBER			
		5e. TASK NUMBER			
		5f. WORK UNIT NUMBER			
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) <b>SPAWAR Space Center Pacific, San Diego, CA, 92101</b>		8. PERFORMING ORGANIZATION REPORT NUMBER			
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)		10. SPONSOR/MONITOR'S ACRONYM(S)			
		11. SPONSOR/MONITOR'S REPORT NUMBER(S)			
12. DISTRIBUTION/AVAILABILITY STATEMENT <b>Approved for public release; distribution unlimited</b>					
13. SUPPLEMENTARY NOTES <b>Presented at ( Association for Unmanned Vehicle Systems International) AUVSI's Unmanned Systems Program Review, Washington, DC, February 2-4, 2010</b>					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT <b>Same as Report (SAR)</b>	18. NUMBER OF PAGES <b>21</b>	19a. NAME OF RESPONSIBLE PERSON
a. REPORT <b>unclassified</b>	b. ABSTRACT <b>unclassified</b>	c. THIS PAGE <b>unclassified</b>			

**SPAWAR**



Systems Center  
**PACIFIC**

# Unmanned Systems Branch

- Over 70 in-house personnel
- 45 Government scientists and engineers
- Unmanned Systems Naval Reserve Unit
- 25 years in unmanned ground vehicles
- Over 20 active robotics research and development projects
- Infrastructure for UGV, UAV, USV RDT&E
- Funding from:
  - OSD JGRE, RS-JPO, NAVSEA, PM-FPS, FCS, MANSCEN, CECOM NVESD, ARL, DARPA, DTRA, ONR, NSWG, SOCOM, and others



# Technology Development Across All Domains Air, Land, Sea, and C2



**Unmanned  
Aerial Vehicles**




**Unmanned  
Ground Vehicles**



**Unmanned  
Surface Vehicles**



**Unattended  
Munitions**



**Command and Control**




**Unattended  
Sensors**

# Multi-Robot Operator Control Unit (MOCU)


## Operational Relevance

- In use as the common OCU for the Littoral Combat Ship (LCS) USV mission modules (ASW and MIW)
- Planned for use in the Navy's Advanced EOD Robotic Systems (AEODRS) program
- In development under the ONR Capable Manpower and Summit (planned for FY10) programs
- Used for the Army's FIRRE and JFPASS JCTD programs (as JBC2S)
- Used for the R3V and Spartan ACTDs
- Used by a wide variety of other government, industry and academic organizations



## Characteristics

- Control multiple heterogeneous vehicles
- Vehicle and protocol type independent
- Modular and scalable
- Flexible User interface
- 3D graphics
- Enables 3<sup>rd</sup> party development
- Ranked best in Technology and Universality in the JGRE Common Robotic Controller Study



**SPAWAR**




Systems Center  
**PACIFIC**

# Autonomous Navigation for Small UGVs (ANSU)



## Operational Relevance

- Focusing on moving technologies from the laboratory to a realistic operational environment, specifically technologies that will advance the autonomy of small systems in a practical and robust manner.
- Working to transition software and hardware systems to the EOD UGV programs (MTRS and AEODRS)



## Accomplishments

- Continuing to develop improved autonomy functions and sensors
  - Funding GDRS to develop a miniature dual-axis scanning LADAR
  - Funding NASA JPL to continue to investigate nighttime stereovision and more advanced traversability analysis
- Demonstrated various autonomous navigation behaviors to EOD users
  - Waypoint navigation (w & w/out obstacle avoidance)
  - Guarded tele-op, retro-traverse, point-and-click drive
  - 3D scene building for improvement operator SA



**SPAWAR**



Systems Center  
**PACIFIC**

# Urban Environment Exploration (UrbEE)

## Operational Relevance

- Enhance teleoperated systems with COTS sensors and autonomous behaviors to reliably perform in urban environments
- Objective tests/experiments regularly conducted to metric performance to assess and advance TRLs

## Joint Experiment at Molnar MOUT, Ft. Benning, GA

- Conducted with ARL: HRED (Human & Research Engineering Directorate), ARL: CISD (Computational and Information Sciences Directorate), and Think-a-Move, Ltd.
- ACS framework enabled a variety of behaviors to be tested at each level of autonomy




*ACS with UrbEE behaviors integrated on an iRobot PackBot Scout was used at Building Recon station*

*Soldiers operated the robot from a separate building, while HRED data collectors observed*



*Exploration results of two office buildings and surrounding areas at SSC*



*Sensor, robot position, and map data aided operators while they searched for tactical items at Molnar MOUT, Ft. Benning*

## Software Technology Development

- Within Autonomous Capability Suite (ACS) framework
  - Non-GPS navigation – enhanced localization and path planning without GPS
  - Seamless transition between outdoor and indoor environments
  - Automatic return-to-comms; retro-traverse
  - Large-scale, multi-story mapping and efficient exploration strategies for varying structure types (size, clutter, # of floors)
  - Stair detection, climbing, and descending

SPAWAR



Systems Center  
PACIFIC

# Urban Environment Modeling (UrbEM)

## Operational Relevance


- Develop, mature, and demonstrate technologies that will provide rich 3-dimensional models of complex urban environments from the ground perspective. The models will be used for UGV path/mission planning, navigation, and localization and possibly by the warfighter as a mission planning and training tool.



Movie

## Accomplishments

- Working with the University of Washington
  - Adapt technology licensed to Microsoft for PhotoSynth
  - Add multi-view stereo to the pipeline
  - Investigate addition of spatial phase video data
  - Made significant improvements to the speed of the pipeline and ability to scale to much larger image sets



Movie

# EOD Tech Development and Support

## Operational Relevance

- Provide technical support to NAVEODTECHDIV for EOD UGV programs including the current MTRS program (Packbot and Talon) and the Advanced EOD Robotic Systems (AEODRS) program for the next generation of EOD UGVs.



## Accomplishments

- Supporting AEODRS with MOCU as the common controller for the family of systems as well as program IPT support
- Supporting MTRS with common control (MOCU), a hardened autonomy payload, and a communications repeater system for operational assessment
- Integration of EOD tools to the MTRS EOD UGVs
- Demonstration of basic autonomy on EOD robots
  - Waypoint navigation, obstacle avoidance, retro-traverse, click-to-drive, etc..



SPAWAR





Systems Center  
PACIFIC

# 3D Visualization for EOD Robots (3DVis)

## Operational Relevance

- Developing a system that will allow an EOD UGV to build a high-resolution 3D model of an object of interest and allow the operator to view and control the UGV manipulator in a virtual environment using that model. This will substantially improve the operator's situation awareness and perception of where the end effector is relative to the object



## Accomplishments

- Working in NASA JPL and UNC Chapel Hill
  - JPL is using stereovision with VO and VSLAM, local and global stereo methods
  - UNC is using stereovision with a spatial phase camera, KLT VO, and structure-from-motion
- Focus is on reduce computation time while increasing fidelity and accuracy



**SPAWAR**



Systems Center  
**PACIFIC**

# Miniature 3D Spatial Phase Camera

## Operational Relevance

- Mature, miniaturize and further develop the 3D Spatial Phase Imaging (SPI) technology. SPI technology addresses fundamental limitations of other sensors such as stereovision and lidar. The SPI sensor is not a range sensor but does provide 3D surface detail in far greater resolution than other current technologies. When combined with a range sensor the SPI sensor will greatly enhance the perception capabilities of UGVs.



## Accomplishments

- Working with Photon-X to mature and miniaturize the SPI sensor
  - Porting and parallelizing SPI algorithms to the Hyper-X processor
  - Developing algorithms to capitalize on this technology for UGV perception (navigation, 3D modeling, gesture recognition, etc.)



**SPAWAR**



Systems Center  
**PACIFIC**

# Mobile Detection Assessment Response System (MDARS)



## Operational Relevance

- Robotic platforms autonomously patrol DoD storage sites and air bases.
- Robots navigate along pre-programmed paths using differential Global Positioning System.
- Multi-layer sensor fusion of laser, stereo vision cameras, and radar provides Obstacle Avoidance.
- Robots detect and assess potential intruders, monitor inventory, and check the status of Interior Locking Devices (ILD) on munition storage bunkers.

## Accomplishments & Milestones



- BAA contract for platform development awarded in 1993.
- Led system integration and tests of BAA prototype, 1993-1998.
- BAA Final Demonstration successfully conducted in October 1998.
- Passed Technical Feasibility Testing (TFT) conducted by U.S. Army Test Command in May 2000.
- System Development and Demonstration (SDD) contract awarded in 2001.
- Early User Appraisal (EUA) at Hawthorne Army Depot in 2004 – 2005.
- Passed Milestone C in December 2006.
- Production contract awarded to GDRS in 2007.
- Currently leading the MDARS Modernization Effort—incorporating user-requested capabilities: detection on the move, weaponization, ICIDS, etc.



# Joint Force Protection Advanced Security System (JFPASS) JCTD

## Operational Relevance


- Demonstrate integrated Force Protection (FP) C2 environment – a Joint capability
- Demonstrate fixed and expeditionary FP C2
- Integrate sensor inputs with automated (unmanned) response systems
- Serve to bring FP stakeholders together to define vision for Joint FP
- Leave-behind a capability with sustainment plan in FY09-FY10
- Operational Sponsor is USEUCOM



## Accomplishments

- Formalized JFPASS functional requirements (FRD)
- Extended C2 system to operate with ICX middleware
- Conducted multiple integration assessment activities at Eglin AFB
- Conducted Technical Demonstration (TD-1) at Eglin AFB
- Began installation of operational FP equipment at OCONUS site

# Joint Collaborative Technologies Experiment (JCTE)



## Operational Relevance

- Integrate collaborative technologies that support teaming communications, sustainment, and engagement in manned-unmanned teaming applications
- Effort to develop the capabilities needed to support collaborative behaviors between unmanned systems
- Joint effort from three services
  - SPAWAR, AFRL, AMRDEC
- Demonstration to validate hardware and software with an emphasis on JAUS compliance

## Accomplishments

### Demonstrated:

- Beyond Line Of Sight (BLOS) range extension through a UAV-borne communications relay (AFRL)
- Forward deployment, launch, recovery, and refueling of a VTOL UAV by a UGV (SSC-P: AUMS)
- Target ID and lethal engagement (AMRDEC)



Movie

# Automatic Payload Deployment System (APDS)

## Operational Relevance

- Based on the Automatically Deployed Communication Relays (ADCR) system.
- Demonstrates extended range and non-line of sight operations by deploying relaying radios.
- Demonstrates automatic deployment of leave-behind sensors.
- Capable of delivering supplies and other payloads.



## Technology Development

- Smaller footprint than the original ADCR system.
- Improved mast lift mechanism for raising antennas and sensors.
- Use of higher bandwidth radios minimizes latency of vehicle response to operator commands.
- Deployer unit can carry variable sized payloads.




# Intelligence, Surveillance, Reconnaissance (ISR) Robot



## Operational Relevance

- Provide a persistent unmanned ground surveillance and reconnaissance capability.
- Ability to conduct continuous covert unmanned surveillance from a remote location (analogous to a human occupied observation or listening post).
- Ability to utilize long-range teleoperation with low latency NLOS communications and semi-autonomous behaviors.



## Technology Development Goals

- Power duration of up to 72 hours
- Extended-range communications
- Integrated, configurable sensor suite
- Ability to maneuver semi-autonomously



# Human Motion/Presence Detection

## Operational Relevance

- Address any robotic operation requiring a ground vehicle to detect, respond to, and interact with a human
- Provide safe operations of ground vehicles where people are present

## Small Vehicle Solution:

- Example Applications: safe operations, robot self-defense, person tracking and following, tactical behaviors, human-robot teaming
- Fused sensor solution: color-thermal-lidar
- Investigating EO & LWIR stereo from Sarnoff
- Software development within ACS
- If a priori data is available, employ 2-stage change detection-based process:
  - Detect anomalies and tag their locations
  - Verify if anomaly is human or not



Example sensor fusion analysis

Example behavior development & analysis based on positive detection



## Large Vehicle Solution:

- Target Application: Physical Security for MDARS Intruder Detection and Assessment
- New MDARS requirements:
  - Detection of human presence to a range of 300m
  - 360 degrees horizontal, +/-30 degrees vertical
  - Detect from moving platform
  - Pursuing new radar solution from GDRS

# Countermine, Mobility, Marking, Autonomy, and Detection (CMMAD) – Mobility Testing and Mine Marking




## Operational Relevance

- Determine how CMMAD payloads influence the mobility of the iRobot Packbot MTRS MKI and QinetiQ Talon MTRS MKII UGVs

## Accomplishments

- Mock payloads, dynamic measurement systems, and real-time recording capabilities developed
- Thorough testing completed with documented results
- Recommendations made to the Army
- Mine marking AoA conducted and several alternative prototyped



**Movie**

**Mine Marking Movie**

# Networked Remotely Operated Weapon System (NROWS)

## Operational Relevance

- Standalone networked weapons platform provides remote lethal response to intruders.
- Fixed installation or deployed by UGV to provide remote response capability for security operations and other tactical missions.
- Provides real-time unattended weapons pod that extends delay/denial response capabilities at high-value installations or in tactical scenario.



## Technology Development


- Uses a distributed TCP/IP network control-communication architecture.
- Allows for flexible integration and operation of multiple platforms from a single control station.
- Communications incorporate anti-jamming, encryption, or low probability of intercept/low probability of detection (LPI/LPD).
- Integrated with autonomous surveillance, detection, and automated target tracking.
- Demonstrated operation from unmanned MDARS UGV in April 2005.



# Robotic Systems Pool (RSP)

Accelerates the technological advance of US military forces and law enforcement by making the latest robotic technology available through no cost loans.

- Provides government agencies at all levels with the opportunity to evaluate and experiment with mobile robots in their own unique operational domains.
- Users can make appropriate acquisitions of robots based on their experience.
- Robot Developers benefit from the users feedback and recommendations, enabling them to improve their designs and better meet the emerging needs.



Remington



ARA



Inuktun



Foster-Miller



Allen-Vanguard



SSC San Diego



iRobot



Utah State University



World Trade Center



Iraq/Afghanistan




**SPAWAR**



Systems Center  
**PACIFIC**

# Unmanned Surface Vehicle (USV)




Movie

## Operational Relevance

- Used to remove the warfighter from dangerous environments and for force multiplication.
- Intended for Tactical and Force Protection:
  - Special Warfare force projection and reconnaissance
  - MCM: detection, inspection, classification and possible neutralization
  - Port and harbor surveillance and security
  - Marine Hydrographic Surveying
  - Environmental/chemical Sensing

## Accomplishments

- Converted Sea-Doo Challenger 2000 jet boat for semi-autonomous operation.
- Port UGV hardware/software for teleoperation and waypoint navigation.
- Develop obstacle avoidance capability for fully autonomous navigation
  - Deliberative path planning
  - Reactive obstacle avoidance
- Develop and integrate sensor technologies to support autonomous operation
  - Digital ARPA Radar
  - Vision (stereo and monocular)
  - Multi-line scanning LADAR



**SPAWAR**



Systems Center  
**PACIFIC**

## For Additional Information

### **H.R. (Bart) Everett**

Chief Engineer for Robotics,  
Advanced Systems and Applied Sciences Division (Code 71705)  
619-553-3672, e-mail: *bart.everett@navy.mil*

### **Hoa G. Nguyen**

Branch Head, Unmanned Systems Branch (Code 71710)  
619-553-1871, e-mail: *hoa.nguyen@navy.mil*

Space and Naval Warfare Systems Center Pacific  
53406 Woodward Road  
San Diego, CA 92152-7383

<http://www.spawar.navy.mil/robots/>